

CMS Manual System	Department of Health & Human Services (DHHS)
Pub 100-04 Medicare Claims Processing	Centers for Medicare & Medicaid Services (CMS)
Transmittal 1566	Date: July 29, 2008
	Change Request 6107

Subject: Medicare Contractor Annual Update of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)

I. SUMMARY OF CHANGES: This instruction is CMS' annual reminder to the Medicare contractors of the ICD-9-CM update that is effective for the dates of service on and after October 1, 2008. The initial release of this Recurring Update Notification can be found in Pub.100-04, Chapter 23, Section 10.2 of the internet-only manual.

New / Revised Material

Effective Date: October 1, 2008

Implementation Date: October 6, 2008

Disclaimer for manual changes only: The revision date and transmittal number apply only to red italicized material. Any other material was previously published and remains unchanged. However, if this revision contains a table of contents, you will receive the new/revised information only, and not the entire table of contents.

II. CHANGES IN MANUAL INSTRUCTIONS: (N/A if manual is not updated)

R=REVISED, N=NEW, D=DELETED-Only One Per Row.

R/N/D	Chapter / Section / Subsection / Title
N/A	

III. FUNDING:

SECTION A: For Fiscal Intermediaries and Carriers:

No additional funding will be provided by CMS; Contractor activities are to be carried out within their operating budgets.

SECTION B: For Medicare Administrative Contractors (MACs):

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

IV. ATTACHMENTS:

Recurring Update Notification

**Unless otherwise specified, the effective date is the date of service.*

Attachment – Recurring Update Notification

Pub. 100-04	Transmittal: 1566	Date: July 29, 2008	Change Request: 6107
--------------------	--------------------------	----------------------------	-----------------------------

SUBJECT: Medicare Contractor Annual Update of the International Classification of Diseases, Ninth Revision, Clinical Modification (ICD-9-CM)

Effective Date: October 1, 2008

Implementation Date: October 6, 2008

I. GENERAL INFORMATION

A. Background:

In 1979, use of ICD-9-CM codes became mandatory for reporting provider services on Form CMS-1450. On April 1, 1989, use of ICD-9-CM codes became mandatory for all physician services submitted on Form CMS-1500. Effective October 1, 2003 an ICD-9-CM code is required on all paper and electronic claims billed to Medicare carriers with the exception of ambulance claims (specialty type 59).

The ICD-9-CM codes are updated annually as stated in Pub. 100-04, Chapter 23, Section 10.2. The CMS sends the ICD-9-CM Addendum out to the regional offices and Medicare contractors annually.

B. Policy:

This instruction serves as a reminder to contractors regarding the annual ICD-9-CM coding update to be effective for dates of service on or after October 1, 2008 (effective for discharges on or after October 1, 2008 for institutional providers).

An ICD-9-CM code is required for all professional claims, e.g., physicians, non-physician practitioners, independent clinical diagnostic laboratories, occupational and physical therapists, independent diagnostic testing facilities, audiologist, ambulatory surgical centers (ASCs), and for all institutional claims. However, an ICD-9-CM code is not required for ambulance supplier claims.

The CMS posts the new, revised, and discontinued ICD-9-CM diagnosis codes on the CMS Web site at http://www.cms.hhs.gov/ICD9ProviderDiagnosticCodes/07_summarytables.asp#TopOfPage on an annual basis. The updated diagnosis codes are effective for dates of service/discharges on and after October 1. Providers can view the new updated codes at this site in June. Providers can also visit the National Center for Health Statistics (NCHS) Web site at www.cdc.gov/nchs/icd9.htm. The NCHS will post the new ICD-9-CM Addendum on their web in June. Providers are also encouraged to purchase a new ICD-9-CM book or CD-ROM on an annual basis.

II. BUSINESS REQUIREMENTS TABLE

Use "Shall" to denote a mandatory requirement

Number	Requirement	Responsibility (place an "X" in each applicable column)						
		A	D	F	C	R	Shared-System Maintainers	OTHER
		/	M	I	A	H		

							F I S S	M C S	V M S	C W F	
6107.1	Contractors shall install and accept the new and revised 2009 ICD-9-CM codes in order to process claims with dates of service on or after October 1, 2008.	X	X	X	X	X	X		X		
6107.2	For institutional providers, FIs shall accept the new and revised codes for claims with discharges on or after October 1, 2008.	X		X		X	X				
6107.3	Contractors shall review reasons code and local edits that contain ICD-9-CM codes and update if necessary.	X		X		X	X				
6107.4	Contractors shall review local edits that contain ICD-9-CM codes and update if necessary.	X			X						

III. PROVIDER EDUCATION TABLE

Number	Requirement	Responsibility (place an "X" in each applicable column)									
		A / B M A C	D M E M A C	F I	C A R R I E R	R H I	Shared-System Maintainers				OTHER
							F I S S	M C S	V M S	C W F	
6107.5	<p>A provider education article related to this instruction will be available at http://www.cms.hhs.gov/MLN MattersArticles/ shortly after the CR is released. You will receive notification of the article release via the established "MLN Matters" listserv.</p> <p>Contractors shall post this article, or a direct link to this article, on their Web site and include information about it in a listserv message within one week of the availability of the provider education article. In addition, the provider education article shall be included in your next regularly scheduled bulletin. Contractors are free to supplement MLN Matters articles with localized information that would benefit their provider community in billing and administering the Medicare program correctly.</p>	X	X	X	X	X					

IV. SUPPORTING INFORMATION

Section A: For any recommendations and supporting information associated with listed requirements, use the box below:

Use "Should" to denote a recommendation.

X-Ref Requirement Number	Recommendations or other supporting information:

Section B: For all other recommendations and supporting information, use this space:

Grouper 26, Medicare Code Editor v25, and Integrated Outpatient Code Editor v9.3.

Dependencies: Two attachments: the table and the Addendum.

V. CONTACTS

Pre-Implementation Contact(s): April Billingsley, april.billingsley@cms.hhs.gov, 410-786-0140 (carrier), and Valeri Ritter, valeri.ritter@cms.hhs.gov, 410-786-8652 (FIs)

Post-Implementation Contact(s): Appropriate Project Officer

VI. FUNDING

Section A: For *Fiscal Intermediaries (FIs), Carriers, and Regional Home Health Carriers (RHHIs)* use only one of the following statements:

No additional funding will be provided by CMS; contractor activities are to be carried out within their operating budgets.

Section B: For *Medicare Administrative Contractors (MACs)*, use the following statement:

The Medicare Administrative Contractor is hereby advised that this constitutes technical direction as defined in your contract. CMS does not construe this as a change to the MAC Statement of Work. The contractor is not obligated to incur costs in excess of the amounts allotted in your contract unless and until specifically authorized by the Contracting Officer. If the contractor considers anything provided, as described above, to be outside the current scope of work, the contractor shall withhold performance on the part(s) in question and immediately notify the Contracting Officer, in writing or by e-mail, and request formal directions regarding continued performance requirements.

FY 2009 Final Addenda
ICD-9-CM Volume 3, Procedures
Effective October 1, 2008

Tabular

Add inclusion term	00.3 Computer assisted surgery [CAS] <u>That without the use of robotic(s) technology</u>
Add exclusion term	Excludes: <u>robotic assisted procedures (17.41-17.49)</u>
New code	00.49 SuperSaturated oxygen therapy Aqueous oxygen (AO) therapy SSO ₂ SuperOxygenation infusion therapy Code also any: injection or infusion of thrombolytic agent (99.10) insertion of coronary artery stent(s) (36.06-36.07) intracoronary artery thrombolytic infusion (36.04) number of vascular stents inserted (00.45-00.48) number of vessels treated (00.40-00.43) open chest coronary artery angioplasty (36.03) other removal of coronary obstruction (36.09) percutaneous transluminal coronary angioplasty [PTCA] (00.66) procedure on vessel bifurcation (00.44) Excludes: other oxygen enrichment (93.96) other perfusion (39.97)
New Code	00.58 Insertion of intra-aneurysm sac pressure monitoring device (intraoperative) Insertion of pressure sensor during endovascular repair of abdominal or thoracic aortic aneurysm(s)
New code	00.59 Intravascular pressure measurement of coronary arteries Includes: fractional flow reserve (FFR) Code also any synchronous diagnostic or therapeutic procedures Excludes: intravascular pressure measurement of intrathoracic arteries (00.67)
Add code also note	00.66 Percutaneous transluminal coronary angioplasty [PTCA] or coronary atherectomy Code also any: <u>SuperSaturated oxygen therapy (00.49)</u>

New code	00.67 Intravascular pressure measurement of intrathoracic arteries Assessment of: aorta and aortic arch carotid Code also any synchronous diagnostic or therapeutic procedures
New code	00.68 Intravascular pressure measurement of peripheral arteries Assessment of: other peripheral vessels vessels of arm(s) vessels of leg(s) Code also any synchronous diagnostic or therapeutic procedures
New code	00.69 Intravascular pressure measurement, other specified and unspecified vessels iliac vessels intra-abdominal vessels mesenteric vessels renal vessels Code also any synchronous diagnostic or therapeutic procedures Excludes: intravascular pressure measurement of: coronary arteries (00.59) intrathoracic arteries (00.67) peripheral arteries (00.68)
Revise exclusion term	03.53 Repair of vertebral fracture Excludes: kypoplasty <u>percutaneous vertebral augmentation</u> (81.66)
Revise exclusion term	<u>percutaneous</u> vertebroplasty (81.65)
New chapter	3A Other miscellaneous diagnostic and therapeutic procedures
New category	17 Other miscellaneous procedures
New subcategory	17.1 Laparoscopic unilateral repair of inguinal hernia Excludes: other and open unilateral repair of hernia (53.00 – 53.05)
New code	17.11 Laparoscopic repair of direct inguinal hernia with graft or prosthesis Laparoscopic repair of direct and indirect inguinal hernia with graft or prosthesis

New code	17.12 Laparoscopic repair of indirect inguinal hernia with graft or prosthesis
New code	17.13 Laparoscopic repair of inguinal hernia with graft or prosthesis, not otherwise specified
New subcategory	17.2 Laparoscopic bilateral repair of inguinal hernia Excludes: other and open bilateral repair of hernia (53.10 – 53.17)
New code	17.21 Laparoscopic bilateral repair of direct inguinal hernia with graft or prosthesis
New code	17.22 Laparoscopic bilateral repair of indirect inguinal hernia with graft or prosthesis
New code	17.23 Laparoscopic bilateral repair of inguinal hernia, one direct and one indirect, with graft or prosthesis
New code	17.24 Laparoscopic bilateral repair of inguinal hernia with graft or prosthesis, not otherwise specified
New subcategory	17.3 Laparoscopic partial excision of large intestine Excludes: other and open partial excision of large intestine (45.71-45.79)
New code	17.31 Laparoscopic multiple segmental resection of large intestine
New code	17.32 Laparoscopic cecectomy
New code	17.33 Laparoscopic right hemicolectomy
New code	17.34 Laparoscopic resection of transverse colon
New code	17.35 Laparoscopic left hemicolectomy
New code	17.36 Laparoscopic sigmoidectomy
New code	17.39 Other laparoscopic partial excision of large intestine

New subcategory	<p>17.4 Robotic assisted procedures</p> <p>Computer assisted robotic surgery</p> <p>Computer-enhanced robotic surgery</p> <p>Robotic procedure with computer assistance</p> <p>Surgeon-controlled robotic surgery</p> <p>Code first primary procedure</p> <p>Excludes: computer assisted surgery (00.31-00.35, 00.39)</p> <p>Note: This category includes use of a computer console with (3-D) imaging, software, camera(s), visualization and instrumentation <i>combined</i> with the use of robotic arms, device(s), or system(s) at the time of the procedure.</p>
New code	<p>17.41 Open robotic assisted procedure</p> <p>Robotic assistance in open procedure</p>
New code	<p>17.42 Laparoscopic robotic assisted procedure</p> <p>Robotic assistance in laparoscopic procedure</p>
New code	<p>17.43 Percutaneous robotic assisted procedure</p> <p>Robotic assistance in percutaneous procedure</p>
New code	<p>17.44 Endoscopic robotic assisted procedure</p> <p>Robotic assistance in endoscopic procedure</p>
New code	<p>17.45 Thoracoscopic robotic assisted procedure</p> <p>Robotic assistance in thoracoscopic procedure</p>
New code	<p>17.49 Other and unspecified robotic assisted procedure</p> <p>Robotic assistance in other and unspecified procedure</p> <p>Excludes: endoscopic robotic assisted procedure (17.44)</p> <p>laparoscopic robotic assisted procedure (17.42)</p> <p>open robotic assisted procedure (17.41)</p> <p>percutaneous robotic assisted procedure (17.43)</p> <p>thoracoscopic robotic assisted procedure (17.45)</p>
Add inclusion term	31.1 Temporary tracheostomy
Add code also note	<p><u>Temporary percutaneous dilatational tracheostomy [PDT]</u></p> <p><u>Code also any synchronous bronchoscopy, if performed (33.21 – 33.24, 33.27)</u></p>
Add inclusion term	31.29 Other permanent tracheostomy
Add code also note	<p><u>Permanent percutaneous dilatational tracheostomy [PDT]</u></p> <p><u>Code also any synchronous bronchoscopy, if performed (33.21 –</u></p>

33.24, 33.27)

Add exclusion term	33.29 Other diagnostic procedures on lung and bronchus Excludes: <u>endoscopic pulmonary airway flow measurement (33.72)</u>
Revise subcategory title	33.7 Other E endoscopic insertion, replacement, and removal of therapeutic device or substances <u>procedures</u> in bronchus or lung
Delete inclusion term	Biologic lung volume reduction (BLVR)
New Code	33.72 Endoscopic pulmonary airway flow measurement Assessment of pulmonary airway flow Code also any diagnostic or therapeutic procedure if performed
Delete inclusion term	36.33 Endoscopic transmyocardial revascularization Robot-assisted transmyocardial revascularization
Add exclusion term	37.33 Excision or destruction of other lesion or tissue of heart, open approach Excludes: <u>excision or destruction of left atrial appendage (LAA) (37.36)</u>
New Code	37.36 Excision or destruction of left atrial appendage (LAA) Includes: Thoracoscopic approach, minithoracotomy approach Clipping of left atrial appendage Exclusion of left atrial appendage Oversewing of left atrial appendage Stapling of left atrial appendage Code also any concomitant procedure performed Excludes: ablation, excision or destruction of lesion or tissue of heart, endovascular approach (37.34)
Revise code title	37.52 Implantation of total <u>internal biventricular heart replacement heart</u> system
Delete inclusion term	Implantation of fully implantable total replacement heart system, including ventriculectomy
Revise exclusion term	Excludes: implantation of heart assist system [VAD] (37.62, 37.65, 37.66, <u>37.68</u>)

Add note	<u>Note: This procedure includes substantial removal of part or all of the biological heart. Both ventricles are resected, and the native heart is no longer intact. Ventriculectomy is included in this procedure; do not code separately.</u>
Revise code title	37.53 Replacement or repair of thoracic unit of (total) replacement heart system
Revise code title	37.54 Replacement or repair of other implantable component of (total) replacement heart system
Revise exclusion term	Excludes: replacement or repair of thoracic unit of (total) replacement heart system (37.53)
New code	<p>37.55 Removal of internal biventricular heart replacement system Explantation of artificial heart Code also any concomitant procedure, such as: combined heart-lung transplantation (33.6) heart transplantation (37.51) implantation of internal biventricular heart replacement system (37.52)</p> <p>Excludes: explantation [removal] of external heart assist system (37.64) explantation [removal] of percutaneous external heart assist device (97.44) nonoperative removal of heart assist system (97.44) that with replacement or repair of heart replacement system (37.53, 37.54)</p>
Revise subcategory title	37.6 Implantation of heart and circulatory assist system(s)
New code	<p>37.60 Implantation or insertion of biventricular external heart assist system Temporary cardiac support for both left and right ventricles, inserted in the same operative episode</p> <p>Includes: open chest (sternotomy) procedure for cannulae attachments</p>

Note: Device (outside the body but connected to heart) with external circulation pump. Ventriculotomy is included; do not code separately.

Excludes: implantation of internal biventricular heart replacement system (artificial heart) (37.52)
implant of pulsation balloon (37.61)
insertion of percutaneous external heart assist device (37.68)
insertion of temporary non-implantable extracorporeal circulatory assist device (37.62)

Revise code title	37.62 Insertion of <u>temporary non-implantable extracorporeal heart circulatory assist system device</u>
Add inclusion term	<u>Acute circulatory support device</u>
Add inclusion term	<u>Short-term circulatory support (up to six hours)</u>
	Excludes:
Revise exclusion term	implantation of total <u>internal biventricular heart replacement heart system [artificial heart] (37.52)</u>
Add exclusion term	<u>implant of external heart assist system (37.65)</u>
Add exclusion term	<u>insertion of implantable extracorporeal heart assist system (37.66)</u>
Add exclusion term	<u>removal of heart assist system (37.64)</u>
Add note	<u>Note: Includes explanation of this device; do not code separately.</u>
	37.63 Repair of heart assist system
Revise exclusion term	Excludes: replacement or repair of other implantable component of (total) replacement heart system [artificial heart] (37.54)
Revise exclusion term	replacement or repair of thoracic unit of (total) replacement heart system [artificial heart] (37.53)
Revise code title	37.64 Removal of <u>external heart assist system(s) or device(s)</u>
Add inclusion term	<u>Explantation of external device(s) providing left and right ventricular support</u>
Add inclusion term	<u>Explantation of single external device and cannulae</u>
Add exclusion term	Excludes: <u>temporary non-implantable extracorporeal circulatory assist device (37.62)</u>
Revise code title	37.65 Implant of <u>single ventricular (extracorporeal) external heart assist system</u>

Add inclusion term	<u>Insertion of one device into one ventricle</u>
Revise exclusion term	Excludes: implantation of total <u>internal biventricular heart replacement heart</u> system (37.52)
Add exclusion term	<u>insertion of implantable heart assist system (37.66)</u>
Add exclusion term	<u>insertion or implantation of two external VADs for simultaneous right and left heart support (37.60)</u>
Add exclusion term	<u>that without sternotomy (37.62)</u>
Add note	<u>Note: Insertion or implantation of one external VAD for left or right heart support.</u>
Revise exclusion term	37.66 Insertion of implantable heart assist system Excludes: implantation of total <u>internal biventricular heart replacement heart</u> system [artificial heart] (37.52)
New code	38.23 Intravascular spectroscopy Includes: imaging of both coronary and peripheral vessels Intravascular chemography Near infrared (NIR) spectroscopy Excludes: intravascular imaging of: coronary vessels (00.24) peripheral vessels (00.23)
Revise exclusion term	38.99 Other puncture of vein Excludes: that for: angiography of veins (88.60- 88.69 <u>88.68</u>)
Revise exclusion term	phlebography (88.60- 88.69 <u>88.68</u>)
Revise exclusion term	39 Other operations on vessels Excludes: those on coronary vessels (36.00 <u>36.03-36.99</u>)
Add code also note	39.71 Endovascular implantation of graft in abdominal aorta <u>Code also intra-aneurysm sac pressure monitoring (intraoperative) (00.58)</u>
Add code also note	39.73 Endovascular implantation of graft in thoracic aorta <u>Code also intra-aneurysm sac pressure monitoring (intraoperative) (00.58)</u>

39.97 Other perfusion
Add exclusion note Excludes: SuperSaturated oxygen therapy (00.49)

44.32 Percutaneous [endoscopic] gastrojejunostomy
Delete inclusion term ~~Endoscopic conversion of gastrostomy to jejunostomy~~
Add inclusion term Bypass:
Add inclusion term gastroduodenostomy
Revise inclusion term ~~PEG PEGJJ~~
Add exclusion term Excludes: percutaneous (endoscopic) feeding jejunostomy (46.32)

45.41 Excision of lesion or tissue of large intestine
Revise exclusion term Excludes: multiple segmental resection (17.31, 45.71)

45.6 Other excision of small intestine
Revise exclusion term Excludes: cecectomy (17.32, 45.72)
enterolectomy (17.39, 45.79)
Revise exclusion term ileolectomy (17.33, 45.73)

45.62 Other partial resection of small intestine
Revise exclusion term Excludes: resection of cecum and terminal ileum (17.32, 45.72)

45.7 Open and other pPartial excision of large intestine
Revise subcategory title
Add exclusion term Excludes: laparoscopic partial excision of large intestine (17.31 – 17.39)

45.71 Open and other mMultiple segmental resection of large intestine
Revise code title

45.72 Open and other cCecectomy
Revise code title

45.73 Open and other rRight hemicolectomy
Revise code title

45.74 Open and other rResection of transverse colon
Revise code title

45.75 Open and other lLeft hemicolectomy
Revise code title

Revise code title	45.76	<u>Open and other s</u> Sigmoidectomy
Revise code title	45.79	<u>Other and unspecified</u> partial excision of large intestine
New subcategory	45.8	Total intra-abdominal colectomy Excision of cecum, colon, and sigmoid Excludes: colectomy (48.41-48.69)
New code	45.81	Laparoscopic total intra-abdominal colectomy
New code	45.82	Open total intra-abdominal colectomy
New code	45.83	Other and unspecified total intra-abdominal colectomy
Add inclusion term	46.32	Percutaneous (endoscopic) jejunostomy [PEJ] <u>Endoscopic conversion of gastrostomy to jejunostomy</u>
Add inclusion term		<u>Percutaneous (endoscopic) feeding enterostomy</u>
Add exclusion term		<u>Excludes: percutaneous [endoscopic] gastrojejunostomy (bypass) (44.32)</u>
New code	48.40	Pull-through resection of rectum, not otherwise specified Pull-through resection NOS Excludes: abdominoperineal pull-through NOS (48.50)
New code	48.42	Laparoscopic pull-through resection of rectum
New code	48.43	Open pull-through resection of rectum
Add exclusion term	48.49	Other pull-through resection of rectum Excludes: <u>laparoscopic pull-through resection of rectum (48.42)</u> <u>open pull-through resection of rectum (48.43)</u> <u>pull-through resection of rectum, not otherwise specified (48.40)</u>
New subcategory	48.5	Abdominoperineal resection of rectum Includes: with synchronous colostomy Combined abdominoendorectal resection Complete proctectomy Code also any synchronous anastomosis other than end-to-end (45.90, 45.92-45.95)

Excludes: Duhamel abdominoperineal pull-through (48.65)
that as part of pelvic exenteration (68.8)

New code	48.50	Abdominoperineal resection of the rectum, not otherwise specified
New code	48.51	Laparoscopic abdominoperineal resection of the rectum
New code	48.52	Open abdominoperineal resection of the rectum
New code	48.59	Other abdominoperineal resection of the rectum Excludes: abdominoperineal resection of the rectum, NOS (48.50) laparoscopic abdominoperineal resection of the rectum (48.51) open abdominoperineal resection of the rectum (48.52)
	48.7	Repair of rectum Excludes: repair of: vaginal rectocele (70.50, 70.52, <u>70.53</u> , <u>70.55</u>)
Revise exclusion term		
Revise subcategory title	53.0	<u>Other u</u> Unilateral repair of inguinal hernia
Add exclusion term		<u>Excludes: laparoscopic unilateral repair of inguinal hernia (17.11-17.13)</u>
Revise code title	53.01	<u>Other and open r</u> Repair of direct inguinal hernia
Add inclusion term		<u>Direct and indirect inguinal hernia</u>
Revise code title	53.02	<u>Other and open r</u> Repair of indirect inguinal hernia
Revise code title	53.03	<u>Other and open r</u> Repair of direct inguinal hernia with graft or prosthesis
Revise code title	53.04	<u>Other and open r</u> Repair of indirect inguinal hernia with graft or prosthesis
Revise subcategory title	53.1	<u>Other b</u> Bilateral repair of inguinal hernia
Add exclusion term		<u>Excludes: laparoscopic bilateral repair of inguinal hernia (17.21 – 17.24)</u>

Revise code title	53.11	<u>Other and open b</u> Bilateral repair of direct inguinal hernia
Revise code title	53.12	<u>Other and open b</u> Bilateral repair of indirect inguinal hernia
Revise code title	53.13	<u>Other and open b</u> Bilateral repair of inguinal hernia, one direct and one indirect
Revise code title	53.14	<u>Other and open b</u> Bilateral repair of direct inguinal hernia with graft or prosthesis
Revise code title	53.15	<u>Other and open b</u> Bilateral repair of indirect inguinal hernia with graft or prosthesis
Revise code title	53.16	<u>Other and open b</u> Bilateral repair of inguinal hernia, one direct and one indirect, with graft or prosthesis
Revise code title	53.41	<u>Other and open r</u> Repair of umbilical hernia with graft or prosthesis
New code	53.42	Laparoscopic repair of umbilical hernia with graft or prosthesis
New code	53.43	Other laparoscopic umbilical herniorrhaphy
Revise code title	53.49	Other <u>open</u> umbilical herniorrhaphy Excludes: other laparoscopic umbilical herniorrhaphy (53.43) repair of umbilical hernia with graft or prosthesis (53.41, 53.42)
Revise code title	53.61	<u>Other open i</u> ncisional hernia repair with graft or prosthesis
Add exclusion term		<u>Excludes: laparoscopic incisional hernia repair with graft or prosthesis (53.62)</u>
New code	53.62	Laparoscopic incisional hernia repair with graft or prosthesis
New code	53.63	Other laparoscopic repair of other hernia of anterior abdominal wall with graft or prosthesis
Revise code title	53.69	<u>Other and open r</u> Repair of other hernia of anterior abdominal wall with graft or prosthesis
Add exclusion term		<u>Excludes: other laparoscopic repair of other hernia of anterior abdominal wall with graft or prosthesis (53.63)</u>

New subcategory	53.7 Repair of diaphragmatic hernia, abdominal approach
New code	53.71 Laparoscopic repair of diaphragmatic hernia, abdominal approach
New code	53.72 Other and open repair of diaphragmatic hernia, abdominal approach
New code	53.75 Repair of diaphragmatic hernia, abdominal approach, not otherwise specified Excludes: laparoscopic repair of diaphragmatic hernia (53.71) other and open repair of diaphragmatic hernia (53.72)
New code	53.83 Laparoscopic repair of diaphragmatic hernia, with thoracic approach
New code	53.84 Other and open repair of diaphragmatic hernia, with thoracic approach Excludes: repair of diaphragmatic hernia with thoracic approach, NOS (53.80)
Revise exclusion term	56.81 Lysis of intraluminal adhesions of ureter Excludes: lysis of periureteral adhesions (59.01–59.02) (<u>59.02–59.03</u>)
Revise exclusion term	ureterolysis (59.01–59.02) (<u>59.02–59.03</u>)
Add exclusion term	70.50 Repair of cystocele and rectocele Excludes: <u>repair of cystocele and rectocele with graft or prosthesis (70.53)</u>
Add exclusion term	70.51 Repair of cystocele Excludes: <u>repair of cystocele and rectocele with graft or prosthesis (70.53)</u>
Add exclusion term	<u>repair of cystocele with graft or prosthesis (70.54)</u>
Add exclusion term	70.52 Repair of rectocele Excludes: <u>repair of cystocele and rectocele with graft or prosthesis (70.53)</u>
Add exclusion term	<u>repair of rectocele with graft or prosthesis (70.55)</u>
Add code also note	75.6 Repair of other current obstetric laceration <u>Code also episiotomy, if performed (73.6)</u>

Delete exclusion term	75.69 Repair of other current obstetric laceration Excludes: repair of routine episiotomy (73.6)
Revise exclusion term	77.8 Other partial ostectomy Excludes: excision of bone ends associated with: arthrodesis (81.00-81.239, <u>81.62-81.66</u>)
Revise exclusion term	arthroplasty (81.31— 81.87 <u>81.40-81.59, 81.71-81.85</u>)
Revise subcategory title	80.5 <u>Excision, or destruction and other repair of</u> intervertebral disc
Add code also note	80.51 Excision of intervertebral disc <u>Code also any repair of the anulus fibrosus (80.53-80.54)</u>
New code	80.53 Repair of the anulus fibrosus with graft or prosthesis Anular disc repair Closure (sealing) of the anulus fibrosus defect Includes: microsurgical suture repair with fascial autograft soft tissue re-approximation repair with tension bands surgical mesh repair Code also any: application or administration of adhesion barrier substance, if performed (99.77) intervertebral discectomy, if performed (80.51) locally harvested fascia for graft (83.43)
New code	80.54 Other and unspecified repair of the anulus fibrosus Anular disc repair Closure (sealing) of the anulus fibrosus defect Microsurgical suture repair without fascial autograft Percutaneous repair of the anulus fibrosus Code also any: application or administration of adhesion barrier substance, if performed (99.77) intervertebral discectomy, if performed (80.51)
Revise code title	81.65 <u>Percutaneous v</u> Vertebroplasty
Add exclusion term	Excludes: <u>percutaneous vertebral augmentation (81.66)</u>

Revise code title	81.66 Kyphoplasty <u>Percutaneous vertebral augmentation</u>
Revise inclusion term	Insertion of inflatable balloon, bone tamp, or other device <u>displacing (removing) (compacting) bone to create a space (cavity) (void) for partial restoration of height of diseased or fractured vertebral body prior to the injection of bone void filler (cement) (polymethylmethacrylate) (PMMA) or other substance</u>
Add inclusion term	<u>Arcuplasty</u>
Add inclusion term	<u>Kyphoplasty</u>
Add inclusion term	<u>SKyphoplasty</u>
Add inclusion term	<u>Spineoplasty</u>
Revise exclusion term	Excludes: <u>percutaneous</u> vertebroplasty (81.65)
Revise exclusion term	84.55 Insertion of bone void filler Excludes: that with kyphoplasty <u>percutaneous vertebral augmentation</u> (81.66)
Revise exclusion term	that with <u>percutaneous</u> vertebroplasty (81.65)
Revise title	84.56 <u>Insertion or replacement</u> of (cement) spacer
Revise inclusion term	<u>Insertion or replacement</u> of joint (methylnmethacrylate) spacer
New subcategory	85.7 Total reconstruction of breast
New code	85.70 Total reconstruction of breast, not otherwise specified Perforator flap, free
New code	85.71 Latissimus dorsi myocutaneous flap
New code	85.72 Transverse rectus abdominis myocutaneous (TRAM) flap, pedicled Excludes: transverse rectus abdominis myocutaneous (TRAM) flap, free (85.73)
New code	85.73 Transverse rectus abdominis myocutaneous (TRAM) flap, free Excludes: transverse rectus abdominis myocutaneous (TRAM) flap, pedicled (85.72)

New code	85.74	Deep inferior epigastric artery perforator (DIEP) flap, free
New code	85.75	Superficial inferior epigastric artery (SIEA) flap, free
New code	85.76	Gluteal artery perforator (GAP) flap, free
New code	85.79	Other total reconstruction of breast Excludes: deep inferior epigastric artery perforator (DIEP) flap, free (85.74) gluteal artery perforator (GAP) flap, free (85.76) latissimus dorsi myocutaneous flap (85.71) perforator flap, free (85.70) superficial inferior epigastric artery (SIEA) flap, free (85.75) total reconstruction of breast, not otherwise specified (85.70) transverse rectus abdominis myocutaneous (TRAM) flap, free (85.73) transverse rectus abdominis myocutaneous (TRAM) flap, pedicled (85.72)
	85.8	Other repair and plastic operations on breast Excludes: that for:
Revise exclusion term		reconstruction (85.70-85.76, 85.79)
Add exclusion term	86.09	Other incision of skin and subcutaneous tissue Excludes: <u>that for drainage (86.04)</u>
Add inclusion term	87.41	Computerized axial tomography of thorax <u>C.A.T. scan of heart</u>
Add exclusion term	87.42	Other tomography of thorax <u>Excludes: C.A.T. scan of heart (87.41)</u>
Add exclusion term	88.38	Other computerized axial tomography Excludes: C.A.T. scan of: <u>heart (87.41)</u>

Add exclusion term	89.37 Vital capacity determination <u>Excludes: endoscopic pulmonary airway flow measurement (33.72)</u>
Add exclusion term	89.38 Other nonoperative respiratory measurements <u>Excludes: endoscopic pulmonary airway flow measurement (33.72)</u>
Add exclusion term	89.61 Systemic arterial pressure monitoring <u>Excludes: intra-aneurysm sac pressure monitoring (intraoperative) (00.58)</u>
Add exclusion term	<u>intravascular pressure measurement of intrathoracic arteries (00.67)</u>
Add exclusion term	<u>intravascular pressure measurement of peripheral arteries (00.68)</u>
Add exclusion term	89.62 Central venous pressure monitoring <u>Excludes: intravascular pressure measurement, other specified and unspecified vessels (00.69)</u>
Add exclusion term	89.69 Monitoring of coronary blood flow <u>Excludes: intravascular pressure measurement of coronary arteries (00.59)</u>
Revise exclusion term	91.6 Microscopic examination of specimen from skin and other integument <u>Excludes: mucous membrane – code to organ site that of operative wound</u>
Revise exclusion term	<u>that of operative wound (91.70 91.71-91.79)</u>
Revise exclusion term	93.9 Respiratory therapy <u>Excludes: other continuous <u>invasive (through endotracheal tube or tracheostomy)</u> mechanical ventilation (96.70-96.72)</u>
Revise code title	93.90 Continuous positive airway pressure [CPAP] <u>Non-invasive mechanical ventilation</u>
Add inclusion term	<u>BiPAP without (delivery through) endotracheal tube</u>

Add inclusion term	<u>or tracheostomy</u> <u>CPAP without (delivery through) endotracheal tube</u> <u>or tracheostomy</u>
Add inclusion term	<u>Mechanical ventilation NOS</u>
Add inclusion term	<u>Non-invasive PPV</u>
Add inclusion term	<u>NPPV</u>
Add inclusion term	<u>That delivered by non-invasive interface:</u>
Add inclusion term	<u>face mask</u>
Add inclusion term	<u>nasal mask</u>
Add inclusion term	<u>nasal pillow</u>
Add inclusion term	<u>oral mouthpiece</u>
Add inclusion term	<u>oronasal mask</u>
Add exclusion term	<u>Excludes: invasive (through endotracheal tube or</u> <u>tracheostomy) continuous mechanical</u> <u>ventilation (96.70-96.72)</u>
Add note	<u>Note: Patients admitted on <i>non-invasive</i> mechanical</u> <u>ventilation that subsequently require <i>invasive</i> mechanical</u> <u>ventilation; code both types of mechanical ventilation.</u>
	93.96 Other oxygen enrichment
Add exclusion term	Excludes: <u>SuperSaturated oxygen therapy (00.49)</u>
Revise subcategory title	96.7 Other continuous <u>invasive</u> mechanical ventilation
Delete inclusion term	Intermittent mandatory ventilation (IMV)
Delete inclusion term	Positive end expiratory pressure [PEEP]
Delete inclusion term	Pressure support ventilation [PSV]
Add inclusion term	<u>BiPAP delivered through endotracheal tube</u>
Add inclusion term	<u>or tracheostomy (invasive interface)</u>
Add inclusion term	<u>CPAP delivered through endotracheal tube</u> <u>or tracheostomy (invasive interface)</u>
Add inclusion term	<u>Invasive positive pressure ventilation [IPPV]</u>
Add inclusion term	<u>Mechanical ventilation through invasive</u> <u>interface</u>
Revise exclusion term	Excludes: <u>non-invasive</u> bi-level positive airway pressure [BiPAP] (93.90)
Revise exclusion term	<u>non-invasive</u> continuous positive airway pressure [CPAP] (93.90)
Revise code title	96.70 Continuous <u>invasive</u> mechanical ventilation of unspecified duration
Revise inclusion term	<u>Invasive M</u> <u>mechanical ventilation NOS</u>

Revise code title	96.71 Continuous <u>invasive</u> mechanical ventilation for less than 96 consecutive hours
Revise code title	96.72 Continuous <u>invasive</u> mechanical ventilation for 96 consecutive hours or more
	97.14 Replacement of other device for musculoskeletal immobilization
Add inclusion term	<u>Splinting</u>
Add inclusion term	<u>Strapping</u>
	99.10 Injection or infusion of thrombolytic agent
Add exclusion term	Excludes: <u>SuperSaturated oxygen therapy (00.49)</u>
	99.2 Injection or infusion of other therapeutic or prophylactic substance
Add exclusion term	<u>Excludes: SuperSaturated oxygen therapy (00.49)</u>

Index

- Add term AbioCor® total replacement heart 37.52
- Add subterm Administration (of) - *see also* Injection
Add subterm Proleukin® (low-dose) 99.28
Add subterm high-dose 00.15
- Add term AESOP® (Automated Endoscopic System for Optimal Positioning)
- *see* category 17.4
- Aneurysmectomy 38.60
with
graft replacement (interposition) 38.40
abdominal
aorta 38.44
endovascular approach 39.71
open approach 38.44
Zenith® Renu™ AAA graft 39.71
- Add subterm Angiography (arterial) - *see also* Arteriography 88.40
by C.A.T. – *see* Scan, C.A.T., by site
Add subterm by computed tomography – *see* Scan, C.A.T., by site
- Add term Arcuplasty 81.66
- Revise subterm Arthrodesis (compression) (extra-articular) (intra-articular) (with
bone graft) (with fixation device) 81.20
~~plantar~~ pantalar 81.11
- Add subterm Artificial
heart 37.52
Add subterm AbioCor® 37.52
Add subterm CardioWest™ (TAH-t) 37.52
- Add subterm BiPAP 93.90
delivered by
Add subterm endotracheal tube - *see* category 96.7
Add subterm tracheostomy – *see* category 96.7

	Bypass
Add subterm	gastroduodenostomy (Jaboulay's) 44.39 <u>percutaneous [endoscopic] 44.32</u>
Add term	<u>CardioWest™ Total Temporary Artificial Heart (TAH-t) 37.52</u>
Revise term	Cecectomy (with resection of terminal ileum) 45.72
Add subterm	<u>laparoscopic 17.32</u>
Add subterm	<u>open and other 45.72</u>
Add term	<u>CentriMag® acute circulatory support device 37.62</u>
Add subterm	Change – <i>see also</i> Replacement <u>splint 97.14</u>
Add subterm	Clipping <u>left atrial appendage 37.36</u>
Add subterm	Closure - <i>see also</i> Repair <u>annular disc 80.54</u>
Add subterm	<u>with graft or prosthesis 80.53</u>
Add subterm	<u>annulus fibrosus 80.54</u>
Add subterm	<u>with graft or prosthesis 80.53</u>
Revise term	Colectomy (partial) (segmental) (subtotal) 45.79
Revise subterm	cecum (with terminal ileum) 45.72
Add subterm	<u>laparoscopic 17.32</u>
Add subterm	<u>open and other 45.72</u>
Add subterm	<u>laparoscopic 17.39</u>
Revise subterm	left (Hartmann) (lower) (radical) 45.75
Add subterm	<u>laparoscopic 17.35</u>
Add subterm	<u>open and other 45.75</u>
Revise subterm	multiple segmental 45.74
Add subterm	<u>laparoscopic 17.31</u>
Add subterm	<u>open and other 45.71</u>
Add subterm	<u>open and other 45.79</u>
Revise subterm	right (radical) 45.73
Add subterm	<u>laparoscopic 17.33</u>
Add subterm	<u>open and other 45.73</u>

Revise subterm	sigmoid 45.76
Add subterm	<u>laparoscopic 17.36</u>
Add subterm	<u>open and other 45.76</u>
Revise subterm	terminal ileum with cecum 45.72
Add subterm	<u>laparoscopic 17.32</u>
Add subterm	<u>open and other 45.72</u>
Revise subterm	total 45.8
Add subterm	<u>laparoscopic 45.81</u>
Add subterm	<u>open 45.82</u>
Add subterm	<u>other 45.83</u>
Add subterm	<u>unspecified 45.83</u>
Revise subterm	transverse 45.74
Add subterm	<u>laparoscopic 17.34</u>
Add subterm	<u>open and other 45.74</u>
Revise term	Continuous positive airway pressure ([CPAP]) (<u>non-invasive</u>) 93.90
Add subterm	<u>delivered by</u>
Add subterm	<u>endotracheal tube - see category 96.7</u>
Add subterm	<u>tracheostomy – see category 96.7</u>
Conversion	
Revise subterm	gastrostomy to jejunostomy (endoscopic) 44.32
Add subterm	<u>for feeding tube placement 46.32</u>
CPAP (continuous positive airway pressure) 93.90	
Add subterm	<u>delivered by</u>
Add subterm	<u>endotracheal tube - see category 96.7</u>
Add subterm	<u>tracheostomy – see category 96.7</u>
Add term	<u>da Vinci® (S HD) Surgical System – see category 17.4</u>
Debridement	
Add subterm	<u>tendon 83.39</u>
Destruction	
Add subterm	<u>LAA 37.36</u>
Add subterm	<u>left atrial appendage 37.36</u>
	lesion (local)
Revise subterm	heart 37.33

Add subterm by endovascular approach 37.34
Add subterm by open approach 37.33
Add subterm left atrial appendage 37.36

Add term Downstream® System (AO therapy) (aqueous oxygen) 00.49

Revise subterm Episiorrhaphy 71.71
following ~~routine~~ episiotomy - *see* Episiotomy

Excision

Add subterm appendage, left atrial 37.36
Revise subterm intestine - *see also* Resection, intestine ~~45.8~~
Revise subterm large (total) ~~45.8~~
Add subterm laparoscopic 45.81
Add subterm open 45.82
Add subterm other 45.83
Revise subterm segmental ~~45.79~~
Add subterm laparoscopic 17.39
Revise subterm multiple ~~45.71~~
Add subterm laparoscopic 17.31
Add subterm open and other 45.71
Add subterm open and other 45.79
Add subterm unspecified 45.83

Add subterm LAA 37.36
Add subterm left atrial appendage 37.36

Revise subterm Exclusion, pyloric ~~44.39~~
Add subterm left atrial appendage 37.36
Add subterm pyloric, open 44.39

Revise subterm Gastrojejunostomy (bypass) 44.39
percutaneous (endoscopic) ~~44.32~~
Add subterm for bypass 44.32
Add subterm for feeding tube placement 46.32

Graft, grafting

skin (partial-thickness)(split –thickness) 86.69
pedicle (flap)(tube) 86.70
breast 85.84

Add subterm deep inferior epigastric artery perforator (DIEP)

Add subterm flap, free 85.74
 Add subterm gluteal artery perforator (GAP) flap, free 85.76
 Add subterm latissimus dorsi myocutaneous flap 85.71
 Add subterm superficial inferior epigastric artery (SIEA) flap, free 85.75
 Revised subterm transverse rectus abdominis musculocutaneous (TRAM) flap, free 85.73
 Add subterm transverse rectus abdominis myocutaneous (TRAM) flap, pedicled 85.72

Revise term Gross operation (herniorrhaphy) 53.49
 Add subterm laparoscopic 53.43
 Add subterm with graft or prosthesis 53.42
 Add subterm other and open with graft or prosthesis 53.41
 Add subterm other open 53.49

Add subterm HeartMate® implantable heart assist system 37.66
 Add subterm HeartMate® II left ventricular assist system [LVAS] 37.66

Hemicolecotomy
 Revise subterm left 45.75
 Add subterm laparoscopic 17.35
 Add subterm open and other 45.75
 Revise subterm right (extended) 45.73
 Add subterm laparoscopic 17.33
 Add subterm open and other 45.73

Revise term Ileocolicotomy 45.73
 Add subterm laparoscopic 17.33
 Add subterm open and other 45.73

Ileocectomy (partial) 45.62
 Revise subterm with cecectomy 45.72
 Add subterm laparoscopic 17.32
 Add subterm open and other 45.72

Implant, implantation
 bone void filler 84.55
 Revise subterm that with kypoplasty percutaneous vertebral augmentation 81.66

Revise subterm that with percutaneous vertebroplasty 81.65

Delete subterm ~~half heart~~ 37.62

heart

artificial 37.52

Revise subterm total internal biventricular replacement system 37.52

Add subterm AbioCor® 37.52

Add subterm CardioWest™ (TAH-t) 37.52

Revise subterm assist system ~~NEC~~ 37.62

Add subterm CentriMag® – see Insertion, circulatory support device

Add subterm external heart assist device, percutaneous – see Insertion, circulatory support device

Revise subterm external heart assist system, open approach 37.65

Add subterm HeartMate® implantable heart assist system 37.66

Add subterm HeartMate® II left ventricular assist system [LVAS] 37.66

Revise subterm non-implantable ~~37.62~~ – see Insertion, circulatory support device

Revise subterm percutaneous external ~~37.68~~ circulatory assist device – see Insertion, circulatory support device

Add subterm pulsation balloon 37.61

Revise subterm pVAD (percutaneous VAD) ~~37.68~~ – see Insertion, circulatory support device

Add subterm TandemHeart® - see Insertion, circulatory support device

Add subterm temporary non-implantable circulatory assist device - see Insertion, circulatory support device

Add subterm that for destination therapy (DT) 37.66

Revise subterm total internal biventricular replacement system 37.52

Incision (and drainage)

abscess - *see also* Incision, by site

Add subterm antecubital fossa 86.04

Add subterm axilla 86.04

Add subterm cheek 86.04

Add subterm face 86.04

Add subterm gluteal 86.04

Add subterm groin region (abdominal wall) (inguinal) 54.0

Add subterm skin 86.04

Add subterm subcutaneous tissue 86.04

Add subterm hair follicle 86.04

Add subterm nailbed or nailfold 86.04

Add subterm neck 86.04

Add subterm paronychia 86.04

Add subterm perineum (female) 71.09

Add subterm male 86.04

Add subterm popliteal space 86.04
Add subterm submaxillary 86.04
Add subterm supraclavicular fossa 86.04

Infusion (intra-arterial) (intravenous)
Add subterm interleukin-2
Add subterm high-dose 00.15
Add subterm low-dose 99.28

Insertion
bone void filler 84.55
Revise subterm that with kyphoplasty percutaneous vertebral augmentation
81.66
Revise subterm that with percutaneous vertebroplasty 81.65

Add subterm circulatory support device
Add subterm CentriMag® 37.62
Add subterm external heart assist device
Add subterm biventricular 37.60
Add subterm percutaneous 37.68
Add subterm temporary 37.62
Add subterm non-implantable 37.62
Add subterm pVAD (percutaneous VAD) 37.68
Add subterm TandemHeart® 37.68
Add subterm temporary non-implantable circulatory assist device 37.62

sensor (lead)
Add subterm intra-aneurysm sac pressure monitoring device 00.58

spine
bone void filler 84.55
Revise subterm that with kyphoplasty percutaneous vertebral augmentation
81.66
Revise subterm that with percutaneous vertebroplasty 81.65

Add term Interleukin-2, infusion
Add subterm high-dose 00.15
Add subterm low-dose 99.28

Revise term Lloyd-Davies operation (abdominoperineal resection), NOS 48.50
Add subterm laparoscopic 48.51
Add subterm open 48.52
Add subterm other 48.59

Add term Mako Tactile Guidance System™ [TSG] – see category 17.4

Mayo operation

Revise subterm herniorrhaphy 53.49
Add subterm laparoscopic 53.43
Add subterm with graft or prosthesis 53.42
Add subterm other and open with graft or prosthesis 53.41
Add subterm other open 53.49

Measurement

coronary blood flow 89.69
Add subterm fractional flow reserve (FFR) 00.59
Add subterm intravascular pressure measurement 00.59
Add subterm intravascular pressure 00.69
Add subterm coronary 00.59
Add subterm iliac 00.69
Add subterm intra-abdominal 00.69
Add subterm intrathoracic 00.67
Add subterm aorta 00.67
Add subterm aortic arch 00.67
Add subterm carotid 00.67
Add subterm mesenteric 00.69
Add subterm peripheral 00.68
Add subterm renal 00.69
Add subterm pulmonary airway flow, endoscopic 33.72

Revise term Miles operation (proctectomy), NOS 48.50
Add subterm laparoscopic 48.51
Add subterm open 48.52
Add subterm other 48.59

Monitoring

coronary blood flow (coincidence counting technique) 89.69
Add subterm fractional flow reserve (FFR) 00.59
Add subterm intravascular pressure measurement 00.59

Add subterm intra-aneurysm sac pressure 00.58
Add subterm intravascular pressure 00.69
Add subterm coronary 00.59
Add subterm iliac 00.69
Add subterm intra-abdominal 00.69
Add subterm intrathoracic 00.67

Add subterm aorta 00.67
 Add subterm aortic arch 00.67
 Add subterm carotid 00.67
 Add subterm mesenteric 00.69
 Add subterm peripheral 00.68
 Add subterm renal 00.69

systemic arterial pressure 89.61
 Add subterm intra-aneurysm sac pressure 00.58

Operation

Revise subterm abdominoperineal, NOS NEC 48.50
 Add subterm laparoscopic 48.51
 Add subterm open 48.52
 Add subterm other 48.59

Revise subterm Gabriel (abdominoperineal resection of rectum), NOS 48.50
 Add subterm laparoscopic 48.51
 Add subterm open 48.52
 Add subterm other 48.59

Revise subterm Gross (herniorrhaphy) 53.49
 Add subterm laparoscopic 53.43
 Add subterm with graft or prosthesis 53.42
 Add subterm other and open with graft or prosthesis 53.41
 Add subterm other open 53.49

Add subterm Halsted mastectomy 85.45

Revise subterm Lloyd-Davies (abdominoperineal resection), NOS 48.50
 Add subterm laparoscopic 48.51
 Add subterm open 48.52
 Add subterm other 48.59

Mayo

Revise subterm herniorrhaphy 53.49
 Add subterm laparoscopic 53.43
 Add subterm with graft or prosthesis 53.42
 Add subterm other and open with graft or prosthesis 53.41
 Add subterm other open 53.49

Revise subterm Miles (complete proctectomy), NOS 48.50
 Add subterm laparoscopic 48.51
 Add subterm open 48.52
 Add subterm other 48.59

	Rankin
Revise subterm	proctectomy (complete), <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
Revise subterm	Sauer-Bacon (abdominoperineal resection), <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
	Oversewing
Add subterm	<u>left atrial appendage (LAA) 37.36</u>
	Oxygenation 93.96
Add subterm	<u>infusion therapy, Super 00.49</u>
	Oxygen therapy (catalytic) (pump) 93.96
Add subterm	<u>SuperSaturated 00.49</u>
Add term	<u>PDT (percutaneous dilatational tracheostomy) – see Tracheostomy</u>
Add term	<u>PEGJJ (percutaneous [endoscopic] gastrojejunostomy) 44.32</u>
Delete term	Pressure support
Delete subterm	ventilation [PSV]— see category 96.7
	Proctectomy (partial) - <i>see also</i> Resection, rectum 48.69
Revise subterm	abdominoperineal, <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
Revise subterm	complete (Miles) (Rankin), <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
Revise subterm	pull-through 48.49
Add subterm	<u>laparoscopic 48.42</u>
Add subterm	<u>not otherwise specified 48.40</u>
Add subterm	<u>open 48.43</u>
Add subterm	<u>other 48.49</u>

	Rankin operation
Revise subterm	proctectomy (complete), <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
	Reconstruction (plastic) - <i>see also</i> Construction and Repair, by site
Revise subterm	breast, total, <u>NOS 85.70</u>
Add subterm	<u>deep inferior epigastric artery perforator (DIEP) flap, free 85.74</u>
Add subterm	<u>gluteal artery perforator (GAP) flap, free 85.76</u>
Add subterm	<u>latissimus dorsi myocutaneous flap 85.71</u>
Add subterm	<u>superficial inferior epigastric artery (SIEA) flap, free 85.75</u>
Add subterm	<u>transverse rectus abdominis musculocutaneous (TRAM) flap, free 85.73</u>
Add subterm	<u>transverse rectus abdominis myocutaneous (TRAM) flap, pedicled 85.72</u>
Revise subterm	umbilicus <u>53.49</u>
Add subterm	<u>laparoscopic 53.43</u>
Add subterm	<u>with graft or prosthesis 53.42</u>
Add subterm	<u>other and open with graft or prosthesis 53.41</u>
Add subterm	<u>other open 53.49</u>
	Removal - <i>see also</i> Excision
Add subterm	<u>artificial heart</u>
Add subterm	<u>internal biventricular replacement system 37.55</u>
Add subterm	<u>heart replacement system</u>
Add subterm	<u>internal biventricular 37.55</u>
Add subterm	<u>internal biventricular heart replacement system 37.55</u>
	Repair
Add subterm	<u>anular disc 80.54</u>
Add subterm	<u>with graft or prosthesis 80.53</u>
Add subterm	<u>anulus fibrosus 80.54</u>
Add subterm	<u>with graft or prosthesis 80.53</u>
	heart 37.49
Revise subterm	total <u>internal biventricular replacement system 37.52</u>
	hernia NEC 53.9

	anterior abdominal wall NEC 53.59
Revise subterm	with prosthesis or graft 53.69
Add subterm	<u>laparoscopic 53.63</u>
Add subterm	<u>other and open 53.69</u>
	diaphragmatic
Revise subterm	abdominal approach 53.7
Add subterm	<u>laparoscopic 53.71</u>
Add subterm	<u>other and open 53.72</u>
Add subterm	<u>unspecified 53.75</u>
	thoracic, thoracoabdominal approach 53.80
Add subterm	<u>laparoscopic 53.83</u>
Add subterm	<u>other and open 53.84</u>
	esophageal hiatus
Revise subterm	abdominal approach 53.7
Add subterm	<u>laparoscopic 53.71</u>
Add subterm	<u>other and open 53.72</u>
Add subterm	<u>unspecified 53.75</u>
	incisional 53.51
Add subterm	<u>laparoscopic with prosthesis or graft 53.62</u>
Revise subterm	<u>other open with prosthesis or graft 53.61</u>
	inguinal (unilateral) 53.00
	with prosthesis or graft 53.05
	bilateral 53.10
	with prosthesis or graft 53.17
Add subterm	<u>laparoscopic 17.24</u>
Revise subterm	direct 53.11
Add subterm	<u>laparoscopic with graft or prosthesis 17.21</u>
Add subterm	<u>other and open 53.11</u>
Revise indent	with prosthesis or graft 53.14
Revise subterm	direct and indirect 53.13
Add subterm	<u>laparoscopic with graft or prosthesis 17.23</u>
Add subterm	<u>other and open 53.13</u>
Revise indent	with prosthesis or graft 53.16
Revise subterm	indirect 53.12
Add subterm	<u>laparoscopic with graft or prosthesis 17.22</u>
Add subterm	<u>other and open 53.12</u>
Revise indent	with prosthesis or graft 53.15
Revise subterm	direct (unilateral) 53.01
Revise subterm	and indirect (unilateral) 53.01
Add subterm	<u>laparoscopic with graft or prosthesis 17.11</u>
Add subterm	<u>other and open 53.01</u>
Revise indent	with prosthesis or graft 53.03
Delete subterm	bilateral 53.13
Delete subterm	with prosthesis or graft 53.16
Delete subterm	bilateral 53.11
Delete subterm	with prosthesis or graft 53.14

Add subterm	<u>laparoscopic with graft or prosthesis 17.11</u>
Add subterm	<u>other and open 53.01</u>
Revise indent	with prosthesis or graft 53.03
Revise subterm	indirect (unilateral) 53.02
Add subterm	<u>laparoscopic with graft or prosthesis 17.12</u>
Add subterm	<u>other and open 53.02</u>
Revise indent	with prosthesis or graft 53.04
Delete subterm	and direct (unilateral) 53.01
Delete subterm	with prosthesis or graft 53.03
Delete subterm	bilateral 53.13
Delete subterm	with prosthesis or graft 53.16
Delete subterm	bilateral 53.12
Delete subterm	with prosthesis or graft 53.15
Add subterm	<u>laparoscopic with graft or prosthesis, NOS 17.13</u>
Revise subterm	paraesophageal 53.7
Add subterm	<u>laparoscopic 53.71</u>
Add subterm	<u>other and open 53.72</u>
Add subterm	<u>unspecified 53.75</u>
Revise subterm	parahiatal 53.7
Add subterm	<u>laparoscopic 53.71</u>
Add subterm	<u>other and open 53.72</u>
Add subterm	<u>unspecified 53.75</u>
Revise subterm	paraumbilical 53.49
Add subterm	<u>laparoscopic 53.43</u>
Add subterm	<u>with graft or prosthesis 53.42</u>
Revise subterm	<u>other and open with graft or prosthesis 53.41</u>
Add subterm	<u>other open 53.49</u>
Revise subterm	umbilical 53.49
Add subterm	<u>laparoscopic 53.43</u>
Add subterm	<u>with graft or prosthesis 53.42</u>
Revise subterm	<u>other and open with graft or prosthesis 53.41</u>
Add subterm	<u>other open 53.49</u>
	ventral 53.59
Add subterm	<u>with prosthesis or graft</u>
Add subterm	<u>laparoscopic 53.63</u>
Add subterm	<u>other and open 53.69</u>
	incisional 53.51
Revise subterm	<u>other open with prosthesis or graft 53.61</u>
Revise subterm	omphalocele 53.49

Add subterm	<u>laparoscopic</u> 53.43
Add subterm	<u>with graft or prosthesis</u> 53.42
Revise subterm	<u>other and open with graft or prosthesis</u> 53.41
Add subterm	<u>other open</u> 53.49
Replacement	
	heart
	artificial
Revise subterm	total <u>internal biventricular</u> replacement system 37.52
Revise subterm	total <u>internal biventricular</u> replacement system 37.52
Add subterm	<u>spacer (cement) (joint) (methylmethacrylate)</u> 84.56
Add subterm	<u>splint</u> 97.14
Resection - <i>see also</i> Excision, by site	
Revise subterm	abdominoendorectal (combined), <u>NOS</u> 48.50
Add subterm	<u>laparoscopic</u> 48.51
Add subterm	<u>open</u> 48.52
Add subterm	<u>other</u> 48.59
Revise subterm	abdominoperineal (rectum), <u>NOS</u> 48.50
	pull-through (Altemeier) (Swenson) NEC 48.49
Add subterm	<u>laparoscopic</u> 48.42
Add subterm	<u>not otherwise specified</u> 48.40
Add subterm	<u>open</u> 48.43
Revise subterm	cecum (and terminal ileum) 45.72
Add subterm	<u>laparoscopic</u> 17.32
Add subterm	<u>open and other</u> 45.72
Revise subterm	colon (partial) (segmental) 45.79
Revise subterm	ascending (cecum and terminal ileum) 45.72
Add subterm	<u>laparoscopic</u> 17.32
Add subterm	<u>open and other</u> 45.72
Revise subterm	cecum (and terminal ileum) 45.72
Add subterm	<u>laparoscopic</u> 17.32
Add subterm	<u>open and other</u> 45.72
Revise subterm	complete 45.8
Add subterm	<u>laparoscopic</u> 45.81
Add subterm	<u>open</u> 45.82
Add subterm	<u>other</u> 45.83
Add subterm	<u>unspecified</u> 45.83
Revise subterm	descending (sigmoid) 45.76
Add subterm	<u>laparoscopic</u> 17.36
Add subterm	<u>open and other</u> 45.76

Revise subterm	Hartmann <u>45.75</u>
Add subterm	<u>laparoscopic 17.35</u>
Add subterm	<u>open and other 45.75</u>
Revise subterm	hepatic flexure <u>45.73</u>
Add subterm	<u>laparoscopic 17.33</u>
Add subterm	<u>open and other 45.73</u>
Add subterm	<u>laparoscopic 17.39</u>
Revise subterm	left radical (hemicolon) <u>45.75</u>
Add subterm	<u>laparoscopic 17.35</u>
Add subterm	<u>open and other 45.75</u>
Revise subterm	multiple segmental <u>45.71</u>
Add subterm	<u>laparoscopic 17.31</u>
Add subterm	<u>open and other 45.71</u>
Add subterm	<u>open and other 45.79</u>
Revise subterm	right radical (hemicolon) (ileocelectomy) <u>45.73</u>
Add subterm	<u>laparoscopic 17.33</u>
Add subterm	<u>open and other 45.73</u>
Revise subterm	segmental NEC <u>45.79</u>
Add subterm	<u>laparoscopic 17.39</u>
Revise subterm	multiple <u>45.71</u>
Add subterm	<u>laparoscopic 17.31</u>
Add subterm	<u>open and other 45.71</u>
Add subterm	<u>open and other 45.79</u>
Revise subterm	sigmoid <u>45.76</u>
Add subterm	<u>laparoscopic 17.36</u>
Add subterm	<u>open and other 45.76</u>
Revise subterm	splenic flexure <u>45.75</u>
Add subterm	<u>laparoscopic 17.35</u>
Add subterm	<u>open and other 45.75</u>
Revise subterm	total <u>45.8</u>
Add subterm	<u>laparoscopic 45.81</u>
Add subterm	<u>open 45.82</u>
Add subterm	<u>other 45.83</u>
Add subterm	<u>unspecified 45.83</u>
Revise subterm	transverse <u>45.74</u>
Add subterm	<u>laparoscopic 17.34</u>
Add subterm	<u>open and other 45.74</u>
	endorectal (pull-through) (Soave) <u>48.41</u>
Revise subterm	combined abdominal, <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
	hepatic
Revise subterm	flexure (colon) <u>45.73</u>
Add subterm	<u>laparoscopic 17.33</u>

Add subterm	<u>open and other 45.73</u>
Revise subterm	intestine (partial) NEC 45.79
Revise subterm	cecum (with terminal ileum) 45.72
Add subterm	<u>laparoscopic 17.32</u>
Add subterm	<u>open and other 45.72</u>
Revise subterm	hepatic flexure 45.73
Add subterm	<u>laparoscopic 17.33</u>
Add subterm	<u>open and other 45.73</u>
	ileum 45.62
Revise subterm	with cecum 45.72
Add subterm	<u>laparoscopic 17.32</u>
Add subterm	<u>open and other 45.72</u>
Add subterm	<u>laparoscopic 17.39</u>
Revise subterm	large (partial) (segmental) NEC 45.79
Add subterm	<u>laparoscopic 17.39</u>
Revise subterm	multiple segmental 45.74
Add subterm	<u>laparoscopic 17.31</u>
Add subterm	<u>open and other 45.71</u>
Add subterm	<u>other 45.79</u>
Revise subterm	total 45.8
Add subterm	<u>laparoscopic 45.81</u>
Add subterm	<u>open 45.82</u>
Add subterm	<u>other 45.83</u>
Add subterm	<u>unspecified 45.83</u>
Add subterm	<u>unspecified 45.79</u>
Revise subterm	left hemicolon 45.75
Add subterm	<u>laparoscopic 17.35</u>
Add subterm	<u>open and other 45.75</u>
Revise subterm	multiple segmental (large intestine) 45.74
Add subterm	<u>laparoscopic 17.31</u>
Add subterm	<u>open and other 45.71</u>
Add subterm	<u>open and other 45.79</u>
Revise subterm	right hemicolon 45.73
Add subterm	<u>laparoscopic 17.33</u>
Add subterm	<u>open and other 45.73</u>
Revise subterm	segmental (large intestine) 45.79
Add subterm	<u>laparoscopic 17.39</u>
Revise subterm	multiple 45.74
Add subterm	<u>laparoscopic 17.31</u>
Add subterm	<u>open and other 45.71</u>
Add subterm	<u>open and other 45.79</u>
Revise subterm	sigmoid 45.76
Add subterm	<u>laparoscopic 17.36</u>

Add subterm	<u>open and other 45.76</u>
	total
Revise subterm	large intestine 45.8
Add subterm	<u>laparoscopic 45.81</u>
Add subterm	<u>open 45.82</u>
Add subterm	<u>other 45.83</u>
Add subterm	<u>unspecified 45.83</u>
	rectum (partial) NEC 48.69
Revise subterm	abdominoendorectal (combined), <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
Revise subterm	abdominoperineal, <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
	pull-through NEC 48.49
Add subterm	<u>laparoscopic 48.42</u>
Add subterm	<u>not otherwise specified 48.40</u>
Add subterm	<u>open 48.43</u>
	endorectal 48.41
Revise subterm	combined abdominal, <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
	pull-through NEC 48.49
	endorectal 48.41
Add subterm	<u>laparoscopic 48.42</u>
Add subterm	<u>not otherwise specified 48.40</u>
Add subterm	<u>open 48.43</u>
	submucosal (Soave) 48.41
Revise subterm	combined abdominal, <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
Revise subterm	transverse colon 45.74
Add subterm	<u>laparoscopic 17.34</u>
Add subterm	<u>open and other 45.74</u>

Revise subterm	Robotic assisted surgery— see specific procedure (surgery) , by site
Add subterm	<u>endoscopic 17.44</u>
Add subterm	<u>laparoscopic 17.42</u>
Add subterm	<u>open 17.41</u>
Add subterm	<u>other and unspecified 17.49</u>
Add subterm	<u>percutaneous 17.43</u>
Add subterm	<u>thoracoscopic 17.45</u>
Revises term	Sauer-Bacon operation (abdominoperineal resection), <u>NOS 48.50</u>
Add subterm	<u>laparoscopic 48.51</u>
Add subterm	<u>open 48.52</u>
Add subterm	<u>other 48.59</u>
	Scan, scanning
	C.A.T. (computerized axial tomography) 88.38
Add subterm	<u>cardiac 87.41</u>
Add subterm	<u>coronary 87.41</u>
Revise term	Sigmoidectomy 45.76
Add subterm	<u>laparoscopic 17.36</u>
Add subterm	<u>open and other 45.76</u>
	Sigmoidosigmoidostomy 45.94
Revise subterm	proximal to distal segment 45.76
Add subterm	<u>laparoscopic 17.36</u>
Add subterm	<u>open and other 45.76</u>
Add term	<u>SKyphoplasty 81.66</u>
Add term	<u>Spectroscopy</u>
Add subterm	<u>intravascular 38.23</u>
Add subterm	<u>near infrared (NIR) 38.23</u>
Add term	<u>Spineoplasty 81.66</u>
	Stapling
Add subterm	<u>left atrial appendage 37.36</u>
Add term	<u>StaXx® FX Structural Kyphoplasty System 81.66</u>

	Study
Revise subterm	pulmonary function— <i>see categories 89.37-89.38</i>
Add subterm	<u>airway flow measurement, endoscopic 33.72</u>
Add subterm	<u>function - <i>see categories 89.37-89.38</i></u>
	Surgery
	computer assisted (CAS) 00.39
Add subterm	<u>with robotics – <i>see category 17.4</i></u>
Add subterm	<u>robotic assisted – <i>see category 17.4</i></u>
Add term	<u>Tactile Guidance System™ [TGS] – <i>see category 17.4</i></u>
	Therapy
Add subterm	<u>aqueous oxygen (AO) 00.49</u>
	continuous positive airway pressure (CPAP) 93.90
Add subterm	<u>delivered by</u>
Add subterm	<u>endotracheal tube - <i>see category 96.7</i></u>
Add subterm	<u>tracheostomy – <i>see category 96.7</i></u>
Add subterm	<u>Downstream® system 00.49</u>
	oxygen 93.96
Add subterm	<u>aqueous 00.49</u>
Add subterm	<u>SuperSaturated 00.49</u>
	respiratory NEC 93.99
	bi-level positive airway pressure [BiPAP] 93.90
Add subterm	<u>delivered by</u>
Add subterm	<u>endotracheal tube - <i>see category 96.7</i></u>
Add subterm	<u>tracheostomy – <i>see category 96.7</i></u>
	continuous positive airway pressure [CPAP] 93.90
Add subterm	<u>delivered by</u>
Add subterm	<u>endotracheal tube - <i>see category 96.7</i></u>
Add subterm	<u>tracheostomy – <i>see category 96.7</i></u>
	endotracheal respiratory assistance - <i>see category 96.7</i>
Delete subterm	intermittent mandatory ventilation [IMV]— <i>see category 96.7</i>
Revise subterm	other continuous <u>invasive</u> (unspecified duration) 96.70
Revise indent	for less than 96 consecutive hours 96.71
Revise indent	for 96 consecutive hours or more 96.72
Revise subterm	positive end expiratory pressure [PEEP] — <i>see category 96.7</i>
Add subterm	<u>invasive - <i>see category 96.7</i></u>
Add subterm	<u>non-invasive 93.90</u>

Delete subterm	<u>pressure support ventilation [PSV]</u> — <i>see</i> category 96.7
Add subterm	<u>SuperOxygenation (SSO₂) 00.49</u>
Add subterm	<u>SuperSaturated oxygen 00.49</u>
Add term	<u>Thoratec® implantable ventricular assist device (IVAD™) 37.66</u>
Add term	<u>Thoratec® ventricular assist device (VAD) system 37.66</u>
	Tomography - <i>see also</i> Radiography
	computerized axial NEC 88.38
Add subterm	<u>cardiac 87.41</u>
Add subterm	<u>coronary 87.41</u>
	Tracheostomy (emergency) (temporary) (for assistance in breathing) 31.1
Add subterm	<u>percutaneous dilatational</u>
Add subterm	<u>other permanent 31.29</u>
Add subterm	<u>temporary 31.1</u>
	Tracheotomy (emergency) (temporary) (for assistance in breathing) 31.1
Add subterm	<u>percutaneous dilatational</u>
Add subterm	<u>other permanent 31.29</u>
Add subterm	<u>temporary 31.1</u>
Revise term	TRAM (transverse rectus abdominis musculocutaneous) flap of breast 85.7
Add subterm	<u>free 85.73</u>
Add subterm	<u>pedicled 85.72</u>
Revise term	VAD (vascular access device)— <i>see</i> <u>Implant, heart assist system</u>
Add subterm	<u>vascular access device - <i>see</i> Vascular access device, totally implantable</u>
Add subterm	<u>ventricular assist device – <i>see</i> Implant, heart assist system</u>
Add term	<u>Vascular access device, totally implantable 86.07</u>

Add term	<u>Vectra® vascular access graft 86.07</u>
	Ventilation
	bi-level positive airway pressure [BiPAP] 93.90
Add subterm	<u>delivered by</u>
Add subterm	<u>endotracheal tube - see category 96.7</u>
Add subterm	<u>tracheostomy – see category 96.7</u>
	continuous positive airway pressure [CPAP] 93.90
Add subterm	<u>delivered by</u>
Add subterm	<u>endotracheal tube - see category 96.7</u>
Add subterm	<u>tracheostomy – see category 96.7</u>
Delete subterm	intermittent mandatory ventilation [IMV]—see category 96.7
Revise subterm	mechanical, NOS 93.90
Add subterm	<u>by endotracheal tube - see category 96.7</u>
Add subterm	<u>by tracheostomy - see category 96.7</u>
Delete subterm	intermittent mandatory ventilation [IMV]—see category 96.7
Add subterm	<u>invasive - see category 96.7</u>
Add subterm	<u>non-invasive [NIPPV] 93.90</u>
Revise subterm	other continuous <u>invasive</u> (unspecified duration) 96.70
Revise indent	for less than 96 consecutive hours 96.71
Revise indent	for 96 consecutive hours or more 96.72
Revise subterm	positive end expiratory pressure [PEEP]—see category 96.7
Add subterm	<u>invasive - see category 96.7</u>
Add subterm	<u>non-invasive 93.90</u>
Delete subterm	pressure support ventilation [PSV]—see category 96.7
Revise term	Vertebroplasty ₂ (percutaneous) 81.65
Add term	<u>Zeus® Robotic Surgical System – see category 17.4</u>

REVISED PROCEDURE CODE TITLES

Effective October 1, 2008

The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: www.cms.hhs.gov/ICD9ProviderDiagnosticCodes

Procedure Code	Description
37.52*	Implantation of total internal biventricular heart replacement system
37.53	Replacement or repair of thoracic unit of (total) replacement heart system
37.54	Replacement or repair of other implantable component of (total) replacement heart system
37.62*	Insertion of temporary non-implantable extracorporeal circulatory assist device
37.64*	Removal of external heart assist system(s) or device(s)
37.65*	Implant of single ventricular (extracorporeal) external heart assist system
45.71	Open and other multiple segmental resection of large intestine
45.72	Open and other cecectomy
45.73	Open and other right hemicolectomy
45.74	Open and other resection of transverse colon
45.75	Open and other left hemicolectomy
45.76	Open and other sigmoidectomy
45.79	Other and unspecified partial excision of large intestine
53.01	Other and open repair of direct inguinal hernia
53.02	Other and open repair of indirect inguinal hernia
53.03	Other and open repair of direct inguinal hernia with graft or prosthesis
53.04	Other and open repair of indirect inguinal hernia with graft or prosthesis
53.11	Other and open bilateral repair of direct inguinal hernia
53.12	Other and open bilateral repair of indirect inguinal hernia
53.13	Other and open bilateral repair of inguinal hernia, one direct and one indirect
53.14	Other and open bilateral repair of direct inguinal hernia with graft or prosthesis
53.15	Other and open bilateral repair of indirect inguinal hernia with graft or prosthesis
53.16	Other and open bilateral repair of inguinal hernia, one direct and one indirect, with graft or prosthesis
53.41	Other and open repair of umbilical hernia with graft or prosthesis
53.49	Other open umbilical herniorrhaphy
53.61	Other open incisional hernia repair with graft or prosthesis
53.69	Other and open repair of other hernia of anterior abdominal wall with graft or prosthesis
81.65	Percutaneous vertebroplasty
81.66	Percutaneous vertebral augmentation
84.56*	Insertion or replacement of (cement) spacer
93.90*	Non-invasive mechanical ventilation
96.70*	Continuous invasive mechanical ventilation of unspecified duration
96.71*	Continuous invasive mechanical ventilation for less than 96 consecutive hours
96.72*	Continuous invasive mechanical ventilation for 96 consecutive hours or more

Notes:

REVISED PROCEDURE CODE TITLES

Effective October 1, 2008

* These procedure codes were discussed at the March 19-20, 2008 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2008.

The code title for procedure code 37.52 was revised after the proposed rule.

REVISED DIAGNOSIS CODE TITLES

Effective October 1, 2008

The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: www.cdc.gov/nchs/icd9.htm

Diagnosis Code	Description
038.11*	Methicillin susceptible Staphylococcus aureus septicemia
041.11*	Methicillin susceptible Staphylococcus aureus in conditions classified elsewhere and of unspecified site
203.00	Multiple myeloma, without mention of having achieved remission
203.10	Plasma cell leukemia, without mention of having achieved remission
203.80	Other immunoproliferative neoplasms, without mention of having achieved remission
204.00	Acute lymphoid leukemia, without mention of having achieved remission
204.10	Chronic lymphoid leukemia, without mention of having achieved remission
204.20	Subacute lymphoid leukemia, without mention of having achieved remission
204.80	Other lymphoid leukemia, without mention of having achieved remission
204.90	Unspecified lymphoid leukemia, without mention of having achieved remission
205.00	Acute myeloid leukemia, without mention of having achieved remission
205.10	Chronic myeloid leukemia, without mention of having achieved remission
205.20	Subacute myeloid leukemia, without mention of having achieved remission
205.30	Myeloid sarcoma, without mention of having achieved remission
205.80	Other myeloid leukemia, without mention of having achieved remission
205.90	Unspecified myeloid leukemia, without mention of having achieved remission
206.00	Acute monocytic leukemia, without mention of having achieved remission
206.10	Chronic monocytic leukemia, without mention of having achieved remission
206.20	Subacute monocytic leukemia, without mention of having achieved remission
206.80	Other monocytic leukemia, without mention of having achieved remission
206.90	Unspecified monocytic leukemia, without mention of having achieved remission
207.00	Acute erythremia and erythroleukemia, without mention of having achieved remission
207.10	Chronic erythremia, without mention of having achieved remission
207.20	Megakaryocytic leukemia, without mention of having achieved remission
207.80	Other specified leukemia, without mention of having achieved remission
208.00	Acute leukemia of unspecified cell type, without mention of having achieved remission
208.10	Chronic leukemia of unspecified cell type, without mention of having achieved remission
208.20	Subacute leukemia of unspecified cell type, without mention of having achieved remission
208.80	Other leukemia of unspecified cell type, without mention of having achieved remission
208.90	Unspecified leukemia, without mention of having achieved remission
346.00	Migraine with aura, without mention of intractable migraine without mention of status migrainosus
346.01	Migraine with aura, with intractable migraine, so stated, without mention of status

REVISED DIAGNOSIS CODE TITLES
Effective October 1, 2008

Diagnosis Code	Description
	migrainosus
346.10	Migraine without aura, without mention of intractable migraine without mention of status migrainosus
346.11	Migraine without aura, with intractable migraine, so stated, without mention of status migrainosus
346.20	Variants of migraine, not elsewhere classified, without mention of intractable migraine without mention of status migrainosus
346.21	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, without mention of status migrainosus
346.80	Other forms of migraine, without mention of intractable migraine without mention of status migrainosus
346.81	Other forms of migraine, with intractable migraine, so stated, without mention of status migrainosus
346.90*	Migraine, unspecified, without mention of intractable migraine without mention of status migrainosus
346.91*	Migraine, unspecified, with intractable migraine, so stated, without mention of status migrainosus
386.00	Ménière's disease, unspecified
386.01	Active Ménière's disease, cochleovestibular
386.02	Active Ménière's disease, cochlear
386.03	Active Ménière's disease, vestibular
386.04	Inactive Ménière's disease
482.41*	Methicillin susceptible pneumonia due to Staphylococcus aureus
707.00	Pressure ulcer, unspecified site
707.01	Pressure ulcer, elbow
707.02	Pressure ulcer, upper back
707.03	Pressure ulcer, lower back
707.04	Pressure ulcer, hip
707.05	Pressure ulcer, buttock
707.06	Pressure ulcer, ankle
707.07	Pressure ulcer, heel
707.09	Pressure ulcer, other site
795.08	Unsatisfactory cervical cytology smear
998.31	Disruption of internal operation (surgical) wound
998.32*	Disruption of external operation (surgical) wound
V28.3	Encounter for routine screening for malformation using ultrasonics
V45.71	Acquired absence of breast and nipple

Notes:

* These diagnosis codes were discussed at the March 19-20, 2008 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2008.

Revised code 776.9 that was listed in the proposed rule has been deleted. There will be no changes to code 776.9.

REVISED DIAGNOSIS CODE TITLES
Effective October 1, 2008

NEW PROCEDURE CODES

Effective October 1, 2008

The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: www.cms.hhs.gov/ICD9ProviderDiagnosticCodes

Procedure Code	Description
00.49	SuperSaturated oxygen therapy
00.58	Insertion of intra-aneurysm sac pressure monitoring device (intraoperative)
00.59	Intravascular pressure measurement of coronary arteries
00.67	Intravascular pressure measurement of intrathoracic arteries
00.68	Intravascular pressure measurement of peripheral arteries
00.69	Intravascular pressure measurement, other specified and unspecified vessels
17.11	Laparoscopic repair of direct inguinal hernia with graft or prosthesis
17.12	Laparoscopic repair of indirect inguinal hernia with graft or prosthesis
17.13	Laparoscopic repair of inguinal hernia with graft or prosthesis, not otherwise specified
17.21	Laparoscopic bilateral repair of direct inguinal hernia with graft or prosthesis
17.22	Laparoscopic bilateral repair of indirect inguinal hernia with graft or prosthesis
17.23	Laparoscopic bilateral repair of inguinal hernia, one direct and one indirect, with graft or prosthesis
17.24	Laparoscopic bilateral repair of inguinal hernia with graft or prosthesis, not otherwise specified
17.31	Laparoscopic multiple segmental resection of large intestine
17.32	Laparoscopic cecectomy
17.33	Laparoscopic right hemicolectomy
17.34	Laparoscopic resection of transverse colon
17.35	Laparoscopic left hemicolectomy
17.36	Laparoscopic sigmoidectomy
17.39	Other laparoscopic partial excision of large intestine
17.41*	Open robotic assisted procedure
17.42*	Laparoscopic robotic assisted procedure
17.43*	Percutaneous robotic assisted procedure
17.44*	Endoscopic robotic assisted procedure
17.45*	Thoracoscopic robotic assisted procedure
17.49*	Other and unspecified robotic assisted procedure
33.72*	Endoscopic pulmonary airway flow measurement
37.36	Excision or destruction of left atrial appendage (LAA)
37.55	Removal of internal biventricular heart replacement system
37.60	Implantation or insertion of biventricular external heart assist system
38.23	Intravascular spectroscopy
45.81	Laparoscopic total intra-abdominal colectomy
45.82	Open total intra-abdominal colectomy
45.83	Other and unspecified total intra-abdominal colectomy
48.40	Pull-through resection of rectum, not otherwise specified
48.42	Laparoscopic pull-through resection of rectum
48.43	Open pull-through resection of rectum

NEW PROCEDURE CODES
Effective October 1, 2008

Procedure Code	Description
48.50	Abdominoperineal resection of the rectum, not otherwise specified
48.51	Laparoscopic abdominoperineal resection of the rectum
48.52	Open abdominoperineal resection of the rectum
48.59	Other abdominoperineal resection of the rectum
53.42	Laparoscopic repair of umbilical hernia with graft or prosthesis
53.43	Other laparoscopic umbilical herniorrhaphy
53.62	Laparoscopic incisional hernia repair with graft or prosthesis
53.63	Other laparoscopic repair of other hernia of anterior abdominal wall with graft or prosthesis
53.71	Laparoscopic repair of diaphragmatic hernia, abdominal approach
53.72	Other and open repair of diaphragmatic hernia, abdominal approach
53.75	Repair of diaphragmatic hernia, abdominal approach, not otherwise specified
53.83	Laparoscopic repair of diaphragmatic hernia, with thoracic approach
53.84	Other and open repair of diaphragmatic hernia, with thoracic approach
80.53	Repair of the anulus fibrosus with graft or prosthesis
80.54	Other and unspecified repair of the anulus fibrosus
85.70*	Total reconstruction of breast, not otherwise specified
85.71*	Latissimus dorsi myocutaneous flap
85.72*	Transverse rectus abdominis myocutaneous (TRAM) flap, pedicled
85.73*	Transverse rectus abdominis myocutaneous (TRAM) flap, free
85.74*	Deep inferior epigastric artery perforator (DIEP) flap, free
85.75*	Superficial inferior epigastric artery (SIEA) flap, free
85.76*	Gluteal artery perforator (GAP) flap, free
85.79*	Other total reconstruction of breast

Notes:

* These procedure codes were discussed at the March 19-20, 2008 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2008.

NEW DIAGNOSIS CODES
Effective October 1, 2008

The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: www.cdc.gov/nchs/icd9.htm

Diagnosis Code	Description
038.12*	Methicillin resistant Staphylococcus aureus septicemia
041.12*	Methicillin resistant Staphylococcus aureus in conditions classified elsewhere and of unspecified site
046.11	Variant Creutzfeldt-Jakob disease
046.19	Other and unspecified Creutzfeldt-Jakob disease
046.71	Gerstmann-Sträussler-Scheinker syndrome
046.72	Fatal familial insomnia
046.79	Other and unspecified prion disease of central nervous system
051.01	Cowpox
051.02	Vaccinia not from vaccination
059.00	Orthopoxvirus infection, unspecified
059.01	Monkeypox
059.09	Other orthopoxvirus infections
059.10	Parapoxvirus infection, unspecified
059.11	Bovine stomatitis
059.12	Sealpox
059.19	Other parapoxvirus infections
059.20*	Yatapoxvirus infection, unspecified
059.21	Tanapox
059.22	Yaba monkey tumor virus
059.8	Other poxvirus infections
059.9	Poxvirus infections, unspecified
078.12	Plantar wart
136.21	Specific infection due to acanthamoeba
136.29	Other specific infections by free-living amebae
199.2	Malignant neoplasm associated with transplant organ
203.02	Multiple myeloma, in relapse
203.12	Plasma cell leukemia, in relapse
203.82	Other immunoproliferative neoplasms, in relapse
204.02	Acute lymphoid leukemia, in relapse
204.12	Chronic lymphoid leukemia, in relapse
204.22	Subacute lymphoid leukemia, in relapse
204.82	Other lymphoid leukemia, in relapse
204.92	Unspecified lymphoid leukemia, in relapse
205.02	Acute myeloid leukemia, in relapse
205.12	Chronic myeloid leukemia, in relapse
205.22	Subacute myeloid leukemia, in relapse
205.32	Myeloid sarcoma, in relapse
205.82	Other myeloid leukemia, in relapse
205.92	Unspecified myeloid leukemia, in relapse

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
206.02	Acute monocytic leukemia, in relapse
206.12	Chronic monocytic leukemia, in relapse
206.22	Subacute monocytic leukemia, in relapse
206.82	Other monocytic leukemia, in relapse
206.92	Unspecified monocytic leukemia, in relapse
207.02	Acute erythremia and erythroleukemia, in relapse
207.12	Chronic erythremia, in relapse
207.22	Megakaryocytic leukemia, in relapse
207.82	Other specified leukemia, in relapse
208.02	Acute leukemia of unspecified cell type, in relapse
208.12	Chronic leukemia of unspecified cell type, in relapse
208.22	Subacute leukemia of unspecified cell type, in relapse
208.82	Other leukemia of unspecified cell type, in relapse
208.92	Unspecified leukemia, in relapse
209.00	Malignant carcinoid tumor of the small intestine, unspecified portion
209.01	Malignant carcinoid tumor of the duodenum
209.02	Malignant carcinoid tumor of the jejunum
209.03	Malignant carcinoid tumor of the ileum
209.10	Malignant carcinoid tumor of the large intestine, unspecified portion
209.11	Malignant carcinoid tumor of the appendix
209.12	Malignant carcinoid tumor of the cecum
209.13	Malignant carcinoid tumor of the ascending colon
209.14	Malignant carcinoid tumor of the transverse colon
209.15	Malignant carcinoid tumor of the descending colon
209.16	Malignant carcinoid tumor of the sigmoid colon
209.17	Malignant carcinoid tumor of the rectum
209.20	Malignant carcinoid tumor of unknown primary site
209.21	Malignant carcinoid tumor of the bronchus and lung
209.22	Malignant carcinoid tumor of the thymus
209.23	Malignant carcinoid tumor of the stomach
209.24	Malignant carcinoid tumor of the kidney
209.25	Malignant carcinoid tumor of foregut, not otherwise specified
209.26	Malignant carcinoid tumor of midgut, not otherwise specified
209.27	Malignant carcinoid tumor of hindgut, not otherwise specified
209.29	Malignant carcinoid tumor of other sites
209.30	Malignant poorly differentiated neuroendocrine carcinoma, any site
209.40	Benign carcinoid tumor of the small intestine, unspecified portion
209.41	Benign carcinoid tumor of the duodenum
209.42	Benign carcinoid tumor of the jejunum
209.43	Benign carcinoid tumor of the ileum
209.50	Benign carcinoid tumor of the large intestine, unspecified portion
209.51	Benign carcinoid tumor of the appendix
209.52	Benign carcinoid tumor of the cecum

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
209.53	Benign carcinoid tumor of the ascending colon
209.54	Benign carcinoid tumor of the transverse colon
209.55	Benign carcinoid tumor of the descending colon
209.56	Benign carcinoid tumor of the sigmoid colon
209.57	Benign carcinoid tumor of the rectum
209.60	Benign carcinoid tumor of unknown primary site
209.61	Benign carcinoid tumor of the bronchus and lung
209.62	Benign carcinoid tumor of the thymus
209.63	Benign carcinoid tumor of the stomach
209.64	Benign carcinoid tumor of the kidney
209.65	Benign carcinoid tumor of foregut, not otherwise specified
209.66	Benign carcinoid tumor of midgut, not otherwise specified
209.67	Benign carcinoid tumor of hindgut, not otherwise specified
209.69	Benign carcinoid tumor of other sites
238.77	Post-transplant lymphoproliferative disorder (PTLD)
249.00	Secondary diabetes mellitus without mention of complication, not stated as uncontrolled, or unspecified
249.01	Secondary diabetes mellitus without mention of complication, uncontrolled
249.10	Secondary diabetes mellitus with ketoacidosis, not stated as uncontrolled, or unspecified
249.11	Secondary diabetes mellitus with ketoacidosis, uncontrolled
249.20	Secondary diabetes mellitus with hyperosmolarity, not stated as uncontrolled, or unspecified
249.21	Secondary diabetes mellitus with hyperosmolarity, uncontrolled
249.30	Secondary diabetes mellitus with other coma, not stated as uncontrolled, or unspecified
249.31	Secondary diabetes mellitus with other coma, uncontrolled
249.40	Secondary diabetes mellitus with renal manifestations, not stated as uncontrolled, or unspecified
249.41	Secondary diabetes mellitus with renal manifestations, uncontrolled
249.50	Secondary diabetes mellitus with ophthalmic manifestations, not stated as uncontrolled, or unspecified
249.51	Secondary diabetes mellitus with ophthalmic manifestations, uncontrolled
249.60	Secondary diabetes mellitus with neurological manifestations, not stated as uncontrolled, or unspecified
249.61	Secondary diabetes mellitus with neurological manifestations, uncontrolled
249.70	Secondary diabetes mellitus with peripheral circulatory disorders, not stated as uncontrolled, or unspecified
249.71	Secondary diabetes mellitus with peripheral circulatory disorders, uncontrolled
249.80	Secondary diabetes mellitus with other specified manifestations, not stated as uncontrolled, or unspecified
249.81	Secondary diabetes mellitus with other specified manifestations, uncontrolled
249.90	Secondary diabetes mellitus with unspecified complication, not stated as

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
	uncontrolled, or unspecified
249.91	Secondary diabetes mellitus with unspecified complication, uncontrolled
259.50	Androgen insensitivity, unspecified
259.51	Androgen insensitivity syndrome
259.52	Partial androgen insensitivity
275.5	Hungry bone syndrome
279.50	Graft-versus-host disease, unspecified
279.51	Acute graft-versus-host disease
279.52	Chronic graft-versus-host disease
279.53	Acute on chronic graft-versus-host disease
289.84	Heparin-induced thrombocytopenia (HIT)
337.00	Idiopathic peripheral autonomic neuropathy, unspecified
337.01	Carotid sinus syndrome
337.09	Other idiopathic peripheral autonomic neuropathy
339.00	Cluster headache syndrome, unspecified
339.01	Episodic cluster headache
339.02	Chronic cluster headache
339.03	Episodic paroxysmal hemicrania
339.04	Chronic paroxysmal hemicrania
339.05	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing
339.09	Other trigeminal autonomic cephalgias
339.10	Tension type headache, unspecified
339.11	Episodic tension type headache
339.12	Chronic tension type headache
339.20	Post-traumatic headache, unspecified
339.21	Acute post-traumatic headache
339.22	Chronic post-traumatic headache
339.3	Drug induced headache, not elsewhere classified
339.41	Hemicrania continua
339.42	New daily persistent headache
339.43	Primary thunderclap headache
339.44	Other complicated headache syndrome
339.81	Hypnic headache
339.82	Headache associated with sexual activity
339.83	Primary cough headache
339.84	Primary exertional headache
339.85	Primary stabbing headache
339.89	Other headache syndromes
346.02	Migraine with aura, without mention of intractable migraine with status migrainosus
346.03	Migraine with aura, with intractable migraine, so stated, with status migrainosus
346.12	Migraine without aura, without mention of intractable migraine with status

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
	migrainosus
346.13	Migraine without aura, with intractable migraine, so stated, with status migrainosus
346.22	Variants of migraine, not elsewhere classified, without mention of intractable migraine with status migrainosus
346.23	Variants of migraine, not elsewhere classified, with intractable migraine, so stated, with status migrainosus
346.30	Hemiplegic migraine, without mention of intractable migraine without mention of status migrainosus
346.31	Hemiplegic migraine, with intractable migraine, so stated, without mention of status migrainosus
346.32	Hemiplegic migraine, without mention of intractable migraine with status migrainosus
346.33	Hemiplegic migraine, with intractable migraine, so stated, with status migrainosus
346.40	Menstrual migraine, without mention of intractable migraine without mention of status migrainosus
346.41	Menstrual migraine, with intractable migraine, so stated, without mention of status migrainosus
346.42	Menstrual migraine, without mention of intractable migraine with status migrainosus
346.43	Menstrual migraine, with intractable migraine, so stated, with status migrainosus
346.50	Persistent migraine aura without cerebral infarction, without mention of intractable migraine without mention of status migrainosus
346.51	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus
346.52	Persistent migraine aura without cerebral infarction, without mention of intractable migraine with status migrainosus
346.53	Persistent migraine aura without cerebral infarction, with intractable migraine, so stated, with status migrainosus
346.60	Persistent migraine aura with cerebral infarction, without mention of intractable migraine without mention of status migrainosus
346.61	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated, without mention of status migrainosus
346.62	Persistent migraine aura with cerebral infarction, without mention of intractable migraine with status migrainosus
346.63	Persistent migraine aura with cerebral infarction, with intractable migraine, so stated, with status migrainosus
346.70	Chronic migraine without aura, without mention of intractable migraine without mention of status migrainosus
346.71	Chronic migraine without aura, with intractable migraine, so stated, without mention of status migrainosus
346.72	Chronic migraine without aura, without mention of intractable migraine with status migrainosus
346.73	Chronic migraine without aura, with intractable migraine, so stated, with status migrainosus

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
346.82	Other forms of migraine, without mention of intractable migraine with status migrainosus
346.83	Other forms of migraine, with intractable migraine, so stated, with status migrainosus
346.92*	Migraine, unspecified, without mention of intractable migraine with status migrainosus
346.93*	Migraine, unspecified, with intractable migraine, so stated, with status migrainosus
349.31*	Accidental puncture or laceration of dura during a procedure
349.39*	Other dural tear
362.20	Retinopathy of prematurity, unspecified
362.22	Retinopathy of prematurity, stage 0
362.23	Retinopathy of prematurity, stage 1
362.24	Retinopathy of prematurity, stage 2
362.25	Retinopathy of prematurity, stage 3
362.26	Retinopathy of prematurity, stage 4
362.27	Retinopathy of prematurity, stage 5
364.82	Plateau iris syndrome
372.34	Pingueculitis
414.3	Coronary atherosclerosis due to lipid rich plaque
482.42*	Methicillin resistant pneumonia due to Staphylococcus aureus
511.81	Malignant pleural effusion
511.89	Other specified forms of effusion, except tuberculous
530.13*	Eosinophilic esophagitis
535.70*	Eosinophilic gastritis, without mention of hemorrhage
535.71*	Eosinophilic gastritis, with hemorrhage
558.41*	Eosinophilic gastroenteritis
558.42*	Eosinophilic colitis
569.44	Dysplasia of anus
571.42	Autoimmune hepatitis
599.70	Hematuria, unspecified
599.71	Gross hematuria
599.72	Microscopic hematuria
611.81	Ptosis of breast
611.82	Hypoplasia of breast
611.83	Capsular contracture of breast implant
611.89	Other specified disorders of breast
612.0	Deformity of reconstructed breast
612.1	Disproportion of reconstructed breast
625.70	Vulvodynia, unspecified
625.71	Vulvar vestibulitis
625.79	Other vulvodynia
649.70	Cervical shortening, unspecified as to episode of care or not applicable
649.71	Cervical shortening, delivered, with or without mention of antepartum condition

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
649.73	Cervical shortening, antepartum condition or complication
678.00	Fetal hematologic conditions, unspecified as to episode of care or not applicable
678.01	Fetal hematologic conditions, delivered, with or without mention of antepartum condition
678.03	Fetal hematologic conditions, antepartum condition or complication
678.10	Fetal conjoined twins, unspecified as to episode of care or not applicable
678.11	Fetal conjoined twins, delivered, with or without mention of antepartum condition
678.13	Fetal conjoined twins, antepartum condition or complication
679.00	Maternal complications from in utero procedure, unspecified as to episode of care or not applicable
679.01	Maternal complications from in utero procedure, delivered, with or without mention of antepartum condition
679.02	Maternal complications from in utero procedure, delivered, with mention of postpartum complication
679.03	Maternal complications from in utero procedure, antepartum condition or complication
679.04	Maternal complications from in utero procedure, postpartum condition or complication
679.10	Fetal complications from in utero procedures, unspecified as to episode of care or not applicable
679.11	Fetal complications from in utero procedures, delivered, with or without mention of antepartum condition
679.12	Fetal complications from in utero procedures, delivered, with mention of postpartum complication
679.13	Fetal complications from in utero procedures, antepartum condition or complication
679.14	Fetal complications from in utero procedures, postpartum condition or complication
695.10	Erythema multiforme, unspecified
695.11	Erythema multiforme minor
695.12	Erythema multiforme major
695.13	Stevens-Johnson syndrome
695.14	Stevens-Johnson syndrome-toxic epidermal necrolysis overlap syndrome
695.15	Toxic epidermal necrolysis
695.19	Other erythema multiforme
695.50	Exfoliation due to erythematous condition involving less than 10 percent of body surface
695.51	Exfoliation due to erythematous condition involving 10-19 percent of body surface
695.52	Exfoliation due to erythematous condition involving 20-29 percent of body surface
695.53	Exfoliation due to erythematous condition involving 30-39 percent of body surface
695.54	Exfoliation due to erythematous condition involving 40-49 percent of body surface
695.55	Exfoliation due to erythematous condition involving 50-59 percent of body surface
695.56	Exfoliation due to erythematous condition involving 60-69 percent of body surface

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
695.57	Exfoliation due to erythematous condition involving 70-79 percent of body surface
695.58	Exfoliation due to erythematous condition involving 80-89 percent of body surface
695.59	Exfoliation due to erythematous condition involving 90 percent or more of body surface
707.20	Pressure ulcer, unspecified stage
707.21	Pressure ulcer, stage I
707.22	Pressure ulcer, stage II
707.23	Pressure ulcer, stage III
707.24	Pressure ulcer, stage IV
707.25*	Pressure ulcer, unstageable
729.90	Disorders of soft tissue, unspecified
729.91	Post-traumatic seroma
729.92	Nontraumatic hematoma of soft tissue
729.99	Other disorders of soft tissue
733.96*	Stress fracture of femoral neck
733.97*	Stress fracture of shaft of femur
733.98*	Stress fracture of pelvis
760.61	Newborn affected by amniocentesis
760.62	Newborn affected by other in utero procedure
760.63	Newborn affected by other surgical operations on mother during pregnancy
760.64	Newborn affected by previous surgical procedure on mother not associated with pregnancy
777.50	Necrotizing enterocolitis in newborn, unspecified
777.51	Stage I necrotizing enterocolitis in newborn
777.52	Stage II necrotizing enterocolitis in newborn
777.53	Stage III necrotizing enterocolitis in newborn
780.60*	Fever, unspecified
780.61*	Fever presenting with conditions classified elsewhere
780.62*	Postprocedural fever
780.63*	Postvaccination fever
780.64*	Chills (without fever)
780.65*	Hypothermia not associated with low environmental temperature
780.72	Functional quadriplegia
788.91	Functional urinary incontinence
788.99	Other symptoms involving urinary system
795.07	Satisfactory cervical smear but lacking transformation zone
795.10	Abnormal glandular Papanicolaou smear of vagina
795.11	Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US)
795.12	Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
795.13	Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL)

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
795.14	Papanicolaou smear of vagina with high grade squamous intraepithelial lesion (HGSIL)
795.15	Vaginal high risk human papillomavirus (HPV) DNA test positive
795.16	Papanicolaou smear of vagina with cytologic evidence of malignancy
795.18	Unsatisfactory vaginal cytology smear
795.19	Other abnormal Papanicolaou smear of vagina and vaginal HPV
796.70	Abnormal glandular Papanicolaou smear of anus
796.71	Papanicolaou smear of anus with atypical squamous cells of undetermined significance (ASC-US)
796.72	Papanicolaou smear of anus with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
796.73	Papanicolaou smear of anus with low grade squamous intraepithelial lesion (LGSIL)
796.74	Papanicolaou smear of anus with high grade squamous intraepithelial lesion (HGSIL)
796.75	Anal high risk human papillomavirus (HPV) DNA test positive
796.76	Papanicolaou smear of anus with cytologic evidence of malignancy
796.77	Satisfactory anal smear but lacking transformation zone
796.78	Unsatisfactory anal cytology smear
796.79	Other abnormal Papanicolaou smear of anus and anal HPV
997.31	Ventilator associated pneumonia
997.39	Other respiratory complications
998.30	Disruption of wound, unspecified
998.33*	Disruption of traumatic injury wound repair
999.81	Extravasation of vesicant chemotherapy
999.82	Extravasation of other vesicant agent
999.88	Other infusion reaction
999.89	Other transfusion reaction
V02.53*	Carrier or suspected carrier of Methicillin susceptible Staphylococcus aureus
V02.54*	Carrier or suspected carrier of Methicillin resistant Staphylococcus aureus
V07.51	Prophylactic use of selective estrogen receptor modulators (SERMs)
V07.52	Prophylactic use of aromatase inhibitors
V07.59	Prophylactic use of other agents affecting estrogen receptors and estrogen levels
V12.04*	Personal history of Methicillin resistant Staphylococcus aureus
V13.51	Personal history of pathologic fracture
V13.52	Personal history of stress fracture
V13.59	Personal history of other musculoskeletal disorders
V15.21	Personal history of undergoing in utero procedure during pregnancy
V15.22	Personal history of undergoing in utero procedure while a fetus
V15.29	Personal history of surgery to other organs
V15.51	Personal history of traumatic fracture
V15.59	Personal history of other injury
V23.85	Pregnancy resulting from assisted reproductive technology

NEW DIAGNOSIS CODES
Effective October 1, 2008

Diagnosis Code	Description
V23.86	Pregnancy with history of in utero procedure during previous pregnancy
V28.81	Encounter for fetal anatomic survey
V28.82	Encounter for screening for risk of pre-term labor
V28.89	Other specified antenatal screening
V45.11	Renal dialysis status
V45.12	Noncompliance with renal dialysis
V45.87	Transplanted organ removal status
V45.88*	Status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility
V46.3	Wheelchair dependence
V51.0	Encounter for breast reconstruction following mastectomy
V51.8	Other aftercare involving the use of plastic surgery
V61.01*	Family disruption due to family member on military deployment
V61.02*	Family disruption due to return of family member from military deployment
V61.03*	Family disruption due to divorce or legal separation
V61.04*	Family disruption due to parent-child estrangement
V61.05*	Family disruption due to child in welfare custody
V61.06*	Family disruption due to child in foster care or in care of non-parental family member
V61.09*	Other family disruption
V62.21*	Personal current military deployment status
V62.22*	Personal history of return from military deployment
V62.29*	Other occupational circumstances or maladjustment
V87.01	Contact with and (suspected) exposure to arsenic
V87.09	Contact with and (suspected) exposure to other hazardous metals
V87.11	Contact with and (suspected) exposure to aromatic amines
V87.12	Contact with and (suspected) exposure to benzene
V87.19	Contact with and (suspected) exposure to other hazardous aromatic compounds
V87.2	Contact with and (suspected) exposure to other potentially hazardous chemicals
V87.31	Contact with and (suspected) exposure to mold
V87.39	Contact with and (suspected) exposure to other potentially hazardous substances
V87.41	Personal history of antineoplastic chemotherapy
V87.42	Personal history of monoclonal drug therapy
V87.49	Personal history of other drug therapy
V88.01	Acquired absence of both cervix and uterus
V88.02	Acquired absence of uterus with remaining cervical stump
V88.03	Acquired absence of cervix with remaining uterus
V89.01	Suspected problem with amniotic cavity and membrane not found
V89.02	Suspected placental problem not found
V89.03	Suspected fetal anomaly not found
V89.04	Suspected problem with fetal growth not found
V89.05	Suspected cervical shortening not found
V89.09	Other suspected maternal and fetal condition not found

NEW DIAGNOSIS CODES
Effective October 1, 2008

Notes:

* These diagnosis codes were discussed at the March 19-20, 2008 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be implemented on October 1, 2008.

New code 059.29 that was listed in the proposed rule has been deleted. It has been replaced with new code 059.20.

The title for new code 998.33 that was listed in the proposed rule has been revised for the final rule.

INVALID PROCEDURE CODES

Effective October 1, 2008

The final addendum which describes all changes to the procedure part of ICD-9-CM is posted on CMS' webpage at: www.cms.hhs.gov/ICD9ProviderDiagnosticCodes

Procedure Code	Description
45.8	Total intra-abdominal colectomy
48.5	Abdominoperineal resection of rectum
53.7	Repair of diaphragmatic hernia, abdominal approach
85.7*	Total reconstruction of breast

Notes:

* This procedure code was discussed at the March 19-20, 2008 ICD-9-CM Coordination and Maintenance Committee meeting and was not finalized in time to include in the proposed rule. It will be deleted on October 1, 2008.

INVALID DIAGNOSIS CODES

Effective October 1, 2008

The final addendum providing complete information on changes to the diagnosis part of ICD-9-CM is posted on CDC's webpage at: www.cdc.gov/nchs/icd9.htm

Diagnosis Code	Description
046.1	Jakob-Creutzfeldt disease
051.0	Cowpox
136.2	Specific infections by free-living amebae
259.5	Androgen insensitivity syndrome
337.0	Idiopathic peripheral autonomic neuropathy
511.8	Other specified forms of pleural effusion, except tuberculous
599.7	Hematuria
611.8	Other specified disorders of breast
695.1	Erythema multiforme
729.9	Other and unspecified disorders of soft tissue
760.6	Surgical operation on mother
777.5	Necrotizing enterocolitis in fetus or newborn
780.6*	Fever
788.9	Other symptoms involving urinary system
795.1	Nonspecific abnormal Papanicolaou smear of other site
997.3	Respiratory complications
999.8	Other transfusion reaction
V13.5	Personal history of other musculoskeletal disorders
V15.2	Personal history of surgery to other major organs
V15.5	Personal history of injury
V28.8	Encounter for other specified antenatal screening
V45.1	Renal dialysis status
V51	Aftercare involving the use of plastic surgery
V61.0*	Family disruption
V62.2*	Other occupational circumstances or maladjustment

Notes:

* These diagnosis codes were discussed at the March 19-20, 2008 ICD-9-CM Coordination and Maintenance Committee meeting and were not finalized in time to include in the proposed rule. They will be deleted on October 1, 2008.

ICD-9-CM TABULAR ADDENDA
October 1, 2008 (FY09)

The official version of ICD-9-CM on CD-ROM has been modified to indicate which codes have a required fifth-digit. The applicable fifth-digits are included in brackets below the code. An addenda of these changes is in a separate PDF file, available via a link from the NCHS web page related to the ICD-9-CM addenda, below.

<http://www.cdc.gov/nchs/datawh/ftpserv/ftpicd9/ftpicd9.htm#addenda>

	006	Amebiasis
		006.8 Amebic infection of other sites
Revise		Excludes: specific infections by free-living amebae (<u>136.21-136.29</u>)
Revise		POLIOMYELITIS AND OTHER NON-ARTHROPOD-BORNE VIRAL DISEASES <u>AND PRION DISEASES</u> OF CENTRAL NERVOUS SYSTEM (045-049)
	038	Septicemia
		038.1 Staphylococcal septicemia
Revise	038.11	<u>Methicillin susceptible</u> Staphylococcus aureus septicemia
Add		MSSA septicemia
Add		Staphylococcus aureus septicemia NOS
New code	038.12	Methicillin resistant Staphylococcus aureus septicemia
	041	Bacterial infection in conditions classified elsewhere and of unspecified site
		041.1 Staphylococcus
Revise	041.11	<u>Methicillin susceptible</u> Staphylococcus aureus
Add		MSSA
Add		Staphylococcus aureus NOS
New code	041.12	Methicillin resistant Staphylococcus aureus Methicillin-resistant staphylococcus aureus (MRSA)

Revise	046	Slow virus infections <u>and prion diseases</u> of central nervous system
	046.1	Jakob-Creutzfeldt disease
Delete		Subacute spongiform encephalopathy
New code	046.11	Variant Creutzfeldt-Jakob disease vCJD
New code	046.19	Other and unspecified Creutzfeldt-Jakob disease CJD Familial Creutzfeldt-Jakob disease Iatrogenic Creutzfeldt-Jakob disease Jakob-Creutzfeldt disease, unspecified Sporadic Creutzfeldt-Jakob disease Subacute spongiform encephalopathy
		Excludes: variant Creutzfeldt-Jakob disease (vCJD) (046.11)
New subcategory	046.7	Other specified prion diseases of central nervous system
		Excludes: Creutzfeldt-Jakob disease (046.11-046.19) Jakob-Creutzfeldt disease (046.11-046.19) kuru (046.0) variant Creutzfeldt-Jakob disease (vCJD) (046.11)
New code	046.71	Gerstmann-Sträussler-Scheinker syndrome GSS syndrome
New code	046.72	Fatal familial insomnia FFI
New code	046.79	Other and unspecified prion disease of central nervous system
Revise		VIRAL DISEASES ACCOMPANIED BY EXANTHEM (050- <u>059</u>)
	051	Cowpox and paravaccinia
Revise	051.0	Cowpox <u>and vaccinia not from vaccination</u>
Delete		Vaccinia not from vaccination
Delete		Excludes: vaccinia (generalized) (from vaccination) (999.0)

New code	051.01	Cowpox
New code	051.02	Vaccinia not from vaccination
Add	Excludes: vaccinia (generalized) (from vaccination) (999.0)	
Delete	OTHER HUMAN HERPESVIRUSES (058)	
New Category	059	Other poxvirus infections
	Excludes: contagious pustular dermatitis (051.2) cowpox (051.01) ecthyma contagiosum (051.2) milker's nodule (051.1) orf (051.2) paravaccinia NOS (051.9) pseudocowpox (051.1) smallpox (050.0-050.9) vaccinia (generalized) (from vaccination) (999.0) vaccinia not from vaccination (051.02)	
New subcategory	059.0	Other orthopoxvirus infections
New code	059.00	Orthopoxvirus infection, unspecified
New code	059.01	Monkeypox
New code	059.09	Other orthopoxvirus infection
New subcategory	059.1	Other parapoxvirus infections
New code	059.10	Parapoxvirus infection, unspecified
New code	059.11	Bovine stomatitis
New code	059.12	Sealpox
New code	059.19	Other parapoxvirus infections
New subcategory	059.2	Yatapoxvirus infections
New code	059.20	Yatapoxvirus infection, unspecified
New code	059.21	Tanapox

New code	059.22	Yaba monkey tumor virus
New code	059.8	Other poxvirus infections
New code	059.9	Poxvirus infections, unspecified
	078	Other diseases due to viruses and Chlamydiae
	078.1	Viral warts
	078.10	Viral warts, unspecified
Delete		Condyloma NOS
Revise		Verruca NOS :
	078.11	Condyloma acuminatum
Add		Condyloma NOS
Add		Genital warts NOS
New code	078.12	Plantar wart
		Verruca plantaris
	078.19	Other specified viral warts
Add		Common wart
Add		Flat wart
Delete		Genital warts NOS
Revise		Verruca <u>plana</u>
Delete		plana
Delete		plantaris
	118	Opportunistic mycoses
Add		Use additional code to identify manifestation, such as: keratitis (370.8)
	136	Other and unspecified infectious and parasitic diseases
	136.2	Specific infections by free-living amebae
Delete		Meningoencephalitis due to Naegleria
New code	136.21	Specific infection due to acanthamoeba
		Use additional code to identify manifestation, such as: keratitis (370.8)
New code	136.29	Other specific infections by free-living amebae
		Meningoencephalitis due to Naegleria

2. NEOPLASMS (140-239)

1. Content:

This chapter contains the following broad groups:

Add 209 Neuroendocrine tumors

151 Malignant neoplasm of stomach

Add Excludes: benign carcinoid tumor of stomach (209.63)
malignant carcinoid tumor of stomach (209.23)

Delete ~~malignant stromal tumor of stomach (171.5)~~

152 Malignant neoplasm of small intestine, including duodenum

Add Excludes: benign carcinoid tumor of small intestine and duodenum
(209.40-209.43)
malignant carcinoid tumor of small intestine and duodenum
(209.00-209.03)

Delete ~~malignant stromal tumor of small intestine (171.5)~~

153 Malignant neoplasm of colon

Add Excludes: benign carcinoid tumor of colon (209.50-209.56)
malignant carcinoid tumor of colon (209.10-209.16)

154 Malignant neoplasm of rectum, rectosigmoid junction, and anus

Add Excludes: benign carcinoid tumor of rectum (209.57)
malignant carcinoid tumor of rectum (209.17)

162 Malignant neoplasm of trachea, bronchus, and lung

Add Excludes: benign carcinoid tumor of bronchus (209.61)
malignant carcinoid tumor of bronchus (209.21)

164 Malignant neoplasm of thymus, heart, and mediastinum

164.0 Thymus

Add Excludes: benign carcinoid tumor of the thymus (209.62)
malignant carcinoid tumor of the thymus (209.22)

	171	Malignant neoplasm of connective and other soft tissue
Delete		Includes: malignant stromal tumors
		Excludes:...
Revise		internal organs (except stromal tumors) – code to malignant neoplasm of the site [e.g., leiomyosarcoma of stomach, 151.9]
	172	Malignant melanoma of skin
Add		Includes: melanoma in situ of skin
	189	Malignant neoplasm of kidney and other and unspecified urinary organs
Add		Excludes: benign carcinoid tumor of kidney (209.64) malignant carcinoid tumor of kidney (209.24)
	194	Malignant neoplasm of other endocrine glands and related structures
Delete		Use additional code to identify any functional activity
Add		Excludes: neuroendocrine tumors (209.00-209.69)
	199	Malignant neoplasm without specification of site
Add		Excludes: malignant carcinoid tumor of unknown primary site (209.20) malignant neuroendocrine tumor, any site (209.30) neuroendocrine carcinoma, any site (209.30)
New code	199.2	Malignant neoplasm associated with transplanted organ
		Code first complication of transplanted organ (996.80-996.89)
		Use additional code for specific malignancy site
	203	Multiple myeloma and immunoproliferative neoplasms
		The following fifth-digit subclassification is for use with category 203:
Revise	0	without mention of <u>having achieved</u> remission
Add		failed remission
	1	in remission
Add	2	in relapse

204 Lymphoid leukemia

The following fifth-digit subclassification is for use with category 204:

- Revise 0 without mention of having achieved remission
Add failed remission
1 in remission
Add 2 in relapse

205 Myeloid leukemia

The following fifth-digit subclassification is for use with category 205:

- Revise 0 without mention of having achieved remission
Add failed remission
1 in remission
Add 2 in relapse

206 Monocytic leukemia

The following fifth-digit subclassification is for use with category 206:

- Revise 0 without mention of having achieved remission
Add failed remission
1 in remission
Add 2 in relapse

207 Other specified leukemia

The following fifth-digit subclassification is for use with category 207:

- Revise 0 without mention of having achieved remission
Add failed remission
1 in remission
Add 2 in relapse

208 Leukemia of unspecified cell type

The following fifth-digit subclassification is for use with category 208:

- Revise 0 without mention of having achieved remission
Add failed remission
1 in remission
Add 2 in relapse

New section	NEUROENDOCRINE TUMORS (209)	
New category	209	Neuroendocrine tumors
	Code first any associated multiple endocrine neoplasia syndrome (258.01-258.03)	
	Use additional code to identify associated endocrine syndrome, such as: carcinoid syndrome (259.2)	
	Excludes: pancreatic islet cell tumors (157.4)	
New subcategory	209.0	Malignant carcinoid tumors of the small intestine
New code	209.00	Malignant carcinoid tumor of the small intestine, unspecified portion
New code	209.01	Malignant carcinoid tumor of the duodenum
New code	209.02	Malignant carcinoid tumor of the jejunum
New code	209.03	Malignant carcinoid tumor of the ileum
New subcategory	209.1	Malignant carcinoid tumors of the appendix, large intestine, and rectum
New code	209.10	Malignant carcinoid tumor of the large intestine, unspecified portion
		Malignant carcinoid tumor of the colon NOS
New code	209.11	Malignant carcinoid tumor of the appendix
New code	209.12	Malignant carcinoid tumor of the cecum
New code	209.13	Malignant carcinoid tumor of the ascending colon
New code	209.14	Malignant carcinoid tumor of the transverse colon
New code	209.15	Malignant carcinoid tumor of the descending colon
New code	209.16	Malignant carcinoid tumor of the sigmoid colon
New code	209.17	Malignant carcinoid tumor of the rectum
New subcategory	209.2	Malignant carcinoid tumors of other and unspecified sites
New code	209.20	Malignant carcinoid tumor of unknown primary site
New code	209.21	Malignant carcinoid tumor of the bronchus and lung
New code	209.22	Malignant carcinoid tumor of the thymus
New code	209.23	Malignant carcinoid tumor of the stomach
New code	209.24	Malignant carcinoid tumor of the kidney
New code	209.25	Malignant carcinoid tumor of the foregut NOS
New code	209.26	Malignant carcinoid tumor of the midgut NOS

New code	209.27	Malignant carcinoid tumor of the hindgut NOS
New code	209.29	Malignant carcinoid tumors of other sites
New subcategory	209.3	Malignant poorly differentiated neuroendocrine tumors
New code	209.30	Malignant poorly differentiated neuroendocrine carcinoma, any site
		High grade neuroendocrine carcinoma, any site
		Malignant poorly differentiated neuroendocrine tumor NOS
New subcategory	209.4	Benign carcinoid tumors of the small intestine
New code	209.40	Benign carcinoid tumor of the small intestine, unspecified portion
New code	209.41	Benign carcinoid tumor of the duodenum
New code	209.42	Benign carcinoid tumor of the jejunum
New code	209.43	Benign carcinoid tumor of the ileum
New subcategory	209.5	Benign carcinoid tumors of the appendix, large intestine, and rectum
New code	209.50	Benign carcinoid tumor of the large intestine, unspecified portion
		Benign carcinoid tumor of the colon NOS
New code	209.51	Benign carcinoid tumor of the appendix
New code	209.52	Benign carcinoid tumor of the cecum
New code	209.53	Benign carcinoid tumor of the ascending colon
New code	209.54	Benign carcinoid tumor of the transverse colon
New code	209.55	Benign carcinoid tumor of the descending colon
New code	209.56	Benign carcinoid tumor of the sigmoid colon
New code	209.57	Benign carcinoid tumor of the rectum
New subcategory	209.6	Benign carcinoid tumors of other and unspecified sites
New code	209.60	Benign carcinoid tumor of unknown primary site
		Carcinoid tumor NOS
		Neuroendocrine tumor NOS
New code	209.61	Benign carcinoid tumor of the bronchus and lung
New code	209.62	Benign carcinoid tumor of the thymus
New code	209.63	Benign carcinoid tumor of the stomach
New code	209.64	Benign carcinoid tumor of the kidney
New code	209.65	Benign carcinoid tumor of the foregut NOS
New code	209.66	Benign carcinoid tumor of the midgut NOS
New code	209.67	Benign carcinoid tumor of the hindgut NOS
New code	209.69	Benign carcinoid tumors of other sites

- 211 Benign neoplasm of other parts of digestive system
- 211.1 Stomach
- Add Excludes: benign carcinoid tumors of the stomach (209.63)
- 211.2 Duodenum, jejunum, and ileum
- Add Excludes: benign carcinoid tumors of the small intestine (209.40-209.43)
- 211.3 Colon
- Add Excludes: benign carcinoid tumors of the large intestine (209.50-209.56)
- 211.4 Rectum and anal canal
- Add Excludes: benign carcinoid tumors of the rectum (209.57)
- 212 Benign neoplasm of respiratory and intrathoracic organs
- 212.3 Bronchus and lung
- Add Excludes: benign carcinoid tumors of bronchus and lung (209.61)
- 212.6 Thymus
- Add Excludes: benign carcinoid tumors of thymus (209.62)
- 223 Benign neoplasm of kidney and other urinary organs
- 223.0 Kidney, except pelvis
- Add Excludes: benign carcinoid tumors of kidney (209.64)
- 232 Carcinoma in situ of skin
- Add Excludes: melanoma in situ of skin (172.0-172.9)
- 233 Carcinoma in situ of breast and genitourinary system
- 233.1 Cervix uteri
- Revise Cervical intraepithelial glandular neoplasia, grade III

238 Neoplasm of uncertain behavior of other and unspecified sites and tissues

238.7 Other lymphatic and hematopoietic tissues

Delete Excludes: ~~myelofibrosis (289.83)~~

New code 238.77 Post-transplant lymphoproliferative disorder (PTLD)

Code first complications of transplant (996.80-996.89)

Revise DISEASES OF OTHER ENDOCRINE GLANDS (249-259)

New Category 249 Secondary diabetes mellitus

Includes: diabetes mellitus (due to) (in) (secondary) (with):
drug-induced or chemical induced
infection

Excludes: gestational diabetes (648.8)
hyperglycemia NOS (790.29)
neonatal diabetes mellitus (775.1)
nonclinical diabetes (790.29)
Type I diabetes – see category 250
Type II diabetes – see category 250

The following fifth-digit subclassification is for use with category 249:

0 not stated as uncontrolled, or unspecified
1 uncontrolled

Use additional code to identify any associated insulin use (V58.67)

New subcategory 249.0 Secondary diabetes mellitus without mention of
[0-1] complication
Secondary diabetes mellitus without mention of
complication or manifestation classifiable to 249.1-
249.9

New subcategory 249.1 Secondary diabetes mellitus NOS
[0-1] Secondary diabetes mellitus with ketoacidosis
Secondary diabetes mellitus with diabetic acidosis
without mention of coma
Secondary diabetes mellitus with diabetic ketosis
without mention of coma

- New subcategory 249.2 Secondary diabetes mellitus with hyperosmolarity
[0-1] Secondary diabetes mellitus with hyperosmolar (nonketotic) coma
- New subcategory 249.3 Secondary diabetes mellitus with other coma
[0-1] Secondary diabetes mellitus with diabetic coma (with ketoacidosis)
Secondary diabetes mellitus with diabetic hypoglycemic coma
Secondary diabetes mellitus with insulin coma NOS
- Excludes: secondary diabetes mellitus with hyperosmolar coma (249.2)
- New subcategory 249.4 Secondary diabetes mellitus with renal manifestations
[0-1]
- Use additional code to identify manifestation, as:
chronic kidney disease (585.1-585.9)
diabetic nephropathy NOS (583.81)
diabetic nephrosis (581.81)
intercapillary glomerulosclerosis (581.81)
Kimmelstiel-Wilson syndrome (581.81)
- New subcategory 249.5 Secondary diabetes mellitus with ophthalmic
[0-1] manifestations
- Use additional code to identify manifestation, as:
diabetic blindness (369.00-369.9)
diabetic cataract (366.41)
diabetic glaucoma (365.44)
diabetic macular edema (362.07)
diabetic retinal edema (362.07)
diabetic retinopathy (362.01-362.07)
- New subcategory 249.6 Secondary diabetes mellitus with neurological
[0-1] manifestations
- Use additional code to identify manifestation, as:
diabetic amyotrophy (353.5)
diabetic gastroparesis (536.3)
diabetic gastroparesis (536.3)
diabetic mononeuropathy (354.0-355.9)
diabetic neurogenic arthropathy (713.5)
diabetic peripheral autonomic neuropathy (337.1)
diabetic polyneuropathy (357.2)

New subcategory 249.7 Secondary diabetes mellitus with peripheral circulatory [0-1] disorders

Use additional code to identify manifestation, as:
diabetic gangrene (785.4)
diabetic peripheral angiopathy (443.81)

New subcategory 249.8 Secondary diabetes mellitus with other specified [0-1] manifestations
Secondary diabetic hypoglycemia in diabetes mellitus
Secondary hypoglycemic shock in diabetes mellitus

Use additional code to identify manifestation, as:
any associated ulceration (707.10-707.9)
diabetic bone changes (731.8)

New subcategory 249.9 Secondary diabetes mellitus with unspecified complication [0-1]

250 Diabetes mellitus

Add Excludes: secondary diabetes (249.0-249.9)

250.6 Diabetes with neurological manifestations

Use additional code to identify manifestation, as:
diabetic
amyotrophy (353.5)

Revise 250.8 Diabetes with other specified manifestations
Diabetic hypoglycemia NOS
Hypoglycemic shock NOS

Delete ~~Use additional E code to identify cause, if drug induced~~

251 Other disorders of pancreatic internal secretion

251.0 Hypoglycemic coma

Revise Excludes: hypoglycemic coma in diabetes mellitus (249.3,
250.3)

251.1 Other specified hypoglycemia

Revise Excludes: hypoglycemia in diabetes mellitus (249.8, 250.8)

	251.2	Hypoglycemia, unspecified
Revise		Excludes: hypoglycemia in diabetes mellitus (<u>249.8</u> , 250.8)
	252	Disorders of parathyroid gland
Add		Excludes: hungry bone syndrome (275.5)
	257	Testicular dysfunction
	257.8	Other testicular dysfunction
Revise		Excludes: androgen insensitivity syndromes (<u>259.50-259.52</u>)
	259	Other endocrine disorders
	259.5	Androgen insensitivity syndrome
Delete		Partial androgen insensitivity Reifenstein syndrome
New code	259.50	Androgen insensitivity, unspecified
New code	259.51	Androgen insensitivity syndrome Complete androgen insensitivity de Quervain's syndrome Goldberg-Maxwell Syndrome
New code	259.52	Partial androgen insensitivity Partial androgen insensitivity syndrome Reifenstein syndrome
	271	Disorders of carbohydrate transport and metabolism
Revise		Excludes: diabetes mellitus (<u>249.0-249.9</u> , 250.0-250.9)
	275	Disorders of mineral metabolism
	275.4	Disorders of calcium metabolism
Add		Excludes: hungry bone syndrome (275.5)
New code	275.5	Hungry bone syndrome

	276	Disorders of fluid, electrolyte, and acid-base balance
		276.2 Acidosis
Revise		Excludes: diabetic acidosis (<u>249.1</u> , 250.1)
	279	Disorders involving the immune mechanism
New subcategory	279.5	Graft-versus-host disease
		Code first underlying cause, such as: complication of transplanted organ (bone marrow) (996.80-996.89) complication of blood transfusion (999.8)
		Use additional code to identify associated manifestations, such as: desquamative dermatitis (695.89) diarrhea (787.91) elevated bilirubin (782.4) hair loss (704.09)
New code	279.50	Graft-versus-host disease, unspecified
New code	279.51	Acute graft-versus-host disease
New code	279.52	Chronic graft-versus-host disease
New code	279.53	Acute on chronic graft-versus-host disease
	287	Purpura and other hemorrhagic conditions
		287.4 Secondary thrombocytopenia
Add		Excludes: <u>heparin-induced thrombocytopenia (HIT) (289.84)</u>
	288	Diseases of white blood cells
		288.0 Neutropenia
Revise		Use additional code for any associated: fever (<u>780.61</u>)

	289	Other diseases of blood and blood-forming organs
	289.8	Other specified diseases of blood and blood-forming organs
	289.82	Secondary hypercoagulable state
Add		Excludes: heparin-induced thrombocytopenia (HIT) (289.84)
	289.83	Myelofibrosis
Add		Use additional code for associated therapy-related myelodysplastic syndrome, if applicable (238.72, 238.73)
Add		Use additional external cause code if due to anti-neoplastic chemotherapy (E933.1)
New code	289.84	Heparin-induced thrombocytopenia (HIT)
	306	Physiological malfunction arising from mental factors
	306.4	Gastrointestinal
Add		Excludes: cyclical vomiting NOS (536.2) associated with migraine (346.2)
	307	Special symptoms or syndromes, not elsewhere classified
	307.5	Other and unspecified disorders of eating
Revise		Excludes: vomiting: NOS (<u>787.03</u>) cyclical (536.2)
Add		associated with migraine (346.2)
	307.8	Pain disorders related to psychological factors
	307.81	Tension headache
Add		Excludes: headache: syndromes (339.00-339.89)
Add		tension type (339.10-339.12)

	310	Specific nonpsychotic mental disorders due to brain damage
	310.2	Postconcussion syndrome
Add		Use additional code to identify associated post-traumatic headache, if applicable (339.20-339.22)
	315	Specific delays in development
	315.3	Developmental speech or language disorder
	315.34	Speech and language developmental delay due to hearing loss
Delete		Use additional code to identify type of hearing loss (389.00-389.9)
	323	Encephalitis, myelitis, and encephalomyelitis
	323.4	Other encephalitis, myelitis, and encephalomyelitis due to infection classified elsewhere
	323.41	Other encephalitis and encephalomyelitis due to infection classified elsewhere
Revise		Excludes: meningoencephalitis due to free-living ameba [Naegleria] <u>(136.29)</u>
	331	Other cerebral degenerations
Revise		Use additional code, where applicable, to identify <u>dementia</u> :
	337	Disorders of the autonomic nervous system
	337.0	Idiopathic peripheral autonomic neuropathy
Delete		Carotid sinus syncope or syndrome
Delete		Cervical sympathetic dystrophy or paralysis
New code	337.00	Idiopathic peripheral autonomic neuropathy, unspecified
New code	337.01	Carotid sinus syndrome Carotid sinus syncope

New code	337.09	Other idiopathic peripheral autonomic neuropathy Cervical sympathetic dystrophy or paralysis
	337.1	Peripheral autonomic neuropathy in disorders classified elsewhere
Revise		Code first underlying disease, as: diabetes (<u>249.6</u> , 250.6)
	337.2	Reflex sympathetic dystrophy
Add	337.20	Reflex sympathetic dystrophy, unspecified Complex regional pain syndrome type I, unspecified
Add	337.21	Reflex sympathetic dystrophy of the upper limb Complex regional pain syndrome type I of the upper limb
Add	337.22	Reflex sympathetic dystrophy of the lower limb Complex regional pain syndrome type I of the lower limb
Add	337.29	Reflex sympathetic dystrophy of other specified site Complex regional pain syndrome type I of other specified site
	337.3	Autonomic dysreflexia
Revise		Use additional code to identify the cause, such as: decubitus <u>pressure</u> ulcer (707.00-707.09)
	338	Pain, not elsewhere classified
Add		Excludes: headache syndromes (339.00-339.89)
Add		migraines (346.0-346.9)
Add		vulvar vestibulitis (625.71)
Add		vulvodynia (625.70-625.79)

New section		OTHER HEADACHE SYNDROMES (339)
New Category	339	Other headache syndromes
		Excludes: headache: NOS (784.0) due to lumbar puncture (349.0) migraine (346.0-346.9)
New subcategory	339.0	Cluster headaches and other trigeminal autonomic cephalgias TACS
New code	339.00	Cluster headache syndrome, unspecified Ciliary neuralgia Cluster headache NOS Histamine cephalgia Lower half migraine Migrainous neuralgia
New code	339.01	Episodic cluster headache
New code	339.02	Chronic cluster headache
New code	339.03	Episodic paroxysmal hemicrania Paroxysmal hemicrania NOS
New code	339.04	Chronic paroxysmal hemicrania
New code	339.05	Short lasting unilateral neuralgiform headache with conjunctival injection and tearing SUNCT
New code	339.09	Other trigeminal autonomic cephalgias
New subcategory	339.1	Tension type headache
		Excludes: tension headache NOS (307.81) tension headache related to psychological factors (307.81)
New code	339.10	Tension type headache, unspecified
New code	339.11	Episodic tension type headache
New code	339.12	Chronic tension type headache

New subcategory	339.2	Post-traumatic headache
New code	339.20	Post-traumatic headache, unspecified
New code	339.21	Acute post-traumatic headache
New code	339.22	Chronic post-traumatic headache
New code	339.3	Drug induced headache, not elsewhere classified Medication overuse headache Rebound headache
New subcategory	339.4	Complicated headache syndromes
New code	339.41	Hemicrania continua
New code	339.42	New daily persistent headache NDPH
New code	339.43	Primary thunderclap headache
New code	339.44	Other complicated headache syndrome
New subcategory	339.8	Other specified headache syndromes
New code	339.81	Hypnic headache
New code	339.82	Headache associated with sexual activity Orgasmic headache Preorgasmic headache
New code	339.83	Primary cough headache
New code	339.84	Primary exertional headache
New code	339.85	Primary stabbing headache
New code	339.89	Other specified headache syndromes

346 Migraine

Add Excludes: headache:
Add NOS (784.0)
Add syndromes (339.00-339.89)

Revise The following fifth-digit subclassification is for use with category 346:
0 without mention of intractable migraine without mention of status
migrainosus

Revise 1 with intractable migraine, so stated, without mention of status migrainosus
 Add 2 without mention of intractable migraine with status migrainosus
 Add 3 with intractable migraine, so stated, with status migrainosus

Revise 346.0 ~~Classical migraine~~ Migraine with aura
 Add [0-3]
 Delete ~~Migraine with aura~~
 Add Basilar migraine
 Add Classic migraine
 Add Migraine triggered seizures
 Add Migraine with acute-onset aura
 Add Migraine with aura without headache (migraine equivalents)
 Add Migraine with prolonged aura
 Add Migraine with typical aura
 Add Retinal migraine

Add Excludes: persistent migraine aura (346.5, 346.6)

Revise 346.1 ~~Common migraine~~ Migraine without aura
 Add [0-3]
 Delete ~~Atypical migraine~~
 Delete ~~Sick headache~~
 Add Common migraine

Revise 346.2 Variants of migraine, not elsewhere classified
 Add [0-3]
 Delete ~~Cluster headache~~
 Delete ~~Histamine cephalgia~~
 Delete ~~Horton's neuralgia~~
 Delete ~~Migraine:~~
 Delete ~~abdominal~~
 Delete ~~basilar~~
 Delete ~~lower half~~
 Delete ~~retinal~~
 Delete ~~Neuralgia:~~
 Delete ~~iliary~~
 Delete ~~migrainous~~
 Add Abdominal migraine
 Add Cyclical vomiting associated with migraine
 Add Ophthalmoplegic migraine
 Add Periodic headache syndromes in child or adolescent

Add Excludes: cyclical vomiting NOS (536.2)
 Add psychogenic cyclical vomiting (306.4)

New code	346.3	Hemiplegic migraine [0-3] Familial migraine Sporadic migraine
New code	346.4	Menstrual migraine [0-3] Menstrual headache Menstrually related migraine Premenstrual headache Premenstrual migraine Pure menstrual migraine
New code	346.5	Persistent migraine aura without cerebral infarction [0-3] Persistent migraine aura NOS
New code	346.6	Persistent migraine aura with cerebral infarction [0-3]
New code	346.7	Chronic migraine without aura [0-3] Transformed migraine without aura
Add	346.8	Other forms of migraine [0-3]
Delete		Migraine:
Delete		hemiplegic
Delete		ophthalmoplegic
Add	346.9	Migraine, unspecified [0-3]
	349	Other and unspecified disorders of the nervous system
New subcategory	349.3	Dural tear
New code	349.31	Accidental puncture or laceration of dura during a procedure Incidental (inadvertent) durotomy
New code	349.39	Other dural tear
	353	Nerve root and plexus disorders
	353.1	Lumbosacral plexus lesions
Delete		Code first, if applicable, associated diabetes mellitus (250.6)

353.5 Neuralgic amyotrophy

Add Code first any associated underlying disease, such as:
diabetes mellitus (249.6, 250.6)

354 Mononeuritis of upper limb and mononeuritis multiplex

354.4 Causalgia of upper limb

Add Complex regional pain syndrome type II of the upper limb

Add Excludes: complex regional pain syndrome type II of the lower limb (355.71)

355 Mononeuritis of lower limb

355.7 Other mononeuritis of lower limb

355.71 Causalgia of lower limb

Add Excludes: complex regional pain syndrome of upper limb (354.4)

355.9 Mononeuritis of unspecified site

Add Complex regional pain syndrome NOS

Add Excludes: complex regional pain syndrome:
Add lower limb (355.71)
Add upper limb (354.4)

357 Inflammatory and toxic neuropathy

357.2 Polyneuropathy in diabetes

Revise Code first underlying disease (249.6, 250.6)

358 Myoneural disorders

358.1 Myasthenic syndromes in diseases classified elsewhere

Revise Code first underlying disease, as:
botulism (005.1, 040.41- 040.42)

DISORDERS OF THE EYE AND ADNEXA (360-379)

Add Use additional external cause code, if applicable, to identify the cause of the eye condition

362 Other retinal disorders

362.0 Diabetic retinopathy

Revise Code first diabetes (249.5, 250.5)

362.2 Other proliferative retinopathy

New code 362.20 Retinopathy of prematurity, unspecified
Retinopathy of prematurity NOS

Add 362.21 Retrolental fibroplasia
Cicatricial retinopathy of prematurity

New code 362.22 Retinopathy of prematurity, stage 0

New code 362.23 Retinopathy of prematurity, stage 1

New code 362.24 Retinopathy of prematurity, stage 2

New code 362.25 Retinopathy of prematurity, stage 3

New code 362.26 Retinopathy of prematurity, stage 4

New code 362.27 Retinopathy of prematurity, stage 5

364 Disorders of iris and ciliary body

364.8 Other disorders of iris and ciliary body

New code 364.82 Plateau iris syndrome

365 Glaucoma

365.4 Glaucoma associated with congenital anomalies,
 dystrophies, and systemic syndromes

365.41 Glaucoma associated with chamber angle
 anomalies

Delete

~~Code first associated disorder, as:
Axenfeld's anomaly (743.44)
Rieger's anomaly or syndrome (743.44)~~

365.42 Glaucoma associated with anomalies of iris

Delete

~~Code first associated disorder, as:
aniridia (743.45)
essential iris atrophy (364.51)~~

365.43 Glaucoma associated with other anterior
 segment anomalies

Delete

~~Code first associated disorder, as:
microcornea (743.41)~~

365.5 Glaucoma associated with disorders of the lens

365.51 Phacolytic glaucoma

Delete

~~Use additional code for associated hypermature cataract
(366.18)~~

365.52 Pseudoexfoliation glaucoma

Delete

~~Use additional code for associated pseudoexfoliation of
capsule (366.11)~~

365.59 Glaucoma associated with other lens disorders

Delete

~~Use additional code for associated disorder, as:
dislocation of lens (379.33-379.34)
spherophakia (743.36)~~

	365.6	Glaucoma associated with other ocular disorders
	365.61	Glaucoma associated with pupillary block
Delete		Use additional code for associated disorder, as: seclusion of pupil [iris bombé] (364.74)
	365.62	Glaucoma associated with ocular inflammations
Delete		Use additional code for associated disorder, as: glaucomatocyclitic crises (364.22) iridocyclitis (364.0-364.3)
	365.63	Glaucoma associated with vascular disorders
Delete		Use additional code for associated disorder, as: central retinal vein occlusion (362.35) hyphema (364.41)
	365.64	Glaucoma associated with tumors or cysts
Delete		Use additional code for associated disorder, as: benign neoplasm (224.0-224.9) epithelial down growth (364.61) malignant neoplasm (190.0-190.9)
	365.65	Glaucoma associated with ocular trauma
Delete		Use additional code for associated condition, as: contusion of globe (921.3) recession of chamber angle (364.77)
	366	Cataract
	366.4	Cataract associated with other disorders
	366.41	Diabetic cataract
Revise		Code first diabetes (<u>249.5</u> , 250.5)
	366.43	Myotonic cataract
Revise		Code first underlying disorder (<u>359.21</u> , <u>359.23</u>)

	368	Visual disturbances
	368.1	Subjective visual disturbances
	368.16	Psychophysical visual disturbances
Add		Prosopagnosia
Add		Visual: object agnosia
	370	Keratitis
	370.8	Other forms of keratitis
Add		Code first underlying condition, such as:
Add		Acanthamoeba (136.21)
Add		Fusarium (118)
	372	Disorders of conjunctiva
	372.3	Other and unspecified conjunctivitis
	372.33	Conjunctivitis in mucocutaneous disease
Revise		Code first underlying disease as: erythema multiforme (<u>695.10-695.19</u>)
New code	372.34	Pingueculitis

DISEASES OF THE EAR AND MASTOID PROCESS (380-389)

Add Use additional external cause code, if applicable, to identify the cause of the ear condition

	386	Vertiginous syndromes and other disorders of vestibular system
Revise	386.0	<u>Ménière's</u> disease
Revise		<u>Ménière's</u> syndrome or vertigo
Revise	386.00	<u>Ménière's</u> disease, unspecified
Revise		<u>Ménière's</u> disease (active)
Revise	386.01	Active <u>Ménière's</u> disease, cochleovestibular
Revise	386.02	Active <u>Ménière's</u> disease, cochlear

Revise	386.03	Active <u>Ménière's</u> disease, vestibular
Revise	386.04	Inactive <u>Ménière's</u> disease
Revise		<u>Ménière's</u> disease in remission
	391	Rheumatic fever with heart involvement
Revise		Excludes: chronic heart diseases of rheumatic origin (393.0-398.9) (<u>393-398.99</u>) unless rheumatic fever is also present or there is evidence of recrudescence or activity of the rheumatic process
	403	Hypertensive chronic kidney disease
Revise		Includes: any condition classifiable to 585, 586 , or 587 with any condition classifiable to 401
	411	Other acute and subacute forms of ischemic heart disease
	411.1	Intermediate coronary syndrome
		Excludes: angina (pectoris) (413.9)
Delete		decubitus (413.0)
Add		decubitus (413.0)
	414	Other forms of chronic ischemic heart disease
New code	414.3	Coronary atherosclerosis due to lipid rich plaque
		Code first coronary atherosclerosis (414.00-414.07)
	415	Acute pulmonary heart disease
	415.11	Iatrogenic pulmonary embolism and infarction
Add		Use additional code for associated septic pulmonary embolism, if applicable, 415.12
	433	Occlusion and stenosis of precerebral arteries
Add		Use additional code, if applicable, to identify status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (V45.88)

	434	Occlusion of cerebral arteries
Add		Use additional code, if applicable, to identify status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility (V45.88)
	443	Other peripheral vascular disease
	443.8	Other specified peripheral vascular diseases
	443.81	Peripheral angiopathy in diseases classified elsewhere
Revise		Code first underlying disease, as: diabetes mellitus (<u>249.7</u> , 250.7)
	447	Other disorders of arteries and arterioles
	447.0	Arteriovenous fistula, acquired
Revise		Excludes: cerebrovascular (437.3) surgically created arteriovenous shunt or fistula: status or presence (<u>V45.11</u>)
	459	Other disorders of circulatory system
	459.0	Hemorrhage, unspecified
Add		Excludes: nontraumatic hematoma of soft tissue (729.92)
		PNEUMONIA AND INFLUENZA (480-488)
Add		Excludes: pneumonia: ventilator-associated (997.31)
	482	Other bacterial pneumonia
	482.4	Pneumonia due to Staphylococcus
Revise	482.41	<u>Methicillin susceptible pneumonia due to Staphylococcus aureus</u> MSSA pneumonia Pneumonia due to Staphylococcus aureus NOS

New code	482.42	Methicillin resistant pneumonia due to Staphylococcus aureus
	511	Pleurisy
Delete	Excludes: malignant pleural effusion (197.2)	
Delete	511.8	Other specified forms of effusion, except tuberculous Encysted pleurisy Hemopneumothorax Hemothorax Hydropneumothorax Hydrothorax
New code	511.81	Malignant pleural effusion Code first malignant neoplasm, if known
New code	511.89	Other specified forms of effusion, except tuberculous Encysted pleurisy Hemopneumothorax Hemothorax Hydropneumothorax Hydrothorax
	525	Other diseases and conditions of the teeth and supporting structures
	525.7	Endosseous dental implant failure
Add	525.71	Osseointegration failure of dental implant Failure of dental implant due to infection
Add		Failure of dental implant due to unintentional loading
Add		Failure of dental implant osseointegration due to premature loading
Add		Failure of dental implant to osseointegrate prior to intentional prosthetic loading
Add	525.72	Post-osseointegration biological failure of dental implant Failure of dental implant to osseointegrate following intentional prosthetic loading
Add	525.73	Post-osseointegration mechanical failure of dental implant Mechanical failure of dental implant NOS

	528	Diseases of the oral soft tissues, excluding lesions specific for gingiva and tongue
		528.0 Stomatitis and mucositis (ulcerative)
Add		Excludes: Stevens-Johnson syndrome (695.13) stomatitis:
Delete		Stevens-Johnson syndrome (695.1)
	530	Diseases of esophagus
		530.1 Esophagitis
Delete		Abscess of esophagus
Delete		Esophagitis: NOS
		530.10 Esophagitis, unspecified Esophagitis NOS
Add		
New code		530.13 Eosinophilic esophagitis
		530.19 Other esophagitis Abscess of esophagus
Add		
	535	Gastritis and duodenitis
		535.4 Other specified gastritis
Add		Excludes: eosinophilic gastritis (535.7)
New code		535.7 Eosinophilic gastritis [0-1]
	536	Disorders of function of stomach
		536.2 Persistent vomiting Cyclical vomiting
Add		
Revise		Excludes: vomiting NOS (787.03)
Add		cyclical, associated with migraine (346.2)
		536.3 Gastroparesis
		Code first underlying disease, such as:
Revise		diabetes mellitus (<u>249.6</u> , 250.6)

	557	Vascular insufficiency of intestine
Revise		Excludes: necrotizing enterocolitis of the newborn (<u>777.50-777.53</u>)
	558	Other and unspecified noninfectious gastroenteritis and colitis
New subcategory	558.4	Eosinophilic gastroenteritis and colitis
New code	558.41	Eosinophilic gastroenteritis Eosinophilic enteritis
New code	558.42	Eosinophilic colitis
	569	Other disorders of intestines
	569.4	Other specified disorders of rectum and anus
New code	569.44	Dysplasia of anus Anal intraepithelial neoplasia I and II (AIN I and II) (histologically confirmed) Dysplasia of anus NOS Mild and moderate dysplasia of anus (histologically confirmed)
		Excludes: abnormal results from anal cytologic examination without histologic confirmation (796.70-796.79) anal intraepithelial neoplasia III (230.5, 230.6) carcinoma in situ of anus (230.5, 230.6) HGSIL of anus (796.74) severe dysplasia of anus (230.5, 230.6)
	571	Chronic liver disease and cirrhosis
	571.4	Chronic hepatitis
New Code	571.42	Autoimmune hepatitis
	571.5	Cirrhosis of liver without mention of alcohol
Add		Code first, if applicable, viral hepatitis (acute) (chronic) (070.0-070.9)

	581	Nephrotic syndrome
		581.8 With other specified pathological lesion in kidney
		581.81 Nephrotic syndrome in diseases classified elsewhere
Revise		Code first underlying disease, as: diabetes mellitus (<u>249.4</u> , 250.4)
	583	Nephritis and nephropathy, not specified as acute or chronic
		583.8 With other specified pathological lesion in kidney
		583.81 Nephritis and nephropathy, not specified as acute or chronic, in diseases classified elsewhere
Revise		Code first underlying disease, as: diabetes mellitus (<u>249.4</u> , 250.4)
	584	Acute renal failure
Add		584.9 Acute renal failure, unspecified Acute kidney injury (nontraumatic)
Add		Excludes: traumatic kidney injury (866.00-866.13)
	586	Renal failure, unspecified
Delete		Excludes: with any condition classifiable to 401 (403.0-403.9 with fifth digit 1)
	587	Renal sclerosis, unspecified
Delete		Excludes: nephrosclerosis (arteriolar) (arteriosclerotic) (403.00-403.92) with hypertension (403.00-403.92)

	599	Other disorders of urethra and urinary tract
	599.7	Hematuria
New code	599.70	Hematuria, unspecified
New code	599.71	Gross hematuria
New code	599.72	Microscopic hematuria
Revise	DISORDERS OF BREAST (610- <u>612</u>)	
	611	Other disorders of breast
	611.1	Hypertrophy of breast
Add	Excludes: breast engorgement in newborn (778.7) disproportion of reconstructed breast (612.1)	
	611.3	Fat necrosis of breast
Add	Code first breast necrosis due to breast graft (996.79)	
Delete	611.8	Other specified disorders of breast Hematoma (nontraumatic) of breast Infarction of breast Occlusion of breast duct Subinvolution of breast (postlactational) (postpartum)
New code	611.81	Ptosis of breast
	Excludes: ptosis of native breast in relation to reconstructed breast (612.1)	
New code	611.82	Hypoplasia of breast Micromastia
	Excludes: hypoplasia of native breast in relation to reconstructed breast (612.1)	
New code	611.83	Capsular contracture of breast implant

New code	611.89	Other specified disorders of breast Hematoma (nontraumatic) of breast Infarction of breast Occlusion of breast duct Subinvolution of breast (postlactational) (postpartum)
New category	612	Deformity and disproportion of reconstructed breast
New code	612.0	Deformity of reconstructed breast Contour irregularity in reconstructed breast Excess tissue in reconstructed breast Misshapen reconstructed breast
New code	612.1	Disproportion of reconstructed breast Breast asymmetry between native breast and reconstructed breast Disproportion between native breast and reconstructed breast
	616	Inflammatory disease of cervix, vagina, and vulva
	616.1	Vaginitis and vulvovaginitis
Add		Excludes: vulvar vestibulitis (625.71)
	622	Noninflammatory disorders of cervix
	622.1	Dysplasia of cervix (uteri)
Add		Excludes: HGSIL of cervix (795.04)
	623	Noninflammatory disorders of vagina
Add	623.0	Dysplasia of vagina Mild and moderate dysplasia of vagina
Add		Excludes: abnormal results from vaginal cytological examination without histologic confirmation (795.10-795.19) HGSIL of vagina (795.14)

	625	Pain and other symptoms associated with female genital organs	
		625.4 Premenstrual tension syndromes	
Delete		Menstrual:	
Delete		migraine	
Delete		molimen	
Add		<u>Menstrual molimen</u>	
Add		Excludes: menstrual migraine (346.4)	
New subcategory	625.7	Vulvodynia	
New code	625.70	Vulvodynia, unspecified Vulvodynia NOS	
New code	625.71	Vulvar vestibulitis	
New code	625.79	Other vulvodynia	
Revise	11.	COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630- <u>679</u>)	
	640	Hemorrhage in early pregnancy	
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.	
	641	Antepartum hemorrhage, abruptio placentae, and placenta previa	
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.	
	642	Hypertension complicating pregnancy, childbirth, and the puerperium	
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.	
	643	Excessive vomiting in pregnancy	
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.	

	644	Early or threatened labor
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.
	645	Late pregnancy
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.
	646	Other complications of pregnancy, not elsewhere classified
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.
	647	Infectious and parasitic conditions in the mother classifiable elsewhere, but complicating pregnancy, childbirth, or the puerperium
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.
	647.6	Other viral diseases [0-4]
Delete		Conditions classifiable to 042 and 050-079, except 056
Add		Conditions classifiable to 042, 050-055, 057-079, 795.05, 795.15, 796.75
	648	Other current conditions in the mother classifiable elsewhere, but complicating pregnancy, childbirth, or the puerperium
Revise		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640- <u>649</u> for definitions.
Revise		Excludes: those conditions in the mother known or suspected to have affected the fetus (655.0- <u>655.9</u>)
	648.0	Diabetes mellitus
Revise		Conditions classifiable to <u>249, 250</u>
	648.9	Other current conditions classifiable elsewhere
Revise		Conditions classifiable to 440-459, <u>795.01-795.04, 795.06, 795.10-795.14, 795.16, 796.70-796.74, 796.76</u>

	649	Other conditions or status of the mother complicating pregnancy, childbirth, or the puerperium
Add		Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 640-649 for definitions.
		649.6 Uterine size date discrepancy
Add		Excludes: suspected problem with fetal growth not found (V89.04)
New code		649.7 Cervical shortening [0,1,3]
		Excludes: suspected cervical shortening not found (V89.05)
	651	Multiple gestation
		651.0 Twin pregnancy
Add		Excludes: fetal conjoined twins (678.1)
	653	Disproportion
Delete		653.7 Other fetal abnormality causing disproportion Conjoined twins
Add		Excludes: conjoined twins causing disproportion (678.1)
Revise	656	Other <u>known or suspected</u> fetal and placental problems affecting management of mother
Add		Excludes: fetal hematologic conditions (678.0) suspected placental problems not found (V89.02)
Add		656.8 Other specified fetal and placental problems Subchorionic hematoma
	657	Polyhydramnios
Add		Excludes: suspected polyhydramnios not found (V89.01)
	658	Other problems associated with amniotic cavity and membranes
Add		Excludes: suspected problems with amniotic cavity and membranes not found (V89.01)

New section **OTHER MATERNAL AND FETAL COMPLICATIONS (678-679)**

The following fifth-digit subclassification is for use with categories 678-679 to denote the current episode of care:

- 0 unspecified as to episode of care or not applicable
- 1 delivered, with or without mention of antepartum condition
- 2 delivered, with mention of postpartum complication
- 3 antepartum condition or complication
- 4 postpartum condition or complication

New Category **678 Other fetal conditions**

Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 678-679 for definitions.

New subcategory **678.0 Fetal hematologic conditions**

- [0,1,3] Fetal anemia
- Fetal thrombocytopenia
- Fetal twin to twin transfusion

Excludes: fetal and neonatal hemorrhage (772.0-772.9)
fetal hematologic disorders affecting newborn (776.0-776.9)
fetal-maternal hemorrhage (656.00-656.03)
isoimmunization incompatibility (656.10-656.13, 656.20-656.23)

New subcategory **678.1 Fetal conjoined twins**
[0,1,3]

New Category **679 Complications of in utero procedures**

Requires fifth digit; valid digits are in [brackets] under each code. See beginning of section 678-679 for definitions.

New subcategory **679.0 Maternal complications from in utero procedure**
[0-4]

Excludes: maternal history of in utero procedure during previous pregnancy (V23.86)

New subcategory **679.1 Fetal complications from in utero procedure**
[0-4] Fetal complications from amniocentesis

Excludes: newborn affected by in utero procedure (760.61-760.64)

695 Erythematous conditions

695.1 Erythema multiforme

~~Erythema iris~~

~~Herpes iris~~

~~Lyell's syndrome~~

~~Scalded skin syndrome~~

~~Stevens-Johnson syndrome~~

~~Toxic epidermal necrolysis~~

Add Use additional code to identify associated manifestations, such as:
arthropathy associated with dermatological disorders
(713.3)

conjunctival edema (372.73)

conjunctivitis (372.04, 372.33)

corneal scars and opacities (371.00-371.05)

corneal ulcer (370.00-370.07)

edema of eyelid (374.82)

inflammation of eyelid (373.8)

keratoconjunctivitis sicca (370.33)

mechanical lagophthalmos (374.22)

mucositis (478.11, 528.00, 538, 616.81)

stomatitis (528.00)

symblepharon (372.63)

Add Use additional E-code to identify drug, if drug-induced

Add Use additional code to identify percentage of skin exfoliation
(695.50-695.59)

Add Excludes: (staphylococcal) scalded skin syndrome (695.81)

New code 695.10 Erythema multiforme, unspecified
Erythema iris
Herpes iris

New code 695.11 Erythema multiforme minor

New code 695.12 Erythema multiforme major

New code 695.13 Stevens-Johnson syndrome

New code 695.14 Stevens-Johnson syndrome-toxic epidermal
necrolysis overlap syndrome
SJS-TEN overlap syndrome

New code	695.15	Toxic epidermal necrolysis Lyell's syndrome
New code	695.19	Other erythema multiforme
New subcategory	695.5	Exfoliation due to erythematous conditions according to extent of body surface involved
		Code first erythematous condition causing exfoliation, such as: Ritter's disease (695.81) (Staphylococcal) scalded skin syndrome (695.81) Stevens-Johnson syndrome (695.13) Stevens-Johnson syndrome-toxic epidermal necrolysis overlap syndrome (695.14) toxic epidermal necrolysis (695.15)
New code	695.50	Exfoliation due to erythematous condition involving less than 10 percent of body surface Exfoliation due to erythematous condition NOS
New code	695.51	Exfoliation due to erythematous condition involving 10-19 percent of body surface
New code	695.52	Exfoliation due to erythematous condition involving 20-29 percent of body surface
New code	695.53	Exfoliation due to erythematous condition involving 30-39 percent of body surface
New code	695.54	Exfoliation due to erythematous condition involving 40-49 percent of body surface
New code	695.55	Exfoliation due to erythematous condition involving 50-59 percent of body surface
New code	695.56	Exfoliation due to erythematous condition involving 60-69 percent of body surface
New code	695.57	Exfoliation due to erythematous condition involving 70-79 percent of body surface
New code	695.58	Exfoliation due to erythematous condition involving 80-89 percent of body surface

New code	695.59	Exfoliation due to erythematous condition involving 90 percent or more of body surface
	695.8	Other specified erythematous conditions
Add	695.81	Ritter's disease (Staphylococcal) Scalded skin syndrome
Add		Use additional code to identify percentage of skin exfoliation (695.50-695.59)
	707	Chronic ulcer of skin
Delete		Excludes: specific infections classified under “Infectious and parasitic diseases” (001.0-136.9)
Revise	707.0	Decubitus <u>Pressure ulcer</u>
Revise		Decubitus ulcer <u>Decubitus ulcer</u> {any site}
Delete		Pressure ulcer
Add		Use additional code to identify pressure ulcer stage (707.20 - 707.25)
Revise	707.1	Ulcer of lower limbs, except decubitus <u>pressure ulcer</u>
Revise		Code, if applicable, any causal condition first: diabetes mellitus (<u>249.80-249.81</u> , 250.80-250.83)
New subcategory	707.2	Pressure ulcer stages Code first site of pressure ulcer (707.00-707.09)
New code	707.20	Pressure ulcer, unspecified stage Healing pressure ulcer NOS Healing pressure ulcer, unspecified stage
New code	707.21	Pressure ulcer stage I Healing pressure ulcer, stage I Pressure pre-ulcer skin changes limited to persistent focal erythema
New code	707.22	Pressure ulcer stage II Healing pressure ulcer, stage II Pressure ulcer with abrasion, blister, partial thickness skin loss involving epidermis and/or dermis

New code	707.23	Pressure ulcer stage III Healing pressure ulcer, stage III Pressure ulcer with full thickness skin loss involving damage or necrosis of subcutaneous tissue
New code	707.24	Pressure ulcer stage IV Healing pressure ulcer, stage IV Pressure ulcer with necrosis of soft tissues through to underlying muscle, tendon, or bone
New code	707.25	Pressure ulcer, unstageable

13. DISEASES OF THE MUSCULOSKELETAL SYSTEM AND CONNECTIVE TISSUE (710-739)

Add		Use additional external cause code, if applicable, to identify the cause of the musculoskeletal condition
	713	Arthropathy associated with other disorders classified elsewhere
	713.3	Arthropathy associated with dermatological disorders
Revise		Code first underlying disease, as: erythema multiforme (<u>695.10-695.19</u>)
	713.5	Arthropathy associated with neurologic disorders
Revise		Code first underlying disease, as: neuropathic joint disease [Charcots's joints]: diabetic (<u>249.6, 250.6</u>)
	728	Disorders of muscle, ligament, and fascia
Add		Excludes: nontraumatic hematoma of muscle (729.92)
	729	Other disorders of soft tissues
	729.7	Nontraumatic compartment syndrome
Add		Code first, if applicable, postprocedural complication (998.89)
Delete	729.9	Other and unspecified disorders of soft tissue Polyalgia

New code	729.90	Disorders of soft tissue, unspecified
New code	729.91	Post-traumatic seroma
		Excludes: seroma complicating a procedure (998.13)
New code	729.92	Nontraumatic hematoma of soft tissue Nontraumatic hematoma of muscle
New code	729.99	Other disorders of soft tissue Polyalgia
	731	Osteitis deformans and osteopathies associated with other disorders classified elsewhere
		731.8 Other bone involvement in diseases classified elsewhere
Revise		Code first underlying disease, as: diabetes mellitus (<u>249.8</u> , 250.8)
	733	Other disorders of bone and cartilage
		733.0 Osteoporosis
Add		Use additional code to identify personal history of pathologic (healed) fracture (V13.51)
		733.8 Malunion and nonunion of fracture
Revise	733.82	Nonunion of fracture Pseudoarthrosis (bone)
	733.9	Other and unspecified disorders of bone and cartilage
		733.93 Stress fracture of tibia or fibula
Add		Use additional external cause code(s) to identify the cause of the stress fracture
		733.94 Stress fracture of the metatarsals
Add		Use additional external cause code(s) to identify the cause of the stress fracture

	733.95	Stress fracture of other bone
Add		Use additional external cause code(s) to identify the cause of the stress fracture
Add		Excludes: stress fracture of: femoral neck (733.96) fibula (733.93) metatarsals (733.94) pelvis (733.98) shaft of femur (733.97) tibia (733.93)
New code	733.96	Stress fracture of femoral neck Stress reaction of femoral neck
Add		Use additional external cause code(s) to identify the cause of the stress fracture
New code	733.97	Stress fracture of shaft of femur Stress reaction of shaft of femur
Add		Use additional external cause code(s) to identify the cause of the stress fracture
New code	733.98	Stress fracture of pelvis Stress reaction of pelvis
Add		Use additional external cause code(s) to identify the cause of the stress fracture
	746	Other congenital anomalies of heart
	746.8	Other specified anomalies of heart
Add	746.84	Obstructive anomalies of heart, NEC Shone's syndrome
Add		Use additional code for associated anomalies, such as:
Add		coarctation of aorta (747.10)
Add		congenital mitral stenosis (746.5)
Add		subaortic stenosis (746.81)

	751	Other congenital anomalies of digestive system
		751.7 Anomalies of pancreas
Revise		Excludes: diabetes mellitus: <u>(249.0-249.9, 250.0-250.9)</u>
Delete		congenital (250.0-250.9)
Delete		neonatal (775.1)
Add		neonatal diabetes mellitus (775.1)
	752	Congenital anomalies of genital organs
Delete		Excludes: testicular feminization syndrome (259.5)
		752.7 Indeterminate sex and pseudohermaphroditism
Add		Excludes: androgen insensitivity (259.50-259.52)
		pseudohermaphroditism:
Delete		testicular feminization syndrome (259.5)
Add		testicular feminization syndrome <u>(259.50-259.52)</u>
	756	Other congenital musculoskeletal anomalies
Add		Excludes: congenital myotonic chondrodystrophy (359.23)
	757	Congenital anomalies of the integument
		757.6 Specified anomalies of breast
Delete		Hypoplasia of breast
Add		Excludes: hypoplasia of breast (611.82)
	760	Fetus or newborn affected by maternal conditions which may be unrelated to present pregnancy
Revise		760.6 Surgical operation on mother <u>and fetus</u>
Delete		Excludes: previous surgery to uterus or pelvic organs (763.89)
New code	760.61	Newborn affected by amniocentesis
		Excludes: fetal complications from amniocentesis (679.1)
New code	760.62	Newborn affected by other in utero procedure
		Excludes: fetal complications of in utero procedure (679.1)

New code	760.63	Newborn affected by other surgical operations on mother during pregnancy
		Excludes: newborn affected by previous surgical procedure on mother not associated with pregnancy (760.64)
New code	760.64	Newborn affected by previous surgical procedure on mother not associated with pregnancy
	763	Fetus or newborn affected by other complications of labor and delivery
Add		Excludes: newborn affected by surgical procedures on mother (760.61-760.64)
	763.8	Other specified complications of labor and delivery affecting fetus or newborn
	763.89	Other specified complications of labor and delivery affecting fetus or newborn
Delete		Fetus or newborn affected by: previous surgery to uterus or pelvic organs
	771	Infections specific to the perinatal period
	771.8	Other infections specific to the perinatal period
	771.81	Septicemia [sepsis] of newborn
Add		Use additional codes to identify severe sepsis (995.92) and any associated acute organ dysfunction, if applicable
Revise	776	Hematological disorders of fetus and newborn
Revise		Includes: disorders specific to the fetus or newborn <u>though possibly originating in utero</u>
Add		Excludes: fetal hematologic conditions (678.0)

	777	Perinatal disorders of digestive system
Revise	777.5	Necrotizing enterocolitis in fetus or newborn
New code	777.50	Necrotizing enterocolitis in newborn, unspecified Necrotizing enterocolitis in newborn, NOS
New code	777.51	Stage I necrotizing enterocolitis in newborn
New code	777.52	Stage II necrotizing enterocolitis in newborn Necrotizing enterocolitis with pneumatosis, without perforation
New code	777.53	Stage III necrotizing enterocolitis in newborn Necrotizing enterocolitis with perforation Necrotizing enterocolitis with pneumatosis and perforation
	780	General symptoms
	780.0	Alteration of consciousness
Revise		Excludes: coma: diabetic (<u>249.2-249.3</u> , 250.2-250.3)
	780.4	Dizziness and giddiness
Revise		Excludes: <u>Ménière's</u> disease and other specified vertiginous syndromes (386.0-386.9)
Revise	780.6	<u>Fever and other physiologic disturbances of temperature regulation</u>
Delete		Chills with fever Fever NOS Fever of unknown origin (FUO) Hyperpyrexia NOS Pyrexia NOS Pyrexia of unknown origin
Delete		Code first underlying condition when associated fever is present, such as with: leukemia (codes from categories 204, 205, 206, 207, 208) neutropenia (288.00-288.09) sickle cell disease (282.60-282.69)

Add		Excludes: effects of reduced environmental temperature (991.0-991.9) effects of heat and light (992.0-992.9) fever, chills or hypothermia associated with confirmed infection – code to infection
Delete		pyrexia of unknown origin (during): in newborn (778.4) labor (659.2) the puerperium (672)
New code	780.60	Fever, unspecified Chills with fever Fever NOS Fever of unknown origin (FUO) Hyperpyrexia NOS Pyrexia NOS Pyrexia of unknown origin Excludes: chills without fever (780.64) neonatal fever (778.4) pyrexia of unknown origin (during): in newborn (778.4) labor (659.2) the puerperium (672)
New code	780.61	Fever presenting with conditions classified elsewhere Code first underlying condition when associated fever is present, such as with: leukemia (conditions classifiable to 204-208) neutropenia (288.00-288.09) sickle-cell disease (282.60-282.69)
New code	780.62	Postprocedural fever Excludes: postvaccination fever (780.63)
New code	780.63	Postvaccination fever Postimmunization fever
New code	780.64	Chills (without fever) Chills NOS Excludes: chills with fever (780.60)

New code	780.65	Hypothermia not associated with low environmental temperature
	Excludes:	hypothermia: associated with low environmental temperature (991.6) due to anesthesia (995.89) of newborn (778.2, 778.3)
	780.7	Malaise and fatigue
New code	780.72	Functional quadriplegia Complete immobility due to severe physical disability or frailty
	Excludes:	hysterical paralysis (300.11) immobility syndrome (728.3) neurologic quadriplegia (344.00-344.09) quadriplegia NOS (344.00)
	780.9	Other general symptoms
	Excludes:	hypothermia: memory disturbance as part of a pattern of mental disorder
Delete		memory disturbance as part of a pattern of mental disorder
Add		memory disturbance as part of a pattern of mental disorder
	780.99	Other general symptoms Chill(s) NOS
Delete		Chill(s) NOS
Delete		Hypothermia, not associated with low environmental temperature
	782	Symptoms involving skin and other integumentary tissue
	782.3	Edema
Revise	Excludes:	hydrothorax (<u>511.81- 511.89</u>)
	787	Symptoms involving digestive system
	787.0	Nausea and vomiting
	Excludes:	vomiting: cyclical (536.2)
Add		associated with migraine (346.2)

	788	Symptoms involving urinary system
Revise		Excludes: hematuria (<u>599.70-599.72</u>)
		788.3 Urinary incontinence
Add		Excludes: functional urinary incontinence (788.91)
Add		urinary incontinence associated with cognitive impairment (788.91)
		788.9 Other symptoms involving urinary system
Delete		Extrarenal uremia
		Vesical:
		pain
		tenesmus
New code	788.91	Functional urinary incontinence Urinary incontinence due to cognitive impairment, or severe physical disability or immobility
		Excludes: urinary incontinence due to physiologic condition (788.30-788.39)
New code	788.99	Other symptoms involving urinary system Extrarenal uremia Vesical: pain tenesmus
	790	Nonspecific findings on examination of blood
		790.2 Abnormal glucose
Revise		Excludes: diabetes mellitus (<u>249.00-249.91</u> , 250.00-250.93)
	791	Nonspecific findings on examination of urine
Revise		Excludes: hematuria NOS (<u>599.70-599.72</u>)

	795	Other and nonspecific abnormal cytological, histological, immunological and DNA test findings
Add		Excludes: abnormal cytologic smear of anus and anal HPV (796.70-796.79)
	795.0	Abnormal Papanicolaou smear of cervix and cervical HPV
Add		Excludes: abnormal cytologic smear of vagina and vaginal HPV (795.10-795.19)
Revise		carcinoma in situ <u>in situ</u> of cervix (233.1)
Revise		mild <u>cervical</u> dysplasia (histologically confirmed) (622.11)
Revise		moderate <u>cervical</u> dysplasia (histologically confirmed) (622.12)
Revise		severe <u>cervical</u> dysplasia (histologically confirmed) (233.1)
	795.00	Abnormal glandular Papanicolaou smear of cervix
Revise		Atypical <u>cervical</u> glandular cells NOS
New code	795.07	Satisfactory cervical smear but lacking transformation zone
Revise	795.08	Unsatisfactory <u>cervical cytology</u> smear
Revise		Inadequate <u>cervical cytology</u> sample
Revise	795.1	Nonspecific abnormal Papanicolaou smear of other site <u>Abnormal Papanicolaou smear of vagina and vaginal HPV</u>
Add		Abnormal thin preparation smear of vagina NOS
Add		Abnormal vaginal cytology NOS
Add		Use additional code to identify acquired absence of uterus and cervix, if applicable (V88.01-V88.03)
Add		Excludes: abnormal cytologic smear of cervix and cervical HPV (795.00-795.09)
		carcinoma in situ of vagina (233.31)
		carcinoma in situ of vulva (233.32)
		dysplasia (histologically confirmed) of vagina NOS (623.0, 233.31)
		dysplasia (histologically confirmed) of vulva NOS (624.01, 624.02, 233.32)
		mild vaginal dysplasia (histologically confirmed) (623.0)

mild vulvar dysplasia (histologically confirmed)
 (624.01)
 moderate vaginal dysplasia (histologically confirmed)
 (623.0)
 moderate vulvar dysplasia (histologically confirmed)
 (624.02)
 severe vaginal dysplasia (histologically confirmed)
 (233.31)
 severe vulvar dysplasia (histologically confirmed)
 (233.32)
 vaginal intraepithelial neoplasia I (VAIN I) (623.0)
 vaginal intraepithelial neoplasia II (VAIN II) (623.0)
 vaginal intraepithelial neoplasia III (VAIN III) (233.31)
 vulvar intraepithelial neoplasia I (VIN I) (624.01)
 vulvar intraepithelial neoplasia II (VIN II) (624.02)
 vulvar intraepithelial neoplasia III (VIN III) (233.32)

New code	795.10	Abnormal glandular Papanicolaou smear of vagina Atypical vaginal glandular cells NOS
New code	795.11	Papanicolaou smear of vagina with atypical squamous cells of undetermined significance (ASC-US)
New code	795.12	Papanicolaou smear of vagina with atypical squamous cells cannot exclude high grade squamous intraepithelial lesion (ASC-H)
New code	795.13	Papanicolaou smear of vagina with low grade squamous intraepithelial lesion (LGSIL)
New code	795.14	Papanicolaou smear of vagina with high grade squamous intraepithelial lesion (HGSIL)
New code	795.15	Vaginal high risk human papillomavirus (HPV) DNA test positive Excludes: condyloma acuminatum (078.11) genital warts (078.11)
New code	795.16	Papanicolaou smear of vagina with cytologic evidence of malignancy
New code	795.18	Unsatisfactory vaginal cytology smear Inadequate vaginal cytology sample

New code	796.74	Papanicolaou smear of anus with high grade squamous intraepithelial lesion (HGSIL)
New code	796.75	Anal high risk human papillomavirus (HPV) DNA test positive
New code	796.76	Papanicolaou smear of anus with cytologic evidence of malignancy
New code	796.77	Satisfactory anal smear but lacking transformation zone
New code	796.78	Unsatisfactory anal cytology smear Inadequate anal cytology sample
New code	796.79	Other abnormal Papanicolaou smear of anus and anal HPV Anal low risk human papillomavirus (HPV) DNA test positive

Use additional code for associated human papillomavirus (079.4)

Add	797	Senility without mention of psychosis Frailty
	850	Concussion
Revise	850.4	With prolonged loss of <u>consciousness</u> , without return to pre-existing conscious level
	866	Injury to kidney
Add		Excludes: acute kidney injury (nontraumatic) (584.9)
	958	Certain early complications of trauma
Add		Excludes: post-traumatic seroma (729.91)
	991	Effects of reduced temperature
	991.6	Hypothermia
Revise		Excludes: hypothermia not associated with low environmental temperature (<u>780.65</u>)
	994	Effects of other external causes

Revise	994.5	Exhaustion due to excessive exertion <u>Exhaustion due to overexertion</u>
Add	994.8	Electrocution and nonfatal effects of electric current Shock from electroshock gun (taser)
	995	Certain adverse effects not elsewhere classified
Add	995.6	Anaphylactic shock due to adverse food reaction Anaphylactic reaction due to food
	996	Complications peculiar to certain specified procedures
Add		Excludes: capsular contracture of breast implant (611.83)
	996.4	Mechanical complication of internal orthopedic device, implant, and graft
Add	996.49	Other mechanical complication of other internal orthopedic device, implant, and graft
Add		Breakage of internal fixation device in bone Dislocation of internal fixation device in bone
	996.6	Infection and inflammatory reaction due to internal prosthetic device, implant, and graft
	996.62	Due to vascular device, implant and graft
Add		Excludes: infection due to: portacath (port-a-cath) (999.31)
Add		umbilical venous catheter (999.31)
	996.7	Other complications of internal (biological) (synthetic) prosthetic device, implant, and graft
Add		Excludes: disruption (dehiscence) of internal suture material (998.31)

996.8 Complications of transplanted organ

Add Use additional code to identify nature of complication, such as:
Add graft-versus-host disease (279.50-279.53)
Add malignancy associated with organ transplant (199.2)
post-transplant lymphoproliferative disorder (PTLD) (238.77)

Delete 996.85 Bone marrow
~~Graft-versus-host disease (acute) (chronic)~~

997 Complications affecting specified body systems, not elsewhere classified

Delete 997.3 Respiratory complications
~~Mendelson's syndrome resulting from a procedure~~
~~Pneumonia (aspiration) resulting from a procedure~~

New code 997.31 Ventilator associated pneumonia

Use additional code to identify organism

New code 997.39 Other respiratory complications
Mendelson's syndrome resulting from a procedure
Pneumonia (aspiration) resulting from a procedure

998 Other complications of procedures, not elsewhere classified

998.2 Accidental puncture or laceration during a procedure

Add Excludes: specified complications classified elsewhere, such as:
Add dural tear (349.31)
incidental durotomy (349.31)

Revise 998.3 Disruption of ~~operation~~ wound
Add Disruption of any suture materials or other closure method

New code 998.30 Disruption of wound, unspecified
Disruption of wound NOS

Revise	998.31	Disruption of internal operation (<u>surgical</u>) wound
Add		Disruption or dehiscence of closure of:
Add		fascia, superficial or muscular
Add		internal organ
Add		muscle or muscle flap
Add		ribs or rib cage
Add		skull or craniotomy
Add		sternum or sternotomy
Add		tendon or ligament
Add		Deep disruption or dehiscence of operation wound NOS
Add		Excludes: complications of internal anastomosis of: gastrointestinal tract (997.4) urinary tract (997.5)
Revise	998.32	Disruption of external operation (<u>surgical</u>) wound
Add		Disruption or dehiscence of closure of:
Add		cornea
Add		mucosa
Add		skin
Add		subcutaneous tissue
Add		Full-thickness skin disruption or dehiscence
Add		Superficial disruption or dehiscence of operation wound
New code	998.33	Disruption of traumatic injury wound repair Disruption or dehiscence of closure of traumatic laceration (external) (internal)
	999	Complications of medical care, not elsewhere classified
	999.0	Generalized vaccinia
Add		Excludes: vaccinia not from vaccine (051.02)
	999.2	Other vascular complications
Add		Excludes: extravasation of vesicant drugs (999.81, 999.82)

	999.3	Other infection
Revise	999.31	Infection due to central venous catheter Catheter-related bloodstream infection (CRBSI) <u>NOS</u> Infection due to:
Add		portacath (port-a-cath)
Add		umbilical venous catheter
Add	999.4	Anaphylactic shock due to serum Anaphylactic reaction due to serum
Revise	999.8	Other <u>infusion and</u> transfusion reaction
Delete		Septic shock due to transfusion Transfusion reaction NOS
New code	999.81	Extravasation of vesicant chemotherapy Infiltration of vesicant chemotherapy
New code	999.82	Extravasation of other vesicant agent Infiltration of other vesicant agent
New code	999.88	Other infusion reaction
New code	999.89	Other transfusion reaction Transfusion reaction NOS
		Use additional code to identify graft-versus-host reaction (279.5)
	999.9	Other and unspecified complications of medical care, not elsewhere classified
Add		Excludes: ventilator associated pneumonia (997.31)

SUPPLEMENTARY CLASSIFICATION OF FACTORS
INFLUENCING HEALTH STATUS AND CONTACT WITH HEALTH SERVICES
Revise (V01-V89)

V02 Carrier or suspected carrier of infectious diseases

Add Includes: Colonization status

New code	V07.59	Prophylactic use of other agents affecting estrogen receptors and estrogen levels Prophylactic use of: estrogen receptor downregulators fulvestrant (Faslodex) gonadotropin-releasing hormone (GnRH) agonist goserelin acetate (Zoladex) leuprolide acetate (leuprorelin) (Lupron) megestrol acetate (Megace)
Revise	PERSONS WITH POTENTIAL HEALTH <u>HAZARDS RELATED TO PERSONAL AND FAMILY HISTORY (V10-V19)</u>	
	V09	Infection with drug-resistant microorganisms
	V09.0	Infection with microorganisms resistant to penicillins
Delete		Methicillin-resistant staphylococcus aureus (MRSA)
	V10	Personal history of malignant neoplasm
Add		Code first any continuing functional activity, such as: carcinoid syndrome (259.2)
	V12	Personal history of certain other diseases
	V12.0	Infectious and parasitic diseases
New code	V12.04	Methicillin resistant Staphylococcus aureus MRSA
	V13	Personal history of other diseases
	V13.5	Other musculoskeletal disorders
New code	V13.51	Pathologic fracture Healed pathologic fracture
		Excludes: personal history of traumatic fracture (V15.51)
New code	V13.52	Stress fracture Healed stress fracture
		Excludes: personal history of traumatic fracture (V15.51)

New code	V13.59	Other musculoskeletal disorders
	V15	Other personal history presenting hazards to health
Add		Excludes: personal history of drug therapy (V87.41-V87.49)
Revise	V15.2	Surgery to other major organs
New code	V15.21	Personal history of undergoing in utero procedure during pregnancy
New code	V15.22	Personal history of undergoing in utero procedure while a fetus
New code	V15.29	Surgery to other organs
	V15.5	Injury
New code	V15.51	Traumatic fracture Healed traumatic fracture
		Excludes: personal history of pathologic and stress fracture (V13.51, V13.52)
New code	V15.59	Other injury
	V15.8	Other specified personal history presenting hazards to health
Add		Excludes: contact with and (suspected) exposure to: aromatic compounds and dyes (V87.11-V87.19) arsenic and other metals (V87.01-V87.09) molds (V87.31)
	V15.81	Noncompliance with medical treatment
Add		Excludes: noncompliance with renal dialysis (V45.12)
	V15.89	Other
Add		Excludes: contact with and (suspected) exposure to other potentially hazardous chemicals (V87.2) contact with and (suspected) exposure to other potentially hazardous substances (V87.39)

V23 Supervision of high-risk pregnancy

V23.8 Other high-risk pregnancy

New code V23.85 Pregnancy resulting from assisted reproductive technology
Pregnancy resulting from in vitro fertilization

New code V23.86 Pregnancy with history of in utero procedure during previous pregnancy

Excludes: management of pregnancy affected by in utero procedure during current pregnancy (678.0-678.1)

V28 Encounter for antenatal screening of mother

Add Excludes: suspected fetal conditions affecting management of pregnancy (655.00-655.93, 656.00-656.93, 657.00-657.03, 658.00 - 658.93)

Add suspected fetal conditions not found (V89.01-V89.09)

Revise V28.3 Encounter for routine screening for malformation using ultrasonics

Add Encounter for routine fetal ultrasound NOS

Add Excludes: encounter for fetal anatomic survey (V28.81)
genetic counseling and testing (V26.31- V26.39)

V28.8 Other specified antenatal screening

New code V28.81 Encounter for fetal anatomic survey

New code V28.82 Encounter for screening for risk of pre-term labor

New code V28.89 Other specified antenatal screening
Chorionic villus sampling
Genomic screening
Nuchal translucency testing
Proteomic screening

	V29	Observation and evaluation of newborns for suspected condition not found
Add		Excludes: suspected fetal conditions not found (V89.01-V89.09)
	V43	Organ or tissue replaced by other means
Revise		Excludes: cardiac pacemaker in situ (V45.01) renal dialysis status (<u>V45.11</u>)
	V45	Other postprocedural states
Delete	V45.1	Renal dialysis status Hemodialysis status Patient requiring intermittent renal dialysis Peritoneal dialysis status Presence of arterial-venous shunt (for dialysis)
New code	V45.11	Renal dialysis status Hemodialysis status Patient requiring intermittent renal dialysis Peritoneal dialysis status Presence of arterial-venous shunt (for dialysis)
New code	V45.12	Noncompliance with renal dialysis
	V45.7	Acquired absence of organ
Revise	V45.71	Acquired absence of breast <u>and nipple</u>
	V45.77	Genital organs
Add		Excludes: acquired absence of cervix and uterus (V88.01-V88.03)
	V45.8	Other postprocedural status
New code	V45.87	Transplanted organ removal status Transplanted organ previously removed due to complication, failure, rejection or infection
		Excludes: encounter for removal of transplanted organ – code to complication of transplanted organ (996.80-996.89)

New code	V45.88	Status post administration of tPA (rtPA) in a different facility within the last 24 hours prior to admission to current facility
		Code first condition requiring tPA administration, such as: acute cerebral infarction (433.0-433.9 with fifth-digit 1, 434.0-434.9 with fifth digit 1) acute myocardial infarction (410.00-410.92)
Revise	V46	Other dependence on machines <u>and devices</u>
New code	V46.3	Wheelchair dependence Wheelchair confinement status
		Code first cause of dependence, such as: muscular dystrophy (359.1) obesity (278.00, 278.01)
	V46.8	Other enabling machines
Revise		Excludes: cardiac pacemaker (V45.0) kidney dialysis machine (<u>V45.11</u>)
	V50	Elective surgery for purposes other than remedying health states
	V50.1	Other plastic surgery for unacceptable cosmetic appearance
Add Revise		Excludes: encounter for breast reduction (611.1) plastic surgery following healed injury or operation (<u>V51.0-V51.8</u>)
	V51	Aftercare involving the use of plastic surgery
Revise		Excludes: plastic surgery as treatment for current <u>condition or injury</u> – code to condition <u>or injury</u>
New code	V51.0	Encounter for breast reconstruction following mastectomy
		Excludes: deformity and disproportion of reconstructed breast (612.0-612.1)
New code	V51.8	Other aftercare involving the use of plastic surgery

	V52	Fitting and adjustment of prosthetic device and implant
		V52.4 Breast prosthesis and implant
Add		Elective implant exchange (different material) (different size)
Add		Removal of tissue expander without synchronous insertion of permanent implant
Revise		Excludes: admission for <u>initial</u> breast implant insertion for <u>breast augmentation</u> (V50.1)
Add		complications of breast implant (996.54, 996.69, 996.79)
Add		encounter for breast reconstruction following mastectomy (V51.0)
	V56	Encounter for dialysis and dialysis catheter care
		V56.0 Extracorporeal dialysis
Revise		Excludes: dialysis status (<u>V45.11</u>)
	V58	Encounter for other and unspecified procedures and aftercare
		V58.1 Encounter for chemotherapy and immunotherapy for neoplastic conditions
Delete		Excludes: prophylactic chemotherapy against disease which has never been present (V03.0-V07.9)
		V58.4 Other aftercare following surgery
		V58.41 Encounter for planned post-operative wound closure
Revise		Excludes: disruption of operative wound (<u>998.31-998.32</u>)
		V58.6 Long-term (current) drug use
Add		Excludes: drug abuse and dependence complicating pregnancy (648.3-648.4) prophylactic use of agents affecting estrogen receptors and estrogen levels (V07.51-V07.59)
Add		V58.69 Long-term (current) use of other medications Long term current use of methadone Long term current use of opiate analgesic

V61 Other family circumstances

V61.0 Family disruption

Delete

~~Divorce~~
~~Estrangement~~

New code

V61.01 Family disruption due to family member on military deployment
Individual or family affected by other family member being on deployment

New code

V61.02 Family disruption due to return of family member from military deployment
Individual or family affected by other family member having returned from deployment (current or past conflict)

New code

V61.03 Family disruption due to divorce or legal separation

New code

V61.04 Family disruption due to parent-child estrangement

Excludes: other family estrangement (V61.09)

New code

V61.05 Family disruption due to child in welfare custody

New code

V61.06 Family disruption due to child in foster care or in care of non-parental family member

New code

V61.09 Other family disruption
Family estrangement NOS

V62 Other psychosocial circumstances

V62.2 Other occupational circumstances or maladjustment

Delete

~~Career choice problem~~
~~Dissatisfaction with employment~~
~~Occupational problem~~

New code

V62.21 Personal current military deployment status
Individual (civilian or military) currently deployed in theater or in support of military war, peacekeeping and humanitarian operations

V76 Special screening for malignant neoplasms

V76.4 Other sites

V76.47 Vagina

Revise Use additional code to identify acquired absence of uterus
(~~V45.77~~ V88.01-V88.03)

New section OTHER SPECIFIED PERSONAL EXPOSURES AND HISTORY
PRESENTING HAZARDS TO HEALTH (V87)

New Category V87 Other specified personal exposures and history presenting hazards
to health

New subcategory V87.0 Contact with and (suspected) exposure to hazardous metals
Excludes: exposure to lead (V15.86)
toxic effect of metals (984.0-985.9)

New code V87.01 Arsenic

New code V87.09 Other hazardous metals
Chromium compounds
Nickel dust

New subcategory V87.1 Contact with and (suspected) exposure to hazardous
aromatic compounds
Excludes: toxic effects of aromatic compounds (982.0, 983.0)

New code V87.11 Aromatic amines

New code V87.12 Benzene

New code V87.19 Other hazardous aromatic compounds
Aromatic dyes NOS
Polycyclic aromatic hydrocarbons

New code V87.2 Contact with and (suspected) exposure to other potentially
hazardous chemicals
Dyes NOS

Excludes: exposure to asbestos (V15.84)
toxic effect of chemicals (980-989)

New subcategory V87.3 Contact with and (suspected) exposure to other potentially hazardous substances

Excludes: contact with and (suspected) exposure to potentially hazardous body fluids (V15.85)
toxic effect of substances (980-989)

New code V87.31 Exposure to mold

New code V87.39 Contact with and (suspected) exposure to other potentially hazardous substances

New subcategory V87.4 Personal history of drug therapy

Excludes: long-term (current) drug use (V58.61-V58.69)

New code V87.41 Personal history of antineoplastic chemotherapy

New code V87.42 Personal history of monoclonal drug therapy

New code V87.49 Personal history of other drug therapy

New section ACQUIRED ABSENCE OF OTHER ORGANS AND TISSUE (V88)

New Category V88 Acquired absence of other organs and tissue

New subcategory V88.0 Acquired absence of cervix and uterus

New code V88.01 Acquired absence of both cervix and uterus
Acquired absence of uterus NOS
Status post total hysterectomy

New code V88.02 Acquired absence of uterus with remaining cervical stump
Status post partial hysterectomy with remaining cervical stump

New code V88.03 Acquired absence of cervix with remaining uterus

New section OTHER SUSPECTED CONDITIONS NOT FOUND (V89)

New V89 Other suspected conditions not found

Category

New subcategory V89.0 Suspected maternal and fetal conditions not found

Excludes: known or suspected fetal anomalies affecting management of mother, not ruled out (655.00-655.93, 656.00-656.93, 657.00-657.03, 658.00-658.93)
newborn and perinatal conditions – code to condition

New code V89.01 Suspected problem with amniotic cavity and membrane not found
Suspected oligohydramnios not found
Suspected polyhydramnios not found

New code V89.02 Suspected placental problem not found

New code V89.03 Suspected fetal anomaly not found

New code V89.04 Suspected problem with fetal growth not found

New code V89.05 Suspected cervical shortening not found

New code V89.09 Other suspected maternal and fetal condition not found

EXTERNAL CAUSE TABULAR

SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)

(q) A pedestrian conveyance is any human powered device by which a pedestrian may move other than by walking or by which a walking person may move another pedestrian.

Add Includes: heelies, wheelies

E885 Fall on same level from slipping, tripping, or stumbling

E885.1 Fall from roller skates

Add Heelies

Add Wheelies

Revise Delete	E927	Overexertion and strenuous <u>and repetitive</u> movements <u>or loads</u> Excessive physical exercise Overexertion (from): lifting pulling pushing Strenuous movements in: recreational activities other activities
New code	E927.0	Overexertion from sudden strenuous movement Sudden trauma from strenuous movement
New code	E927.1	Overexertion from prolonged static position Overexertion from maintaining prolonged positions, such as: holding sitting standing
New code	E927.2	Excessive physical exertion from prolonged activity
New code	E927.3	Cumulative trauma from repetitive motion Cumulative trauma from repetitive movements
New code	E927.4	Cumulative trauma from repetitive impact
New code	E927.8	Other overexertion and strenuous and repetitive movements or loads
New code	E927.9	Unspecified overexertion and strenuous and repetitive movements or loads
	E928	Other and unspecified environmental and accidental causes
Revise	E928.6	Environmental exposure to harmful algae and toxins <u>Pfiesteria piscicida</u>

INDEX TO DISEASES AND INJURIES

Abnormal, abnormality, abnormalities - see also Anomaly

creatinine clearance 794.4

liver function test 790.6

Papanicolaou (smear)

anus 796.70

with

atypical squamous cells

cannot exclude high grade squamous intraepithelial lesion (ASC-H) 796.72

of undetermined significance (ASC-US) 796.71

cytologic evidence of malignancy 796.76

high grade squamous intraepithelial lesion (HGSIL) 796.74

low grade squamous intraepithelial lesion (LGSIL) 796.73

glandular 796.70

specified finding NEC 796.79

other site 796.9

vagina 795.10

with

atypical squamous cells

cannot exclude high grade squamous intraepithelial lesion (ASC-H) 795.12

of undetermined significance (ASC-US) 795.11

cytologic evidence of malignancy 795.16

high grade squamous intraepithelial lesion (HGSIL) 795.14

low grade squamous intraepithelial lesion (LGSIL) 795.13

glandular 795.10

specified finding NEC 795.19

Absence (organ or part) (complete or partial)

cervix (acquired) (uteri) V88.01

with remaining uterus V88.03

and uterus V88.01

nipple (congenital) 757.6

acquired V45.71

uterus (acquired) V88.01

with remaining cervical stump V88.02

and cervix V88.01

Acetonemia 790.6

diabetic 250.1

due to secondary diabetes 249.1

Acidosis 276.2

diabetic 250.1

due to secondary diabetes 249.1

Admission (encounter)

for

adjustment (of)

breast

implant V52.4

exchange (different material) (different size) V52.4

breast

implant exchange (different material) (different size) V52.4

reconstruction following mastectomy V51.0

removal, ~~prophylactic V50.41~~

prophylactic V50.41

tissue expander without synchronous insertion of permanent implant V52.4

Admission (encounter) (cont).
for (cont.)
cosmetic surgery NEC V50.1
breast reconstruction following mastectomy V51.0
following healed injury or operation V51.8
elective surgery
breast
reconstruction following mastectomy V51.0
cosmetic NEC V50.1
breast reconstruction following mastectomy V51.0
following healed injury or operation V51.8
plastic
breast reconstruction following mastectomy V51.0
following healed injury or operation V51.8
repair of scarred tissue (following healed injury or operation) V51.8
fitting (of)
portacath V58.81
observation (without need for further medical care) (see also Observation) V71.9
suspected ~~disorder V71.9~~
disorder V71.9
maternal and fetal problem not found
amniotic cavity and membrane V89.01
cervical shortening V89.05
fetal anomaly V89.03
fetal growth V89.04
oligohydramnios V89.01
other specified NEC V89.09
placenta V89.02
polyhydramnios V89.01
plastic surgery
breast reconstruction following mastectomy V51.0
following healed injury or operation V51.8
reconstruction following mastectomy V51.0
removal of
breast tissue expander without synchronous insertion of permanent implant
V52.4
repair of scarred tissue (following healed injury or operation) V51.8
therapy
long-term (current) drug use NEC V58.69
methadone V58.69
opiate analgesic V58.69
ultrasound, routine fetal V28.3
Agnosia (body image) (tactile) 784.69
verbal 784.69
~~visual 784.69~~
~~developmental 315.8~~
~~secondary to organic lesion 784.69~~
visual 368.16
object 368.16
~~developmental 315.31~~
AIN I [anal intraepithelial neoplasia I] (histologically confirmed) 569.44
AIN II [anal intraepithelial neoplasia II] (histologically confirmed) 569.44
AIN III [anal intraepithelial neoplasia III] 230.6
anal canal 230.5
Allergy, allergic (reaction) 995.3
migraine 339.00

- Amastia (see also Absence, breast) **611.89**
- Ameba, amebic (histolytica) - see also Amebiasis
meningoencephalitis
due to Naegleria (gruberi) **136.29**
primary **136.29**
- Amyloidosis (familial) (general) (generalized) (genetic) (primary) **277.30**
- Amyotrophia, amyotrophy, amyotrophic 728.2
diabetic 250.6 [**353.5**]
due to secondary diabetes 249.6 [**353.5**]
- Anemia 285.9
aplastic 284.9
acquired (secondary) **284.89**
due to
antineoplastic chemotherapy 284.89
due to
drug - see Anemia, by type (see also Table of Drugs and Chemicals)
fetal, ~~following blood loss 776.5~~ 678.0
following blood loss, affecting newborn 776.5
refractory (primary) 238.72
due to
drug 285.0
myelodysplastic syndrome 238.72
toxin 285.0
hereditary 285.0
idiopathic 238.72
sideroblastic 238.72
hereditary 285.0
sideroblastic (acquired) (any type) (congenital) (drug-induced) (due to disease) (hereditary)
(primary) (secondary) (sex-linked hypochromic) (vitamin B₆ responsive) 285.0
refractory 238.72
congenital 285.0
drug-induced 285.0
hereditary 285.0
sex-linked hypochromic 285.0
vitamin B₆-responsive 285.0
- Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (ruptured)
(saccular) (varicose) 442.9
retinal (acquired) 362.17
diabetic 250.5 [362.01]
due to secondary diabetes 249.5 [362.01]
- Angiopathia, angiopathy 459.9
diabetic (peripheral) 250.7 [443.81]
due to secondary diabetes 249.7 [443.81]
peripheral 443.9
diabetic 250.7 [443.81]
due to secondary diabetes 249.7 [443.81]
retinalis (juvenilis) 362.18
diabetic 250.5 [362.01]
due to secondary diabetes 249.5 [362.01]
- Anomaly, anomalous (congenital) (unspecified type) 759.9
venous - see Anomaly, vein
- Antenatal
sampling
chorionic villus V28.89

Antenatal (cont.)
screening of mother (for) V28.9
genomic V28.89
proteomic V28.89
risk
pre-term labor V28.82
specified condition NEC V28.89
survey
fetal anatomic V28.81
testing
nuchal translucency V28.89

Anus, anal - see also condition
high risk human papillomavirus (HPV) DNA test positive 796.75
low risk human papillomavirus (HPV) DNA test positive 796.79

Arteriosclerosis, arteriosclerotic (artery) (deformans) (diffuse) (disease) (endarteritis) (general) (obliterans) (obliterative) (occlusive) (senile) (with calcification) 440.9
coronary (artery) 414.00
due to lipid rich plaque 414.3

Arthritis, arthritic (acute) (chronic) (subacute) 716.9
Charcôt's 094.0 [713.5]
diabetic 250.6 [713.5]
due to secondary diabetes 249.6 [713.5]
due to or associated with
cowpox 051.01 [711.5]
diabetes 250.6 [713.5]
due to secondary diabetes 249.6 [713.5]
erythema
multiforme 695.10 [713.3]
neuropathic (Charcôt's) 094.0 [713.5]
diabetic 250.6 [713.5]
due to secondary diabetes 249.6 [713.5]

Arthropathy (see also Arthritis) 716.9
Charcôt's 094.0 [713.5]
diabetic 250.6 [713.5]
due to secondary diabetes 249.6 [713.5]
neurogenic, neuropathic (Charcôt's) (tabetic) 094.0 [713.5]
diabetic 250.6 [713.5]
due to secondary diabetes 249.6 [713.5]

ASC-US (atypical squamous cells of undetermined significance) ~~795.04~~
anus 796.71
cervix 795.01
vagina 795.11

ASC-H (atypical squamous cells cannot exclude high grade squamous intraepithelial lesion)
~~795.02~~
anus 796.72
cervix 795.02
vagina 795.12

Aspiration
acid pulmonary (syndrome) 997.39

Asymmetry - see also Distortion
breast, between native and reconstructed 612.1

Ataxia, ataxy, ataxic 781.3
locomotor (progressive) 094.0
diabetic 250.6 [337.1]
due to secondary diabetes 249.6 [337.1]

Atypical - see also condition
cells
 glandular **795.00**
 anus 796.70
 cervical 795.00
 vaginal 795.10

Aura, ~~jacksonian (see also Epilepsy) 345.5~~
 jacksonian (see also Epilepsy) 345.5
 persistent migraine 346.5
 with cerebral infarction 346.6
 without cerebral infarction 346.5

Baader's syndrome (erythema multiforme ***exudativum***) ***695.19***

Bedbugs bite(s) - see Injury, superficial, by site

Bedsore (***see also Ulcer, pressure***) ***707.00***

Bing-Horton syndrome (histamine cephalgia) ***339.00***

Birt-Hogg-Dube syndrome 759.89

Bite(s)
 bedbug - see Injury, superficial, by site

Blindness (acquired) (congenital) (both eyes) 369.00
 face 368.16

Blood
 in
 urine (see also Hematuria) ***599.70***

BOOP (bronchiolitis obliterans organized pneumonia) 516.8

Borderline
 osteopenia 733.90

Bradycardia 427.89
 reflex ***337.09***

Breast - see ***also*** condition
 buds 259.1
 in newborn 779.89
 dense - omit code
 nodule 793.89

Bronchiolitis (acute) (infectious) (subacute) 466.19
 obliterans 491.8
 with organizing pneumonia (***BOOP***) 516.8

Bronchitis (diffuse) (hypostatic) (infectious) (inflammatory) (simple) 490
 acute or subacute 466.0
 with
 bronchiectasis 494.1

Buds
 breast 259.1
 in newborn 779.89

Burst stitches or sutures (complication of surgery) (external) (***see also Dehiscence***) 998.32

Carcinoid (tumor) (M8240/1) - see ~~Tumor, carcinoid~~**also Neoplasm, by site, uncertain behavior**

Carcinoma (M8010/3) - see also Neoplasm, by site, malignant
 neuroendocrine
 high grade (M8240/3) 209.30
 malignant poorly differentiated (M8240/3) 209.30

Carotid body or sinus syndrome ***337.01***

Carotidynia ***337.01***

Carrier (suspected) of
 Staphylococcus NEC V02.59
 methicillin
 resistant Staphylococcus aureus V02.54

- Carrier ... (cont.)
 Staphylococcus ... (cont.)
 methicillin (cont)
 susceptible Staphylococcus aureus V02.53
- Cataract (anterior cortical) (anterior polar) (black) (capsular) (central) (cortical) (hypermaturation)
 (immaturation) (incipient) (mature) 366.9
 diabetic 250.5 [366.41]
 due to secondary diabetes 249.5 [366.41]
 snowflake 250.5 [366.41]
 due to secondary diabetes 249.5 [366.41]
- Cataracta 366.10
 diabetic 250.5 [366.41]
 due to secondary diabetes 249.5 [366.41]
- Cementoperiostitis 523.40
 acute 523.33
 apical 523.40
- Cephalgia, cephalalgia (see also Headache) 784.0
 histamine **339.00**
 other trigeminal autonomic (TACS) 339.09
- Cervical - see also condition
 shortening - see Short, cervical
- Change(s) (of) - see also Removal of
 bone 733.90
 diabetic 250.8 [731.8]
 due to secondary diabetes 249.8 [731.8]
- Charcôt's
 joint (disease) 094.0 [713.5]
 diabetic 250.6 [713.5]
 due to secondary diabetes 249.6 [713.5]
- Chill(s) **780.64**
 with fever **780.60**
 without fever **780.64**
- CJD (Creutzfeldt-Jakob disease) 046.19**
 variant (vCJD) 046.11
- Colitis (acute) (catarrhal) (croupous) (cystica superficialis) (exudative) (hemorrhagic)
 (noninfectious) (phlegmonous) (presumed noninfectious) 558.9
 eosinophilic 558.41
- Colonization**
 MRSA (methicillin resistant Staphylococcus aureus) V02.54
 MSSA (methicillin susceptible Staphylococcus aureus) V02.53
- Coma 780.01
 diabetic (with ketoacidosis) 250.3
 due to secondary diabetes 249.3
 hyperosmolar .250.2
 due to secondary diabetes 249.2
 hyperglycemic 250.2
 due to secondary diabetes 249.2
 hyperosmolar (diabetic) (nonketotic) 250.2
 due to secondary diabetes 249.2
 hypoglycemic 251.0
 diabetic 250.3
 due to secondary diabetes 249.3
 insulin 250.3
 due to secondary diabetes 249.3
 hyperosmolar 250.2
 due to secondary diabetes 249.2

- Coma ... (cont.)
 - Kussmaul's (diabetic) 250.3
 - due to secondary diabetes 249.3**
 - prediabetic 250.2
 - due to secondary diabetes 249.2**
- Complex
 - regional pain syndrome 355.9**
 - type I 337.20**
 - lower limb 337.22**
 - specified site NEC 337.29**
 - upper limb 337.21**
 - type II**
 - lower limb 355.71**
 - upper limb 354.4**
- Complications
 - amniocentesis, fetal 679.1**
 - fetal, from amniocentesis 679.1**
 - infection and inflammation
 - due to (presence of) any device, implant or graft classified to 996.0-996.5 NEC 996.60
 - catheter NEC 996.69
 - portacath (port-a-cath) 999.31**
 - umbilical venous 999.31**
 - portacath (port-a-cath) 999.31**
 - umbilical venous catheter 999.31**
 - infusion (procedure) **999.88**
 - in utero procedure**
 - fetal 679.1**
 - maternal 679.0**
 - medical care NEC 999.9
 - respiratory NEC **997.39**
 - respiratory 519.9
 - postoperative NEC **997.39**
 - surgical procedures 998.9
 - burst stitches or sutures (external) (***see also Dehiscence***) 998.32
 - dehiscence (of incision) (external) (***see also Dehiscence***) 998.32
 - disruption (***see also Dehiscence***)
 - respiratory NEC **997.39**
 - transfusion (blood) (lymphocytes) (plasma) NEC **999.89**
 - hemolysis NEC **999.89**
 - shock or reaction NEC **999.89**
- Condition - see also Disease
 - fetal hematologic 678.0**
- Condyloma NEC **078.11**
- Conflict
 - marital V61.10
 - involving ~~divorce or estrangement~~ **V61.0**
 - divorce V61.03**
 - estrangement V61.09**
- Conjoined twins 759.4
 - causing disproportion (fetopelvic) **678.1**
 - fetal 678.1**
- Conjugal maladjustment V61.10
 - involving ~~divorce or estrangement~~ **V61.0**
 - divorce V61.03**
 - estrangement V61.09**

Conjunctivitis (exposure) (infectious) (nondiphtheritic) (pneumococcal) (pustular) (staphylococcal) (streptococcal) NEC 372.30
due to
erythema multiforme **695.10** [372.33]
Contraction, contracture, contracted
axilla **729.90**
breast implant, capsular 611.83
capsular, of breast implant 611.83
face **729.90**
Cotia virus 059.8
Cowpox (abortive) **051.01**
eyelid **051.01** [373.5]
Creutzfeldt-Jakob disease (**CJD**) (syndrome) (~~new variant~~) **046.19**
with dementia
with behavioral disturbance **046.19** [294.11]
without behavioral disturbance **046.19** [294.10]
familial 046.19
iatrogenic 046.19
specified NEC 046.19
sporadic 046.19
variant (vCJD) 046.11
with dementia
with behavioral disturbance **046.11** [294.11]
without behavioral disturbance **046.11** [294.10]
Cryofibrinogenemia 273.2
Cyclical vomiting 536.2
associated with migraine 346.2
Cyst (mucus) (retention) (serous) (simple)
fallopian tube 620.8
congenital 752.11
Müllerian duct 752.89
appendix testis 608.89
cervix (embryonal) 752.41
fallopian tube 752.11
prostatic utricle 599.89
vagina (embryonal) 752.41
paralabral
hip 718.85
shoulder 840.7
paramesonephric duct - see Cyst, Müllerian duct
Decubital gangrene (see also Ulcer, pressure) 707.00 [785.4]
Decubiti (see also Ulcer, pressure) 707.00
Decubitus (ulcer) (see also Ulcer, pressure) 707.00
Deformity 738.9
breast (acquired) **611.89**
reconstructed 612.0
nipple (congenital) 757.9
acquired **611.89**
Degeneration, degenerative
anterior labral 840.8

Dehiscence

closure of

cornea 998.32

fascia, superficial or muscular 998.31

internal organ 998.31

mucosa 998.32

muscle or muscle flap 998.31

ribs or rib cage 998.31

skin 998.32

skull or craniotomy 998.31

sternum or sternotomy 998.31

subcutaneous tissue 998.32

tendon or ligament 998.31

traumatic laceration (external) (internal) 998.33

operation wound 998.32

deep 998.31

external 998.32

superficial 998.32

traumatic injury wound repair 998.33

Delay, delayed

vaccination V64.00

Delivery

Note Use the following fifth-digit subclassification with categories 640-~~649~~, 651-676:

- | | |
|---|--|
| 0 | unspecified as to episode of care |
| 1 | delivered, with or without mention of antepartum condition |
| 2 | delivered, with mention of postpartum complication |
| 3 | antepartum condition or complication |
| 4 | postpartum condition or complication |

cesarean (for) 669.7

maternal

diabetes mellitus ***(conditions classifiable to 249 and 250)*** 648.0

complicated (by) NEC 669.9

Siamese twins ~~653.7~~ **678.1**

Dementia 294.8

due to or associated with condition(s) classified elsewhere

Jakob-Creutzfeldt disease ***(CJD) (new variant)***

with behavioral disturbance ***046.19*** [294.11]

without behavioral disturbance ***046.19*** [294.10]

variant (vCJD) 046.11

with dementia

with behavioral disturbance 046.11 [294.11]

without behavioral disturbance 046.11 [294.10]

Dense

breast(s) - omit code

Dependence

on

hemodialysis ***V45.11***

peritoneal dialysis ***V45.11***

renal dialysis machine ***V45.11***

wheelchair V46.3

de Quervain's

syndrome 259.51

Dermatitis (allergic) (contact) (occupational) (venenata) 692.9
 eyelid 373.31
 infective 373.5
 due to
 vaccinia **051.09** [373.5]
 stasis **454.1**
Dermopathy
 nephrogenic fibrosing 701.8
Diabetes, diabetic (brittle) (congenital) (familial) (mellitus) (poorly controlled) (severe)... 250.0
 with
 coma (with ketoacidosis) 250.3
 due to secondary diabetes 249.3
 hyperosmolar (nonketotic) 250.2
 due to secondary diabetes 249.2
 complication NEC 250.9
 due to secondary diabetes 249.9
 specified NEC 250.8
 due to secondary diabetes 249.8
 gangrene 250.7 [785.4]
 due to secondary diabetes 249.7 [785.4]
 hyperglycemia - code to Diabetes, by type, with 5th digit for not stated as uncontrolled
 hyperosmolarity 250.2
 due to secondary diabetes 249.2
 ketosis, ketoacidosis 250.1
 due to secondary diabetes 249.1
 osteomyelitis 250.8 [731.8]
 due to secondary diabetes 249.8 [731.8]
 specified manifestations NEC 250.8
 due to secondary diabetes 249.8
 acetonemia 250.1
 due to secondary diabetes 249.1
 acidosis 250.1
 due to secondary diabetes 249.1
 amyotrophy 250.6 [**353.5**]
 due to secondary diabetes 249.6 [353.5]
 angiopathy, peripheral 250.7 [443.81]
 due to secondary diabetes 249.7 [443.81]
 autonomic neuropathy (peripheral) 250.6 [337.1]
 due to secondary diabetes 249.6 [337.1]
 bone change 250.8 [731.8]
 due to secondary diabetes 249.8 [731.8]
 cataract 250.5 [366.41]
 due to secondary diabetes 249.5 [366.41]
 chemical ***induced - see Diabetes, secondary*** ~~790.29~~
 complicating pregnancy, childbirth, or puerperium **648.0**
 coma (with ketoacidosis) 250.3
 due to secondary diabetes 249.3
 hyperglycemic 250.3
 due to secondary diabetes 249.3
 hyperosmolar (nonketotic) 250.2
 due to secondary diabetes 249.2
 hypoglycemic 250.3
 due to secondary diabetes 249.3
 insulin 250.3
 due to secondary diabetes 249.3

Diabetes, diabetic... (cont.)
complicating pregnancy, childbirth, or puerperium (maternal) ***(conditions classifiable to 249 and 250)*** 648.0
complication NEC 250.9
 due to secondary diabetes 249.9
 specified NEC 250.8
 due to secondary diabetes 249.8
dorsal sclerosis 250.6 [340]
 due to secondary diabetes 249.6 [340]
drug-induced - see also Diabetes, secondary
 overdose or wrong substance given or taken - see Table of Drugs and Chemicals
due to
 cystic fibrosis - see Diabetes, secondary
 infection - see Diabetes, secondary
gangrene 250.7 [785.4]
 due to secondary diabetes 249.7 [785.4]
gastroparesis 250.6 [536.3]
 due to secondary diabetes 249.6 [536.3]
glaucoma 250.5 [365.44]
 due to secondary diabetes 249.5 [365.44]
glomerulosclerosis (intercapillary) 250.4 [581.81]
 due to secondary diabetes 249.4 [581.81]
glycogenosis, secondary 250.8 [259.8]
 due to secondary diabetes 249.8 [259.8]
hyperosmolar coma 250.2
 due to secondary diabetes 249.2
hyperosmolarity 250.2
 due to secondary diabetes 249.2
hypertension-nephrosis syndrome 250.4 [581.81]
 due to secondary diabetes 249.4 [581.81]
hypoglycemia 250.8
 due to secondary diabetes 249.8
hypoglycemic shock 250.8
 due to secondary diabetes 249.8
inadequately controlled - code to Diabetes, by type, with 5th digit for not stated as uncontrolled
intercapillary glomerulosclerosis 250.4 [581.81]
 due to secondary diabetes 249.4 [581.81]
iritis 250.5 [364.42]
 due to secondary diabetes 249.5 [364.42]
ketosis, ketoacidosis 250.1
 due to secondary diabetes 249.1
Kimmelstiel (-Wilson) disease or syndrome (intercapillary glomerulosclerosis) 250.4 [581.81]
 due to secondary diabetes 249.4 [581.81]
Lancereaux's (diabetes mellitus with marked emaciation) 250.8 [261]
 due to secondary diabetes 249.8 [261]
latent (chemical) - ***see Diabetes, secondary-790.29***
 complicating pregnancy, childbirth, or puerperium ***648.0***
lipoidosis 250.8 [272.7]
 due to secondary diabetes 249.8 [272.7]
macular edema 250.5 [362.07]
 due to secondary diabetes 249.5 [362.07]
microaneurysms, retinal 250.5 [362.01]
 due to secondary diabetes 249.5 [362.01]
mononeuropathy 250.6 [355.9]
 due to secondary diabetes 249.6 [355.9]

Diabetes, diabetic... (cont.)
nephropathy 250.4 [583.81]
due to secondary diabetes 249.4 [581.81]
nephrosis (syndrome) 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]
neuralgia 250.6 [357.2]
due to secondary diabetes 249.6 [357.2]
neuritis 250.6 [357.2]
due to secondary diabetes 249.6 [357.2]
neurogenic arthropathy 250.6 [713.5]
due to secondary diabetes 249.6 [713.5]
neuropathy 250.6 [357.2]
due to secondary diabetes 249.6 [357.2]
osteomyelitis 250.8 [731.8]
due to secondary diabetes 249.8 [731.8]
out of control - code to Diabetes, by type, with 5th digit for uncontrolled
peripheral autonomic neuropathy 250.6 [337.1]
due to secondary diabetes 249.6 [337.1]
polyneuropathy 250.6 [357.2]
due to secondary diabetes 249.6 [357.2]
poorly controlled - code to Diabetes, by type, with 5th digit for not stated as uncontrolled
retinal
edema 250.5 [362.07]
due to secondary diabetes 249.5 [362.07]
hemorrhage 250.5 [362.01]
due to secondary diabetes 249.5 [362.01]
microaneurysms 250.5 [362.01]
due to secondary diabetes 249.5 [362.01]
retinitis 250.5 [362.01]
due to secondary diabetes 249.5 [362.01]
retinopathy 250.5 [362.01]
due to secondary diabetes 249.5 [362.01]
background 250.5 [362.01]
due to secondary diabetes 249.5 [362.01]
nonproliferative 250.5 [362.03]
due to secondary diabetes 249.5 [362.03]
mild 250.5 [362.04]
due to secondary diabetes 249.5 [362.04]
moderate 250.5 [362.05]
due to secondary diabetes 249.5 [362.05]
severe 250.5 [362.06]
due to secondary diabetes 249.5 [362.06]
proliferative 250.5 [362.02]
due to secondary diabetes 249.5 [362.02]
secondary (chemical-induced) (due to chronic condition) (due to infection) (drug-induced) 249.0
with
coma (with ketoacidosis) 249.3
hyperosmolar (nonketotic) 249.2
complication NEC 249.9
specified NEC 249.8
gangrene 249.7 [785.4]
hyperosmolarity 249.2
ketosis, ketoacidosis 249.1
osteomyelitis 249.8 [731.8]

Diabetes, diabetic... (cont.)
 secondary ... (cont.)
 with (cont.)
 specified manifestations NEC 249.8
 acetonemia 249.1
 acidosis 249.1
 amyotrophy 249.6 [353.5]
 angiopathy, peripheral 249.7 [443.81]
 autonomic neuropathy (peripheral) 249.6 [337.1]
 bone change 249.8 [731.8]
 cataract 249.5 [366.41]
 coma (with ketoacidosis) 249.3
 hyperglycemic 249.3
 hyperosmolar (nonketotic) 249.2
 hypoglycemic 249.3
 insulin 249.3
 complicating pregnancy, childbirth, or puerperium (maternal) 648.0
 affecting fetus or newborn 775.0
 complication NEC 249.9
 specified NEC 249.8
 dorsal sclerosis 249.6 [340]
 due to overdose or wrong substance given or taken - see Table of Drugs and
 Chemicals
 gangrene 249.7 [785.4]
 gastroparesis 249.6 [536.3]
 glaucoma 249.5 [365.44]
 glomerulosclerosis (intercapillary) 249.4 [581.81]
 glycogenosis, secondary 249.8 [259.8]
 hyperosmolar coma 249.2
 hyperosmolarity 249.2
 hypertension-nephrosis syndrome 249.4 [581.81]
 hypoglycemia 249.8
 hypoglycemic shock 249.8
 intercapillary glomerulosclerosis 249.4 [581.81]
 iritis 249.5 [364.42]
 ketosis, ketoacidosis 249.1
 Kimmelstiel (-Wilson) disease or syndrome (intercapillary glomerulosclerosis)
 249.4 [581.81]
 Lancereaux's (diabetes mellitus with marked emaciation) 249.8 [261]
 lipoidosis 249.8 [272.7]
 macular edema 249.5 [362.07]
 maternal
 with manifest disease in the infant 775.1
 affecting fetus or newborn 775.0
 microaneurysms, retinal 249.5 [362.01]
 mononeuropathy 249.6 [355.9]
 nephropathy 249.4 [581.81]
 nephrosis (syndrome) 249.4 [581.81]
 neuralgia 249.6 [357.2]
 neuritis 249.6 [357.2]
 neurogenic arthropathy 249.6 [713.5]
 neuropathy 249.6 [357.2]
 osteomyelitis 249.8 [731.8]
 peripheral autonomic neuropathy 249.6 [337.1]
 polyneuropathy 249.6 [357.2]

Diabetes, diabetic... (cont.)

secondary ... (cont.)

retinal

edema 249.5 [362.07]

hemorrhage 249.5 [362.01]

microaneurysms 249.5 [362.01]

retinitis 249.5 [362.01]

retinopathy 249.5 [362.01]

background 249.5 [362.01]

nonproliferative 249.5 [362.03]

mild 249.5 [362.04]

moderate 249.5 [362.05]

severe 249.5 [362.06]

proliferative 249.5 [362.02]

ulcer (skin) 249.8 [707.9]

lower extremity 249.8 [707.10]

ankle 249.8 [707.13]

calf 249.8 [707.12]

foot 249.8 [707.15]

heel 249.8 [707.14]

knee 249.8 [707.19]

specified site NEC 249.8 [707.19]

thigh 249.8 [707.11]

toes 249.8 [707.15]

specified site NEC 249.8 [707.8]

xanthoma 249.8 [272.2]

steroid induced - see also Diabetes, secondary

~~correct substance properly administered 251.8~~

ulcer (skin) 250.8 [707.9]

due to secondary diabetes 249.8 [707.9]

lower extremity 250.8 [707.10]

due to secondary diabetes 249.8 [707.10]

ankle 250.8 [707.13]

due to secondary diabetes 249.8 [707.13]

calf 250.8 [707.12]

due to secondary diabetes 249.8 [707.12]

foot 250.8 [707.15]

due to secondary diabetes 249.8 [707.15]

heel 250.8 [707.14]

due to secondary diabetes 249.8 [707.14]

knee 250.8 [707.19]

due to secondary diabetes 249.8 [707.19]

specified site NEC 250.8 [707.19]

due to secondary diabetes 249.8 [707.19]

thigh 250.8 [707.11]

due to secondary diabetes 249.8 [707.11]

toes 250.8 [707.15]

due to secondary diabetes 249.8 [707.15]

specified site NEC 250.8 [707.8]

due to secondary diabetes 249.8 [707.8]

xanthoma 250.8 [272.2]

due to secondary diabetes 249.8 [272.2]

Dialysis (intermittent) (treatment)

hemodialysis V56.0

status only **V45.11**

Dialysis ... (cont.)
peritoneal V56.8
status only **V45.11**
renal V56.0
status only **V45.11**

Disease, diseased - see also Syndrome
breast 611.9
specified NEC **611.89**

Creutzfeldt-Jakob (~~CJD~~)(~~new variant~~) **046.19**
with dementia
with behavioral disturbance **046.19** [294.11]
without behavioral disturbance **046.19** [294.10]
familial 046.19
iatrogenic 046.19
specified NEC 046.19
sporadic 046.19
variant (vCJD) 046.11
with dementia
with behavioral disturbance **046.11** [294.11]
without behavioral disturbance **046.11** [294.10]

Ebstein's
meaning diabetes 250.4 [581.81]
due to secondary diabetes **249.4** [581.81]
gastroesophageal reflux (GERD) 530.81
~~graft-versus-host (bone marrow) 279.50~~
~~due to organ transplant NEC – see Complications, transplant, organ~~
~~acute 279.51~~
on chronic **279.53**
chronic 279.52

Hebra's
erythema multiforme exudativum **695.19**

Hirschfeld's (acute diabetes mellitus) (see also Diabetes) 250.0
due to secondary diabetes **249.0**

host-versus-graft (immune or nonimmune cause) **279.50**
~~bone marrow 996.85~~
~~heart 996.83~~
~~intestines 996.87~~
~~kidney 996.81~~
~~liver 996.82~~
~~lung 996.84~~
~~pancreas 996.86~~
~~specified NEC 996.89~~

Jakob-Creutzfeldt (~~CJD~~)(~~new variant~~) **046.19**
with dementia
with behavioral disturbance **046.19** [294.11]
without behavioral disturbance **046.19** [294.10]
familial 046.19
iatrogenic 046.19
specified NEC 046.19
sporadic 046.19
variant (vCJD) 046.11
with dementia
with behavioral disturbance **046.11** [294.11]
without behavioral disturbance **046.11** [294.10]

Johnson-Stevens (erythema multiforme exudativum) **695.13**

Disease, diseased (cont.)
Kimmelstiel (-Wilson) (intercapillary glomerulosclerosis) 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]
Lyell's (toxic epidermal necrolysis) 695.15
due to drug
correct substance properly administered 695.15
Möbius', Moebius' 346.2
musculoskeletal system 729.90
nervous system (central) 349.9
prion NEC 046.79
Oppenheim-Urbach (necrobiosis lipoidica diabetorum) 250.8 [709.3]
due to secondary diabetes 249.8 [709.3]
Profichet's 729.90
renal (functional) (pelvis) (see also Disease, kidney) 593.9
diabetic 250.4 [583.81]
due to secondary diabetes 249.4 [581.81]
due to
diabetes mellitus 250.4 [583.81]
due to secondary diabetes 249.4 [581.81]
Stevens-Johnson (erythema multiforme exudativum) 695.13
Still's (juvenile rheumatoid arthritis) 714.30
adult onset 714.2
Tommaselli's
correct substance properly administered 599.70
Urbach-Oppenheim (necrobiosis lipoidica diabetorum) 250.8 [709.3]
due to secondary diabetes 249.8 [709.3]
valve, valvular - see also Endocarditis
congenital NEC (see also Anomaly, heart, valve) 746.9
pulmonary 746.00
specified type NEC 746.89
vascular 459.9
peripheral (occlusive) 443.9
in diabetes mellitus 250.7 [443.81]
due to secondary diabetes 249.7 [443.81]
Willis' (diabetes mellitus) (see also Diabetes) 250.0
due to secondary diabetes 249.0
Disorder - see also Disease
breast 611.9
specified NEC 611.89
limb NEC 729.90
lymphoproliferative (chronic) NEC (M9970/1) 238.79
post-transplant (PTLD) 238.77
musculoskeletal system NEC 729.90
post-transplant lymphoproliferative (PTLD) 238.77
semantic pragmatic 315.39
with autism 299.0
soft tissue 729.90
specified type NEC 729.99
Disproportion 653.9
breast, reconstructed 612.1
between native and reconstructed 612.1
caused by
conjoined twins **653.7 678.1**

Disruption
family **V61.09**
due to
child in
care of non-parental family member **V61.06**
foster care **V61.06**
welfare custody **V61.05**
divorce **V61.03**
estrangement **V61.09**
parent-child **V61.04**
family member
on military deployment **V61.01**
return from military deployment **V61.02**
legal separation **V61.03**
marital **V61.10**
involving ~~divorce or estrangement~~ **V61.0**
divorce **V61.03**
estrangement **V61.09**
operation wound (external) (**see also Dehiscence**) 998.32
suture line (external) (**see also Dehiscence**) 998.32
wound **998.30**
operation (**surgical**) 998.32
Dissatisfaction with
employment **V62.29**
Disturbance - see also Disease
metabolism (acquired) (congenital) (see also Disorder, metabolism) 277.9
nitrogen **788.99**
Divorce **V61.03**
Droop
Cooper's **611.81**
Drowned, drowning (**near**) 994.1
Drug - see also condition
therapy (maintenance) status NEC
long-term (current) use V58.69
methadone V58.69
opiate analgesic V58.69
Durotomy, incidental (inadvertent) (see also Tear, dural) 349.31
Dysplasia - see also Anomaly
anus 569.44
intraepithelial neoplasia I [AIN I] (histologically confirmed) **569.44**
intraepithelial neoplasia II [AIN II] (histologically confirmed) **569.44**
intraepithelial neoplasia III [AIN III] 230.6
anal canal 230.5
mild (histologically confirmed) **569.44**
moderate (histologically confirmed) **569.44**
severe 230.6
anal canal 230.5
retrolental (**see also Retinopathy of prematurity**) 362.21
skin 709.8
vagina 623.0
mild **623.0**
moderate **623.0**
Dystrophy, dystrophia 783.9
cervical (sympathetic) NEC **337.09**
reflex neuromuscular - see Dystrophy, sympathetic

- Ebstein's
disease (diabetes) 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]
- Ectodermosis erosiva pluriorificialis **695.19**
- Edema, edematous 782.3
macula 362.83
diabetic 250.5 [362.07]
due to secondary diabetes 249.5 [362.07]
retina (localized) (macular) (peripheral) 362.83
diabetic 250.5 [362.07]
due to secondary diabetes 249.5 [362.07]
- Effusion
pleura, pleurisy, pleuritic, pleuropericardial 511.9
malignant **511.81**
- Electric
shock from electroshock gun (taser) 994.8
- Elevation
body temperature (of unknown origin) (see also Pyrexia) **780.60**
cholesterol 272.0
with **high** triglycerides 272.2
triglycerides 272.1
with **high** cholesterol 272.2
- Embolism 444.9
postoperative NEC 997.2
pulmonary 415.11
septic **415.11**
- Encephalomyelitis (chronic) (granulomatous) (~~hemorrhagic necrotizing, acute~~) (myalgic,
benign) (see also Encephalitis) 323.9
- Encephalopathy (acute) 348.30
due to
drugs - (see also Table of Drugs and Chemicals) 348.39
necrotizing
hemorrhagic (**acute**) 323.61
spongioform, subacute (viral) **046.19**
subacute
spongioform **046.19**
viral, spongioform **046.19**
- Endocarditis (chronic) (indeterminate) (interstitial) (**marantic**) (nonbacterial thrombotic) (residual)
(sclerotic) (sclerous) (senile) (valvular) 424.90
- Endometritis (nonspecific) (purulent) (septic) (suppurative) 615.9
complicating pregnancy **670**
- Enteritis (acute) (catarrhal) (choleraic) (chronic) (congestive) (diarrheal) (exudative) (follicular)
(hemorrhagic) (infantile) (lienteric) (noninfectious) (perforative) (phlegmonous)
(presumed noninfectious) (pseudomembranous) 558.9
eosinophilic 558.41
necrotizing of fetus or newborn (**see also Enterocolitis, necrotizing, newborn) 777.50**
newborn 777.8
necrotizing (**see also Enterocolitis, necrotizing, newborn) 777.50**
- Enterocolitis - see also Enteritis
fetus or newborn (**see also Enterocolitis, necrotizing, newborn) 777.8**
necrotizing **777.50**

- Enterocolitis ... (cont.)
necrotizing (acute) (membranous) 557.0
newborn 777.50
with
perforation **777.53**
pneumatosis without perforation **777.52**
pneumatosis and perforation **777.53**
stage I **777.51**
stage II **777.52**
stage III **777.53**
primary necrotizing (**see also Enterocolitis, necrotizing, newborn**) **777.50**
radiation 558.1
newborn (**see also Enterocolitis, necrotizing, newborn**) **777.50**
- Ephemeral fever (see also Pyrexia) **780.60**
- Epidermolysis
acuta (combustiformis) (toxica) **695.15**
necroticans combustiformis **695.15**
due to drug
correct substance properly administered **695.15**
- Erythema, erythematous (generalized) 695.9
bullosum **695.19**
circinatum **695.19**
gyratum (perstans) (repens) **695.19**
iris **695.10**
multiforme **695.10**
bullosum **695.19**
conjunctiva **695.19**
exudativum (Hebra) **695.19**
major 695.12
minor 695.11
nummular, nummulare **695.19**
- Esophagitis (alkaline) (chemical) (chronic) (infectional) (necrotic) (peptic) (postoperative)
(regurgitant) 530.10
eosinophilic 530.13
- Estrangement **V61.09**
- Evidence
of malignancy
cytologic
without histologic confirmation ~~795.06~~
anus 796.76
cervix 795.06
vagina 795.16
- Excess, excessive, excessively
tissue in reconstructed breast 612.0
- Exfoliation, ~~teeth due to systemic causes 525.0~~
skin
due to erythematous condition 695.50
involving (percent of body surface)
less than 10 percent 695.50
10-19 percent 695.51
20-29 percent 695.52
30-39 percent 695.53
40-49 percent 695.54
50-59 percent 695.55
60-69 percent 695.56
70-79 percent 695.57

Exfoliation (cont.)
 skin (cont.)
 due to erythematous condition ... (cont.)
 involving (percent of body surface) (cont.)
 80-89 percent 695.58
 90 percent or more 695.59

teeth
 due to systemic causes 525.0

Exhaustion, exhaustive (physical NEC) 780.79
 due to
 overexertion 994.5

Exposure 994.9
 to
 aromatic
 amines V87.11
 dyes V87.19
 arsenic V87.01
 benzene V87.12
 chromium compounds V87.09
 dyes V87.2
 aromatic V87.19
 hazardous ~~body fluids~~ ~~V15.85~~
 aromatic compounds NEC V87.19
 body fluids V15.85
 chemicals NEC V87.2
 metals V87.09
 substances V87.39
 mold V87.31
 nickel dust V87.09
 polycyclic aromatic hydrocarbons V87.19

Extravasation
 chemotherapy, vesicant 998.81
 vesicant
 agent NEC 998.82
 chemotherapy 998.81

Failure, failed
 dental implant 525.79
 due to
 infection 525.71
 unintentional loading 525.71
 mechanical 525.73
 osseointegration 525.71
 due to
 premature loading 525.71
 following intentional prosthetic loading 525.72
 prior to intentional prosthetic loading 525.71

 extrarenal **788.99**
 prerenal **788.99**

Family, familial - see also condition
 affected by
 family member
 currently on deployment (military) V61.01
 returned from deployment (military) (current or past conflict) V61.02
 disruption (*see also Disruption, family*) **V61.09**
 estrangement V61.09

Fatal familial insomnia (FFI) 046.72

Febricula (continued) (simple) (see also Pyrexia) 780.60
Febrile (see also Pyrexia) 780.60
Febris (see also Fever) 780.60
Feminization, testicular 259.51
 with pseudohermaphroditism, male 259.51
Fetal ~~alcohol syndrome~~ 760.71
 alcohol syndrome 760.71
 anemia 678.0
 thrombocytopenia 678.0
 twin to twin transfusion 678.0
Fever 780.60
 with chills 780.60
 continued 780.60
 ephemeral (of unknown origin) (see also Pyrexia) 780.60
 inanition 780.60
 in conditions classified elsewhere 780.61
 intermittent (bilious) (see also Malaria) 084.6
 of unknown origin (see also Pyrexia) 780.60
 iodide
 correct substance properly administered 780.60
 newborn (environmentally-induced) 778.4
 persistent (of unknown origin) (see also Pyrexia) 780.60
 postimmunization 780.63
 postoperative 780.62
 postvaccination 780.63
 steroid
 correct substance properly administered 780.60
 unknown origin (see also Pyrexia) 780.60
Fibroplasia, retrolental (*see also Retinopathy of prematurity*) 362.21
Fiessinger-Rendu syndrome (erythema multiforme exudativum) 695.19
Findings, abnormal, without diagnosis (examination) (laboratory test) 796.4
 creatinine clearance 794.4
 culture, positive NEC 795.39
 nose 795.39
 Staphylococcus - see Carrier (suspected) of, Staphylococcus
 hematuria 599.70
 Papanicolaou (smear) 796.9
 anus 796.70
 with
 atypical squamous cells
 cannot exclude high grade squamous intraepithelial lesion (ASC-H)
 796.72
 of undetermined significance (ASC-US) 796.71
 cytologic evidence of malignancy 796.76
 high grade squamous intraepithelial lesion (HGSIL) 796.74
 low grade squamous intraepithelial lesion (LGSIL) 796.73
 glandular 796.70
 specified finding NEC 796.79
 other site 796.9
 vagina 795.10
 with
 atypical squamous cells
 cannot exclude high grade squamous intraepithelial lesion (ASC-H)
 795.12
 of undetermined significance (ASC-US) 795.11

Findings, abnormal, without diagnosis ... (cont.)
Papanicolaou ... (cont.)
vagina ... (cont.)
with (cont.)
cytologic evidence of malignancy 795.16
high grade squamous intraepithelial lesion (HGSIL) 795.14
low grade squamous intraepithelial lesion (LGSIL) 795.13
glandular 795.10
specified NEC 795.19
urine, urinary constituents 791.9
blood **599.70**
vaginal ~~fluid 792.9~~
fluid 792.9
high risk human papillomavirus (HPV) DNA test positive 795.15
low risk human papillomavirus (HPV) DNA test positive 795.19
Fistula (sinus) 686.9
arteriovenous (acquired) 447.0
surgically created (for dialysis) **V45.11**
Fitting (of)
artificial
breast V52.4
implant exchange (different material) (different size) V52.4
prosthesis V52.9
breast V52.4
implant exchange (different material) (different size) V52.4
Fluid
lung - see also Edema, lung
encysted **511.89**
Fracture (abduction) (adduction) (avulsion) (compression) (crush) (dislocation) (oblique)
(separation) (closed) 829.0
Hill-Sachs 812.09
Frailty 797
FUO (see also Pyrexia) **780.60**
Gangrene, gangrenous (anemia) (artery) (cellulitis) (dermatitis) (dry) (infective) (moist)
(pemphigus) (septic) (skin) (stasis) (ulcer) 785.4
with
diabetes (mellitus) 250.7 [785.4]
due to secondary diabetes 249.7 [785.4]
decubital (see also **Ulcer, pressure**) 707.00 [785.4]
diabetic (any site) 250.7 [785.4]
due to secondary diabetes 249.7 [785.4]
Gastritis 535.5
eosinophilic **535.7**
Gastroenteritis (acute) (catarrhal) (congestive) (hemorrhagic) (noninfectious) (see also Enteritis)
558.9
due to
antineoplastic chemotherapy 558.9
eosinophilic 558.41
Gastroparesis 536.3
diabetic 250.6 [536.3]
due to secondary diabetes 249.6 [536.3]
Gastroparesis 536.3
diabetic 250.6 [536.3]
due to secondary diabetes 249.6 [536.3]
Genital - see condition
warts **078.11**

GERD (gastroesophageal reflux disease) 530.81
Gerstmann-Sträussler-Scheinker syndrome (GSS) 046.71
Glaucoma (capsular) (inflammatory) (noninflammatory) (primary) 365.9
in or with
 aniridia ~~743.45~~ [365.42]
 Axenfeld's anomaly ~~743.44~~ [365.41]
 ~~concussion of globe 921.3~~ [365.65]
 ~~dislocation of lens~~
 ~~anterior 379.33~~ [365.59]
 ~~posterior 379.34~~ [365.59]
 ~~epithelial down growth 364.61~~ [365.64]
 ~~glaucomatocyclitic crisis 364.22~~ [365.62]
 ~~hypermature cataract 366.18~~ [365.51]
 ~~hyphema 364.41~~ [365.63]
 ~~inflammation, ocular 365.62~~
 ~~iridocyclitis 364.3~~ [365.62]
 iris
 anomalies NEC ~~743.46~~ [365.42]
 atrophy, essential ~~364.51~~ [365.42]
 bombé ~~364.74~~ [365.61]
 ~~rubeosis 364.42~~ [365.63]
 microcornea ~~743.41~~ [365.43]
 ~~postdislocation of lens~~
 ~~anterior 379.33~~ [365.59]
 ~~posterior 379.34~~ [365.59]
 ~~pseudoexfoliation of capsule 366.11~~ [365.52]
 pupillary block or seclusion ~~364.74~~ [365.61]
 ~~recession of chamber angle 364.77~~ [365.65]
 ~~retinal vein occlusion 362.35~~ [365.63]
 Rieger's anomaly or syndrome ~~743.44~~ [365.41]
 ~~rubeosis of iris 364.42~~ [365.63]
 seclusion of pupil ~~364.74~~ [365.61]
 ~~spherophakia 743.36~~ [365.59]
 phacolytic 365.51
 ~~with hypermature cataract 366.18~~ [365.51]
 pseudoexfoliation 365.52
 ~~with pseudoexfoliation of capsule 366.11~~ [365.52]
 ~~tuberculous (see also Tuberculosis) 017.3~~ [365.62]
Glomerulonephritis (see also Nephritis) 583.9
due to or associated with
 diabetes mellitus 250.4 [583.81]
 ~~due to secondary diabetes 249.4~~ [581.81]
 with nephrotic syndrome 250.4 [581.81]
 ~~due to secondary diabetes 249.4~~ [581.81]
Glomerulosclerosis (see also Sclerosis, renal) 587
 intercapillary (nodular) (with diabetes) 250.4 [581.81]
 ~~due to secondary diabetes 249.4~~ [581.81]
Glycogenosis (see also Disease, glycogen storage) 271.0
 diabetic, secondary 250.8 [259.8]
 ~~due to secondary diabetes 249.8~~ [259.8]
Goldberg (-Maxwell) (-Morris) syndrome (testicular feminization) 259.51
Graft-versus-host disease (~~bone marrow~~) 279.50
 ~~bone marrow 996.85~~
GSS (Gerstmann-Sträussler-Scheinker syndrome) 046.71

Headache 784.0
allergic 339.00
associated with sexual activity 339.82
cluster 339.00
 chronic 339.02
 episodic 339.01
daily
 chronic 784.0
 new persistent (NPDH) 339.42
drug induced 339.3
histamine 339.00
hypnic 339.81
medication overuse 339.3
menstrual 346.4
nasal septum 784.0
orgasmic 339.82
post-traumatic 339.20
 acute 339.21
 chronic 339.22
premenstrual 346.4
preorgasmic 339.82
primary
 cough 339.83
 exertional 339.84
 stabbing 339.85
 thunderclap 339.43
rebound 339.3
**short lasting unilateral neuralgiform with conjunctival injection and tearing (SUNCT)
339.05**
sick 346.9
syndrome
 cluster 339.00
 complicated NEC 339.44
 periodic in child or adolescent 346.2
 specified NEC 339.89
tension 307.81
 type 339.10
 chronic 339.11
 episodic 339.12

Hebra's disease
 erythema multiforme exudativum 695.19

Hematoma (skin surface intact) (traumatic) - see also Contusion
 breast (nontraumatic) 611.89
 muscle (traumatic) – see Contusion, by site
 nontraumatic 729.92
 soft tissue 729.92

Hematopneumothorax (see also Hemothorax) 511.89
Hemothorax (see also Hemothorax) 511.89
Hematuria (benign) (essential) (idiopathic) 599.70
 gross 599.71
 intermittent 599.70
 microscopic 599.72
 paroxysmal 599.70
 sulfonamide
 correct substance properly administered 599.70

Hemicrania 346.9
 continua 339.41
 paroxysmal 339.03
 chronic 339.04
 episodic 339.03

Hemoglobinemia 283.2
 due to blood transfusion NEC **999.89**

Hemolysis
 transfusion NEC **999.89**

Hemopneumothorax (see also Hemothorax) **511.89**

Hemorrhage, hemorrhagic (nontraumatic) 459.0
 retina, retinal (deep) (superficial) (vessels) 362.81
 diabetic 250.5 [362.01]
 due to secondary diabetes 249.5 [362.01]

Hemosiderosis 275.0
 transfusion NEC **999.89**

Hemothorax **511.89**
 nontuberculous **511.89**

Heparin-induced thrombocytopenia (HIT) 289.84

Hepatitis 573.3
 autoimmune **571.42**

Herpes, herpetic 054.9
 iris (any site) **695.10**

HGSIL (high grade squamous intraepithelial lesion) (cytologic finding) (Pap smear finding) ~~795.04~~
 anus 796.74
 ~~biopsy finding – code to CIN II or CIN III~~
 cervix 795.04
 biopsy finding - code to CIN II or CIN III
 vagina 795.14

High risk
 ~~cervical, human papillomavirus (HPV) DNA test positive 795.05~~
 human papillomavirus (HPV) DNA test positive
 anal 796.75
 cervical 795.05
 vaginal 795.15
 temperature (of unknown origin) (see also Pyrexia) **780.60**

Hilger's syndrome **337.09**

Hirschfeld's disease (acute diabetes mellitus) (see also Diabetes) 250.0
 due to secondary diabetes 249.0

Histamine cephalgia **339.00**

History (personal) of
 chemotherapy, antineoplastic V87.41
 disease (of) V13.9
 infectious V12.00
 methicillin resistant Staphylococcus aureus (MRSA) V12.04
 MRSA (methicillin resistant Staphylococcus aureus) V12.04
 disorder (of) V13.9
 musculoskeletal NEC **V13.59**
 family
 monoclonal drug therapy V87.42
 fracture, healed
 pathologic V13.51
 stress V13.52
 traumatic V15.51
 infectious disease V12.00

methicillin resistant Staphylococcus aureus (MRSA) V12.04
MRSA (methicillin resistant Staphylococcus aureus) V12.04
injury NEC V15.59
in utero procedure
 during pregnancy V15.21
 while a fetus V15.22
methicillin resistant Staphylococcus aureus (MRSA) V12.04
MRSA (methicillin resistant Staphylococcus aureus) V12.04
musculoskeletal disorder NEC V13.59
return from military deployment V62.22
surgery-~~(major)~~ to
 in utero
 during pregnancy V15.21
 while a fetus V15.22
 ~~major~~ organs NEC V15.29
therapy
 antineoplastic drug V87.41
 drug NEC V87.49
 monoclonal drug V87.42
HIT (heparin-induced thrombocytopenia) 289.84
Horton's
 headache or neuralgia 339.00
Human papillomavirus 079.4
~~cervical~~
 ~~high risk, DNA test positive 795.05~~
 ~~low risk, DNA test positive 795.09~~
 high risk, DNA test positive
 anal 796.75
 cervical 795.05
 vaginal 795.15
 low risk, DNA test positive
 anal 796.79
 cervical 795.09
 vaginal 795.19
Hungry bone syndrome 275.5
Hydrohematopneumothorax (see also Hemothorax) 511.89
Hydropneumothorax (see also Hemothorax) 511.89
Hydropneumothorax 511.89
 nontuberculous 511.89
Hydrops 782.3
 pleura (see also Hydrothorax) 511.89
Hydrothorax (double) (pleural) 511.89
 nontuberculous 511.89
Hyperplasia, hyperplastic
 epithelial 709.8
 nipple 611.89
Hyperpyrexia 780.60
 unknown origin (see also Pyrexia) 780.60
Hypersensitive, hypersensitiveness, hypersensitivity - see also Allergy
 carotid sinus 337.01
Hypertension Table ----- Malignant ----- Benign ----- Unspecified
Hypertension, hypertensive
 pancreatic duct - code to underlying condition
 with
 chronic pancreatitis ----- 577.1

Hyperthermia (of unknown origin) (see also Pyrexia) **780.60**
Hypoglycemia (spontaneous) 251.2
 coma 251.0
 diabetic 250.3
 due to secondary diabetes 249.3
 diabetic 250.8
 due to secondary diabetes 249.8
Hypoglycemic shock 251.0
 diabetic 250.8
 due to secondary diabetes 249.8
Hypogonadism
 male 257.2
 hereditary familial (Reifenstein's syndrome) **259.52**
Hypomastia (congenital) **611.82**
Hypoplasia, hypoplasia 759.89
 breast (areola) **611.82**
 mammary (areolar) **611.82**
Hypothermia (accidental) 991.6
 associated with low environmental temperature 991.6
 not associated with low environmental temperature **780.65**
Imbalance 781.2
 posture **729.90**
Immobile, immobility
 complete
 due to severe physical disability or frailty 780.72
Imperfect
 poise **729.90**
Inadequate, inadequacy
 sample, ~~Papanicolaou smear 795.08~~
 cytology
 anal 796.78
 cervical 795.08
 vaginal 795.18
Inanition 263.9
 fever **780.60**
Incompatibility
 marital V61.10
 involving ~~divorce or estrangement V61.0~~
 divorce V61.03
 estrangement V61.09
Incompetency, incompetence, incompetent
 chronotropic 426.89
 with
 autonomic dysfunction 337.9
 ischemic heart disease 414.9
 left ventricular dysfunction 337.9
 sinus node dysfunction 427.81
Incontinence 788.30
 urine 788.30
 due to
 cognitive impairment 788.91
 severe physical disability 788.91
 immobility 788.91
 functional 788.91
Infarct, infarction
 breast **611.89**

Infection, infected, infective (opportunistic) 136.9
 acanthamoeba 136.21
 ameba, amebic (histolytica) (see also Amebiasis) 006.9
 free-living 136.29
 bovine stomatitis 059.11
 cotia virus 059.8
 methicillin
 resistant Staphylococcus aureus (MRSA) 041.12
 susceptible Staphylococcus aureus (MSSA) 041.11
 monkeypox 059.01
 MRSA (methicillin resistant Staphylococcus aureus) 041.12
 MSSA (methicillin susceptible Staphylococcus aureus) 041.11
 orthopoxvirus 059.00
 specified NEC 059.09
 parapoxvirus 059.10
 specified NEC 059.19
 poxvirus 059.9
 specified NEC 059.8
 sealpox 059.12
 staphylococcal NEC 041.10
 aureus 041.11
 methicillin
 resistant (MRSA) 041.12
 susceptible MSSA) 041.11
 generalized (purulent) 038.10
 aureus 038.11
 methicillin
 resistant 038.12
 susceptible 038.11
 pneumonia 482.40
 aureus 482.41
 methicillin
 resistant (MRSA) 482.42
 susceptible (MSSA) 482.41
 MRSA (methicillin resistant staphylococcus aureus) 482.42
 MSSA (methicillin susceptible staphylococcus aureus) 482.41
 septicemia 038.10
 aureus 038.11
 methicillin
 resistant (MRSA) 038.12
 susceptible (MSSA) 038.11
 MRSA (methicillin resistant staphylococcus aureus) 038.12
 MSSA (methicillin susceptible staphylococcus aureus) 038.11
 tanapox 059.21
 TORCH - see Infection, congenital NEC
 without active infection 760.2
 virus, viral 079.99
 warts **NEC** 078.10
 specified NEC 078.19
 yaba monkey tumor 059.22
 yaba monkey tumor virus 059.22
 yatapoxvirus 059.20

Infiltrate, infiltration
 chemotherapy, vesicant 998.81
 vesicant
 agent NEC 998.82

Infiltrate, infiltration (cont.)
vesicant (cont.)
chemotherapy 998.81

Injury 959.9
**deep tissue - see Contusion, by site
meaning pressure ulcer 707.25**
kidney - see Injury, internal, kidney
acute (nontraumatic) 584.9

Insensitivity
androgen 259.50
complete 259.51
partial 259.52

Insomnia, unspecified 780.52
fatal familial (FFI) 046.72

Iritis rubeosis 364.42
diabetic 250.5 [364.42]
due to secondary diabetes 249.5 [364.42]

Iritis 364.3
diabetic 250.5 [364.42]
due to secondary diabetes 249.5 [364.42]

Irregular, irregularity
contour ~~of cornea 743.41~~
of cornea 743.41
acquired 371.70
reconstructed breast 612.0

Jakob-Creutzfeldt disease (CJD) (syndrome) ~~(new variant) 046.19~~
with dementia
with behavioral disturbance 046.19 [294.11]
without behavioral disturbance 046.19 [294.10]
familial 046.19
iatrogenic 046.19
specified NEC 046.19
sporadic 046.19
variant (vCJD) 046.11
with dementia
with behavioral disturbance 046.11 [294.11]
without behavioral disturbance 046.11 [294.10]

Johnson-Stevens disease (erythema multiforme exudativum) 695.13

Ketoacidosis 276.2
diabetic 250.1
due to secondary diabetes 249.1

Ketosis 276.2
diabetic 250.1
due to secondary diabetes 249.1

Kimmelstiel (-Wilson) disease or syndrome (intercapillary glomerulosclerosis) 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]

Klauder's syndrome (erythema multiforme exudativum) 695.19

Kussmaul's
coma (diabetic) 250.3
due to secondary diabetes 249.3

Lancereaux's diabetes (diabetes mellitus with marked emaciation) 250.8 [261]
due to secondary diabetes 249.8 [261]

Landau-Kleffner syndrome 345.8

Leukemia, leukemic (congenital) (M9800/3) 208.9

Note Use the following fifth-digit subclassification for categories 203-208:

0	without mention of having achieved remission failed remission
1	with remission
2	in relapse

Leukoencephalopathy (see also Encephalitis) 323.9

reversible, posterior 348.5

LGSIL (low grade squamous intraepithelial lesion) **795.03**

anus 796.73

cervix 795.03

vagina 795.13

Lipidosis 272.7

diabetic 250.8 [272.7]

due to secondary diabetes 249.8 [272.7]

Long-term (current) drug use V58.69

methadone V58.69

opiate analgesic V58.69

Low

risk

~~cervical, human papillomavirus (HPV) DNA test positive~~ 795.09

human papillomavirus (HPV) DNA test positive

anal 796.79

cervical 795.09

vaginal 795.19

Lyell's disease or syndrome (toxic epidermal necrolysis) **695.15**

due to drug

correct substance properly administered **695.15**

Maladjustment

conjugal V61.10

involving ~~divorce or estrangement~~ **V61.0**

divorce V61.03

estrangement V61.09

marital V61.10

involving ~~divorce or estrangement~~ **V61.0**

divorce V61.03

estrangement V61.09

occupational **V62.29**

current military deployment status V62.21

Malformation (congenital) - see also Anomaly

venous - see Anomaly, vein

Malposture **729.90**

Mastopathy, mastopathia 611.9

estrogenic **611.89**

ovarian origin **611.89**

Maternal condition, affecting fetus or newborn

operation unrelated to current delivery (**see also Newborn, affected by**) **760.64**

surgery unrelated to current delivery (**see also Newborn, affected by**) **760.64**

to uterus or pelvic organs **760.64**

Melanoma (malignant) (M8720/3) 172.9

in situ - see Melanoma, by site

skin 172.9

skin NEC 172.8

in situ 172.9

Mendelson's syndrome (resulting from a procedure) **997.39**

Meningoencephalitis (see also Encephalitis) 323.9

due to

free-living amebae **136.29**

Naegleria (amebae) (gruberi) (organisms) **136.29**

primary amebic **136.29**

toxic NEC 989.9 [323.71]

due to

carbon tetrachloride (**vapor**) 987.8 [323.71]

Metaplasia

breast **611.89**

Methadone use 304.00

~~Methicillin-resistant staphylococcus aureus (MRSA) V09.0~~

resistant staphylococcus aureus (MRSA) 041.12

colonization V02.54

personal history of V12.04

susceptible staphylococcus aureus (MSSA) 041.11

colonization V02.53

Microaneurysm, retina 362.14

diabetic 250.5 [362.01]

due to secondary diabetes 249.5 [362.01]

Microangiopathy 443.9

diabetic (peripheral) 250.7 [443.81]

due to secondary diabetes 249.7 [443.81]

retinal 250.5 [362.01]

due to secondary diabetes 249.5 [362.01]

peripheral 443.9

diabetic 250.7 [443.81]

due to secondary diabetes 249.7 [443.81]

retinal 362.18

diabetic 250.5 [362.01]

due to secondary diabetes 249.5 [362.01]

Micromastia 611.82

Migraine (idiopathic) 346.9

Note The following fifth digit subclassification is for use with category 346:

0	without mention of intractable migraine without mention of status migrainosus
1	with intractable migraine, so stated, without mention of status migrainosus
2	without mention of intractable migraine with status migrainosus
3	with intractable migraine, so stated, with status migrainosus

with aura (**acute-onset**) (**without headache**) (**prolonged**) (**typical**) 346.0

without aura 346.1

chronic 346.7

transformed 346.7

atypical **346.8**

basilar **346.0**

chronic without aura 346.7

classic(**al**) 346.0

hemiplegic **346.3**

familial 346.3

sporadic 346.3

lower-half **339.00**

menstrual **346.4**

menstrually related 346.4

ophthalmoplegic **346.2**

Migraine ... (cont.)
 premenstrual 346.4
 pure menstrual 346.4
 retinal **346.0**
 specified form NEC 346.8
 transformed without aura 346.7
Misshapen reconstructed breast 612.0
Möbius'
 disease **346.2**
 syndrome
 ophthalmoplegic migraine **346.2**
Monkeypox **059.01**
Mononeuropathy (see also Mononeuritis) 355.9
 diabetic NEC 250.6 [355.9]
 due to secondary diabetes 249.6 [355.9]
 lower limb 250.6 [355.8]
 due to secondary diabetes 249.6 [355.8]
 upper limb 250.6 [354.9]
 due to secondary diabetes 249.6 [354.9]
Morris syndrome (testicular feminization) **259.51**
MRSA (**methicillin resistant** staphylococcus aureus) **041.12**
 colonization V02.54
 personal history of V12.04
MSSA (methicillin susceptible staphylococcus aureus) 041.11
 colonization V02.53
Müllerian mixed tumor (M8950/3) - see Neoplasm, by site, malignant
Myasthenia 358.00
 syndrome
 in
 diabetes mellitus 250.6 [358.1]
 due to secondary diabetes 249.6 [358.1]
Myelopathy (spinal cord) 336.9
 diabetic 250.6 [336.3]
 due to secondary diabetes 249.6 [336.3]
Near drowning 994.1
Necrobiosis 799.89
 lipoidica 709.3
 diabeticorum 250.8 [709.3]
 due to secondary diabetes 249.8 [709.3]
Necrodermolysis **695.15**
Necrolysis, toxic epidermal **695.15**
 due to drug
 correct substance properly administered **695.15**
 Stevens-Johnson syndrome overlap (SJS-TEN overlap syndrome) 695.14
Neoplasia
 anal intraepithelial I [AIN I] (histologically confirmed) 569.44
 anal intraepithelial II [AIN II] (histologically confirmed) 569.44
 anal intraepithelial III [AIN III] 230.6
 anal canal 230.5

ICD-9-CM Index to Diseases Addenda (FY09)
Effective October 1, 2008

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic	199.1	199.1	234.9	229.9	238.9	239.9
associated with transplanted organ	199.2	-	-	-	-	-
bone (periosteum)	170.9	198.5	-	213.9	238.0	239.2

Note - Carcinomas and adenocarcinomas, of any type other than intraosseous or odontogenic, of the sites listed under "Neoplasm, bone" should be considered as constituting metastatic spread from an unspecified primary site and coded to 198.5 for morbidity coding ~~and to 199.1 for underlying cause a death coding.~~

mandible	170.1	198.5	-	213.1	238.0	239.2
alveolar						
<i>mucosa</i>	143.1	198.89	230.0	210.4	235.1	239.0
vaginovesical	184.9	198.82	233.39	221.9	236.3	239.5
septum	<u>184.9</u>	198.82	233.39	221.9	236.3	239.5

Nephritis, nephritic (albuminuric) (azotemic) (congenital) (degenerative) (diffuse) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) 583.9
due to
diabetes mellitus 250.4 [583.81]
due to secondary diabetes 249.4 [581.81]
with nephrotic syndrome 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]

Nephropathy (see also Nephritis) 583.9
diabetic 250.4 [583.81]
due to secondary diabetes 249.4 [581.81]

Nephrosis, nephrotic (Epstein's) (syndrome) 581.9
diabetic 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]

in
diabetes mellitus 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]

Neuralgia, neuralgic (acute) (see also Neuritis) 729.2
ciliary **339.00**
Horton's **339.00**
migrainous **339.00**
sluder's **337.09**
sphenopalatine (ganglion) **337.09**

Neuritis (see also Neuralgia) 729.2
diabetic 250.6 [357.2]
due to secondary diabetes 249.6 [357.2]

Neuroendocrine tumor - see Tumor, neuroendocrine

Neuropathy, neuropathic (see also Disorder, nerve) 355.9
diabetic 250.6 [357.2]
due to secondary diabetes 249.6 [357.2]
peripheral (nerve) (see also Polyneuropathy) 356.9
autonomic 337.9
idiopathic **337.00**
in
diabetes (mellitus) 250.6 [337.1]
due to secondary diabetes 249.6 [337.1]

Neurophthisis - see also Disorder, nerve
diabetic 250.6 [357.2]
due to secondary diabetes 249.6 [357.2]

Newborn (infant) (liveborn)
affected by ~~maternal abuse of drugs (gestational) (via placenta) (via breast milk) (see also Noxious, substances transmitted through placenta or breast milk (affecting fetus or newborn))~~ 760.70
amniocentesis 760.61
maternal abuse of drugs (gestational) (via placenta) (via breast milk) (see also Noxious, substances transmitted through placenta or breast milk (affecting fetus or newborn)) 760.70
methamphetamine(s) 760.72
procedure
amniocentesis 760.61
in utero NEC 760.62
surgical on mother
during pregnancy NEC 760.63
previous not associated with pregnancy 760.64
breast buds 779.89
fever (environmentally-induced) 778.4

Nitrogen retention, extrarenal **788.99**
Nodule(s), nodular
 breast 793.89
 retrocardiac 785.9
Noncompliance with medical treatment V15.81
 renal dialysis V45.12
NPDH (new persistent daily headache) 339.42
Observation (for) V71.9
 suspected (undiagnosed) (unproven)
 condition NEC V71.89
 maternal and fetal
 amniotic cavity and membrane problem V89.01
 cervical shortening V89.05
 fetal anomaly V89.03
 fetal growth problem V89.04
 oligohydramnios V89.01
 other specified problem NEC V89.09
 placental problem V89.02
 polyhydramnios V89.01
Occlusion
 breast (duct) **611.89**
 mammary duct **611.89**
Occupational
 problems NEC **V62.29**
Operation
 maternal, unrelated to current delivery, affecting fetus or newborn (**see also Newborn,**
 affected by) **760.64**
Ophthalmoplegia (see also Strabismus) 378.9
 diabetic 250.5 [378.86]
 due to secondary diabetes 249.5 [378.86]
 migraine **346.2**
Oppenheim-Urbach disease or syndrome (necrobiosis lipoidica diabetorum) 250.8 [709.3]
 due to secondary diabetes 249.8 [709.3]
Osteomyelitis (general) (infective) (localized) (neonatal) (purulent) (pyogenic) (septic)
 (staphylococcal) (streptococcal) (suppurative) (with periostitis) 730.2
 due to or associated with
 diabetes mellitus 250.8 [731.8]
 due to secondary diabetes 249.8 [731.8]
Osteopenia 733.90
 borderline 733.90
Pain(s) (see also Painful) 780.96
 bladder **788.99**
 vesical **788.99**
Papanicolaou smear
 anus 796.70
 with
 atypical squamous cells
 cannot exclude high grade squamous intraepithelial lesion (ASC-H) 796.72
 of undetermined significance (ASC-US) 796.71
 cytologic evidence of malignancy 796.76
 high grade squamous intraepithelial lesion (HGSIL) 796.74
 low grade squamous intraepithelial lesion (LGSIL) 796.73
 glandular 796.70
 specified finding NEC 796.79
 unsatisfactory cytology 796.78

- Papanicolaou smear (cont.)
cervix (screening test) V76.2
inadequate **cytology** sample 795.08
satisfactory smear but lacking transformation zone 795.07
unsatisfactory **cervical cytology** 795.08
other specified site - see also Screening, malignant neoplasm
nonspecific abnormal finding **796.9**
vagina **V76.47**
with
atypical squamous cells
cannot exclude high grade squamous intraepithelial lesion (ASC-H) 795.12
of undetermined significance (ASC-US) 795.11
cytologic evidence of malignancy 795.16
high grade squamous intraepithelial lesion (HGSIL) 795.14
low grade squamous intraepithelial lesion (LGSIL) 795.13
abnormal NEC 795.19
inadequate cytology sample 795.18
unsatisfactory cytology 795.18
- Paralysis, paralytic (complete) (incomplete) 344.9
cervical
sympathetic NEC **337.09**
stomach 536.3
diabetic 250.6 [536.3]
due to secondary diabetes 249.6 [536.3]
sympathetic
cervical NEC **337.09**
- Paresis (see also Paralysis) 344.9
stomach 536.3
diabetic 250.6 [536.3]
due to secondary diabetes 249.6 [536.3]
- Pendulous
breast **611.89**
- Pericoronitis (chronic) 523.40
acute **523.33**
- Periodic - see also condition
headache syndromes in child or adolescent 346.2
- Person (with)
affected by
family member
currently on deployment (military) V61.01
returned from deployment (military) (current or past conflict) V61.02
currently deployed in theater or in support of military war, peacekeeping and humanitarian operations V62.21
history of military war, peacekeeping and humanitarian deployment (current or past conflict) V62.22
- Pingueculitis 372.34**
- Plaster ulcer (see also **Ulcer, pressure**) 707.00
- Plateau iris syndrome 364.82**
- Pleurisy (acute) (adhesive) (chronic) (costal) (diaphragmatic) (double) (dry) (fetid) (fibrinous) (fibrous) (interlobar) (latent) (lung) (old) (plastic) (primary) (residual) (sicca) (sterile) (subacute) (unresolved) (with adherent pleura) 511.0
with
effusion (without mention of cause) 511.9
specified type NEC **511.89**
encysted **511.89**
hemorrhagic **511.89**

Pleurorrhoea (see also Hydrothorax) **511.89**
Pneumohemothorax (see also Hemothorax) **511.89**
Pneumohydrothorax (see also Hydrothorax) **511.89**
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (latent) (lobe) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486
bronchiolitis obliterans organized (BOOP) 516.8
broncho-, bronchial (confluent) (croupous) (diffuse) (disseminated) (hemorrhagic) (involving lobes) (lobar) (terminal) 485
 staphylococcal 482.40
 aureus 482.41
 methicillin
 resistant (MRSA) 482.42
 susceptible (MSSA) 482.41
due to
 Staphylococcus 482.40
 aureus 482.41
 methicillin
 resistant (MRSA) 482.42
 susceptible (MSSA) 482.41
 lobar (diplococcal) (disseminated) (double) (interstitial) (pneumococcal, any type) 481
 staphylococcal 482.40
 aureus 482.41
 methicillin
 resistant (MRSA) 482.42
 susceptible (MSSA) 482.41
 methicillin resistant Staphylococcus aureus (MRSA) 482.42
 methicillin susceptible Staphylococcus aureus (MSSA) 482.41
 MRSA (methicillin resistant Staphylococcus aureus) 482.42
 MSSA (methicillin susceptible Staphylococcus aureus) 482.41
 postoperative **997.39**
 resulting from a procedure **997.39**
 staphylococcal (broncho) (lobar) 482.40
 aureus 482.41
 methicillin
 resistant 482.42
 susceptible (MSSA) 482.41
 ventilator associated **997.31**
 postoperative **997.39**
Poise imperfect **729.90**
Polyalgia **729.90**
Polyneuritis, polyneuritic (see also Polyneuropathy) 356.9
 diabetic 250.6 [357.2]
 due to secondary diabetes 249.6 [357.2]
Polyneuropathy (peripheral) 356.9
 diabetic 250.6 [357.2]
 due to secondary diabetes 249.6 [357.2]
 in
 diabetes 250.6 [357.2]
 due to secondary diabetes 249.6 [357.2]

Positive

culture (nonspecific) 795.39
nose 795.39

Staphylococcus - see Carrier (suspected) of, Staphylococcus

Postperfusion syndrome NEC **999.89**

Post-transplant lymphoproliferative disorder (PTLD) 238.77

Pregnancy (single) (uterine) (without sickness) V22.2

Note Use the following fifth-digit subclassification with categories 640-**649**, 651-676:

0	unspecified as to episode of care
1	delivered, with or without mention of antepartum condition
2	delivered, with mention of postpartum complication
3	antepartum condition or complication
4	postpartum condition or complication

complicated (by) 646.9

conjoined twins 678.1

current disease or condition (nonobstetric)

diabetes (**conditions classifiable to 249 and 250**) 648.0

diabetes (mellitus) (conditions classifiable to **249 and 250**) 648.0

fetal

conjoined twins 678.1

maternal drug abuse 648.4

previous

in utero procedure during previous pregnancy V23.86

viral disease NEC (conditions classifiable to 042, 050-055, 057-079, **795.05, 795.15, 796.75**) 647.6

management affected by

fetal (suspected)

abnormality 655.9

abdominal 655.8

cardiovascular 655.8

facial 655.8

gastrointestinal 655.8

genitourinary 655.8

limb 655.8

aneuploidy 655.1

previous

in utero procedure during previous pregnancy V23.86

suspected conditions not found

amniotic cavity and membrane problem V89.01

cervical shortening V89.05

fetal anomaly V89.03

fetal growth problem V89.04

oligohydramnios V89.01

other specified problem NEC V89.09

placental problem V89.02

polyhydramnios V89.01

resulting from

assisted reproductive technology V23.85

in vitro fertilization V23.85

twin NEC 651.0

conjoined 678.1

Pressure

area, skin ulcer (see also **Ulcer, pressure**) 707.00
pre-ulcer skin changes limited to persistent focal erythema (see also Ulcer, pressure)
707.21

sore (chronic) (see also **Ulcer, pressure**) 707.00

ulcer (chronic) (see also **Ulcer, pressure**) 707.00

Problem (with) V49.9

career choice **V62.29**

marital V61.10

involving

divorce **V61.03**

estrangement **V61.09**

occupational **V62.29**

Profichet's disease or syndrome **729.90**

Prophylactic

administration of

agents affecting estrogen receptors and estrogen levels NEC V07.59

anastrozole (Arimidex) V07.52

aromatase inhibitors V07.52

estrogen receptor downregulators V07.59

exemestar (Aromasin) V07.52

fulvestrant (Faslodex) V07.59

gonadotropin-releasing hormone (GnRH) agonist V07.59

goserelin acetate (Zoladex) V07.59

letrozole (Femara) V07.52

leuprolide acetate (leuprorelin) (Lupron) V07.59

megestrol acetate (Megace) V07.59

raloxifene (Evista) V07.51

selective estrogen receptor modulators (SERMs) V07.51

tamoxifen (Nolvadex) V07.51

toremifene (Fareston) V07.51

Prosopagnosia 368.16

Pseudohermaphroditism 752.7

male (without gonadal disorder) 752.7

with

feminizing testis **259.51**

Pseudosclerosis (brain)

Jakob's **046.19**

spastic **046.19**

with dementia

with behavioral disturbance **046.19** [294.11]

without behavioral disturbance **046.19** [294.10]

Pseudotabes 799.89

diabetic 250.6 [337.1]

due to secondary diabetes 249.6 [337.1]

Psychosis 298.9

organic NEC 294.9

due to or associated with

disease

Jakob-Creutzfeldt (~~new variant~~) **046.19**

with behavioral disturbance **046.19** [294.11]

without behavioral disturbance **046.19** [294.10]

familial 046.19

iatrogenic 046.19

specified NEC 046.19

sporadic 046.19

Psychosis (cont.)
 organic ... (cont.)
 due to or associated with (cont.)
 disease (cont.)
 Jakob-Creutzfeldt ... (cont.)
 variant 046.11
 with dementia
 with behavioral disturbance 046.11 [294.11]
 without behavioral disturbance 046.11 [294.10]
 Jakob-Creutzfeldt disease (syndrome) ~~(new variant)~~ **046.19**
 with behavioral disturbance **046.19** [294.11]
 without behavioral disturbance **046.19** [294.10]
 variant 046.11
 with dementia
 with behavioral disturbance 046.11 [294.11]
 without behavioral disturbance 046.11 [294.10]
PTLD (post-transplant lymphoproliferative disorder) 238.77
Ptosis (adiposa) 374.30
 breast **611.81**
Puerperal
 diabetes (mellitus) (conditions classifiable to **249 and** 250) 648.0
Pyemia, pyemic (purulent) (see also Septicemia) 038.9
 staphylococcal 038.10
 aureus 038.11
 methicillin
 resistant 038.12
 susceptible 038.11
Pyrexia (of unknown origin) (P.U.O.) **780.60**
Quadriplegia 344.00
 functional 780.72
Reaction
 graft-versus-host (GVH) **279.50**
Reflux **530.81**
 acid 530.81
Reifenstein's syndrome (hereditary familial hypogonadism, male) **259.52**
Relaxation
 posture **729.90**
Renal - see also condition
 glomerulohyalinosis-diabetic syndrome 250.4 [581.81]
 due to secondary diabetes 249.4 [581.81]
Repair
 scarred tissue **V51.8**
Resistance, resistant (to)
 drugs by microorganisms V09.90
 Methicillin - **see Infection, Methicillin**
Retention, retained
 cholelithiasis 997.4
 gallstones 997.4
 nitrogen, extrarenal **788.99**
Retinitis (see also Chorioretinitis) 363.20
 diabetic 250.5 [362.01]
 due to secondary diabetes 249.5 [362.01]

Retinopathy (background) 362.10
 diabetic 250.5 [362.01]
 due to secondary diabetes 249.5 [362.01]
 nonproliferative 250.5 [362.03]
 due to secondary diabetes 249.5 [362.03]
 mild 250.5 [362.04]
 due to secondary diabetes 249.5 [362.04]
 moderate 250.5 [362.05]
 due to secondary diabetes 249.5 [362.05]
 severe 250.5 [362.06]
 due to secondary diabetes 249.5 [362.06]
 proliferative 250.5 [362.02]
 due to secondary diabetes 249.5 [362.02]
of prematurity **362.20**
 cicatrical **362.21**
 stage
 0 362.22
 1 362.23
 2 362.24
 3 362.25
 4 362.26
 5 362.27
nonproliferative
 diabetic 250.5 [362.03]
 due to secondary diabetes 249.5 [362.03]
 mild 250.5 [362.04]
 due to secondary diabetes 249.5 [362.04]
 moderate 250.5 [362.05]
 due to secondary diabetes 249.5 [362.05]
 severe 250.5 [362.06]
 due to secondary diabetes 249.5 [362.06]
 proliferative 362.29
 diabetic 250.5 [362.02]
 due to secondary diabetes 249.5 [362.02]
Rubeosis iridis 364.42
 diabetica 250.5 [364.42]
 due to secondary diabetes 249.5 [364.42]
Rupture, ruptured 553.9
 operation wound (***see also Dehiscence***) 998.32
Sampling
 chorionic villus V28.89
Satisfactory smear but lacking transformation zone
 anal 796.77
 cervical 795.07
Scald, scalded - see also Burn, by site
 skin syndrome **695.81**
Screening (for) V82.9
 antenatal, of mother V28.9
 genomic V28.89
 proteomic V28.89
 risk
 pre-term labor V28.82
 specified condition NEC **V28.89**
 elevated titer V82.9
Sealpox 059.12

Seizure(s) 780.39
migraine triggered 346.0

Sensitivity, sensitization - see also Allergy
carotid sinus **337.01**

Septicemia, septicemic (generalized) (suppurative) 038.9
methicillin
resistant Staphylococcus aureus (MRSA) 038.12
susceptible Staphylococcus aureus (MSSA) 038.11
MRSA (methicillin resistant Staphylococcus aureus) 038.12
MSSA (methicillin susceptible Staphylococcus aureus) 038.11
staphylococcal 038.10
aureus 038.11
methicillin
resistant (MRSA) 038.12
susceptible (MSSA) 038.11

Seroma - (postoperative) (non-infected) 998.13
post-traumatic 729.91

Shock 785.50
electric 994.8
from electroshock gun (taser) 994.8

Short, shortening, shortness
cervical, cervix 649.7
gravid uterus 649.7
non-gravid uterus 622.5
acquired 622.5
congenital 752.49

Shunt (status)
arterial-venous (dialysis) **V45.11**

Siamese twin 759.4
complicating pregnancy 678.1

Sinusitis (accessory) (nasal) (hyperplastic) (nonpurulent) (purulent) (chronic) 473.9
influenzal **487.1**

SJS-TEN (Stevens-Johnson syndrome-toxic epidermal necrolysis overlap syndrome)
695.14

Sluder's neuralgia or syndrome **337.09**

Sore
pressure (see also **Ulcer, pressure**) 707.00
with gangrene (see also **Ulcer, pressure**) 707.00 [785.4]

Sphenopalatine ganglion neuralgia **337.09**

Spots, spotting
of pregnancy **649.5**

Status (post)
administration of tPA (rtPA) in a different institution within the last 24 hours prior to admission to facility V45.88
~~breast-implant removal V45.83~~
correction V43.82
implant removal V45.83
reconstruction V43.82
colonization - see Carrier (suspected) of current military deployment status V62.21
dialysis (hemo) (peritoneal) **V45.11**
hemodialysis **V45.11**

Status ... (cont.)

hysterectomy V88.01

partial with remaining cervical stump V88.02

total V88.01

peritoneal dialysis V45.11

renal dialysis V45.11

noncompliance V45.12

shunt

arteriovenous (for dialysis) V45.11

transplant

organ V42.9

removal (due to complication, failure, rejection or infection) V45.87

wheelchair confinement V46.3

Steroid

effects (adverse) (iatrogenic)

diabetes - see Diabetes, secondary

fever

correct substance properly administered 780.60

Stevens-Johnson disease or syndrome (erythema multiforme exudativum) 695.13

toxic epidermal necrolysis overlap (SJS-TEN overlap syndrome) 695.14

Still's disease or syndrome 714.30

adult onset 714.2

Stitch

burst (in external operation wound) (see also Dehiscence) 998.32

Stomatitis 528.00

bovine 059.11

Strain - see also Sprain, by site

postural 729.90

Subinvolution (uterus) 621.1

breast (postlactational) (postpartum) 611.89

SUNCT (short lasting unilateral neuralgiform headache with conjunctival injection and tearing) 339.05

Surgery

cosmetic NEC V50.1

breast reconstruction following mastectomy V51.0

following healed injury or operation V51.8

elective V50.9

~~breast augmentation or reduction V50.1~~

augmentation or reduction V50.1

reconstruction following mastectomy V51.0

following healed injury or operation V51.8

plastic

~~breast augmentation or reduction V50.1~~

augmentation or reduction V50.1

reconstruction following mastectomy V51.0

following healed injury or operation V51.8

repair of scarred tissue (following healed injury or operation) V51.8

previous, in pregnancy or childbirth

cervix 654.6

affecting fetus or newborn (see also Newborn, affected by) 760.63

pelvic soft tissues NEC 654.9

affecting fetus or newborn (see also Newborn, affected by) 760.63

uterus NEC 654.9

affecting fetus or newborn (see also Newborn, affected by) 760.63

Survey

fetal anatomic V28.81

Suture
burst (in external operation wound) (**see also Dehiscence**) 998.32
Symptoms, specified (general) NEC 780.99
urinary system NEC **788.99**
Syncope (near) (pre-) 780.2
carotid sinus **337.01**
Syndrome - see also Disease
acid pulmonary aspiration **997.39**
alien hand 781.8
androgen insensitivity **259.51**
partial 259.52
anticardiolipin antibody **289.81**
antiphospholipid antibody **289.81**
Baader's (erythema multiforme exudativum) **695.19**
Bing-Horton's **339.00**
Birt-Hogg-Dube 759.89
carotid
body or sinus **337.01**
cervical (root) (spine) NEC 723.8
sympathetic paralysis **337.09**
Charcôt-Weiss-Baker **337.01**
compartment(al) (anterior) (deep) (posterior) 958.8
post-surgical (see also Syndrome, compartment, non-traumatic) 998.89
complex regional pain - see also, Dystrophy, sympathetic
type I - see Dystrophy, sympathetic (posttraumatic) (reflex)
type II - see Causalgia
Creutzfeldt-Jakob (~~new variant~~) **046.19**
with dementia
with behavioral disturbance **046.19** [294.11]
without behavioral disturbance **046.19** [294.10]
variant 046.11
with dementia
with behavioral disturbance 046.11 [294.11]
without behavioral disturbance 046.11 [294.10]
de Quervain's 259.51
diabetes mellitus-hypertension-nephrosis 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]
diabetes-nephrosis 250.4 [581.81]
due to secondary diabetes 249.4 [581.81]
diabetic amyotrophy 250.6 [**353.5**]
due to secondary diabetes 249.6 [353.5]
Fiessinger-Rendu (erythema multiforme exudativum) **695.19**
flat back
acquired 737.29
postprocedural 738.5
Gerstmann-Sträussler-Scheinker (GSS) 046.71
Goldberg (-Maxwell) (-Morris) (testicular feminization) **259.51**
GSS (Gerstmann-Sträussler-Scheinker) 046.71
headache - see Headache, syndrome
Hilger's **337.09**
hungry bone 275.5
Jakob-Creutzfeldt (~~new variant~~) **046.19**
with dementia
with behavioral disturbance **046.19** [294.11]
without behavioral disturbance **046.19** [294.10]

Syndrome (cont.)

Jakob-Creutzfeldt ... (cont.)

variant 046.11

with dementia

with behavioral disturbance 046.11 [294.11]

without behavioral disturbance 046.11 [294.10]

Kimmelstiel-Wilson (intercapillary glomerulosclerosis) 250.4 [581.81]

due to secondary diabetes 249.4 [581.81]

Klauder's (erythema multiforme exudativum) 695.19

Landau-Kleffner 345.8

leukoencephalopathy, reversible, posterior 348.5

Lyell's (toxic epidermal necrolysis) 695.15

due to drug

correct substance properly administered 695.15

Mendelson's (resulting from a procedure) 997.39

Möbius'

ophthalmoplegic migraine 346.2

Morris (testicular feminization) 259.51

myelodysplastic 238.75

therapy-related 289.83

nephrotic (see also Nephrosis) 581.9

diabetic 250.4 [581.81]

due to secondary diabetes 249.4 [581.81]

Oppenheim-Urbach (necrobiosis lipoidica diabetorum) 250.8 [709.3]

due to secondary diabetes 249.8 [709.3]

os trigonum 755.69

pain - see also Pain

complex regional 355.9

type I 337.20

lower limb 337.22

specified site NEC 337.29

upper limb 337.21

type II

lower limb 355.71

upper limb 354.4

plateau iris 364.82

postperfusion NEC 999.89

Profichet's 729.90

Reifenstein's (hereditary familial hypogonadism, male) 259.52

renal glomerulohyalinosis-diabetic 250.4 [581.81]

due to secondary diabetes 249.4 [581.81]

scalded skin 695.81

Shone's 746.84

SJS-TEN (Stevens-Johnson syndrome-toxic epidermal necrolysis overlap) 695.14

Sluder's 337.09

staphylococcal scalded skin 695.81

Stevens-Johnson (erythema multiforme exudativum) 695.13

toxic epidermal necrolysis overlap (SJS-TEN overlap syndrome) 695.14

Susac 348.39

sympathetic

cervical paralysis 337.09

Terry's (*see also Retinopathy of prematurity*) 362.21

testicular feminization 259.51

Twiddler's (due to)

automatic implantable defibrillator 996.04

pacemaker 996.01

- Syndrome (cont.)
Urbach-Oppenheim (necrobiosis lipoidica diabetorum) 250.8 [709.3]
due to secondary diabetes 249.8 [709.3]
Weiss-Baker (carotid sinus syncope) 337.01
- Synovitis (**see also Tenosynovitis**) 727.00
specified NEC 727.09
- Tachycardia 785.0
nonsustained 427.2
sustained 427.2
supraventricular 427.0
ventricular 427.1
- Tanapox 059.21
- Tear, torn (traumatic) - see also Wound, open, by site
dural 349.31
accidental puncture or laceration during a procedure 349.31
incidental (inadvertent) 349.31
nontraumatic NEC 349.39
- Temperature
body, high (of unknown origin) (see also Pyrexia) 780.60
high
body (of unknown origin) (see also Pyrexia) 780.60
- Tenesmus 787.99
vesical 788.99
- Tenosynovitis (**see also Synovitis**) 727.00
specified NEC 727.09
- Terry's syndrome (see also Retinopathy of prematurity) 362.21
- Test(s)
nuchal translucency V28.89
- Testicle, testicular, testis - see also condition
feminization (syndrome) 259.51
- Thrombocytopenia, thrombocytopenic 287.5
fetal 678.0
heparin-induced (HIT) 289.84
- Tommaselli's disease
correct substance properly administered 599.70
TORCH infection - (see also Infection, congenital) 760.2
- Transfusion, blood
fetal twin to twin 678.0
twin to twin fetal 678.0
- Transplant (ed)
complication - see also Complications, due to (presence of) any device, implant, or graft
classified to 996.0-996.5 NEC
previously removed due to complication, failure, rejection or infection V45.87
removal status V45.87
- Tuberculosis, tubercular, tuberculous (calcification) (calcified) (caseous) (chromogenic acid-fast bacilli) (congenital) (degeneration) (disease) (fibrocaceous) (fistula) (gangrene) (interstitial) (isolated circumscribed lesions) (necrosis) (parenchymatous) (ulcerative)
011.9
eye 017.3
glaucoma 017.3 [365.62]
- Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature
carcinoid (M8240/1) -- **see Carcinoid 209.60**
benign 209.60
appendix 209.51
ascending colon 209.53
bronchus 209.61

- Tumor ... (cont.)
 - carcinoid ... (cont.)
 - benign ... (cont.)
 - cecum 209.52**
 - colon 209.50**
 - descending colon 209.55**
 - duodenum 209.41**
 - foregut 209.65**
 - hindgut 209.67**
 - ileum 209.43**
 - jejunum 209.42**
 - kidney 209.64**
 - large intestine 209.50**
 - lung 209.61**
 - midgut 209.66**
 - rectum 209.57**
 - sigmoid colon 209.56**
 - small intestine 209.40**
 - specified NEC 209.69**
 - stomach 209.63**
 - thymus 209.62**
 - transverse colon 209.54**
 - malignant (of) 209.20**
 - appendix 209.11**
 - ascending colon 209.13**
 - bronchus 209.21**
 - cecum 209.12**
 - colon 209.10**
 - descending colon 209.15**
 - duodenum 209.01**
 - foregut 209.25**
 - hindgut 209.27**
 - ileum 209.03**
 - jejunum 209.02**
 - kidney 209.24**
 - large intestine 209.10**
 - lung 209.21**
 - midgut 209.26**
 - rectum 209.17**
 - sigmoid colon 209.16**
 - small intestine 209.00**
 - specified NEC 209.29**
 - stomach 209.23**
 - thymus 209.22**
 - transverse colon 209.14**
 - neuroendocrine 209.60**
 - malignant poorly differentiated 209.30**
 - Müllerian**, mixed (M8950/3) - see Neoplasm, by site, malignant stromal
 - abdomen
 - malignant **NEC** 171.5
 - digestive system 238.1
 - malignant **NEC** 171.5
 - gastric 238.1
 - malignant **151.9**

Tumor ... (cont.)
stromal (cont.)
gastrointestinal 238.1
malignant **NEC** 171.5
intestine (small)-~~(large)~~ 238.1
malignant **152.9**
stomach 238.1
malignant **151.9**
Twiddler's syndrome (due to)
automatic implantable defibrillator 996.04
pacemaker 996.01
Twin
conjoined 759.4
fetal 678.1
pregnancy (complicating delivery) NEC 651.0
conjoined 678.1
Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9
buttock (see also Ulcer, skin) 707.8
decubitus (see also Ulcer, **pressure**) 707.00
decubitus (unspecified site) (**see also Ulcer, pressure**) 707.00
diabetes, diabetic (mellitus) 250.8 [707.9]
due to secondary diabetes 249.8 [707.9]
lower limb 250.8 [707.10]
due to secondary diabetes 249.8 [707.10]
ankle 250.8 [707.13]
due to secondary diabetes 249.8 [707.13]
calf 250.8 [707.12]
due to secondary diabetes 249.8 [707.12]
foot 250.8 [707.15]
due to secondary diabetes 249.8 [707.15]
heel 250.8 [707.14]
due to secondary diabetes 249.8 [707.14]
knee 250.8 [707.19]
due to secondary diabetes 249.8 [707.19]
specified site NEC 250.8 [707.19]
due to secondary diabetes 249.8 [707.19]
thigh 250.8 [707.11]
due to secondary diabetes 249.8 [707.11]
toes 250.8 [707.15]
due to secondary diabetes 249.8 [707.15]
specified site NEC 250.8 [707.8]
due to secondary diabetes 249.8 [707.8]
heel (see also Ulcer, lower extremity) 707.14
decubitus (see also Ulcer, **pressure**) 707.07
hip (see also Ulcer, skin) 707.8
decubitus (see also Ulcer, **pressure**) 707.04
lower extremity (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) (tropical)
707.10
decubitus (**see also Ulcer, pressure**) 707.00
plaster (see also Ulcer, **pressure**) 707.00
pressure (**see also Ulcer, decubitus**) 707.00
with gangrene 707.00 [785.4]
abrasion, blister, partial thickness skin loss involving epidermis and/or dermis
707.22
full thickness skin loss involving damage or necrosis of subcutaneous tissue
707.23

Ulcer, ulcerated, ulcerating, ulceration, ulcerative ... (cont.)
 pressure ... (cont.)
 with ... (cont.)
 gangrene 707.00 [785.4]
 necrosis of soft tissues through to underlying muscle, tendon, or bone 707.24
 ankle 707.06
 back
 lower 707.03
 upper 707.02
 buttock 707.05
 elbow 707.01
 head 707.09
 healed - omit code
 healing - code to Ulcer, pressure, by stage
 heel 707.07
 hip 707.04
 other site 707.09
 sacrum 707.03
 shoulder blades 707.02
 stage
 I (healing) 707.21
 II (healing) 707.22
 III (healing) 707.23
 IV (healing) 707.24
 unspecified (healing) 707.20
 unstageable 707.25
 skin (atrophic) (chronic) (neurogenic) (non-healing) (perforating) (pyogenic) (trophic) 707.9
 decubitus (see also Ulcer, **pressure**) 707.00
Unilateral - see also condition
 development, breast **611.89**
Unsatisfactory
 cytology smear
 anal 796.78
 cervical 795.08
 vaginal 795.18
 ~~**smear 795.08**~~
Urbach-Oppenheim disease or syndrome (necrobiosis lipoidica diabetorum) 250.8 [709.3]
 due to secondary diabetes 249.8 [709.3]
Uremia, uremic (absorption) (amaurosis) (amblyopia) (aphasia) (apoplexy) (coma) (delirium)
 (dementia) (dropsy) (dyspnea) (fever) (intoxication) (mania) (paralysis) (poisoning)
 (toxemia) (vomiting) 586
 extrarenal **788.99**
 prerenal **788.99**
Urethralgia **788.99**
Urine, urinary - see also condition
 blood in (see also Hematuria) **599.70**
Use of
 methadone 304.00
Vaccination
 delayed V64.00
Vaccinia (generalized) 999.0
 not from vaccination **051.09**
 eyelid **051.09** [373.5]
 sine vaccination **051.09**
 without vaccination **051.09**

Vagina, vaginal - see **also** condition
 high risk human papillomavirus (HPV) DNA test positive 795.15
 low risk human papillomavirus (HPV) DNA test positive 795.19
vCJD (variant Creutzfeldt-Jakob disease) **046.11**
Venereal
 warts **078.11**
Verruca (filiformis) 078.10
 plantaris **078.12**
 venereal **078.11**
 vulgaris 078.10
 viral ~~NEC~~ **078.10**
 specified NEC 078.19
Vestibulitis (ear) (see also Labyrinthitis) 386.30
 vulvar **625.71**
Virus, viral - see also condition
 yaba monkey tumor 059.22
Vomiting 787.03
 cyclical 536.2
 associated with migraine 346.2
Vulvodynia **625.70**
 specified NEC 625.79
Wart (~~common~~) (digitate) (filiform) (infectious) (viral) 078.10
 common 078.19
 external genital organs (venereal) **078.11**
 flat 078.19
 genital 078.11
 plantar **078.12**
 venereal (female) (male) **078.11**
Water
 on
 chest **511.89**
Weiss-Baker syndrome (carotid sinus syncope) **337.01**
Wheelchair confinement status V46.3
Willis' disease (diabetes mellitus) (see also Diabetes) 250.0
 due to secondary diabetes 249.0
Worn out (see also Exhaustion) 780.79
 joint prosthesis (see also Complications, mechanical, device NEC, prosthetic NEC,
 joint) 996.46
Xanthoma(s), xanthomatosis 272.2
 diabeticorum 250.8 [272.2]
 due to secondary diabetes 249.8 [272.7]
Yaba monkey tumor virus 059.22

ALPHABETIC INDEX TO EXTERNAL CAUSES OF INJURY

Bending, injury in E927.8
Electric shock, electrocution ...E925.9
 electroshock gun (taser) (stun gun) E925.8
 caused by other person E968.8
 legal intervention E975
 stated as accidental E925.8
 stated as intentional E968.8
 due to legal intervention E975
 stated as intentional self-harm (suicidal (attempt)) E958.4
 stated as undetermined whether accidental or intentional E988.4
 suicide (attempt) E958.4
Exertion, excessive physical, from prolonged activity E927.2
Exhaustion
 due to excessive exertion E927.8
Exposure (weather) (conditions) (rain) (wind) E904.3
 environmental
 to
 ***pfisteria* piscicida E928.6**
Fall, falling (accidental) E888.9
 from, off
 heelies E885.1
 wheelies E885.1
Injury, injured (accidental(ly)) NEC E928.9
 by, caused by, from
 bending E927.8
 straining E927.8
 twisting E927.8
Lifting, injury in E927.8
Overexertion (~~lifting~~) (~~pulling~~) (~~pushing~~) E927.9
 from
 lifting E927.8
 maintaining prolonged positions E927.1
 holding E927.1
 sitting E927.1
 standing E927.1
 prolonged static position E927.1
 pulling E927.8
 pushing E927.8
 sudden strenuous movement E927.0
Pulling, injury in E927.8
Pushing (injury in) (overexertion) E927.8
Straining, injury in E927.8
Strenuous movements (in recreational or other activities) E927.8
Trauma
 cumulative
 from
 repetitive
 impact E927.4
 motion or movements E927.3
 sudden from strenuous movement E927.0
Twisting, Injury in E927.8

Table of Drugs and Chemicals

<u>Substance</u>	<u>Poisoning</u>	<u>Accident</u>	<u>Therapeutic Use</u>	<u>Suicide Attempt</u>	<u>Assault</u>	<u>Undetermined</u>
Hand sanitizer	976.0	E858.7	E946.0	E950.4	E962.0	E980.4