

## 22 Principal Crops

### Principal Crops: Record Highs and Lows, North Dakota <sup>1</sup>

Crop	Unit	Record High		Record Low		Year Records Started	
		Quantity	Year	Quantity	Year		
All Wheat	Planted	<i>Acres</i>	12,680,000	1996	5,715,000	1962	1916
	Harvested	<i>Acres</i>	12,515,000	1996	85,000	1879	1879
	Yield	<i>Bu</i>	41.1	1992	4.5	1900	1879
	Production	<i>Bu</i>	472,890,000	1992	1,742,000	1879	1879
Spring Wheat	Planted	<i>Acres</i>	9,600,000	1996	3,812,000	1962	1926
	Harvested	<i>Acres</i>	9,500,000	1996	2,438,000	1936	1919
	Yield	<i>Bu</i>	42.0	1992	5.2	1936	1919
	Production	<i>Bu</i>	382,200,000	1992	12,678,000	1936	1919
Durum Wheat	Planted	<i>Acres</i>	5,051,000	1928	797,000	1958	1926
	Harvested	<i>Acres</i>	5,000,000	1928	770,000	1958	1919
	Yield	<i>Bu</i>	38.0	1992	3.5	1954	1919
	Production	<i>Bu</i>	127,890,000	1981	4,235,000	1954	1919
Winter Wheat	Planted	<i>Acres</i>	750,000	1985	25,000	1966	1964
	Harvested	<i>Acres</i>	550,000	1984	24,000	1966	1964
	Yield	<i>Bu</i>	<b>50.0</b>	<b>2007</b>	13.0	1988	1964
	Production	<i>Bu</i>	<b>22,250,000</b>	<b>2007</b>	600,000	1966	1964
Barley	Planted	<i>Acres</i>	4,147,000	1959	1,100,000	2006	1926
	Harvested	<i>Acres</i>	3,918,000	1958	15,000	1882	1882
	Yield	<i>Bu</i>	65.0	1992	5.0	1910	1882
	Production	<i>Bu</i>	184,250,000	1985	382,000	1882	1882
Oats	Planted	<i>Acres</i>	2,985,000	1970	420,000	2006	1926
	Harvested	<i>Acres</i>	2,870,000	1917	57,000	1882	1882
	Yield	<i>Bu</i>	70.0	1993	8.0	1910	1882
	Production	<i>Bu</i>	153,624,000	1969	1,852,000	1882	1882
Sunflower	Planted	<i>Acres</i>	3,460,000	1979	4,000	1947	1947
	Harvested	<i>Acres</i>	3,378,000	1979	3,500	1947	1947
	Yield	<i>Lbs</i>	1,586	2005	600	1964	1947
	Production	<i>Lbs</i>	4,584,600,000	1979	2,800,000	1951	1947
Canola	Planted	<i>Acres</i>	1,300,000	2002	18,000	1991	1991
	Harvested	<i>Acres</i>	1,285,000	2001	17,500	1991	1991
	Yield	<i>Lbs</i>	1,630	2004	1,180	1997	1991
	Production	<i>Lbs</i>	1,799,000,000	2001	24,500,000	1991	1991
Soybeans	Planted	<i>Acres</i>	3,900,000	2006	7,000	1945	1942
	Harvested	<i>Acres</i>	3,870,000	2006	4,000	1944	1942
	Yield	<i>Bu</i>	36.0	2005	10.0	1947	1942
	Production	<i>Bu</i>	119,970,000	2006	40,000	1942	1942
Flaxseed	Planted	<i>Acres</i>	3,649,000	1957	80,000	1996	1920
	Harvested	<i>Acres</i>	3,500,000	1956	35,000	1892	1889
	Yield	<i>Bu</i>	21.0	2005	2.7	1936	1889
	Production	<i>Bu</i>	28,700,000	1956	228,000	1889	1889
All Corn	Planted	<i>Acres</i>	<b>2,550,000</b>	<b>2007</b>	495,000	1972	1929
Corn for Grain	Harvested	<i>Acres</i>	<b>2,350,000</b>	<b>2007</b>	17,000	1934	1924
	Yield	<i>Bu</i>	129.0	2005	8.4	1934	1924
	Production	<i>Bu</i>	<b>272,600,000</b>	<b>2007</b>	143,000	1934	1924
Dry Edible Beans	Planted	<i>Acres</i>	790,000	2002	21,000	1966	1964
	Harvested	<i>Acres</i>	710,000	1998	20,000	1966	1964
	Yield	<i>Lbs</i>	<b>1,590</b>	<b>2007</b>	600	1989	1964
	Production	<i>Cwt</i>	10,626,000	2002	165,000	1964	1964
Dry Edible Peas	Planted	<i>Acres</i>	610,000	2006	64,000	1999	1998
	Harvested	<i>Acres</i>	590,000	2006	58,000	1999	1998
	Yield	<i>Lbs</i>	2,340	2004	1,580	2006	1998
	Production	<i>Cwt</i>	<b>10,400,000</b>	<b>2007</b>	1,102,000	1999	1998
Lentils	Planted	<i>Acres</i>	160,000	2006	22,000	1998	1998
	Harvested	<i>Acres</i>	148,000	2006	21,500	1998	1998
	Yield	<i>Lbs</i>	1,550	1999	820	2006	1998
	Production	<i>Cwt</i>	1,971,000	2005	267,000	1998	1998
Potatoes	Planted	<i>Acres</i>	191,000	1943	73,000	1951	1929
	Harvested	<i>Acres</i>	198,000	1922	2,000	1882	1882
	Yield	<i>Cwt</i>	265	2004	12	1890	1882
	Production	<i>Cwt</i>	30,030,000	1991	118,000	1882	1882
Sugarbeets	Planted	<i>Acres</i>	265,000	2002	2,900	1924	1924
	Harvested	<i>Acres</i>	258,000	2002	2,600	1924	1924
	Yield	<i>Tons</i>	26.0	2006	4.9	1934	1924
	Production	<i>Tons</i>	6,318,000	2006	24,500	1924	1924
All Hay	Harvested	<i>Acres</i>	4,337,000	1961	2,102,000	1934	1909
	Yield	<i>Tons</i>	2.09	2000	0.41	1934	1909
	Production	<i>Tons</i>	6,285,000	1978	871,000	1934	1909

<sup>1</sup> In case of a tie, most recent year was used. Bold indicates new record.

## North Dakota Crop Summary

### Total Principal Crops: Acreage and Value of Production, North Dakota, 1998-2007 <sup>1</sup>

Year	Acreage		Value of Production	Value per Harvested Acre
	Area Planted	Area Harvested		
	<i>1,000</i>	<i>1,000</i>	<i>1,000 Dollars</i>	<i>Dollars</i>
1998	22,071	21,360	2,688,166	126.59
1999	20,550	19,177	2,058,976	108.13
2000	22,322	20,851	2,381,394	114.98
2001	21,238	20,299	2,493,668	123.79
2002	23,517	21,157	2,878,238	137.21
2003	22,831	22,111	3,553,679	162.33
2004	22,152	20,463	3,005,268	148.42
2005	22,974	22,043	3,352,906	153.29
2006	25,817	21,912	3,685,321	169.89
2007	25,921	22,483	6,459,886	289.52

<sup>1</sup> Planted acres include acres harvested for hay. Acreages and value include unpublished data for miscellaneous crops and commercial vegetables. Value excludes corn for silage. 2007 value includes 2007 sugarbeet production multiplied by 2006 price.



### Grain Storage Capacity: By Position, North Dakota, December 1, 1998-2007

Year	Off Farm Facilities	Capacity		
		Off Farm	On Farm	Total
	<i>Number</i>	<i>1,000 Bushels</i>	<i>1,000 Bushels</i>	<i>1,000 Bushels</i>
1998	420	245,430	740,000	985,430
1999	409	248,670	740,000	988,670
2000	394	244,370	710,000	954,370
2001	385	240,130	710,000	950,130
2002	379	240,650	710,000	950,650
2003	363	235,390	710,000	945,390
2004	350	256,050	730,000	986,050
2005	345	255,750	740,000	995,750
2006	345	262,280	750,000	1,012,280
2007	348	288,000	760,000	1,048,000

## 2007 Season in Review

Planting began behind the five-year (2002-2006) average for all crops except for dry edible beans, soybeans and sunflowers. The statewide average starting date for fieldwork was April 21, four days later than last year. By May 6, planting progress for small grains had advanced ahead of average. Planting progress for all other crops advanced ahead of average by May 20.

All crops were rated mostly good to excellent through early June. In all areas of the state, moisture was very beneficial for pasture and ranges, especially in last year's drought stricken areas. Pasture and ranges were rated 78 percent good to excellent on June 10, compared with 50 percent a year earlier. During late June and into July, above normal temperatures and only scattered precipitation produced heat stress in crops and pastures. On August 26, violent storms rumbled through the south central and eastern half of the state as producers were concerned about damage to crops that remained in the field. Multiple tornados and hail were reported in storm affected areas.

Small grain harvest began on July 22, near the average pace. As of September 2, barley and oats were virtually complete at 99 and 98 percent, respectively. Spring wheat

was 95 percent harvested and durum wheat was 81 percent harvested, both were behind last year but ahead of average. Harvest was nearly complete for durum wheat and canola by September 16.

Above normal temperatures and dry conditions were dominant during the summer months depleting soil moisture supplies. Topsoil and subsoil moisture supplies were rated better than average until early July. By September 30, topsoil moisture supplies were rated 50 percent adequate to surplus, compared with 55 percent last year and 55 percent on average.

As of October 21, soybean, sugarbeet and sunflower harvest were 80, 89 and 31 percent complete, respectively. A statewide killing frost finally occurred the week ending October 28 which aided the dry down process of corn and sunflowers. Drier conditions allowed producers to spend more time harvesting crops. Harvest of dry edible beans and soybeans were virtually complete by November 4. Corn and sunflowers were virtually complete by November 18, slightly behind last year but ahead of the average pace.

**Annual Crop Summary: Area Planted and Harvested  
North Dakota and United States, 2006-2007<sup>1</sup>**

Crop	North Dakota				United States			
	Area Planted		Area Harvested		Area Planted		Area Harvested	
	2006	2007	2006	2007	2006	2007	2006	2007
	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>	<i>1,000 Acres</i>
Barley	1,100	1,470	995	1,390	3,452	4,020	2,951	3,508
Corn for Grain <sup>2</sup>	1,690	2,550	1,400	2,350	78,327	93,600	70,648	86,542
Corn for Silage			220	170			6,477	6,071
Hay, All			2,720	2,780			60,927	61,625
Alfalfa			1,450	1,650			21,434	21,670
All Other			1,270	1,130			39,493	39,955
Oats	420	460	120	260	4,168	3,760	1,566	1,505
Rye <sup>3</sup>					1,396	1,376	274	289
Wheat, All	8,800	8,595	8,290	8,405	57,344	60,433	46,810	51,011
Winter	200	465	180	445	40,575	44,987	31,117	35,952
Durum	1,300	1,480	1,260	1,460	1,870	2,149	1,815	2,112
Spring	7,300	6,650	6,850	6,500	14,899	13,297	13,878	12,947
Canola	940	1,080	935	1,070	1,044	1,183	1,021	1,163
Flaxseed	750	320	715	317	813	354	767	349
Mustard Seed <sup>3</sup>					40.5	56.0	39.2	52.8
Rapeseed <sup>3</sup>					1.4	1.5	1.0	1.0
Safflower <sup>3</sup>					189.0	180.0	179.0	172.0
Soybeans	3,900	3,050	3,870	2,990	75,522	63,631	74,602	62,820
Sunflower, All	900	1,075	860	1,055	1,950.0	2,068.0	1,770.0	2,009.5
Oil	770	910	740	895	1,658.0	1,764.0	1,514.0	1,717.0
Non-oil	130	165	120	160	292.0	304.0	256.0	292.5
Sugarbeets	261	252	243	247	1,366.2	1,268.8	1,303.6	1,246.8
Dry Edible Beans, All	670.0	690.0	640.0	665.0	1,629.8	1,526.9	1,537.6	1,478.7
Navy	120.0	96.0	113.0	89.0	280.7	221.9	263.9	211.2
Great Northern	7.5	8.0	6.5	7.7	69.7	59.5	59.3	57.0
Pinto	453.0	502.0	435.0	487.0	690.9	694.1	652.6	674.6
Dark Red Kidney	2.0	1.5	1.9	1.4	48.8	40.2	46.4	39.1
Pink	20.0	13.0	19.4	12.5	45.3	30.8	43.4	29.9
Small Red	6.0	5.5	5.7	5.3	35.5	30.6	34.4	29.7
Black	46.0	45.0	44.0	43.5	167.4	175.7	159.3	171.6
Chickpeas, All (Garbanzo)	13.0	17.0	12.2	16.8	136.8	125.5	132.9	121.6
Small	7.5	4.5	7.0	4.4	17.4	11.1	16.3	10.8
Large	5.5	12.5	5.2	12.4	119.4	114.4	116.6	110.8
Other	2.5	2.0	2.3	1.8	154.7	148.6	145.4	144.0
Dry Edible Peas	610	515	590	500	925.5	847.5	884.1	811.3
Lentils	160	110	148	106	429.0	303.0	407.0	295.0
Fall Potatoes, All	100.0	97.0	98.0	91.0	993.7	1,010.6	983.0	996.7
Irrigated <sup>4,5</sup>	34.0	33.5	33.5	33.0				
Types, Reds <sup>5</sup>	22.5	19.0	22.0	18.0				
Whites <sup>5</sup>	30.5	29.0	30.0	27.3				
Yellows <sup>5,6</sup>		1.0		0.7				
Russets <sup>5</sup>	47.0	48.0	46.0	45.0				

<sup>1</sup> Data are latest estimates available. <sup>2</sup> Area planted for all purposes. <sup>3</sup> Published at U.S. level only. <sup>4</sup> Included in all potatoes. <sup>5</sup> Published at state level only. <sup>6</sup> Estimates began in 2007.

## 2007 Acreage & Production Summary

Total planted area of principal crops in 2007, including hay harvested, was 25.9 million acres, slightly above the 25.8 million acres in 2006 and 13 percent above 2005. Harvested area totaled 22.5 million acres, compared with 21.9 million acres in 2006 and 22.0 million acres in 2005.

Corn for grain production for 2007 was a record high while soybean production fell below the 2006 record high. Corn broke the previous record high set in 2006 with a significant increase in harvested acreage from the previous year. Soybean production fell from the previous year's record high with a decrease in acreage despite near record high yields.

Spring wheat production in 2007 was up 10 percent from 2006 and durum wheat production increased 39 percent from the previous year. The increase in spring wheat was due to a rise of 5 bushels in average yield despite a 5 percent drop in acreage from 2006. The large increase in durum wheat production benefited from an increase in both acreage and yields. A record high average yield,

along with near record high acreage, pushed winter wheat production to a new level.

Production was higher for both oil sunflower and canola when compared with 2006. The increase in oil sunflower was the result of both higher harvested acreage and yields. The increase in canola production was the result of greater harvested acreage despite the lowest yield since 2002.

Dry edible bean production in 2007 rose 38 percent from the previous year to its highest level since 2002's record high output. The increase was due to both increased harvested acreage and record high average yields which benefited from adequate moisture during the growing season.



Dry edible pea production set a record high and lentil production rose 10 percent from 2006. The increase in dry edible peas was due to a combination of both near record high acreage and yields. Lentil production rose due to increased yields despite a drop in harvested acreage.

### Annual Crop Summary: Yield and Production North Dakota and United States, 2006-2007 <sup>1</sup>

Crop	Unit	North Dakota				United States			
		Yield		Production		Yield		Production	
		2006	2007	2006	2007	2006	2007	2006	2007
				<i>1,000</i>	<i>1,000</i>			<i>1,000</i>	<i>1,000</i>
Barley	Bu	49.0	56.0	48,755	77,840	61.1	60.4	180,165	211,825
Corn for Grain	Bu	111.0	116.0	155,400	272,600	149.1	151.1	10,534,868	13,073,893
Corn for Silage	Tons	5.9	11.0	1,298	1,870	16.2	17.5	105,129	106,328
Hay, All	Tons	1.15	1.87	3,137	5,191	2.34	2.44	142,336	150,304
Alfalfa	Tons	1.20	2.05	1,740	3,383	3.36	3.35	72,006	72,575
All Other	Tons	1.10	1.60	1,397	1,808	1.78	1.95	70,330	77,729
Oats	Bu	41.0	59.0	4,920	15,340	59.8	60.9	93,638	91,599
Rye <sup>2</sup>	Bu					26.3	27.4	7,193	7,914
Wheat, All	Bu	30.4	35.7	251,770	300,050	38.7	40.5	1,812,036	2,066,722
Winter	Bu	44.0	50.0	7,920	22,250	41.7	42.2	1,298,081	1,515,989
Durum	Bu	25.0	30.0	31,500	43,800	29.5	33.9	53,475	71,686
Spring	Bu	31.0	36.0	212,350	234,000	33.2	37.0	460,480	479,047
Canola	Lbs	1,370	1,240	1,280,950	1,326,800	1,366	1,250	1,394,332	1,453,830
Flaxseed	Bu	14.5	17.5	10,368	5,548	14.4	16.9	11,019	5,904
Mustard Seed <sup>2</sup>	Lbs					720	603	28,220	31,826
Rapeseed <sup>2</sup>	Lbs					1,100	1,300	1,100	1,300
Safflower <sup>2</sup>	Lbs					1,100	1,215	196,955	208,995
Soybeans	Bu	31.0	35.0	119,970	104,650	42.7	41.2	3,188,247	2,585,207
Sunflower, All	Lbs	1,296	1,414	1,114,800	1,492,000	1,211	1,437	2,143,613	2,888,555
Oil	Lbs	1,260	1,440	932,400	1,288,800	1,181	1,454	1,787,966	2,496,970
Non-oil	Lbs	1,520	1,270	182,400	203,200	1,389	1,339	355,647	391,585
Sugarbeets	Tons	26.0	23.1	6,318	5,706	26.1	25.6	34,064	31,912
Dry Edible Beans, All <sup>3</sup>	Cwt	1,200	1,590	7,680	10,574	1,577	1,716	24,247	25,371
Navy <sup>3</sup>	Cwt	1,400	1,810	1,585	1,611	1,649	1,806	4,353	3,815
Great Northern <sup>3</sup>	Cwt	1,080	1,470	70	113	2,007	2,081	1,190	1,186
Pinto <sup>3</sup>	Cwt	1,150	1,560	4,988	7,606	1,474	1,724	9,618	11,631
Dark Red Kidney <sup>3</sup>	Cwt	1,630	1,790	31	25	1,774	1,691	823	661
Pink <sup>3</sup>	Cwt	1,430	1,870	277	234	1,684	1,933	731	578
Small Red <sup>3</sup>	Cwt	1,190	1,400	68	74	1,887	1,801	649	535
Black <sup>3</sup>	Cwt	1,180	1,460	520	635	1,670	1,616	2,661	2,773
Chickpeas, All (Garbanzo) <sup>3</sup>	Cwt	910	1,470	111	247	1,158	1,243	1,539	1,511
Small <sup>3</sup>	Cwt	690	1,390	48	61	914	1,185	149	128
Large <sup>3</sup>	Cwt	1,210	1,500	63	186	1,192	1,248	1,390	1,383
Other <sup>3</sup>	Cwt	1,300	1,610	30	29	1,845	1,860	2,683	2,681
Dry Edible Peas <sup>3</sup>	Cwt	1,580	2,080	9,322	10,400	1,493	1,960	13,203	15,903
Lentils <sup>3</sup>	Cwt	820	1,260	1,214	1,336	797	1,155	3,244	3,408
Fall Potatoes, All	Cwt	260	260	25,480	23,660	406	410	398,921	409,082
Irrigated <sup>4,5</sup>	Cwt	400	400	13,400	13,200				
Types, Reds <sup>5</sup>	Cwt	174	165	3,830	2,970				
Whites <sup>5,6</sup>	Cwt	185	193	5,550	5,265				
Yellows <sup>5,6</sup>	Cwt		179		125				
Russets <sup>5</sup>	Cwt	350	340	16,100	15,300				

<sup>1</sup> Data are latest estimates available. <sup>2</sup> Published at U.S. level only. <sup>3</sup> Yield in pounds. <sup>4</sup> Included in all potatoes. <sup>5</sup> Published at state level only. <sup>6</sup> Estimates began in 2007.

26 Planting and Harvesting Progress





**Percent Planted: North Dakota, 2007, 2006 and 5-Year Average (2002-2006)**

Crop	Year	April			May			June	
		10	20	30	10	20	30	10	20
		<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>
Spring Wheat	2007		2	27	74	94	98	100	
	2006		7	32	60	87	97	100	
	Average	3	14	37	60	81	94	99	100
Durum Wheat	2007		1	16	47	75	87	97	100
	2006		3	11	35	67	90	99	100
	Average	1	6	18	34	57	81	95	98
Oats	2007		1	23	68	93	97	100	
	2006		10	27	63	88	98	100	
	Average	1	10	31	58	80	94	99	100
Barley	2007		1	25	74	95	99	100	
	2006		5	21	52	86	97	100	
	Average	1	7	27	52	78	94	99	100
Flaxseed	2007			7	35	71	87	97	100
	2006			3	24	64	90	100	
	Average		1	9	28	58	85	96	99
Canola	2007		1	17	68	94	99	100	
	2006		1	10	33	76	96	100	
	Average		4	17	42	73	92	98	100
Dry Edible Peas	2007		4	32	80	99	100		
	2006		4	18	60	92	99	100	

**Percent Harvested: North Dakota, 2007, 2006 and 5-Year Average (2002-2006)**

Crop	Year	July		August			September			October	
		20	30	10	20	30	10	20	30	10	20
		<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>	<i>Percent</i>
Spring Wheat	2007		8	37	68	90	98	100			
	2006	3	21	59	78	93	100				
	Average	1	6	26	52	72	86	94	98	99	100
Durum Wheat	2007		6	21	46	71	89	97	100		
	2006	1	6	24	54	79	96	100			
	Average		2	10	29	51	72	84	92	96	98
Oats	2007	1	13	46	72	95	100				
	2006	13	38	72	88	98	100				
	Average	3	12	37	63	83	93	97	99	100	
Barley	2007	1	21	64	88	98	100				
	2006	7	26	65	88	98	100				
	Average	2	9	35	64	82	93	98	99	100	
Flaxseed	2007			3	10	40	76	90	97	100	
	2006		2	7	16	48	84	94	99	100	
	Average			3	11	30	59	76	87	95	97
Canola	2007		3	15	43	79	95	99	100		
	2006		2	14	37	74	97	100			
	Average		1	7	25	50	74	87	94	99	100
Dry Edible Peas	2007	1	33	84	97	100					
	2006	12	38	81	97	100					



**Percent Planted: North Dakota, 2007, 2006 and 5-Year Average (2002-2006)**

Crop	Year	April		May			June	
		20	30	10	20	30	10	20
		Percent	Percent	Percent	Percent	Percent	Percent	Percent
Corn	2007		14	52	86	96	100	
	2006	1	13	42	76	95	100	
	Average	3	23	55	78	94	100	
Dry Edible Beans	2007			4	37	66	91	98
	2006			3	20	80	99	100
	Average			2	14	58	90	98
Potatoes	2007		9	44	80	89	96	98
	2006	1	9	32	75	94	100	
	Average	2	12	34	61	84	96	100
Soybeans	2007		1	12	54	83	93	97
	2006			13	48	86	98	100
	Average		2	14	42	79	95	99
Sugarbeets	2007	1	56	95	100			
	2006	2	34	63	91	99	100	
	Average	11	51	80	93	99	100	
Sunflower	2007			7	35	67	89	97
	2006			2	24	70	96	99
	Average		1	3	18	58	89	98

**Percent Harvested: North Dakota, 2007, 2006 and 5-Year Average (2002-2006)**

Crop	Year	August		September			October			November		
		20	30	10	20	30	10	20	30	10	20	30
		Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent	Percent
Corn for Grain	2007				1	5	19	39	62	89	98	100
	2006			1	2	5	21	47	80	97	100	
	Average				1	5	14	35	61	82	91	96
Dry Edible Beans	2007		2	14	42	68	85	92	96	100		
	2006	1	14	48	70	82	93	99	100			
	Average		4	20	40	63	86	94	96	99	100	
Potatoes	2007		5	18	48	74	88	95	99	100		
	2006	1	8	36	55	69	89	97	100			
	Average	1	4	18	36	64	89	97	100			
Soybeans	2007				5	37	67	79	94	100		
	2006			2	20	41	81	94	97	100		
	Average			1	8	33	70	89	94	98	100	
Sugarbeets	2007		2	6	10	16	60	87	100			
	2006		2	6	9	17	55	87	98	100		
	Average			2	5	16	60	94	99	100		
Sunflower	2007					3	12	29	58	89	98	100
	2006				1	3	20	45	80	94	100	
	Average					2	14	36	60	81	93	98