## LITERATURE CITED

- Adams, S.B. 1999. Mechanisms Limiting a Vertebrate Invasion: Brook Trout in Mountain Streams of the Northwestern USA. Thesis for Doctor of Philosophy Degree, University of Montana. 118 pages.
- Agee, James K. 1993. Fire Ecology of Pacific Northwest Forests. Island Press, Washington DC. (pp. 33-52).
- Agee, James K. 1997. The Severe Weather Wildfire—Too Hot To Handle? *Northwest Science Forum* (Vol. 71, No. 1, pp. 153-156).
- Agee, J.K. 1998. The landscape ecology of western forest fire regimes. NW Science 72 (special issue):24-34.
- Agee, James K., Bahro, Berni, Finney, Mark A., Omi, Philip N., Sapis, David B., Skinner, Carl N., Van Wagtendonk, Jan W., Weatherspoon, C. Phillip. 2000. The Use of Fuel Breaks in Landscape Fire Management.
- Amman, G.D. and Ryan, K.C. 1991. Insect infestation of fire-injured trees in Greater Yellowstone Area. [Research Note INT-398]. Ogden, UT. U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. (9 p.)
- Anderson, R. C. 1992. Hydrogeology of the Swan River Oxbow Preserve area, Lake County, Montana. M.S. Thesis, University of Montana.
- Apfelbaum, S.I. and C.E. Sams. 1987. Ecology and control of reed canary grass. Natural Areas Journal 7(2): 69-74.
- Amaranthus, M.P., and J.M. Trappe. 1993. Effects of erosion on ecto- and VA-mycorrhizal inoculum potential of soil following forest fire in southwest Oregon. Plant and Soil. 150: 41-49
- Arno, S. F. & Sneck, K. M. 1977. A method for determining fire history in coniferous forests of the mountain west. USDA Forest Service General Technical Report INT-GTR-42.
- Arno, Stephen F. and James K. Brown. 1991. Overcoming the Paradox in Managing Wildland Fire. *Western Wildlands*. Spring 1991.
- Arno, Stephen F.; Parsons, David J.; and Keane, Robert E. 1999. Mixed-severity fire regimes in the Northern Rocky Mountains: Consequences of fire exclusion and options for the future. Wilderness Science Symposium. Rocky Mountain Research Station.
- Arno, Stephen F. 2000. Fire in Western Forest Ecosystems. Chapter 5 IN: Brown, James K.; Smith, Jane Kapler. Wildland Fire in Ecosystems, Effects of Fire on Flora Gen. Technical Report RMRS-GTR-42,-Vol. 2. Odgen UT: USDA Forest Service, Rocky Mountain Research Station. Last modified 10/28/2004 (p. 111).
- Atwood, D., and N. Charlesworth. 1987. Status report for *Silene spaldingii*. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. not paged. Lesica, P. 1988. Germination requirements and seedling biology of Spalding's Catchfly (*Silene spaldingii*). Prepared for: The Nature Conservancy, Montana/Wyoming Office, Helena, MT. Unpublished paper on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise, ID. 2 p.
- Aubry, K. B., and C. M. Raley. 2002. Selection of Nest and Roost Trees by Pileated Woodpeckers in Coastal Forests of Washington. Journal of Wildlife Management 66:392-406

- Barrett, Stephen W., and S. F. Arno. 1982. Indian fires as an ecological influence in the Northern Rockies. October 1982. Jour. of For. pp. 647-651.
- Basko, W. 2002. Guidelines for analyzing environmental effects on soil. Unpublished Inservice Report. USDA Forest Service, Region 1, Flathead NF. Kalispell, MT. 6p.
- Basko, W. 2007. Guidelines for analyzing environmental effects on soil. Unpublished Inservice Report. USDA Forest Service, Region 1, Flathead NF. Kalispell, MT. 5p.
- Basko, W. 2008, *personal communication*. Discussion on burn severity surveys and specific soil characteristics observed during Burned Area Emergency Recovery assessment.
- Bate, Lisa J., Michael J. Wisdom, and Barbara C. Wales. 2007. Snag densities in relation to human access and associated management factors in forests of Northeastern Oregon, USA. Landscape and Urban Planning, Volume 80, Issue 3, Pages 278-291.
- Bauer, S.B. and S.C. Ralph. 2001. Strengthening the Use of Aquatic Habitat Indicators in Clean Water Act Programs. Fisheries 26(6): 14-24.
- Beebe, S.B. 1974. Relationship between insectivorous hole-nesting birds and forest management. Yale University School of Forestry and Environmental Studies.
- Beier, P., and J. E. Drennan. 1997. Forest structure and prey abundance in foraging areas of northern goshawks. Ecological Applications, 7(2). pp. 564-571.
- Bell, Tina, Kevin Tollhurst, and Michael Wouters. 2005. Effects of fire retardant Phos-Chek on vegetation in eastern Australia heathlands. International Journal of Wildland Fire. 14: 199-211.
- Berglund, Doug; Bush, R.; Barber, J. 2007. R1 Multi-level Vegetation Classification, Mapping, Inventory, and Analysis System. Region 1 Vegetation Classification, Mapping, Inventory and Analysis Report Number 06-04 v1.2. USDA Forest Service, Region 1, Forest and Range Management & Engineering. June 2007 <a href="http://fsweb.r1.fs.fed.us/forest/inv/classify/cmi\_r1.pdf">http://fsweb.r1.fs.fed.us/forest/inv/classify/cmi\_r1.pdf</a>
- Berglund, Doug; Bush, R.; Lundberg, R. 2008. Region 1 Vegetation Council Existing Forested Vegetation Classification System and Application to Inventory and Mapping. Region 1 Vegetation Classification, Mapping, Inventory and Analysis Report Number 08-02 v4.0. USDA Forest Service, Region 1, Forest and Range Management & Engineering. February 2008

  <a href="http://fsweb.rl.fs.fed.us/forest/inv/classify/rl">http://fsweb.rl.fs.fed.us/forest/inv/classify/rl</a> ex veg classification.pdf
- Beschta, R.L., C.A. Frissell, R. Gresswell, R. Hauer, J.R. Karr, G.W. Minshall, D.A. Perry, and J.J. Rhodes. 1995. Recommendations for ecologically sound post-fire logging and other post-fire treatments on Federal lands in the west. Oregon State University, Corvallis, OR. 14 p.
- Beschta, R.L., J.J. Rhodes, J.B. Kauffman, R.E. Gresswell, G.W. Minshall, J.R. Karr, D.A. Perry, F.R. Hauer, and C.A. Frissell. 2004. Postfire Management on Forested Public Lands of the Western United States. Conservation Biology 18(4): 957–96
- Bisson, P. A., B. E. Rieman, C. Luce, P. F. Hessburg, D. C. Lee, J. L. Kerschner, G. H. Reeves, and R. E. Gresswell. 2003. Fire and aquatic ecosystems of western USA: current knowledge and key questions. Forest Ecology and Management 178: 213–229.
- Blanchard, B., and R. Knight. 1993. Effects of wildfire on grizzly bear movements and food habits.
- Block, R., K.C.J. Van Rees, and D.J. Pennock. 2002. Quantifying harvesting impacts using soil compaction and disturbance regimes at a landscape scale. Soil Sci. Soc. Amer. J. 66:1669-1676.Beschta et al (2004)

- Bonar, Richard. 2000. Availability of Pileated Woodpecker Cavities and use by other species. *Journal of Wildlife Management* 64(1):52-59.
- Brewer, Kenneth C., Berglund D., Barber J. A., Bush R. 2004. Northern Region Vegetation Mapping Project Summary Report and Spatial Datasets Version 042. November 2004. <a href="http://www.fs.fed.us/r1/gis/vmap\_v06.htm">http://www.fs.fed.us/r1/gis/vmap\_v06.htm</a>
- Brewer, C., Schwind, B.; Warbington, R.; Clerke, W.; Krosse, P.; Suring, L.; and Schanta, M. 2005. Section 3: Existing Vegetation Mapping Protocol. In: Brohman; R. Bryant, L. eds. Existing Vegetation Classification and Mapping Technical Guide. Gen. Tech. Rep. WO–67. Washington, DC: U.S. Department of Agriculture Forest Service, Ecosystem Management Coordination Staff.
- Briese, D. T. 1997. Population dynamics of St. John's wort in southeastern Australia. Plant Protection Quarterly Vol.12(2).
- Brown, James K. 1975. Fire Cycles and Community Dynamics in Lodgepole Pine Forests. In D.M. Baumgartner (ed.). Management of Lodgepole Pine Ecosystems Symposium Proceedings. Washington State University Cooperative Extension Service. Pullman WA. Page 443.
- Brown, James K. 2000. Introduction and Fire Regimes. Chapter 1 IN: Brown, James K.; Smith, Jane Kapler. Wildland Fire in Ecosystems, Effects of Fire on Flora Gen. Technical Report RMRS-GTR-42,-Vol. 2. Odgen UT: USDA Forest Service, Rocky Mountain Research Station. Last modified 10/28/2004. (p. 3-6).
- Brown, J.K., E.D. Reinhardt, and K. Kramer. 2001. Coarse Woody Debris and Succession in the Recovering Forest. Unpublished Report. USDA Forest Service, Rocky Mountain Research Station, Missoula MT.
- Brown, J.K., E.D. Reinhardt and K.A. Kramer. 2003. Coarse Woody Debris: Managing Benefits and Fire Hazard in the Recovering Forest. Gen. Tech. Rep. RMRS-GTR-105. USDA Forest Service, Rocky Mountain Research, Missoula, MT. 16pp.
- Brooks, K.N., P.F. Ffolliott, H.M. Gregersen, and J.L. Thames. 1991. Hydrology and the management of watersheds. Iowa State University Press, Ames, Iowa.
- Buckley, Yvonne M., David T. Briese, and Mark Rees. 2003. Demography and management of the invasive plant species Hypericum perforatum. I. Using multi-level mixed-effects models for characterizing growth, survival and fecundity in a long-term data set. Journal of Applied Ecology 40, 481–493.
- Bull, E.L., and R.S. Holthausen. 1993. Habitat use and management of pileated woodpeckers in northeastern Oregon. Journal of Wildlife Management. 57(2):335-345.
- Bull, Evelyn L. 1994. Conserving wildlife habitat. In: Everett,Richard L., comp. Restoration of stressed sites and processes.Gen. Tech. Rep. PNW-GTR-330. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station: 37–38.
- Bull, Evelyn L., and Arlene K. Blumton. 1999. Effect of Fuels Reduction on American Martens and Their Prey. [Research Note PNW-PN-539]. Portland, OR: U.S. Department of Agriculture, Forest Service, Pacific Northwest Research Station. (9 pp.)
- Bull, Evelyn L., Keith Aubry, and Barbara Wales. 2001. Effects of Disturbance on Forest Carnivores of Conservation Concern in Eastern Oregon and Washington. <u>Northwest Science.</u> Vol 75, Special Issue, 2001. Pages 180-184.
- Bull, Evelyn L., Catherine G. Parks, and Torolf R. Torgersen. 1997. Trees and Logs Important to Wildlife in the Interior Columbia River Basin. [General Technical Report PNW-GTR-391]. USDA Forest Service, Pacific Northwest Research Station. Pages 21-39.

- Bull, Evelyn L., S. R. Peterson, and J. W. Thomas. 1986. Resource partitioning among woodpeckers in northeastern Oregon. USDA Forest Service. [Research Note PNW-444]. (19 pp.)
- Bulmer, C., J. Archuleta, and M. Curran. 2007. Restoring and enhancing productivity of degraded tephra-derived soils. In: Page-Dumroese, R. Miller, J. Mital, P. McDaniel, D. Miller, tech. eds. Volcanic –Ash-Derived forest soils of the Inland Northwest: Properties and Implications for Management and Restoration. 9-10 Nov 2005; Coer d'Alene, ID. Proceedings RMRS-P-44; Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. p. 121-13.
- Bunnell, F. L. 1995. Forest-dwelling vertebrate faunas and natural fire regimes in British Columbia: patterns and implications for conservation. Cons. Biol. 9:636–644.
- Bunnell, F.L., M. Boyland, and E. Wind. 2002. How Should We Spatially Distribute Dying and Dead Wood? Proceedings of the Symposium on the Ecology and Management of Dead Wood in Western Forests. USDA Forest Service Gen. Tech. Rep. PSW-GTR-181.
- Burt, W.H. & Grossenheider, R.P. 1976. *A field guide to the Mammals. Field marks of all North American species found north of Mexico*. Sponsored by the National Wildlife Federation and National Audubon Society. Houghton Mifflin Company, Boston. 290p.
- Bury, R. Bruce. 2004. Wildlife, Fuel Reduction, and Herpetofaunas across diverse landscape mosaics in northwestern forests. *Conservation Biology* 18(4):968-975.
- Buskirk, S. W., and L. F. Ruggiero. [Online] 1994. American Marten. In *The Scientific Basis for Conserving Forest Carnivores: American Marten, Fisher, Lynx, and Wolverine in the Western United States*. USDA Forest Service. [Gen. Tech. Report RM-254]. Fort Collins, CO. http://www.rsl.psw.fs.fed.us/projects/wild/gtr rm254/index.html
- Butts, T. W. 1992. Wolverine (*Gulo gulo*) biology and management: A literature review and annotated bibliography. US Forest Service. (pp. 17-21.)
- Carey, C. 1993. Hypothesis Concerning the Causes of the Disappearance of Boreal Toads from the Mountains of Colorado. Conservation Biology. Volume 7. No.2. Pp 355-362.
- Carey, A. B. 1996. Interactions of northwest forest canopies and arboreal mammals. Northwest Science. 70: 72-78.
- Carter, Timothy C, W. Mark Ford, Michael A. Menzel 2000. Fire and Bats in the Southeast and Mid-Atlantic: More Questions Than Answers? The role of fire in nongame wildlife management and community restoration: traditional uses and new directions. GTR-NE-288.
- Caton, E. 1996. Effects of fire and salvage logging on the cavity-nesting bird community in northwestern Montana. Ph.D. dissertation. University of Montana. Missoula, MT. (pp. 12-14; 23-24, 107-111.)
- Certini, G. 2005. Effects of fire on properties of forest soils: a review. Oecologia 143:1-1.
- Chambers, P. 1987. Light and nutrients in the control of aquatic plant community structure. II. In situ observations. Journal of Ecology 75:621-628.
- Chansler, John. 1960. Some factors influencing the flight performance of the Engelmann spruce beetle. Thesis (M.S.), School of Natural Resouces, Univ. of Mich., Ann Arbor, 41 pp.
- Choromanska, U. and T.H. DeLuca. 2002. Microbial activity and nitrogen mineralization in forest mineral soils following heating: evaluation of post-fire effects. Soil Biology and Biochemistry 34: 263-271. Clayton (1990)

- Christensen, Norman L. 1989. Succession and Natural Disturbance: Paradigm, problems, and presevation of natural ecosystems. Pp. 62-86, in L. K. Agee and D. R. Johnson (eds.) Ecosytem Management for Parks and Wilderness. University of Washington Press, Seattle.
- Claar, J. J., N. Anderson, D. Boyd, M. Cherry, B. Conard, R. Hompesch, S. Miller, G. Olson, H. Ihsle Pac, J. Waller, T. Wittinger, H. Youmans. 1999. Carnivores. Pp. 7.1-7.63. *In* Effects of recreation on Rocky Mountain wildlife: A review for Montana. Coordinated by Joslin, G. and H. Youmans. Committee on Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society. 307 pp.
- Clark, J. R. 1998. Endangered and threatened wildlife and plants; notice of 12-month finding on a petition to list the northern goshawk in the contiguous United States west of the 100th meridian, dated 1998 June 22. U.S. Fish and Wildlife Service, Portland, OR. Fed. Reg. 63(124): 35183-35184.
- Clayton, J.L. 1990. Soil disturbance resulting from skidding logs on granitic soil in central Idaho. USDA, USFS, INT-436. 8 p.
- Cole and McGregor. 1983. Estimating the rate of and amount of tree loss from mountain pine beetle infestations. Research Paper INT-318. Ogden, UT. USDA, Forest Service, Intermountain Forest and Range Exp. Station. 22 p.
- Crane, M.F.; Habeck, J.R.; Fischer, W.C. Early postfire revegetation in a western Montana Douglas-fir forest. Research Paper INT-319. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range experiment Station; 1983.
- Currim, F. 1996. Sensitive Species: Boreal Toad (*Bufo boreas boreas*). Unpublished Report: A compilation of literature citing completed on December 12, 1996 for the Interior Columbia Basin Ecosystem Management Project. (5 pp.)
- Daenzer, Angela G. 2007. Pilot Study on the Prediction of Heart Rot in Apparently Sound Western Larch for Snag Retention and Management. Master's Thesis, University of Montana. <a href="http://etd.lib.umt.edu/theses/available/etd-12212007-090109/unrestricted/Daenzer Angela Thesis.pdf">http://etd.lib.umt.edu/theses/available/etd-12212007-090109/unrestricted/Daenzer Angela Thesis.pdf</a>.
- DeBano, L.F. 1991. The effect of fire on soil properties. *In Proceedings, Symposium on management and productivity of western-montane forest soils*. April 10-12, 1990. Boise, ID. [Gen. Tech. Rep. INT-280]. Ogden, UT. U.S. Department of Agriculture, USDA Forest Service, Intermountain Research Station. (pp. 151-156).
- Debano, L.F., D.G. Neary, and P.F. Ffolliott. 1998. Fire's effects on ecosystems. John Wiley and Sons, Inc. New York, NY.
- Dietrich, W. E., J. W. Kirchner, H. Ikeda, and F. Iseya, 1989. Sediment Supply and the Development of the Coarse Surface Layer in Gravel-bedded Streams. Nature 340:215-217. *In:* Schnackenberg, E.S. and Lee H. MacDonald. 1998. Detecting cumulative effects on headwater streams in the Routt National Forest, Colorado. Journal of the American Water Resources Association. Volume 34, Number 5.
- Dixon, R. D., and V. A. Saab. 2000. Black-backed Woodpecker (*Picoides arcticus*). In: The Birds of North America, No. 509 (A. Poole and F. Gill, eds.). The Academy of Natural Sciences, Philadelphia, Pennsylvania, and The American Ornithologists' Union, Washington, D.C.
- Dobkin, D.S., R.D. Gettinger, and M. G. Gerdes. 1995. Springtime movements, roost use, and foraging activity of Townsend's big-eared bat (*Plecotus townsendii*) in central Oregon. Great Basin Naturalist 55(4):315-321.
- Drennan JE, Beier P, 2003. Forest structure and prey abundance in winter habitat of northern goshawks. J Wildl Manage 67:177–185.

- Dudley, J. G. 2005. <u>Home range size and foraging habitat of Black-backed Woodpeckers</u>. M.S. thesis. Boise State University, Idaho. 76 p.
- Dudley, J. and V. Saab. 2007. Home Range Size of Black-Backed Woodpeckers In Burned Forests of Southwestern Idaho. Western North American Naturalist: Vol. 67, No. 4 pp. 593–600.
- Dukes, Jeffery. 2002. Species Composition and Diversity Affect Grassland Susceptibility and Response to Invasion Ecological Applications, 12(2), p. 602-617.
- Dumrose, Page, Deborah; Jurgensen, Martin; Abbott, Ann; Rice, Tom; Tirocke, Joanne; Farley, Sue; DeHart, Sharon. 2006. Monitoring Changes in Soil Quality from Post-fire Logging in the Inland Northwest. In: Fuels Management-How to Measure Success: Conference Proceedings. 28-30 March 2006; Portland, OR. Proceedings RMRS-P-41. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. p. 605-614
- Dunham, J.B.; S.B. Adams, R.E. Schroeter, and D.C. Novinger. 2002. Alien invasions in aquatic ecosystems: Toward an understanding of brook trout invasions and potential impacts on inland cutthroat trout in western North America. Reviews in Fish Biology and Fisheries 12: 373-291.
- Dymerski, A.D., Anhold, J.A., Munson, A.S., 2001. Spruce beetle (Dendroctonus rufipennis) outbreak in Engelmann spruce (Picea engelmannii) in central Utah, 1986–1998. West. Nor. Am. Nat. 61 (1), 19–24.
- Elliot, Joe C., and Toby Spirbille. ----. Montana collections of *Scorpidium scorpioides* and *Meesia triquetra*. Unpublished report.
- Elliot, W.J.; Foltz, R.B.; Luce, C.H. 1995. <u>Validation of the Water Erosion Prediction Project (WEPP) model for low-volume forest roads.</u> In: Proceedings of the Sixth International Conference on Low-Volume Roads, Minneapolis, MN. Vol. I p. 178--186. Transportation Research Board, National Research Council, Washington, DC.
- Elliot, W.J.; Robichaud, P.R.; Luce, C.H. 1995. <u>Applying the WEPP erosion model to timber harvest areas.</u> In: Proceedings of the ASCE Watershed Management Conference, August 1995, San Antonio, TX. American Society of Civil Engineers. 83--92.
- Everett, Richard, John Lehmkuhl, Richard Schellhaas, Pete Ohlson, David Keenum, Heidi Riesterer, Don Spurbeck. 1999. Snag dynamics in a chronosequence of 26 wildfires on the east slope of the Cascade Range in Washington State, USA. International Journal of Wildland Fire 9(4): 223-234, 1999.
- Evers, D.C. 2004. Status assessment and conservation plan for the Common Loon (Gavia immer) in North America. U.S. Fish and Wildlife Service, Hadley, MA.
- Fayt P., Machmer M.M. & Steeger C. (2005) Regulation of spruce bark beetles by woodpeckers a literature review. Forest Ecology and Management 206 (1-3), 1-14.
- Finn, S.P., J.M. Marzluff, and D.E. Varland. 2002. Effects of landscape and local habitat attributes on northern goshawk site occupancy in western Washington. Forest Science 48(2):427-436.
- Fire Effects Information System. [Online] 2004. Prescribed fire and fire effects research work unit, Rocky Mountain Research Station (producer). <a href="https://www.fs.fed.us/database/feis">www.fs.fed.us/database/feis</a>
- Fisher, Jason T., and Lisa Wilkinson. 2005. The response of mammals to forest fire and timber harvest in the North American boreal forest. Mammal Review 35:1, 51-81
- Fischer, William C. 1981. Photo guide for appraising downed woody fuels in Montana forests. USDA Forest Service. [GTR-INT-98]. Ogden UT (p. 141).

- Fischer, William C., Anne F. Bradley. 1987. Fire ecology of western Montana forest habitat types. USDA Forest Service. [GTR-INT-223.] Ogden, UT (pp. 5-7 & 62).
- Flathead National Forest (Sirucek and Bachurski). 1995. Riparian Landtype Inventory of the Flathead National Forest, Kalispell, MT.
- Foltz, R.B, and E. Maillard. 2003. Infiltration rates on abandoned road-stream crossings. Paper Number 035009. ASAE Annual International Meeting. Las Vegas, Nevada. 11p.
- Franklin, J. F., D. A. Perry, T. D. Schowalter, M. E. Harmon, A. McKee and T. A. Spies. 1989. Importance of ecological diversity in maintaining long-term site productivity. Pages 82-97. In: Maintaining Longterm Productivity of Pacific Northwest Forest Ecosystems, edited by D.A. Perry, et al. Timber Press, Portland, OR.
- Franklin, J.F., T.A. Spies, R. Van Pelt, A.B. Carey, D.A. Thornburgh, D.R. Berg, D.B. Lindenmayer, M.E. Harmon, W.S. Keeton, D.C. Shaw, K. Bible, and J. Chen. 2002. Disturbances and structural development of natural forest ecosystems with silvicultural implications, using Douglas-fir forests as an example. Forest Ecology and Management. 155: 399-423
- Fredriksen, R.L. 1970. Erosion and sedimentation following road construction and timber harvest on unstable soils in three western Oregon watersh3eds. Research Paper PNW-104. USDA Forest Service, Pacific Northwest Research Station. Portland, OR. *In:* Ketcheson, G.L. and W.F. Megahan. 1996. Sediment production and downslope sediment transport fromm forest roads in granitic watersheds. Research Paper INT-RP 486. USDA Forest Service, Intermountain Research Station. Ogden, UT.
- Froehlich, H.A., D.W. R. Miles, and R.W. Robbins. 1985. Soil bulk density recovery on compacted skid trails in central Idaho. Soil Sci. Soc. Am. J. 49: 1015-1017
- Furniss, M.M.; McGregor, M.D.; Foiles, M.W.; and Partridge, A.D. 1979. Chronology and characteristics of a Douglas-fir beetle outbreak in northern Idaho. USDA, Forest Service, Intermountain Forest and Range Experiment Station. [General Technical Report INT-59]. Moscow, ID. (19 p.).
- Gamon, J. 1991. Report on the status in Washington of *Silene spaldingii* Wats. Prepared for: Washington State Department of Natural Resources. Unpublished report prepared by the Washington Natural Heritage Program on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 53 pp.
- Gibbons, D.R. and E.O. Salo. 1973. An annotated bibliography of the effects of logging on fish of the western United States and Canada. USDA Forest Service General Technical Report PNW-10. p. 298 *In*: Meehan, W.R., Editor. 1991. Influences of forest and rangeland management on slamonid fishes and their habitats. American Fisheries Society Special Publication 19.
- Gibson, K.E. 1984. Use of trap trees for the reduction of spruce beetle-caused mortality in old-growth Engelmann spruce stands in the Northern Region. USDA Forest Service, Northern Region, Forest Pest Management. [Forest Pest Management Report 84-10]. Missoula, MT. (11 p.)
- Gibson, K.E. 2005. Bark beetle conditions, Northern Region, 2005. USDA Forest Service, Northern Region Forest Pest Management. Missoula, MT. (46 p.)
- Gibson, K.E. and Oakes, R.D. 1993. Bark beetle conditions, Northern Region, 1992 [Forest Pest Management Report 93-3]. USDA Forest Service, Northern Region Forest Pest Management. Missoula, MT. (27 p.)
- Gibson, K.E. and Oakes, R.D. 1994. Bark beetle conditions, Northern Region, 1993 [Forest Pest Management Report 94-3]. USDA Forest Service, Northern Region Forest Pest Management. Missoula, MT. (30 p.)
- Gibson, K.E., Ed Lieser, and Barb Ping. 1999. Bark beetle outbreaks following the Little Wolf Fire, Tally Lake Ranger District, Flathead National Forest. U.S. Department of Agriculture, Forest Service, Northern Region, State and Private Forestry. Forest Health Protection Report 99-7, Miss

- Graham, R.T., A.E. Harvey, M.F. Jurgenson, T.B. Jain, J.R. Tonn, and D.S. Page-Dumroese. 1994. Managing coarse woody debris in forests of the Rocky Mountains. Res. Pap. INT-RP-477. USDA Forest Service, Intermountain Research Station. 13p.
- Graham, R. T., T. B. Jain, R. T. Reynolds, and D. A. Boyce. 1997. The role of fire in sustaining northern goshawk habitat in Rocky Mountain forests. *In* Proceedings of the first conference on fire effects on rare and endangered species and habitats. Coeur d' Alene, ID, 1995 November. Fairfield, WA, International Association of Wildland Fire. (Pages 69-76).
- Green, P., J. Joy, D. Sirucek, W. Hann, A. Zack, and B. Naumann. 1992 updated in 2005. Old-Growth Forest Types of the Northern Region. USDA Forest Service, Northern Region, Missoula, MT.
- Greenwald, D. Noah; D. Coleman Crocker-Bedford; Len Broberg; Kieran F. Suckling; Timothy Tibbitts, 2005. A review of northern goshawk habitat selection in the home range and implications for forest management in the western United States. Wildlife Society Bulletin 2005, 33(1): 120-129.
- Grifantini, Michael C.; Stuart, J.D.; Fox, L., III. 1991. Deer habitat changes following wildfire, salvage logging and reforestation, Klamath Mountains, California. In: Proceedings of the symposium on biodiversity; 1991 October 28-30; Santa Rosa, CA. [Place of publication unknown]: [publisher unknown]: 163-167, as cited in McIver, James D. and Lynn Starr. 2000. Environmental Effects of Postfire Logging: Literature Review and Annotated Bibliography, PNW-GTR-486, January 2000
- Gundale, M.J., S. Sutherland, and T.H. DeLuca. 2008. Fire, native species, and soil resource interactions influence the spatio-temporal invasion pattern of *Bromus tectorum*. Ecography. Online Early: 1-10
- Guscio, Charles Gregory. 2007. Responses of Western Toads (*bufo boreas*) to Changes in Terrestial Habitat Resulting From Wildfire. Masters Degree Thesis. University of Montana, Missoula, Montana. 22 pp.
- Habeck, James R., Mutch, Robert W. 1973. Fire Dependant Forests in the Northern Rocky Mountains. *Journal of Quarterly Research* (Volume 3, No. 3, p. 408).
- Halpern, C. B. and T.A. Spies. 1995. Plant species diversity in natural and managed forests of the Pacific Northwest. Ecological Applications 5(4): 913-934.
- Han, H.-S.; Page-Dumroese, D.; Han, S.-K.; Tirocke, J. 2006. Effects of slash, machine passes, and soil moisture on penetration resistance in a cut-to-length harvesting. International Journal of Forest Engineering 17(2):11-24.
- Hann, Wendel J., Jones, Jeffrey L., Karl, Michael G. [and others]. 1997. Landscape dynamics of the basin. In: Quigley, Thomas M., and Sylvia J. Arbelbide (Tech. eds.). An assessment of ecosystem components in the interior Columbia basin and portions of the Klamath and Great Basins. [Gen. Tech. Rep. PNW-GTR-405.]. (Chapter 3, pp. 337-1055.) USDA Forest Service, Pacific Northwest Research Station. Portland, OR. <a href="http://www.fs.fed.us/pnw/pubs/gtr405v1.pdf">http://www.fs.fed.us/pnw/pubs/gtr405v1.pdf</a>
- Harr, R.D. 1979. Effects of timber harvest on streamflow in the rain-dominated portion of the pacific northwest. Paper presented at *Workshop on Scheduling Timber Harvest for Hydrologic Concerns*. U.S. Forest Service Pacific Northwest Region. Portland, OR. *In*: Thomas, R.B. and W.F. Megahan. 1998. Peak flow responses to clear-cutting and roads in small and large basins, western Cascades, Oregon: A second opinion. Water Resources Research. Volume 34, No.12. pp. 3393-3403.
- Harr, R.D., W.C. Harper, J.T. Kryugier, and F.S. Hsieh.1975. Changes in storm hydrographs after road building and clearcutting in the Oregon coast range. Water Resources Research. 11:436-444. p. 301. *In*: Meehan, W.R., Editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19.

- Harrington, M. G. 1996. Fall rates of prescribed fire-killed ponderosa pine. In *Survivability and Deterioration of Fire-Injured Trees in the Northern Rocky Mountains: A Review of the Literature*. [INT-RP-489]. USDA Forest Service. (1 p.)
- Harvey, A.E., M.F. Jurgensen, M.J. Larsen, and R.T. Graham. 1987. Decaying organic materials and soil quality in the inland northwest: a management opportunity. General Technical Report INT-225. Ogden, Utah.: USFS, Intermountain Research Station. 15p.
- Hartford, R.A., and W.H. Frandsen. When It's Hot, It's Hot...or Maybe It's Not! (Surface flaming may not portend extensive soil heating). J. Wildland Fire 2(3): 139-144
- Haynes, Richard W., Thomas M. Quigley, Jodi L. Clifford, Rebecca A. Gravenmier. 2001. Science and ecosystem management in the interior Columbia basin. Forest Ecology and Management 153 (2001) 3-14.
- Hayward, G.D. and J. Verner (tech ed.). 1994. Flammulated, Boreal, and Great Gray Owls in the U.S.: A Technical Conservation Assessment. USDAFS RM- 253.
- Hayward, G.D., and R.E. Escano. 1989. Goshawk nest-site characteristics in western Montana and northern Idaho. Condor 91:476-479.
- Heidel, B. 2001. Plant Species of Concern. Montana Natural Heritage Program, Helena. 38 pp.
- Heidel, B. 1979. Endangered and threatened plants in the Northern Idaho BLM District. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 100 pp.Gamon, J. 1991. Report on the status of *Silene spaldingii* Wats. in Washington. Unpublished report, Washington Natural Heritage Program, Olympia, Washington. 53 pp.
- Heidel, B. 1980. Silene spaldingii. Unpublished report. U.S. Fish and Wildlife Service, Portland, OR. 13 pp.
- Heidel, B. 1995. Preliminary status report for *Silene spaldingii* (Spalding's catchfly), a candidate threatened species. Unpublished report (draft) submitted to accompany Montana comments on the 1993 Federal Register Notice of Review for plants. Montana Natural Heritage Program, Helena. 10 pp. plus appendices.
- Heinemeyer, K.S., and J.L. Jones. 1994. Fisher Biology and Management in the Western United States: A Literature Review and Adaptive Management Strategy (Version 1.2). Prepared by USDA Forest Service Northern Region and Interagency Forest Carnivore Working Group.
- Hejl, S. J. and R. L. Huto, C. R. Preston, and D. M. Finch. 1995. Effects of silvicultural treatments in the Rocky Mountains, In: Ecology and Management of Neotropical Migratory Birds: a Synthesis and Review of Critical Issues. (Pages 220-244). Edited by T. E. Martin and D. M. Finch. New York. Oxford University Press
- Hejl, S. and M. McFadzen. 1998. Maintaining fire-associated bird species across forest landscapes in the northern Rockies. Summary Report. USDA. Forest Service. Intermountain Research Station. 14 p. Missoula, MT.
- Hejl, Sallie J., and Mary McFadzen. 2000. Maintaining fire-associated bird species across forest landscapes in the Northern Rockies—Final Report. [INT-99543-RJVA]. USDA Forest Sciences Laboratory (21pp.)
- Hejl, Sallie J., Mack, Diane Evans, Young, Jock S., Bednarz, James C., and Hutto, Richard L. 2002. Birds and changing landscape patterns in conifer forests of the north-central Rocky Mountains. Studies in Avian Biology 25: 113-129.

- Helms, J. A., ed. 1998. The Dictionary of Forestry. The Society of American Foresters. Bethesda, MD. 20814. (page 39).
- Hemstad, N.A. and R.M. Newman. 2006. Local and Landscape Effects of Past Forest Harvest on Stream Habitat and Fish Assemblages *IN* Landscape Influences on Stream Habitats and Biological Assemblages. American Fisheries Society Symposium 48. R.M. Hughes, L. Wang, and P. Seelbach, editors. Bethesda, Maryland. Pages 413-428.
- Hendricks, P. and B.A. Maxell. 2005. Bat Surveys on USFS Northern Region Lands in Montana: 2005. Report to the USDA Forest Service, Northern Region. Montana Natural Heritage Program, Helena, MT.
- Hendrickson, W. H. 1970. Consideration of natural fire; variance of viewpoint. Role of Fire in the Intermountain West Symp. Proc.:76-80.
- Hessburg, Paul F., Smith, Bradley G., Kreiter, Scott D. [and others]. [Online] 1999. Historical and current forest and range landscapes in the interior Columbia River basin and portions of the Klamath and Great Basins. Part I: Linking vegetation patterns and landscape vulnerability to potential insect and pathogen disturbances. [Gen. Tech. Rep. PNW-GTR-458]. (Quigley, Thomas M., tech. ed.). In *Interior Columbia Basin Ecosystem Management Project: scientific assessment*. USDA Forest Service, Pacific Northwest Research Station. Portland, OR. (357 p.) http://www.fs.fed.us/pnw/pubs/gtr\_458.pdf
- Hillis, J. M., Amy Jacobs, and Vita Wright. 2003. Status of Black-Backed Woodpeckers in U.S. Forest Service Region One. National Fire Plan Cohesive Strategy Team. (13 pp).
- Hillis, J. M., M. J. Thompson, J. E. Canfield, L. J. Lyon, C. L. Marcum, P. M. Dolan, an D. W. McCleerey. 1991. Defining elk security: The Hillis paradigm. *In Proceedings of elk vulnerability* symposium. Edited by Christiansen, A. G., L. J. Lyon, and T.N. Lonner. Montana State University, Bozeman, MT. (Pages 38-43).
- Hitchcox, Susan M. 1996. Abundance and Nesting Success of Cavity-nesting Birds in Unlogged and Salvage-logged Burned Forest in Northwestern Montana. M.S. Thesis, University of Montana. Page 13.
- Holsten, E.H.; Thier, R.W.; Munson, A.S.; and Gibson, K.E. 1999. The Spruce Beetle. Forest Insect and Disease Leaflet #127. USDA, Forest Service. Washington, DC. (12 p.)
- Hood, Sharon; Bentz, Barbara. 2007. Predicting postfire Douglas-fir beetle attacks and tree mortality in the northern Rocky Mountains. Canadian Journal of Forest Research. 37: 1058–1069. NRC Research Press. Web site cjfr.nrc.ca. July 2007.
- Hood, Sharon; Bentz, Barbara; Gibson, Ken; Ryan, Kevin; DeNitto, Gregg. 2007. Assessing post-fire Douglas-fir mortality and Douglas-fir beetle attacks in the northern Rocky Mountains. Gen. Tech. Rep. RMRS-GTR-199. Fort Collins, CO: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 31 p. Includes Supplement
- Hoyt, J. S., and S. J. Hannon. 2002. Habitat associations of Black-backed and Three-toed woodpeckers in the boreal forest of Alberta. Canadian Journal of Forest Research 32: 1881–1888.
- Hutto, R. L. 1995a. Distribution and habitat relationships. USFS Northern Region songbird monitoring program, Second Report. University of Montana, Missoula, MT. Pages 5 and 21; Attachment page 5.
- Hutto, R. L. 1995b. Composition of bird communities following stand-replacement fires in northern Rocky Mountain (USA) conifer forests. *Conservation Biology* (Vol. 9, No. 5, pp.1041-1058).
- Hutto, R.L., and J.S. Young. 1999. Habitat relationships of landbirds in the Northern Region, USDA Forest Service. General Technical Report. RMRS-GTR-32. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 72 p.

- Hutto, R.L., and J.S. Young. 2002. Regional landbird monitoring: perspectives from the northern Rocky Mountains. Wildlife Society Bulletin 30:738-750.
- Hutto, R.L. 2006. Toward meaningful snag-management guidelines for postfire salvage logging in North American conifer forests. Conservation Biology 20: 984-993.
- Hutto R.L., and S.M. Gallo. 2006. The Effects of Postfire Salvage Logging on Cavity-Nesting Birds. The Condor: Vol. 108, No. 4 pp. 817–831
- ICBEMP. 2000. Interior Columbia Basin Supplemental Draft Environmental Impact Statement. US Department of Interior and U.S. Department of Agriculture.
- Isle, D.W. 1997. Rediscovery of water howellia for California. Fremontia 25(3):29-32.
- Jackson, Marcus. 2006. Changes in fire-killed western larch on the Glacier View Ranger District (Flathead National Forest), Montana; five year report. Forest Health Protection Report 06-12. USDA, Forest Service, Northern Region. Missoula, MT.
- Jenkins, M.J., Dicus, C.A., Hebertson, E.G., 1998. Postfire succession and disturbance interactions on an intermountain subalpine spruce-fir forest. In: Pruden, T.L., Brennan, L.A. (Eds.), Fire in Ecosystem Management: Shifting the Paradigm from Suppression to Prescription, Tall Timbers Fire Ecology Conference Proceedings 20, Tall Timbers Research Station, Tallahassee, FL, pp. 219–229.
- Jenkins, M.J., 1990. The relationship between fire and bark beetle attack in western North American forests. In: Proceedings of the Symposium of Forest Fire Research. International Conference of Forest Fire Research. Coimbra, Portugal pp. c11-1–c11-12.
- Johnson, L.R., D. Page-Dumroese, and H. Han-Sup. 2007. Effects of machine traffic on the physical properties of ash-cap soils. In: Page-Dumroese, R. Miller, J. Mital, P. McDaniel, D. Miller, tech. eds. Volcanic Ash-Derived forest soils of the Inland Northwest: Propoerties and Implications for Management and Restoration. 9-10 Nov 2005; Coer d'Alene, ID. Proceedings RMRS-P-44; Fort Collins, CO: USDA Forest Service, Rocky Mountain Research Station. p. 69-82
- Jones, J. L. 1991. Habitat use of Fisher in North Central Idaho. Masters Thesis. University of Idaho, Moscow, ID. 146 pages.
- Joslin, G. and H. Youmans. 1999. Effects of recreation on Rocky mountain wildlife: a review for Montana. Committee on Effects of Recreation on Wildlife, Montana Chapter of the Wildlife Society. 307 pp.
- Jules, E. S. 1998. Habitat fragmentation and demographic changes for a common plant: trillium in old-growth forest. Ecology 79(5):1645-1656.
- Jurgensen, M.F., A.E. Harvey, R.T. Graham, D.S. Page-Dumroese, J.R. Tonn, M.J. Larson, and T.B. Jain. 1997. Impacts of timber harvests on soil organic matter, nitrogen, productivity and health of inland northwest forests. Forest Science 43: 234-251.
- Kagan, J. 1989. Draft species management guide for *Silene spaldingii*. Unpublished report to the Oregon Department of Agriculture, Wallowa Whitman National Forest. 13 pp.
- Karr, J.R., J.J. Rhodes, G.W. Minshall, F.R. Hauer, R.L. Beschta, C.A. Frissell, and D.A. Perry. 2004. the effects of postfire salvage logging on aquatic ecosystems in the American west. Bioscience. 54: 1029-1033
- Keller, M. E. and S. H. Anderson. 1992. Avian use of habitat configurations created by forest cutting in southeastern Wyoming. The Condor. 94:55-65.
- Kennedy, P. L. 1997. The northern goshawk (*Accipiter gentilis atricapillus*): is there evidence of a population decline? J. Raptor Research 31(2):95-106.

- Kershner, J.L., B.B. Roper, N. Bouwes, R. Henderson, and E. Archer. 2004. An analysis of stream habitat conditions in reference and managed watersheds on some federal lands within the Columbia River basin. North American Journal of Fisheries Management 24: 1363-1375.
- Keyes, C., Rogers, P., LaMadeleine, L., Applegate, V., Atkins, D., 2003. Utah Forest Health Report: A Baseline Assessment 1999–2001. USDA Forest Service, Rocky Mountain Research Station/State of Utah, Department of Natural Resources, Salt Lake City, UT, p. 45.
- King, J.G. 1989. Streamflow Responses to Road Building and Harvesting: a Comparison with the Equivalent Clearcut Procedure. USDA Forest Service Research Paper INT-401, Ogden, Utah, 13 pp. *In:* Schnackenberg, E.S. and Lee H. MacDonald. 1998. Detecting cumulative effects on headwater streams in the Routt National Forest, Colorado. Journal of the American Water Resources Association. Volume 34, Number 5.
- King, J.G. and L.C. Tennyson. 1984. Alternation of streamflow characteristics following road construction in north central Idaho. Water Resources Research 20:1159-1163. p. 301 *In*: Meehan, W.R., Editor. 1991. Influences of forest and rangeland management on salmonid fishes and their habitats. American Fisheries Society Special Publication 19
- Kirchner, J.W., Finkel, R.C., Riebe, C.S., Granger, D.E., Clayton, J.L., King, J.G., Megahan, W.F. 2001. Mountain erosion over 10 yr, 10 k.y., and 10 m.y. time scales. Geology. Volume 29, Number 7.
- Klock, G. O. 1975. Impact of five post-fire salvage logging systems on soils and vegetation. Journal of Soil and Water Conservation 30(2): 78-81.
- Koehler, G. M., and K. B. Aubrey. 1994. Lynx. *In* The scientific basis for conserving forest carnivores: American marten, fisher, lynx, and wolverine in the western United States. USDA Forest Service, Fort Collins, CO, Gen. Tech. Report RM-254.
- Koivula, M. J., and F. K. A. Schmiegelow. 2007. Boreal woodpecker assemblages in recently burned forested landscapes in Alberta, Canada: Effects of post-fire harvesting and burn severity. Forest Ecology and Management 242:606-618.
- Kotliar, N.B., S.J. Hejl, R.L. Hutto, V. Saab, C.P. Melcher, and M.E. McFadzen. 2002. Effects of fire and post-fire salvage logging on avian communities in conifer-dominated forests of the Western United States. *Studies in Avian Biology* 25:49-64.
- Krebs, J., E. Lofroth, J. Copeland, V.Banci, D. Cooley, H. Golden, A. Magoun, R. Mulders, and B. Shults. 2004. Synthesis of survival rates and causes of mortality in North American wolverines. J. Wildl. Manage. 68:493-502.
- Kuennen, L. 2007. Thirty-five years of studying, learning about, and interpreting soil on the Kootenai National Forest. Internal Inservice Report. USDA Forest Service, Region 1, Kootenai NF, Libby, MT. 28p.
- Larson, Diane L., Wesley E. Newton, Patrick J. Anderson, and Steven J. Stein. 1999. Effects of fire retardant chemical and fire suppressant foam on shrub steppe vegetation in northern Nevada. International Journal of Wildland Fire 9(2):115-127. Jamestown, ND: Northern Prairie Wildlife Research Center Online. http://www.npwrc.usgs.gov/resource/habitat/chemfoam/index.htm (Version 30MAY2001).
- Larsen, I.J., and L.H. MacDonald. 2007. Predicting postfire sediment yields at the hillslope scale: testing RUSLE and Disturbed WEPP. Water Resources Research. 43: 1-18
- Laverty, Lyle and Jerry Williams. 2000. Protecting People and Sustaining Resources in Fire-Adapted Ecosystems. A Cohesive Strategy. The Forest Service Management Response to the General Accounting Office Report GAO/RCED-99-65. Available at: <a href="http://www.fireplan.gov/cohesive.cfm">http://www.fireplan.gov/cohesive.cfm</a>.

- Lesica, P. 1990. Habitat requirements, germination behavior and seed bank dynamics of *Howellia aquatilis* in the Swan Valley, Montana. Report submitted to the Flathead National Forest, Kalispell. 44 pp.
- Lesica, P. 1991. Monitoring *Howellia aquatilis* and *Phalaris arundinacea* at Swan River Oxbow Preserve. Unpublished report to The Nature Conservancy, Helena, Montana. 7 pp.
- Lesica, P. 1993. Loss of fitness resulting from pollinator exclusion in *Silene spaldingii* (Caryophyllaceae). Madrono, (40)4: 193-201.
- Lesica, P. 1995. The effects of fire on *Silene spaldingii* at the Dancing Prairie Preserve. Unpublished Progress Report to the Montana Field Office of The Nature Conservancy, Helena, Montana and the U.S. Forest Service, Intermountain Research Station. 17 pp.
- Lesica, P. 1997a. Spread of *Phalaris arundinacea* adversely impacts the endangered plant *Howellia aquatilis*. Great Basin Naturalist 57(4): 366-368.
- Lesica, P. 1997b. Demography of the endangered plant, *Silene spaldingii* (Caryophyllaceae) in northwest Montana. Madrono, 44(4): 347-358.
- Lesica, P. 1988a. Monitoring *Silene spaldingii* on Dancing Prairie Preserve: 1988 progress report. Prepared for: The Nature Conservancy, Montana/Wyoming Office, Helena, MT. Unpublished paper on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 4 pp.
- Lesica, P. 1988b. Monitoring *Silene spaldingii* on Wild Horse Island: 1988 progress report. Prepared for: The Nature Conservancy, Montana/Wyoming Office, Helena, MT. Unpublished paper on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 3 p.
- Lesica, P. 1988c. A preliminary study of the pollination biology of Spalding's catchfly in the Tobacco Valley, Lincoln County, Montana. Unpublished report. The Nature Conservancy, Montana/Wyoming Field Office, Helena, MT. 3 pp.
- Lesica, P. 1991. Inbreeding depression and the importance of pollinators to the threatened plant, *Silene spaldingii* (Caryophyllaceae). Prepared for: The Nature Conservancy, Montana Field Office, Helena. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. 15 p.
- Lesica, P. 1992. Autecology of the endangered plant *Howellia aquatilis*; Implications for management and reserve design. Ecological Applications 2(4):411-421.
- Lesica, P. 1992. Monitoring *Silene spaldingii* on Dancing Prairie Preserve: 1992 progress report. Unpublished report. The Nature Conservancy, Montana Field Office, Helena, Montana. 9 pp. plus charts.
- Lesica, P. 1992. Monitoring *Silene spaldingii* on Wild Horse Island: 1992 progress report. Unpublished report. The Nature Conservancy, Montana Field Office, Helena, Montana. 8 pp. plus charts.
- Lesica, P. 1994. Monitoring *Silene spaldingii* on Dancing Prairie Preserve: 1993 progress report prepared for the Montana Nature Conservancy, Helena..
- Lesica, P. 1996. Using fire history models to estimate proportions of old growth forest in Northwest Montana, USA. Biological Conservation. vol. 77, iss. 1, pp. 33-39(7).
- Lesica, P. 1999a. Conservation Biology Research. Missoula, Montana. Personal communication, December 22.
- Lesica, P. 1999b. Effects of fire on the demography of the endangered, geophytic herb *Silene spaldingii* (Caryophyllaceae). Amer. J. Bot. 86(7):996-1002.

- Lesica, P. and B. Heidel. 1996. Pollination biology of *Silene spaldingii*. Unpublished Report to the Montana Field Office of The Nature Conservancy, Montana Natural Heritage Program, Helena, 16 pp.
- Lesica, P., R.F. Leary, F.W. Allendorf, and D.E. Bilderback. 1988. Lack of genetic diversity within and among populations of an endangered plant, *Howellia aquatilis*. Conservation Biology 2:275-282.
- Lichthardt, J. 1997. Revised report on the Conservation Status of *Silene spaldingii* in Idaho. Report prepared for the Idaho Department of Fish and Game, Boise, Idaho. U.S. Fish and Wildlife Service Purchase Order No. 14420-5-0395. 25 pp.
- Lidicker, W. Z., Jr. and W. D. Koenig. 1996. Responses of terrestrial vertebrates to habitat edges and corridors. Metapopulations and wildlife conservation. Washington, D.C., Island Press. (Pages 85-109).
- Lindenmayer, D.B., and J.F. Franklin. 2002. Conserving forest biodiversity: a comprehensive multiscaled approach. Island Press, Washington, D.C. AS CITED IN Noss et al. 2006.
- Lindenmayer, D.B., and R.F. Noss. 2006. Salvage logging, ecosystem processes, and biodiversity conservation. Conservation Biology. 20(4): 949-958
- Lŏhmus, A. 2005. Are timber harvesting and conservation of nest sites of forest-dwelling raptors always mutually exclusive? Animal Conservation. 8:443-450.
- Lorain, C. C. 1991. Report on the conservation status of *Silene spaldingii* in Idaho. Idaho Natural Heritage Program, Idaho Department of Fish and Game, Boise.
- Lotan, James E., James K. Brown, and Leon F. Neuenschwander. 1984. Role of fire in lodgepole pine forests In *Lodgepole pine the species and its management, symposium proceedings*. Spokane Washington. (p. 139.)
- Lowell, Eini C., Susan A. Willits, and Robert L. Krahmer. 1992. Deterioration of fire-killed and fire-damaged timber in the Western United States. [Gen. Tech. Rep. PNW-GTR-292]. USDA Forest Service, Pacific Northwest Research Station. Portland, OR. (p. 12). Also summarized in USDA Forest Service. 2000. Survivability and deterioration of fire-injured trees in the Northern Rocky Mountains; a review of the literature.
- Luce, C.H. 1997. Effectiveness of Road Ripping in restoring infiltration capacity of forest roads. Restoration Ecology. 5(3): 265-270
- Lyon, J. L. 1977. Attrition of lodgepole pine snags on the sleeping child burn, MT. Research Note INT-219. Ogden, UT: U.S. Department of Agriculture, Forest Service, Intermountain Forest and Range Experiment Station. (4 p.). Summarized In Survivability and Deterioration of Fire-Injured Trees in the Northern Rocky Mountains: A Review of the Literature. Forest Health Protection, State and Private Forestry, Northern Region. Report 2000-13. Missoula MT. (p. 18)
- Lyon, L. Jack. 1984. The Sleeping Child Burn 21 years of postfire change [INT-330]. USDA Forest Service. (p. 12.)
- Lyon, L. J. and J. E. Canfield. 1991. Habitat selections by Rocky Mountain elk under hunting season stress. *In* Proceedings of the elk vulnerability symposium. Edited by Christensen, A. G., L. J. Lyon, and T.N. Lonner. Montana State University, Bozeman, Montana. (Pages 99-105).
- Lyon, L. J., M. H. Huff, E. S. Telfer, D. S. Schreiner, and J. K. Smith. 2000. Chapter 4: Fire effects on animal populations. In *Wildland fire in ecosystems: effects of fire on fauna*. J. K. Smith, ed. RMRS-GTR-42, vol. 1. Ogden UT: USDA Forest Service, RMRS: pp. 25-34.
- Lyon, L. Jack. 1984. The Sleeping Child Burn 21 years of postfire change [INT-330]. USDA Forest Service. (p. 12.)

- Lyon, L.J., T.N. Lonner, J.P. Wiegand, C.L. Marcum, W.D. Edge, J.D. Jones, D.W. McCCleery, and L.L. Hicks. 1985. Coordinating elk and timber management: Final report of the Montana Cooperative Elk-Logging Study 1970-1985. Montana Department of Fish, Wildlife and Parks. Bozeman. (53 pp.)
- MacDonald, L. H., A. W. Smart, and R. C. Wissmar, 1991. Monitoring Guidelines to Evaluate the Effects of Forestry Activities on Streams in the Pacific Northwest and Alaska. Paper No. 910/9-91-001, Region 10, U.S. Environmental Protection Agency, Seattle Washington, 166 pp.
- Machmer, Marlene. 2002. Effects of Ecosystem Restoration Treatments on Cavity-nesting Birds, Their Habitat, and Their Insectivorous Prey in Fire-maintained Forests of Southeastern British Columbia. USDA Forest Service Gen. Tech. Rep. PSW-GTR-181. 2002.
- Madsen, S., 1994. Channel Response Associated with Predicted Water and Sediment Yield Increases in Northwest Montana. M.S. Thesis, Dept. of Earth Resources, Colorado State University, Fort Collins, Colorsdo, 230 pp. *In:* Schnackenberg, E.S. and Lee H. MacDonald. 1998. Detecting cumulative effects on headwater streams in the Routt National Forest, Colorado. Journal of the American Water Resources Association. Volume 34, Number 5.
- Magoun, Audrey J., and Jeffrey P. Copeland. 1998. Characteristics of wolverine reproductive den sites. Journal of Wildlife Management 62:1313-1320.
- Marcot, B.G., K. Mellen, S.A. Livingston, and C. Odgen. 1999. The DecAID Advisory Model: Wildlife Component. pp 561-590. In: Laudenslayer, William F., Jr.; Valentine, Brad; Weatherspoon, C. Philip; Lisle, Thomas E., technical coordinators. Proceedings of the symposium on the ecology and management of dead wood in western forests. 1999 November 2-4; Reno, NV. Gen. Tech. Rep. PSW-GTR-181. Albany, CA: Pacific Southwest Research Station, Forest Service, U.S. Department of Agriculture. http://www.fs.fed.us/psw/publications/documents/gtr-181/044 MarcotDecAid.pdf
- Maser, Chris, Ralph G. Anderson, Kermit Cromack, Jerry T. Williams and Robert E. Martin. 1979. "Dead and Down Woody Material". Wildlife Habitats in Managed Forests the Blue Mountains of Oregon and Washington. Agriculture Handbook No. 553.
- Maxell, Bryce A. 2000. Management of Montana's Amphibians: A Review of Factors that may present a Risk to Population Viability and Accounts on the Identification, Distribution, Taxonomy, Habitat Use, Natural
- Maxell, B.A., J.K. Werner, P. Hendricks, and D.L. Flath. 2003. Herpetology in Montana. Northwest Fauna Number 5. Society for Northwestern Vertebrate Biology. Olympia, WA.
- McCarten, Niall, Jones and Stokes Associates, Roxanne Bittman. 1998. Water chemistry, nutrient cycling, productivity and environmental factors affecting plant community structure in *Howellia aquatilis* ponds. Unpublished report from Forum on Research and Management of Howellia aquatilis. Turnball National Wildlife Refuge, Cheney, Washington, March 1998.
- McClelland, B.R. 1979. The pileated woodpecker in forests of the northern Rocky Mountains. Pages 283-299 in J.G. Dickson, R.N. Connor, R.R. Fleet, J.A. Jackson, and J.C. Kroll, eds., The role of insectivorous birds in forest ecosystems, Academic Press, Inc., New York.
- McClelland, B. R., and P. T. McClelland. 1999, Pileated Woodpecker nest and roost trees in Montana: links with old-growth and forest "health.": Wildl. Soc. Bull. 27 846–857.
- McClelland, P.T. 1992. Ecology of bald eagles at Hungry Horse Reservoir, Montana. M.S. Thesis, Univ. Mont., Missoula. 94 pp.
- McClelland, B. R. and J. A. Schmidt. 1995. Old-growth western larch forests: management implications for cavity nesting birds. *In* Proceedings of the symposium on ecology and management of *Larix* forests: A look ahead. Whitefish, Montana, October 5-9, 1992. USDA Forest Service, Intermountain Research Station, Ogden, Utah. Gen. Tech. Report INT 319. (Page 376).

- McCune, B. 1982. Noteworthy collection, Montana: Howellia aquatilis. Madrono 29: 123-124.
- McGregor, M.D.; Oakes, R.D.; and H.E. Meyer. 1983. Status of mountain pine beetle, Northern Region, 1982. USDA Forest Service, Northern Region, State and Private Forestry [Report No. 83-16]. Missoula. MT. (32 p. plus appendix).
- McIver, J.D. and L. Starr. 2000. Environmental effects of postfire logging: literature review and annotated bibliography. General Technical Report PNW-GTR-46. Portland, OR: USDA Forest Service, Pacific Northwest Research Station. 72p.
- Meehan, W. R. (Editor), 1991. Influence of Forest and Rangeland Management on Salmonid Fishes and Their Habitat. Amer. Fish. Soc. Spec. Publ. 19, Bethesda, Maryland, 751 pp.
- Megahan, W.F. and W.J. Kidd. 1972. Effect of logging roads on sediment production rates in the Idaho Batholith. Research Paper INT-123. USDA Forest Service, Intermountain Forest and Range Experiment Station. Ogden, UT. *In:* Ketcheson, G.L. and W.F. Megahan. 1996. Sediment production and downslope sediment transport fromm forest roads in granitic watersheds. Resarch Paper INT-RP 486. USDA Forest Service, Intermountain Research Station. Ogden, UT.
- Meyer, K.A.; J.A. Lamansky, Jr. and D.J. Schill. 2006. Evaluation of an Unsuccessful Brook Trout Electrofishing Removal Project in a Small Rocky Mountain Stream. North American Journal of Fisheries Management 26: 849-860.
- Miernyk, William H. 1965. The Elements of Input–Output Analysis. Random House. New York, New York.
- Miller, Melanie. 2000. Fire autecology. In *Wildland Fire in Ecosystems, Effects of Fire on Flora*. Chapter 2. [Gen. Technical Report 42, Vol. 2]. Brown and Smith (Eds.) USDA Forest Service. Rocky Mountain Research Station. (pp.16 & 22).
- Montana Bald Eagle Working Group. 1994. Montana Bald Eagle Management Plan. USDA Forest Service. Missoula, MT (p. 20-33).
- Montana Bull Trout Scientific Group. 1995. Flathead River Drainage Bull Trout Status Report (including Flathead Lake, the North and Middle forks of the Flathead River and the Stillwater and Whitefish rivers). Unpublished report prepared for the Montana Bull Trout Restoration Team. 46 pages.
- Montana Department of Environmental Quality. 2006. Water Quality Administrative Rule 17.30.600.
- Montana Department of Environmental Quality. 2006. Integrated 305(b)/303(d) Water Quality Report. http://www.deq.state.mt.us/CWAIC/wq\_reps.aspx?yr=2006qryId=24853
- Montana Department of Fish, Wildlife, and Parks. 2004. Montana Statewide Elk Management Plan. Helena, Montana. http://fwp.mt.gov/hunting/elkplan.html
- Montana Natural Heritage Program. 2006. Plant Species of Concern, June 2006. MNTHP, Helena, MT. 48 pp.
- Montana Natural Heritage Program. 2008. Montana Rare Plant Field Guide. Web page <a href="http://nhp.nris.state.mt.us/plants/">http://nhp.nris.state.mt.us/plants/</a>. Helena, Montana.
- Montana Partners in Flight. April 2000. Bird Conservation Plan Montana. Version 1.1.
- Morgan, J. T. 1993. Summer habitat use of white-tailed deer on the Tally Lake Ranger District, Flathead National Forest. Montana State University, Bozeman. PhD Thesis.
- Muraro, S.J. 1971. The Lodgepole Pine Fuel Complex. Forest Research Laboratory. [Information Report BC-X-53]. Department of Fisheries and Forestry- British Columbia. (pp. 18-23.)

- Muths, Erin. 2003. Home range and movements of boreal toads in undisturbed habitat. Copeia 2003(1):160-165.
- Nappi, Antoine, Pierre Drapeau, and Jean-Pierre Savard. "Salvage Logging after Wildfire in the Boreal Forest: Is it becoming a Hot Issue for Wildlife?" <u>The Forestry Chronicle.</u> January/February 2004.
- National Wildfire Coordination Group. 2001. Smoke Management Guide for Prescribed and Wildland Fire. Chapters 5 and 7.
- Natural Resources Conservation Service. 2008. NRCS National Weather and Climate Center. Handcreek Montana Snotel Site, Station 14A14S510. Available [ONLINE] @ http://www.wcc.nrcs.usda.gov/snotel/snotel.pl?sitenum=510&state=mt [Jan 16, 2008]
- Negron, J.F.; Schaupp, W.C. Jr.; Gibson, K.E.; Anhold, J.; Hansen, D.; Thier, R.; and Mocettini, P. 1999. Estimating extent of mortality associated with the Douglas-fir beetle in the central and northern Rockies. *Western Journal of Applied Forestry* (Vol. 14, No. 3, p. 121-127).
- Nickless, R., and E. Boldt, and C. Neesvig. 2002. Rainfall events and their effect on severely burned areas of western Montana following the forest fires of 2000. Western Region Technical Attachment. NO. 02-12. Available [ONLINE] @ http://www.wrh.noaa.gov/wrh/02TAs/0212/index.html [Feb 2008]
- Niehoff, G. 2002. Soil NEPA analysis process and source of soil disturbance model coefficients. Unpublished report available from Idaho Panhandle National Forests Supervisors Office, Coeur d'Alene, Idaho.
- Natural Resources Conservation Service. 2008. NRCS National Weather and Climate Center. Handcreek Montana Snotel Site, Station 14A14S510. Available [ONLINE] @ <a href="http://www.wcc.nrcs.usda.gov/snotel/snotel.pl?sitenum=510&state=mt">http://www.wcc.nrcs.usda.gov/snotel/snotel.pl?sitenum=510&state=mt</a> [Jan 16, 2008]
- NOAA. 1973. Isopluvials of 2-YR 6-HR precipitation in tenths. NOAA Atlas 2, Volume I. Prepared by US Department of Commerce, National Oceanic and Atmospheric Administration, National Weather Service, Office of Hydrology. Prepared for USDA Forest Service, Soil Conservation Service, Engineering Division.
- Noon, B.R., P. Parenteau, and S. C. Trombulak. 2005. Conservation science, biodiversity and the 2005 U.S. Forest Service regulations. Conserv. Biol. 19(5):1359-1361.
- Norton, J.B., T.A. Monaco, J.M. Norton, D.A. Johnson, and T.A. Jones. 2004. Soil morphology and organic Matter dynamics under cheatgrass and sagebrush-steppe plant communities. Journal of Arid Environments 57: 445-466.
- Noss, Reed F (editor), Jerry F. Franklin, William L. Baker, Tania Schoennagel, and Peter B. Moyle. 2006. Ecology and Management of Fire-prone Forests of the Western United States. Society for Conservation Biology Scientific Panel on Fire in Western U.S. Forests. Arlington, VA.
- Noste, Nonan V., and Charles L. Bushey. 1987. Fire Response of Shrubs of Dry Forest Habitat Types in Montana and Idaho. [General Technical Report INT 239]. USDA Forest Service, Intermountain Research Station. (1 p.)
- NPA Data Services, Inc. 2005. 2007 Regional Economic Projections Series. Census and Economic Information Center, Montana Dept. of Commerce.
- Oliver, Chadwick and Bruce C. Larson. 1996. *Forest stand dynamics*. Update edition. John Wiley & Sons, Inc. NY, NY. (pp. 148-158).
- Olsen, B.E. 1999. Impacts of noxious weeds on ecologic and economic systems. In: Shelley, R.L. and J.K. Petroff (eds.) Biology and Management of Noxious Rangeland Weeds. Oregon State University Press. Corvallis, Oregon.

- Otvos, I. S. 1979. The effects of insectivorous bird activities in forest ecosystems: an evaluation. In Dickson et al. The Role of Insectivorous Birds in Forest Ecosystems. New York, Academic Press. pp. 341-374.
- Pac, David F., Richard J. Mackie, Henry E. Jorgenson. 1991. Mule deer population organization, behavior, and dynamics in a northern Rocky Mountain environment. *In* Federal aid in wildlife restoration project W-120-R, final report. Montana Department of Fish, Wildlife, and Parks, Helena. 316 pp.
- Page-Dumroese, D., M.J. Jurgensen, A. Abbott, T. Rice, J. Tirocke, S. Farley, and S. DeHart. 2006. Monitoring changes in soil quality from post-fire logging in the inland northwest. USDA Forest Service, Rocky Mountain Research Station, USDA Forest Service Proceedings, RMRS-P-41. pp. 605-614
- Parret, C., S.H. Cannon, and K.L. Pierce. 2004. Wildfire-related floods and debris flows in Montana in 2000 and 2001.
- Perry, D.A., and M.P. Amaranthus. 1997. Disturbance, recovery, and stability. In Creating a Forestry for the 21<sup>st</sup> Century: The science of ecosystem management. Kohm, K.A. and J.F. Franklin. (Eds.) Island Press, Washington, D.C. 31-56 p.
- Peterson, D.P.; K.D. Fausch, and G.C. White. 2004. Population Ecology of an Invasion: Effects of Brook Trout on Native Cutthroat Trout. Ecological Applications 14(3): 754-772.
- Pfister, Robert D. and others, 1977. Forest Habitat Types of Montana. General Technical Report GTR-INT-34, USDA Forest Service Intermountain Forest and Range Experiment Station, Odgen UT, 174P.
- Pilliod, David S., R. Bruce Bury, Erin J. Hyde, Christopher A. Pearl, and Paul Stephen Corn 2003. Fire and amphibians in North America. Forest Ecology and Management 178 (2003) 163-181.
- Pollet, Jolie and Phillip Omi. 1999. Effect of thinning and prescribed burning on wildfire severity in ponderosa pine forests. In *Proceedings from : The Joint Fire Science Conference and Workshop*. Boise, ID. (pp. 137-141). University of Idaho and the International Assoc. of Wildland Fire.
- Powell, H.D. 2000. The influence of prey density on post-fire habitat use of black-backed woodpeckers. M.S. thesis, Univ. of Montana. Missoula, MT 97 pp.
- Powell, H. D. W., S. J. Hejl, and D. L. Six. 2002. Measuring woodpecker food: a simple method for comparing wood-boring beetle abundance among fire-killed trees. J. Field Ornithol. 73(2):130-140.
- Powell, R. A. and W. J. Zielinski. 1994. Fisher, In: The Scientific Basis for Conserving Forest Carnivores: American Marten, Fisher, Lynx, and Wolverine in the Western United States. USDA Forest Service, Gen. Tech Report RM-254. Fort Collins, CO.
- Pyle, C. and M.M. Brown. 2002. The effects of microsite (logs versus ground surface) on the presence of forest floor biota in a second-growth hardwood forest. USDA Forest Service, Gen. Tech. Rep. PSW-GTR-181.
- Quigley, Thomas M., Richard W Haynes, Russell T. Graham (Tech eds.). 1996. Integrated scientific assessment for ecosystem management in the interior Columbia basin and portions of the Klamath and Great Basins. [Gen. Tech. Rep. PNW-GTR-382]. (Quigley, Thomas M., ed. Interior Columbia Basin Ecosystem Management Project: scientific assessment). USDA Forest Service, Pacific Northwest Research Station. Portland, OR. (303 p.) Pp. 181-182.
- Quigley, T.M. and S.J. Arbelbide, tech eds. 1997. An assessment of ecosystem components in the Interior Columbia Basin and portions of the Klamath and Great Basins: Volume III. USDA Forest Service, Pacific Northwest Research Station. General Technical Report PNW-GTR-405. Pages 1258-1265.

- Quigley, Thomas M., tech. ed. 1996. "The Interior Columbia Basin Ecosystem Management Project: Scientific Assessment". Gen. Tech. Rep. PNW-GTR-382; Page 178.
- Randall, D. and G. Tensmeyer. 1999. Douglas-fir beetle hazard rating system using the Oracle database and the Forest Service IBM platform. [Forest Health Protection Report 99-6]. USDA, Forest Service. Coeur d'Alene, ID. (5 p.)
- Raphael, M. G., and L. L. J. Jones. 1997. Characteristics of resting and denning sites of American martens in central Oregon and western Washington. Pages 146-165 In G. Proulx, H. N. Bryant, and P M. Woodard (editors) *Martes:* Taxonomy, Ecology, Techniques, and Management. Provincial Museum of Alberta, Edmonton, Alberta, Canada.
- Raphael, M. G., and M. White. 1984. Use of snags by cavity-nesting birds in the Sierra Nevada. Wild. Monogr. No. 86. 66pp.
- Reed, R. A., J. Johnson-Barnard, and W. L. Baker. 1996. Contribution of roads to forest fragmentation in the Rocky Mountains. Conservation Biology. 10:1098-1106.
- Reel, S., L. Schassberger and W. Ruediger. 1989. Caring for our Natural Community: Region 1 Threatened, Endangered and Sensitive Species Program. USDA Forest Service Northern Region, Missoula, MT. 309 pages.
- Reeves, G. H., P. A. Bisson, B. E. Rieman, and L. E. Benda. 2006. Postfire logging in riparian areas. Conservation Biology. Volume 20, Number 4, Pages 994-1004.
- Reich, Robin M., Suzanne M. Joy, and Richard T. Reynolds. 2004. Predicting the location of northern goshawk nests: modeling the spatial dependency between nest locations and forest structure. Ecological Modelling 176 (2004) 109–133.
- Reichel, J. D. and S. G. Beckstrom. 1994. Northern bog lemming survey: 1993. Unpublished report. Montana Natural Heritage Program. Helena, MT. 87 pp.
- Reid, L.M. and T. Dunne. 1984. Sediment production from forest road surfaces. Water Resources Research. Vol. 20, No. 11, pp. 1753-1761.
- Reynolds, R. T., R. T. Graham, M. H. Reiser; and others. 1992. Management recommendations for the northern goshawk in the southwestern United States. General Technical Report RM-217. Ft. Collins, CO: U. S. Department of Agriculture, Forest Service, Rocky Mountain Forest and Range Experiment Station. 184 p.
- Rice, D.J. 1990. An application of restoration ecology to the management of an endangered plant *Howellia aquatilis*. M.S. Thesis, Washington State University, Pullman. 85 pp.
- Richards, W.H., and D.O. Wallin, N. Schumaker. 2002. An Analysis of Late-Seral Forest Connectivity in Western Oregon, USA. Conservation Biology 16(5):1409-1421.
- Rieman, B.; D Lee, J. McIntyre, K. Overton, and R. Thurow. 1993. Consideration of Extinction Risks for Salmonids. Fish Habitat Relationships Technical Bulletin Number 14. USDA Forest Service, Intermountain Research Station. 12 pages.
- Rieman, B. and J. Clayton. 1997. Wildfire and Native Fish: Issues of Forest Health and Conservation of Sensitive Species. Fisheries 22 (11): 6-15.
- Rieman, B.; J. Dunham, and J. Peterson. 1999. Development of a Database to Support a Multi-Scale Analysis of the Distribution of Westslope Cutthroat Trout. Final report to US Geological Survey, Agreement Number 1445-HQ-PG-01026. 53 pages.

- Robichaud, P.R. and R.E. Brown. 1999. What happened after the smoke cleared: On-site erosion rates after a wilffire in eastern Oregon. Proceedings of the American Water Resources Association Specialty Conference on Wildland Hydrology. Edited by D. Olsen and J.P. Potyondy. Pp. 419-426.
- Robichaud, P.R. 2000. Fire effects on infiltration rates after prescribed fire in Northern Rocky Mountain forests, USA. Journal of Hydrology. 231-232: 220-229
- Roe, L.S. and J.S. Shelly. 1992. Update to the status review of *Howellia aquatilis*: Field surveys, monitoring studies and transplant experiments, U.S.D.A. Forest Service, Flathead National Forest. Montana Natural Heritage Program, Helena. 51 pp.
- Roper, B.B.; B. Jarvis, and J.L. Kershner. 2007. The Role of Natural Vegetative Disturbance in Determining Stream Reach Characteristics in Central Idaho and Western Montana. Northwest Science 81(3): 224-238.
- Rose, Cathy L.; Marcot, Bruce G.; Mellen, T. Kim; Ohmann, Janet L.; Waddell, Karen L.; Lindley, Deborah L.; Schreiber, Barry. 2001. Decaying wood in Pacific Northwest Forests: Concepts and tools for habitat management. In: Johnson, D. H.; O'Neil, T. A., editors. Wildlife-habitat relationships in Oregon and Washington. Corvallis, OR: Oregon State University Press; 580-623.
- Rotenberry, J. T., R. J. Cooper, J. M. Wunderle, and K. G. Smith. 1995. When and how are populations limited? The Roles of Insect Outbreaks, Fire, and other Natural Perturbations, In: Ecology and Management of Neotropical Migratory Birds: a Synthesis and Review of Critical Issues. (Pages 55-84). Edited by T. E. Martin and D. M. Finch. New York. Oxford University Press.
- Rothermel, Richard C. 1983. How to Predict the Spread and Intensity of Forest and Range Fires. [Gen. Tech. Rep. INT-143]. USDA Forest Service. (pp. 2-5, 9-12, 46-47).
- Ruggerio, L.F., B. Keith, S.W. Buskirk, W. Steven, L.J. Lyon and W.J. Zielinski. 1994. The Scientific Basis for Conserving Forest Carnivores: American Marten, Fisher, Lynx, and Wolverine in the Western United States. GTR RM-254. Ft. Collins, Colorado; USDA. Forest Service, Rocky Mountain Forest and Range Experiment Station.184 pp.
- Ruggiero, L. F., K. B. Aubry, S. W. Buskirk, G. M. Koehler, C. J. Krebs, K. S. McKelvey, and J. R. Squires. 2000. Ecology and conservation of lynx in the United States. USDA Forest Service Gen. Tech. Rep. RMRS-GTR-30WWW.
- Russell, R. E., V. A. Saab, J. Dudley, and J. J. Rotella. 2006. Snag longevity in relation to wildfire and postfire salvage logging. Forest Ecology and Management 232:179–187.
- Russell, R., V. Saab, and J. Dudley. 2007. Habitat-Suitability Models for Cavity-Nesting Birds in a Postfire Landscape. Journal of Wildlife Management: Vol. 71, No. 8 pp. 2600–2611.
- Russell, W.H., and C. Jones. 2001. The effects of timber harvesting on the structure and composition of adjacent old-growth coast redwood forest. *Landscape Ecology* 16: 731-741.
- Ryan, K.C. 1982. Evaluating potential tree mortality from prescribed burning. IN: Baumgartner, D.M. (ed) Site Preparation and Fuels Management on Steep Terrain. WSU Cooperative Ext. Ser., Pullman, WA. Pp. 167-179.
- Ryan, K. and Noste, N.V. 1985. Evaluating Prescribed Fires. In: Lotan, J.E., Kilgore, B.M., Fischer, W.C. and Mutch, R.W. (coords.). Proceedings, Symposium and Workshop on Wilderness Fire, 1983 November 15–18, Missoula, MT. USDA Forest Service, General Technical Report I
- Saab, V. A., and T. D. Rich. 1997. Large-scale Conservation Assessment for Neotropical Migratory Land Birds in the Interior Columbia River Basin. USDA Forest Service, General Technical Report PNW-GTR-399. 14 pages.

- Saab, Victoria A., and Jonathan G. Dudley. 1998. Responses of cavity-nesting birds to stand-replacement fire and salvage logging in ponderosa pine/Douglas-fir forests of southwestern Idaho. [Res. Pap. RMRS-RP-11]. USDA Forest Service, Rocky Mountain Research Station. Ogden, UT. (17 p.)
- Saab, Victoria A., H.D.W. Powell, N.B. Kotliar and K.R. Newlon. 2005. "Variation in fire regimes of the Rocky Mountains: implications for avian communities and fire management." <u>Studies in Avian Biology</u> 30: 76-96.
- Saab, Victoria, Jonathan Dudley, and William Thompson. 2004. Factors influencing occupancy of nest cavities in recently burned forests. *Condor* 106:20-36.
- Saab, Victoria, Ree Brannon, Jonathan Dudley, Larry Donohoo, Dave Vanderzanden, Vicky Johnson, and Henry Lachowski. 2002. Selection of Fire-created Snags at Two Spatial Scales by Cavity-nesting Birds. USDA Forest Dervice Gen. Tech. Rep. PSW-GTR
- Samson, F.B. 2005 (amended March 6, 2006). A Conservation Assessment of the Northern Goshawk, Black-backed Woodpecker, Flammulated Owl, and Pileated Woodpecker in the Northern Region, USDA Forest Service. Unpublished report on file (Exhibit Rs-20).
- Samson, F. B. 2006. Habitat estimates for maintaining viable populations of the northern goshawk, black-backed woodpecker, flammulated owl, pileated woodpecker, American martin, and fisher. Unpublished report on file, Northern Region, Missoula, Montana, USA [Project File Exhibit Rs-20].
- Sand-Jensen, K., and T.V. Madsen. 1991. Minimum light requirements of submerged freshwater macrophytes in laboratory growth experiments. Journal of Ecology 79:479-764.
- Schassberger, L. A. 1988. Report on the conservation status of *Silene spaldingii*, a candidate threatened species. Unpublished Report to the Montana Field Office of The Nature Conservancy, Montana Natural Heritage Program, Helena. 67 pp.
- Schassberger, L.A., and J.S. Shelly. 1990. Update to the status review of *Howellia aquatilis*: Field surveys, monitoring studies and transplant experiments, U.S.D.A. Forest Service, Flathead National Forest. Montana Natural Heritage Program, Helena. 57 pp.
- Schmid, J.M. and R.H. Frye. 1976. Stand Ratings for Spruce beetles. Research Note RM-309. USDA Forest Service, Rocky Mountain Forest and Range Experimental Station. Fort Collins, CO. (4 p.)
- Schmid, J.M., and R.H. Frye. 1977. Spruce beetle in the Rockies. [Gen. Tech. Rep. RM-49]. USDA Forest Service, Rocky Mountain Forest and Range Experimental Station. Fort Collins, CO. (38 p.)
- Schmid, J.M., 1981. Spruce beetles in blowdown. USDA Forest Service, Rocky Mountain Forest and Range Experiment Station, Resource Note RM-411, p. 5.
- Schmidt, Kirsten M.; Menakis, James P.; Hardy, Colin C.; Bunnell, David L.; Sampson, Neil.; Cohen, Jack; Bradshaw, Larry. 2001. Development of coarse-scale spatial data for wildland fire and fuel management. [General Technical Report RMRS GTR-CD-000]. USDA Forest Service, Rocky Mountain Research Station. Ogden, UT.
- Schmidt, Wyman, Ray Shearer, Arthur L. Roe. 1976. Ecology and silviculture of western larch forests. [Technical Bulletin 1520]. USDA Forest Service. (p. 18.)
- Schmitz, R.F. and Gibson, K.E. 1996. Douglas-fir beetle. Forest Insect and Disease Leaflet #5. USDA Forest Service. (8 p.)
- Schnackenberg, E.S. and Lee H. MacDonald. 1998. Detecting cumulative effects on headwater streams in the Routt National Forest, Colorado. Journal of the American Water Resources Association. Volume 34, Number 5.

- Shapley, M. and P. Lesica. 1997. *Howellia aquatilis* (water howellia) ponds of the Swan Valley; conceptual hydrologic models and ecological implications. Unpublished report to the U.S. Fish and Wildlife Service. Montana Natural Heritage Program and Conservation Biology Research. Helena. 44 pp.
- Shearer, Raymond C. 1975. Seedbed characteristics in western larch forests after prescribed burning. USDA Forest Service Research Paper INT-167. 26 p. Intermountain Forest and Range Experiment Station, Ogden, UT 84401.
- Shearer, Raymond C. 1976. Early establishment of conifers following prescribed broadcast burning in western larch/Douglas-fir forests. Proceedings: Tall Timbers Fire Ecology Conference No. 14 and Intermountain Fire Research Council Fire and Land management symposium. Pp. 481
- Shelly, J.S. 1989. Addendum to the status review of *Howellia aquatilis*, USDA Forest Service Region 1, Flathead National Forest. Montana Natural Heritage Program, Helena. 18 pp.
- Shelly, J.S. 1988. Status review of *Howellia aquatilis*: Region 1, Flathead National Forest. Montana Natural Heritage Program, Helena. 120 pp.
- Shelly, J.S. 1994. Personal Communication. October. Missoula, MT: U.S. Department of Agriculture, Forest Service, Region 1.
- Shelly, J.S., and R. Moseley. 1988. Report on the conservation status of *Howellia aquatilis*, a candidate threatened species. Unpublished report to the U.S. Fish and Wildlife Service, Denver, Colorado. Montana Natural Heritage Program, Helena. 166 pp.
- Siddall, J. L., and K. L. Chambers. 1978. Status report for *Silene spaldingii*. Unpublished report on file at: Idaho Department of Fish and Game, Conservation Data Center, Boise. not paged.
- Smith, Jane Kapler, ed. 2000. Wildland fire in ecosystems: effects of fire on fauna. Gen. Tech. Rep. RMRS-GTR-42-vol. 1. Ogden, UT: U.S. Department of Agriculture, Forest Service, Rocky Mountain Research Station. 83 p.
- Smucker, Kristina M., Richard L. Hutto, and Brian M. Steele. 2005. Changes in Bird Abundance After Wildfire: Importance of Fire Severity and Time Since Fire. Ecological Applications, 15(5), 2005, pp. 1535–1549.
- Sneck, K. M. 1977. The fire history of Coram Experimental Forest. University of Montana. M.S. Thesis.
- Spigel, K.M., and P.R. Robichaud. 2007. First-year post-fire erosion rates in Bitterroot National Forest, Montana. Hydrological Processes. 21: 998-1005
- Squires and Ruggiero. 1996. Nest-site preference of northern goshawks in southcentral Wyoming. Journal of Wildlife Management 60(1):170-177.
- Steele, R.; R.E. Williams; J.C. Wetherby, E.D. Reinhardt, J.T. Hoffman, R.W. Thier. 1996. Stand Hazard Rating for Central Idaho Forests. [General Tech. Report INT-GTR-332]. (29 p.).
- Stewart, Cathy, Vick Applegate, Brian Riggers, John Casselli, Barb Beckes, Carol Evens. 2004. Lolo National Forest Coarse Woody Debris Guide. USDA Forest Service.
- Stickney, Peter F. 1986. First decade plant succession following the Sundance Forest Fire, Northern Idaho. [GTR INT-197]. USDA Forest Service. (p. 22.)
- Stickney, Peter F. 1990. Early Development of Vegetation Following Holocaustic Fire in Northern Rocky Mountain Forests. Symposium proceedings: *Environmental Disasters: The Nature of Recovery* (Vol. 4, pp. 53-60).

- Swift, L.W. 1984. Gravel and grass surfacing reduces soil loss from mountain roads. Forest Science. Vol. 30, No. 3, pp. 657-670.
- Switalski, T.A., J.A. Bissonette, T.H. DeLuca and M.A. Madej. 2004. Benefits and Impacts of Road Removal. Front. Ecol. Env. 2(1): p. 21-28.
- Thiel, R. P. 1985. Relationship between road densities and wolf habitat suitability in Wisconsin. American Midland Naturalist. 113(2): 404-407.
- Thomas, J. W., H. Black, Jr., R. J. Scherzinger, and R. J. Petersen. 1979. Wildlife Habitats in Managed Forests: The Blue Mountains of Oregon and Washington. [USDA Agriculture Handbook 553]. Washington, D.C. (Pages 60-77).
- Thomas, J. W. and D. E. Toweill, eds. 1982. Elk of North America Ecology and Management. Wildl. Manage. Inst. Stackpole Books, Harrisburg, PA. (Pages 415-442).
- Thorpe, A.S. and R.M. Callaway. 2006. Interactions between invasive plants and soil ecosystems: will feedbacks lead to stability or meltdown? Pages 323-342 In Cadotte, M.W., S.M. McMahon and T. Fukami (editors). Conceptual Ecology and Invasions Biology: Reciprocal Approaches to Nature.
- Thorpe, Andrea S, Vince Archer, and Thomas H. DeLuca. 2006. The invasive forb, Centaurea maculosa, increases phosphorus availability in Montana grasslands. Applied Soil Ecology 32: 118–122.
- Tidwell, Thomas 2007. Letter to Forest Supervisors giving guidance on Black-backed woodpeckers, Northern Goshawk, and removing the Northern Goshawk from the sensitive species list. USDA Forest Service Northern Region, Missoula, MT.
- Tomasik E.; Cook, J. A. 2005. Mitochondrial phylogeography and conservation genetics of wolverine (Gulo gulo) of northwestern North America. Journal of Mammalogy. 86(2):386-396.
- Torgersen, T. F., R. R. Mason, and R. W. Campbell. 1990. Predation by birds and ants on two forest insect pests in the Pacific Northwest. *Studies in Avian Biology* (Vol. 13, pp.14-19).
- Torgersen, T. R. 1996. Birds, Bats & Bugs: Essential Elements of Forest Health. *Wild Fish and Forests*. Summer 1996. (pp. 8-10).
- Torgersen, T. R., and E. L. Bull. 1995. Down logs as habitat for forest-dwelling ants -- the primary prey of pileated woodpeckers in northeastern Oregon. *Northwest Science* (Vol. 69, pp. 294-303).
- Turcotte, Yves, and Andre Desrochers. 2003. Landscape-dependent response to predation risk by forest birds. Oikos 100(3):614.
- Tuttle, M. D., and D. A. R. Taylor. 1994. Bats and Mines. Resource Publication No. 3. Bat Conservation International, Inc., Austin TX. 41 pages.
- Tysdal, L.M.; Elliot, W.J.; Luce, C.H.; Black, T.A. 1999. <u>Modeling erosion from insloping forest [low-volume]</u> roads with WEPP watershed model. Seventh International Conference on Low-Volume Roads, May 23-26, 1999, Baton Rouge, LA. Transportation Research Record No. 1652, volume 2, 250-256.
- U.S. Department of Commerce. 2000. 2000 census of population, social and economic characteristics of Montana. Bureau of the Census. Washington DC. www.census.gov.
- U.S. Department of Commerce. 1990. 1990 census of population, social and economic characteristics of Montana. Bureau of the Census. Washington DC. www.census.gov.

- U.S Department of Commerce. 2007. Regional Economic Information System (REIS) Regional Accounts Data. Economic and Statistical Administration, Bureau of Economic Analysis, Regional Economic Division. Washington D.C.
- U.S. Fish and Wildlife Service. 2002. Birds of conservation concern 2002. Division of Migratory Bird Management, Arlington, Virginia. 99 pp. [Online version available at <a href="http://migratorybirds.fws.gov/reports/bcc2002.pdf">http://migratorybirds.fws.gov/reports/bcc2002.pdf</a>
- USDA, Forest Service. 1973, February. National Forest Landscape Management. Volume 1, Agriculture handbook Nr 434.
- USDA, Forest Service. 1974, April. National Forest Landscape Management Volume 2, Agricultural Handbook Nr. 464
- USDA Forest Service (Pfankuch). 1975. Stream reach inventory and channel stability evaluation, a watershed management procedure.
- USDA Forest Service. 1976. Forest Hydrology Part II. Hydrologic effects of vegetation manipulation.
- USDA Forest Service. 1986. Flathead National Forest Land & Resource Management Plan. Region 1, Flathead NF. Kalispell, MT. pp.II-55, Q1-9
- USDA Forest Service. 1988. Forest Service Handbook, FSH 2509.22. R1/R4 Amendment No. 1, Soil and Water Conservation Practices Handbook.
- USDA Forest Service. 1995. Riparian Landtype Inventory of the Flathead National Forest. Flathead National Forest, Kalispell, MT. 55 pages.
- USDA Forest Service. 1997. Conservation Strategy for *Howellia aquatilis*. Appendix VV to Flathead Forest Plan. On file at the Flathead National Forest Supervisor's Office. Kalispell, MT. 24 pp.
- USDA Forest Service. 1997. Upper Columbia River Basin Draft Environmental Impact Statement. (Vol. 1, Chapter 2, p. 184).
- USDA Forest Service. 1998. Historical vs. current conditions of upland forest surrounding Howellia aquatilis habitats in the Swan Valley, Montana. Unpublished report prepared by Maria Mantas. 7 pp.
- USDA Forest Service. 1998a. Northern Region Overview. Region 1. Missoula MT. Veg
- USDA and NRCS 1998. Soil Survey of Flathead National Forest Area, Montana. In cooperation with the Montana Agricultural Experiment Station. National Cooperation Soil Survey. Kalispell, MT. 100p.
- USDA Forest Service. 1999. Forest Service Manual, R-1 Supplement 2500-99-1. Soil Management, Soil Quality Monitoring. USDA Forest Service, Intermountain Region, Missoula, MT. 6 pp.
- USDA Forest Service. 1999a. Flathead National Forest Plan Amendment 21, Final Environmental Impact Statement: Management Direction Related to Old Growth Forests. Flathead National Forest, Kalispell, MT. (Pages 48-59 and 84-96; Appendix A page 27. Also, see project record U-1.)
- USDA Forest Service. 1999b. Big Creek Ecosystem Analysis at the Watershed Scale (EAWS), Big Creek Geographic Unit. Summary Document of Findings, and project record. Flathead National Forest, Hungry Horse Ranger District, Hungry Horse, MT.
- USDA Forest Service. 1999c. Forest Insect and Disease Conditions in the United States 1998. U.S. Department of Agriculture, Forest Service, Northern Region, State and Private Forestry. Missoula, MT (79 pp.) Veg

- USDA Forest Service. 2000. Survivability and deterioration of fire-injured trees in the Northern Rocky Mountains; a review of the literature. Forest Health Protection, State and Private Forestry, Northern Region. Report 2000-13. Missoula MT.
- USDA Forest Service. 2000a. Protecting People and Sustaining Resources in Fire Adapted Ecosystems: A Cohesive Strategy. U.S. Department of Agriculture, Forest Service. Washington, D.C. 85 pp.
- USDA Forest Service. 2001a. Flathead National Forest Noxious and Invasive Weed Control Environmental Assessment (March 2001). Flathead National Forest. Kalispell, MT. 171 pp.
- USDA Forest Service. 2001b. Flathead National Forest Noxious and Invasive Weed Control Decision Notice and Finding of No Significant Impact (May 2001). Flathead National Forest. Kalispell, MT. 10 pp.
- USDA Forest Service. 2003. Evaluating Risk to Native Plant Communities from Selected Exotic Plant Species. Maria Mantas and Cohesive Strategy Team. The Nature Conservancy of Montana and USDA Forest Service, Region 1 (Northern Region).
- USDA Forest Service. 2003a. Forest Insect and Disease Conditions in Montana and Program Highlights-2002. Numbered Report 03-1. U.S. Department of Agriculture, Forest Service, Northern Region, State and Private Forestry, Forest Health Protection. Missoula, MT (53p.) Veg
- USDA Forest Service. 2004. Forest Insect and Disease Conditions in Montana and Program Highlights-2003. Report 04-1. U.S. Department of Agriculture, Forest Service, Northern Region, State and Private Forestry. Forest Health Protection. Missoula, MT (53p.)
- USDA Forest Service. 2004a. Sensitive Plant Field Guide, Sixth Edition. Flathead National Forest. 69 pp. (unpublished).
- USDA Forest Service. 2004b. Northern Region Sensitive Species List. Region 1, Missoula, MT.
- USDA Forest Service. 2004c. Western Montana Planning Zone Social Science and Economic Specialist Report. Montag, J. and Stockman, K. Available at: <a href="http://www.fs.fed.us/r1/wmpz/documents/proposed-plans-psd/zone/docs/soc-econ-assess1.pdf">http://www.fs.fed.us/r1/wmpz/documents/proposed-plans-psd/zone/docs/soc-econ-assess1.pdf</a>
- USDA Forest Service. 2005. Region 1 Aquatic Ecological Unit Inventory Technical Guide: For Wadeable Streams. USDA Forest Service, Northern Region, Missoula, MT.
- USDA Forest Service. 2005a. Utah forest insect and disease conditions. State and Private Forestry, Forest Health Protection, Ogden Field Office/State of Utah, DNR, Division of Forestry, Fire and State Lands, RO-OFO-TR-O5-12, p. 58. Veg
- USDA Forest Service. 2006. Montana Forest Insect and Disease Conditions and Program Highlights-2006. Numbered Report 06-1. U.S. Department of Agriculture Forest Service, State and Private Forestry, and Montana Department of Natural Resources and Conservation. Missoula, MT (73p.)
- USDA Forest Service. 2006a. Montana Forest Insect and Disease Conditions and Program Highlights-2005. Numbered Report 06-1. U.S. Department of Agriculture Forest Service, State and Private Forestry, and Montana Department of Natural Resources and Conservation. Missoula, MT (55p.)
- USDA Forest Service. 2007. The 2007 Northern Region Soil Quality Monitoring Protocol. Draft. R1, Missoula. 21 p.
- USDA Forest Service. 2007a. Black-backed Woodpecker Northern Region Overview, Key Findings and Project Considerations. Version July 13, 2007. Prepared by the Black-backed Woodpecker Working Group, Region One [Project File Exhibit Rs-6].

- USDA Forest Service. 2007b. Integrated Restoration and Protection Strategy in the Northern Region. Updated May 23, 2007. Region 1, Missoula MT. http://fsweb.r1.fs.fed.us/gis/templateweb/index.shtml Veg
- USDA Forest Service. 2007c. USDA Forest Service. Rapid Assessment of Vegetation Condition After Wildfire (RAVG): Brush Creek Fire. USFS Remote Sensing Applications Veg
- USDA Forest Service. 2008. Water Erosion Prediction Project (WEPP: Disturbed WEPP). [Online]. Available: http://forest.moscowfsl.wsu.edu/fswepp/ [Feb 2008].
- USDA Forest Service. 2008a. Brush Creek Fire Project Environmental Assessment. Libby Ranger District, Kootenai National Forest, Libby, Montana (<a href="http://www.fs.fed.us/r1/kootenai/projects/projects/brush-creek-salvage/index.shtml">http://www.fs.fed.us/r1/kootenai/projects/projects/brush-creek-salvage/index.shtml</a>, Exhibit U-3).
- U.S.D.I. Army Corps of Engineers. 1987. Wetlands Delineation Manual; final report. Prepared for the Department of the Army. Vicksburg, MS. 100 pp.
- U.S.D.I. Fish and Wildlife Service. 1996. Draft Water Howellia (*Howellia aquatilis*) Recovery Plan. Prepared by J.S. Shelly and John Gamon. 51pp.
- U.S.D.I Fish and Wildlife Service. 2001. Endangered and Threatened Wildlife And Plants; Final Rule to list *Silene spaldingii* (Spalding's Catchfly) as Threatened. 50 CFR Part 17. Federal Register 66(196):51598-51606. October 10, 2001.
- U.S.D.I Fish and Wildlife Service. 2008. Threatened, endangered, and candidate species for the Flathead National Forest (3/5/2008). Ecological Services, Montana Field Office 100 N. Park Suite 320, Helena, MT 59601. Web page: <a href="http://montanafieldoffice.fws.gov">http://montanafieldoffice.fws.gov</a>
- USFWS 1987. Northern Rocky Mountain wolf recovery plan. Region 6, Denver, CO. 119 pp.
- USFWS 1993. Grizzly bear recovery plan. Missoula, MT. 181 pp.
- USFWS 1998. Proposal to list the contiguous United States distinct population segment of the Canada Lynx; proposed rule. Federal Register 63: 36994–37013.
- USFWS 2008a. Endangered and Threatened Wildlife and Plants; Revised Critical Habitat for the Contiguous United States Distinct Population Segment of the Canada Lynx (*Lynx canadensis*); Proposed Rule. Federal Register Vol. 73, No. 40, February 28, 2008, p. 10867.
- USFWS 2008b. Endangered and Threatened Wildlife and Plants; Final Rule Designating the Northern Rocky Mountain Population of Gray Wolf as a Distinct Population Segment and Removing this Distinct Population Segment from the Federal List of Endangered and Threatened Wildlife. Federal Register Vol. 73, No. 39, February 27, 2008, p. 10514-10559.
- Veblen, T.T., Hadley, K.S., Nel, E.M., Kitzberger, T., Reid, M.S., Villalba, R., 1994. Disturbance regime and disturbance interactions in a Rocky Mountain subalpine forest. J. Ecol. 82, 125–135.
- Volland, Leonard A. 1984. Ecological classification of lodgepole pine in the United States. In *Lodgepole pine* the species and its management, symposium proceedings. Washington State University. (p. 65).
- Warren, N. W. 1990. Old-growth habitats and associated wildlife species in the northern Rocky Mountains. U. S. Forest Service Northern Region Wildlife Habitat Relationships Program, R1-90-42.
- Warren, N. W. 1998. Old Growth Associated Wildlife: Status and Management Strategies. Flathead National Forest Land Management Technical Notes No.16. (18 p.)

- Weatherby, J.C. and Their, R.W. 1993. A preliminary validation of a Douglas-fir beetle Hazard rating system, Mountain Home Ranger District, Boise National Forest, 1992. [Forest Pest Management Report R4-93-05]. Boise, ID. USDA Forest Service, Intermountain Region. (7 p.).
- Werner, J.K.; B.A. Maxell, P. Hendricks, and D.L. Flath. 2004. Amphibians and Reptiles of Montana. Mountain Press Publishing Company, Missoula, MT. Pages 96-99.
- Werner, E.E., Glennenmeier, K.S., 1999. Influence of forest canopy cover on the breeding pond distributions of several amphibians species. Copeia 1999, 1–12.
- Wisdom, Michael J., Richard S. Holthausen, Barbara C. Wales, Christina D. Hargis, Victoria A. Saab, Danny C. Lee, Wendel J. Hann, Terrell D. Rich, Mary M. Rowland, Wally J. Murphy, Michelle R. Eames. [Online] 2000. Source habitats for terrestrial vertebrates of focus in the interior Columbia basin: broad-scale trends and management implications, (Vol. 1,Overview). [Gen. Tech. Rep. PNW-GTR-485]. USDA Forest Service, Pacific Northwest Research Station. Portland, OR. http://www.fs.fed.us/pnw/pubs/gtr 485.pdf
- Witmer, G. W., S. K. Martin, and R. D. Sayler. 1998, Forest carnivore conservation and management in the interior Columbia basin: issues and environmental correlates: United States Department of Agriculture, Forest Service, Pacific Northwest Research Station, General Technical Report PNW-GTR-420:1–51.
- Youmans, C. C. 1991. Analysis of long-term trends in elk vulnerability on the Bitterroot National Forest in relation to selected predictor variables. *In* Proceedings of the symposium on elk vulnerability. Edited by Christensen, A. G., L. J. Lyon, and T.N. Lonner. Montana State University, Bozeman, Montana. (Pages 159-167).
- Young, J. S., and Hutto, R. L. 2002. Use of regional-scale exploratory studies to determine bird-habitat relationships. Pp. 107-119 (Chapter 8) in Scott, J.M., et al. (eds.). Predicting Species Occurrences: Issues of Scale and Accuracy. Island Press, Covelo, CA.
- Yurkonis, Kathryn, Scott J, Meiners, and Brent E. Wachholder. 2005. Invasion impacts diversity through altered community dynamics. Journal of Ecology: 93, 1053–1061.

This page left blank intentionally.