

**Table 29. Tuberculosis Cases by Noninjecting Drug Use: 59 Reporting Areas, 2001**

Reporting Area	Total Cases	Cases with Information on Noninjecting Drug Use		Percent of Cases in Noninjecting Drug Users <sup>1</sup>
		No.	%	
<b>United States</b>	<b>15,989</b>	<b>14,780</b>	<b>92.4</b>	<b>7.2</b>
Alabama	265	265	100.0	8.7
Alaska	54	49	90.7	0.0
Arizona	289	276	95.5	7.6
Arkansas	162	157	96.9	1.9
California	3,332	3,198	96.0	6.5
Colorado	138	138	100.0	6.5
Connecticut	121	104	86.0	8.7
Delaware	33	33	100.0	3.0
District of Columbia	74	73	98.6	2.7
Florida	1,145	1,105	96.5	14.0
Georgia	575	502	87.3	10.0
Hawaii	151	120	79.5	0.8
Idaho	9	7	77.8	14.3
Illinois	707	638	90.2	13.0
Indiana	115	115	100.0	3.5
Iowa	43	11	25.6	--
Kansas	63	54	85.7	20.4
Kentucky	152	149	98.0	7.4
Louisiana	294	276	93.9	14.1
Maine	20	19	95.0	5.3
Maryland	262	260	99.2	5.8
Massachusetts	270	263	97.4	1.5
Michigan	330	310	93.9	5.2
Minnesota	239	236	98.7	3.4
Mississippi	154	118	76.6	10.2
Missouri	157	152	96.8	7.9
Montana	20	20	100.0	10.0
Nebraska	40	36	90.0	0.0
Nevada	96	86	89.6	1.2
New Hampshire	20	20	100.0	5.0
New Jersey	530	526	99.2	6.8
New Mexico	54	52	96.3	1.9
New York State <sup>2</sup>	415	380	91.6	3.9
New York City	1,261	845	67.0	--
North Carolina	398	383	96.2	9.1
North Dakota	6	5	83.3	20.0
Ohio	306	301	98.4	5.0
Oklahoma	194	194	100.0	9.8
Oregon	123	119	96.7	6.7
Pennsylvania	350	289	82.6	2.4
Rhode Island	60	60	100.0	0.0
South Carolina	263	260	98.9	8.8
South Dakota	13	13	100.0	0.0
Tennessee	313	302	96.5	8.9
Texas	1,643	1,588	96.7	6.5
Utah	35	34	97.1	2.9
Vermont	7	7	100.0	0.0
Virginia	306	272	88.9	2.2
Washington	261	252	96.6	2.4
West Virginia	32	22	68.8	--
Wisconsin	86	84	97.7	7.1
Wyoming	3	2	66.7	--
American Samoa <sup>3</sup>	...	...	...	...
Fed. States of Micronesia <sup>3</sup>	...	...	...	...
Guam <sup>3</sup>	63	59	93.7	0.0
N. Mariana Islands <sup>3</sup>	58	58	100.0	6.9
Puerto Rico <sup>3</sup>	121	121	100.0	22.3
Republic of Palau <sup>3</sup>	...	...	...	...
U.S. Virgin Islands <sup>3</sup>	...	...	...	...

<sup>1</sup>Noninjecting drug use within past 12 months. Percentage for U.S. based on 52 reporting areas (50 states, New York City, and the District of Columbia). Percentages shown only for reporting areas with information reported for  $\geq 75\%$  of cases.

<sup>2</sup>Excludes New York City.

<sup>3</sup>Not included in U.S. totals.

Ellipses indicate data not available.