

**SOLICITATION/CONTRACT/ORDER FOR COMMERCIAL ITEMS**  
**OFFEROR TO COMPLETE BLOCKS 12, 17, 23, 24, & 30**

1. REQUISITION NUMBER: **BLN HPO83098** PAGE 1 OF 40  
 2. CONTRACT NO.: **AG-04H1-B-08-7075** 3. AWARD/EFFECTIVE DATE: **7/30/08** 4. ORDER NUMBER  
 5. SOLICITATION NUMBER: **AG-04H1-S-08-9003** 6. SOLICITATION ISSUE DATE: **3/20/08**

7. FOR SOLICITATION INFORMATION CALL: **Kermadine Barton Contracting Officer** (541) 471-6746  
 8. OFFER DUE DATE/LOCAL TIME: **4/28/08 4:30 P.M.**

9. ISSUED BY: **USDA Forest Service, R-6 Pacific Northwest Region, Grants Pass Interagency Office, 2164 NE Spaulding Avenue, Grants Pass, OR 97526**  
 10. THIS ACQUISITION IS:  UNRESTRICTED OR  SET ASIDE: **100** % FOR:  SMALL BUSINESS  EMERGING SMALL BUSINESS  
 NAICS: **484110**  HUBZONE SMALL BUSINESS  
 SIZE STANDARD: **235 nu**  SERVICE-DISABLED VETERAN-OWNED SMALL BUSINESS  8(A)

11. DELIVERY FOR FOB DESTINATION UNLESS BLOCK IS MARKED:  SEE SCHEDULE  
 12. DISCOUNT TERMS  
 13a. THIS CONTRACT IS A RATED ORDER UNDER DPAS (15 CFR 700):   
 13b. RATING  
 14. METHOD OF SOLICITATION:  RFO  IFB  RFP

15. DELIVER TO: CODE  
 16. ADMINISTERED BY: CODE

17a. CONTRACTOR/OFFEROR: **Corwin Company, Inc., 2007 Adams Avenue, La Grande, OR 97850** CODE FACILITY CODE  
 18a. PAYMENT WILL BE MADE BY: CODE  
 TELEPHONE NO. **541-963-8300**



17b. CHECK IF REMITTANCE IS DIFFERENT AND PUT SUCH ADDRESS IN OFFER  
 18b. SUBMIT INVOICES TO ADDRESS SHOWN IN BLOCK 18a UNLESS BLOCK BELOW IS CHECKED  SEE ADDENDUM

19. ITEM NO.	20. SCHEDULE OF SUPPLIES/SERVICES	21. QUANTITY	22. UNIT	23. UNIT PRICE	24. AMOUNT
	Refrigerator Trailer Unit(s) for use on Incident Assignments. (see attached)  Operating Supplies Furnished by: ( ) Contractor (x) Government Operator Furnished by: ( ) Contractor (x) Government  <i>(Use Reverse and/or Attach Additional Sheets as Necessary)</i>				

25. ACCOUNTING AND APPROPRIATION DATA 26. TOTAL AWARD AMOUNT (For Govt. Use Only)

27a. SOLICITATION INCORPORATES BY REFERENCE FAR 52.212-1, 52.212-4. FAR 52.212-3 AND 52.212-5 ARE ATTACHED. ADDENDA  ARE  ARE NOT ATTACHED  
 27b. CONTRACT/PURCHASE ORDER INCORPORATES BY REFERENCE FAR 52.212-4. FAR 52.212-5 IS ATTACHED. ADDENDA  ARE  ARE NOT ATTACHED

28. CONTRACTOR IS REQUIRED TO SIGN THIS DOCUMENT AND RETURN COPIES TO ISSUING OFFICE. CONTRACTOR AGREES TO FURNISH AND DELIVER ALL ITEMS SET FORTH OR OTHERWISE IDENTIFIED ABOVE AND ON ANY ADDITIONAL SHEETS SUBJECT TO THE TERMS AND CONDITIONS SPECIFIED  
 29. AWARD OF CONTRACT: REF. \_\_\_\_\_ OFFER DATED \_\_\_\_\_ YOUR OFFER ON SOLICITATION (BLOCK 5), INCLUDING ANY ADDITIONS OR CHANGES WHICH ARE SET FORTH HEREIN, IS ACCEPTED AS TO ITEMS:

30a. SIGNATURE OF OFFEROR/CONTRACTOR:   
 31a. UNITED STATES OF AMERICA (SIGNATURE OF CONTRACTING OFFICER): 

30b. NAME AND TITLE OF SIGNER (Type or print): **Josh P. Braseth - Manager** 30c. DATE SIGNED: **4/28/08**  
 31b. NAME OF CONTRACTING OFFICER (Type or print): **Kermadine Barton** 31c. DATE SIGNED: **7/30/08**

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. CONTRACT ID CODE	PAGE OF PAGES 1
2. AMENDMENT/MODIFICATION NO. <b>Amendment No. 1</b>	3. EFFECTIVE DATE <b>04/16/2008</b>	4. REQUISITION/PURCHASE REQ. NO.	5. PROJECT NO. (If applicable)		
6. ISSUED BY <b>USDA FOREST SERVICE FIRE PROCUREMENT SPECIALIST 2164 NE SPALDING AVENUE GRANTS PASS, OR 97526</b>		CODE	7. ADMINISTERED BY (If other than Item 6)		CODE
8. NAME AND ADDRESS OF CONTRACTOR (No., street, county, State, and ZIP Code) <b>Corwin Company, Inc. 2007 Adams Avenue LaGrande, OR 97850</b>			<input checked="" type="checkbox"/>	9A. AMENDMENT OF SOLICITATION NO. <b>AG-04H1-S-08-9003</b>	
			<input checked="" type="checkbox"/>	9B. DATED (SEE ITEM 11) <b>03/20/2008</b>	
			<input type="checkbox"/>	10A. MODIFICATION OF CONTRACT/ORDER NO.	
			<input type="checkbox"/>	10B. DATED (SEE ITEM 13)	
CODE	FACILITY CODE				

**11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS**

The above numbered solicitation is amended as set forth in item 14. The hour and date specified for receipt of Offers  is extended,  is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:

(a) By completing Items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted;

or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS, IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.**

<input checked="" type="checkbox"/>	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.
<input type="checkbox"/>	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
<input type="checkbox"/>	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
<input type="checkbox"/>	D. OTHER (Specify type of modification and authority)


**E. IMPORTANT:** Contractor  is not,  is required to sign this document and return 1 copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

The Quoter is required to acknowledge this amendment by signing block 15b. and returning page 1 and the revised Schedule of Items to the Contracting Officer. You may fax to 541-471-6512 or mail hard copy to the address shown in block 9. of the SF-1449.

The Closing Date of this Solicitation has been changed to April 28, 2008, at 4:30 p.m.

This solicitation is amended as shown on the attached pages:

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.	
15A. NAME AND TITLE OF SIGNER (Type or print) <b>Josh P. Braseth, Manager</b>	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) <b>Kermadine Barton</b>
15B. CONTRACTOR/OFFEROR  (Signature of person authorized to sign)	15C. DATE SIGNED <b>4/28/08</b>
16B. UNITED STATES OF AMERICA	16C. DATE SIGNED <b>4/16/2008</b>

**Schedule of Items**

<b>Item 1</b>	<b>Type 1 Refrigerated Trailer Unit</b> (43+ feet overall length)	Daily Rate	\$ <u>375 -</u>
		Weekly Rate	\$ <u>2500 -</u>
		Monthly Rate	\$ <u>10000 -</u>
<b>Item 2</b>	<b>Type 2 Refrigerated Trailer Unit</b> (29 to 43 feet overall length)	Daily Rate	\$ <u>365 -</u>
		Weekly Rate	\$ <u>2535 -</u>
		Monthly Rate	\$ <u>9900 -</u>
<b>Item 3</b>	<b>Type 3 Refrigerated Trailer Unit</b> (24 to 28 feet overall length)	Daily Rate	\$ <u>355 -</u>
		Weekly Rate	\$ <u>2485 -</u>
		Monthly Rate	\$ <u>9800 -</u>
<b>Item 4</b>	<b>Mobilization/Demobilization</b> (Includes setup/takedown)	Mileage Rate	\$ <u>5.75</u>

Offers may be submitted on any or all Types.

Company Name	Corwin Company Inc.		
DUNS Number	061475344		
Contact Name	Josh Braseth		
E-Mail Address	josh@eorentals.com		
Phone Numbers (up to 6)	541-963-7368		
	541-963-7177		
Fax Number	541-963-8383		
Mailing Address	Street: 2007 Adams Avenue		
	City/State	LaGrande, OR	Zip: 97850

Number of Units Available	City/State <i>(Identify the dispatch location (city/state) if different than the offeror's address)</i>
<u>7</u> Type 1 <u>2</u> Type 2 <u>2</u> Type 3	
_____ Type 1    _____ Type 2    _____ Type 3	
_____ Type 1    _____ Type 2    _____ Type 3	

1. I am  am not  registered in the Contractor Central Registration (CCR) system.
2. I have  have not  completed my representations and certifications on-line (Ref. E.3)

1. Delete D.21.2 REPAIRS and replace the entire paragraph with the following:

*"Repairs shall be made and paid for by the Contractor. The Government may, at its option, elect to make such repairs when necessary to keep the resource operating. The cost of such repairs will be \$75 per hour, plus parts and will be deducted from payment to the contractor."*

2. Refer to D.22 and replace the first paragraph with the following:

*"The intent of this clause is to provide permanent substitution of resources, not intermittent or additional resources. The Contractor is obligated to provide the resources offered in the proposal. New resources may not be added to the agreement with the exception of substituted resources as provided below."*

3. Refer to Schedule of Items, Item 3 and change "(24 to 28 feet overall length)" to "(20 to 28 feet overall length)".

4. Refer to Schedule of Items and add the following:

Item 5 Additional Steps (Refer to D.2.1)	Each	\$20-ADAY
--	------	-----------

5. Refer to D.2.1 Contractor Provided Equipment and change "OSHA approved steps with platform at top to allow safe entry into trailer and removal of products" to "All entrances shall have OSHA approved steps with platform at top (level with doorway) to allow safe entry into trailer and removal of products. One set of steps is included in the daily/weekly/monthly rate; additional steps for multiple entrances will be paid separately."

6. Refer to D.2.1 Contractor Provided Equipment. Delete "- Interior lighting"

7. Refer to D.2.1 Contractor Provided Equipment and add the following:

- "Diesel powered unit is required; propane units are not acceptable."
- "Decibel rating shall be no greater than 68 at 50 feet."
- "Trailers without landing gear must be stable for all types of loading."
- "Refrigeration and freezer storage units shall be equipped with a thermometer that is equivalent to a "min/max" type or a "continuous graphing" type placed no further than 8 feet from the entrance being used. Refrigeration and freezer storage units containing temperature indicators attached to the outside of the unit must clearly provide a temperature reading of the inside of the unit no further than 8 feet from the entrance."

8. Refer to D.21.5.1 Payments and add the following: