

**Alli Orlistat 60mg Capsules Weight Loss Aid, 120 capsules
Bottle Label
6.8125" x 2.25"**

alliTM
Orlistat 60mg Capsules
Weight Loss Aid
120 CAPSULES

TAMPER-EVIDENT features for your protection. Do not use if foil seal under cap imprinted with "sealed for your protection" or dark blue band around center of capsule are missing, torn or broken.

Warnings

Organ transplant alert: • do not use if you have had an organ transplant. Orlistat interferes with the medicines used to prevent transplant rejection. Allergy alert: do not use if you are allergic to any of the ingredients in orlistat capsules. Do not use • If you are taking cyclosporine • If you have been diagnosed with problems absorbing food • If you are not overweight Ask a doctor before use if you have ever had • gallbladder problems • kidney stones • pancreatitis Ask a doctor or pharmacist before use if you are • taking warfarin (blood thinning medicine), or taking medicine for diabetes or thyroid disease. Your medication dose may need to be adjusted. • taking other weight loss products When using this product • Take a multivitamin once a day, at bedtime. Orlistat can reduce the absorption of some vitamins. • bowel changes may occur if you eat too much fat. You may get: • gas with oily spotting • loose stools • more frequent stools that may be hard to control **Stop use and ask a doctor if • severe or continuous abdominal pain occurs. This may be a sign of a serious medical condition. If pregnant or breast feeding, do not use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • for overweight adults 18 years and older • take 1 capsule with each meal containing fat • do not take more than 3 capsules daily

Other information • store at 20-25°C (68-77°F) • protect drug from excessive light, humidity and temperatures over 30°C (86°F)

Questions or comments? Call toll-free 1-800-671-2554 (English/Spanish) weekdays (10:00am-4:30pm EST)

Distributed by:
GlaxoSmithKline Consumer Healthcare, L.P.
Moon Twp, PA 15108

©2007 GSK

LOT/EXPIRATION:

AX90619

**Alli Orlistat 60mg Capsules Weight Loss Aid, 90 capsules
Bottle Label
6.8125" x 2.25"**

alliTM
Orlistat 60mg Capsules
Weight Loss Aid
90 CAPSULES

TAMPER-EVIDENT features for your protection. Do not use if foil seal under cap imprinted with "sealed for your protection" or dark blue band around center of capsule are missing, torn or broken.

Warnings

Organ transplant alert: • do not use if you have had an organ transplant. Orlistat interferes with the medicines used to prevent transplant rejection. Allergy alert: do not use if you are allergic to any of the ingredients in orlistat capsules. Do not use • If you are taking cyclosporine • If you have been diagnosed with problems absorbing food • if you are not overweight Ask a doctor before use if you have ever had • gallbladder problems • kidney stones • pancreatitis Ask a doctor or pharmacist before use if you are • taking warfarin (blood thinning medicine), or taking medicine for diabetes or thyroid disease. Your medication dose may need to be adjusted. • taking other weight loss products When using this product • Take a multivitamin once a day, at bedtime.

Orlistat can reduce the absorption of some vitamins. • Bowel changes may occur if you eat too much fat. You may get: • gas with oily spotting • loose stools • more frequent stools that may be hard to control. **Stop use and ask a doctor if • severe or continuous abdominal pain occurs. This may be a sign of a serious medical condition. If pregnant or breast feeding, do not use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • for overweight adults 18 years and older • take 1 capsule with each meal containing fat • do not take more than 3 capsules daily

Other information • store at 20-25°C (68-77°F) • protect drug from excessive light, humidity and temperatures over 30°C (86°F)

Questions or comments? Call toll-free 1-800-671-2554 (English/Spanish) weekdays (10:00am-4:30pm EST)

Distributed by:
GlaxoSmithKline Consumer Healthcare, L.P.
Moon Twp, PA 15108

©2007 GSK

LOT/EXPIRATION:

61905XA

**Alli Orlistat 60mg Capsules Weight Loss Aid, 60 capsules
Bottle Label
5.4375" x 1.875"**

alliTM
Orlistat 60mg Capsules
Weight Loss Aid
60 CAPSULES

TAMPER-EVIDENT features for your protection. Do not use if foil seal under cap imprinted with "sealed for your protection" or dark blue band around center of capsule are missing, torn, or broken.

Warnings

Organ transplant alert: • do not use if you have had an organ transplant. Orlistat interferes with the medicines used to prevent transplant rejection. **Allergy alert:** do not use if you are allergic to any of the ingredients in Orlistat capsules. **Do not use** • if you are taking cyclosporine • if you have been diagnosed with problems absorbing food • if you are not overweight. **Ask a doctor before use if you have ever had:** • gallbladder problems • kidney stones • pancreatitis. **Ask a doctor or pharmacist before use if you are:** • taking warfarin (blood thinning medicine), or taking medicine for diabetes or thyroid disease. Your medication dose may need to be adjusted. • taking other weight loss products.

When using this product: • take a multivitamin once a day, at bedtime. Orlistat can reduce the absorption of some vitamins. • bowel changes may occur if you eat too much fat. You may get gas with oily spotting • loose stools • more frequent stools that may be hard to control. **Stop use and ask a doctor if:** • severe or continuous abdominal pain occurs. This may be a sign of a serious medical condition. **If pregnant or breast-feeding, do not use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away.

Directions • for overweight adults 18 years and older: • take 1 capsule with each meal containing fat • do not take more than 3 capsules daily.

Other information • store at 20-25°C (68-77°F) • protect drug from excessive light, humidity and temperatures over 30°C (86°F). **Questions or comments? Call toll-free 1-800-571-2554** (English/Spanish) weekdays (1000am-4:30pm EST).

Distributed by:
GlaxoSmithKline Consumer Healthcare, L.P.
Moon Twp, PA 15108

LOT/EXPIRATION: 61904XA

©2007 GSK