



## **APPENDIX C**

**Table: New Infestations on Parcels:  
Five-Year Comparison for Selected  
Weeds 1999-2004**

**Figure: New Infestations on Parcels:  
Selected Weeds 1999-2004**

English Ivy  
Noxious Weed of Concern

## New Infestations on Parcels: Selected Weeds A Six-Year Comparison 1999-2004

Weed Name	1999	2000	2001	2002	2003	2004
Tansy Ragwort	248	710	446	566	328	222
Giant Hogweed	181	165	101	117	97	51
Policeman's Helmet	21	40	23	11	10	25
Purple Loosestrife	137	81	63	93	125	25
Orange Hawkweed	45	19	8	12	11	22
Yellow Toadflax	12	7	25	8	9	18
Spotted Knapweed	56	33	31	36	28	17
Sulfur Cinquefoil	42	17	22	11	23	15
Garlic Mustard	0	5	12	22	13	11
Milk Thistle	2	1	4	0	13	9
Yellow Hawkweed	5	6	7	14	7	8
Pepperweed, Perennial	7	4	1	5	7	8
Dalmatian Toadflax	20	24	19	4	25	7
Garden Loosestrife	10	2	10	29	32	7
Lawnweed	1	2	0	0	4	6
Goatsrue	0	7	0	2	0	6
Meadow Knapweed	6	5	6	2	1	5
Diffuse Knapweed	8	16	1	2	2	4
Gorse	1	6	1	5	5	4
Perennial Sowthistle	1	1	0	1	0	4
Absinth Wormwood	2	1	3	0	0	2
Clary Sage	0	0	0	0	0	2
Common Reed	0	0	0	0	0	2
Hawkweeds, unspecified*	0	0	0	4	8	1
Viper's Bugloss	1	2	0	0	0	1
Scotch Thistle	0	0	0	0	0	1
Water Primrose	0	1	0	0	0	1

NOTE: Table includes only weed infestations found on legal parcels and does not include roadside infestations due to a difference in data collection and record keeping methods.

\*Hawkweed taxonomy is under revision, some sites may be reclassified in the future.

# New Infestations on Parcels: Selected Weeds 1999 to 2004

