

Source of flooding	Location	#Depth in feet above ground *Elevation in feet (NGVD) •Elevation in feet (NAVD)		Communities affected
		Existing	Modified	
Reedy River Tributary 4	Approximately 3,100 feet upstream of the Log Shoals Road.	None	•744	Greenville County (Unincorporated Areas), City of Mauldin.
	Approximately 1,235 feet upstream of the confluence with Reedy River.	•745	•746	
Reedy River Tributary 5	Approximately 175 feet upstream of Owens Lane	None	•903	Greenville County River (Unincorporated Areas), City of Mauldin.
	At the confluence with Reedy River Tributary 4	None	•799	
Richland Creek Tributary 1 ...	Approximately 1.26 miles upstream of Ashmore Bridge Road.	None	•900	City of Greenville.
	At the confluence with Richland Creek	•856	•855	
Richland Creek Tributary 1A	Approximately 175 feet upstream of Azalea Court	None	•965	City of Greenville.
	At the confluence with Richland Creek Tributary 1	•879	•881	
Richland Creek Tributary 1B	Approximately 500 feet upstream of Keith Drive	None	•947	City of Greenville.
	At the confluence with Richland Creek Tributary 1	None	•960	
Rock Creek	Approximately 65 feet upstream of Greenland Drive/Dera Drive.	None	•979	Greenville County (Unincorporated Areas).
	Approximately 1,050 feet downstream of Alder Drive	None	•743	
Rocky Creek	Approximately 1,760 feet upstream of Capewood Road ..	None	•772	Greenville County. (Unincorporated Areas), City of Greenville.
	At the confluence with Enoree River	•713	•712	
	Approximately 490 feet upstream of Frontage Road	None	•1,001	
South Tyger River	Approximately 200 feet downstream of State Route 14 ...	None	•822	Greenville County (Unincorporated Areas).
	Approximately 180 feet upstream of State Route 414	None	•928	

City of Greenville

Maps available for inspection at the Greenville City Hall, 206 South Main Street, Greenville, South Carolina.

Send comments to the Honorable Knox H. White, Mayor of the City of Greenville, P.O. Box 2207, Greenville, South Carolina 29602.

Greenville County (Unincorporated Areas)

Maps available for inspection at the Greenville County Codes Department, 301 University Ridge, Greenville, South Carolina.

Send comments to Mr. John Brausch, Greenville County Interim Administrator, 301 University Ridge, Suite 2400, Greenville, South Carolina 29601.

City of Greer

Maps available for inspection at the Greer City Hall, 106 South Main Street, Greer, South Carolina.

Send comments to the Honorable Rick Danner, Mayor of the City of Greer, 106 South Main Street, Greer, South Carolina 29650.

City of Mauldin

Maps available for inspection at the Mauldin City Hall, 5 East Butler Avenue, Mauldin, South Carolina.

Send comments to the Honorable Lloyd S. Green, Sr., Mayor of the City of Mauldin, P.O. Box 249, Mauldin, South Carolina 29662.

City of Simpsonville

Maps available for inspection at the Simpsonville City Hall, 118 Northeast Main Street, Simpsonville, South Carolina.

Send comments to the Honorable Dennis Waldrop, Mayor of the City of Simpsonville, 118 Northeast Main Street, Simpsonville, South Carolina 29681.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: December 18, 2003.

Anthony S. Lowe,

Mitigation Division Director, Emergency Preparedness and Response Directorate.

[FR Doc. 04-162 Filed 1-5-04; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-D-7580]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Emergency Preparedness and Response Directorate, Department of Homeland Security.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

FOR FURTHER INFORMATION CONTACT: Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, FEMA, 500 C Street SW., Washington, DC 20472, (202) 646-2903.

SUPPLEMENTARY INFORMATION: FEMA proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other

Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.
Regulatory Flexibility Act. The Mitigation Division Director of the Emergency Preparedness and Response Directorate certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of

September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform. This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subjects in 44 CFR Part 67

Administrative practice and procedure, flood insurance, reporting and recordkeeping requirements.

Accordingly, 44 CFR Part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for Part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/county	Source of Flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD) •Elevation in feet (NAVD)		
				Existing	Modified	
New Hampshire	Dover (City), Strafford County.	Boston Harbor	At a point immediately downstream of Scammel Bridge.	None	*7	
			Approximately 100 feet east of north-bound lane of Spaulding Turnpike bridge.	None	*7	
Maps available for inspection at the Dover City Office, 288 Central Avenue, Dover, New Hampshire. Send comments to Mr. Paul Beecher, Dover City Manager, City Office, 288 Central Avenue, Dover, New Hampshire 03820.						
New York	Hoosick Falls (Village), Rensselaer County.	Hoosick River	Approximately 40 feet downstream of Church Street.	None	*416	
			Approximately 0.51 mile upstream of Boston and Maine Railroad.	None	*431	
Maps available for inspection at Hoosick Falls Village Office, 24 Main Street, Hoosick Falls, New York. Send comments to the Honorable Laura Reynolds, Mayor of the Village of Hoosick Falls, 24 Main Street, Hoosick Falls, New York 12090.						
Virginia	Falls Church (Independent City).	Poplar Drive Bypass	At confluence with Tripps Run	None	*337	
			Tripps Run	At upstream corporate limits	None	*343
				Approximately 100 feet downstream of U.S. Route 29.	*281	*280
		Approximately 50 feet upstream of the upstream corporate limits.	None	*339		
Maps available for inspection at City of Falls Church Department of Environmental Services, 300 Park Avenue, Falls Church, Virginia. Send comments to the Honorable Daniel Gardner, Mayor of the City of Falls Church, 300 Park Avenue, Falls Church, Virginia.						

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance.")

Dated: December 18, 2003.

Anthony S. Lowe,

Mitigation Division Director, Emergency Preparedness and Response Directorate.

[FR Doc. 04-163 Filed 1-5-04; 8:45 am]

BILLING CODE 9110-12-P

DEPARTMENT OF HOMELAND SECURITY

Federal Emergency Management Agency

44 CFR Part 67

[Docket No. FEMA-D-7574]

Proposed Flood Elevation Determinations

AGENCY: Federal Emergency Management Agency (FEMA), Emergency Preparedness and Response Directorate, Department of Homeland Security.

ACTION: Proposed rule.

SUMMARY: Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations and proposed BFE modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

DATES: The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

ADDRESSES: The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the following table.

FOR FURTHER INFORMATION CONTACT: Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, FEMA, 500 C Street, SW., Washington, DC 20472, (202) 646-2903.

SUPPLEMENTARY INFORMATION: FEMA (FEMA or Agency) proposes to make determinations of BFEs and modified BFEs for each community listed below, in accordance with Section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

National Environmental Policy Act. This proposed rule is categorically excluded from the requirements of 44 CFR part 10, Environmental Consideration. No environmental impact assessment has been prepared.

Regulatory Flexibility Act. The Mitigation Division Director of the

Emergency Preparedness and Response Directorate certifies that this proposed rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

Regulatory Classification. This proposed rule is not a significant regulatory action under the criteria of Section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

Executive Order 12612, Federalism. This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

Executive Order 12778, Civil Justice Reform. This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

List of Subject in 44 CFR Part 67

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

PART 67—[AMENDED]

1. The authority citation for part 67 continues to read as follows:

Authority: 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

§ 67.4 [Amended]

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

Source of flooding	Location	#Depth in feet above ground. *Elevation in feet (NGVD) •Elevation in feet (NAVD)		Communities affected
		Existing	Modified	
NORTH CAROLINA Columbus County				
Beaverdam Swamp	At the confluence with Monte Swamp	None	•48	Columbus County (Unincorporated Areas).
	Approximately 0.5 mile upstream of Chadbourn Clarendon Road.	None	•95	Columbus County (Unincorporated Areas).
Big Branch into Beaverdam Swamp.	At the confluence with Beaverdam Swamp	None	•81	Columbus County (Unincorporated Areas).
	Approximately 900 feet downstream of Railroad	None	•104	
Big Branch into Monte Swamp.	At the confluence with Monte Swamp	None	•38	Columbus County (Unincorporated Areas).
	Approximately 1.4 miles upstream of MM Ray Road	None	•47	Columbus County (Unincorporated Areas).