

# Tested Label

**Safety Feature—Do not use if tablet blister unit is open or broken.**

Active Ingredient (In Each Tablet)	Purpose
Omeprazole 20 mg.....	Acid Preventer

## Uses

- for **Prevention** of heartburn, acid indigestion, and sour stomach
- for **Relief** of heartburn, acid indigestion, and sour stomach

## Warnings

**Ask a doctor before use if you:**

- have trouble swallowing.
- are taking **warfarin** (blood thinning medicine), or **phenytoin** (seizure medicine), or **diazepam** (relief of anxiety medicine). Ask when you are not sure if your medication contains one of these drugs.

**Stop using and ask a doctor if:**

- your stomach pain does not go away.
- you need to use 1 tablet a day for more than 14 days in a row. This could mean you have a more serious problem.

As with any drug, if you are pregnant or nursing a baby, seek the advice of a health professional before using this product.

**Keep this and all drugs out of the reach of children.** In case of accidental overdose, seek professional assistance or a Poison Control Center immediately.

## Directions

Adults and children 12 years of age and older:

- **For Prevention** of symptoms for 24 hours on days you expect to get symptoms, swallow 1 tablet with water. Or, if you prefer to wait until you think food or beverage may cause symptoms, swallow 1 tablet with water one hour in advance.
  - **For Relief** of symptoms: Swallow 1 tablet with water.
  - Do not take more than 1 tablet every 24 hours.
- Children under 12 years of age: Ask a doctor.

## Other Information:

- store at room temperature
  - protect from light and moisture
- inactive ingredients:** Hydroxypropyl cellulose, hydroxypropyl methylcellulose, magnesium stearate, talc, starch

## Before Use Read:

- the directions
  - information sheet
  - warnings
- Keep the carton and information sheet. They contain important information.

## Questions?

Call toll-free 1-800-395-0689

# NDA Label

## Drug Facts

**Active ingredient (in each tablet)** Purpose  
omeprazole magnesium 20.6 mg. .... Acid preventer  
(equivalent to 20 mg omeprazole)

### Uses

- for relief of heartburn, acid indigestion, and sour stomach
- for prevention of heartburn, acid indigestion, and sour stomach brought on by consuming food and beverages, or associated with events such as stress, hectic lifestyle, lying down, or exercise

### Warnings

**Allergy alert** Do not use if you are allergic to omeprazole

#### Do not use

- if you have difficulty swallowing
- with acid reducers

**Ask a doctor or pharmacist before use if you are taking**

- ketoconazole (Nizoral®) or itraconazole (Sporanox®) - both antifungal medicines

**Stop use and ask a doctor if**

- stomach pain continues for 10 days

**If pregnant or breast-feeding, ask a health professional before use.** May cause damage to your unborn or nursing child.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. ▶

## Drug Facts (continued)

**Directions** Adults and children 12 years of age and older:

- for relief of symptoms: Swallow 1 tablet with a glass of water
- for prevention of symptoms for 24 hours: Swallow 1 tablet with a glass of water anytime during the day, or if you prefer, one hour before those events associated with occasional heartburn, such as consuming food and beverages, stress, hectic lifestyle, lying down, or exercise
- do not take more than 1 tablet a day
- do not use for more than 10 days in a row unless directed by a doctor
- do not chew or crush tablets

**Children under 12 years of age:** Ask a doctor.

### Other information

- store at 25°C (77°F); excursions permitted to 15°-30°C (59°-86°F)
- avoid product exposure to excessive heat and humidity

**Inactive ingredients** glyceryl monostearate, hydroxypropyl cellulose, hydroxypropyl methylcellulose, iron oxide, magnesium stearate, methacrylic acid copolymer, microcrystalline cellulose, paraffin, polyethylene glycol 6000, polysorbate 80, polyvinylpyrrolidone, sodium stearyl fumarate, starch, sucrose, talc, titanium dioxide, triethyl citrate.

### Read before use

- warnings
  - directions
  - package insert
- Keep the carton and package insert. They contain important information.

Dist. by Procter & Gamble  
Cincinnati, OH 45202