

**DEPARTMENT OF HOMELAND SECURITY**

**Federal Emergency Management Agency**

**44 CFR Part 67**

[Docket No. FEMA-D-7576]

**Proposed Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency (FEMA), Emergency Preparedness and Response Directorate, Department of Homeland Security.

**ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed Base (1% annual chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

**ADDRESSES:** The proposed BFEs for each community are available for inspection at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

**FOR FURTHER INFORMATION CONTACT:** Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, FEMA, 500 C Street SW., Washington, DC 20472, (202) 646-2903.

**SUPPLEMENTARY INFORMATION:** FEMA proposes to make determinations of base flood elevations and modified base flood elevations for each community listed below, in accordance with section 110 of the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and 44 CFR 67.4(a).

These proposed base flood and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, state or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

*National Environmental Policy Act.* This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental Consideration. No environmental impact assessment has been prepared.

*Regulatory Flexibility Act.* The Mitigation Division Director of the Emergency Preparedness and Response Directorate certifies that this proposed

rule is exempt from the requirements of the Regulatory Flexibility Act because proposed or modified BFEs are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4104, and are required to establish and maintain community eligibility in the NFIP. As a result, a regulatory flexibility analysis has not been prepared.

*Regulatory Classification.* This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 12612, Federalism.* This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

*Executive Order 12778, Civil Justice Reform.* This proposed rule meets the applicable standards of Section 2(b)(2) of Executive Order 12778.

**List of Subjects in 44 CFR Part 67**

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 67.4 [Amended]**

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

State	City/town/county	Source of flooding	Location	#Depth in feet above ground. * Elevation in feet (NGVD) •Elevation in feet (NAVD)	
				Existing	Modified
Massachusetts .....	North Reading (Town), Middlesex County.	Martins Brook .....	At Park Street .....	*71	*74
			At outlet of Martins Pond .....	*83	*80
		Skug River .....	At confluence with Martins Pond .....	*83	*80
			Approximately 150 feet upstream of the corporate limits.	*83	*84
		Martins Pond .....	At its outlet into Martins Brook .....	*83	*80
			At confluence of Skug River .....	*83	*80
Bear Meadow Brook .....	At Haverhill Street .....	None	*72		
	Approximately 1,125 feet upstream of Haverhill Street.	None	*74		

Maps available for inspection at the North Reading Town Hall, 235 North Street, North Reading, Massachusetts.

Send comments to Mr. James P. Muldoon, Chairman of the Town of North Reading Board of Selectmen, North Reading Town Hall, 235 North Street, North Reading, Massachusetts 01864.

(Catalog of Federal Domestic Assistance No. 83.100, "Flood Insurance")

Dated: November 5, 2003.

**Anthony S. Lowe,**

*Mitigation Division Director, Emergency Preparedness and Response Directorate.*

[FR Doc. 03-28633 Filed 11-14-03; 8:45 am]

BILLING CODE 9110-12-P

**DEPARTMENT OF HOMELAND SECURITY**

**Federal Emergency Management Agency**

**44 CFR Part 67**

[Docket No. FEMA-P-7641]

**Proposed Flood Elevation Determinations**

**AGENCY:** Federal Emergency Management Agency, Emergency Preparedness and Response Directorate, Department of Homeland Security.

**ACTION:** Proposed rule.

**SUMMARY:** Technical information or comments are requested on the proposed Base (1% annual-chance) Flood Elevations (BFEs) and proposed BFE modifications for the communities listed below. The BFEs and modified BFEs are the basis for the floodplain management measures that the community is required either to adopt or to show evidence of being already in effect in order to qualify or remain qualified for participation in the National Flood Insurance Program (NFIP).

**DATES:** The comment period is ninety (90) days following the second publication of this proposed rule in a newspaper of local circulation in each community.

**ADDRESSES:** The proposed BFEs for each community are available for inspection

at the office of the Chief Executive Officer of each community. The respective addresses are listed in the table below.

**FOR FURTHER INFORMATION CONTACT:** Doug Bellomo, P.E., Hazard Identification Section, Emergency Preparedness and Response Directorate, Federal Emergency Management Agency, 500 C Street, SW., Washington, DC 20472, (202) 646-2903.

**SUPPLEMENTARY INFORMATION:** The Federal Emergency Management Agency makes the final determinations listed below for the modified BFEs for each community listed. These modified elevations have been published in newspapers of local circulation and ninety (90) days have elapsed since that publication. The Mitigation Division Director of the Emergency Preparedness and Response Directorate has resolved any appeals resulting from this notification.

These proposed BFEs and modified BFEs, together with the floodplain management criteria required by 44 CFR 60.3, are the minimum that are required. They should not be construed to mean that the community must change any existing ordinances that are more stringent in their floodplain management requirements. The community may at any time enact stricter requirements of its own, or pursuant to policies established by other Federal, State, or regional entities. These proposed elevations are used to meet the floodplain management requirements of the NFIP and are also used to calculate the appropriate flood insurance premium rates for new buildings built after these elevations are made final, and for the contents in these buildings.

*National Environmental Policy Act.* This proposed rule is categorically excluded from the requirements of 44 CFR Part 10, Environmental

Consideration. No environmental impact assessment has been prepared.

*Regulatory Flexibility Act.* The Mitigation Division Director of the Emergency Preparedness and Response Directorate certifies that this rule is exempt from the requirements of the Regulatory Flexibility Act because modified base flood elevations are required by the Flood Disaster Protection Act of 1973, 42 U.S.C. 4105, and are required to maintain community eligibility in the NFIP. No regulatory flexibility analysis has been prepared.

*Regulatory Classification.* This proposed rule is not a significant regulatory action under the criteria of section 3(f) of Executive Order 12866 of September 30, 1993, Regulatory Planning and Review, 58 FR 51735.

*Executive Order 12612, Federalism.* This proposed rule involves no policies that have federalism implications under Executive Order 12612, Federalism, dated October 26, 1987.

*Executive Order 12778, Civil Justice Reform.* This proposed rule meets the applicable standards of section 2(b)(2) of Executive Order 12778.

**List of Subjects in 44 CFR Part 67**

Administrative practice and procedure, Flood insurance, Reporting and recordkeeping requirements.

Accordingly, 44 CFR part 67 is proposed to be amended as follows:

**PART 67—[AMENDED]**

1. The authority citation for part 67 continues to read as follows:

**Authority:** 42 U.S.C. 4001 *et seq.*; Reorganization Plan No. 3 of 1978, 3 CFR, 1978 Comp., p. 329; E.O. 12127, 44 FR 19367, 3 CFR, 1979 Comp., p. 376.

**§ 67.4 [Amended]**

2. The tables published under the authority of § 67.4 are proposed to be amended as follows:

Source of flooding and location of referenced elevation	*Elevation in feet (NGVD)		Communities affected
	Existing	Modified	
<i>Hutchins Creek:</i>			
Just downstream of Langdon Drive .....	*400	*399	Dallas County, TX. (Unincorporated Areas). City of Hutchins.
Approximately 915 feet upstream of North JJ Lemmon Street .....	None	*484	
<i>Rawlins Creek:</i>			
Approximately 100 feet downstream of the confluence of Stream 4B4 .....	*395	*396	Dallas County. (Unincorporated Areas). City of Hutchins.
Approximately 2,350 feet upstream of South Miller Ferry Road .....	*491	*490	
<i>Stream 4B4:</i>			
Approximately 500 feet upstream of the confluence with Rawlins Creek .....	*395	*396	Dallas County. (Unincorporated Areas). City of Hutchins.
Approximately 425 feet upstream of North Denton Street .....	None	*469	

**ADDRESSES:**

*City of Hutchins, Dallas County, Texas*

Maps are available for inspection at Gross and Associates Real Estate, 206 North Pacific Street, Hutchins, Texas.