these classes of products, a small business manufacturer must have submitted a proposal for a contract solicitation or received a contract from the Federal government within the last 24 months. The SBA defines "class of products" based on a six digit North American Industry Classification System (NAICS) and the four digit Product and Service Code established by the Federal Procurement Data System.

The U.S. Small Business Administration is currently processing a request to waive the Nonmanufacturer Rule for Other Ordnance and Accessories Manufacturing, NAICS 332995.

Linda G. Williams,

Associate Administrator for Government Contracting. [FR Doc. 03–16717 Filed 7–1–03; 8:45 am] BILLING CODE 8025–01–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 2003–NE–21–AD; Amendment 39–13183; AD 2003–11–23]

RIN 2120-AA64

Airworthiness Directives; International Aero Engines AG (IAE) V2522–A5, V2524–A5, V2527–A5, V2527E–A5, V2527M–A5, V2530–A5, and V2533–A5 Turbofan Engines; Correction

AGENCY: Federal Aviation Administration, DOT. **ACTION:** Final rule: correction

SUMMARY: This document makes a correction to Airworthiness Directive (AD) 2003-11-23 applicable to IAE V2522-A5, V2524-A5, V2527-A5, V2527E-A5, V2527M-A5, V2530-A5, and V2533-A5 turbofan engines that was published in the Federal Register on June 5, 2003 (68 FR 33621). The lists of engine models in the Airworthiness Directives title, the Summary, the Supplementary Information, and the Applicability section are incorrect. This document corrects those listings. Also, paragraph (c) of the regulatory text was incorrectly printed as run-in with the heading Applicability. In all other respects, the original document remains the same.

EFFECTIVE DATE: Effective June 20, 2003. **FOR FURTHER INFORMATION CONTACT:** Glorianne Niebuhr, Aerospace Engineer, Engine Certification Office, FAA, Engine and Propeller Directorate, 12 New England Executive Park, Burlington, MA 01803; telephone (781) 238–7132; fax (781) 238–7199.

SUPPLEMENTARY INFORMATION: A final rule AD, FR Doc, 03–14133 applicable to IAE V2522–A5, V2524–A5, V2527– A5, V2527E–A5, V2527M–A5, V2530– A5, and V2533–A5 turbofan engines, was published in the Federal Register on June 5, 2003 (68 FR 33621). The following correction is needed:

§39.13 [Corrected]

On page 33621, in the third column, in the Heading Section, in the Airworthiness Directives title, "International Aero Engines AG (IAE) V2522-A5, V2524-A5, V2527-A5, V2527E-A5, V2527M-A5, and V2530-A5 Turbofan Engines "is corrected to read" International Aero Engines AG (IAE) V2522-A5, V2524-A5, V2527-A5, V2527E-A5, V2527M-A5, V2530-A5, and V2533-A5 Turbofan Engines". In the same column, in the Summary section, in the fourth and fifth lines, "V2527E-A5, V2527M-A5, and V2530-A5 turbofan engines" is corrected to read "V2527E-A5, V2527M-A5, V2530-A5, and V2533–A5 turbofan engines".

On page 33622, in the first column, in the Supplementary Information section, in third and fourth lines, change "V2527–A5, V2527E–A5, V2527M–A5, and V2530–A5" to "V2527–A5, V2527E–A5, V2527M–A5, V2530–A5, and V2533–A5". In the same column, third paragraph, fourth and fifth lines, change "V2527–A5, V2527E–A5, V2527M–A5, and V2530–A5" to "V2527–A5, V2527E–A5, V2527M–A5, V2530–A5, and V2533–A5".

Issued in Burlington, MA, on June 26, 2003.

Francis A. Favara,

Acting Manager, Engine and Propeller Directorate, Aircraft Certification Service. [FR Doc. 03–16690 Filed 7–1–03; 8:45 am] BILLING CODE 4910–13–P

DEPARTMENT OF TRANSPORTATION

Federal Aviation Administration

14 CFR Part 39

[Docket No. 2003–SW–17–AD; Amendment 39–13215; AD 2003–08–51]

RIN 2120-AA64

Airworthiness Directives; MD Helicopters, Inc. Model 369A, D, E, H, HE, HM, HS, F, and FF Helicopters

AGENCY: Federal Aviation Administration, DOT. **ACTION:** Final rule; request for comments. **SUMMARY:** This document publishes in the Federal Register an amendment adopting Airworthiness Directive (AD) 2003–08–51, which was sent previously to all known U.S. owners and operators of the specified model MD Helicopters, Inc. helicopters by individual letters. This AD requires reducing the retirement life of certain tail rotor blades, performing a one-time visual inspection of each tail rotor blade pitch horn (pitch horn) for a crack or corrosion, and replacing unairworthy tail rotor blades with airworthy tail rotor blades. This AD also requires revising the Airworthiness Limitations section of the helicopter maintenance manual to reflect the reduced retirement life, and reporting information to the FAA within 24 hours following the one-time inspection. The actions specified by this AD are intended to prevent a pitch horn from separating from the tail rotor blade, leading to an unbalanced condition, vibration, loss of tail rotor pitch control, and loss of directional control of the helicopter.

DATES: Effective July 17, 2003, to all persons except those persons to whom it was made immediately effective by Emergency AD 2003–08–51, issued on April 15, 2003, which contained the requirements of this amendment.

Comments for inclusion in the Rules Docket must be received on or before September 2, 2003.

ADDRESSES: Submit comments in triplicate to the Federal Aviation Administration (FAA), Office of the Regional Counsel, Southwest Region, Attention: Rules Docket No. 2003–SW– 17–AD, 2601 Meacham Blvd., Room 663, Fort Worth, Texas 76137. You may also send comments electronically to the Rules Docket at the following address: 9-asw-adcomments@faa.gov.

FOR FURTHER INFORMATION CONTACT: Fred Guerin, Aviation Safety Engineer, FAA, Los Angeles Aircraft Certification Office, Airframe Branch, 3960 Paramount Blvd., Lakewood, California 90712, telephone (562) 627–5232, fax (562) 627–5210.

SUPPLEMENTARY INFORMATION: On April 15, 2003, the FAA issued Emergency AD 2003–08–51 for the specified model helicopters, which requires, before further flight, reducing the retirement life of certain tail rotor blades from 5,140, 5,200, or 10,000 hours time-inservice (TIS) to 400 hours TIS, performing a one-time visual inspection of each pitch horn for a crack or corrosion, and replacing unairworthy tail rotor blades with airworthy tail rotor blades. The Emergency AD also requires revising the Airworthiness Limitations section of the helicopter maintenance