TOXICOLOGICAL PROFILE FOR DINITROPHENOLS

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES Public Health Service Agency for Toxic Substances and Disease Registry

August 1995

DISCLAIMER

The use of company or product name(s) is for identification only and does not imply endorsement by the Agency for Toxic Substances and Disease Registry.

UPDATE STATEMENT

Toxicological profiles are revised and republished as necessary, but no less than once every three years. For information regarding the update status of previously released profiles contact ATSDR at:

Agency for Toxic Substances and Disease Registry Division of Toxicology/Toxicology Information Branch 1600 Clifton Road NE, E-29 Atlanta, Georgia 30333

FOREWORD

This toxicological profile is prepared in accordance with guidelines developed by ATSDR and EPA. The original guidelines were published in the Federal Register on April 17, 1987. Each profile will be revised and republished as necessary.

The ATSDR toxicological profile succinctly characterizes the toxicologic and adverse health effects information for the hazardous substance being described. Each profile identifies and reviews the key literature (that has been peer-reviewed) that describes a hazardous substance's toxicologic properties. Other pertinent literature is also presented, but described in less detail than the key studies. The profile is not intended to be an exhaustive document; however, more comprehensive sources of specialty information are referenced.

Each toxicological profile begins with a public health statement, that describes in nontechnical language, a substance's relevant toxicological properties. Following the public health statement is information concerning levels of significant human exposure and, where known, significant health effects. The adequacy of information to determine a substance's health effects is described in a health effects summary. Data needs that are of significance to protect public health will be identified by ATSDR and EPA. The focus of the profiles is on health and toxicologic information; therefore, we have included this information in the beginning of the document.

Each profile must include the following:

(A) The examination, summary, and interpretation of available toxicologic information and epidemiologic evaluations on a hazardous substance in order to ascertain the levels of significant human exposure for the substance and the associated acute, subacute, and chronic health effects.

(B) A determination of whether adequate information on the health effects of each substance is available or in the process of development to determine levels of exposure that present a significant risk to human health of acute, subacute, and chronic health effects.

(C) Where appropriate, identification of toxicologic testing needed to identify the types or levels of exposure that may present significant risk of adverse health effects in humans.

The principal audiences for the toxicological profiles are health professionals at the federal, state, and local levels, interested private sector organizations and groups, and members of the public.

The toxicological profiles are developed in response to the Superfund Amendments and Reauthorization Act (SARA) of 1986 (Public Law 99-499) which amended the Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA or Superfund). This public law directed the Agency for Toxic Substances and Disease Registry (ATSDR) to prepare toxicological profiles for hazardous substances most commonly found at facilities on the CERCLA National Priorities List and that pose the most significant potential threat to human health, as determined by ATSDR and the Environmental Protection Agency (EPA). The availability of the revised priority list of 275 hazardous substances was announced in the Federal Register on February 28, 1994 (59 FR 9486). For prior versions of the list of substances, see Federal Register notices dated April 17, 1987 (52 FR 12866); October 20, 1988 (53 FR 41280); October 26, 1989 (54 FR 43619); October 17, 1990 (55 FR 42067); and October 17, 1991 (56 FR 52166); and October 28, 1992 (57 FR 48801).

Foreword

Section 104(i)(3) of CERCLA, as amended, directs the Administrator of ATSDR to prepare a toxicological profile for each substance on the list.

This profile reflects our assessment of all relevant toxicologic testing and information that has been peer reviewed. It has been reviewed by scientists from ATSDR, the Centers for Disease Control and Prevention (CDC), and other federal agencies. It has also been reviewed by a panel of nongovernment peer reviewers and was made available for public review. Final responsibility for the contents and views expressed in this toxicological profile resides with ATSDR.

moster

David Satcher, M.D., Ph.D. Administrator Agency for Toxic Substances and Disease Registry

,

CONTRIBUTORS

CHEMICAL MANAGERS(S)/AUTHOR(S):

M. Olivia Harris, M.A. ATSDR, Division of Toxicology, Atlanta, GA

James J. Corcoran, Ph.D. Duke University, Durham, NC

THE PROFILE HAS UNDERGONE THE FOLLOWING ATSDR INTERNAL REVIEWS:

- 1. Green Border Review. Green Border review assures consistency with ATSDR policy.
- 2. Health Effects Review. The Health Effects Review Committee examines the health effects chapter of each profile for consistency and accuracy in interpreting health effects and classifying end points.
- 3. Minimal Risk Level Review. The Minimal Risk Level Workgroup considers issues relevant to substance-specific minimal risk levels (MRLs), reviews the health effects database of each profile, and makes recommendations for derivation of MRLs.
- 4. Quality Assurance Review. The Quality Assurance Branch assures that consistency across profiles is maintained, identifies any significant problems in format or content, and establishes that Guidance has been followed.

PEER REVIEW

A peer review panel was assembled for dinitrophenols. The panel consisted of the following members:

- 1. Dr. Martin Alexander, Professor of Soil Microbiology, Cornell University, Ithaca, New York;
- 2. Dr. Leon Koller, Professor and Dean, College of Veterinary Medicine, Oregon State University, Corvallis, Oregon; and
- 3. Dr. Norman Trieff, Professor of Environmental Toxicology, University of Texas Medical Branch, Department of Preventative Medicine and Community Health, Galveston, Texas.

These experts collectively have knowledge of dinitrophenol's physical and chemical properties, toxicokinetics,

key health end points, mechanisms of action, human and animal exposure, and quantification of risk to humans. All reviewers were selected in conformity with the conditions for peer review specified in Section 104(i)(13) of the Comprehensive Environmental Response, Compensation, and Liability Act, as amended.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound. A list of databases reviewed and a list of unpublished documents cited are also included in the administrative record.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

Scientists from the Agency for Toxic Substances and Disease Registry (ATSDR) have reviewed the peer reviewers' comments and determined which comments will be included in the profile. A listing of the peer reviewers' comments not incorporated in the profile, with a brief explanation of the rationale for their exclusion, exists as part of the administrative record for this compound. A list of databases reviewed and a list of unpublished documents cited are also included in the administrative record.

The citation of the peer review panel should not be understood to imply its approval of the profile's final content. The responsibility for the content of this profile lies with the ATSDR.

CONTENTS

FOREWORD	v
CONTRIBUTORS	vii
PEER REVIEW	ix
LIST OF FIGURES	. xv
LIST OF TABLES	. xvii
 PUBLIC HEALTH STATEMENT WHAT ARE DINITROPHENOLS? WHAT HAPPENS TO DINITROPHENOLS WHEN THEY ENTER THE ENVIRONMENT? HOW MIGHT I BE EXPOSED TO DINITROPHENOLS? HOW CAN DINITROPHENOLS ENTER AND LEAVE MY BODY? HOW CAN DINITROPHENOLS AFFECT MY HEALTH? I.6 IS THERE A MEDICAL TEST TO DETERMINE WHETHER I HAVE BEEN EXPOSED TO DINITROPHENOLS? WHAT RECOMMENDATIONS HAS THE FEDERAL GOVERNMENT MADE TO PROTECT HUMAN HEALTH? WHERE CAN I GET MORE INFORMATION? 	1 2 3 4 4 5 6
 HEALTH EFFECTS INTRODUCTION DISCUSSION OF HEALTH EFFECTS BY ROUTE OF EXPOSURE Inhalation Exposure 2.1 Inhalation Exposure 2.1.1 Death 2.2.1.2 Systemic Effects 2.2.1.3 Immunological and Lymphoreticular Effects 2.2.1.4 Neurological Effects 2.2.1.5 Reproductive Effects 2.2.1.6 Developmental Effects 2.2.1.8 Cancer 2.2.2.0 rol Exposure 2.2.2.1 Death 2.2.2.2 Systemic Effects 2.2.3 Immunological and Lymphoreticular Effects 2.2.4 Neurological Effects 2.2.5 Reproductive Effects 2.2.6 Developmental Effects 2.2.7 Genotoxic Effects 2.2.8 Cancer 	$\begin{array}{cccccccccccccccccccccccccccccccccccc$

		2.2.3	Dermal Exposure	 . 73
			2.2.3.1 Death	 . 73
			2.2.3.2 Systemic Effects	 . 74
			2.2.3.3 Immunological and Lymphoreticular Effects	 . 76
			2.2.3.4 Neurological Effects	 . 76
			2.2.3.5 Reproductive Effects	
			2.2.3.6 Developmental Effects	
			2.2.3.7 Genotoxic Effects	
			2.2.3.8 Cancer	 . 76
	2.3	TOXIC	COKINETICS	 . 78
		2.3.1	Absorption	 . 78
			2.3.1.1 Inhalation Exposure	
			2.3.1.2 Oral Exposure	
			2.3.1.3 Dermal Exposure	
		2.3.2	Distribution	
			2.3.2.1 Inhalation Exposure	
			2.3.2.2 Oral Exposure	
			2.3.2.3 Dermal Exposure	
			2.3.2.4 Other Routes of Exposure	
		2.3.3	Metabolism	
		2.3.4	Excretion	
		2.5.1	2.3.4.1 Inhalation Exposure	
			2.3.4.2 Oral Exposure	
			2.3.4.3 Dermal Exposure	
			2.3.4.4 Other Routes of Exposure	
		2.3.5	Mechanisms of Action	
	2.4		VANCE TO PUBLIC HEALTH	
	2.5		ARKERS OF EXPOSURE AND EFFECT	
	2.5	2.5.1	Biomarkers Used to Identify or Quantify Exposure to Dinitrophenol	
		2.5.2	Biomarkers Used to Characterize Effects Caused by Dinitrophenols	
	2.6		RACTIONS WITH OTHER SUBSTANCES	
	2.0		LATIONS THAT ARE UNUSUALLY SUSCEPTIBLE	
	2.8		HODS FOR REDUCING TOXIC EFFECTS	
	2.0	2.8.1	Reducing Peak Absorption Following Exposure	
		2.8.2	Reducing Body Burden	
		2.8.2	Interfering with the Mechanism of Action for Toxic Effects	
	2.9		QUACY OF THE DATABASE	
	2.9	2.9.1	Existing Information on Health Effects of Dinitrophenols	
		2.9.1	Identification of Data Needs	
		2.9.2	Ongoing Studies	
		2.9.5	Ongoing Studies	 . 102
3	CHE	MICAI	AND PHYSICAL INFORMATION	163
5.	3.1		/ICAL IDENTITY	
	3.2		ICAL AND CHEMICAL PROPERTIES	
	5.4	1113		 . 105
4	PRO	ристь	ON, IMPORT/EXPORT, USE, AND DISPOSAL	 . 169
- 7 .	4.1		DUCTION	
	4.2		RT/EXPORT	

	4.3 4.4	USE	
5.	POTI 5.1 5.2 5.3	ENTIAL FOR HUMAN EXPOSURE 17 OVERVIEW 17 RELEASES TO THE ENVIRONMENT 17 5.2.1 Air 17 5.2.2 Water 17 5.2.3.3 Soil 17 FNVIRONMENTAL FATE 17	73 74 74 74 77
		5.3.1 Transport and Partitioning 17 5.3.2 Transformation and Degradation 18 5.3.2.1 Air 18 5.3.2.2 Water 18 5.3.2.3 Sediment and Soil 18	30 30 31
	5.4	LEVELS MONITORED OR ESTIMATED IN THE ENVIRONMENT185.4.1Air185.4.2Water185.4.3Sediment and Soil185.4.4Other Environmental Media18	84 84 85
	5.5 5.6 5.7	GENERAL POPULATION AND OCCUPATIONAL EXPOSURE18POPULATIONS WITH POTENTIALLY HIGH EXPOSURES18ADEQUACY OF THE DATABASE185.7.1Identification of Data Needs185.7.2Ongoing Studies19	85 87 87 87
6.	ANA 6.1 6.2 6.3	ALYTICAL METHODS19BIOLOGICAL SAMPLES19ENVIRONMENTAL SAMPLES19ADEQUACY OF THE DATABASE196.3.1 Identification of Data Needs196.3.2 Ongoing Studies19	92 96 97 97
7.	REG	ULATIONS AND ADVISORIES	19
8.	REFI	ERENCES)7
9.	GLO	SSARY 23	51
AP	PENI	DICES	

A.	USER'S GUIDE A	A- 1
B.	ACRONYMS, ABBREVIATIONS, AND SYMBOLS	B-1

.....

ł

LIST OF FIGURES

2-1	Levels of Significant Exposure to 2,4-Dinitrophenol - Oral	40
2-2	Proposed Metabolic Pathway for 2,4-Dinitrophenol	87
2-3	Existing Information on Health Effects of 2,4-Dinitrophenol	149
5-1	Frequency of NPL Sites With Dinitrophenols Contamination	175

. 1 •

LIST OF TABLES

2-1	Levels of Significant Exposure to 2,4-Dinitrophenol - Oral	19
2-2	Levels of Significant Exposure to 2,4-Dinitrophenol - Dermal	75
2-3	Genotoxicity of Dinitrophenols In Vivo	123
2-4	Genotoxicity of Dinitrophenols In Vitro	124
2-5	Genotoxicity of Dinitrophenol Metabolites In Vivo	130
2-6	Genotoxicity of Dinitrophenol Metabolites In Vitro	131
3-1	Chemical Identity of Isomers of Dinitrophenols	164
3-2	Physical and Chemical Properties of Dinitrophenols	166
3-3	Metabolites of Dinitrophenols	168
4-1	Facilities that Manufacture or Process 2,4-Dinitrophenol	170
5-1	Releases to the Environment from Facilities that Manufacture or Process 2,4-Dinitrophenol	176
6-1	Analytical Methods for Determining Dinitrophenols in Biological Samples	193
6-2	Analytical Methods for Determining Dinitrophenols in Environmental Samples	194
7-1	Regulations and Guidelines Applicable to Dinitrophenols	200

· ·