

REFERENCES

- Abernathy, CO; Cantilli, R; Du, JT.; Levander, OA (1993) Essentiality versus toxicity; some considerations in the risk assessment of essential trace elements. In: Saxena, J, ed. Hazard assessment of chemicals. Washington, DC: Taylor and Francis; pp. 81B113.
- Adams, WJ; Brix, KV; Edwards, M; Tear, LM; DeForest, DK; Fairbrother, A. (2003) Analysis of field and laboratory data to derive selenium toxicity thresholds for birds. *Environ Toxicol Chem* 22(9):2020B2029.
- AIHA (American Industrial Hygiene Association). (2003) The occupational environment: its evaluation, control, and management. 2nd Edition. Dinardi, S, ed. Fairfax, VA: AIHA Press; pp. 37B38.
- Allen, HE. (2002) Bioavailability of metals in terrestrial ecosystems: importance of partitioning for bioavailability to invertebrates, microbes and plants. ISBN 1-880611-46-5. Pensacola, FL: SETAC Press, 158 pp.
- Allison, JD; Brown, DS; Novo-Gradac, KJ. (1991) MINTEQA2/PRODEFA2, a geochemical assessment model for environmental systems: version 3.0, user's manual. U.S.EPA ERL ORD, Athens, GA. EPA/600/3-91/021.
- Andersen, ME; Clewell, HJ; Gargas, ML; Smith, FA; Reitz, RH. (1987) Physiologically based pharmacokinetics and the risk assessment process for methylene chloride. *Toxicol Appl Pharmacol* 87(2):185B205.
- Ankley, GT; Phipps, GL; Leonard, EN; Benoit, DA; Mattson, VR. (1991) Acid-volatile sulfide as a factor mediating cadmium and nickel bioavailability in contaminated sediments. *Environ Toxicol Chem* 10:1299B1307.
- Ankley, GT; Di Toro, DM; Hansen, DJ; Berry, WJ. (1996) Technical basis and proposal for deriving sediment quality criteria for metals. *Environ Toxicol Chem* 15(12):2056B2066.
- ANZECC and ARMCANZ (Australian and New Zealand Environment and Conservation Council and Agriculture and Resource Management Council of Australia and New Zealand). (2000) Australian and New Zealand guidelines for fresh and marine water quality, Vols. 1 and 2. Available online at <http://www.deh.gov.au/water/quality/nwqms/index.html#monitor>
- Arnold, PT; Kapustka, LA. (1993) Comparative uptake kinetics and transport of cadmium and phosphate in *Phleum pratense*-*Glomus deserticum* associations. *Environ Toxicol Chem* 12:177B186.
- ATSDR (Agency for Toxic Substance and Disease Registry), (2003) Toxicological profile for nickel, draft for public comment. U.S. Public Health Service, U.S. Department of Human Services, (2003). Atlanta, GA.
- ATSDR (Agency for Toxic Substance and Disease Registry), Draft (2004) Evaluation of the toxicology of chemical mixtures commonly found at hazardous waste sites. U.S. Public Health Service, U.S. Department of Human Services, (2004). Atlanta, GA.
- AWWA (American Water Works Association). (1999) Water quality and treatment. A handbook of community water supplies. 5th ed. 1233 pp. ISBN 0-07-001659-3. New York, NY.
- Baas-Becking, LGM; Kaplan, IR; Moore, D. (1960) Limits of the natural environment in terms of pH and oxidation-reduction potentials. *J Geol* 68:243B284.
- Babukutty, Y; Chacko, J. (1995) Chemical partitioning and bioavailability of lead and nickel in an estuarine system. *Environ Toxicol Chem* 14:427B434.
- Bailey, RG. (1983) Delineation of ecosystem regions. *Environ. Management* 7(4): 365-373.

Bailey, RG; Avers, PE; King, T; McNab, WH, eds. (1994) Ecoregions and subregions of the United States (map) US Geological Survey. Scale 1:7,500,000. Washington, DC: USDA Forest Service. With supplementary table of map unit descriptions, compiled and edited by W. H. McNab and R. G. Bailey. Available online at <http://www.fs.fed.us/land/pubs/ecoregions/toc.html>

Baines, SB; Fisher, NS; Stewart, R. (2002) Assimilation and retention of selenium and other trace elements from crustacean food by juvenile striped bass (*Morone saxatilis*). *Limnol Oceanogr* 47(3):646-655.

Ballatori, N. (2002) Transport of toxic metals by molecular mimicry. *Environ Health Perspect* 110(Suppl 5):689B694.

Barak, P. (1999) Essential elements for plant growth. Department of Soil Science, University of Wisconsin-Madison. Available online at <http://www.soils.wisc.edu/~barak/soilscience326/essentl.htm>.

Barber, SA. (1995) Soil nutrient bioavailability: a mechanistic approach, 2nd ed. New York, NY: John Wiley & Sons.

Barnes, RM. (1990) Childhood soil ingestion: how much dirt do kids eat? *Anal Chem* 62(19):1023B1033.

Barnhart, J. (1997) Chromium chemistry and implications for environmental fate and toxicity. *J Soil Contam* 6(6):561-568.

Basta, NT; Pantone, DJ; Tabatabai, MA. (1993) Path analysis of heavy metal adsorption by soil. *Agron J* 85:1054B1057.

Beck, BD; Mattuck, RL; Bowers, TS; Cohen, JT; O'Flaherty, E. (2001) The development of a stochastic physiologically-based pharmacokinetic model for lead. *Sci Total Environ* 274(1-3):15B19.

Bell, PF; Adamu, CA; Mulchi, CL; McIntosh, M; Chaney, RL. (1988) Residual effects of land applied municipal sludge on tobacco. I. Effects on heavy metals concentrations in soils and plants. *Tob Sci* 32:33B38.

Berglund, M; Askesson, A; Nermell, B; Vahter, M. (1994) Intestinal absorption of dietary cadmium in women depends on body stores and fiber intake. *Environ Health Perspect* 102(12):1058B1065.

Berry, WJ; Hansen, DJ; Mahony, JD; D.L. Robson, DL; DiToro, DM; Shipley, BP; Rogers, B; Corbin, JM and W.S. Boothman, WS. (1996) Predicting the toxicity of metal-spiked laboratory sediments using acid-volatile sulfide and interstitial water normalizations. *Environ Toxicol Chem* 15(12):2067B2079.

Beyer, WN; Heinz, GH; Redmon-Norwood, AW. (1996) Environmental contaminants in wildlife: interpreting tissue concentrations. Boca Raton, FL: Lewis Publishers.

Beyer, WN; Audet, DJ; Morton, A; Campbell, JK; LeCaptain, L. (1998) Lead exposure of waterfowl ingesting Coeur d'Alene River Basin sediments. *J Environ Qual* 27(6):1533B1538.

Bingham, FT; Sposito, G; Strong, JE. (1986) The effect of sulfate on the availability of cadmium. *Soil Sci* 141(2):172B177.

Bjerregaard, P; Topçuoğlu, S; Fisher, NS; Fowler, SW. (1985) Accumulation and retention of ²³⁷Pu and ²⁴¹Am in the mussel *Mytilus edulis*. *Mar Ecol Prog Ser* 21:99B111.

Blus, LJ; Henny, CJ; Hoffman, DJ; Grove, RA. (1991) Lead toxicosis in tundra swans near a mining and smelting complex in northern Idaho. *Arch Environ Contam Toxic* 21:549B555.

Bodek, IB; Lyman, WJ; Reehl, WF; Rosenblatt, DH, eds. (1988) Environmental inorganic chemistry: properties, processes, and estimation methods. SETAC Spec. Publ. Ser. New York, NY: Pergamon Press.

- Bohn, HL; McNeal, BL; O'Connor, GA. (1985) Soil chemistry, 2nd ed. New York, NY: John Wiley & Sons.
- Bolger, PM; Yess, NJ; Gunderson, EL; Troxell TC; Carrington CD. (1996) Identification and reduction of sources of dietary lead in the United States. *Food Additives Contam* 13:53B60.
- Borgmann, U; Norwood, WP; Dixon, DG. (2004) Re-evaluation of metal bioaccumulation and chronic toxicity in *Hyalella azteca* using saturation curves and the biotic ligand model. *Environ Pollut* 131(3):469-484.
- Bose, A; Vashistha, K; O'Loughlin, BJ: (1983) Azarcón por empacho - another cause of lead toxicity. *Pediatrics* 72(1): 106-108.
- Bowers, TS; Beck, BD; Karam, HS. (1994) Assessing the relationship between environmental lead concentrations and adult blood lead levels. *Risk Anal* 14(2):183B189.
- Bradham, KD. (2002) Effect of soil properties on the bioavailability and toxicity of metals to *Eisenia andrei*. Ph.D. dissertation. Dept. of Zoology, Oklahoma State University.
- Brown, DS; Allison, JD. (1987) MINTEQA1, an Equilibrium Metal Speciation Model. User's Manual. U.S. Environmental Protection Agency, Athens, GA. EPA-600-3-87-012.
- Brown, GE, Jr; Foster, AL; Ostergren, JD. (1999) Mineral surfaces and bioavailability of heavy metals: a molecular-scale perspective. *Proc Natl Acad Sci* 96(7):3388B3395.
- Brown, SL; Henry, CL; Compton, H; Chaney, RL, Pannella, D. (2000) Using municipal biosolids in combination with other residuals to restore metal-contaminated mining areas. In: Proceedings of a symposium on mining, forest and land restoration: the successful use of residual/biosolids/organic matter for reclamation activities. Rocky Mountain Water Environment Association. July 17B20, Denver, CO.
- Brumbaugh, WG; Ingersoll, CG; Kemble, NE; May, TW; Zajicek, JL. (1994) Chemical characterization of sediments and pore water from the Upper Clark Fork River and Milltown Reservoir, Montana. *Environ Sci Chem* 13:1971B1983.
- Bullock, OR. (2000a) Current methods and research strategies for modeling atmospheric mercury. *Fuel Proc Technol* 65B66:459B471.
- Bullock, OR. (2000b) The importance of emissions speciation to the atmospheric transport and deposition of mercury. Presented at: EPA Conference on Assessing and Managing Mercury From Historic and Current Mining Activities, San Francisco, CA, November 28 30.
- Bullock, OR; Brehme, KA. (2002) Atmospheric mercury simulation using the CMAQ model: formulation description and analysis of wet deposition results. *Atmos Environ* 36(13):2135B2146.
- Butcher, J; Diamond, J; Berr, J; Latimer, H; Klaine, T; Hoang, T; Bowersox, M. (2006) Toxicity models of pulsed copper exposure to *Pimephales promelas* and *Daphnia magna*. *Environ Toxicol Chem* 25(9):2541-2550.
- Calabrese, EJ; Stanek, EJ; Gilbert, CE; Barnes, RM. (1990) Preliminary adult soil ingestion estimates: results of a pilot study. *Regul Toxicol Pharmacol* 12(1):88B95.
- Calamari, D; Alabaster, JS. (1980) An approach to theoretical models in evaluating the effects of mixtures of toxicants in the aquatic environment. *Chemosphere* 9(9):533B538.
- Campbell, PGC. (1995) Interactions between trace metals and aquatic organisms: a critique of the free ion activity model. In: Tessier, A; Turner, DR, eds. *Metal speciation and bioavailability in aquatic systems*. Chichester, UK: Wiley; pp. 45B102.
- Campbell, PGC; Hansen, HJ; Dubreuil, B; Nelson, WO. (1992) Geochemistry of Quebec North Shore salmon rivers during snowmelt: organic acid pulse and aluminum mobilization. *Can J Fish Aquat Sci* 49:1938B1952.

- Capar, SG; Cunningham, WC. (2000) Element and radionuclide concentrations in food: FDA total diet study 1991-1996. *J AOAC Internat* 83(1):157B177.
- Carignan, R; Tessier, A. (1985) Zinc deposition in acid lakes: the role of diffusion. *Science* 228(4707):1524B1526.
- Carlisle, J; Christopher, J; Davis, B; Klein, K; Renzi, B; Wade, M. (2000) Updated version of the California EPA lead risk assessment spreadsheet model for predicting blood lead in children and adults. Society of Toxicology, March. Available online at http://www.dtsc.ca.gov/AssessingRisk/HERD_Research_Presentations.cfm.
- Carlisle, JC; Wade, MJ. (1992) Predicting blood lead concentrations from environmental concentrations. *Regul Toxicol Pharmacol* 16(3):280B289.
- Carlson, AR; Phipps, GL; Mattson, VR (1991) The role of acid-volatile sulfide in determining cadmium bioavailability and toxicity in freshwater sediments. *Environ Toxicol Chem* 10:1309B1319.
- Casas, AM; Crecelius, EA. (1994) Relationship between acid volatile sulfide and the toxicity of zinc, lead and copper in marine-sediments. *Environ Toxicol Chem* 13:529B536.
- CDC (Centers for Disease Control and Prevention). (1981) Use of lead tetroxide as a folk remedy for gastrointestinal illness. *Morbidity and Mortality Weekly Report* 30(43):546-547.
- CDC (Centers for Disease Control and Prevention). (1982) Lead poisoning from lead tetroxide used as a folk remedy--Colorado. *Morbidity and Mortality Weekly Report* 30(52):647-648.
- CDC (Centers for Disease Control and Prevention). (1983) Folk remedy-associated lead poisoning in Hmong children--Minnesota. *Morbidity and Mortality Weekly Report* 32:555-556. Available online at <http://www.cdc.gov/mmwr/preview/mmwrhtml/00000165.htm>.
- CDC (Centers for Disease Control and Prevention). (2003) Second national report on human exposure to environmental chemicals. January. NCEH Pub No. 03-0022.
- CDC (Centers for Disease Control and Prevention). (2005). Third National report on human exposure to environmental chemicals. July. NCEH Pub. No. 05-0570. Available online at <http://www.cdc.gov/exposurereport/3rd/pdf/thirdreport.pdf>.
- Chaney, RL. (1980) Health risks associated with toxic metals in municipal sludge. In; Bitton, G; Damron, BL; Edds, GT; Davidson, JM; eds. *Sludge--Health risks of land application*. Ann Arbor, MI: Ann Arbor Science Publishers, Inc.; pp. 59B83.
- Chaney, RL; Ryan, JA. (1993) Heavy metals and toxic organic pollutants in MSW-composts: Research results on phytoavailability, bioavailability, etc. In: Hoitink, AJ; Keener, HM, eds. *Science and engineering of composting: Design, environmental, microbiological and utilization aspects*. Columbus, OH: Ohio State University; pp. 451B506.
- Chaney, RL; Ryan, JA. (1994) Risk based standards for arsenic, lead and cadmium in urban soils. Frankfurt, Germany: DECHMEA.
- Chaney, RL; Brown, SL; Angle, JS; Stuczynski, TI; Daniels, WL; Henry, CL; Siebielec, G; Li, YM; Malik, M; Ryan JA and Compton H. (2000) In situ remediation/reclamation/restoration of metals contaminated soils using tailor made biosolids mixtures. In: *Proceedings of Mining, Forest and Land Restoration Symposium/Workshop*. Rocky Mountain Water Environment Association Biosolids Committee, July 17 19, Golden, CO.
- Chang, SI; Reinfelder, JR. (2000) Bioaccumulation, subcellular distribution and trophic transfer of copper in a coastal marine diatom. *Environ Sci Technol* 34(23):4931-4935.
- Chapman, PM; Wang, F. 1998. Issues in ecological risk assessments of inorganic metals and metalloids. Available online at <http://www.uoguelph.ca/cntc/files/era-metals.pdf>. HERAC(6):965-988.

- Chen, Z; Mayer, LM. (1998) Mechanisms of Cu solubilization during deposit feeding. *Environ Sci Technol* 32(6):770–775.
- Chen, Z; Mayer, LM. (1999) Sedimentary metal bioavailability determined by the digestive constraints of marine deposit feeders: Gut retention time and dissolved amino acids. *Mar Ecol Prog Ser* 176: 139–151.
- Choudhury, H; Harvey, T; Thayer, WC; Lockwood, TF; Stiteler WM; Goodrum, PE; Hassett, JM; Diamond, GL (2001) Urinary cadmium elimination as a biomarker of exposure for evaluating a cadmium dietary exposure-biokinetics model. *J Toxicol Environ Health* 63:101B130.
- Clarke, RH. (1995) ICRP recommendations applicable to the mining and minerals processing industries and to natural sources. International Commission on Radiological Protection. *Health Phys* 69:454B460.
- Clarkson, TW. (1993) Molecular and ionic mimicry of toxic metals. *Ann Rev Pharmacol Toxicol* 32:545B571.
- Clason, B; Langston, WJ; Zauke, GP. (2004) Bioaccumulation of trace metals in the amphipod *Chaetogammarus marinus* (Leach, 1815) from the Avon and Tamar estuaries (UK): comparison of two-compartment and hyperbolic toxicokinetic models. *Marine Environ Res* 57(3):171-195.
- Clayton, CA; Pellizzari, ED; Whitmore, R; Perritt, RL. and Quackenboss, JJ. (1999) National human exposure assessment survey (NHEXAS): distributions and associations of lead, arsenic and volatile organic compounds in EPA Region 5. *J Exp Anal Environ Epidemiol* 9(5):381B392.
- Clayton, CA; Pellizzari, ED; Quackenboss, JJ. (2002) National Human Exposure Assessment Survey: analysis of exposure and routes for arsenic and lead in EPA Region 5. *J Exp Anal Environ Epidemiol* 12(1):29B43.
- Cohen, JT; Beck, BD; Bowers, TS; Bornschein, RL; Calabrese, EJ. (1998) An arsenic exposure model: Probabilistic validation using empirical data. *Hum Ecol Risk Assess* 4(2):341B377.
- Cohen, SM; Klaunig, J.; Meek, ME; Hill, RN; Pastoor, T; Lehman-McKeeman, L.; Bucher, J; Longfellow, DG; Seed, J; Dellarco, V; Fenner-Crisp, P; Dorothy, P. (2004) Evaluating the human relevance of chemically induced animal tumors. *Toxicol Sci* 78(2):181–186.
- Conder, JM; Seals, LD; Lanno, RP. (2002) Method for determining toxicologically relevant cadmium residues in the earthworm *Eisenia fetida*. *Chemosphere* 49:1B7.
- Cook, PM; Carlson, AR; Lee, H. (1989) Tissue residue approach. In: *Sediment classification methods compendium*, Chapter 7. U.S. EPA Office of Water, Washington, DC; EPA 823-R-92-006.
- Cook, PM; Erickson, RJ; Spehar, RL; Bradbury, SP; Ankley, GT. (1993) Interim report on data and methods for assessment of 2,3,7,8-tetrachlorodibenzo-p-dioxin risks to aquatic life and associated wildlife. U.S. EPA, Office of Research and Development, Duluth, MN; EPA/600/R-93/055.
- Crecelius, EA; Hardy, JT; Gibson, CI; Schmidt, RL; Apts CW; Gurtisen, JM and Joyce, SP. (1982) Copper bioavailability to marine bivalves and shrimp: Relationship to cupric ion activity. *Mar Environ Res* 6:13B26.
- Crommentuijn, T; Doodeman, CJAM; Doornekamp, A; Van der Pol, JJC; Bedaux, JJM; van Gestel, CAM (1994) Lethal body concentrations and accumulation patterns determine time-dependent toxicity of cadmium in soil arthropods. *Environ Toxicol Chem* 13(17):1781B1789.
- Crommentuijn, T; Doodeman, CJAM; Van der Pol, JJC; Doornekamp, A; Rademaker, MCJ; van Gestel, CAM (1997) Bioavailability and ecological effects of cadmium on *Folsomia candida* (Willem) in an artificial soil substrate as influenced by pH and organic matter. *Appl Soil Ecol* 5:261B271.
- Dabeka, RW; McKenzie, AD. (1995) Survey of lead, cadmium, fluoride, nickel, and cobalt in food composites and estimation of the dietary intakes of these elements by Canadian adults and children. *J AOAC Internat* 78(4):897B909.

Dabeka, RW; McKenzie, AD; Lacroix, GM; Cleroux, C; Bowe, S; Graham, RA; Conacher, HB; Verdier P. (1993) Survey of arsenic in total diet food composites and estimation of the dietary intake of arsenic by Canadian adults and children. *J AOAC Internat* 76(1):14B25.

Dang, W; Chen, J; Mottl, N; Phillips, L; Wood, P; McCarthy, S; Lee, R; Helmke, M; Nelson, M; Coon, K. (2003) A probabilistic risk assessment for children who contact CCA-treated playsets and decks. Available online at <http://www.epa.gov/scipoly/sap/meetings/2003/december3/shedsprobabalisticriskassessmentnov03.pdf>.

Degryse, F; Buekers, J; Smolders, E. (2004) Radio-labile cadmium and zinc in soils as affected by pH and source of contamination. *European Journal of Soil Science* 55(1): 113-122.

Delos, CG; Richardson, WL; DePinto, JV; Ambrose, RB; Rodgers, W; Rygwelski, K; St. John, J; Shaughnessy, WJ; Faha, TA. (1984) Technical guidance manual for performing waste load allocations: Book II, streams and rivers. Chapter 3: Toxic Substances. U.S. Environmental Protection Agency, Office of Water, Washington, DC; EPA/440/9-84-022.

DeMoor, JM; Koropatnick, DJ. (2000) Metals and cellular signaling in mammalian cells. *Cell Mol Biol* 46(2):367-81.

De Schamphelaere, KAC; Janssen, CR. (2002) A biotic ligand model predicting acute copper toxicity for *Daphnia magna*: The effects of calcium, magnesium, sodium, potassium and pH. *Environ Sci Technol* 36(1):48B54.

De Schamphelaere, KAC; Janssen, CR. (2004) Development and field validation of a biotic ligand model predicting chronic copper toxicity to *Daphnia magna*. *Environ Toxicol Chem* 23(6):1365B1375.

De Schamphelaere, KAC; Heijerick, DG; Janssen, CR. (2002) Refinement and field validation of a biotic ligand model predicting acute copper toxicity to *Daphnia magna*. Special issue: the biotic ligand model for metals. Current research, future directions, regulatory implications. *Comp Biochem Physiol C* 133(1-2):243B258.

De Schamphelaere, KAC; Vasconcelos, FM; Heijerick, DG; Tack, FMG; Delbeke, K; Allen, HE; Janssen, CR. (2003) Development and field validation of a predictive copper toxicity model for the green alga *Pseudokirchneriella subcapitata*. *Environ Toxicol Chem* 22(10): 2454-2465.

De Schamphelaere, KAC; Vasconcelos, FM; Tack, FMG; Allen, HE; Janssen, CR. (2004) Effect of dissolved organic matter source on acute copper toxicity to *Daphnia magna*. *Environ Toxicol Chem* 23(5):1248-1255.

Diamond, ML. (1995) Application of a mass balance model to assess in-place arsenic pollution. *Environ Sci Technol* 29(1):29-42.

Diamond ML; Mudroch A. (1990) Review of techniques for quantifying the transfer of contaminants and nutrients from bottom sediments. National Water Research Institute Contribution No. 90-43, National Water Research Institute, Environment Canada, Burlington, Ontario, Canada.

Di Toro, DM; Mahony, JD; Hansen, DJ; Scott, KJ; Hicks, MB; Mayr, SM; Redmond, MS. (1990) Toxicity of cadmium in sediments: the role of acid volatile sulfide. *Environ Toxicol Chem* 9:1487B1502.

Di Toro, DM; Mahony, JD; Hansen, DJ; Scott, KJ; Carlson, AR; Ankley, GT. (1992) Acid volatile sulfide predicts the acute toxicity of cadmium and nickel in sediments. *Environ Sci Tech* 26(1):96-101.

Di Toro, DM, Allen, HE; Bergman, HL; Meyer, JS; Paquon, PR; Santore, RC. (2001) Biotic ligand model of the acute toxicity of metals. I. technical basis. *Environ Tox Chem* 20(10):2383B2396.

Dzombak, DA; Ali, MA. (1993) Hydrochemical modeling of metal fate and transport in freshwater environments. *Water Pollut Res J Can* 28(1):7B50.

ECETOC (European Centre for Ecotoxicology and Toxicology of Chemicals). (2001) Aquatic toxicity of mixtures. Technical Report No. 80. Brussels, Belgium; 63 pp.

- Efroymsen, RA; Sample, BE; Suter GW, II. (2004) Bioaccumulation of inorganic chemicals from soil by plants: Spiked soils vs. field contamination on background. *Hum Ecol Risk Assess* 10(6) 1117-1127.
- Egan, SK; Tao, SS; Pennington, JA; Bolger, PM. (2002) U.S. Food and Drug Administration's total diet study: intake of nutritional and toxic elements, 1991-1996. *Food Addit Contam* 19(2):103-125.
- Ellis, KJ; Vartsky, D; Zanzi, I; Cohn, SH; Yasumura, S. (1979) Cadmium: in vivo measurement in smokers and nonsmokers. *Science* 205:323B325.
- Enserink, EL; Maas-Diepeveen, JL; Van Leeuwen, CJ. (1991) Combined effects of metals: an ecotoxicological evaluation. *Water Res* 25(6):679B687.
- Erickson, RJ; Benoit, DA; Mattson, VR; Nelson, HP Jr.; Leonard, EN. (1996) The effects of water chemistry on the toxicity of copper to fathead minnows. *Environ Toxicol Chem* 15(2): 181-193.
- Escher, BI; Hermens, JLM. (2002) Modes of action in ecotoxicology: their role in body burdens, species sensitivity, QSARs, and mixture effects. *Environ Sci Technol* 36(2):4201-4217.
- Fairbrother, A; Kapustka, LA. (1997) Hazard classification of inorganic substances in terrestrial systems: a discussion paper. Ottawa, Canada: International Council on Metals and the Environment.
- Fairbrother, A; Locke, L; Hoff, GL, eds. (1996) Non-infectious diseases of wildlife. 2nd ed. Ames, IA: Iowa State University Press.
- Fairbrother, A; Glazebrook, PW; van Straalen, NM; Tarazona, JV, eds. (2002) Test methods for hazard determination of metals and sparingly soluble metal compounds in soils. Pensacola, FL: SETAC Press.
- Fan, W; Wang, W-X. (2001) Sediment geochemical controls on Cd, Cr, and Zn assimilation by the clam *Ruditapes philippinarum*. *Environ Toxicol Chem* 20(10):2309B2317.
- Fargašová, A. (2001) Winter third- to fourth-instar larvae of *Chironomus plumosus* as bioassay tools for assessment of acute toxicity of metals and their binary combinations. *Ecotoxicol Environ Saf* 48(1):1B5.
- Finney, DJ. (1947) Probit analysis: a statistical treatment of the sigmoidal response curve. Cambridge, UK: Cambridge University Press.
- Fisher, NS; Reinfelder, JR. (1995) The trophic transfer of metals in marine systems. In: Tessier, A; Turner, DR, eds. *Metal speciation and bioavailability in aquatic systems*. Chichester, UK: Wiley; pp. 363-406.
- Fisher, NS; Teyssié, J-L; Fowler, SW; Wang, W-X. (1996) Accumulation and retention of metals in mussels from food and water: a comparison under field and laboratory conditions. *Environ Sci Technol* 30(11):3232B3242.
- Fisher, NS; Stupakoff, I; Sañudo-Wilhelmy, SA; Wang, W-X; Teyssié, J-L; Fowler, SW; Crusius, J. (2000) Trace metals in marine copepods: a field test of a bioaccumulation model coupled to laboratory uptake kinetics data. *Mar Ecol Prog Ser* 194:211-218.
- Forstner, U. (1995) Non-linear release of metals from aquatic sediments. In: Salomons, W; Stigliani, WM, eds. *Biogeochemistry of pollutants in soils and sediments*. Germany: Springer-Verlag.
- Freeman, GB; Johnson, JD; Killinger, JM; Liao, SC; Davis, AO; Ruby, MV; Chaney, RL; Lovre, SC; Bergstrom, PD. (1993) Bioavailability of arsenic in soil impacted by smelter activities following oral administration in rabbits. *Fundam Appl Toxicol* 21(1):83B88.
- Freeman, GB; Schoof, RA; Ruby, MV; Davis, AO; Dill, JA; Liao, SC; Lapin, CA; Bergstrom, PD. (1995) Bioavailability of arsenic in soil and house dust impacted by smelter activities following oral administration in cynomolgus monkeys. *Fundam Appl Toxicol* 28(2):215B222.
- Friis, L; Petersson, L; Edling, C. (1998) Reduced cadmium levels in human kidney cortex in Sweden. *Environ Health Perspect* 106(4):175B178.

- Gagnon, C; Fisher, NS. (1997) The bioavailability of sediment-bound Cd, Co, and Ag to the mussel *Mytilus edulis*. *Can J Fish Aq Sci* 54:147-156.
- Geffner, ME; Sandler, A. (1980) Oral metallic mercury: a folk remedy for gastroenteritis. *Clinical Pediatrics* 19(6): 435-437.
- George, E; Römheld, V; Marschner, H. (1994) Contribution of Mycorrhizal fungi to micronutrient uptake by plants. In: Mantey, JA; D.E. Crowley, DE; Luster, DG; eds. *Biochemistry of metal micronutrients in the rhizosphere*. Boca Raton, FL: Lewis Publishers; pp. 93B110.
- Gobas, FAPC: (1993) A model for predicting the bioaccumulation of hydrophobic organic chemicals in aquatic food webs: application to Lake Ontario. *Ecol Modell* 69(1-2):1-17.
- Goyer, R; Golub, M; Choudhury, H; Hughes, M; Kenyon, E; Stifelman, M. (2004) Issue paper on the human health effects of metals. August 19, 2004. Available online at <http://cfpub.epa.gov/ncea/raf/recordisplay.cfm?deid=59052>
- Graziano, JH; Blum, CB; LoIacono, NJ; Slavkovich, V; Manton, WI; Pond, S; Moore, MR. (1996) A human in vivo model for the determination of lead bioavailability using stable isotope dilution. *Environ Health Perspect* 104:176B179.
- Griffith, GE; Omernik, JM; Woods, AJ. (1999) Ecoregions, watersheds, basins, and HUCs: how state and federal agencies frame water quality. *Soil and Water Conserv* 54(4):666-677.
- Griscom, SB; Fisher, NS; Luoma, SN. (2002) Kinetic modeling of Ag, Cd and Co bioaccumulation in the clam *Macoma balthica*: quantifying dietary and dissolved sources. *Mar Ecol Prog Ser.* 240:127-141.
- Gunderson, BL. (1995) FDA total diet study, July 1986-April 1991, dietary intakes of pesticides, selected elements, and other chemicals. *J AOAC Internat* 78(6):1353B1363.
- Guo, Z. (2002) Review of indoor emission source models. *Overview Environ Pollut* 120(3):533B549.
- Hamon, R; McLaughlin, MJ; Naidu, R; Correll, R. (1998) Long-term changes in cadmium bioavailability in soil. *Environ Sci Technol* 32(23):3699-3703.
- Handy, RD. (1993) The effect of acute exposure to dietary Cd and Cu on organ toxicant concentrations in rainbow trout, *Oncorhynchus mykiss*. *Aquat Toxicol* 27:1-14.
- Hanson, DJ; Berry, WJ; Mahony, JD; Boothman, WS; DiToro, DM; Robson, DL; Ankley, GT; Ma, D; Yan, Q; Pescht, CE. (1996) Predicting the toxicity of metal contaminated field sediments using interstitial concentrations of metals and acid volatile sulfide normalizations. *Environ Toxicol Chem* 15(12):2080B2094.
- Hare, L; Tessier, A; Borgmann, U. (2003) Metal sources for freshwater invertebrates: pertinence for risk assessment. *Human Ecol Risk Assess* 9:779B793.
- Hathcock, JN (1996) Safety limits for nutrients. *J Nutr* 126(9):2386S-2389S.
- Hawley, JK. (1985) Assessment of health risk from exposure to contaminated soil. *Risk Anal* 5(4):289B302.
- Haygarth, PM; Jones, KC. (1992) Atmospheric deposition of metals to agricultural surfaces. In: Adriano, DC, ed. *Biogeochemistry of trace metals*. Boca Raton, FL: CRC/Lewis Publishers; pp. 249B276.
- Heijerick, DG; de Schamphelaere; KAC; Janssen, CR. (2000) Predicting acute zinc toxicity for *Daphnia magna* as a function of key water chemistry characteristics: development and validation of a biotic ligand model. *Environ Toxicol Chem* 21(6):1309-1315.
- Heijerick, DG; De Schamphelaere, KAC; Janssen, CR. (2002) Biotic ligand model development predicting Zn toxicity to the alga *Pseudokirchneriella subcapitata*: possibilities and limitations. *Comp Biochem Physiol C* 133(1-3):207-218.

- Henderson, RF; Bechtold, WE; Bond, JA; Sun, JD. (1989) The use of biological markers in toxicology. *Crit Rev Toxicol* 20:65-82.
- Henny, CJ; Blus, LJ; Hoffman, DJ; Sileo ,L; Audet, DJ; Snyder, MR. (2000) Field evaluation of lead effects on Canada geese and mallards in the Coeur d'Alene River Basin, Idaho. *Arch Environ Contam Toxicol* 39(1):97B112.
- Herkovits, J; Pérez-Coll, CS; Herkovits, FD. (1999) Evaluation of nickel-zinc interactions by means of bioassays with amphibian embryos. *Ecotoxicol Environ Safe* 45(3):266-273.
- Hook, SE. (2001) Sublethal toxicity of metals to copepods. Ph.D. dissertation. State University of New York (SUNY) at Stony Brook.
- Hook SE; Fisher, NS. (2001a) Reproductive toxicity of metals in calanoid copepods. *Mar Biol* 138:1131-1140.
- Hook SE; Fisher, NS. (2001b) Sublethal effects of silver in zooplankton: importance of exposure pathways and implications for toxicity testing. *Environ Toxicol Chem* 20:568-74.
- Hook, SE; Fisher, NS. (2002) Relating the reproductive toxicity of five ingested metals in calanoid copepods with sulfur affinity. *Marine Environ Res* 53(2):161B174.
- Hostynek, JJ; Hinz, RS; Lorence, CR; Guy, RH. (1998) Human skin penetration by metal compounds. In: Roberts, MS; Walters, KA; eds. *Dermal absorption and toxicity assessment*. New York, NY: Marcel Dekker, Inc.
- Hudson, RJM; Gherini, SA; Watras, CJ; Porcella, DB. (1994) A mechanistic model for the biogeochemical cycle of mercury in lakes. In: Watras, CJ; Huckabee, JW; eds. *Mercury as a global pollutant*. Chelsea, MI: Lewis Publishers.
- Huheey, JE; Keiter EA; Keiter, RI. (1993) *Inorganic chemistry—principles of structure and reactivity*. 4th ed. New York: Harper Collins College Publishers, 964 pp.
- Hursh, JB; Clarkson, TW; Miles, EF; Goldsmith, LA. (1989) Percutaneous absorption of mercury vapor by man. *Arch Environ Health* 44(2):120B127.
- IARC (International Agency for Research on Cancer). (2004) Recent Meetings Volume 87: Inorganic and organic lead compounds 10–17 February 2004. IARC Monographs on the Evaluation of Carcinogenic Risk to Humans. Available online at <http://monographs.iarc.fr/ENG/Meetings/vol87.php>
- IARC (International Agency for Research on Cancer). (2004b) Volume 84: Some drinking-water disinfectants and contaminants, including arsenic. Available online at <http://monographs.iarc.fr/ENG/Monographs/vol84/volume84.pdf> .
- Ilyin, LA; Ivannikov, AT; Parfenov, YD; Stolyarov, VP. (1975) Strontium absorption through damaged and undamaged human skin. *Health Phys* 29(1):75B80.
- IPCS (International Programme on Chemical Safety). (1990b) Beryllium. Environmental health criteria document No. 106. Geneva, Switzerland. Available online at <http://www.inchem.org/documents/ehc/ehc/ehc106.htm>.
- IPCS (International Programme on Chemical Safety). (1994a) Environmental health criteria 170, assessing human health risks of chemicals: derivation of guidance values for health-based exposure limits. Available online at <http://www.inchem.org/documents/ehc/ehc/ehc170.htm>.
- IPCS (International Programme on Chemical Safety). (1994b) Environmental health criteria 155, biomarkers and risk assessment: concepts and principles. United Nations Environment Programme, International Labour Organization, World Health Organization. Available online at <http://www.inchem.org/documents/ehc/ehc/ehc155.htm>
- IPCS (International Programme on Chemical Safety). (1999) Environmental health criteria 210, principles for the assessment of risks to human health from exposure to chemicals. United Nations Environment Programme, International Labour Organization, World Health Organization.

IPCS (International Programme on Chemical Safety). (2000) Environmental health criteria 214, human exposure assessment. United Nations Environment Programme, International Labour Organization, World Health Organization. Available online at <http://www.inchem.org/documents/ehc/ehc/ehc214.htm>.

IPCS (International Programme on Chemical Safety). (2001) Environmental health criteria 222, biomarkers in risk assessment: validity and validation. United Nations Environment Programme, International Labour Organization, World Health Organization. Available online at <http://www.inchem.org/documents/ehc/ehc/ehc222.htm>.

IPCS (International Programme on Chemical Safety). (2002) Environmental health criteria 228, principles and methods for the assessment of risk from essential trace elements, United Nations Environment Programme, International Labour Organization, World Health Organization. Available online at <http://www.inchem.org/documents/ehc/ehc/ehc228.htm>.

Jaffe, D; Landis, MS; Weisspenzias, P; et al. (2003) Comments on “mercury concentrations in coastal California precipitation: Evidence of local and trans Pacific fluxes of mercury to North America,” by Steding and Flegal. *J Geophys Res Atmos* 108(D17): ACH 11 1BACH 11 2.

James, AC; Stahlhofen, W; Rudolf, GR; Köbrich, R; Briant, KS; Egan, MJ; Nixon, W; Birchall, A. (1994) Deposition of inhaled particles. *Annals of the ICRP* (Pub. No. 66) 24(1B3):231B299.

James, BR; Petura, JC; Vitale, RJ; Mussoline, GR. (1997) Oxidation-reduction chemistry of chromium: Relevance to the regulation and remediation of chromate-contaminated soils. *Soil Contam* 6(6):569-580.

Janssen, C; Muysen, B. (2001) Essentiality of metals: consequences for environmental risk assessments. Fact sheet #5 on environmental risk assessment. Ottawa, Ontario, Canada: International Council on Metals and the Environment.

Jarman, WM; Hobson, KA; Sydeman, WJ; Bacon, CE; McLaren, EB. (1996) Influence of trophic position and feeding location on contaminant levels in the Gulf of the Farallones food web revealed by stable isotope analysis. *Environ Sci Technol* 30(2):654-660.

Jing, J; Logan, T. (1992) Effects of sewage sludge cadmium concentration on chemical extractability and plant uptake. *J Environ Qual* 21:73B81.

Kabata-Pendias, A; Pendias, H. (2001) Trace elements in soil and plants. Boca Raton, FL: CRC Press; pp. 396.

Kahle, J; Zauke, G-P. (2003) Bioaccumulation of trace metals in the Antarctic amphipod *Orchomene plebs*: evaluation of toxicokinetic models. *Marine Environ Res* 55(5):359B384.

Kapustka, LA; Clements, WH; Ziccardi, L; Paquin, PR; Sprenger, M; Wall, D. (2004) Issue paper on the ecological effects of metals. Available online at <http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119>.

Kidd, KA; Hesslein, RH; Fudge, RP; Hallard, KA. (1995) The influence of trophic level as measured by delta-n-15 on mercury concentrations in fresh-water organisms. *Water Air and Soil Pollution* 80(1-4):1011-1015.

Kimber, I; Basketter, DA. (1996) Contact hypersensitivity to metals. In: Chang LW; Toxicology of metals. Boca Raton, FL: CRC Press; pp. 827-834.

Kiss, T; Osipenko, ON. (1994) Toxic effects of heavy metals on ionic channels. *Pharmacol Rev* 46(3):245-67.

Könemann, H. (1981) Quantitative structure-activity relationships in fish toxicity studies Part 1: relationship for 50 industrial pollutants. *Toxicology* 19(3):209-221.

Krishnan, K; Andersen, ME. (1994) Physiologically based pharmacokinetic modeling in toxicology In: Hayes, AW, ed. Principles and methods in toxicology, 3rd ed. New York, NY: Raven Press, Ltd.; pp. 149B188.

Landis, MS; Stevens, RK. (2003) Comments on “Measurements of atmospheric mercury species at a coastal site in the Antarctic and over the south Atlantic Ocean during polar summer.” *Environ Sci Technol* 37(14):3239B3240.

- Landrum, PF; Lee, H; Lydy, MJ. (1992) Toxicokinetics in aquatic systems: model comparisons and use in hazard assessment. *Environ Toxicol Chem* 11(12):1709-1725.
- Landrum, PF; Steevens, JA; Gossiaux, DC; McElroy, M; Robinson, S; Begnoche, L; Chernyak, S; Hickey, J. (2004) Time-dependent lethal body residues for the toxicity of pentachlorobenzene to *Hyalella azteca*. *Environ Toxicol Chem* 23(5):1335-1343
- Landrum, PF; Steevens, JA; McElroy, M; Gossiaux, DC; Lewis, JS; Robinson, SD. (2005) Time-dependent toxicity of dichlorodiphenyldichloroethylene to *Hyalella azteca*. *Environ Toxicol Chem* 24(1):211-218.
- Langmuir, D. (1997) *Aqueous environmental chemistry*. Upper Saddle River, NJ: Prentice-Hall.
- Langmuir, D; Chrostowski, P; Chaney, R; Vigneault, B. (2003) Issue paper on the environmental chemistry of metals. August. Available online at http://oaspub.epa.gov/eims/eimscomm.getfile?p_download_id=379035.
- Langston, WJ. (1980) Arsenic in U.K. estuarine sediments and its availability to benthic organisms. *J Marine Biol Assn UK* 60:869B881.
- Lanno, RP; LeBlanc, S; Knight, B; Tymowski, R; Fitzgerald, DG. (1998) Application of body residues as a tool in the assessment of soil toxicity. In: Sheppard, S; Bembridge, J; Holmstrup, M; et al.; eds. *Advances in earthworm ecotoxicology*. Pensacola, FL: SETAC Press; pp. 41B53.
- Lanno, RP; McCarty, LS. (1997) Earthworm bioassays: Adopting techniques from aquatic toxicity testing. *Soil Biol Biochem* 29:693-697.
- Lanno, RP (ed). (2003) *Contaminated soils: from soil-chemical interactions to ecosystem management*. Pensacola, FL; SETAC Press; 427pp.
- Laperche, V; Logan, TJ; Gaddam, P; Traina, SJ. (1997) Effect of apatite amendments on plant uptake of lead from contaminated soil. *Environ Sci Technol* 31(10):2745B2753.
- Larison, JR; Likens, GE; Fitzpatrick, JW; Crock, JG. (2000) Cadmium toxicity among wildlife in the Colorado Rocky Mountains. *Nature* 406(6792):181B183.
- Laurie, SH; Manthey, JA. (1994) The chemistry and role of metal ion chelation in plant uptake processes. In: Manthey, JA; Crowley, DE; Luster, DG; eds. *Biochemistry of metal micronutrients in the rhizosphere*. Boca Raton, FL: Lewis Publishers; pp. 165B182.
- Leggett, RW. (1993) An age-specific kinetic model of lead metabolism in humans. *Environ Health Perspect* 101(1):598B616.
- LePoire, D; Arnish, J; Gnanapragasam, ES; Kamboj, S; Biwer, BM; Cheng, JJ; Yu, C; Chen, SY. (2000) Probabilistic modules for the RESRAD and RESRAD-build computer codes. NUREG/CR-XX ANL/EAD/TM-91. Argonne, IL: Argonne National Laboratory.
- Lindsay, WL. (1979) *Chemical equilibria in soils*. New York, NY: John Wiley & Sons; pp. 162-209.
- Lock, K; Janssen, CR. (2001) Modeling zinc toxicity for terrestrial invertebrates. *Environ Toxicol Chem* 20:1901-1908.
- Lofts, S; Tipping, E. (1998) An assemblage model for cation binding by natural particulate matter. *Geochim Cosmochim Acta* 62(15):2609B2625.
- Lukaski, HC. (1999) Chromium as a supplement. *Annual Rev Nutr* 19:279-302.
- Lund, W. (1990) The complexation of metal ions by humic substances in natural waters. In: Broekaert, JAC, Güçer, S; Adams, F; eds. *Metal speciation in the environment*. Nato ASI Series, Vol. G23. Berlin, Germany: Springer-Verlag; pp 43-55.

- Luoma, SN; Bryan, GW. (1978) Factors controlling the availability of sediment-bound lead to the estuarine bivalve *Scrobicularia plana*. *J Marine Biol Assn UK* 58:793B802.
- Luoma, SN; Johns, C; Fisher, NS; Steinberg, NA; Oremland, RS; Reinfelder, JR. (1992) Determination of selenium bioavailability to a benthic bivalve from particulate and solute pathways. *Environ Sci Technol* 26(3):485-491.
- Luoma, SN; Rainbow, PS. (2005) Why is metal bioaccumulation so variable? Biodynamics as a unifying concept. *Environ Sci Technol* 39(7), 1921–1931.
- Ma, H; Kim, SD; Cha, DK; Allen, HE. (1999) Effect of kinetics of complexation by humic acid on toxicity of copper to *Ceriodaphnia dubia*. *Environ Toxicol Chem* 18(5):828-837.
- MacDonald, DD; Carr, RS; Calder, FD; Long, ER; Ingersoll, CG. (1996) Development and evaluation of sediment quality guidelines for Florida coastal waters. *Ecotoxicol* 5:253-278.
- MacDonald, DD; Ingersoll, CG; Berger, TA. (2000) Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Arch Environ Contam Toxicol* 39(1):20B31.
- McCarty, LS. (1986) Relationship between aquatic toxicity QSARS and bioconcentration for some organic chemicals. *Environ Toxicol and Chem* 5(12):1071-1080.
- McCarty, LS; Mackay, D. (1993) Enhancing ecotoxicological modeling and assessment: body residues and modes of toxic action. *Environ Sci Technol* 27:1718(9)-1728.
- McLaughlin, MJ; Smolders, E. (2001) Background zinc concentrations in soil affect the zinc sensitivity of soil microbial processes: a rationale for a metalloregion approach to risk assessments. *Environ Toxicol Chem* 20: 2639-2643.
- Marr, JCA; Hansen, JA; Meyer, JS; Cacela, D; Podrabsky, T; Lipton, J; Bergman, HL. (1998) Toxicity of cobalt and copper to rainbow trout: application of a mechanistic model for predicting survival. *Aquatic Toxicol* 43(4):225-238.
- Marschner, H. (1995) Mineral nutrition of higher plants. 2nd ed. San Diego, CA: Academic Press.
- Marschner, H. (1998) Soil root interface: biological and biochemical processes. In: Huang, PM, ed. *Soil chemistry and ecosystem health*. Madison, WI. Soil Science Society of America; pp. 191B232.
- Mason, AZ; Jenkins, KD. (1995) Metal detoxification in aquatic organisms. In: Tessier, A; Turner, DR, eds. *Metal speciation and bioavailability in aquatic systems*. Chichester, UK: John Wiley & Sons; pp. 479B608.
- Mayer, LM; Schick, LL; Self, RFL; Jumars, PA; Findlay, RH; Chen, Z; Sampson, S. (1997) Digestive environments of benthic macroinvertebrate guts: enzymes, surfactants, and dissolved organic matter. *Marine Res* 55(4):785-812.
- Mayer, LM; Weston, DP; Bock, MJ. (2001) Benzo[a]pyrene and zinc solubilization by digestive fluids of benthic invertebrates: a cross-phyletic study. *Environ Toxicol Chem* 20:1890B1900.
- McDowell, LR. (2003) Minerals in animal and human nutrition. 2nd ed. Amsterdam: Elsevier.
- McGeer, JC; Brix, KV; Skeaff, JM; DeForest, DK; Brigham, SI; Adams, WJ; Green, A. (2003) Inverse relationship between bioconcentration factor and exposure concentration for metals: implications for hazard assessment of metals in the aquatic environment. *Environ Toxicol Chem* 22(5)1017B1037.
- McGeer, J; Henningsen, G; Lanno, R; Fisher, N; Sappington, K; Drexler, J. (2004) Issue paper on the bioavailability and bioaccumulation of metals. Available online at <http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119>.
- McGeer, JC; Playle, RC; Wood, CM; Galvez, F. (2000) A physiologically based biotic ligand model for predicting the acute toxicity of waterborne silver to rainbow trout in freshwaters. *Environ Sci Technol* 34(19):4199B4207.

- McGeer, JC; Szebedinszky, C; McDonald, DG; Wood, CM. (2002) The role of dissolved organic carbon in moderating the bioavailability and toxicity of Cu to rainbow trout during chronic waterborne exposure. *Comp Biochem Phys* 133:147-160.
- McGeer, JC; Wood, CM. (1998) Protective effects of water Cl⁻ on physiological responses to waterborne silver in rainbow trout. *Can J Fish Aquat Sci* 55(11):2447–2454.
- McGrath, SP. (1995) Chromium and nickel. In: Alloway, BJ; ed. *Heavy metals in soils*. London: Blackie Academic and Professional; pp. 152B178.
- McKinney, PE. (1999) Elemental mercury in the appendix: an unusual complication of a Mexican-American folk remedy. *J Toxicol Clin Toxicol* 37(1):103-107.
- McKone, TE. (1987) Human exposure to volatile organic compounds in household tap water: the indoor inhalation pathway. *Environ Sci Technol* 21:1194B1201.
- McLaughlin, MJ; Hamon, RE; Parker, DR; Pierzynski, GM; Smolders, E; Thornton, I; Welp, G. (2002) Soil chemistry. In: Fairbrother, A; Glazebrook, PW; Terazona, JV; eds. *Test methods to determine hazards of sparingly soluble metal compounds in soils*. Pensacola, FL: SETAC Press; pp. 5B16.
- McLaughlin, MJ; Smolders, E. (2001) Background zinc concentrations in soil affect the zinc sensitivity of soil microbial processes – A rationale for a metalloregion approach to risk assessments. *Environ Toxicol Chem* 20(11):2639B2643.
- Menzie-Cura & Associates, Inc.; TN&A, Inc. (2000) Development of a framework to address bioavailability issues in wildlife. Submitted to Randall Wentzel, U.S. EPA, National Center for Environmental Assessment, Washington, DC; EPA/630/P-02/003A.
- Meplan, C; Richard, MJ; Hainaut, P. (2000) Redox signalling and transition metals in the control of the p53 pathway. *Biochem Pharmacol* 59(1):25–33.
- Mertz, W. (1981) The essential trace elements. *Science* 213:1332B1338.
- Mertz, W. (1993) Chromium in human nutrition: a review. *J Nutr* 123(4):626-633.
- Mertz, W. (1995) Risk assessment of essential trace elements: new approaches to setting recommended dietary allowances and safety limits. *Nutr Rev* 53(7):179-185.
- Meyer, J. (2002) The utility of the terms “bioavailability” and “bioavailable fraction” for metals. *Marine Environ Res* 53(4):417B423.
- Mills, WB; Porcella, DV; Unga, MJ; Gherini, SA; Summers, KV; Lingsung, M; Rupp, GL; Bowie, GL; Haith, DA. (1985) Water quality assessment: a screening procedure for toxic and conventional pollutants in surface and ground water. Part 1. EPA-600-6-85-002a.
- Morrison, HA; Whittle, DM; Haffner, GD. (2000) The relative importance of species invasions and sediment disturbance in regulating chemical dynamics in western Lake Erie. *Ecol Modeling* 125(2-3):279B294.
- Mowat, FS; Bundy, KJ. (2002) Experimental and mathematical/computational assessment of the acute toxicity of chemical mixtures from the Microtox assay. *Adv Environ Res* 6(4):547B558.
- Moya, J; Howard-Reed, C; Corsi, RL. (1999) Volatilization of chemicals from tap water to indoor air from contaminated water used for showering. *Environ Sci Technol* 33(14):2321B2327.
- Mudroch, A; Azcue, JM; Mudroch, P. (1997) *Manual of physico-chemical analysis of aquatic sediments*. Boca Raton, FL: Lewis Publishers.
- Mudroch, A; Azcue, JM; Mudroch, P. (1999) *Manual of bioassessment of aquatic sediment quality*. Boca Raton, FL: Lewis Publishers.

NAS/IOM (National Academy of Sciences/Institute of Medicine). (2000) Dietary reference intakes: applications in dietary assessment. Food and Nutrition Board, Institute of Medicine, Washington, DC.

NAS/IOM (National Academy of Sciences/Institute of Medicine). (2001) Dietary reference intakes for vitamin A, vitamin K, arsenic, boron, chromium, copper, iodine, iron, manganese, molybdenum, nickel, silicon, vanadium, and zinc. A Report of The Panel on Micronutrients, Subcommittees on Upper Reference Levels of Nutrients and of Interpretation and Uses of Dietary Reference Intakes, and The Standing Committee on The Scientific Evaluation of Dietary Reference Intakes, Food and Nutrition Board. Washington, DC: National Academ Press.

NAS/IOM (National Academy of Sciences/Institute of Medicine). (2003) Dietary reference intakes: guiding principles for nutrition labeling and fortification. Food and Nutrition Board, Institute of Medicine, Washington, DC.

NAS/NRC (National Academy of Sciences/National Research Council). (1980) Mineral tolerance of domestic animals. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (1983) Risk assessment in the federal government: managing the process. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (1988) Complex mixtures – Methods for in vivo toxicity testing. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (1994a) Nutritional requirements of poultry. 9th rev. ed. National Academy of Sciences, Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (1994b) Science and judgment in risk assessment. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (1996) Understanding risk: informing decisions in a democratic society. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (1999) Arsenic in drinking water. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (2000) Toxicological effects of methyl mercury. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (2001) Arsenic in drinking water: 2001 update. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (2002) Bioavailability of contaminants in soils and sediments: processes, tools, and applications. Washington, DC: National Academ Press.

NAS/NRC (National Academy of Sciences/National Research Council). (2006) Human biomonitoring for environmental chemicals. Washington, DC: National Academ Press.

Newman, MC; Diamond, GL; Menzie, C; Moya, J; Nriagu, J. (2004) Issue paper on metal exposure assessment. Available online at <http://cfpub1.epa.gov/ncea/raf/recordisplay.cfm?deid=86119>.

Newman, MC; McCloskey, JT. (1996) Predicting relative metal toxicity and interactions of divalent metal ions: microtox bioluminescence assay. *Environ Toxicol Chem* 15(3):275B281.

Ng, JC; Kratzmann, SM; Qi, L; Crawley, H; Chiswell, B; Moore, MR. (1998) Speciation and absolute bioavailability: risk assessment of arsenic contaminated sites in a residential suburb in Canberra. *Analyst* 123(5):889B892.

Norwood, WP; Borgmann, U; Dixon, DG; Wallace, A. (2003) Effects of metal mixtures on aquatic biota: a review of observations and methods. *Hum Ecol Risk Assess* 9(4):795B811.

- Nott, JA; Nicolaidou, A. (1990) Mediterranean pollution from a ferro-nickel smelter: differential uptake of metals by some gastropods. *Marine Pollut Bull* 21(3):137B143.
- NTP (National Toxicology Program). 2002. 10th Report on carcinogens. U.S. Department of Health and Human Services, Public Health Service, Washington, DC.
- Nyffeler, UP; Santschi, PH; Li, Y-H. (1986) The relevance of scavenging kinetics to modeling of sediment water interactions in natural waters. *Limnol Oceanogr* 31(2):277B292.
- Oberdorster, G. (1992) Pulmonary deposition, clearance and effects of inhaled soluble and insoluble cadmium compounds. In: Nordberg, GF; Herber, RFM; Alessio, L; eds. *Cadmium in the human environment: toxicity and carcinogenicity*. Lyon, France: IARC; pp. 189-204.
- O'Flaherty, EJ. (1995) Physiologically based models for bone-seeking elements. V: Lead absorption and disposition in childhood. *Toxicol Appl Pharmacol* 131(2):297B308.
- O'Flaherty, EJ. (1998) Physiologically based models of metal kinetics. *Crit Rev Toxicol* 28(3):271B317.
- O'Rourke, MK; van de Water, PK; Jin, S; Rogan, SP; Weiss, AD; Gordon, SM; Moschandreas, DM; Lebowitz, MD. (1999) Evaluations of primary metals from NHEXAS Arizona: distributions and preliminary exposures. *J Exposure Anal Environ Epidemiol* 9(5):435B445.
- Ownby, DR; Newman, MC. (2003) Advances in quantitative ion character-activity relationships (QICARs): using metal-ligand binding characteristics to predict metal toxicity. *Quant Struct Act Relat (QSAR) Comb Sci* 22(2):241B246.
- Paquin, PR; DiToro, DM; Santore, RC; Trivedi, D; Wu, KB. (1999) A biotic ligand model of the acute toxicity of metals. III: application to fish and daphnia exposure to silver. U.S. EPA Office of Water, Office of Research and Development.
- Paquin, PR; Gorsuch, JW; Apte, S; Batley, GE; Bowles, KC; Campbell, PG; Delos, CG; Di Toro, DM; Dwyer, RL; Galvez, F; Gensemer, RW; Goss, GG; Hostrand, C; Janssen, CR; McGeer, JC; Naddy, RB; Playle, RC; Santore, RC; Schneider, U; Stubblefield, WA; Wood, CM; Wu, KB. (2002a) The biotic ligand model: a historical overview. Special issue: The biotic ligand model for metals. Current research, future directions, regulatory implications. *Comp Biochem Physiol C Toxicol Pharmacol* 133(1-2):3-35.
- Paquin, PR; Zoltay, V; Winfield, RP; Wu, KB; Mathew, R; Santore, RC; Di Toro, DM. (2002b) Extension of the biotic ligand model of acute toxicity to a physiologically-based model of the survival time of rainbow trout (*Oncorhynchus mykiss*) exposed to silver. *Comp Biochem Physiol (C)* 133(1-2):305B343.
- Paquin, PR; Santore, RC; Farley, K; Di Toro, DM; Wu, KB; Mooney, KG; Winfield, RP. (2003) Metals in aquatic systems: A review of exposure, bioaccumulation, and toxicity models (aquatic metals). Pensacola, FL: SETAC Press.
- Parker, DR; Pedler, JF; Ahnstrom, ZAS; Resketo, M. (1997) Reevaluating the free ion activity model of trace metal availability to higher plants. In: Ando, T; Fujita, K; Mae, T; et al.; eds. *Plant nutrition for sustainable food production and environment*. Dordrecht, Netherlands: Kluwer; pp. 107B112.
- Parkhurst, DL; Thorstenson, DC; Plummer, LN. (1980) PHREEQEBA computer program for geochemical calculations. U.S. Geological Survey, Water-Resources Investigations Report 8B96, 210 pp.
- Paustenbach, DJ. (2000) The practice of exposure assessment: a state-of-the-art review. *J Toxicol Environ Health (part B)* 3(3):179B291.
- Pearson, RG. (1973) *Hard and soft acids and bases*. Stroudsburg, PA: Dowden, Hutchinson & Ross.
- Peijnenburg, WJGM; Baerselman, R; De Groot, AC; Jager, T; Posthuma, L; Van Veen, RPM. (1999a) Relating environmental availability to bioavailability: soil-type dependent metal accumulation in the oligochaete *Eisenai andrei*. *Ecotoxicol Environ Saf* 44(3):294B310.

- Peijnenburg, WJGM; Posthuma, L; Zweekers, PGPC; Baerselman, R; de Groot, AC; Van Veen, RPM; Jager, T. (1999b) Prediction of metal bioavailability in Dutch field soils for the oligochaete *Enchytraeus crypticus*. *Ecotoxicol Environ Saf* 44(2):170B186.
- Phalen, RF; Oldham, MJ; Beaucage, CB; Crocker, TT; Mortensen, Jd. (1985) Postnatal enlargement of human tracheobronchial airways and implications for particle deposition. *Anat Rec* 212(4):368B380.
- Picciano, MF. (1996) Pregnancy and lactation. In: Ziegler, EE; Filer, Jr, LJ; eds. *Present knowledge in nutrition*. 7th ed. Washington, DC: ILSI Press; pp. 384B395.
- Pickering, WF. (1986) Metal ion speciation in soils and sediments (a review). *Ore Geology Rev* 1(1):83-146.
- Plunkett, LM; Turnball, D; Rodricks, JV. (1992): Differences between adults and children affecting exposure assessment. In: Guzelian, PS; Henry, CJ; Olin, SS; eds. *Similarities and differences between children and adults: implications for risk assessment*. Washington, DC: International Life Sciences Institute Press; pp. 79-94.
- Pontifex, AH; Garg, AK. (1985) Lead poisoning from an Asian Indian folk remedy. *CMAJ* 133(12):1227-8.
- Posthuma, L; Baerselman, R; Van Veen, RPM; Dirven-Van Breemen, EM. (1997) Single and joint toxic effects of copper and zinc on reproduction of *Enchytraeus crypticus* in relation to sorption of metals in soils. *Ecotoxicol Environ Saf* 38(2):108B121.
- Prozialeck, WC; Grunwald, GB; Dey, PM; Reuhl, KR; Parrish, AR. (2002) Cadherins and NCAM as potential targets in metal toxicity. *Toxicol Appl Pharmacol* 182(3):255-265.
- Rainbow, PS. (2002) Trace metal concentrations in aquatic invertebrates: why and so what? *Environ Pollut* 120(3):497B507.
- Reinfelder, JR; Fisher, NS. (1994a) The assimilation of elements ingested by marine planktonic bivalve larvae. *Limnol Oceanogr* 39(1):12-20.
- Reinfelder, JR; Fisher, NS. (1994b) Retention of elements absorbed by juvenile fish (*Menidia menidia*, *Menidia beryllina*) from zooplankton prey. *Limnol and Oceanogr* 39(8):1783-1789.
- Reinfelder, JR; Fisher, NS; Luoma, SN; Nichols, JW; Wang, WX. (1998) Trace element trophic transfer in aquatic organisms: a critique of the kinetic model approach. *Sci Total Environ* 219(213):117B135.
- Reuther, R. (1999) Trace metal speciation in aquatic sediments: methods, benefits, and limitations. In: *Manual of bioassessment of aquatic sediment quality*. Mudroch, A; Azcue, JM; Mudroch, P, eds. Boca Raton, FL: Lewis Publishers; pp. 1B54.
- Richardson, GM. (2002) Natural sources and emissions of elements to the atmosphere. International Council on Mining and Metals. No. 11, February. Available online at http://www.icmm.com/uploads/44Fact11_final2.pdf.
- Roditi, HA; Fisher, NS; Sañudo-Wilhelmy, SA. (2000) Field testing a metal bioaccumulation model for zebra mussels. *Environ Sci Technol* 34(13):2817-2825.
- Roesijadi, G. (1992) Metallothioneins in metal regulation and toxicity in aquatic animals. *Aquat Toxicol* 22(2):81B114.
- Roy, I; Hare, L. (1999) Relative importance of water and food as Cd sources to the predatory insect *Sialis vlata* (Megaloptera). *Can J Fish Aquat Sci* 56(7):1143B1149.
- Ryan, PB; Scanlon, KA; MacIntosh, DL. (2001) Analysis of dietary intake of selected metals in the NHEXAS-Maryland investigation. *Environ Health Perspect* 109(2):121B129.
- SAB (Science Advisory Board). (2006) Memorandum from Dr. M. Granger Morgan, Chair EPA Science Advisory Board and Dr. Deborah L. Swackhamer, Chair, Metals Risk Assessment Framework Review Panel, EPA Science

Advisory Board to The Honorable Stephen L. Johnson Administrator U.S. Environmental Protection Agency.
Subject: Review of EPA's Draft Framework for Inorganic Metals Risk Assessment. Dated January 25, 2006. EPA-SAB-06-002.

Salocks, C; Hathaway, T; Ziarkowski, C; Walker, W. (1996) Physical characterization, solubility and potential bioavailability of arsenic in tailings from a former gold mine. *Toxicologist* 16:48.

Sample, BE; Arenal, CA. (2001) Development of literature-based bioaccumulation models for terrestrial arthropods. Platform presentation at the November 2001 SETAC Meeting, Baltimore, MD.

Sample, BE; Aplin, MS; Efrogmson, RE; Suter, GW, II; Welsh, CJE. (1997) Methods and tools for estimation of the exposure of terrestrial wildlife to contaminants. Oak Ridge National Laboratory, Oak Ridge, TN; ORNL/TM-13391.

Sample, BE; Beauchamp, JJ; Efrogmson, R; Suter, GW, II; Ashwood, TL. (1998b) Development and validation of bioaccumulation models for small mammals. Oak Ridge National Laboratory, Lockheed Martin Energy Systems Environmental Restoration Program, Oak Ridge, TN; ES/ER/TM-219.

Sample, BE; Beauchamp, JJ; Efrogmson, R; Suter, GW, II. (1999) Literature-derived bioaccumulation models for earthworms: development and validation. *Environ Toxicol Chem* 18(9):2110B2120.

Sample, BE; Beauchamp, JJ; Efrogmson, RA; Suter, GW, II; Ashwood, TL. (1998a) Development and validation of bioaccumulation models for earthworms. Prepared for the U.S. Department of Energy under Contract DE-AC05-84OR21400. Code EW 20. Oak Ridge National Laboratory, Oak Ridge, TN; ES/ER/TM-220.

Santore, RC; Di Toro, DM; Paquin, PR. (2001) Biotic ligand model of the acute toxicity of metals: 2. application to acute copper toxicity in freshwater fish and *Daphnia*. *Environ Toxicol Chem* 20(10):2397B2402.

Santore, RC; Driscoll, CT. (1995) The CHESS model for calculating chemical equilibria in soils and solutions. Chemical equilibrium and reaction models. Soil Science Society of America, American Society of Agronomy, Special Publication 42, Madison, WI.

Santschi, PH; Nyffeler, UP; Li, Y-H; O'Hara, P. (1986) Radionuclide cycling in natural waters: relevance of scavenging kinetics. In: Sly, PG; ed. *Sediments and water interactions*. Springer Verlag, New York, NY; ch 17, pp. 183B191.

Sauvé, S; Dumestre, A; McBride, MB; Hendershot, WH. (1998) Derivation of soil quality criteria using predicted chemical speciation of Pb²⁺ and Cu²⁺. *Environ Toxicol Chem* 17(8):1481B1489.

Saxe, JK; Impellitteri, CA; Peijnenburg, WJGM; Allen, HE. (2001) Novel model describing trace metal concentrations in the earthworm, *Eisenia andrei*. *Environ Sci Technol* 35(22):4522B4529.

Schacklette, HT; Boerngen, JG. (1984) Element concentrations in soils and other surficial materials of the conterminious United States. U.S. Geol Survey Prof Paper 1270, pg. 105.

Schecher, WD; McAvoy, DC. (1994) MINEQL+: A chemical equilibrium program for personal computers (version 3.01). Environmental Research Software, Hallowell, ME.

Schecher, WD; McAvoy, DC. (2001) MINEQL+ - A chemical equilibrium modelling system, version 4.5 for windows user's manual. Environmental Research Software, Hallowell, ME, USA.

Schnoor, JL; Sato, C; McKechnie, D; Sahoo, D. (1987) Processes, coefficients, and models for simulating toxic organics and heavy metals in surface waters. EPA-600-3-87-015.

Schoof, RA; Eickhoff, J; Yost, LJ; Crecelius, EA; Cragin, DW; Meacher, DM; Menzel, DB. (1999a) Dietary exposure to inorganic arsenic. pp. 81-88. In: *Proceedings of the third international conference on arsenic exposure and health effects*. Chappell, WR; Abernathy, CO; Calderon, RL, eds. Amsterdam:Elsevier Science Ltd.

- Schoof RA, Eickhoff J, Yost LJ, Crecelius EA, Cragin DW, Meacher DM, et al. 1999. Dietary exposure to inorganic arsenic. In: *Arsenic Exposure and Health Effects* (Chappell WR, Abernathy CO, Calderon RL, eds). Amsterdam:Elsevier, 81–88.
- Schroeder, WH; Munthe, J. (1998) Atmospheric mercury – an overview. *Atmos Environ* 32(5):809-822.
- Scott-Fordsmand, JJ; Odegard, K. (2002) Multi-element analysis as a marker of metal exposure in *Eisenia veneta*. Poster presentation. 7th International Symposium on Earthworm Ecology, September 1B6, Cardiff, Wales.
- Seebaugh, DR; Wallace, WG. (2004) Importance of metal-binding proteins in the partitioning of Cd and Zn as trophically available metal (TAM) in the brine shrimp *Artemia franciscana*. *Marine Ecol Prog Ser* 272:215B230.
- Seigneur, C; Constantinou, E. (1995) Chemical kinetic mechanism for atmospheric chromium. *Environ Sci Technol* 29(1):222B231.
- Sharma, A; Srivastava, PC; Johri, BN. (1994) Contribution of VA Mycorrhiza to zinc uptake in plants. In: Manthey, JA; Crowley, DE; and D.G.; eds. *Biochemistry of metal micronutrients in the rhizosphere*. Boca Raton, FL: Lewis Publishers; pp. 111B124.
- Sharma, SS; Schat, H; Vooijs, R; Van Heerwaarden, LM. (1999) Combination toxicology of copper, zinc and cadmium in binary mixtures: Concentration-dependent antagonistic, nonadditive, and synergistic effects on root growth in *Silene vulgaris*. *Environ Toxicol Chem* 18(2):348–355.
- Smit, E. (1997) Field relevance of the *Folsomia candida* soil toxicity test. Ph.D. dissertation. Vrije Universiteit, Amsterdam.
- Smolders, E; McGrath, SP; Lombi, E; McLaughlin, MJ; Rutgers, M; Fairbrother, A; Van der Vliet, L; Hale, B. (2006) Hazard assessment of metals and metal compounds in terrestrial systems based on persistency, bioaccumulation, and toxicity In: Adams, WJ; et al.; eds. *Hazard identification approach for metals and inorganic metal substances*. Pensacola, FL: SETAC Press.
- Spehar, RL; Fiandt, JT. (1986) Acute and chronic effects of water quality criteria-based metal mixtures on three aquatic species. *Environ Toxicol Chem* 5:917B931.
- SRWG (Science and Research Working Group of the Non-Ferrous Metals Consultative Forum on Sustainable Development). (2002) Risk assesment of non-ferrous metals and sustainable development. Available online at http://www.nfmsd.org/wg_research/docs/RAcombined1002.pdf#search=%22Risk%20assessment%20of%20non-ferrous%20metals%20and%20sustainable%20development%22%22.
- Stauber, JL; Florence, TM; Gulson, BL; Dale, LS. (1994) Percutaneous absorption of inorganic lead compounds. *Sci Total Environ* 145(1-2):55-70.
- Stern, AH. (1996) Derivation of a target concentration of Pb in soil based on elevation of adult blood pressure. *Risk Anal* 16(2):201B210.
- Stewart, GM; Fisher, NS. (2003) Bioaccumulation of polonium-210 in marine copepods. *Limnol Oceano* 48(3):1193-1201.
- Stoica, A; Katzenellenbogen, BS; Martin, MB. (2000) Activation of estrogen receptor-alpha by the heavy metal cadmium. *Mol Endocrinol* 14(4):545-53.
- Stumm, W; Morgan, JJ. (1970) *Aquatic chemistry. An introduction emphasizing chemical equilibria in natural waters*. New York, NY: John Wiley & Sons.
- Stumm, W; Morgan, JJ. (1996) *Aquatic chemistry*. 3rd ed. New York, NY: John Wiley & Sons.
- Suedel, BC; Boracsek, JA; Peddicord, RK; Clifford, PA; Dillon, TM. (1994) Trophic transfer and biomagnification potential of contaminants in aquatic ecosystems. *Rev Environ Toxicol Chem* 136:21B89.

- Sumner, ME. (ed). (1999) Handbook of soil science. Boca, Raton, FL: CRC Press.
- Sunde, RA; O'Dell, BL. (1997) Handbook of Nutritionally Essential Mineral Elements. New York, NY: Marcel Dekker, Inc.
- Suter, GW, II. (1993) Ecological risk assessment. Boca Raton, FL: Lewis Publishers.
- Tack, FMG; Verloo, MG. (1999) Single extractions versus sequential extraction for the estimation of heavy metal fractions in reduced and oxidised dredged sediments. *Chem Spec & Bioavail* 11(2):43-50.
- Templeton, DM; Ariese, F; Cornelis, R.; Danielson, LG; Muntau, H; Van Leeuwen, HP; Lobinski, R. (2000) Guidelines for terms related to chemical speciation and fractionation of elements. Definitions, structural aspects, and methodological approaches. *Pure Appl Chem* 72(8):1453B1470.
- Tessier, A. (1992) Sorption of trace elements on natural particles in oxic environments . In: Buffle, J; Van Leeuwen, HP; eds. *Environmental particles*. Boca Raton, FL: Lewis Publishers; pp. 425B453.
- Tessier, A; Campbell, PGC; Bisson, M. (1979) Sequential extraction procedure for the speciation of particulate trace metals. *Anal Chem* 51(7):844B851.
- Tessier, A; Campbell, PGC; Auclair, JC; Bisson, M. (1984) Relationships between the partitioning of trace metals in sediments and their accumulation in the tissues of the freshwater mollusc *Elliptio complanata* in a mining area. *Can J Fish Aquat Sci*, 41:1463B1472.
- Tessier, A; Carignan, R; Dubreuil, B; Rapin, F. (1989) Partitioning of zinc between the water column and the oxic sediments in lakes. *Geochim Cosmochim Acta* 53(7):1511B1522.
- Tessier, A; Couillard, Y; Campbell, PGC; Auclair, JC. (1993) Modeling Cd partitioning in oxic lake sediments and Cd concentrations in the freshwater bivalve *Anodonta grandis*. *Limnol and Oceano*, 38(1):1B17.
- Thomas, KW; Pellizzari, ED; Berry, MR. (1999) Population-based dietary intakes and tap water concentrations for selected elements in the EPA Region V National Exposure Assessment Survey (NHEXAS). *J Exp Anal Environ Epidem* 9(5):402B413.
- Tipping, E. (1994) WHAM: a chemical equilibrium model and computer code for waters, sediments, and soils incorporating a discrete site/electrostatic model of ion-binding by humic substances. *Computers & Geoscience* 20:973B1023.
- Tomerlin, JR; Berry, MR; Tran, NL; Chew, S; Peterson, BJ; Tucker, KD; Fleming, KH. (1997) Development of a dietary exposure potential model for evaluating dietary exposure to chemical residues in food. *J Exp Anal Environ Epidem* 7(1):81B101.
- Trotter, RJ. II. (1985) Greta and Azarcon: a survey of episodic lead poisoning from a folk remedy. *Hum Org* 44(1): 64-72.
- Tsuda, T; Inoue, T; Kojima, Aoki, S. (1995) Market basket and duplicate portion estimation of dietary intakes of cadmium, mercury, arsenic, copper, manganese, and zinc by Japanese adults. *JAOAC Internat* 78(6):1363B1368.
- Tye, AM; Young, SD; Crout, NMJ; Zhang, H; Preston, S; Barbosa-Jefferson, VL; Davison, W; McGrath, SP; Paton, GI; Kilham, K; Resende, L. (2003) Predicting the activity of Cd²⁺ and Zn²⁺ in soil pore water from the radio-labile metal fraction. *Geochim Cosmochim Acta* 67(3):375B385.
- Tyler, G; Olsson, T. (2001a) Concentrations of 60 elements in the soil solution as related to the soil acidity. *Eur J Soil Sci* 52(1):151B165.
- Tyler, G; Olsson, T. (2001b) Plant uptake of major and minor mineral elements as influenced by soil acidity and liming. *Plant Soil* 230(2):307B321.

Ullrich, SM; Tanton, TW; Abdrashitova, SA. (2001) Mercury in the aquatic environment: a review of factors affecting methylation. *Crit Rev Environ Sci Tech* 31(3):241B293.

U.S. DHHS (Department of Health and Human Services). (1996) National Center for Health Statistics. Third National health and nutrition examination survey, 1988-1994, NHANES III individual foods data file from the dietary recall (CD-ROM). Public use data file documentation catalog number 76700. Hyattsville, MD.

U.S. DOE (Department of Energy). 2001. User's manual for RESRAD, version 6. ANL/EAD-4. Argonne National Laboratory, Argonne, IL.

U.S. EPA (Environmental Protection Agency). (1986) Guidelines for the health risk assessment of chemical mixtures. Risk Assessment Forum. Washington, DC. Federal Register 51(185):34014-34025. Available online at <http://epa.gov/ncea/raf>.

U.S. EPA (Environmental Protection Agency). (1987) Selection criteria for mathematical models used in exposure assessments: surface water models. Office of Health and Environmental Assessment, Washington, DC; EPA-600/8-87-042.

U.S. EPA (Environmental Protection Agency). (1987) Selection criteria for mathematical models used in exposure assessments: surface water models. Office of Health and Environmental Assessment, Washington, DC. EPA/600/8-87/042.

U.S. EPA (Environmental Protection Agency). (1989a) Exposure factors handbook. Office of Health and Environmental Assessment, Washington, DC; EPA/600/8-89/043.

U.S. EPA (Environmental Protection Agency). (1989b) Rapid bioassessment protocols for use in streams and rivers: benthic macroinvertebrates and fish. Washington, DC; EPA 440/4-89/001.

U.S. EPA (Environmental Protection Agency). (1990) Methods for derivation of inhalation reference concentration and application of inhalation dosimetry. Environmental Criteria and Assessment Office, Cincinnati, OH; Office of Research and Development, Washington, DC. EPA/600/8-90/066F.

U.S. EPA (Environmental Protection Agency). (1991) Guidelines for developmental toxicity risk assessment. Risk Assessment Forum, Washington, DC. Federal Register 56(234):63798-63826. Available online at <http://epa.gov/ncea/raf>.

U.S. EPA (Environmental Protection Agency). (1992a) Framework for ecological risk assessment. Risk Assessment Forum, Washington, DC; EPA/630/R-92/001.

U.S. EPA (Environmental Protection Agency). (1992b) Ground water issue: behavior of metals in soils. Office of Solid Waste and Emergency Response, Washington, DC; EPA 540-S-92-018.

U.S. EPA (Environmental Protection Agency). (1992c) Guidelines for exposure assessment. Risk Assessment Forum, Washington, DC. Federal Register 57(104):22888-22938. Available online at <http://epa.gov/ncea/raf>.

U.S. EPA (Environmental Protection Agency). (1994a) Guidance manual for the integrated exposure uptake biokinetic model for lead in children. Office of Emergency and Remedial Response, Washington, DC; EPA/540/R-93/081. Available from the National Technical Information Services, Springfield, VA; PB93-963510.

U.S. EPA (Environmental Protection Agency). (1994b) Interim guidance on determination and use of water-effect ratios for metals. Office of Water, Office of Science and Technology, Washington, DC. EPA-823-B-94-001.

U.S. EPA (Environmental Protection Agency). (1994c) Water quality standards handbook, 2nd ed., appendix L: interim guidance on determination and use of water effect ratios for metals. Office of Water, Washington, DC; EPA-823-B-94-005a.

U.S. EPA (Environmental Protection Agency). (1996a) Review of the national ambient air quality standards for particulate matter; policy assessment of scientific and technical information. Office of Air Quality Planning and Standards Staff Paper. Office of Air Quality Planning and Standards, Washington, DC; EPA-452/R-96-013.

U.S. EPA (Environmental Protection Agency). (1996b) Recommendations of the technical review workgroup for lead for an approach to assessing risks associated with adult exposures to lead in soil. Office of Solid Waste and Emergency Response, Washington, DC; EPA 540 R 03 001.

U.S. EPA (Environmental Protection Agency). (1997a) Compendium of tools for watershed assessment and TMDL development. Office of Wetlands, Oceans, and Watersheds, Washington, DC; EPA-841-8-97-006.

U.S. EPA (Environmental Protection Agency). (1997b) Mercury study report to Congress. Office of Air and Radiation. Washington, DC; Available online at <http://www.epa.gov/mercury/report.html>.

U.S. EPA (Environmental Protection Agency). (1997c) Air quality criteria for particulate matter. Volume I of III. Office of Research and Development, Washington, DC; EPA/600/P 95/001aF.

U.S. EPA (Environmental Protection Agency). (1997d) The incidence and severity of sediment contamination in surface waters of the United States. Vol 1: national sediment quality survey. Office of Water, Washington, DC; EPA 823-R-97-006.

U.S. EPA (Environmental Protection Agency). (1997e) Exposure factors handbook. National Center for Environmental Assessment, Washington, DC; EPA/600/P-95/002Fc. Available online at <http://www.epa.gov/ncea/exposfac.htm>.

U.S. EPA (Environmental Protection Agency). (1998a) Guidelines for ecological risk assessment. Risk Assessment Forum, Washington, DC; Federal Register 63(93):26846-26924. Available online at <http://www.epa.gov/ncea/raf>.

U.S. EPA (Environmental Protection Agency). (1998b) Human health risk assessment protocol for hazardous waste combustion facilities. Office of Solid Waste and Emergency Response, Washington, DC; EPA 530-D-98:001.

U.S. EPA (Environmental Protection Agency). (1998c) Guidelines for neurotoxicity risk assessment. Risk Assessment Forum, Washington, DC. Federal Register 63(93):26926-26954. Available online at <http://www.epa.gov/ncea/raf>.

U.S. EPA (Environmental Protection Agency). (1998d) Toxicological review of beryllium and compounds in support of summary information on IRIS. National Center for Environmental Assessment, Washington, DC; EPA 635-R-98-008.

U.S. EPA (Environmental Protection Agency) (1999a) Understanding variation in partition coefficient, K_d , values. Office of Air and Radiation, Washington, DC; EPA 402-R-99-004A&B.

U.S. EPA (Environmental Protection Agency). (1999b) Compendium of methods for the determination of inorganic compounds in ambient air. Office of Research and Development, Washington, DC; EPA/625/R-96/010.

U.S. EPA (Environmental Protection Agency). (2000a) Region 10 guidance for Superfund human health risk assessment: interim. EPA Region 10, Seattle, WA.

U.S. EPA (Environmental Protection Agency). (2000b) Supplementary guidance for conducting health risk assessment of chemical mixtures. National Center for Environmental Assessment, Washington, DC; EPA/630/R-00/002.

U.S. EPA (Environmental Protection Agency). (2000c) Science Policy Council handbook: Risk characterization. Office of Science Policy, Office of Research and Development, Washington, DC; EPA 100-B-00-002. Available online at <http://www.epa.gov/OSA/spc>.

U.S. EPA (Environmental Protection Agency). (2001a) Description and evaluation of atmospheric mercury simulation using the CMAQ Model. National Exposure Research Library, Research Triangle Park, NC; EPA/600/J 03/227.

U.S. EPA (Environmental Protection Agency). (2001b) ECO update; The role of screening-level risk assessments and refining contaminants of concern in baseline ecological risk assessments. Office of Solid Waste and Emergency Response. Washington, DC; OSWER 9345.0-14; EPA-540/F-01-014.

- U.S. EPA (Environmental Protection Agency). (2002a) A review of the reference dose and reference concentration processes. Risk Assessment Forum, Washington, DC; EPA/630/P-02/002F, 2002. Available online at <http://www.epa.gov/ncea/raf>.
- U.S. EPA (Environmental Protection Agency). (2002b) Child-specific exposure factors handbook. interim report National Center for Environmental Assessment, Office of Research and Development, Washington, DC; EPA-600-P-00-002B. Available online at <http://www.epa.gov/ncea>.
- U.S. EPA (Environmental Protection Agency). (2003a) Human health research strategy. Office of Research and Development, Washington, DC. Available online at http://www.epa.gov/nheerl/humanhealth/HHRS_final_web.pdf.
- U.S. EPA (Environmental Protection Agency). (2003b) Draft final guidelines for carcinogen risk assessment. (external review draft). Risk Assessment Forum, Washington, DC; EPA/630/P-03/001A, NCEA-F-0644A. Available online at <http://www.epa.gov/ncea/raf/cancer2003.htm>.
- U.S. EPA (Environmental Protection Agency). (2003c) Guidance for the development of ecological soil screening levels. Office of Solid Waste and Emergency Response, Washington, DC; OSWER Directive 92857-55.
- U.S. EPA (Environmental Protection Agency). (2003d) Literature review and evaluation of the atmospheric persistence of air toxic compounds; Internal EPA Report. Research Triangle Park, NC; EPA/600/X-03/011. Available online at http://www.epa.gov/nerl/research/2003/g1_2.html.
- U.S. EPA (Environmental Protection Agency). (2003e) Framework for cumulative risk assessment. Risk Assessment Forum, Washington, DC; EPA/630/P-02/001F.
- U.S. EPA (Environmental Protection Agency). (2004) Air quality criteria for particulate matter (external review draft). National Center for Environmental Assessment. Washington, DC. Available online at <http://cfpub2.epa.gov/ncea/cfm/partmatt.cfm>.
- U.S. EPA (Environmental Protection Agency). (2005a) Guidelines for carcinogen risk assessment 2005 guidelines and 2005 supplementary guidance. Risk Assessment Forum, Washington, DC. Federal Register 70(66):17765-17817. Available online at <http://www.epa.gov/cancerguidelines>.
- U.S. EPA (Environmental Protection Agency). (2005b) Supplemental guidance for assessing susceptibility from early life exposure to carcinogens. Risk Assessment Forum, Washington, DC; EPA/630/R-03/003F. Available online at <http://www.epa.gov/cancerguidelines>.
- U.S. EPA (Environmental Protection Agency). (2006a) Estimation of relative bioavailability of lead in soil and soil-like materials using in vivo and in vitro methods. Office of Solid Waste and Emergency Response, Washington, DC; OSWER 9285.7-77.
- U.S. Environmental Protection Agency (EPA). (2006b) A framework for assessing health risks of environmental exposures to children. National Center for Environmental Assessment, Washington, DC; EPA/600/R-05/093F. Available from the National Technical Information Service, Springfield, VA, and online at <http://www.epa.gov/ncea>.
- U.S. FDA (Food and Drug Administration). (2001) Total diet survey. Center for Food Safety and Applied Nutrition, Office of Plant and Dairy Foods and Beverages, Washington, DC. Data summaries available online at <http://vm.cfsan.fda.gov/~comm/tds-toc.html>.
- Van Straalen, NM. (1996) Critical body concentrations: their use in bioindication. In: Van Straalen, NM; Krivolutsky, DA; eds. Bioindicator systems for soil pollution. Dordrecht, The Netherlands: Kluwer; pp. 5-16.
- Van Straalen, NM; Løkke, H. (1997) Ecological Risk Assessment of Contaminants in Soil. London: Chapman and Hall; pp. 333.
- Van Wensem, J; Vegter, JJ; Van Straalen, NM. (1994) Soil quality criteria derived from critical body concentrations of metals in soil invertebrates. *Appl Soil Ecol* 1(2):185B191.

- Veith, GD; Call, DJ; Brooke, L. (1983) Structure-toxicity relationships for the fathead minnow, *Pimephales promelas*: Narcotic industrial chemicals. *Can J Fish Aquatic Sci* 40:743-748.
- Wallace, WG; Lopez, GR. (1996) Relationship between subcellular cadmium distribution in prey and cadmium trophic transfer to a predator. *Estuaries* 19(4):923B930.
- Wallace, WG; Lopez, GR; Levinton, JS. (1998) Cadmium resistance in an oligochaete and its effect on cadmium trophic transfer to an omnivorous shrimp. *Marine Ecol Prog Ser* 172:225B237.
- Wallace, WG; Lee, BG; Luoma, SN. (2003) Subcellular compartmentalization of Cd and Zn in two bivalves. I. Significance of metal-sensitive fractions (MSF) and biologically detoxified metal (BDM). *Marine Ecol Prog Ser* 249:183-197.
- Wallace, WG; Luoma, SN. (2003) Subcellular compartmentalization of Cd and Zn in two bivalves. II. Significance of trophically available metal (TAM). *Marine Ecol Prog Ser* 257:125-137.
- Wallach, S. (1985) Clinical and biochemical aspects of chromium deficiency. *J Am College Nutr* 4(1):107-120.
- Wang, W-X; Fisher, NS; Luoma, SN. (1996) Kinetic determinations of trace element bioaccumulation in the mussel *Mytilus edulis*. *Marine Ecol. Prog Ser* 140:91-113.
- Wang, XL. (2002) Interactions of trace metals and different marine food chains. *Marine Ecol Prog Ser* 243:295B309.
- Wang, XL; Fisher, NS. (1996) Assimilation of trace elements and carbon by the mussel *Mytilus edulis*: effects of food composition. *Limnol Oceanog* 41(2):197-207.
- Wang, XL; Fisher, NS. (1999) Assimilation efficiencies of chemical contaminants in aquatic invertebrates: a synthesis. *Environ Toxicol Chem* 18(9):2034B2045.
- Wang, XL; Zauke, G-P. (2004) Size-dependent bioaccumulation of metals in the amphipod *Gammarus zaddachi* (Sexton 1912) from the River Hunte (Germany) and its relationship to the permeable body surface area. *Hydrobiologia* 515(1-3):11B28.
- Weltje, L. (1998) Mixture toxicity and tissue interactions of Cd, Cu, Pb and Zn in earthworms (*Oligochaeta*) in laboratory and field studies: a critical evaluation of the data. *Chemosphere* 36:2643B2660.
- Westall, JC; Zachary, JL; Morel, FMM. (1976) MINEQL, a computer program for the calculation of chemical equilibrium composition of aqueous systems. Ralph M. Parson Laboratory for Water Resources and Environ. Eng., Dept. of Civil Eng., M.I.T., Cambridge, MA. Tech. Note 18, 1976.
- Wester, RC; Maibach, HI; Sedik, L; Melendres, J; Dizio, S; Wade, M. (1992) In vitro percutaneous absorption of cadmium from water and soil into human skin. *Fundam Appl Toxicol* 19(1):1B5.
- Weston, DP; Maruya, KA. (2002) Predicting bioavailability and bioaccumulation with in vitro digestive fluid extraction. *Environ Toxicol Chem* 21(5):962B971.
- White, PD; Van Leeuwen, P; Davis, BD; Maddaloni, M; Hogan, KA; Marcus, AH; Elias, RW. (1998) The conceptual structure of the integrated exposure uptake biokinetic model for lead in children. *Environ Health Perspect* 106(6):1513B1530.
- WHO/IPCS (World Health Organization/International Programme on Chemical Safety). (1998) Copper. Environmental health criteria document no. 200. Geneva, Switzerland.
- WHO/IPCS (World Health Organization/International Programme on Chemical Safety). (2002) Principles and methods for the assessment of risk from essential trace elements. Environmental health criteria document no. 228. Geneva, Switzerland.

- Wilkes, CR. (1998) Case study. In: Olin, S., ed. Lead. Boca Raton, FL: CRC Press, LLC.; pp. 183B224.
- Willemson, A; Vaal, MA; De Zwart, D. (1995) Microtests as tools for environmental monitoring. NIPH and Env. Plan. (RIVM) The Netherlands; Report #9, 607042005; 39 pp.
- Wu, L; Chen, J; Tanji, KK; Bañuelos, GS. (1995) Distribution and biomagnification of selenium in a restored upland grassland contaminated by selenium from agricultural drain water. *Environ Toxicol Chem* 4:733B742.
- Xu, GB; Yu, CP. (1986) Effects of age deposition of inhaled aerosols in the human lung. *Aerosol Sci Technol* 5:349B357.
- Xu, J; Thornton, I. (1985) Arsenic in garden soils and vegetable crops in Cornwall, England: implications for human health. *Environ Geochem Health* 7:131B133.
- Yanez, L; Batres, L; Carrizales, L; Santoyo, M; Escalante, V; Diaz-Barriga, F. (1994) Toxicological assessment of azarcon, a lead salt used as a folk remedy in Mexico. I. Oral toxicity in rats. *J Ethnopharmacol* 41(1-2):91-7.
- Young, LB; Harvey, HH. (1991) Metal concentrations in chironomids in relation to the geochemical characteristics of surficial sediments. *Arch Environ Contam Toxicol* 21:202B211.
- Zartarian, VG; Ozkaynak, H; Burke, JM; Zufall, MJ; Rigas, ML; Furtaw, EJ, Jr. (2000) A modeling framework for estimating children's residential exposure and dose to chlorpyrifos via dermal residue contact and nondietary ingestion. *Environ Health Perspect* 108(6):505B514.
- Zuurbier, M; Van den Hazel, P. (eds) (2005) PINCHE project: Final report WP4 risk and health impact assessment. Public Health Services. Gelderland Midden, Arnhem, The Netherlands. Available online at: http://www.pinche.hvdgm.nl/resource/pdf/documents/final/PINCHE_WP4_final_211205.pdf.