FEDERAL SECURITY AGENCY
OSCAR R. EWING, ADMINISTRATOR

PUBLIC HEALTH SERVICE
LEONARD A. SCHEELE, SURGEON GENERAL

VITAL STATISTICS OF THE UNITED STATES

1949

PART II

NATALITY AND MORTALITY DATA FOR THE UNITED STATES TABULATED BY PLACE OF RESIDENCE

PREPARED UNDER THE SUPERVISION OF
HALBERT L. DUNN, M. D.
Chief, National Office of Vital Statistics

UNITED STATES GOVERNMENT PRINTING OFFICE
WASHINGTON : 1951

For sale by the Superintendent of Documents, U. S. Government Printing Office, Washington 25, D. C. - Price $4.50

NATIONAL OFFICE OF VITAL STATISTICS

HALBERT L. DUNN, M. D., *Chief*

ROBERT D. GROVE, *Principal Analyst*

IWAO M. MORIYAMA, *Mortality Analysis*

SAM SHAPIRO, *Natality Analysis*

THOMAS N. E. GREVILLE, *Actuarial Analysis*

SARAH LEWIT, *Marriage and Divorce Analysis*

CARL C. DAUER, M. D., *Medical Adviser*

HAZEL V. AUNE, *National Consulting Service*

FRANK S. MORRISON, *International Vital Statistics Cooperation*

HOWARD WEST, *Statistical Processing*

CONTENTS

INTRODUCTION

	Page
The value of vital statistics tabulated by place of residence	V
Previous tabulations by place of residence	VI
Nonresident tabulations by State offices	VI
Definition of residence	VI
Relation of geographic code to the identification of nonresidents	VII
Allocation of deaths to place of residence	VIII
Special residence instructions for members of the armed forces	VIII
Changes in allocation of deaths to place of residence	VIII
Allocation of births to place of residence	IX

GENERAL NATALITY AND MORTALITY TABLES

LIVE BIRTHS

Table		
1.	Live births by person in attendance; total deaths; deaths under 1 year and infant mortality rates; and fetal deaths and ratios: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1949	2
2.	Live births by specified race and sex: United States and each State, 1949	94
3.	Live births by month, race, and sex: United States and each State, 1949	95
4.	Live births by age of mother, race, nativity of white mother, and population-size group: United States and each State, 1949	100
5.	Live births by race, nativity of white parents, and sex, and age of mother for the U. S. only: United States and each State, 1949	124
6A.	Live births by age of mother, birth order, sex of child, race, and nativity of white mother: United States, 1949	126
6B.	Live births by age of mother, birth order, race, and nativity of white mother: Each State, 1949	129
7.	Live births by single year of age of mother, birth order, race, and nativity of white mother: United States, 1949	165
8.	Live births by age of father, race, and sex, and age of mother for the U. S. only: United States and each State, 1949	168
9.	Live births by person in attendance, race, and population-size group: United States and each State, 1949	175
10.	Cases of plural births classified by number of children born alive and born dead, by race, and age of mother for the U. S. only: United States and each State, 1949	182

FETAL DEATHS

11.	Fetal deaths by age of mother, race, and population-size group: United States, 1949	184
12.	Fetal deaths by age of mother, birth order, race, and sex of child: United States, 1949	185
13.	Fetal deaths by age of mother and race: United States and each State, 1949	186
14.	Fetal deaths by birth order and race: United States and each State, 1949	188
15.	Fetal deaths by person in attendance and race: United States and each State; 1949	190
16.	Fetal deaths by race and population-size group: United States and each State, 1949	191

TOTAL DEATHS (EXCLUSIVE OF FETAL DEATHS)

17.	Deaths by specified race and sex: United States and each State, 1949	192
18.	Deaths by month, race, and sex: United States and each State, 1949	193
19.	Deaths by population-size group and race: United States and each State, 1949	198
20.	Deaths by race, in institutions by type of institution: United States and each State, 1949	200
21.	Deaths from 64 selected causes, by month: United States and each State, 1949	202
22.	Deaths from 64 selected causes, by age, race, and sex: United States and each State, 1949	252
23.	Deaths from 254 selected causes, by race and sex: United States and each State, 1949	458
24.	Deaths from 32 selected causes: United States, each State and county, and each urban place having, in 1940, a population of 10,000 or more, 1949	526

CONTENTS

INFANT DEATHS

Table
25. Deaths under 1 year and under 28 days, by population-size group and race: United States and each State, 1949 ..... Page 636
26. Deaths under 1 year and under 28 days, by month and race, and detailed age for the U. S. only: United States and each State, 1949 639
27. Deaths under 1 year and under 28 days, by race and sex: United States and each State, 1949 644
28. Deaths under 1 year by detailed age, race, and sex: United States and each State, 1949 646
29. Deaths under 1 year and under 28 days, from 45 selected causes, by population-size group and race: United States, 1949 656
30. Deaths under 1 year and under 28 days, from 45 selected causes, by race: United States and each State, 1949 662
31. Deaths under 1 year and under 28 days, from 45 selected causes, by month: United States, 1949 679
32. Deaths under 1 year, from 45 selected causes, by detailed age, race, and sex: United States, 1949 682
33. Deaths under 1 year of age, in institutions, by age and race: United States and each State, 1949 706

SYMBOLS USED

	Symbol
Class or item not applicable (3 dots)	. . .
Data not available (3 dashes)	- - -
Quantity is zero, in frequency tables (1 dash)	-
Quantity is zero, in rate or percent tables (1 cipher)	0
If rate or percent is more than 0, but less than 0.05	0.0
If both frequency and population base are zero in rate or percent tables (1 dash)	-

VITAL STATISTICS OF THE UNITED STATES

PART II. GEOGRAPHIC CLASSIFICATION BY PLACE OF RESIDENCE

INTRODUCTION

This volume—Vital Statistics of the United States, Part II—contains official natality and mortality statistics for the calendar year 1949, tabulated according to the place of residence of the mother of the child, or the place of residence of the decedent. Data compiled on a place-of-occurrence basis and text tables containing data tabulated by place of residence are published in a volume entitled "Vital Statistics of the United States, Part I." That volume also contains data on marriages and divorces which are available only on a place-of-occurrence basis. The birth and death tabulations published in both part I and part II are compiled from the same source material, being derived from transcripts or microfilm copies of original birth and death certificates received from registration officials of States and cities, and of the outlying territories and possessions of the United States.

The tables given in this volume should be interpreted with some caution since several factors enter into the determination of the place of residence. The place of birth or death, in most cases, is clear-cut and definitely determinable. To determine the place of residence is more difficult because it is dependent upon definitions of residence as well as the completeness of the information given on the certificate. It has, therefore, been necessary to adopt a set of arbitrary rules for the proper coding in each instance. The data obtained by a reallocation of nonresidents are obviously dependent upon these rules and cannot be correctly interpreted unless the rules are exactly and clearly stated.

THE VALUE OF VITAL STATISTICS TABULATED BY PLACE OF RESIDENCE

Tabulated vital statistics may be used for many purposes, each requiring data classified by different groupings or according to different definitions. Many of these uses relate to public health work, such as an evaluation of the problems confronting public health agencies or the measurement of the results of public health programs. Other uses relate to maternal- and infant-welfare activities, problems of population research, analysis of fertility trends, actuarial investigations, medical research, et cetera. For some purposes, such as a study of the hospital load carried by a given community, the proportion of births attended by physicians, or the simple ranking of causes of death, it is possible to use tabulated natality and mortality data without relating them to other statistical data. But for the most part, they take on their full value only when related to population figures by the computation of birth or death rates. For deaths, these rates, in their simplest form, consist of ratios of the number of deaths occurring in a specified place during a specified time to the number of persons exposed to the risk of death at that place and time. It is obvious that such a rate can be correctly computed and interpreted only when the population figure in the denominator and the mortality figure in the numerator are compiled on a comparable basis. In other words, the population figure must represent a certain group that is exposed to the risk of death, and the death figure must include all of this group that died. Although the birth rate is interpreted in a different manner, similar considerations apply to it.

For the United States, as a unit, there is little difficulty in securing adequate comparability between vital statistics and population figures. However, for individual cities or counties or for population-size groups, there are several disturbing factors. In the population census, each person is counted as a part of the population of the geographic unit in which he has his "usual place of residence." Therefore, the enumerated population of a city is a count of all the persons who usually live in that city, excluding persons who are temporarily in the city at the time of the census and including residents of the city who are at some other place during the time of the population enumeration.

The crude death rate for the residents of any area must be based on the total resident population of that area and the total number of deaths occurring in this total resident population. It is essential to include the deaths of residents no matter where the deaths occurred, and to exclude deaths of nonresidents occurring in that area.

The occurrence of a large number of births and deaths "away from home" results from the movement of the people, facilitated by convenient methods of transportation, and from the increasing use of hospitals during confinements and illness. Seasonal movement to and from resort States, seasonal migration in search of employment, and the movement of people to some other area for hospital facilities not available in their usual place of residence, are several of the factors that contribute to the number of nonresident births and deaths.

Inasmuch as the registration laws of each State specify that births and deaths be registered at the place of birth or death, the compilation of statistics according to place of occurrence is the most direct and usual method. Rates computed on this basis may be called recorded rates, since all the births or deaths recorded in each area are included in the computation. The compilation of natality and mortality data on the same geographic basis as the population census requires a complete reallocation of births and deaths to the place of residence. When this reallocation has been made, it is then possible to compute resident rates. Since resident death rates are ratios of the number of deaths to the number of persons exposed to the risk of death, they indicate more accurately the force of mortality affecting a given population and can therefore be interpreted in terms of relative health conditions. Resident birth rates are interpreted somewhat differently, but similar considerations apply to them. Of course, in such interpretations, cognizance must be taken of other factors, such as the age, sex, and race distributions of the exposed populations.

From some points of view it may seem incorrect to allocate deaths purely on a place-of-residence basis without taking into account the city or county responsible for the causes resulting in death. For example, a resident of one city may be killed in an automobile accident in another city. In such a case, it may seem unreasonable to allocate that death to the city of residence if the accident was caused by traffic hazards of the city where the death occurred. However, even if desirable, the reallocations of deaths from most causes to the area responsible for the conditions resulting in death would be a highly speculative and difficult task. Furthermore, admitting the possibility of making such an assignment of deaths, it then becomes necessary to devise an "exposed-to-risk" figure quite different from an enumerated population.

Tabulations of vital statistics by place of occurrence are valuable and necessary for certain purposes. Tabulations by place of residence and the computation of resident rates provide data of greater value and meaning for many uses. How-

ever, resident data cannot be directly interpreted for every purpose. No single method of tabulation could be devised that would provide statistics compiled in the manner necessary for all possible problems.

PREVIOUS TABULATIONS BY PLACE OF RESIDENCE[1]

The first nonresident tabulations made by the Bureau of the Census were published in the volume of "Mortality Statistics" for 1914. These tabulations included deaths, but not births, and consisted merely of a separation of nonresident deaths from the total deaths for each area. However, discovery of serious deficiencies in the place-of-residence information given on the death certificates resulted in the omission of nonresident tabulations from the published volumes from 1915 to 1917, inclusive. By 1918, it was believed that sufficient progress had been made with the basic data to resume publication of nonresident statistics.

In 1918 the nonresident mortality tabulations were revised so as to provide a complete allocation of deaths by place of residence within the limits of the then incomplete registration area. A decedent in the registration area whose place of residence was outside the registration area could not be reallocated to his place of residence. Similarly, deaths of residents of the registration area could not be included in the figures for this area if the deaths had occurred outside the registration area.

Tables showing the number of deaths by place of residence were published for each year from 1918 to 1930, inclusive. The rules for residence allocation remained essentially unchanged during this period. In 1931, the tabulation of nonresident deaths was discontinued as an economy measure, and for the years 1931 to 1934, inclusive, no data on this important subject are available.

The completion of the birth- and death-registration areas in 1933 made possible, for the first time, a Nation-wide reallocation of nonresidents to the place of residence. When the nonresident reallocation was resumed in 1935, the definition of a nonresident was revised and more detailed rules for allocation were formulated. In addition, compilation by place of residence was extended to birth statistics. Previous to 1935, no reallocation of births to place of residence of the child's mother had been made by the Bureau of the Census.

Resident tabulations for 1935 and 1936 were made but were not published in the annual volumes—"Birth, Stillbirth, and Infant Mortality Statistics" or "Mortality Statistics." However, they were released in the series of "Vital Statistics—Special Reports."[2]

The publication in 1937 of a combined volume of natality and mortality data tabulated by place of residence marked an important change in the compilation of national vital statistics. Since then, the tabulations by place of residence have been expanded considerably.

NONRESIDENT TABULATIONS BY STATE OFFICES

Since tabulations by place of residence are important in public health administration, many State departments of health compile natality and mortality data on this basis.

In some States the resident tabulations are based solely on a reallocation of nonresidents within the State. In other words, these States do not include in their tabulations the deaths (or births) of residents of that State occurring in other States. For State totals, the allocation of interstate nonresidents is, in most cases, numerically unimportant. However, for areas near a State border, interstate reallocation may be very important since many deaths (or births) of residents of the area may occur in the adjacent State.

To assist the States in obtaining records of births or deaths of their residents in other States, the Vital Statistics Section of the American Public Health Association adopted, in 1931, a resolution requesting the Bureau of the Census to act as a clearing house in the exchange of such records. Since 1933, most States have sent to the National Office of Vital Statistics copies of birth and death certificates for out-of-State nonresidents and these have been forwarded to the State of residence. Although this interstate exchange has been of considerable value to the individual States, it has not solved all of the difficulties met by State agencies in making a complete reallocation.

Differences of opinion exist regarding the principles on which the definition of a nonresident and the rules used for coding should be based. For this reason the interstate transfer is not on a strictly uniform basis for all States. Some indication of the amount of variation among States can be seen in the following table. In this table the number of nonresidents of each State, according to the definitions of the National Office of Vital Statistics, is compared with those identified by the separate State offices. These comparisons are based upon transcripts which have been cleared through the National Office of Vital Statistics. Since some interchange of nonresident transcripts is still made directly, these ratios may not completely represent the differences in State procedures. However, copies of certificates reported to the National Office of Vital Statistics as having been exchanged directly between States are included in the table. The table shows for both births and deaths the number of nonresident transcripts to be subtracted from the tabulations of each State, and the number of resident transcripts to be added. A study of the figures in this table, and particularly of the ratios between Federal and State figures, will indicate the existence of many differences in State procedures. While State tabulations fulfill an important need, it is obviously desirable that Nation-wide tabulations be made according to uniform rules.

One significant comment should be made regarding the differences between resident tabulations made by State agencies and those made by the National Office of Vital Statistics. Because of the large number of transcripts involved in national tabulations, the coding rules used by the National Office of Vital Statistics must be designed and simplified to facilitate mass production. Furthermore, it does not have access to the detailed local information necessary for certain types of allocation. For these reasons, it is not practicable to introduce all possible coding refinements or to use different sets of rules for various causes of death. Many State offices, having special local problems or interests to meet, wish to use special coding rules for certain groups of data. For example, some States prefer to allocate deaths from infectious diseases to the area where the infection presumably originated, deaths from accidents to the place of accident, deaths from homicide to the place of homicide, et cetera.

The desirability of these special types of tabulation should be emphasized, but they often require detailed information available only in local offices and involve operating rules feasible only for a relatively small volume of work. Therefore, while it is desirable to have uniform national tabulations, they do not replace those made by the separate State agencies.

DEFINITION OF RESIDENCE

The reallocation of births and deaths to place of residence is based on information somewhat different and collected in a

[1]For a more detailed account of previous resident tabulations, see "Vital Statistics of the United States, 1937, Part II," p. 2, Bureau of the Census, Washington, D. C., 1939.

[2]For a list of these reports containing resident tabulations for 1935 and 1936, ibid., p. 2.

FEDERAL AND STATE INTERCHANGE OF COPIES OF BIRTH AND DEATH CERTIFICATES FOR NONRESIDENTS: 1949

(Exclusive of fetal deaths. Includes transcripts distributed both through the National Office of Vital Statistics and directly between States)

AREA	BIRTHS						DEATHS					
	To nonresidents in the State			To residents in other States			Of nonresidents in the State			Of residents in other States		
	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation	Federal allocation	State interchange	Ratio of State interchange to Federal allocation
UNITED STATES	86,059	[1]82,069	0.95	86,059	80,941	0.94	43,658	[1]44,104	1.01	43,658	43,178	0.99
Alabama	1,201	1,038	0.86	1,661	1,616	0.97	527	532	1.01	796	760	0.95
Arizona	537	591	1.10	300	273	0.91	760	827	1.09	285	266	0.93
Arkansas	1,511	1,517	1.00	1,368	1,353	0.99	746	760	1.02	878	847	0.96
California	376	448	1.19	1,514	1,448	0.96	1,362	1,305	0.96	1,355	1,379	1.02
Colorado	1,012	1,028	1.02	523	495	0.95	700	658	0.94	399	390	0.98
Connecticut	610	537	0.88	1,530	1,137	0.74	487	452	0.93	681	675	0.99
Delaware	493	458	0.93	297	305	1.03	215	221	1.03	158	160	1.01
District of Columbia	9,173	9,589	1.05	1,315	1,267	0.96	1,209	1,095	0.91	975	949	0.97
Florida	851	832	0.98	1,219	1,138	0.93	2,234	2,220	0.99	959	974	1.02
Georgia	2,027	1,990	0.98	1,611	1,490	0.92	926	963	1.04	830	808	0.97
Idaho	626	385	0.62	853	456	0.53	249	230	0.92	378	236	0.62
Illinois	2,012	2,036	1.01	5,867	3,845	0.68	1,649	1,686	1.02	3,188	2,529	0.79
Indiana	3,085	2,017	0.65	2,241	2,212	0.99	1,246	1,092	0.88	1,373	1,358	0.99
Iowa	2,505	2,450	0.97	1,477	1,432	0.97	1,107	1,017	0.92	905	897	0.99
Kansas	1,712	1,594	0.93	2,990	3,017	1.01	1,077	1,261	1.17	951	991	1.04
Kentucky	2,454	2,478	1.01	2,239	2,225	0.99	882	887	1.01	1,164	1,137	0.98
Louisiana	636	630	0.99	830	783	0.94	600	598	0.98	437	408	0.93
Maine	209	258	1.23	540	646	1.20	260	268	1.07	295	349	1.18
Maryland	3,409	2,946	0.86	6,330	6,551	1.03	1,816	1,585	0.98	1,068	1,012	0.96
Massachusetts	1,977	945	0.48	1,317	1,280	0.97	1,207	1,176	0.97	985	1,019	1.03
Michigan	1,205	1,156	0.96	1,684	1,755	1.04	873	976	1.12	1,145	1,324	1.16
Minnesota	1,958	1,876	0.96	1,860	1,842	0.99	1,248	1,319	1.06	747	752	1.01
Mississippi	1,524	1,336	0.88	882	819	0.93	525	394	0.75	664	679	1.02
Missouri	4,622	3,986	0.86	2,573	2,465	0.96	1,877	1,582	0.84	1,695	1,817	1.07
Montana	204	212	1.04	435	435	1.00	266	263	0.99	277	300	1.08
Nebraska	1,049	1,067	1.02	1,178	1,132	0.96	440	460	1.05	577	567	0.98
Nevada	257	237	0.92	135	119	0.88	192	183	0.95	146	128	0.88
New Hampshire	1,110	1,069	0.96	853	478	0.56	402	425	1.06	419	431	1.03
New Jersey	1,153	1,154	1.00	4,088	4,073	1.00	1,332	1,430	1.07	2,358	2,389	1.01
New Mexico	739	628	0.85	1,087	1,080	0.99	557	498	0.89	409	387	0.95
New York	3,604	3,667	1.02	2,363	2,184	0.92	2,631	2,716	1.03	2,725	2,830	1.04
North Carolina	1,702	1,552	0.91	1,492	1,348	0.90	918	920	1.00	842	846	1.00
North Dakota	1,159	1,199	1.03	1,113	1,167	1.05	310	324	1.05	384	407	1.06
Ohio	3,582	3,527	0.98	3,614	3,152	0.87	1,692	1,660	0.98	1,872	1,900	1.01
Oklahoma	1,551	1,390	0.90	1,705	1,658	0.97	473	466	0.99	1,013	1,017	1.00
Oregon	1,014	924	0.91	1,063	1,030	0.97	553	602	1.09	495	487	0.98
Pennsylvania	3,932	3,888	0.99	3,698	3,606	0.98	1,628	1,828	1.00	2,351	2,380	1.01
Rhode Island	1,367	1,356	0.99	853	547	0.64	292	304	1.04	366	368	1.01
South Carolina	1,230	958	0.78	991	967	0.98	389	368	0.95	483	476	0.98
South Dakota	985	958	0.97	857	795	0.93	334	302	0.90	347	343	0.99
Tennessee	3,268	3,324	1.02	2,184	2,077	0.96	1,755	1,740	0.99	793	788	0.99
Texas	2,429	2,867	1.18	2,511	2,417	0.96	1,293	1,376	1.06	1,282	1,241	0.97
Utah	438	405	0.92	252	243	0.96	251	241	0.96	158	160	1.01
Vermont	363	369	1.02	763	713	0.93	229	256	1.12	257	248	1.05
Virginia	2,336	2,348	1.01	6,350	6,336	1.00	1,216	1,276	1.05	1,299	1,229	0.95
Washington	2,090	1,784	0.85	1,051	790	0.75	689	610	0.89	620	642	1.04
West Virginia	2,914	2,869	0.98	2,347	2,321	0.99	938	935	1.00	812	792	0.98
Wisconsin	1,415	1,142	0.81	1,922	1,879	0.98	857	740	0.86	863	884	1.02
Wyoming	445	436	0.98	575	563	0.98	247	274	1.11	227	222	0.98

[1]Includes allocations outside of continental United States.

manner different from that obtained in the enumerated population census. It is obviously not possible to use identical rules for both compilations. The tabulation of vital statistics on a place-of-residence basis requires that the information given on the certificate be interpreted in such a way as to result in classifications comparable, in so far as practicable, with the population census figures. The necessity for such interpretation introduces arbitrary and controversial factors into the procedure of allocation. It can hardly be expected that the geographic classification by place of residence can be as direct and simple as the classification by place of occurrence.

In addition to difficulties in the definition of residence, there are several factors in the original collection of birth and death information that may produce errors or discrepancies in residence tabulations. The place of birth or death is usually obvious or easily learned by the person filling out the original certificate. On the other hand, the original informant or the State office may have to make an inquiry to determine the place of residence, particularly in the case of nonresident births or deaths. Since it is sometimes difficult to ascertain the precise geographic location of the place of residence, errors may be made in residence designation, and the residence information may be omitted or incompletely reported on some birth and death certificates.

Relation of geographic code to the identification of nonresidents

Whether or not a person is classified as a nonresident depends somewhat upon the size of the area under consideration. A resident of Maine may die in California, yet this fact may be ignored when only totals for the United States are concerned. For State totals, only those persons who cross State lines need be considered in a reallocation by place of residence, since any

movement within the State is irrelevant. On the other hand, for the study of mortality conditions within a city (for individual census tracts or wards), it is necessary to use a much finer definition of a nonresident. In such cases it may be necessary, for example, to define as a nonresident a person who lived on one side of a street and died in a hospital on the other side of the same street.

In whatever way the place of residence may be defined, the size of the tabulation or coding unit will partially determine the number of identified nonresidents. If the coding unit—assuming the use of a punch-card system in which geographic areas are given numerical codes—is a whole county, obviously it is impossible to determine, from a tabulation of the cards, the number of persons who moved about within the county. If the coding unit is a single registration district, it will be possible to identify persons moving from one district to another within the county, but it will not be possible to measure the movement within districts.

The tabulations given in this volume are based on a geographic code that identifies each city or other urban place having a population of over 10,000 in 1940 and each county excluding these cities or urban places. The code for the county (exclusive of the cities or urban places of 10,000 or more) is subdivided into two codes, one for all urban places of 2,500 to 10,000 as a group, and another for all villages under 2,500 and rural areas as a group. In coding the place of residence, movement from an urban place or city of 2,500 or more to another place or city of 2,500 or more, in the same or a different county, is identified. Similarly, any population movement from one county to another is identified, including movement to or from rural areas in different counties. However, movement from a village under 2,500 or from a rural area to another village under 2,500 or rural area within the same county is not identified.

Another limitation should be mentioned. If, for example, the nonresident deaths for each urban place and county within a State are tabulated, it is not possible to add these figures together and obtain the number of nonresidents of the whole State. Such addition will give the number of persons in the State who died in a tabulation-unit area other than the area of their residence, but it will not give the number of nonresidents of the State since a nonresident in an urban place may be a resident of some rural area or some other urban place in the same State. Therefore, the term "nonresident" may have one or two meanings. In reference to the smallest unit of tabulation (in this report an urban place or county), a nonresident is a person who died within that unit but whose usual place of residence was in some other unit. In reference to a consolidation of separate geographic units (for example, a whole State), the term refers to the number of persons dying therein who are nonresidents of the particular place of death but are not necessarily nonresidents of the consolidated area. Furthermore, since the nonresidents of one area are necessarily residents of some other area, it is necessary to apply both terms to the same data when considered in different aspects. In order to avoid confusion, the tables given in this volume include headnotes or footnotes when additional explanation seems necessary.

Allocation of deaths to place of residence

The allocation of deaths to the place of residence is based on the following general principles and rules.

1. Mortality data should be compiled so as to correspond, in so far as practicable, with enumerated populations on which rates are to be based. Each death should be assigned to the area which was the "usual place of residence" of the decedent.

2. A decedent is defined as a nonresident if the place of residence stated on the certificate is different from the place of death. However, decedents who at the time of death had been living more than 1 year in a community and did not die in an institution are considered residents of that community even though some other place of residence is stated.

3. Decedents in all types of institutions are reallocated to the place of prior residence, regardless of length of stay in the institution.

4. Decedents whose usual place of residence is a foreign country or a United States possession outside the United States are not reallocated to the usual place of residence.

5. Infants born at other than the place of residence of the mother, who died in that same place, are reallocated to the place of residence of the mother.

For the purpose of coding mortality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in an Instruction Manual.[3]

Special residence instructions for members of the armed forces

1. The decedent is considered a resident of the reported place of residence only if the length of stay in the place of death is omitted or is given as less than 1 year. In such cases, the place of residence is taken as the decedent's home residence (abode before entering service) if stated, in preference to any military or naval station which may be mentioned on the transcript.

2. The decedent is considered a resident of the place of death if length of stay in that place is given as 1 year or more, regardless of the entry for place of residence.

Changes in allocation of deaths to place of residence

Serious methodological problems arise in the process of (1) allocating vital events, particularly deaths, on the same basis as the enumerated population, and (2) allocating them so as to describe accurately the mortality conditions of a particular area. Differences in the manner of collection of vital statistics data and of population data introduce inconsistencies in their allocation by place of residence. In addition, a strict application of population enumeration definitions to deaths distorts the description of mortality conditions in certain areas. This is particularly true for areas in which large resident-type institutions, such as mental and tuberculosis hospitals, are located. In the population census the patients or inmates of these institutions are counted as residents of the institution. The death rate among these people is usually very high, because of the illness or infirmity which caused them to enter the institution. If these deaths are allocated to the city or county in which the hospital or institution is located, the death rate of the area is likely to be much higher than it would be if they were allocated to the area of residence prior to hospitalization. Nevertheless, the residence allocation rules used by the National Office of Vital Statistics from 1935 to 1948, inclusive, correspond closely to those of the population census.

In response to increasing dissatisfaction among public health agencies with these definitions, the National Office of Vital Statistics made a careful study of the problem. Three different crude death rates were computed for each of 188 counties for which in 1940 the deaths in resident-type hospitals or other institutions constituted 10 percent or more of total

[3] National Office of Vital Statistics, "Vital Statistics Instruction Manual, Part I, Coding and Punching Geographic and Personal Particulars of Births, Deaths, and Stillbirths Occurring During 1949," Washington, D. C., 1949.

resident deaths. In method (1) the rates were computed using total resident deaths and total enumerated population, the institutional population being included in both the numerator and denominator of the rate formula. In method (2) the rates were computed using total resident deaths minus deaths in resident-type institutions and the total enumerated population including the institutional population. In method (3) the rates were computed using total resident deaths minus deaths in resident-type institutions and the total enumerated population minus the population living in such institutions. Method (1) was used by the National Office of Vital Statistics with minor changes from 1935 through 1948. Method (2) gives the rate which results when the institutional population is deducted from the deaths but included in the population base. Method (3) gives the rate which is obtained when the institutional population is excluded from both the deaths and the population base. Of the three rates computed the third method can be regarded as the rate which describes most accurately the mortality experience in the counties uninfluenced by the special factor of institution location.

The average crude resident death rates per 1,000 population obtained for the 188 counties were as follows:

Method (1)	14.0
Method (2)	10.0
Method (3)	10.7

The average rate by method (1) was 30.8 percent above the average rate by method (3), while the average rate by method (2) was 6.5 percent below the average rate obtained by method (3).

This study led to the conclusion that allocation of deaths according to the rules of the population census resulted in serious distortion of mortality statistics for counties and cities in which the population in resident-type institutions is a significant proportion of the total population. Therefore, beginning with data for 1949, the National Office of Vital Statistics introduced a major change into its rules for residence allocation of deaths occurring in resident-type institutions. The crude death rates which will be obtained under the revised rules will be comparable with those obtained by method (3) when the institutional population can be deducted from the population base and with those obtained by method (2) when it cannot be deducted. Under the revised rule, all deaths which occur in institutions of all types are allocated to the reported place of usual residence, regardless of the length of time spent by the decedent in the institution. In actual practice, the new rules differ significantly from the previous definitions only with respect to deaths occurring in resident-type institutions (mental hospitals, homes for the aged, penitentiaries, etc.) and in tuberculosis hospitals. Under the old rules all deaths in resident institutions regardless of length of stay and all deaths in tuberculosis hospitals where the decedent had lived in the hospital more than 1 year were allocated to the place of death. Beginning with 1949, they are allocated to the place of usual residence. A complete statement of the residence-allocation rules used in classifying 1949 data is given in an Instruction Manual.[3]

Beginning with data for 1949, a change was also made in the rules for allocation of deaths of military personnel. For the years 1943 through 1948, the post or port at which the deceased was stationed was considered to be the usual place of residence. Under the new rule, these cases are classified as residents of the place of death if length of stay in that place is stated to be 1 year or more. If length of stay in place of death is stated to have been less than 1 year, the death is allocated to the deceased's home residence, if stated.

Allocation of births to place of residence

The allocation of live births and fetal deaths (stillbirths) is made according to the same general principles as the allocation of deaths. In the case of births, however, the residence of the mother is considered to be the place of residence of the child, and the allocation is not affected by the mother's length of stay in the community in which the birth occurs.

For the purpose of coding natality transcripts or microfilm copies, these rules have been expanded into definite coding instructions which state the procedure followed in each case. These instructions have been published in an Instruction Manual.[3]

[3]See footnote on p. VIII.

GENERAL NATALITY AND MORTALITY TABLES

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949

(By place of residence. Deaths exclusive of fetal deaths and of deaths among armed forces overseas. Fetal deaths include only those for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Infant mortality rates and fetal death ratios per 1,000 live births in each specified group. White and nonwhite are shown separately for those counties and urban places in which the 1940 populations for nonwhite races formed 10 percent or more of the total, or numbered 10,000 or more)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
UNITED STATES	3,559,529	3,087,080	289,981	168,186	14,302	1,443,607	111,531	31.3	70,584	19.8
White	3,083,721	2,825,978	214,198	36,777	7,668	1,268,848	89,007	28.9	54,114	17.5
Nonwhite	475,808	262,002	75,783	131,389	6,634	174,759	22,524	47.3	16,470	34.6
ALABAMA	84,418	49,301	15,926	18,673	518	26,750	3,345	39.6	2,305	27.3
White	52,213	40,211	10,293	1,562	147	15,395	1,704	32.6	1,055	20.2
Nonwhite	32,205	9,090	5,633	17,111	371	11,355	1,641	51.0	1,250	38.8
Autauga	491	199	38	253	1	187	20	40.7	12	24.4
White	200	177	12	11	-	97	11	55.0	2	10.0
Nonwhite	291	22	26	242	1	90	9	30.9	10	34.4
Baldwin	1,164	549	332	281	2	322	44	37.8	27	23.2
White	814	517	259	36	2	230	27	33.2	13	16.0
Nonwhite	350	32	73	245	-	92	17	48.6	14	40.0
Barbour	915	230	242	441	2	325	54	59.0	30	32.8
White	348	207	133	8	-	129	20	57.5	6	17.2
Nonwhite	567	23	109	433	2	196	34	60.0	24	42.3
Bibb	525	176	168	177	4	171	22	41.9	21	40.0
White	305	184	105	36	-	106	15	49.2	8	26.2
Nonwhite	220	12	63	141	4	65	7	31.8	13	59.1
Blount	722	429	277	15	1	207	32	44.3	20	27.7
Bullock	538	81	51	397	-	206	27	50.1	20	37.1
White	81	50	26	5	-	42	1	12.3	3	37.0
Nonwhite	458	41	25	392	-	164	26	56.8	17	37.1
Butler	898	376	170	350	2	260	32	35.6	15	16.7
White	404	322	75	6	1	135	16	39.6	7	17.3
Nonwhite	494	54	95	344	1	125	16	32.4	8	16.2
Calhoun	2,122	1,356	575	189	2	628	89	41.9	57	26.9
White	1,673	1,230	423	18	2	453	58	34.7	39	23.3
Nonwhite	449	126	152	171	-	175	31	69.0	18	40.1
Anniston	975	700	145	129	1	309	49	50.3	26	26.7
White	679	599	74	5	1	187	28	41.2	15	22.1
Nonwhite	296	101	71	124	-	122	21	70.9	11	37.2
Balance of county	1,147	656	430	60	1	319	40	34.9	31	27.0
White	994	631	349	13	1	266	30	30.2	24	24.1
Nonwhite	153	25	81	47	-	53	10	65.4	7	45.8
Chambers	938	556	125	255	2	326	40	42.6	26	27.7
White	517	498	15	4	-	181	15	29.0	9	17.4
Nonwhite	421	58	110	251	2	145	25	59.4	17	40.4
Cherokee	477	301	107	66	3	125	8	16.8	16	33.5
Chilton	635	291	256	87	1	216	28	44.1	18	28.3
White	521	287	220	13	1	171	23	44.1	12	23.0
Nonwhite	114	4	36	74	-	45	5	43.9	6	52.6
Choctaw	601	228	29	342	2	138	21	34.9	20	33.3
White	244	206	19	17	2	42	8	32.8	8	32.8
Nonwhite	357	22	10	325	-	96	13	36.4	12	33.6
Clarke	779	254	154	371	-	238	29	37.2	28	35.9
White	319	233	70	16	-	91	9	28.2	5	15.7
Nonwhite	460	21	84	355	-	147	20	43.5	23	50.0
Clay	373	273	45	54	1	142	19	50.9	10	26.8
White	301	247	40	13	1	122	14	46.5	9	29.9
Nonwhite	72	26	5	41	-	20	5	69.4	1	13.9
Cleburne	288	111	165	12	-	102	13	45.1	1	3.5
Coffee	795	252	503	40	-	221	26	32.7	9	11.3
White	612	244	358	10	-	169	22	35.9	4	6.5
Nonwhite	183	8	145	30	-	52	4	21.9	5	27.3
Colbert	1,143	786	188	169	2	344	51	44.6	34	29.7
White	816	695	99	21	1	232	34	41.7	18	22.1
Nonwhite	327	91	87	148	1	112	17	52.0	16	48.9
Conecuh	658	162	158	333	5	211	22	33.4	17	25.8
White	285	143	120	20	2	93	4	14.0	4	14.0
Nonwhite	373	19	38	313	3	118	18	48.3	13	34.9
Coosa	267	115	66	85	1	109	9	33.7	11	41.2
White	136	89	43	4	-	72	4	29.4	2	14.7
Nonwhite	131	26	23	81	1	37	5	38.2	9	68.7
Covington	978	585	239	152	2	326	34	34.8	12	12.3
White	774	554	194	25	1	247	24	31.0	8	10.3
Nonwhite	204	31	45	127	1	79	10	49.0	4	19.6
Crenshaw	498	198	164	131	5	171	18	36.1	12	24.1
White	303	189	99	14	1	109	11	36.3	5	16.5
Nonwhite	195	9	65	117	4	62	7	35.9	7	35.9
Cullman	1,279	1,114	139	22	4	331	42	32.8	28	22.7
Dale	565	212	201	151	1	158	22	38.9	3	5.3
White	393	207	165	21	-	111	12	30.5	3	7.6
Nonwhite	172	5	36	130	1	47	10	58.1	-	0
Dallas	1,795	655	95	1,34	1	667	77	43.1	54	30.3
White	505	492	3	9	1	178	13	25.7	6	11.9
Nonwhite	1,289	163	92	1,025	-	484	64	50.0	48	37.5
Selma	766	422	86	257	1	310	38	49.6	16	20.9
White	322	319	2	-	1	126	11	34.2	3	9.3
Nonwhite	444	103	84	257	-	184	27	60.8	13	29.3
Balance of county	1,819	233	9	777	-	350	39	38.3	38	37.3
White	183	173	1	9	-	54	2	10.9	3	16.4
Nonwhite	636	60	8	768	-	300	37	44.3	35	41.9
De Kalb	1,175	681	442	45	9	282	38	30.6	33	28.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife	Other and not specified					
ALABAMA—Continued										
Elmore	815	461	98	252	4	308	31	38.0	13	16.0
White	454	389	57	6	2	168	10	22.0	3	6.6
Nonwhite	361	72	41	246	2	140	21	58.2	10	27.7
Escambia	878	508	136	232	2	294	49	55.8	27	30.8
White	537	414	101	20	2	174	26	48.4	14	26.1
Nonwhite	341	94	35	212	-	120	23	67.4	13	38.1
Etowah	2,704	1,584	978	139	3	705	95	35.1	63	23.3
White	2,245	1,502	693	47	3	545	71	31.6	45	20.0
Nonwhite	458	82	285	92	-	160	24	52.3	18	39.2
Gadsden	1,428	958	411	59	-	381	55	38.5	37	25.9
White	1,098	885	200	3	-	268	36	32.8	22	20.0
Nonwhite	330	63	211	56	-	113	19	57.6	15	45.5
Balance of county	1,276	626	567	80	3	324	40	31.3	26	20.4
Fayette	552	224	231	92	5	146	26	47.1	8	14.5
White	454	217	191	42	4	121	22	48.5	7	15.4
Nonwhite	98	7	40	50	1	25	4	40.8	1	10.2
Franklin	676	437	218	21	-	200	26	38.5	9	13.3
Geneva	665	298	275	91	1	184	20	30.1	17	25.6
White	554	289	246	18	1	148	14	25.3	13	23.5
Nonwhite	111	9	29	73	-	36	6	54.1	4	36.0
Greene	466	36	77	375	-	232	30	61.5	27	55.3
White	48	29	17	2	-	42	2	41.7	1	20.8
Nonwhite	440	7	60	373	-	190	28	63.6	26	58.1
Hale	691	111	53	527	-	219	27	39.1	18	26.0
White	146	95	34	17	-	55	5	34.2	1	6.8
Nonwhite	545	16	19	510	-	164	22	40.4	17	31.2
Henry	586	181	97	305	3	160	21	35.8	11	18.8
White	254	160	49	25	-	78	2	8.5	4	17.1
Nonwhite	332	21	48	280	3	82	19	54.0	7	19.9
Houston	1,214	717	208	283	6	387	39	32.1	36	29.7
White	829	680	108	39	2	244	20	24.1	16	19.3
Nonwhite	385	37	100	244	4	143	19	49.4	20	51.9
Dothan	533	365	80	85	3	191	23	43.2	18	33.8
White	362	348	12	2	-	103	12	33.1	8	22.1
Nonwhite	171	17	68	83	3	88	11	64.3	10	58.5
Balance of county	681	352	128	198	3	196	16	23.5	18	26.4
White	467	332	96	37	2	141	8	17.1	8	17.1
Nonwhite	214	20	32	161	1	55	8	37.4	10	46.7
Jackson	1,083	339	547	147	50	302	42	38.8	27	24.9
Jefferson	14,694	11,966	2,583	39	306	5,164	552	37.6	435	29.6
White	8,321	7,637	656	6	22	2,663	243	29.2	173	20.8
Nonwhite	6,373	4,329	1,727	33	284	2,501	309	48.5	262	41.1
Birmingham	8,159	7,068	796	10	285	3,167	286	35.1	239	29.3
White	4,540	4,442	83	-	15	1,628	121	26.7	91	20.0
Nonwhite	3,619	2,626	713	10	270	1,539	165	45.6	148	40.9
Bessemer	1,043	781	254	6	2	336	54	51.8	36	34.5
White	436	398	38	-	-	116	13	29.8	13	29.8
Nonwhite	607	383	216	6	2	220	41	67.5	23	37.9
Fairfield	495	431	64	-	-	128	22	44.4	16	32.3
White	190	187	3	-	-	45	3	15.8	5	26.3
Nonwhite	305	244	61	-	-	83	19	62.3	11	36.1
Balance of county	4,997	3,686	1,269	23	19	1,533	190	38.0	144	28.8
White	3,155	2,610	532	6	7	874	108	33.6	84	20.3
Nonwhite	1,842	1,076	737	17	12	659	84	45.6	80	43.4
Lamar	394	184	135	68	7	132	6	15.2	9	22.8
White	315	173	115	23	4	113	4	12.7	5	15.9
Nonwhite	79	11	20	45	3	19	2	25.3	4	50.6
Lauderdale	1,400	1,083	170	147	-	405	43	30.7	32	22.9
White	1,187	993	144	50	-	305	29	24.4	26	21.9
Nonwhite	213	90	26	97	-	100	14	65.7	6	28.2
Florence	668	598	13	57	-	211	22	32.9	14	21.0
White	544	532	7	5	-	145	11	20.2	10	18.4
Nonwhite	124	66	6	52	-	66	11	88.7	4	32.3
Balance of county	732	485	157	90	-	194	21	28.7	18	24.6
White	643	461	137	45	-	160	18	28.0	16	24.9
Nonwhite	89	24	20	45	-	34	3	33.7	2	22.5
Lawrence	890	484	271	135	-	180	33	37.1	18	20.2
White	651	474	163	14	-	128	27	41.5	11	16.9
Nonwhite	239	10	108	121	-	52	6	25.1	7	29.3
Lee	1,254	752	117	383	2	336	44	35.1	45	35.9
White	648	615	21	12	-	136	15	23.1	18	27.8
Nonwhite	606	137	96	371	2	200	29	47.9	27	44.6
Limestone	1,054	601	266	186	1	313	44	41.7	20	19.0
White	780	594	171	15	-	215	27	34.6	15	19.2
Nonwhite	274	7	95	171	1	98	17	62.0	5	18.2
Lowndes	608	80	13	514	1	196	38	62.5	29	47.7
White	73	66	1	6	-	25	2	27.4	-	0
Nonwhite	535	14	12	508	1	171	36	67.3	29	54.2
Macon	862	498	58	306	-	281	45	52.2	29	33.6
White	106	71	28	7	-	53	1	9.4	5	47.2
Nonwhite	756	427	30	299	-	228	44	58.2	24	31.7
Madison	2,124	1,184	467	472	1	605	84	39.5	47	22.1
White	1,435	1,081	319	35	-	380	54	37.6	24	16.7
Nonwhite	689	103	148	437	1	225	30	43.5	23	33.4
Huntsville	909	705	90	114	-	254	33	36.3	20	22.0
White	672	639	29	4	-	154	24	35.7	8	11.9
Nonwhite	237	66	61	110	-	100	9	38.0	12	50.6
Balance of county	1,215	479	377	358	1	351	51	42.0	27	22.2
White	763	442	290	31	-	226	30	39.3	16	21.0
Nonwhite	452	37	87	327	1	125	21	46.5	11	24.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
ALABAMA—Continued										
Marengo	845	168	57	618	2	374	44	52.1	20	23.7
White	183	137	35	9	2	97	3	16.4	4	21.9
Nonwhite	662	31	22	609	-	277	41	61.9	16	24.2
Marion	754	433	178	120	3	181	23	31.3	10	13.6
Marshall	1,253	865	336	51	1	321	55	43.9	34	27.1
Mobile	7,037	5,706	110	1,196	25	1,990	281	39.9	177	25.2
White	4,336	4,136	88	112	-	1,120	133	30.7	58	13.6
Nonwhite	2,701	1,570	22	1,084	25	870	148	54.8	118	43.7
Mobile	3,752	3,219	24	503	6	1,209	150	40.0	103	27.5
White	2,232	2,213	9	10	-	680	61	27.3	27	12.1
Nonwhite	1,520	1,006	15	493	6	529	89	58.6	76	50.0
Balance of county	3,285	2,487	86	693	19	781	131	39.9	74	22.5
White	2,104	1,923	79	102	-	440	72	34.2	32	15.2
Nonwhite	1,181	564	7	591	19	341	59	50.0	42	35.6
Monroe	778	116	217	444	1	251	36	46.3	20	25.7
White	264	102	136	26	-	97	11	41.7	7	26.5
Nonwhite	514	14	81	418	1	154	25	48.6	13	25.3
Montgomery	3,568	2,119	73	1,372	4	1,290	103	28.9	96	26.9
White	1,785	1,742	36	7	-	601	33	18.5	21	11.8
Nonwhite	1,783	377	37	1,365	4	689	70	39.3	75	42.1
Montgomery	2,709	1,810	32	864	3	1,023	82	30.3	63	23.3
White	1,506	1,485	16	5	-	526	31	20.6	16	10.6
Nonwhite	1,203	325	16	859	3	497	51	42.4	47	39.1
Balance of county	859	309	41	508	1	267	21	24.4	33	38.4
White	279	257	20	2	-	75	2	7.2	5	17.9
Nonwhite	580	52	21	506	1	192	19	32.8	28	48.3
Morgan	1,369	1,048	214	103	2	420	37	27.0	45	32.9
White	1,170	999	143	26	2	329	33	28.2	35	29.9
Nonwhite	199	49	71	79	-	91	4	20.1	10	50.3
Decatur	497	410	44	43	-	169	9	18.1	18	36.2
White	404	383	12	9	-	114	7	17.3	12	29.7
Nonwhite	93	27	32	34	-	55	2	21.5	6	64.5
Balance of county	872	638	170	62	2	251	28	32.1	27	31.0
White	766	616	131	17	2	215	28	33.9	23	30.0
Nonwhite	106	22	39	45	-	36	2	18.9	4	37.7
Perry	807	118	28	460	1	235	28	46.1	30	49.4
White	134	100	15	19	-	72	5	37.3	5	37.3
Nonwhite	673	18	13	441	1	163	23	48.6	25	52.9
Pickens	664	154	195	331	4	224	25	36.5	14	20.6
White	290	146	127	14	3	95	3	10.3	7	24.1
Nonwhite	394	8	68	317	1	129	22	55.8	7	17.8
Pike	899	352	158	386	1	305	38	42.3	33	36.7
White	432	324	77	31	-	153	10	23.1	15	34.7
Nonwhite	467	28	81	357	1	152	28	60.0	18	38.5
Randolph	536	287	90	158	1	194	30	56.0	17	31.7
White	353	264	62	26	1	133	14	39.7	12	34.0
Nonwhite	183	23	28	132	-	61	16	87.4	5	27.3
Russell	1,221	590	40	590	1	429	50	41.0	48	39.3
White	502	484	11	7	-	171	10	19.9	11	21.9
Nonwhite	719	106	29	583	1	258	40	55.6	37	51.5
Phenix City	562	402	25	135	-	185	17	30.2	18	32.0
White	350	345	3	2	-	111	6	17.1	7	20.0
Nonwhite	212	57	22	133	-	74	11	51.9	11	51.9
Balance of county	659	188	15	455	1	244	33	50.1	30	45.5
White	152	139	8	5	-	60	4	26.3	4	26.3
Nonwhite	507	49	7	450	1	184	29	57.2	26	51.3
St. Clair	668	335	265	63	5	210	22	32.9	18	26.9
White	509	314	185	8	2	150	16	31.4	13	25.5
Nonwhite	159	21	80	55	3	60	6	37.7	5	31.4
Shelby	734	238	386	108	2	279	40	54.5	14	19.1
White	520	224	289	6	1	189	18	34.6	8	15.4
Nonwhite	214	14	97	102	1	90	22	102.8	6	28.0
Sumter	704	147	63	493	1	249	32	45.5	21	29.8
White	123	101	16	6	-	51	8	65.0	1	8.1
Nonwhite	581	46	47	487	1	198	24	41.3	20	34.4
Talladega	1,818	1,054	335	426	3	552	88	48.4	49	27.0
White	1,120	928	162	30	-	349	50	44.6	32	28.6
Nonwhite	698	126	173	396	3	203	38	54.4	17	24.4
Tallapoosa	941	631	172	138	-	308	33	35.1	23	24.4
White	650	566	76	8	-	180	18	27.7	13	20.0
Nonwhite	291	65	96	130	-	128	15	51.5	10	34.4
Tuscaloosa	2,331	1,635	226	468	2	706	93	39.9	63	27.0
White	1,545	1,418	104	22	1	406	47	30.4	30	19.4
Nonwhite	788	217	122	446	1	300	46	58.5	33	42.0
Tuscaloosa	1,191	946	67	177	1	325	46	38.6	29	24.3
White	843	833	8	1	1	183	26	30.8	12	14.2
Nonwhite	348	113	59	176	-	142	20	57.5	17	48.9
Balance of county	1,140	689	159	291	1	381	47	41.2	34	29.8
White	702	585	96	21	-	223	21	29.9	18	25.6
Nonwhite	438	104	63	270	1	158	26	59.4	16	36.5
Walker	1,594	784	746	58	6	514	79	49.6	52	32.6
White	1,438	751	655	28	4	407	71	49.4	42	29.2
Nonwhite	156	33	91	30	2	107	8	51.3	10	64.1
Washington	492	125	150	215	2	120	22	44.7	20	40.7
White	286	121	114	50	1	67	14	49.0	9	31.5
Nonwhite	206	4	36	165	1	53	8	38.8	11	53.4
Wilcox	844	113	56	674	1	301	50	59.2	34	40.3
White	105	81	19	5	-	43	3	28.6	2	19.0
Nonwhite	739	32	37	669	1	253	47	63.6	32	43.3
Winston	519	375	106	33	5	142	26	50.1	12	23.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
ARIZONA	20,275	18,505	788	659	323	6,397	1,034	51.0	354	17.5
White	17,520	16,214	670	486	150	5,384	723	41.3	293	16.7
Nonwhite	2,755	2,291	118	173	173	1,013	311	112.9	61	22.1
Apache	782	627	31	45	79	228	83	106.1	9	11.5
White	186	174	10	1	1	30	5	26.9	5	26.9
Nonwhite	596	453	21	44	78	198	78	130.9	4	6.7
Cochise	875	767	44	58	6	341	38	43.4	19	21.7
Coconino	685	631	31	10	13	207	62	90.5	17	24.8
White	405	373	27	3	2	94	16	39.5	8	19.8
Nonwhite	280	258	4	7	11	113	46	164.3	9	32.1
Gila	699	653	35	1	10	222	42	60.1	7	10.0
White	571	538	32	1	-	180	27	47.3	6	10.5
Nonwhite	128	115	3	-	10	42	15	117.2	1	7.8
Graham	318	270	41	2	5	103	14	44.0	6	18.9
Greenlee	438	417	15	6	-	92	22	50.2	5	11.4
Maricopa	8,656	8,276	136	215	29	2,732	363	41.9	154	17.8
Phoenix	5,163	5,042	38	74	9	1,514	189	36.6	96	18.6
Balance of county	3,493	3,234	98	141	20	1,218	174	49.8	58	16.6
Mohave	255	239	4	-	12	107	17	66.7	1	3.9
Navajo	801	714	29	24	34	251	81	101.1	9	11.2
White	441	426	2	12	1	116	27	61.2	5	11.3
Nonwhite	360	288	27	12	33	135	54	150.0	4	11.1
Pima	3,775	3,332	249	93	101	1,084	139	36.8	64	17.0
White	3,467	3,098	214	80	75	929	96	27.7	60	17.3
Nonwhite	308	234	35	13	26	155	43	139.6	4	13.0
Tucson	3,210	2,878	200	72	60	393	24	7.5	46	14.3
Balance of county	565	454	49	21	41	691	115	203.5	18	31.9
White	435	367	31	17	20	574	74	170.1	16	36.8
Nonwhite	130	87	18	4	21	117	41	315.4	2	15.4
Pinal	1,302	1,076	90	120	16	415	96	73.7	37	28.4
White	1,076	905	88	72	11	336	80	74.3	27	25.1
Nonwhite	226	171	2	48	5	79	16	70.8	10	44.2
Santa Cruz	304	221	47	28	8	76	13	42.8	3	9.9
Yavapai	577	544	22	5	6	295	24	41.6	10	17.3
Yuma	808	758	14	32	4	244	40	49.5	13	16.1
White	686	626	12	44	4	225	33	48.1	9	13.1
Nonwhite	122	112	2	8	-	19	7	57.4	4	32.8
ARKANSAS	45,609	28,917	9,547	6,829	316	15,660	1,539	33.7	789	17.3
White	34,215	26,511	6,950	608	146	11,372	1,085	31.7	510	14.9
Nonwhite	11,394	2,406	2,597	6,221	170	4,308	454	39.8	279	24.5
Arkansas	614	345	149	113	7	171	11	17.9	7	11.4
White	429	339	73	14	3	133	8	18.6	2	4.7
Nonwhite	185	6	76	99	4	38	3	16.2	5	27.0
Ashley	774	367	220	172	15	200	28	36.2	15	19.4
White	433	303	120	6	4	115	16	37.0	8	18.5
Nonwhite	341	64	100	166	11	85	12	35.2	7	20.5
Baxter	304	249	44	2	9	90	8	26.3	5	16.4
Benton	754	639	109	4	2	357	20	26.5	7	9.3
Boone	373	324	44	4	1	130	7	18.8	4	10.7
Bradley	373	214	123	29	7	153	13	34.9	4	10.7
White	228	205	22	1	-	122	10	43.9	2	8.8
Nonwhite	145	9	101	28	7	31	3	20.7	2	13.8
Calhoun	125	41	63	21	-	65	1	8.0	3	24.0
White	75	41	34	-	-	43	1	13.3	2	26.7
Nonwhite	50	-	29	21	-	22	-	0	1	20.0
Carroll	247	183	54	4	6	126	6	24.3	11	44.5
Chicot	605	274	45	280	6	206	19	31.4	11	18.2
White	298	247	21	29	1	79	8	26.8	3	10.1
Nonwhite	307	27	24	251	5	127	11	35.8	8	26.1
Clark	490	266	91	127	6	200	11	22.4	6	12.2
White	329	258	65	5	1	144	8	24.3	3	9.1
Nonwhite	161	8	26	122	5	56	3	18.8	3	18.6
Clay	579	273	291	15	-	218	28	48.4	6	10.4
Cleburne	270	219	38	9	4	99	7	25.9	4	14.8
Cleveland	190	76	93	21	-	78	-	0	2	10.5
White	131	75	55	1	-	61	-	0	-	0
Nonwhite	59	1	38	20	-	17	-	0	2	33.9
Columbia	591	378	78	131	4	180	20	33.8	16	27.1
White	337	314	21	2	-	100	11	32.6	10	29.7
Nonwhite	254	64	57	129	4	80	9	35.4	6	23.6
Conway	443	251	94	91	7	167	13	29.3	14	31.6
White	314	242	65	6	1	124	12	38.2	9	28.7
Nonwhite	129	9	29	85	6	43	1	7.8	5	38.8
Craighead	1,201	966	188	33	14	393	58	48.3	32	26.6
Jonesboro	363	319	7	28	9	162	17	46.8	11	30.3
White	326	317	7	1	1	133	14	42.9	7	21.5
Nonwhite	37	2	-	27	8	29	3	81.1	4	108.1
Balance of county	838	647	181	5	5	231	41	48.9	21	25.1
Crawford	518	404	100	10	4	208	18	34.7	8	15.4
Crittenden	1,393	296	329	757	11	444	73	52.4	30	21.5
White	465	282	163	20	-	107	21	45.2	6	12.9
Nonwhite	928	14	166	737	11	337	52	56.0	24	25.9
Cross	749	363	193	189	4	153	19	25.4	14	18.7
White	526	351	159	14	2	102	15	28.5	9	17.1
Nonwhite	223	12	34	175	2	51	4	17.9	5	22.4

See footnotes on p. 83.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
ARKANSAS—Continued										
Dallas	304	96	159	47	2	109	8	26.3	8	26.3
White	145	82	63	-	-	66	3	20.7	4	27.6
Nonwhite	159	14	96	47	2	43	5	31.4	4	25.2
Desha	613	289	53	266	5	212	33	53.8	10	16.3
White	341	279	33	26	3	93	14	41.1	4	11.7
Nonwhite	272	10	20	240	2	119	19	69.9	6	22.1
Drew	436	245	43	141	7	170	9	20.6	7	16.1
White	260	233	17	6	4	97	3	11.5	3	11.5
Nonwhite	176	12	26	135	3	73	6	34.1	4	22.7
Faulkner	534	435	39	59	1	173	12	22.5	6	11.2
White	435	400	30	4	1	144	8	18.4	3	6.9
Nonwhite	99	35	9	55	-	29	4	40.4	3	30.3
Franklin	242	195	46	-	1	90	6	24.8	3	12.4
Fulton	168	67	97	2	2	63	9	53.6	1	6.0
Garland	1,061	934	65	61	1	554	42	39.6	19	17.9
White	983	922	30	31	-	446	38	38.7	18	18.3
Nonwhite	78	12	35	30	1	108	4	51.3	1	12.8
Hot Springs	718	645	36	35	-	449	37	51.5	10	13.9
White	647	634	5	8	-	346	33	51.0	9	13.9
Nonwhite	71	11	33	27	-	103	4	56.3	1	14.1
Balance of county	343	289	27	26	1	105	5	14.6	9	26.2
Grant	174	115	43	13	3	61	5	28.7	3	17.2
Greene	676	460	212	3	1	221	27	39.9	12	17.8
Hempstead	594	272	105	210	7	241	30	50.5	12	20.2
White	281	249	19	10	3	133	14	49.8	4	14.2
Nonwhite	313	23	86	200	4	108	16	51.1	8	25.6
Hot Spring	408	285	77	43	3	133	11	27.0	5	12.3
White	345	282	61	1	1	111	7	20.3	5	14.5
Nonwhite	63	3	16	42	2	22	4	63.6	-	0
Howard	334	221	71	35	7	99	7	21.0	4	12.0
White	254	197	57	-	-	82	6	23.6	3	11.8
Nonwhite	80	24	14	35	7	17	1	12.5	1	12.5
Independence	512	455	39	7	11	190	10	19.5	5	9.8
Izard	204	114	88	2	-	69	4	19.6	1	4.9
Jackson	802	657	114	23	8	225	27	33.7	1	1.2
White	677	574	88	8	7	168	23	34.0	1	1.5
Nonwhite	125	83	26	15	1	57	4	32.0	-	0
Jefferson	1,832	954	268	605	5	636	44	24.0	34	18.6
White	938	847	79	12	-	292	16	17.1	15	16.0
Nonwhite	894	107	189	593	5	344	28	31.3	19	21.3
Pine Bluff	746	571	85	90	-	362	20	26.8	12	16.1
White	506	497	7	2	-	192	7	13.8	6	11.9
Nonwhite	240	74	78	88	-	170	13	54.2	6	25.0
Balance of county	1,086	383	183	515	5	274	24	22.1	22	20.3
White	432	350	72	10	-	100	9	20.8	9	20.8
Nonwhite	654	33	111	505	5	174	15	22.9	13	19.9
Johnson	300	255	40	4	1	144	6	20.0	6	20.0
Lafayette	277	84	89	104	-	100	6	21.7	8	28.9
White	107	81	20	6	-	30	1	9.3	1	9.3
Nonwhite	170	3	69	98	-	70	5	29.4	7	41.2
Lawrence	647	519	125	1	2	182	26	40.2	15	23.2
Lee	536	91	168	273	4	204	30	56.0	20	37.3
White	206	78	119	9	-	62	11	53.4	8	38.8
Nonwhite	330	13	49	264	4	142	19	57.6	12	36.4
Lincoln	294	111	33	145	5	120	9	30.6	4	13.6
White	122	99	16	5	2	41	5	41.0	-	0
Nonwhite	172	12	17	140	3	79	4	23.3	4	23.3
Little River	270	139	44	84	3	92	8	29.6	5	18.5
White	169	130	34	5	-	56	4	23.7	2	11.8
Nonwhite	101	9	10	79	3	36	4	39.6	3	29.7
Logan	417	313	103	1	-	159	7	16.8	6	14.4
Lonoke	734	338	246	145	5	231	29	39.5	19	25.9
White	531	302	215	11	3	162	18	33.9	12	22.6
Nonwhite	203	36	31	134	2	69	11	54.2	7	34.5
Madison	235	159	43	29	4	96	7	29.8	2	8.5
Marion	186	138	47	-	1	62	3	16.1	3	16.1
Miller	718	487	66	163	2	286	26	36.2	16	22.3
White	489	439	19	30	1	181	13	26.6	10	20.4
Nonwhite	229	48	47	133	1	105	13	56.8	6	26.2
Texarkana[2]	348	269	25	54	-	168	13	37.4	6	17.2
White	258	242	8	8	-	104	5	19.4	3	11.6
Nonwhite	90	27	17	46	-	64	8	88.9	3	33.3
Balance of county	370	218	41	109	2	118	13	35.1	10	27.0
White	231	197	11	22	1	77	8	34.6	7	30.3
Nonwhite	139	21	30	87	1	41	5	36.0	3	21.6
Mississippi	2,299	1,043	932	310	14	609	139	60.5	29	12.6
White	1,673	1,027	600	40	6	445	113	67.5	21	12.6
Nonwhite	626	16	332	270	8	164	26	41.5	8	12.8
Blytheville	398	220	114	61	3	142	17	42.7	11	27.6
White	270	214	54	1	1	104	14	51.9	9	33.3
Nonwhite	128	6	60	60	2	38	3	23.4	2	15.6
Balance of county	1,901	823	818	249	11	467	123	64.2	18	9.5
White	1,403	813	546	39	5	341	99	70.6	12	8.6
Nonwhite	498	10	272	210	6	126	23	46.2	6	12.0
Monroe	480	135	190	150	5	170	18	37.5	10	20.8
White	245	123	116	6	-	60	8	32.7	3	12.2
Nonwhite	235	12	74	144	5	110	10	42.6	7	29.8
Montgomery	131	54	56	20	1	60	4	30.5	3	22.9

See footnotes on p. 95.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
ARKANSAS—Continued										
Nevada	332	156	100	75	1	130	11	33.1	6	18.1
White	192	141	50	1	-	87	11	57.3	2	10.4
Nonwhite	140	15	50	74	1	43	-	0	4	28.6
Newton	165	121	29	10	5	39	3	18.2	5	30.3
Ouachita	748	411	91	239	7	263	33	44.1	12	16.0
White	424	391	30	3	-	149	19	44.8	6	14.2
Nonwhite	324	20	61	236	7	114	14	43.2	6	18.5
Perry	114	48	60	4	2	36	.5	43.9	-	0
Phillips	1,402	486	295	600	21	483	48	34.2	41	29.2
White	570	399	136	31	4	142	24	42.1	9	15.8
Nonwhite	832	87	159	569	17	341	24	28.8	32	38.5
Pike	169	91	65	10	3	66	4	23.7	1	5.9
Poinsett	1,311	669	589	44	9	264	51	38.9	26	19.8
White	1,218	666	534	11	7	225	48	39.4	24	19.7
Nonwhite	93	3	55	33	2	39	3	32.3	2	21.5
Polk	344	260	81	3	-	123	6	17.4	1	2.9
Pope	463	298	153	10	2	170	14	30.2	10	21.6
Prairie	235	84	123	28	-	76	1	4.3	1	4.3
White	191	82	106	3	-	65	1	5.2	1	5.2
Nonwhite	44	2	17	25	-	11	-	0	-	0
Pulaski	4,847	4,415	239	188	5	1,785	153	31.6	91	18.8
White	3,448	3,285	154	8	1	1,220	83	24.1	54	15.7
Nonwhite	1,399	1,130	85	180	4	565	70	50.0	37	26.4
Little Rock	2,519	2,407	67	45	-	1,031	66	26.2	36	14.3
White	1,827	1,796	30	1	-	744	32	17.5	20	10.9
Nonwhite	692	611	37	44	-	287	34	49.1	16	23.1
North Little Rock	1,093	995	43	54	1	383	35	32.0	16	14.6
White	770	747	21	2	-	253	17	22.1	11	14.3
Nonwhite	323	248	22	52	1	120	18	55.7	5	15.5
Balance of county	1,235	1,013	129	89	4	401	52	42.1	39	31.8
White	851	742	103	5	1	245	34	40.0	23	27.0
Nonwhite	384	271	26	84	3	158	18	46.9	16	41.7
Randolph	326	151	170	3	2	129	10	30.7	-	0
St. Francis	980	482	211	283	4	304	43	43.9	12	12.2
White	457	330	101	23	3	104	16	35.0	3	6.6
Nonwhite	523	152	110	260	1	200	27	51.6	9	17.2
Saline	416	214	195	7	-	153	16	38.5	13	31.3
Scott	170	103	66	1	-	72	8	47.1	6	35.3
Searcy	225	191	12	17	5	63	4	17.8	1	4.4
Sebastian	1,792	1,672	69	51	-	543	47	26.2	29	16.2
Fort Smith	1,408	1,362	16	30	-	424	39	27.7	22	15.6
White	1,295	1,283	9	3	-	353	32	24.7	15	11.6
Nonwhite	113	79	7	27	-	71	7	61.9	7	61.9
Balance of county	384	310	73	1	-	119	8	20.8	7	18.2
Sevier	286	243	26	16	1	125	7	24.5	5	17.5
White	250	231	18	1	-	110	6	24.0	4	16.0
Nonwhite	36	12	8	15	1	15	1	27.8	1	27.8
Sharp	154	90	61	2	1	51	5	32.5	2	13.0
Stone	130	89	33	5	3	55	1	7.7	1	7.7
Union	1,132	799	94	231	8	315	20	17.7	13	11.5
White	777	721	45	11	-	185	13	16.7	5	6.4
Nonwhite	355	78	49	220	8	130	7	19.7	8	22.5
El Dorado	561	456	14	91	-	157	14	25.0	5	8.9
White	419	414	5	-	-	98	9	21.5	2	4.8
Nonwhite	142	42	9	91	-	59	5	35.2	3	21.1
Balance of county	571	343	80	140	8	158	6	10.5	8	14.0
White	358	307	40	11	-	87	4	11.2	3	8.4
Nonwhite	213	36	40	129	8	71	2	9.4	5	23.5
Van Buren	189	60	123	3	3	68	6	31.7	5	26.5
Washington	1,046	956	72	13	5	433	36	34.4	16	15.3
White	870	624	230	12	4	271	21	24.1	9	10.3
Woodruff	447	203	203	35	6	146	19	42.5	2	4.5
White	263	139	116	7	1	71	9	34.2	1	3.8
Nonwhite	184	64	87	28	5	75	10	54.3	1	5.4
Yell	305	213	90	1	1	118	5	16.4	5	16.4
CALIFORNIA	245,199	240,774	3,437	345	643	100,354	6,574	26.8	3,753	15.3
White	224,785	221,101	2,851	318	515	95,098	5,879	26.2	3,325	14.8
Nonwhite	20,414	19,673	586	27	128	5,256	695	34.0	428	21.0
Alameda	17,607	17,407	181	2	17	7,277	425	24.1	290	16.5
Oakland	8,862	8,748	100	2	12	4,286	214	24.1	154	17.4
White	7,136	7,079	47	1	9	3,884	159	22.3	118	16.5
Nonwhite	1,726	1,669	53	1	3	402	55	31.9	36	20.9
Alameda	2,002	1,992	9	-	1	560	50	25.0	27	13.5
Berkeley	2,430	2,421	9	-	-	1,057	51	21.0	41	15.9
Albany	398	396	2	-	-	117	5	12.9	9	23.2
San Leandro	1,083	1,080	2	-	1	271	17	15.7	15	13.9
Balance of county	2,842	2,780	59	-	3	986	88	31.0	44	15.5
Alpine	7	6	-	-	1	5	1	142.9	-	0
White	4	3	-	-	1	3	-	0	-	0
Nonwhite	3	3	-	-	-	2	1	333.3	-	0
Amador	190	169	21	-	-	136	5	26.3	3	15.8
Butte	1,471	1,453	16	-	2	762	54	36.7	22	15.0
Calaveras	184	143	40	-	1	119	2	10.9	2	10.9
Colusa	262	260	1	-	1	159	7	26.7	7	26.7

See footnotes on p. 95.

981192 O - 52 - 2

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
CALIFORNIA—Continued										
Contra Costa	8,248	8,105	129	1	13	1,670	201	24.4	116	14.1
Richmond	3,809	3,717	82	-	10	568	94	24.7	53	13.9
Balance of county	4,439	4,388	47	1	3	1,082	107	24.1	63	14.2
Del Norte	199	197	1	-	1	76	6	30.2	2	10.1
El Dorado	372	345	26	1	-	213	7	18.8	5	13.4
Fresno	7,263	7,053	187	1	22	2,470	261	35.9	135	18.6
Fresno	2,157	2,109	42	-	6	1,153	71	32.9	35	16.2
Balance of county	5,106	4,944	145	1	16	1,317	190	37.2	100	19.6
Glenn	361	355	6	-	-	151	3	8.3	4	11.1
Humboldt	1,705	1,664	36	-	5	770	31	18.2	15	8.8
Eureka	848	846	2	-	-	370	10	15.4	5	7.7
Balance of county	1,057	1,018	34	-	5	400	21	19.9	10	9.5
Imperial	2,088	1,653	343	38	54	522	107	51.2	30	14.4
White	1,880	1,473	316	38	53	465	99	52.7	26	13.8
Nonwhite	208	180	27	-	1	57	8	38.5	4	19.2
Brawley	509	369	104	24	12	123	31	60.9	8	15.7
El Centro	448	379	55	7	7	111	24	53.6	8	17.9
White	386	329	43	7	7	94	23	59.6	7	18.1
Nonwhite	62	50	12	-	-	17	1	16.1	1	16.1
Balance of county	1,131	905	184	7	35	288	52	46.0	14	12.4
White	1,009	794	174	7	34	253	46	45.6	12	11.9
Nonwhite	122	111	10	-	1	35	6	49.2	2	16.4
Inyo	254	243	5	2	4	112	9	35.4	3	11.8
White	213	209	3	-	1	94	6	28.2	1	4.7
Nonwhite	41	34	2	2	3	18	3	73.2	2	48.8
Kern	6,634	6,505	113	1	15	1,695	229	34.5	102	15.4
Bakersfield	2,895	2,866	25	1	3	672	86	29.7	34	11.7
Balance of county	3,739	3,639	88	-	12	1,023	143	38.2	68	18.2
Kings	1,433	1,384	42	3	4	418	65	45.4	29	20.2
Lake	184	179	4	-	1	164	6	32.6	1	5.4
Lassen	525	521	3	-	1	121	12	22.9	8	15.2
Los Angeles	89,255	87,896	994	251	314	40,017	2,132	23.9	1,322	14.8
Long Beach	5,581	5,561	11	-	9	2,551	125	22.4	80	14.3
Los Angeles	41,377	40,571	523	155	128	21,070	1,064	25.7	634	15.3
White	35,487	34,889	378	147	93	19,428	875	24.7	506	14.3
Nonwhite	5,890	5,702	145	8	35	1,642	189	32.1	128	21.7
Alhambra	926	920	2	3	1	467	11	11.9	7	7.6
Belvedere (twp.)[3]	256	182	16	52	6	173	15	58.6	3	11.7
Beverly Hills	68	65	3	-	-	205	-	0	3	44.1
Burbank	1,688	1,682	6	-	-	542	35	20.7	24	14.2
Glendale	1,596	1,590	3	-	3	970	40	25.1	18	11.3
Huntington Park	561	558	3	-	-	304	10	17.8	7	12.5
Inglewood	1,122	1,115	4	-	3	474	27	24.1	12	10.7
Pasadena	1,988	1,967	19	2	-	1,381	38	19.1	26	13.1
Santa Monica	1,460	1,436	9	-	15	795	43	29.5	21	14.4
South Gate	1,026	1,023	3	-	-	339	20	19.5	21	20.5
Bell	405	400	5	-	-	153	8	19.8	3	7.4
Compton	1,396	1,385	10	-	3	334	21	15.0	19	13.6
Lynwood	633	629	4	-	-	165	12	19.0	4	6.3
Maywood	263	261	1	1	-	118	9	34.2	4	15.2
Monrovia	419	399	20	-	-	240	11	26.3	4	9.5
Pomona	771	762	5	-	4	374	19	24.6	12	15.6
Redondo Beach	598	587	8	-	3	223	14	23.4	9	15.1
San Gabriel	490	478	2	-	-	203	15	31.3	8	16.7
South Pasadena	229	229	-	-	-	217	7	30.6	6	26.2
Whittier	535	532	3	-	-	254	11	20.6	3	5.6
Balance of county	25,677	25,366	334	38	139	8,445	577	22.3	394	15.2
White	24,624	24,370	291	35	128	8,229	550	22.2	375	15.1
Nonwhite	1,053	996	43	3	11	216	27	25.6	19	18.0
Madera	1,067	1,043	22	-	2	341	55	51.5	19	17.8
Marin	1,739	1,734	3	-	2	692	46	26.5	21	12.1
Mariposa	104	102	1	-	1	57	4	38.5	2	19.2
Mendocino	886	863	19	1	3	412	28	31.6	15	16.9
Merced	2,090	2,077	9	1	3	574	63	30.1	34	16.3
Merced	594	593	-	1	-	161	18	30.3	11	18.5
Balance of county	1,496	1,484	9	-	3	413	45	30.1	23	15.4
Modoc	225	223	2	-	-	91	5	22.2	4	17.8
Mono	39	36	2	-	1	18	-	0	1	25.6
White	30	29	1	-	-	15	-	0	1	33.3
Nonwhite	9	7	1	-	1	3	-	0	-	0
Monterey	3,493	3,440	49	-	4	1,000	125	35.8	65	18.6
Monterey	554	550	4	-	-	142	12	21.7	6	10.8
Salinas	522	518	3	-	1	180	18	34.5	10	19.2
White	468	466	1	-	1	171	17	36.3	7	15.0
Nonwhite	54	52	2	-	-	9	1	18.5	3	55.6
Balance of county	2,417	2,372	42	-	3	678	95	39.3	49	20.3
Napa	780	777	3	-	-	434	18	23.1	10	12.8
Nevada	383	376	7	-	-	272	12	31.3	2	5.2
Orange	4,980	4,864	109	2	5	1,965	119	23.9	88	17.7
Santa Ana	1,189	1,171	17	1	-	505	28	21.9	26	21.9
Anaheim	379	369	10	-	-	135	5	13.2	7	18.5
Fullerton	267	264	3	-	-	137	2	7.5	4	15.0
Balance of county	3,145	3,060	79	1	5	1,188	86	27.3	51	16.2
Placer	900	883	14	3	-	475	27	30.0	14	15.6
Plumas	352	351	-	-	1	140	19	54.0	5	14.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
CALIFORNIA—Continued										
Riverside	3,993	3,880	99	5	9	1,743	151	37.8	52	13.0
Riverside	1,425	1,407	18	-	-	587	36	25.3	17	11.9
Balance of county	2,568	2,473	81	5	9	1,156	115	44.8	35	13.6
Sacramento	6,776	6,722	45	1	8	2,843	198	29.2	108	15.9
Sacramento	3,195	3,182	11	-	2	1,889	80	25.0	40	12.5
Balance of county	3,581	3,540	34	1	6	954	118	33.0	68	19.0
White	3,343	3,311	25	1	6	900	108	32.3	64	19.1
Nonwhite	238	229	9	-	-	54	10	42.0	4	16.8
San Benito	353	339	12	1	1	151	16	45.3	5	14.2
San Bernardino	6,477	6,296	168	2	11	2,435	215	33.2	102	15.7
San Bernardino	2,054	2,011	43	-	-	788	65	31.6	34	16.6
Ontario	592	590	2	-	-	205	15	25.3	7	11.8
Redlands	400	380	19	-	1	209	13	32.5	6	15.0
Balance of county	3,431	3,315	104	2	10	1,253	122	35.6	55	16.0
San Diego	14,108	13,976	97	4	31	4,682	357	25.3	215	15.2
San Diego	8,689	8,623	51	-	15	2,981	207	23.8	127	14.6
National City	870	856	8	-	6	202	21	24.1	20	23.0
Balance of county	4,549	4,497	38	4	10	1,499	129	28.4	68	14.9
San Francisco, coextensive with San Francisco (city)	16,221	16,134	49	13	25	9,559	396	24.4	258	15.9
White	13,252	13,206	21	13	12	8,960	309	23.3	204	15.4
Nonwhite	2,969	2,928	28	-	13	599	87	29.3	54	18.2
San Joaquin	4,985	4,940	31	2	12	2,027	121	24.3	75	15.0
Stockton	1,762	1,752	7	-	3	1,018	59	33.5	27	15.3
Lodi	327	327	-	-	-	150	5	15.3	6	18.3
Balance of county	2,896	2,861	24	2	9	859	57	19.7	42	14.6
White	2,602	2,577	19	-	6	800	53	20.4	38	14.6
Nonwhite	294	284	5	2	3	59	4	13.6	4	13.6
San Luis Obispo	1,204	1,175	28	-	1	503	36	29.9	19	15.8
San Mateo	5,495	5,477	12	2	4	1,581	105	19.1	69	12.6
Burlingame	322	322	-	-	-	174	3	9.3	1	3.1
Redwood City	818	817	-	-	1	239	16	19.6	12	14.7
San Mateo	866	864	2	-	-	301	14	14.5	12	12.4
Balance of county	3,389	3,374	10	2	3	867	72	21.2	44	13.0
Santa Barbara	2,390	2,361	27	-	2	968	82	34.3	29	12.1
Santa Barbara	981	968	11	-	2	564	25	25.5	14	14.3
Balance of county	1,409	1,393	16	-	-	404	57	40.5	15	10.6
Santa Clara	6,853	6,805	42	-	6	2,570	161	23.5	117	17.1
San Jose	2,658	2,642	15	-	1	1,066	57	21.4	23	8.7
Palo Alto	567	566	-	-	1	239	8	14.1	9	15.9
Balance of county	3,628	3,597	27	-	4	1,265	96	26.5	85	23.4
Santa Cruz	1,288	1,280	7	-	1	925	40	31.1	20	15.5
Santa Cruz	516	516	-	-	-	446	15	29.1	8	17.4
Balance of county	772	764	7	-	1	479	25	32.4	11	14.2
Shasta	857	828	29	-	-	389	28	32.7	10	11.7
Sierra	50	48	1	-	1	24	1	20.0	-	0
Siskiyou	794	757	33	1	3	328	22	27.7	8	10.1
Solano	2,913	2,885	24	-	4	772	80	27.5	49	16.8
Vallejo	1,832	1,827	5	-	-	345	47	25.7	24	13.1
Balance of county	1,081	1,058	19	-	4	427	33	30.5	25	23.1
Sonoma	2,011	2,004	5	1	1	1,120	53	26.4	31	15.4
Santa Rosa	748	748	-	-	-	288	13	17.4	12	16.0
Balance of county	1,263	1,256	5	1	1	832	40	31.7	19	15.0
Stanislaus	3,100	3,060	38	2	-	1,083	91	29.4	52	16.8
Modesto	399	396	3	-	-	280	10	25.1	10	25.1
Balance of county	2,701	2,664	35	2	-	803	81	30.0	42	15.5
Sutter	647	643	2	1	1	241	14	21.6	16	24.7
Tehama	431	428	3	-	-	230	16	37.1	4	9.3
Trinity	101	95	6	-	-	59	1	9.9	-	0
Tulare	3,962	3,797	148	3	34	1,134	164	41.2	62	15.6
Tuolumne	253	251	2	-	-	153	7	27.7	2	7.9
Ventura	2,944	2,819	121	-	4	792	92	31.3	42	14.3
San Buenaventura	466	460	6	-	-	162	14	30.0	4	8.6
Balance of county	2,478	2,359	115	-	4	630	78	31.5	38	15.3
Yolo	1,021	1,002	14	-	5	421	23	22.5	18	17.6
Yuba	672	665	6	-	1	291	20	29.8	14	20.8
COLORADO	32,894	30,754	1,825	160	155	12,415	1,153	35.1	545	16.6
White	32,137	30,040	1,785	160	152	12,124	1,121	34.9	531	16.5
Nonwhite	757	714	40	-	3	291	32	42.3	14	18.5
Adams	1,053	977	84	6	6	228	32	30.4	16	15.2
Alamosa	267	257	2	4	4	84	21	78.7	5	18.7
Arapahoe	1,550	1,540	8	1	1	373	37	23.9	20	12.9
Archuleta	93	32	55	2	4	39	8	86.0	3	32.3
Baca	240	194	45	-	1	50	6	25.0	3	12.5
Bent	214	211	3	-	-	68	8	37.4	2	9.3
Boulder	1,171	1,109	58	2	2	444	36	30.7	19	16.2
Boulder	617	616	1	-	-	205	13	21.1	8	13.0
Balance of county	554	493	57	2	2	241	23	41.5	11	19.9
Chaffee	150	147	2	1	-	82	2	13.3	3	20.0
Cheyenne	98	98	1	-	-	36	3	30.3	2	20.2
Clear Creek	62	59	3	-	-	42	4	64.5	1	16.1
Conejos	260	173	80	1	6	77	14	53.8	4	15.4
Costilla	152	70	66	2	14	44	7	46.1	1	6.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
COLORADO—Continued										
Crowley	145	115	29	-	1	52	6	41.4	1	6.9
Custer	32	32	-	-	-	13	-	0	1	31.3
Delta	400	287	109	2	2	200	19	47.5	6	15.0
Denver, coextensive with Denver (city)	10,143	9,968	134	16	25	4,297	279	27.5	164	16.2
Dolores	73	73	-	-	-	13	2	27.4	1	13.7
Douglas	70	70	-	-	-	29	2	28.6	-	0
Eagle	124	122	2	-	-	39	8	64.5	7	56.5
Elbert	73	65	8	-	-	24	2	27.4	1	13.7
El Paso	1,641	1,622	16	-	3	744	53	32.3	18	11.0
Colorado Springs	1,318	1,307	9	-	2	610	37	28.1	15	11.4
Balance of county	323	315	7	-	1	134	16	49.5	3	9.3
Fremont	315	307	7	1	-	246	8	25.1	3	9.5
Garfield	247	226	21	-	-	123	11	44.5	5	20.2
Gilpin	8	8	-	-	-	11	-	0	1	125.0
Grand	119	106	12	-	1	30	5	42.0	1	8.4
Gunnison	143	136	7	-	-	41	3	21.0	7	49.0
Hinsdale	1	1	-	-	-	1	-	0	1	1,000.0
Huerfano	264	141	66	52	5	121	12	45.5	6	22.7
Jackson	35	34	-	1	-	11	3	85.7	1	28.6
Jefferson	1,301	1,287	13	-	1	362	37	28.4	21	16.1
Kiowa	90	88	2	-	-	22	2	22.2	1	11.1
Kit Carson	230	217	13	-	-	65	7	30.4	6	26.1
Lake	226	225	1	-	-	102	27	119.5	5	22.1
La Plata	402	361	40	1	-	139	14	34.8	12	29.9
Larimer	1,012	981	27	1	3	369	24	23.7	15	14.8
Fort Collins	468	468	-	-	-	157	6	12.8	-	0
Balance of county	544	513	27	1	3	212	18	33.1	15	27.6
Las Animas	719	569	142	2	6	268	41	57.0	14	19.5
Trinidad	417	344	72	-	1	166	23	55.2	9	21.6
Balance of county	302	225	70	2	5	100	18	59.6	5	16.6
Lincoln	139	129	10	-	-	53	3	21.6	-	0
Logan	420	412	6	1	1	141	12	28.6	9	21.4
Mesa	884	832	47	1	4	410	29	32.8	14	15.8
Grand Junction	410	397	11	-	2	174	10	24.4	6	14.6
Balance of county	474	435	36	1	2	236	19	40.1	8	16.9
Mineral	32	32	-	-	-	7	-	0	1	31.3
Moffat	167	148	18	-	1	43	3	18.0	1	6.0
Montezuma	270	259	10	-	1	98	23	85.2	12	44.4
Montrose	351	322	23	-	6	171	25	71.2	6	17.1
Morgan	492	473	16	1	2	172	16	32.5	5	10.2
Otero	712	630	59	13	10	240	37	52.0	16	22.5
Ouray	44	44	-	-	-	21	-	0	-	0
Park	50	50	-	-	-	22	1	20.0	-	0
Phillips	144	139	5	-	-	54	1	6.9	2	13.9
Pitkin	37	36	1	-	-	18	1	27.0	-	0
Prowers	467	446	19	-	2	139	16	34.3	8	17.1
Pueblo	2,255	1,944	254	37	20	814	96	42.6	42	18.6
Pueblo	1,823	1,643	157	16	7	667	64	35.1	31	17.0
Balance of county	432	301	97	21	13	147	32	74.1	11	25.5
Rio Blanco	137	128	9	-	-	35	3	21.9	2	14.6
Rio Grande	324	263	55	-	6	142	39	120.4	6	18.5
Routt	210	206	4	-	-	78	9	42.9	4	19.0
Saguache	168	158	1	6	3	65	12	71.4	1	6.0
San Juan	35	34	1	-	-	10	1	28.6	1	28.6
San Miguel	71	66	5	-	-	35	7	98.6	-	0
Sedgwick	134	127	7	-	-	48	9	67.2	2	14.9
Summit	24	22	2	-	-	14	4	166.7	3	125.0
Teller	55	54	1	-	-	38	-	0	-	0
Washington	180	178	2	-	-	65	8	44.4	4	22.2
Weld	1,711	1,461	230	6	14	504	51	29.8	25	14.6
Greeley	488	469	13	3	3	178	11	22.5	5	10.2
Balance of county	1,223	992	217	3	11	325	40	32.7	20	16.4
Yuma	257	253	4	-	-	93	4	15.6	4	15.6
CONNECTICUT	40,887	40,623	247	12	5	18,829	943	23.1	565	13.8
White	39,595	39,357	222	11	5	18,267	884	22.3	538	13.6
Nonwhite	1,292	1,266	25	1	-	562	59	45.7	27	21.0
Fairfield	10,016	9,964	46	6	-	4,596	207	20.7	184	18.4
Bridgeport	3,403	3,386	14	3	-	1,602	84	24.7	71	20.9
Norwalk	1,007	993	12	2	-	437	16	15.9	11	10.9
Stamford	1,365	1,362	3	-	-	620	34	24.9	21	15.4
Danbury	590	589	1	-	-	321	16	27.1	23	39.0
Shelton	179	179	-	-	-	114	4	22.3	-	0
Stratford (town)	636	633	3	-	-	225	13	20.4	13	20.4
Balance of county	2,836	2,822	13	1	-	1,277	40	14.1	45	15.9
Hartford	11,323	11,286	37	-	-	4,734	262	23.1	132	11.7
Hartford	3,934	3,926	8	-	-	1,768	94	23.9	50	12.7
Bristol	795	793	2	-	-	264	20	25.2	5	6.3
New Britain	1,440	1,436	4	-	-	671	37	25.7	19	13.2
West Hartford (town)	726	725	1	-	-	376	17	23.4	6	8.3
East Hartford (town)	752	751	1	-	-	199	16	21.3	8	10.6
Balance of county	3,676	3,655	21	-	-	1,454	78	21.2	44	12.0
Litchfield	1,951	1,935	15	-	1	978	53	27.2	25	12.8
Torrington	459	456	3	-	-	237	6	13.1	7	15.3
Balance of county	1,492	1,479	12	-	1	741	47	31.5	18	12.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
CONNECTICUT—Continued										
Middlesex	1,304	1,297	7	-	-	624	34	26.1	13	10.0
Middletown	526	524	2	-	-	240	16	30.4	5	9.5
Balance of county	778	773	5	-	-	384	18	23.1	8	10.3
New Haven	11,038	10,963	69	6	-	5,470	255	23.1	147	13.3
New Haven	3,304	3,280	21	3	-	1,848	67	20.3	40	12.1
Meriden	909	906	2	1	-	425	19	20.9	12	13.2
Waterbury	2,116	2,106	10	-	-	1,034	46	21.7	33	15.6
West Haven (town)	649	647	2	-	-	354	14	21.6	6	9.2
Ansonia	366	364	2	-	-	209	14	38.3	5	13.7
Derby	184	184	-	-	-	111	8	43.5	4	21.7
Naugatuck	339	338	1	-	-	171	17	50.1	8	23.6
Wallingford	297	294	3	-	-	174	3	10.1	1	3.4
Balance of county	2,874	2,844	28	2	-	1,144	67	23.3	38	13.2
New London	3,025	2,998	24	-	3	1,426	79	26.1	40	13.2
New London	606	604	1	-	1	325	14	23.1	8	13.2
Norwich	698	692	4	-	2	336	14	20.1	12	17.2
Balance of county	1,723	1,702	19	-	2	765	51	29.6	20	11.6
Tolland	892	889	3	-	-	358	23	25.8	9	10.1
Windham	1,338	1,291	46	-	1	643	30	22.4	15	11.2
Willimantic	351	348	3	-	-	126	6	17.1	2	5.7
Balance of county	987	943	43	-	1	517	24	24.3	13	13.2
DELAWARE	7,369	6,648	280	414	27	3,330	224	30.4	169	22.9
White	6,103	5,859	200	36	8	2,733	163	26.7	127	20.8
Nonwhite	1,266	809	80	358	19	597	61	48.2	42	33.2
Kent	848	647	68	125	8	426	22	25.9	17	20.0
White	662	593	43	25	1	341	16	24.2	15	22.7
Nonwhite	186	54	25	100	7	85	6	32.3	2	10.8
New Castle	5,013	4,907	42	59	5	2,181	137	27.3	103	20.5
White	4,298	4,248	33	14	3	1,835	106	24.7	79	18.4
Nonwhite	715	659	9	45	2	346	31	43.4	24	33.6
Wilmington	2,940	2,907	12	21	-	1,396	84	28.6	64	21.8
White	2,431	2,418	9	4	-	1,129	62	25.5	46	18.9
Nonwhite	509	489	3	17	-	267	22	43.2	18	35.4
Balance of county	2,073	2,000	30	38	5	785	53	25.6	39	18.8
Sussex	1,508	1,094	170	230	14	723	65	43.1	49	32.5
White	1,143	998	124	17	4	557	41	35.9	33	28.9
Nonwhite	365	96	46	213	10	166	24	65.8	16	43.8
DISTRICT OF COLUMBIA	19,814	19,474	332	7	1	8,448	576	29.1	440	22.2
White	11,624	11,557	66	1	-	5,335	327	28.1	205	17.6
Nonwhite	8,190	7,917	266	6	1	3,113	249	30.4	235	28.7
FLORIDA	61,743	47,698	4,982	8,841	222	23,378	2,088	33.8	1,585	25.6
White	44,496	40,993	2,546	863	94	18,307	1,227	27.6	868	19.5
Nonwhite	17,247	6,705	2,436	7,978	128	7,069	861	49.9	717	41.6
Alachua	1,486	976	196	308	6	418	31	20.9	46	31.0
White	996	909	76	11	-	207	11	11.0	18	18.1
Nonwhite	490	67	120	297	6	211	20	40.8	28	57.1
Gainesville	743	603	33	105	2	188	18	24.2	20	26.9
White	570	567	2	1	-	90	7	12.3	9	15.8
Nonwhite	173	36	31	104	2	78	11	63.6	11	63.6
Balance of county	743	373	163	203	4	250	13	17.5	26	35.0
White	426	342	74	10	-	117	4	9.4	9	21.1
Nonwhite	317	31	89	193	4	133	9	28.4	17	53.6
Baker	180	53	63	64	-	48	3	16.7	2	11.1
White	124	52	52	20	-	40	2	16.1	1	8.1
Nonwhite	56	1	11	44	-	8	1	17.9	1	17.9
Bay	1,165	942	70	151	2	245	33	28.3	30	25.8
White	953	887	10	55	1	180	23	24.1	20	21.0
Nonwhite	212	55	60	96	1	65	10	47.2	10	47.2
Panama City	863	699	59	104	1	173	27	31.3	18	20.9
White	673	647	6	20	-	112	17	25.3	11	16.3
Nonwhite	190	52	53	84	1	61	10	52.6	7	36.8
Balance of county	302	243	11	47	1	72	6	19.9	12	39.7
White	280	240	4	35	1	68	6	21.4	9	32.1
Nonwhite	22	3	7	12	-	4	-	0	3	136.4
Bradford	295	167	16	110	3	106	15	50.7	8	27.0
White	211	159	14	37	1	79	12	56.9	4	19.0
Nonwhite	85	8	2	73	2	27	3	35.3	4	47.1
Brevard	425	253	18	152	2	229	13	30.6	10	23.5
White	258	229	10	18	1	166	4	15.5	2	7.8
Nonwhite	167	24	8	134	1	61	9	53.9	8	47.9
Broward	1,795	1,216	293	283	3	685	80	44.6	38	21.2
White	1,083	1,050	30	2	1	478	38	35.1	18	16.6
Nonwhite	712	166	263	281	2	207	42	59.0	20	28.1
Fort Lauderdale	763	590	136	36	1	355	28	36.7	14	18.3
White	508	501	6	-	1	270	15	29.5	8	15.7
Nonwhite	255	89	130	36	-	85	13	51.0	6	23.5
Balance of county	1,032	626	157	247	2	330	52	50.4	24	23.3
White	575	549	24	2	-	208	23	40.0	10	17.4
Nonwhite	457	77	133	245	2	122	29	63.5	14	30.6
Calhoun	211	58	134	17	2	46	6	28.4	7	33.2
White	177	57	108	11	1	38	5	28.2	5	28.2
Nonwhite	34	1	26	6	1	8	1	29.4	2	58.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
FLORIDA—Continued										
Charlotte	71	55	3	13	-	55	2	28.2	1	14.1
White	57	53	2	2	-	42	2	35.1	-	0
Nonwhite	14	2	1	11	-	13	-	0	1	71.4
Citrus	138	59	33	44	2	84	3	21.7	1	7.2
White	96	59	31	4	2	57	1	10.4	1	10.4
Nonwhite	42	-	2	40	-	27	2	47.6	-	0
Clay	399	298	45	55	1	83	13	32.6	4	10.0
White	335	289	38	8	-	50	4	11.9	4	11.9
Nonwhite	64	9	7	47	1	33	9	140.6	-	0
Collier	141	97	12	31	1	60	7	49.6	7	49.6
White	114	96	7	10	1	26	4	35.1	1	8.8
Nonwhite	27	1	5	21	-	34	3	111.1	6	222.2
Columbia	508	290	58	160	-	191	14	27.6	12	23.6
White	316	281	42	13	-	102	7	22.2	8	25.3
Nonwhite	192	29	16	147	-	89	7	36.5	4	20.8
Dade	9,711	8,815	383	492	21	3,948	281	28.9	225	23.2
White	7,721	7,620	86	3	12	3,283	182	23.6	139	18.0
Nonwhite	1,990	1,195	297	489	9	665	99	49.7	86	43.2
Miami	5,308	4,734	248	314	12	2,450	152	28.6	131	24.7
White	4,048	4,010	29	2	7	1,996	95	23.5	70	17.3
Nonwhite	1,260	724	219	312	5	454	57	45.2	61	48.4
Miami Beach	493	492	1	-	-	341	8	16.2	4	8.1
Balance of county	3,910	3,589	134	178	9	1,157	121	30.9	90	23.0
White	3,181	3,119	56	1	5	946	79	24.8	65	20.4
Nonwhite	729	470	78	177	4	211	42	57.6	25	34.3
De Soto	185	182	3	-	-	107	9	48.8	3	16.2
White	128	128	-	-	-	79	4	31.3	2	15.6
Nonwhite	57	54	3	-	-	28	5	87.7	1	17.5
Dixie	110	13	74	22	1	44	7	63.6	3	27.3
White	95	13	69	12	1	35	5	52.6	2	21.1
Nonwhite	15	-	5	10	-	9	2	133.3	1	66.7
Duval	7,596	6,958	148	472	18	2,785	246	32.4	200	26.3
White	5,379	5,226	89	58	6	1,694	138	25.7	117	21.8
Nonwhite	2,217	1,732	59	414	12	1,091	108	48.7	83	37.4
Jacksonville	6,056	5,613	97	333	13	2,324	201	33.2	153	25.3
White	4,095	4,035	47	10	3	1,323	102	24.9	80	19.5
Nonwhite	1,961	1,578	50	323	10	1,001	99	50.5	73	37.2
Balance of county	1,540	1,345	51	139	5	461	45	29.2	47	30.5
White	1,284	1,191	42	48	3	371	36	28.0	37	28.8
Nonwhite	256	154	9	91	2	90	9	35.2	10	39.1
Escambia	3,473	3,030	224	212	7	866	102	29.4	76	21.9
White	2,743	2,645	82	14	2	586	67	24.4	41	14.9
Nonwhite	730	385	142	198	5	280	35	47.9	35	47.9
Pensacola	1,716	1,484	121	108	3	458	45	26.2	37	21.6
White	1,198	1,174	23	-	1	265	24	20.0	12	10.0
Nonwhite	518	310	98	108	2	193	21	40.5	25	48.3
Balance of county	1,757	1,546	103	104	4	408	57	32.4	39	22.2
White	1,545	1,471	59	14	1	321	43	27.8	29	18.8
Nonwhite	212	75	44	90	3	87	14	66.0	10	47.2
Flagler	83	36	13	34	-	40	5	60.2	9	108.4
White	32	29	2	1	-	17	-	0	2	62.5
Nonwhite	51	7	11	33	-	23	5	98.0	7	137.3
Franklin	155	100	16	38	1	48	4	25.8	4	25.8
White	110	86	14	10	-	33	3	27.3	3	27.3
Nonwhite	45	14	2	28	1	15	1	22.2	1	22.2
Gadsden	970	296	65	606	3	318	45	46.4	40	41.2
White	314	280	12	21	1	85	8	25.5	9	28.7
Nonwhite	656	16	53	585	2	233	37	56.4	31	47.3
Gilchrist	87	54	24	7	2	23	2	23.0	1	11.5
White	79	53	23	1	2	20	2	25.3	1	12.7
Nonwhite	8	1	1	6	-	3	-	0	-	0
Glades	36	15	14	6	1	18	-	0	1	27.8
White	24	14	10	-	-	12	-	0	-	0
Nonwhite	12	1	4	6	1	6	-	0	1	83.3
Gulf	171	148	4	19	-	59	7	40.9	4	23.4
White	136	124	3	9	-	25	4	29.4	3	22.1
Nonwhite	35	24	1	10	-	34	3	85.7	1	28.6
Hamilton	273	69	126	77	1	91	9	33.0	9	33.0
White	132	65	59	8	-	49	7	53.0	-	0
Nonwhite	141	4	67	69	1	42	2	14.2	9	63.8
Hardee	205	170	22	13	-	117	10	48.8	2	9.8
Hendry	148	120	11	14	3	49	7	47.3	5	33.8
White	106	102	2	1	1	28	3	28.3	2	18.9
Nonwhite	42	18	9	13	2	21	4	95.2	3	71.4
Hernando	156	111	40	7	-	64	6	38.0	5	31.6
White	111	99	12	-	-	49	3	27.0	3	27.0
Nonwhite	47	12	28	7	-	15	3	63.9	2	42.6
Highlands	312	278	16	17	1	151	13	41.7	11	35.3
White	228	222	5	-	1	104	5	21.9	6	26.3
Nonwhite	84	56	11	17	-	47	8	95.2	5	59.5
Hillsborough	5,455	4,998	88	352	17	2,365	196	35.9	132	24.2
White	4,501	4,416	44	31	10	1,818	148	32.9	83	18.4
Nonwhite	954	582	44	321	7	547	48	50.3	49	51.4
Tampa	3,912	3,804	30	268	10	1,659	123	31.4	89	22.8
White	3,166	3,127	15	21	3	1,239	91	28.7	51	16.1
Nonwhite	746	677	15	247	7	420	32	42.9	38	50.9
Balance of county	1,543	1,394	58	84	7	706	73	47.3	43	27.9
White	1,335	1,289	29	10	7	579	57	42.7	32	24.0
Nonwhite	208	105	29	74	-	127	16	76.9	11	52.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
FLORIDA—Continued										
Holmes	341	204	109	28	-	89	10	29.3	7	20.5
Indian River	278	191	37	50	-	113	7	25.2	3	10.8
White	176	159	13	4	-	91	4	22.7	-	0
Nonwhite	102	32	24	46	-	22	3	29.4	3	29.4
Jackson	948	459	164	318	7	303	21	22.2	35	36.9
White	616	416	146	52	2	169	12	19.5	18	29.2
Nonwhite	332	43	18	266	5	134	9	27.1	17	51.2
Jefferson	294	53	65	176	-	134	14	47.6	14	47.6
White	72	37	34	1	-	38	4	55.6	1	13.9
Nonwhite	222	16	31	175	-	96	10	45.0	13	58.6
Lafayette	87	18	61	8	-	33	2	23.0	1	11.5
Lake	814	610	33	167	4	372	29	35.6	19	23.3
White	568	531	21	14	2	275	15	26.4	10	17.6
Nonwhite	246	79	12	153	2	97	14	56.9	9	36.6
Lee	424	335	11	76	2	242	12	28.3	15	35.4
White	329	316	11	-	2	177	7	21.3	5	15.2
Nonwhite	95	19	-	76	-	65	5	52.6	10	105.3
Fort Myers	281	225	1	65	-	171	11	37.8	11	37.8
White	208	207	1	-	-	116	6	28.8	3	14.4
Nonwhite	83	18	-	65	-	55	5	60.2	8	96.4
Balance of county	133	110	10	11	2	71	1	7.5	4	30.1
White	121	109	10	-	2	61	1	8.3	2	16.5
Nonwhite	12	1	-	11	-	10	-	0	2	166.7
Leon	1,232	745	33	427	27	319	41	33.3	35	28.4
White	653	632	7	13	1	167	17	26.0	15	23.0
Nonwhite	579	113	26	414	26	152	24	41.5	20	34.5
Tallahassee	783	524	17	223	19	186	17	21.7	19	24.3
White	456	449	4	3	-	100	4	8.8	11	24.1
Nonwhite	327	75	13	220	19	86	13	39.8	8	24.5
Balance of county	449	221	16	204	8	133	24	53.5	16	35.6
White	197	183	3	10	1	67	13	66.0	4	20.3
Nonwhite	252	38	13	194	7	66	11	43.7	12	47.6
Levy	285	138	58	87	1	117	8	28.1	4	14.0
White	168	120	41	7	-	67	7	41.7	1	6.0
Nonwhite	117	18	18	80	1	50	1	8.5	3	25.6
Liberty	79	44	18	13	4	30	4	50.8	5	63.3
White	65	44	13	6	2	25	4	61.5	3	46.2
Nonwhite	14	-	5	7	2	5	-	0	2	142.9
Madison	450	174	28	244	3	175	23	51.1	15	33.3
White	160	137	14	9	-	85	5	31.3	5	31.3
Nonwhite	290	37	15	235	3	88	18	62.1	10	34.5
Manatee	672	472	17	181	2	360	13	19.3	28	41.7
White	428	415	11	1	1	290	5	11.7	12	28.0
Nonwhite	244	57	6	180	1	70	8	32.8	16	65.6
Marion	836	517	72	243	4	450	33	39.5	31	37.1
White	473	441	26	3	3	239	13	27.5	9	19.0
Nonwhite	363	76	46	240	1	211	20	55.1	22	60.6
Martin	159	137	2	20	-	90	5	31.4	3	18.9
White	112	111	1	-	-	54	1	8.9	-	0
Nonwhite	47	26	1	20	-	36	4	85.1	3	63.8
Monroe	644	541	16	88	1	186	25	38.8	17	26.4
White	560	518	10	31	1	141	20	35.7	16	28.6
Nonwhite	84	23	6	55	-	45	5	59.5	1	11.9
Key West	612	509	16	88	1	171	24	39.2	17	27.8
White	550	488	10	31	1	127	19	35.8	16	30.2
Nonwhite	82	21	6	55	-	44	5	61.0	1	12.2
Balance of county	32	32	-	-	-	15	1	31.3	-	0
White	30	30	-	-	-	14	1	33.3	-	0
Nonwhite	2	2	-	-	-	1	-	0	-	0
Nassau	365	247	16	102	-	126	17	46.6	11	30.1
White	228	212	9	7	-	70	11	48.2	7	30.7
Nonwhite	137	35	7	95	-	56	6	43.8	4	29.2
Okaloosa	836	729	46	60	1	160	27	32.3	12	14.4
Okeechobee	86	65	6	14	1	33	6	69.8	3	34.9
White	69	57	4	7	1	24	5	72.5	2	29.0
Nonwhite	17	8	2	7	-	9	1	58.8	1	58.8
Orange	2,481	1,883	254	340	4	1,032	78	31.4	53	21.4
White	1,841	1,783	39	17	2	618	52	28.2	32	17.4
Nonwhite	640	100	215	323	2	214	26	40.6	21	32.8
Orlando	1,312	1,012	150	149	1	646	37	28.2	30	22.9
White	955	953	2	-	-	508	20	20.9	18	18.8
Nonwhite	357	59	148	149	1	138	17	47.6	12	33.6
Balance of county	1,169	871	104	191	3	386	41	35.1	23	19.7
White	886	830	37	17	2	310	32	36.1	14	15.8
Nonwhite	283	41	67	174	1	76	9	31.8	9	31.8
Osceola	186	138	12	36	-	179	6	32.3	6	32.3
White	141	131	7	3	-	151	6	42.6	3	21.3
Nonwhite	45	7	5	33	-	28	-	0	3	66.7
Palm Beach	2,264	1,769	132	357	6	1,120	97	42.8	68	30.0
White	1,354	1,333	15	5	1	777	43	31.8	27	19.9
Nonwhite	910	436	117	352	5	343	54	59.3	41	45.1
West Palm Beach	875	756	11	107	1	466	29	33.1	30	34.3
White	555	551	3	-	1	327	17	30.6	16	28.8
Nonwhite	320	205	8	107	-	139	12	37.5	14	43.8
Balance of county	1,389	1,013	121	250	5	654	68	49.0	38	27.4
White	799	782	12	5	-	450	26	32.5	11	13.8
Nonwhite	590	231	109	245	5	204	42	71.2	27	45.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
FLORIDA—Continued										
Pasco	401	257	118	24	2	217	15	37.4	8	20.0
White	329	253	74	1	1	174	10	30.4	8	24.3
Nonwhite	72	4	44	23	1	43	5	69.4	-	0
Pinellas	2,347	2,022	97	222	6	1,971	63	26.8	51	21.7
White	1,856	1,811	39	3	3	1,771	41	22.1	36	19.4
Nonwhite	491	211	58	219	3	200	22	44.8	15	30.5
St. Petersburg	1,390	1,167	44	176	3	1,367	33	23.7	30	21.6
White	1,034	1,026	7	1	-	1,225	22	21.3	18	17.4
Nonwhite	356	141	37	175	3	142	11	30.9	12	33.7
Clearwater	303	274	3	25	1	186	12	39.6	3	9.9
White	221	219	1	-	1	147	3	13.6	1	4.5
Nonwhite	82	55	2	25	-	39	9	109.8	2	24.4
Balance of county	654	581	50	21	2	418	18	27.5	16	27.5
Polk	2,720	1,751	564	392	13	1,118	103	37.9	66	24.3
White	2,025	1,634	327	55	11	839	68	33.6	40	19.8
Nonwhite	695	117	237	339	2	279	35	50.4	26	37.4
Lakeland	641	506	17	112	6	340	20	31.2	17	26.5
White	487	463	6	13	5	263	14	28.7	8	16.4
Nonwhite	154	43	11	99	1	77	6	39.0	9	58.4
Balance of county	2,079	1,245	547	280	7	778	83	39.9	49	23.6
White	1,538	1,171	321	40	6	576	54	35.1	32	20.8
Nonwhite	541	74	226	240	1	202	29	53.6	17	31.4
Putnam	570	302	125	142	1	265	33	57.9	17	29.8
White	326	280	25	21	-	163	12	36.8	10	30.7
Nonwhite	244	22	100	121	1	102	21	86.1	7	28.7
St. Johns	564	489	1	72	2	288	23	40.8	18	31.9
White	348	344	-	3	1	175	8	23.0	7	20.1
Nonwhite	216	145	1	69	1	113	15	69.4	11	50.9
St. Augustine	393	382	1	9	1	199	15	38.2	8	20.4
White	261	261	-	-	-	129	7	26.8	5	19.2
Nonwhite	132	121	1	9	1	70	8	60.6	3	22.7
Balance of county	171	107	-	63	1	89	8	46.8	10	58.5
White	87	83	-	3	1	46	1	11.5	2	23.0
Nonwhite	84	24	-	60	-	43	7	83.3	8	95.2
St. Lucie	519	312	6	201	-	204	29	55.9	11	21.2
White	268	254	4	10	-	119	12	44.8	5	18.7
Nonwhite	251	58	2	191	-	85	17	67.7	6	23.9
Santa Rosa	512	310	162	37	3	161	25	48.8	10	19.5
White	466	306	145	12	3	124	20	42.9	9	19.3
Nonwhite	46	4	17	25	-	37	5	108.7	1	21.7
Sarasota	494	435	23	13	13	293	18	37.2	13	26.9
White	366	355	7	2	2	245	13	35.5	7	19.1
Nonwhite	118	80	16	11	11	48	5	42.4	6	50.8
Sarasota	357	322	18	8	9	202	10	28.0	10	28.0
White	253	248	4	1	-	166	7	27.7	4	15.8
Nonwhite	104	74	14	7	9	36	3	28.8	6	57.7
Balance of county	137	113	5	5	4	91	8	63.0	3	23.6
White	113	107	3	1	2	79	6	53.1	3	26.5
Nonwhite	14	6	2	4	2	12	2	142.9	-	0
Seminole	653	429	17	207	-	261	24	36.8	24	36.8
White	266	255	6	7	-	148	11	41.0	7	26.1
Nonwhite	385	174	11	200	-	113	13	33.8	17	44.2
Sanford	353	228	2	103	-	128	10	30.0	12	36.0
White	132	131	-	1	-	72	6	45.5	4	30.3
Nonwhite	201	97	2	102	-	56	4	19.9	8	39.8
Balance of county	320	201	15	104	-	133	14	43.8	12	37.5
White	136	124	6	6	-	76	5	36.8	3	22.1
Nonwhite	184	77	9	98	-	57	9	48.9	9	48.9
Sumter	250	150	21	79	-	92	13	52.0	3	12.0
White	157	139	15	3	-	48	2	12.7	2	12.7
Nonwhite	93	11	6	76	-	34	11	118.3	1	10.8
Suwannee	491	212	141	136	2	175	29	59.1	12	24.4
White	326	192	104	29	1	114	19	58.3	7	21.5
Nonwhite	165	20	37	107	1	61	10	60.6	5	30.3
Taylor	205	30	108	67	-	102	3	14.6	8	39.0
White	139	30	96	13	-	62	3	21.6	7	50.4
Nonwhite	66	-	12	54	-	40	-	0	1	15.2
Union	124	48	32	41	3	56	1	8.1	3	24.2
White	81	45	30	5	1	33	-	0	2	24.7
Nonwhite	43	3	2	36	2	23	1	23.3	1	23.3
Volusia	1,402	1,170	62	169	1	909	41	29.2	37	26.4
White	991	946	33	11	1	696	26	26.2	20	20.2
Nonwhite	411	224	29	158	-	213	15	36.5	17	41.4
Daytona Beach	612	564	24	24	-	396	18	29.4	9	14.7
White	392	388	4	-	-	282	10	25.5	4	10.2
Nonwhite	220	176	20	24	-	114	8	36.4	5	22.7
Balance of county	790	606	38	145	1	513	23	29.1	28	35.4
White	599	558	29	11	1	414	16	26.7	18	26.7
Nonwhite	191	48	9	134	-	99	7	36.6	12	62.8
Wakulla	141	62	-	75	4	44	5	35.5	2	14.2
White	92	57	-	34	1	22	4	43.5	1	10.9
Nonwhite	49	5	-	41	3	22	1	20.4	1	20.4
Walton	391	264	51	71	5	136	7	17.9	9	23.0
White	324	248	44	27	5	108	4	12.3	8	24.7
Nonwhite	67	16	7	44	-	28	3	44.8	1	14.9
Washington	265	129	50	84	2	90	9	34.0	10	37.7
White	201	129	37	34	1	67	6	29.9	8	39.8
Nonwhite	64	-	13	50	1	23	3	46.9	2	31.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
GEORGIA	93,259	62,651	10,120	19,029	1,459	29,608	3,101	33.3	2,198	23.6
White	58,518	51,583	5,400	1,270	265	17,414	1,676	28.6	990	16.9
Nonwhite	34,741	11,068	4,720	17,759	1,194	12,194	1,425	41.0	1,208	34.8
Appling	427	164	165	90	8	85	9	21.1	3	7.0
White	310	161	135	12	2	64	5	16.1	3	9.7
Nonwhite	117	3	30	78	6	19	4	34.2	-	0
Atkinson	227	101	67	54	5	54	5	22.0	3	13.2
White	162	97	52	13	-	35	3	18.5	-	0
Nonwhite	65	4	15	41	5	19	2	30.8	3	46.2
Bacon	264	160	61	36	7	62	10	37.9	-	0
White	226	160	51	9	6	50	6	26.5	-	0
Nonwhite	38	-	10	27	1	12	4	105.3	-	0
Baker	218	76	4	112	26	29	4	18.3	6	27.5
White	67	60	1	4	2	12	2	29.9	1	14.9
Nonwhite	151	16	3	108	24	17	2	13.2	5	33.1
Baldwin	419	162	35	198	24	165	11	26.3	18	43.0
White	183	159	11	13	-	70	4	21.9	8	43.7
Nonwhite	236	3	24	185	24	95	7	29.7	10	42.4
Banks	149	87	39	17	6	33	4	26.8	3	20.1
Barrow	327	220	55	50	2	114	11	33.6	10	30.6
White	254	212	35	7	-	91	6	23.6	7	27.6
Nonwhite	73	8	20	43	2	23	5	68.5	3	41.1
Bartow	726	605	71	42	8	212	33	45.5	17	23.4
White	608	533	57	10	8	164	25	41.1	14	23.0
Nonwhite	118	72	14	32	-	48	8	67.8	3	25.4
Ben Hill	410	272	7	129	2	117	10	24.4	4	9.8
White	254	247	6	1	-	70	7	27.6	-	0
Nonwhite	156	25	1	128	2	47	3	19.2	4	25.6
Berrien	384	259	76	43	6	124	13	33.9	9	23.4
White	324	245	67	9	3	100	11	34.0	8	24.7
Nonwhite	60	14	9	34	3	24	2	33.3	1	16.7
Bibb	3,128	2,949	41	98	40	1,105	84	26.9	80	25.6
White	1,808	1,801	5	1	1	611	51	28.2	39	21.6
Nonwhite	1,320	1,148	36	97	39	494	33	25.0	41	31.1
Macon	2,676	2,558	34	60	24	964	74	27.7	75	28.0
White	1,561	1,556	4	-	1	527	48	30.7	35	22.4
Nonwhite	1,115	1,002	30	60	23	437	26	23.3	40	35.9
Balance of county	452	391	7	38	16	141	10	22.1	5	11.1
White	247	245	1	1	-	84	3	12.1	4	16.2
Nonwhite	205	146	6	37	16	57	7	34.1	1	4.9
Bleckley	237	77	55	104	1	77	6	25.3	8	33.8
White	133	75	51	6	1	44	3	22.6	6	45.1
Nonwhite	104	2	4	98	-	33	3	28.8	2	19.2
Brantley	207	73	102	29	3	61	10	48.3	7	33.8
White	167	73	81	13	-	45	8	47.9	5	29.9
Nonwhite	40	-	21	16	3	16	2	50.0	2	50.0
Brooks	589	261	25	297	6	177	18	30.6	6	10.2
White	231	212	11	8	-	74	6	26.0	-	0
Nonwhite	358	49	14	289	6	103	12	33.5	6	16.8
Bryan	174	65	44	59	6	69	8	46.0	5	28.7
White	67	63	19	4	1	36	6	69.0	1	11.5
Nonwhite	87	2	25	55	5	33	2	23.0	4	46.0
Bulloch	648	346	83	215	4	139	19	29.3	10	15.4
White	351	305	35	11	-	92	10	28.5	1	2.8
Nonwhite	297	41	48	204	4	47	9	30.3	9	30.3
Burke	805	148	76	568	13	263	23	28.6	26	32.3
White	171	130	26	14	1	55	6	35.1	2	11.7
Nonwhite	634	18	50	554	12	208	17	26.8	24	37.9
Butts	223	87	82	51	3	97	9	40.4	3	13.5
White	113	84	29	-	-	49	-	0	-	0
Nonwhite	110	3	53	51	3	48	9	81.8	3	27.3
Calhoun	331	113	7	200	11	102	9	27.2	13	39.3
White	78	70	2	4	-	35	1	13.2	3	39.5
Nonwhite	255	43	5	196	11	67	8	31.4	10	39.2
Camden	208	86	6	98	16	51	5	24.3	11	53.4
White	78	72	2	3	1	16	3	38.5	2	25.6
Nonwhite	128	14	4	95	15	35	2	15.6	9	70.3
Candler	216	92	51	72	1	51	3	13.9	2	9.3
White	108	74	27	6	1	34	1	9.3	2	18.5
Nonwhite	108	18	24	66	-	17	2	18.5	-	0
Carroll	822	530	200	83	9	281	25	30.4	18	21.9
White	635	509	118	5	3	227	17	26.8	12	18.9
Nonwhite	187	21	82	78	6	54	8	42.8	6	32.1
Catoosa	358	342	11	1	2	87	13	36.5	8	22.5
Charlton	140	69	6	61	4	41	4	28.6	3	21.4
White	94	68	6	18	2	22	4	42.6	3	31.9
Nonwhite	46	1	-	43	2	19	-	0	-	0
Chatham	3,814	2,965	699	119	31	1,590	151	39.6	121	31.7
White	2,260	2,224	31	4	1	721	70	31.0	29	12.8
Nonwhite	1,554	741	668	115	30	869	81	52.1	92	59.2
Savannah	3,198	2,520	598	73	17	1,339	123	38.5	107	33.5
White	1,917	1,886	27	3	1	603	56	29.2	26	13.6
Nonwhite	1,281	634	561	70	16	736	67	52.3	81	63.2
Balance of county	616	445	111	46	14	251	28	45.5	14	22.7
White	343	338	4	1	-	118	14	40.8	3	8.7
Nonwhite	273	107	107	45	14	133	14	51.3	11	40.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
GEORGIA—Continued										
Chattahoochee	222	200	3	19	-	31	6	27.0	6	27.0
White	179	178	1	3	-	21	2	11.2	6	33.5
Nonwhite	43	25	2	16	-	10	4	93.0	-	0
Chattooga	580	461	75	35	9	147	20	34.5	3	5.2
Cherokee	525	374	127	17	7	161	20	38.1	4	7.6
Clarke	903	703	49	150	1	351	30	33.2	17	18.8
White	643	629	11	3	-	197	18	28.0	3	4.7
Nonwhite	260	74	38	147	1	154	12	46.2	14	53.8
Athens	723	578	36	108	1	268	25	34.6	12	16.6
White	522	515	7	-	-	149	16	30.7	-	0
Nonwhite	201	63	29	108	1	119	9	44.8	12	59.7
Balance of county	180	125	13	42	-	83	5	27.8	5	27.8
White	121	114	4	3	-	48	2	16.5	3	24.8
Nonwhite	59	11	9	39	-	35	3	50.8	2	33.9
Clay	197	55	1	136	5	63	5	25.4	4	20.3
White	39	37	1	1	-	12	-	0	1	25.6
Nonwhite	158	18	-	135	5	51	5	31.6	3	19.0
Clayton	533	405	66	57	5	122	16	30.0	10	18.8
White	435	399	33	2	1	91	12	27.6	3	6.9
Nonwhite	98	6	33	55	4	31	4	40.8	7	71.4
Clinch	182	100	9	69	4	43	11	60.4	3	16.5
White	105	96	2	7	-	27	5	47.6	2	19.0
Nonwhite	77	4	7	62	4	16	6	77.9	1	13.0
Cobb	1,851	1,466	122	57	6	445	58	35.1	22	13.3
White	1,465	1,381	80	3	1	354	47	32.1	18	12.3
Nonwhite	186	85	42	54	5	91	11	59.1	4	21.5
Coffee	733	455	99	177	2	191	39	53.2	18	24.6
White	522	433	89	19	1	125	25	47.9	12	23.0
Nonwhite	211	22	30	158	1	66	14	66.4	6	28.4
Colquitt	1,030	742	61	210	17	256	33	32.0	32	31.1
White	739	685	41	10	2	167	18	24.4	22	29.8
Nonwhite	292	57	20	200	15	89	15	51.4	10	34.2
Moultrie	416	307	6	93	10	133	15	36.1	13	31.3
White	277	274	1	2	-	68	8	28.9	8	28.9
Nonwhite	139	33	5	91	10	65	7	50.4	5	36.0
Balance of county	614	435	55	117	7	123	18	29.3	19	30.9
White	461	411	40	8	2	99	10	21.7	14	30.4
Nonwhite	153	24	15	109	5	24	8	52.3	5	32.7
Columbia	286	124	28	128	6	74	10	35.0	10	35.0
White	130	115	8	7	-	40	5	38.5	1	7.7
Nonwhite	156	9	20	121	6	34	5	32.1	9	57.7
Cook	317	159	91	52	15	107	11	34.7	5	15.8
White	211	155	41	9	6	72	7	33.2	4	19.0
Nonwhite	106	4	50	43	9	35	4	37.7	1	9.4
Coweta	754	435	91	186	42	231	26	34.5	13	17.2
White	383	342	40	7	4	143	12	30.5	5	12.7
Nonwhite	361	93	51	179	38	88	14	38.8	8	22.2
Crawford	171	48	2	114	7	53	3	17.5	12	70.2
White	47	42	-	5	-	22	1	21.3	3	63.8
Nonwhite	124	6	2	109	7	31	2	16.1	9	72.6
Crisp	523	236	17	250	20	181	18	34.4	17	32.5
White	283	222	13	25	3	78	7	26.6	8	30.4
Nonwhite	280	14	4	225	17	103	11	42.3	9	34.6
Dade	229	126	95	7	1	51	6	28.2	4	17.5
Dawson	96	59	23	10	4	29	1	10.4	1	10.4
Decatur	688	354	51	234	29	214	23	34.4	20	29.9
White	302	281	15	6	-	90	4	13.2	6	19.9
Nonwhite	386	73	36	228	29	124	19	51.9	14	38.3
De Kalb	3,471	3,293	46	124	8	824	75	21.6	63	18.2
White	2,980	2,948	28	2	2	665	53	17.8	46	15.4
Nonwhite	491	345	18	122	6	159	22	44.8	17	34.6
Atlanta (part)	846	837	3	4	2	270	23	(4)	18	(4)
White	763	762	1	-	-	244	18	(4)	16	(4)
Nonwhite	83	75	2	4	2	26	5	(4)	2	(4)
Decatur	753	726	5	21	1	183	16	21.2	13	17.3
White	616	615	1	-	-	142	10	16.2	9	14.6
Nonwhite	137	111	4	21	1	41	6	43.8	4	29.2
Balance of county	1,872	1,730	38	99	5	371	36	19.2	32	17.1
White	1,601	1,571	26	2	2	279	25	15.6	21	13.1
Nonwhite	271	159	12	97	3	92	11	40.6	11	40.6
Dodge	492	191	93	191	17	124	8	16.3	16	32.5
White	295	188	75	25	7	90	7	23.7	11	37.3
Nonwhite	197	3	18	166	10	34	1	5.1	5	25.4
Dooly	423	118	103	195	7	110	11	26.0	9	21.3
White	157	109	39	9	-	49	4	25.5	-	0
Nonwhite	266	9	64	186	7	61	7	26.3	9	33.8
Dougherty	1,350	876	250	191	33	371	34	25.2	40	29.6
White	721	715	5	1	-	161	13	18.0	8	11.1
Nonwhite	629	161	245	190	33	210	21	33.4	32	50.9
Albany	1,116	783	198	112	23	317	27	24.2	32	28.7
White	636	633	3	-	-	146	12	18.9	5	7.9
Nonwhite	480	150	195	112	23	171	15	31.3	27	56.3
Balance of county	234	93	52	79	10	54	7	29.9	8	34.2
White	85	82	2	1	-	15	1	11.8	3	35.3
Nonwhite	149	11	50	78	10	39	6	40.3	5	33.6
Douglas	293	197	45	50	1	74	7	23.9	6	27.3
White	235	195	34	6	-	54	5	21.3	4	17.0
Nonwhite	58	2	11	44	1	20	2	34.5	4	69.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
GEORGIA—Continued										
Early	582	262	7	288	25	179	26	44.7	10	17.2
White	256	232	4	17	3	89	11	43.0	5	19.5
Nonwhite	326	30	3	271	22	90	15	46.0	5	15.3
Echols	77	29	20	29	-	15	2	26.0	2	26.0
White	48	29	16	4	-	10	1	20.8	2	41.7
Nonwhite	29	-	4	25	-	5	1	34.5	-	0
Effingham	267	149	6	130	2	91	9	31.4	10	34.8
White	133	126	2	5	-	43	4	30.1	4	30.1
Nonwhite	134	23	4	125	2	48	5	32.5	6	39.0
Elbert	455	273	20	152	10	192	24	52.7	10	22.0
White	258	241	3	14	-	95	12	46.5	3	11.6
Nonwhite	197	32	17	138	10	97	12	60.9	7	35.5
Emanuel	585	328	41	210	6	171	10	17.1	9	15.4
White	335	288	24	19	4	108	5	14.9	1	3.0
Nonwhite	250	40	17	191	2	63	5	20.0	8	32.0
Evans	178	81	50	44	3	40	6	33.7	5	28.1
White	101	74	26	-	1	21	3	29.7	4	39.6
Nonwhite	77	7	24	44	2	19	3	39.0	1	13.0
Fannin	389	213	155	19	2	104	9	23.1	8	20.6
Fayette	180	83	25	66	6	60	4	22.2	6	33.3
White	110	90	22	6	2	36	2	18.2	4	36.4
Nonwhite	70	3	3	60	4	24	2	28.6	2	28.6
Floyd	1,471	1,296	78	86	11	507	44	29.9	20	13.6
White	1,209	1,138	56	12	3	379	34	28.1	9	7.4
Nonwhite	262	158	22	74	8	128	10	38.2	11	42.0
Rome	813	743	19	46	5	270	23	28.3	12	14.8
White	635	622	12	1	-	188	20	31.5	5	7.9
Nonwhite	178	121	7	45	5	82	3	16.8	7	39.3
Balance of county	658	553	59	40	6	237	21	31.9	8	12.2
White	574	516	44	11	3	191	14	24.4	4	7.0
Nonwhite	84	37	15	29	3	46	7	83.3	4	47.6
Forsyth	284	235	46	5	8	72	6	20.4	6	20.4
Franklin	369	216	119	32	2	108	12	32.5	11	29.8
White	316	212	89	13	2	89	11	34.8	7	22.2
Nonwhite	53	4	30	19	-	19	1	18.9	4	75.5
Fulton	12,371	11,983	315	50	23	4,687	393	31.8	255	20.6
White	8,050	7,946	96	5	3	2,895	178	22.1	123	15.3
Nonwhite	4,321	4,037	219	45	20	1,992	215	49.8	132	30.5
Atlanta (part)[5]	7,658	7,423	204	20	11	3,745	309	(4)	212	(4)
White[5]	4,264	4,226	38	-	-	1,969	126	(4)	95	(4)
Nonwhite[5]	3,394	3,197	166	20	11	1,776	183	(4)	117	(4)
Atlanta (total)[5]	8,504	8,260	207	24	13	4,015	332	39.0	230	27.0
White[5]	5,027	4,988	39	-	-	2,213	144	28.6	111	22.1
Nonwhite[5]	3,477	3,272	168	24	13	1,802	188	54.1	119	34.2
Dist. 1511, Center Hill[5]	---	---	---	---	---	---	---	---	---	---
White[5]	---	---	---	---	---	---	---	---	---	---
Nonwhite[5]	---	---	---	---	---	---	---	---	---	---
East Point	581	570	8	3	-	127	12	20.7	8	13.8
White	479	473	5	1	-	103	8	16.7	4	8.4
Nonwhite	102	97	3	2	-	24	4	39.2	4	39.2
Balance of county	4,132	3,990	103	27	12	815	72	17.4	35	8.5
White	3,307	3,247	53	4	3	623	44	13.3	24	7.3
Nonwhite	825	743	50	23	9	192	28	33.9	11	13.3
Gilmer	282	245	7	25	5	75	10	35.5	6	21.3
Glascock	83	24	19	36	4	28	2	24.1	1	12.0
White	49	24	17	7	1	17	-	0	-	0
Nonwhite	34	-	2	29	3	11	2	58.8	1	29.4
Glynn	792	520	36	232	4	298	47	59.3	15	18.9
White	522	487	9	26	-	156	25	47.9	6	11.5
Nonwhite	270	33	27	206	4	142	22	81.5	9	33.3
Brunswick	586	378	28	181	1	216	37	63.1	13	22.2
White	369	351	6	12	-	102	17	46.1	6	16.3
Nonwhite	217	25	22	169	1	114	20	92.2	7	32.3
Balance of county	206	144	8	51	3	82	10	48.5	2	9.7
White	153	136	3	14	-	54	8	52.3	-	0
Nonwhite	53	8	5	37	3	28	2	37.7	2	37.7
Gordon	428	345	72	7	4	140	22	51.4	3	7.0
Grady	540	214	240	80	6	161	22	40.7	10	18.5
White	298	206	86	5	2	103	13	43.5	5	16.7
Nonwhite	241	8	154	75	4	58	9	37.3	5	20.7
Greene	340	115	88	115	22	118	10	29.4	11	32.4
White	140	99	35	5	1	47	4	28.6	1	7.1
Nonwhite	200	16	53	110	21	71	6	30.0	10	50.0
Gwinnett	794	702	64	22	6	242	30	37.8	11	13.9
White	708	643	57	6	2	204	24	33.9	10	14.1
Nonwhite	86	59	7	16	4	38	6	69.8	1	11.6
Habersham	392	363	14	8	7	119	16	40.8	7	17.9
Hall	1,039	767	186	69	17	250	39	37.5	19	18.3
Gainesville	393	270	94	29	-	118	20	50.9	11	28.0
White	290	267	20	3	-	76	12	41.4	5	17.2
Nonwhite	103	3	74	26	-	42	8	77.7	6	58.3
Balance of county	646	497	92	40	17	132	19	29.4	8	12.4
Hancock	345	66	19	237	23	93	2	5.8	5	14.5
White	55	44	6	5	-	22	-	0	-	0
Nonwhite	290	22	13	232	23	71	2	6.9	5	17.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
GEORGIA—Continued										
Haralson	313	217	66	27	3	104	7	22.4	8	25.6
White	278	212	46	17	3	90	5	18.0	7	25.2
Nonwhite	35	5	20	10	-	14	2	57.1	1	28.6
Harris	301	93	33	163	12	94	14	46.5	6	19.9
White	85	74	4	7	-	33	2	23.5	4	47.1
Nonwhite	216	19	29	156	12	61	12	55.6	2	9.3
Hart	287	176	56	55	-	104	8	27.9	12	41.8
White	197	170	21	6	-	64	4	20.3	4	20.3
Nonwhite	90	6	35	49	-	40	4	44.4	8	88.9
Heard	152	69	43	38	3	59	4	26.3	3	19.7
White	104	67	34	3	-	41	2	18.2	2	19.2
Nonwhite	48	1	9	35	3	18	2	41.7	1	20.8
Henry	448	134	82	215	17	147	16	35.7	19	42.4
White	196	129	57	10	-	68	2	10.2	6	30.6
Nonwhite	252	5	25	205	17	81	14	55.6	13	51.6
Houston	663	481	25	148	9	156	19	28.7	22	33.2
White	381	363	12	6	-	67	9	23.6	11	28.9
Nonwhite	282	118	13	142	9	89	10	35.5	11	39.0
Irwin	321	170	5	145	1	91	14	43.6	9	28.0
White	166	161	3	2	-	64	12	72.3	4	24.1
Nonwhite	155	9	2	143	1	27	2	12.9	5	32.3
Jackson	533	301	210	19	3	163	20	37.5	9	16.9
White	431	287	138	5	1	138	14	32.5	7	16.2
Nonwhite	102	14	72	14	2	25	6	58.8	2	19.6
Jasper	235	48	80	105	2	72	6	25.5	9	38.3
White	78	47	29	2	-	30	1	12.8	2	25.6
Nonwhite	157	1	51	103	2	42	5	31.8	7	44.6
Jeff Davis	258	88	124	63	3	66	12	46.5	9	34.9
White	186	67	114	3	2	47	8	43.0	5	26.9
Nonwhite	72	1	10	60	1	19	4	55.6	4	55.6
Jefferson	562	174	40	324	24	151	15	26.7	16	28.5
White	180	148	20	10	2	71	5	27.8	4	22.2
Nonwhite	382	26	20	314	22	80	10	26.2	12	31.4
Jenkins	339	152	12	171	4	121	12	35.4	6	17.7
White	114	103	6	4	1	48	4	35.1	1	8.8
Nonwhite	225	49	6	167	3	73	8	35.6	5	22.2
Johnson	292	76	96	117	3	70	9	30.8	9	30.8
White	138	72	52	14	-	46	7	50.7	5	36.2
Nonwhite	154	4	44	103	3	24	2	13.0	4	26.0
Jones	203	48	29	118	8	86	8	29.6	5	24.6
White	66	43	20	2	1	31	1	15.2	1	15.2
Nonwhite	137	5	9	116	7	55	5	36.5	4	29.2
Lamar	309	70	100	134	5	86	10	32.4	2	6.5
White	130	70	59	-	1	56	5	38.5	-	0
Nonwhite	179	-	41	134	4	40	5	27.9	2	11.2
Lanier	120	52	42	25	1	38	5	41.7	4	33.3
White	79	49	25	4	1	29	4	50.6	2	25.3
Nonwhite	41	3	17	21	-	9	1	24.4	2	48.8
Laurens	914	465	83	351	15	360	54	59.1	23	25.2
White	477	411	45	20	1	186	25	52.4	7	14.7
Nonwhite	437	54	38	331	14	174	29	66.4	16	36.6
Lee	215	44	10	160	1	65	10	46.5	3	14.0
White	45	36	3	6	-	13	1	22.2	-	0
Nonwhite	170	8	7	154	1	52	9	52.9	3	17.6
Liberty	260	73	75	106	6	86	5	19.2	6	23.1
White	88	58	28	1	1	27	-	0	-	0
Nonwhite	172	15	47	105	5	59	5	29.1	6	34.9
Lincoln	187	37	93	33	4	34	1	6.0	5	29.9
White	72	36	35	-	1	16	-	0	1	13.9
Nonwhite	95	1	58	33	3	18	1	10.5	4	42.1
Long	116	20	73	21	2	37	2	17.2	3	25.9
White	88	17	48	1	2	16	-	0	-	0
Nonwhite	48	3	25	20	-	21	2	41.7	3	62.5
Lowndes	1,022	573	63	361	25	274	24	23.5	19	18.6
White	583	539	30	11	3	153	14	24.0	6	10.3
Nonwhite	439	34	33	350	22	121	10	22.8	13	29.6
Valdosta	603	350	19	217	17	177	19	31.5	11	18.2
White	342	328	10	1	3	83	11	32.2	4	11.7
Nonwhite	261	22	9	216	14	94	8	30.7	7	26.8
Balance of county	419	223	44	144	8	97	5	11.9	8	19.1
White	241	211	20	10	-	70	3	12.4	2	8.3
Nonwhite	178	12	24	134	8	27	2	11.2	6	33.7
Lumpkin	156	106	20	29	1	50	6	38.5	1	6.4
McDuffie	330	140	37	152	1	101	15	45.5	11	33.3
White	153	131	18	4	-	41	3	19.6	5	32.7
Nonwhite	177	9	19	148	1	60	12	67.8	6	33.9
McIntosh	194	41	5	142	6	66	15	77.3	10	51.5
White	53	34	3	15	1	25	7	132.1	1	18.9
Nonwhite	141	7	2	127	5	41	8	56.7	9	63.8
Macon	423	132	60	225	6	139	17	40.2	8	18.9
White	120	102	16	2	-	25	1	8.3	2	16.7
Nonwhite	303	30	44	223	6	114	16	52.8	6	19.8
Madison	347	205	37	99	6	108	16	46.1	7	20.2
White	250	193	34	23	-	80	11	44.0	5	20.0
Nonwhite	97	12	3	76	6	28	5	51.5	2	20.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
GEORGIA—Continued										
Marion	211	33	36	142	-	77	11	52.1	5	23.7
White	54	29	24	1	-	30	1	18.5	-	0
Nonwhite	157	4	12	141	-	47	10	63.7	5	31.8
Meriwether	579	177	138	230	34	179	25	43.2	9	15.5
White	226	170	55	-	1	79	10	44.2	2	8.8
Nonwhite	353	7	83	230	33	100	15	42.5	7	19.8
Miller	255	171	7	75	2	65	9	35.3	6	23.5
White	154	146	5	3	-	45	6	39.0	3	19.5
Nonwhite	101	25	2	72	2	20	3	29.7	3	29.7
Mitchell	714	319	108	282	5	228	32	44.8	30	42.0
White	276	217	49	9	1	97	9	32.6	5	18.1
Nonwhite	438	102	59	273	4	131	23	52.5	25	57.1
Monroe	276	120	10	134	12	88	14	50.7	10	36.2
White	118	112	4	2	-	37	5	42.4	6	50.8
Nonwhite	158	8	6	132	12	51	9	57.0	4	25.3
Montgomery	161	65	28	63	5	44	5	31.1	1	6.2
White	83	62	19	1	1	31	1	12.0	-	0
Nonwhite	78	3	9	62	4	13	4	51.3	1	12.8
Morgan	327	108	41	169	9	122	8	24.5	5	15.3
White	131	103	16	11	1	53	2	15.3	1	7.6
Nonwhite	196	5	25	158	8	69	6	30.6	4	20.4
Murray	268	155	75	38	-	63	10	37.3	9	33.6
Muscogee	3,506	3,067	121	314	4	898	96	27.4	73	20.8
White	2,508	2,476	28	2	2	538	63	25.1	46	18.3
Nonwhite	998	591	93	312	2	360	33	33.1	27	27.1
Columbus	2,828	2,556	99	191	2	770	60	28.3	66	23.3
White	2,033	2,004	17	1	1	468	55	27.2	44	21.7
Nonwhite	805	552	82	190	1	302	25	31.1	22	27.3
Balance of county	678	551	22	123	2	128	18	23.6	7	10.3
White	485	472	11	1	1	70	8	16.5	2	4.1
Nonwhite	193	59	11	122	1	58	8	41.5	5	25.9
Newton	587	298	70	217	2	197	30	51.1	15	25.6
White	326	297	25	4	-	109	10	30.7	8	24.5
Nonwhite	261	1	45	213	2	88	20	76.6	7	28.8
Oconee	168	74	51	42	1	61	7	41.7	6	35.7
White	104	71	30	3	-	45	4	38.5	3	28.8
Nonwhite	64	3	21	39	1	16	3	46.9	3	46.9
Oglethorpe	266	133	8	118	7	89	13	48.9	8	30.1
White	127	119	2	6	-	38	5	39.4	5	39.4
Nonwhite	139	14	6	112	7	51	8	57.6	3	21.6
Paulding	307	211	76	16	4	112	12	39.1	3	9.8
White	264	206	52	3	3	96	9	34.1	3	11.4
Nonwhite	43	5	24	13	1	16	3	69.8	-	0
Peach	315	132	22	154	7	108	10	31.7	8	25.4
White	104	99	4	-	1	33	4	38.5	-	0
Nonwhite	211	33	18	154	6	75	6	28.4	8	37.9
Pickens	196	169	14	11	2	80	13	66.3	2	10.2
Pierce	327	190	58	78	1	104	8	24.5	8	24.5
White	250	181	51	18	-	73	6	24.0	6	24.0
Nonwhite	77	9	7	60	1	31	2	26.0	2	26.0
Pike	234	53	77	90	14	87	8	34.2	8	34.2
White	92	48	42	2	-	46	4	43.5	-	0
Nonwhite	142	5	35	88	14	41	4	28.2	8	56.3
Polk	786	578	109	95	4	230	31	39.4	12	15.3
White	624	528	82	12	2	183	24	38.5	10	16.0
Nonwhite	162	50	27	83	2	47	7	43.2	2	12.3
Pulaski	271	114	9	147	1	87	7	25.8	5	18.8
White	111	101	7	3	-	45	4	36.0	-	0
Nonwhite	160	13	2	144	1	42	3	18.8	5	31.3
Putnam	236	77	21	130	8	94	16	67.8	12	50.8
White	92	77	11	4	-	34	5	54.3	4	43.5
Nonwhite	144	-	10	126	8	60	11	76.4	8	55.6
Quitman	102	23	6	60	13	31	3	29.4	6	58.8
White	29	21	4	3	1	9	-	0	-	0
Nonwhite	73	2	2	57	12	22	3	41.1	6	82.2
Rabun	227	189	3	23	2	36	4	17.6	7	30.8
Randolph	434	121	5	291	17	143	10	23.0	13	30.0
White	116	108	3	4	1	50	1	8.6	1	8.6
Nonwhite	318	13	2	287	16	93	9	28.3	12	37.7
Richmond	2,888	2,773	30	65	20	1,033	66	22.9	72	24.9
White	1,766	1,752	8	4	2	550	48	26.0	33	18.7
Nonwhite	1,122	1,021	22	61	18	483	20	17.8	39	34.8
Augusta	2,358	2,309	23	10	16	887	55	23.3	62	26.3
White	1,399	1,391	7	-	1	471	38	27.2	30	21.4
Nonwhite	958	918	16	10	15	416	17	17.7	32	33.4
Balance of county	530	484	7	55	4	148	11	20.8	10	18.9
White	367	361	1	4	1	79	8	21.8	3	8.2
Nonwhite	163	103	6	51	3	67	3	18.4	7	42.9
Rockdale	202	98	35	69	-	75	11	54.5	5	24.8
White	126	98	25	3	-	59	6	47.6	2	15.9
Nonwhite	76	-	10	66	-	16	5	65.8	3	39.5
Schley	99	27	26	38	8	32	4	40.4	2	20.2
White	34	24	10	-	-	14	-	0	1	29.4
Nonwhite	65	3	16	38	8	18	4	61.5	1	15.4
Screven	571	154	45	334	38	112	8	14.0	11	19.3
White	178	143	18	13	4	42	1	5.6	2	11.2
Nonwhite	393	11	27	321	34	70	7	17.8	9	22.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
GEORGIA—Continued										
Seminole	265	186	1	63	15	79	8	30.2	5	18.9
White	144	144	-	-	-	48	8	55.6	3	20.8
Nonwhite	121	42	1	63	15	31	-	0	2	16.5
Spalding	776	513	80	181	2	274	32	41.2	16	20.6
White	501	472	26	3	-	178	16	31.9	10	20.0
Nonwhite	275	41	54	178	2	96	16	58.2	6	21.8
Griffin	459	309	44	105	1	171	22	47.9	13	28.3
White	287	283	3	1	-	104	12	41.8	8	27.9
Nonwhite	172	26	41	104	1	67	10	58.1	5	29.1
Balance of county	317	204	36	76	1	103	10	31.5	3	9.5
White	214	189	23	2	-	74	4	18.7	2	9.3
Nonwhite	103	15	13	74	1	29	6	58.3	1	9.7
Stephens	408	339	17	50	2	98	12	29.4	16	39.2
White	334	309	9	14	2	75	10	29.9	14	41.9
Nonwhite	74	30	8	36	-	23	2	27.0	2	27.0
Stewart	263	27	23	208	5	86	13	49.4	7	26.6
White	44	26	14	4	-	29	4	90.9	1	22.7
Nonwhite	219	1	9	204	5	57	9	41.1	6	27.4
Sumter	728	311	47	362	6	243	27	37.2	27	37.2
White	255	246	9	-	-	100	6	23.5	5	19.6
Nonwhite	471	65	38	362	6	143	21	44.6	22	46.7
Talbot	245	54	15	168	8	94	9	36.7	9	36.7
White	49	44	3	2	-	31	-	0		20.4
Nonwhite	196	10	12	166	8	63	9	45.9	8	40.8
Taliaferro	121	44	11	61	5	59	7	57.9	4	33.1
White	35	33	2	-	-	21	-	0	-	0
Nonwhite	86	11	9	61	5	38	7	81.4	4	46.5
Tattnall	412	243	130	39	-	87	16	38.8	15	36.4
White	285	219	64	2	-	67	7	24.6	10	35.1
Nonwhite	127	24	66	37	-	30	9	70.9	5	39.4
Taylor	221	93	27	95	6	83	6	27.1	6	27.1
White	95	78	12	1	4	38	1	10.5	1	10.5
Nonwhite	126	15	15	94	2	45	5	39.7	5	39.7
Telfair	340	135	89	107	9	118	8	23.5	5	14.7
White	198	126	60	10	2	71	4	20.2	3	15.2
Nonwhite	142	9	29	97	7	47	4	28.2	2	14.1
Terrell	434	96	47	290	1	163	10	23.0	15	34.8
White	98	87	10	1	-	37	1	10.2	-	0
Nonwhite	336	9	37	289	1	126	9	26.8	15	44.6
Thomas	910	481	43	285	101	313	32	35.2	27	29.7
White	484	430	23	14	17	145	16	37.2	8	18.5
Nonwhite	426	51	20	271	84	168	14	32.9	19	44.6
Thomasville	439	289	9	121	40	165	20	45.6	13	29.6
White	249	240	1	3	5	77	12	48.2	3	12.0
Nonwhite	190	29	8	118	35	108	8	42.1	10	52.6
Balance of county	471	212	34	164	61	128	12	25.5	14	29.7
White	235	180	22	11	12	69	6	25.5	5	21.3
Nonwhite	236	22	12	153	49	60	6	25.4	9	38.1
Tift	670	410	46	204	8	214	43	64.2	26	38.8
White	428	388	32	6	3	133	23	53.6	12	28.0
Nonwhite	241	22	16	198	5	81	20	83.0	14	58.1
Toombs	484	247	107	118	12	161	18	37.2	6	12.4
White	325	241	73	9	2	89	10	30.8	4	12.3
Nonwhite	159	6	34	109	10	72	8	50.3	2	12.6
Towns	104	62	38	3	1	31	2	19.2	2	19.2
Treutlen	184	51	60	66	7	43	4	21.7	3	16.3
White	113	50	54	8	1	30	2	17.7	3	26.5
Nonwhite	71	1	6	58	6	13	2	28.2	-	0
Troup	1,424	1,034	50	323	17	421	52	36.5	33	23.2
White	868	842	17	7	2	237	27	31.1	17	19.6
Nonwhite	556	192	33	316	15	184	25	45.0	16	28.8
La Grange	658	517	22	110	9	212	33	50.2	20	30.4
White	412	406	4	2	-	123	15	36.4	10	24.3
Nonwhite	246	111	18	108	9	89	18	73.2	10	40.7
Balance of county	766	517	28	213	8	209	19	24.8	13	17.0
White	456	436	13	5	2	114	12	26.3	7	15.4
Nonwhite	310	81	15	208	6	95	7	22.6	6	19.4
Turner	307	127	85	89	6	77	9	29.3	5	16.3
White	167	125	41	-	1	44	4	24.0	3	18.0
Nonwhite	140	2	44	89	5	33	5	35.7	2	14.3
Twiggs	278	79	3	178	18	83	17	61.2	9	32.4
White	81	69	1	11	-	29	6	74.1	-	0
Nonwhite	197	10	2	167	18	54	11	55.8	9	45.7
Union	186	70	84	30	2	40	6	32.3	7	37.6
Upson	683	216	303	156	8	211	29	42.5	20	29.3
White	455	212	234	7	2	129	14	30.8	12	26.4
Nonwhite	228	4	69	149	6	82	15	65.8	8	35.1
Walker	911	861	38	8	4	236	27	29.6	14	15.4
Walton	559	452	33	72	2	208	23	41.1	17	30.4
White	342	310	22	10	-	142	11	32.2	5	14.6
Nonwhite	217	142	11	62	2	66	12	55.3	12	55.3
Ware	886	591	185	94	16	302	27	30.5	13	14.7
White	670	544	110	11	5	202	19	28.4	7	10.4
Nonwhite	216	47	75	83	11	100	8	37.0	6	27.8
Waycross	509	411	95	72	11	218	17	28.9	8	13.6
White	406	367	33	4	2	131	10	24.6	3	7.4
Nonwhite	183	44	62	68	9	87	7	38.3	5	27.3
Balance of county	297	180	80	22	5	84	10	33.7	5	16.8
White	264	177	77	7	3	71	9	34.1	4	15.2
Nonwhite	33	3	13	15	2	13	1	30.3	1	30.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
GEORGIA—Continued										
Warren	264	50	28	184	2	63	7	26.5	9	34.1
White	50	38	10	2	-	22	-	0	2	40.0
Nonwhite	214	12	18	182	2	61	7	32.7	7	32.7
Washington	627	210	36	373	8	221	24	38.3	28	44.7
White	213	184	16	13	-	94	3	14.1	5	23.5
Nonwhite	414	26	20	360	8	127	21	50.7	23	55.6
Wayne	414	335	34	41	4	131	15	36.2	9	21.7
White	328	290	22	13	1	97	12	36.8	5	15.3
Nonwhite	88	45	12	28	3	34	3	34.1	4	45.5
Webster	127	20	19	85	3	24	4	31.5	2	15.7
White	33	18	12	2	1	10	-	0	-	0
Nonwhite	94	2	7	83	2	14	4	42.6	2	21.3
Wheeler	154	74	31	44	5	60	5	32.5	3	19.5
White	94	68	20	4	2	27	1	10.6	2	21.3
Nonwhite	60	6	11	40	3	33	4	66.7	1	16.7
White	142	122	6	12	2	48	9	63.4	3	21.1
Whitfield	938	823	70	37	8	265	41	43.7	15	16.0
Dalton	471	411	48	10	2	144	24	51.0	7	14.9
White	423	407	8	7	1	119	22	52.0	6	14.2
Nonwhite	48	4	40	3	1	25	2	41.7	1	20.8
Balance of county	467	412	22	27	6	121	17	38.4	8	17.1
Wilcox	264	86	82	76	20	87	5	18.9	7	26.5
White	149	85	58	2	4	54	1	6.7	2	13.4
Nonwhite	115	1	24	74	16	33	4	34.8	5	43.5
Wilkes	317	117	63	123	14	116	8	25.2	14	44.2
White	111	97	11	1	2	55	4	36.0	1	9.0
Nonwhite	206	20	52	122	12	61	4	19.4	13	63.1
Wilkinson	261	84	19	144	14	100	7	26.8	9	34.5
White	97	78	8	10	1	41	2	20.8	2	20.6
Nonwhite	164	6	11	134	13	59	5	30.5	7	42.7
Worth	612	211	98	282	41	169	13	21.2	26	42.5
White	247	190	47	7	3	77	3	12.1	7	28.3
Nonwhite	365	21	51	255	38	92	10	27.4	19	52.1
IDAHO	15,984	15,624	300	15	45	4,701	431	27.0	282	16.4
White	15,752	15,405	296	12	39	4,604	414	26.3	257	16.3
Nonwhite	232	219	4	3	6	97	17	73.3	5	21.6
Ada	1,839	1,824	6	1	8	545	47	25.6	37	20.1
Boise City	1,241	1,234	4	-	3	356	32	25.8	22	17.7
Balance of county	598	590	2	1	5	189	15	25.1	15	25.1
Adams	79	79	-	-	-	25	2	25.3	-	0
Bannock	1,264	1,250	12	1	1	272	35	27.7	15	11.9
Pocatello	968	961	7	-	-	198	25	25.8	15	15.5
Balance of county	296	289	5	1	1	74	10	33.8	-	0
Bear Lake	173	169	4	-	-	49	6	34.7	4	23.1
Benewah	143	131	9	2	1	67	4	28.0	6	42.0
Bingham	702	689	11	-	2	171	28	39.9	16	22.8
Blaine	137	132	3	-	2	48	2	14.6	7	51.1
Boise	44	41	1	1	1	14	-	0	-	0
Bonner	328	312	14	-	2	145	10	30.5	11	33.5
Bonneville	959	954	5	-	-	197	29	30.2	14	14.6
Idaho Falls	610	609	1	-	-	136	20	32.8	9	14.8
Balance of county	349	345	4	-	-	61	9	25.8	5	14.3
Boundary	142	140	1	-	1	77	6	42.3	1	7.0
Butte	79	63	16	-	-	10	-	0	-	0
Camas	21	18	3	-	-	7	1	47.6	1	47.6
Canyon	1,360	1,336	13	5	6	455	31	22.8	21	15.4
Nampa	407	402	4	1	-	158	9	22.1	6	14.7
Balance of county	953	934	9	4	6	297	22	23.1	15	15.7
Caribou	155	154	-	-	1	35	3	19.4	5	32.3
Cassia	428	410	16	-	2	92	10	23.4	3	7.0
Clark	21	20	1	-	-	5	-	0	2	95.2
Clearwater	205	200	5	-	-	71	6	29.3	5	24.4
Custer	90	73	15	-	2	29	-	0	2	22.2
Elmore	192	179	13	-	-	61	6	31.3	6	31.3
Franklin	303	289	14	-	-	60	5	16.5	-	0
Fremont	296	293	3	-	-	84	12	40.5	2	6.8
Gem	185	184	1	-	-	75	4	21.6	3	16.2
Gooding	291	284	5	-	2	77	13	44.7	8	27.5
Idaho	274	251	23	-	-	108	11	40.1	5	18.2
Jefferson	316	316	-	-	-	84	12	38.0	8	25.3
Jerome	394	376	17	-	1	80	10	25.4	8	20.3
Kootenai	584	575	9	-	-	271	16	27.4	5	8.6
Coeur d' Alene	277	273	4	-	-	160	9	32.5	1	3.6
Balance of county	307	302	5	-	-	111	7	22.8	4	13.0
Latah	555	548	6	-	1	183	17	30.6	5	9.0
Lemhi	153	136	17	-	-	55	4	26.1	4	26.1
Lewis	108	107	1	-	-	38	1	9.3	-	0
Lincoln	115	110	5	-	-	30	3	26.1	5	43.5
Madison	308	300	8	-	-	63	12	39.0	4	13.0
Minidoka	257	246	11	-	-	66	6	23.3	3	11.7
Nez Perce	556	548	2	3	3	207	10	18.0	12	21.6
Lewiston	342	340	1	-	1	144	7	20.5	9	26.3
Balance of county	214	208	1	3	2	63	3	14.0	3	14.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
IDAHO—Continued										
Oneida	135	132	2	1	-	22	-	0	2	14.8
Owyhee	159	152	6	1	-	52	6	37.7	2	12.6
Payette	313	310	3	-	-	93	11	35.1	2	6.4
Power	115	108	2	-	5	36	4	34.8	3	26.1
Shoshone	667	666	-	-	1	215	19	28.5	12	18.0
Teton	111	110	1	-	-	14	1	9.0	1	9.0
Twin Falls	1,102	1,091	9	-	2	301	22	20.0	11	10.0
Twin Falls	502	498	3	-	1	156	13	25.9	6	12.0
Balance of county	600	593	6	-	1	145	9	15.0	5	8.3
Valley	124	121	3	-	-	31	3	24.2	1	8.1
Washington	202	197	4	-	1	83	3	14.9	-	0
Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	(4)	-	(4)
ILLINOIS	189,313	179,496	9,545	84	188	92,568	5,195	27.4	3,274	17.3
White	170,376	164,645	5,575	54	102	84,865	4,428	26.0	2,755	16.2
Nonwhite	18,937	14,851	3,970	30	86	7,703	767	40.5	519	27.4
Adams	1,322	1,300	22	-	-	915	34	25.7	30	22.7
Quincy	899	897	2	-	-	622	23	25.6	19	21.1
Balance of county	423	403	20	-	-	293	11	26.0	11	26.0
Alexander	404	294	61	1	48	263	15	37.1	15	37.1
White	299	273	24	-	2	160	10	33.4	9	30.1
Nonwhite	105	21	37	1	46	103	5	47.6	6	57.1
Cairo	225	158	28	1	38	176	6	26.7	7	31.1
White	157	152	4	-	1	100	5	31.8	2	12.7
Nonwhite	68	6	24	1	37	76	1	14.7	5	73.5
Balance of county	179	136	33	-	10	87	9	50.3	8	44.7
White	142	121	20	-	1	60	5	35.2	7	49.3
Nonwhite	37	15	13	-	9	27	4	108.1	1	27.0
Bond	296	283	12	1	-	163	3	10.1	3	10.1
Boone	411	408	3	-	-	210	15	36.5	6	14.6
Brown	145	115	28	1	1	99	6	41.4	-	0
Bureau	778	767	11	-	-	474	30	38.6	12	15.4
Calhoun	129	91	38	-	-	74	7	54.3	3	23.3
Carroll	432	422	10	-	-	226	7	16.2	10	23.1
Cass	321	306	14	-	1	193	8	24.9	6	18.7
Champaign	2,595	2,576	19	-	-	760	71	27.4	34	13.1
Champaign	998	989	7	-	-	294	27	27.1	12	12.0
Urbana	618	615	3	-	-	155	20	32.4	8	12.9
Balance of county	981	972	9	-	-	311	24	24.5	14	14.3
Christian	916	897	19	-	-	419	22	24.0	14	15.3
Clark	358	292	66	-	-	237	13	36.3	5	14.0
Clay	338	177	160	-	1	159	7	20.7	5	14.8
Clinton	551	517	32	-	2	252	15	27.2	11	20.0
Centralia (part)	6	6	-	-	-	3	-	(4)	-	(4)
Balance of county	545	511	32	-	2	249	15	27.5	11	20.2
Coles	910	857	53	-	-	490	26	28.6	14	15.4
Mattoon	426	411	15	-	-	250	9	21.1	6	14.1
Balance of county	484	446	38	-	-	260	17	35.1	8	16.5
Cook	97,117	92,299	4,731	47	40	48,773	2,667	27.5	1,780	18.3
Chicago	79,136	74,518	4,546	39	33	41,418	2,248	28.4	1,488	18.8
White	64,056	62,852	1,155	31	18	35,556	1,655	25.8	1,095	17.1
Nonwhite	15,080	11,666	3,391	8	15	5,862	593	39.3	393	26.1
Berwyn	936	934	2	-	-	483	19	20.3	17	18.2
Cicero	1,226	1,214	10	-	2	611	31	25.3	20	16.3
Elgin (part)	13	13	-	-	-	11	1	(4)	1	(4)
Evanston	1,434	1,432	2	-	-	761	42	29.3	15	10.5
Maywood	549	545	4	-	-	300	17	31.0	6	10.9
Oak Park	1,048	1,047	1	-	-	750	17	16.2	18	17.2
Blue Island	512	509	3	-	-	192	11	21.5	14	27.3
Brookfield	274	274	-	-	-	107	8	29.2	3	10.9
Calumet City	389	383	5	1	-	107	11	28.3	2	5.1
Chicago Heights	759	716	42	-	1	229	16	21.1	15	19.8
Elmwood Park	357	355	2	-	-	113	7	19.6	5	14.0
Forest Park	304	303	1	-	-	195	6	19.7	20	65.8
Harvey	630	625	4	1	-	193	23	36.5	7	11.1
La Grange	357	356	-	1	-	147	8	22.4	6	16.8
Melrose Park	545	544	1	-	-	122	6	11.0	7	12.8
Park Ridge	309	308	1	-	-	145	6	19.4	4	12.9
Wilmette	277	277	-	-	-	156	14	50.5	5	18.1
Winnetka	172	171	1	-	-	110	1	5.8	1	5.8
Balance of county	7,890	7,775	106	5	4	2,823	175	22.2	126	16.0
Crawford	431	361	65	-	5	259	14	32.5	12	27.8
Cumberland	228	154	72	-	2	133	8	35.1	3	13.2
De Kalb	901	893	8	-	-	409	21	23.3	14	15.5
De Witt	354	344	10	-	-	228	7	19.8	4	11.3
Douglas	370	346	24	-	-	169	7	18.9	6	16.2
Du Page	3,222	3,207	15	-	-	1,165	71	22.0	46	14.3
Elmhurst	508	506	2	-	-	136	8	15.7	9	17.7
Balance of county	2,714	2,701	13	-	-	1,029	63	23.2	37	13.6
Edgar	467	457	10	-	-	309	17	36.4	3	6.4
Edwards	166	107	59	-	-	104	3	18.1	2	12.0
Effingham	546	337	206	-	3	252	14	25.6	13	23.8
Fayette	507	447	57	-	3	246	19	37.5	13	25.6
Ford	353	343	10	-	-	161	3	8.5	6	17.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
ILLINOIS—Continued										
Franklin	954	807	146	-	1	518	32	33.5	10	10.5
West Frankfort	282	250	11	-	1	139	7	26.7	2	7.6
Balance of county	692	557	135	-	-	379	25	36.1	8	11.6
Fulton	902	870	32	-	-	506	23	25.5	17	18.8
Canton	226	226	-	-	-	158	7	31.0	8	35.4
Balance of county	676	644	32	-	-	348	16	23.7	9	13.3
Gallatin	227	188	39	-	-	128	9	39.6	3	13.2
Greene	415	384	31	-	-	245	12	28.9	10	24.1
Grundy	438	425	11	1	1	187	8	18.3	4	9.1
Hamilton	251	193	36	-	2	134	9	39.0	4	17.3
Hancock	532	503	27	-	2	343	12	22.6	10	18.8
Hardin	171	127	44	-	-	70	13	76.0	8	46.8
Henderson	163	149	14	-	-	101	5	30.7	2	12.3
Henry	1,027	1,009	18	-	-	545	23	22.4	13	12.7
Kewanee	365	354	11	-	-	206	11	30.1	3	8.2
Balance of county	662	655	7	-	-	339	12	18.1	10	15.1
Iroquois	726	689	36	1	-	342	18	24.8	12	16.5
Jackson	837	761	75	-	1	403	30	35.8	13	15.5
Jasper	297	214	82	1	-	130	6	20.2	4	13.5
Jefferson	807	681	125	-	1	421	30	37.2	13	16.1
Mount Vernon	431	386	44	-	1	240	22	51.0	10	23.2
Balance of county	376	295	81	-	-	181	8	21.3	3	8.0
Jersey	322	268	52	-	2	153	8	24.8	4	12.4
Jo Daviess	504	468	36	-	-	256	5	9.9	3	6.0
Johnson	190	83	106	-	1	106	10	52.6	1	5.3
Kane	3,342	3,326	16	-	-	1,502	93	27.8	51	15.3
Aurora	1,340	1,338	2	-	-	558	34	25.4	25	18.7
Elgin (part)	832	830	2	-	-	440	24	(4)	18	(4)
Elgin (total)	845	843	2	-	-	451	25	29.6	17	20.1
Balance of county	1,170	1,158	12	-	-	504	35	29.9	10	8.5
Kankakee	1,507	1,438	64	2	3	627	41	27.2	19	12.6
Kankakee	640	618	22	-	-	307	18	28.1	9	14.1
Balance of county	867	820	42	2	3	320	23	26.5	10	11.5
Kendall	258	256	2	-	-	109	8	31.0	1	3.9
Knox	1,127	1,114	10	-	3	630	35	31.1	16	14.2
Galesburg	696	694	-	-	2	399	19	27.3	6	8.6
Balance of county	431	420	10	-	1	231	16	37.1	10	23.2
Lake	4,059	4,009	29	2	19	1,376	100	24.6	57	14.0
Waukegan	969	964	4	1	-	378	33	34.1	21	21.7
Highland Park	316	316	-	-	-	133	3	9.5	4	12.7
Balance of county	2,774	2,729	25	1	19	885	64	23.1	32	11.5
La Salle	2,158	2,131	24	1	2	1,117	48	22.2	38	17.6
La Salle	229	229	-	-	-	145	6	26.2	5	21.8
Ottawa	385	385	-	-	-	202	7	18.2	5	13.0
Streator	392	386	5	-	1	208	9	23.0	8	20.4
Balance of county	1,152	1,131	19	1	1	582	26	22.6	20	17.4
Lawrence	393	319	74	-	-	189	13	33.1	12	30.5
Lee	681	666	13	-	2	436	18	26.4	9	13.2
Dixon	275	275	-	-	-	148	8	29.1	4	14.5
Balance of county	406	391	13	-	2	288	10	24.6	5	12.3
Livingston	807	792	15	-	-	434	23	28.5	9	11.2
Logan	513	502	10	-	1	307	20	39.0	8	15.6
Lincoln	236	236	-	-	-	142	9	38.1	4	16.9
Balance of county	277	266	10	-	1	165	11	39.7	4	14.4
McDonough	632	612	20	-	-	349	16	25.3	11	17.4
McHenry	1,209	1,203	6	-	-	563	34	28.1	20	16.5
McLean	1,658	1,643	14	-	1	941	50	30.2	23	13.9
Bloomington	765	763	2	-	-	511	27	35.3	14	18.3
Balance of county	893	880	12	-	1	430	23	25.8	9	10.1
Macon	2,297	2,280	17	-	-	977	72	31.3	33	14.4
Decatur	1,588	1,580	8	-	-	741	52	32.7	22	13.9
Balance of county	709	700	9	-	-	236	20	28.2	11	15.5
Macoupin	872	827	45	-	-	566	19	21.8	11	12.6
Madison	4,181	3,981	194	-	6	1,573	98	23.4	67	16.0
Alton	902	852	47	-	3	352	26	28.8	11	12.2
Granite City	710	703	7	-	-	224	18	25.4	12	16.9
Balance of county	2,569	2,426	140	-	3	997	54	21.0	44	17.1
Marion	902	856	46	-	-	498	29	32.2	14	15.5
Centralia (part)	321	299	22	-	-	208	14	(4)	5	(4)
Centralia (total)	327	305	22	-	-	211	14	42.8	5	15.3
Balance of county	581	557	24	-	-	290	15	25.8	9	15.5
Marshall	270	262	8	-	-	158	5	18.5	4	14.8
Mason	322	280	41	1	-	181	7	21.7	5	15.5
Massac	219	116	102	1	-	189	13	59.4	1	4.6
White	195	112	82	1	-	163	11	56.4	1	5.1
Nonwhite	24	4	20	-	-	26	2	83.3	-	0
Menard	212	179	33	-	-	119	4	18.9	4	18.9
Mercer	378	359	18	1	-	185	10	26.5	3	7.9
Monroe	254	249	5	-	-	150	6	23.6	1	3.9
Montgomery	662	645	17	-	-	432	19	28.7	11	16.6
Morgan	639	621	17	-	1	416	12	18.8	8	12.5
Jacksonville	326	326	-	-	-	237	7	21.5	5	15.3
Balance of county	313	295	17	-	1	179	5	16.0	3	9.6
Moultrie	300	264	36	-	-	160	11	36.7	3	10.0
Ogle	760	722	37	-	1	347	21	27.6	10	13.2

See footnotes on p. 93.

981192 O - 52 - 3

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
ILLINOIS—Continued										
Peoria	3,913	3,848	63	-	2	1,638	104	26.6	65	16.6
Peoria	2,437	2,418	18	-	1	1,224	70	28.7	45	18.5
Balance of county	1,476	1,430	45	-	1	414	34	23.0	20	13.6
Perry	419	396	20	3	-	237	17	40.6	4	9.5
Piatt	291	285	6	-	-	116	8	27.5	4	13.7
Pike	418	397	19	-	2	306	13	31.1	4	9.6
Pope	106	47	59	-	-	89	2	18.9	3	28.3
Pulaski	246	114	108	10	14	207	14	56.9	8	32.5
White	160	110	50	-	-	106	5	31.3	3	18.8
Nonwhite	86	4	58	10	14	101	9	104.7	5	58.1
Putnam	82	81	-	-	1	66	3	36.6	1	12.2
Randolph	616	568	47	-	1	298	13	21.1	10	16.2
Richland	381	347	34	-	-	160	10	26.2	5	13.1
Rock Island	3,196	3,168	26	-	2	1,257	87	27.2	53	16.6
Moline	1,017	1,011	6	-	-	407	24	23.6	20	19.7
Rock Island	1,160	1,148	10	-	2	523	34	29.3	13	11.2
East Moline	293	290	3	-	-	124	8	27.3	10	34.1
Balance of county	726	719	7	-	-	203	21	28.9	10	13.8
St. Clair	4,742	4,487	254	1	-	2,116	153	32.3	119	25.1
White	3,848	3,815	32	1	-	1,712	112	29.1	85	22.1
Nonwhite	894	672	222	-	-	404	41	45.9	34	38.0
Belleville	928	925	3	-	-	401	20	21.6	21	22.6
East St. Louis	1,997	1,810	187	-	-	1,023	77	38.6	63	31.5
White	1,218	1,208	10	-	-	690	41	33.7	37	30.4
Nonwhite	779	602	177	-	-	333	36	46.2	26	33.4
Balance of county	1,817	1,752	64	1	-	692	56	30.8	35	19.3
Saline	629	553	75	-	1	439	21	33.4	12	19.1
Harrisburg	222	209	13	-	-	158	7	31.5	3	13.5
Balance of county	407	344	62	-	1	281	14	34.4	9	22.1
Sangamon	2,935	2,891	40	2	2	1,470	75	25.6	49	16.7
Springfield	1,720	1,714	3	2	1	1,101	60	34.9	39	22.7
Balance of county	1,215	1,177	37	-	1	369	15	12.3	10	8.2
Schuyler	217	196	21	-	-	127	9	41.5	-	0
Scott	148	134	13	-	1	82	3	20.3	2	13.5
Shelby	491	431	57	-	3	286	15	30.5	4	8.1
Stark	189	186	3	-	-	80	1	5.3	4	21.2
Stephenson	869	862	7	-	-	479	17	19.6	19	21.9
Freeport	442	442	-	-	-	269	9	20.4	10	22.6
Balance of county	427	420	7	-	-	190	8	18.7	9	21.1
Tazewell	1,952	1,926	26	-	-	624	59	30.2	31	15.9
Pekin	564	561	3	-	-	237	19	33.7	3	5.3
Balance of county	1,388	1,365	23	-	-	387	40	28.8	28	20.2
Union	399	350	47	1	1	217	17	42.6	9	22.6
Vermilion	1,939	1,891	47	-	1	1,013	48	24.8	32	16.5
Danville	903	886	17	-	-	547	27	29.9	17	18.8
Balance of county	1,036	1,005	30	-	1	466	21	20.3	15	14.5
Wabash	345	215	130	-	-	161	10	29.0	5	14.5
Warren	474	470	4	-	-	255	15	31.6	11	23.2
Washington	250	217	33	-	-	138	4	16.0	4	16.0
Wayne	448	260	188	-	-	229	11	24.6	6	13.4
White	448	267	181	-	-	217	12	26.8	10	22.3
Whiteside	1,224	1,125	99	-	-	492	34	27.8	17	13.9
Sterling	319	302	17	-	-	154	14	43.9	7	21.9
Balance of county	905	823	82	-	-	338	20	22.1	10	11.0
Will	2,828	2,785	40	3	-	1,304	88	31.1	52	18.4
Joliet	1,702	1,693	8	1	-	708	48	28.2	35	20.6
Balance of county	1,126	1,092	32	2	-	596	40	35.5	17	15.1
Williamson	896	721	174	-	1	588	30	33.5	14	15.6
Winnebago	3,770	3,715	52	3	-	1,405	91	24.1	60	15.9
Rockford	2,063	2,050	12	1	-	997	48	23.3	25	12.1
Balance of county	1,707	1,665	40	2	-	408	43	25.2	35	20.5
Woodford	529	505	24	-	-	208	3	5.7	7	13.2
INDIANA	94,214	86,389	7,105	92	628	40,026	2,746	29.1	1,530	16.2
White	88,231	83,049	5,822	87	273	37,887	2,514	28.2	1,376	15.4
Nonwhite	4,983	3,340	1,283	5	355	2,139	232	46.6	154	30.9
Adams	633	557	76	-	-	215	17	26.9	11	17.4
Allen	4,784	4,680	101	-	3	1,711	148	30.5	78	16.3
Fort Wayne	3,583	3,553	27	-	3	1,356	116	32.4	64	17.9
Balance of county	1,201	1,127	74	-	-	355	30	25.0	14	11.7
Bartholomew	847	825	21	1	-	365	13	15.3	15	17.7
Columbus	458	456	2	-	-	181	5	10.9	12	26.2
Balance of county	389	369	19	1	-	184	8	20.6	3	7.7
Benton	314	288	26	-	-	116	8	25.5	6	19.1
Blackford	299	294	5	-	-	159	9	30.1	5	16.7
Boone	501	486	15	-	-	281	10	20.0	4	8.0
Brown	104	65	20	17	2	64	6	57.7	1	9.6
Carroll	367	346	21	-	-	194	9	24.5	7	19.1
Cass	814	802	12	-	-	466	31	38.1	13	16.0
Logansport	469	462	7	-	-	288	19	40.5	7	14.9
Balance of county	345	340	5	-	-	178	12	34.8	6	17.4
Clark	1,367	1,263	103	-	1	416	49	35.8	20	14.6
Jeffersonville	490	474	15	-	1	176	21	42.9	9	18.4
White	437	427	10	-	-	142	18	41.2	8	18.3
Nonwhite	53	47	5	-	1	34	3	56.6	1	18.9
Balance of county	877	789	88	-	-	240	28	31.9	11	12.5

See footnotes on p. 83.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
INDIANA—Continued										
Clay	498	468	30	-	-	288	12	24.1	13	26.1
Clinton	649	636	13	-	-	339	17	26.2	15	23.1
Frankfort	360	357	3	-	-	187	13	36.1	9	25.0
Balance of county	289	279	10	-	-	152	4	13.8	6	20.8
Crawford	205	76	128	-	1	116	14	68.3	5	24.4
Daviess	599	504	91	2	2	311	21	35.1	7	11.7
Dearborn	583	512	71	-	-	281	23	39.5	10	17.2
Decatur	450	423	26	-	1	240	19	42.2	7	15.6
De Kalb	620	607	13	-	-	298	12	19.4	17	27.4
Delaware	2,205	2,155	50	-	-	898	75	34.0	43	19.5
Muncie	1,649	1,608	41	-	-	601	57	34.6	34	20.6
Balance of county	556	547	9	-	-	297	18	32.4	9	16.2
Dubois	658	517	140	-	1	218	21	31.9	8	12.2
Elkhart	2,128	2,080	47	-	1	813	42	19.7	28	13.2
Elkhart	843	839	4	-	-	349	19	22.5	17	20.2
Goshen	326	325	1	-	-	163	8	24.5	3	9.2
Balance of county	959	916	42	-	1	301	15	15.6	8	8.3
Fayette	608	592	15	1	-	220	19	31.3	8	13.2
Connersville	415	411	4	-	-	165	14	33.7	4	9.6
Balance of county	193	181	11	1	-	55	5	25.9	4	20.7
Floyd	1,071	981	90	-	-	466	38	35.5	23	21.5
New Albany	815	765	50	-	-	355	32	39.3	17	20.9
Balance of county	256	216	40	-	-	111	6	23.4	6	23.4
Fountain	371	316	55	-	-	218	7	18.9	4	10.8
Franklin	401	345	55	-	1	155	10	24.9	2	5.0
Fulton	328	307	21	-	-	211	8	24.4	8	24.4
Gibson	641	540	99	-	2	370	24	37.4	12	18.7
Grant	1,459	1,377	81	-	1	621	41	28.1	23	15.8
Marion	844	805	39	-	-	340	21	24.9	13	15.4
Balance of county	615	572	42	-	1	281	20	32.5	10	16.3
Greene	589	538	51	-	-	365	23	39.0	1	1.7
Hamilton	642	622	16	1	3	303	15	23.4	12	18.7
Hancock	440	394	46	-	-	253	10	22.7	6	13.6
Harrison	414	179	229	2	4	218	12	29.0	7	16.9
Hendricks	530	486	44	-	-	259	8	15.1	6	11.3
Henry	1,048	1,019	28	-	1	472	27	25.8	19	18.1
New Castle	536	527	9	-	-	200	15	28.0	9	16.8
Balance of county	512	492	19	-	1	272	12	23.4	10	19.5
Howard	1,427	1,366	59	-	2	568	62	43.4	29	20.3
Kokomo	1,100	1,050	49	-	1	422	52	47.3	27	24.5
Balance of county	327	316	10	-	1	146	10	30.8	2	6.1
Huntington	728	687	41	-	-	323	15	20.6	11	15.1
Huntington	373	360	13	-	-	182	7	18.8	8	16.1
Balance of county	355	327	28	-	-	141	8	22.5	5	14.1
Jackson	677	590	85	-	2	314	18	26.6	15	22.2
Jasper	401	375	24	1	1	157	19	47.4	7	17.5
Jay	494	472	22	-	-	238	11	22.3	6	12.1
Jefferson	450	358	85	-	7	251	16	35.6	6	13.3
Jennings	300	178	121	1	-	155	13	43.3	2	6.7
Johnson	601	569	30	-	2	301	21	34.9	9	15.0
Knox	891	847	44	-	-	470	34	38.2	13	14.6
Vincennes	437	432	5	-	-	213	19	43.5	9	20.6
Balance of county	454	415	39	-	-	257	15	33.0	4	8.8
Kosciusko	757	736	21	-	-	383	23	30.4	8	10.6
Lagrange	455	357	98	-	-	175	14	30.8	4	8.8
Lake	10,025	9,429	525	50	21	2,959	306	30.5	139	13.9
Gary	4,207	3,809	383	2	13	1,186	137	32.6	58	13.8
White	3,003	2,962	35	-	6	821	76	25.3	34	11.3
Nonwhite	1,204	847	348	2	7	365	61	50.7	24	19.9
East Chicago	1,525	1,413	74	34	4	500	47	30.8	26	17.0
White	1,154	1,092	25	34	3	419	31	26.9	16	13.9
Nonwhite	371	321	49	-	1	81	16	43.1	10	27.0
Hammond	2,012	1,971	31	7	3	683	66	32.8	30	14.9
Whiting	520	511	9	-	-	81	8	15.4	8	15.4
Balance of county	1,761	1,725	28	7	1	509	48	27.3	17	9.7
La Porte	1,765	1,713	52	-	-	711	52	29.5	22	12.5
Michigan City	621	607	14	-	-	254	16	25.8	10	16.1
La Porte	508	500	8	-	-	225	17	33.5	11	21.7
Balance of county	636	606	30	-	-	232	19	29.9	1	1.6
Lawrence	806	661	141	2	2	352	23	28.5	16	19.9
Bedford	323	308	15	-	-	139	8	24.8	10	31.0
Balance of county	483	353	126	2	2	213	15	31.1	6	12.4
Madison	2,392	2,357	30	1	4	939	66	27.6	40	16.7
Anderson	1,272	1,253	17	-	2	472	36	28.3	22	17.3
Elwood	281	279	2	-	-	154	8	28.5	5	17.8
Balance of county	839	825	11	1	2	333	22	26.2	13	15.5
Marion	13,840	12,445	858	1	536	5,804	373	27.0	255	18.4
White	12,041	11,439	408	1	193	4,887	305	25.3	192	15.9
Nonwhite	1,799	1,006	450	-	343	917	68	37.8	63	35.0
Indianapolis	11,362	10,112	741	1	528	5,179	341	30.0	217	19.1
White	9,603	9,118	298	1	186	4,280	274	28.5	154	16.0
Nonwhite	1,779	994	443	-	342	899	67	37.7	63	35.4
Balance of county	2,458	2,333	117	-	8	625	32	13.0	38	15.5
Marshall	714	696	17	-	1	340	19	26.6	9	12.6
Martin	309	203	104	1	1	90	9	29.1	7	22.7

See footnotes on p. 33.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
INDIANA—Continued										
Miami	663	638	25	-	-	370	26	39.2	9	13.6
Peru	308	301	7	-	-	202	10	32.5	6	19.5
Balance of county	355	337	18	-	-	168	16	45.1	3	8.5
Monroe	1,058	987	64	7	-	393	27	25.5	14	13.2
Bloomington	591	578	12	1	-	215	17	28.8	6	10.2
Balance of county	467	409	52	6	-	168	10	21.4	8	17.1
Montgomery	639	617	22	-	-	366	12	18.8	11	17.2
Crawfordsville	296	286	10	-	-	157	6	20.3	5	16.9
Balance of county	343	331	12	-	-	209	6	17.5	6	17.5
Morgan	529	494	34	-	1	247	14	26.5	6	11.3
Newton	185	174	11	-	-	114	5	27.0	2	10.8
Noble	573	552	20	-	1	303	8	14.0	11	19.2
Ohio	86	72	14	-	-	51	3	34.9	3	34.9
Orange	390	192	198	-	-	193	14	35.9	6	15.4
Owen	199	136	63	-	-	135	4	20.1	2	10.1
Parke	318	255	63	-	-	200	5	15.7	5	15.7
Perry	467	284	178	1	4	171	17	36.4	8	17.1
Pike	265	216	48	-	1	152	8	30.2	3	11.3
Porter	749	736	12	-	1	336	24	32.0	9	12.0
Posey	453	282	171	-	-	212	12	26.5	9	19.9
Pulaski	291	218	73	-	-	118	8	27.5	6	20.6
Putnam	398	388	10	-	-	210	11	27.6	3	7.5
Randolph	615	601	13	-	1	316	15	24.4	10	16.3
Ripley	468	405	62	-	1	211	7	15.0	9	19.2
Rush	439	428	11	-	-	203	15	34.2	13	29.6
St. Joseph	5,130	5,071	57	-	2	1,697	131	25.5	76	14.8
South Bend	3,140	3,108	31	-	1	1,048	71	22.6	50	15.9
Mishawaka	946	938	8	-	-	281	24	25.4	12	12.7
Balance of county	1,044	1,025	18	-	1	368	36	34.5	14	13.4
Scott	314	212	102	-	-	105	13	41.4	4	12.7
Shelby	561	555	25	-	1	314	15	25.8	12	20.7
Shelbyville	259	252	7	-	-	148	7	27.0	3	11.6
Balance of county	322	303	18	-	1	166	8	24.9	9	28.0
Spencer	350	187	163	-	-	179	4	11.4	8	22.9
Starke	346	211	132	1	2	174	17	49.1	5	14.5
Steuben	406	400	6	-	-	191	11	27.1	9	22.2
Sullivan	448	416	31	1	-	344	20	44.6	5	11.2
Switzerland	142	98	44	-	-	121	9	63.4	5	35.2
Tippecanoe	1,864	1,845	19	-	-	612	36	19.3	24	12.9
Lafayette	982	971	11	-	-	395	26	26.5	14	14.3
Balance of county	882	874	8	-	-	217	10	11.3	10	11.3
Tipton	365	346	18	-	1	163	9	24.7	5	13.7
Union	126	121	5	-	-	73	7	55.6	6	47.8
Vanderburgh	3,870	3,345	520	-	5	1,598	128	33.3	69	17.8
Evansville	3,195	2,866	323	-	4	1,360	110	34.4	57	17.8
Balance of county	675	477	197	-	1	228	19	28.1	12	17.8
Vermillion	365	324	41	-	-	244	8	21.9	5	13.7
Vigo	2,285	2,094	188	1	2	1,298	87	38.1	46	20.1
Terre Haute	1,668	1,551	115	1	1	818	61	36.6	35	21.0
Balance of county	617	543	73	-	1	378	26	42.1	11	17.8
Wabash	659	651	8	-	-	298	9	13.7	8	12.1
Warren	170	153	16	-	1	86	1	5.9	2	11.8
Warrick	448	323	124	-	1	230	9	20.1	4	8.9
Washington	403	187	216	-	-	197	14	34.7	2	5.0
Wayne	1,842	1,810	32	-	-	752	60	36.5	27	16.4
Richmond	1,062	1,055	7	-	-	456	36	33.9	21	19.8
Balance of county	580	555	25	-	-	296	24	41.4	6	10.3
Wells	454	439	15	-	-	211	8	17.6	12	26.4
White	421	377	44	-	-	181	10	23.8	7	16.6
Whitley	441	430	11	-	-	209	14	31.7	8	18.1
IOWA	61,871	58,457	2,363	22	29	28,106	1,591	25.7	966	15.6
White	61,308	58,917	2,344	18	28	25,837	1,562	25.5	952	15.5
Nonwhite	563	540	18	3	1	269	29	51.5	14	24.9
Adair	256	185	69	-	2	122	7	27.3	2	7.8
Adams	178	165	13	-	-	96	7	39.3	5	28.1
Allamakee	414	406	6	-	2	192	4	9.7	6	14.5
Appanoose	304	297	6	-	1	254	13	42.8	7	23.0
Audubon	251	224	27	-	-	113	8	31.9	8	31.9
Benton	514	490	24	-	-	245	11	21.4	11	21.4
Black Hawk	2,620	2,582	37	-	1	989	72	27.5	41	15.6
Waterloo	1,649	1,635	13	-	1	560	53	32.1	26	15.8
Balance of county	971	947	24	-	-	309	19	19.6	15	15.4
Boone	539	535	4	-	-	311	17	31.5	6	11.1
Boone	260	260	-	-	-	180	7	26.9	2	7.7
Balance of county	279	275	4	-	-	131	10	35.8	4	14.3
Bremer	430	404	26	-	-	162	13	30.2	3	7.0
Buchanan	539	508	15	11	5	203	9	16.7	12	22.3
Buena Vista	523	515	8	-	-	168	8	15.3	9	17.2
Butler	420	410	10	-	-	168	7	16.7	8	19.0
Calhoun	403	399	4	-	-	176	10	24.8	3	7.4
Carroll	644	623	21	-	-	190	12	18.6	8	12.4
Cass	392	365	27	-	-	179	6	15.3	7	17.9
Cedar	395	382	12	-	1	178	7	17.7	5	12.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
IOWA—Continued										
Cerro Gordo	1,104	1,091	13	-	-	421	39	35.3	20	18.1
Mason City	685	681	4	-	-	250	24	35.0	18	26.3
Balance of county	419	410	9	-	-	171	15	35.8	2	4.8
Cherokee	461	455	6	-	-	165	5	10.8	7	15.2
Chickasaw	383	374	9	-	-	139	9	23.5	5	13.1
Clarke	175	167	8	-	-	124	4	22.9	4	22.9
Clay	451	428	1	-	2	174	11	25.5	4	9.3
Clayton	524	424	99	1	-	238	16	30.5	12	22.9
Clinton	1,111	1,089	21	-	1	586	36	32.4	18	16.2
Clinton	672	669	2	-	1	381	22	32.7	13	19.3
Balance of county	439	420	19	-	-	205	14	31.9	5	11.4
Crawford	474	451	23	-	-	189	11	23.2	8	16.9
Dallas	502	479	23	-	-	257	7	13.9	6	12.0
Davis	194	148	46	-	2	113	7	36.1	1	5.2
Decatur	245	241	4	-	-	159	6	24.5	7	28.6
Delaware	466	437	29	-	-	190	16	34.3	10	21.5
Des Moines	953	945	8	-	-	488	21	22.0	13	13.6
Burlington	694	690	4	-	-	368	13	18.7	11	15.9
Balance of county	259	255	4	-	-	120	8	30.9	2	7.7
Dickinson	281	255	26	-	-	130	7	24.9	6	21.4
Dubuque	1,920	1,893	27	-	-	767	59	30.7	40	20.8
Dubuque	1,319	1,313	6	-	-	577	39	29.6	23	17.4
Balance of county	601	580	21	-	-	190	20	33.3	17	28.3
Emmet	421	421	-	-	-	119	10	23.8	2	4.8
Fayette	632	587	45	-	-	299	20	31.6	8	12.7
Floyd	504	498	6	-	-	202	13	25.8	7	13.9
Franklin	372	359	10	1	2	152	7	18.8	4	10.8
Fremont	280	273	7	-	-	150	6	21.4	1	3.6
Greene	394	389	5	-	-	172	13	33.0	7	17.8
Grundy	290	272	18	-	-	112	1	3.4	5	17.2
Guthrie	308	253	55	-	-	174	5	16.2	2	6.5
Hamilton	481	478	3	-	-	165	6	12.5	4	8.3
Hancock	382	360	22	-	-	125	7	18.3	3	7.9
Hardin	519	511	8	-	-	239	11	21.2	5	9.6
Harrison	459	390	69	-	-	190	13	28.3	8	17.4
Henry	408	401	5	-	-	215	13	32.0	7	17.2
Howard	307	292	15	-	-	119	12	39.1	5	16.3
Humboldt	325	308	17	-	-	118	5	15.4	1	3.1
Ida	253	246	7	-	-	99	2	7.9	5	19.8
Iowa	357	328	29	-	-	170	9	25.2	5	14.0
Jackson	417	406	11	-	-	223	12	28.8	7	16.8
Jasper	745	706	38	1	-	295	19	25.5	13	17.4
Newton	295	290	5	-	-	120	7	23.7	2	6.8
Balance of county	450	416	33	1	-	175	12	26.7	11	24.4
Jefferson	308	294	11	-	1	194	7	22.9	11	35.9
Johnson	1,298	1,277	21	-	-	333	22	16.9	15	11.6
Iowa City	872	870	2	-	-	198	18	20.6	6	6.9
Balance of county	426	407	19	-	-	135	4	9.4	9	21.1
Jones	480	474	6	-	-	200	10	20.8	7	14.6
Keokuk	377	344	33	-	-	188	10	26.5	5	13.3
Kossuth	701	634	67	-	-	255	21	30.0	17	24.3
Lee	1,001	997	4	-	-	497	30	30.0	24	24.0
Fort Madison	326	324	2	-	-	153	10	30.7	7	21.5
Keokuk	389	389	-	-	-	207	12	30.8	11	28.3
Balance of county	286	284	2	-	-	137	8	28.0	6	21.0
Linn	2,384	2,349	34	-	1	1,014	58	24.3	26	10.9
Cedar Rapids	1,676	1,669	7	-	-	721	44	26.3	14	8.4
Balance of county	708	680	27	-	1	293	14	19.8	12	16.9
Louisa	225	212	13	-	-	99	6	26.7	3	13.3
Lucas	194	183	11	-	-	155	7	36.1	4	20.6
Lyon	347	324	23	-	-	105	9	25.9	4	11.5
Madison	255	214	41	-	-	131	7	27.5	2	7.8
Mahaska	519	508	11	-	-	285	16	30.8	10	19.3
Oskaloosa	215	213	2	-	-	155	8	37.2	9	41.9
Balance of county	304	295	9	-	-	130	8	26.3	1	3.3
Marion	512	483	29	-	-	259	12	23.4	6	11.7
Marshall	817	815	2	-	-	382	20	24.5	11	13.5
Marshalltown	455	455	-	-	-	231	9	19.8	5	11.0
Balance of county	362	360	2	-	-	151	11	30.4	6	16.6
Mills	292	263	29	-	-	124	7	24.0	4	13.7
Mitchell	353	346	7	-	-	159	5	14.2	3	8.5
Monona	352	309	43	-	-	159	13	36.9	3	8.5
Monroe	222	182	40	-	-	145	5	22.5	4	18.0
Montgomery	364	360	4	-	-	161	8	16.5	2	5.5
Muscatine	699	685	14	-	-	373	16	22.9	13	18.6
Muscatine	428	418	10	-	-	247	11	25.7	7	16.4
Balance of county	271	267	4	-	-	126	5	18.5	6	22.1
O'Brien	475	434	41	-	-	205	11	23.2	7	14.7
Osceola	250	236	14	-	-	61	6	24.0	2	8.0
Page	495	484	11	-	-	223	7	14.1	8	16.2
Palo Alto	429	414	15	-	-	128	7	16.3	12	28.0
Plymouth	602	590	12	-	-	197	18	29.9	8	13.3
Pocahontas	391	369	22	-	-	144	7	17.9	7	17.9
Polk	5,319	5,229	86	2	2	2,105	155	29.1	94	17.7
Des Moines	4,648	4,578	66	2	2	1,812	141	30.3	79	17.0
Balance of county	671	651	20	-	-	293	14	20.9	15	22.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
IOWA—Continued										
Pottawattamie	1,683	1,655	26	-	2	701	50	29.7	33	19.6
Council Bluffs	1,095	1,082	12	-	1	511	37	33.8	22	20.1
Balance of county	588	573	14	-	1	190	13	22.1	11	18.7
Poweshiek	429	415	14	-	-	227	10	23.3	-	0
Ringgold	169	148	21	-	-	102	7	41.4	2	11.8
Sac	409	395	12	2	-	165	3	7.3	6	14.7
Scott	2,480	2,456	24	-	-	974	67	27.0	53	21.4
Davenport	1,768	1,754	14	-	-	778	53	30.0	33	18.7
Balance of county	712	702	10	-	-	196	14	19.7	20	28.1
Shelby	415	336	78	-	1	144	12	28.9	4	9.6
Sioux	703	662	40	-	1	189	7	10.0	15	21.3
Story	1,214	1,201	13	-	-	328	26	21.4	15	12.4
Ames	755	754	1	-	-	133	13	17.2	5	6.6
Balance of county	459	447	12	-	-	195	13	28.3	10	21.8
Tama	461	438	18	3	2	239	9	19.5	10	21.7
Taylor	234	205	29	-	-	154	7	29.9	4	17.1
Union	338	328	9	1	-	190	8	23.7	4	11.8
Van Buren	217	185	32	-	-	146	7	32.3	3	13.8
Wapello	1,098	1,001	97	-	-	503	37	33.7	15	13.7
Ottumwa	817	756	61	-	-	369	32	39.2	9	11.0
Balance of county	281	245	36	-	-	134	5	17.8	6	21.4
Warren	416	344	72	-	-	184	10	24.0	3	7.2
Washington	458	440	18	-	-	191	14	30.6	1	2.2
Wayne	216	192	24	-	-	153	8	37.0	2	9.3
Webster	1,121	1,099	22	-	-	410	45	40.1	24	21.4
Fort Dodge	676	672	4	-	-	239	36	53.3	17	25.1
Balance of county	445	427	18	-	-	171	9	20.2	7	15.7
Winnebago	338	325	13	-	-	120	6	17.8	4	11.8
Winneshiek	498	484	14	-	-	239	10	20.1	11	22.1
Woodbury	2,660	2,574	86	-	-	1,099	78	29.7	37	13.9
Sioux City	2,141	2,114	27	-	-	894	66	30.8	32	14.9
Balance of county	519	460	59	-	-	205	13	25.0	5	9.6
Worth	247	230	17	-	-	97	3	12.1	2	8.1
Wright	510	492	18	-	-	184	19	37.3	5	9.8
KANSAS	43,781	41,596	2,139	19	27	18,814	1,136	25.9	721	16.5
White	41,874	40,079	1,759	14	22	17,800	1,063	25.4	665	15.9
Nonwhite	1,907	1,517	380	5	5	1,014	73	38.3	56	29.4
Allen	352	342	10	-	-	252	11	31.3	12	34.1
Anderson	239	218	21	-	-	142	5	20.9	3	12.6
Atchison	436	430	6	-	-	267	13	29.8	10	22.9
Atchison	289	285	4	-	-	187	9	31.1	4	13.8
White	274	271	3	-	-	166	9	32.8	3	10.9
Nonwhite	15	14	1	-	-	21	-	0	1	66.7
Balance of county	147	145	2	-	-	80	4	27.2	6	40.8
Barber	204	199	5	-	-	80	11	53.9	5	24.5
Barton	863	858	5	-	-	223	14	16.2	16	18.5
Bourbon	384	363	21	-	-	254	8	20.8	8	20.8
Fort Scott	213	209	4	-	-	174	4	18.8	5	23.5
Balance of county	171	154	17	-	-	80	4	23.4	3	17.5
Brown	316	302	13	-	1	187	10	31.6	5	15.8
Butler	702	693	9	-	-	285	20	28.5	13	18.5
El Dorado	285	284	1	-	-	109	8	28.1	8	31.6
Balance of county	417	409	8	-	-	176	12	28.8	4	9.6
Chase	104	93	11	-	-	64	3	28.8	1	9.6
Chautauqua	124	81	42	1	-	86	6	48.4	1	8.1
Cherokee	500	424	74	1	1	271	10	20.0	11	22.0
Cheyenne	145	144	1	-	-	34	4	27.6	2	13.8
Clark	79	76	3	-	-	36	1	12.7	-	0
Clay	263	259	3	-	1	159	7	26.6	5	19.0
Cloud	359	337	22	-	-	180	15	41.8	6	16.7
Coffey	193	132	61	-	-	136	5	25.9	3	15.5
Comanche	84	80	4	-	-	35	-	0	-	0
Cowley	701	687	14	-	-	413	19	27.1	8	11.4
Arkansas City	308	297	11	-	-	147	8	26.0	5	16.2
Balance of county	393	390	3	-	-	266	11	28.0	3	7.6
Crawford	728	659	67	1	1	527	24	33.0	15	20.6
Pittsburg	406	387	19	-	-	222	9	22.2	2	4.9
Balance of county	322	272	48	1	1	305	15	46.6	13	40.4
Decatur	129	125	4	-	-	71	5	38.8	3	23.3
Dickinson	459	442	17	-	-	247	11	24.0	4	8.7
Doniphan	233	152	80	-	1	145	5	21.5	8	34.3
Douglas	690	680	8	-	2	315	14	20.3	18	26.1
Lawrence	516	513	2	-	1	210	10	19.4	12	23.3
Balance of county	174	167	6	-	1	105	4	23.0	6	34.5
Edwards	134	129	3	-	2	52	5	37.3	3	22.4
Elk	108	97	11	-	-	73	7	64.8	3	27.8
Ellis	569	566	3	-	-	118	20	35.1	5	8.8
Ellsworth	180	171	9	-	-	84	4	22.2	3	16.7
Finney	502	500	2	-	-	125	20	39.8	7	13.9
Ford	534	526	7	-	1	160	19	35.6	16	30.0
Franklin	401	382	19	-	-	233	11	27.4	6	15.0
Ottawa	231	223	8	-	-	120	10	43.3	5	21.6
Balance of county	170	159	11	-	-	113	1	5.9	1	5.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
KANSAS—Continued										
Geary	710	706	4	-	-	175	26	36.6	19	26.8
Gove	129	125	4	-	-	26	5	38.8	2	15.5
Graham	111	101	9	1	-	33	3	27.0	1	9.0
Grant	138	129	9	-	-	25	1	7.2	1	7.2
Gray	155	148	7	-	-	34	2	12.9	1	6.5
Greeley	75	71	4	-	-	19	2	26.7	1	13.3
Greenwood	302	282	20	-	-	154	12	39.7	5	16.6
Hamilton	128	126	1	1	-	22	3	23.4	-	0
Harper	222	217	5	-	-	124	4	18.0	12	54.1
Harvey	472	470	2	-	-	219	9	19.1	6	12.7
Newton	276	275	1	-	-	134	7	25.4	1	3.6
Balance of county	196	195	1	-	-	85	2	10.2	5	25.5
Haskell	86	85	1	-	-	15	3	34.9	2	23.3
Hodgeman	88	86	2	-	-	36	6	68.2	3	34.1
Jackson	207	191	16	-	-	143	5	24.2	3	14.5
Jefferson	201	184	16	-	1	130	2	10.0	6	29.9
Jewell	187	145	22	-	-	106	1	6.0	2	12.0
Johnson	1,598	1,568	29	1	-	407	23	14.4	13	8.1
Kearny	86	86	-	-	-	19	3	34.9	4	46.5
Kingman	262	256	6	-	-	78	3	11.5	6	22.9
Kiowa	110	102	8	-	-	44	6	54.5	1	9.1
Labette	556	481	75	-	-	320	12	21.6	12	21.6
Parsons	281	270	11	-	-	172	6	21.4	5	17.8
Balance of county	275	211	64	-	-	148	6	21.8	7	25.5
Lane	80	78	2	-	-	30	1	12.5	-	0
Leavenworth	947	926	18	3	-	417	25	26.4	10	10.6
White	869	850	16	3	-	372	22	25.3	10	11.5
Nonwhite	78	76	2	-	-	45	3	38.5	-	0
Leavenworth	586	583	5	-	-	281	13	22.1	8	13.6
White	521	517	4	-	-	244	11	21.1	8	15.4
Nonwhite	67	66	1	-	-	37	2	29.9	-	0
Balance of county	359	343	13	3	-	136	12	33.4	2	5.6
Lincoln	145	125	20	-	-	69	4	27.6	2	13.8
Linn	156	100	56	-	-	140	1	6.4	2	12.8
Logan	114	107	7	-	-	32	1	8.8	4	35.1
Lyon	574	553	20	-	1	287	15	26.1	9	15.7
Emporia	410	403	6	-	1	181	11	26.8	3	7.3
Balance of county	164	150	14	-	-	106	4	24.4	6	36.6
McPherson	514	509	5	-	-	245	12	23.3	9	17.5
Marion	335	316	18	-	1	158	7	20.9	5	14.9
Marshall	366	326	39	-	1	217	11	30.1	11	30.1
Meade	161	156	5	-	-	51	1	6.2	1	6.2
Miami	338	291	47	-	-	196	9	26.6	12	35.5
Mitchell	270	267	3	-	-	126	5	18.5	4	14.8
Montgomery	975	881	93	1	-	574	31	31.8	17	17.4
Coffeyville	358	319	39	-	-	233	13	36.3	11	30.7
White	311	293	18	-	-	189	11	35.4	8	25.7
Nonwhite	47	26	21	-	-	44	2	42.6	3	63.8
Independence	278	268	10	-	-	142	11	39.6	2	7.2
White	244	239	5	-	-	128	10	41.0	1	4.1
Nonwhite	34	29	5	-	-	14	1	29.4	1	29.4
Balance of county	339	294	44	1	-	199	7	20.6	4	11.8
Morris	182	176	6	-	-	113	1	5.5	-	0
Morton	89	87	2	-	-	23	4	44.9	2	22.5
Nemaha	333	306	27	-	-	137	4	12.0	2	6.0
Neosho	375	314	59	-	-	231	10	26.8	6	16.1
Chanute	197	187	10	-	-	133	7	35.5	2	10.2
Balance of county	176	127	49	-	-	98	3	17.0	4	22.7
Ness	154	150	4	-	-	48	4	26.0	5	32.5
Norton	180	180	-	-	-	95	7	38.9	5	27.8
Osage	206	152	54	-	-	167	1	4.9	3	14.6
Osborne	149	137	12	-	-	96	5	33.6	1	6.7
Ottawa	140	129	11	-	-	85	2	14.3	-	0
Pawnee	221	214	7	-	-	72	3	13.6	4	18.1
Phillips	195	177	18	-	-	94	7	35.9	3	15.4
Pottawatomie	243	239	4	-	-	145	5	20.6	6	24.7
Pratt	303	303	-	-	-	108	10	33.0	3	9.9
Rawlins	152	151	1	-	-	49	3	19.7	3	19.7
Reno	1,210	1,189	21	-	-	559	40	33.1	18	14.9
Hutchinson	843	836	7	-	-	366	29	34.4	14	16.6
Balance of county	367	353	14	-	-	193	11	30.0	4	10.9
Republic	218	207	10	-	1	134	5	22.9	1	4.6
Rice	360	355	5	-	-	132	9	25.0	4	11.1
Riley	793	790	3	-	-	223	16	20.2	9	11.3
Manhattan	624	621	3	-	-	129	14	22.4	7	11.2
Balance of county	169	169	-	-	-	94	2	11.8	2	11.8
Rooks	246	231	15	-	-	68	4	16.3	6	24.4
Rush	195	190	5	-	-	76	8	41.0	4	20.5
Russell	344	337	7	-	-	116	6	17.4	6	17.4
Saline	941	927	13	-	1	344	37	39.3	14	14.9
Salina	765	752	12	-	1	264	30	39.2	10	13.1
Balance of county	176	175	1	-	-	80	7	39.8	4	22.7
Scott	141	141	-	-	-	41	2	14.2	3	21.3
Sedgwick	5,545	5,413	123	4	5	1,784	168	29.9	78	14.1
Wichita	5,071	4,980	86	4	1	1,558	152	30.0	72	14.2
Balance of county	474	433	37	-	4	226	14	29.5	6	12.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
KANSAS—Continued										
Seward	288	287	-	1	-	91	10	34.7	7	24.3
Shawnee	2,474	2,352	120	1	1	1,045	54	21.8	44	17.8
Topeka	2,208	2,129	77	1	1	846	44	19.9	40	18.1
Balance of county	266	223	43	-	-	199	10	37.6	4	15.0
Sheridan	140	136	4	-	-	42	1	7.1	2	14.3
Sherman	186	186	-	-	-	54	3	16.1	1	5.4
Smith	161	147	14	-	-	112	1	6.2	2	12.4
Stafford	189	184	5	-	-	67	6	31.7	2	10.6
Stanton	62	54	8	-	-	10	-	0	1	16.1
Stevens	130	124	5	-	1	28	5	38.5	1	7.7
Sumner	488	477	10	-	1	264	12	24.6	10	20.5
Thomas	196	193	3	-	-	63	4	20.4	2	10.2
Trego	139	131	8	-	-	37	-	0	1	7.2
Wabaunsee	121	107	14	-	-	90	1	8.3	1	8.3
Wallace	90	90	-	-	-	18	4	44.4	1	11.1
Washington	245	229	16	-	-	153	5	20.4	4	16.3
Wichita	84	80	4	-	-	18	2	23.8	1	11.9
Wilson	292	231	61	-	-	196	14	47.9	4	13.7
Woodson	121	74	47	-	-	90	1	8.3	3	24.8
Wyandotte	3,969	3,678	285	3	3	1,572	93	23.4	62	15.6
White	3,179	3,082	96	-	1	1,196	74	23.3	36	11.3
Nonwhite	790	596	189	3	2	376	19	24.1	26	32.9
Kansas City	3,526	3,264	256	3	3	1,385	81	23.0	59	16.7
White	2,769	2,688	80	-	1	1,032	63	22.8	33	11.9
Nonwhite	757	576	176	3	2	353	18	23.8	26	34.3
Balance of county	443	414	29	-	-	187	12	27.1	3	6.8
KENTUCKY	76,187	47,422	23,322	4,670	783	28,046	3,139	41.2	1,484	19.5
White	71,218	44,846	21,127	4,490	755	24,700	2,845	39.9	1,344	18.9
Nonwhite	4,979	2,576	2,195	180	28	3,346	294	59.0	140	28.1
Adair	400	98	261	19	22	162	19	47.5	8	20.0
Allen	306	126	176	3	1	141	12	39.2	4	13.1
Anderson	203	101	102	-	-	97	8	39.4	4	19.7
Ballard	165	109	56	-	-	105	6	36.4	4	24.2
Barren	679	506	147	19	7	301	38	53.0	16	23.6
Bath	240	103	134	3	-	104	11	45.8	4	16.7
Bell	1,339	741	480	103	15	404	91	68.0	48	35.8
Middlesborough	306	258	47	-	1	116	13	42.5	12	39.2
Balance of county	1,033	483	433	103	14	288	78	75.5	36	34.8
Boone	319	220	98	1	-	151	8	25.1	4	12.5
Bourbon	400	282	117	1	-	202	28	65.0	3	7.5
White	349	252	96	1	-	142	25	71.6	3	8.6
Nonwhite	51	30	21	-	-	60	1	19.6	-	0
Boyd	1,285	1,201	70	10	4	442	47	36.6	28	21.8
Ashland	863	819	40	3	1	293	28	32.4	19	22.0
Balance of county	422	382	30	7	3	149	19	45.0	9	21.3
Boyle	424	333	91	-	-	204	25	59.0	10	23.6
White	382	311	71	-	-	145	17	44.5	7	18.3
Nonwhite	42	22	20	-	-	59	8	190.5	3	71.4
Bracken	165	78	107	-	-	99	5	27.0	3	16.2
Breathitt	546	171	70	270	35	101	18	33.0	12	22.0
Breckinridge	399	98	294	6	1	180	16	40.1	7	17.5
Bullitt	266	133	127	4	2	112	9	33.8	5	18.8
Butler	277	55	154	65	3	105	8	28.9	4	14.4
Caldwell	282	153	129	-	-	153	6	21.3	4	14.2
White	266	152	114	-	-	133	5	18.8	4	15.0
Nonwhite	16	1	15	-	-	20	1	62.5	-	0
Calloway	409	354	54	-	1	181	20	48.9	9	22.0
Campbell	1,747	1,695	51	-	1	839	81	46.4	37	21.2
Newport	823	802	20	-	1	371	47	57.1	13	15.8
Fort Thomas	187	185	2	-	-	103	10	53.5	7	37.4
Balance of county	737	708	29	-	-	365	24	32.6	17	23.1
Carlisle	113	67	46	-	-	76	2	17.7	1	8.8
Carroll	201	92	108	1	-	122	11	54.7	7	34.8
Carter	667	256	288	103	20	173	30	45.0	19	28.5
Casey	524	164	295	50	15	124	13	24.8	5	9.5
Christian	1,053	762	214	68	9	483	45	42.7	20	19.0
White	794	690	88	11	5	330	27	34.0	10	12.6
Nonwhite	259	72	126	57	4	153	18	69.5	10	38.6
Hopkinsville	333	223	78	29	3	219	16	48.0	11	33.0
White	221	197	21	2	1	133	9	40.7	6	27.1
Nonwhite	112	26	57	27	2	86	7	62.5	5	44.6
Balance of county	720	539	136	39	6	264	29	40.3	9	12.5
White	573	493	67	9	4	187	18	31.4	4	7.0
Nonwhite	147	46	69	30	2	77	11	74.8	5	34.0
Clark	442	288	151	1	2	215	22	49.8	8	18.1
White	413	275	135	1	2	174	21	50.8	6	14.5
Nonwhite	29	13	16	-	-	41	1	34.5	2	69.0
Clay	845	652	28	127	38	121	32	37.9	11	13.0
Clinton	267	50	175	34	8	70	4	15.0	8	30.0
Crittenden	225	142	82	1	-	119	5	22.2	1	4.4
Cumberland	236	82	87	62	5	81	15	63.6	7	29.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
KENTUCKY—Continued										
Daviess	1,591	1,266	315	9	1	589	64	40.2	37	23.3
Owensboro	986	872	112	2	-	392	40	40.6	25	25.4
Balance of county	605	394	203	7	1	197	24	39.7	12	19.8
Edmonson	229	77	124	27	1	70	11	48.0	5	21.8
Elliott	196	45	95	31	25	42	8	40.8	4	20.4
Estill	413	113	226	71	3	121	15	36.3	2	4.8
Fayette	2,212	1,956	255	1	-	990	74	33.5	24	10.8
White	1,844	1,721	122	1	-	675	45	24.9	18	9.8
Nonwhite	368	235	133	-	-	315	28	76.1	6	16.3
Lexington	1,290	1,104	186	-	-	598	50	38.8	15	11.6
White	1,004	924	80	-	-	435	28	27.9	11	11.0
Nonwhite	286	180	106	-	-	264	22	76.9	4	14.0
Balance of county	922	852	69	1	-	291	24	26.0	9	9.8
White	840	797	42	1	-	240	18	21.4	7	8.3
Nonwhite	82	55	27	-	-	51	6	73.2	2	24.4
Fleming	295	121	164	7	3	160	12	40.7	2	6.8
Floyd	1,757	873	668	152	64	344	81	46.1	29	16.5
Franklin	565	552	13	-	-	265	19	33.6	7	12.4
Frankfort	295	291	4	-	-	151	12	40.7	3	10.2
White	258	256	2	-	-	133	12	46.5	3	11.6
Nonwhite	37	35	2	-	-	18	-	0	-	0
Balance of county	270	261	9	-	-	112	7	25.9	4	14.8
Fulton	380	232	92	55	1	144	20	52.6	11	28.9
White	292	215	51	26	-	106	14	47.9	8	27.4
Nonwhite	88	17	41	29	1	38	6	68.2	3	34.1
Gallatin	91	47	43	1	-	59	3	33.0	1	11.0
Garrard	270	172	92	4	2	117	17	63.0	3	11.1
White	239	169	64	4	2	96	12	50.2	3	12.6
Nonwhite	31	3	28	-	-	21	5	161.3	-	0
Grant	231	87	144	-	-	103	9	39.0	3	13.0
Graves	589	492	96	-	1	317	17	28.9	11	18.7
Grayson	425	45	318	47	15	174	16	37.6	15	35.3
Green	269	50	205	13	1	105	10	37.2	2	7.4
Greenup	657	353	250	42	12	202	30	45.7	12	18.3
Hancock	143	80	63	-	-	72	4	28.0	1	7.0
Hardin	854	375	474	2	3	295	44	51.5	13	15.2
Harlan	2,285	879	1,358	33	15	553	141	61.7	66	28.9
White	2,105	786	1,274	30	15	487	130	61.8	55	26.1
Nonwhite	180	93	84	3	-	66	11	61.1	11	61.1
Harrison	264	240	24	-	-	191	8	30.3	5	18.9
Hart	419	91	320	8	-	155	17	40.6	9	21.5
Henderson	735	549	173	13	-	357	23	31.3	20	27.2
White	645	542	90	13	-	272	16	24.8	14	21.7
Nonwhite	90	7	83	-	-	85	7	77.8	6	66.7
Henderson	416	335	81	-	-	208	18	43.3	13	31.3
White	356	331	25	-	-	157	13	36.5	7	19.7
Nonwhite	60	4	56	-	-	51	5	83.3	6	100.0
Balance of county	319	214	92	13	-	129	5	15.7	7	21.9
White	289	211	65	13	-	115	3	10.4	7	24.2
Nonwhite	30	3	27	-	-	14	2	66.7	-	0
Henry	306	227	74	1	4	124	3	9.8	9	29.4
Hickman	136	101	34	1	-	91	9	66.2	7	51.5
White	115	97	18	-	-	75	7	60.9	3	26.1
Nonwhite	21	4	16	1	-	16	2	95.2	4	190.5
Hopkins	868	561	292	12	3	387	30	34.6	15	17.3
White	792	544	233	12	3	337	26	32.8	11	13.9
Nonwhite	76	17	59	-	-	50	4	52.6	4	52.6
Jackson	409	189	141	67	12	91	20	48.9	8	19.6
Jefferson	12,528	11,619	901	3	5	4,981	424	33.8	202	16.1
White	10,849	10,239	604	2	4	3,971	338	31.2	178	16.4
Nonwhite	1,679	1,380	297	1	1	1,010	86	51.2	24	14.3
Louisville	10,667	10,008	674	-	5	4,355	378	35.4	168	15.7
White	9,098	8,702	392	-	4	3,417	295	32.4	144	15.8
Nonwhite	1,589	1,306	282	-	1	939	83	52.2	24	15.1
Balance of county	1,841	1,611	227	3	-	626	46	25.0	34	18.5
Jessamine	279	162	116	1	-	120	10	35.8	3	10.8
White	262	160	101	1	-	98	10	38.2	3	11.5
Nonwhite	17	2	15	-	-	22	-	0	-	0
Johnson	716	573	62	74	7	182	27	37.7	16	22.3
Kenton	2,650	2,577	71	2	-	1,155	82	30.9	50	18.9
Covington	1,774	1,740	33	1	-	797	57	32.1	35	19.7
Balance of county	876	837	38	1	-	358	25	28.5	15	17.1
Knott	600	75	328	184	13	116	15	25.0	5	8.3
Knox	881	206	477	146	32	270	55	63.9	26	30.2
Larue	251	159	90	2	-	114	7	27.9	3	12.0
Laurel	747	305	330	101	13	189	28	37.5	11	14.7
Lawrence	397	205	87	102	5	146	18	45.3	5	12.6
Lee	255	124	24	98	9	90	10	39.2	2	7.8
Leslie	575	262	28	248	37	83	26	45.2	17	29.6
Letcher	1,339	287	857	186	9	299	76	56.8	34	25.4
Lewis	417	70	253	81	13	140	24	57.6	7	16.8
Lincoln	495	229	225	27	14	155	16	32.3	8	16.2
Livingston	150	80	64	5	1	98	8	53.3	4	26.7
Logan	518	270	243	4	1	285	22	42.5	12	23.2
White	452	254	195	2	1	229	20	44.2	11	24.3
Nonwhite	66	16	48	2	-	36	2	30.3	1	15.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
KENTUCKY—Continued										
Lyon	100	48	50	2	-	70	7	70.0	4	40.0
White	96	48	47	1	-	67	7	72.9	4	41.7
Nonwhite	4	-	3	1	-	3	-	0	-	0
McCracken	975	722	248	3	2	628	36	36.9	22	22.6
White	849	697	151	-	1	493	30	35.3	17	20.0
Nonwhite	126	25	97	3	1	135	6	47.6	5	39.7
Paducah	665	503	157	3	2	463	29	43.6	19	28.6
White	553	481	71	-	1	344	24	43.4	14	25.3
Nonwhite	112	22	86	3	1	119	5	44.6	5	44.6
Balance of county	310	219	91	-	-	165	7	22.6	3	9.7
McCreary	490	193	80	210	7	126	22	44.9	11	22.4
McLean	201	90	103	4	4	98	9	44.8	1	5.0
Madison	723	648	52	21	2	306	32	44.3	13	18.0
White	666	602	32	20	2	245	27	41.2	12	18.3
Nonwhite	67	46	20	1	-	61	5	74.6	1	14.9
Magoffin	415	56	233	124	2	81	12	28.9	5	12.0
Marion	562	345	203	13	1	191	31	55.2	11	19.6
Marshall	244	109	135	-	-	140	1	4.1	2	8.2
Martin	407	76	226	103	2	72	13	31.9	13	31.9
Mason	425	298	124	2	1	224	28	65.9	12	28.2
White	385	291	91	2	1	183	23	59.7	10	26.0
Nonwhite	40	7	33	-	-	41	5	125.0	2	50.0
Meade	239	134	104	1	-	73	6	25.1	2	8.4
Menifee	175	120	32	21	2	34	5	28.6	3	17.1
Mercer	284	272	12	-	-	164	9	31.7	6	21.1
Metcalfe	224	58	143	19	4	80	8	35.7	5	22.3
Monroe	366	88	249	27	2	136	19	51.9	16	43.7
Montgomery	340	221	111	7	1	145	15	44.1	6	17.6
White	312	218	87	6	1	125	15	48.1	5	16.0
Nonwhite	28	3	24	1	-	20	-	0	1	35.7
Morgan	384	146	187	43	28	116	14	36.5	14	36.5
Muhlenberg	884	597	263	22	2	302	41	46.4	32	36.2
Nelson	615	190	424	-	1	166	17	27.6	11	17.9
Nicholas	139	100	38	1	-	93	6	43.2	8	57.6
Ohio	472	190	270	9	3	200	13	27.5	8	16.9
Oldham	217	168	44	3	2	91	7	32.3	3	13.8
White	198	165	26	3	2	80	5	25.5	2	10.2
Nonwhite	21	3	18	-	-	11	2	95.2	1	47.6
Owen	174	116	57	-	1	93	4	23.0	5	28.7
Owsley	198	100	5	87	6	41	5	25.3	4	20.2
Pendleton	202	98	104	-	-	109	7	34.7	1	5.0
Perry	1,738	396	1,056	229	55	306	71	40.9	38	21.9
Pike	2,744	1,378	902	388	76	580	166	60.5	50	18.2
Powell	242	52	160	29	1	63	10	41.3	2	8.3
Pulaski	990	405	485	95	5	299	30	30.3	20	20.2
Robertson	63	36	25	-	-	36	1	15.9	1	15.9
Rockcastle	383	143	157	69	14	102	12	31.3	14	36.6
Rowan	329	61	223	33	12	80	13	39.5	11	33.4
Russell	317	135	168	13	1	100	12	37.9	6	18.9
Scott	333	260	73	-	-	151	9	27.0	7	21.0
White	297	256	41	-	-	121	7	23.6	7	23.6
Nonwhite	36	4	32	-	-	30	2	55.6	-	0
Shelby	406	331	74	1	-	180	15	36.9	3	7.4
White	343	290	52	1	-	140	12	35.0	3	8.7
Nonwhite	63	41	22	-	-	40	3	47.6	-	0
Simpson	267	189	76	1	1	133	14	52.4	6	22.5
White	218	176	41	1	-	109	7	32.1	6	27.5
Nonwhite	49	13	35	-	1	24	7	142.9	-	0
Spencer	176	57	119	-	-	62	8	45.5	2	11.4
Taylor	369	188	177	4	-	137	21	56.9	9	24.4
Todd	308	140	163	5	-	160	17	55.2	8	26.0
White	252	129	119	4	-	125	14	55.6	6	23.8
Nonwhite	56	11	44	1	-	35	3	53.6	2	35.7
Trigg	233	153	60	19	1	95	6	25.8	4	17.2
White	190	144	45	1	-	69	6	31.6	2	10.5
Nonwhite	43	9	15	18	1	26	-	0	2	46.5
Trimble	116	79	37	-	-	50	5	43.1	2	17.2
Union	403	247	155	1	-	182	13	32.3	10	24.8
White	367	239	127	1	-	153	13	35.4	8	21.8
Nonwhite	36	8	28	-	-	29	-	0	2	55.6
Warren	1,035	779	237	15	4	415	34	32.9	13	12.6
White	921	768	143	7	3	341	26	28.2	8	8.7
Nonwhite	114	11	94	8	1	74	8	70.2	5	43.9
Bowling Green	545	456	85	3	1	214	22	40.4	3	5.5
White	487	448	38	-	1	164	15	30.8	-	0
Nonwhite	58	8	47	3	-	50	7	120.7	3	51.7
Balance of county	490	323	152	12	3	201	12	24.5	10	20.4
Washington	341	254	86	-	1	112	14	41.1	4	11.7
Wayne	514	55	374	73	12	125	19	37.0	9	17.5
Webster	296	152	144	-	-	204	18	60.8	3	10.1
White	268	150	118	-	-	174	17	63.4	2	7.5
Nonwhite	28	2	26	-	-	30	1	35.7	1	35.7
Whitley	838	361	408	62	8	316	47	56.0	14	16.7
Wolfe	230	58	69	99	5	80	19	82.6	-	0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
KENTUCKY—Continued										
Woodford	259	244	14	1	-	131	14	54.1	3	11.6
White	219	208	10	1	-	104	12	54.8	1	4.6
Nonwhite	40	36	4	-	-	27	2	50.0	2	50.0
LOUISIANA	75,487	60,620	4,767	10,037	83	23,400	2,810	37.2	1,814	24.0
White	45,312	41,534	2,747	1,011	20	13,489	1,231	27.2	764	16.9
Nonwhite	30,175	19,086	2,020	9,026	43	9,911	1,579	52.3	1,050	34.8
Acadia	1,446	1,070	122	253	1	411	73	50.5	44	30.4
White	1,065	871	100	94	-	299	40	37.6	28	26.3
Nonwhite	381	199	22	159	1	112	33	86.6	16	42.0
Allen	563	487	30	46	-	149	20	35.5	17	30.2
White	406	385	18	3	-	101	9	22.2	12	29.6
Nonwhite	157	102	12	43	-	48	11	70.1	5	31.8
Ascension	701	482	105	112	2	208	30	42.8	18	25.7
White	436	349	74	13	-	98	9	20.6	7	16.1
Nonwhite	265	133	31	99	2	110	21	79.2	11	41.5
Assumption	524	301	81	142	-	186	26	49.6	16	30.5
White	247	191	21	35	-	91	11	44.5	4	16.2
Nonwhite	277	110	60	107	-	95	15	54.2	12	43.3
Avoyelles	985	638	103	244	-	275	33	33.5	27	27.4
White	634	498	92	44	-	180	19	30.0	8	12.6
Nonwhite	351	140	11	200	-	95	14	39.9	19	54.1
Beauregard	445	321	85	39	-	166	29	65.2	12	27.0
White	353	302	47	4	-	141	26	73.7	10	28.3
Nonwhite	92	19	38	35	-	25	3	32.6	2	21.7
Bienville	458	267	77	114	-	149	14	30.6	7	15.3
White	170	141	28	1	-	76	3	17.6	-	0
Nonwhite	288	126	49	113	-	73	11	38.2	7	24.3
Bossier	1,197	1,068	6	122	1	249	38	31.7	22	18.4
White	738	733	5	-	-	113	18	24.4	12	16.3
Nonwhite	459	335	1	122	1	136	20	43.6	10	21.8
Caddo	5,005	4,712	46	244	3	1,544	216	43.2	116	23.2
White	2,677	2,652	20	5	-	756	83	31.0	37	13.8
Nonwhite	2,328	2,060	26	239	3	788	133	57.1	79	33.9
Shreveport	3,844	3,712	32	98	2	1,175	163	42.4	86	22.4
White	2,217	2,200	16	1	-	604	68	30.7	35	15.8
Nonwhite	1,627	1,512	16	97	2	571	95	58.4	51	31.3
Balance of parish	1,161	1,000	14	146	1	369	53	45.7	30	25.8
White	460	452	4	4	-	152	15	32.6	2	4.3
Nonwhite	701	548	10	142	1	217	38	54.2	28	39.9
Calcasieu	2,617	2,153	177	287	-	652	98	37.4	56	21.4
White	1,948	1,784	141	23	-	423	60	30.8	29	14.9
Nonwhite	669	369	36	264	-	229	38	56.8	27	40.4
Lake Charles	1,441	1,240	12	189	-	338	53	36.8	35	24.3
White	981	972	5	4	-	163	27	27.5	14	14.3
Nonwhite	460	268	7	185	-	155	26	56.5	21	45.7
Balance of parish	1,176	913	165	98	-	314	45	38.3	21	17.9
White	967	812	136	19	-	240	33	34.1	15	15.5
Nonwhite	209	101	29	79	-	74	12	57.4	6	28.7
Caldwell	271	239	5	27	-	96	6	22.1	9	33.2
White	188	183	4	1	-	70	6	31.9	3	16.0
Nonwhite	83	56	1	26	-	26	-	0	6	72.3
Cameron	123	82	39	2	-	37	5	40.7	2	16.3
Catahoula	339	249	2	88	-	89	8	23.6	11	32.4
White	203	192	2	9	-	50	5	24.6	5	24.6
Nonwhite	136	57	-	79	-	39	3	22.1	6	44.1
Claiborne	617	318	35	264	-	186	19	30.8	22	35.7
White	233	214	17	2	-	80	3	12.9	4	17.2
Nonwhite	384	104	18	262	-	106	16	41.7	18	46.9
Concordia	443	265	4	174	-	167	24	54.2	10	22.6
White	174	165	3	6	-	42	3	17.2	2	11.5
Nonwhite	269	100	1	168	-	125	21	78.1	8	29.7
De Soto	743	442	19	281	1	238	32	43.1	30	40.4
White	225	217	4	4	-	101	10	44.4	6	26.7
Nonwhite	518	225	15	277	1	137	22	42.5	24	46.3
East Baton Rouge	4,662	3,949	73	637	3	1,119	122	26.2	117	25.1
White	3,001	2,966	27	6	2	563	61	20.3	53	17.7
Nonwhite	1,661	983	46	631	1	556	61	36.7	64	38.5
Baton Rouge	3,758	3,343	44	369	2	870	93	24.7	95	25.3
White	2,633	2,613	14	5	1	484	52	19.7	47	17.9
Nonwhite	1,125	730	30	364	1	386	41	36.4	48	42.7
Balance of parish	904	606	29	268	1	249	29	32.1	22	24.3
White	368	353	13	1	1	79	9	24.5	6	16.3
Nonwhite	536	253	16	267	-	170	20	37.3	16	29.9
East Carroll	577	135	143	301	-	195	20	34.7	10	17.3
White	211	120	77	14	-	39	7	33.2	4	19.0
Nonwhite	366	15	66	287	-	156	13	35.5	6	16.4
East Feliciana	412	193	27	191	1	153	11	26.7	12	29.1
White	110	106	2	2	-	55	2	18.2	1	9.1
Nonwhite	302	87	25	189	1	100	9	29.8	11	36.4
Evangeline	767	519	75	173	-	248	41	53.5	15	19.6
White	502	439	52	11	-	175	14	27.9	8	15.9
Nonwhite	265	80	23	162	-	74	27	101.9	7	26.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS: DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
LOUISIANA—Continued										
Franklin	913	513	80	318	2	229	39	42.7	25	27.4
White	502	429	46	27	-	120	13	25.9	10	19.9
Nonwhite	411	84	34	291	2	109	26	63.3	15	36.5
Grant	357	337	8	12	-	130	9	25.2	12	33.6
White	237	229	6	2	-	92	5	21.1	6	25.5
Nonwhite	120	108	2	10	-	38	4	33.3	6	50.0
Iberia	1,058	774	173	107	4	320	50	47.3	34	32.1
White	654	572	78	4	-	188	23	35.2	18	27.5
Nonwhite	404	202	95	103	4	132	27	66.8	16	39.6
New Iberia	494	440	17	35	2	162	22	44.5	23	46.6
White	359	351	6	2	-	100	10	27.9	14	39.0
Nonwhite	135	89	11	33	2	62	12	88.9	9	66.7
Balance of parish	564	334	156	72	2	158	28	49.6	11	19.5
White	295	221	72	2	-	88	13	44.1	4	13.6
Nonwhite	269	113	84	70	2	70	15	55.8	7	26.0
Iberville	798	486	52	256	2	307	38	47.7	22	27.6
White	357	316	13	28	-	107	14	39.2	5	14.0
Nonwhite	439	170	39	228	2	200	24	54.7	17	38.7
Jackson	427	334	10	83	-	127	20	46.8	13	30.4
White	239	232	6	1	-	72	5	20.9	3	12.6
Nonwhite	188	102	4	82	-	55	15	79.8	10	53.2
Jefferson	2,783	2,630	99	52	2	603	60	21.6	58	20.8
White	2,281	2,180	77	42	2	469	42	18.4	35	15.3
Nonwhite	502	470	22	10	-	134	18	35.9	23	45.8
Cretna	291	274	7	10	-	115	8	27.5	8	27.5
White	206	198	2	6	-	75	3	14.6	3	14.6
Nonwhite	85	78	5	2	-	40	5	58.8	5	58.8
Balance of parish	2,492	2,356	92	42	2	488	52	20.9	50	20.1
White	2,075	1,984	75	34	2	394	39	18.8	32	15.4
Nonwhite	417	392	17	8	-	94	13	31.2	18	43.2
Jefferson Davis	768	528	125	115	-	221	33	43.0	17	22.1
White	560	458	94	28	-	157	19	33.9	11	19.6
Nonwhite	208	90	31	87	-	64	14	67.3	6	28.8
Lafayette	1,709	1,509	80	120	-	453	85	49.7	32	18.7
White	1,022	937	58	27	-	264	28	27.4	9	8.8
Nonwhite	687	572	22	93	-	189	57	83.0	23	33.5
Lafayette	985	895	29	61	-	280	55	55.8	20	20.3
White	618	594	19	5	-	164	18	29.1	5	8.1
Nonwhite	367	301	10	56	-	116	37	100.8	15	40.9
Balance of parish	724	614	51	59	-	173	30	41.4	12	16.6
White	404	343	39	22	-	100	10	24.8	4	9.9
Nonwhite	320	271	12	37	-	73	20	62.5	8	25.0
Lafourche	1,220	855	147	216	2	304	46	37.7	21	17.2
White	1,022	762	134	125	1	233	33	32.3	16	15.7
Nonwhite	198	93	13	91	1	71	13	65.7	5	25.3
La Salle	303	270	22	11	-	68	5	16.5	5	16.5
White	264	245	17	2	-	57	5	18.9	3	11.4
Nonwhite	39	25	5	9	-	11	-	0	2	51.3
Lincoln	705	501	51	152	1	233	24	34.0	15	21.3
White	361	341	19	1	-	135	6	16.6	5	13.9
Nonwhite	344	160	32	151	1	98	18	52.3	10	29.1
Livingston	605	433	121	47	4	138	16	26.4	11	18.2
White	505	379	116	6	4	104	9	17.8	9	17.8
Nonwhite	100	54	5	41	-	34	7	70.0	2	20.0
Madison	522	192	13	317	-	200	25	47.9	15	28.7
White	139	124	5	10	-	41	1	7.2	2	14.4
Nonwhite	383	68	8	307	-	159	24	62.7	13	33.9
Morehouse	1,019	810	169	240	-	282	41	40.2	31	30.4
White	472	445	25	2	-	107	13	27.5	3	6.4
Nonwhite	547	165	144	238	-	175	28	51.2	28	51.2
Natchitoches	1,104	586	103	415	-	331	55	49.8	33	29.9
White	505	430	50	25	-	150	19	37.6	13	25.7
Nonwhite	599	156	53	390	-	181	36	60.1	20	33.4
Orleans, coextensive with New Orleans	14,879	14,526	217	131	5	6,156	428	28.8	330	22.2
White	8,800	8,712	50	37	1	4,038	232	26.4	148	16.8
Nonwhite	6,079	5,814	167	94	4	2,118	196	32.2	182	29.9
Ouachita	2,090	1,875	57	147	1	679	81	38.9	57	27.4
White	1,255	1,224	23	8	-	366	31	24.7	24	19.1
Nonwhite	825	651	34	139	1	313	50	60.6	33	40.0
Monroe	1,031	953	24	54	-	401	37	35.9	31	30.1
White	589	583	5	1	-	205	11	18.7	11	18.7
Nonwhite	442	370	19	53	-	196	26	58.8	20	45.2
Balance of parish	1,049	922	33	93	1	278	44	41.9	26	24.8
White	666	641	18	7	-	161	20	30.0	13	19.5
Nonwhite	383	281	15	86	1	117	24	62.7	13	33.9
Plaquemines	437	342	24	70	1	89	10	22.9	18	41.2
White	241	232	1	8	-	48	6	24.9	5	20.7
Nonwhite	196	110	23	62	1	41	4	20.4	13	66.3
Pointe Coupee	605	310	111	184	-	215	37	61.2	25	41.3
White	237	201	29	7	-	69	5	21.1	5	21.1
Nonwhite	368	109	82	177	-	146	32	87.0	20	54.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
LOUISIANA—Continued										
Rapides	2,451	2,289	41	120	1	766	92	37.5	53	21.6
White	1,506	1,463	18	24	1	428	38	25.2	22	14.6
Nonwhite	945	826	23	96	-	338	54	57.1	31	32.8
Alexandria	1,044	1,003	18	23	-	341	37	35.4	19	18.2
White	566	562	3	1	-	170	15	26.5	5	8.8
Nonwhite	478	441	15	22	-	171	22	46.0	14	29.3
Balance of parish	1,407	1,286	23	97	1	425	55	39.1	34	24.2
White	940	901	15	23	1	258	23	24.5	17	18.1
Nonwhite	467	385	8	74	-	167	32	68.5	17	36.4
Red River	343	207	40	96	-	104	31	90.4	11	32.1
White	148	120	24	4	-	38	9	60.8	4	27.0
Nonwhite	195	87	16	92	-	66	22	112.8	7	35.8
Richland	915	492	263	158	2	257	55	60.1	19	20.8
White	513	354	155	4	-	101	19	37.0	8	15.6
Nonwhite	402	138	108	154	2	156	36	89.6	11	27.4
Sabine	571	406	53	111	1	161	21	36.8	15	26.3
White	406	354	39	12	1	118	11	27.1	9	22.2
Nonwhite	165	52	14	99	-	43	10	60.6	6	36.4
St. Bernard	297	296	-	1	-	67	9	30.3	9	30.3
White	233	232	-	1	-	49	7	30.0	6	25.8
Nonwhite	64	64	-	-	-	18	2	31.3	3	46.9
St. Charles	409	378	14	17	-	104	8	19.6	11	26.9
White	245	237	7	1	-	53	3	12.2	5	20.4
Nonwhite	164	141	7	16	-	51	5	30.5	6	36.6
St. Helena	199	145	14	40	-	62	2	10.1	6	30.2
White	79	66	9	4	-	28	-	0	4	50.6
Nonwhite	120	79	5	36	-	34	2	16.7	2	16.7
St. James	509	229	125	155	-	170	24	47.2	13	25.5
White	220	141	75	4	-	67	8	36.4	3	13.6
Nonwhite	289	88	50	151	-	103	16	55.4	10	34.6
St. John the Baptist	486	326	100	62	-	141	28	57.4	11	22.5
White	211	130	78	3	-	57	12	56.9	4	19.0
Nonwhite	277	196	22	59	-	84	16	57.8	7	25.3
St. Landry	2,474	1,833	179	460	2	666	149	60.2	66	26.7
White	1,200	1,015	123	62	-	291	40	33.3	24	20.0
Nonwhite	1,274	818	56	398	2	375	109	85.6	42	33.0
St. Martin	848	672	50	126	-	207	38	44.8	20	23.6
White	449	412	19	18	-	107	9	20.0	4	8.9
Nonwhite	399	260	31	108	-	100	29	72.7	16	40.1
St. Mary	1,116	588	264	263	1	336	53	47.5	33	29.6
White	674	500	109	65	-	167	19	28.2	13	19.3
Nonwhite	442	88	155	198	1	169	34	76.9	20	45.2
St. Tammany	669	522	51	95	1	256	22	32.9	16	23.9
White	393	345	35	13	-	168	7	17.8	7	17.8
Nonwhite	276	177	16	82	1	88	15	54.3	9	32.6
Tangipahoa	1,563	1,346	69	126	2	450	52	33.3	28	17.9
White	896	805	77	14	-	274	21	23.4	14	15.6
Nonwhite	667	541	12	112	2	176	31	46.5	14	21.0
Tensas	397	156	9	231	1	126	9	22.7	13	32.7
White	138	129	5	3	1	24	-	0	2	14.5
Nonwhite	259	27	4	228	-	102	9	34.7	11	42.5
Terrebonne	1,507	1,324	70	110	3	325	60	39.8	26	17.3
White	1,117	1,027	47	43	-	210	32	28.6	19	17.0
Nonwhite	390	297	23	67	3	115	28	71.8	7	17.9
Union	419	239	63	114	3	168	11	26.3	10	23.9
White	231	180	48	2	1	105	7	30.3	3	13.0
Nonwhite	188	59	15	112	2	63	4	21.3	7	37.2
Vermilion	963	853	59	50	1	256	31	32.2	16	16.6
White	815	744	46	24	1	222	25	30.7	13	16.0
Nonwhite	148	109	13	26	-	36	6	40.5	3	20.3
Vernon	431	342	29	60	-	151	6	13.9	13	30.2
White	365	326	26	13	-	125	6	16.4	12	32.9
Nonwhite	66	16	3	47	-	26	-	0	1	15.2
Washington	1,237	933	106	198	-	323	49	39.6	25	20.2
White	738	674	57	7	-	191	19	25.7	9	12.2
Nonwhite	499	259	49	191	-	132	30	60.1	16	32.1
Bogalusa	589	489	23	77	-	176	29	49.2	13	22.1
White	361	346	13	2	-	103	12	33.2	5	13.9
Nonwhite	228	143	10	75	-	73	17	74.6	8	35.1
Balance of parish	648	444	83	121	-	147	20	30.9	12	18.5
White	377	328	44	5	-	68	7	18.6	4	10.6
Nonwhite	271	116	39	116	-	59	13	48.0	8	29.5
Webster	1,014	844	49	121	-	277	35	34.5	12	11.8
White	606	583	21	2	-	153	18	29.7	2	3.3
Nonwhite	408	261	28	119	-	124	17	41.7	10	24.5
West Baton Rouge	305	183	27	94	1	103	15	49.2	8	26.2
White	130	124	5	1	-	31	2	15.4	3	23.1
Nonwhite	175	59	22	93	1	72	13	74.3	5	28.6
West Carroll	530	303	129	98	-	125	17	32.1	15	28.3
White	409	288	103	17	-	92	11	26.9	4	9.8
Nonwhite	121	14	26	81	-	33	6	49.6	11	90.9
West Feliciana	250	85	19	139	7	80	14	56.0	8	32.0
White	36	28	3	-	5	22	1	27.8	-	0
Nonwhite	214	57	16	139	2	58	13	60.7	8	37.4
Winn	397	330	8	58	1	114	12	30.2	10	25.2
White	262	258	2	2	-	71	5	19.1	5	19.1
Nonwhite	135	72	6	56	1	43	7	51.9	5	37.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MAINE	21,939	20,004	1,919	6	10	10,099	713	32.5	375	17.1
White	21,904	19,973	1,915	6	10	10,057	709	32.4	373	17.0
Nonwhite	35	31	4	-	-	42	4	114.3	2	57.1
Androscoggin	2,018	1,932	86	-	-	946	72	35.7	37	18.3
Lewiston	1,030	1,004	26	-	-	430	34	33.0	14	13.6
Auburn	394	386	8	-	-	191	10	25.4	9	22.8
Balance of county	594	542	52	-	-	325	28	47.1	14	23.6
Aroostook	2,841	2,063	775	2	1	830	140	49.3	45	15.8
Cumberland	3,740	3,660	77	-	3	1,851	91	24.3	65	17.4
Portland	1,690	1,679	9	-	2	937	35	20.7	32	18.9
South Portland	502	497	4	-	1	189	14	27.9	6	12.0
Westbrook	259	250	9	-	-	104	3	11.6	1	3.9
Balance of county	1,289	1,234	55	-	-	621	39	30.3	26	20.2
Franklin	497	446	50	-	1	237	17	34.2	15	30.2
Hancock	691	637	52	1	1	423	20	28.9	8	11.6
Kennebec	1,921	1,846	74	-	1	879	52	27.1	42	21.9
Augusta	340	338	1	-	1	174	9	26.5	14	41.2
Waterville	414	400	14	-	-	180	12	29.0	6	14.5
Balance of county	1,167	1,108	59	-	-	525	31	28.6	22	18.9
Knox	585	535	50	-	-	398	20	34.2	6	10.3
Lincoln	345	317	28	-	-	277	18	52.2	8	23.2
Oxford	1,137	1,086	49	-	2	463	39	34.3	12	10.8
Penobscot	2,861	2,636	223	-	-	1,185	92	32.2	40	14.0
Bangor	804	790	14	-	-	410	21	26.1	11	13.7
Balance of county	2,057	1,848	209	-	-	773	71	34.5	29	14.1
Piscataquis	439	410	29	-	-	218	11	25.1	7	15.9
Sagadahoc	424	395	29	-	-	271	9	21.2	11	25.9
Bath	201	190	11	-	-	144	6	29.9	4	19.9
Balance of county	223	205	18	-	-	127	3	13.5	7	31.4
Somerset	917	851	62	3	1	410	25	27.3	18	19.6
Waldo	519	398	121	-	-	291	16	30.8	10	19.3
Washington	670	503	167	-	-	404	24	35.8	12	17.9
York	2,334	2,287	47	-	-	1,020	67	28.7	39	16.7
Biddeford	541	533	8	-	-	181	9	16.6	9	16.6
Balance of county	1,793	1,754	39	-	-	839	58	32.3	30	16.7
MARYLAND	53,597	45,862	5,693	1,971	71	22,110	1,636	30.5	1,202	22.4
White	41,849	38,325	3,140	342	42	17,453	1,107	26.5	813	19.4
Nonwhite	11,748	7,537	2,553	1,629	29	4,657	529	45.0	389	33.1
Allegany	2,013	1,881	127	4	1	907	57	28.3	34	16.9
Cumberland	792	770	22	-	-	441	21	26.5	15	18.9
Balance of county	1,221	1,111	105	4	1	466	36	29.5	19	15.6
Anne Arundel	2,410	1,918	286	199	7	801	78	32.4	56	23.2
White	1,812	1,621	144	43	4	572	47	25.9	42	23.2
Nonwhite	598	297	142	156	3	229	31	51.8	14	23.4
Annapolis	398	331	26	40	1	150	10	25.1	10	25.1
White	244	232	3	9	-	79	4	16.4	6	24.6
Nonwhite	154	99	23	31	1	71	6	39.0	4	26.0
Balance of county	2,012	1,587	260	159	6	651	68	33.8	46	22.9
White	1,568	1,388	141	34	4	483	43	27.4	36	23.0
Nonwhite	444	198	119	125	2	158	25	56.3	10	22.5
Baltimore	6,131	5,398	725	5	3	1,879	153	25.0	95	15.5
District 12[3]	487	293	172	2	-	188	30	64.2	16	34.3
District 13[3]	112	99	13	-	-	125	5	44.6	1	8.9
Balance of county	5,552	5,006	540	3	3	1,566	118	21.3	78	14.0
White	5,149	4,694	452	1	2	1,446	101	19.6	70	13.6
Nonwhite	403	312	88	2	1	120	17	42.2	8	19.9
Baltimore (city)	21,831	19,099	2,243	484	5	10,852	685	31.3	499	22.9
White	14,840	14,042	697	99	2	8,045	396	26.7	292	19.7
Nonwhite	6,991	5,057	1,546	385	3	2,807	287	41.1	207	29.6
Calvert	361	229	56	72	4	127	21	58.2	14	38.8
White	165	136	28	-	1	61	6	36.4	5	30.3
Nonwhite	196	93	28	72	3	66	15	76.5	9	45.9
Caroline	383	242	81	59	1	194	21	54.8	5	13.1
White	287	226	45	15	1	160	15	52.3	2	7.0
Nonwhite	96	16	36	44	-	34	6	62.5	3	31.3
Carroll	842	631	204	2	5	427	23	27.3	19	22.6
Cecil	773	670	102	-	1	326	25	32.3	15	19.4
Charles	719	407	32	275	5	195	19	26.4	26	36.2
White	388	335	22	30	1	105	5	12.9	6	15.5
Nonwhite	331	72	10	245	4	90	14	42.3	20	60.4
Dorchester	554	368	49	135	2	315	38	68.6	15	27.1
White	323	298	21	4	-	191	13	40.2	8	24.8
Nonwhite	231	70	28	131	2	124	25	108.2	7	30.3
Cambridge	255	176	12	66	1	130	18	70.6	6	23.5
White	146	138	7	1	-	71	2	13.7	3	20.5
Nonwhite	109	38	5	65	1	59	16	146.8	3	27.5
Balance of county	299	192	37	69	1	185	20	66.9	9	30.1
White	177	160	14	3	-	120	11	62.1	5	28.2
Nonwhite	122	32	23	66	1	65	9	73.8	4	32.8
Frederick	1,362	1,146	210	3	3	678	48	35.2	36	26.4
Frederick	469	452	17	-	-	224	11	23.5	15	32.0
White	410	394	16	-	-	192	8	19.5	12	29.3
Nonwhite	59	58	1	-	-	32	3	50.8	3	50.8
Balance of county	893	694	193	3	3	454	37	41.4	21	23.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MARYLAND—Continued										
Garrett	541	253	198	84	6	173	16	29.6	13	24.0
Harford	1,391	1,228	160	-	3	422	50	35.9	31	22.3
White	1,222	1,108	112	-	2	354	39	31.9	23	18.8
Nonwhite	169	120	48	-	1	68	11	65.1	8	47.3
Howard	514	392	118	4	-	198	15	29.2	13	25.3
White	426	351	75	-	-	158	14	32.9	9	21.1
Nonwhite	88	41	43	4	-	35	1	11.4	4	45.5
Kent	322	229	62	29	2	172	8	24.8	8	24.8
White	234	200	32	-	2	128	4	17.1	4	17.1
Nonwhite	88	29	30	29	-	46	4	45.5	4	45.5
Montgomery	3,992	3,849	128	13	2	1,060	88	22.0	73	18.3
White	3,658	3,589	67	1	1	946	78	21.3	63	17.2
Nonwhite	334	260	61	12	1	114	10	29.9	10	29.9
Prince Georges	4,427	4,225	94	104	4	990	99	22.4	88	19.9
White	3,831	3,773	44	11	3	809	83	21.7	70	18.3
Nonwhite	596	452	50	93	1	181	16	26.8	18	30.2
Queen Annes	310	160	101	47	2	147	10	32.3	10	32.3
White	195	136	55	4	-	108	7	35.9	8	41.0
Nonwhite	115	24	46	43	2	39	3	26.1	2	17.4
St. Marys	664	439	77	147	1	198	26	39.2	26	39.2
White	463	410	29	24	-	128	21	45.4	14	30.2
Nonwhite	201	29	48	123	1	70	5	24.9	12	59.7
Somerset	426	256	57	109	4	303	27	63.4	23	54.0
White	226	202	20	3	1	178	9	39.8	10	44.2
Nonwhite	200	54	37	106	3	125	18	90.0	13	65.0
Talbot	418	323	65	30	-	257	19	45.5	24	57.4
White	278	265	11	2	-	171	9	32.4	10	36.0
Nonwhite	140	58	54	28	-	86	10	71.4	14	100.0
Washington	1,782	1,464	308	2	8	785	60	33.7	44	24.7
Hagerstown	864	786	74	-	4	422	37	42.8	18	20.8
Balance of county	918	678	234	2	4	363	23	25.1	26	28.3
Wicomico	869	789	67	13	-	458	29	33.4	23	26.5
White	641	591	48	2	-	345	23	35.9	13	20.3
Nonwhite	228	178	39	11	-	111	6	26.3	10	43.9
Salisbury	481	457	22	2	-	186	16	33.3	10	20.8
White	385	376	9	-	-	149	14	36.4	5	13.0
Nonwhite	96	81	13	2	-	37	2	20.8	5	52.1
Balance of county	388	332	85	11	-	270	13	33.5	13	33.5
White	256	215	39	2	-	196	9	35.2	8	31.3
Nonwhite	132	97	26	9	-	74	4	30.3	5	37.9
Worcester	562	286	123	151	2	253	23	40.9	12	21.4
White	330	238	80	11	1	164	7	21.2	4	12.1
Nonwhite	232	48	43	140	1	89	16	69.0	8	34.5
MASSACHUSETTS	95,615	94,460	1,139	1	15	50,767	2,347	24.5	[6]1,646	[7]17.2
White	93,565	92,473	1,077	-	15	49,884	2,269	24.3	1,589	17.0
Nonwhite	2,050	1,987	62	1	-	883	78	38.0	57	27.8
Barnstable	989	942	47	-	-	603	39	39.4	15	15.2
Berkshire	2,833	2,799	33	-	1	1,470	73	25.8	47	16.6
Pittsfield	1,261	1,250	10	-	1	598	34	27.0	20	15.9
Adams (town)	243	242	1	-	-	121	6	24.7	3	12.3
North Adams	442	436	6	-	-	266	10	22.6	9	20.4
Balance of county	887	871	16	-	-	485	23	25.9	15	16.9
Bristol	7,608	7,321	283	-	4	4,288	189	24.8	122	16.0
Fall River	2,321	2,147	172	-	2	1,360	62	26.7	33	14.2
New Bedford	2,146	2,056	79	-	1	1,325	47	21.9	45	21.0
Taunton	800	784	15	-	1	456	30	37.5	8	10.0
Attleboro	541	537	4	-	-	285	11	20.3	9	16.6
Fairhaven (town)	201	201	-	-	-	133	8	39.8	5	24.9
North Attleborough (town)	208	206	2	-	-	126	5	24.0	-	0
Balance of county	1,391	1,360	11	-	-	653	26	18.7	22	15.8
Dukes	78	78	-	-	-	77	-	0	-	0
Essex	10,705	10,560	138	1	6	5,897	218	20.4	184	17.2
Beverly	661	660	1	-	-	286	14	21.2	10	15.1
Haverhill	919	894	24	-	1	600	23	25.0	14	15.2
Lawrence	1,718	1,703	13	-	-	1,017	53	30.9	32	18.6
Lynn	2,078	2,028	47	1	2	1,196	27	13.0	27	13.0
Salem	903	886	17	-	-	521	14	15.5	23	25.5
Amesbury (town)	274	273	1	-	-	114	4	14.6	5	18.2
Andover (town)	227	227	-	-	-	124	7	30.8	6	26.4
Danvers (town)	261	261	-	-	-	132	3	11.5	9	34.5
Gloucester	562	558	4	-	-	300	6	10.7	8	14.2
Marblehead (town)	268	265	3	-	-	124	2	7.5	4	14.9
Methuen (town)	491	488	3	-	-	232	11	22.4	8	16.3
Newburyport	307	304	3	-	-	165	12	39.1	6	19.5
Peabody	473	470	3	-	-	219	11	23.3	6	12.7
Saugus (town)	303	303	-	-	-	144	5	16.5	2	6.6
Swampscott (town)	174	174	-	-	-	117	3	17.2	4	23.0
Balance of county	1,088	1,056	19	-	3	596	23	21.1	20	18.4
Franklin	1,230	1,194	36	-	-	640	37	30.1	21	17.1
Greenfield (town)	422	422	-	-	-	204	9	21.3	6	14.2
Balance of county	808	772	36	-	-	436	28	34.7	15	18.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MASSACHUSETTS—Continued										
Hampden	8 029	7,987	42	-	-	3,773	215	26.8	146	18.2
Springfield	4,040	4,028	12	-	-	1,826	105	26.0	65	16.1
Chicopee	1,063	1,059	4	-	-	396	21	19.8	24	22.6
Holyoke	1,162	1,162	-	-	-	678	31	26.7	27	23.2
Westfield	455	454	1	-	-	208	15	33.0	4	8.8
West Springfield (town)	48	47	1	-	-	179	6	125.0	2	41.7
Balance of county	1,261	1,237	24	-	-	486	37	29.3	24	19.0
Hampshire	1,627	1,614	13	-	-	812	46	28.3	29	17.8
Easthampton (town)	195	188	7	-	-	89	7	35.9	4	20.5
Northampton	479	475	4	-	-	285	14	29.2	11	23.0
Balance of county	953	951	2	-	-	438	25	26.2	14	14.7
Middlesex	22,548	22,444	103	-	1	10,789	543	24.1	[8]357	[7]15.8
Cambridge	2,747	2,731	15	-	1	1,311	68	24.8	62	22.6
Lowell	2,237	2,222	15	-	-	1,273	61	27.3	[9]1	([6])
Somerville	2,209	2,204	5	-	-	1,094	54	24.4	50	22.6
Arlington (town)	737	736	1	-	-	419	17	23.1	13	17.6
Belmont (town)	396	393	3	-	-	261	10	25.3	11	27.8
Everett	1,033	1,023	10	-	-	402	25	24.2	14	13.6
Malden	1,220	1,220	-	-	-	648	33	27.0	24	19.7
Medford	1,347	1,347	-	-	-	593	37	27.5	24	17.8
Melrose	522	521	1	-	-	301	10	19.2	12	23.0
Newton	1,494	1,489	5	-	-	792	35	23.4	19	12.7
Waltham	1,104	1,103	1	-	-	436	23	20.8	15	13.6
Watertown (town)	742	737	5	-	-	320	11	14.8	7	9.4
Framingham (town)	657	653	4	-	-	291	10	15.2	9	13.7
Lexington (town)	297	295	2	-	-	133	9	30.3	2	6.7
Marlborough	334	332	2	-	-	198	11	32.9	7	21.0
Natick (town)	478	477	1	-	-	180	14	29.3	8	12.6
Reading (town)	313	313	-	-	-	156	4	12.8	2	6.4
Stoneham (town)	279	279	-	-	-	119	7	25.1	6	21.5
Wakefield (town)	383	383	-	-	-	152	7	18.3	15	39.2
Winchester (town)	247	247	-	-	-	167	7	28.3	2	8.1
Woburn	530	528	2	-	-	215	12	22.6	12	22.6
Balance of county	3,242	3,211	31	-	-	1,328	78	24.1	44	13.6
Nantucket	76	76	-	-	-	53	2	26.3	-	0
Norfolk	7,310	7,268	41	-	1	3,899	146	20.0	138	18.9
Brookline (town)	666	662	4	-	-	721	20	22.6	12	13.5
Quincy	1,744	1,742	2	-	-	834	37	21.2	45	25.8
Braintree (town)	456	456	-	-	-	180	11	24.1	3	6.6
Dedham (town)	355	355	-	-	-	179	4	11.3	9	25.4
Milton (town)	280	280	-	-	-	238	3	10.7	2	7.1
Needham (town)	287	286	1	-	-	138	1	3.5	4	13.9
Norwood (town)	337	335	2	-	-	165	5	14.8	7	20.8
Wellesley (town)	297	297	-	-	-	146	9	30.3	5	16.8
Weymouth (town)	721	718	3	-	-	277	15	20.8	14	19.4
Balance of county	1,947	1,917	29	-	1	1,021	41	21.1	37	19.0
Plymouth	3,787	3,694	92	-	1	2,124	71	18.7	79	20.9
Brockton	1,218	1,197	21	-	-	781	26	21.3	23	18.9
Plymouth (town)	290	283	7	-	-	158	7	24.1	9	31.0
Balance of county	2,279	2,214	64	-	1	1,185	38	16.7	47	20.6
Suffolk	17,606	17,426	179	-	1	10,608	470	26.7	331	18.8
Boston	15,707	15,560	146	-	1	9,621	420	26.7	308	19.6
White	14,559	14,429	129	-	1	9,113	374	25.7	274	18.8
Nonwhite	1,148	1,131	17	-	-	508	46	40.1	34	29.6
Chelsea	780	753	27	-	-	432	19	24.4	18	15.4
Revere	738	732	6	-	-	365	24	32.5	8	10.8
Winthrop (town)	381	381	-	-	-	190	7	18.4	3	7.9
Worcester	11,189	11,057	132	-	-	5,734	298	26.6	177	15.8
Worcester	4,142	4,117	25	-	-	2,244	92	22.2	68	16.4
Fitchburg	940	934	6	-	-	469	23	24.5	16	17.0
Athol (town)	285	247	18	-	-	140	13	49.1	7	28.4
Clinton (town)	286	286	-	-	-	170	9	33.8	4	15.0
Gardner	394	385	9	-	-	185	16	40.6	3	7.6
Leominster	537	530	7	-	-	254	16	29.8	9	16.8
Milford (town)	336	334	2	-	-	170	16	47.6	4	11.9
Northbridge (town)	195	195	-	-	-	107	5	25.6	4	20.5
Southbridge (town)	380	378	2	-	-	160	8	21.1	6	15.8
Webster (town)	288	284	4	-	-	127	6	20.8	2	6.9
Balance of county	3,446	3,387	59	-	-	1,708	94	27.3	54	15.7
MICHIGAN	157,178	151,223	5,693	120	142	57,422	4,545	28.9	2,957	18.8
White	144,052	139,553	4,314	67	118	53,365	4,008	27.8	2,582	17.9
Nonwhite	13,126	11,670	1,379	53	24	4,057	537	40.9	375	28.6
Alcona	115	67	48	-	-	62	3	26.1	1	8.7
Alger	237	285	10	-	2	109	10	33.7	8	26.9
Allegan	1,202	1,138	63	1	-	494	32	26.6	18	15.0
Alpena	585	577	8	-	-	208	11	18.8	6	10.3
Alpena	354	351	3	-	-	136	6	16.9	4	11.3
Balance of county	231	226	5	-	-	72	5	21.6	2	8.7
Antrim	237	162	74	-	1	149	12	50.6	3	12.7
Arenac	219	195	20	1	3	113	12	54.8	2	9.1
Baraga	184	143	35	1	5	99	7	38.0	1	5.4
Barry	609	601	7	-	1	313	18	29.6	6	9.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MICHIGAN—Continued										
Bay	2,297	2,148	149	-	-	877	55	23.9	43	18.7
Bay City	1,387	1,344	43	-	-	602	40	28.8	28	20.2
Balance of county	910	804	106	-	-	275	15	16.5	15	16.5
Benzie	198	184	13	-	1	97	5	25.3	2	10.1
Berrien	2,998	2,794	175	26	3	1,078	80	26.7	59	19.7
Benton Harbor	779	757	18	4	-	244	18	23.1	18	23.1
Niles	367	367	-	-	-	121	6	16.3	11	30.0
Balance of county	1,852	1,670	157	22	3	713	56	30.2	30	16.2
Branch	662	650	11	-	1	361	11	16.6	12	18.1
Calhoun	2,981	2,948	32	-	1	1,130	91	27.2	52	17.4
Battle Creek	1,421	1,407	13	-	1	544	49	34.5	29	20.4
Balance of county	1,560	1,541	19	-	-	586	32	20.5	23	14.7
Cass	599	570	28	-	1	343	22	36.7	10	16.7
Charlevoix	327	284	43	-	-	170	14	42.8	5	15.3
Cheboygan	409	285	123	-	1	184	10	24.4	6	14.7
Chippewa	797	762	16	12	7	271	28	35.1	21	26.3
Sault Ste. Marie	509	504	4	-	-	184	21	41.3	14	27.6
Balance of county	289	258	12	12	7	87	7	24.2	7	24.2
Clare	256	201	34	-	1	108	5	21.2	8	33.9
Clinton	818	795	22	-	1	323	26	31.8	13	15.9
Crawford	99	99	-	-	-	54	9	90.9	5	50.5
Delta	894	841	30	3	20	368	28	31.3	18	20.1
Escanaba	433	417	10	-	6	178	19	43.9	9	20.8
Balance of county	461	424	20	3	14	190	9	19.5	9	19.5
Dickinson	562	544	16	1	1	269	11	19.6	13	23.1
Iron Mountain	232	224	8	-	-	116	7	30.2	4	17.2
Balance of county	330	320	8	1	1	153	4	12.1	9	27.3
Eaton	993	965	28	-	-	432	30	30.2	12	12.1
Emmet	454	444	7	2	1	219	16	35.2	8	17.6
Genesee	7,014	6,849	159	3	3	2,174	204	29.1	138	19.7
Flint	4,280	4,204	73	2	1	1,416	124	29.0	86	20.1
Balance of county	2,734	2,645	86	1	2	758	80	29.3	52	19.0
Gladwin	256	207	45	1	2	84	7	27.3	4	15.6
Gogebic	530	513	16	-	1	304	24	45.3	8	15.1
Ironwood	226	222	4	-	-	129	6	26.5	3	13.3
Balance of county	304	291	12	-	1	175	18	59.2	5	16.4
Grand Traverse	656	632	24	-	-	255	24	36.6	10	15.2
Traverse City	331	329	2	-	-	153	15	45.3	5	15.1
Balance of county	325	303	22	-	-	102	9	27.7	5	15.4
Gratiot	878	835	37	2	4	383	40	45.6	17	19.4
Hillsdale	679	667	12	-	-	406	20	29.5	20	29.5
Houghton	794	769	23	1	1	651	38	47.9	13	16.4
Huron	855	818	37	-	-	366	31	36.3	15	17.5
Ingham	4,478	4,437	40	1	-	1,356	94	21.0	51	11.4
Lansing	2,143	2,134	9	-	-	809	53	24.7	30	14.0
Balance of county	2,335	2,303	31	1	-	547	41	17.6	21	9.0
Ionia	930	893	34	-	3	392	25	26.9	27	29.0
Iosco	241	183	51	6	1	111	8	33.2	3	12.4
Iron	369	354	15	-	-	235	16	43.4	4	10.8
Isabella	757	713	39	2	3	318	28	37.0	14	18.5
Jackson	2,545	2,529	16	-	-	1,134	82	32.2	48	18.9
Jackson	1,272	1,268	4	-	-	660	44	34.6	33	25.9
Balance of county	1,273	1,261	12	-	-	474	38	29.9	15	11.8
Kalamazoo	3,202	3,179	21	1	1	1,162	79	24.7	50	15.6
Kalamazoo	1,462	1,453	7	1	1	680	44	30.1	29	19.8
Balance of county	1,740	1,726	14	-	-	492	35	20.1	21	12.1
Kalkaska	100	67	32	-	1	52	3	30.0	4	40.0
Kent	7,422	7,175	238	-	9	2,755	163	22.0	122	16.4
Grand Rapids	4,903	4,815	87	-	1	1,956	108	22.0	87	17.7
Balance of county	2,519	2,360	151	-	8	797	55	21.8	35	13.9
Keweenaw	50	50	-	-	-	44	3	60.0	3	60.0
Lake	112	106	6	-	-	75	1	8.9	-	0
White	89	86	3	-	-	55	1	11.2	-	0
Nonwhite	23	20	3	-	-	20	-	0	-	0
Lapeer	694	588	103	3	-	361	31	44.7	19	27.4
Leelanau	243	236	4	1	2	92	5	20.6	5	20.6
Lenawee	1,757	1,675	82	-	-	670	54	30.7	24	13.7
Adrian	554	520	34	-	-	170	13	23.5	7	12.6
Balance of county	1,203	1,155	48	-	-	500	41	34.1	17	14.1
Livingston	569	569	20	-	-	288	14	23.8	12	20.4
Luce	181	177	3	-	1	65	5	27.6	4	22.1
Mackinac	225	155	71	1	-	94	9	40.0	8	26.7
Macomb	5,015	4,820	192	1	2	1,252	122	24.3	101	20.1
Mount Clemens	673	638	35	-	-	196	24	35.7	20	29.7
St. Clair Shores	564	553	11	-	-	86	2	3.5	9	16.0
Balance of county	3,778	3,629	146	1	2	970	96	25.4	72	19.1
Manistee	407	382	25	-	-	246	12	29.5	7	17.2
Marquette	1,089	1,072	13	1	3	566	24	22.0	23	21.1
Marquette	403	401	2	-	-	189	12	29.8	10	24.8
Balance of county	686	671	11	1	3	377	12	17.5	13	19.0
Mason	479	466	11	2	-	261	15	31.3	1	2.1
Mecosta	451	401	50	-	-	222	15	33.3	15	33.3
Menominee	604	591	4	-	9	250	12	19.9	6	9.9
Menominee	284	263	-	-	1	122	5	18.9	3	11.4
Balance of county	340	328	4	-	8	128	7	20.6	3	8.8

See footnotes on p. 93.

981192 O - 52 - 4

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MICHIGAN—Continued										
Midland	1,026	981	39	3	3	252	20	19.5	17	16.6
Midland	437	431	6	-	-	98	7	16.0	10	22.9
Balance of county	589	550	33	3	3	154	13	22.1	7	11.9
Missaukee	171	132	39	-	-	68	8	46.8	4	23.4
Monroe	1,898	1,826	71	1	-	656	78	41.1	32	16.9
Monroe	812	793	18	1	-	233	33	40.6	18	22.2
Balance of county	1,086	1,033	53	-	-	423	45	41.4	14	12.9
Montcalm	776	735	39	-	2	351	24	30.9	11	14.2
Montmorency	91	75	16	-	-	27	3	33.0	2	22.0
Muskegon	3,512	3,463	48	1	-	1,048	127	36.2	78	22.2
Muskegon	1,648	1,640	8	-	-	506	56	34.0	49	29.7
Muskegon Heights	588	584	4	-	-	155	20	34.0	12	20.4
Balance of county	1,276	1,239	36	1	-	387	51	40.0	17	13.3
Newaygo	545	474	70	-	1	219	20	36.7	5	9.2
Oakland	10,195	9,886	304	1	4	2,604	246	24.1	191	18.7
Pontiac	1,963	1,932	30	-	1	577	49	25.0	51	26.0
Royal Oak	1,376	1,365	11	-	-	256	19	13.8	22	16.0
Birmingham	474	473	1	-	-	135	10	21.1	6	12.7
Ferndale	693	686	6	-	1	224	20	22.4	22	24.6
Balance of county	5,489	5,230	256	1	2	1,410	148	27.0	90	16.4
Oceana	372	360	11	-	1	194	19	51.1	10	26.9
Ogemaw	224	211	11	1	1	93	3	13.4	1	4.5
Ontonagon	227	191	33	2	1	148	5	22.0	7	30.8
Osceola	331	289	41	-	1	157	16	48.3	5	15.1
Oscoda	69	62	7	-	-	28	1	14.5	-	0
Otsego	144	126	17	-	1	48	-	0	3	20.8
Ottawa	2,079	1,996	83	-	-	631	58	27.9	31	14.9
Holland	420	419	1	-	-	175	14	33.3	9	21.4
Balance of county	1,659	1,577	82	-	-	456	44	26.5	22	13.3
Presque Isle	368	311	56	-	1	120	13	35.3	4	10.9
Roscommon	139	131	8	-	-	52	7	50.4	-	0
Saginaw	4,048	3,946	99	1	4	1,344	99	24.5	74	18.3
Saginaw	2,392	2,367	24	1	-	875	62	25.9	43	18.0
Balance of county	1,654	1,579	71	-	4	469	37	22.4	31	18.7
St. Clair	2,224	2,074	149	-	1	1,025	118	53.1	48	21.6
Port Huron	933	885	47	-	1	423	49	52.5	21	22.5
Balance of county	1,291	1,189	102	-	-	602	69	53.4	27	20.9
St. Joseph	775	751	24	-	-	430	19	24.5	7	9.0
Sanilac	756	663	92	-	1	368	20	26.5	19	25.1
Schoolcraft	243	233	8	2	-	118	10	41.2	5	20.6
Shiawassee	1,172	1,132	40	-	-	479	29	24.7	18	15.4
Owosso	452	428	24	-	-	171	12	26.5	4	8.8
Balance of county	720	704	16	-	-	308	17	23.6	14	19.4
Tuscola	816	745	70	1	-	396	21	25.7	10	12.3
Van Buren	900	871	27	-	2	513	31	34.4	6	6.7
Washtenaw	3,396	3,342	52	-	2	947	105	30.9	57	16.8
Ann Arbor	1,037	1,030	7	-	-	330	22	21.2	21	20.3
Ypsilanti	722	717	5	-	-	176	26	36.0	11	15.2
White	624	623	1	-	-	131	19	30.4	8	12.8
Nonwhite	98	94	4	-	-	45	7	71.4	3	30.6
Balance of county	1,637	1,595	40	-	2	441	57	34.8	25	15.3
Wayne	57,836	55,997	1,786	34	19	20,435	1,686	29.2	1,199	20.7
Detroit	44,063	42,641	1,398	13	11	16,635	1,273	28.9	925	21.0
White	35,165	34,618	541	4	2	13,851	943	26.8	657	18.7
Nonwhite	8,878	8,023	857	9	9	2,784	330	37.2	268	30.2
Dearborn	2,620	2,606	14	-	-	599	80	30.5	45	17.2
Hamtramck	1,023	979	43	-	1	399	39	38.1	21	20.5
Highland Park	914	892	22	-	-	475	25	27.4	20	21.9
Wyandotte	1,339	1,330	9	-	1	286	24	17.9	27	20.2
Ecorse	542	469	73	-	-	142	25	46.1	13	24.0
White	327	320	7	-	-	93	9	27.5	9	27.5
Nonwhite	215	149	66	-	-	49	16	74.4	4	18.6
Grosse Pointe Park	108	106	2	-	-	92	3	27.8	1	9.3
Lincoln Park	718	713	5	-	-	115	12	16.7	13	18.1
River Rouge	583	525	58	-	-	158	25	42.9	10	17.2
White	398	387	11	-	-	105	14	35.2	3	7.5
Nonwhite	185	138	47	-	-	53	11	59.5	7	37.8
Balance of county	5,928	5,736	163	21	6	1,534	180	30.4	124	20.9
Wexford	473	432	41	-	-	218	15	31.7	7	14.8
MINNESOTA	73,929	72,058	1,693	112	66	27,719	1,893	25.6	1,197	16.2
White	73,119	71,304	1,663	104	48	27,385	1,837	25.1	1,173	16.0
Nonwhite	810	754	30	8	18	334	56	69.1	24	29.6
Aitkin	303	293	10	-	-	159	5	16.5	7	23.1
Anoka	879	846	19	12	2	223	19	21.6	11	12.5
Becker	639	617	10	3	9	227	19	29.7	15	23.5
Beltrami	687	620	33	24	10	243	18	26.2	19	27.7
Benton	421	410	6	4	1	125	7	16.6	5	11.9
St. Cloud (part)	55	53	2	-	-	21	-	(*)	2	(*)
Balance of county	366	357	4	4	1	104	7	19.1	3	8.2
Big Stone	250	235	15	-	-	71	2	8.0	3	12.0
Blue Earth	1,039	1,034	5	-	-	403	26	25.0	12	11.5
Mankato	529	528	1	-	-	206	17	32.1	6	11.3
Balance of county	510	506	4	-	-	197	9	17.6	6	11.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MINNESOTA—Continued										
Brown	645	632	13	-	-	238	26	40.3	8	12.4
Carlton	605	597	6	-	2	249	18	29.8	11	18.2
Carver	459	450	9	-	-	157	6	13.1	8	17.4
Cass	496	431	51	7	7	181	19	38.3	9	18.1
Chippewa	440	435	5	-	-	148	7	15.9	8	18.2
Chisago	259	254	4	-	-	145	6	23.3	2	7.8
Clay	869	844	13	-	2	232	25	29.1	17	19.8
Clearwater	253	248	4	-	1	90	12	47.4	4	15.8
Cook	84	78	5	-	1	30	3	35.7	3	35.7
White	79	74	5	-	-	24	2	25.3	3	38.0
Nonwhite	5	4	-	-	1	6	1	200.0	-	0
Cottonwood	358	353	5	-	-	132	7	19.6	8	22.3
Crow Wing	771	752	15	2	2	300	29	37.6	17	22.0
Brainerd	332	332	-	-	-	118	11	33.1	7	21.1
Balance of county	439	420	15	2	2	182	18	41.0	10	22.8
Dakota	1,298	1,278	16	3	1	358	24	18.5	18	13.9
South St. Paul	451	444	4	3	-	100	9	20.0	6	13.3
Balance of county	847	834	12	-	1	259	15	17.7	12	14.2
Dodge	279	254	25	-	-	118	9	32.3	7	25.1
Douglas	526	512	12	-	2	229	11	20.9	10	19.0
Faribault	552	524	28	-	-	186	7	12.7	8	14.5
Fillmore	518	495	23	-	-	252	9	17.4	11	21.2
Freeborn	830	793	37	-	-	312	19	22.9	4	4.8
Albert Lea	405	398	7	-	-	141	10	24.7	2	4.9
Balance of county	425	395	30	-	-	171	9	21.2	2	4.7
Goodhue	714	686	28	-	-	358	21	29.4	13	18.2
Grant	203	194	9	-	-	107	3	14.8	4	19.7
Hennepin	16,592	16,402	162	25	3	6,155	364	21.9	257	15.5
Minneapolis	13,587	13,438	126	20	3	5,301	282	20.8	193	14.2
Balance of county	3,005	2,964	36	5	-	854	82	27.3	64	21.3
Houston	377	375	2	-	-	166	16	42.4	6	15.9
Hubbard	246	238	5	2	1	124	9	36.6	4	16.3
Isanti	205	198	7	-	-	117	8	39.0	3	14.6
Itasca	848	829	10	2	5	294	28	33.1	8	9.5
Jackson	383	374	9	-	-	132	7	18.3	5	13.1
Kanabec	205	198	7	-	-	74	10	48.8	4	19.5
Kandiyohi	644	637	6	-	1	226	15	23.3	8	12.4
Kittson	235	221	14	-	-	101	11	46.8	6	25.5
Koochiching	496	476	17	1	2	175	13	26.2	11	22.2
Lac qui Parle	307	302	4	-	1	129	4	13.0	5	16.3
Lake	176	176	-	-	-	85	5	28.4	2	11.4
Lake of the Woods	121	113	7	-	1	49	6	49.6	1	8.3
Le Sueur	403	391	12	-	-	192	10	24.8	7	17.4
Lincoln	259	251	8	-	-	101	14	54.1	4	15.4
Lyon	604	594	10	-	-	174	15	24.8	4	6.6
McLeod	491	485	6	-	-	219	15	30.5	7	14.3
Mahnomen	195	191	2	-	2	46	3	15.4	5	25.6
White	152	150	1	-	1	39	1	6.6	3	19.7
Nonwhite	43	41	1	-	1	7	2	46.5	2	46.5
Marshall	388	373	15	-	-	136	8	20.6	3	7.7
Martin	680	678	2	-	-	246	10	14.7	9	13.2
Meeker	473	447	26	-	-	175	9	19.0	4	8.5
Mille Lacs	365	349	14	-	2	185	8	21.9	8	21.9
Morrison	708	694	13	1	-	233	18	25.4	11	15.5
Mower	1,145	1,074	71	-	-	335	21	18.3	22	19.2
Austin	795	781	14	-	-	187	16	20.1	13	18.4
Balance of county	350	293	57	-	-	148	5	14.3	9	25.7
Murray	426	421	5	-	-	105	8	18.8	6	14.1
Nicollet	481	479	2	-	-	160	10	20.8	5	10.4
Nobles	595	588	7	-	-	189	17	28.6	5	8.4
Norman	288	285	3	-	-	128	9	31.3	3	10.4
Olmsted	1,263	1,195	68	-	-	453	29	23.0	20	15.8
Rochester	857	842	15	-	-	315	18	22.2	11	12.8
Balance of county	406	353	53	-	-	138	10	24.6	9	22.2
Otter Tail	1,157	1,116	41	-	-	475	33	28.5	23	19.9
Fergus Falls	348	346	3	-	-	134	13	37.2	7	20.1
Balance of county	808	770	38	-	-	341	20	24.8	16	19.8
Pennington	332	324	7	-	1	119	8	24.1	8	24.1
Pine	409	355	54	-	-	202	8	19.6	9	22.0
Pipestone	354	354	-	-	-	125	8	22.6	6	16.9
Polk	948	936	12	-	-	367	20	21.1	12	12.7
Pope	298	291	7	-	-	123	9	30.2	9	30.2
Ramsey	9,124	8,967	129	25	3	3,563	265	29.0	155	17.0
St. Paul	8,231	8,093	111	25	2	3,268	229	27.8	145	17.6
Balance of county	893	874	18	-	1	295	36	40.3	10	11.2
Red Lake	198	196	2	-	-	67	11	55.6	4	20.2
Redwood	612	585	27	-	-	171	16	26.1	9	14.7
Renville	566	540	26	-	-	192	11	19.4	12	21.2
Rice	723	702	21	-	-	302	20	27.7	12	16.6
Faribault	390	380	10	-	-	138	13	33.3	9	23.1
Balance of county	333	322	11	-	-	164	7	21.0	3	9.0
Rock	357	354	3	-	-	93	6	16.8	7	19.6
Roseau	387	354	32	-	1	124	12	31.0	7	18.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MINNESOTA—Continued										
St. Louis	4,739	4,688	50	-	1	2,182	141	29.8	78	16.5
Duluth	2,384	2,371	13	-	-	1,155	69	28.5	41	17.2
Hibbing	490	486	4	-	-	163	15	30.6	4	8.2
Virginia	299	299	-	-	-	134	9	30.1	7	23.4
Balance of county	1,566	1,532	33	-	1	730	49	31.3	26	16.6
Scott	411	402	8	-	-	158	13	31.6	3	7.3
Sherburne	219	216	3	-	-	102	3	13.7	6	22.8
St. Cloud (part)	27	27	-	-	-	11	-	(4)	-	(4)
Balance of county	192	189	3	-	-	91	3	15.6	5	26.0
Sibley	375	356	19	-	-	148	1	2.7	6	16.0
Stearns	2,108	1,999	107	-	2	617	79	37.5	31	14.7
St. Cloud (part)	885	881	4	-	-	235	39	(4)	11	(4)
St. Cloud (total)	967	961	6	-	-	267	39	40.3	13	13.4
Balance of county	1,223	1,118	103	-	2	382	40	32.7	20	16.4
Steele	518	508	10	-	-	171	9	17.4	8	15.4
Stevens	299	292	7	-	-	82	5	16.7	5	16.7
Swift	425	414	11	-	-	129	11	25.9	7	16.5
Todd	610	556	54	-	-	239	16	26.2	5	8.2
Traverse	210	206	4	-	-	58	2	9.5	3	14.3
Wabasha	456	437	19	-	-	160	17	37.3	7	15.4
Wadena	345	320	29	-	-	129	15	43.1	6	17.2
Waseca	346	340	6	-	-	161	5	14.5	7	20.2
Washington	894	880	14	-	-	269	22	24.6	13	14.5
Watonwan	299	295	4	-	-	141	6	20.1	5	16.7
Wilkin	294	292	2	-	-	90	15	51.0	5	17.0
Winona	893	876	16	1	-	361	16	17.9	27	30.2
Winona	584	577	7	-	-	228	8	13.7	16	27.4
Balance of county	309	299	9	1	-	133	8	25.9	11	35.6
Wright	657	620	37	-	-	267	22	33.5	14	21.3
Yellow Medicine	400	388	12	-	-	158	11	27.5	4	10.0
MISSISSIPPI	66,415	29,464	12,829	23,327	795	20,661	2,631	39.6	1,989	29.9
White	29,097	23,177	5,141	630	149	9,381	923	31.7	548	18.8
Nonwhite	37,318	6,287	7,688	22,697	646	11,280	1,708	45.8	1,441	38.6
Adams	951	770	19	156	4	340	47	49.4	25	26.3
White	383	377	6	-	-	95	13	33.9	6	15.7
Nonwhite	568	393	13	156	4	245	34	59.9	19	33.5
Natchez	659	565	10	84	-	235	23	34.9	15	22.8
White	326	324	2	-	-	85	13	39.9	6	18.4
Nonwhite	333	241	8	84	-	150	10	30.0	9	27.0
Balance of county	292	205	9	74	4	105	24	82.2	10	34.2
White	57	53	4	-	-	10	-	0	-	0
Nonwhite	235	152	5	74	4	95	24	102.1	10	42.6
Alcorn	712	395	266	46	5	247	27	37.9	10	14.0
White	605	385	204	12	4	194	23	38.0	7	11.6
Nonwhite	107	10	62	34	1	53	4	37.4	3	28.0
Amite	593	171	108	301	13	144	12	20.2	15	25.3
White	193	145	44	4	-	66	4	20.7	4	20.7
Nonwhite	400	26	64	297	13	78	8	20.0	11	27.5
Attala	813	364	172	272	5	288	37	45.5	16	19.7
White	377	301	66	10	-	139	14	37.1	5	13.3
Nonwhite	436	63	106	262	5	149	23	52.8	11	25.2
Benton	290	92	43	151	4	66	3	10.3	7	24.1
White	118	85	27	6	-	38	1	8.5	1	8.5
Nonwhite	172	7	16	145	4	28	2	11.6	6	34.9
Bolivar	2,359	736	508	1,081	34	760	100	42.4	88	37.3
White	601	377	186	37	1	168	24	39.9	16	26.6
Nonwhite	1,758	359	322	1,044	33	592	76	43.2	72	41.0
Calhoun	526	280	200	51	5	157	21	39.9	22	41.8
White	340	215	121	1	3	115	10	29.4	10	29.4
Nonwhite	186	45	79	60	2	42	11	59.1	12	64.5
Carroll	455	94	80	265	4	142	15	33.1	26	57.4
White	131	86	31	11	1	65	4	30.5	6	45.8
Nonwhite	322	6	59	254	3	77	11	34.2	20	62.1
Chickasaw	590	177	226	180	7	191	20	33.9	22	37.3
White	278	159	117	1	1	103	10	36.0	7	25.2
Nonwhite	312	18	109	179	6	86	10	32.1	15	48.1
Choctaw	322	109	117	78	18	94	12	37.3	11	34.2
White	189	101	84	3	-	36	7	37.2	1	5.3
Nonwhite	134	8	33	75	18	38	5	37.3	10	74.6
Claiborne	326	74	16	235	1	136	10	30.7	7	21.5
White	62	50	5	7	-	32	-	0	1	16.1
Nonwhite	264	24	11	228	1	104	10	37.9	6	22.7
Clarke	600	246	121	223	10	195	21	35.0	18	30.0
White	281	201	75	5	-	100	12	42.7	8	28.5
Nonwhite	319	45	46	218	10	95	9	28.2	10	31.3
Clay	557	215	84	256	2	202	20	35.9	15	26.9
White	180	155	20	5	-	62	4	22.2	5	27.8
Nonwhite	377	60	64	251	2	120	16	42.4	10	26.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—								
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified		Number	Rate	Number	Ratio
MISSISSIPPI—Continued										
Coahoma	1,589	388	486	671	44	554	78	49.1	47	29.6
White	348	279	60	7	2	103	11	31.6	6	17.2
Nonwhite	1,241	109	426	664	42	451	67	54.0	41	33.0
Clarksdale	476	223	182	70	1	191	25	52.5	10	21.0
White	183	180	2	1	-	54	7	38.3	6	32.8
Nonwhite	293	43	180	69	1	137	18	61.4	4	13.7
Balance of county	1,113	165	304	601	43	363	53	47.6	37	33.2
White	165	99	58	6	2	49	4	24.2	-	0
Nonwhite	948	66	246	595	41	314	49	51.7	37	39.0
Copiah	937	249	368	315	5	310	36	38.4	24	25.6
White	308	219	87	1	1	123	6	19.5	5	16.2
Nonwhite	629	30	281	314	4	187	30	47.7	19	30.2
Covington	478	221	129	114	14	141	14	29.3	6	12.6
White	244	168	68	6	7	89	5	20.5	1	4.1
Nonwhite	234	53	66	108	7	42	9	38.5	5	21.4
De Soto	816	290	131	387	8	249	32	39.2	33	40.4
White	196	166	28	2	-	73	7	35.7	5	25.5
Nonwhite	620	124	103	385	8	176	25	40.3	28	45.2
Forrest	1,309	957	92	254	6	424	50	38.2	30	22.9
White	823	798	17	7	1	259	30	36.5	8	9.7
Nonwhite	486	159	75	247	5	165	20	41.2	22	45.3
Hattiesburg	881	636	62	180	3	283	35	37.5	23	26.1
White	515	506	9	-	-	165	19	36.9	6	11.7
Nonwhite	366	130	53	180	3	118	14	38.3	17	46.4
Balance of county	428	321	30	74	3	141	17	39.7	7	16.4
White	308	292	8	7	1	94	11	35.7	2	6.5
Nonwhite	120	29	22	67	2	47	6	50.0	5	41.7
Franklin	291	156	32	100	3	106	11	37.8	14	48.1
White	146	132	11	3	-	43	5	34.2	3	20.5
Nonwhite	145	24	21	97	3	63	6	41.4	11	75.9
George	291	151	104	34	2	71	5	17.2	9	30.9
White	239	151	78	8	2	55	5	20.9	8	33.5
Nonwhite	52	-	28	28	-	16	-	0	1	19.2
Greene	275	77	122	64	12	79	14	50.9	5	18.2
White	194	73	100	16	5	61	10	51.5	4	20.6
Nonwhite	81	4	22	48	7	18	4	49.4	1	12.3
Grenada	545	197	69	269	10	205	28	51.4	25	45.9
White	212	186	23	3	-	76	8	37.7	6	28.3
Nonwhite	333	11	46	266	10	129	20	60.1	19	57.1
Hancock	282	188	46	47	1	104	7	24.8	8	28.4
White	238	187	40	11	-	84	6	25.2	6	25.2
Nonwhite	44	1	6	36	1	20	1	22.7	2	45.5
Harrison	1,850	1,457	85	297	11	588	70	37.8	36	19.5
White	1,423	1,319	54	47	3	441	49	34.4	19	13.4
Nonwhite	427	138	31	250	8	147	21	49.2	17	39.8
Biloxi	676	585	14	69	8	189	25	37.0	15	22.2
White	547	526	3	16	2	147	18	28.3	8	14.6
Nonwhite	129	59	11	53	6	42	9	69.8	7	54.3
Gulfport	602	486	20	95	1	207	26	43.2	9	15.0
White	451	435	15	1	-	152	21	46.6	2	4.4
Nonwhite	151	51	5	94	1	55	5	33.1	7	46.4
Balance of county	572	386	51	133	2	192	19	33.2	12	21.0
White	425	358	36	30	1	142	12	28.2	9	21.2
Nonwhite	147	28	15	103	1	50	7	47.6	3	20.4
Hinds	4,078	2,236	547	1,289	6	1,207	147	36.0	115	28.2
White	1,812	1,731	70	8	3	543	40	22.1	22	12.1
Nonwhite	2,266	505	477	1,281	3	664	107	47.2	93	41.0
Jackson	2,540	1,673	349	514	4	792	105	41.3	66	26.0
White	1,271	1,253	12	4	2	400	33	26.0	12	9.4
Nonwhite	1,269	420	337	510	2	392	72	56.7	54	42.6
Balance of county	1,538	563	198	775	2	415	42	27.3	49	31.9
White	541	478	58	4	1	143	7	12.9	10	18.5
Nonwhite	997	85	140	771	1	272	35	35.1	39	39.1
Holmes	1,118	201	153	733	31	395	54	48.3	34	30.4
White	207	168	28	8	3	104	3	14.5	1	4.8
Nonwhite	911	33	125	725	28	291	51	56.0	33	36.2
Humphreys	906	115	187	590	14	250	47	51.9	38	41.9
White	214	88	119	8	1	56	6	28.0	8	37.4
Nonwhite	692	29	68	582	13	194	41	59.2	30	43.4
Issaquena	158	52	12	91	3	64	5	31.6	5	31.6
White	47	39	5	2	1	13	2	42.6	2	42.6
Nonwhite	111	13	7	89	2	51	3	27.0	3	27.0
Itawamba	402	167	213	17	5	112	15	37.3	10	24.9
Jackson	844	635	56	150	3	229	29	34.4	16	19.0
White	610	559	32	17	2	171	20	32.8	6	9.8
Nonwhite	234	76	24	133	1	58	9	38.5	10	42.7
Jasper	617	330	78	197	12	191	22	35.7	17	27.6
White	208	193	14	1	-	83	6	28.8	6	28.8
Nonwhite	409	137	64	196	12	108	16	39.1	11	26.9
Jefferson	317	76	34	203	4	126	16	50.5	23	72.6
White	56	38	18	-	-	27	1	17.9	3	53.6
Nonwhite	261	38	16	203	4	99	15	57.5	20	76.6
Jefferson Davis	541	77	336	113	15	123	22	40.7	11	20.3
White	181	65	115	-	1	51	3	16.6	-	0
Nonwhite	360	12	221	113	14	72	19	52.8	11	30.6

See footnotes on p. 95.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MISSISSIPPI—Continued										
Jones	1,676	1,467	34	168	7	443	60	35.8	32	19.1
White	1,149	1,118	20	7	4	275	29	25.2	20	17.4
Nonwhite	527	349	14	161	3	168	31	58.8	12	22.8
Laurel	768	682	11	70	5	238	36	46.9	15	19.5
White	451	443	4	-	4	128	12	26.6	8	17.7
Nonwhite	317	239	7	70	1	110	24	75.7	7	22.1
Balance of county	908	785	23	98	2	205	24	26.4	17	18.7
White	698	675	16	7	-	147	17	24.4	12	17.2
Nonwhite	210	110	7	91	2	58	7	33.3	5	23.8
Kemper	497	104	140	248	5	138	13	26.2	24	48.3
White	128	81	42	5	-	50	4	31.3	5	39.1
Nonwhite	369	23	98	243	5	88	9	24.4	19	51.5
Lafayette	588	260	82	242	4	173	27	45.9	15	25.5
White	301	248	48	3	2	89	13	43.2	4	13.3
Nonwhite	287	12	34	239	2	84	14	48.8	11	38.3
Lamar	359	226	88	44	1	102	8	22.3	5	13.9
White	285	209	69	7	-	77	6	21.1	2	7.0
Nonwhite	74	17	19	37	1	25	2	27.0	3	40.5
Lauderdale	1,849	1,288	133	418	10	667	83	44.9	53	28.7
White	986	948	31	2	5	360	38	38.5	20	20.3
Nonwhite	863	340	102	416	5	307	45	52.1	33	38.2
Meridian	1,250	951	82	210	7	451	63	50.4	31	24.8
White	733	719	7	2	5	252	31	42.3	12	16.4
Nonwhite	517	232	75	208	2	199	32	61.9	19	36.8
Balance of county	599	337	51	208	3	216	20	33.4	22	36.7
White	253	229	24	-	-	108	7	27.7	8	31.6
Nonwhite	346	108	27	208	3	108	13	37.6	14	40.5
Lawrence	382	152	76	143	11	125	17	44.5	12	31.4
White	178	130	32	11	5	70	6	33.7	7	39.3
Nonwhite	204	22	44	132	6	55	11	53.9	5	24.5
Leake	676	212	258	200	7	175	27	39.8	20	29.5
White	295	178	112	4	1	93	7	23.7	4	13.6
Nonwhite	383	34	147	196	6	82	20	52.2	16	41.8
Lee	1,078	653	361	64	-	347	48	45.5	19	17.6
White	696	607	86	3	-	221	24	34.5	12	17.2
Nonwhite	382	46	275	61	-	126	25	65.4	7	18.3
Leflore	1,840	436	270	1,102	32	541	95	51.6	59	32.1
White	437	377	54	6	-	122	9	20.6	8	18.3
Nonwhite	1,403	59	216	1,096	32	419	86	61.3	51	36.4
Greenwood	524	318	9	195	2	178	18	34.4	18	34.4
White	286	283	2	1	-	70	5	17.5	4	14.0
Nonwhite	238	35	7	194	2	108	13	54.6	14	58.8
Balance of county	1,316	118	261	907	30	363	77	58.5	41	31.2
White	151	94	52	5	-	52	4	26.5	4	26.5
Nonwhite	1,165	24	209	902	30	311	73	62.7	37	31.8
Lincoln	834	542	78	208	6	295	35	42.0	32	38.4
White	496	466	15	10	5	169	17	34.3	10	20.2
Nonwhite	338	76	63	198	1	126	18	53.3	22	65.1
Lowndes	1,013	388	235	382	38	374	36	35.5	41	40.5
White	415	318	87	5	5	149	7	16.9	18	43.4
Nonwhite	598	40	148	377	33	225	29	48.5	23	38.5
Columbus	462	220	103	129	10	211	23	49.8	22	47.6
White	243	210	30	2	1	85	4	16.5	13	53.5
Nonwhite	219	10	73	127	9	126	19	86.8	9	41.1
Balance of county	551	138	132	253	28	163	13	23.6	19	34.5
White	172	108	57	3	4	64	3	17.4	5	29.1
Nonwhite	379	30	75	250	24	99	10	26.4	14	36.9
Madison	1,258	291	92	867	8	338	49	39.0	35	27.8
White	201	185	9	7	-	84	9	44.8	1	5.0
Nonwhite	1,057	106	83	860	8	254	40	37.8	34	32.2
Marion	715	343	139	218	15	190	20	28.0	23	32.2
White	411	317	87	5	2	104	10	24.3	12	29.2
Nonwhite	304	26	52	213	13	86	10	32.9	11	36.2
Marshall	923	204	110	602	7	209	28	30.3	28	30.3
White	189	144	28	17	-	64	3	15.9	-	0
Nonwhite	734	60	82	585	7	145	25	34.1	28	38.1
Monroe	1,103	557	261	278	7	333	49	44.4	19	17.2
White	568	452	100	13	3	179	24	42.3	7	12.3
Nonwhite	535	105	161	265	4	154	25	46.7	12	22.4
Montgomery	383	143	43	185	12	161	19	49.6	17	44.4
White	169	135	25	9	-	76	7	41.4	3	17.8
Nonwhite	214	8	18	176	12	85	12	56.1	14	65.4
Neshoba	708	437	148	111	12	214	33	46.6	24	33.9
White	456	375	73	5	3	155	15	32.9	10	21.9
Nonwhite	252	62	75	106	9	59	18	71.4	14	55.6
Newton	685	442	118	114	11	201	30	43.8	23	33.6
White	387	334	49	2	2	117	12	31.0	6	15.5
Nonwhite	298	108	69	112	9	84	18	60.4	17	57.0
Noxubee	670	139	55	463	13	240	28	41.8	18	26.9
White	110	87	18	5	-	41	2	18.2	1	9.1
Nonwhite	560	52	37	458	13	199	26	46.4	17	30.4
Oktibbeha	781	405	67	287	22	187	26	33.3	20	25.6
White	303	259	42	2	-	79	11	36.3	8	26.4
Nonwhite	478	146	25	285	22	108	15	31.4	12	25.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MISSISSIPPI—Continued										
Panola	1,002	393	200	397	12	305	33	32.9	33	32.9
White	309	254	50	5	-	128	15	48.5	5	16.2
Nonwhite	693	139	150	392	12	177	18	26.0	28	40.4
Pearl River	573	359	186	27	1	172	22	38.4	22	38.4
White	412	312	99	1	-	129	18	43.7	12	29.1
Nonwhite	161	47	87	26	1	43	4	24.8	10	62.1
Perry	279	128	42	89	22	72	6	21.5	10	35.8
White	192	118	37	22	15	47	5	26.0	6	31.3
Nonwhite	87	8	5	67	7	25	1	11.5	4	46.0
Pike	1,085	561	243	276	5	391	41	37.8	35	32.3
White	478	422	55	1	-	210	15	31.4	8	16.7
Nonwhite	607	139	188	275	5	181	26	42.8	27	44.5
Pontotoc	504	289	150	62	3	146	16	31.7	7	13.9
White	397	279	104	12	2	109	13	32.7	5	12.6
Nonwhite	107	10	46	50	1	37	3	28.0	2	18.7
Prentiss	528	364	110	47	7	190	22	41.7	10	18.9
White	437	340	87	5	5	170	20	45.8	9	20.6
Nonwhite	91	24	23	42	2	20	2	22.0	1	11.0
Quitman	1,030	345	327	350	8	229	50	48.5	36	35.0
White	384	232	135	14	3	78	24	62.5	12	31.3
Nonwhite	646	113	192	336	5	151	26	40.2	24	37.2
Rankin	710	371	117	210	12	205	16	22.5	27	38.0
White	297	242	50	4	1	86	9	30.3	10	33.7
Nonwhite	413	129	67	206	11	119	7	16.9	17	41.2
Scott	706	294	190	202	20	177	27	38.2	21	29.7
White	298	228	67	1	2	95	5	16.8	8	26.8
Nonwhite	408	66	123	201	18	82	22	53.9	13	31.9
Sharkey	451	112	50	288	1	153	30	66.5	18	39.9
White	88	68	16	4	-	31	5	56.8	2	22.7
Nonwhite	363	44	34	284	1	122	25	68.9	16	44.1
Simpson	600	398	99	101	2	163	17	28.3	23	38.3
White	332	279	48	5	-	104	7	21.1	8	24.1
Nonwhite	268	119	51	96	2	59	10	37.3	15	56.0
Smith	471	281	132	50	8	129	12	25.5	11	23.4
White	350	260	85	2	3	102	4	11.4	5	14.3
Nonwhite	121	21	47	48	5	27	8	66.1	6	49.6
Stone	174	116	31	26	1	52	6	34.5	3	17.2
White	123	104	15	4	-	34	2	16.3	2	16.3
Nonwhite	51	12	16	22	1	18	4	78.4	1	19.6
Sunflower	1,974	514	685	768	7	512	87	44.1	78	39.5
White	545	355	166	24	-	126	20	36.7	16	29.4
Nonwhite	1,429	159	519	744	7	386	67	46.9	62	43.4
Tallahatchie	1,171	191	384	588	8	281	50	42.7	23	19.6
White	306	168	127	8	3	73	12	39.2	2	6.5
Nonwhite	865	23	257	580	5	208	38	43.9	21	24.3
Tate	624	96	201	317	10	164	19	30.4	29	46.5
White	172	78	92	1	1	61	3	17.4	6	34.9
Nonwhite	452	18	109	316	9	103	16	35.4	23	50.9
Tippah	448	265	121	54	8	141	10	22.3	10	22.3
White	336	239	82	9	6	104	7	20.8	7	20.8
Nonwhite	112	26	39	45	2	37	3	26.8	3	26.8
Tishomingo	410	105	299	1	5	137	16	39.0	5	12.2
Tunica	780	84	128	564	4	243	31	39.7	29	37.2
White	134	62	52	18	2	43	5	37.3	1	7.5
Nonwhite	646	22	76	546	2	200	26	40.2	28	43.3
Union	512	380	44	83	5	178	14	27.3	13	25.4
White	383	345	30	9	-	131	10	26.1	8	20.9
Nonwhite	129	35	14	75	5	47	4	31.0	5	38.8
Walthall	479	297	36	140	6	160	36	75.2	9	18.8
White	198	182	7	9	-	80	11	55.6	2	10.1
Nonwhite	281	115	29	131	6	80	25	89.0	7	24.9
Warren	1,144	704	24	408	8	531	54	47.2	26	24.5
White	506	496	2	7	1	198	21	41.5	10	19.8
Nonwhite	638	208	22	401	7	333	33	51.7	18	28.2
Vicksburg	845	550	21	269	5	393	46	54.4	19	22.5
White	407	402	1	4	-	150	19	46.7	8	19.7
Nonwhite	438	148	20	265	5	243	27	61.6	11	25.1
Balance of county	299	154	3	139	3	138	8	26.8	9	30.1
White	99	94	1	3	1	48	2	20.2	2	20.2
Nonwhite	200	60	2	136	2	90	6	30.0	7	35.0
Washington	2,368	918	414	1,009	27	836	89	37.6	83	35.1
White	653	601	38	11	3	194	17	26.0	10	15.3
Nonwhite	1,715	317	376	998	24	642	72	42.0	73	42.6
Greenville	926	447	215	257	7	356	31	33.5	34	36.7
White	366	359	1	5	1	114	9	24.6	5	13.7
Nonwhite	560	88	214	252	6	242	22	39.3	29	51.8
Balance of county	1,442	471	199	752	20	480	58	40.2	49	34.0
White	287	242	37	6	2	80	8	27.9	5	17.4
Nonwhite	1,155	229	162	746	18	400	50	43.3	44	38.1
Wayne	561	305	70	175	11	149	27	48.1	13	23.2
White	309	254	37	14	4	85	14	45.3	2	6.5
Nonwhite	252	51	33	161	7	64	13	51.6	11	43.7
Webster	296	161	72	58	5	94	9	30.4	9	30.4
White	178	127	48	1	2	68	5	28.1	2	11.2
Nonwhite	118	34	24	57	3	26	4	33.9	7	59.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MISSISSIPPI—Continued										
Wilkinson	493	122	56	308	7	151	19	38.5	22	44.6
White	106	89	12	5	-	50	2	18.9	5	47.2
Nonwhite	387	33	44	303	7	101	17	43.9	17	43.9
Winston	667	286	122	267	12	197	32	46.6	19	27.7
White	306	256	42	4	4	104	11	35.9	10	32.7
Nonwhite	381	30	80	263	8	93	21	55.1	9	23.6
Yalobusha	408	113	163	124	8	161	21	51.5	13	31.9
White	160	100	54	4	2	67	7	43.8	3	18.8
Nonwhite	248	13	109	120	6	74	14	56.5	10	40.3
Yazoo	1,191	332	84	752	13	399	40	33.6	43	36.1
White	349	254	54	39	2	134	8	22.9	6	17.2
Nonwhite	842	78	40	713	11	265	32	38.0	37	43.9
MISSOURI	85,302	71,549	12,275	1,101	377	43,825	2,563	30.0	1,704	20.0
White	77,288	65,316	11,163	481	328	39,536	2,228	28.8	1,402	18.1
Nonwhite	8,014	6,233	1,112	620	49	4,289	335	41.8	302	37.7
Adair	414	340	66	7	1	251	15	36.2	3	7.2
Kirksville	270	230	36	4	-	160	12	44.4	2	7.4
Balance of county	144	110	30	3	1	91	3	20.8	1	6.9
Andrew	195	173	20	-	2	123	-	0	2	10.3
Atchison	257	238	19	-	-	127	9	35.0	6	23.3
Audrain	541	476	62	1	2	272	15	27.7	14	25.9
Barry	421	316	103	1	1	207	14	33.3	4	9.5
Barton	235	201	34	-	-	150	6	25.5	3	12.8
Bates	311	252	59	-	-	203	13	41.8	3	9.6
Benton	152	143	8	1	-	124	7	46.1	5	32.9
Bollinger	199	98	84	3	13	114	6	30.3	2	10.1
Boone	1,029	956	70	1	2	397	24	23.3	11	10.7
Columbia	728	699	29	-	-	216	19	26.1	6	8.2
White	647	634	13	-	-	173	14	21.6	5	7.7
Nonwhite	81	65	16	-	-	45	5	61.7	1	12.3
Balance of county	301	257	41	1	2	179	5	16.6	5	16.6
Buchanan	1,770	1,584	183	3	-	1,134	64	36.2	25	14.1
St. Joseph	1,448	1,289	156	3	-	962	48	33.1	14	9.7
Balance of county	322	295	27	-	-	172	16	49.7	11	34.2
Butler	948	549	319	58	22	368	56	59.1	32	33.8
Poplar Bluff	401	305	82	13	1	149	28	69.8	12	29.9
Balance of county	547	244	237	45	21	219	28	51.2	20	36.6
Caldwell	162	114	48	-	-	153	4	24.7	1	6.2
Callaway	437	353	81	3	-	270	19	43.5	12	27.5
White	406	335	69	2	-	244	17	41.9	9	22.2
Nonwhite	31	18	12	1	-	26	2	64.5	3	96.8
Camden	158	84	72	-	2	90	3	19.0	1	6.3
Cape Girardeau	864	786	74	4	-	377	29	33.6	15	17.4
Cape Girardeau	468	453	13	2	-	210	18	38.5	8	17.1
Balance of county	396	333	61	2	-	167	11	27.8	7	17.7
Carroll	282	255	26	-	1	189	8	28.4	8	28.4
Carter	105	74	24	5	2	60	4	38.1	4	38.1
Cass	347	274	70	-	3	249	13	37.5	6	17.3
Cedar	187	112	75	-	-	141	5	26.7	1	5.3
Chariton	285	175	89	1	-	190	6	22.6	5	18.9
Christian	237	163	68	3	3	142	5	21.1	3	12.7
Clark	162	142	20	-	-	109	7	43.2	3	18.5
Clay	1,002	917	84	-	1	420	25	25.0	24	24.0
Clinton	221	162	58	-	1	180	6	27.1	2	9.0
Cole	665	553	112	-	-	274	8	12.0	17	25.6
Jefferson City	457	398	59	-	-	189	7	15.3	11	24.1
Balance of county	208	155	53	-	-	85	1	4.8	6	28.8
Cooper	319	296	21	1	1	209	6	18.8	9	28.2
White	293	277	15	-	1	180	5	20.5	8	27.3
Nonwhite	26	19	6	1	-	29	-	0	1	38.5
Crawford	261	105	148	1	7	126	7	26.8	5	19.2
Dade	137	107	30	-	-	125	5	36.5	4	29.2
Dallas	170	61	108	1	-	119	7	41.2	6	35.3
Daviess	180	78	102	-	-	160	9	50.0	7	38.9
De Kalb	148	96	52	-	-	88	1	6.8	3	20.3
Dent	185	105	40	37	3	123	5	27.0	2	10.8
Douglas	261	53	186	5	17	98	7	26.8	3	11.5
Dunklin	1,168	465	655	41	7	410	67	57.4	32	27.4
Franklin	828	694	132	1	1	384	30	36.2	16	19.3
Gasconade	251	210	40	-	1	146	14	55.8	1	4.0
Gentry	176	110	66	-	-	163	6	34.1	8	45.5
Greene	2,282	2,194	84	1	3	1,120	64	28.0	37	16.2
Springfield	1,454	1,438	15	-	1	777	34	23.4	20	13.8
Balance of county	828	756	69	1	2	343	30	36.2	17	20.5
Grundy	254	239	15	-	-	224	9	35.4	5	19.7
Harrison	231	147	84	-	-	168	2	8.7	6	26.0
Henry	370	354	12	-	4	230	14	37.8	9	24.3
Hickory	102	69	33	-	-	64	2	19.6	-	0
Holt	178	93	84	-	1	125	7	39.3	2	11.2
Howard	235	183	51	1	-	154	6	25.5	7	29.8
White	200	177	23	-	-	130	3	15.0	5	25.0
Nonwhite	35	6	28	1	-	24	3	85.7	2	57.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MISSOURI—Continued										
Howell	518	242	252	6	18	238	16	30.9	12	23.2
Iron	234	122	77	12	23	111	16	68.4	4	17.1
Jackson	12,162	11,769	383	4	6	6,135	362	29.8	235	19.3
Kansas City	9,972	9,658	306	4	4	5,346	311	31.2	194	19.5
White	8,591	8,459	129	2	1	4,483	269	31.3	155	18.0
Nonwhite	1,381	1,199	177	2	3	863	42	30.4	39	28.2
Independence	857	843	13	-	1	505	18	21.0	14	16.5
Balance of county	1,333	1,268	64	-	1	484	33	24.8	27	20.3
Jasper	1,673	1,592	76	3	2	972	38	22.7	25	14.9
Joplin (part)	840	819	19	2	-	459	19	(4)	16	(4)
Joplin (total)	843	821	20	2	-	464	20	23.7	16	19.0
Carthage	230	226	3	1	-	142	5	21.7	5	21.7
Balance of county	603	547	54	-	2	371	14	23.2	4	6.6
Jefferson	832	539	287	4	2	348	26	31.3	21	25.2
Johnson	343	319	22	-	2	243	13	37.9	13	37.9
Knox	106	83	23	-	-	93	1	9.4	2	18.8
Laclede	369	305	60	1	3	194	15	40.7	12	32.5
Lafayette	507	397	110	-	-	321	17	33.5	11	21.7
Lawrence	436	357	75	-	4	248	15	34.4	10	22.9
Lewis	195	128	67	-	-	159	7	35.9	2	10.3
Lincoln	256	200	56	-	-	154	3	11.7	6	23.4
Linn	354	292	62	-	-	261	16	45.2	3	8.5
Livingston	334	279	54	-	1	207	11	32.9	-	0
McDonald	244	163	73	7	1	150	6	24.6	4	16.4
Macon	271	201	70	-	-	258	8	29.5	6	22.1
Madison	233	108	120	1	4	96	6	25.8	8	34.3
Maries	155	65	89	1	-	55	2	12.9	2	12.9
Marion	649	612	35	1	1	428	17	26.2	20	30.8
Hannibal	418	409	8	1	-	299	13	31.1	12	28.7
Balance of county	231	203	27	-	1	129	4	17.3	8	34.6
Mercer	104	78	26	-	-	79	1	9.6	2	19.2
Miller	294	227	67	-	-	122	9	30.6	4	13.6
Mississippi	768	219	398	144	7	256	29	37.8	10	13.0
White	555	215	328	9	3	164	16	28.8	6	10.8
Nonwhite	213	4	70	135	4	92	13	61.0	4	18.8
Moniteau	200	152	48	-	-	149	9	45.0	3	15.0
Monroe	168	118	49	-	1	157	6	35.7	6	35.7
Montgomery	193	131	61	1	-	161	6	31.1	6	31.1
Morgan	187	124	59	3	1	128	5	26.7	2	10.7
New Madrid	1,237	485	557	179	16	350	75	60.6	31	25.1
White	981	476	473	20	12	253	45	45.9	26	26.5
Nonwhite	256	9	84	159	4	97	30	117.3	5	19.5
Newton	554	456	93	5	-	305	20	36.1	7	12.6
Joplin (part)	3	2	1	-	-	5	1	(4)	-	(4)
Balance of county	551	454	92	5	-	300	19	34.5	7	12.7
Nodaway	516	480	34	1	1	258	12	23.3	4	7.8
Oregon	219	86	123	4	6	109	4	18.3	3	13.7
Osage	216	151	63	-	2	111	3	13.9	3	13.9
Ozark	198	138	40	6	14	66	4	20.2	1	5.1
Pemiscot	1,240	362	644	196	38	441	95	76.6	31	25.0
White	923	359	505	41	18	310	73	79.1	25	27.1
Nonwhite	317	3	139	155	20	131	22	68.4	6	18.9
Perry	361	197	164	-	-	125	12	33.2	3	8.3
Pettis	588	520	67	1	-	447	26	44.2	12	20.4
Sedalia	396	349	46	1	-	308	21	53.0	7	17.7
Balance of county	192	171	21	-	-	139	5	26.0	5	26.0
Phelps	503	350	141	9	3	212	14	27.8	6	11.9
Pike	365	283	73	7	2	253	14	38.4	8	21.9
White	336	269	59	7	1	220	12	35.7	8	23.8
Nonwhite	29	14	14	-	1	33	2	69.0	-	0
Platte	270	261	9	-	-	140	9	33.3	5	18.5
Polk	321	201	119	1	-	196	5	15.6	7	21.8
Pulaski	237	134	103	-	-	113	5	21.1	8	33.8
Putnam	168	131	35	-	-	126	5	30.1	2	12.0
Ralls	150	130	20	-	-	112	4	26.7	3	20.0
Randolph	406	310	94	1	1	303	9	22.2	7	17.2
Moberly	226	194	32	-	-	173	4	17.7	5	22.1
Balance of county	180	116	62	1	1	130	3	27.8	2	11.1
Ray	256	163	93	-	-	201	13	50.8	7	27.3
Reynolds	147	45	85	9	8	61	2	13.6	2	13.6
Ripley	244	149	78	6	11	109	7	28.7	9	36.9
St. Charles	682	632	50	-	-	299	14	20.5	13	19.1
St. Charles	339	331	8	-	-	154	8	23.6	9	26.6
Balance of county	343	301	42	-	-	145	6	17.5	4	11.7
St. Clair	159	94	65	-	-	108	2	12.6	2	12.6
St. Francois	820	546	242	28	4	387	37	45.1	13	15.9
St. Louis	8,782	8,579	179	21	3	3,047	162	18.4	165	18.8
University City	733	729	4	-	-	347	9	12.3	7	9.5
Clayton	311	311	-	-	-	175	2	6.4	6	19.3
Kirkwood	491	484	7	-	-	193	10	20.4	8	16.3
Maplewood	278	276	2	-	-	137	7	25.2	3	10.8
Richmond Heights	324	323	1	-	-	109	7	21.6	6	18.5
Webster Groves	436	435	1	-	-	216	7	16.1	8	18.3
Balance of county	6,209	6,021	164	21	3	1,870	120	19.3	127	20.5
St. Louis (city)	19,686	19,215	379	87	5	10,534	510	25.9	451	22.9
White	15,418	15,082	265	68	3	8,494	364	23.6	262	17.0
Nonwhite	4,268	4,133	114	19	2	2,040	146	34.2	189	44.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MISSOURI—Continued										
Ste. Genevieve	298	146	150	2	-	99	11	36.9	3	10.1
Saline	492	407	85	-	-	339	22	44.7	8	16.3
Schuyler	108	78	30	-	-	76	2	18.5	1	9.3
Scotland	116	100	16	-	-	131	6	51.7	1	8.6
Scott	894	642	173	76	3	289	28	31.3	14	15.7
Shannon	155	64	70	9	12	62	2	12.9	-	0
Shelby	203	157	46	-	-	144	2	9.9	4	19.7
Stoddard	884	447	406	22	9	333	42	47.5	19	21.5
Stone	190	94	83	6	7	82	4	21.1	7	36.8
Sullivan	189	132	57	-	-	167	10	52.9	2	10.6
Taney	167	70	80	2	5	99	3	18.0	2	12.0
Texas	398	97	285	4	12	228	14	35.2	5	12.6
Vernon	350	322	28	-	2	268	11	31.4	8	22.9
Warren	116	96	20	-	-	86	2	17.2	1	8.6
Washington	383	95	231	42	15	157	13	33.9	8	20.9
Wayne	200	103	92	-	5	88	4	20.0	3	15.0
Webster	317	238	67	3	9	182	10	31.5	2	6.3
Worth	97	60	37	-	-	69	2	20.6	1	10.3
Wright	336	132	191	6	7	172	13	38.7	9	26.8
MONTANA	15,366	14,893	401	43	29	5,878	457	29.7	231	15.0
White	14,556	14,164	361	21	10	5,618	399	27.4	220	15.1
Nonwhite	810	729	40	22	19	260	58	71.6	11	13.6
Beaverhead	170	160	10	-	-	101	6	35.3	2	11.8
Big Horn	319	296	12	4	7	83	9	28.2	3	9.4
White	193	183	10	-	-	50	3	15.5	2	10.4
Nonwhite	126	113	2	4	7	33	6	47.6	1	7.9
Blaine	254	241	10	3	-	85	8	31.5	4	15.7
White	175	170	5	-	-	62	5	28.6	2	11.4
Nonwhite	79	71	5	3	-	23	3	38.0	2	25.3
Broadwater	64	61	3	-	-	36	4	62.5	2	31.3
Carbon	207	189	18	-	-	107	4	19.3	2	9.7
Carter	71	71	-	-	-	21	2	28.2	2	28.2
Cascade	1,465	1,454	7	2	2	535	48	32.8	27	18.4
Great Falls	1,152	1,145	7	-	-	427	38	33.0	24	20.8
Balance of county	313	309	-	2	2	108	10	31.9	3	9.6
Chouteau	169	167	1	-	1	55	2	11.8	1	5.9
Custer	336	329	6	1	-	117	8	23.8	4	11.9
Daniels	88	86	2	-	-	28	2	22.7	2	22.7
Dawson	260	255	5	-	-	75	5	19.2	6	23.1
Deer Lodge	360	352	8	-	-	176	13	36.1	5	13.9
Anaconda	318	311	7	-	-	158	11	34.6	5	15.7
Balance of county	42	41	1	-	-	18	2	47.6	-	0
Fallon	117	116	-	-	1	33	1	8.5	1	8.5
Fergus	395	386	7	2	-	150	11	27.8	4	10.1
Flathead	814	789	25	-	-	268	26	31.9	15	18.4
Gallatin	586	573	13	-	-	202	13	22.2	12	20.5
Garfield	51	50	1	-	-	14	3	58.8	-	0
Glacier	302	291	10	1	-	74	7	23.2	3	9.9
White	156	151	5	-	-	45	2	12.8	2	12.8
Nonwhite	146	140	5	1	-	29	5	34.2	1	6.8
Golden Valley	29	29	-	-	-	13	1	34.5	-	0
Granite	53	51	2	-	-	30	-	0	-	0
Hill	454	438	10	5	1	138	18	39.6	3	6.6
Jefferson	69	65	4	-	-	42	1	14.5	1	14.5
Judith Basin	72	70	2	-	-	33	2	27.8	1	13.9
Lake	353	334	19	-	-	138	15	42.5	5	14.2
White	285	270	15	-	-	116	12	42.1	5	17.5
Nonwhite	68	64	4	-	-	22	3	44.1	-	0
Lewis and Clark	599	586	13	-	-	267	18	30.1	11	18.4
Helena	471	466	5	-	-	208	15	31.8	8	17.0
Balance of county	128	120	8	-	-	59	3	23.4	3	23.4
Liberty	52	50	2	-	-	12	4	76.9	2	38.5
Lincoln	200	177	22	1	-	90	2	10.0	3	15.0
McCone	113	108	5	-	-	29	1	8.8	1	8.8
Madison	98	94	4	-	-	76	-	0	1	10.2
Meagher	53	47	6	-	-	26	-	0	4	75.5
Mineral	57	55	2	-	-	33	-	0	3	52.6
Missoula	908	896	12	-	-	303	15	16.5	10	11.0
Missoula	740	735	5	-	-	247	13	17.6	9	12.2
Balance of county	168	161	7	-	-	56	2	11.9	1	6.0
Musselshell	147	136	11	-	-	49	2	13.6	2	13.6
Park	281	274	7	-	-	127	6	21.4	2	7.1
Petroleum	24	22	2	-	-	12	-	0	-	0
Phillips	175	161	13	1	-	71	3	17.1	2	11.4
Pondera	204	193	4	7	-	68	13	63.7	5	24.5
Powder River	69	69	-	-	-	20	1	14.5	1	14.5
Powell	139	138	1	-	-	72	5	36.0	5	36.0
Prairie	65	65	-	-	-	22	2	30.8	-	0
Ravalli	293	287	6	-	-	113	6	20.5	1	3.4
Richland	329	324	5	-	-	86	11	33.4	2	6.1
Roosevelt	337	329	5	3	-	109	10	29.7	8	23.7
White	233	230	3	-	-	76	5	21.5	5	21.5
Nonwhite	104	99	2	3	-	33	5	48.1	3	28.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
MONTANA—Continued										
Rosebud	207	181	15	2	9	66	12	58.0	3	14.5
White	138	132	6	-	-	57	2	14.5	2	14.5
Nonwhite	69	49	9	2	9	29	10	144.9	1	14.5
Sanders	157	143	10	1	3	80	3	19.1	4	25.5
Sheridan	168	168	-	-	-	66	8	47.6	1	6.0
Silver Bow	1,083	1,074	8	1	-	704	40	36.9	21	19.4
Butte	1,025	1,016	8	1	-	644	37	36.1	21	20.5
Balance of county	58	58	-	-	-	60	3	51.7	-	0
Stillwater	130	126	4	-	-	61	5	38.5	1	7.7
Sweet Grass	67	57	10	-	-	29	-	0	1	14.9
Teton	176	158	11	7	-	54	2	11.4	3	17.0
Toole	173	166	7	-	-	55	6	34.7	2	11.6
Treasure	45	40	5	-	-	7	2	44.4	1	22.2
Valley	314	308	6	-	-	100	13	41.4	9	28.7
Wheatland	73	73	-	-	-	34	-	0	-	0
Wibaux	73	72	1	-	-	23	1	13.7	-	0
Yellowstone	1,498	1,462	29	2	5	460	57	38.1	17	11.3
Billings	1,096	1,086	5	1	4	341	39	35.6	9	8.2
Balance of county	402	376	24	1	1	119	18	44.8	8	19.9
Yellowstone National Park (part)	1	1	-	-	-	-	-	(4)	-	(4)
NEBRASKA	31,547	30,302	1,202	6	37	12,644	761	24.1	498	15.8
White	30,873	29,670	1,165	5	33	12,322	730	23.6	481	15.6
Nonwhite	674	632	37	1	4	322	31	46.0	17	25.2
Adams	698	689	8	-	1	245	12	17.2	11	15.8
Hastings	552	549	3	-	-	179	9	16.3	9	16.3
Balance of county	146	140	5	-	1	66	3	20.5	2	13.7
Antelope	257	228	29	-	-	99	4	15.6	4	15.6
Arthur	16	16	-	-	-	5	-	0	1	62.5
Banner	30	27	2	-	1	2	-	0	-	0
Blaine	29	24	5	-	-	6	-	0	-	0
Boone	294	283	9	-	2	95	7	23.8	4	13.6
Box Butte	362	355	7	-	-	111	16	44.2	6	16.6
Boyd	142	134	8	-	-	62	3	21.1	-	0
Brown	133	131	2	-	-	60	3	22.6	1	7.5
Buffalo	651	631	20	-	-	268	16	24.6	5	9.2
Burt	276	262	13	-	3	113	3	10.8	3	10.8
Butler	253	251	2	-	-	103	5	19.8	2	7.9
Cass	332	312	20	-	-	171	8	24.1	6	18.1
Cedar	374	338	35	-	1	118	11	29.4	5	13.4
Chase	148	137	10	-	1	55	6	40.5	2	13.5
Cherry	232	218	14	-	-	81	5	21.6	1	4.3
Cheyenne	337	333	3	-	1	88	9	26.7	4	11.9
Clay	175	170	5	-	-	123	5	28.6	1	5.7
Colfax	203	200	3	-	-	90	2	9.9	2	9.9
Cuming	313	309	4	-	-	120	5	16.0	4	12.8
Custer	416	343	73	-	-	188	7	16.8	7	16.8
Dakota	271	263	8	-	-	93	8	29.5	3	11.1
Dawes	248	238	7	1	2	107	2	8.1	5	20.2
Dawson	534	513	19	1	1	154	14	26.2	8	15.0
Deuel	81	77	3	-	1	39	2	24.7	4	49.4
Dixon	219	157	62	-	-	97	4	18.3	5	22.8
Dodge	613	605	7	-	1	242	12	19.6	8	13.1
Fremont	354	351	3	-	-	156	8	22.6	5	14.1
Balance of county	259	254	4	-	1	86	4	15.4	3	11.6
Douglas	6,800	6,720	79	1	-	2,777	179	26.3	118	17.4
Omaha	6,049	5,983	65	1	-	2,536	164	27.1	105	17.5
White	5,584	5,544	39	1	-	2,323	153	27.4	92	16.5
Nonwhite	465	439	26	-	-	213	11	23.7	14	30.1
Balance of county	751	737	14	-	-	241	15	20.0	12	16.0
Dundy	118	116	2	-	-	41	-	0	2	16.9
Fillmore	186	180	6	-	-	104	2	10.8	5	26.9
Franklin	158	128	30	-	-	81	3	19.0	5	31.6
Frontier	111	83	28	-	-	45	2	18.0	3	27.0
Furnas	247	245	2	-	-	120	6	24.3	3	12.1
Gage	591	575	16	-	-	272	10	16.9	7	11.8
Beatrice	280	278	2	-	-	124	2	7.1	4	14.3
Balance of county	311	297	14	-	-	148	8	25.7	3	9.6
Garden	93	91	2	-	-	37	3	32.3	2	21.5
Garfield	70	64	6	-	-	28	1	14.3	3	42.9
Gosper	59	59	-	-	-	25	-	0	1	16.9
Grant	31	28	3	-	-	12	-	0	-	0
Greeley	132	127	5	-	-	44	3	22.7	1	7.6
Hall	763	713	49	-	1	343	22	28.8	19	24.9
Grand Island	587	561	25	-	1	267	19	32.4	12	20.4
Balance of county	176	152	24	-	-	76	3	17.0	7	39.8
Hamilton	190	182	8	-	-	108	2	10.5	1	5.3
Harlan	176	165	10	-	1	53	4	22.7	7	39.8
Hayes	59	53	6	-	-	16	-	0	-	0
Hitchcock	132	125	7	-	-	42	-	0	1	7.6
Holt	369	308	59	-	2	135	3	8.1	6	16.3
Hooker	28	22	6	-	-	5	-	0	-	0
Howard	158	152	5	-	1	75	3	19.0	2	12.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NEBRASKA—Continued										
Jefferson	273	263	10	-	-	136	4	14.7	2	7.3
Johnson	164	155	9	-	-	76	3	18.3	3	18.3
Kearney	135	133	2	-	-	78	7	51.9	2	14.8
Keith	228	207	21	-	-	73	9	39.5	3	13.2
Keya Paha	39	38	1	-	-	12	1	25.6	2	51.3
Kimball	108	86	20	-	2	34	4	37.0	-	0
Knox	353	318	32	1	2	152	10	28.3	6	17.0
Lancaster	2,724	2,678	43	-	3	1,019	51	22.4	31	11.4
Lincoln	2,439	2,404	32	-	3	898	58	23.8	29	11.9
Balance of county	285	274	11	-	-	121	3	10.5	2	7.0
Lincoln	696	634	61	-	1	250	25	35.9	17	24.4
North Platte	466	423	43	-	-	172	18	38.6	12	25.8
Balance of county	230	211	18	-	1	78	7	30.4	5	21.7
Logan	39	33	6	-	-	8	1	25.6	-	0
Loup	29	22	6	-	1	9	1	34.5	-	0
McPherson	22	22	-	-	-	6	1	45.5	-	0
Madison	557	552	5	-	-	240	16	28.7	3	5.4
Norfolk	280	280	-	-	-	126	14	50.0	3	10.7
Balance of county	277	272	5	-	-	114	2	7.2	-	0
Merrick	178	170	5	-	-	113	2	11.4	5	28.6
Morrill	210	188	20	1	1	72	11	52.4	2	9.5
Nance	150	149	1	-	-	74	6	40.0	1	6.7
Nemaha	256	252	4	-	-	123	2	7.8	2	7.8
Nuckolls	215	211	4	-	-	98	6	27.9	1	4.7
Otoe	385	372	13	-	-	163	9	23.4	4	10.4
Pawnee	119	116	3	-	-	98	2	16.8	1	8.4
Perkins	133	127	6	-	-	41	2	15.0	3	22.6
Phelps	194	193	1	-	-	91	3	15.5	7	36.1
Pierce	224	214	10	-	-	97	4	17.9	4	17.9
Platte	522	518	4	-	-	158	17	32.6	8	15.3
Polk	165	164	1	-	-	95	8	48.5	1	6.1
Red Willow	348	337	10	1	-	124	4	11.5	9	25.9
Richardson	385	373	11	-	1	168	9	23.4	9	23.4
Rock	73	73	-	-	-	33	1	13.7	1	13.7
Saline	280	269	11	-	-	143	6	21.4	2	7.1
Sarpy	355	349	5	-	1	104	8	22.5	8	22.5
Saunders	351	340	11	-	-	169	8	22.8	6	17.1
Scotts Bluff	1,007	983	22	-	2	258	35	34.8	23	22.8
Scottsbluff	385	384	1	-	-	120	17	44.2	13	33.8
Balance of county	622	599	21	-	2	138	18	28.9	10	16.1
Seward	284	264	20	-	-	139	8	28.2	4	14.1
Sheridan	251	250	-	-	1	93	8	31.9	6	23.9
Sherman	170	163	7	-	-	58	5	29.4	1	5.9
Sioux	32	30	2	-	-	14	-	0	3	93.8
Stanton	134	122	11	-	1	50	4	29.9	2	14.9
Thayer	239	222	17	-	-	108	6	25.1	3	12.6
Thomas	23	15	8	-	-	11	-	0	-	0
Thurston	257	238	18	-	1	96	9	35.0	3	11.7
White	176	159	17	-	-	63	4	22.7	3	17.0
Nonwhite	81	79	1	-	1	33	5	61.7	-	0
Valley	164	130	34	-	-	62	5	30.5	3	18.3
Washington	248	248	-	-	-	92	4	16.1	3	12.1
Wayne	213	209	4	-	-	81	5	23.5	3	14.1
Webster	159	145	14	-	-	85	3	18.9	6	37.7
Wheeler	33	31	2	-	-	12	-	0	-	0
York	316	316	-	-	-	174	6	19.0	6	19.0
NEVADA	3,673	3,587	54	8	24	1,610	118	32.1	62	16.9
White	3,384	3,337	37	2	8	1,490	105	31.0	54	16.0
Nonwhite	289	250	17	6	16	120	13	45.0	9	27.7
Churchill	148	147	1	-	-	88	6	40.5	4	27.0
Clark	1,059	1,032	24	1	2	321	32	30.2	14	13.2
Douglas	53	51	1	-	1	25	3	56.6	-	0
White	40	39	1	-	-	22	3	75.0	-	0
Nonwhite	13	12	-	-	1	3	-	0	-	0
Elko	255	248	3	3	3	133	9	35.3	7	27.5
White	228	221	1	1	3	115	8	35.4	4	17.7
Nonwhite	29	25	2	2	-	18	1	34.5	3	103.4
Esmeralda	15	14	-	-	1	7	-	0	-	0
Eureka	15	13	2	-	-	12	-	0	-	0
Humboldt	93	81	4	3	5	79	9	96.8	2	21.5
Lander	43	43	-	-	-	19	1	23.3	-	0
White	39	39	-	-	-	17	1	25.6	-	0
Nonwhite	4	4	-	-	-	2	-	0	-	0
Lincoln	111	110	-	-	1	36	3	27.0	2	18.0
Lyon	63	60	2	-	1	49	3	47.6	-	0
Mineral	169	165	2	-	1	46	5	29.8	2	11.9
White	137	134	2	-	1	32	4	29.2	1	7.3
Nonwhite	31	31	-	-	-	14	1	32.3	1	32.3
Nye	66	59	1	-	6	60	1	15.2	2	30.3
White	45	45	-	-	-	53	-	0	2	44.4
Nonwhite	21	14	1	-	6	7	1	47.6	-	0
Ormsby	78	72	3	-	-	46	1	13.3	1	13.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[2]	Physician not in hospital	Midwife	Other and not specified					
NEVADA—Continued										
Pershing	64	63	1	-	-	33	2	31.3	1	15.6
Storey	11	11	-	-	-	15	-	0	-	0.
Washoe	1,185	1,176	5	1	3	525	29	24.5	25	21.1
Reno	814	813	1	-	-	379	19	23.3	17	20.9
Balance of county	371	363	4	1	3	146	10	27.0	8	21.6
White Pine	249	244	5	-	-	116	14	56.2	2	8.0
NEW HAMPSHIRE	11,940	11,754	181	2	3	6,109	333	27.9	218	18.3
White	11,920	11,735	180	2	3	6,099	332	27.9	218	18.3
Nonwhite	20	19	1	-	-	10	1	50.0	-	0
Belknap	644	637	7	-	-	340	20	31.1	10	15.5
Laconia	328	327	1	-	-	164	10	30.5	6	18.3
Balance of county	316	310	6	-	-	176	10	31.6	4	12.7
Carroll	311	303	7	-	1	215	6	19.3	11	35.4
Cheshire	860	828	32	-	-	467	26	30.2	8	9.3
Keene	342	340	2	-	-	182	7	20.5	4	11.7
Balance of county	518	488	30	-	-	285	19	36.7	4	7.7
Coos	855	826	27	1	1	369	23	26.9	15	17.5
Berlin	424	422	1	-	1	149	12	28.3	8	18.9
Balance of county	431	404	26	1	-	220	11	25.5	7	16.2
Grafton	1,131	1,110	21	-	-	497	28	24.8	27	23.9
Hillsborough	3,576	3,555	21	-	-	1,829	98	27.4	64	17.9
Manchester	1,940	1,936	4	-	-	1,003	51	26.3	34	17.5
Nashua	783	781	2	-	-	395	30	38.3	18	23.0
Balance of county	853	838	15	-	-	431	17	19.9	12	14.1
Merrimack	1,283	1,252	29	1	1	697	43	33.5	30	23.4
Concord	530	528	1	-	1	302	15	28.3	12	22.6
Balance of county	753	724	28	1	-	395	28	37.2	18	23.9
Rockingham	1,807	1,784	23	-	-	852	41	25.5	21	13.1
Portsmouth	497	489	8	-	-	223	15	30.2	8	16.1
Balance of county	1,110	1,095	15	-	-	629	26	23.4	13	11.7
Strafford	1,061	1,054	7	-	-	552	29	27.3	19	17.9
Dover	332	332	-	-	-	174	9	27.1	7	21.1
Rochester	255	255	-	-	-	168	13	51.0	4	15.7
Balance of county	474	467	7	-	-	210	7	14.8	8	16.9
Sullivan	612	605	7	-	-	301	19	31.0	13	21.2
Claremont (town)	291	289	2	-	-	138	9	30.9	6	20.6
Balance of county	321	316	5	-	-	163	10	31.2	7	21.8
NEW JERSEY	97,608	94,993	2,200	316	97	47,880	2,534	26.0	1,933	19.8
White	88,393	86,551	1,494	289	59	44,228	2,091	23.5	1,654	18.7
Nonwhite	9,213	8,442	706	27	38	3,652	453	49.2	279	30.3
Atlantic	2,576	2,382	174	10	10	1,814	97	37.7	55	21.4
White	2,080	1,981	106	5	8	1,476	71	34.1	36	17.3
Nonwhite	496	421	68	5	2	338	26	52.4	19	38.3
Atlantic City	1,189	1,125	56	2	6	974	56	47.1	30	25.2
White	799	783	9	2	5	700	35	43.8	14	17.5
Nonwhite	390	342	47	-	1	274	21	53.8	16	41.0
Pleasantville	262	243	19	-	-	149	4	15.3	3	11.5
White	204	189	15	-	-	125	3	14.7	2	9.8
Nonwhite	58	54	4	-	-	24	1	17.2	1	17.2
Balance of county	1,125	1,014	99	8	4	691	37	32.9	22	19.6
Bergen	10,402	10,324	68	8	2	4,320	213	20.5	213	20.5
Garfield	564	559	3	2	-	192	9	16.0	16	28.4
Hackensack	561	557	3	1	-	272	14	25.0	9	16.0
White	496	493	2	1	-	236	12	24.2	8	16.1
Nonwhite	65	64	1	-	-	36	2	30.8	1	15.4
Teaneck (twp.)[3]	556	554	1	1	-	249	12	21.6	10	18.0
Bergenfield	355	354	1	-	-	129	10	28.2	9	25.4
Cliffside Park	291	288	3	-	-	132	1	3.4	7	24.1
Englewood	456	452	4	-	-	216	11	24.1	13	28.5
White	360	357	3	-	-	175	7	19.4	12	33.3
Nonwhite	96	95	1	-	-	41	4	41.7	1	10.4
Lodi	326	323	1	1	1	115	4	12.3	9	27.6
Lyndhurst (twp.)[3]	415	413	1	-	1	156	8	19.3	7	16.9
Ridgefield Park	228	225	3	-	-	121	3	13.2	3	13.2
Ridgewood	243	240	3	-	-	164	4	16.5	5	20.6
Rutherford	330	329	1	-	-	203	7	21.2	5	15.2
Balance of county	6,077	6,030	44	3	-	2,371	130	21.4	120	19.7
Burlington	2,718	2,555	160	1	2	1,198	82	30.2	54	19.9
Burlington	327	296	31	-	-	143	12	36.7	5	15.3
White	266	257	9	-	-	121	10	37.6	5	18.8
Nonwhite	61	39	22	-	-	22	2	32.8	-	0
Balance of county	2,391	2,259	129	1	2	1,055	70	29.3	49	20.5
Camden	6,333	5,984	319	47	3	3,127	150	23.7	119	18.8
Camden	2,831	2,657	133	40	1	1,395	66	23.3	67	23.7
White	2,335	2,214	81	39	1	1,198	48	20.6	55	23.6
Nonwhite	496	443	52	1	-	197	18	36.3	12	24.2
Collingswood	259	257	2	-	-	155	2	7.7	4	15.4
Gloucester City	302	287	15	-	-	164	7	23.2	7	23.2
Pennsauken (twp.)[3]	305	284	20	1	-	170	8	26.2	6	19.7
Balance of county	2,636	2,479	149	6	2	1,243	67	25.4	35	13.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NEW JERSEY—Continued										
Cape May	639	578	60	-	1	513	20	31.3	17	26.6
Cumberland	1,855	1,733	117	4	1	976	64	34.5	39	21.0
Bridgeton	439	418	20	-	1	249	23	52.4	9	20.5
White	340	332	8	-	-	220	16	47.1	7	20.6
Nonwhite	99	86	12	-	1	29	7	70.7	2	20.2
Millville	267	263	4	-	-	190	11	41.2	6	22.5
Balance of county	1,149	1,052	93	4	-	539	30	26.1	24	20.9
Essex	17,798	17,478	252	43	25	9,420	488	27.4	352	19.8
Newark	9,389	9,138	199	32	20	4,964	311	33.1	211	22.5
White	7,075	6,951	83	29	12	4,087	176	24.9	137	19.4
Nonwhite	2,314	2,187	116	3	8	897	135	58.3	74	32.0
Belleville	662	654	4	4	-	257	14	21.1	11	16.6
Bloomfield	936	931	3	2	-	422	22	23.5	9	9.6
East Orange	1,439	1,418	15	5	1	908	28	19.5	28	19.5
Irvington	1,063	1,059	3	-	1	548	28	26.3	19	17.9
Montclair	869	858	10	-	1	486	19	21.9	16	18.4
White	639	636	3	-	-	393	11	17.2	12	18.8
Nonwhite	230	222	7	-	1	93	8	34.8	4	17.4
Orange	831	823	7	-	1	405	18	21.7	15	18.1
White	675	673	1	-	1	334	15	22.2	11	16.3
Nonwhite	156	150	6	-	-	71	3	19.2	4	25.6
West Orange	495	495	-	-	-	255	8	16.2	4	8.1
Maplewood (twp.)[3]	301	300	1	-	-	235	6	19.9	5	16.6
Millburn (twp.)[3]	180	178	2	-	-	115	5	27.8	3	16.7
Nutley	519	514	4	-	1	217	9	17.3	9	17.3
South Orange	205	203	2	-	-	149	3	14.6	3	14.8
Balance of county	909	907	2	-	-	459	17	18.7	19	20.9
Gloucester	1,962	1,824	133	1	4	922	43	21.9	43	21.9
Hudson	13,354	13,198	126	25	5	6,955	351	24.8	243	18.2
Jersey City	6,578	6,500	72	5	1	3,385	189	28.7	104	15.8
White	5,844	5,784	54	5	1	3,149	151	25.8	92	15.7
Nonwhite	734	716	18	-	-	236	38	51.8	12	16.3
Bayonne	1,617	1,600	12	5	-	707	43	26.6	35	21.6
Hoboken	1,005	986	16	2	1	624	26	25.9	19	18.9
Kearny	799	796	2	1	-	376	13	16.3	24	30.0
North Bergen (twp.)[3]	761	756	2	3	-	401	11	14.5	17	22.3
Union City	1,059	1,044	12	2	1	605	14	13.2	14	13.2
West New York	768	759	3	5	1	414	16	20.8	8	10.4
Harrison	303	297	4	1	1	127	10	33.0	4	13.2
Weehawken (twp.)[3]	198	198	-	-	-	155	4	20.2	9	45.5
Balance of county	266	262	3	1	-	161	5	18.8	9	33.8
Hunterdon	828	778	49	1	-	497	24	29.0	21	25.4
Mercer	4,551	4,448	100	1	2	2,313	148	32.5	95	20.9
Trenton	2,516	2,447	68	-	1	1,449	90	35.8	57	22.7
Balance of county	2,035	2,001	32	1	1	864	58	28.5	38	18.7
Middlesex	5,655	5,475	89	86	5	2,289	151	26.7	126	22.3
New Brunswick	893	884	8	1	-	412	16	17.9	31	34.7
Perth Amboy	794	752	10	31	1	384	16	20.2	15	18.9
Woodbridge (twp.)[3]	687	659	7	19	2	269	21	30.6	12	17.5
Carteret	247	227	3	17	-	98	8	32.4	2	8.1
South River	219	217	-	2	-	80	4	18.3	9	41.1
Balance of county	2,815	2,736	61	16	2	1,046	86	30.6	57	20.2
Monmouth	4,718	4,634	73	3	8	2,416	127	26.9	86	18.2
Asbury Park	387	379	7	-	1	249	11	28.4	10	25.8
White	240	237	3	-	-	173	5	20.8	7	29.2
Nonwhite	147	142	4	-	1	75	6	40.8	3	20.4
Long Branch	546	544	2	-	-	244	16	29.3	6	11.0
Neptune (twp.)[3]	284	278	6	-	-	141	5	17.6	8	28.2
White	200	195	5	-	-	117	4	20.0	5	25.0
Nonwhite	84	83	1	-	-	24	1	11.9	3	35.7
Red Bank	309	307	2	-	-	168	10	32.4	9	29.1
White	253	253	-	-	-	166	9	35.6	7	27.7
Nonwhite	56	54	2	-	-	22	1	17.9	2	35.7
Balance of county	3,192	3,126	56	3	7	1,595	85	26.6	53	16.6
Morris	3,209	3,161	44	3	1	1,478	84	26.2	60	18.7
Dover	226	222	2	2	-	119	11	48.7	4	17.7
Morristown	444	440	4	-	-	233	8	18.0	9	20.3
Balance of county	2,539	2,499	38	1	1	1,126	65	25.6	47	18.5
Ocean	1,218	1,194	22	1	1	680	30	24.6	32	26.3
Passaic	8,460	8,370	62	11	17	3,204	160	24.8	141	21.8
Paterson	2,708	2,683	20	4	1	1,606	72	26.6	62	22.9
Clifton	1,246	1,240	3	3	-	449	27	21.7	25	20.1
Passaic	1,098	1,092	4	1	1	554	37	33.7	24	21.9
Hawthorne	257	252	5	-	-	123	5	19.5	6	23.3
Balance of county	1,151	1,103	30	3	15	472	19	16.5	24	20.9
Salem	1,093	1,038	55	-	-	495	29	26.5	30	27.4
White	920	886	34	-	-	417	22	23.9	23	25.0
Nonwhite	173	152	21	-	-	78	7	40.5	7	40.5
Somerset	2,142	2,091	28	21	2	835	43	20.1	36	16.8
North Plainfield	228	223	5	-	-	115	4	17.5	5	21.9
Balance of county	1,914	1,868	23	21	2	720	39	20.4	31	16.2
Sussex	792	744	47	-	1	374	17	21.5	17	21.5

See footnotes on p. 83.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NEW JERSEY—Continued										
Union	8,169	7,970	142	50	7	3,445	203	24.9	134	16.4
Elizabeth	2,383	2,303	37	38	5	1,143	57	23.9	51	21.4
Plainfield	974	943	31	-	-	439	27	27.7	19	19.5
White	827	820	7	-	-	384	18	21.8	10	12.1
Nonwhite	147	123	24	-	-	55	9	61.2	9	61.2
Cranford (twp.)[3]	425	417	8	-	-	120	13	30.6	3	7.1
Hillside (twp.)[3]	339	335	3	-	1	157	10	29.5	5	14.7
Linden	630	615	9	5	1	205	16	25.4	9	14.3
Rahway	439	431	5	2	-	208	12	27.4	10	22.8
Roselle	388	377	10	1	-	140	12	30.9	4	10.3
White	325	323	1	1	-	122	9	27.7	3	9.2
Nonwhite	63	54	9	-	-	18	3	47.6	1	15.9
Summit	340	340	-	-	-	173	4	11.8	2	5.9
Union (twp.)[3]	697	689	7	1	-	255	16	23.0	9	12.9
Westfield	392	381	10	1	-	218	16	40.8	6	15.3
Balance of county	1,163	1,139	22	2	-	387	20	17.2	16	13.8
Warren	1,134	1,054	80	-	-	607	30	26.5	20	17.6
Phillipsburg	423	406	17	-	-	220	16	37.8	10	23.6
Balance of county	711	648	63	-	-	387	14	19.7	10	14.1
NEW MEXICO	21,620	15,142	5,327	2,530	621	5,576	1,408	65.1	382	17.7
White	20,118	14,098	5,274	2,326	422	5,069	1,228	61.0	342	17.0
Nonwhite	1,502	1,046	53	204	199	507	180	119.8	40	26.6
Bernalillo	4,410	3,587	565	209	50	1,039	244	55.3	93	21.1
Albuquerque	2,747	2,445	212	77	13	661	117	42.6	68	24.8
Balance of county	1,663	1,142	353	131	37	378	127	76.4	25	15.0
Catron	98	34	43	10	11	35	8	81.6	2	20.4
Chaves	1,142	1,035	39	61	7	270	61	53.4	18	15.8
Roswell	775	727	10	37	1	200	46	59.4	11	14.2
Balance of county	367	308	29	24	6	70	15	40.9	7	19.1
Colfax	507	440	15	40	12	170	22	43.4	8	15.8
Curry	674	622	10	40	2	187	33	49.0	15	22.3
Clovis	507	463	5	38	1	152	27	53.3	12	23.7
Balance of county	167	159	5	2	1	35	6	35.9	3	18.0
De Baca	80	54	5	11	-	26	5	62.5	2	25.0
Dona Ana	1,501	713	551	204	33	329	99	66.0	27	18.0
Eddy	1,426	1,296	49	70	11	306	96	67.3	21	14.7
Grant	691	581	85	16	9	179	33	47.8	6	8.7
Guadalupe	220	53	122	40	5	72	16	72.7	8	36.4
Harding	75	21	40	11	3	24	6	80.0	1	13.3
Hidalgo	147	113	10	21	3	42	6	40.8	-	0
Lea	922	908	11	2	1	183	45	48.8	19	20.6
Hobbs	469	464	5	-	-	92	28	59.7	13	27.7
Balance of county	453	444	6	2	1	91	17	37.5	6	13.2
Lincoln	203	97	68	32	6	78	11	54.2	8	39.4
Los Alamos[3]	251	228	3	-	-	17	7	30.3	3	13.0
Luna	280	214	63	3	-	82	15	55.6	15	53.6
McKinley	976	731	62	102	81	267	102	104.5	14	14.3
White	371	290	51	25	5	99	30	80.9	7	18.9
Nonwhite	605	441	11	77	76	168	72	119.0	7	11.6
Mora	321	75	71	141	34	90	32	99.7	2	6.2
Otero	454	230	194	3	7	111	25	57.6	7	16.1
Quay	398	378	8	6	6	120	19	47.7	1	2.5
Rio Arriba	916	445	259	152	60	225	76	83.0	16	17.5
Roosevelt	393	356	36	-	1	103	19	48.3	9	22.9
Sandoval	549	246	124	144	35	148	42	76.5	8	14.6
White	411	209	124	70	8	82	27	65.7	4	9.7
Nonwhite	138	37	-	74	27	66	15	108.7	4	29.0
San Juan	459	421	13	5	20	156	33	71.9	10	21.8
White	269	253	10	2	4	84	9	33.5	6	22.3
Nonwhite	190	168	3	3	16	72	24	126.3	4	21.1
San Miguel	1,017	477	70	432	38	319	104	102.3	19	18.7
Santa Fe	1,248	788	146	276	38	296	61	48.9	10	8.0
Santa Fe	922	641	69	199	13	212	43	46.6	6	6.5
Balance of county	326	147	77	77	25	84	18	55.2	4	12.3
Sierra	150	93	36	10	11	89	13	86.7	3	20.0
Socorro	338	65	193	53	27	116	41	121.3	7	20.7
Taos	629	273	66	256	34	134	32	50.9	7	11.1
Torrance	245	109	73	55	8	78	13	53.1	8	32.7
Union	202	117	55	22	8	78	14	69.3	5	24.8
Valencia	738	332	242	104	60	207	75	101.6	10	13.6
White	625	275	239	93	18	163	56	89.6	6	9.6
Nonwhite	113	57	3	11	42	44	19	168.1	4	35.4
NEW YORK	301,287	295,656	5,036	250	345	155,020	7,878	26.1	6,864	22.8
White	274,783	270,116	4,238	192	237	145,809	6,864	25.0	5,751	20.9
Nonwhite	26,504	25,540	798	58	108	9,211	1,014	38.3	1,113	42.0
Albany	5,042	4,944	54	38	6	3,083	158	27.4	80	15.9
Albany	2,948	2,881	28	36	3	1,928	98	33.2	49	16.6
Cohoes	475	468	7	-	-	293	9	18.9	10	21.1
Watervliet	341	333	7	1	-	198	4	11.7	7	20.5
Balance of county	1,278	1,262	12	1	3	664	27	121.1	14	11.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NEW YORK—Continued										
Allegany	1,036	1,010	26	-	-	516	35	33.8	14	13.5
Broome	4,247	4,203	41	-	3	1,831	124	29.2	96	22.6
Binghamton	1,806	1,796	10	-	-	916	57	31.6	38	21.0
Endicott	585	584	1	-	-	211	16	30.8	11	18.8
Johnson City	501	499	1	-	1	192	13	25.9	13	25.9
Balance of county	1,355	1,324	29	-	2	512	36	26.6	34	25.1
Cattaraugus	1,855	1,807	46	-	2	837	53	28.6	34	18.3
Olean	615	613	2	-	-	217	12	19.5	12	19.5
Balance of county	1,240	1,194	44	-	2	620	41	33.1	22	17.7
Cayuga	1,513	1,500	13	-	-	855	36	23.8	22	14.5
Auburn	776	772	4	-	-	437	25	32.2	10	12.9
Balance of county	737	728	9	-	-	418	11	14.9	12	16.3
Chautauqua	2,929	2,893	32	-	4	1,495	81	27.7	47	16.0
Jamestown	924	922	1	-	1	488	22	23.8	13	14.1
Dunkirk	394	393	1	-	-	192	9	22.8	5	12.7
Balance of county	1,611	1,578	30	-	3	815	50	31.0	29	18.0
Chemung	2,069	2,053	14	-	2	976	53	25.6	29	14.0
Elmira	1,138	1,129	8	-	1	627	31	27.2	17	14.9
Balance of county	931	924	6	-	1	349	22	23.6	12	12.9
Chenango	910	876	34	-	-	500	26	28.6	12	13.2
Clinton	1,337	1,210	124	-	3	545	37	27.7	21	15.7
Plattsburgh	482	478	4	-	-	188	10	20.7	6	12.4
Balance of county	855	732	120	-	3	357	27	31.6	15	17.5
Columbia	793	771	21	-	1	381	16	20.2	19	24.0
Hudson	228	224	4	-	-	155	5	21.9	5	21.9
Balance of county	565	547	17	-	1	426	11	19.5	14	24.8
Cortland	845	828	12	3	2	447	29	34.3	12	14.2
Cortland	387	383	1	2	1	221	13	33.6	4	10.3
Balance of county	458	445	11	1	1	226	16	34.9	8	17.5
Delaware	1,036	944	89	-	3	504	25	24.1	14	13.5
Dutchess	2,284	2,234	37	7	6	1,422	65	28.5	40	17.5
Poughkeepsie	892	835	12	5	-	541	22	25.8	11	12.9
Beacon	237	234	1	-	2	150	10	42.2	4	16.9
Balance of county	1,195	1,165	24	2	4	731	33	27.6	25	20.9
Erie	19,604	19,202	364	19	19	9,327	529	27.0	363	18.5
Buffalo	12,463	12,285	152	14	12	6,667	345	27.7	230	18.5
White	11,348	11,210	117	13	8	6,310	299	26.3	199	17.5
Nonwhite	1,115	1,075	35	1	4	357	46	41.3	31	27.8
Kenmore	349	348	1	-	-	207	14	40.1	6	17.2
Lackawanna	676	647	26	3	-	234	21	31.1	15	22.2
Tonawanda	361	356	4	-	1	174	11	30.5	4	11.1
Balance of county	5,755	5,566	181	2	6	2,045	139	24.0	108	18.8
Essex	925	835	87	-	3	483	30	32.4	24	25.9
Franklin	1,089	810	267	3	9	529	36	33.1	29	26.6
Fulton	1,091	1,068	21	1	1	683	34	31.2	16	14.7
Gloversville	519	516	3	-	-	327	16	30.8	9	17.3
Johnstown	227	226	1	-	-	158	4	17.6	4	17.6
Balance of county	345	326	17	1	1	198	14	40.6	3	8.7
Genesee	1,080	1,066	13	-	1	477	28	25.9	19	17.6
Batavia	389	388	1	-	-	176	12	30.8	9	23.1
Balance of county	691	678	12	-	1	301	16	23.2	10	14.5
Greene	561	540	20	1	-	430	19	33.9	11	19.6
Hamilton	89	82	7	-	-	54	3	33.7	1	11.2
Herkimer	1,408	1,375	33	-	-	748	55	39.1	26	18.5
Little Falls	208	206	2	-	-	136	8	38.5	2	9.6
Balance of county	1,200	1,169	31	-	-	612	47	39.2	24	20.0
Jefferson	2,097	1,974	123	-	-	1,075	53	25.3	38	18.1
Watertown	840	833	7	-	-	436	27	32.1	11	13.1
Balance of county	1,257	1,141	116	-	-	639	26	20.7	27	21.5
Lewis	625	576	47	-	2	309	17	27.2	10	16.0
Livingston	898	876	21	-	1	439	22	24.5	20	22.3
Madison	1,133	1,080	49	-	4	505	30	26.5	23	20.3
Oneida	265	264	1	-	-	120	9	34.0	2	7.5
Balance of county	868	816	48	-	4	385	21	24.2	21	24.2
Monroe	10,790	10,709	71	1	9	5,121	282	26.1	172	15.9
Rochester	7,445	7,394	43	1	7	3,865	181	24.3	120	16.1
Irondequoit (town)	14	11	3	-	-	162	12	857.1	2	142.9
Balance of county	3,331	3,304	25	-	2	1,094	89	26.7	50	15.0
Montgomery	1,228	1,213	11	3	1	802	51	41.5	24	19.5
Amsterdam	651	647	2	2	-	438	30	46.1	15	23.0
Balance of county	577	566	9	1	1	364	21	36.4	9	15.6
Nassau	14,274	14,136	131	1	6	5,037	309	21.6	237	16.6
Floral Park	266	263	3	-	-	144	3	11.3	5	18.8
Freeport	485	482	1	-	2	278	14	28.9	5	10.3
Garden City	226	225	1	-	-	123	7	31.0	4	17.7
Glen Cove	329	313	15	-	1	128	12	36.5	4	12.2
Hempstead	699	694	5	-	-	295	19	27.2	20	28.6
Lynbrook	340	337	3	-	-	174	4	11.8	6	17.6
Mineola	284	282	2	-	-	112	9	31.7	5	17.6
Rockville Centre	361	358	3	-	-	226	10	27.7	5	13.9
Valley Stream	698	695	3	-	-	221	13	18.6	12	17.2
Balance of county	10,586	10,487	95	1	3	3,336	218	20.6	171	16.2
New York City[5]	152,288	150,220	1,704	150	194	81,527	3,867	25.4	4,198	27.6
White	130,535	129,201	1,113	104	117	74,007	3,049	23.4	3,222	24.7
Nonwhite	21,733	21,019	591	46	77	7,520	818	37.6	974	44.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NEW YORK—Continued										
Niagara	4,524	4,489	32	-	3	1,798	123	27.2	75	16.6
Niagara Falls	2,252	2,241	11	-	-	768	64	28.4	40	17.8
Lockport	521	518	3	-	-	296	17	32.6	9	17.3
North Tonawanda	600	594	4	-	2	264	14	23.3	6	10.0
Balance of county	1,151	1,136	14	-	1	470	28	24.3	20	17.4
Oneida	4,857	4,715	137	1	4	2,515	157	32.3	94	19.4
Utica	2,108	2,094	14	1	-	1,231	66	31.3	48	22.8
Rome	989	982	7	-	-	357	27	27.3	13	13.1
Balance of county	1,759	1,639	116	-	4	927	64	36.4	33	18.8
Onondaga	7,723	7,664	55	-	4	3,621	199	25.8	132	17.1
Syracuse	4,731	4,710	18	-	3	2,566	128	27.1	74	15.6
Balance of county	2,992	2,954	37	-	1	1,055	71	23.7	58	19.4
Ontario	1,342	1,315	25	-	2	719	36	26.8	20	14.9
Geneva	425	421	3	-	1	209	7	16.5	7	16.5
Balance of county	917	894	22	-	1	510	29	31.6	13	14.2
Orange	3,036	2,948	86	-	2	1,813	75	24.7	58	19.1
Newburgh	723	700	22	-	1	441	17	23.5	7	9.7
Middletown	414	407	7	-	-	280	8	19.3	5	12.1
Balance of county	1,899	1,841	57	-	1	1,092	50	26.3	46	24.2
Orleans	664	656	8	-	-	383	16	24.1	14	21.1
Oswego	1,761	1,647	111	-	3	902	58	32.9	43	24.4
Fulton	342	338	4	-	-	150	14	40.9	13	38.0
Oswego	518	518	-	-	-	268	14	27.0	8	15.4
Balance of county	901	791	107	-	3	484	30	33.3	22	24.4
Otsego	1,051	1,001	46	2	2	637	25	23.8	16	15.2
Oneonta	279	276	3	-	-	177	8	28.7	5	17.9
Balance of county	772	725	43	2	2	460	17	22.0	11	14.2
Putnam	337	324	13	-	-	257	10	29.7	4	11.9
Rensselaer	2,951	2,883	40	6	2	1,811	89	30.4	50	17.1
Troy	1,605	1,595	9	1	-	1,086	56	34.9	31	19.3
Rensselaer	286	278	4	4	-	155	9	31.5	5	17.5
Balance of county	1,040	1,010	27	1	2	570	24	23.1	14	13.5
Rockland	1,778	1,753	24	-	1	782	41	23.1	25	14.1
St. Lawrence	2,551	2,417	128	2	4	1,170	85	33.3	55	21.6
Massena	381	366	5	-	-	120	11	28.1	9	23.0
Ogdensburg	362	358	3	-	1	192	9	24.9	10	27.6
Balance of county	1,798	1,873	120	2	3	858	65	36.2	36	20.0
Saratoga	1,615	1,585	47	-	3	874	42	26.0	31	19.2
Saratoga Springs	316	311	5	-	-	183	10	31.6	9	28.5
Balance of county	1,299	1,254	42	-	3	691	32	24.6	22	16.9
Schenectady	2,996	2,972	20	1	3	1,481	80	26.7	47	15.7
Schenectady	2,075	2,056	15	1	3	1,079	60	28.9	35	16.9
Balance of county	921	916	5	-	-	372	20	21.7	12	13.0
Schoharie	467	399	64	1	3	308	19	40.7	5	10.7
Schuyler	302	291	11	-	-	189	9	29.8	5	16.6
Seneca	556	545	6	-	5	324	13	23.4	7	12.6
Steuben	2,222	2,132	86	-	4	987	56	25.2	38	17.1
Corning	476	472	4	-	-	185	9	18.9	6	12.6
Hornell	356	351	5	-	-	150	8	22.5	10	28.1
Balance of county	1,390	1,309	77	-	4	852	39	28.1	22	15.8
Suffolk	4,875	4,721	145	4	5	2,479	105	21.5	105	21.5
Sullivan	820	743	76	-	1	485	27	32.9	15	18.3
Tioga	742	703	30	-	9	376	16	21.6	14	18.9
Tompkins	1,364	1,339	24	1	-	519	29	21.3	20	14.7
Ithaca	827	823	4	-	-	260	10	15.9	11	17.5
Balance of county	737	716	20	1	-	259	19	25.8	9	12.2
Ulster	1,747	1,714	33	-	-	1,259	56	32.1	33	18.9
Kingston	591	587	4	-	-	384	20	33.8	10	16.9
Balance of county	1,156	1,127	29	-	-	845	36	31.1	23	19.9
Warren	922	886	35	1	-	549	43	46.6	17	18.4
Glens Falls	472	471	1	-	-	295	16	33.9	7	14.8
Balance of county	450	415	34	1	-	254	27	60.0	10	22.2
Washington	1,055	950	104	-	1	602	33	31.3	27	25.6
Wayne	1,203	1,173	29	1	-	651	36	29.9	17	14.1
Westchester	11,636	11,553	78	3	2	5,869	289	24.8	223	19.2
Yonkers	2,868	2,850	18	-	-	1,487	75	26.2	62	21.6
Mount Vernon	1,428	1,410	17	1	-	668	32	22.4	19	13.3
New Rochelle	1,108	1,099	8	-	1	556	19	17.1	24	21.7
White	932	930	2	-	-	483	14	15.0	19	20.4
Nonwhite	176	169	6	-	1	73	5	28.4	5	28.4
White Plains	834	830	3	1	-	442	30	36.0	14	16.8
Mamaroneck	299	298	-	1	-	133	9	30.1	9	30.1
Ossining	288	287	1	-	-	172	5	17.4	7	24.3
White	257	256	1	-	-	162	5	19.5	6	23.3
Nonwhite	31	31	-	-	-	10	-	0	1	32.3
Peekskill	373	365	8	-	-	207	12	32.2	6	16.1
Port Chester	557	554	3	-	-	235	8	14.4	7	12.6
Scarsdale	196	196	-	-	-	143	7	35.7	5	25.5
Balance of county	3,685	3,664	20	-	1	1,828	92	25.0	70	19.0
Wyoming	735	712	23	-	-	369	18	24.5	18	24.5
Yates	419	411	8	-	-	233	10	23.9	7	16.7

See footnotes on p. 98.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NORTH CAROLINA	107,970	73,546	20,404	13,797	223	31,009	4,113	38.1	2,766	25.6
White	72,415	61,114	9,608	1,583	110	20,201	2,185	30.2	1,377	19.0
Nonwhite	35,555	12,432	10,796	12,214	113	10,808	1,928	54.2	1,389	39.1
Alamance	1,799	1,420	373	6	-	456	40	22.2	42	23.3
White	1,387	1,285	102	-	-	352	26	18.7	25	18.0
Nonwhite	412	135	271	6	-	104	14	34.0	17	41.3
Burlington	625	524	101	-	-	172	15	24.0	20	32.0
Balance of county	1,174	896	272	6	-	284	25	21.3	22	18.7
White	856	777	79	-	-	209	18	21.0	11	12.9
Nonwhite	318	119	193	6	-	75	7	22.0	11	34.6
Alexander	384	273	107	4	-	127	9	23.4	8	20.8
Alleghany	158	75	80	1	2	80	4	25.3	4	25.3
Anson	822	312	171	335	4	212	36	43.8	17	20.7
White	318	245	60	12	1	95	13	40.9	3	9.4
Nonwhite	504	67	111	323	3	117	23	45.6	14	27.8
Ashe	595	448	104	40	3	171	21	35.3	15	25.2
Avery	402	339	15	47	1	111	13	32.3	12	29.9
Beaufort	1,056	691	113	251	1	362	68	64.4	26	24.6
White	592	522	55	15	-	187	23	38.9	9	15.2
Nonwhite	464	169	58	236	1	175	45	97.0	17	36.6
Bertie	777	384	130	263	-	244	44	56.6	23	29.6
White	236	211	21	4	-	88	5	21.2	7	29.7
Nonwhite	541	173	109	259	-	156	39	72.1	16	29.6
Bladen	904	243	443	218	-	221	51	56.4	20	22.1
White	451	204	231	16	-	112	26	57.6	3	6.7
Nonwhite	453	39	212	202	-	109	25	55.2	17	37.5
Brunswick	521	311	16	191	3	139	18	34.5	18	34.5
White	315	263	8	44	-	75	9	28.6	2	6.3
Nonwhite	206	48	8	147	3	64	9	43.7	16	77.7
Buncombe	2,848	2,477	203	159	9	1,003	94	33.0	56	19.7
White	2,445	2,265	153	22	5	794	78	31.9	41	16.8
Nonwhite	403	212	50	137	4	209	16	39.7	15	37.2
Asheville	1,397	1,228	35	129	5	551	45	32.2	27	19.3
White	1,052	1,044	5	2	1	381	29	27.6	13	12.4
Nonwhite	345	184	30	127	4	190	16	46.4	14	40.6
Balance of county	1,451	1,249	168	30	4	452	49	33.8	29	20.0
Burke	1,104	1,004	31	64	5	271	21	19.0	15	13.6
Cabarrus	1,528	1,462	47	19	-	444	46	30.1	37	24.2
White	1,233	1,209	20	4	-	342	39	31.6	26	21.1
Nonwhite	295	253	27	15	-	102	7	23.7	11	37.3
Concord	447	434	8	5	-	173	17	38.0	9	20.1
White	449	348	-	1	-	129	16	45.8	8	22.9
Nonwhite	98	86	8	4	-	44	1	10.2	1	10.2
Balance of county	1,081	1,028	39	14	-	271	29	26.8	28	25.9
White	884	861	20	3	-	213	23	26.0	18	20.4
Nonwhite	197	167	19	11	-	58	6	30.5	10	50.8
Caldwell	1,230	941	269	20	-	287	48	39.0	26	21.1
Camden	143	58	27	58	-	45	9	62.9	4	28.0
White	74	55	15	4	-	30	3	40.5	1	13.5
Nonwhite	69	3	12	54	-	15	6	87.0	3	43.5
Carteret	586	468	45	73	-	172	17	29.0	12	20.5
White	474	443	22	9	-	138	13	27.4	8	16.9
Nonwhite	112	25	23	64	-	34	4	35.7	4	35.7
Caswell	595	226	199	170	-	153	21	35.3	11	18.5
White	210	145	60	5	-	84	8	38.1	3	14.3
Nonwhite	385	81	139	165	-	69	13	33.8	8	20.8
Catawba	1,681	1,551	54	73	3	403	61	36.3	35	20.8
White	1,501	1,432	36	31	2	357	56	37.3	25	16.7
Nonwhite	180	119	18	42	1	46	5	27.8	10	55.6
Hickory	581	566	4	11	-	122	20	34.4	12	20.7
White	510	506	2	2	-	102	17	33.3	10	19.6
Nonwhite	71	60	2	9	-	20	3	42.3	2	28.2
Balance of county	1,100	985	50	62	3	281	41	37.3	23	20.9
Chatham	667	406	207	53	1	217	20	30.0	12	18.0
White	379	321	56	1	1	150	8	21.1	3	7.9
Nonwhite	288	85	151	52	-	67	12	41.7	9	31.3
Cherokee	497	329	42	118	8	148	27	54.3	10	20.1
Chowan	387	146	172	68	1	141	26	67.2	20	51.7
White	161	114	45	1	1	65	7	43.5	6	37.3
Nonwhite	226	32	127	67	-	76	19	84.1	14	61.9
Clay	155	49	69	34	3	30	4	25.8	2	12.9
Cleveland	1,849	1,264	362	220	3	390	58	31.4	39	21.1
White	1,298	1,061	209	26	2	293	40	30.8	19	14.6
Nonwhite	551	203	153	194	1	97	18	32.7	20	36.3
Shelby	392	345	9	38	-	97	8	20.4	6	15.3
White	281	276	4	1	-	72	7	24.9	3	10.7
Nonwhite	111	69	5	37	-	25	1	9.0	3	27.0
Balance of county	1,457	919	353	182	3	293	50	34.3	33	22.6
White	1,017	785	205	25	2	221	33	32.4	16	15.7
Nonwhite	440	134	148	157	1	72	17	38.6	17	38.6
Columbus	1,618	928	234	452	4	419	89	55.0	57	35.2
White	989	739	142	107	1	249	42	42.5	24	24.3
Nonwhite	629	189	92	345	3	170	47	74.7	33	52.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NORTH CAROLINA—Continued										
Craven	1,455	1,057	53	345	-	422	57	39.2	45	30.9
White	953	917	24	12	-	203	26	27.3	12	12.6
Nonwhite	502	140	29	333	-	219	31	61.8	33	65.7
New Bern	506	352	3	151	-	189	18	35.6	17	33.6
White	303	300	2	1	-	78	4	13.2	4	13.2
Nonwhite	203	52	1	150	-	111	14	69.0	13	64.0
Balance of county	949	705	50	194	-	233	39	41.1	28	29.5
White	650	617	22	11	-	125	22	33.8	8	12.3
Nonwhite	299	88	28	183	-	108	17	56.9	20	66.9
Cumberland	3,317	2,631	165	519	2	639	124	37.4	74	22.3
White	2,368	2,269	67	32	-	387	69	29.1	37	15.6
Nonwhite	949	362	98	487	2	252	55	58.0	37	39.0
Fayetteville	1,554	1,288	58	206	1	299	59	38.0	40	25.7
White	1,105	1,074	22	9	-	161	31	28.1	24	21.7
Nonwhite	449	215	36	197	1	138	28	62.4	16	35.6
Balance of county	1,763	1,342	107	313	1	340	65	36.9	34	19.3
White	1,263	1,195	45	23	-	226	38	30.1	13	10.3
Nonwhite	500	147	62	290	1	114	27	54.0	21	42.0
Currituck	115	59	21	35	-	63	3	26.1	6	52.2
White	64	55	6	3	-	46	2	31.3	4	62.5
Nonwhite	51	4	15	32	-	17	1	19.6	2	39.2
Dare	108	61	42	4	1	45	4	37.0	8	74.1
Davidson	1,460	1,348	98	14	-	398	55	37.7	29	19.9
White	1,284	1,243	41	-	-	338	46	35.8	18	14.0
Nonwhite	176	105	57	14	-	62	9	51.1	11	62.5
Lexington	392	368	24	-	-	91	22	56.1	4	10.2
White	328	326	2	-	-	64	17	51.8	2	6.1
Nonwhite	64	42	22	-	-	27	5	78.1	2	31.3
Thomasville	235	221	5	9	-	80	9	38.3	7	29.8
White	190	190	-	-	-	62	9	47.4	3	15.8
Nonwhite	45	31	5	9	-	18	-	0	4	88.9
Balance of county	833	759	69	5	-	227	24	28.8	18	21.6
Davie	350	213	130	6	1	121	16	45.7	11	31.4
White	292	201	90	-	1	95	14	47.9	6	20.5
Nonwhite	58	12	40	6	-	26	2	34.5	5	86.2
Duplin	1,185	479	607	109	-	330	42	35.1	40	33.5
White	656	385	262	9	-	194	20	30.5	15	22.9
Nonwhite	529	94	345	100	-	136	22	40.8	25	46.4
Durham	2,373	2,272	31	69	1	796	73	30.8	41	17.3
White	1,475	1,461	12	1	1	444	29	19.7	23	15.6
Nonwhite	898	811	19	68	-	352	44	49.0	18	20.0
Durham	1,934	1,881	8	44	1	608	55	28.4	35	18.1
White	1,171	1,169	1	-	1	321	18	15.4	22	18.8
Nonwhite	763	712	7	44	-	287	37	48.5	13	17.0
Balance of county	439	391	23	25	-	188	18	41.0	6	13.7
White	304	292	11	1	-	123	11	36.2	1	3.3
Nonwhite	135	99	12	24	-	65	7	51.9	5	37.0
Edgecombe	1,592	612	521	458	1	470	79	49.6	33	20.7
White	583	491	81	11	-	184	23	39.5	11	18.9
Nonwhite	1,009	121	440	447	1	286	56	55.5	22	21.8
Rocky Mount (part)	315	212	95	8	-	105	12	(4)	7	(4)
White	174	174	-	-	-	52	4	(4)	3	(4)
Nonwhite	141	38	95	8	-	53	8	(4)	4	(4)
Balance of county	1,277	400	426	450	1	365	67	52.5	26	20.4
White	409	317	81	11	-	132	19	46.5	8	19.6
Nonwhite	868	83	345	439	1	233	48	55.3	18	20.7
Forsyth	3,587	3,356	222	7	2	1,157	119	33.2	93	25.9
White	2,485	2,398	85	2	-	668	48	19.5	43	17.4
Nonwhite	1,122	958	157	5	2	489	71	63.3	50	44.6
Winston-Salem	2,563	2,415	143	4	1	857	91	35.5	73	28.5
White	1,528	1,523	3	2	-	417	28	18.3	27	17.7
Nonwhite	1,035	892	140	2	1	440	63	60.9	46	44.4
Balance of county	1,024	941	79	3	1	300	28	27.3	20	19.5
White	937	875	62	-	-	251	20	21.3	16	17.1
Nonwhite	87	66	17	3	1	49	8	92.0	4	46.0
Franklin	731	328	182	220	1	232	21	28.7	30	41.0
White	295	236	54	5	-	115	4	13.6	8	27.1
Nonwhite	436	92	128	215	1	117	17	39.0	22	50.5
Gaston	2,900	2,413	384	103	-	679	81	27.9	69	23.8
White	2,517	2,220	293	4	-	586	72	28.6	64	25.4
Nonwhite	383	193	91	99	-	93	9	23.5	5	13.1
Gastonia	1,012	971	29	12	-	198	27	26.7	21	20.8
White	885	864	20	1	-	161	25	28.2	21	23.7
Nonwhite	127	107	9	11	-	35	2	15.7	-	0
Balance of county	1,888	1,442	355	91	-	483	54	28.6	48	25.4
White	1,632	1,356	273	3	-	425	47	28.8	43	26.3
Nonwhite	256	86	82	88	-	58	7	27.3	5	19.5
Gates	232	110	36	84	2	90	14	60.3	8	34.5
White	79	70	9	-	-	35	2	25.3	1	12.7
Nonwhite	153	40	27	84	2	55	12	78.4	7	45.8
Graham	208	156	37	13	2	31	7	33.7	3	14.4
Granville	825	444	333	48	-	287	41	49.7	26	31.5
White	346	280	63	3	-	142	15	43.4	8	23.1
Nonwhite	479	164	270	45	-	145	26	54.3	18	37.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NORTH CAROLINA—Continued										
Greene	583	114	429	39	1	122	18	30.9	18	30.9
White	256	103	151	2	-	48	5	19.5	3	11.7
Nonwhite	327	11	278	37	1	74	13	39.8	15	45.9
Guilford	4,351	3,997	270	80	4	1,348	123	28.3	109	25.1
White	3,386	3,286	89	8	3	960	82	24.2	66	19.5
Nonwhite	965	711	181	72	1	388	41	42.5	43	44.6
Greensboro	1,974	1,951	11	11	1	575	54	27.4	46	23.3
White	1,470	1,463	7	-	-	355	29	19.7	23	15.6
Nonwhite	504	488	4	11	1	220	25	49.6	23	45.6
High Point	1,007	893	89	25	-	301	26	25.8	22	21.8
White	807	806	1	-	-	210	18	22.3	15	18.6
Nonwhite	200	87	88	25	-	91	8	40.0	7	35.0
Balance of county	1,370	1,153	170	44	3	472	43	31.4	41	29.9
White	1,109	1,017	81	8	3	395	35	31.6	28	25.2
Nonwhite	261	136	89	36	-	77	8	30.7	13	49.8
Halifax	1,963	667	299	995	2	532	87	44.3	66	33.6
White	633	530	93	10	-	211	19	30.0	9	14.2
Nonwhite	1,330	137	206	985	2	321	68	51.1	57	42.9
Harnett	1,271	910	197	161	3	344	39	30.7	28	22.0
White	833	742	84	6	1	231	20	24.0	17	20.4
Nonwhite	438	168	113	155	2	113	19	43.4	11	25.1
Haywood	1,032	998	28	3	3	269	36	34.9	29	28.1
Henderson	756	689	59	6	2	300	27	35.7	9	11.9
Hertford	531	197	255	79	-	162	29	54.6	17	32.0
White	177	129	47	1	-	50	4	22.6	5	28.2
Nonwhite	354	68	208	78	-	112	25	70.6	12	33.9
Hoke	443	89	176	178	-	132	32	72.2	12	27.1
White	128	59	66	3	-	42	6	46.9	3	23.4
Nonwhite	315	30	110	175	-	90	26	82.5	9	28.6
Hyde	168	63	19	82	2	60	3	18.1	3	18.1
White	70	56	9	3	2	44	2	28.6	3	42.9
Nonwhite	98	7	10	79	-	16	1	10.4	-	0
Iredell	1,443	1,220	157	66	-	423	54	37.4	30	20.8
White	1,109	1,009	96	4	-	312	32	28.9	16	14.4
Nonwhite	334	211	61	62	-	111	22	65.9	14	41.9
Statesville	402	359	27	16	-	144	13	32.3	13	32.3
White	340	320	20	-	-	105	8	23.5	3	8.8
Nonwhite	62	39	7	16	-	39	5	80.6	10	161.3
Balance of county	1,041	861	130	50	-	279	41	39.4	17	16.3
White	769	689	76	4	-	207	24	31.2	13	16.9
Nonwhite	272	172	54	46	-	72	17	62.5	4	14.7
Jackson	445	234	179	27	5	122	15	33.7	12	27.0
Johnston	1,802	936	656	205	5	484	75	41.6	61	33.9
White	1,305	677	401	24	3	346	40	30.7	36	27.6
Nonwhite	497	59	255	181	2	138	35	70.4	25	50.3
Jones	364	181	47	136	-	91	17	46.7	11	30.2
White	171	145	21	5	-	46	9	52.6	3	17.5
Nonwhite	193	36	26	131	-	45	8	41.5	8	41.5
Lee	708	622	31	55	-	174	24	33.9	18	25.4
White	466	447	17	2	-	119	12	25.8	4	8.6
Nonwhite	242	175	14	53	-	55	12	49.6	14	57.9
Lenoir	1,277	656	235	381	5	418	60	47.0	36	28.2
White	807	551	44	12	-	219	26	32.8	6	9.9
Nonwhite	470	105	191	369	5	199	34	50.7	30	44.8
Kinston	510	300	40	167	3	196	22	43.1	13	25.5
White	265	258	7	-	-	101	7	26.4	4	15.1
Nonwhite	245	42	33	167	3	95	15	61.2	9	36.7
Balance of county	767	356	195	214	2	222	38	49.5	23	30.0
White	342	293	37	12	-	118	19	55.6	2	5.8
Nonwhite	425	63	158	202	2	104	19	44.7	21	49.4
Lincoln	715	558	93	64	-	177	21	29.4	14	19.6
White	568	529	33	6	-	149	18	30.6	11	18.7
Nonwhite	127	29	40	58	-	28	3	23.6	3	23.6
McDowell	644	528	112	3	1	168	13	20.2	5	7.8
Macon	378	173	136	66	3	112	16	42.3	12	31.7
Madison	457	217	167	58	15	156	23	50.3	8	17.5
Martin	786	171	416	196	3	228	32	40.7	21	26.7
White	322	139	178	6	-	103	9	28.0	2	6.2
Nonwhite	464	33	238	190	3	125	23	49.6	19	40.9
Mecklenburg	5,239	4,959	119	159	3	1,452	181	34.5	124	23.7
White	3,693	3,658	33	2	-	886	82	22.2	57	15.4
Nonwhite	1,546	1,301	86	156	3	566	99	64.0	67	43.3
Charlotte	3,649	3,525	46	75	3	1,096	142	38.9	77	21.1
White	2,521	2,516	4	1	-	647	63	25.0	35	13.9
Nonwhite	1,128	1,009	42	74	3	449	79	70.0	42	37.2
Balance of county	1,590	1,434	73	83	-	356	39	24.5	47	29.6
White	1,172	1,142	29	1	-	239	19	16.2	22	18.8
Nonwhite	418	292	44	82	-	117	20	47.8	25	59.8
Mitchell	397	233	108	54	2	95	12	30.2	9	22.7
Montgomery	441	269	116	55	1	145	11	24.9	8	18.1
White	303	240	56	7	-	101	6	19.8	3	9.9
Nonwhite	138	29	60	48	1	44	5	36.2	5	36.2
Moore	864	730	86	47	1	241	23	26.6	21	24.3
White	590	534	45	11	-	161	9	15.3	12	20.3
Nonwhite	274	196	41	36	1	80	14	51.1	9	32.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NORTH CAROLINA—Continued										
Nash	1,733	780	659	293	1	510	93	53.7	46	26.5
White	829	686	129	14	-	278	41	49.5	22	26.5
Nonwhite	904	94	530	279	1	232	52	57.5	24	26.5
Rocky Mount (part)	389	292	89	17	1	137	12	(4)	9	(4)
White	251	251	-	-	-	78	4	(4)	5	(4)
Nonwhite	138	31	89	17	1	59	8	(4)	4	(4)
Rocky Mount (total)	704	494	184	25	1	242	24	34.1	16	22.7
White	425	425	-	-	-	130	8	18.8	8	18.8
Nonwhite	279	69	184	25	1	112	16	57.3	8	28.7
Balance of county	1,344	498	570	276	-	373	61	60.3	37	27.5
White	576	435	129	14	-	200	37	64.0	17	29.4
Nonwhite	766	63	441	262	-	173	44	57.4	20	26.1
New Hanover	1,577	1,511	18	46	2	604	60	38.0	39	24.7
White	987	992	4	-	1	344	20	20.1	13	13.0
Nonwhite	580	519	14	46	1	260	40	69.0	26	44.8
Wilmington	1,159	1,098	15	44	1	473	48	41.4	35	30.2
White	691	688	3	-	-	255	17	24.6	11	15.9
Nonwhite	468	411	12	44	1	218	31	66.2	24	51.3
Balance of county	418	412	3	2	1	131	12	28.7	4	9.6
White	306	304	1	-	1	88	3	9.8	2	6.5
Nonwhite	112	109	2	2	-	42	9	80.4	2	17.9
Northampton	854	195	306	341	12	234	28	32.8	33	38.6
White	183	133	43	5	2	80	1	5.5	7	38.3
Nonwhite	671	62	263	336	10	154	27	40.2	26	38.7
Onslow	780	624	74	78	4	194	33	42.3	20	25.6
White	593	528	52	9	4	135	23	38.8	10	16.9
Nonwhite	187	96	22	69	-	59	10	53.5	10	53.5
Orange	830	651	119	60	-	187	17	20.5	25	30.1
White	521	474	45	2	-	120	9	17.3	11	21.1
Nonwhite	309	177	74	58	-	67	8	25.9	14	45.3
Pamlico	267	41	153	72	1	96	14	52.4	8	30.0
White	140	38	102	1	1	46	5	35.7	4	28.6
Nonwhite	127	5	51	71	-	50	9	70.9	4	31.5
Pasquotank	714	415	68	228	3	247	30	42.0	16	22.4
White	418	381	22	3	2	148	14	33.5	8	19.1
Nonwhite	296	24	46	225	1	99	16	54.1	8	27.0
Elizabeth City	446	313	12	120	1	167	17	38.1	11	24.7
White	301	294	4	2	1	104	10	33.2	6	19.9
Nonwhite	145	19	8	118	-	63	7	48.3	5	34.5
Balance of county	268	102	56	108	2	80	13	48.5	5	18.7
White	117	97	18	1	1	44	4	34.2	2	17.1
Nonwhite	151	5	38	107	1	36	9	59.6	3	19.9
Pender	536	159	142	229	6	169	26	48.5	10	18.7
White	239	112	109	18	-	80	10	41.8	2	8.4
Nonwhite	297	47	33	211	6	89	16	53.9	8	26.9
Perquimans	219	57	51	108	3	100	7	32.0	6	27.4
White	91	52	29	8	2	46	2	22.0	1	11.0
Nonwhite	128	5	22	100	1	54	5	39.1	5	39.1
Person	762	374	313	73	2	159	20	26.2	19	24.9
White	417	354	60	3	-	99	10	24.0	7	16.8
Nonwhite	345	40	233	70	2	60	10	29.0	12	34.8
Pitt	1,890	836	703	350	1	497	81	42.9	50	26.5
White	838	597	241	-	-	233	21	25.1	6	7.2
Nonwhite	1,052	239	462	350	1	264	60	57.0	44	41.8
Greenville	387	299	17	71	-	133	18	46.5	16	41.3
White	234	227	7	-	-	57	5	21.4	3	12.8
Nonwhite	153	72	10	71	-	76	13	85.0	13	85.0
Balance of county	1,503	537	686	279	1	364	63	41.9	34	22.6
White	604	370	234	-	-	176	16	26.5	3	5.0
Nonwhite	899	167	452	279	1	188	47	52.3	31	34.5
Polk	228	184	39	5	-	89	7	30.7	7	30.7
White	188	142	45	1	-	66	4	21.3	4	21.3
Nonwhite	40	22	14	4	-	23	3	75.0	3	75.0
Randolph	1,205	1,096	84	23	2	322	30	24.9	28	23.2
Richmond	1,146	686	257	197	6	300	45	39.3	28	24.4
White	765	632	122	10	1	181	32	41.8	15	19.6
Nonwhite	381	54	135	187	5	119	13	34.1	13	34.1
Robeson	2,916	1,161	1,241	503	11	797	158	54.2	104	35.7
White	1,031	715	297	16	3	325	38	36.9	23	22.3
Nonwhite	1,885	446	944	487	8	474	120	63.7	81	43.0
Rockingham	1,608	1,119	437	52	-	512	52	32.3	43	26.7
White	1,191	963	219	9	-	377	28	23.5	23	19.3
Nonwhite	417	156	218	43	-	135	24	57.6	20	48.0
Reidsville	309	242	65	2	-	113	14	45.3	13	42.1
White	200	195	3	2	-	72	5	25.0	3	15.0
Nonwhite	109	47	62	-	-	41	9	82.6	10	91.7
Balance of county	1,299	877	372	50	-	399	38	29.3	30	23.1
White	991	768	216	7	-	305	23	23.2	20	20.2
Nonwhite	308	109	156	43	-	94	15	48.7	10	32.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NORTH CAROLINA—Continued										
Rowan	1,627	1,379	181	64	3	591	63	38.7	41	25.2
White	1,279	1,162	110	6	1	462	44	34.4	27	21.1
Nonwhite	348	217	71	58	2	129	19	54.6	14	40.2
Salisbury	447	400	33	14	-	207	20	44.7	10	22.4
White	324	320	4	-	-	145	12	37.0	6	18.5
Nonwhite	123	80	29	14	-	62	8	65.0	4	32.5
Balance of county	1,180	979	148	50	3	384	43	36.4	31	26.3
White	955	842	106	6	1	317	32	33.5	21	22.0
Nonwhite	225	137	42	44	2	67	11	48.9	10	44.4
Rutherford	1,201	612	524	64	1	295	33	27.5	27	22.5
White	1,008	575	417	15	1	250	30	29.8	17	16.9
Nonwhite	193	37	107	49	-	45	3	15.5	10	51.8
Sampson	1,377	454	608	313	2	408	58	42.1	33	24.0
White	730	421	276	32	1	258	28	38.4	16	21.9
Nonwhite	647	33	332	281	1	150	30	46.4	17	26.3
Scotland	867	397	151	318	1	245	54	62.3	28	32.3
White	416	323	74	19	-	115	22	52.9	11	26.4
Nonwhite	451	74	77	299	1	130	32	71.0	17	37.7
Stanly	919	796	118	5	-	258	33	35.9	18	19.6
White	795	726	69	-	-	210	28	35.2	14	17.6
Nonwhite	124	70	49	5	-	49	5	40.3	4	32.3
Stokes	474	263	201	9	1	165	14	29.5	12	25.3
White	418	229	188	-	1	140	11	26.3	8	19.1
Nonwhite	56	34	13	9	-	25	3	53.6	4	71.4
Surry	1,286	688	353	43	2	320	47	36.5	30	23.3
Swain	288	105	124	56	3	81	9	31.3	11	38.2
White	223	46	121	53	3	64	4	17.9	11	49.3
Nonwhite	65	59	3	3	-	17	5	76.9	-	0
Transylvania	404	264	131	8	1	101	6	14.9	8	19.8
Tyrrell	141	92	4	44	1	67	14	99.3	6	42.6
White	68	64	3	1	-	36	7	102.9	1	14.7
Nonwhite	73	28	1	43	1	31	7	95.9	5	68.5
Union	1,098	757	243	98	2	320	48	43.7	24	21.9
White	778	709	63	4	-	241	31	39.9	15	19.3
Nonwhite	322	48	180	92	2	79	17	52.8	9	28.0
Vance	864	521	58	272	13	308	52	60.2	26	30.1
White	394	379	9	5	1	134	15	38.1	4	10.2
Nonwhite	470	142	49	267	12	174	37	78.7	22	46.8
Wake	3,360	2,467	607	282	4	1,041	132	39.3	106	31.5
White	2,163	1,926	229	7	1	607	88	31.4	55	25.4
Nonwhite	1,197	541	378	275	3	434	64	53.5	51	42.6
Raleigh	1,599	1,487	19	80	3	527	66	41.3	36	22.5
White	1,148	1,143	5	-	1	293	35	30.5	15	13.1
Nonwhite	450	354	14	80	2	234	31	68.9	21	46.7
Balance of county	1,761	970	588	202	1	514	66	37.5	70	39.8
White	1,014	783	224	7	-	314	33	32.5	40	39.4
Nonwhite	747	187	364	195	1	200	33	44.2	30	40.2
Warren	747	190	71	484	2	237	40	53.5	43	57.6
White	175	155	13	7	-	73	6	34.3	7	40.0
Nonwhite	572	35	58	477	2	164	34	59.4	36	62.9
Washington	376	141	82	153	-	130	18	47.9	16	42.6
White	196	130	61	5	-	65	5	25.5	4	20.4
Nonwhite	180	11	21	148	-	65	13	72.2	12	66.7
Watauga	503	462	12	26	3	111	10	19.9	10	19.9
Wayne	1,659	832	609	218	-	484	69	41.6	38	22.9
White	864	626	239	9	-	241	21	24.3	20	23.1
Nonwhite	795	206	380	209	-	243	48	60.4	18	22.6
Goldsboro	613	379	146	88	-	214	29	47.3	14	22.8
White	315	292	23	-	-	88	5	15.9	8	25.4
Nonwhite	298	87	123	88	-	126	24	80.5	6	20.1
Balance of county	1,046	453	463	130	-	270	40	38.2	24	22.9
White	548	334	206	9	-	153	16	29.1	12	21.9
Nonwhite	497	119	257	121	-	117	24	48.3	12	24.1
Wilkes	1,148	786	238	120	2	312	43	37.5	24	20.9
Wilson	1,585	812	496	276	1	526	91	57.4	46	29.0
White	755	638	113	4	-	251	29	38.4	18	23.8
Nonwhite	830	174	383	272	1	275	62	74.7	28	33.7
Wilson	622	407	72	142	1	251	38	62.7	24	38.6
White	309	301	8	-	-	96	13	42.1	8	25.9
Nonwhite	313	106	64	142	1	155	26	83.1	16	51.1
Balance of county	963	405	424	134	-	275	52	54.0	22	22.8
White	446	337	105	4	-	155	16	35.9	10	22.4
Nonwhite	517	68	319	130	-	120	36	69.6	12	23.2
Yadkin	523	458	63	1	1	132	9	17.2	12	22.9
Yancey	450	246	81	122	1	98	17	37.8	7	15.6
NORTH DAKOTA	16,846	16,049	705	46	46	5,222	517	30.7	270	16.0
White	16,475	15,711	698	30	36	5,090	482	29.3	255	15.5
Nonwhite	371	338	7	16	10	132	35	94.3	15	40.4
Adams	125	119	6	-	-	36	5	40.0	4	32.0
Barnes	487	485	2	-	-	165	12	24.6	5	10.3
Benson	301	288	7	2	4	80	9	29.9	3	10.0
White	244	236	7	-	1	70	8	32.8	1	4.1
Nonwhite	57	52	-	2	3	10	1	17.5	2	35.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
NORTH DAKOTA—Continued										
Billings	47	46	-	-	1	12	-	0	1	21.3
Bottineau	324	311	11	1	1	130	15	46.3	8	24.7
Bowman	104	102	2	-	-	40	3	28.8	-	0
Burke	153	145	8	-	-	68	3	19.6	3	19.6
Burleigh	748	742	5	-	1	190	20	26.7	9	12.0
Bismarck	575	574	1	-	-	141	17	29.6	8	13.9
Balance of county	173	168	4	-	1	49	3	17.3	1	5.8
Cass	1,561	1,556	5	-	-	481	33	21.1	23	14.7
Fargo	1,094	1,092	2	-	-	340	20	18.3	19	17.4
Balance of county	467	464	3	-	-	141	13	27.8	4	8.6
Cavalier	295	281	12	-	2	94	6	20.3	5	16.9
Dickey	247	231	16	-	-	78	8	32.4	5	20.2
Divide	132	131	-	1	-	55	3	22.7	-	0
Dunn	219	206	7	2	4	47	12	54.8	1	4.6
Eddy	135	135	-	-	-	50	3	22.2	2	14.8
Emmons	302	170	131	-	1	62	8	26.5	7	23.2
Foster	175	162	13	-	-	45	2	11.4	2	11.4
Golden Valley	113	110	3	-	-	32	2	17.7	1	8.8
Grand Forks	1,140	1,134	6	-	-	344	34	29.8	16	14.0
Grand Forks	835	834	1	-	-	212	24	28.7	12	14.4
Balance of county	305	300	5	-	-	132	10	32.8	4	13.1
Grant	210	189	18	2	1	41	9	42.9	5	23.8
Griggs	144	136	8	-	-	44	3	20.8	2	13.9
Hettinger	233	175	55	2	1	56	8	34.3	4	17.2
Kidder	164	152	8	1	3	29	5	30.5	1	6.1
La Moure	277	246	30	1	-	75	7	25.3	7	25.3
Logan	190	159	24	6	1	51	6	31.6	5	26.3
McHenry	338	334	2	1	1	111	4	11.8	5	14.8
McIntosh	195	152	39	-	2	59	9	46.6	4	20.7
McKenzie	171	159	10	-	2	49	-	0	4	23.4
McLean	522	498	15	3	6	132	25	47.9	8	15.3
Mercer	262	254	2	4	2	72	14	53.4	1	3.8
Morton	602	585	33	1	3	183	22	36.5	13	21.6
Mountrail	241	205	35	-	1	91	4	16.6	4	16.6
Nelson	160	158	2	-	-	87	3	18.8	5	31.3
Oliver	55	52	3	-	-	18	2	38.4	-	0
Pembina	323	290	32	1	-	139	9	27.9	4	12.4
Pierce	231	231	-	-	-	81	10	43.3	5	21.6
Ramsey	400	393	7	-	-	142	13	32.5	8	20.0
Ransom	184	166	18	-	-	83	3	16.3	1	5.4
Renville	156	151	5	-	-	47	4	25.6	-	0
Richland	496	488	8	-	-	159	18	36.3	7	14.1
Rolette	394	374	9	10	1	92	20	50.8	14	35.5
White	241	233	5	3	-	44	4	16.6	8	33.2
Nonwhite	153	141	4	7	1	48	16	104.6	6	39.2
Sargent	195	185	8	-	2	76	2	10.3	6	30.8
Sheridan	160	128	28	2	2	27	3	18.8	2	12.5
Sioux	105	98	2	3	2	52	11	104.8	2	19.0
White	65	65	-	-	-	22	3	46.2	-	0
Nonwhite	40	33	2	3	2	30	8	200.0	2	50.0
Slope	65	64	1	-	-	26	-	0	2	30.8
Stark	512	506	5	1	-	140	21	41.0	5	9.8
Steele	103	102	1	-	-	56	2	19.4	2	19.4
Stutsman	601	572	29	-	-	181	21	34.9	10	16.6
Towner	159	150	8	1	-	60	5	31.4	3	18.9
Traill	265	262	2	1	-	107	8	30.2	3	11.3
Walsh	468	463	5	-	-	158	16	34.2	7	15.0
Ward	950	940	9	-	1	304	34	35.8	14	14.7
Minot	626	622	4	-	-	179	15	24.0	10	16.0
Balance of county	324	318	5	-	1	125	19	58.6	4	12.3
Wells	255	247	7	-	1	86	5	19.6	4	15.7
Williams	454	451	3	-	-	139	13	28.6	8	17.6
OHIO	189,428	178,888	10,260	78	202	80,368	5,315	28.1	3,661	19.3
White	175,061	166,002	8,842	56	161	74,395	4,726	27.0	3,202	18.3
Nonwhite	14,367	12,886	1,418	22	41	5,973	589	41.0	459	31.9
Adams	444	144	286	5	9	250	21	47.3	13	29.3
Allen	2,261	2,179	81	1	-	843	60	26.5	38	16.8
Lima	1,573	1,523	49	1	-	554	46	29.2	29	18.4
Balance of county	688	656	32	-	-	289	14	20.3	9	13.1
Ashland	772	762	10	-	-	369	24	31.1	15	19.4
Ashland	329	328	1	-	-	172	16	48.6	6	18.2
Balance of county	443	434	9	-	-	197	8	18.1	9	20.3
Ashtabula	1,725	1,669	55	-	1	855	35	20.3	28	16.2
Ashtabula	617	596	21	-	-	297	17	27.6	7	11.3
Balance of county	1,108	1,073	34	-	1	558	18	16.2	21	19.0
Athens	813	600	210	3	-	464	31	38.1	19	23.4
Auglaize	752	714	38	-	-	328	13	17.3	9	12.0
Belmont	1,881	1,764	111	1	5	1,002	64	34.0	37	19.7
Bellaire	274	263	11	-	-	165	9	32.8	7	25.5
Martins Ferry	281	279	2	-	-	175	17	60.5	6	21.4
Balance of county	1,326	1,222	98	1	5	664	38	28.7	24	18.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
OHIO—Continued										
Brown	497	262	231	-	4	254	17	34.2	19	38.2
Butler	3,801	3,658	139	-	4	1,586	171	45.0	77	20.3
Hamilton	1,848	1,575	72	-	1	668	79	47.9	32	19.4
Middletown	901	880	21	-	-	341	39	43.3	16	17.8
Balance of county	1,252	1,203	46	-	3	377	53	42.3	29	23.2
Carroll	385	283	101	-	1	185	6	15.6	12	31.2
Champaign	656	623	32	-	1	312	23	35.1	13	19.8
Clark	2,850	2,729	119	-	2	1,204	86	30.2	33	11.6
Springfield	2,159	2,073	84	-	2	892	65	30.1	25	11.6
White	1,913	1,846	65	-	2	768	48	25.1	18	9.4
Nonwhite	246	227	19	-	-	124	17	69.1	7	28.5
Balance of county	691	656	35	-	-	312	21	30.4	8	11.6
Clermont	880	597	279	-	4	398	24	27.3	18	20.5
Clinton	551	371	178	-	2	328	22	39.2	14	25.0
Columbiana	2,270	1,999	267	-	4	1,032	73	32.2	50	22.0
East Liverpool	594	525	68	-	1	302	17	28.6	15	25.3
Salem	301	294	7	-	-	147	10	33.2	10	33.2
Balance of county	1,375	1,180	192	-	3	583	46	33.5	25	18.2
Coshocton	680	644	36	-	-	364	17	25.0	8	11.8
Coshocton	254	251	3	-	-	169	7	27.6	3	11.8
Balance of county	426	393	33	-	-	215	10	23.5	5	11.7
Crawford	855	824	30	1	-	426	30	35.1	12	14.0
Cuyahoga	31,732	30,875	849	4	4	13,814	825	26.0	649	20.5
Cleveland	22,525	21,711	808	4	4	10,084	644	28.6	501	22.2
White	18,240	18,011	221	4	4	8,520	480	26.3	375	20.6
Nonwhite	4,285	3,700	585	-	-	1,564	164	38.3	126	29.4
Cleveland Heights	834	832	2	-	-	594	19	22.8	15	18.0
East Cleveland	807	804	3	-	-	382	25	31.0	22	27.3
Lakewood	1,341	1,336	5	-	-	719	29	21.6	22	16.4
Euclid	919	914	5	-	-	221	19	20.7	10	10.9
Garfield Heights	396	392	4	-	-	131	3	7.6	6	15.2
Parma	577	574	3	-	-	185	6	10.4	12	20.8
Shaker Heights	382	381	1	-	-	213	5	13.1	2	5.2
Balance of county	3,951	3,931	20	-	-	1,285	75	19.0	59	14.9
Darke	953	898	55	-	-	471	27	28.3	14	14.7
Defiance	652	642	10	-	-	269	19	29.1	13	19.9
Delaware	659	597	61	1	-	333	18	27.3	18	27.3
Erie	1,239	1,225	14	-	-	580	36	29.1	20	16.1
Sandusky	763	758	5	-	-	327	20	26.2	8	10.5
Balance of county	476	467	9	-	-	253	16	33.6	12	25.2
Fairfield	1,132	1,013	118	-	1	512	29	25.6	18	15.9
Lancaster	554	516	38	-	-	238	12	21.7	8	14.4
Balance of county	578	497	80	-	1	274	17	29.4	10	17.3
Fayette	534	293	240	-	1	297	17	31.8	9	16.9
Franklin	12,246	11,788	409	-	49	4,885	318	26.0	200	16.3
White	10,729	10,449	254	-	26	4,216	260	24.2	166	15.5
Nonwhite	1,517	1,339	155	-	23	669	58	38.2	34	22.4
Columbus	9,283	8,939	296	-	48	3,880	246	26.5	147	15.8
White	7,936	7,739	172	-	25	3,264	192	24.2	117	14.7
Nonwhite	1,347	1,200	124	-	23	616	54	40.1	30	22.3
Balance of county	2,963	2,849	113	-	1	1,005	72	24.3	53	17.9
Fulton	730	703	26	-	1	289	18	24.7	12	16.4
Gallia	526	339	163	5	19	244	19	36.1	12	22.8
Geauga	653	586	61	5	1	245	14	21.4	16	24.5
Greene	1,465	1,315	148	-	2	440	41	28.0	22	15.0
Xenia	347	313	32	-	2	139	10	28.8	5	14.4
White	281	262	18	-	1	98	8	28.5	5	17.8
Nonwhite	66	51	14	-	1	41	2	30.3	-	0
Balance of county	1,118	1,002	116	-	-	301	31	27.7	17	15.2
Guernsey	746	653	92	-	1	448	24	32.2	30	40.2
Cambridge	308	298	9	-	1	180	13	42.2	14	45.5
Balance of county	438	355	83	-	-	268	11	25.1	16	36.5
Hamilton	17,070	16,584	474	4	8	8,193	449	26.3	363	21.3
White	14,717	14,398	321	2	6	7,043	355	24.1	286	19.4
Nonwhite	2,353	2,186	153	2	2	1,150	94	39.9	77	32.7
Cincinnati	11,972	11,667	298	3	4	6,373	338	28.2	261	21.8
White	9,928	9,724	199	2	3	5,345	251	25.3	196	19.7
Nonwhite	2,044	1,943	99	1	1	1,028	87	42.6	65	31.8
Norwood	803	796	7	-	-	356	17	21.2	9	11.2
Balance of county	4,295	4,121	169	1	4	1,464	94	21.9	93	21.7
Hancock	966	949	17	-	-	495	26	26.9	26	26.9
Findlay	529	521	8	-	-	296	14	26.5	9	17.0
Fostoria (part)	65	65	-	-	-	32	5	(4)	11	(4)
Balance of county	372	363	9	-	-	167	7	18.8	6	16.1
Hardin	718	654	64	-	-	370	27	37.6	16	22.3
Harrison	431	393	38	-	-	218	9	20.9	9	20.9
Henry	543	529	14	-	-	230	11	20.3	5	9.2
Highland	642	471	169	-	2	363	20	31.2	9	14.0
Hocking	435	330	103	-	2	232	15	34.5	10	23.0
Holmes	514	452	62	-	-	189	9	17.5	10	19.5
Huron	953	923	30	-	-	454	27	28.3	16	16.8
Jackson	671	330	336	3	2	263	18	26.8	14	20.9
Jefferson	2,391	2,273	117	-	1	962	61	25.5	41	17.1
Steubenville	867	858	9	-	-	427	25	28.8	14	16.1
Balance of county	1,524	1,415	108	-	1	535	36	23.6	27	17.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
OHIO—Continued										
Knox	800	786	13	-	1	407	26	32.5	14	17.5
Mount Vernon	335	333	2	-	-	163	14	41.8	3	9.0
Balance of county	465	453	11	-	1	244	12	25.8	11	23.7
Lake	1,910	1,895	14	-	1	593	46	24.1	24	12.6
Painesville	438	438	-	-	-	132	13	29.7	4	9.1
Balance of county	1,472	1,457	14	-	1	461	33	22.4	20	13.6
Lawrence	1,270	1,161	101	2	6	512	65	51.2	24	18.9
Ironton	382	377	5	-	-	198	22	57.6	6	15.7
Balance of county	888	784	96	2	6	314	43	48.4	18	20.3
Licking	1,603	1,540	63	-	-	857	41	25.6	33	20.6
Newark	855	829	26	-	-	470	21	24.6	27	31.6
Balance of county	748	711	37	-	-	387	20	26.7	6	8.0
Logan	732	689	43	-	-	402	18	24.6	8	10.9
Lorain	3,718	3,684	34	-	-	1,364	106	28.5	63	16.9
Elyria	797	796	1	-	-	305	18	22.6	9	11.3
Lorain	1,336	1,321	15	-	-	513	43	32.2	27	20.2
Balance of county	1,585	1,567	18	-	-	546	45	28.4	27	17.0
Lucas	9,446	9,266	175	-	5	4,155	266	28.2	199	21.1
Toledo	8,196	8,086	106	-	4	3,605	206	25.1	170	20.7
White	7,419	7,346	70	-	3	3,311	177	23.9	146	19.5
Nonwhite	777	740	36	-	1	294	29	37.3	25	32.2
Balance of county	1,250	1,180	69	-	1	550	60	48.0	29	23.2
Madison	518	351	167	-	-	228	11	21.2	6	11.6
Mahoning	5,946	5,851	88	1	6	2,556	162	27.2	118	19.8
Youngstown (part)	4,448	4,393	51	1	3	1,855	125	(4)	90	(4)
White	3,846	3,833	11	-	2	1,589	97	(4)	60	(4)
Nonwhite	602	560	40	1	1	256	28	(4)	30	(4)
Youngstown (total)	4,468	4,413	51	1	3	1,862	125	28.0	90	20.1
White	3,866	3,853	11	-	2	1,605	97	25.1	60	15.5
Nonwhite	602	560	40	1	1	257	28	46.5	30	49.8
Campbell	274	267	7	-	-	99	6	21.9	5	18.2
White	236	234	2	-	-	85	6	25.4	4	16.9
Nonwhite	38	33	5	-	-	14	-	0	1	26.3
Struthers	258	255	1	-	2	94	3	11.6	6	23.3
Balance of county	966	936	29	-	1	508	28	29.0	17	17.6
Marion	1,254	1,231	23	-	-	548	34	27.1	22	17.5
Marion	888	880	8	-	-	383	23	25.9	14	15.8
Balance of county	366	351	15	-	-	165	11	30.1	8	21.9
Medina	927	921	6	-	-	404	21	22.7	14	15.1
Meigs	501	342	158	-	1	285	17	33.9	7	14.0
Mercer	745	721	24	-	-	288	27	38.2	17	22.8
Miami	1,431	1,414	17	-	-	674	37	25.8	27	18.9
Piqua	428	424	4	-	-	249	20	46.7	7	16.4
Balance of county	1,003	990	13	-	-	425	17	16.9	20	19.9
Monroe	290	158	131	1	-	172	6	20.7	7	24.1
Montgomery	10,742	10,527	208	2	5	3,627	322	30.0	192	17.9
Dayton	9,109	9,003	103	2	1	2,765	265	29.1	166	18.2
White	7,978	7,910	65	2	1	2,393	228	28.6	132	16.5
Nonwhite	1,131	1,093	38	-	-	372	37	32.7	34	30.1
Balance of county	1,633	1,524	105	-	4	862	57	34.9	26	15.9
Morgan	256	168	89	-	1	166	8	31.3	4	15.6
Morrow	307	283	24	-	-	178	9	29.3	3	9.8
Muskingum	1,733	1,680	53	-	-	813	56	32.3	41	23.7
Zanesville	1,035	1,006	29	-	-	476	36	34.8	22	21.3
Balance of county	698	674	24	-	-	337	20	28.7	19	27.2
Noble	226	194	32	-	-	181	6	26.5	2	8.8
Ottawa	724	671	51	-	2	291	17	23.5	17	23.5
Paulding	383	344	19	-	-	143	8	22.0	12	33.1
Perry	637	455	182	-	-	331	20	31.4	16	25.1
Pickaway	588	469	119	-	-	300	18	30.8	15	25.5
Pike	364	114	238	8	4	167	19	52.2	5	13.7
Portage	1,511	1,488	23	-	-	530	36	23.8	19	12.6
Preble	639	566	72	-	1	283	20	31.3	8	12.5
Putnam	681	619	59	-	3	267	16	23.5	15	22.0
Richland	2,170	2,093	77	-	-	906	72	33.2	47	21.7
Mansfield	1,189	1,162	27	-	-	500	37	31.1	29	24.4
Balance of county	981	931	50	-	-	406	35	35.7	18	18.3
Ross	1,221	810	406	2	3	490	39	31.9	25	20.5
Chillicothe	497	434	63	-	-	239	15	30.2	11	22.1
Balance of county	724	376	343	2	3	251	24	33.1	14	19.3
Sandusky	1,183	1,143	39	1	-	510	30	25.4	19	16.1
Fremont	441	437	4	-	-	186	12	27.2	8	18.1
Balance of county	742	706	35	1	-	324	18	24.3	11	14.8
Scioto	1,971	1,683	274	3	11	783	87	44.1	45	22.8
Portsmouth	900	855	42	1	2	404	33	36.7	24	26.7
Balance of county	1,071	828	232	2	9	379	54	50.4	21	19.6
Seneca	1,308	1,276	31	1	-	586	42	32.1	21	16.1
Fostoria (part)	284	283	1	-	-	142	11	(4)	2	(4)
Fostoria (total)	349	348	1	-	-	174	16	45.8	13	37.2
Tiffin	509	507	2	-	-	234	16	31.4	5	9.8
Balance of county	515	486	28	1	-	210	15	29.1	14	27.2
Shelby	753	719	34	-	-	299	16	21.2	11	14.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
OHIO—Continued										
Stark	6,932	6,761	166	2	3	2,586	218	31.4	155	22.4
Canton	3,443	3,399	41	1	2	1,295	113	32.8	79	22.9
Massillon	827	821	6	-	-	331	25	30.2	17	20.6
Alliance	683	671	10	1	1	278	20	29.3	17	24.9
Balance of county	1,979	1,870	109	-	-	682	60	30.3	42	21.2
Summit	10,530	10,393	115	19	5	3,312	248	23.6	183	17.4
Akron	7,307	7,223	71	10	3	2,313	172	23.5	137	18.7
White	6,578	6,529	44	5	1	2,086	145	22.0	110	16.7
Nonwhite	728	694	27	5	2	227	27	37.1	27	37.1
Barberton	849	829	10	8	2	243	16	18.8	16	18.8
Cuyahoga Falls	720	717	3	-	-	220	13	18.1	4	5.6
Balance of county	1,654	1,624	29	1	-	536	47	28.4	26	15.7
Trumbull	3,857	3,773	80	-	4	1,348	94	24.4	88	22.8
Youngstown (part)	20	20	-	-	-	7	-	(4)	-	(4)
White	20	20	-	-	-	6	-	(4)	-	(4)
Nonwhite	-	-	-	-	-	1	-	(4)	-	(4)
Warren	1,395	1,387	8	-	-	456	27	19.4	26	18.6
Niles	414	410	3	-	1	149	7	16.9	16	38.6
Balance of county	2,028	1,956	69	-	3	736	60	29.6	46	22.7
Tuscarawas	1,672	1,585	85	-	2	794	50	29.9	27	16.1
New Philadelphia	299	288	11	-	-	149	6	20.1	4	13.4
Balance of county	1,373	1,297	74	-	2	645	44	32.0	23	16.8
Union	435	378	57	-	-	239	14	32.2	10	23.0
Van Wert	640	592	47	-	1	293	17	26.6	13	20.2
Vinton	245	85	159	1	-	129	10	40.8	4	16.3
Warren	996	856	140	-	-	403	33	33.1	18	18.1
Washington	1,072	956	114	1	1	512	35	32.6	11	10.3
Marietta	419	411	8	-	-	196	14	33.4	3	7.2
Balance of county	653	545	106	1	1	316	21	32.2	8	12.3
Wayne	1,525	1,388	133	-	4	544	39	25.6	23	15.1
Wooster	352	349	3	-	-	148	14	39.8	3	8.5
Balance of county	1,173	1,039	130	-	4	396	25	21.3	20	17.1
Williams	600	549	50	1	-	281	14	23.3	13	21.7
Wood	1,306	1,228	77	-	1	597	19	14.5	35	26.8
Wyandot	466	397	69	-	-	222	6	12.9	14	30.0
OKLAHOMA	49,702	41,949	6,356	1,070	347	19,394	1,531	30.8	864	17.4
White	44,114	38,482	5,251	233	148	17,118	1,247	28.3	690	15.6
Nonwhite	5,588	3,467	1,085	837	199	2,276	284	50.8	174	31.1
Adair	351	230	79	18	24	155	15	42.7	9	25.6
White	236	143	70	11	12	105	6	25.4	4	16.9
Nonwhite	115	87	9	7	12	50	9	78.3	5	43.5
Alfalfa	200	196	2	2	-	131	4	20.0	2	10.0
Atoka	339	105	217	16	1	140	14	41.3	5	14.7
Beaver	149	133	14	-	2	58	5	33.6	3	20.1
Beckham	404	396	8	-	-	174	9	22.3	6	14.9
Blaine	399	327	64	6	2	158	9	22.6	5	12.5
White	324	274	50	-	-	133	5	15.4	3	9.3
Nonwhite	75	53	14	6	2	25	4	53.3	2	26.7
Bryan	659	420	230	5	4	290	26	39.5	20	30.3
Durant	243	190	53	-	-	113	12	49.4	10	41.2
Balance of county	416	230	177	5	4	177	14	33.7	10	24.0
Caddo	895	715	165	11	4	343	32	35.8	17	19.0
White	712	567	142	1	2	287	27	37.9	15	21.1
Nonwhite	183	148	23	10	2	56	5	27.3	2	10.9
Canadian	488	438	27	2	1	209	16	34.2	10	21.4
El Reno	243	232	10	1	-	136	15	61.7	7	28.8
Balance of county	225	206	17	1	1	73	1	4.4	3	13.3
Carter	776	598	160	13	5	367	22	28.4	13	16.8
White	712	574	137	1	-	319	18	25.3	9	12.6
Nonwhite	64	24	23	12	5	48	4	62.5	4	62.5
Ardmore	377	317	56	4	-	225	12	31.8	10	26.5
White	342	303	38	1	-	190	8	23.4	7	20.5
Nonwhite	35	14	18	3	-	35	4	114.3	3	85.7
Balance of county	399	281	104	9	5	142	10	25.1	3	7.5
Cherokee	442	340	69	23	10	132	12	27.1	7	15.8
White	349	267	62	14	6	100	8	22.9	5	14.3
Nonwhite	93	73	7	9	4	32	4	43.0	2	21.5
Choctaw	517	257	149	103	8	183	14	27.1	13	25.1
White	360	225	125	9	1	137	8	22.2	5	13.9
Nonwhite	157	32	24	94	7	46	6	38.2	8	51.0
Cimarron	121	107	14	-	-	30	1	8.3	2	16.5
Cleveland	958	908	42	4	4	189	21	21.9	8	8.4
Norman	716	709	6	-	1	111	14	19.6	8	11.2
Balance of county	242	199	36	4	3	78	7	28.9	-	0
Coal	157	65	88	3	1	76	4	25.5	3	19.1
Comanche	1,084	910	150	20	4	318	45	41.5	27	24.9
Lawton	731	650	59	19	3	203	31	42.4	15	20.5
Balance of county	353	260	91	1	1	115	14	39.7	12	34.0
Cotton	225	170	54	-	1	84	14	62.2	2	8.9
Craig	315	282	30	2	1	181	10	31.7	9	28.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
OKLAHOMA—Continued										
Creek	971	732	165	56	18	460	32	33.0	13	13.4
White	819	670	134	5	10	391	27	33.0	12	14.7
Nonwhite	152	62	31	51	8	69	5	32.9	1	6.6
Sapulpa	315	278	8	29	2	156	14	44.4	4	12.7
White	252	247	4	1	-	123	12	47.6	4	15.9
Nonwhite	63	31	2	28	2	33	2	31.7	-	0
Balance of county	656	454	159	27	16	304	18	27.4	9	13.7
White	567	423	130	4	10	268	15	26.5	8	14.1
Nonwhite	89	31	29	23	6	36	3	33.7	1	11.2
Custer	444	428	11	1	4	204	20	45.0	8	18.0
Delaware	277	176	83	8	10	153	10	36.1	5	18.1
White	209	129	76	2	2	128	6	28.7	5	23.9
Nonwhite	68	47	7	6	8	25	4	58.8	-	0
Dewey	170	132	28	8	2	82	3	17.6	1	5.9
Ellis	139	134	5	-	-	66	1	7.2	1	7.2
Garfield	1,189	1,162	25	-	2	461	32	26.9	20	16.8
Enid	950	938	10	-	2	329	25	26.3	16	16.8
Balance of county	239	224	15	-	-	132	7	29.3	4	16.7
Garvin	723	660	59	2	2	222	17	23.5	8	11.1
Grady	736	548	186	2	-	330	31	42.1	9	12.2
Chickasha	370	290	78	2	-	178	19	51.4	4	10.8
White	326	284	42	-	-	155	17	52.1	1	3.1
Nonwhite	44	6	36	2	-	23	2	45.5	3	68.2
Balance of county	366	258	108	-	-	152	12	32.8	5	13.7
Grant	178	176	2	-	-	126	3	16.9	2	11.2
Greer	207	184	23	-	-	90	5	24.2	1	4.8
Harmon	185	153	32	-	-	53	6	32.4	2	10.8
Harper	121	101	18	1	1	47	2	16.5	1	8.3
Haskell	246	59	184	2	1	89	5	20.3	1	4.1
Hughes	447	341	91	11	4	212	18	40.3	12	26.8
White	362	290	70	-	2	164	12	33.1	11	30.4
Nonwhite	85	51	21	11	2	48	6	70.6	1	11.8
Jackson	404	358	46	-	-	190	20	49.5	11	27.2
Jefferson	234	180	51	2	1	91	15	64.1	-	0
Johnston	218	150	65	2	1	94	10	45.9	7	32.1
Kay	1,121	1,088	31	2	-	486	28	25.0	22	19.6
Ponca City	511	501	10	-	-	164	8	15.7	7	13.7
Balance of county	610	587	21	2	-	322	20	32.8	15	24.6
Kingfisher	242	218	21	3	-	107	8	33.1	6	24.8
White	225	213	12	-	-	93	6	26.7	5	22.2
Nonwhite	17	5	9	3	-	14	2	117.6	1	58.8
Kiowa	425	387	38	-	-	177	11	25.9	5	11.8
Latimer	174	74	97	1	2	83	3	17.2	3	17.2
Le Flore	795	434	324	15	20	306	31	39.1	20	25.2
Lincoln	399	321	64	11	3	234	12	30.1	7	17.5
Logan	479	375	64	38	4	281	13	27.1	4	8.4
White	386	329	36	-	1	219	8	21.9	4	10.9
Nonwhite	113	46	28	36	3	62	5	44.2	-	0
Guthrie	221	188	19	11	3	158	7	31.7	2	9.0
White	165	161	4	-	-	121	3	18.2	2	12.1
Nonwhite	56	27	15	11	3	37	4	71.4	-	0
Balance of county	258	187	45	25	1	123	6	23.3	2	7.8
White	201	168	32	-	1	98	5	24.9	2	10.0
Nonwhite	57	19	13	25	-	25	1	17.5	-	0
Love	159	53	104	2	-	81	-	0	1	6.3
McClain	273	212	59	1	1	111	6	22.0	5	18.3
McCurtain	727	261	360	71	35	308	31	42.6	15	20.6
White	524	205	302	8	9	211	17	32.4	11	21.0
Nonwhite	203	56	58	63	26	97	14	69.0	4	19.7
McIntosh	434	229	124	49	32	176	21	48.4	9	20.7
White	298	188	95	10	5	116	13	43.6	4	13.4
Nonwhite	136	41	29	39	27	60	8	58.8	5	36.8
Major	217	197	19	1	-	91	7	32.3	3	13.8
Marshall	160	129	29	-	2	79	4	25.0	2	12.5
Mayes	371	311	52	7	1	165	4	10.8	8	21.6
Murray	222	191	30	1	-	115	3	13.5	4	18.0
Muskogee	1,403	1,048	220	115	20	657	38	27.1	51	22.1
White	1,117	968	133	8	8	447	22	19.7	18	16.1
Nonwhite	286	80	87	107	12	210	16	55.9	13	45.5
Muskogee	831	701	53	66	11	424	22	26.5	17	20.5
White	663	643	12	6	2	283	9	13.6	11	16.6
Nonwhite	168	58	41	60	9	141	13	77.4	6	35.7
Balance of county	572	347	167	49	9	233	16	28.0	14	24.5
White	454	325	121	2	6	164	13	28.6	7	15.4
Nonwhite	118	22	46	47	3	69	3	25.4	7	59.3
Noble	226	146	80	-	-	119	5	22.1	2	8.8
Nowata	242	209	25	6	2	148	10	41.3	2	8.3
White	222	199	20	1	2	127	9	40.5	2	9.0
Nonwhite	20	10	5	5	-	21	1	50.0	-	0
Okfuskee	369	252	94	16	7	202	17	46.1	3	8.1
White	256	201	53	-	2	138	12	46.9	1	3.9
Nonwhite	113	51	41	16	5	64	5	44.2	2	17.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
OKLAHOMA—Continued										
Oklahoma	8,069	7,894	123	42	10	2,475	238	29.5	120	14.9
Oklahoma City	5,643	5,546	82	8	7	1,939	193	34.2	99	17.5
White	4,924	4,862	49	8	5	1,760	165	33.5	80	16.2
Nonwhite	719	684	33	-	2	179	28	38.9	19	26.4
Balance of county	2,426	2,348	41	34	3	536	45	18.5	21	8.7
Okmulgee	928	729	135	52	12	457	47	50.6	22	23.7
White	759	671	85	1	2	359	38	50.1	17	22.4
Nonwhite	169	58	50	51	10	98	9	53.3	5	29.6
Okmulgee	341	291	25	23	2	189	18	52.8	6	17.6
White	267	262	5	-	-	145	16	59.9	5	18.7
Nonwhite	74	29	20	23	2	44	2	27.0	1	13.5
Balance of county	587	438	110	29	10	268	29	49.4	16	27.3
White	492	409	80	1	2	214	22	44.7	12	24.4
Nonwhite	95	29	30	28	8	54	7	73.7	4	42.1
Osage	629	545	74	6	3	308	16	25.4	13	20.7
Ottawa	787	622	144	-	1	368	25	32.6	12	15.6
Pawnee	327	302	24	1	-	139	10	30.6	4	12.2
Payne	1,184	1,162	12	9	1	321	32	27.0	10	8.4
Stillwater	690	689	-	-	1	121	14	20.3	4	5.8
Balance of county	494	473	12	9	-	200	18	36.4	6	12.1
Pittsburg	881	686	139	46	10	347	17	19.3	11	12.5
White	784	632	120	26	6	306	16	20.4	5	6.4
Nonwhite	97	54	19	20	4	41	1	10.3	6	61.9
McAlester	401	354	17	25	5	140	6	15.0	3	7.5
White	340	319	11	8	2	115	6	17.6	2	5.9
Nonwhite	61	35	6	17	3	25	-	0	1	16.4
Balance of county	480	332	122	21	5	207	11	22.9	8	16.7
White	444	313	109	18	4	191	10	22.5	3	6.8
Nonwhite	36	19	13	3	1	16	1	27.8	5	138.9
Pontotoc	702	617	85	-	-	284	22	31.3	13	18.5
Ada	385	364	21	-	-	146	12	31.2	9	23.4
Balance of county	317	253	64	-	-	138	10	31.5	4	12.6
Pottawatomie	897	843	46	7	1	415	23	25.6	17	19.0
Shawnee	535	526	3	6	-	244	17	31.8	10	18.7
Balance of county	362	317	43	1	1	171	6	16.6	7	19.3
Pushmataha	260	103	150	4	3	91	7	26.9	8	30.8
Roger Mills	165	138	27	-	-	56	6	36.4	2	12.1
Rogers	378	311	60	4	3	200	12	31.7	11	29.1
Seminole	833	721	47	57	8	321	37	44.4	21	25.2
White	650	617	29	2	2	236	26	40.0	15	23.1
Nonwhite	183	104	18	55	6	85	11	60.1	6	32.8
Seminole	233	222	9	2	-	76	12	51.5	4	17.2
Wewoka	153	132	6	15	-	53	7	45.8	5	32.7
White	113	109	4	-	-	30	4	35.4	3	26.5
Nonwhite	40	23	2	15	-	23	3	75.0	2	50.0
Balance of county	447	367	32	40	8	192	18	40.3	12	26.8
White	320	297	19	2	2	140	11	34.4	9	28.1
Nonwhite	127	70	13	38	6	52	7	55.1	3	23.6
Sequoyah	523	256	219	29	19	168	15	28.7	9	17.2
White	442	219	202	11	10	140	14	31.7	8	18.1
Nonwhite	81	37	17	18	9	28	1	12.3	1	12.3
Stephens	785	755	25	4	1	256	17	21.7	16	20.4
Texas	349	315	33	1	-	87	8	22.9	6	17.2
Tillman	331	286	37	7	1	186	13	39.3	13	39.3
White	284	267	15	2	-	159	9	31.7	7	24.6
Nonwhite	47	19	22	5	1	27	4	85.1	6	127.7
Tulsa	5,745	5,360	253	101	21	2,037	177	30.8	104	18.1
White	5,125	4,921	191	8	5	1,766	138	26.9	77	15.0
Nonwhite	620	439	72	93	16	251	39	62.9	27	43.5
Tulsa	4,385	4,199	101	69	16	1,574	142	32.4	80	18.2
White	3,854	3,804	47	1	2	1,364	109	28.0	59	15.3
Nonwhite	531	395	54	68	14	210	34	64.0	21	39.5
Balance of county	1,360	1,161	152	32	5	463	35	25.7	24	17.6
Wagoner	401	191	172	36	2	121	9	22.4	9	22.4
White	317	180	131	5	1	80	4	12.6	1	3.2
Nonwhite	84	11	41	31	1	41	5	59.5	8	95.2
Washington	755	723	31	1	-	284	18	23.8	7	9.3
Bartlesville	473	466	7	-	-	169	14	29.6	3	6.3
Balance of county	282	257	24	1	-	115	4	14.2	4	14.2
Washita	351	339	7	2	3	120	8	22.8	9	25.6
Woods	354	350	4	-	-	121	10	28.2	8	22.6
Woodward	304	294	8	1	1	119	9	29.6	4	13.2
OREGON	35,316	34,686	534	22	74	13,891	869	24.6	492	13.9
White	34,601	34,005	516	16	64	13,631	831	24.0	475	13.7
Nonwhite	715	681	18	6	10	260	39	55.1	17	23.8
Baker	363	350	12	1	-	195	17	46.8	4	11.0
Benton	894	879	15	-	-	207	21	23.5	5	5.6
Clackamas	1,852	1,808	22	7	15	670	33	17.8	21	11.3
Clatsop	805	799	6	-	-	293	19	23.6	16	19.9
Astoria	374	373	1	-	-	135	7	18.7	6	16.0
Balance of county	431	426	5	-	-	158	12	27.8	10	23.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
OREGON—Continued										
Columbia	549	512	35	1	1	208	12	21.9	9	16.4
Coos	1,045	1,032	10	-	3	383	18	17.2	12	11.5
Crook	224	223	1	-	-	61	2	8.9	1	4.5
Curry	120	114	5	-	1	60	-	0	1	8.3
Deschutes	558	556	1	-	1	183	16	28.7	10	17.9
Bend	308	307	-	-	1	110	11	35.7	4	13.0
Balance of county	250	249	1	-	-	73	5	20.0	6	24.0
Douglas	1,374	1,322	51	-	1	418	37	26.9	29	21.1
Gilliam	54	51	3	-	-	23	-	0	1	18.5
Grant	223	218	3	-	2	70	2	9.0	3	13.5
Harney	174	170	4	-	-	79	11	63.2	2	11.5
Hood River	288	283	3	1	1	122	11	38.2	2	6.9
Jackson	1,334	1,328	4	1	1	519	33	24.7	22	16.5
Medford	563	561	1	1	-	206	19	33.7	8	14.2
Balance of county	771	767	3	-	1	313	14	18.2	14	18.2
Jefferson	177	165	9	1	2	50	9	50.8	3	16.9
White	129	120	9	-	-	30	3	23.3	2	15.5
Nonwhite	48	45	-	1	2	20	6	125.0	1	20.8
Josephine	587	524	58	-	5	265	19	32.4	10	17.0
Klamath	1,142	1,115	20	5	2	302	37	33.4	12	10.5
Klamath Falls	724	720	4	-	-	178	22	30.4	7	9.7
Balance of county	418	395	16	5	2	124	15	35.9	5	12.0
Lake	201	198	2	-	1	77	7	34.8	4	19.9
Lane	3,035	2,938	91	1	5	909	85	28.0	53	17.5
Eugene	1,238	1,229	9	-	-	423	34	27.5	25	20.2
Balance of county	1,797	1,709	82	1	5	485	51	28.4	28	15.6
Lincoln	462	448	11	-	3	192	9	19.5	5	10.8
Linn	1,412	1,392	16	1	3	455	29	20.5	22	15.6
Malheur	683	680	2	-	1	155	19	27.8	6	8.8
Marion	2,172	2,139	29	1	3	828	46	21.2	36	16.6
Salem	1,014	1,011	2	-	1	433	16	15.8	18	17.8
Balance of county	1,158	1,128	27	1	2	395	30	25.9	18	15.5
Morrow	103	91	12	-	-	39	2	19.4	1	9.7
Multnomah	10,419	10,359	42	-	18	5,078	219	21.0	134	12.9
Portland	9,881	9,840	37	-	14	4,547	197	19.9	121	12.2
Balance of county	528	519	5	-	4	529	22	41.7	13	24.6
Polk	605	597	6	-	2	230	15	24.8	8	13.2
Sherman	59	59	-	-	-	24	2	33.9	-	0
Tillamook	457	440	17	-	-	178	12	26.3	9	19.7
Umatilla	953	936	16	-	1	325	29	30.4	12	12.6
Union	397	394	3	-	-	164	11	27.7	7	17.6
Wallowa	171	171	-	-	-	81	5	29.2	3	17.5
Wasco	343	340	1	1	1	190	17	49.6	6	17.5
Washington	1,232	1,219	12	-	1	501	37	30.0	15	12.2
Wheeler	82	77	5	-	-	30	3	36.6	-	0
Yamhill	767	759	7	1	-	340	25	32.6	8	10.4
PENNSYLVANIA	224,581	208,083	16,274	124	120	108,363	6,567	29.2	4,374	19.5
White	207,720	192,748	14,778	90	104	101,082	5,771	27.8	3,818	18.4
Nonwhite	16,861	15,315	1,496	34	16	7,281	796	47.2	556	33.0
Adams	999	852	147	-	-	375	28	28.0	13	13.0
Allegheny	33,027	32,073	924	21	9	15,122	905	27.4	725	22.0
Pittsburgh	18,421	18,073	336	5	7	8,115	464	25.2	429	23.3
White	16,156	15,898	248	4	6	7,095	368	23.9	349	21.6
Nonwhite	2,255	2,175	88	1	1	1,020	78	34.4	80	35.3
McKeesport	1,456	1,377	67	11	1	576	27	18.5	31	21.3
Wilkinsburg	301	296	5	-	-	298	10	33.2	6	19.9
Bellevue	154	153	1	-	-	131	5	32.5	3	19.5
Braddock	414	403	11	-	-	196	21	50.7	14	33.8
White	340	332	8	-	-	161	16	47.1	9	26.5
Nonwhite	74	71	3	-	-	35	5	67.6	5	67.6
Carnegie	430	421	9	-	-	152	8	18.6	8	18.6
Clairton	478	418	57	1	-	140	14	29.4	8	16.8
White	378	357	21	-	-	112	7	18.5	7	18.5
Nonwhite	98	61	36	1	-	28	7	71.4	1	10.2
Coraopolis	338	333	5	-	-	103	12	35.5	8	23.7
Dormont	30	29	1	-	-	118	6	200.0	2	66.7
Duquesne	463	445	16	2	-	208	10	21.6	8	17.3
Harrison (twp.)[3]	205	205	-	-	-	87	7	34.1	5	24.4
Homestead	309	307	2	-	-	166	7	22.7	8	25.9
White	278	276	2	-	-	132	7	25.2	6	21.6
Nonwhite	31	31	-	-	-	34	-	0	2	84.5
McKees Rocks	592	587	5	-	-	284	23	38.9	11	18.6
Mount Lebanon (twp.)[3]	48	47	1	-	-	138	4	83.3	1	20.8
Munhall	235	232	3	-	-	152	13	55.3	5	21.3
North Braddock	294	281	13	-	-	132	6	20.4	10	34.0
Shaler (twp.)[3]	240	231	9	-	-	66	7	29.2	4	16.7
Stowe (twp.)[3]	20	20	-	-	-	24	-	0	-	0
Swissvale	271	263	8	-	-	134	6	22.1	9	33.2
Balance of county	8,330	7,952	375	2	1	3,902	255	30.6	155	18.6
White	8,060	7,718	339	2	1	3,784	243	30.1	143	17.7
Nonwhite	270	234	36	-	-	118	12	44.4	12	44.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
PENNSYLVANIA—Continued										
Armstrong	1,984	1,508	472	1	3	747	66	33.3	27	13.6
Beaver	4,114	3,929	170	14	1	1,512	138	33.5	108	26.3
Aliquippa	683	593	76	14	-	260	11	16.1	15	22.0
White	564	537	23	4	-	214	6	10.6	10	17.7
Nonwhite	119	56	53	10	-	46	5	42.0	5	42.0
Ambridge	522	515	7	-	-	133	8	15.3	9	17.2
Beaver Falls	508	493	15	-	-	231	25	49.2	12	23.6
Ellwood City (part)	16	16	-	-	-	11	2	(4)	.2	(4)
Balance of county	2,385	2,312	72	-	1	877	92	38.6	70	29.4
Bedford	920	595	316	5	4	426	31	33.7	15	16.3
Berks	4,678	4,287	388	-	3	2,752	134	28.6	96	20.5
Reading	2,061	2,003	58	-	-	1,387	63	30.6	47	22.8
Balance of county	2,617	2,284	330	-	3	1,365	71	27.1	49	18.7
Blair	3,163	2,804	354	2	3	1,496	82	25.9	49	15.5
Altoona	1,753	1,665	86	2	-	689	49	28.0	21	12.0
Balance of county	1,410	1,139	268	-	3	807	33	23.4	28	19.9
Bradford	1,180	1,126	54	-	-	647	34	28.8	26	22.0
Bucks	2,850	2,775	75	-	-	1,327	90	31.6	48	16.8
Bristol	465	454	11	-	-	137	7	15.1	6	12.9
Balance of county	2,385	2,321	64	-	-	1,190	83	34.8	42	17.6
Butler	2,287	2,081	205	-	1	919	55	24.0	31	13.6
Butler	616	598	18	-	-	256	17	27.6	7	11.4
Balance of county	1,671	1,483	187	-	1	663	38	22.7	24	14.4
Cambria	5,203	4,533	664	3	3	1,991	179	34.4	133	25.6
Johnstown	2,102	2,045	57	-	-	898	77	36.6	45	21.4
Balance of county	3,101	2,488	607	3	3	1,093	102	32.9	88	28.4
Cameron	184	178	6	-	-	68	6	32.6	1	5.4
Carbon	1,155	889	253	-	3	633	22	19.0	25	21.6
Centre	1,527	1,431	94	-	2	524	36	23.6	23	15.1
Chester	3,355	3,190	164	1	-	1,582	119	35.5	68	20.3
Coatesville	420	406	14	-	-	167	16	38.1	10	23.8
White	326	321	5	-	-	133	12	36.8	8	24.5
Nonwhite	94	85	9	-	-	34	4	42.6	2	21.3
Phoenixville	292	287	5	-	-	149	11	37.7	5	17.1
West Chester	324	321	3	-	-	288	20	61.7	9	27.8
White	256	254	2	-	-	221	18	82.5	7	27.3
Nonwhite	68	67	1	-	-	47	4	58.8	2	29.4
Balance of county	2,319	2,176	142	1	-	998	72	31.0	44	19.0
Clarion	965	539	423	1	2	394	29	30.1	17	17.6
Clearfield	1,997	1,704	291	-	2	866	73	36.6	40	20.0
Du Bois	290	288	2	-	-	175	13	44.8	4	13.8
Balance of county	1,707	1,416	289	-	2	691	60	85.1	36	21.1
Clinton	883	870	13	-	-	357	24	27.2	18	20.4
Lock Haven	306	305	1	-	-	124	4	13.1	7	22.9
Balance of county	577	565	12	-	-	233	20	34.7	11	19.1
Columbia	1,111	1,050	61	-	-	570	30	27.0	21	18.9
Berwick	326	319	7	-	-	150	11	33.7	8	24.5
Balance of county	785	731	54	-	-	420	19	24.2	13	16.6
Crawford	1,844	1,787	57	-	-	870	40	21.7	28	15.2
Meadville	505	503	2	-	-	252	14	27.7	6	11.9
Balance of county	1,339	1,284	55	-	-	618	26	19.4	22	16.4
Cumberland	2,256	2,009	245	1	1	930	69	30.6	35	15.5
Carlisle	418	392	26	-	-	187	14	33.5	3	7.2
Balance of county	1,838	1,617	219	1	1	743	55	29.9	32	17.4
Dauphin	4,216	3,803	405	5	3	2,179	123	29.2	98	23.2
Harrisburg	2,120	2,025	94	-	1	1,199	71	33.5	58	27.4
Steelton	311	280	31	-	-	130	9	28.9	5	16.1
White	217	205	12	-	-	94	5	23.0	3	13.8
Nonwhite	94	75	19	-	-	36	4	42.6	2	21.3
Balance of county	1,785	1,498	280	5	2	850	43	24.1	35	19.6
Delaware	8,586	8,374	207	4	1	3,602	220	25.6	147	17.1
Chester	2,027	1,917	107	2	1	768	68	33.5	44	21.7
White	1,478	1,437	39	1	1	563	40	27.1	22	14.9
Nonwhite	549	480	68	1	-	205	28	51.0	22	40.1
Haverford (twp.)[3]	268	264	4	-	-	187	9	33.6	4	14.9
Upper Darby (twp.)[3]	1,480	1,473	6	1	-	622	30	20.3	14	9.5
Darby	308	307	1	-	-	127	11	35.7	1	3.2
White	273	273	-	-	-	106	11	40.3	-	0
Nonwhite	35	34	1	-	-	21	-	0	1	28.6
Lansdowne	276	275	1	-	-	150	6	21.7	4	14.5
Balance of county	4,227	4,138	88	1	-	1,748	96	22.7	80	18.9
Elk	800	779	21	-	-	328	17	21.3	10	12.5
Erie	5,389	5,245	143	-	1	2,157	146	27.1	88	16.3
Erie	3,502	3,449	52	-	1	1,386	90	25.7	59	16.8
Balance of county	1,887	1,796	91	-	-	771	56	29.7	29	15.4
Fayette	4,444	3,662	764	13	5	1,918	196	44.1	114	25.7
Connellsville	367	338	28	1	-	186	24	65.4	14	38.1
Uniontown	668	629	39	-	-	308	18	26.9	5	7.5
Balance of county	3,409	2,695	697	12	5	1,424	154	45.2	95	27.9
Forest	114	89	25	-	-	50	2	17.5	6	52.6
Franklin	1,790	1,605	180	-	5	750	42	23.5	33	18.4
Chambersburg	374	369	5	-	-	200	5	13.4	4	10.7
Waynesboro	199	193	5	-	1	128	5	25.1	3	15.1
Balance of county	1,217	1,043	170	-	4	422	32	26.3	26	21.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
PENNSYLVANIA—Continued										
Fulton	250	148	102	-	-	103	8	32.0	5	20.0
Greene	1,126	958	166	-	2	405	30	26.6	20	17.8
Huntingdon	974	628	345	-	1	411	23	23.6	22	22.6
Indiana	1,801	1,466	332	-	3	738	60	33.3	32	17.8
Indiana	242	239	3	-	-	114	5	20.7	8	33.1
Balance of county	1,559	1,227	329	-	3	624	55	35.3	24	15.4
Jefferson	1,113	1,023	89	1	-	533	29	26.1	23	20.7
Juniata	356	204	152	-	-	160	9	25.3	5	14.0
Lackawanna	4,999	4,798	187	13	1	3,091	157	31.4	101	20.2
Scranton	2,536	2,456	74	6	-	1,639	95	37.5	54	21.3
Carbondale	349	332	17	-	-	228	10	28.7	3	8.6
Dickson City	173	171	2	-	-	85	4	23.1	4	23.1
Dunmore	335	324	10	-	1	220	7	20.9	7	20.9
Old Forge	191	176	13	2	-	90	7	36.6	4	20.9
Balance of county	1,415	1,339	71	5	-	829	34	24.0	29	20.5
Lancaster	5,333	4,458	872	-	3	2,367	128	24.0	100	18.8
Lancaster	1,519	1,473	45	-	1	831	45	29.6	28	18.4
Columbia	275	268	7	-	-	176	10	36.4	5	18.2
Balance of county	3,539	2,717	820	-	2	1,360	73	20.6	67	18.9
Lawrence	2,487	2,409	71	6	1	1,014	62	24.9	48	19.3
New Castle	1,179	1,151	24	4	-	564	29	24.6	21	17.8
Ellwood City (part)	322	318	4	-	-	103	11	(4)	8	(4)
Ellwood City (total)	338	334	4	-	-	114	13	38.5	10	29.6
Balance of county	986	940	43	2	1	347	22	22.3	19	19.3
Lebanon	1,886	1,640	245	-	1	782	52	27.6	31	16.4
Lebanon	741	696	45	-	-	381	28	37.8	13	17.5
Balance of county	1,145	944	200	-	1	401	24	21.0	18	15.7
Lehigh	3,741	3,453	287	1	-	1,936	91	24.3	70	18.7
Allentown	2,088	2,020	68	-	-	1,097	49	23.5	41	19.6
Bethlehem (part)	320	317	3	-	-	158	8	(4)	1	(4)
Balance of county	1,333	1,116	216	1	-	681	34	25.5	28	21.0
Luzerne	7,444	7,177	260	2	5	4,319	242	32.5	146	19.6
Hazleton	676	675	1	-	-	366	27	39.9	10	14.8
Wilkes-Barre	1,710	1,663	44	-	3	1,035	58	33.9	39	22.8
Hanover (twp.)[3]	60	58	2	-	-	35	1	16.7	1	16.7
Kingston	375	373	2	-	-	234	13	34.7	9	24.0
Nanticoke	348	338	10	-	-	226	4	11.5	12	34.5
Pittston	392	383	9	-	-	186	16	40.8	5	12.8
Plains (twp.)[3]	164	162	2	-	-	86	3	18.3	2	12.2
Plymouth	282	270	12	-	-	139	9	31.9	4	14.2
Balance of county	3,437	3,255	178	2	2	2,012	111	32.3	64	18.6
Lycoming	2,201	2,087	111	1	2	1,083	58	26.4	39	17.7
Williamsport	1,010	979	31	-	-	517	23	22.8	19	18.8
Balance of county	1,191	1,108	80	1	2	566	35	29.4	20	16.8
McKean	1,370	1,344	26	-	-	610	40	29.2	23	16.8
Bradford	498	497	1	-	-	200	19	38.2	8	16.1
Balance of county	872	847	25	-	-	410	21	24.1	15	17.2
Mercer	2,607	2,521	85	-	1	1,173	85	32.6	42	16.1
Sharon	690	684	6	-	-	275	24	34.8	10	14.5
Farrell	308	301	7	-	-	168	13	42.2	9	29.2
White	255	251	4	-	-	128	5	19.6	6	23.5
Nonwhite	53	50	3	-	-	40	8	160.9	3	56.6
Balance of county	1,609	1,536	72	-	1	730	48	29.8	23	14.3
Mifflin	1,017	817	199	-	1	407	29	26.5	26	25.6
Lewistown	364	350	14	-	-	169	10	27.5	7	19.2
Balance of county	653	467	185	-	1	238	19	29.1	19	29.1
Monroe	673	607	64	-	2	348	20	29.7	11	16.3
Montgomery	6,770	6,604	166	-	-	3,251	184	27.2	121	17.9
Lower Merion (twp.)[3]	736	732	4	-	-	401	10	13.6	7	9.5
Norristown	836	825	11	-	-	411	36	43.1	22	26.3
Abington (twp.)[3]	309	307	2	-	-	224	9	29.1	2	6.5
Cheltenham (twp.)[3]	213	212	1	-	-	169	5	23.5	3	14.1
Conshohocken	301	285	16	-	-	140	7	23.3	9	29.9
Pottstown	536	528	8	-	-	224	19	35.4	6	11.2
Balance of county	3,839	3,715	124	-	-	1,662	98	25.5	72	18.8
Montour	273	245	28	-	-	159	5	18.3	4	14.7
Northampton	3,868	3,659	207	1	1	1,816	94	24.3	77	19.9
Bethlehem (part)	1,126	1,108	16	1	1	490	35	(4)	20	(4)
Bethlehem (total)	1,446	1,425	19	1	1	648	41	28.4	21	14.5
Easton	1,081	1,007	24	-	-	517	21	20.4	27	26.2
Balance of county	1,711	1,544	167	-	-	809	40	23.4	30	17.5
Northumberland	2,355	2,112	242	-	1	1,285	80	34.0	44	18.7
Mount Carmel	261	248	12	-	1	158	6	23.0	4	15.3
Shamokin	583	540	43	-	-	323	19	32.6	11	18.9
Sunbury	288	269	19	-	-	205	11	38.2	4	13.9
Balance of county	1,223	1,055	168	-	-	599	44	36.0	25	20.4
Perry	542	380	161	-	1	268	15	27.7	12	22.1
Philadelphia, coextensive with Philadelphia (city)	42,344	41,076	1,224	24	20	23,889	1,516	31.1	804	19.0
White	32,393	31,925	446	13	9	19,738	817	25.2	530	16.4
Nonwhite	9,851	9,151	778	11	11	4,151	499	50.1	274	27.5
Pike	152	138	13	-	1	99	2	13.2	3	19.7
Potter	408	382	26	-	-	188	14	34.3	8	19.6

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
PENNSYLVANIA—Continued										
Schuylkill	3,772	3,335	432	2	3	2,310	141	37.4	66	17.5
Mahanoy City	216	185	31	-	-	153	10	46.3	4	18.5
Pottsville	478	467	11	-	-	305	32	66.9	5	10.5
Shenandoah	305	273	32	-	-	219	9	29.5	4	13.1
Tamaqua	220	203	17	-	-	152	4	18.2	4	18.2
Balance of county	2,553	2,207	341	2	3	1,481	86	33.7	49	19.2
Snyder	484	367	116	-	1	203	16	33.1	9	18.6
Somerset	1,902	1,539	362	-	1	730	46	24.2	31	16.3
Sullivan	150	122	27	-	1	75	2	13.3	-	0
Susquehanna	668	542	125	-	2	388	18	26.9	9	13.5
Tioga	848	723	123	-	2	430	27	31.8	17	20.0
Union	446	395	51	-	-	213	11	24.7	9	20.2
Venango	1,447	1,376	69	-	2	708	44	30.4	30	20.7
Oil City	525	516	9	-	-	263	18	34.3	9	17.1
Balance of county	922	860	60	-	2	445	26	28.2	21	22.8
Warren	855	794	60	-	1	468	25	29.2	14	16.4
Warren	329	325	4	-	-	185	10	30.4	4	12.2
Balance of county	526	469	56	-	1	283	15	28.5	10	19.0
Washington	4,633	4,201	429	-	3	2,002	121	26.1	97	20.9
Washington	821	798	23	-	-	380	25	30.5	19	23.1
Canonsburg	308	302	6	-	-	128	10	32.5	6	19.5
Charleroi	233	230	2	-	1	96	1	4.3	1	4.3
Donora	283	275	8	-	-	111	7	24.7	5	17.7
Balance of county	2,988	2,596	390	-	2	1,287	78	26.1	66	22.1
Wayne	519	432	85	1	-	343	16	30.9	6	11.6
Westmoreland	7,069	6,558	506	1	3	2,800	193	27.3	147	20.8
Arnold	198	193	5	-	-	81	7	35.4	4	20.2
Greensburg	516	500	16	-	-	202	12	23.3	13	25.2
Jeannette	368	351	17	-	-	141	11	29.9	8	21.7
Latrobe	279	273	6	-	-	116	9	32.3	3	10.8
Monessen	410	373	37	-	-	177	11	26.8	3	7.3
New Kensington	655	647	8	-	-	255	23	35.1	15	22.9
Vandergrift	235	210	24	-	1	102	7	29.8	3	12.8
Balance of county	4,407	4,011	393	1	2	1,726	113	25.6	98	22.2
Wyoming	382	325	56	-	1	209	17	44.5	12	31.4
York	4,296	3,243	1,052	-	1	1,975	121	28.2	67	15.6
York	1,644	1,361	283	-	-	776	49	29.8	30	18.2
Hanover	370	335	35	-	-	194	19	51.4	4	10.8
Balance of county	2,282	1,547	734	-	1	1,005	53	23.2	33	14.5
RHODE ISLAND	16,492	16,268	213	4	7	8,071	395	24.0	291	17.6
White	16,070	15,855	204	4	7	7,868	376	23.4	285	17.7
Nonwhite	422	413	9	-	-	203	19	45.0	6	14.2
Bristol	601	593	5	3	-	271	8	13.3	10	16.6
Bristol (town)	265	259	4	2	-	110	3	11.3	5	18.9
Balance of county	336	334	1	1	-	161	5	14.9	5	14.9
Kent	1,867	1,846	19	-	2	746	39	23.4	24	14.4
Warwick	807	799	6	-	2	410	20	24.8	8	9.9
West Warwick (town)	507	503	4	-	-	181	9	17.9	10	19.7
Balance of county	353	344	9	-	-	155	10	28.3	6	17.0
Newport	1,528	1,513	15	-	-	570	41	26.8	28	18.3
Newport	958	951	7	-	-	365	26	27.1	19	19.8
Balance of county	570	562	8	-	-	205	15	26.3	9	15.8
Providence	11,747	11,573	169	1	4	6,064	279	25.8	222	18.9
Providence	5,188	5,133	53	-	2	2,828	131	25.3	80	15.4
Central Falls	500	481	19	-	-	242	15	30.0	6	12.0
Cranston	936	931	4	1	-	481	27	28.8	14	15.0
East Providence (town)	670	664	6	-	-	373	10	14.9	10	14.9
Pawtucket	1,652	1,617	35	-	-	910	38	23.0	40	24.2
Woonsocket	1,157	1,135	20	-	2	500	24	20.7	27	23.3
Cumberland (town)	252	248	4	-	-	127	9	35.7	5	19.8
Johnston (town)	264	262	2	-	-	98	6	22.7	8	30.3
Lincoln (town)	212	207	5	-	-	122	2	9.4	6	28.3
North Providence (town)	275	273	2	-	-	127	5	18.2	3	10.9
Balance of county	641	622	19	-	-	276	12	18.7	23	35.9
Washington	948	943	5	-	1	400	28	29.5	7	7.4
Westerly (town)	298	298	-	-	-	125	5	16.8	5	16.8
Balance of county	651	645	5	-	1	275	23	35.3	2	3.1
SOUTH CAROLINA	58,516	31,726	10,103	16,536	151	17,494	2,283	39.0	1,621	27.7
White	31,649	26,682	4,357	584	26	8,982	935	29.5	523	16.5
Nonwhite	26,867	5,044	5,746	15,952	125	8,512	1,348	50.2	1,098	40.9
Abbeville	328	114	106	106	2	202	18	54.9	8	24.4
White	174	109	56	9	-	103	9	51.7	8	46.0
Nonwhite	154	5	50	97	2	99	9	58.4	-	0
Aiken	1,381	799	339	240	3	480	35	25.3	30	21.7
White	832	704	119	9	-	261	19	22.8	10	12.0
Nonwhite	549	95	220	231	3	219	16	29.1	20	36.4
Allendale	286	34	63	189	-	119	15	52.4	15	52.4
White	52	28	22	2	-	31	-	0	3	57.7
Nonwhite	234	6	41	187	-	88	15	64.1	12	51.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
SOUTH CAROLINA—Continued										
Anderson	2,189	1,590	445	152	2	716	76	34.7	37	16.9
White	1,663	1,451	206	6	-	482	44	26.5	22	13.2
Nonwhite	526	139	239	146	2	234	32	60.8	15	28.5
Anderson	841	754	76	11	-	282	29	34.5	11	13.1
White	697	684	13	-	-	194	19	27.3	7	10.0
Nonwhite	144	70	63	11	-	88	10	69.4	4	27.8
Balance of county	1,348	836	369	141	2	434	47	34.9	26	19.3
White	966	767	193	6	-	288	25	25.9	15	15.5
Nonwhite	382	69	176	135	2	146	22	57.6	11	28.8
Bamberg	401	78	71	250	2	161	20	49.9	13	32.4
White	137	71	58	7	1	58	3	21.9	2	14.6
Nonwhite	264	7	13	243	1	103	17	64.4	11	41.7
Barnwell	518	78	112	328	-	160	15	29.0	24	46.3
White	147	71	68	8	-	64	3	20.4	1	6.8
Nonwhite	371	7	44	320	-	116	12	32.3	23	62.0
Beaufort	768	244	48	475	1	232	24	31.3	18	23.4
White	187	181	5	1	-	46	9	48.1	1	5.3
Nonwhite	581	63	43	474	1	186	15	25.8	17	29.3
Berkeley	903	264	23	613	3	259	37	41.0	36	39.9
White	250	208	16	26	1	47	5	20.0	3	12.0
Nonwhite	653	56	8	587	2	212	32	49.0	33	50.5
Calhoun	440	75	7	357	1	161	23	52.3	13	29.5
White	76	69	4	3	-	38	-	0	1	13.2
Nonwhite	364	6	3	354	1	123	23	63.2	12	33.0
Charleston	5,015	3,091	850	1,068	6	1,517	203	40.5	143	28.5
White	2,428	2,328	80	21	1	645	83	34.2	36	14.8
Nonwhite	2,587	765	770	1,047	5	872	120	46.4	107	41.4
Charleston	2,435	1,635	686	112	2	797	81	33.3	51	20.9
White	1,373	1,345	26	2	-	374	35	25.5	11	8.0
Nonwhite	1,062	290	660	110	2	423	46	43.3	40	37.7
Balance of county	2,580	1,456	164	956	4	720	122	47.3	92	35.7
White	1,055	981	54	19	1	271	49	45.5	25	23.7
Nonwhite	1,525	475	110	937	3	449	74	48.5	67	43.9
Cherokee	931	691	185	54	1	241	31	33.3	27	29.0
White	657	558	94	5	-	177	19	28.9	11	16.7
Nonwhite	274	133	91	49	1	64	12	43.8	16	58.4
Chester	897	429	119	348	1	256	35	39.0	18	20.1
White	440	395	40	5	-	139	13	29.5	8	18.2
Nonwhite	457	34	79	343	1	117	22	48.1	10	21.9
Chesterfield	1,063	279	676	105	3	256	34	32.0	34	32.0
White	559	261	289	8	1	127	10	17.9	14	25.0
Nonwhite	504	18	387	97	2	129	24	47.6	20	39.7
Clarendon	995	160	98	735	2	258	47	47.2	47	47.2
White	213	135	67	11	-	58	5	23.5	3	14.1
Nonwhite	782	25	31	724	2	200	42	53.7	44	56.3
Colleton	843	378	58	404	3	262	32	38.0	31	36.8
White	340	308	17	15	-	121	8	23.5	9	26.5
Nonwhite	503	70	41	389	3	141	24	47.7	22	43.7
Darlington	1,547	680	430	436	1	444	82	53.0	31	20.0
White	759	555	194	10	-	226	36	47.4	9	11.9
Nonwhite	788	125	236	426	1	218	46	58.4	22	27.9
Dillon	926	547	56	320	3	275	47	50.8	36	38.9
White	454	402	23	28	1	120	15	33.0	12	26.4
Nonwhite	472	145	33	292	2	155	32	67.8	24	50.8
Dorchester	665	211	100	354	-	193	20	30.1	11	16.5
White	249	184	51	14	-	72	3	12.0	-	0
Nonwhite	416	27	49	340	-	121	17	40.9	11	26.4
Edgefield	518	122	296	99	1	151	21	40.6	10	19.3
White	151	107	43	-	1	60	5	33.1	3	19.9
Nonwhite	367	15	253	99	-	91	16	43.6	7	19.1
Fairfield	649	120	206	321	2	183	16	24.7	15	23.1
White	197	95	99	3	-	57	5	25.4	3	15.2
Nonwhite	452	25	107	318	2	126	11	24.3	12	26.5
Florence	2,456	1,070	533	852	1	685	100	40.7	55	22.4
White	1,278	941	310	27	-	337	38	29.7	29	22.7
Nonwhite	1,178	129	223	825	1	348	62	52.6	26	22.1
Florence	780	520	46	214	-	237	23	29.5	15	19.2
White	481	459	19	3	-	117	9	18.7	8	16.6
Nonwhite	299	61	27	211	-	120	14	46.8	7	23.4
Balance of county	1,676	550	487	638	1	448	77	45.9	40	23.9
White	797	482	291	24	-	220	29	36.4	21	26.3
Nonwhite	879	68	196	614	1	228	48	54.6	19	21.8
Georgetown	962	177	242	539	4	213	34	35.3	25	26.0
White	374	164	193	16	1	81	12	32.1	6	16.0
Nonwhite	588	13	49	523	3	132	22	37.4	19	32.3
Greenville	4,308	3,698	347	261	5	1,287	146	33.9	91	21.1
White	3,349	3,189	139	17	4	925	92	27.5	65	19.4
Nonwhite	959	506	208	244	1	362	54	56.3	26	27.1
Greenville	2,327	2,105	58	164	-	615	77	33.1	49	21.1
White	1,738	1,718	18	2	-	378	43	24.7	31	17.8
Nonwhite	589	387	40	162	-	237	34	57.7	18	30.6
Balance of county	1,981	1,590	289	97	5	672	69	34.8	42	21.2
White	1,611	1,471	121	15	4	547	49	30.4	34	21.1
Nonwhite	370	119	168	82	1	125	20	54.1	8	21.6

See footnotes on p. 93.

931192 O - 52 - 6

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
SOUTH CAROLINA—Continued										
Greenwood	1,079	788	118	173	-	334	35	32.4	31	28.7
White	699	631	62	6	-	193	20	28.6	13	18.6
Nonwhite	380	157	56	167	-	141	15	39.5	18	47.4
Greenwood	454	406	10	38	-	151	20	44.1	13	28.6
White	323	320	2	1	-	96	17	52.6	6	18.6
Nonwhite	131	86	8	37	-	55	3	22.9	7	53.4
Balance of county	625	382	108	135	-	183	15	24.0	18	28.8
White	376	311	60	5	-	97	3	8.0	7	18.6
Nonwhite	249	71	48	130	-	86	12	48.2	11	44.2
Hampton	502	114	117	271	-	164	18	35.9	23	45.8
White	157	93	53	11	-	57	5	31.8	3	19.1
Nonwhite	345	21	64	260	-	107	13	37.7	20	58.0
Horry	1,872	1,536	250	286	-	396	77	41.1	50	26.7
White	1,324	1,185	126	13	-	251	38	28.7	16	12.1
Nonwhite	548	151	124	273	-	145	39	71.2	34	62.0
Jasper	292	116	31	145	-	109	15	51.4	5	17.1
White	79	75	4	-	-	31	5	63.3	1	12.7
Nonwhite	213	41	27	145	-	78	10	46.9	4	18.8
Kershaw	848	339	86	422	1	278	31	36.6	34	40.1
White	355	295	35	25	-	95	6	16.9	6	16.9
Nonwhite	493	44	51	397	1	183	25	50.7	28	56.8
Lancaster	1,002	763	73	165	1	261	40	39.9	33	32.9
White	672	640	20	12	-	161	23	34.2	23	34.2
Nonwhite	330	123	53	153	1	100	17	51.5	10	30.3
Laurens	823	412	126	285	-	372	38	46.2	19	23.1
White	470	372	83	15	-	215	22	46.8	12	25.5
Nonwhite	353	40	43	270	-	157	16	45.3	7	19.8
Lee	727	87	158	479	3	181	24	33.0	30	41.3
White	130	74	53	2	1	55	3	23.1	1	7.7
Nonwhite	597	13	105	477	2	126	21	35.2	29	48.6
Lexington	1,145	667	277	198	3	350	39	34.1	35	30.6
White	823	631	173	17	2	255	25	30.4	20	24.3
Nonwhite	322	36	104	181	1	95	14	43.5	15	46.6
McCormick	293	29	238	26	-	110	21	71.7	12	41.0
White	67	25	42	-	-	35	4	59.7	4	59.7
Nonwhite	226	4	196	26	-	75	17	75.2	8	35.4
Marion	993	627	177	187	2	303	54	54.4	22	22.2
White	414	401	6	7	-	118	24	58.0	7	16.9
Nonwhite	579	226	171	180	2	185	30	51.8	15	25.9
Marlboro	994	418	389	187	-	360	70	70.4	39	39.2
White	442	297	138	7	-	147	19	43.0	13	29.4
Nonwhite	552	121	251	180	-	213	51	92.4	26	47.1
Newberry	695	394	48	252	1	251	22	31.7	29	41.7
White	382	369	5	7	1	159	11	28.8	11	28.8
Nonwhite	313	25	43	245	-	92	11	35.1	18	57.5
Oconee	985	700	168	111	6	287	35	35.5	17	17.3
White	874	656	120	93	5	237	30	34.3	13	14.9
Nonwhite	111	44	48	18	1	50	5	45.0	4	36.0
Orangeburg	2,083	558	245	1,271	9	635	100	48.0	93	44.6
White	643	491	114	37	1	219	10	15.6	8	12.4
Nonwhite	1,440	67	131	1,234	8	416	90	62.5	85	59.0
Orangeburg	448	282	25	139	2	132	13	29.0	11	24.6
White	270	255	9	6	-	60	5	18.5	3	11.1
Nonwhite	178	27	16	133	2	72	8	44.9	8	44.9
Balance of county	1,635	276	220	1,132	7	503	87	53.2	82	50.2
White	373	236	105	31	1	159	5	13.4	5	13.4
Nonwhite	1,262	40	115	1,101	6	344	82	65.0	77	61.0
Pickens	965	534	404	27	-	304	47	48.7	17	17.6
White	857	521	330	6	-	252	39	45.5	11	12.8
Nonwhite	108	13	74	21	-	52	8	74.1	6	55.6
Richland	3,781	2,909	159	703	10	1,208	157	41.5	103	27.2
White	2,375	2,288	56	30	1	661	75	31.6	35	14.7
Nonwhite	1,406	621	103	673	9	547	82	58.3	68	48.4
Columbia	2,921	2,561	94	260	6	901	107	36.6	77	26.4
White	2,081	2,031	34	15	1	524	57	27.4	31	14.9
Nonwhite	840	530	60	245	5	377	50	59.5	46	54.8
Balance of county	860	348	65	443	4	307	50	58.1	26	30.2
White	294	257	22	15	-	137	18	61.2	4	13.6
Nonwhite	566	91	43	428	4	170	32	56.5	22	38.9
Saluda	389	73	189	125	2	138	18	46.3	8	20.6
White	154	70	70	14	-	70	4	26.0	1	6.5
Nonwhite	235	3	119	111	2	68	14	59.6	7	29.8
Spartanburg	3,798	2,769	876	147	6	1,067	105	27.6	77	20.3
White	2,826	2,414	407	3	2	744	60	21.2	39	13.8
Nonwhite	972	355	469	144	4	323	45	46.3	38	39.1
Spartanburg	1,207	992	163	49	3	360	40	33.1	24	19.9
White	798	784	13	1	-	221	16	20.1	6	7.5
Nonwhite	409	208	150	48	3	139	24	58.7	18	44.0
Balance of county	2,591	1,777	713	98	3	707	65	25.1	53	20.5
White	2,028	1,630	394	2	2	523	44	21.7	33	16.3
Nonwhite	563	147	319	96	1	184	21	37.3	20	35.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
SOUTH CAROLINA—Continued										
Sumter	1,923	838	67	963	57	515	54	28.1	64	33.3
White	713	693	11	8	1	188	14	19.6	5	7.0
Nonwhite	1,210	143	56	955	56	327	40	33.1	59	48.8
Sumter	608	537	8	62	1	178	17	28.0	9	14.8
White	462	458	3	1	-	102	12	26.0	3	6.5
Nonwhite	146	79	5	61	1	76	5	34.2	6	41.1
Balance of county	1,315	299	59	901	56	337	37	28.1	55	41.8
White	251	235	8	7	1	86	2	8.0	2	8.0
Nonwhite	1,064	64	51	894	55	251	35	32.9	53	49.8
Union	758	448	139	171	-	245	34	44.9	14	18.5
White	487	440	47	-	-	158	20	41.1	9	18.5
Nonwhite	271	8	92	171	-	87	14	51.7	5	18.5
Williamsburg	1,558	308	197	1,050	3	373	72	46.2	66	42.4
White	422	259	145	17	1	103	9	21.3	7	16.6
Nonwhite	1,136	49	52	1,033	2	270	63	55.5	59	51.9
York	2,022	1,575	161	286	-	522	66	32.6	32	15.8
White	1,318	1,250	65	3	-	303	33	25.0	6	4.6
Nonwhite	704	325	96	283	-	219	33	46.9	26	36.9
Rock Hill	696	667	9	20	-	170	17	24.4	9	12.9
White	552	550	2	-	-	124	10	18.1	2	3.6
Nonwhite	144	117	7	20	-	46	7	48.6	7	48.6
Balance of county	1,326	908	152	266	-	352	49	37.0	23	17.3
White	766	700	63	3	-	179	23	30.0	4	5.2
Nonwhite	560	208	89	263	-	173	26	46.4	19	33.9
SOUTH DAKOTA	17,211	16,557	508	67	79	5,687	448	26.0	251	14.6
White	16,486	15,945	479	30	32	5,400	397	24.1	238	14.4
Nonwhite	725	612	29	37	47	287	51	70.3	13	17.9
Armstrong	-	-	-	-	-	-	-	-	-	-
White	-	-	-	-	-	-	-	-	-	-
Nonwhite	-	-	-	-	-	-	-	-	-	-
Aurora	132	117	14	-	1	40	6	45.5	2	15.2
Beadle	540	521	14	4	1	178	14	25.9	7	13.0
Huron	348	343	4	-	1	123	10	28.7	4	11.5
Balance of county	192	178	10	4	-	55	4	20.8	3	15.6
Bennett	102	96	1	1	4	29	2	19.6	3	29.4
White	76	75	-	-	1	13	1	13.2	1	13.2
Nonwhite	26	21	1	1	3	16	1	38.5	2	76.9
Bon Homme	228	195	31	2	-	93	5	21.9	3	13.2
Brookings	458	453	4	-	1	139	14	30.6	5	10.9
Brown	849	843	6	-	-	302	20	23.6	11	13.0
Aberdeen	542	537	5	-	-	191	13	24.0	6	11.1
Balance of county	307	306	1	-	-	111	7	22.8	5	16.3
Brule	169	167	2	-	-	67	2	11.8	3	17.8
Buffalo	49	47	-	-	2	18	-	0	2	40.8
White	22	22	-	-	-	7	-	0	2	90.9
Nonwhite	27	25	-	-	2	11	-	0	-	0
Butte	211	199	11	-	1	79	7	33.2	4	19.0
Campbell	98	93	3	-	2	31	4	40.8	3	30.6
Charles Mix	390	366	21	1	2	123	14	35.9	4	10.3
White	345	324	21	-	-	106	9	26.1	3	8.7
Nonwhite	45	42	-	1	2	17	5	111.1	1	22.2
Clark	195	188	9	-	-	84	5	25.6	-	0
Clay	288	280	6	-	-	66	4	14.0	5	17.5
Codington	512	505	7	-	-	177	11	21.5	10	19.5
Watertown	332	329	3	-	-	135	9	27.1	7	21.1
Balance of county	180	176	4	-	-	42	2	11.1	3	16.7
Corson	154	143	6	3	2	46	-	0	2	13.0
White	120	116	3	-	1	32	-	0	1	8.3
Nonwhite	34	27	3	3	1	14	-	0	1	29.4
Custer	102	86	16	-	-	68	9	88.2	6	58.8
Davison	469	464	5	-	-	193	16	34.1	6	12.8
Mitchell	365	364	1	-	-	160	15	41.1	5	13.7
Balance of county	104	100	4	-	-	33	1	9.6	1	9.6
Day	296	285	7	1	3	118	9	30.4	7	23.6
Deuel	175	163	12	-	-	54	2	11.4	2	11.4
Dewey	186	169	12	1	4	45	7	37.6	2	10.8
White	119	116	3	-	-	26	4	33.6	1	8.4
Nonwhite	67	53	9	1	4	19	3	44.9	1	14.9
Douglas	161	157	4	-	-	48	3	18.6	3	18.6
Edmunds	200	195	4	1	-	37	6	30.0	5	25.0
Fall River	287	283	3	1	-	110	20	69.7	3	10.5
Faulk	145	141	4	-	-	39	-	0	4	27.6
Grant	273	268	4	-	1	78	3	11.0	5	18.3
Gregory	234	227	4	3	-	83	5	21.4	4	17.1
Haakon	87	85	2	-	-	29	1	11.5	-	0
Hamlin	137	134	3	-	-	68	1	7.3	4	29.2
Hand	176	172	4	-	-	57	7	39.8	-	0
Hanson	145	131	9	4	1	30	1	6.9	2	13.8
Harding	52	49	3	-	-	27	2	38.5	1	19.2
Hughes	253	245	5	2	1	79	15	59.3	1	4.0
Hutchinson	289	252	28	8	1	103	4	15.8	4	13.8
Hyde	82	76	6	-	-	30	-	0	1	12.2

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
SOUTH DAKOTA—Continued										
Jackson	51	51	-	-	-	21	-	0	2	39.2
Jerauld	123	123	-	-	-	43	1	8.1	-	0
Jones	63	63	-	-	-	27	4	63.5	1	15.9
Kingsbury	237	216	19	-	-	109	6	25.3	6	25.3
Lake	288	282	6	-	-	109	8	27.8	2	6.9
Lawrence	430	414	15	-	1	160	11	25.6	6	14.0
Lincoln	302	298	4	-	-	98	3	9.9	5	16.6
Lyman	128	120	4	3	1	29	2	15.6	2	15.6
McCook	261	248	13	-	-	75	4	15.3	1	3.8
McPherson	187	177	6	-	4	40	4	21.4	2	10.7
Marshall	197	191	4	1	1	89	7	35.5	4	20.3
Meade	229	205	24	-	-	85	11	48.0	4	17.5
Mellette	71	58	-	2	11	27	1	14.1	1	14.1
White	43	42	-	-	1	9	-	0	-	0
Nonwhite	28	16	-	2	10	18	1	35.7	1	35.7
Miner	175	163	12	-	-	51	1	5.7	3	17.1
Minnehaha	1,887	1,873	14	-	-	536	39	20.7	25	13.2
Sioux Falls	1,472	1,468	4	-	-	410	31	21.1	19	12.9
Balance of county[2]	415	405	10	-	-	126	8	19.3	6	14.5
Moody	201	196	4	-	1	76	3	14.9	5	24.9
Pennington	1,058	1,042	13	1	2	277	24	22.7	16	15.1
Rapid City	821	813	6	1	1	204	18	21.9	13	15.8
Balance of county	237	229	7	-	1	73	6	25.3	3	12.7
Perkins	211	190	21	-	-	46	4	19.0	3	14.2
Potter	150	147	3	-	-	46	3	20.0	3	20.0
Roberts	426	406	11	-	7	161	18	42.3	4	9.4
Sanborn	140	137	3	-	-	50	2	14.3	2	14.3
Shannon	171	164	1	3	3	55	11	64.3	2	11.7
White	26	26	-	-	-	6	1	38.5	-	0
Nonwhite	145	138	1	3	3	49	10	69.0	2	13.8
Spink	327	315	7	5	-	121	10	30.6	6	18.3
Stanley	45	45	-	-	-	20	1	22.2	-	0
Sully	73	73	-	-	-	18	1	13.7	1	13.7
Todd	138	112	7	6	13	45	11	79.7	2	14.5
White	43	40	2	-	1	7	-	0	1	23.3
Nonwhite	95	72	5	6	12	38	11	115.8	1	10.5
Tripp	247	238	2	3	4	78	12	48.6	6	24.3
Turner	299	291	8	-	-	120	7	23.4	4	13.4
Union	255	245	10	-	-	94	3	11.8	2	7.8
Walworth	226	225	1	-	-	64	6	26.5	4	17.7
Washabaugh	35	31	1	3	-	10	1	28.6	-	0
White	20	20	-	-	-	1	-	0	-	0
Nonwhite	15	11	1	3	-	9	1	66.7	-	0
Washington	1	1	-	-	-	-	-	0	-	0
White	1	1	-	-	-	-	-	0	-	0
Nonwhite	-	-	-	-	-	-	-	-	-	-
Yankton	399	384	12	2	1	120	9	22.6	3	7.5
Ziebach	58	36	13	6	3	19	1	17.2	-	0
White	37	24	11	-	2	9	-	0	-	0
Nonwhite	21	12	2	6	1	10	1	47.6	-	0
TENNESSEE	82,854	59,153	16,712	4,882	2,127	28,993	3,331	40.2	1,725	20.8
White	67,573	51,920	12,954	2,215	484	22,257	2,557	37.8	1,268	18.8
Nonwhite	15,281	7,233	3,758	2,647	1,643	6,736	774	50.7	455	29.8
Anderson	1,817	1,409	360	45	3	342	61	33.6	28	15.4
Bedford	482	368	106	4	4	248	23	47.7	12	24.9
White	416	356	54	3	3	199	19	45.7	11	26.4
Nonwhite	66	12	52	1	1	49	4	60.6	1	15.2
Benton	245	162	48	35	-	109	4	16.3	2	8.2
Bledsoe	259	107	123	24	5	77	17	65.6	5	19.3
Blount	1,438	1,259	139	26	14	339	48	33.4	22	15.3
Bradley	815	568	190	47	10	303	35	42.9	26	31.9
Cleveland	408	307	66	28	7	148	18	44.1	15	36.8
White	389	299	62	6	2	121	16	43.4	15	40.7
Nonwhite	39	8	4	22	5	27	2	51.3	-	0
Balance of county	407	261	124	19	3	155	17	41.8	11	27.0
Campbell	1,040	520	461	55	4	321	80	76.9	21	20.2
Cannon	184	157	13	9	5	89	8	43.5	5	27.2
Carroll	534	326	193	15	-	252	21	39.3	7	13.1
White	440	317	122	1	-	212	17	38.6	6	13.6
Nonwhite	94	9	71	14	-	40	4	42.6	1	10.6
Carter	1,118	891	157	63	7	270	48	42.9	19	17.0
Cheatham	204	117	78	9	-	74	8	39.2	4	19.6
Chester	263	135	115	11	2	81	11	41.8	5	19.0
White	223	124	94	3	2	63	9	40.4	4	17.9
Nonwhite	40	11	21	8	-	18	2	50.0	1	25.0
Claiborne	511	327	166	101	17	213	33	64.0	10	16.4
Clay	226	26	157	36	7	67	7	31.0	6	26.5
Cocke	671	240	385	58	8	232	43	64.1	23	34.3
Coffee	571	467	83	20	1	179	17	29.8	10	17.5
Crockett	441	151	264	25	1	156	18	40.8	8	18.1
White	311	142	169	-	-	120	10	32.2	6	19.3
Nonwhite	130	9	95	25	1	36	8	61.5	2	15.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TENNESSEE—Continued										
Cumberland	514	210	210	91	3	154	23	44.7	10	19.5
Davidson	7,540	7,143	277	23	97	2,895	270	35.8	152	20.2
White	5,961	5,815	126	13	7	1,999	171	28.7	94	15.8
Nonwhite	1,579	1,328	151	10	90	896	99	62.7	58	36.7
Nashville	6,368	6,073	194	10	91	2,226	233	36.6	97	15.2
White	4,900	4,820	69	5	6	1,419	136	28.2	50	10.2
Nonwhite	1,468	1,253	125	5	85	807	95	64.7	47	32.0
Balance of county	1,172	1,070	83	13	6	669	37	31.6	55	46.9
White	1,061	995	57	8	1	580	33	31.1	44	41.5
Nonwhite	111	75	26	5	5	89	4	36.0	11	99.1
Decatur	226	116	94	10	6	76	7	31.0	2	8.8
De Kalb	254	193	47	14	-	119	12	47.2	3	11.8
Dickson	438	197	234	3	4	194	23	52.5	10	22.8
Dyer	818	466	304	46	2	325	36	44.0	20	24.4
White	708	451	242	14	1	266	27	38.1	18	25.4
Nonwhite	110	15	62	32	1	59	9	81.8	2	18.2
Dyersburg	269	179	71	19	-	136	16	59.5	8	29.7
White	205	169	33	3	-	101	12	58.5	7	34.1
Nonwhite	64	10	38	16	-	35	4	62.5	1	15.6
Balance of county	549	287	233	27	2	189	20	36.4	12	21.9
Fayette	905	125	155	589	36	246	38	42.0	17	18.8
White	178	106	62	9	1	65	8	44.9	5	28.1
Nonwhite	727	19	93	580	35	181	30	41.3	12	16.5
Fentress	457	323	48	83	3	87	21	46.0	9	19.7
Franklin	660	569	41	42	8	234	21	31.8	10	15.2
White	614	551	23	32	8	211	18	29.3	10	16.3
Nonwhite	46	18	18	10	-	23	3	65.2	-	0
Gibson	1,108	782	295	15	16	451	48	43.3	19	17.1
White	822	666	155	-	1	320	31	37.7	13	15.8
Nonwhite	286	116	140	15	15	131	17	59.4	6	21.0
Giles	535	329	153	44	9	275	19	35.5	13	24.3
White	397	297	85	11	4	206	11	27.7	8	20.2
Nonwhite	138	32	68	33	5	69	8	58.0	5	36.2
Grainger	321	135	158	27	1	103	19	59.2	3	9.3
Greene	1,000	804	131	58	7	393	55	55.0	16	16.0
Grundy	348	201	100	38	6	88	14	40.5	10	28.9
Hamblen	586	490	76	15	5	198	29	49.5	10	17.1
Hamilton	5,478	4,745	559	133	41	2,018	223	40.7	103	18.8
White	4,229	3,749	424	38	18	1,380	162	38.3	57	13.5
Nonwhite	1,249	996	135	95	23	638	61	48.8	46	36.8
Chattanooga	4,060	3,700	244	89	27	1,518	155	38.2	86	21.2
White	2,871	2,737	124	3	7	920	96	33.4	42	14.6
Nonwhite	1,189	963	120	86	20	598	59	49.6	44	37.0
Balance of county	1,418	1,045	315	44	14	500	68	48.0	17	12.0
Hancock	234	58	66	86	24	71	9	38.5	2	8.5
Hardeman	676	175	312	173	16	205	24	35.5	13	19.2
White	366	166	187	12	1	117	12	32.8	6	16.4
Nonwhite	310	9	125	161	15	88	12	38.7	7	22.6
Hardin	361	127	166	30	18	142	16	44.3	10	27.7
Hawkins	744	415	268	58	3	253	29	39.0	12	16.1
Haywood	811	206	206	387	12	230	33	40.7	17	21.0
White	239	158	76	2	3	81	10	41.8	6	25.1
Nonwhite	572	48	130	385	9	149	23	40.2	11	19.2
Henderson	440	341	83	9	7	160	13	29.5	11	25.0
Henry	533	265	256	8	4	278	18	33.8	11	20.6
White	427	260	162	2	3	233	14	32.8	9	21.1
Nonwhite	106	5	94	6	1	45	4	37.7	2	18.9
Hickman	320	210	81	23	6	104	19	59.4	2	6.3
Houston	114	35	66	11	2	41	6	52.6	3	26.3
Humphreys	238	160	73	4	1	104	6	25.2	2	8.4
Jackson	313	72	191	47	3	100	8	25.6	5	16.0
Jefferson	415	298	110	5	2	169	13	31.3	6	14.5
Johnson	300	254	43	21	2	78	6	20.0	7	23.3
Knox	5,303	4,578	662	54	9	1,922	210	39.6	116	21.9
White	4,771	4,206	515	45	5	1,601	181	37.9	92	19.3
Nonwhite	532	372	147	9	4	321	29	54.5	24	45.1
Knoxville	3,104	2,795	288	14	7	1,229	128	41.2	74	23.8
White	2,617	2,445	161	7	4	949	104	39.7	53	20.3
Nonwhite	487	350	127	7	3	280	24	49.3	21	43.1
Balance of county	2,199	1,783	374	40	2	693	82	37.3	42	19.1
Lake	427	94	285	46	2	107	25	58.5	11	25.8
White	324	92	203	28	1	72	16	49.4	9	27.8
Nonwhite	103	2	82	18	1	35	9	87.4	2	19.4
Lauderdale	709	240	325	137	6	258	41	57.9	17	24.0
White	438	226	201	10	1	139	21	47.9	5	11.4
Nonwhite	270	14	124	127	5	119	20	74.1	12	44.4
Lawrence	804	429	352	21	2	223	22	27.4	11	13.7
Lewis	189	140	40	8	1	39	6	31.7	5	26.5
Lincoln	652	515	122	14	1	275	32	49.1	14	21.5
White	549	464	83	1	1	233	29	52.8	10	18.2
Nonwhite	103	51	39	13	-	42	3	29.1	4	38.8
Loudon	617	397	209	10	1	196	24	38.9	20	32.4
McMinn	838	689	132	15	2	286	40	47.7	9	10.7
McNairy	533	307	172	43	11	165	12	22.5	16	30.0
Macon	324	143	165	12	4	126	11	34.0	10	30.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TENNESSEE—Continued										
Madison	1,503	873	216	405	9	622	68	45.2	41	27.3
White	853	782	64	7	-	355	32	37.5	21	24.6
Nonwhite	650	91	152	398	9	267	36	55.4	20	30.8
Jackson	726	499	83	142	2	368	26	35.8	21	28.9
White	455	439	15	1	-	206	11	24.2	6	13.2
Nonwhite	271	60	68	141	2	162	15	55.4	15	55.4
Balance of county	777	374	133	263	7	254	42	54.1	20	25.7
White	398	343	49	6	-	149	21	52.8	15	37.7
Nonwhite	379	31	84	257	7	105	21	55.4	5	13.2
Marion	565	317	225	13	10	176	24	42.5	12	21.2
Marshall	372	303	61	8	-	191	17	45.7	6	16.1
White	331	284	47	-	-	161	16	48.3	5	15.1
Nonwhite	41	19	14	8	-	30	1	24.4	1	24.4
Maury	968	604	289	67	8	418	38	39.3	20	20.7
White	789	571	162	24	2	287	29	36.2	17	22.4
Nonwhite	209	33	127	43	6	131	9	43.1	3	14.4
Columbia	304	237	50	15	2	146	19	62.5	6	19.7
White	245	228	13	4	-	98	14	57.1	5	20.4
Nonwhite	59	9	37	11	2	48	5	84.7	1	16.9
Balance of county	664	367	239	52	6	272	19	28.6	14	21.1
White	514	343	149	20	2	189	15	29.2	12	23.3
Nonwhite	150	24	90	32	4	83	4	26.7	2	13.3
Meigs	190	117	35	34	4	47	4	21.1	2	10.5
Monroe	717	429	213	72	3	209	32	44.6	21	29.3
Montgomery	850	480	308	57	5	338	40	47.1	20	23.5
White	647	470	170	6	1	217	24	37.1	11	17.0
Nonwhite	203	10	138	51	4	121	16	78.8	9	44.3
Clarksville	406	260	121	25	-	154	26	64.0	11	27.1
White	302	253	47	2	-	84	14	46.4	5	16.6
Nonwhite	104	7	74	23	-	70	12	115.4	6	57.7
Balance of county	444	220	187	32	5	184	14	31.5	9	20.3
White	345	217	123	4	1	133	10	29.0	6	17.4
Nonwhite	99	3	64	28	4	51	4	40.4	3	30.3
Moore	73	50	23	-	-	32	-	0	1	13.7
Morgan	426	158	211	55	2	108	15	35.2	3	7.0
Obion	582	370	201	10	1	312	26	44.7	16	27.5
White	516	360	154	1	1	258	18	34.9	15	29.1
Nonwhite	66	10	47	9	-	54	8	121.2	1	15.2
Overton	406	171	181	46	8	144	21	51.7	9	22.2
Perry	163	98	59	4	2	54	11	67.5	8	49.1
Pickett	124	53	64	7	-	26	3	24.2	-	0
Polk	427	306	106	13	2	120	16	37.5	5	11.7
Putnam	756	553	151	46	6	246	31	41.0	11	14.6
Rhea	436	225	133	55	23	161	23	52.8	8	18.3
Roane	857	684	127	44	2	253	42	49.0	28	32.7
Robertson	640	393	229	15	3	259	22	34.4	18	28.1
White	510	364	143	1	2	206	15	29.4	16	31.4
Nonwhite	130	29	86	14	1	53	7	53.8	2	15.4
Rutherford	1,083	977	65	35	6	346	42	38.8	28	25.9
White	877	822	41	9	5	276	33	37.0	22	25.1
Nonwhite	206	155	24	26	1	70	9	43.7	6	29.1
Scott	596	353	131	107	5	125	30	50.3	10	16.8
Sequatchie	138	21	105	12	-	33	4	29.0	4	29.0
Sevier	606	448	85	38	35	166	31	51.2	22	36.3
Shelby	12,395	10,006	763	205	1,421	4,369	427	34.4	264	21.3
White	6,971	6,812	89	-	70	2,217	181	26.0	96	13.8
Nonwhite	5,424	3,194	674	205	1,351	2,152	246	45.4	168	31.0
Memphis	9,355	7,762	566	30	997	3,590	328	35.1	190	20.3
White	5,299	5,221	40	-	38	1,874	144	27.2	60	11.3
Nonwhite	4,056	2,541	526	30	959	1,716	184	45.4	130	32.1
Balance of county	3,040	2,244	197	175	424	779	99	32.6	74	24.3
White	1,672	1,591	49	-	32	343	37	22.1	36	21.5
Nonwhite	1,368	653	148	175	392	436	62	45.3	38	27.8
Smith	276	147	124	4	1	155	9	32.6	7	25.4
Stewart	210	76	122	10	2	93	6	28.6	4	19.0
Sullivan	2,457	2,070	316	52	19	623	96	39.1	45	18.3
Bristol[10]	464	389	61	8	6	127	20	43.1	8	17.2
Kingsport	782	743	35	-	4	165	23	29.4	14	17.9
Balance of county	1,211	938	220	44	9	331	53	43.8	23	19.0
Sumner	745	532	195	13	5	303	30	40.3	20	26.8
White	656	518	121	13	4	248	25	38.1	18	27.4
Nonwhite	89	14	74	-	1	55	5	56.2	2	22.5
Tipton	980	194	458	203	25	284	39	44.3	22	25.0
White	494	171	310	11	2	170	23	46.6	14	28.3
Nonwhite	386	23	148	192	23	114	16	41.5	8	20.7
Trousdale	127	56	68	2	1	53	9	70.9	3	23.6
White	104	48	54	1	1	38	7	67.3	1	9.6
Nonwhite	23	8	14	1	-	15	2	87.0	2	87.0
Unicoi	404	338	37	27	2	109	16	39.6	7	17.3
Union	202	105	61	28	8	67	8	39.6	3	14.9
Van Buren	100	51	32	17	-	23	7	70.0	7	70.0
Warren	542	403	129	7	3	213	21	38.7	14	25.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TENNESSEE—Continued										
Washington	1,472	1,132	308	31	1	469	42	28.5	21	14.3
Johnson City	640	557	74	8	1	230	28	43.8	10	15.6
White	592	530	53	8	1	194	25	42.2	9	15.2
Nonwhite	48	27	21	-	-	36	3	62.5	1	20.8
Balance of county	832	575	234	23	-	239	14	16.8	11	13.2
Wayne	346	191	114	34	7	118	12	34.7	11	31.8
Weakley	569	433	129	-	7	322	29	51.0	15	26.4
White	457	256	178	19	4	186	34	74.4	16	35.0
Williamson	588	522	44	17	5	229	22	37.4	10	17.0
White	434	398	24	9	3	163	19	43.8	6	13.8
Nonwhite	154	124	20	8	2	66	3	19.5	4	26.0
Wilson	807	472	111	13	11	261	21	34.6	11	18.1
White	501	451	39	4	7	216	14	27.9	8	16.0
Nonwhite	106	21	72	9	4	45	7	66.0	3	28.3
TEXAS	202,297	157,384	22,873	19,991	2,049	63,337	8,628	42.7	4,273	21.1
White	175,709	142,644	18,399	13,638	1,628	52,743	7,277	41.4	3,320	18.9
Nonwhite	26,588	15,340	4,474	6,353	421	10,594	1,351	50.8	953	35.8
Anderson	696	456	109	128	3	342	19	27.3	16	23.0
White	447	405	39	3	-	209	8	17.9	12	26.8
Nonwhite	249	51	70	125	3	133	11	44.2	4	16.1
Palestine	272	199	46	27	-	174	13	47.8	4	14.7
White	182	177	3	2	-	109	4	22.0	4	22.0
Nonwhite	90	22	43	25	-	65	9	100.0	-	0
Balance of county	424	257	63	101	3	168	6	14.2	12	28.3
White	265	228	36	1	-	100	4	15.1	8	30.2
Nonwhite	159	29	27	100	3	68	2	12.6	4	25.2
Andrews	185	165	20	2	-	20	8	43.2	1	5.4
Angelina	824	740	65	17	2	285	14	17.0	29	35.2
White	656	614	41	1	-	224	9	13.7	21	32.0
Nonwhite	168	126	24	16	2	61	5	29.8	8	47.6
Aransas	82	48	32	1	1	42	3	36.6	-	0
Archer	129	126	3	-	-	44	-	0	3	23.3
Armstrong	46	45	-	1	-	14	-	0	-	0
Atascosa	598	260	239	85	14	159	30	50.2	7	11.7
Austin	288	195	48	45	-	163	7	24.3	3	10.4
White	206	176	29	1	-	116	5	24.3	2	9.7
Nonwhite	82	19	19	44	-	47	2	24.4	1	12.2
Bailey	216	215	-	-	1	39	5	23.1	7	32.4
Bandera	81	74	5	-	2	44	2	24.7	2	24.7
Bastrop	493	299	105	84	5	198	17	34.5	10	20.3
White	302	254	34	13	1	126	12	39.7	7	23.2
Nonwhite	191	45	71	71	4	72	5	26.2	3	15.7
Baylor	155	154	1	-	-	47	4	25.8	1	6.5
Bee	529	247	144	127	11	179	43	81.3	14	26.5
Bell	1,748	1,454	252	40	2	496	58	33.2	38	21.7
White	1,541	1,375	152	13	1	417	50	32.4	31	20.1
Nonwhite	207	79	100	27	1	79	8	38.6	7	33.8
Temple	592	448	111	33	-	198	20	33.8	16	27.0
White	461	419	33	9	-	150	17	36.9	11	23.9
Nonwhite	131	29	78	24	-	48	3	22.9	5	38.2
Balance of county	1,156	1,006	141	7	2	298	38	32.9	22	19.0
Bexar	14,952	10,964	1,043	2,784	141	4,246	684	45.8	354	23.7
San Antonio	13,743	10,048	939	2,635	121	3,851	628	45.7	329	23.9
White	12,913	9,370	802	2,621	120	3,555	599	46.4	310	24.0
Nonwhite	830	678	137	14	1	296	29	34.9	19	22.9
Balance of county	1,189	916	104	149	20	395	56	47.1	25	21.0
Blanco	80	72	7	-	1	38	2	25.0	-	0
Borden	6	5	1	-	-	1	-	0	-	0
Bosque	220	204	13	2	1	133	6	27.3	4	18.2
Bowie	1,413	952	174	272	15	541	56	39.6	27	19.1
White	1,033	898	101	31	3	372	36	34.8	12	11.6
Nonwhite	380	54	73	241	12	169	20	52.6	15	39.5
Texarkana[11]	578	441	46	87	4	257	23	39.8	10	17.3
White	424	414	5	5	-	174	12	28.3	4	9.4
Nonwhite	154	27	41	82	4	83	11	71.4	6	39.0
Balance of county	835	511	128	185	11	284	33	39.5	17	20.4
White	609	484	96	26	3	198	24	39.4	8	13.1
Nonwhite	226	27	32	159	8	86	9	39.8	9	39.8
Brazoria	1,240	1,135	35	66	4	294	38	30.6	28	22.6
White	1,088	1,052	24	10	2	226	25	23.0	19	17.5
Nonwhite	152	83	11	56	2	68	13	85.5	9	59.2
Brazos	1,038	762	34	238	4	272	39	37.6	18	17.3
White	771	700	18	51	2	163	30	38.9	7	9.1
Nonwhite	267	62	16	187	2	109	9	33.7	11	41.2
Bryan	585	416	27	141	1	176	25	42.7	9	15.4
White	438	386	18	35	1	110	21	47.9	2	4.6
Nonwhite	147	30	11	106	-	66	4	27.2	7	47.6
Balance of county	453	346	7	97	3	96	14	30.9	9	19.9
White	333	314	2	16	1	53	9	27.0	5	15.0
Nonwhite	120	32	5	81	2	43	5	41.7	4	33.3
Brewster	222	93	97	17	15	49	12	54.1	6	27.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TEXAS—Continued										
Briscoe	77	72	5	-	-	22	1	13.0	3	39.0
Brooks	373	306	15	38	14	70	22	59.0	6	16.1
Brown	602	570	24	8	-	272	14	23.3	13	21.6
Brownwood	450	424	18	8	-	198	13	28.9	11	24.4
Balance of county	152	146	6	-	-	74	1	6.6	2	13.2
Burleson	296	118	73	93	12	138	17	57.4	8	27.0
White	187	107	55	20	5	87	9	48.1	5	26.7
Nonwhite	109	11	18	73	7	51	8	73.4	3	27.5
Burnet	198	166	27	2	3	81	4	20.2	3	15.2
Caldwell	506	241	197	42	26	233	33	65.2	15	29.6
White	435	215	167	29	24	184	26	59.8	10	23.0
Nonwhite	71	26	30	13	2	49	7	98.6	5	70.4
Calhoun	244	108	117	18	1	59	10	41.0	6	24.6
Callahan	150	146	3	-	1	71	8	53.3	2	13.3
Cameron	5,346	1,611	1,295	2,271	171	1,369	499	93.3	147	27.5
Brownsville	1,419	596	146	647	30	373	125	88.1	44	31.0
Harlingen	690	406	201	69	4	242	87	127.9	18	26.5
Balance of county	3,247	609	946	1,555	137	754	287	88.4	85	26.2
Camp	254	158	13	59	4	88	6	34.2	4	17.1
White	129	127	2	-	-	55	5	38.8	1	7.8
Nonwhite	105	31	11	59	4	33	3	28.8	3	28.8
Carson	156	153	3	-	-	47	5	32.1	-	0
Cass	627	388	73	159	7	239	18	28.7	13	20.7
White	377	332	42	2	1	160	10	28.5	7	18.6
Nonwhite	250	56	31	157	6	79	8	32.0	6	24.0
Castro	134	130	3	1	-	22	5	37.3	4	29.9
Chambers	227	178	32	17	-	55	6	26.4	4	17.6
White	179	170	7	2	-	45	5	27.9	3	16.8
Nonwhite	48	8	25	15	-	10	1	20.8	1	20.8
Cherokee	807	550	153	93	11	312	15	18.6	15	18.6
White	581	502	77	1	1	233	11	18.9	8	13.8
Nonwhite	226	48	76	92	10	79	4	17.7	7	31.0
Childress	264	256	4	2	2	115	8	30.3	1	3.8
Clay	170	160	10	-	-	72	7	41.2	3	17.6
Cochran	170	164	2	1	3	23	3	17.6	6	35.3
Coke	89	78	11	-	-	19	3	33.7	2	22.5
Coleman	281	246	30	2	3	138	8	28.5	6	21.4
Collin	940	794	130	14	2	357	27	28.7	14	14.9
Collingsworth	208	200	8	-	-	67	6	28.8	3	14.4
Colorado	419	297	23	93	6	158	15	35.8	8	19.1
White	298	266	15	16	1	97	9	30.2	5	16.8
Nonwhite	121	31	8	77	5	61	6	49.6	3	24.8
Comal	429	265	122	39	3	138	15	35.0	6	14.0
Comanche	268	256	12	-	-	158	7	26.1	5	18.7
Concho	93	71	17	5	-	32	3	32.3	3	32.3
Cooke	498	469	21	2	6	214	11	22.1	8	16.1
Coryell	296	287	6	2	1	134	6	20.3	7	23.6
Cottle	159	139	17	3	-	61	14	88.1	2	12.6
Crane	115	107	5	1	-	20	3	26.5	3	26.5
Crockett	96	42	46	8	-	21	1	10.4	1	10.4
Crosby	249	217	29	2	1	72	10	40.2	7	28.1
Culberson	49	15	31	3	-	13	2	40.8	3	61.2
Dallam	205	195	10	-	-	80	6	29.3	5	24.4
Dallas	15,184	14,422	699	50	13	4,449	387	25.5	265	17.5
White	12,973	12,627	298	41	7	3,585	294	22.7	193	14.9
Nonwhite	2,211	1,795	401	9	6	864	93	42.1	72	32.6
Dallas	10,815	10,346	428	33	8	3,374	267	24.7	183	16.9
White	9,271	9,088	151	28	4	2,689	207	22.3	138	14.9
Nonwhite	1,544	1,258	277	5	4	675	60	38.9	45	29.1
Highland Park	111	111	-	-	-	81	4	36.0	2	18.0
White	107	107	-	-	-	77	2	18.7	1	9.3
Nonwhite	4	4	-	-	-	4	2	500.0	1	250.0
University Park	306	306	-	-	-	116	6	19.6	2	6.5
Balance of county	3,952	3,659	271	17	5	676	110	27.8	78	19.7
White	3,290	3,127	147	13	3	595	79	24.0	52	15.8
Nonwhite	662	532	124	4	2	183	31	46.8	26	39.3
Dawson	600	483	61	49	7	164	51	85.0	18	30.0
Deaf Smith	240	215	23	1	1	57	13	54.2	3	12.5
Delta	167	142	22	3	-	79	6	35.9	3	18.0
Denton	714	648	63	1	2	339	23	32.2	10	14.0
Denton	395	379	15	1	-	152	13	32.9	6	15.2
White	360	352	8	-	-	132	11	30.6	6	16.7
Nonwhite	35	27	7	1	-	20	2	57.1	-	0
Balance of county	319	269	48	-	2	187	10	31.3	4	12.5
De Witt	542	334	104	94	10	264	35	64.6	14	25.8
White	463	299	82	76	6	197	27	58.3	10	21.6
Nonwhite	79	35	22	18	4	67	8	101.3	4	50.6
Dickens	175	144	25	6	-	49	7	40.0	1	5.7
Dimmit	357	87	199	64	7	121	46	128.9	5	14.0
Donley	134	111	15	8	-	66	8	59.7	2	14.9
Duval	465	161	175	124	5	129	19	40.9	11	23.7
Eastland	524	494	30	-	-	269	14	26.7	9	17.2
Ector	1,256	1,108	126	18	4	183	39	31.1	20	15.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TEXAS—Continued										
Edwards	63	21	32	7	3	23	5	79.4	1	15.9
Ellis	914	756	112	39	7	445	43	47.0	20	21.9
White	705	652	48	1	4	341	28	36.9	11	15.6
Nonwhite	209	104	64	38	3	104	17	81.3	9	43.1
El Paso	6,688	5,606	429	574	79	1,602	334	49.9	126	18.8
El Paso	4,716	4,097	133	456	30	1,150	187	39.7	95	20.1
Balance of county	1,972	1,509	296	118	49	452	147	74.5	31	15.7
Erath	372	358	12	1	1	194	7	18.8	5	13.4
Falls	551	324	79	156	12	277	33	59.9	18	32.7
White	369	299	26	39	5	182	18	48.8	8	21.7
Nonwhite	182	25	33	117	7	95	15	82.4	10	54.9
Fannin	588	510	55	18	5	354	16	27.2	10	17.0
White	528	492	33	1	2	304	12	22.7	7	13.3
Nonwhite	60	18	22	17	3	50	4	66.7	3	50.0
Fayette	451	330	52	60	9	255	24	53.2	11	24.4
White	329	295	27	2	5	198	16	48.6	6	18.2
Nonwhite	122	35	25	58	4	57	8	65.6	5	41.0
Fisher	195	187	2	5	1	90	5	25.6	5	25.6
Floyd	224	216	6	2	-	79	9	40.2	3	13.4
Foard	93	87	2	4	-	42	5	53.8	5	53.8
Fort Bend	774	497	169	89	19	300	62	80.1	18	23.3
White	590	415	138	22	15	209	44	74.6	15	25.4
Nonwhite	184	82	31	67	4	92	18	97.8	3	16.3
Franklin	84	67	14	3	-	49	1	11.9	-	0
Freestone	326	171	60	93	2	163	10	30.7	6	18.4
White[2]	145	130	13	2	-	97	4	27.6	2	13.8
Nonwhite	181	41	47	91	2	66	6	33.1	4	22.1
Frio	389	148	88	141	12	114	22	56.6	6	15.4
Gaines	276	273	2	-	1	54	13	47.1	5	18.1
Galveston	3,236	3,138	94	3	1	988	86	26.6	59	18.2
White	2,481	2,412	68	-	1	739	59	23.8	34	13.7
Nonwhite	755	726	26	3	-	249	27	35.8	25	33.1
Galveston	2,063	1,997	63	3	-	752	64	31.0	41	19.9
White	1,492	1,445	47	-	-	552	40	26.8	23	15.4
Nonwhite	571	552	16	3	-	200	24	42.0	18	31.5
Balance of county	1,173	1,141	31	-	1	236	22	18.8	18	15.3
White	989	967	21	-	1	187	19	19.2	11	11.1
Nonwhite	184	174	10	-	-	49	3	16.3	7	38.0
Garza	138	68	61	8	1	50	5	36.2	3	21.7
Gillespie	233	222	6	5	-	102	8	34.3	6	25.8
Glasscock	12	12	-	-	-	4	1	83.3	-	0
Goliad	158	46	80	18	14	69	10	63.3	5	31.6
White	143	45	71	14	13	62	9	62.9	4	28.0
Nonwhite	15	1	9	4	1	7	1	66.7	1	66.7
Gonzales	513	217	222	56	18	217	30	58.5	21	40.9
White	409	198	184	13	13	165	22	53.8	15	36.7
Nonwhite	104	18	38	43	5	52	8	76.9	6	57.7
Gray	644	628	14	-	1	186	28	45.0	11	17.1
Pampa	517	505	11	-	1	140	25	48.4	7	13.5
Balance of county	127	124	3	-	-	46	4	31.5	4	31.5
Grayson	1,572	1,446	97	25	4	703	42	26.7	34	21.6
Denison	551	528	14	9	-	216	17	30.9	12	21.8
White	488	480	8	-	-	170	15	30.7	9	18.4
Nonwhite	63	48	6	9	-	46	2	31.7	3	47.6
Sherman	504	470	20	11	3	218	10	19.8	5	9.9
White	444	439	4	1	-	173	7	15.8	4	9.0
Nonwhite	60	31	16	10	3	45	3	50.0	1	16.7
Balance of county	517	448	63	5	1	269	15	29.0	17	32.9
Gregg	1,660	1,513	35	103	9	497	62	37.3	32	19.3
White	1,214	1,192	20	2	-	346	32	26.4	17	14.0
Nonwhite	446	321	15	101	9	151	30	67.3	15	33.6
Longview	671	615	15	34	7	209	35	52.2	12	17.9
White	466	461	5	-	-	139	16	34.3	8	17.2
Nonwhite	205	154	10	34	7	70	19	92.7	4	19.5
Balance of county	989	898	20	69	2	288	27	27.3	20	20.2
White	748	731	15	2	-	207	16	21.4	9	12.0
Nonwhite	241	167	5	67	2	81	11	45.6	11	45.6
Grimes	365	224	29	110	2	147	15	41.1	17	46.6
White	178	157	9	9	-	84	5	28.6	8	45.7
Nonwhite	190	67	20	101	2	63	10	52.6	9	47.4
Guadalupe	748	386	294	57	11	237	45	60.2	11	14.7
White	650	368	223	49	10	179	31	47.7	5	7.7
Nonwhite	98	18	71	8	1	58	14	142.9	6	61.2
Hale	753	634	98	17	4	190	37	49.1	6	8.0
Hall	267	237	22	8	-	103	15	56.2	7	26.2
Hamilton	163	155	8	-	-	120	7	42.9	5	30.7
Hansford	109	107	2	-	-	26	3	27.5	1	9.2
Hardeman	208	199	8	-	1	85	4	19.2	6	28.8
Hardin	481	346	112	14	9	167	13	27.0	18	37.4
White	409	336	69	1	3	133	12	29.3	10	24.4
Nonwhite	72	10	43	13	6	34	1	13.9	8	111.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TEXAS—Continued										
Harris	21,047	19,995	449	569	34	5,745	695	33.0	410	19.5
White	16,720	16,186	327	188	19	4,276	486	29.1	275	16.4
Nonwhite	4,327	3,809	122	381	15	1,469	209	48.3	135	31.2
Houston	17,327	16,548	282	460	27	4,871	575	33.2	345	19.9
White	13,369	12,968	209	176	16	3,565	385	28.8	223	16.7
Nonwhite	3,958	3,580	83	284	11	1,306	190	48.0	122	30.8
Balance of county	3,720	3,447	157	109	7	874	120	32.3	65	17.5
White	3,351	3,218	118	12	3	711	101	30.1	52	15.5
Nonwhite	369	229	39	97	4	163	19	51.5	13	35.2
Harrison	1,178	551	90	512	25	435	32	27.2	23	19.5
White	467	445	17	4	1	196	11	23.6	4	8.6
Nonwhite	711	106	73	508	24	239	21	29.5	19	26.7
Marshall	552	349	39	155	9	221	10	18.1	9	16.3
White	276	270	5	1	-	117	5	18.1	4	14.5
Nonwhite	276	79	34	154	9	104	5	18.1	5	18.1
Balance of county	626	202	51	357	16	214	22	35.1	14	0
White	191	175	12	3	1	79	6	31.4	-	0
Nonwhite	435	27	39	354	15	135	16	36.8	14	32.2
Hartley	37	37	-	-	-	22	2	54.1	-	0
Haskell	311	299	4	7	1	108	13	41.8	3	9.6
Hays	486	314	116	46	10	160	25	51.4	11	22.6
Hemphill	97	95	2	-	-	21	-	0	1	10.3
Henderson	474	360	58	49	7	207	14	29.5	13	27.4
White	389	338	30	1	-	161	12	32.5	6	16.3
Nonwhite	105	22	28	48	7	46	2	19.0	7	66.7
Hidalgo	7,442	2,020	2,514	2,548	360	1,870	742	99.7	219	29.4
McAllen	883	324	250	283	26	200	71	80.4	31	35.1
Balance of county	6,559	1,696	2,264	2,265	334	1,670	671	102.3	188	28.7
Hill	610	440	130	35	5	312	22	36.1	15	24.6
White	485	419	65	1	-	241	9	18.6	12	24.7
Nonwhite	125	21	65	34	5	71	13	104.0	3	24.0
Hockley	675	633	31	8	3	130	43	63.7	7	10.4
Hood	114	101	12	1	-	58	1	8.8	4	35.1
Hopkins	484	446	30	8	-	222	13	26.9	9	18.6
White	414	397	17	-	-	177	11	26.6	4	9.7
Nonwhite	70	49	13	8	-	25	2	28.6	5	71.4
Houston	466	278	72	106	10	233	17	36.5	5	10.7
White	252	224	26	1	1	125	6	23.8	2	7.9
Nonwhite	214	54	46	105	9	108	11	51.4	3	14.0
Howard	701	654	17	21	9	172	34	48.5	21	30.0
Big Spring	549	515	15	15	4	124	23	41.9	15	27.3
Balance of county	152	139	2	6	5	48	11	72.4	6	39.5
Hudspeth	221	51	146	16	8	22	6	27.1	3	13.6
Hunt	909	659	217	25	8	487	45	49.5	16	17.6
White	731	624	103	4	-	415	31	42.4	8	10.9
Nonwhite	178	35	114	21	8	72	14	78.7	8	44.9
Greenville	385	278	90	13	4	196	19	49.4	8	20.8
White	285	258	27	-	-	156	9	31.6	3	10.5
Nonwhite	100	20	63	13	4	40	10	100.0	5	50.0
Balance of county	524	381	127	12	4	291	26	49.6	8	15.3
White	446	366	76	4	-	259	22	49.3	5	11.2
Nonwhite	78	15	51	8	4	32	4	51.3	3	38.5
Hutchinson	1,030	1,015	14	-	1	143	23	22.3	16	15.5
Borger	804	792	11	-	1	108	21	26.1	11	13.7
Balance of county	226	223	3	-	-	35	2	8.8	5	22.1
Irion	45	31	12	-	2	15	1	22.2	4	88.9
Jack	141	137	4	-	-	69	2	14.2	3	21.3
Jackson	331	164	142	23	2	107	14	42.3	7	21.1
White	283	162	110	10	1	88	13	45.9	5	17.7
Nonwhite	48	2	32	13	1	19	1	20.8	2	41.7
Jasper	508	311	143	51	3	169	21	41.3	6	11.8
White	366	260	104	2	-	121	15	41.0	3	8.2
Nonwhite	142	51	39	49	3	48	6	42.3	3	21.1
Jeff Davis	62	15	45	1	1	13	4	64.5	1	16.1
Jefferson	5,336	4,812	255	244	25	1,419	157	29.4	136	25.5
White	3,976	3,848	118	8	2	949	88	22.1	53	13.3
Nonwhite	1,360	964	137	236	23	470	69	50.7	83	61.0
Beaumont	2,483	2,217	102	160	4	783	85	34.2	84	33.8
White	1,660	1,640	16	3	1	450	35	21.1	21	12.7
Nonwhite	823	577	86	157	3	333	50	60.8	63	76.5
Port Arthur	1,765	1,614	79	55	17	418	42	23.8	32	18.1
White	1,342	1,289	51	2	-	305	28	20.9	18	13.4
Nonwhite	423	325	28	53	17	113	14	33.1	14	33.1
Balance of county	1,088	981	74	29	4	218	30	27.6	20	18.4
White	974	919	51	3	1	194	25	25.7	14	14.4
Nonwhite	114	62	23	26	3	24	5	43.9	6	52.6
Jim Hogg	164	43	44	73	4	38	11	67.1	2	12.2
Jim Wells	942	591	268	79	4	188	50	53.1	26	27.6
Johnson	625	559	60	5	1	301	18	28.8	10	16.0
Cleburne	315	287	23	3	-	148	11	35.1	5	16.0
Balance of county	312	272	37	2	1	153	7	22.4	5	16.0
Jones	500	466	21	9	4	182	23	46.0	6	12.0
Karnes	521	232	224	59	6	173	33	63.3	12	23.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TEXAS—Continued										
Kaufman	622	417	127	72	6	325	42	67.5	14	22.5
White	399	341	52	2	4	228	23	57.6	8	20.1
Nonwhite	223	76	75	70	2	97	19	85.2	6	26.9
Terrell	184	129	31	24	-	109	17	92.4	4	21.7
White	111	106	5	-	-	73	9	81.1	2	18.0
Nonwhite	73	23	26	24	-	36	8	109.6	2	27.4
Balance of county	438	288	96	48	6	216	25	57.1	10	22.8
White	288	235	47	2	4	155	14	48.6	6	20.8
Nonwhite	150	53	49	46	2	61	11	73.3	4	26.7
Kendall	125	102	15	6	2	58	2	16.0	-	0
Kenedy	21	12	2	4	3	3	2	95.2	1	47.6
Kent	39	33	5	1	-	28	3	76.9	-	0
Kerr	310	226	80	4	-	137	10	32.3	8	25.8
Kimble	94	49	42	3	-	41	5	53.2	1	10.6
King	8	8	1	-	-	1	-	0	1	111.1
Kinney	75	28	37	10	-	18	3	40.0	-	0
Kleberg	677	519	127	27	4	124	25	36.9	21	31.0
Knox	282	229	32	20	1	87	27	95.7	6	21.3
Lamar	1,015	661	262	85	7	435	42	41.4	22	21.7
White	779	636	130	9	4	329	26	33.4	13	16.7
Nonwhite	236	25	132	76	3	106	16	67.8	9	38.1
Paris	547	379	149	18	1	258	27	49.4	13	23.8
White	411	361	46	3	1	190	15	36.5	8	19.5
Nonwhite	136	18	103	15	-	68	12	88.2	5	36.8
Balance of county	468	282	113	67	6	177	15	32.1	9	19.2
White	368	275	84	6	3	139	11	29.9	5	13.6
Nonwhite	100	7	29	61	3	38	4	40.0	4	40.0
Lamb	566	509	18	37	2	118	22	38.9	10	17.7
Lampasas	201	159	41	1	1	95	1	5.0	4	19.9
La Salle	231	112	57	53	9	78	13	56.3	5	21.6
Lavaca	516	430	54	26	6	230	9	17.4	11	21.3
White	457	419	30	3	5	190	8	17.5	8	17.5
Nonwhite	59	11	24	23	1	40	1	16.9	3	50.8
Lee	197	150	19	25	3	110	6	30.5	2	10.2
White	151	136	11	3	1	73	2	13.2	1	6.6
Nonwhite	46	14	8	22	2	37	4	87.0	1	21.7
Leon	273	100	60	109	4	114	8	29.3	7	25.6
White	151	93	53	3	2	72	4	26.5	2	13.2
Nonwhite	122	7	7	106	2	42	4	32.8	5	41.0
Liberty	765	687	29	47	2	241	38	49.7	15	19.6
White	589	563	20	5	1	175	23	39.0	6	10.2
Nonwhite	176	124	9	42	1	66	15	85.2	9	51.1
Limestone	483	233	163	76	11	269	26	53.8	15	31.1
White	275	217	55	1	2	161	11	40.0	8	29.1
Nonwhite	208	16	108	75	9	108	15	72.1	7	33.7
Lipscomb	98	95	3	-	-	30	1	10.2	-	0
Live Oak	238	130	78	29	1	92	24	100.8	4	16.8
Llano	105	94	6	5	-	60	3	28.6	2	19.0
Loving	7	7	-	-	-	2	1	142.9	-	0
Lubbock	2,569	2,018	469	66	16	588	156	60.7	60	23.4
Lubbock	1,738	1,427	301	10	-	389	100	57.5	41	23.6
Balance of county	831	591	168	56	16	199	56	67.4	19	22.9
Lynn	261	223	14	18	6	81	18	69.0	6	23.0
McCulloch	273	254	11	4	4	106	11	40.3	2	7.3
McLennan	3,080	2,656	192	219	13	1,096	90	29.2	78	25.3
White	2,386	2,254	96	33	3	845	60	25.1	46	19.3
Nonwhite	694	402	96	186	10	251	30	43.2	32	46.1
Waco	2,163	1,984	86	88	5	702	63	29.1	56	25.9
White	1,693	1,637	37	17	2	522	43	25.4	33	19.5
Nonwhite	470	347	49	71	3	180	20	42.6	23	48.9
Balance of county	917	672	106	131	8	394	27	29.4	22	24.0
White	693	617	59	16	1	323	17	24.5	13	18.8
Nonwhite	224	55	47	115	7	71	10	44.6	9	40.2
McMullen	21	12	4	4	1	4	-	0	-	0
Madison	135	75	27	31	2	75	3	22.2	2	14.8
White	84	66	14	4	-	46	1	11.9	-	0
Nonwhite	51	9	13	27	2	29	2	39.2	2	39.2
Marion	234	111	67	48	7	105	7	29.9	7	29.9
White	87	58	28	1	-	34	1	11.5	2	23.0
Nonwhite	147	53	39	48	7	71	6	40.8	5	34.0
Martin	134	84	4	3	43	38	9	67.2	1	7.5
Mason	122	88	31	1	1	49	6	49.2	4	32.8
Matagorda	637	441	127	64	5	204	35	54.9	10	15.7
White	500	399	86	13	2	149	25	50.0	8	16.0
Nonwhite	137	42	41	51	3	55	10	73.0	2	14.6
Maverick	459	137	125	171	26	101	23	50.1	14	30.5
Medina	532	309	124	90	9	162	33	62.0	9	16.9
Menard	81	36	37	8	-	30	3	37.0	2	24.7
Midland	669	614	15	18	22	139	26	38.9	10	14.9
Milam	462	307	112	61	2	248	14	29.0	12	24.9
White	350	277	65	7	1	188	7	20.0	5	14.3
Nonwhite	132	30	47	54	1	60	7	53.0	7	53.0
Mills	105	102	3	-	-	63	2	19.0	-	0
Mitchell	364	337	14	5	8	103	16	44.0	9	24.7
Montague	318	294	23	1	-	173	7	22.0	9	28.3

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TEXAS—Continued										
Montgomery	596	451	54	86	5	264	32	53.7	19	31.9
White	445	405	34	6	-	194	24	53.9	12	27.0
Nonwhite	151	46	20	80	5	70	8	53.0	7	46.4
Moore	429	416	13	-	-	48	7	16.3	5	11.7
Morris	201	134	22	32	13	77	6	29.9	4	19.9
White	124	113	7	3	1	47	2	16.1	2	16.1
Nonwhite	77	21	15	29	12	30	4	51.9	2	26.0
Motley	110	103	7	-	-	38	5	45.5	2	18.2
Nacogdoches	751	552	122	73	4	263	15	20.0	17	22.6
White	471	448	21	2	-	179	6	12.7	8	17.0
Nonwhite	280	104	101	71	4	84	9	32.1	9	32.1
Navarro	812	627	101	79	5	440	39	48.0	28	34.5
White	572	536	32	3	1	300	21	36.7	15	26.2
Nonwhite	240	91	69	76	4	140	18	75.0	13	54.2
Corsicana	410	350	42	15	3	239	29	70.7	15	36.6
White	318	306	10	1	1	164	18	56.6	7	22.0
Nonwhite	92	44	32	14	2	75	11	119.6	8	87.0
Balance of county	402	277	59	64	2	201	10	24.9	13	32.3
White	254	230	22	2	-	136	3	11.8	8	31.5
Nonwhite	148	47	37	62	2	65	7	47.3	5	33.8
Newton	266	112	83	69	2	88	5	18.8	9	33.8
White	150	95	48	6	1	47	2	13.3	4	26.7
Nonwhite	116	17	35	63	1	41	3	25.9	5	43.1
Nolan	443	440	3	-	-	149	14	31.6	8	18.1
Sweetwater	292	289	3	-	-	108	9	30.8	5	17.1
Balance of county	151	151	-	-	-	43	5	33.1	3	19.9
Nueces	5,185	3,645	615	873	52	1,085	268	51.7	147	28.4
Corpus Christi	3,742	2,999	184	526	33	722	150	40.1	88	26.2
Balance of county	1,443	646	431	347	19	363	118	81.8	49	34.0
Ochiltree	170	162	5	3	-	43	8	47.1	2	11.8
Oldham	40	38	2	-	-	11	-	0	-	0
Orange	1,287	1,168	20	96	3	232	25	19.4	23	17.9
White	1,139	1,114	9	13	3	186	17	14.9	12	10.5
Nonwhite	148	54	11	83	-	46	8	54.1	11	74.3
Palo Pinto	347	338	9	-	-	204	16	46.1	12	34.6
Panola	349	202	75	64	8	127	5	14.3	4	11.5
White	250	193	50	7	-	70	3	12.0	3	12.0
Nonwhite	99	9	25	57	8	57	2	20.2	1	10.1
Parker	433	418	14	1	-	189	10	23.1	7	16.2
Parmer	106	104	2	-	-	45	6	56.6	1	9.4
Pecos	270	141	84	41	4	76	10	37.0	2	7.4
Polk	389	285	38	60	6	175	18	46.3	5	12.9
White	251	235	13	3	-	111	9	35.9	1	4.0
Nonwhite	138	50	25	57	6	64	9	65.2	4	29.0
Potter	1,939	1,909	26	2	2	542	67	34.6	38	19.6
Amarillo (part)	1,869	1,841	24	2	2	531	66	(4)	36	(4)
Amarillo (total)	1,881	1,853	24	2	2	548	68	36.2	36	19.1
Balance of county	70	68	2	-	-	11	1	14.3	2	28.6
Presidio	260	68	122	66	4	49	11	42.3	8	30.8
Rains	68	46	17	5	-	38	-	0	1	14.7
Randall	142	142	-	-	-	58	6	42.3	2	14.1
Amarillo (part)	12	12	-	-	-	17	2	(4)	-	(4)
Balance of county	130	130	-	-	-	41	4	30.8	2	15.4
Reagan	109	93	15	1	-	15	5	45.9	1	9.2
Real	69	30	14	3	22	24	2	29.0	1	14.5
Red River	492	313	55	117	7	229	5	10.2	6	12.2
White	346	300	33	10	3	159	3	8.7	4	11.6
Nonwhite	146	13	22	107	4	70	2	13.7	2	13.7
Reeves	475	247	195	16	17	104	31	65.3	8	16.8
Refugio	284	229	32	20	3	80	14	49.3	10	35.2
White	248	204	30	11	3	67	12	48.4	10	40.3
Nonwhite	36	25	2	9	-	13	2	55.6	-	0
Roberts	20	20	-	-	-	6	-	0	1	50.0
Robertson	524	234	103	181	6	280	31	59.2	17	32.4
White	284	194	57	31	2	151	13	45.8	6	21.1
Nonwhite	240	40	46	150	4	129	18	75.0	11	45.8
Rockwall	123	70	51	1	1	70	3	40.7	4	32.5
White	88	68	19	1	-	53	3	34.1	2	22.7
Nonwhite	35	2	32	-	1	17	2	57.1	2	57.1
Runnels	337	299	34	4	-	137	10	29.7	6	17.8
Rusk	924	610	187	111	16	354	29	31.4	18	19.5
White	623	520	100	2	1	238	20	32.1	10	16.1
Nonwhite	301	90	87	109	15	116	9	29.9	8	26.6
Sabine	175	109	47	17	2	75	4	22.9	3	17.1
White	111	74	34	1	2	59	4	36.0	1	9.0
Nonwhite	64	35	13	16	-	16	-	0	2	31.3
San Augustine	232	143	17	71	1	94	10	43.1	5	21.6
White	126	114	9	2	1	61	3	23.8	1	7.9
Nonwhite	106	29	8	69	-	33	7	66.0	4	37.7
San Jacinto	119	51	26	36	6	50	7	58.8	6	50.4
White	45	36	7	2	-	20	1	22.2	1	22.2
Nonwhite	74	15	19	34	6	30	6	81.1	5	67.8
San Patricio	1,353	593	606	138	16	379	120	88.7	21	15.5
San Saba	176	118	57	-	1	77	5	28.4	7	39.8

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TEXAS—Continued										
Schleicher	68	42	14	12	-	21	6	88.2	1	14.7
Scurry	322	295	20	5	2	98	14	43.5	4	12.4
Shackelford	110	97	13	-	-	36	4	36.4	1	9.1
Shelby	473	353	78	42	2	210	20	42.3	7	14.8
White	342	316	24	1	1	162	11	32.2	4	11.7
Nonwhite	131	37	52	41	1	48	9	68.7	3	22.9
Sherman	47	47	-	-	-	10	3	63.8	3	63.8
Smith	1,796	1,283	94	408	11	600	56	31.2	51	28.4
White	1,153	1,109	35	6	3	367	28	24.3	18	15.6
Nonwhite	643	174	59	402	8	233	28	43.5	33	51.3
Tyler	973	799	23	148	3	294	35	36.0	28	28.8
White	689	681	5	1	2	187	20	29.0	10	14.5
Nonwhite	284	118	18	147	1	107	15	52.8	18	63.4
Balance of county	923	494	71	260	8	306	21	25.5	23	27.9
White	464	428	30	5	1	180	8	17.2	8	17.2
Nonwhite	359	56	41	255	7	126	13	36.2	15	41.8
Somervell	53	52	1	-	-	28	-	0	-	0
Starr	595	67	389	124	15	119	30	50.6	5	8.4
Stephens	218	209	7	1	1	104	8	36.7	4	18.3
Sterling	27	13	9	5	-	14	2	74.1	1	37.0
Stonewall	66	65	1	-	-	22	1	15.2	2	30.3
Sutton	131	43	67	1	20	29	7	53.4	2	15.3
Swisher	187	182	4	1	-	57	4	21.4	7	37.4
Tarrant	8,581	8,444	110	19	8	2,922	262	30.5	154	17.9
White	7,491	7,404	82	-	5	2,461	204	27.2	115	15.4
Nonwhite	1,090	1,040	28	19	3	461	58	53.2	39	35.8
Fort Worth	6,988	6,881	84	17	6	2,422	235	33.6	126	18.0
White	5,950	5,888	59	-	3	1,980	180	30.3	91	15.3
Nonwhite	1,038	993	25	17	3	442	55	53.0	35	33.7
Balance of county	1,593	1,563	26	2	2	500	27	16.9	28	17.6
Taylor	1,458	1,407	33	12	6	448	45	30.9	22	15.1
Abilene	1,199	1,163	23	10	3	327	38	31.7	19	15.8
Balance of county	259	244	10	2	3	121	7	27.0	3	11.6
Terrell	97	9	87	1	-	24	6	61.9	1	10.3
Terry	379	243	123	9	4	87	17	44.9	1	2.6
Throckmorton	77	76	1	-	-	25	-	0	3	39.0
Titus	378	311	50	15	2	144	13	34.4	6	15.9
White	306	283	23	-	-	113	8	26.1	5	16.3
Nonwhite	72	28	27	15	2	31	5	69.4	1	13.9
Tom Green	1,562	1,387	30	137	8	432	73	46.7	21	13.4
San Angelo	1,395	1,242	25	120	8	374	69	49.5	19	13.6
Balance of county	167	145	5	17	-	58	4	24.0	2	12.0
Travis	4,104	3,855	124	116	9	1,149	170	41.4	73	17.8
White	3,472	3,274	101	88	9	919	129	37.2	62	17.9
Nonwhite	632	581	23	28	-	230	41	64.9	11	17.4
Austin	3,466	3,300	96	63	7	982	142	41.0	60	17.3
White	2,971	2,826	80	58	7	783	108	36.4	55	18.5
Nonwhite	495	474	16	5	-	199	34	68.7	5	10.1
Balance of county	638	555	28	53	2	167	28	43.9	13	20.4
White	501	448	21	30	2	136	21	41.9	7	14.0
Nonwhite	137	107	7	23	-	31	7	51.1	6	43.8
Trinity	205	109	45	49	4	99	2	9.7	4	19.4
White	135	89	37	9	-	58	1	7.4	2	14.8
Nonwhite	71	19	8	40	4	41	1	14.1	2	28.2
Tyler	222	119	67	33	3	81	8	36.0	8	36.0
White	166	112	40	13	1	55	5	30.1	7	42.2
Nonwhite	56	7	27	20	2	26	3	53.6	1	17.9
Upshur	418	327	17	68	6	143	8	19.1	10	23.9
White	251	243	6	1	1	99	4	15.9	6	23.9
Nonwhite	167	84	11	67	5	44	4	24.0	4	24.0
Upton	127	117	9	-	1	28	3	23.6	1	7.9
Uvalde	492	275	173	38	6	154	32	65.0	9	18.3
Val Verde	558	279	247	25	7	151	25	44.8	17	30.5
Del Rio	533	259	244	24	6	142	24	45.0	16	30.0
Balance of county	25	20	3	1	1	9	1	40.0	1	40.0
Van Zandt	400	265	129	3	3	214	13	32.5	8	20.0
Victoria	867	553	159	148	7	266	36	41.5	27	31.1
White	784	517	136	125	6	222	34	43.4	20	25.5
Nonwhite	83	36	23	23	1	44	2	24.1	7	84.3
Victoria	582	408	91	79	4	176	28	48.1	23	39.5
White	545	389	81	72	3	148	27	49.5	17	31.2
Nonwhite	37	19	10	7	1	28	1	27.0	6	162.2
Balance of county	285	145	68	69	3	90	8	28.1	4	14.0
White	239	128	55	53	3	74	7	29.3	3	12.6
Nonwhite	46	17	13	16	-	16	1	21.7	1	21.7
Walker	383	319	13	47	4	185	6	15.7	3	7.8
White	215	209	4	2	-	101	4	18.6	-	0
Nonwhite	168	110	9	45	4	84	2	11.9	3	17.9
Waller	226	126	20	71	9	79	8	35.4	3	13.3
White	105	85	11	7	2	41	1	9.5	2	19.0
Nonwhite	121	41	9	64	7	38	7	57.9	1	8.3
Ward	421	359	49	5	8	90	19	45.1	9	21.4
Washington	430	231	79	114	6	235	16	37.2	7	16.3
White	219	196	22	1	-	122	8	36.5	1	4.6
Nonwhite	211	35	57	113	6	113	8	37.9	6	28.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
TEXAS—Continued										
Webb	1,981	998	375	538	70	533	136	68.7	60	30.3
Laredo	1,898	947	362	526	63	508	133	70.1	57	30.0
Balance of county	83	51	13	12	7	25	3	36.1	3	36.1
Wharton	1,021	854	84	64	19	312	45	44.1	16	15.7
White	776	699	49	14	14	225	34	43.8	13	16.8
Nonwhite	245	155	35	50	5	87	11	44.9	3	12.2
Wheeler	237	234	3	-	-	73	7	29.5	3	12.7
Wichita	2,070	2,028	39	1	2	606	68	32.9	30	14.5
Wichita Falls	1,531	1,499	30	1	1	444	58	37.9	23	15.0
Balance of county	539	529	9	-	1	162	10	18.6	7	13.0
Wilbarger	416	402	6	7	1	118	14	33.7	14	33.7
Willacy	1,014	352	116	521	25	212	84	82.8	27	26.6
Williamson	941	771	133	31	6	385	46	48.9	22	23.4
White	750	628	108	8	6	304	31	41.3	14	18.7
Nonwhite	191	143	25	23	-	81	15	78.5	8	41.9
Wilson	401	256	115	12	18	126	19	47.4	9	22.4
Winkler	304	285	10	3	6	55	14	46.1	7	23.0
Wise	333	315	18	-	-	161	15	45.0	3	9.0
Wood	422	333	77	9	3	181	8	18.0	7	16.6
White	372	316	55	-	1	164	8	21.5	6	16.1
Nonwhite	50	17	22	9	2	27	-	0	1	20.0
Yoakum	117	113	4	-	-	17	3	25.6	2	17.1
Young	371	361	10	-	-	146	10	27.0	7	18.9
Zapata	118	24	74	19	1	15	5	42.4	4	33.9
Zavala	387	148	89	142	8	118	37	95.6	10	25.8
UTAH	21,164	20,757	346	29	32	4,929	535	25.3	297	14.0
White	20,888	20,501	336	28	23	4,797	516	24.7	285	13.8
Nonwhite	276	256	10	1	9	132	19	68.8	12	43.5
Beaver	157	140	16	1	-	44	1	6.4	4	25.5
Box Elder	581	579	2	-	-	155	18	31.0	5	8.6
Cache	1,088	1,070	18	-	-	234	24	22.1	13	11.9
Logan	613	612	1	-	-	107	13	21.2	5	8.2
Balance of county	475	458	17	-	-	127	11	23.2	8	16.8
Carbon	830	817	13	-	-	183	30	36.1	15	18.1
Daggett	7	6	1	-	-	-	-	0	-	0
Davis	968	957	10	-	1	159	26	26.9	13	13.4
Duchesne	243	238	5	-	-	64	12	49.4	1	4.1
Emery	136	128	7	-	1	46	3	22.1	5	36.8
Garfield	137	132	1	1	3	37	4	29.2	2	14.6
Grand	60	59	1	-	-	14	1	16.7	-	0
Iron	350	345	3	1	1	73	15	42.9	3	8.6
Juab	173	172	1	-	-	43	3	17.3	3	17.3
Kane	73	67	6	-	-	16	3	41.1	2	27.4
Millard	287	281	6	-	-	75	8	27.9	7	24.4
Morgan	70	69	1	-	-	18	1	14.3	1	14.3
Piute	60	49	10	1	-	14	-	0	1	16.7
Rich	43	41	2	-	-	11	1	23.3	-	0
Salt Lake	8,155	8,044	91	12	8	2,002	176	21.6	119	14.6
Salt Lake City	5,484	5,438	33	9	4	1,542	117	21.3	81	14.8
Balance of county	2,671	2,606	58	3	4	460	59	22.1	38	14.2
San Juan	140	123	10	-	7	33	5	35.7	4	28.6
White	119	117	2	-	-	20	2	16.8	4	33.6
Nonwhite	21	6	8	-	7	13	3	142.9	-	0
Sanpete	393	326	67	-	-	127	12	30.5	4	10.2
Sevier	372	361	9	1	1	90	15	40.3	8	21.5
Summit	200	193	7	-	-	45	4	20.0	4	20.0
Tooele	534	520	13	-	1	88	12	22.5	5	9.4
Uintah	350	349	-	-	1	74	7	20.0	2	5.7
White	307	306	-	-	1	54	5	16.3	2	6.5
Nonwhite	43	43	-	-	-	20	2	46.5	-	0
Utah	2,542	2,513	21	4	4	516	68	26.8	31	12.2
Provo	832	825	4	-	3	153	22	26.4	12	14.4
Balance of county	1,710	1,688	17	4	1	363	46	26.9	19	11.1
Wasatch	154	151	3	-	-	46	5	32.5	3	19.5
Washington	315	305	5	2	3	87	8	25.4	2	6.3
Wayne	75	69	2	4	-	22	4	53.3	1	13.3
Weber	2,671	2,653	15	2	1	613	69	25.8	39	14.6
Ogden	1,867	1,852	12	2	1	484	52	27.9	26	13.9
Balance of county	804	801	3	-	-	129	17	21.1	13	16.2
VERMONT	9,297	8,553	738	2	4	4,162	301	32.4	156	16.8
White	9,293	8,550	737	2	4	4,159	300	32.3	155	16.7
Nonwhite	4	3	1	-	-	3	1	250.0	1	250.0
Addison	455	397	57	1	-	169	12	26.4	7	15.4
Bennington	571	529	42	-	-	288	15	26.3	13	22.8
Caledonia	600	531	69	-	-	292	32	53.3	3	5.0
Chittenden	1,673	1,649	24	-	-	602	50	29.9	27	16.1
Burlington	842	839	3	-	-	328	23	27.3	17	20.2
Balance of county	831	810	21	-	-	274	27	32.5	10	12.0
Essex	154	113	40	-	1	82	5	32.5	1	6.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
VERMONT—Continued										
Franklin	775	616	159	-	-	330	32	41.3	15	19.4
Grand Isle	83	66	17	-	-	58	5	60.2	1	12.0
Lamoille	280	268	12	-	-	108	7	25.0	4	14.3
Orange	421	396	25	-	-	206	8	19.0	4	9.5
Orleans	622	520	100	-	2	219	30	48.2	15	24.1
Rutland	1,044	981	63	-	-	564	29	27.8	20	19.2
Rutland	408	403	5	-	-	232	15	36.8	8	19.6
Balance of county	636	578	58	-	-	332	14	22.0	12	18.9
Washington	980	977	13	-	-	448	21	21.2	17	17.2
Barre	292	290	2	-	-	132	4	13.7	5	17.1
Balance of county	688	687	11	-	-	316	17	24.4	12	17.2
Windham	680	635	44	1	-	350	15	22.1	14	20.6
Windsor	949	875	73	-	1	446	40	42.1	15	15.8
VIRGINIA[12]	82,960	58,988	13,194	10,507	271	29,245	3,162	38.1	2,008	24.2
White	61,351	50,556	9,076	1,539	180	20,164	2,005	32.7	1,127	18.4
Nonwhite	21,609	8,432	4,118	8,983	91	9,181	1,157	53.5	882	40.8
Accomack	749	384	77	285	3	418	49	65.4	30	40.1
White	418	359	52	7	-	251	18	43.1	5	12.0
Nonwhite	331	25	25	278	3	167	31	93.7	25	75.5
Albemarle	593	538	26	29	-	238	31	52.3	15	25.3
White	446	424	13	9	-	180	26	58.3	9	20.2
Nonwhite	147	114	13	20	-	58	5	34.0	6	40.8
Alleghany	551	393	145	8	5	189	18	32.7	12	21.8
Amelia	232	60	80	92	-	94	8	34.5	11	47.4
White	98	51	45	2	-	39	-	0	2	20.8
Nonwhite	136	9	37	90	-	55	8	58.8	9	66.2
Amherst	419	258	105	51	5	174	13	31.0	6	14.3
White	255	190	55	10	-	115	6	23.5	2	7.8
Nonwhite	164	68	50	41	5	59	7	42.7	4	24.4
Appomattox	173	101	37	31	4	96	11	63.6	4	23.1
White	115	89	26	-	-	56	2	17.4	1	8.7
Nonwhite	58	12	11	31	4	40	9	155.2	3	51.7
Arlington[13]	3,712	3,694	14	3	1	624	73	19.7	52	14.0
Augusta	1,121	918	182	20	1	426	35	31.2	14	12.5
Bath	119	103	11	4	1	60	4	33.6	9	75.6
White	111	96	10	4	1	55	3	27.0	7	63.1
Nonwhite	8	7	1	-	-	5	1	125.0	2	250.0
Bedford	677	491	145	38	3	309	27	39.9	13	19.2
White	515	424	80	10	1	234	21	40.8	9	17.5
Nonwhite	162	67	65	28	2	75	6	37.0	4	24.7
Bland	154	95	53	2	4	39	4	26.0	3	19.5
Botetourt	340	228	90	18	4	165	14	41.2	9	26.5
White	304	218	79	4	3	135	11	36.2	7	23.0
Nonwhite	36	10	11	14	1	30	3	83.3	2	55.6
Brunswick	581	161	151	269	10	197	28	47.4	21	35.5
White	192	133	44	15	-	83	11	57.3	3	15.6
Nonwhite	389	28	107	254	10	114	17	42.6	18	45.1
Buchanan	1,237	421	599	217	10	254	75	60.6	28	22.6
Buckingham	354	158	43	151	2	135	17	48.0	12	33.9
White	182	125	28	29	2	73	7	38.5	3	16.5
Nonwhite	172	33	17	122	-	62	10	58.1	9	52.3
Campbell	706	487	152	66	1	248	23	32.6	15	21.2
White	486	403	76	7	-	163	9	18.5	9	18.5
Nonwhite	220	84	76	59	1	85	14	63.6	6	27.3
Caroline	339	107	164	68	-	133	14	41.3	6	17.7
White	132	84	43	5	-	58	2	15.2	3	22.7
Nonwhite	207	23	121	63	-	75	12	58.0	3	14.5
Carroll	560	190	333	29	8	170	19	33.9	12	21.4
Charles City	160	45	20	94	1	72	7	43.8	5	31.3
White	33	19	13	-	1	20	1	30.3	1	30.3
Nonwhite	127	26	7	94	-	52	6	47.2	4	31.5
Charlotte	356	134	74	147	1	136	8	22.5	7	19.7
White	159	119	34	6	-	68	3	18.9	3	18.9
Nonwhite	197	15	40	141	1	68	5	25.4	4	20.3
Chesterfield	1,083	912	30	138	3	320	31	28.6	21	19.4
White	860	840	11	8	1	241	21	24.4	8	9.3
Nonwhite	223	72	19	130	2	79	10	44.8	13	58.3
Clarke	183	142	40	1	-	76	8	43.7	4	21.9
White	150	116	33	1	-	56	4	26.7	3	20.0
Nonwhite	33	26	7	-	-	20	4	121.2	1	30.3
Craig	75	42	29	3	1	42	3	40.0	2	26.7
Culpeper	308	148	139	21	-	144	6	19.5	9	29.2
White	180	120	55	5	-	100	2	11.1	6	33.3
Nonwhite	128	28	84	16	-	44	4	31.3	3	23.4
Cumberland	212	69	24	118	1	87	7	33.0	-	0
White	70	56	14	7	1	41	3	38.5	-	0
Nonwhite	134	13	10	111	-	46	4	28.9	-	0
Dickenson	797	379	319	93	6	154	35	43.9	18	22.6
Dinwiddie	438	150	87	198	3	160	15	34.2	10	22.8
White	182	131	28	2	1	70	3	18.5	2	12.3
Nonwhite	276	19	59	196	2	90	12	43.5	8	29.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
VIRGINIA[12]—Continued										
Elizabeth City	1,427	1,337	35	55	-	302	44	30.8	25	17.5
White	1,184	1,167	16	1	-	208	30	25.3	12	10.1
Nonwhite	243	170	19	54	-	94	14	57.6	13	53.5
Essex	150	58	72	20	-	80	5	33.3	9	60.0
White	70	47	19	4	-	32	1	14.3	1	14.3
Nonwhite	80	11	53	16	-	48	4	50.0	8	100.0
Fairfax	2,483	2,356	87	36	4	449	43	17.3	41	16.5
White	2,269	2,192	70	6	1	372	37	16.3	37	16.3
Nonwhite	214	164	17	30	3	77	6	28.0	4	18.7
Fauquier	497	357	87	51	2	234	31	62.4	5	10.1
White	349	289	46	12	2	158	18	51.6	1	2.9
Nonwhite	148	68	41	39	-	78	13	87.8	4	27.0
Floyd	239	132	84	21	2	119	8	33.5	3	12.6
Fluvanna	147	78	31	38	-	83	5	34.0	5	34.0
White	73	53	17	3	-	50	2	27.4	1	13.7
Nonwhite	74	25	14	35	-	33	3	40.5	4	54.1
Franklin	808	306	225	70	5	203	27	44.6	6	9.9
White	482	288	167	26	1	175	23	47.7	4	8.3
Nonwhite	124	18	58	44	4	28	4	32.3	2	16.1
Frederick	406	386	10	9	1	124	9	22.2	12	29.6
Giles	557	367	174	10	6	165	18	32.3	12	21.5
Gloucester	213	95	110	6	2	116	6	28.2	4	18.8
White	134	88	45	-	1	63	4	29.9	3	22.4
Nonwhite	79	7	65	6	1	53	2	25.3	1	12.7
Goochland	182	55	29	97	1	79	6	33.0	3	16.5
White	59	42	14	3	-	32	1	16.9	-	0
Nonwhite	123	13	15	94	1	47	5	40.7	3	24.4
Grayson	515	238	245	25	7	169	23	44.7	8	15.5
Greene	117	86	24	4	3	57	4	34.2	3	25.6
White	103	81	16	4	2	40	4	38.8	3	29.1
Nonwhite	14	5	8	-	1	17	-	0	-	0
Greensville	519	161	174	184	-	172	44	84.8	9	17.3
White	148	125	5	16	-	41	4	27.4	1	6.8
Nonwhite	373	36	169	168	-	131	40	107.2	8	21.4
Halifax	1,074	472	301	300	1	367	40	37.2	35	32.6
White	452	365	75	11	1	170	15	33.2	11	24.3
Nonwhite	622	107	226	289	-	197	25	40.2	24	38.6
Hanover	446	242	128	74	2	203	24	53.8	3	6.7
White	272	213	56	3	-	124	12	44.1	2	7.4
Nonwhite	174	29	72	71	2	79	12	69.0	1	5.7
Henrico	1,308	1,225	29	52	2	332	36	27.5	25	19.1
White	1,148	1,134	10	3	1	271	30	26.1	23	20.0
Nonwhite	160	91	19	49	1	61	6	37.5	2	12.5
Henry	923	470	272	179	2	231	40	43.3	25	27.1
White	549	336	188	24	1	125	13	23.7	16	29.1
Nonwhite	374	134	84	155	1	106	27	72.2	9	24.1
Highland	83	30	53	-	-	37	1	12.0	1	12.0
Isle of Wight	387	140	45	202	-	169	22	56.8	10	25.8
White	140	111	15	14	-	70	7	50.0	3	21.4
Nonwhite	247	29	30	188	-	99	15	60.7	7	28.3
James City	178	109	4	64	1	55	6	33.7	4	22.5
White	81	78	1	2	-	26	1	12.3	-	0
Nonwhite	97	31	3	62	1	27	5	51.5	4	41.2
King and Queen	131	47	56	27	1	78	6	45.8	4	30.5
White	46	28	16	2	-	37	-	0	-	0
Nonwhite	85	19	40	25	1	41	6	70.6	4	47.1
King George	130	76	41	11	2	52	5	38.5	3	23.1
White	81	64	15	1	1	30	1	12.3	2	24.7
Nonwhite	49	12	26	10	1	22	4	81.6	1	20.4
King William	183	86	52	35	-	98	10	54.6	3	16.4
White	88	71	17	1	-	37	-	0	1	11.2
Nonwhite	94	25	35	34	-	61	10	106.4	2	21.3
Lancaster	193	50	130	12	1	114	10	51.8	8	41.5
White	93	44	49	-	-	57	4	43.0	2	21.5
Nonwhite	100	6	81	12	1	57	6	60.0	6	60.0
Lee	897	230	574	81	12	313	66	73.6	30	33.4
Loudoun	541	446	78	13	4	252	28	51.8	14	25.9
White	403	350	48	4	1	194	17	42.2	10	24.8
Nonwhite	138	96	30	9	3	58	11	79.7	4	29.0
Louisa	333	209	45	78	1	140	9	27.0	16	48.0
White	164	133	19	12	-	77	4	24.4	10	61.0
Nonwhite	169	76	26	66	1	63	5	29.6	6	35.5
Lunenburg	353	104	99	150	-	146	12	34.0	12	34.0
White	164	90	72	2	-	87	8	48.8	5	30.5
Nonwhite	189	14	27	148	-	59	4	21.2	7	37.0
Madison	184	133	49	-	2	92	1	5.4	5	27.2
White	132	110	20	-	2	69	1	7.6	4	30.3
Nonwhite	52	23	29	-	-	23	-	0	1	19.2
Mathews	122	75	47	-	-	103	3	24.6	2	16.4
White	83	69	14	-	-	68	1	12.0	1	12.0
Nonwhite	39	6	33	-	-	35	2	51.3	1	25.6
Mecklenburg	921	293	211	417	-	331	42	45.6	33	35.8
White	346	243	87	16	-	134	12	34.7	5	14.5
Nonwhite	575	50	124	401	-	197	30	52.2	28	48.7

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued.

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
VIRGINIA[12]—Continued										
Middlesex	137	74	13	50	-	97	11	80.3	3	21.9
White	58	48	5	5	-	46	3	51.7	1	17.2
Nonwhite	79	26	8	45	-	51	8	101.3	2	25.3
Montgomery	692	622	52	17	1	234	23	33.2	18	26.0
Nansemond	577	211	71	294	1	263	38	65.9	25	43.3
White	179	148	16	15	-	74	4	22.3	6	33.5
Nonwhite	398	63	55	279	1	189	34	85.4	19	47.7
Nelson	359	255	20	73	11	148	13	36.2	6	16.7
White	232	190	16	19	7	110	9	38.8	3	12.9
Nonwhite	127	65	4	54	4	38	4	31.5	3	23.6
New Kent	87	43	12	32	-	51	2	23.0	2	23.0
White	30	26	4	-	-	21	1	33.3	-	0
Nonwhite	57	17	8	32	-	30	1	17.5	2	35.1
Norfolk	2,959	2,432	57	368	2	553	79	27.6	62	21.7
White	2,393	2,344	28	21	-	356	47	19.6	29	12.1
Nonwhite	466	88	29	347	2	197	32	68.7	33	70.8
Northampton	430	144	20	265	1	224	19	44.2	18	41.9
White	116	105	4	7	-	103	7	60.3	1	8.6
Nonwhite	314	39	16	258	1	121	12	38.2	17	54.1
Northumberland	177	46	78	53	-	113	11	62.1	4	22.6
White	82	40	37	5	-	72	4	48.8	1	12.2
Nonwhite	95	6	41	48	-	41	7	73.7	3	31.6
Nottoway	398	185	83	127	1	194	13	32.8	8	20.2
White	198	157	38	3	1	95	4	20.1	6	30.2
Nonwhite	197	28	45	124	-	99	9	45.7	2	10.2
Orange	341	288	38	12	3	156	16	46.9	5	14.7
White	236	224	10	1	1	106	7	29.7	5	21.2
Nonwhite	105	64	28	11	2	50	9	85.7	-	0
Page	357	234	105	14	4	181	12	33.6	8	22.4
Patrick	414	160	212	40	2	131	20	48.3	9	21.7
Pittsylvania	1,828	947	403	470	8	554	68	37.2	51	27.9
White	1,033	831	166	33	3	331	30	29.0	27	25.1
Nonwhite	795	116	237	437	5	223	38	47.8	24	30.2
Powhatan	134	61	19	54	-	75	3	22.4	2	14.9
White	71	54	13	4	-	29	2	28.2	-	0
Nonwhite	63	7	6	50	-	46	1	15.9	2	31.7
Prince Edward	334	162	30	142	-	184	19	56.9	8	24.0
White	140	123	9	8	-	79	7	50.0	1	7.1
Nonwhite	194	39	21	134	-	105	12	61.9	7	36.1
Prince George	376	238	25	111	2	95	12	31.9	12	31.9
White	227	220	6	1	-	54	7	30.8	7	30.8
Nonwhite	149	18	19	110	2	41	5	33.6	5	33.6
Prince William	493	342	58	92	1	160	17	34.5	10	20.3
White	401	310	45	45	1	130	13	32.4	7	17.5
Nonwhite	92	32	13	47	-	30	4	43.5	3	32.6
Princess Anne	988	714	74	198	-	264	30	30.4	24	24.3
White	705	662	39	4	-	174	18	25.5	9	12.8
Nonwhite	281	52	35	194	-	90	12	42.7	15	53.4
Pulaski	695	587	46	58	4	217	26	37.4	18	25.9
Rappahannock	125	78	46	1	-	63	6	48.0	5	40.0
White	103	66	36	1	-	47	4	38.8	5	48.5
Nonwhite	22	12	10	-	-	16	2	90.9	-	0
Richmond	139	31	95	13	-	73	4	28.8	2	14.4
White	67	22	44	1	-	42	3	44.8	1	14.9
Nonwhite	72	9	51	12	-	31	1	13.9	1	13.9
Roanoke	1,072	1,004	44	21	3	338	35	32.6	24	22.4
Rockbridge	541	382	133	21	5	260	27	49.9	13	24.0
White	486	365	95	21	5	228	27	55.6	12	24.7
Nonwhite	55	17	38	-	-	32	-	0	1	18.2
Rockingham	977	822	152	1	2	298	39	38.9	8	8.2
Russell	807	330	413	47	17	219	28	34.7	11	13.6
Scott	675	426	93	145	11	219	40	59.3	23	34.1
Shenandoah	464	403	48	13	-	233	16	34.5	8	17.2
Smyth	729	418	296	12	3	235	42	57.6	16	21.9
Southampton	755	290	80	384	1	257	46	60.9	30	39.7
White	218	199	8	11	-	89	5	22.9	3	13.8
Nonwhite	537	91	72	373	1	168	41	76.4	27	50.3
Spotsylvania	257	211	12	34	-	118	7	27.2	5	19.5
White	188	175	5	8	-	78	5	26.6	3	16.0
Nonwhite	69	36	7	26	-	40	2	29.0	2	29.0
Stafford	284	235	18	30	1	86	6	21.1	5	17.6
White	239	218	15	6	-	64	5	20.9	5	20.9
Nonwhite	45	17	3	24	1	22	1	22.2	-	0
Surry	185	63	11	110	1	75	6	32.4	1	5.4
White	52	48	2	2	-	51	-	0	-	0
Nonwhite	133	15	9	108	1	44	6	45.1	1	7.5
Sussex	329	81	42	205	1	116	15	45.6	21	63.8
White	78	70	2	6	-	44	3	38.5	1	12.8
Nonwhite	251	11	40	198	1	72	12	47.8	20	79.7
Tazewell	1,534	807	710	11	6	400	83	54.1	39	25.4
Warren	373	326	41	4	2	130	9	24.1	10	26.8
Warwick	1,312	1,124	40	148	-	171	36	27.4	31	23.6
White	834	823	9	2	-	98	21	25.2	11	13.2
Nonwhite	478	301	31	146	-	73	15	31.4	20	41.8

See footnotes on p. 93.

981192 O - 52 - 7

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
VIRGINIA[12]—Continued										
Washington	944	495	418	74	9	332	46	48.3	14	14.1
Westmoreland	242	55	72	115	-	111	9	37.2	9	37.2
White	93	51	35	7	-	64	3	32.3	3	32.3
Nonwhite	149	4	37	108	-	47	6	40.3	6	40.3
Wise	1,670	675	918	66	11	445	92	55.1	55	32.9
Wythe	628	378	249	1	-	198	14	22.3	14	22.3
York	281	212	9	59	1	79	1	3.6	3	10.7
White	195	188	3	3	1	39	-	0	2	10.3
Nonwhite	86	24	6	56	-	40	1	11.6	1	11.8
Independent Cities[14]										
Alexandria	1,991	1,953	8	30	-	465	41	20.6	35	17.6
White	1,749	1,739	6	4	-	369	37	21.2	30	17.2
Nonwhite	242	214	2	26	-	96	4	16.5	5	20.7
Bristol[15]	352	292	59	1	-	131	17	48.3	6	17.0
White	326	275	50	1	-	118	14	42.9	5	15.3
Nonwhite	26	17	9	-	-	13	3	115.4	1	38.5
Buena Vista	126	87	22	17	-	42	8	63.5	1	7.9
Charlottesville	710	698	12	-	-	242	17	23.9	10	14.1
White	567	563	4	-	-	185	12	21.2	6	10.6
Nonwhite	143	135	8	-	-	57	5	35.0	4	28.0
Clifton Forge	121	105	14	2	-	67	1	8.3	3	24.8
White	89	87	2	-	-	57	1	11.2	2	22.5
Nonwhite	32	18	12	2	-	10	-	0	1	31.3
Danville	845	656	15	174	-	335	33	39.1	17	20.1
White	566	560	5	1	-	186	10	17.7	4	7.1
Nonwhite	279	96	10	173	-	149	23	82.4	13	46.6
Fredericksburg	246	222	3	21	-	98	12	48.8	8	32.5
White	196	196	-	-	-	72	8	40.8	5	25.5
Nonwhite	50	26	3	21	-	26	4	80.0	3	60.0
Hampton	182	169	4	9	-	107	13	71.4	7	38.5
White	127	124	3	-	-	70	9	70.9	2	15.7
Nonwhite	55	45	1	9	-	37	4	72.7	5	90.9
Harrisonburg	252	247	4	-	1	118	8	31.7	2	7.9
Hopewell	262	237	6	19	-	69	6	22.9	6	22.9
White	233	228	5	-	-	57	4	17.2	5	21.5
Nonwhite	29	9	1	19	-	12	2	69.0	1	34.5
Lynchburg	1,066	1,003	54	5	1	469	28	26.3	21	19.7
White	795	789	5	-	1	334	20	25.2	10	12.6
Nonwhite	271	217	49	5	-	135	8	29.5	11	40.6
Martinsville	446	331	98	17	-	101	7	15.7	8	17.9
White	312	274	36	-	-	62	4	12.8	2	6.4
Nonwhite	134	57	60	17	-	39	3	22.4	6	44.8
Newport News	1,052	938	32	81	1	529	67	63.7	41	39.0
White	568	560	8	-	-	276	32	56.3	15	26.4
Nonwhite	484	378	24	81	1	253	35	72.3	26	53.7
Norfolk	5,051	4,232	284	533	2	2,016	193	38.2	174	34.4
White	3,337	3,288	43	4	2	1,137	101	30.3	79	23.7
Nonwhite	1,714	944	241	529	-	879	92	53.7	95	55.4
Petersburg	888	547	34	306	1	478	45	50.7	28	31.5
White	497	469	11	17	-	215	18	36.2	4	8.0
Nonwhite	391	78	23	289	1	263	27	69.1	24	61.4
Portsmouth	2,007	1,304	124	578	1	754	89	44.3	69	34.4
White	1,097	1,087	4	6	-	350	39	35.6	15	13.7
Nonwhite	910	217	120	572	1	404	50	54.9	54	59.3
Radford	202	201	1	-	-	74	6	29.7	3	14.9
Richmond	5,280	5,053	179	42	6	2,791	195	36.9	142	26.9
White	3,282	3,252	28	2	-	1,771	96	29.3	62	18.9
Nonwhite	1,998	1,801	151	40	6	1,020	99	49.5	80	40.0
Roanoke	1,939	1,880	58	-	1	843	66	34.0	38	19.6
White	1,517	1,496	21	-	-	623	41	27.0	28	18.5
Nonwhite	422	384	37	-	1	220	25	59.2	10	23.7
South Norfolk	229	168	10	51	-	97	12	52.4	3	13.1
White	175	164	7	4	-	62	5	28.6	-	0
Nonwhite	54	4	3	47	-	35	7	129.6	3	55.6
Staunton	286	227	27	12	-	199	21	78.9	9	33.8
White	228	211	17	-	-	164	16	70.2	8	35.1
Nonwhite	38	16	10	12	-	35	5	131.6	1	26.3
Suffolk	299	173	27	99	-	171	12	40.1	8	26.8
White	133	133	-	-	-	80	4	30.1	2	15.0
Nonwhite	166	40	27	99	-	91	8	48.2	6	36.1
Williamsburg	92	80	3	9	-	32	3	32.6	-	0
White	61	61	-	-	-	19	1	16.4	-	0
Nonwhite	31	19	3	9	-	13	2	64.5	-	0
Winchester	327	324	2	1	-	146	7	21.4	4	12.2
WASHINGTON	56,542	55,960	499	18	64	22,491	1,530	27.1	858	15.2
White	54,631	54,093	472	11	55	21,850	1,419	26.0	805	14.7
Nonwhite	1,911	1,867	27	8	9	641	111	58.1	53	27.7
Adams	145	144	1	-	-	65	6	41.4	2	13.8
Asotin	235	234	-	-	1	130	8	25.5	3	12.8
Benton	1,586	1,579	6	-	1	265	43	27.1	22	13.9

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
WASHINGTON—Continued										
Chelan	1,102	1,088	14	-	-	345	28	23.6	20	18.1
Wenatchee	416	414	2	-	-	134	12	28.8	9	21.6
Balance of county	686	674	12	-	-	211	14	20.4	11	16.0
Clallam	676	671	4	-	1	214	17	25.1	2	3.0
Clark	2,208	2,196	11	-	1	674	46	20.8	39	17.7
Vancouver	895	894	1	-	-	323	28	31.3	21	23.5
Balance of county	1,313	1,302	10	-	1	351	18	13.7	18	13.7
Columbia	114	114	-	-	-	52	3	26.3	1	8.8
Cowlitz	1,421	1,415	5	-	1	424	53	37.3	15	10.6
Longview	712	712	-	-	-	153	26	36.5	10	14.0
Balance of county	709	703	5	-	1	271	27	38.1	5	7.1
Douglas	226	225	1	-	-	65	4	17.7	5	22.1
Ferry	77	73	3	-	1	46	4	51.9	-	0
White	65	63	2	-	-	39	3	46.2	-	0
Nonwhite	12	10	1	-	1	7	1	83.3	-	0
Franklin	447	447	-	-	-	91	12	26.8	10	22.4
Garfield	83	83	-	-	-	37	2	24.1	3	36.1
Grant	563	555	8	-	-	127	12	21.3	8	14.2
Grays Harbor	1,290	1,278	6	4	2	639	34	26.4	17	13.2
Aberdeen	460	456	4	-	-	258	16	34.8	7	15.2
Hoquiam	273	273	-	-	-	140	5	18.3	6	22.0
Balance of county	557	549	2	4	2	241	13	23.3	4	7.2
Island	178	174	4	-	-	96	5	28.1	6	33.7
Jefferson	359	355	2	1	1	112	7	19.5	3	8.4
King	16,970	16,858	95	1	16	7,309	447	26.3	284	16.7
Seattle	13,608	13,548	50	-	10	5,721	340	25.0	224	16.5
White	12,803	12,750	45	-	8	5,458	305	23.8	202	15.8
Nonwhite	805	798	5	-	2	263	35	43.5	22	27.3
Balance of county	3,362	3,310	45	1	6	1,588	107	31.8	60	17.8
Kitsap	1,886	1,874	11	-	1	627	43	22.8	27	14.3
Bremerton	963	961	2	-	-	238	24	24.9	15	15.6
Balance of county	923	913	9	-	1	389	19	20.6	12	13.0
Kittitas	545	537	6	-	2	201	17	31.2	8	14.7
Klickitat	305	304	1	-	-	121	11	36.1	2	6.6
Lewis	1,025	1,019	5	1	-	487	29	28.3	10	9.8
Lincoln	302	284	18	-	-	98	8	26.5	3	9.9
Mason	351	350	1	-	-	131	10	28.5	8	22.8
Okanogan	747	720	23	2	2	222	27	36.1	15	20.1
Pacific	356	319	37	-	-	161	5	14.0	6	16.9
Pend Oreille	171	169	1	-	1	67	3	17.5	3	17.5
Pierce	5,733	5,684	41	1	7	2,478	157	27.4	88	15.3
Tacoma	3,720	3,695	20	-	5	1,597	93	25.0	58	15.9
Balance of county	2,013	1,989	21	1	2	881	64	31.8	30	14.4
San Juan	53	50	3	-	-	31	2	37.7	1	18.9
Skagit	911	905	5	-	1	453	35	38.4	6	6.6
Skamania	87	86	1	-	-	35	1	11.5	-	0
Snohomish	2,445	2,393	48	1	3	1,119	56	22.9	29	11.9
Everett	987	984	3	-	-	464	25	25.3	12	12.2
Balance of county	1,458	1,409	45	1	3	655	31	21.3	17	11.7
Spokane	5,255	5,216	28	3	8	2,402	153	29.1	77	14.7
Spokane	4,066	4,040	18	2	6	1,941	118	29.0	58	14.3
Balance of county	1,189	1,176	10	1	2	461	35	29.4	19	16.0
Stevens	447	437	7	1	2	207	15	33.6	11	24.6
Thurston	1,033	994	38	1	-	420	21	20.3	18	17.4
Olympia	403	390	13	-	-	165	11	27.3	6	14.9
Balance of county	630	604	25	1	-	255	10	15.9	12	19.0
Wahkiakum	95	93	2	-	-	34	2	21.1	1	10.5
Walla Walla	945	940	4	-	1	396	22	23.3	14	14.8
Walla Walla	586	582	3	-	1	266	14	23.9	10	17.1
Balance of county	359	358	1	-	-	130	8	22.3	4	11.1
Whatcom	1,602	1,595	7	-	-	715	33	20.6	23	14.4
Bellingham	955	852	3	-	-	443	21	24.6	7	8.2
Balance of county	747	743	4	-	-	272	12	16.1	16	21.4
Whitman	801	792	8	-	1	231	21	26.2	13	16.2
Yakima	3,767	3,710	14	3	10	1,166	132	35.0	55	14.6
Yakima	1,450	1,445	5	-	-	501	34	23.4	24	16.6
Balance of county	2,317	2,265	39	3	10	665	98	42.3	31	13.4
WEST VIRGINIA	52,586	33,898	17,066	1,246	376	17,305	2,082	39.6	1,258	23.9
White	49,684	32,908	15,241	1,183	352	15,940	1,940	39.0	1,169	23.5
Nonwhite	2,902	990	1,825	63	24	1,365	142	48.9	89	30.7
Barbour	449	267	151	19	32	170	18	40.1	10	22.3
Berkeley	690	665	15	8	1	320	28	40.6	11	15.9
Martinsburg	386	376	5	5	-	190	18	46.6	6	15.5
Balance of county	304	290	10	3	1	130	10	32.9	5	16.4
Boone	943	642	287	11	3	207	37	39.2	20	21.2
Braxton	459	341	87	23	8	178	23	50.1	7	15.3
Brooke	584	552	32	-	-	224	12	20.5	13	22.3
Cabell	2,632	2,560	67	4	1	1,047	105	39.9	52	19.8
Huntington (part)	2,079	2,057	19	2	1	682	85	(4)	37	(4)
Huntington (total)	2,151	2,128	20	2	1	917	88	40.9	38	17.7
Balance of county	553	503	48	2	-	165	20	36.2	15	27.1

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
WEST VIRGINIA—Continued										
Calhoun	245	83	148	11	3	77	10	40.8	7	28.6
Clay	456	169	222	56	9	91	17	37.3	7	15.4
Doddridge	153	52	99	1	1	102	6	39.2	5	32.7
Fayette	2,389	636	1,712	36	13	640	82	34.2	57	23.8
White	2,107	595	1,475	29	8	506	66	31.3	43	20.4
Nonwhite	282	43	237	7	5	134	16	54.8	14	47.9
Gilmer	205	69	131	2	3	67	7	34.1	3	14.6
Grant	237	164	13	56	4	88	6	25.3	8	33.8
Greenbrier	1,037	340	682	9	6	327	42	40.5	29	28.0
Hampshire	266	134	125	4	3	105	12	45.1	9	33.8
Hancock	909	836	70	1	2	275	34	37.4	14	15.4
Hardy	231	131	96	3	1	84	8	34.6	6	26.0
Harrison	2,108	1,735	366	3	4	816	71	33.7	47	22.3
Clarksburg	650	807	42	-	1	370	35	41.2	19	22.4
Balance of county	1,258	928	324	3	3	446	36	28.6	28	22.3
Jackson	339	134	188	11	6	134	13	38.3	8	23.6
Jefferson	441	371	52	17	1	184	19	43.1	13	29.5
White	370	317	45	8	-	153	15	40.5	7	18.9
Nonwhite	71	54	7	9	1	31	4	56.3	6	84.5
Kanawha	6,593	5,526	377	63	27	1,793	209	31.7	177	26.8
Charleston	2,120	2,038	74	1	7	746	62	29.2	62	29.2
White	2,005	1,946	52	1	6	638	60	29.9	58	28.9
Nonwhite	115	92	22	-	1	108	2	17.4	4	34.8
South Charleston	418	402	15	-	1	102	13	31.1	10	23.9
Balance of county	4,055	3,086	868	62	19	945	134	33.0	105	25.9
Lewis	415	288	124	1	2	205	17	41.0	12	28.9
Lincoln	665	533	73	56	3	174	33	49.6	24	36.1
Logan	2,502	979	1,458	46	19	608	187	74.7	80	32.0
White	2,293	935	1,295	44	19	543	177	77.2	72	31.4
Nonwhite	209	44	163	2	-	65	10	47.8	8	38.3
McDowell	3,141	998	2,040	84	19	752	134	42.7	82	26.1
White	2,459	813	1,448	82	16	538	107	43.5	67	27.2
Nonwhite	682	85	592	2	3	214	27	39.6	15	22.0
Marion	1,706	1,356	350	-	-	864	58	34.0	40	23.4
Fairmont	645	615	30	-	-	291	30	46.5	16	24.8
Balance of county	1,061	741	320	-	-	373	28	26.4	24	22.6
Marshall	757	694	60	-	3	362	25	33.0	8	10.6
Moundsville	328	318	9	-	1	140	11	33.5	2	6.1
Balance of county	429	376	51	-	2	222	14	32.6	6	14.0
Mason	574	299	262	11	2	222	22	38.3	12	20.9
Mercer	2,049	1,311	709	19	10	850	83	40.5	56	27.3
White	1,825	1,249	548	18	10	532	67	36.7	49	26.8
Nonwhite	224	62	161	1	-	118	16	71.4	7	31.3
Bluefield[1a]	813	480	133	-	-	229	25	40.8	10	16.3
White	685	443	42	-	-	161	18	37.1	9	18.6
Nonwhite	128	37	91	-	-	68	7	54.7	1	7.8
Balance of county	1,436	831	576	19	10	421	58	40.4	46	32.0
Mineral	586	455	80	45	6	220	32	54.6	11	18.8
Mingo	1,536	560	838	121	17	361	85	55.3	31	20.2
Monongalia	1,420	1,278	110	29	3	534	44	31.0	30	21.1
Morgantown	642	629	10	3	-	241	13	20.2	10	15.6
Balance of county	778	649	100	26	3	293	31	39.8	20	25.7
Monroe	292	121	167	4	-	151	12	41.1	10	34.2
Morgan	233	173	38	20	2	100	13	55.8	3	12.9
Nicholas	817	517	275	21	4	222	47	57.5	20	24.5
Ohio	1,611	1,580	22	-	9	800	43	26.7	30	18.6
Wheeling	1,361	1,343	10	-	8	699	33	24.2	24	17.6
Balance of county	250	237	12	-	1	101	10	40.0	6	24.0
Pendleton	202	95	95	5	7	68	3	14.9	4	19.8
Pleasants	137	68	69	-	-	67	6	43.8	2	14.6
Pocahontas	302	221	79	-	2	109	12	39.7	12	39.7
Preston	747	363	288	74	22	263	20	26.8	22	29.5
Putnam	489	278	170	18	23	143	11	22.5	6	12.3
Raleigh	2,807	1,133	1,608	58	8	711	115	41.0	69	24.6
White	2,429	1,075	1,319	27	8	564	97	38.9	53	21.8
Nonwhite	378	58	289	31	-	147	18	47.6	16	42.3
Beckley	464	367	93	3	1	209	30	64.7	11	23.7
White	393	349	43	-	1	165	28	66.2	7	17.8
Nonwhite	71	18	50	3	-	44	4	56.3	4	56.3
Balance of county	2,343	766	1,515	55	7	502	85	36.3	58	24.8
White	2,036	726	1,276	27	7	399	71	34.9	46	22.6
Nonwhite	307	40	239	28	-	103	14	45.6	12	39.1
Randolph	768	598	135	20	15	300	31	40.4	29	37.8
Ritchie	283	154	128	1	-	143	11	38.9	6	21.2
Roane	390	192	170	20	8	171	13	33.3	10	25.6
Summers	487	157	318	9	3	191	25	51.3	7	14.4
Taylor	414	283	115	14	2	193	19	45.9	13	31.4
Tucker	269	195	39	30	5	115	8	29.7	1	3.7
Tyler	190	120	69	-	1	104	1	5.3	2	10.5
Upshur	526	379	122	15	10	188	24	45.6	7	13.3
Wayne	935	532	348	46	9	275	32	34.2	16	17.1
Huntington (part)	72	71	1	-	-	35	3	(4)	1	(4)
Balance of county	863	461	347	46	9	240	29	33.6	15	17.4

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital	Physician not in hospital	Midwife	Other and not specified					
WEST VIRGINIA—Continued										
Webster	568	325	179	57	7	137	23	40.5	8	14.1
Wetzel	517	362	150	2	3	221	20	38.7	11	21.3
Wirt	100	67	16	15	2	50	3	30.0	2	20.0
Wood	1,664	1,568	81	8	7	687	66	39.7	57	34.3
Parkersburg	852	810	38	1	3	423	41	48.1	36	42.3
Balance of county	812	758	43	7	4	264	25	30.8	21	25.9
Wyoming	1,111	256	781	59	15	215	40	36.0	22	19.8
WISCONSIN	82,948	80,533	2,310	50	56	32,993	2,202	26.5	1,286	15.5
White	81,513	79,216	2,214	39	44	32,549	2,116	26.0	1,250	15.3
Nonwhite	1,436	1,317	96	11	12	444	86	59.9	36	25.1
Adams	151	129	21	-	1	92	6	39.7	1	6.6
Ashland	535	484	36	4	1	219	10	18.7	6	11.2
Ashland	264	259	5	-	-	132	5	18.9	4	15.2
Balance of county	271	235	31	4	1	87	5	18.5	2	7.4
White	239	209	28	1	1	81	4	16.7	1	4.2
Nonwhite	32	26	3	3	-	6	1	31.3	1	31.3
Barron	913	885	27	-	1	341	27	29.6	14	15.3
Bayfield	259	252	5	2	-	155	13	50.2	3	11.6
Brown	2,737	2,699	37	-	1	838	91	33.2	49	17.9
Green Bay	1,420	1,413	7	-	-	486	48	33.8	27	19.0
Balance of county	1,317	1,286	30	-	1	352	43	32.6	22	16.7
Buffalo	322	315	6	-	1	146	5	15.5	6	18.6
Burnett	223	205	18	-	-	134	12	53.8	2	9.0
Calumet	467	450	17	-	-	163	6	12.8	4	8.6
Chippewa	1,122	1,073	47	1	1	394	35	31.2	19	16.9
Chippewa Falls	303	300	3	-	-	156	13	42.9	4	13.2
Balance of county	819	773	44	1	1	238	22	26.9	15	18.3
Clark	771	661	109	-	1	318	23	29.8	9	11.7
Columbia	766	748	17	-	1	383	17	22.2	20	26.1
Crawford	436	387	50	-	1	209	18	41.1	10	22.8
Dane	4,115	4,080	33	-	2	1,339	103	25.0	61	14.8
Madison	2,286	2,280	6	-	-	730	58	25.4	33	14.4
Balance of county	1,828	1,800	27	-	2	609	45	24.6	28	15.3
Dodge	1,321	1,296	24	-	1	568	29	22.0	12	9.1
Beaver Dam	282	281	1	-	-	151	7	24.8	3	10.8
Watertown (part)	73	73	-	-	-	28	1	(4)	-	(4)
Balance of county	966	942	23	-	1	389	21	21.7	9	9.3
Door	504	458	45	-	1	198	9	17.9	11	21.8
Douglas	1,030	1,008	20	-	2	593	37	35.9	24	23.3
Superior	818	809	9	-	-	465	28	34.2	20	24.4
Balance of county	212	199	11	-	2	128	9	42.5	4	18.9
Dunn	673	630	42	1	-	311	21	31.2	14	20.8
Eau Claire	1,349	1,343	3	1	2	485	35	25.9	22	16.3
Eau Claire	834	833	1	-	-	308	21	25.2	12	14.4
Balance of county	515	510	2	1	2	179	14	27.2	10	19.4
Florence	82	79	3	-	-	37	1	12.2	-	0
Fond du Lac	1,633	1,588	45	-	-	760	48	29.4	25	15.3
Fond du Lac	717	712	5	-	-	385	24	33.5	10	13.9
Balance of county	916	876	40	-	-	375	24	26.2	15	16.4
Forest	285	192	67	4	2	101	12	45.3	4	15.1
Grant	1,090	980	99	-	1	489	24	22.2	12	11.1
Green	607	596	11	-	-	236	8	13.2	8	13.2
Green Lake	300	288	12	-	-	162	5	16.7	8	26.7
Iowa	488	476	12	-	-	218	17	34.8	12	24.6
Iron	189	174	15	-	-	89	7	37.0	-	0
Jackson	348	343	5	-	-	163	7	20.1	7	20.1
Jefferson	905	879	27	-	-	482	20	22.1	18	19.9
Watertown (part)	182	181	1	-	-	137	6	(4)	8	(4)
Watertown (total)	255	254	1	-	-	165	7	27.5	8	31.4
Balance of county	724	698	26	-	-	345	14	19.3	10	13.8
Juneau	451	378	71	2	-	206	13	28.8	8	17.7
Kenosha	1,813	1,804	9	-	-	633	34	18.8	29	16.0
Kenosha	1,323	1,322	1	-	-	473	23	17.4	19	14.4
Balance of county	490	482	8	-	-	160	11	22.4	10	20.4
Kewaunee	476	427	48	-	1	164	17	35.7	4	8.4
La Crosse	1,729	1,709	20	-	-	617	37	21.4	29	16.8
La Crosse	1,196	1,187	9	-	-	463	28	23.4	15	12.5
Balance of county	533	522	11	-	-	154	9	16.9	14	26.3
Lafayette	441	420	21	-	-	190	8	18.1	10	22.7
Langlade	593	573	16	1	3	211	25	42.2	10	16.9
Lincoln	524	519	5	-	-	232	18	34.4	11	21.0
Manitowoc	1,674	1,655	19	-	-	566	38	22.7	34	20.3
Manitowoc	692	689	3	-	-	247	19	27.5	14	20.2
Two Rivers	271	267	4	-	-	96	4	14.8	3	11.1
Balance of county	711	699	12	-	-	223	15	21.1	17	23.9
Marathon	2,047	1,925	116	3	3	632	61	29.8	24	11.7
Wausau	772	769	2	1	-	276	19	24.6	6	7.8
Balance of county	1,275	1,156	114	2	3	356	42	32.9	18	14.1
Marinette	901	883	18	-	-	392	25	27.7	13	14.4
Marinette	387	386	1	-	-	184	12	31.0	3	7.8
Balance of county	514	497	17	-	-	208	13	25.3	10	19.5

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
WISCONSIN—Continued										
Marquette	177	168	8	-	1	114	3	16.9	1	5.6
Milwaukee	19,861	19,545	300	9	7	8,091	490	24.7	276	13.9
Milwaukee	14,814	14,561	239	9	5	6,356	371	25.0	207	14.0
Wauwatosa	562	559	3	-	-	354	17	30.2	13	23.1
West Allis	953	937	16	-	-	333	15	15.7	7	7.3
Cudahy	384	380	4	-	-	101	16	41.7	7	18.2
Shorewood	279	278	1	-	-	143	5	17.9	7	25.1
South Milwaukee	316	310	6	-	-	94	11	34.8	7	22.2
Balance of county	2,553	2,520	31	-	2	710	55	21.5	28	11.0
Monroe	785	759	24	-	2	294	24	30.6	7	8.9
Oconto	604	582	21	-	1	257	21	34.8	9	14.9
Oneida	522	509	11	1	1	207	16	30.7	5	9.6
Outagamie	2,371	2,322	48	-	1	673	65	26.6	44	18.6
Appleton	986	982	4	-	-	322	22	22.3	15	15.2
Balance of county	1,385	1,340	44	-	1	351	41	29.8	29	20.9
Ozaukee	638	633	5	-	-	214	13	20.4	4	6.3
Pepin	232	230	2	-	-	84	6	25.9	1	4.3
Pierce	562	553	28	-	1	256	13	23.1	11	19.6
Polk	565	545	17	1	2	285	16	28.3	11	19.5
Portage	825	800	23	-	2	327	33	40.0	8	9.7
Stevens Point	389	385	4	-	-	160	21	54.0	5	12.9
Balance of county	436	415	19	-	2	167	12	27.5	3	6.9
Price	388	372	16	-	-	171	8	20.6	5	12.9
Racine	2,694	2,682	11	-	1	981	52	19.3	35	13.0
Racine	1,804	1,800	3	-	1	886	35	19.4	24	13.3
Balance of county	890	882	8	-	-	295	17	19.1	11	12.4
Richland	515	477	38	-	-	195	17	33.0	2	3.9
Rock	2,242	2,215	27	-	-	866	56	25.0	45	20.1
Beloit	784	779	5	-	-	264	19	24.2	14	17.9
Janesville	655	652	3	-	-	239	18	27.5	15	22.9
Balance of county	803	784	19	-	-	363	19	23.7	16	19.9
Rusk	421	412	8	-	1	161	11	26.1	5	11.9
St. Croix	629	600	29	-	-	271	16	25.4	13	20.7
Sauk	1,028	1,008	20	-	-	411	21	20.4	16	15.6
Sawyer	239	181	44	14	-	115	7	29.3	4	16.7
White	189	132	43	14	-	103	3	15.9	3	15.9
Nonwhite	50	49	1	-	-	12	4	80.0	1	20.0
Shawano	642	609	30	1	2	352	55	85.3	13	15.4
Sheboygan	1,863	1,846	17	-	-	801	47	25.2	26	14.0
Sheboygan	941	938	3	-	-	441	29	30.8	16	17.0
Balance of county	922	908	14	-	-	360	18	19.5	10	10.8
Taylor	510	428	82	-	-	166	17	33.3	10	19.6
Trempealeau	555	545	10	-	-	264	20	36.0	10	18.0
Vernon	660	602	58	-	-	293	14	21.2	14	21.2
Vilas	217	194	18	3	2	96	8	36.9	7	32.3
White	180	166	14	-	-	82	5	27.8	6	33.3
Nonwhite	37	28	4	3	2	14	3	81.1	1	27.0
Walworth	940	926	12	-	2	465	29	30.9	16	17.0
Washburn	290	254	34	1	1	142	7	24.1	2	6.9
Washington	887	865	20	-	2	306	23	25.9	12	13.5
Waukesha	2,005	1,964	41	-	-	802	43	21.4	37	18.5
Waukesha	553	552	1	-	-	194	13	23.5	10	18.1
Balance of county	1,452	1,412	40	-	-	608	30	20.7	27	18.6
Waupaca	718	704	14	-	-	392	23	32.0	11	15.3
Waushara	239	218	21	-	-	172	8	33.5	1	4.2
Winnebago	2,211	2,179	32	-	-	881	49	22.2	44	19.9
Oshkosh	963	951	12	-	-	473	22	22.8	19	19.7
Menasha	339	335	4	-	-	100	10	29.5	9	26.5
Neenah	290	289	1	-	-	110	5	17.2	4	13.8
Balance of county	619	604	15	-	-	198	12	19.4	12	19.4
Wood	1,471	1,425	45	1	-	442	51	34.7	28	19.0
Marshfield	343	335	8	-	-	107	5	14.6	7	20.4
Wisconsin Rapids	447	444	3	-	-	143	27	60.4	8	17.9
Balance of county	681	646	34	1	-	192	19	27.9	13	19.1
WYOMING	7,490	7,226	239	15	10	2,385	280	37.4	124	16.6
White	7,310	7,075	221	7	7	2,315	261	35.7	119	16.3
Nonwhite	180	151	18	8	3	70	19	105.6	5	27.8
Albany	514	513	-	-	1	142	21	40.9	6	11.7
Laramie	453	453	-	-	-	116	16	35.3	5	11.0
Balance of county	61	60	-	-	1	26	5	82.0	1	16.4
Big Horn	345	332	12	-	1	126	13	37.7	5	14.5
Campbell	124	124	-	-	-	46	4	32.3	1	8.1
Carbon	376	371	3	2	-	123	13	34.6	7	18.6
Converse	131	130	1	-	-	56	1	7.6	4	30.5
Crook	123	119	3	-	1	35	1	8.1	2	16.3
Fremont	546	488	46	8	4	182	24	44.0	11	20.1
White	426	394	31	-	1	151	12	28.2	8	18.8
Nonwhite	120	94	15	8	3	31	12	100.0	3	25.0

See footnotes on p. 93.

TABLE 1.—LIVE BIRTHS BY PERSON IN ATTENDANCE; TOTAL DEATHS; DEATHS UNDER 1 YEAR AND INFANT MORTALITY RATES; AND FETAL DEATHS AND RATIOS: UNITED STATES, EACH STATE AND COUNTY, AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(See headnote on p. 2)

AREA AND RACE	LIVE BIRTHS					Deaths (all ages)	DEATHS UNDER 1 YEAR		FETAL DEATHS	
	Total	Attended by—					Number	Rate	Number	Ratio
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified					
WYOMING—Continued										
Goshen	303	296	7	-	-	104	12	39.6	2	6.6
Hot Springs	193	193	-	-	-	64	12	62.2	5	25.9
Johnson	109	106	3	-	-	48	2	18.3	2	18.3
Laramie	1,024	983	40	-	1	324	41	40.0	19	18.6
Cheyenne	826	806	20	-	-	257	33	40.0	18	21.8
Balance of county	198	177	20	-	1	67	8	40.4	1	5.1
Lincoln	325	324	1	-	-	73	7	21.5	4	12.3
Natrona	832	831	-	-	1	311	41	49.3	16	19.2
Casper	722	721	-	-	1	245	33	45.7	10	13.9
Balance of county	110	110	-	-	-	66	8	72.7	6	54.5
Niobrara	107	105	2	-	-	44	2	18.7	4	37.4
Park	467	458	8	-	1	91	14	30.0	7	15.0
Platte	214	198	15	1	-	56	7	32.7	3	14.0
Sheridan	457	453	4	-	-	190	18	39.4	4	8.8
Sheridan	292	289	3	-	-	136	11	37.7	4	13.7
Balance of county	165	164	1	-	-	54	7	42.4	-	0
Sublette	40	40	-	-	-	12	1	25.0	-	0
Sweetwater	556	523	31	2	-	197	19	34.2	12	21.6
Teton	77	77	-	-	-	18	3	39.0	-	0
Uinta	195	156	39	-	-	46	5	25.6	2	10.3
Washakie	239	216	21	2	-	48	11	46.0	6	25.1
Weston	185	182	3	-	-	58	8	43.2	2	10.8
Yellowstone Nat. Park (part)	8	8	-	-	-	1	-	(4)	-	(4)
Yellowstone Nat. Park (total)	9	9	-	-	-	1	-	0	-	0

[1]It is assumed that all births in hospitals or institutions are attended by physicians.
[2]Includes data for Texarkana, Ark., only.
[3]Since this area is difficult to identify from the information given on the birth and death transcripts, data may be understated or overstated.
[4]Rate or ratio not computed for part of an area.
[5]Figures for District 1511, Center Hill, are included in those for Atlanta.
[6]No statistical transcripts for fetal deaths (stillbirths) occurring in Lowell were received in the National Office of Vital Statistics. In 1948, there were 50 fetal deaths to residents of Lowell.
[7]Ratio computed on the basis of reported fetal deaths. See footnote No. 6.
[8]This county was established by the New Mexico Legislature, effective June 10, 1949.
[9]Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.
[10]Includes data for Bristol, Tenn., only.
[11]Includes data for Texarkana, Tex., only.
[12]Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of the State.
[13]Classified as urban under a special rule in the 1940 census.
[14]Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville, Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Suffolk, and Winchester.
[15]Includes data for Bristol, Va., only.
[16]Includes data for Bluefield, W. Va., only.

NOTES:

Infant mortality rates and fetal death ratios are shown for all counties and cities for which resident births were reported. Caution should be exercised in the interpretation of those computed from small numbers since they are subject to relatively large sampling variation. (See section on Interpretation Factors in Introduction of Part I.)

Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 2.—LIVE BIRTHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	3,559,529	1,826,352	1,733,177	1,585,854	1,497,867	229,078	224,157	6,231	6,101	2,581	2,481	1,623	1,614	985	967
Alabama	84,418	43,283	41,135	26,923	25,290	16,342	15,835	11	6	6	4	-	-	1	-
Arizona	20,275	10,341	9,934	8,934	8,586	353	362	1,000	904	41	60	9	7	4	15
Arkansas	45,609	23,083	22,526	17,412	16,803	5,658	5,701	7	7	3	13	2	1	1	1
California	245,199	125,744	119,455	115,355	109,430	7,041	6,768	388	359	1,285	1,218	962	977	713	703
Colorado	32,894	17,000	15,894	16,578	15,559	316	235	25	21	12	9	67	63	2	7
Connecticut	40,887	21,107	19,780	20,459	19,138	634	625	3	-	5	14	3	2	3	3
Delaware	7,369	3,770	3,599	3,150	2,953	611	635	2	3	-	-	-	-	7	8
District of Columbia	19,814	9,944	9,870	5,905	5,719	3,977	4,091	3	1	39	43	10	7	10	9
Florida	61,743	31,787	29,956	23,094	21,402	8,656	8,530	12	12	8	6	1	3	6	3
Georgia	93,259	47,600	45,659	30,126	28,392	17,462	17,253	1	2	9	12	2	-	-	-
Idaho	15,984	8,077	7,907	7,972	7,780	5	11	53	66	11	4	33	39	3	7
Illinois	189,313	97,128	92,185	87,726	82,650	9,090	9,247	19	19	102	104	165	146	26	19
Indiana	94,214	48,401	45,813	45,885	43,346	2,502	2,447	2	1	10	13	1	2	1	4
Iowa	61,871	31,983	29,888	31,685	29,623	289	245	17	11	7	6	2	3	3	-
Kansas	43,761	22,596	21,165	21,501	20,273	942	868	31	34	13	7	1	2	8	1
Kentucky	76,197	39,219	36,978	36,688	34,530	2,522	2,439	2	2	5	6	1	1	1	-
Louisiana	75,487	38,550	36,937	23,140	22,172	15,367	14,724	27	27	11	10	-	-	5	4
Maine	21,939	11,203	10,736	11,193	10,711	5	5	3	17	1	1	1	1	-	1
Maryland	53,597	27,414	26,183	21,551	20,298	5,838	5,859	1	1	15	18	5	4	4	3
Massachusetts	95,615	49,104	46,511	48,061	45,504	947	915	4	7	82	81	3	2	7	2
Michigan	157,178	81,128	76,050	74,391	69,681	6,615	6,248	62	80	37	35	19	17	4	8
Minnesota	73,929	38,122	35,807	37,729	35,380	127	129	236	257	13	17	12	7	5	7
Mississippi	66,415	33,853	32,562	15,036	14,061	18,757	18,432	39	46	21	20	-	1	-	2
Missouri	85,302	43,826	41,476	39,839	37,449	3,984	3,993	5	10	7	13	9	3	2	8
Montana	15,366	7,637	7,729	7,244	7,312	8	11	378	393	5	5	2	7	-	1
Nebraska	31,547	16,038	15,509	15,696	15,187	258	235	80	72	3	5	7	8	4	2
Nevada	3,673	1,899	1,774	1,751	1,633	62	48	79	75	3	8	3	7	1	3
New Hampshire	11,940	6,125	5,815	6,117	5,803	4	7	2	-	1	4	-	-	1	1
New Jersey	97,606	50,440	47,166	45,718	42,675	4,653	4,427	4	2	42	48	16	12	7	2
New Mexico	21,620	11,207	10,413	10,392	9,726	70	77	734	594	6	7	3	4	2	5
New York	301,287	154,565	146,722	141,046	133,737	12,958	12,353	137	137	477	447	29	37	18	11
North Carolina	107,970	55,291	52,679	37,394	35,021	17,284	17,068	604	584	6	4	2	2	1	-
North Dakota	16,846	8,727	8,119	8,525	7,950	-	-	198	167	2	2	1	-	1	-
Ohio	189,428	97,257	92,171	89,943	85,118	7,252	6,997	3	3	33	30	21	17	5	6
Oklahoma	49,702	25,443	24,259	22,699	21,415	1,801	1,816	938	1,018	1	4	-	-	4	6
Oregon	35,316	18,047	17,269	17,686	16,915	169	159	75	112	41	33	53	39	23	11
Pennsylvania	224,581	115,486	109,095	106,909	100,811	8,529	8,234	2	10	39	28	3	4	4	8
Rhode Island	16,492	8,504	7,988	8,285	7,785	204	188	5	3	9	11	1	-	-	1
South Carolina	58,516	30,027	28,489	16,448	15,201	13,569	13,271	8	12	1	2	1	1	-	2
South Dakota	17,211	8,882	8,329	8,533	7,953	4	5	343	368	1	1	-	1	1	1
Tennessee	82,854	42,433	40,421	34,692	32,891	7,746	7,521	3	2	2	5	-	1	-	1
Texas	202,297	103,315	98,982	90,003	85,706	13,222	13,221	23	14	62	35	3	5	2	1
Utah	21,164	11,021	10,143	10,890	9,998	35	28	45	48	3	7	46	59	2	3
Vermont	9,297	4,807	4,490	4,807	4,486	-	2	-	-	-	1	-	-	-	1
Virginia	82,960	42,541	40,419	31,546	29,805	10,971	10,588	2	1	18	13	1	3	3	9
Washington	56,542	28,817	27,725	27,839	26,792	395	437	318	283	70	58	112	111	83	64
West Virginia	52,586	26,925	25,661	25,436	24,248	1,465	1,410	1	-	2	2	-	1	1	-
Wisconsin	82,949	42,763	40,186	42,045	39,468	470	441	229	265	7	6	8	4	4	2
Wyoming	7,490	3,892	3,598	3,797	3,513	19	16	67	65	4	1	3	3	2	-

TABLE 3.—LIVE BIRTHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	3,559,529	299,255	273,195	300,117	270,770	281,595	285,442	318,218	322,774	312,625	311,480	290,956	293,104
Male	1,826,352	153,854	139,768	153,880	139,007	144,855	146,789	163,532	165,558	160,109	159,890	148,348	149,962
Female	1,733,177	145,401	133,427	146,237	131,763	136,740	138,654	154,686	157,216	152,514	151,790	141,807	143,142
White	3,083,721	257,929	235,660	260,066	236,171	245,118	247,711	274,733	278,122	270,814	270,981	252,355	253,061
Male	1,585,854	132,800	120,994	133,703	121,367	126,354	127,586	141,586	143,762	138,953	139,177	129,811	129,781
Female	1,497,867	125,129	114,666	126,363	114,804	118,764	120,145	133,147	135,360	131,861	131,804	122,544	123,280
Nonwhite	475,808	41,326	37,535	40,051	34,599	36,477	37,731	43,485	43,652	41,809	40,499	38,601	40,043
Male	240,498	21,054	18,774	20,177	17,640	18,501	19,222	21,946	21,796	21,156	20,513	19,538	20,181
Female	235,310	20,272	18,761	19,874	16,959	17,976	18,509	21,539	21,856	20,653	19,986	19,063	19,862
ALABAMA	84,418	7,591	6,706	7,081	6,021	6,250	6,682	7,686	7,822	7,319	7,285	6,787	7,189
Male	43,283	3,947	3,333	3,591	3,092	3,239	3,492	3,980	3,933	3,782	3,742	3,490	3,672
Female	41,135	3,644	3,373	3,490	2,929	3,011	3,190	3,706	3,889	3,537	3,543	3,307	3,516
White	52,213	4,644	4,076	4,266	3,677	3,838	4,170	4,698	4,898	4,572	4,701	4,230	4,445
Male	26,923	2,419	2,058	2,181	1,890	2,017	2,210	2,444	2,450	2,348	2,467	2,177	2,262
Female	25,290	2,225	2,018	2,085	1,787	1,821	1,960	2,254	2,448	2,224	2,234	2,053	2,183
Nonwhite	32,205	2,947	2,630	2,815	2,344	2,412	2,512	2,988	2,926	2,747	2,584	2,557	2,743
Male	16,360	1,528	1,275	1,410	1,202	1,222	1,282	1,536	1,483	1,434	1,275	1,303	1,410
Female	15,845	1,419	1,355	1,405	1,142	1,190	1,230	1,452	1,443	1,313	1,309	1,254	1,333
ARIZONA	20,275	1,723	1,535	1,764	1,522	1,510	1,518	1,803	1,860	1,805	1,787	1,767	1,685
Male	10,341	875	799	891	768	781	778	919	950	924	888	931	827
Female	9,934	848	734	873	754	719	740	884	910	879	899	836	858
White	17,520	1,509	1,332	1,535	1,299	1,251	1,318	1,544	1,616	1,564	1,553	1,549	1,453
Male	8,934	765	694	783	648	653	671	794	825	803	764	850	704
Female	8,586	744	638	752	651	598	644	750	791	761	789	719	749
Nonwhite	2,755	214	201	229	223	259	203	259	244	239	234	218	232
Male	1,407	110	105	108	120	138	107	125	125	121	124	101	123
Female	1,348	104	96	121	103	121	96	134	119	118	110	117	109
ARKANSAS	45,609	4,195	3,732	3,949	3,305	3,359	3,566	4,173	4,497	4,322	3,995	3,540	2,976
Male	23,083	2,114	1,900	2,011	1,657	1,660	1,808	2,143	2,295	2,185	2,022	1,786	1,504
Female	22,526	2,081	1,832	1,938	1,648	1,699	1,758	2,030	2,202	2,139	1,973	1,754	1,472
White	34,215	3,124	2,779	2,887	2,435	2,460	2,615	3,075	3,408	3,333	3,076	2,723	2,300
Male	17,412	1,598	1,440	1,493	1,205	1,231	1,309	1,618	1,754	1,677	1,558	1,367	1,162
Female	16,803	1,526	1,339	1,394	1,230	1,229	1,306	1,457	1,654	1,656	1,518	1,356	1,138
Nonwhite	11,394	1,071	953	1,062	870	899	951	1,098	1,089	989	919	817	676
Male	5,671	516	460	518	452	429	499	525	541	506	464	419	342
Female	5,723	555	493	544	418	470	452	573	548	483	455	398	334
CALIFORNIA	245,199	19,871	18,378	20,309	19,625	20,252	20,144	21,300	22,033	21,772	21,262	20,296	19,957
Male	125,744	10,094	9,441	10,434	9,983	10,411	10,433	10,868	11,372	11,183	10,902	10,439	10,184
Female	119,455	9,777	8,937	9,875	9,642	9,841	9,711	10,432	10,661	10,589	10,360	9,857	9,773
White	224,785	18,200	16,844	18,652	17,999	18,563	18,494	19,549	20,149	19,932	19,487	18,643	18,273
Male	115,355	9,243	8,694	9,557	9,157	9,537	9,571	9,962	10,426	10,227	10,001	9,608	9,372
Female	109,430	8,957	8,150	9,095	8,842	9,026	8,923	9,587	9,723	9,705	9,486	9,035	8,901
Nonwhite	20,414	1,671	1,534	1,657	1,626	1,689	1,650	1,751	1,884	1,840	1,775	1,653	1,684
Male	10,389	851	747	877	826	874	862	906	946	956	901	831	812
Female	10,025	820	787	780	800	815	788	845	938	884	874	822	872
COLORADO	32,894	2,621	2,440	2,668	2,677	2,804	2,694	3,005	2,898	2,839	2,699	2,667	2,682
Male	17,000	1,323	1,278	1,377	1,398	1,469	1,407	1,555	1,463	1,505	1,518	1,340	1,367
Female	15,894	1,298	1,162	1,291	1,279	1,335	1,287	1,450	1,435	1,334	1,181	1,327	1,315
White	32,137	2,565	2,384	2,601	2,610	2,731	2,632	2,945	2,838	2,780	2,834	2,599	2,618
Male	16,578	1,290	1,243	1,344	1,366	1,428	1,374	1,526	1,429	1,467	1,478	1,300	1,333
Female	15,559	[1]1,275	1,141	1,257	1,244	1,303	1,258	1,419	1,409	1,313	1,356	1,299	1,285
Nonwhite	757	56	56	67	67	73	62	60	60	59	65	68	64
Male	422	33	35	33	32	41	33	29	34	38	40	40	34
Female	335	23	21	34	35	32	29	31	26	21	25	28	30
CONNECTICUT	40,887	3,495	3,108	3,533	3,302	3,348	3,303	3,617	3,529	3,545	3,617	3,105	3,385
Male	21,107	1,767	1,598	1,852	1,684	1,727	1,712	1,915	1,787	1,851	1,924	1,623	1,687
Female	19,780	1,728	1,510	1,681	1,618	1,621	1,591	1,702	1,742	1,714	1,693	1,482	1,698
White	39,595	3,376	3,012	3,414	3,220	3,248	3,205	3,510	3,417	3,419	3,508	3,004	3,282
Male	20,459	1,713	1,545	1,796	1,643	1,680	1,659	1,855	1,735	1,763	1,866	1,572	1,632
Female	19,136	1,663	1,467	1,618	1,577	1,568	1,546	1,655	1,682	1,656	1,642	1,432	1,630
Nonwhite	1,292	119	96	119	82	100	98	107	112	126	109	101	123
Male	648	54	53	56	41	47	53	60	52	68	58	51	55
Female	644	65	43	63	41	53	45	47	60	58	51	50	68
DELAWARE	7,369	696	597	618	533	576	564	642	644	653	620	606	620
Male	3,770	346	280	301	273	291	311	346	353	335	306	309	319
Female	3,599	350	317	317	260	285	253	296	291	318	314	297	301
White	6,103	565	496	503	441	473	488	551	530	529	533	494	501
Male	3,150	282	234	256	227	249	269	294	286	271	266	249	265
Female	2,953	283	261	247	214	224	219	257	242	258	267	245	236
Nonwhite	1,266	131	102	115	92	103	76	91	114	124	87	112	119
Male	620	64	46	45	46	42	42	52	65	64	40	60	54
Female	646	67	56	70	46	61	34	39	49	60	47	52	65
DISTRICT OF COLUMBIA	19,814	1,763	1,549	1,636	1,439	1,485	1,521	1,822	1,863	1,785	1,714	1,606	1,641
Male	9,944	852	780	787	744	761	800	884	963	884	873	815	801
Female	9,870	911	768	849	695	704	721	938	900	911	841	791	840
White	11,624	1,047	920	997	872	870	912	1,053	1,075	1,025	990	931	934
Male	5,905	531	473	489	456	443	484	522	560	509	505	463	470
Female	5,719	516	447	508	416	427	428	531	515	514	485	468	464
Nonwhite	8,190	716	629	639	567	595	609	769	788	772	724	675	707
Male	4,039	321	307	298	288	318	316	362	403	375	368	352	331
Female	4,151	395	322	341	279	277	293	407	385	397	356	325	376
FLORIDA	61,743	5,262	4,682	5,044	4,132	4,254	4,397	5,276	5,766	5,592	5,885	5,632	5,831
Male	31,787	2,747	2,401	2,636	2,112	2,191	2,217	2,671	2,974	2,860	3,083	2,910	2,985
Female	29,956	2,515	2,281	2,408	2,020	2,063	2,180	2,605	2,792	2,732	2,802	2,722	2,846
White	44,496	3,745	3,300	3,677	3,007	3,074	3,206	3,840	4,170	4,048	4,241	4,030	4,158
Male	23,094	1,972	1,690	1,936	1,524	1,606	1,628	1,958	2,207	2,100	2,210	2,103	2,159
Female	21,402	1,773	1,610	1,741	1,483	1,468	1,577	1,882	1,963	1,948	2,031	1,927	1,999
Nonwhite	17,247	1,517	1,382	1,367	1,125	1,180	1,191	1,436	1,596	1,534	1,644	1,602	1,673
Male	8,693	775	711	700	568	585	588	713	787	760	873	807	826
Female	8,554	742	671	667	537	595	603	725	829	774	771	795	847

TABLE 3.—LIVE BIRTHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	93,259	8,189	7,152	7,842	6,733	7,201	7,228	8,385	8,432	8,024	8,252	7,785	8,026
Male	47,600	4,166	3,668	3,936	3,475	3,712	3,735	4,300	4,228	4,064	4,278	3,943	4,095
Female	45,659	4,023	3,484	3,906	3,258	3,489	3,493	4,085	4,204	3,960	3,984	3,842	3,931
White	58,518	5,060	4,541	4,905	4,156	4,495	4,519	5,259	5,271	5,162	5,206	4,947	4,997
Male	30,126	2,595	2,362	2,487	2,151	2,347	2,364	2,731	2,665	2,635	2,707	2,518	2,564
Female	28,392	2,465	2,179	2,418	2,005	2,148	2,155	2,528	2,606	2,527	2,499	2,429	2,433
Nonwhite	34,741	3,129	2,611	2,937	2,577	2,706	2,709	3,126	3,161	2,862	3,056	2,838	3,029
Male	17,474	1,571	1,306	1,449	1,324	1,365	1,371	1,569	1,563	1,429	1,571	1,425	1,531
Female	17,267	1,558	1,305	1,488	1,253	1,341	1,338	1,557	1,598	1,433	1,485	1,413	1,498
IDAHO	15,984	1,328	1,204	1,436	1,340	1,357	1,298	1,380	1,455	1,302	1,408	1,237	1,229
Male	8,077	699	607	724	661	703	636	703	755	651	715	619	604
Female	7,907	629	597	712	679	654	662	677	700	651	693	618	625
White	15,752	1,311	1,184	1,412	1,324	1,340	1,283	1,373	1,426	1,271	1,396	1,220	1,213
Male	7,972	690	595	710	656	697	633	696	746	636	707	610	598
Female	7,780	621	589	702	668	643	650	677	679	635	689	610	617
Nonwhite	232	17	20	24	16	17	15	17	30	31	12	17	16
Male	105	9	12	14	5	6	3	7	9	15	8	9	8
Female	127	8	8	10	11	11	12	10	21	16	4	8	8
ILLINOIS	189,313	15,812	14,501	16,161	14,424	15,057	14,892	16,887	16,980	16,630	16,609	15,689	15,671
Male	97,128	8,181	7,350	8,332	7,377	7,740	7,667	8,663	8,793	8,423	8,549	8,026	8,027
Female	92,185	7,631	7,151	7,829	7,047	7,317	7,225	8,224	8,187	8,207	8,060	7,663	7,644
White	170,376	14,242	12,955	14,577	12,973	13,551	13,405	15,217	15,288	15,006	15,047	14,125	13,990
Male	87,726	7,388	6,809	7,557	6,637	6,982	6,922	7,845	7,939	7,606	7,749	7,278	7,214
Female	82,650	6,854	6,146	7,020	6,336	6,569	6,483	7,372	7,349	7,400	7,298	6,847	6,776
Nonwhite	18,937	1,570	1,546	1,584	1,451	1,506	1,487	1,670	1,692	1,624	1,562	1,564	1,681
Male	9,402	793	741	775	740	758	745	818	854	817	800	748	813
Female	9,535	777	805	809	711	748	742	852	838	807	762	816	868
INDIANA	94,214	7,943	7,264	7,845	7,126	7,377	7,328	8,457	8,640	8,255	8,332	7,884	7,903
Male	48,401	4,095	3,786	4,027	3,714	3,898	3,791	4,430	4,441	4,227	4,272	3,973	3,947
Female	45,813	3,848	3,478	3,818	3,412	3,479	3,537	4,027	4,199	4,028	4,120	3,911	3,956
White	89,231	7,517	6,870	7,443	6,757	6,989	6,947	7,999	8,191	7,824	7,958	7,248	7,488
Male	45,885	3,886	3,571	3,818	3,522	3,493	3,600	4,213	4,217	4,033	4,043	3,750	3,739
Female	43,346	3,631	3,299	3,625	3,235	3,496	3,347	3,786	3,974	3,791	3,915	3,498	3,749
Nonwhite	4,983	426	394	402	369	388	381	458	449	431	434	436	415
Male	2,516	209	215	209	192	206	191	217	224	194	229	223	208
Female	2,467	217	179	193	177	183	190	241	225	237	205	213	207
IOWA	61,871	5,298	4,568	5,382	4,616	4,764	4,962	5,450	5,702	5,441	5,443	5,136	5,119
Male	31,983	2,756	2,350	2,716	2,401	2,469	2,585	2,891	2,949	2,813	2,791	2,584	2,678
Female	29,888	2,532	2,218	2,666	2,215	2,295	2,377	2,559	2,753	2,628	2,652	2,552	2,441
White	61,308	5,249	4,530	5,310	4,580	4,720	4,918	5,399	5,649	5,391	5,398	5,088	5,076
Male	31,685	2,732	2,326	2,676	2,386	2,447	2,565	2,868	2,918	2,783	2,771	2,556	2,557
Female	29,623	2,517	2,204	2,634	2,194	2,273	2,353	2,531	2,731	2,608	2,627	2,532	2,419
Nonwhite	563	39	38	72	36	44	44	51	53	50	45	48	43
Male	298	24	24	40	15	22	20	23	31	30	20	28	21
Female	265	15	14	32	21	22	24	28	22	20	25	20	22
KANSAS	43,781	3,702	3,353	3,522	3,231	3,218	3,217	3,897	4,165	4,049	3,975	3,703	3,749
Male	22,596	1,918	1,743	1,776	1,681	1,671	1,689	1,994	2,129	2,104	2,052	1,928	1,911
Female	21,185	1,784	1,610	1,746	1,550	1,547	1,528	1,903	2,036	1,945	1,923	1,775	1,838
White	41,874	3,527	3,198	3,361	3,090	3,066	3,073	3,733	3,973	3,875	3,827	3,567	3,564
Male	21,601	1,822	1,671	1,694	1,604	1,590	1,611	1,914	2,043	2,017	1,970	1,855	1,810
Female	20,273	1,705	1,527	1,667	1,486	1,476	1,462	1,819	1,930	1,858	1,857	1,712	1,774
Nonwhite	1,907	175	155	161	141	152	144	164	192	174	148	136	165
Male	995	96	72	82	77	81	78	80	86	87	82	73	101
Female	912	79	83	79	64	71	66	84	106	87	66	63	64
KENTUCKY	76,197	6,654	6,237	6,727	5,887	6,192	6,308	6,454	6,575	6,510	6,481	6,146	6,026
Male	39,219	3,432	3,204	3,480	3,039	3,167	3,282	3,335	3,340	3,330	3,325	3,205	3,080
Female	36,978	3,222	3,033	3,247	2,848	3,025	3,026	3,119	3,235	3,180	3,156	2,941	2,946
White	71,218	6,240	5,818	6,305	5,533	5,770	5,865	6,011	6,166	6,089	6,066	5,734	5,621
Male	36,688	3,227	2,987	3,276	2,853	2,952	3,055	3,101	3,127	3,112	3,120	2,972	2,906
Female	34,530	3,013	2,831	3,029	2,680	2,818	2,810	2,910	3,039	2,977	2,946	2,762	2,715
Nonwhite	4,979	414	419	422	354	422	443	443	409	421	415	412	405
Male	2,531	205	217	204	186	215	227	234	213	218	205	233	174
Female	2,448	209	202	218	168	207	216	209	196	203	210	179	231
LOUISIANA	75,487	6,622	5,847	5,788	4,529	4,704	5,614	7,257	7,580	7,284	6,977	6,637	6,648
Male	38,550	3,350	3,000	2,927	2,351	2,447	2,896	3,659	3,823	3,694	3,522	3,395	3,506
Female	36,937	3,272	2,847	2,861	2,198	2,257	2,718	3,598	3,757	3,590	3,455	3,242	3,142
White	45,312	3,930	3,427	3,336	2,660	2,784	3,312	4,303	4,623	4,420	4,349	4,127	4,061
Male	23,140	1,996	1,751	1,666	1,392	1,432	1,695	2,178	2,315	2,302	2,194	2,108	2,111
Female	22,172	1,934	1,676	1,670	1,268	1,352	1,617	2,125	2,308	2,118	2,155	2,019	1,950
Nonwhite	30,175	2,692	2,420	2,452	1,869	1,940	2,302	2,954	2,957	2,864	2,628	2,510	2,587
Male	15,410	1,354	1,249	1,261	939	1,015	1,201	1,481	1,508	1,392	1,328	1,287	1,395
Female	14,765	1,338	1,171	1,191	930	925	1,101	1,473	1,449	1,472	1,300	1,223	1,192
MAINE	21,939	1,809	1,720	1,884	1,813	1,843	1,891	2,003	1,999	1,934	1,863	1,616	1,665
Male	11,203	900	868	1,000	929	957	947	992	1,061	930	951	806	862
Female	10,736	908	852	884	884	886	944	1,011	938	904	912	810	803
White	21,904	1,804	1,718	1,882	1,812	1,842	1,891	2,002	1,991	1,827	1,862	1,612	1,661
Male	11,193	899	868	1,000	929	957	947	992	1,060	927	951	805	858
Female	10,711	905	850	882	883	885	944	1,010	931	900	911	807	803
Nonwhite	35	4	2	2	1	1	-	1	8	7	1	4	4
Male	10	1	-	-	-	-	-	-	1	3	-	1	4
Female	25	3	2	2	1	1	-	1	7	4	1	3	-
MARYLAND	53,597	4,443	4,166	4,506	3,826	4,196	4,245	4,840	4,853	4,720	4,855	4,451	4,496
Male	27,414	2,305	2,115	2,307	1,942	2,173	2,171	2,459	2,463	2,402	2,493	2,312	2,272
Female	26,183	2,138	2,051	2,199	1,884	2,023	2,074	2,381	2,390	2,318	2,362	2,139	2,224
White	41,849	3,486	3,213	3,539	2,968	3,261	3,323	3,750	3,760	3,717	3,821	3,480	3,531
Male	21,551	1,822	1,642	1,836	1,524	1,698	1,716	1,941	1,902	1,905	1,972	1,818	1,775
Female	20,298	1,664	1,571	1,703	1,444	1,563	1,607	1,809	1,858	1,812	1,849	1,662	1,756
Nonwhite	11,748	957	953	967	858	935	922	1,090	1,093	1,003	1,034	971	965
Male	5,863	483	473	471	418	475	455	518	561	497	521	494	497
Female	5,885	474	480	496	440	460	467	572	532	506	513	477	468

TABLE 3.—LIVE BIRTHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	85,615	8,021	7,408	8,387	7,819	7,655	7,872	8,762	8,091	8,114	8,315	7,627	7,544
Male	49,104	4,133	3,854	4,381	3,999	3,901	4,037	4,429	4,162	4,188	4,268	3,871	3,881
Female	46,511	3,888	3,554	4,006	3,820	3,754	3,835	4,333	3,929	3,926	4,047	3,756	3,663
White	93,565	7,844	7,243	8,223	7,681	7,526	7,733	8,556	7,902	7,919	8,133	7,440	7,365
Male	48,061	4,046	3,769	4,307	3,932	3,850	3,961	4,324	4,072	4,091	4,166	3,772	3,791
Female	45,504	3,798	3,474	3,916	3,749	3,686	3,772	4,232	3,830	3,828	3,967	3,668	3,574
Nonwhite	2,050	177	165	164	138	129	139	206	189	195	182	187	179
Male	1,043	87	85	74	67	71	76	105	90	97	102	99	90
Female	1,007	90	80	90	71	58	63	101	99	98	80	88	89
MICHIGAN	157,178	12,905	11,964	13,516	12,407	13,288	12,818	13,954	13,913	13,500	13,527	12,609	12,797
Male	81,128	6,568	6,195	7,078	6,347	6,817	6,740	7,125	7,245	6,982	6,937	6,508	6,606
Female	76,050	6,337	5,769	6,438	6,060	6,451	6,078	6,829	6,668	6,538	6,590	6,101	6,191
White	144,052	11,881	10,882	12,391	11,462	12,206	11,809	12,727	12,718	12,409	12,344	11,525	11,700
Male	74,391	6,046	5,631	6,504	5,948	6,275	6,236	6,478	6,656	6,394	6,337	5,960	6,036
Female	69,661	5,835	5,251	5,887	5,614	5,931	5,573	6,249	6,060	6,025	6,007	5,565	5,664
Nonwhite	13,126	1,024	1,082	1,125	945	1,062	1,009	1,227	1,197	1,091	1,183	1,084	1,097
Male	6,737	522	564	574	499	542	504	647	589	578	600	548	570
Female	6,389	502	518	551	446	520	505	580	608	513	583	536	527
MINNESOTA	73,929	5,972	5,454	6,278	5,768	6,056	6,155	6,592	6,790	6,429	6,440	6,029	5,965
Male	38,122	3,095	2,792	3,187	3,015	3,128	3,187	3,421	3,458	3,365	3,334	3,065	3,075
Female	35,807	2,877	2,662	3,091	2,754	2,928	2,968	3,171	3,332	3,064	3,106	2,964	2,890
White	73,119	5,894	5,396	6,183	5,702	5,981	6,092	6,494	6,712	6,354	6,389	5,981	5,921
Male	37,729	3,051	2,766	3,143	2,979	3,094	3,156	3,376	3,424	3,331	3,306	3,050	3,053
Female	35,390	2,843	2,630	3,050	2,723	2,887	2,936	3,118	3,288	3,023	3,083	2,931	2,868
Nonwhite	810	78	58	85	67	65	63	98	78	75	51	48	44
Male	393	44	26	44	36	34	31	45	34	34	28	15	22
Female	417	34	32	41	31	31	32	53	44	41	23	33	22
MISSISSIPPI	66,415	5,639	5,281	5,644	4,691	4,778	5,208	6,105	6,147	5,858	5,703	5,516	5,845
Male	33,853	3,061	2,691	2,823	2,402	2,420	2,649	3,168	3,099	2,944	2,918	2,825	2,853
Female	32,562	2,778	2,590	2,821	2,289	2,358	2,559	2,937	3,048	2,914	2,785	2,691	2,792
White	29,097	2,539	2,320	2,348	1,977	1,974	2,236	2,642	2,756	2,644	2,623	2,509	2,529
Male	15,036	1,360	1,238	1,206	1,002	1,010	1,157	1,352	1,391	1,333	1,392	1,312	1,283
Female	14,061	1,179	1,082	1,142	975	964	1,079	1,290	1,365	1,311	1,231	1,197	1,246
Nonwhite	37,318	3,100	2,961	3,296	2,714	2,804	2,972	3,463	3,391	3,214	3,080	3,007	3,316
Male	18,817	1,701	1,455	1,617	1,400	1,410	1,492	1,816	1,708	1,611	1,526	1,513	1,570
Female	18,501	1,599	1,506	1,679	1,314	1,394	1,480	1,647	1,683	1,603	1,554	1,494	1,546
MISSOURI	85,302	7,468	6,679	7,264	6,167	6,164	6,381	7,894	7,866	7,650	7,680	7,223	7,166
Male	43,826	3,824	3,396	3,783	3,144	3,187	3,249	3,914	4,067	3,912	3,896	3,713	3,741
Female	41,476	3,644	3,283	3,481	3,023	2,977	3,132	3,980	3,799	3,738	3,784	3,510	3,425
White	77,288	6,754	6,037	6,580	5,619	5,540	5,738	6,900	7,138	6,974	7,005	6,553	6,450
Male	39,839	3,471	3,085	3,436	2,872	2,875	2,910	3,591	3,718	3,552	3,567	3,371	3,391
Female	37,449	3,283	2,952	3,144	2,747	2,665	2,828	3,309	3,420	3,422	3,438	3,182	3,059
Nonwhite	8,014	714	642	684	548	624	643	694	728	676	675	670	716
Male	3,987	353	311	347	272	312	339	323	349	360	329	342	350
Female	4,027	361	331	337	276	312	304	371	379	316	346	328	366
MONTANA	15,366	1,261	1,154	1,283	1,284	1,323	1,251	1,409	1,282	1,330	1,339	1,243	1,207
Male	7,637	619	565	635	607	680	623	715	641	651	690	628	593
Female	7,729	642	589	648	677	643	628	694	641	679	649	615	624
White	14,556	1,193	1,108	1,217	1,212	1,266	1,178	1,339	1,203	1,257	1,270	1,183	1,130
Male	7,244	590	544	602	574	655	580	678	607	614	656	597	547
Female	7,312	603	564	615	638	611	598	661	596	643	614	586	583
Nonwhite	810	68	46	66	72	57	73	70	79	73	69	60	77
Male	393	29	21	33	33	25	43	37	34	37	34	31	36
Female	417	39	25	33	39	32	30	33	45	36	35	29	41
NEBRASKA	31,547	2,664	2,448	2,711	2,433	2,372	2,461	2,881	2,895	2,833	2,774	2,558	2,517
Male	16,038	1,337	1,273	1,353	1,233	1,204	1,290	1,462	1,462	1,411	1,429	1,302	1,282
Female	15,509	1,327	1,175	1,358	1,200	1,168	1,171	1,419	1,433	1,422	1,345	1,256	1,235
White	30,873	2,601	2,396	2,659	2,372	2,327	2,400	2,825	2,834	2,776	2,719	2,506	2,458
Male	15,686	1,305	1,244	1,333	1,198	1,186	1,251	1,433	1,433	1,383	1,398	1,272	1,250
Female	15,187	1,296	1,152	1,326	1,174	1,141	1,149	1,392	1,401	1,393	1,321	1,234	1,208
Nonwhite	674	63	52	52	61	45	61	56	61	57	55	52	59
Male	352	32	29	20	35	18	39	29	29	28	31	30	32
Female	322	31	23	32	26	27	22	27	32	29	24	22	27
NEVADA	3,673	301	287	291	280	315	306	332	309	308	340	317	287
Male	1,899	166	140	156	159	149	150	161	165	152	171	171	159
Female	1,774	135	147	135	121	166	156	171	144	156	169	146	128
White	3,384	276	266	265	263	286	282	309	285	284	311	301	257
Male	1,751	158	127	146	151	134	140	144	150	140	158	162	141
Female	1,633	118	139	119	112	152	142	165	135	144	153	139	116
Nonwhite	289	25	21	26	17	30	24	23	24	24	29	16	30
Male	148	8	13	10	8	15	10	17	15	12	13	9	18
Female	141	17	8	16	9	15	14	6	9	12	16	7	12
NEW HAMPSHIRE	11,940	944	831	1,056	982	987	956	1,059	1,120	1,006	1,007	948	942
Male	6,125	480	473	526	495	512	500	543	562	527	524	498	485
Female	5,815	464	458	530	487	475	456	516	558	481	483	450	457
White	11,920	942	927	1,055	980	985	955	1,058	1,118	1,008	1,004	948	940
Male	6,117	479	472	526	494	511	500	543	561	527	522	498	484
Female	5,803	463	455	529	486	474	455	515	557	481	482	450	456
Nonwhite	20	2	4	1	2	2	1	1	2	-	3	-	2
Male	8	1	1	-	1	1	-	-	1	-	2	-	1
Female	12	1	3	1	1	1	1	1	1	-	1	-	1
NEW JERSEY	97,606	8,061	7,604	8,379	7,535	7,882	7,755	8,759	8,601	8,532	8,573	7,976	7,949
Male	50,440	4,131	3,911	4,338	3,894	4,085	3,974	4,501	4,492	4,432	4,474	4,054	4,154
Female	47,166	3,930	3,693	4,041	3,641	3,787	3,781	4,258	4,109	4,100	4,099	3,912	3,815
White	88,393	7,309	6,808	7,670	6,843	7,149	7,056	7,854	7,746	7,694	7,780	7,194	7,190
Male	45,718	3,751	3,551	3,980	3,550	3,707	3,615	4,049	4,068	3,986	4,064	3,683	3,714
Female	42,675	3,558	3,357	3,690	3,293	3,442	3,441	3,805	3,678	3,708	3,716	3,511	3,476
Nonwhite	9,213	752	796	709	692	733	699	905	855	838	793	782	759
Male	4,722	380	360	358	344	388	359	452	424	446	410	381	420
Female	4,491	372	336	351	348	345	340	453	431	392	383	401	339

TABLE 3.—LIVE BIRTHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	21,620	1,743	1,629	1,798	1,768	1,840	1,806	1,981	1,979	1,797	1,847	1,689	1,743
Male	11,207	920	822	901	901	940	955	1,055	1,022	933	974	893	891
Female	10,413	823	807	897	867	900	851	926	957	864	873	796	852
White	20,118	1,606	1,492	1,687	1,624	1,721	1,657	1,834	1,851	1,685	1,717	1,598	1,644
Male	10,392	847	761	853	827	870	866	966	956	867	910	833	836
Female	9,726	761	731	834	797	851	791	868	895	818	807	765	808
Nonwhite	1,502	135	137	111	144	119	149	147	128	112	130	91	99
Male	815	73	61	48	74	70	89	89	66	66	64	60	55
Female	687	62	76	63	70	49	60	58	62	46	66	31	44
NEW YORK	301,267	24,810	23,023	26,362	24,561	25,077	24,984	26,701	26,282	25,092	25,842	23,985	24,488
Male	154,565	12,855	11,614	13,545	12,612	12,901	12,936	13,649	13,348	12,889	13,327	12,349	12,538
Female	146,722	11,955	11,409	12,817	11,949	12,176	12,046	13,052	12,934	12,203	12,515	11,636	11,930
White	274,783	22,586	21,012	24,150	22,561	23,036	22,764	24,290	23,915	22,800	23,634	21,796	22,237
Male	141,046	11,709	10,635	12,368	11,575	11,862	11,812	12,439	12,131	11,740	12,157	11,194	11,424
Female	133,737	10,879	10,377	11,782	10,986	11,174	10,952	11,851	11,784	11,060	11,477	10,602	10,813
Nonwhite	26,504	2,222	2,011	2,212	2,000	2,041	2,220	2,411	2,367	2,292	2,308	2,189	2,251
Male	13,519	1,146	979	1,177	1,037	1,039	1,126	1,210	1,217	1,149	1,170	1,155	1,114
Female	12,985	1,076	1,032	1,035	963	1,002	1,094	1,201	1,150	1,143	1,138	1,034	1,117
NORTH CAROLINA	107,970	8,927	8,499	9,230	8,309	8,741	8,721	9,494	9,739	9,558	9,169	8,540	9,043
Male	55,291	4,600	4,390	4,804	4,248	4,479	4,427	4,871	5,044	4,942	4,626	4,402	4,658
Female	52,679	4,327	4,109	4,426	4,061	4,262	4,294	4,623	4,695	4,616	4,543	4,138	4,385
White	72,415	5,884	5,641	6,140	5,566	5,839	5,877	6,437	6,608	6,487	6,162	5,796	5,978
Male	37,394	3,033	2,949	3,105	2,886	3,033	2,973	3,344	3,440	3,392	3,115	3,010	3,114
Female	35,021	2,851	2,692	3,035	2,680	2,806	2,904	3,093	3,168	3,095	3,047	2,786	2,864
Nonwhite	35,555	3,043	2,858	3,090	2,743	2,902	2,844	3,057	3,131	3,071	3,007	2,744	3,065
Male	17,897	1,567	1,441	1,499	1,362	1,446	1,454	1,527	1,604	1,550	1,511	1,392	1,544
Female	17,658	1,476	1,417	1,591	1,381	1,456	1,390	1,530	1,527	1,521	1,496	1,352	1,521
NORTH DAKOTA	16,846	1,255	1,230	1,409	1,313	1,447	1,429	1,579	1,486	1,520	1,523	1,315	1,330
Male	8,727	644	641	709	638	736	744	820	789	807	774	703	692
Female	8,119	611	589	700	675	681	685	759	707	713	749	612	638
White	16,475	1,222	1,202	1,375	1,286	1,411	1,398	1,545	1,458	1,485	1,487	1,293	1,303
Male	8,525	627	627	686	623	747	733	798	787	796	755	689	677
Female	7,950	595	575	689	663	664	665	747	691	699	732	604	626
Nonwhite	371	33	28	34	27	36	31	34	28	25	36	22	27
Male	202	17	14	23	15	19	11	22	22	11	19	14	15
Female	169	16	14	11	12	17	20	12	16	14	17	8	12
OHIO	169,428	15,742	14,695	16,082	14,661	15,482	15,309	16,732	17,105	16,581	16,321	15,323	15,385
Male	97,257	8,054	7,568	8,300	7,500	8,012	7,872	8,665	8,589	8,517	8,352	7,964	7,884
Female	92,171	7,698	7,127	7,782	7,161	7,480	7,437	8,067	8,516	8,064	7,969	7,359	7,521
White	145,061	14,537	13,598	14,923	13,605	14,363	14,155	15,382	15,793	15,338	15,099	14,120	14,150
Male	69,943	7,421	7,044	7,703	6,975	7,423	7,279	7,983	7,944	7,861	7,732	7,339	7,239
Female	65,118	7,116	6,554	7,220	6,630	6,940	6,874	7,399	7,849	7,477	7,367	6,781	6,911
Nonwhite	14,367	1,205	1,097	1,159	1,056	1,129	1,156	1,350	1,312	1,243	1,222	1,203	1,235
Male	7,314	633	524	597	525	569	593	682	645	656	620	625	625
Female	7,053	572	573	562	531	540	563	668	667	587	602	578	610
OKLAHOMA	49,702	4,357	3,826	4,000	3,500	3,471	3,738	4,521	4,759	4,576	4,525	4,206	4,223
Male	25,443	2,266	1,971	2,019	1,778	1,867	1,987	2,293	2,391	2,340	2,320	2,148	2,163
Female	24,259	2,091	1,855	1,981	1,722	1,604	1,851	2,228	2,368	2,236	2,205	2,058	2,060
White	44,114	3,850	3,349	3,485	3,112	3,061	3,330	4,035	4,200	4,081	4,073	3,778	3,762
Male	22,699	2,034	1,741	1,763	1,569	1,647	1,692	2,043	2,128	2,095	2,114	1,939	1,934
Female	21,415	1,816	1,608	1,722	1,543	1,414	1,638	1,990	2,072	1,986	1,959	1,839	1,828
Nonwhite	5,588	507	477	515	388	410	408	488	559	495	452	428	461
Male	2,744	232	230	256	209	220	195	250	263	245	206	209	229
Female	2,844	275	247	259	179	190	213	238	296	250	246	219	232
OREGON	35,316	2,792	2,537	2,948	2,946	3,024	3,044	3,083	3,216	3,037	2,984	2,775	2,920
Male	18,047	1,464	1,315	1,499	1,516	1,543	1,534	1,591	1,634	1,502	1,508	1,426	1,515
Female	17,269	1,328	1,222	1,449	1,430	1,481	1,510	1,492	1,582	1,535	1,486	1,349	1,405
White	34,601	2,742	2,495	2,890	2,881	2,958	2,968	3,024	3,149	2,974	2,942	2,720	2,858
Male	17,686	1,440	1,287	1,469	1,484	1,512	1,501	1,555	1,596	1,472	1,486	1,393	1,481
Female	16,915	1,302	1,198	1,421	1,397	1,446	1,467	1,469	1,553	1,502	1,456	1,327	1,377
Nonwhite	715	50	42	58	65	66	76	59	67	63	52	55	62
Male	361	24	18	30	32	31	33	36	38	30	22	33	34
Female	354	26	24	28	33	35	43	23	29	33	30	22	28
PENNSYLVANIA	224,581	18,685	17,207	19,134	17,512	18,317	18,154	20,117	20,110	19,546	19,522	18,156	18,121
Male	115,486	9,579	8,863	9,980	9,062	9,343	9,225	10,446	10,314	10,085	9,930	9,365	9,294
Female	109,095	9,106	8,324	9,174	8,450	8,974	8,929	9,671	9,796	9,461	9,592	8,791	8,827
White	207,720	17,286	15,900	17,732	16,259	16,961	16,762	18,537	18,555	18,024	18,067	16,843	16,794
Male	106,909	8,850	8,211	9,255	8,445	8,627	8,514	9,643	9,554	9,289	9,169	8,724	8,630
Female	100,811	8,436	7,689	8,477	7,816	8,334	8,248	8,894	9,001	8,735	8,898	8,119	8,164
Nonwhite	16,861	1,399	1,307	1,402	1,253	1,356	1,392	1,580	1,555	1,522	1,455	1,313	1,327
Male	8,577	729	672	705	619	716	711	803	760	796	761	841	664
Female	8,284	670	635	697	634	640	681	777	795	726	694	672	663
RHODE ISLAND	16,492	1,420	1,230	1,475	1,312	1,424	1,335	1,383	1,416	1,375	1,467	1,326	1,329
Male	8,504	732	621	764	692	713	704	722	711	725	759	689	672
Female	7,988	688	609	711	620	711	631	661	705	650	708	637	657
White	16,070	1,380	1,206	1,438	1,277	1,388	1,301	1,346	1,387	1,331	1,437	1,280	1,291
Male	8,285	712	603	745	672	694	691	701	697	699	739	671	655
Female	7,785	668	597	693	605	692	610	645	690	632	698	619	636
Nonwhite	422	40	24	37	35	36	34	37	29	44	30	36	38
Male	219	20	18	19	20	18	13	21	14	25	20	18	17
Female	203	20	12	18	15	18	21	16	15	18	10	18	21
SOUTH CAROLINA	58,516	5,185	4,564	5,002	4,280	4,598	4,720	5,362	5,373	5,094	5,012	4,685	4,661
Male	30,027	2,758	2,340	2,532	2,203	2,334	2,418	2,753	2,768	2,609	2,607	2,321	2,384
Female	28,489	2,427	2,224	2,470	2,077	2,264	2,302	2,609	2,605	2,485	2,405	2,364	2,277
White	31,649	2,708	2,391	2,594	2,291	2,430	2,574	2,930	2,983	2,740	2,823	2,594	2,591
Male	16,448	1,442	1,254	1,319	1,167	1,258	1,353	1,535	1,576	1,413	1,475	1,313	1,343
Female	15,201	1,266	1,137	1,275	1,124	1,172	1,221	1,395	1,407	1,327	1,348	1,281	1,248
Nonwhite	26,867	2,477	2,173	2,408	1,989	2,168	2,146	2,432	2,390	2,354	2,189	2,071	2,070
Male	13,579	1,316	1,086	1,213	1,036	1,076	1,085	1,218	1,192	1,196	1,132	1,008	1,041
Female	13,288	1,161	1,087	1,195	953	1,092	1,061	1,214	1,198	1,158	1,057	1,063	1,029

TABLE 3.—LIVE BIRTHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	17,211	1,359	1,291	1,407	1,299	1,363	1,433	1,523	1,622	1,502	1,494	1,459	1,459
Male	8,882	694	686	732	667	708	724	749	846	772	758	772	784
Female	8,329	675	605	675	632	655	709	774	776	730	736	687	675
White	16,486	1,305	1,233	1,344	1,237	1,309	1,357	1,448	1,576	1,442	1,438	1,400	1,397
Male	8,533	655	652	703	641	685	686	711	825	746	732	744	753
Female	7,953	650	581	641	596	624	671	737	751	696	706	656	644
Nonwhite	725	54	58	63	62	54	76	75	46	60	56	59	62
Male	349	29	34	29	26	23	38	38	21	26	26	28	31
Female	376	25	24	34	36	31	38	37	25	34	30	31	31
TENNESSEE	82,854	7,185	6,601	6,933	6,267	6,568	6,540	7,592	7,495	7,267	7,181	6,835	6,590
Male	42,433	3,715	3,370	3,516	3,212	3,397	3,366	3,968	3,858	3,642	3,691	3,350	3,350
Female	40,421	3,470	3,231	3,417	3,055	3,171	3,174	3,626	3,637	3,625	3,490	3,285	3,240
White	67,573	5,832	5,383	5,658	5,133	5,396	5,298	6,154	6,120	5,965	5,899	5,400	5,335
Male	34,682	3,029	2,725	2,871	2,627	2,804	2,732	3,218	3,197	2,998	3,033	2,752	2,698
Female	32,891	2,803	2,658	2,787	2,506	2,592	2,566	2,936	2,923	2,969	2,866	2,648	2,637
Nonwhite	15,281	1,353	1,218	1,275	1,134	1,172	1,242	1,438	1,375	1,302	1,282	1,235	1,255
Male	7,751	686	645	645	585	593	634	748	661	646	658	598	652
Female	7,530	667	573	630	549	579	608	690	714	656	624	637	603
TEXAS	202,297	17,485	15,069	15,291	12,944	13,659	15,658	18,500	20,064	19,175	18,727	17,721	18,004
Male	103,315	8,961	7,652	7,811	6,597	6,961	8,066	9,428	10,375	9,699	9,564	9,057	9,144
Female	98,982	8,524	7,417	7,480	6,347	6,698	7,592	9,072	9,689	9,476	9,163	8,664	8,860
White	175,709	15,118	13,047	13,233	11,287	11,824	13,591	16,019	17,438	16,594	16,420	15,451	15,687
Male	90,003	7,746	6,651	6,741	5,785	6,057	7,006	8,177	8,095	8,406	8,402	7,921	8,016
Female	85,706	7,372	6,396	6,492	5,502	5,767	6,585	7,842	8,343	8,188	8,018	7,530	7,671
Nonwhite	26,588	2,367	2,022	2,058	1,657	1,835	2,067	2,481	2,626	2,581	2,307	2,270	2,317
Male	13,312	1,215	1,001	1,070	812	904	1,060	1,251	1,280	1,293	1,162	1,136	1,128
Female	13,276	1,152	1,021	988	845	931	1,007	1,230	1,346	1,288	1,145	1,134	1,189
UTAH	21,164	1,749	1,574	1,818	1,785	1,869	1,844	1,869	1,806	1,719	1,729	1,690	1,702
Male	11,021	948	825	946	927	978	922	967	942	883	906	885	892
Female	10,145	801	749	872	858	891	922	902	864	836	823	805	810
White	20,888	1,716	1,552	1,792	1,772	1,847	1,815	1,851	1,790	1,698	1,708	1,674	1,673
Male	10,890	936	814	933	915	969	907	961	936	873	896	877	873
Female	9,998	780	738	859	857	878	908	890	854	825	812	797	800
Nonwhite	276	33	22	26	23	22	29	18	16	21	21	16	29
Male	131	12	11	13	12	9	15	6	8	10	10	6	19
Female	145	21	11	13	11	13	14	12	10	11	11	10	10
VERMONT	9,297	769	722	826	747	771	820	859	677	769	820	747	770
Male	4,807	382	387	430	398	406	421	437	350	396	428	385	387
Female	4,490	387	335	396	349	365	399	422	327	373	392	362	383
White	9,293	768	721	826	747	771	820	859	677	767	820	747	770
Male	4,807	382	387	430	398	406	421	437	350	396	428	385	387
Female	4,486	386	334	396	349	365	399	422	327	371	392	362	383
Nonwhite	4	1	1	-	-	-	-	-	-	2	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	1	1	-	-	-	-	-	-	2	-	-	-
VIRGINIA	82,960	6,868	6,433	7,001	6,304	6,487	6,708	7,461	7,430	7,498	7,098	6,792	6,779
Male	42,541	3,550	3,266	3,616	3,311	3,365	3,417	3,856	3,819	3,821	3,588	3,502	3,430
Female	40,419	3,318	3,167	3,385	2,993	3,122	3,291	3,605	3,611	3,678	3,510	3,290	3,349
White	61,351	5,141	4,740	5,280	4,678	4,841	4,996	5,464	5,457	5,560	5,293	5,078	4,945
Male	31,546	2,624	2,390	2,698	2,453	2,535	2,487	2,851	2,833	2,845	2,720	2,608	2,512
Female	29,805	2,517	2,350	2,572	2,225	2,306	2,409	2,613	2,624	2,715	2,573	2,469	2,433
Nonwhite	21,609	1,727	1,693	1,741	1,626	1,646	1,812	1,997	1,973	1,938	1,805	1,716	1,834
Male	10,995	926	876	928	858	830	930	1,005	986	976	868	894	918
Female	10,614	801	817	813	768	816	882	992	987	963	937	822	916
WASHINGTON	56,542	4,441	4,246	4,717	4,495	4,983	4,909	5,074	5,002	4,853	4,749	4,386	4,807
Male	28,817	2,247	2,139	2,417	2,329	2,576	2,479	2,542	2,594	2,529	2,418	2,263	2,284
Female	27,725	2,194	2,107	2,300	2,166	2,387	2,430	2,532	2,408	2,424	2,331	2,123	2,323
White	54,631	4,288	4,108	4,546	4,366	4,811	4,749	4,887	4,822	4,776	4,585	4,248	4,445
Male	27,839	2,163	2,063	2,328	2,268	2,501	2,401	2,441	2,503	2,442	2,330	2,191	2,208
Female	26,792	2,125	2,045	2,218	2,098	2,310	2,348	2,446	2,319	2,334	2,255	2,057	2,237
Nonwhite	1,911	153	138	171	129	152	160	187	180	177	164	138	162
Male	978	84	76	89	61	75	78	101	91	87	88	72	76
Female	933	69	62	82	68	77	82	86	89	90	76	66	86
WEST VIRGINIA	52,586	4,583	4,160	4,516	4,017	4,375	4,295	4,631	4,632	4,489	4,509	4,162	4,217
Male	26,925	2,378	2,114	2,244	2,047	2,245	2,182	2,395	2,418	2,290	2,367	2,115	2,160
Female	25,661	2,205	2,046	2,272	1,970	2,130	2,143	2,236	2,214	2,199	2,142	2,047	2,057
White	49,684	4,333	3,934	4,266	3,810	4,129	4,031	4,371	4,387	4,241	4,253	3,932	3,997
Male	25,436	2,244	1,996	2,107	1,952	2,112	2,012	2,261	2,299	2,166	2,242	1,989	2,056
Female	24,248	2,089	1,938	2,159	1,858	2,017	2,019	2,110	2,088	2,075	2,011	1,943	1,941
Nonwhite	2,902	250	226	250	207	246	264	260	245	248	256	230	220
Male	1,488	134	118	137	95	133	140	134	119	124	125	126	104
Female	1,413	116	108	113	112	113	124	126	126	124	131	104	116
WISCONSIN	82,949	6,773	6,160	7,054	6,678	6,932	6,792	7,297	7,572	7,174	7,189	6,667	6,661
Male	42,763	3,521	3,114	3,678	3,493	3,605	3,441	3,824	3,938	3,687	3,621	3,403	3,438
Female	40,186	3,252	3,046	3,376	3,185	3,327	3,351	3,473	3,634	3,487	3,568	3,264	3,223
White	81,513	6,661	6,042	6,934	6,556	6,828	6,664	7,154	7,434	7,067	7,071	6,540	6,542
Male	42,045	3,473	3,059	3,614	3,425	3,557	3,378	3,754	3,876	3,630	3,555	3,342	3,382
Female	39,468	3,208	2,983	3,320	3,131	3,271	3,286	3,400	3,558	3,437	3,516	3,198	3,160
Nonwhite	1,436	92	118	120	122	104	128	143	138	107	118	127	119
Male	718	48	55	64	68	48	63	70	62	57	66	61	56
Female	718	44	63	56	54	56	65	73	76	50	52	66	63
WYOMING	7,490	585	552	610	614	650	668	668	692	659	635	581	576
Male	3,892	315	259	292	320	346	340	357	383	372	325	288	295
Female	3,598	270	293	318	294	304	328	311	309	287	310	293	281
White	7,310	568	535	590	599	641	654	653	676	648	622	566	556
Male	3,797	306	249	284	312	339	332	348	373	367	322	281	284
Female	3,513	262	286	306	287	302	322	305	303	281	300	287	272
Nonwhite	180	17	17	20	15	9	14	15	16	11	13	13	20
Male	95	9	10	8	8	7	8	9	10	5	3	7	11
Female	85	8	7	12	7	2	6	6	6	6	10	6	9

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UNITED STATES	3,559,529	5,016	433,028	1,154,824	1,007,237	581,350	291,234	74,300	5,051	150	7,339
White, mother native	2,977,781	1,707	328,489	972,904	865,869	502,067	239,674	59,385	3,772	94	3,840
White, mother foreign	104,251	22	3,577	25,475	34,204	19,089	15,987	5,370	463	14	100
White, mother's nativity not stated	1,589	2	153	333	276	173	122	36	-	-	594
Negro	453,235	3,239	98,176	148,876	100,659	56,382	33,492	8,881	739	36	2,743
Other	22,573	46	2,633	7,234	6,229	3,629	2,009	648	77	6	62
Urban	2,093,317	2,413	221,954	687,498	625,265	352,552	162,796	36,246	1,979	71	2,543
White, mother native	1,749,276	757	165,120	576,930	536,280	304,949	134,007	28,317	1,394	47	1,475
White, mother foreign	76,885	12	2,147	17,877	25,788	14,487	12,207	4,003	319	8	57
White, mother's nativity not stated	923	-	80	200	163	117	82	20	-	-	261
Negro	256,152	1,636	53,869	89,058	59,968	31,296	15,671	3,664	240	13	737
Other	10,081	8	718	3,453	3,066	1,723	829	242	26	3	13
Places of 100,000 or more	981,576	1,151	95,224	316,181	301,128	171,223	78,148	16,892	836	24	769
White, mother native	777,038	276	62,724	249,924	247,048	142,779	61,102	12,250	514	14	409
White, mother foreign	43,679	2	954	9,494	14,876	8,451	7,515	2,382	182	3	20
White, mother's nativity not stated	473	-	29	105	104	53	42	11	-	-	129
Negro	153,541	872	31,136	54,351	37,037	18,782	8,939	2,087	124	7	206
Other	6,645	1	381	2,307	2,065	1,158	550	162	16	-	5
Places of 25,000 to 100,000	429,464	467	45,819	142,940	128,248	71,088	32,613	7,343	403	23	520
White, mother native	369,729	168	35,604	123,700	113,042	62,860	27,710	6,007	297	15	326
White, mother foreign	14,016	8	423	3,377	4,674	2,637	2,107	716	57	3	16
White, mother's nativity not stated	178	-	21	41	27	23	20	5	-	-	41
Negro	44,326	292	8,672	15,406	10,149	5,360	2,668	594	47	3	135
Other	1,215	1	99	416	356	208	108	21	2	2	2
Places of 10,000 to 25,000	301,274	333	33,349	101,037	88,443	49,364	22,828	5,135	299	9	477
White, mother native	263,864	123	26,875	89,044	78,923	44,264	19,815	4,286	234	7	293
White, mother foreign	8,679	-	309	2,303	2,982	1,513	1,126	398	36	1	10
White, mother's nativity not stated	107	-	10	19	14	22	13	2	-	-	27
Negro	27,703	207	6,071	9,355	6,242	3,419	1,811	425	28	1	144
Other	921	3	84	316	282	146	63	23	1	-	3
Places of 2,500 to 10,000	381,003	462	47,562	127,340	107,446	60,877	29,207	6,876	441	15	777
White, mother native	338,645	190	39,917	114,262	97,269	55,048	25,380	5,774	349	11	447
White, mother foreign	10,311	4	461	2,703	3,256	1,866	1,459	506	44	1	11
White, mother's nativity not stated	165	-	20	35	18	19	7	2	-	-	64
Negro	30,562	265	7,010	9,926	6,540	3,735	2,253	558	41	2	252
Other	1,300	3	154	414	363	211	108	36	7	1	3
Rural	1,466,212	2,603	211,074	467,326	381,972	228,798	128,438	38,054	3,072	79	4,796
White, mother native	1,228,505	950	163,369	395,974	329,589	197,118	105,667	31,048	2,378	47	2,365
White, mother foreign	27,366	10	1,430	7,598	8,416	4,622	3,730	1,367	144	6	43
White, mother's nativity not stated	766	2	73	133	113	56	40	16	-	-	333
Negro	197,083	1,603	44,287	59,840	40,691	25,096	17,821	5,217	499	23	2,006
Other	12,492	38	1,915	5,781	3,163	1,906	1,180	406	51	3	49
ALABAMA	84,418	258	15,575	27,220	19,692	11,574	7,164	2,089	188	6	652
White, mother native	51,887	57	8,418	17,040	12,974	7,527	4,222	1,279	110	1	259
White, mother foreign	304	-	6	140	101	30	16	10	-	-	1
White, mother's nativity not stated	22	-	2	2	4	2	2	-	-	-	10
Negro	32,177	201	7,147	10,026	6,608	4,010	2,921	799	78	5	382
Other	28	-	2	12	5	5	3	1	-	-	-
Urban	31,725	86	5,396	11,077	8,078	4,223	2,176	496	32	-	163
White, mother native	19,461	10	2,684	6,978	5,458	2,718	1,251	287	18	-	56
White, mother foreign	190	-	4	76	69	23	12	6	-	-	-
White, mother's nativity not stated	4	-	-	1	1	1	1	-	-	-	-
Negro	12,059	76	2,708	4,013	2,546	1,480	912	203	14	-	107
Other	11	-	-	9	1	1	-	-	-	-	-
Places of 100,000 or more	8,159	29	1,362	2,857	2,093	1,092	586	109	7	-	44
White, mother native	4,482	2	525	1,634	1,324	649	287	45	4	-	12
White, mother foreign	56	-	-	16	23	9	4	4	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	3,614	27	837	1,181	745	434	295	60	3	-	32
Other	5	-	-	5	-	-	-	-	-	-	-
Places of 25,000 to 100,000	10,055	21	1,575	3,542	2,722	1,338	665	158	8	-	46
White, mother native	6,285	4	806	2,239	1,854	869	409	85	7	-	12
White, mother foreign	71	-	2	34	22	10	3	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	1	-	-	-	-
Negro	3,694	17	767	1,268	845	457	252	53	1	-	34
Other	3	-	-	1	1	1	-	-	-	-	-
Places of 10,000 to 25,000	5,473	12	1,034	1,958	1,340	655	365	80	5	-	24
White, mother native	3,248	1	496	1,187	898	413	205	39	3	-	6
White, mother foreign	32	-	2	13	13	1	2	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,193	11	536	758	429	241	158	40	2	-	18
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	8,038	24	1,425	2,740	1,921	1,138	560	169	12	-	49
White, mother native	5,446	3	857	1,918	1,383	787	350	118	4	-	26
White, mother foreign	31	-	-	13	11	3	3	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,558	21	568	806	527	348	207	50	8	-	23
Other	3	-	-	3	-	-	-	-	-	-	-
Rural	52,693	172	10,179	16,143	11,616	7,351	4,988	1,593	156	6	489
White, mother native	32,426	47	5,734	10,062	7,515	4,809	2,971	992	92	1	203
White, mother foreign	114	-	2	64	32	7	4	4	-	-	1
White, mother's nativity not stated	18	-	2	1	3	1	1	-	-	-	10
Negro	20,118	125	4,439	6,013	4,062	2,530	2,009	596	64	5	275
Other	17	-	2	3	4	4	3	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
ARIZONA	20,275	24	2,819	6,673	5,428	3,153	1,671	443	47	2	15
White, mother native	16,435	10	2,300	5,540	4,492	2,534	1,238	292	22	1	6
White, mother foreign	1,059	-	53	259	274	220	187	61	1	-	4
White, mother's nativity not stated	26	-	3	13	5	2	2	-	-	-	1
Negro	715	8	169	211	181	90	46	9	-	-	1
Other	2,040	6	294	650	476	307	198	81	24	1	3
Urban	11,765	13	1,415	3,910	3,341	1,930	923	213	11	-	9
White, mother native	10,343	4	1,252	3,500	2,976	1,677	757	163	10	-	4
White, mother foreign	700	-	36	173	197	135	114	42	-	-	3
White, mother's nativity not stated	12	-	2	7	1	1	1	-	-	-	-
Negro	474	8	107	148	116	59	31	4	-	-	1
Other	236	1	18	82	51	58	20	4	1	-	1
Places of 25,000 to 100,000	8,373	11	944	2,726	2,461	1,420	650	146	9	-	6
White, mother native	7,426	4	826	2,458	2,209	1,258	544	116	9	-	2
White, mother foreign	389	-	12	84	125	79	63	24	-	-	2
White, mother's nativity not stated	10	-	2	6	1	-	1	-	-	-	-
Negro	404	7	93	125	99	49	26	4	-	-	1
Other	144	-	11	53	27	34	16	2	-	-	1
Places of 2,500 to 10,000	3,382	2	471	1,184	880	510	273	67	2	-	3
White, mother native	2,917	-	426	1,042	767	419	213	47	1	-	2
White, mother foreign	311	-	24	89	72	56	51	18	-	-	1
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	70	1	14	23	17	10	5	-	-	-	-
Other	92	1	7	29	24	24	4	2	1	-	-
Rural	8,510	11	1,404	2,763	2,087	1,223	748	230	36	2	6
White, mother native	6,092	6	1,048	2,040	1,516	857	481	129	12	1	2
White, mother foreign	359	-	17	86	77	85	73	19	1	-	1
White, mother's nativity not stated	14	-	1	6	4	1	1	-	-	-	1
Negro	241	-	62	63	65	31	15	5	-	-	-
Other	1,804	5	276	568	425	249	178	77	23	1	2
ARKANSAS	45,609	170	8,996	14,637	10,353	6,076	3,819	1,200	93	7	258
White, mother native	34,010	36	6,265	11,234	8,089	4,506	2,752	897	67	5	159
White, mother foreign	197	-	8	73	64	21	25	4	-	-	2
White, mother's nativity not stated	8	-	-	2	3	-	-	-	-	-	3
Negro	11,359	134	2,718	3,316	2,185	1,548	1,038	298	26	2	94
Other	35	-	5	12	12	1	4	1	-	-	-
Urban	14,747	37	2,492	5,167	3,786	1,973	996	220	13	2	61
White, mother native	11,412	6	1,763	4,108	3,081	1,521	721	163	10	2	37
White, mother foreign	91	-	2	36	35	11	4	1	-	-	2
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	3,229	31	725	1,018	666	441	268	56	5	-	21
Other	13	-	2	5	3	-	3	-	-	-	-
Places of 25,000 to 100,000	3,927	8	568	1,389	1,082	555	255	52	2	-	6
White, mother native	3,072	2	401	1,093	884	444	190	42	1	-	5
White, mother foreign	49	-	-	24	18	5	2	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	801	6	166	272	178	106	62	10	1	-	-
Other	4	-	1	-	2	-	1	-	-	-	-
Places of 10,000 to 25,000	4,227	8	729	1,480	1,068	592	274	58	3	-	15
White, mother native	3,177	1	492	1,165	834	441	193	40	2	-	9
White, mother foreign	19	-	1	4	9	4	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,030	7	236	311	225	147	79	18	1	-	6
Other	1	-	-	-	-	-	1	-	-	-	-
Places of 2,500 to 10,000	6,593	21	1,195	2,298	1,626	826	467	110	8	2	40
White, mother native	5,163	3	870	1,850	1,353	636	338	81	7	2	23
White, mother foreign	23	-	1	8	8	2	1	1	-	-	2
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	1,398	18	323	435	265	188	127	28	1	-	15
Other	8	-	1	5	1	-	1	-	-	-	-
Rural	30,862	133	6,504	9,470	6,567	4,103	2,823	980	80	5	197
White, mother native	22,598	30	4,502	7,126	5,008	2,985	2,031	734	57	3	122
White, mother foreign	106	-	6	37	29	10	21	3	-	-	-
White, mother's nativity not stated	6	-	-	2	2	-	-	-	-	-	2
Negro	8,130	103	1,993	2,298	1,519	1,107	770	242	23	2	73
Other	22	-	3	7	9	1	1	1	-	-	-
CALIFORNIA	245,199	197	28,513	80,904	73,599	39,515	18,151	4,060	226	6	28
White, mother native	211,233	129	25,111	70,786	63,493	33,718	14,731	3,097	150	2	16
White, mother foreign	13,532	3	467	3,075	4,378	2,787	2,117	647	53	3	2
White, mother's nativity not stated	20	1	4	2	2	1	3	1	-	-	6
Negro	13,609	60	2,414	4,836	3,649	1,850	804	187	7	-	2
Other	6,805	4	517	2,205	2,077	1,159	496	128	16	1	2
Urban	166,767	138	17,513	54,637	51,473	27,741	12,496	2,622	128	4	15
White, mother native	140,662	84	14,849	46,749	43,668	23,283	9,995	1,944	85	2	5
White, mother foreign	9,622	1	326	2,173	3,186	2,019	1,454	436	24	1	2
White, mother's nativity not stated	13	-	1	2	1	1	2	-	-	-	6
Negro	11,761	50	2,053	4,117	3,128	1,592	668	145	7	-	1
Other	4,709	3	284	1,596	1,430	846	377	97	14	1	1
Places of 100,000 or more	85,925	76	8,181	27,238	26,292	14,312	6,422	1,327	68	-	9
White, mother native	66,728	39	6,381	21,831	21,220	11,413	4,896	904	42	-	2
White, mother foreign	5,393	-	184	1,224	1,795	1,146	792	242	10	-	-
White, mother's nativity not stated	7	-	-	1	1	-	-	-	-	-	5
Negro	8,510	37	1,448	3,027	2,261	1,158	464	108	6	-	1
Other	3,287	-	168	1,155	1,015	595	270	73	10	-	1

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
CALIFORNIA—Continued											
Places of 25,000 to 100,000	30,244	18	3,241	9,999	9,252	4,994	2,237	485	15	2	1
White, mother native	26,507	11	2,823	8,946	8,144	4,337	1,845	389	10	1	1
White, mother foreign	1,418	1	42	299	466	308	231	66	3	-	-
White, mother's nativity not stated	2	-	-	-	-	1	1	-	-	-	-
Negro	1,740	5	339	573	456	239	107	20	1	-	-
Other	579	1	37	181	186	109	53	10	1	1	-
Places of 10,000 to 25,000	23,753	23	2,634	7,804	7,369	3,882	1,676	344	18	1	2
White, mother native	20,989	16	2,354	6,995	6,497	3,433	1,401	280	12	-	1
White, mother foreign	1,198	-	43	282	409	233	175	49	6	1	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	1,158	7	205	394	318	151	74	9	-	-	-
Other	405	-	32	132	145	65	25	6	-	-	-
Places of 2,500 to 10,000	28,845	21	3,457	9,596	8,560	4,553	2,161	466	27	1	3
White, mother native	26,438	18	3,291	8,977	7,807	4,100	1,653	371	19	1	1
White, mother foreign	1,615	-	57	368	516	332	256	79	5	-	2
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	353	1	61	123	93	44	23	8	-	-	-
Other	438	2	47	128	144	77	29	8	3	-	-
Rural	78,432	58	11,000	26,267	22,126	11,774	5,655	1,438	98	2	13
White, mother native	70,571	45	10,262	24,037	19,825	10,435	4,736	1,153	67	-	11
White, mother foreign	3,910	2	141	902	1,192	768	663	211	28	2	-
White, mother's nativity not stated	7	1	3	-	1	-	1	1	-	-	-
Negro	2,048	10	361	719	521	258	156	42	-	-	1
Other	1,896	1	233	609	587	313	119	31	2	-	1
COLORADO	32,894	19	3,914	11,274	9,444	5,055	2,482	649	44	1	12
White, mother native	31,462	15	3,769	10,854	8,999	4,847	2,327	604	38	1	8
White, mother foreign	662	-	21	175	214	109	100	38	5	-	-
White, mother's nativity not stated	13	-	3	3	-	3	2	-	-	-	2
Negro	551	3	105	190	142	69	38	4	-	-	-
Other	206	1	16	52	89	27	15	3	1	-	2
Urban	20,149	12	2,257	6,971	6,049	3,091	1,411	332	21	1	4
White, mother native	19,093	9	2,136	6,655	5,707	2,936	1,318	311	17	1	3
White, mother foreign	422	-	13	112	155	76	48	15	3	-	-
White, mother's nativity not stated	5	-	1	1	-	1	1	-	-	-	1
Negro	525	3	102	178	137	67	34	4	-	-	-
Other	104	-	5	25	50	11	10	2	1	-	-
Places of 100,000 or more	10,143	6	1,015	3,450	3,180	1,613	711	157	11	-	-
White, mother native	9,418	3	921	3,232	2,954	1,504	651	144	9	-	-
White, mother foreign	207	-	6	44	75	46	26	9	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	437	3	84	154	111	55	27	3	-	-	-
Other	81	-	4	20	40	8	7	1	1	-	-
Places of 25,000 to 100,000	3,141	1	417	1,077	880	495	220	48	2	-	1
White, mother native	2,980	1	397	1,026	829	470	207	47	2	-	1
White, mother foreign	80	-	4	28	29	14	5	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	73	-	16	20	19	10	7	1	-	-	-
Other	7	-	-	3	3	-	1	-	-	-	-
Places of 10,000 to 25,000	2,400	1	255	906	711	331	156	37	1	1	1
White, mother native	2,343	1	254	888	689	325	148	36	1	1	-
White, mother foreign	48	-	-	16	16	6	7	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	5	-	-	2	3	-	-	-	-	-	-
Other	5	-	1	-	3	-	1	-	-	-	-
Places of 2,500 to 10,000	4,465	4	570	1,536	1,278	652	324	90	7	-	2
White, mother native	4,352	4	564	1,509	1,235	637	312	84	5	-	2
White, mother foreign	89	-	3	24	35	10	10	5	2	-	-
White, mother's nativity not stated	3	-	1	1	-	-	1	-	-	-	-
Negro	10	-	2	2	4	2	-	-	-	-	-
Other	11	-	-	2	4	3	1	1	-	-	-
Rural	12,745	7	1,657	4,303	3,395	1,964	1,071	317	23	-	8
White, mother native	12,369	6	1,633	4,199	3,292	1,911	1,009	293	21	-	5
White, mother foreign	240	-	8	63	59	33	52	23	2	-	-
White, mother's nativity not stated	8	-	2	2	-	2	1	-	-	-	1
Negro	26	-	3	12	5	2	4	-	-	-	-
Other	102	1	11	27	39	16	5	1	-	-	2
CONNECTICUT	40,887	10	2,083	11,364	13,836	8,898	3,807	820	45	3	21
White, mother native	37,159	2	1,824	10,350	12,674	8,305	3,292	660	31	3	18
White, mother foreign	2,427	-	48	519	816	445	443	141	14	-	1
White, mother's nativity not stated	9	-	-	-	1	2	2	2	-	-	2
Negro	1,259	8	208	481	336	142	68	16	-	-	-
Other	33	-	3	14	9	4	2	1	-	-	-
Urban	27,123	9	1,399	7,662	9,254	5,776	2,449	526	32	2	14
White, mother native	24,218	2	1,179	6,838	8,368	5,334	2,057	404	22	2	12
White, mother foreign	1,712	-	32	362	568	307	326	106	10	-	1
White, mother's nativity not stated	7	-	-	-	1	1	2	2	-	-	1
Negro	1,159	7	186	450	310	130	62	14	-	-	-
Other	27	-	2	12	7	4	2	-	-	-	-
Places of 100,000 or more	10,641	7	605	3,049	3,593	2,220	940	206	12	2	7
White, mother native	9,145	1	461	2,597	3,148	2,008	761	153	7	2	7
White, mother foreign	734	-	16	156	244	127	143	43	5	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	1	-	-	-
Negro	749	6	127	288	200	84	35	9	-	-	-
Other	12	-	1	8	1	1	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
CONNECTICUT—Continued											
Places of 25,000 to 100,000	10,598	-	458	2,928	3,611	2,342	1,021	218	14	-	6
White, mother native	9,587	-	401	2,659	3,301	2,179	860	172	11	-	4
White, mother foreign	669	-	10	133	220	123	136	43	3	-	1
White, mother's nativity not stated	5	-	-	-	-	1	2	1	-	-	1
Negro	327	-	47	133	86	36	23	2	-	-	-
Other	10	-	-	3	4	3	-	-	-	-	-
Places of 10,000 to 25,000	4,390	1	240	1,246	1,519	922	375	84	3	-	-
White, mother native	4,068	-	223	1,159	1,412	874	331	67	2	-	-
White, mother foreign	238	-	5	58	85	38	39	14	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	80	1	11	28	23	10	4	3	-	-	-
Other	4	-	1	1	1	-	1	-	-	-	-
Places of 2,500 to 10,000	1,494	1	96	439	551	282	113	18	3	-	1
White, mother native	1,418	1	94	423	507	273	105	12	2	-	1
White, mother foreign	71	-	1	15	21	19	8	6	1	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	3	-	1	1	1	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Rural	13,764	1	684	3,702	4,582	3,122	1,358	294	13	1	7
White, mother native	12,941	-	645	3,512	4,306	2,971	1,235	256	9	1	6
White, mother foreign	715	-	16	157	248	138	117	35	4	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	100	1	22	31	26	12	6	2	-	-	-
Other	6	-	1	2	2	-	-	1	-	-	-
DELAWARE	7,369	18	883	2,333	2,140	1,267	561	152	10	-	5
White, mother native	5,970	1	569	1,875	1,799	1,117	482	114	9	-	4
White, mother foreign	133	-	2	38	54	15	18	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,246	17	308	410	284	134	61	30	1	-	1
Other	20	-	4	10	3	1	-	2	-	-	-
Urban	5,959	7	405	1,266	1,184	710	302	78	4	-	3
White, mother native	3,195	1	254	1,015	975	627	259	57	4	-	3
White, mother foreign	91	-	2	26	39	8	11	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	673	6	149	225	170	75	32	16	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 100,000 or more	2,940	4	277	946	877	540	233	60	2	-	1
White, mother native	2,360	-	164	749	729	470	200	45	2	-	1
White, mother foreign	71	-	-	20	31	6	9	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	509	4	113	177	117	64	24	10	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	1,019	3	128	320	307	170	69	18	2	-	2
White, mother native	835	1	90	266	246	157	59	12	2	-	2
White, mother foreign	20	-	2	6	8	2	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	164	2	36	48	53	11	8	6	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	3,410	11	478	1,067	956	557	259	74	6	-	2
White, mother native	2,775	-	315	880	824	490	223	57	5	-	1
White, mother foreign	42	-	-	12	15	7	7	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	573	11	159	185	114	59	29	14	1	-	1
Other	20	-	4	10	3	1	-	2	-	-	-
DISTRICT OF COLUMBIA	19,814	51	2,438	6,330	5,879	3,221	1,420	343	12	-	120
White, mother native	10,911	2	887	3,413	3,572	1,952	856	197	6	-	26
White, mother foreign	657	-	13	147	236	141	80	18	1	-	1
White, mother's nativity not stated	76	-	1	3	3	-	1	-	-	-	68
Negro	8,068	49	1,525	2,729	2,038	1,102	473	123	4	-	25
Other	122	-	12	38	30	26	10	5	1	-	-
FLORIDA	61,743	208	9,712	20,198	16,194	9,185	4,916	1,154	60	2	116
White, mother native	43,303	43	5,754	14,405	12,029	6,745	3,460	783	34	-	50
White, mother foreign	1,163	-	53	304	406	228	140	29	2	-	1
White, mother's nativity not stated	30	-	9	8	4	3	-	-	-	-	6
Negro	17,196	163	3,892	5,468	3,739	2,198	1,311	341	23	2	59
Other	51	-	4	13	16	11	5	1	1	-	-
Urban	35,875	107	5,210	12,025	9,847	5,420	2,852	534	21	2	57
White, mother native	24,813	20	2,925	8,430	7,290	3,943	1,833	344	11	-	17
White, mother foreign	849	-	40	212	296	169	107	23	2	-	-
White, mother's nativity not stated	17	-	6	5	1	1	-	-	-	-	4
Negro	10,166	87	2,238	3,369	2,251	1,300	708	167	8	2	36
Other	30	-	1	9	9	7	4	-	-	-	-
Places of 100,000 or more	15,276	31	2,145	5,083	4,324	2,302	1,134	218	10	1	28
White, mother native	10,817	6	1,267	3,650	3,229	1,704	805	145	5	-	6
White, mother foreign	482	-	17	123	164	100	67	10	1	-	-
White, mother's nativity not stated	10	-	4	2	1	-	-	-	-	-	3
Negro	3,945	25	856	1,299	923	496	259	63	4	1	19
Other	22	-	1	9	7	2	3	-	-	-	-
Places of 25,000 to 100,000	5,786	12	725	1,930	1,656	933	431	93	4	-	2
White, mother native	4,090	3	410	1,371	1,251	680	308	64	3	-	-
White, mother foreign	143	-	6	36	45	36	15	5	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	1,549	9	309	522	360	215	107	24	1	-	2
Other	3	-	-	-	-	2	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
FLORIDA—Continued											
Places of 10,000 to 25,000	6,694	27	996	2,306	1,607	964	477	85	3	-	9
White, mother native	4,571	4	528	1,591	1,341	716	329	57	1	-	5
White, mother foreign	120	-	12	30	50	13	9	5	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,002	23	456	685	415	256	139	23	1	-	4
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 2,500 to 10,000	8,119	37	1,344	2,706	2,060	1,201	610	138	4	1	18
White, mother native	5,335	7	720	1,818	1,469	844	391	78	2	-	6
White, mother foreign	104	-	5	23	37	20	15	3	-	-	-
White, mother's nativity not stated	6	-	2	2	-	1	-	-	-	-	1
Negro	2,670	30	617	863	553	333	203	57	2	1	11
Other	4	-	-	-	1	3	-	-	-	-	-
Rural	25,868	99	4,502	8,173	6,347	3,785	2,264	620	39	-	59
White, mother native	18,490	23	2,829	5,975	4,739	2,802	1,627	439	23	-	33
White, mother foreign	314	-	13	92	110	59	33	6	-	-	1
White, mother's nativity not stated	13	-	3	3	3	2	-	-	-	-	2
Negro	7,030	76	1,654	2,099	1,488	898	603	174	15	-	23
Other	21	-	3	4	7	4	1	1	1	-	-
GEORGIA	93,259	358	17,127	29,414	22,392	12,974	7,518	1,966	164	5	1,339
White, mother native	57,852	75	8,985	16,664	15,143	8,649	4,615	1,289	102	2	328
White, mother foreign	468	-	19	197	175	51	25	-	-	-	1
White, mother's nativity not stated	198	-	2	3	2	1	2	2	-	-	186
Negro	34,715	283	8,118	10,537	7,066	4,269	2,876	677	62	3	824
Other	26	-	3	13	6	4	-	-	-	-	-
Urban	37,704	145	6,693	12,686	9,816	5,111	2,469	474	33	2	275
White, mother native	23,919	23	3,419	8,188	6,838	3,482	1,578	301	20	1	69
White, mother foreign	288	-	15	120	106	31	16	-	-	-	-
White, mother's nativity not stated	41	-	-	-	-	-	1	1	-	-	39
Negro	13,436	122	3,257	4,367	2,867	1,596	874	172	13	1	167
Other	20	-	2	11	5	2	-	-	-	-	-
Places of 100,000 or more	8,504	38	1,546	2,868	2,183	1,138	619	99	6	1	6
White, mother native	4,990	6	723	1,707	1,404	708	377	58	4	1	2
White, mother foreign	35	-	3	10	17	4	1	-	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	1	-	-	-	1
Negro	3,473	32	820	1,148	761	426	240	41	2	-	3
Other	4	-	-	3	1	-	-	-	-	-	-
Places of 25,000 to 100,000	11,973	56	2,199	4,080	3,179	1,527	691	122	7	-	22
White, mother native	7,351	10	1,061	2,593	2,187	1,000	428	78	4	-	10
White, mother foreign	181	-	9	81	65	15	11	-	-	-	-
White, mother's nativity not stated	3	-	-	-	-	-	-	-	-	-	3
Negro	4,323	46	1,117	1,398	943	510	252	44	3	-	9
Other	15	-	2	7	4	2	-	-	-	-	-
Places of 10,000 to 25,000	7,787	22	1,238	2,605	2,082	1,123	521	113	10	1	72
White, mother native	5,253	5	682	1,772	1,534	810	350	70	7	-	23
White, mother foreign	49	-	1	19	17	9	3	-	-	-	-
White, mother's nativity not stated	6	-	-	-	-	-	-	-	-	-	6
Negro	2,478	17	555	813	531	304	168	43	3	1	43
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	9,540	29	1,720	3,133	2,372	1,323	638	140	10	-	175
White, mother native	6,325	2	953	2,116	1,733	964	423	95	5	-	34
White, mother foreign	23	-	2	10	7	3	1	-	-	-	-
White, mother's nativity not stated	30	-	-	-	-	-	1	-	-	-	29
Negro	3,162	27	765	1,007	632	356	214	44	5	-	112
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	55,555	213	10,434	16,728	12,576	7,863	5,049	1,494	131	3	1,064
White, mother native	33,933	52	5,566	10,476	8,305	5,167	3,037	988	92	1	259
White, mother foreign	180	-	4	77	69	20	9	-	-	-	1
White, mother's nativity not stated	157	-	2	3	2	1	1	1	-	-	147
Negro	21,279	161	4,861	6,170	4,199	2,673	2,002	505	48	2	657
Other	6	-	1	2	1	2	-	-	-	-	-
IDAHO	15,984	8	2,239	5,372	4,228	2,444	1,208	341	32	3	109
White, mother native	15,417	8	2,187	5,206	4,055	2,346	1,160	324	30	3	90
White, mother foreign	302	-	11	80	101	62	33	12	2	-	1
White, mother's nativity not stated	33	-	1	7	1	5	2	2	-	-	15
Negro	16	-	5	3	4	2	2	-	-	-	-
Other	216	-	25	76	69	29	11	3	-	-	3
Urban	7,015	5	967	2,506	1,878	1,023	458	121	14	3	40
White, mother native	6,768	5	953	2,434	1,805	975	438	111	13	3	31
White, mother foreign	157	-	4	43	55	33	14	7	1	-	-
White, mother's nativity not stated	19	-	-	4	1	5	1	1	-	-	7
Negro	16	-	5	3	4	2	2	-	-	-	-
Other	55	-	5	22	13	8	3	2	-	-	2
Places of 25,000 to 100,000	1,241	2	126	411	348	219	112	22	1	-	-
White, mother native	1,212	2	125	404	337	211	110	22	1	-	-
White, mother foreign	23	-	-	5	10	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	5	-	1	1	1	1	1	-	-	-	-
Places of 10,000 to 25,000	3,106	3	456	1,137	826	435	177	51	8	1	12
White, mother native	2,964	3	449	1,103	792	409	167	47	7	1	6
White, mother foreign	76	-	2	24	26	14	8	1	1	-	-
White, mother's nativity not stated	16	-	-	3	1	4	1	1	-	-	6
Negro	13	-	5	1	4	2	1	-	-	-	-
Other	17	-	-	6	3	6	-	2	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
IDAHO—Continued											
Places of 2,500 to 10,000	2,668	-	385	958	704	369	169	48	5	2	28
White, mother native	2,572	-	379	927	676	355	161	42	5	2	25
White, mother foreign	59	-	2	14	19	12	5	6	-	-	-
White, mother's nativity not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	2	-	-	1	-	-	1	-	-	-	-
Other	33	-	4	15	9	1	2	-	-	-	2
Rural	8,969	3	1,272	2,866	2,350	1,421	750	220	18	-	69
White, mother native	8,649	3	1,244	2,772	2,248	1,371	722	213	17	-	59
White, mother foreign	145	-	7	37	46	29	19	5	1	-	1
White, mother's nativity not stated	14	-	1	3	-	-	1	1	-	-	8
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	161	-	20	54	56	21	8	1	-	-	1
ILLINOIS	189,313	157	18,130	60,967	57,124	33,577	15,588	3,578	197	1	14
White, mother native	165,223	38	14,313	52,879	50,673	30,390	13,730	3,027	163	1	9
White, mother foreign	5,132	1	109	1,149	1,844	899	805	306	19	-	-
White, mother's nativity not stated	21	-	7	3	6	3	-	1	-	-	1
Negro	18,337	98	3,677	6,747	4,386	2,162	1,015	234	14	-	4
Other	600	-	24	189	215	123	38	10	1	-	-
Urban	142,064	118	12,873	45,586	43,456	25,749	11,679	2,479	115	1	8
White, mother native	119,329	24	9,221	37,818	37,410	22,771	9,934	1,963	84	1	3
White, mother foreign	4,474	1	91	950	1,600	798	738	280	18	-	-
White, mother's nativity not stated	15	-	6	1	4	2	-	1	-	-	1
Negro	17,661	93	3,531	6,533	4,234	2,059	970	225	12	-	4
Other	585	-	24	184	208	121	37	10	1	-	-
Places of 100,000 or more	81,573	83	6,880	25,798	25,336	15,207	6,824	1,385	52	1	7
White, mother native	63,104	12	3,866	19,481	20,424	12,839	5,441	991	27	1	2
White, mother foreign	3,200	1	65	625	1,144	578	567	204	16	-	-
White, mother's nativity not stated	5	-	1	-	3	-	-	-	-	-	1
Negro	14,733	70	2,908	5,530	3,571	1,678	784	180	8	-	4
Other	531	-	20	162	194	112	32	10	1	-	-
Places of 25,000 to 100,000	24,687	15	2,368	8,098	7,435	4,266	2,016	460	29	-	-
White, mother native	22,260	3	1,960	7,295	6,823	3,933	1,826	395	25	-	-
White, mother foreign	526	-	11	135	174	96	76	33	1	-	-
White, mother's nativity not stated	7	-	5	1	-	-	-	1	-	-	-
Negro	1,867	12	391	658	429	234	109	31	3	-	-
Other	27	-	1	9	9	3	5	-	-	-	-
Places of 10,000 to 25,000	14,818	11	1,463	4,863	4,327	2,559	1,151	233	11	-	-
White, mother native	13,847	3	1,308	4,552	4,085	2,411	1,068	212	10	-	-
White, mother foreign	320	-	8	96	107	51	42	15	1	-	-
White, mother's nativity not stated	3	-	-	-	1	2	-	-	-	-	-
Negro	626	8	147	204	129	91	41	6	-	-	-
Other	22	-	2	11	5	4	-	-	-	-	-
Places of 2,500 to 10,000	21,186	9	2,162	6,827	6,358	3,717	1,688	401	23	-	1
White, mother native	20,318	6	2,069	6,590	6,078	3,588	1,599	385	22	-	1
White, mother foreign	428	-	7	94	175	71	53	28	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	435	3	85	141	105	56	36	8	1	-	-
Other	5	-	1	2	-	2	-	-	-	-	-
Rural	47,249	19	5,257	15,381	13,668	7,828	3,909	1,099	82	-	6
White, mother native	45,894	14	5,092	14,961	13,263	7,619	3,796	1,064	79	-	6
White, mother foreign	658	-	18	199	244	103	67	26	1	-	-
White, mother's nativity not stated	6	-	1	2	2	1	-	-	-	-	-
Negro	676	5	146	214	152	103	45	9	2	-	-
Other	15	-	-	5	7	2	1	-	-	-	-
INDIANA	94,214	71	12,025	32,820	26,456	14,244	6,604	1,739	120	1	134
White, mother native	88,049	38	10,861	30,660	24,820	13,512	6,201	1,630	104	-	123
White, mother foreign	1,165	-	38	402	422	151	115	28	10	-	1
White, mother's nativity not stated	17	-	7	4	5	1	-	-	-	-	-
Negro	4,949	33	1,118	1,742	1,094	576	287	82	6	1	10
Other	34	-	1	12	15	4	1	1	-	-	-
Urban	56,620	58	7,300	20,158	16,208	8,386	3,538	862	51	1	60
White, mother native	50,916	26	6,184	18,153	14,820	7,716	3,169	762	36	-	50
White, mother foreign	862	-	22	293	311	115	92	21	9	-	1
White, mother's nativity not stated	7	-	2	1	3	1	-	-	-	-	-
Negro	4,808	32	1,091	1,701	1,060	552	276	78	6	1	9
Other	29	-	1	10	12	4	1	1	-	-	-
Places of 100,000 or more	22,312	28	2,818	7,732	6,536	3,379	1,439	338	24	1	17
White, mother native	18,526	6	2,004	6,395	5,663	2,958	1,202	271	15	-	12
White, mother foreign	366	-	10	127	123	48	45	9	4	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	3,407	22	803	1,208	744	371	191	57	5	1	5
Other	12	-	1	2	6	1	1	1	-	-	-
Places of 25,000 to 100,000	18,534	19	2,396	6,861	5,250	2,742	1,144	284	20	-	18
White, mother native	16,979	11	2,136	6,131	4,847	2,532	1,038	255	15	-	14
White, mother foreign	326	-	9	94	124	52	31	11	4	-	1
White, mother's nativity not stated	4	-	1	1	2	-	-	-	-	-	-
Negro	1,210	8	250	427	272	156	75	18	1	-	3
Other	15	-	-	8	5	2	-	-	-	-	-
Places of 10,000 to 25,000	6,950	6	938	2,543	1,944	1,007	394	105	3	-	10
White, mother native	6,770	4	913	2,478	1,887	991	382	103	3	-	9
White, mother foreign	66	-	1	27	26	3	8	1	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	113	2	24	38	30	13	4	1	-	-	1
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
INDIANA—Continued											
Places of 2,500 to 10,000	8,824	5	1,148	3,222	2,476	1,259	561	135	4	-	15
White, mother native	8,641	5	1,131	3,149	2,423	1,235	547	133	3	-	15
White, mother foreign	104	-	2	45	38	10	8	-	1	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	76	-	14	28	14	12	6	2	-	-	-
Other	2	-	-	-	1	1	-	-	-	-	-
Rural	37,594	13	4,725	12,682	10,250	5,858	3,066	877	69	-	74
White, mother native	37,133	12	4,677	12,507	10,100	5,786	3,032	868	68	-	73
White, mother foreign	303	-	16	109	111	38	23	5	1	-	-
White, mother's nativity not stated	10	-	5	3	2	-	-	-	-	-	-
Negro	143	1	27	41	34	24	11	4	-	-	1
Other	5	-	-	2	3	-	-	-	-	-	-
IOWA	61,871	20	6,308	21,147	17,641	10,181	5,115	1,283	82	1	93
White, mother native	60,608	15	6,170	20,734	17,268	9,993	5,012	1,254	79	1	82
White, mother foreign	678	1	21	202	248	114	67	22	2	-	1
White, mother's nativity not stated	22	-	2	2	7	-	1	-	-	-	10
Negro	514	4	113	195	102	62	30	7	1	-	-
Other	49	-	2	14	16	12	5	-	-	-	-
Urban	29,978	14	3,360	10,708	8,476	4,691	2,198	479	19	1	32
White, mother native	29,055	9	3,235	10,403	8,214	4,550	2,131	463	19	1	30
White, mother foreign	378	1	10	104	148	72	34	9	-	-	-
White, mother's nativity not stated	8	-	2	1	3	-	-	-	-	-	2
Negro	495	4	111	187	98	60	28	7	-	-	-
Other	42	-	2	13	13	9	5	-	-	-	-
Places of 100,000 or more	4,648	4	534	1,663	1,280	781	301	78	3	-	4
White, mother native	4,330	3	477	1,558	1,209	730	274	72	3	-	4
White, mother foreign	71	-	1	16	25	17	11	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	239	1	56	89	44	30	14	5	-	-	-
Other	8	-	-	-	2	4	2	-	-	-	-
Places of 25,000 to 100,000	12,516	7	1,432	4,349	3,535	1,999	983	198	7	-	6
White, mother native	12,125	3	1,377	4,220	3,426	1,936	958	192	7	-	6
White, mother foreign	155	1	7	35	62	35	10	5	-	-	-
White, mother's nativity not stated	5	-	1	1	3	-	-	-	-	-	-
Negro	205	3	45	81	37	25	13	1	-	-	-
Other	26	-	2	12	7	3	2	-	-	-	-
Places of 10,000 to 25,000	4,671	-	446	1,782	1,407	659	295	74	3	1	4
White, mother native	4,556	-	436	1,745	1,362	643	289	73	3	1	4
White, mother foreign	74	-	1	24	32	11	5	1	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	33	-	8	12	9	3	1	-	-	-	-
Other	7	-	-	1	4	2	-	-	-	-	-
Places of 2,500 to 10,000	8,143	3	948	2,914	2,254	1,252	619	129	6	-	18
White, mother native	8,044	3	945	2,880	2,217	1,241	610	126	6	-	16
White, mother foreign	78	-	1	29	29	9	8	2	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	18	-	2	5	8	2	-	1	-	-	-
Other	1	-	-	-	-	-	1	-	-	-	-
Rural	31,893	6	2,948	10,439	9,165	5,490	2,917	804	63	-	61
White, mother native	31,553	6	2,935	10,331	9,054	5,443	2,881	791	60	-	52
White, mother foreign	300	-	11	98	100	42	33	13	2	-	1
White, mother's nativity not stated	14	-	-	1	4	-	1	-	-	-	8
Negro	19	-	2	8	4	2	2	-	1	-	-
Other	7	-	-	1	3	3	-	-	-	-	-
KANSAS	43,781	27	5,225	15,138	12,395	6,673	3,274	851	58	-	140
White, mother native	41,348	16	4,829	14,301	11,788	6,356	3,099	789	52	-	118
White, mother foreign	510	-	16	181	156	81	48	19	4	-	5
White, mother's nativity not stated	16	1	4	3	-	2	2	-	-	-	4
Negro	1,810	10	367	612	432	216	116	43	2	-	12
Other	97	-	9	41	19	18	9	-	-	-	1
Urban	23,882	20	3,087	8,742	6,863	3,350	1,509	343	18	-	80
White, mother native	21,937	11	2,716	8,026	6,356	3,088	1,367	296	13	-	64
White, mother foreign	337	-	7	119	107	53	30	14	3	-	4
White, mother's nativity not stated	7	-	2	1	-	1	2	-	-	-	1
Negro	1,636	9	337	560	384	194	106	33	2	-	11
Other	75	-	5	36	16	14	4	-	-	-	-
Places of 100,000 or more	8,597	6	1,128	2,928	2,568	1,263	569	114	4	-	19
White, mother native	7,485	2	913	2,564	2,283	1,119	501	88	2	-	13
White, mother foreign	103	-	2	32	32	18	8	9	1	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	987	4	213	322	243	122	60	17	1	-	5
Other	22	-	-	10	8	4	-	-	-	-	-
Places of 25,000 to 100,000	3,051	1	374	1,154	858	402	193	37	2	-	30
White, mother native	2,812	-	335	1,069	799	374	173	35	2	-	25
White, mother foreign	52	-	-	14	20	11	7	-	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	163	1	37	58	36	14	10	2	-	-	5
Other	22	-	2	12	3	3	2	-	-	-	-
Places of 10,000 to 25,000	6,025	6	736	2,270	1,736	820	337	94	10	-	16
White, mother native	5,583	3	668	2,101	1,635	767	308	80	8	-	13
White, mother foreign	96	-	2	35	29	11	2	4	1	-	2
White, mother's nativity not stated	3	-	2	-	-	-	-	-	-	-	1
Negro	341	3	63	129	70	39	26	10	1	-	-
Other	12	-	1	5	2	3	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
KANSAS—Continued											
Places of 2,500 to 10,000	6,319	7	829	2,390	1,703	865	410	98	2	-	15
White, mother native	6,057	6	800	2,292	1,639	828	385	93	1	-	13
White, mother foreign	96	-	3	38	26	13	13	1	1	-	1
White, mother's nativity not stated	2	-	-	-	-	1	1	-	-	-	-
Negro	145	1	24	51	35	19	10	4	-	-	1
Other	19	-	2	9	3	4	1	-	-	-	-
Rural	19,789	7	2,158	6,386	5,532	3,323	1,765	508	40	-	60
White, mother native	19,411	5	2,113	6,275	5,432	3,268	1,752	493	39	-	54
White, mother foreign	175	-	9	62	49	28	18	5	1	-	1
White, mother's nativity not stated	9	1	2	2	-	1	-	-	-	-	3
Negro	174	1	30	52	48	22	10	10	-	-	1
Other	22	-	4	5	3	4	5	-	-	-	1
KENTUCKY	76,197	183	12,930	24,562	18,630	10,912	6,717	2,096	176	7	132
White, mother native	70,812	106	11,793	22,742	17,327	10,258	6,315	1,976	168	7	120
White, mother foreign	393	-	18	187	130	32	20	6	2	-	-
White, mother's nativity not stated	13	-	1	3	4	1	-	-	-	-	4
Negro	4,981	47	1,118	1,611	1,065	621	379	104	8	-	8
Other	18	-	2	9	4	-	3	-	-	-	-
Urban	25,601	56	4,025	8,799	6,754	3,646	1,853	409	21	2	36
White, mother native	22,237	23	3,282	7,669	6,004	3,230	1,630	352	16	2	29
White, mother foreign	198	-	8	80	75	19	13	3	1	-	-
White, mother's nativity not stated	5	-	1	-	2	-	-	-	-	-	2
Negro	3,149	33	732	1,045	672	397	207	54	4	-	5
Other	11	-	2	5	1	-	3	-	-	-	-
Places of 100,000 or more	10,687	16	1,604	3,663	2,840	1,551	808	181	6	1	17
White, mother native	8,998	3	1,218	3,117	2,450	1,347	688	153	5	1	16
White, mother foreign	99	-	2	40	38	8	11	-	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	1,585	13	383	504	352	196	107	28	1	-	1
Other	4	-	-	2	-	-	2	-	-	-	-
Places of 25,000 to 100,000	6,401	12	951	2,243	1,716	928	437	100	6	1	7
White, mother native	5,784	6	830	2,007	1,585	854	400	89	5	1	7
White, mother foreign	46	-	3	21	14	6	-	1	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	567	6	117	213	116	68	37	10	-	-	-
Other	4	-	1	2	1	-	-	-	-	-	-
Places of 10,000 to 25,000	2,082	4	345	706	549	300	147	26	2	-	3
White, mother native	1,775	2	277	608	483	251	131	21	1	-	1
White, mother foreign	16	-	1	7	4	3	-	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	290	2	67	91	62	46	15	4	1	-	2
Other	1	-	-	-	-	-	1	-	-	-	-
Places of 2,500 to 10,000	6,431	24	1,125	2,187	1,649	867	461	102	7	-	9
White, mother native	5,680	12	957	1,937	1,486	778	411	89	5	-	5
White, mother foreign	38	-	2	12	19	2	2	1	-	-	-
White, mother's nativity not stated	4	-	-	-	2	-	-	-	-	-	2
Negro	707	12	165	237	142	87	48	12	2	-	2
Other	2	-	1	1	-	-	-	-	-	-	-
Rural	50,596	97	8,905	15,753	11,776	7,266	4,864	1,677	157	5	96
White, mother native	48,575	83	8,511	15,073	11,323	7,028	4,685	1,624	152	5	91
White, mother foreign	194	-	8	107	55	13	7	3	1	-	-
White, mother's nativity not stated	8	-	-	3	2	1	-	-	-	-	2
Negro	1,812	14	386	566	393	224	172	50	4	-	3
Other	7	-	-	4	3	-	-	-	-	-	-
LOUISIANA	75,487	220	12,856	25,122	18,717	10,739	6,032	1,557	107	2	135
White, mother native	45,075	28	6,477	15,300	12,022	6,834	3,442	873	40	-	59
White, mother foreign	235	-	11	96	67	34	19	7	-	-	1
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	30,091	192	6,358	9,693	6,614	3,858	2,562	672	66	2	74
Other	84	-	10	32	14	13	9	5	1	-	-
Urban	38,750	96	6,006	13,776	10,250	5,436	2,553	551	35	1	46
White, mother native	24,311	12	2,991	8,737	6,910	3,667	1,603	356	14	-	21
White, mother foreign	177	-	11	69	53	27	12	5	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	14,232	84	3,004	4,953	3,284	1,738	934	189	20	1	25
Other	29	-	-	16	3	4	4	1	1	-	-
Places of 100,000 or more	14,879	37	1,999	5,321	4,076	2,183	1,032	216	13	-	2
White, mother native	8,699	6	827	3,139	2,539	1,413	642	126	6	-	1
White, mother foreign	100	-	4	35	35	12	9	5	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	6,058	31	1,168	2,135	1,500	754	378	84	7	-	1
Other	21	-	-	11	2	4	3	1	-	-	-
Places of 25,000 to 100,000	9,677	25	1,509	3,475	2,671	1,306	560	110	7	-	14
White, mother native	5,974	1	655	2,185	1,841	874	342	65	3	-	8
White, mother foreign	31	-	3	13	7	7	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3,669	24	851	1,275	823	425	217	45	3	-	6
Other	3	-	-	2	-	-	-	-	1	-	-
Places of 10,000 to 25,000	3,800	8	607	1,398	995	506	225	47	5	-	9
White, mother native	2,512	2	354	909	713	342	153	37	-	-	2
White, mother foreign	13	-	2	7	2	2	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,275	6	251	482	280	162	72	10	5	-	7
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
LOUISIANA—Continued											
Places of 2,500 to 10,000	10,394	26	1,891	3,582	2,508	1,441	736	178	10	1	21
White, mother native	7,126	3	1,155	2,504	1,817	1,038	486	128	5	-	10
White, mother foreign	33	-	2	14	9	6	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3,230	23	734	1,061	681	397	267	50	5	1	11
Other	5	-	-	3	1	-	1	-	-	-	-
Rural	36,737	124	6,850	11,346	8,467	5,303	3,479	1,006	72	1	89
White, mother native	20,764	16	3,486	6,563	5,112	3,167	1,839	517	26	-	38
White, mother foreign	58	-	-	27	14	7	7	2	-	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	15,859	108	3,354	4,740	3,330	2,120	1,628	483	46	1	49
Other	55	-	10	16	11	9	5	4	-	-	-
MAINE	21,939	13	2,946	7,587	5,922	3,333	1,558	479	37	3	61
White, mother native	20,547	12	2,862	7,180	5,531	3,063	1,405	415	29	3	47
White, mother foreign	1,329	1	80	383	379	259	151	63	7	-	6
White, mother's nativity not stated	28	-	1	7	6	4	2	-	-	-	8
Negro	10	-	1	8	-	2	-	1	-	-	-
Other	25	-	2	11	6	5	-	-	1	-	-
Urban	8,462	4	868	2,959	2,454	1,372	600	171	10	2	22
White, mother native	7,813	4	842	2,798	2,259	1,224	528	138	5	2	13
White, mother foreign	615	-	25	149	187	142	70	33	5	-	4
White, mother's nativity not stated	14	-	-	2	4	1	2	-	-	-	5
Negro	8	-	1	5	-	2	-	-	-	-	-
Other	12	-	-	5	4	3	-	-	-	-	-
Places of 25,000 to 100,000	3,524	2	350	1,225	1,000	595	259	80	4	1	8
White, mother native	3,266	2	342	1,164	927	551	224	67	2	1	6
White, mother foreign	245	-	7	56	72	60	35	13	2	-	-
White, mother's nativity not stated	3	-	-	-	-	1	-	-	-	-	2
Negro	8	-	1	5	-	2	-	-	-	-	-
Other	2	-	-	-	1	1	-	-	-	-	-
Places of 10,000 to 25,000	2,651	1	233	931	801	430	190	53	3	-	9
White, mother native	2,450	1	229	895	732	382	165	39	2	-	5
White, mother foreign	191	-	4	33	65	48	23	14	1	-	3
White, mother's nativity not stated	9	-	-	2	4	-	2	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 2,500 to 10,000	2,267	1	285	803	653	347	151	38	3	1	5
White, mother native	2,097	1	271	739	600	311	139	32	1	1	2
White, mother foreign	179	-	14	60	50	34	12	6	2	-	1
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	9	-	-	4	3	2	-	-	-	-	-
Rural	13,477	9	2,078	4,628	3,468	1,961	958	308	27	1	39
White, mother native	12,734	8	2,020	4,382	3,272	1,839	877	277	24	1	34
White, mother foreign	714	1	55	234	192	117	81	30	2	-	2
White, mother's nativity not stated	14	-	1	5	2	3	-	-	-	-	3
Negro	2	-	-	1	-	-	-	1	-	-	-
Other	13	-	2	6	2	2	-	-	1	-	-
MARYLAND	53,597	148	7,080	17,021	15,426	8,661	4,165	859	58	2	77
White, mother native	40,696	21	4,182	12,979	12,365	7,073	3,269	729	41	2	35
White, mother foreign	1,069	-	32	298	415	189	123	29	3	-	-
White, mother's nativity not stated	64	-	8	9	20	4	4	3	-	-	16
Negro	11,697	127	2,858	3,717	2,608	1,386	764	197	14	-	26
Other	51	-	-	18	18	9	5	1	-	-	-
Urban	28,974	97	3,944	9,541	8,367	4,429	2,088	465	26	1	36
White, mother native	20,456	8	2,014	6,817	6,321	3,430	1,497	342	15	1	11
White, mother foreign	556	-	11	148	211	96	74	14	2	-	-
White, mother's nativity not stated	33	-	5	6	6	2	3	2	-	-	9
Negro	7,895	89	1,914	2,560	1,817	893	491	106	9	-	16
Other	34	-	-	10	12	8	3	1	-	-	-
Places of 100,000 or more	21,831	83	3,096	7,220	6,251	3,263	1,535	337	17	1	28
White, mother native	14,429	6	1,394	4,841	4,509	2,395	1,037	233	7	1	6
White, mother foreign	396	-	10	104	141	62	66	11	2	-	-
White, mother's nativity not stated	15	-	1	3	1	2	1	-	-	-	7
Negro	6,958	77	1,691	2,262	1,580	796	428	92	8	-	15
Other	32	-	-	10	10	8	3	1	-	-	-
Places of 25,000 to 100,000	1,656	1	227	572	435	253	129	33	4	-	2
White, mother native	1,579	1	214	549	409	245	124	32	4	-	1
White, mother foreign	14	-	-	6	7	1	-	-	-	-	-
White, mother's nativity not stated	10	-	2	2	4	-	-	1	-	-	1
Negro	53	-	11	15	15	7	5	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	2,182	10	295	754	613	331	144	28	3	-	4
White, mother native	1,521	1	156	533	446	256	104	19	2	-	2
White, mother foreign	30	-	-	11	11	7	1	-	-	-	-
White, mother's nativity not stated	7	-	1	1	1	-	2	1	-	-	1
Negro	624	9	138	209	155	66	37	8	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	3,305	3	326	995	1,088	582	280	67	2	-	2
White, mother native	2,927	-	250	894	957	532	232	58	2	-	2
White, mother foreign	116	-	1	27	52	26	7	3	-	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	259	3	74	74	57	24	21	6	-	-	-
Other	2	-	-	-	2	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
MARYLAND—Continued											
Rural	24,623	51	3,136	7,480	7,059	4,232	2,097	494	32	1	41
White, mother native	20,240	13	2,168	6,162	6,044	3,643	1,772	387	26	1	24
White, mother foreign	533	-	21	150	204	93	49	15	1	-	-
White, mother's nativity not stated	31	-	3	3	14	2	1	1	-	-	7
Negro	3,802	38	944	1,157	791	495	273	91	5	-	10
Other	17	-	-	8	6	1	2	-	-	-	-
MASSACHUSETTS	95,615	20	5,053	27,329	31,245	19,589	9,580	2,324	135	8	332
White, mother native	87,960	14	4,689	25,554	28,911	18,114	8,393	1,874	104	6	301
White, mother foreign	5,278	-	85	929	1,668	1,125	1,008	411	29	2	21
White, mother's nativity not stated	327	-	15	101	87	65	46	11	-	-	2
Negro	1,862	6	256	669	555	252	114	23	1	-	6
Other	188	-	8	76	44	33	19	5	1	-	2
Urban	84,127	19	4,287	23,886	27,695	17,259	8,513	2,040	130	7	289
White, mother native	77,066	13	3,939	22,246	25,538	15,924	7,412	1,625	101	6	262
White, mother foreign	4,790	-	76	835	1,513	1,006	935	380	27	1	17
White, mother's nativity not stated	308	-	15	92	85	61	43	10	-	-	2
Negro	1,781	6	249	639	519	236	105	20	1	-	6
Other	182	-	8	76	40	32	18	5	1	-	2
Places of 100,000 or more	35,549	12	1,971	10,244	11,519	7,251	3,558	842	50	4	98
White, mother native	31,355	6	1,693	9,153	10,290	6,500	2,963	628	36	3	83
White, mother foreign	2,239	-	40	385	670	479	458	187	12	1	7
White, mother's nativity not stated	232	-	10	72	71	42	28	8	-	-	1
Negro	1,580	6	222	577	452	206	94	17	1	-	5
Other	143	-	6	57	36	24	15	2	1	-	2
Places of 25,000 to 100,000	25,464	2	1,147	7,175	8,489	5,189	2,674	647	38	3	100
White, mother native	23,782	2	1,098	6,874	7,943	4,867	2,357	518	28	3	92
White, mother foreign	1,469	-	25	244	479	284	297	124	10	-	6
White, mother's nativity not stated	46	-	1	14	10	9	9	2	-	-	1
Negro	140	-	21	33	54	22	8	1	-	-	1
Other	27	-	2	10	3	7	3	2	-	-	-
Places of 10,000 to 25,000	16,157	4	780	4,429	5,377	3,423	1,648	393	34	-	69
White, mother native	15,310	4	764	4,269	5,088	3,233	1,511	345	30	-	66
White, mother foreign	784	-	8	137	276	176	133	47	4	-	3
White, mother's nativity not stated	23	-	2	6	3	9	3	-	-	-	-
Negro	32	-	6	10	10	5	1	-	-	-	-
Other	8	-	-	7	-	-	-	1	-	-	-
Places of 2,500 to 10,000	6,957	1	389	2,040	2,310	1,396	633	158	8	-	22
White, mother native	6,619	1	384	1,950	2,217	1,324	581	134	7	-	21
White, mother foreign	298	-	3	89	88	67	47	22	1	-	1
White, mother's nativity not stated	7	-	2	-	1	1	3	-	-	-	-
Negro	29	-	-	19	3	3	2	2	-	-	-
Other	4	-	-	2	1	1	-	-	-	-	-
Rural	11,488	1	766	3,441	3,550	2,330	1,067	284	5	1	43
White, mother native	10,894	1	750	3,308	3,373	2,190	981	249	3	-	39
White, mother foreign	488	-	9	94	155	119	73	31	2	1	4
White, mother's nativity not stated	19	-	-	9	2	4	3	1	-	-	-
Negro	81	-	7	30	16	16	9	3	-	-	-
Other	6	-	-	-	4	1	1	-	-	-	-
MICHIGAN	157,178	117	16,404	53,608	46,363	25,971	11,565	2,906	177	4	63
White, mother native	137,591	47	13,782	47,394	40,914	22,914	9,939	2,411	139	3	48
White, mother foreign	6,452	1	164	1,482	2,174	1,348	926	328	26	1	2
White, mother's nativity not stated	9	-	3	2	1	2	-	-	-	-	1
Negro	12,863	69	2,426	4,644	3,200	1,664	679	160	11	-	10
Other	263	-	29	86	74	43	21	7	1	-	2
Urban	104,136	89	10,578	38,424	31,223	17,509	7,420	1,746	106	3	41
White, mother native	86,640	20	8,099	29,786	26,386	14,851	6,039	1,353	74	3	29
White, mother foreign	5,067	1	127	1,142	1,742	1,060	732	239	23	-	1
White, mother's nativity not stated	5	-	1	1	1	1	-	-	-	-	1
Negro	12,269	68	2,336	4,443	3,045	1,575	636	147	10	-	9
Other	157	-	12	52	49	22	13	7	1	-	1
Places of 100,000 or more	53,246	46	5,133	17,979	16,184	9,134	3,816	887	51	1	15
White, mother native	40,612	7	3,276	13,844	12,737	7,240	2,858	613	28	1	8
White, mother foreign	3,102	-	69	673	1,028	684	477	154	16	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	9,437	39	1,784	3,428	2,391	1,195	471	117	7	-	5
Other	94	-	4	34	28	15	10	3	-	-	-
Places of 25,000 to 100,000	22,930	15	2,459	7,934	6,825	3,745	1,543	376	24	-	9
White, mother native	20,615	5	2,147	7,170	6,203	3,392	1,345	326	21	-	6
White, mother foreign	970	1	37	245	337	189	121	39	1	-	-
White, mother's nativity not stated	3	-	1	1	1	-	-	-	-	-	-
Negro	1,318	9	273	511	276	162	75	8	2	-	2
Other	24	-	1	7	8	2	2	3	-	-	1
Places of 10,000 to 25,000	12,437	16	1,377	4,262	3,653	2,017	875	219	9	2	7
White, mother native	10,897	5	1,169	3,780	3,211	1,776	762	181	5	2	6
White, mother foreign	428	-	10	98	166	79	50	22	3	-	-
White, mother's nativity not stated	1	-	-	-	-	1	-	-	-	-	-
Negro	1,100	11	198	380	270	160	63	16	1	-	1
Other	11	-	-	4	6	1	-	-	-	-	-
Places of 2,500 to 10,000	15,525	12	1,606	5,249	4,561	2,613	1,186	264	24	-	10
White, mother native	14,516	3	1,507	4,992	4,235	2,443	1,074	233	20	-	9
White, mother foreign	567	-	11	126	211	108	84	24	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	414	9	81	124	108	58	27	6	-	-	1
Other	28	-	7	7	7	4	1	1	1	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
MICHIGAN—Continued											
Rural	53,040	28	5,829	18,184	15,140	8,462	4,145	1,160	69	1	22
White, mother native	50,951	27	5,683	17,608	14,528	8,063	3,900	1,059	65	-	19
White, mother foreign	1,385	-	37	340	432	268	194	69	3	1	1
White, mother's nativity not stated	4	-	2	1	-	1	-	-	-	-	-
Negro	594	1	90	201	155	89	43	13	1	-	1
Other	106	-	17	34	25	21	8	-	-	-	1
MINNESOTA	73,929	17	5,637	23,329	21,891	13,848	7,004	1,921	133	2	147
White, mother native	71,747	14	5,476	22,689	21,274	13,449	6,752	1,835	126	2	130
White, mother foreign	1,345	-	37	352	417	272	194	62	6	-	5
White, mother's nativity not stated	27	-	4	5	5	1	4	2	-	-	6
Negro	256	2	33	108	60	33	17	2	-	-	1
Other	554	1	87	175	135	93	37	20	1	-	5
Urban	41,758	11	3,007	13,483	12,834	7,762	3,677	842	58	1	81
White, mother native	40,568	9	2,942	13,127	12,481	7,536	3,543	803	54	1	72
White, mother foreign	828	-	20	213	259	179	115	34	4	-	4
White, mother's nativity not stated	18	-	3	5	4	1	1	1	-	-	3
Negro	246	2	33	103	58	31	16	2	-	-	1
Other	96	-	9	35	32	15	2	2	-	-	1
Places of 100,000 or more	24,202	9	1,608	7,841	7,609	4,511	2,099	456	30	-	37
White, mother native	23,337	7	1,554	7,580	7,356	4,354	1,997	430	28	-	31
White, mother foreign	535	-	11	131	167	113	83	25	2	-	3
White, mother's nativity not stated	8	-	2	2	1	-	1	-	-	-	2
Negro	246	2	33	103	58	31	16	2	-	-	1
Other	76	-	8	25	27	13	2	1	-	-	-
Places of 25,000 to 100,000	857	-	65	250	269	172	87	11	1	-	2
White, mother native	831	-	65	246	258	166	83	11	1	-	1
White, mother foreign	26	-	-	4	11	6	4	-	-	-	1
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	5,591	-	469	1,870	1,642	977	484	118	9	1	21
White, mother native	5,500	-	469	1,839	1,619	955	471	116	9	1	21
White, mother foreign	84	-	-	27	22	20	13	2	-	-	-
White, mother's nativity not stated	2	-	-	1	-	1	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	5	-	-	3	1	1	-	-	-	-	-
Places of 2,500 to 10,000	11,106	2	865	3,522	3,314	2,102	1,007	255	18	-	21
White, mother native	10,900	2	854	3,462	3,248	2,061	992	246	16	-	19
White, mother foreign	183	-	9	51	59	40	15	7	2	-	-
White, mother's nativity not stated	8	-	1	2	3	-	-	1	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	15	-	1	7	4	1	-	1	-	-	1
Rural	32,173	6	2,630	9,846	9,057	6,086	3,327	1,079	75	1	66
White, mother native	31,179	5	2,534	9,562	8,793	5,913	3,209	1,032	72	1	58
White, mother foreign	517	-	17	139	158	93	79	28	2	-	1
White, mother's nativity not stated	9	-	1	-	1	-	3	1	-	-	3
Negro	10	-	-	5	2	2	1	-	-	-	-
Other	458	1	78	140	103	78	35	18	1	-	4
MISSISSIPPI	66,415	441	13,467	20,779	14,635	8,806	5,864	1,730	146	9	538
White, mother native	28,896	45	4,650	9,528	7,114	4,187	2,513	703	57	2	97
White, mother foreign	170	-	9	75	42	24	13	6	-	-	1
White, mother's nativity not stated	31	-	3	8	2	2	1	-	-	-	17
Negro	37,189	393	8,777	11,138	7,450	4,576	3,319	1,018	89	7	422
Other	129	3	28	32	27	17	18	3	-	-	1
Urban	16,706	58	2,923	5,765	4,272	2,219	1,158	235	12	1	63
White, mother native	9,151	8	1,175	3,259	2,612	1,324	638	115	3	-	17
White, mother foreign	85	-	3	40	25	13	2	2	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	7,439	50	1,743	2,454	1,628	879	513	117	9	1	45
Other	30	-	2	12	7	3	5	1	-	-	-
Places of 25,000 to 100,000	3,790	15	621	1,343	1,009	512	243	37	4	1	5
White, mother native	1,989	-	219	674	599	327	147	21	2	-	-
White, mother foreign	14	-	-	7	5	1	1	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,785	15	401	662	405	184	95	16	2	1	4
Other	1	-	1	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	6,819	20	1,185	2,377	1,735	901	469	102	2	-	28
White, mother native	3,730	2	499	1,375	1,038	512	247	49	-	-	10
White, mother foreign	45	-	3	23	12	5	1	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3,030	18	683	972	685	382	218	52	2	-	18
Other	14	-	-	7	2	2	3	-	-	-	-
Places of 2,500 to 10,000	6,097	23	1,117	2,045	1,528	806	446	96	6	-	30
White, mother native	3,432	6	457	1,210	977	485	244	45	1	-	7
White, mother foreign	26	-	-	10	8	7	-	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2,624	17	659	820	538	313	200	49	5	-	23
Other	15	-	1	5	5	1	2	1	-	-	-
Rural	49,709	383	10,544	15,014	10,363	6,587	4,706	1,495	134	8	475
White, mother native	19,745	37	3,475	6,269	4,502	2,863	1,675	588	54	2	80
White, mother foreign	85	-	6	35	17	11	11	4	-	-	1
White, mother's nativity not stated	30	-	3	6	2	2	1	-	-	-	16
Negro	29,750	343	7,034	8,684	5,822	3,697	2,806	901	80	6	377
Other	99	3	26	20	20	14	13	2	-	-	1

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
MISSOURI	85,302	119	11,601	28,247	22,574	13,367	7,174	1,965	146	2	107
White, mother native	76,416	46	9,679	25,403	20,576	12,256	6,478	1,765	132	1	80
White, mother foreign	851	-	30	265	291	122	106	35	2	-	-
White, mother's nativity not stated	21	-	4	-	3	2	1	1	-	-	10
Negro	7,857	73	1,881	2,558	1,690	981	582	162	12	1	17
Other	57	-	7	21	14	6	7	2	-	-	-
Urban	49,602	74	6,459	17,057	13,666	7,607	3,745	911	58	1	24
White, mother native	42,290	19	4,898	14,650	11,962	6,709	3,214	771	50	-	17
White, mother foreign	632	-	21	177	225	91	89	26	1	-	-
White, mother's nativity not stated	6	-	1	-	2	1	-	-	-	-	2
Negro	6,629	55	1,534	2,213	1,464	801	438	111	7	1	5
Other	45	-	5	17	13	5	4	1	-	-	-
Places of 100,000 or more	29,658	53	3,912	10,291	8,176	4,496	2,186	520	37	1	6
White, mother native	23,570	8	2,605	8,255	6,742	3,767	1,744	411	32	-	6
White, mother foreign	437	-	19	108	162	60	66	21	1	-	-
White, mother's nativity not stated	2	-	-	-	2	-	-	-	-	-	-
Negro	5,616	45	1,286	1,913	1,263	664	353	87	4	1	-
Other	33	-	2	15	7	5	3	1	-	-	-
Places of 25,000 to 100,000	4,478	5	564	1,526	1,245	695	362	76	3	-	2
White, mother native	4,301	4	530	1,475	1,210	658	349	71	3	-	1
White, mother foreign	49	-	1	12	17	11	5	3	-	-	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	122	1	31	37	17	26	8	2	-	-	-
Other	4	-	1	2	1	-	-	-	-	-	-
Places of 10,000 to 25,000	6,630	6	724	2,242	1,882	1,093	545	126	6	-	6
White, mother native	6,127	3	627	2,085	1,759	1,034	498	113	5	-	3
White, mother foreign	76	-	-	30	25	9	10	2	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	420	3	97	127	94	49	36	11	1	-	2
Other	5	-	-	-	4	-	1	-	-	-	-
Places of 2,500 to 10,000	8,636	10	1,259	2,998	2,363	1,323	672	189	12	-	10
White, mother native	8,292	4	1,136	2,835	2,251	1,250	623	176	10	-	7
White, mother foreign	70	-	1	27	21	11	8	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	471	6	120	136	90	62	41	11	2	-	3
Other	3	-	2	-	1	-	-	-	-	-	-
Rural	35,700	45	5,142	11,190	8,908	5,760	3,429	1,054	88	1	83
White, mother native	34,126	27	4,781	10,753	8,614	5,547	3,264	994	82	1	63
White, mother foreign	219	-	9	88	66	31	17	7	1	-	-
White, mother's nativity not stated	15	-	3	-	1	1	1	1	-	-	8
Negro	1,328	18	347	345	226	180	144	51	5	-	12
Other	12	-	2	4	1	1	3	1	-	-	-
MONTANA	15,366	11	1,775	5,172	4,167	2,613	1,250	343	26	1	8
White, mother native	14,022	9	1,627	4,767	3,786	2,400	1,110	295	23	-	5
White, mother foreign	527	-	22	155	164	97	61	26	1	1	-
White, mother's nativity not stated	7	-	-	1	2	2	1	-	-	-	1
Negro	19	-	1	8	5	5	-	-	-	-	-
Other	791	2	125	241	210	109	78	22	2	-	2
Urban	7,634	4	871	2,668	2,098	1,293	543	145	10	-	2
White, mother native	7,268	3	848	2,560	1,981	1,222	510	133	10	-	1
White, mother foreign	274	-	9	75	91	61	29	9	-	-	-
White, mother's nativity not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	15	-	1	8	3	3	-	-	-	-	-
Other	74	1	13	24	23	6	4	3	-	-	-
Places of 25,000 to 100,000	2,177	-	243	743	582	391	167	38	2	-	1
White, mother native	2,057	-	239	703	560	366	153	34	2	-	-
White, mother foreign	94	-	2	27	25	23	13	4	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	6	-	-	5	-	1	-	-	-	-	-
Other	18	-	2	8	7	-	1	-	-	-	-
Places of 10,000 to 25,000	2,825	4	274	911	732	450	196	52	5	-	1
White, mother native	2,524	3	268	885	698	426	189	49	5	-	1
White, mother foreign	71	-	1	16	26	20	8	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	7	-	1	3	2	1	-	-	-	-	-
Other	23	1	4	7	6	3	1	1	-	-	-
Places of 2,500 to 10,000	2,832	-	354	1,014	774	452	180	55	3	-	-
White, mother native	2,687	-	341	972	723	430	168	50	3	-	-
White, mother foreign	109	-	6	32	40	18	10	3	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	2	-	-	-	1	1	-	-	-	-	-
Other	33	-	7	9	10	3	2	2	-	-	-
Rural	7,732	7	904	2,504	2,069	1,320	707	198	16	1	6
White, mother native	6,754	6	779	2,207	1,805	1,178	600	162	13	-	4
White, mother foreign	253	-	13	80	73	36	32	17	1	1	-
White, mother's nativity not stated	4	-	-	-	2	1	1	-	-	-	-
Negro	4	-	-	-	2	2	-	-	-	-	-
Other	717	1	112	217	187	103	74	19	2	-	2
NEBRASKA	31,547	19	3,346	10,836	9,103	5,008	2,468	698	43	-	26
White, mother native	30,465	16	3,189	10,484	8,824	4,866	2,363	658	39	-	26
White, mother foreign	401	-	12	115	133	52	56	29	4	-	-
White, mother's nativity not stated	7	-	-	3	2	-	2	-	-	-	-
Negro	493	3	118	176	106	56	29	5	-	-	-
Other	181	-	27	58	38	34	18	6	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEBRASKA-Continued											
Urban	15,011	13	1,657	5,425	4,392	2,262	1,017	230	12	-	3
White, mother native	14,219	10	1,523	5,157	4,184	2,165	959	207	11	-	3
White, mother foreign	238	-	8	69	84	33	27	16	1	-	-
White, mother's nativity not stated	4	-	-	3	1	-	-	-	-	-	-
Negro	484	3	116	170	106	55	29	5	-	-	-
Other	66	-	10	26	17	9	2	2	-	-	-
Places of 100,000 or more	6,049	5	603	2,122	1,617	964	437	98	3	-	-
White, mother native	5,457	2	487	1,923	1,670	891	394	87	3	-	-
White, mother foreign	125	-	6	35	43	18	17	6	-	-	-
White, mother's nativity not stated	2	-	-	1	1	-	-	-	-	-	-
Negro	432	3	106	153	93	47	26	4	-	-	-
Other	33	-	4	10	10	8	-	1	-	-	-
Places of 25,000 to 100,000	2,439	1	221	972	694	358	159	32	2	-	-
White, mother native	2,378	1	215	950	674	352	156	28	2	-	-
White, mother foreign	23	-	-	7	7	4	2	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	33	-	5	12	12	2	1	1	-	-	-
Other	5	-	1	3	1	-	-	-	-	-	-
Places of 10,000 to 25,000	2,904	6	374	1,054	816	426	193	32	2	-	1
White, mother native	2,840	6	368	1,033	796	417	189	28	2	-	1
White, mother foreign	41	-	2	12	16	5	3	3	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	2	3	-	3	-	-	-	-	-
Other	15	-	2	6	4	1	1	1	-	-	-
Places of 2,500 to 10,000	3,619	1	459	1,277	1,065	514	228	68	5	-	2
White, mother native	3,544	1	453	1,251	1,044	505	220	64	4	-	2
White, mother foreign	49	-	-	15	18	6	5	4	1	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	11	-	3	2	1	3	2	-	-	-	-
Other	13	-	3	7	2	-	1	-	-	-	-
Rural	16,536	6	1,689	5,411	4,711	2,746	1,451	468	31	-	23
White, mother native	16,246	6	1,666	5,327	4,640	2,701	1,404	451	28	-	23
White, mother foreign	163	-	4	46	49	19	29	13	3	-	-
White, mother's nativity not stated	3	-	-	-	1	-	2	-	-	-	-
Negro	9	-	2	6	-	1	-	-	-	-	-
Other	115	-	17	32	21	25	16	4	-	-	-
NEVADA	3,673	5	445	1,201	1,063	583	294	77	1	-	4
White, mother native	3,277	1	396	1,089	950	524	243	70	1	-	3
White, mother foreign	107	-	2	25	41	18	17	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	110	2	20	39	27	13	9	-	-	-	-
Other	179	2	27	48	45	28	25	3	-	-	1
Urban	1,885	3	189	614	578	313	148	39	1	-	-
White, mother native	1,708	-	171	560	522	290	128	36	1	-	-
White, mother foreign	55	-	1	11	25	11	5	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	87	2	14	34	21	9	7	-	-	-	-
Other	35	1	3	9	10	3	8	1	-	-	-
Places of 10,000 to 25,000	814	1	72	269	246	155	58	13	-	-	-
White, mother native	765	-	69	255	225	150	53	13	-	-	-
White, mother foreign	28	-	1	4	16	3	2	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	-	7	-	1	-	-	-	-	-
Other	15	1	2	3	5	1	3	-	-	-	-
Places of 2,500 to 10,000	1,071	2	117	345	332	158	90	26	1	-	-
White, mother native	943	-	102	305	297	140	75	23	1	-	-
White, mother foreign	29	-	-	7	9	8	3	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	79	2	14	27	21	8	7	-	-	-	-
Other	20	-	1	6	5	2	5	1	-	-	-
Rural	1,768	2	256	587	485	270	146	38	-	-	4
White, mother native	1,569	1	225	529	428	234	115	34	-	-	3
White, mother foreign	52	-	1	14	16	7	12	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	23	-	6	5	6	4	2	-	-	-	-
Other	144	1	24	39	35	25	17	2	-	-	1
NEW HAMPSHIRE	11,940	4	1,103	3,983	3,587	2,054	952	242	9	1	5
White, mother native	11,265	4	1,091	3,831	3,354	1,913	858	201	7	1	5
White, mother foreign	648	-	9	143	224	137	93	40	2	-	-
White, mother's nativity not stated	7	-	1	-	4	1	-	1	-	-	-
Negro	11	-	1	4	3	2	1	-	-	-	-
Other	9	-	1	5	2	1	-	-	-	-	-
Urban	6,798	1	545	2,272	2,072	1,216	555	132	4	-	1
White, mother native	6,368	1	536	2,183	1,916	1,119	495	114	3	-	1
White, mother foreign	416	-	7	83	151	96	60	18	1	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	6	-	1	2	2	1	-	-	-	-	-
Other	6	-	-	4	2	-	-	-	-	-	-
Places of 25,000 to 100,000	3,253	-	199	1,042	1,045	610	294	60	3	-	-
White, mother native	3,033	-	195	996	965	567	257	51	2	-	-
White, mother foreign	213	-	3	43	76	42	37	9	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	1	-	2	1	-	-	-	-	-
Other	3	-	-	3	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEW HAMPSHIRE—Continued											
Places of 10,000 to 25,000	2,469	-	217	868	737	421	177	49	-	-	-
White, mother native	2,306	-	214	834	678	381	160	41	-	-	-
White, mother foreign	156	-	2	31	58	40	17	8	-	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	2	-	-	2	-	-	-	-	-	-	-
Other	3	-	-	1	2	-	-	-	-	-	-
Places of 2,500 to 10,000	1,076	1	129	362	290	185	84	23	1	-	1
White, mother native	1,029	1	127	353	275	171	78	22	1	-	1
White, mother foreign	47	-	2	9	15	14	6	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	5,142	3	558	1,711	1,515	838	397	110	5	1	4
White, mother native	4,997	3	555	1,648	1,458	794	363	87	4	1	4
White, mother foreign	232	-	2	60	73	41	33	22	1	-	-
White, mother's nativity not stated	5	-	-	-	3	1	-	1	-	-	-
Negro	5	-	-	2	1	1	1	-	-	-	-
Other	3	-	1	1	-	1	-	-	-	-	-
NEW JERSEY	97,606	52	8,268	28,486	32,434	19,741	8,676	1,824	93	-	32
White, mother native	83,741	17	4,336	24,083	28,504	17,843	7,457	1,419	61	-	21
White, mother foreign	4,638	-	95	1,030	1,710	829	682	272	18	-	2
White, mother's nativity not stated	14	-	-	4	2	3	-	1	-	-	4
Negro	9,080	35	1,832	3,318	2,175	1,046	529	129	13	-	5
Other	133	-	5	51	45	20	8	3	1	-	-
Urban	76,279	40	4,598	22,168	25,580	15,546	6,847	1,410	68	-	22
White, mother native	64,660	9	2,962	18,439	22,316	13,976	5,827	1,077	39	-	15
White, mother foreign	3,793	-	77	825	1,378	689	583	224	16	-	1
White, mother's nativity not stated	12	-	-	4	2	3	-	-	-	-	3
Negro	7,724	31	1,556	2,859	1,859	867	431	106	12	-	3
Other	90	-	3	41	25	11	6	3	1	-	-
Places of 100,000 or more	26,405	28	2,079	8,076	8,503	5,012	2,224	449	26	-	8
White, mother native	20,612	7	1,102	6,110	7,024	4,277	1,758	315	14	-	5
White, mother foreign	1,276	-	33	289	452	214	207	74	7	-	-
White, mother's nativity not stated	9	-	-	4	1	3	-	-	-	-	1
Negro	4,466	21	943	1,653	1,014	514	256	58	5	-	2
Other	42	-	1	20	12	4	3	2	-	-	-
Places of 25,000 to 100,000	20,866	6	1,022	5,914	7,176	4,466	1,880	379	16	-	7
White, mother native	18,054	1	717	5,024	6,341	4,063	1,613	283	7	-	5
White, mother foreign	1,183	-	20	250	412	221	179	75	5	-	1
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,622	5	283	629	415	178	87	21	4	-	-
Other	26	-	2	11	8	4	1	-	-	-	-
Places of 10,000 to 25,000	13,730	3	709	3,893	4,898	2,876	1,262	277	12	-	2
White, mother native	12,009	1	496	3,357	4,165	2,636	1,120	225	8	-	1
White, mother foreign	661	-	12	157	249	115	91	35	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,051	2	201	373	280	124	51	17	2	-	1
Other	9	-	-	6	2	1	-	-	-	-	-
Places of 2,500 to 10,000	15,278	3	788	4,265	5,205	3,192	1,481	305	14	-	5
White, mother native	13,985	1	647	3,948	4,786	3,000	1,336	254	10	-	4
White, mother foreign	693	-	12	129	265	139	106	40	2	-	-
White, mother's nativity not stated	2	-	-	-	1	-	-	-	-	-	1
Negro	585	3	129	204	150	51	37	10	1	-	-
Other	13	-	-	4	3	2	2	1	1	-	-
Rural	21,327	12	1,670	6,318	6,854	4,195	1,829	414	25	-	10
White, mother native	19,081	8	1,374	5,644	6,188	3,867	1,630	342	22	-	6
White, mother foreign	845	-	18	205	332	140	99	48	2	-	1
White, mother's nativity not stated	2	-	-	-	-	-	-	1	-	-	1
Negro	1,356	4	276	459	314	179	98	23	1	-	2
Other	43	-	2	10	20	9	2	-	-	-	-
NEW MEXICO	21,620	24	3,224	7,046	5,571	3,153	1,946	577	45	5	29
White, mother native	19,532	17	2,942	6,416	5,063	2,841	1,704	493	35	1	20
White, mother foreign	584	-	47	180	140	81	74	30	2	-	-
White, mother's nativity not stated	32	-	6	11	2	6	2	-	-	-	5
Negro	147	5	36	49	33	10	12	2	-	-	-
Other	1,355	2	193	390	333	215	154	52	8	4	4
Urban	10,032	11	1,530	3,435	2,648	1,431	757	193	9	3	15
White, mother native	9,521	6	1,472	3,276	2,517	1,351	701	176	9	1	12
White, mother foreign	232	-	17	80	55	36	32	12	-	-	-
White, mother's nativity not stated	16	-	3	5	-	4	1	-	-	-	3
Negro	115	5	27	34	27	10	10	2	-	-	-
Other	148	-	11	40	49	30	13	3	-	2	-
Places of 25,000 to 100,000	2,747	3	342	953	808	408	187	41	1	2	4
White, mother native	2,599	3	329	900	766	390	172	34	1	1	3
White, mother foreign	77	-	5	32	21	8	7	6	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	18	-	4	4	5	3	2	-	-	-	-
Other	50	-	6	16	16	5	5	1	-	1	-
Places of 10,000 to 25,000	2,673	5	435	912	670	377	220	49	2	-	3
White, mother native	2,559	2	416	876	645	359	211	45	2	-	3
White, mother foreign	35	-	4	14	7	5	3	2	-	-	-
White, mother's nativity not stated	3	-	1	1	-	1	-	-	-	-	-
Negro	52	3	13	15	11	4	5	1	-	-	-
Other	24	-	1	6	7	8	1	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NEW MEXICO—Continued											
Places of 2,500 to 10,000	4,612	3	753	1,570	1,170	648	350	103	6	1	8
White, mother native	4,363	1	727	1,500	1,106	602	318	97	6	-	6
White, mother foreign	120	-	10	34	27	23	22	4	-	-	-
White, mother's nativity not stated	10	-	2	3	-	3	-	-	-	-	2
Negro	45	2	10	15	11	3	3	1	-	-	-
Other	74	-	4	18	26	17	7	1	-	1	-
Rural	11,588	13	1,894	3,611	2,923	1,722	1,189	384	36	2	14
White, mother native	10,011	11	1,470	3,140	2,546	1,490	1,003	317	26	-	8
White, mother foreign	322	-	30	100	85	45	42	18	2	-	-
White, mother's nativity not stated	16	-	3	6	2	2	1	-	-	-	2
Negro	32	-	9	15	6	-	2	-	-	-	-
Other	1,207	2	182	350	284	185	141	49	8	2	4
NEW YORK	301,287	149	19,817	90,019	97,133	59,672	27,901	6,205	280	8	103
White, mother native	253,539	66	15,225	75,810	83,085	52,052	22,451	4,625	165	3	57
White, mother foreign	21,217	-	375	4,371	7,169	4,065	3,913	1,226	89	2	7
White, mother's nativity not stated	27	-	3	1	4	1	1	-	-	-	17
Negro	25,211	82	4,121	9,399	6,518	3,313	1,417	314	23	1	23
Other	1,293	1	93	438	357	241	119	40	3	-	1
Urban	238,482	122	14,928	70,915	77,465	47,726	22,260	4,781	202	4	81
White, mother native	194,306	45	10,559	57,642	64,583	40,708	17,268	3,362	100	1	38
White, mother foreign	18,626	-	330	3,767	6,240	3,606	3,518	1,077	80	2	6
White, mother's nativity not stated	17	-	2	-	1	-	1	-	-	-	13
Negro	24,444	76	3,968	9,131	6,348	3,204	1,367	306	20	1	23
Other	1,089	1	67	375	283	208	106	36	2	-	1
Places of 100,000 or more	184,832	109	11,156	54,104	60,563	37,456	17,553	3,661	156	4	70
White, mother native	145,171	36	7,196	42,110	49,065	31,197	13,058	2,410	69	1	30
White, mother foreign	15,975	-	266	3,152	5,306	3,104	3,139	935	66	2	5
White, mother's nativity not stated	14	-	1	-	-	-	1	-	-	-	12
Negro	22,642	73	3,632	8,482	5,920	2,860	1,253	280	19	1	22
Other	1,030	1	61	360	272	195	102	36	2	-	1
Places of 25,000 to 100,000	18,592	8	1,368	5,919	5,903	3,477	1,523	374	17	-	3
White, mother native	16,635	6	1,144	5,333	5,345	3,167	1,322	306	10	-	2
White, mother foreign	973	-	30	241	326	181	138	50	7	-	-
White, mother's nativity not stated	2	-	1	-	-	-	-	-	-	-	1
Negro	962	2	192	341	222	124	63	18	-	-	-
Other	20	-	1	4	10	5	-	-	-	-	-
Places of 10,000 to 25,000	19,039	2	1,300	6,027	5,951	3,618	1,729	416	12	-	4
White, mother native	17,513	1	1,182	5,593	5,429	3,373	1,561	363	8	-	3
White, mother foreign	935	-	21	208	356	167	133	47	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	571	1	93	220	143	73	33	6	1	-	1
Other	20	-	4	6	3	5	2	-	-	-	-
Places of 2,500 to 10,000	16,019	3	1,102	4,865	5,068	3,175	1,455	330	17	-	4
White, mother native	14,987	3	1,037	4,606	4,744	2,971	1,327	283	13	-	3
White, mother foreign	743	-	13	166	252	154	106	45	4	-	1
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	269	-	51	86	63	47	18	2	-	-	-
Other	19	-	1	5	8	3	2	-	-	-	-
Rural	62,805	27	4,891	19,104	19,868	11,946	5,641	1,424	78	2	24
White, mother native	59,235	21	4,666	18,166	18,502	11,344	5,183	1,283	65	2	19
White, mother foreign	2,591	-	45	604	929	459	395	149	9	-	1
White, mother's nativity not stated	10	-	1	1	3	1	-	-	-	-	4
Negro	767	6	153	268	170	109	50	8	3	-	-
Other	204	-	26	63	64	33	13	4	1	-	-
NORTH CAROLINA	107,970	315	18,768	35,609	26,599	15,179	8,481	2,502	207	7	303
White, mother native	71,931	62	10,898	23,895	18,740	10,665	5,694	1,701	137	6	135
White, mother foreign	459	-	20	205	159	43	26	6	-	-	-
White, mother's nativity not stated	25	-	4	6	3	3	1	-	-	-	9
Negro	34,352	246	7,636	11,131	7,428	4,305	2,623	760	68	1	154
Other	1,203	7	212	373	269	163	137	35	2	-	5
Urban	34,173	81	5,437	11,886	9,223	4,755	2,227	483	31	-	50
White, mother native	23,980	9	3,126	8,384	6,940	3,531	1,613	332	23	-	22
White, mother foreign	238	-	8	105	83	19	20	3	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	-	-	-	-	2
Negro	9,923	72	2,300	3,382	2,197	1,200	592	146	8	-	26
Other	29	-	3	14	3	5	2	2	-	-	-
Places of 100,000 or more	3,649	12	554	1,185	1,047	528	262	60	1	-	-
White, mother native	2,493	2	293	806	785	379	182	48	-	-	-
White, mother foreign	28	-	-	8	12	3	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,126	10	261	369	250	146	75	14	1	-	-
Other	2	-	-	2	-	-	-	-	-	-	-
Places of 25,000 to 100,000	12,337	27	1,886	4,333	3,419	1,725	774	152	10	-	11
White, mother native	9,217	1	934	2,906	2,498	1,240	532	97	5	-	4
White, mother foreign	75	-	2	22	33	7	9	2	-	-	-
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	4,033	26	947	1,401	888	476	231	52	5	-	7
Other	11	-	3	3	-	2	2	1	-	-	-
Places of 10,000 to 25,000	9,480	25	1,635	3,353	2,469	1,261	571	134	9	-	23
White, mother native	6,671	3	991	2,375	1,843	937	411	92	9	-	12
White, mother foreign	98	-	6	56	27	6	3	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,703	22	638	919	599	316	157	42	-	-	10
Other	7	-	-	5	-	2	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
NORTH CAROLINA—Continued											
Places of 2,500 to 10,000	8,707	17	1,362	3,015	2,298	1,241	620	137	11	-	16
White, mother native	6,599	3	908	2,299	1,814	975	488	97	9	-	6
White, mother foreign	37	-	-	19	11	3	3	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,061	14	454	693	460	262	129	38	2	-	9
Other	9	-	-	4	3	1	-	1	-	-	-
Rural	73,797	234	13,331	23,723	17,376	10,424	6,254	2,019	176	7	253
White, mother native	47,851	53	7,770	15,511	11,800	7,134	4,081	1,369	114	6	113
White, mother foreign	221	-	12	100	76	24	6	3	-	-	-
White, mother's nativity not stated	22	-	4	4	3	3	1	-	-	-	7
Negro	24,429	174	5,336	7,749	5,231	3,105	2,031	614	60	1	128
Other	1,174	7	209	359	266	158	135	33	2	-	5
NORTH DAKOTA	16,846	5	1,617	5,683	4,528	2,813	1,607	502	44	-	47
White, mother native	16,119	5	1,547	5,483	4,340	2,696	1,513	467	31	-	37
White, mother foreign	336	-	8	93	96	55	49	24	10	-	1
White, mother's nativity not stated	20	-	3	6	7	-	-	-	-	-	4
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	371	-	59	101	85	62	45	11	3	-	5
Urban	4,842	3	478	1,851	1,346	702	359	80	6	-	17
White, mother native	4,716	3	470	1,806	1,309	684	347	76	5	-	16
White, mother foreign	93	-	2	32	29	14	11	4	1	-	-
White, mother's nativity not stated	3	-	-	2	-	-	-	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	30	-	6	11	8	4	1	-	-	-	-
Places of 25,000 to 100,000	1,094	-	95	411	324	179	69	10	3	-	3
White, mother native	1,060	-	94	402	313	173	64	8	3	-	3
White, mother foreign	27	-	-	6	9	5	5	2	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	5	-	1	1	2	1	-	-	-	-	-
Places of 10,000 to 25,000	2,036	1	213	757	568	290	159	44	2	-	2
White, mother native	1,988	1	210	740	551	283	157	43	1	-	2
White, mother foreign	32	-	-	10	12	6	2	1	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	16	-	3	7	5	1	-	-	-	-	-
Places of 2,500 to 10,000	1,712	2	170	683	454	233	131	26	1	-	12
White, mother native	1,668	2	166	664	445	228	126	25	1	-	11
White, mother foreign	34	-	2	16	8	3	4	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	9	-	2	3	1	2	1	-	-	-	-
Rural	12,004	2	1,139	3,832	3,182	2,111	1,248	422	38	-	30
White, mother native	11,403	2	1,077	3,677	3,031	2,012	1,166	391	26	-	21
White, mother foreign	243	-	6	61	67	41	38	20	9	-	1
White, mother's nativity not stated	17	-	3	4	7	-	-	-	-	-	3
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	341	-	53	90	77	58	44	11	3	-	5
OHIO	189,428	145	19,832	63,321	56,578	31,426	14,328	3,504	186	4	104
White, mother native	171,455	68	16,819	57,187	51,874	28,134	12,968	3,138	170	4	93
White, mother foreign	3,577	-	69	990	1,294	536	511	167	9	-	1
White, mother's nativity not stated	29	-	3	8	5	4	3	1	-	-	5
Negro	14,249	77	2,833	5,085	3,385	1,740	834	195	7	-	5
Other	118	-	8	43	40	12	12	3	-	-	-
Urban	130,378	105	13,025	43,852	39,903	21,709	9,484	2,147	95	-	58
White, mother native	114,104	35	10,207	38,274	35,677	19,636	8,305	1,837	85	-	48
White, mother foreign	2,877	-	50	752	1,063	444	422	138	7	-	1
White, mother's nativity not stated	19	-	2	4	3	3	2	1	-	-	4
Negro	13,267	70	2,759	4,782	3,123	1,614	743	168	3	-	5
Other	111	-	7	40	37	12	12	3	-	-	-
Places of 100,000 or more	76,303	82	7,755	25,810	23,595	12,425	5,378	1,180	50	-	28
White, mother native	63,312	19	5,399	21,315	20,261	10,824	4,485	944	42	-	23
White, mother foreign	1,841	-	24	464	696	279	274	98	6	-	-
White, mother's nativity not stated	13	-	1	2	2	3	2	1	-	-	2
Negro	11,042	63	2,324	3,995	2,604	1,310	607	134	2	-	3
Other	95	-	7	34	32	9	10	3	-	-	-
Places of 25,000 to 100,000	20,155	10	2,109	6,849	6,076	3,283	1,422	388	10	-	8
White, mother native	18,502	5	1,862	6,294	5,636	3,052	1,283	357	9	-	4
White, mother foreign	421	-	7	112	156	65	67	14	-	-	-
White, mother's nativity not stated	2	-	-	-	-	-	-	-	-	-	2
Negro	1,219	5	240	438	280	165	71	17	1	-	2
Other	11	-	-	5	4	1	1	-	-	-	-
Places of 10,000 to 25,000	15,072	6	1,394	5,024	4,563	2,640	1,173	252	15	-	5
White, mother native	14,255	4	1,283	4,766	4,326	2,528	1,100	232	14	-	4
White, mother foreign	298	-	11	84	100	50	36	15	1	-	1
White, mother's nativity not stated	1	-	-	1	-	-	-	-	-	-	-
Negro	516	2	100	173	137	62	37	5	-	-	-
Other	2	-	-	-	-	2	-	-	-	-	-
Places of 2,500 to 10,000	18,848	7	1,767	6,169	5,669	3,361	1,511	327	20	-	17
White, mother native	18,035	7	1,663	5,899	5,454	3,234	1,437	304	20	-	17
White, mother foreign	317	-	8	92	111	50	45	11	-	-	-
White, mother's nativity not stated	3	-	1	1	1	-	-	-	-	-	-
Negro	490	-	95	176	102	77	28	12	-	-	-
Other	3	-	-	1	1	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
OHIO—Continued											
Rural	59,050	40	6,807	19,469	16,875	9,717	4,844	1,357	91	4	46
White, mother native	57,351	33	6,612	18,913	16,197	9,498	4,663	1,301	85	4	45
White, mother foreign	700	-	19	238	231	92	89	29	2	-	-
White, mother's nativity not stated	10	-	1	4	2	1	1	-	-	-	1
Negro	982	7	174	311	242	126	91	27	4	-	-
Other	7	-	1	3	3	-	-	-	-	-	-
OKLAHOMA	49,702	93	8,633	17,122	12,133	6,569	3,767	1,074	98	-	213
White, mother native	43,806	45	7,418	15,301	10,876	5,798	3,222	897	89	-	160
White, mother foreign	302	-	13	128	96	43	16	5	1	-	-
White, mother's nativity not stated	6	-	1	1	-	-	1	-	-	-	3
Negro	3,617	39	864	1,085	714	454	333	88	5	-	35
Other	1,971	9	337	607	447	274	196	84	3	-	15
Urban	25,141	49	4,157	9,242	6,456	3,228	1,588	330	23	-	68
White, mother native	22,199	24	3,538	8,276	5,807	2,848	1,370	270	19	-	47
White, mother foreign	212	-	8	89	70	29	11	4	1	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	2,239	25	535	700	454	295	185	45	2	-	18
Other	490	-	76	177	125	56	42	11	1	-	2
Places of 100,000 or more	10,028	17	1,575	3,629	2,721	1,314	623	124	9	-	16
White, mother native	8,690	8	1,282	3,171	2,425	1,147	546	97	8	-	6
White, mother foreign	87	-	4	33	27	15	5	3	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,151	9	274	385	259	145	66	23	1	-	9
Other	99	-	15	40	30	7	6	1	-	-	-
Places of 25,000 to 100,000	1,781	4	279	681	449	217	124	21	2	-	4
White, mother native	1,531	-	238	601	394	179	99	17	1	-	2
White, mother foreign	24	-	-	12	10	1	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	205	4	38	55	41	36	24	4	1	-	2
Other	21	-	3	13	4	1	-	-	-	-	-
Places of 10,000 to 25,000	6,938	11	1,114	2,675	1,758	880	397	78	4	-	21
White, mother native	6,218	4	963	2,443	1,603	782	338	66	4	-	15
White, mother foreign	65	-	3	23	23	11	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	489	7	126	151	89	63	40	9	-	-	4
Other	166	-	22	58	43	24	14	3	-	-	2
Places of 2,500 to 10,000	6,394	17	1,189	2,257	1,528	817	444	107	8	-	27
White, mother native	5,760	12	1,055	2,061	1,385	740	387	90	6	-	24
White, mother foreign	36	-	1	21	10	2	-	1	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	394	5	97	109	85	51	35	9	-	-	3
Other	204	-	36	66	48	24	22	7	1	-	-
Rural	24,561	44	4,476	7,880	5,677	3,341	2,179	744	75	-	145
White, mother native	21,607	21	3,880	7,025	5,069	2,950	1,852	627	70	-	113
White, mother foreign	90	-	5	39	26	14	5	1	-	-	-
White, mother's nativity not stated	5	-	1	1	-	-	1	-	-	-	2
Negro	1,378	14	329	585	260	159	168	43	3	-	17
Other	1,481	9	261	430	322	218	153	73	2	-	13
OREGON	35,316	17	4,460	12,005	9,882	5,703	2,585	616	39	-	9
White, mother native	33,536	15	4,330	11,530	9,292	5,362	2,392	570	36	-	9
White, mother foreign	1,060	1	49	255	376	221	120	35	3	-	-
White, mother's nativity not stated	5	-	1	1	2	1	-	-	-	-	-
Negro	328	1	41	93	100	59	31	3	-	-	-
Other	387	-	39	126	112	60	42	8	-	-	-
Urban	19,507	8	2,100	6,540	5,707	3,229	1,411	297	14	-	1
White, mother native	18,145	6	2,025	6,232	5,302	3,003	1,296	268	12	-	1
White, mother foreign	669	1	28	156	251	149	62	20	2	-	-
White, mother's nativity not stated	2	-	1	-	1	-	-	-	-	-	-
Negro	319	1	39	92	99	55	30	3	-	-	-
Other	172	-	7	60	54	22	23	6	-	-	-
Places of 100,000 or more	9,891	5	872	3,124	3,064	1,849	810	163	4	-	-
White, mother native	9,028	3	812	2,900	2,763	1,674	725	145	4	-	-
White, mother foreign	430	1	14	88	165	103	42	11	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	308	1	39	91	92	52	30	3	-	-	-
Other	126	-	7	45	43	14	13	4	-	-	-
Places of 25,000 to 100,000	1,014	-	108	365	307	157	67	10	2	-	-
White, mother native	986	-	107	354	295	153	66	10	1	-	-
White, mother foreign	26	-	-	9	11	4	1	-	1	-	-
White, mother's nativity not stated	1	-	1	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
Places of 10,000 to 25,000	3,207	2	391	1,150	910	489	215	45	4	-	1
White, mother native	3,106	2	386	1,127	870	471	208	37	4	-	1
White, mother foreign	79	-	5	19	29	13	6	7	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	9	-	-	-	7	2	-	-	-	-	-
Other	13	-	-	4	4	3	1	1	-	-	-
Places of 2,500 to 10,000	5,195	1	729	1,903	1,426	734	319	79	4	-	-
White, mother native	5,027	1	720	1,851	1,374	705	297	76	3	-	-
White, mother foreign	134	-	9	40	46	23	13	2	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	-	1	-	-	-	-	-
Other	32	-	-	11	6	5	9	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
OREGON—Continued											
Rural	16,009	9	2,360	5,465	4,175	2,474	1,174	319	25	-	8
White, mother native	15,391	9	2,305	5,298	3,990	2,359	1,096	302	24	-	8
White, mother foreign	391	-	21	99	125	72	58	15	1	-	-
White, mother's nativity not stated	3	-	-	1	1	1	-	-	-	-	-
Negro	9	-	2	1	1	4	1	-	-	-	-
Other	215	-	32	66	58	38	19	2	-	-	-
PENNSYLVANIA	224,581	172	19,867	72,482	68,337	40,016	18,639	4,525	297	9	237
White, mother native	202,513	78	16,292	65,137	62,561	37,189	16,830	4,001	242	5	178
White, mother foreign	5,135	-	121	1,341	1,744	818	784	280	32	3	2
White, mother's nativity not stated	72	-	7	16	7	7	3	-	-	-	32
Negro	16,763	94	3,444	5,957	3,994	1,984	1,002	239	23	1	25
Other	98	-	3	31	31	18	10	5	-	-	-
Urban	150,647	131	12,060	48,407	47,098	27,549	12,394	2,692	152	9	155
White, mother native	130,755	42	8,717	41,777	41,932	24,997	10,813	2,254	108	5	110
White, mother foreign	4,026	-	90	986	1,379	675	648	218	25	3	2
White, mother's nativity not stated	46	-	5	9	4	6	2	-	-	-	20
Negro	15,734	89	3,245	5,610	3,755	1,855	921	216	19	1	23
Other	86	-	3	25	28	16	10	4	-	-	-
Places of 100,000 or more	68,854	89	5,784	21,836	21,449	12,609	5,706	1,255	65	1	70
White, mother native	54,293	13	3,164	16,928	17,768	10,779	4,598	964	37	-	41
White, mother foreign	2,099	-	28	468	718	363	375	130	17	-	1
White, mother's nativity not stated	20	-	2	4	1	1	-	-	-	-	12
Negro	12,386	76	2,587	4,418	2,937	1,454	728	158	11	1	16
Other	66	-	2	17	25	12	7	3	-	-	-
Places of 25,000 to 100,000	28,517	17	2,194	9,223	8,910	5,119	2,264	524	31	5	30
White, mother native	25,955	12	1,851	8,476	8,249	4,785	2,073	458	23	3	25
White, mother foreign	714	-	22	179	249	121	104	34	2	2	1
White, mother's nativity not stated	8	-	1	2	2	3	-	-	-	-	-
Negro	1,838	5	320	565	408	209	87	32	6	-	4
Other	4	-	-	1	2	1	-	-	-	-	-
Places of 10,000 to 25,000	25,127	15	1,939	8,114	7,937	4,590	2,064	413	26	-	29
White, mother native	23,341	9	1,681	7,514	7,458	4,368	1,901	370	19	-	21
White, mother foreign	622	-	21	164	218	98	90	25	6	-	-
White, mother's nativity not stated	12	-	1	1	1	1	2	-	-	-	6
Negro	1,144	6	236	433	259	122	68	17	1	-	2
Other	8	-	-	2	1	1	3	1	-	-	-
Places of 2,500 to 10,000	28,339	10	2,143	9,234	8,802	5,231	2,360	500	30	3	26
White, mother native	27,166	8	2,021	8,858	8,457	5,065	2,241	462	29	2	23
White, mother foreign	591	-	18	175	194	93	81	29	-	1	-
White, mother's nativity not stated	6	-	1	2	-	1	-	-	-	-	2
Negro	569	2	102	194	151	70	38	9	1	-	1
Other	8	-	1	5	-	2	-	-	-	-	-
Rural	73,934	41	7,807	24,075	21,239	12,467	6,245	1,833	145	-	82
White, mother native	71,758	36	7,575	23,360	20,629	12,192	6,017	1,747	134	-	68
White, mother foreign	1,109	-	31	355	365	143	146	62	7	-	-
White, mother's nativity not stated	26	-	2	7	3	1	1	-	-	-	12
Negro	1,029	5	199	347	239	129	81	23	4	-	2
Other	12	-	-	6	3	2	-	1	-	-	-
RHODE ISLAND	16,492	2	1,022	5,002	5,332	3,235	1,529	342	16	-	10
White, mother native	15,291	1	946	4,726	4,955	3,021	1,349	272	12	-	9
White, mother foreign	778	-	12	134	265	149	153	60	5	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	392	1	61	133	104	58	25	8	1	-	-
Other	30	-	3	9	8	6	2	2	-	-	-
Urban	14,572	1	863	4,407	4,716	2,867	1,378	298	16	-	6
White, mother native	13,480	-	811	4,149	4,377	2,676	1,213	237	11	-	6
White, mother foreign	707	-	12	123	238	136	142	52	4	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	359	1	57	127	95	52	21	7	1	-	-
Other	26	-	3	8	8	3	2	2	-	-	-
Places of 100,000 or more	5,188	-	313	1,557	1,733	990	475	115	4	-	1
White, mother native	4,685	-	261	1,417	1,583	905	420	96	2	-	1
White, mother foreign	256	-	3	45	85	49	41	12	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	253	-	47	91	60	36	15	5	1	-	-
Other	14	-	2	4	5	-	1	2	-	-	-
Places of 25,000 to 100,000	6,680	1	397	2,019	2,138	1,318	654	142	8	-	3
White, mother native	6,228	-	385	1,938	1,986	1,234	568	109	5	-	3
White, mother foreign	358	-	4	50	123	67	79	32	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	86	1	8	29	27	14	6	1	-	-	-
Other	8	-	-	2	2	3	1	-	-	-	-
Places of 10,000 to 25,000	2,073	-	138	642	661	413	184	30	4	-	1
White, mother native	1,965	-	130	610	632	394	171	23	4	-	1
White, mother foreign	87	-	5	24	22	18	12	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	17	-	2	6	6	1	1	1	-	-	-
Other	4	-	1	2	1	-	-	-	-	-	-
Places of 2,500 to 10,000	651	-	35	189	184	146	85	11	-	-	1
White, mother native	602	-	35	184	176	143	54	9	-	-	1
White, mother foreign	26	-	-	4	8	2	10	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	3	-	-	1	-	1	1	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
RHODE ISLAND—Continued											
Rural	1,920	1	139	595	616	368	151	44	2	-	4
White, mother native	1,811	1	135	577	578	345	138	35	1	-	3
White, mother foreign	71	-	-	11	27	13	11	8	1	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	33	-	4	6	11	7	4	1	-	-	-
Other	4	-	-	1	-	3	-	-	-	-	-
SOUTH CAROLINA	58,516	223	10,953	19,356	14,147	7,708	4,491	1,110	112	4	417
White, mother native	31,345	41	4,938	10,404	8,310	4,472	2,379	624	53	-	124
White, mother foreign	281	-	8	134	92	34	10	2	1	-	-
White, mother's nativity not stated	23	-	7	3	4	3	1	-	-	-	5
Negro	26,840	182	5,995	8,809	5,733	3,192	2,098	482	58	4	287
Other	27	-	5	6	8	2	3	2	-	-	1
Urban	19,201	67	3,231	6,624	5,095	2,565	1,234	254	29	2	100
White, mother native	13,021	12	1,804	4,513	3,705	1,891	860	189	17	-	40
White, mother foreign	183	-	3	81	66	22	8	2	1	-	-
White, mother's nativity not stated	10	-	4	1	1	2	-	-	-	-	2
Negro	5,981	55	1,418	2,028	1,321	660	366	63	11	2	57
Other	6	-	2	1	2	-	-	-	-	-	1
Places of 25,000 to 100,000	8,890	34	1,380	3,067	2,474	1,189	578	110	17	2	39
White, mother native	5,872	8	697	2,036	1,781	850	399	81	9	-	11
White, mother foreign	114	-	2	48	44	14	5	1	-	-	-
White, mother's nativity not stated	4	-	2	-	1	1	-	-	-	-	-
Negro	2,899	26	679	982	648	324	174	28	6	2	28
Other	1	-	-	1	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,827	13	674	1,299	1,014	516	236	48	3	-	24
White, mother native	2,749	1	431	936	749	396	185	36	3	-	12
White, mother foreign	35	-	-	20	12	3	-	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1,037	12	241	343	251	117	51	12	-	-	10
Other	5	-	2	-	2	-	-	-	-	-	1
Places of 2,500 to 10,000	6,484	20	1,177	2,258	1,607	860	420	96	9	-	37
White, mother native	4,400	3	676	1,541	1,175	635	276	72	5	-	17
White, mother foreign	34	-	1	13	10	5	3	1	1	-	-
White, mother's nativity not stated	5	-	2	1	-	1	-	-	-	-	1
Negro	2,045	17	498	703	422	219	141	23	3	-	19
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	39,315	156	7,722	12,732	9,052	5,138	3,257	856	83	2	317
White, mother native	19,324	29	3,134	5,891	4,605	2,591	1,519	435	36	-	84
White, mother foreign	98	-	5	53	26	12	2	-	-	-	-
White, mother's nativity not stated	13	-	3	2	3	1	1	-	-	-	3
Negro	20,859	127	4,577	6,781	4,412	2,532	1,732	419	47	2	230
Other	21	-	3	5	6	2	3	2	-	-	-
SOUTH DAKOTA	17,211	11	1,782	5,742	4,822	2,699	1,481	434	29	-	31
White, mother native	16,257	8	1,669	5,477	4,557	2,734	1,369	394	25	-	24
White, mother foreign	223	-	3	71	81	39	19	7	2	-	1
White, mother's nativity not stated	6	-	1	-	1	-	-	-	-	-	4
Negro	9	-	1	3	3	1	1	-	-	-	-
Other	716	3	108	191	180	125	72	33	2	-	2
Urban	5,703	5	640	2,051	1,618	889	375	106	7	-	12
White, mother native	5,557	5	630	2,005	1,565	868	367	99	7	-	11
White, mother foreign	68	-	2	20	29	10	4	1	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	6	-	1	3	2	-	-	-	-	-	-
Other	73	-	7	23	22	11	4	6	-	-	-
Places of 25,000 to 100,000	1,472	2	130	501	459	233	118	29	-	-	-
White, mother native	1,454	2	130	496	449	232	117	28	-	-	-
White, mother foreign	11	-	-	2	7	-	1	1	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	4	-	-	2	2	-	-	-	-	-	-
Other	3	-	-	1	1	1	-	-	-	-	-
Places of 10,000 to 25,000	2,408	1	287	872	682	359	156	44	3	-	4
White, mother native	2,350	1	284	852	663	351	153	39	3	-	4
White, mother foreign	31	-	1	11	12	6	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	26	-	2	8	7	2	2	5	-	-	-
Places of 2,500 to 10,000	1,823	2	223	678	477	297	101	33	4	-	8
White, mother native	1,753	2	216	657	453	285	97	32	4	-	7
White, mother foreign	24	-	1	7	10	4	2	-	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	1	-	1	-	-	-	-	-	-	-	-
Other	44	-	5	14	14	8	2	1	-	-	-
Rural	11,508	6	1,142	3,691	3,204	2,010	1,086	328	22	-	19
White, mother native	10,700	3	1,039	3,472	2,998	1,866	1,002	295	18	-	13
White, mother foreign	157	-	1	51	52	29	15	6	2	-	1
White, mother's nativity not stated	5	-	1	-	1	-	-	-	-	-	3
Negro	3	-	-	-	1	1	1	-	-	-	-
Other	643	3	101	168	158	114	68	27	2	-	2
TENNESSEE	82,854	213	14,666	26,626	20,324	11,565	6,878	2,154	174	2	254
White, mother native	67,261	89	11,004	21,754	16,958	9,664	5,642	1,797	155	2	196
White, mother foreign	288	-	11	117	99	42	14	3	-	-	2
White, mother's nativity not stated	24	-	1	5	2	1	1	-	-	-	14
Negro	15,267	124	3,650	4,747	3,259	1,854	1,219	353	19	-	42
Other	14	-	-	3	6	2	2	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
TENNESSEE—Continued											
Urban	33,609	92	5,847	11,476	8,833	4,492	2,238	557	38	-	36
White, mother native	24,613	22	3,691	8,603	6,797	3,428	1,625	398	30	-	21
White, mother foreign	152	-	7	54	54	27	7	3	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	8,830	70	2,149	2,816	1,977	1,036	605	155	8	-	14
Other	11	-	-	2	5	1	2	1	-	-	-
Places of 100,000 or more	22,887	69	4,057	7,828	6,023	3,022	1,506	365	24	-	13
White, mother native	15,560	13	2,277	5,487	4,367	2,161	1,014	239	16	-	8
White, mother foreign	106	-	3	31	42	22	5	3	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	7,191	56	1,757	2,308	1,610	838	486	122	8	-	6
Other	9	-	-	2	4	1	1	1	-	-	-
Places of 25,000 to 100,000	640	-	95	230	172	86	41	12	3	-	1
White, mother native	594	-	79	210	164	77	40	10	3	-	1
White, mother foreign	8	-	-	6	1	1	-	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	48	-	16	14	7	8	1	2	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	3,359	9	592	1,109	891	449	246	56	1	-	6
White, mother native	2,761	6	446	928	765	374	191	47	1	-	3
White, mother foreign	12	-	2	5	3	1	1	-	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	1	-	-	-	-
Negro	584	3	144	175	123	74	53	9	-	-	3
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	6,723	14	1,123	2,309	1,747	955	445	124	10	-	16
White, mother native	5,688	3	889	1,978	1,501	816	378	102	10	-	11
White, mother foreign	26	-	2	12	8	3	1	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	1,007	11	232	319	237	116	65	22	-	-	5
Other	2	-	-	-	1	-	1	-	-	-	-
Rural	49,245	121	8,819	15,150	11,491	7,071	4,840	1,597	136	2	218
White, mother native	42,648	67	7,313	13,151	10,161	6,236	4,019	1,399	125	2	175
White, mother foreign	136	-	4	63	45	15	7	-	-	-	2
White, mother's nativity not stated	21	-	1	4	2	1	-	-	-	-	13
Negro	6,437	54	1,501	1,931	1,282	818	614	198	11	-	28
Other	3	-	-	1	1	1	-	-	-	-	-
TEXAS	202,297	403	32,572	68,544	52,027	28,118	15,931	4,060	297	22	325
White, mother native	164,165	215	25,400	56,663	43,466	23,029	12,131	2,882	187	19	173
White, mother foreign	11,333	14	1,112	3,095	2,864	1,818	1,749	586	68	2	25
White, mother's nativity not stated	211	-	22	51	37	21	22	4	-	-	54
Negro	26,443	174	6,025	8,672	5,618	3,236	2,021	584	41	1	71
Other	145	-	13	63	42	14	8	4	1	-	-
Urban	126,219	236	19,631	44,330	33,626	17,157	8,901	2,042	131	12	153
White, mother native	103,956	125	15,503	37,014	28,516	14,269	6,896	1,452	85	11	85
White, mother foreign	6,057	7	448	1,658	1,591	1,022	993	317	33	1	7
White, mother's nativity not stated	106	-	12	25	17	11	10	-	-	-	31
Negro	15,989	104	3,660	5,602	3,472	1,843	996	270	12	-	30
Other	111	-	8	51	30	12	6	3	1	-	-
Places of 100,000 or more	48,873	75	7,174	17,094	13,618	6,861	3,259	713	39	3	37
White, mother native	39,988	38	5,445	14,085	11,480	5,779	2,585	522	27	3	24
White, mother foreign	1,463	-	49	372	490	241	242	80	8	-	1
White, mother's nativity not stated	32	-	5	7	9	1	4	-	-	-	6
Negro	7,288	37	1,670	2,592	1,617	831	423	108	4	-	6
Other	82	-	5	38	22	9	5	3	-	-	-
Places of 25,000 to 100,000	31,013	61	4,648	11,278	8,295	4,148	2,025	476	29	5	50
White, mother native	25,397	33	3,679	9,396	7,017	3,380	1,508	355	18	4	27
White, mother foreign	1,708	3	124	441	433	329	288	78	8	1	3
White, mother's nativity not stated	30	-	2	6	3	2	4	-	-	-	13
Negro	3,859	25	841	1,425	834	436	225	63	3	-	7
Other	19	-	2	10	6	1	-	-	-	-	-
Places of 10,000 to 25,000	13,665	31	2,252	4,746	3,539	1,777	1,062	243	20	1	14
White, mother native	11,044	13	1,758	3,886	2,941	1,448	833	166	13	1	5
White, mother foreign	877	-	88	283	232	119	112	41	3	-	1
White, mother's nativity not stated	6	-	1	1	-	2	1	-	-	-	1
Negro	1,732	18	408	573	366	207	116	36	3	-	7
Other	6	-	1	3	-	1	-	-	1	-	-
Places of 2,500 to 10,000	32,668	69	5,577	11,212	8,176	4,371	2,555	610	43	3	52
White, mother native	27,527	41	4,641	9,647	7,078	3,662	1,970	429	27	3	29
White, mother foreign	1,989	4	189	542	436	333	351	118	14	-	2
White, mother's nativity not stated	38	-	4	11	5	6	1	-	-	-	11
Negro	3,110	24	743	1,012	655	369	232	63	2	-	10
Other	4	-	-	-	2	1	1	-	-	-	-
Rural	76,078	167	12,941	24,214	18,401	10,961	7,030	2,018	166	10	170
White, mother native	60,209	90	9,897	19,649	14,950	8,760	5,235	1,430	102	8	88
White, mother foreign	5,276	7	664	1,457	1,273	796	756	269	35	1	18
White, mother's nativity not stated	105	-	10	25	20	10	12	4	-	-	23
Negro	10,454	70	2,365	3,070	2,146	1,393	1,025	314	29	1	41
Other	34	-	5	12	12	2	2	1	-	-	-
UTAH	21,164	10	2,580	7,097	5,771	3,370	1,741	487	46	-	62
White, mother native	20,400	9	2,553	6,888	5,541	3,224	1,668	443	39	-	36
White, mother foreign	429	-	4	108	128	87	61	35	6	-	-
White, mother's nativity not stated	59	-	1	10	12	7	1	3	-	-	25
Negro	63	-	6	24	19	13	1	-	-	-	-
Other	213	2	16	67	71	39	10	6	1	-	1

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UTAH—Continued											
Urban	12,366	4	1,498	4,276	3,452	1,915	947	232	18	-	24
White, mother native	11,921	4	1,484	4,157	3,317	1,827	896	205	16	-	17
White, mother foreign	291	-	1	72	84	61	44	27	2	-	-
White, mother's nativity not stated	20	-	-	4	5	3	-	1	-	-	7
Negro	51	-	6	18	15	12	-	-	-	-	-
Other	83	-	7	25	31	12	7	1	-	-	-
Places of 100,000 or more	5,484	1	568	1,900	1,607	892	408	93	6	-	9
White, mother native	5,235	1	565	1,831	1,525	846	378	77	5	-	7
White, mother foreign	166	-	-	41	46	37	26	15	1	-	-
White, mother's nativity not stated	7	-	-	1	3	-	-	1	-	-	2
Negro	26	-	1	11	11	5	-	-	-	-	-
Other	48	-	2	16	22	4	4	-	-	-	-
Places of 25,000 to 100,000	1,867	3	258	846	500	297	130	28	5	-	-
White, mother native	1,806	2	252	833	479	282	126	27	5	-	-
White, mother foreign	29	-	-	5	12	6	4	2	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	20	-	5	6	3	6	-	-	-	-	-
Other	12	-	1	2	6	3	-	-	-	-	-
Places of 10,000 to 25,000	1,445	-	142	592	402	196	91	20	2	-	-
White, mother native	1,404	-	141	577	395	189	84	16	2	-	-
White, mother foreign	41	-	1	15	7	7	7	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	3,570	1	530	1,158	943	530	318	90	6	-	15
White, mother native	3,476	1	526	1,116	918	510	308	83	4	-	10
White, mother foreign	55	-	-	11	19	11	7	6	1	-	-
White, mother's nativity not stated	13	-	-	3	2	3	-	-	-	-	5
Negro	3	-	-	1	1	1	-	-	-	-	-
Other	23	-	4	7	3	5	3	1	-	-	-
Rural	8,798	6	1,082	2,821	2,319	1,455	794	255	28	-	38
White, mother native	8,479	4	1,069	2,731	2,224	1,397	772	240	23	-	19
White, mother foreign	138	-	3	36	44	26	17	8	4	-	-
White, mother's nativity not stated	39	-	1	6	7	4	1	2	-	-	18
Negro	12	-	-	6	4	1	1	-	-	-	-
Other	130	2	9	42	40	27	3	5	1	-	1
VERMONT	9,297	6	1,002	3,050	2,704	1,527	743	237	20	-	8
White, mother native	8,600	6	972	2,891	2,470	1,393	651	195	18	-	4
White, mother foreign	684	-	29	156	231	132	90	42	2	-	2
White, mother's nativity not stated	9	-	1	2	1	1	2	-	-	-	2
Negro	2	-	-	1	1	-	-	-	-	-	-
Other	2	-	-	-	1	1	-	-	-	-	-
Urban	3,489	2	332	1,178	1,076	560	254	76	8	-	3
White, mother native	3,204	2	318	1,107	975	514	217	62	7	-	2
White, mother foreign	278	-	13	69	100	44	37	14	1	-	-
White, mother's nativity not stated	5	-	1	2	-	1	-	-	-	-	1
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 25,000 to 100,000	842	-	86	292	262	125	62	14	-	-	1
White, mother native	785	-	86	280	236	114	57	12	-	-	-
White, mother foreign	53	-	-	11	25	10	5	2	-	-	-
White, mother's nativity not stated	3	-	-	1	-	1	-	-	-	-	1
Negro	1	-	-	-	1	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 10,000 to 25,000	700	-	55	228	219	122	54	20	2	-	-
White, mother native	657	-	55	221	201	117	45	16	2	-	-
White, mother foreign	42	-	-	7	18	4	9	4	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	1	-	-	-	-	1	-	-	-	-	-
Places of 2,500 to 10,000	1,947	2	191	658	595	313	138	42	6	-	2
White, mother native	1,782	2	177	606	538	283	115	34	5	-	2
White, mother foreign	183	-	13	51	57	30	23	8	1	-	-
White, mother's nativity not stated	2	-	1	1	-	-	-	-	-	-	-
Negro	-	-	-	-	-	-	-	-	-	-	-
Other	-	-	-	-	-	-	-	-	-	-	-
Rural	5,809	4	670	1,872	1,628	967	489	161	12	-	5
White, mother native	5,596	4	654	1,784	1,495	879	434	133	11	-	2
White, mother foreign	206	-	16	87	131	88	53	28	1	-	2
White, mother's nativity not stated	4	-	-	-	1	-	2	-	-	-	1
Negro	1	-	-	1	-	-	-	-	-	-	-
Other	1	-	-	-	1	-	-	-	-	-	-
VIRGINIA	82,360	218	12,855	26,396	22,407	12,384	6,466	1,868	149	9	208
White, mother native	60,240	46	7,902	19,127	17,148	9,539	4,879	1,405	102	4	88
White, mother foreign	1,083	-	29	370	413	172	82	16	1	-	-
White, mother's nativity not stated	28	-	2	7	3	4	1	-	-	-	11
Negro	21,559	172	4,916	6,875	4,833	2,657	1,500	446	46	5	109
Other	50	-	6	17	10	12	4	1	-	-	-
Urban	31,594	74	4,365	10,185	9,291	4,619	2,256	507	20	3	74
White, mother native	22,716	14	2,448	7,264	7,111	3,750	1,736	350	10	1	32
White, mother foreign	612	-	12	189	235	113	53	10	-	-	-
White, mother's nativity not stated	6	-	-	1	1	1	1	-	-	-	2
Negro	8,226	60	1,900	2,728	1,939	948	463	146	10	2	40
Other	34	-	5	13	5	7	3	1	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
VIRGINIA—Continued											
Places of 100,000 or more	10,331	31	1,661	3,408	2,934	1,453	645	151	7	2	39
White, mother native	6,461	3	754	2,129	2,036	1,016	434	90	-	-	19
White, mother foreign	135	-	3	48	52	20	15	1	-	-	-
White, mother's nativity not stated	3	-	-	1	-	-	1	-	-	-	1
Negro	3,693	28	901	1,222	844	414	196	60	7	2	19
Other	19	-	3	10	2	3	1	-	-	-	-
Places of 25,000 to 100,000	13,500	28	1,609	4,214	4,187	2,167	1,046	220	5	1	23
White, mother native	9,934	8	910	3,064	3,247	1,708	832	155	4	1	5
White, mother foreign	360	-	4	100	148	72	29	7	-	-	-
White, mother's nativity not stated	2	-	-	-	-	1	-	-	-	-	1
Negro	3,192	20	693	1,047	790	383	184	57	1	-	17
Other	12	-	2	3	2	3	1	1	-	-	-
Places of 10,000 to 25,000	2,294	4	299	794	671	326	153	40	2	-	5
White, mother native	1,687	1	168	600	519	256	111	28	1	-	3
White, mother foreign	39	-	3	15	11	5	3	2	-	-	-
White, mother's nativity not stated	1	-	-	-	1	-	-	-	-	-	-
Negro	567	3	128	179	140	65	39	10	1	-	2
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,469	11	796	1,769	1,489	873	412	99	6	-	7
White, mother native	4,614	2	616	1,471	1,309	770	359	77	5	-	5
White, mother foreign	78	-	2	28	24	16	8	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	774	9	178	270	165	86	44	19	1	-	2
Other	3	-	-	-	1	1	1	-	-	-	-
Rural	51,366	144	8,490	16,211	15,116	7,565	4,210	1,361	129	6	134
White, mother native	37,524	32	5,454	11,863	10,037	5,789	3,143	1,055	92	3	56
White, mother foreign	471	-	17	181	178	59	29	6	1	-	-
White, mother's nativity not stated	22	-	2	6	2	3	-	-	-	-	9
Negro	13,333	112	3,016	4,157	2,894	1,709	1,037	300	36	3	69
Other	16	-	1	4	5	5	1	-	-	-	-
WASHINGTON	56,542	15	6,519	19,029	18,837	9,233	4,080	952	47	1	29
White, mother native	51,909	15	6,125	17,705	15,124	8,368	3,664	844	39	1	24
White, mother foreign	2,711	-	118	700	929	589	302	68	5	-	-
White, mother's nativity not stated	11	-	2	3	2	-	1	1	-	-	2
Negro	832	-	116	283	264	115	39	12	2	-	1
Other	1,079	-	158	338	318	161	74	27	1	-	2
Urban	34,143	9	3,493	11,615	10,512	5,611	2,350	519	20	-	14
White, mother native	31,004	9	3,261	10,702	9,425	5,037	2,087	458	14	-	11
White, mother foreign	1,826	-	64	485	655	387	193	38	4	-	-
White, mother's nativity not stated	5	-	-	2	1	-	1	-	-	-	1
Negro	768	-	110	263	243	103	35	11	2	-	1
Other	540	-	58	163	188	84	34	12	-	-	1
Places of 100,000 or more	21,394	5	1,921	7,025	6,884	3,698	1,513	331	11	-	6
White, mother native	19,094	5	1,744	6,363	6,083	3,278	1,320	290	7	-	4
White, mother foreign	1,240	-	45	313	442	275	136	27	2	-	-
White, mother's nativity not stated	3	-	-	-	1	-	1	-	-	-	1
Negro	617	-	88	217	196	77	28	9	2	-	-
Other	440	-	44	132	162	68	28	5	-	-	1
Places of 25,000 to 100,000	3,292	2	392	1,177	917	497	252	50	4	-	1
White, mother native	3,056	2	376	1,113	836	452	229	46	2	-	-
White, mother foreign	180	-	5	49	67	37	17	3	2	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	42	-	9	13	8	6	4	1	-	-	1
Other	14	-	2	2	6	2	2	-	-	-	-
Places of 10,000 to 25,000	4,708	1	554	1,674	1,363	746	294	73	3	-	-
White, mother native	4,428	1	538	1,587	1,268	692	273	66	3	-	-
White, mother foreign	201	-	7	64	67	37	21	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	59	-	8	17	20	13	-	1	-	-	-
Other	20	-	1	6	8	4	-	1	-	-	-
Places of 2,500 to 10,000	4,749	1	626	1,739	1,348	670	291	65	2	-	7
White, mother native	4,426	1	603	1,639	1,238	615	265	56	2	-	7
White, mother foreign	205	-	7	59	79	38	19	3	-	-	-
White, mother's nativity not stated	2	-	-	2	-	-	-	-	-	-	-
Negro	50	-	5	16	19	7	3	-	-	-	-
Other	66	-	11	23	12	10	4	6	-	-	-
Rural	22,399	6	3,026	7,414	6,125	3,622	1,730	433	27	1	15
White, mother native	20,905	6	2,864	7,003	5,689	3,331	1,577	386	25	1	13
White, mother foreign	885	-	54	215	274	202	109	30	1	-	-
White, mother's nativity not stated	6	-	2	1	1	-	-	1	-	-	1
Negro	64	-	6	20	21	12	4	1	-	-	-
Other	539	-	100	175	130	77	40	15	1	-	1
WEST VIRGINIA	52,586	59	8,750	18,122	12,844	7,179	4,067	1,306	134	1	144
White, mother native	49,300	38	8,126	17,005	12,055	6,786	3,807	1,232	126	1	123
White, mother foreign	364	-	25	151	119	36	40	11	2	-	-
White, mother's nativity not stated	20	-	1	3	1	1	-	-	-	-	14
Negro	2,895	20	577	982	665	356	219	63	6	-	7
Other	7	-	1	1	4	-	1	-	-	-	-
Urban	16,121	14	2,210	5,653	4,357	2,310	1,067	248	21	-	41
White, mother native	15,065	8	2,025	5,490	4,096	2,190	980	228	19	-	29
White, mother foreign	185	-	12	57	60	21	27	5	1	-	-
White, mother's nativity not stated	11	-	-	1	-	-	-	-	-	-	10
Negro	856	6	172	304	198	99	59	15	1	-	2
Other	6	-	1	1	3	-	1	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER								
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
WEST VIRGINIA—Continued											
Places of 25,000 to 100,000	7,334	7	991	2,686	2,009	1,038	464	109	5	-	25
White, mother native	6,953	3	914	2,554	1,921	1,003	435	102	5	-	16
White, mother foreign	71	-	-	25	24	6	13	3	-	-	-
White, mother's nativity not stated	9	-	-	-	-	-	-	-	-	-	9
Negro	296	4	76	106	62	28	15	4	-	-	-
Other	5	-	1	1	2	-	1	-	-	-	-
Places of 10,000 to 25,000	3,496	1	459	1,265	956	485	285	52	5	-	8
White, mother native	3,159	1	409	1,136	876	443	237	47	3	-	7
White, mother foreign	51	-	5	17	15	5	8	-	1	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	286	-	45	112	65	37	20	5	1	-	1
Other	-	-	-	-	-	-	-	-	-	-	-
Places of 2,500 to 10,000	5,291	6	780	1,902	1,392	787	338	87	11	-	8
White, mother native	4,953	4	702	1,800	1,299	744	308	79	11	-	6
White, mother foreign	61	-	7	15	21	10	6	2	-	-	-
White, mother's nativity not stated	2	-	-	1	-	-	-	-	-	-	1
Negro	274	2	51	86	71	33	24	6	-	-	1
Other	1	-	-	-	1	-	-	-	-	-	-
Rural	36,465	45	6,520	12,269	8,487	4,869	3,000	1,058	113	1	103
White, mother native	34,235	31	6,101	11,515	7,959	4,596	2,827	1,004	107	1	94
White, mother foreign	181	-	13	74	59	15	13	6	1	-	-
White, mother's nativity not stated	9	-	1	2	1	1	-	-	-	-	4
Negro	2,039	14	405	678	467	257	160	48	5	-	5
Other	1	-	-	-	1	-	-	-	-	-	-
WISCONSIN	82,949	19	6,198	26,865	24,984	15,244	7,474	1,932	151	1	81
White, mother native	80,031	18	5,907	25,964	24,110	14,861	7,152	1,806	138	1	76
White, mother foreign	1,470	-	29	386	518	218	208	100	11	-	-
White, mother's nativity not stated	12	-	2	3	2	1	2	-	-	-	2
Negro	911	2	185	342	221	106	44	8	2	-	1
Other	525	1	75	170	133	58	68	18	-	-	2
Urban	44,699	12	2,909	14,778	14,082	8,243	3,698	898	61	-	28
White, mother native	42,740	9	2,700	14,161	13,468	7,999	3,498	825	54	-	26
White, mother foreign	962	-	18	247	354	134	141	63	5	-	-
White, mother's nativity not stated	4	-	-	-	1	-	2	-	-	-	1
Negro	893	2	181	337	214	105	44	7	2	-	1
Other	90	1	10	33	25	5	13	3	-	-	-
Places of 100,000 or more	14,814	4	820	5,002	4,776	2,693	1,137	259	16	-	7
White, mother native	13,625	2	767	4,808	4,429	2,556	1,025	221	12	-	5
White, mother foreign	389	-	3	83	150	44	67	30	2	-	-
White, mother's nativity not stated	3	-	-	-	1	-	1	-	-	-	1
Negro	786	2	149	290	186	91	39	6	2	-	1
Other	31	-	1	11	10	2	5	2	-	-	-
Places of 25,000 to 100,000	16,359	6	1,061	5,340	5,196	2,975	1,401	350	17	-	13
White, mother native	15,846	6	1,013	5,193	5,034	2,904	1,342	327	14	-	13
White, mother foreign	350	-	7	90	124	57	48	21	3	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	122	-	32	44	28	12	5	1	-	-	-
Other	41	-	9	13	10	2	6	1	-	-	-
Places of 10,000 to 25,000	6,449	1	395	2,099	1,998	1,210	592	143	9	-	2
White, mother native	6,319	-	391	2,061	1,960	1,188	571	137	9	-	2
White, mother foreign	117	-	4	32	34	21	20	6	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	2	-	-	1	-	1	-	-	-	-	-
Other	11	1	-	5	4	-	1	-	-	-	-
Places of 2,500 to 10,000	7,067	1	533	2,337	2,092	1,365	568	146	19	-	6
White, mother native	6,950	1	529	2,299	2,045	1,351	560	140	19	-	6
White, mother foreign	106	-	4	32	46	12	6	6	-	-	-
White, mother's nativity not stated	1	-	-	-	-	-	1	-	-	-	-
Negro	3	-	-	2	-	1	-	-	-	-	-
Other	7	-	-	4	1	1	1	-	-	-	-
Rural	38,260	7	3,289	12,087	10,922	7,001	3,776	1,034	90	1	53
White, mother native	37,291	7	3,207	11,803	10,642	6,862	3,654	981	84	1	50
White, mother foreign	508	-	11	139	154	84	67	37	6	-	-
White, mother's nativity not stated	8	-	2	3	1	1	-	-	-	-	1
Negro	18	-	4	5	7	1	-	1	-	-	-
Other	435	-	65	137	108	53	55	15	-	-	2
WYOMING	7,490	4	1,033	2,665	2,019	1,102	522	132	11	-	2
White, mother native	7,174	2	997	2,577	1,926	1,048	495	119	9	-	1
White, mother foreign	135	-	6	34	47	19	19	10	1	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	35	-	5	8	5	13	3	1	-	-	-
Other	145	2	25	46	41	22	6	2	1	-	-
Urban	3,569	2	463	1,327	982	531	245	58	1	-	-
White, mother native	3,466	2	452	1,302	930	512	234	53	1	-	-
White, mother foreign	60	-	1	13	25	8	8	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	25	-	3	5	3	9	3	-	-	-	-
Other	20	-	7	7	4	2	-	-	-	-	-

TABLE 4.—LIVE BIRTHS BY AGE OF MOTHER, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, NATIVITY OF WHITE MOTHER, AND POPULATION-SIZE GROUP	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
WYOMING—Continued											
Places of 10,000 to 25,000	2,293	2	275	841	631	345	156	42	1	-	-
White, mother native	2,235	2	272	825	616	332	150	37	1	-	-
White, mother foreign	36	-	-	11	12	5	3	5	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	15	-	1	3	2	6	3	-	-	-	-
Other	7	-	2	2	1	2	-	-	-	-	-
Places of 2,500 to 10,000	1,236	-	188	486	331	186	88	16	-	-	-
White, mother native	1,251	-	180	477	314	180	84	16	-	-	-
White, mother foreign	24	-	1	2	13	3	5	-	-	-	-
White, mother's nativity not stated	-	-	-	-	-	-	-	-	-	-	-
Negro	8	-	2	2	1	3	-	-	-	-	-
Other	13	-	5	5	3	-	-	-	-	-	-
Rural	3,901	2	570	1,338	1,057	571	277	74	10	-	2
White, mother native	3,688	-	545	1,275	996	536	261	66	8	-	1
White, mother foreign	75	-	5	21	22	11	10	5	1	-	-
White, mother's nativity not stated	1	-	-	-	-	-	-	-	-	-	1
Negro	12	-	2	3	2	4	-	1	-	-	-
Other	125	2	18	39	37	20	6	2	1	-	-

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE PARENTS, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949

(By place of residence)

AREA AND SEX OF CHILD (AGE OF MOTHER FOR U. S. ONLY)	Total	WHITE									Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
UNITED STATES	3,559,529	3,083,721	2,854,698	77,573	45,510	69,115	34,300	836	689	49	951	455,235	22,573
Male	1,826,352	1,585,854	1,467,771	39,982	23,423	35,724	17,670	414	371	20	479	229,078	11,420
Female	1,733,177	1,497,867	1,386,927	37,591	22,087	33,391	16,630	422	318	29	472	224,157	11,153
Under 15 years—Male	2,528	883	550	9	291	2	8	3	-	-	-	1,642	23
Female	2,488	888	545	5	307	4	3	2	-	-	2	1,597	23
15-19 years—Male	222,430	171,548	159,461	1,457	8,703	1,180	597	62	42	2	44	48,524	1,358
Female	210,598	160,671	149,394	1,369	8,105	1,109	583	46	29	1	35	48,652	1,275
20-24 years—Male	593,170	514,259	484,770	8,278	7,867	10,037	3,041	112	70	5	79	75,343	3,568
Female	561,654	484,453	457,018	7,704	7,267	9,242	2,912	131	81	6	92	73,535	3,666
25-29 years—Male	516,267	462,294	429,313	11,519	3,500	13,015	4,675	117	82	2	71	50,816	3,157
Female	490,970	438,055	407,097	11,008	3,432	12,015	4,284	98	49	5	67	48,843	3,072
30-34 years—Male	298,444	267,898	248,493	9,926	1,670	6,219	3,456	47	45	1	39	28,672	1,876
Female	282,906	253,433	233,038	9,255	1,685	6,019	3,285	63	32	2	54	27,720	1,753
35-39 years—Male	149,178	131,227	115,149	6,805	1,004	4,136	4,020	56	22	3	32	16,927	1,024
Female	142,056	124,506	109,467	6,346	903	3,897	3,774	54	28	8	31	16,565	985
40-44 years—Male	37,990	33,246	28,330	1,869	293	1,048	1,668	15	9	2	12	4,402	342
Female	36,310	31,525	26,798	1,785	290	997	1,616	26	7	-	6	4,479	306
45-49 years—Male	2,551	2,140	1,796	91	20	58	174	1	-	-	-	376	35
Female	2,500	2,095	1,746	96	23	76	154	-	-	-	-	363	42
50 years and over—Male	84	64	50	4	1	1	8	-	-	-	-	18	2
Female	66	44	35	3	1	2	3	-	-	-	-	18	4
Not stated—Male	3,710	2,317	1,859	24	74	28	23	1	101	5	202	1,358	35
Female	3,629	2,217	1,789	20	74	30	16	2	94	7	185	1,385	27
Alabama	84,418	62,213	51,064	121	702	268	37	1	8	-	14	32,177	28
Male	43,283	26,923	26,354	59	374	129	14	-	4	-	9	16,342	18
Female	41,135	25,290	24,730	62	328	137	23	1	4	-	5	15,835	10
Arizona	20,275	17,520	15,401	872	162	658	382	9	15	3	8	715	2,040
Male	10,341	8,934	7,839	433	75	359	216	4	4	2	2	353	1,054
Female	9,934	8,586	7,562	439	87	299	176	5	11	1	6	362	986
Arkansas	45,609	34,215	33,491	71	448	161	36	-	2	-	6	11,359	35
Male	23,083	17,412	17,080	37	223	77	22	-	1	-	2	5,658	13
Female	22,526	16,803	16,441	34	225	84	14	-	1	-	4	5,701	22
California	245,199	224,785	198,281	11,177	1,775	8,499	4,988	85	5	1	14	13,809	6,605
Male	125,744	115,355	101,773	5,742	918	4,334	2,548	29	3	1	7	7,041	3,348
Female	119,455	109,430	96,508	5,435	857	4,165	2,420	36	2	-	7	6,768	3,257
Colorado	32,894	32,137	30,511	583	368	502	155	5	8	2	3	551	206
Male	17,000	16,578	15,744	298	195	254	79	1	6	-	1	316	106
Female	15,894	15,559	14,767	285	173	248	76	4	2	2	2	235	100
Connecticut	40,887	39,595	34,817	1,803	539	1,705	700	22	7	-	2	1,259	33
Male	21,107	20,459	17,955	947	289	905	364	15	3	-	1	634	14
Female	19,780	19,136	16,862	856	270	800	336	7	4	-	1	625	19
Delaware	7,369	6,103	5,730	95	145	108	25	-	-	-	-	1,246	20
Male	3,770	3,150	2,961	42	76	61	10	-	-	-	-	611	9
Female	3,599	2,953	2,769	53	69	47	15	-	-	-	-	635	11
District of Columbia	19,814	11,624	10,282	333	296	381	247	9	4	-	72	8,068	122
Male	9,944	5,905	5,225	181	154	178	131	4	2	-	30	3,977	62
Female	9,870	5,719	5,057	152	142	203	116	5	2	-	42	4,091	60
Florida	61,743	44,496	41,826	690	787	870	278	14	15	-	15	17,196	51
Male	31,787	23,094	21,702	351	420	451	145	8	9	-	8	8,666	27
Female	29,956	21,402	20,124	339	367	419	134	8	6	-	7	8,530	24
Georgia	93,258	58,518	56,860	144	748	440	25	3	6	-	192	34,715	26
Male	47,800	30,128	29,293	80	397	234	14	1	2	-	105	17,462	12
Female	45,659	28,392	27,867	64	351	206	11	2	4	-	87	17,253	14
Idaho	15,864	15,752	15,076	202	139	263	39	-	29	-	4	16	216
Male	8,077	7,972	7,620	101	71	144	19	-	14	-	3	5	100
Female	7,907	7,780	7,456	101	68	119	20	-	15	-	1	11	116
Illinois	189,313	170,376	157,904	4,652	2,667	3,873	1,421	38	8	-	13	18,337	600
Male	97,128	87,726	81,317	2,398	1,363	1,901	711	21	4	-	11	9,090	312
Female	92,185	82,650	76,587	2,254	1,304	1,772	710	17	4	-	2	9,247	288
Indiana	94,214	89,231	86,403	734	912	960	201	4	14	-	3	4,949	34
Male	48,401	45,885	44,410	368	468	514	112	2	10	-	2	2,502	14
Female	45,813	43,348	41,993	366	446	446	89	2	4	-	1	2,447	20
Iowa	61,871	61,308	59,145	426	1,037	572	105	1	17	-	5	514	49
Male	31,983	31,685	30,551	218	555	306	42	1	10	-	2	259	29
Female	29,888	29,623	28,594	208	482	266	63	-	7	-	3	245	20
Kansas	43,781	41,874	40,590	288	472	415	94	1	4	-	12	1,810	97
Male	22,596	21,601	20,921	151	245	225	48	-	3	-	8	942	53
Female	21,185	20,273	19,669	135	227	190	46	1	1	-	4	868	44
Kentucky	76,197	71,218	70,049	104	659	354	39	-	9	-	4	4,961	18
Male	39,219	36,698	36,099	57	340	173	11	-	6	-	2	2,522	9
Female	36,978	34,520	33,950	47	319	181	28	-	3	-	2	2,439	9
Louisiana	75,487	45,312	44,387	166	522	172	58	5	1	-	1	30,091	84
Male	38,550	23,140	22,656	98	268	89	33	5	-	-	1	15,367	43
Female	36,937	22,172	21,731	68	254	83	25	-	1	-	-	14,724	41
Maine	21,939	21,904	19,040	889	618	1,010	299	20	18	2	8	10	25
Male	11,203	11,193	9,731	444	306	531	153	7	12	1	8	5	5
Female	10,736	10,711	9,309	445	312	479	146	13	6	1	-	5	20
Maryland	53,597	41,649	39,618	697	381	841	246	2	30	2	32	11,697	51
Male	27,414	21,551	20,374	348	201	452	142	1	16	1	16	5,838	25
Female	26,183	20,098	19,244	349	180	389	104	1	14	1	16	5,859	26
Massachusetts	95,615	83,585	82,148	4,205	1,607	3,790	1,443	45	28	3	296	1,862	188
Male	49,104	48,081	42,205	2,159	844	1,933	738	25	17	-	140	947	96
Female	46,511	45,504	39,943	2,046	763	1,857	705	20	11	3	156	915	92
Michigan	157,178	144,052	130,259	5,542	1,790	4,710	1,714	28	7	-	2	12,883	283
Male	81,126	74,391	67,205	2,877	947	2,456	864	17	5	-	-	6,615	122
Female	76,050	69,661	63,054	2,665	843	2,254	850	11	2	-	2	6,248	141

TABLE 5.—LIVE BIRTHS BY RACE, NATIVITY OF WHITE PARENTS, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA AND SEX OF CHILD	Total	WHITE										Negro	Other races
		Total	Mother native			Mother foreign			Mother's nativity not stated				
			Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated	Father native	Father foreign	Father's nativity not stated		
Minnesota	73,929	73,119	69,125	1,179	1,443	1,124	208	13	15	1	11	256	554
Male	38,122	37,729	35,638	611	758	608	97	4	8	-	5	127	266
Female	35,807	35,390	33,487	568	685	516	111	9	7	1	6	129	288
Mississippi	66,415	28,097	28,558	72	266	138	32	-	20	1	10	37,189	129
Male	33,853	15,036	14,765	37	125	79	13	-	10	-	7	18,757	60
Female	32,562	14,061	13,793	35	141	59	19	-	10	1	3	18,432	69
Missouri	85,302	77,288	74,659	528	1,229	693	149	9	13	-	8	7,957	57
Male	43,826	39,839	38,483	282	608	380	79	5	9	-	3	3,964	23
Female	41,476	37,449	36,166	266	621	313	70	4	4	-	5	3,993	34
Montana	15,366	14,556	13,506	376	140	442	81	4	4	-	3	19	791
Male	7,637	7,244	6,754	169	78	203	33	3	3	-	1	8	385
Female	7,729	7,312	6,752	207	62	239	48	1	1	-	2	11	406
Nebraska	31,547	30,873	29,785	286	394	315	82	4	6	1	-	493	181
Male	16,038	15,686	15,154	137	190	160	41	2	2	-	-	258	94
Female	15,509	15,187	14,631	149	204	155	41	2	4	1	-	235	87
Nevada	3,673	3,384	3,149	85	33	77	27	3	-	-	-	110	179
Male	1,899	1,751	1,627	51	16	39	18	-	-	-	-	62	86
Female	1,774	1,633	1,522	44	17	38	9	3	-	-	-	48	93
New Hampshire	11,940	11,920	10,538	456	271	513	129	6	3	1	3	11	9
Male	6,125	6,117	5,429	232	133	241	74	2	3	1	2	4	4
Female	5,815	5,803	5,109	224	138	272	55	4	-	-	1	7	5
New Jersey	97,606	88,393	79,041	3,797	903	3,235	1,368	35	6	2	6	9,090	133
Male	50,440	45,718	40,857	1,976	449	1,671	738	21	3	-	2	4,653	69
Female	47,166	42,675	38,184	1,819	455	1,564	630	14	3	2	4	4,427	64
New Mexico	21,620	20,118	18,370	540	622	342	209	3	24	1	7	147	1,355
Male	11,207	10,392	9,503	289	316	162	102	2	15	1	2	70	745
Female	10,413	9,726	8,867	251	306	180	107	1	9	-	5	77	610
New York	301,287	274,783	233,653	15,501	4,385	11,861	9,218	138	5	-	22	25,211	1,293
Male	154,565	141,046	119,795	7,922	2,312	6,149	4,789	69	1	-	9	12,858	661
Female	146,722	133,737	113,858	7,579	2,073	5,712	4,429	69	4	-	13	12,353	632
North Carolina	107,970	72,415	70,421	129	1,381	404	52	3	14	-	11	34,352	1,203
Male	55,291	37,394	36,376	73	707	201	26	2	5	-	4	17,284	613
Female	52,679	35,021	34,045	56	674	203	26	1	9	-	7	17,068	590
North Dakota	16,846	16,475	15,446	385	288	286	47	3	13	-	7	-	371
Male	8,727	8,525	7,988	207	160	131	27	2	6	-	4	-	202
Female	8,119	7,950	7,458	178	128	155	20	1	7	-	3	-	169
Ohio	189,428	175,061	165,963	2,792	2,700	2,801	751	25	20	-	9	14,249	118
Male	97,257	89,943	85,220	1,465	1,393	1,469	368	14	8	-	6	7,252	62
Female	92,171	85,118	80,743	1,327	1,307	1,332	383	11	12	-	3	6,997	56
Oklahoma	49,702	44,114	42,990	129	687	267	32	3	3	-	3	3,617	1,971
Male	25,443	22,699	22,109	65	365	135	18	2	3	-	2	1,801	943
Female	24,259	21,415	20,881	64	322	132	14	1	-	-	1	1,816	1,028
Oregon	35,316	34,601	32,430	788	338	903	152	5	4	-	1	328	387
Male	18,047	17,686	16,582	393	178	448	80	2	3	-	-	169	182
Female	17,269	16,915	15,848	375	160	455	72	3	1	-	1	159	195
Pennsylvania	224,581	207,720	195,624	4,223	2,666	3,898	1,218	19	54	1	17	16,763	98
Male	115,486	106,909	100,736	2,176	1,314	2,015	623	11	28	-	6	8,529	48
Female	109,095	100,811	94,888	2,047	1,352	1,883	595	8	26	1	11	8,234	50
Rhode Island	16,492	16,070	14,412	570	309	591	174	13	1	-	-	392	30
Male	8,504	8,285	7,428	308	163	297	83	6	-	-	-	204	15
Female	7,988	7,785	6,984	262	146	294	91	7	1	-	-	188	15
South Carolina	58,516	31,649	30,588	89	668	258	21	2	11	-	12	26,840	27
Male	30,027	16,448	15,897	41	359	127	12	1	6	-	5	13,569	10
Female	28,489	15,201	14,691	48	309	131	9	1	5	-	7	13,271	17
South Dakota	17,211	16,486	15,868	152	237	188	35	-	3	-	3	9	716
Male	8,882	8,533	8,214	79	116	103	16	-	3	-	2	4	345
Female	8,329	7,953	7,654	73	121	85	19	-	-	-	1	5	371
Tennessee	82,854	67,573	65,689	113	1,478	261	26	1	6	-	18	15,267	14
Male	42,433	34,682	33,737	59	713	141	16	-	3	-	13	7,746	5
Female	40,421	32,891	31,932	54	766	120	10	1	3	-	5	7,521	9
Texas	202,297	175,709	154,567	7,064	2,514	4,686	6,431	216	137	24	50	26,443	145
Male	103,315	90,003	79,131	3,651	1,308	2,387	3,310	95	81	11	29	13,222	90
Female	98,982	85,706	75,456	3,413	1,206	2,299	3,121	121	56	13	21	13,221	55
Utah	21,164	20,888	19,962	252	186	292	132	5	46	2	11	63	213
Male	11,021	10,890	10,399	144	95	161	67	3	17	-	4	35	96
Female	10,143	9,998	9,563	108	91	131	65	2	29	2	7	28	117
Vermont	9,297	9,283	7,974	383	243	392	280	12	7	2	-	2	2
Male	4,807	4,807	4,109	205	130	220	128	8	5	2	-	-	-
Female	4,490	4,486	3,865	178	113	172	152	4	2	-	-	2	2
Virginia	82,960	61,351	58,552	412	1,276	933	147	3	18	-	10	21,559	50
Male	42,541	31,546	30,091	219	659	484	81	-	9	-	3	10,971	24
Female	40,419	29,805	28,461	193	617	449	66	3	9	-	7	10,588	26
Washington	56,542	54,631	49,275	1,807	827	2,241	443	27	8	-	3	832	1,079
Male	28,817	27,839	25,110	935	401	1,144	229	15	5	-	-	395	583
Female	27,725	26,792	24,165	872	426	1,097	214	12	3	-	3	437	496
West Virginia	52,586	49,684	47,175	243	1,868	299	61	4	5	-	18	2,895	7
Male	26,925	25,436	24,125	134	971	165	28	1	3	-	9	1,465	4
Female	25,661	24,248	23,050	109	911	134	33	3	2	-	6	1,410	3
Wisconsin	82,949	81,513	77,383	1,329	1,319	1,219	243	8	7	-	5	911	525
Male	42,763	42,045	39,900	698	677	641	122	3	1	-	3	470	248
Female	40,186	39,468	37,483	631	642	578	121	5	6	-	2	441	277
Wyoming	7,490	7,310	7,013	111	50	106	29	-	1	-	-	35	145
Male	3,892	3,797	3,639	62	23	57	16	-	-	-	-	19	76
Female	3,598	3,513	3,374	49	27	49	13	-	1	-	-	16	69

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in the "Total" and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
TOTAL	3,559,529	1,175,046	1,038,735	554,329	275,036	148,013	88,894	58,497	39,420	26,875	18,239	11,859	7,420	4878	2593	1,493	727	846	104,826
Under 15 years	5,016	4,536	376	26	5	-	-	-	-	-	-	-	-	-	-	-	-	-	73
15-19 years	433,028	308,335	95,983	18,024	2,804	516	89	41	12	5	-	-	-	-	-	-	-	-	7,219
20-24 years	1,154,824	491,893	393,621	155,756	55,297	19,039	6,119	1,916	567	258	90	55	18	7	1	-	-	-	30,189
25-29 years	1,007,237	240,900	335,878	195,274	86,712	31,073	28,508	14.451	6,695	2,795	1,092	436	181	92	39	32	8	6	32,984
30-34 years	581,350	88,018	150,776	123,041	75,822	43,556	29,293	20,823	14,033	8,474	4,751	2,221	1,084	513	204	118	53	74	20,496
35-39 years	291,234	32,661	52,006	51,750	38,272	26,222	19,755	15,830	13,072	10,681	8,052	5,493	3,323	2,005	1,017	526	243	231	10,065
40-44 years	74,300	6,242	8,421	9,183	8,164	6,837	5,497	4,885	4,537	4,208	3,797	3,271	2,436	1,793	1,128	690	350	394	2,467
45-49 years	5,051	270	269	374	370	397	369	383	355	354	378	336	339	249	188	120	69	87	144
50 and over	150	14	11	15	13	5	8	17	12	10	8	5	6	4	5	4	2	1	12
Not stated	7,339	2,179	1,293	886	577	398	256	171	137	112	73	42	33	16	11	3	2	3	1,177
Male	1,826,352	604,743	533,436	283,824	141,402	75,550	45,810	29,849	19,930	13,718	9,320	5,992	3,718	2,378	1,323	778	337	457	55,807
Under 15 years	2,528	2,281	194	12	2	-	-	-	-	-	-	-	-	-	-	-	-	-	39
15-19 years	222,430	158,694	49,111	9,119	1,398	288	38	23	5	3	-	-	-	-	-	-	-	-	3,753
20-24 years	593,170	253,275	201,987	79,643	28,435	9,688	3,111	980	285	139	45	23	7	4	1	-	-	-	15,547
25-29 years	516,267	123,892	172,380	98,894	49,433	26,109	14,432	7,305	3,447	1,464	544	213	98	46	21	18	3	1	16,967
30-34 years	298,444	45,287	77,722	63,235	37,819	22,257	14,910	10,575	7,158	4,410	2,460	1,095	566	251	109	67	20	38	10,465
35-39 years	149,178	16,858	26,608	26,597	19,598	13,415	10,112	8,135	6,572	5,340	4,120	2,782	1,629	1029	509	268	114	152	5,140
40-44 years	37,990	3,216	4,413	4,679	4,236	3,399	2,885	2,522	2,215	2,120	1,919	1,668	1,236	931	580	357	180	194	1,238
45-49 years	2,551	139	143	179	187	197	195	210	168	179	193	170	165	107	93	68	38	50	72
50 and over	84	9	7	9	7	5	4	13	6	5	2	-	4	3	3	-	1	1	5
Not stated	3,710	1,092	671	457	287	192	123	86	74	58	37	21	13	7	7	2	1	1	581
Female	1,733,177	570,305	505,299	270,505	134,634	72,463	44,084	28,648	19,490	13,157	8,919	5,867	3,702	2301	1270	715	390	409	51,019
Under 15 years	2,488	2,255	182	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	34
15-19 years	210,598	149,641	46,872	8,905	1,408	228	51	18	7	2	-	-	-	-	-	-	-	-	3,466
20-24 years	561,654	238,618	191,634	76.113	26,862	9,351	3,008	936	282	117	45	32	11	3	-	-	-	-	14,642
25-29 years	490,970	117,008	163,589	95,380	47,279	24,964	14,076	7,126	3,248	1,331	548	223	83	46	18	14	5	5	16,017
30-34 years	282,906	42,731	73,054	59,806	36,003	21,299	14,383	10,248	6,875	4,064	2,291	1,126	518	262	95	51	33	36	10,031
35-39 years	142,056	15,803	25,198	25,153	18,674	12,807	9,643	7,695	6,500	5,321	3,932	2,711	1,694	976	508	256	129	129	4,925
40-44 years	36,310	3,026	4,008	4,504	3,926	3,438	2.612	2,363	2,322	2,088	1,878	1,583	1,200	862	548	333	190	200	1,229
45-49 years	2,500	131	126	195	183	200	174	173	187	175	185	166	174	142	95	54	31	37	72
50 and over	66	5	4	6	6	-	4	4	6	5	4	5	2	1	2	4	1	-	7
Not stated	3,629	1,087	622	429	290	176	133	85	63	54	36	21	20	9	4	1	1	2	596
WHITE	3,083,721	1,049,618	930,430	480,394	227,622	114,502	65,772	40,998	26,719	17,628	11,785	7,464	4,671	2,847	1530	857	437	455	99,992
Under 15 years	1,731	1,595	94	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	33
15-19 years	332,219	249,046	66,202	9,430	1,142	164	29	24	6	3	-	-	-	-	-	-	-	-	6,173
20-24 years	998,712	452,402	346,174	121,088	36,084	10,341	2,740	776	213	105	43	27	10	3	1	-	-	-	28,705
25-29 years	900,349	226,305	316,082	176,179	80,199	37,375	18,416	8,279	3,429	1,307	445	169	75	39	22	14	2	4	32,007
30-34 years	521,389	82,351	143,515	115,356	66,665	36,776	22,802	14,845	9,185	5,031	2,615	1,182	547	268	87	59	24	31	19,991
35-39 years	255,733	30,494	49,226	48.704	35,231	23.052	16,484	12,501	9,743	7,446	5,375	3,409	2,006	1,155	563	278	131	136	9,809
40-44 years	64,771	5,802	7,966	8,695	7,607	6,238	4,856	4,164	3,776	3,379	2,955	2,384	1,751	1,189	724	426	231	228	2,400
45-49 years	4.235	249	248	342	343	349	307	329	303	297	310	271	259	182	128	77	46	56	139
50 and over	108	14	10	12	8	5	7	6	7	8	5	3	4	3	1	3	1	-	11
Not stated	4,534	1,380	913	580	352	202	131	74	57	52	37	19	18	8	4	1	2	-	724
Male	1,585,854	541,566	478,476	246,400	116,901	58,613	33,717	20,957	13,534	9,057	6,029	3,803	2,354	1,443	792	469	202	227	51,314
Under 15 years	863	797	47	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
15-19 years	171,548	128,704	34,111	4,837	573	92	11	19	4	2	-	-	-	-	-	-	-	-	3,195
20-24 years	514,259	233,446	177,921	62,099	18,704	5.277	1,409	415	101	66	22	14	5	1	1	-	-	-	14,778
25-29 years	462,294	116,581	162,248	90.273	41,064	19,210	9,408	4,166	1,805	702	205	80	43	17	10	10	1	1	16,472
30-34 years	267,896	42,429	73,972	59.274	34,192	18.937	11,649	7,525	4,673	2,652	1,371	580	279	129	53	42	11	18	10,210
35-39 years	131,227	15,794	25,396	24,980	18,067	11,802	8,462	6,444	4,888	3,764	2,766	1,747	993	602	274	141	53	68	4,996
40-44 years	33,246	2,991	4,171	4,443	3,956	3,115	2,557	2,188	1,877	1,692	1,492	1,232	904	610	387	231	110	108	1,204
45-49 years	2,140	130	151	168	175	175	159	175	151	149	153	140	120	77	63	45	26	34	70
50 and over	64	9	6	8	4	5	3	6	5	5	1	-	3	3	1	-	-	-	5
Not stated	2,317	685	485	316	166	100	59	39	30	26	19	10	7	4	3	-	1	-	367
Female	1,497,867	508,052	451,954	233,994	110,721	55,889	32,055	20,041	13,185	8,571	5,756	3,661	2,317	1,404	738	388	235	228	48,678
Under 15 years	868	798	47	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	16
15-19 years	160,671	120,342	32,091	4,593	569	72	18	5	2	1	-	-	-	-	-	-	-	-	2,978
20-24 years	484,453	218,956	168,253	58,989	17,380	5,064	1,331	361	112	39	21	13	5	2	-	-	-	-	13,927
25-29 years	438,055	109,724	153,836	85,908	39,135	18,165	9,008	4,113	1,624	605	240	89	33	22	12	4	1	3	15,535
30-34 years	253,433	39,922	69,543	56,082	32,473	17,939	11,153	7,320	4,512	2,379	1,244	602	288	139	34	16	13	13	9,781
35-39 years	124,506	14,700	23,840	23,724	17,154	11,250	8,022	6,057	4,855	3,682	2,609	1,662	1,013	553	289	137	78	68	4,813
40-44 years	31,525	2,811	3,795	4,252	3,651	3,123	2,299	1.996	1,899	1,687	1,463	1,152	847	579	337	195	121	122	1,196
45-49 years	2,095	119	117	174	168	174	148	154	152	149	157	131	139	105	65	32	20	22	69
50 and over	44	5	4	4	4	-	4	-	2	3	4	3	1	-	-	3	1	-	6
Not stated	2,217	675	428	264	186	102	72	35	27	26	18	9	11	4	1	1	1	-	357
Native white	2,977,781	1,017,478	898,530	464,327	220,144	110,609	63,394	39,338	25,546	16,710	11,097	6,938	4,299	2575	1369	752	375	381	93,931
Under 15 years	1,707	1,579	87	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
15-19 years	328,489	246,629	65,298	9,209	1,095	158	28	22	6	2	-	-	-	-	-	-	-	-	6,043
20-24 years	972,904	440,739	337,466	118,151	35,211	10,039	2,626	734	199	95	36	25	8	3	1	-	-	-	27,591
25-29 years	865,869	215,452	303,556	170,810	78,217	36,447	17,921	8,004	3,315	1,246	410	158	72	35	19	11	1	4	30,191
30-34 years	502,067	78,323	137,953	111,660	64,821	35,601	22,169	14,374	8,880	4,614	2,481	1,096	506	241	82	50	17	27	18,772
35-39 years	239,674	28,126	45,903	45,750	33,261	21,926	15,715	11,918	9,270	7,044	5,054	3,173	1,824	1031	491	245	114	109	8,720
40-44 years	59,385	5,261	7,217	7,926	6,904	5,746	4,533	3,911	3,545	3,191	2,784	2,215	1,634	1095	659	376	203	194	1,971
45-49 years	3,772	220	219	295	301	312	274	304	272	264	284	252	237	162	114	67	37	47	111
50 and over	94	13	9	11	6	5	7	4	7	7	4	3	3	2	1	2	1	-	9
Not stated	3,840	1,136	822	527	326	177	121	65	52	47	34	16	15	6	2	1	2	-	491
Male	1,531,176	524,979	461,935	238,136	113,068	56,602	32,447	20,095	12,936	8,589	5,681	3,532	2,169	1,298	714	408	171	186	48,229
Under 15 years	850	789	42	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	17
15-19 years	169,621	127,445	33,637	4,737	552	87	10	17	4	1	-	-	-	-	-	-	-	-	3,133
20-24 years	500,915	227,389	173,388	60,617	18,239	5,129	1,354	394	96	62	19	13	4	1	1	-	-	-	14,209
25-29 years	444,332	110,931	155,718	87,496	40,032	18,702	9,145	4,025	1,738	659	192	76	42	18	9	8	-	1	15,532
30-34 years	258,089	40,412	71,116	57,355	33,277	18,358	11,312	7,289	4,523	2,529	1,296	536	260	115	51	36	8	14	9,602
35-39 years	122,958	14,586	23,672	23,458	17,055	11,214	8,052	6,145	4,647	3,562	2,603	1,627	896	532	241	128	46	54	4,442
40-44 years	30,492	2,731	3,800	4,035	3,603	2,863	2,375	2,023	1,758	1,608	1,416	1,143	848	563	355	200	94	88	989
45-49 years	1,907	116	118	144	153	157	143	163	137	129	138	129	111	68	55	38	22	29	57
50 and over	55	8	5	8	4	5	3	4	5	4	-	-	2	2	1	-	-	-	4
Not stated	1,957	574	439	284	153	87	53	35	28	25	17	8	6	2	1	-	1	-	244

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949—Continued

(See headnote on p. 126)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
WHITE—Continued																			
Native white—Con.																			
Female	1,446,605	492,489	436,595	226,191	107,076	54,007	30,947	18,241	12,610	8,121	5,406	3,406	2,130	1,276	655	344	204	195	45,702
Under 15 years	857	780	45	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	15
15-19 years	158,868	119,186	31,861	4,472	544	69	18	5	2	1	-	-	-	-	-	-	-	-	2,910
20-24 years	471,999	213,350	164,078	57,514	16,972	4,910	1,272	340	108	33	17	12	4	2	-	-	-	-	13,382
25-29 years	421,537	104,521	147,838	83,314	38,185	17,745	8,776	3,878	1,577	577	218	82	30	19	10	3	1	3	14,659
30-34 years	243,978	37,911	66,837	54,305	31,544	17,443	10,857	7,085	4,357	2,285	1,185	560	248	126	31	14	9	13	9,170
35-39 years	116,716	13,540	22,251	22,292	16,206	10,712	7,663	5,773	4,623	3,482	2,451	1,548	928	499	250	119	68	55	4,278
40-44 years	28,873	2,530	3,417	5,691	3,301	2,883	2,158	1,888	1,787	1,583	1,368	1,072	786	532	304	176	109	106	982
45-49 years	1,865	104	101	151	148	155	131	141	135	135	146	123	126	94	58	29	15	18	54
50 and over	39	5	4	3	2	-	4	-	2	3	4	3	1	-	-	2	1	-	5
Not stated	1,883	562	383	243	173	90	68	30	24	22	17	8	9	4	1	1	1	-	247
Foreign-born white	104,251	31,666	31,657	15,924	7,384	3,825	2,342	1,633	1,156	913	690	517	367	271	159	104	61	74	5,508
Under 15 years	22	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15-19 years	3,577	2,309	883	215	46	8	1	2	-	1	-	-	-	-	-	-	-	-	112
20-24 years	25,475	11,584	8,637	2,923	847	294	110	39	14	10	7	2	2	-	-	-	-	-	1,006
25-29 years	34,204	10,809	12,477	5,331	1,964	910	487	268	115	61	38	11	4	4	3	3	1	-	1,723
30-34 years	19,089	4,015	5,544	3,676	1,829	961	624	464	301	215	132	84	41	27	5	8	7	4	1,152
35-39 years	15,937	2,355	3,311	2,946	1,948	1,122	782	578	469	402	318	234	180	123	72	32	16	27	1,042
40-44 years	5,370	533	747	767	702	490	322	251	228	188	170	166	117	94	65	50	28	34	418
45-49 years	463	29	29	47	42	37	33	25	31	33	26	19	22	20	14	10	9	9	28
50 and over	14	1	1	1	2	-	-	2	-	1	1	-	1	1	-	1	-	-	2
Not stated	100	17	21	18	4	3	3	4	-	2	1	1	-	2	-	-	-	-	24
Male	53,808	16,354	16,414	8,181	3,784	1,972	1,252	845	580	467	342	266	184	143	76	60	31	41	2,806
Under 15 years	13	8	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,839	1,200	460	97	21	5	1	2	-	1	-	-	-	-	-	-	-	-	52
20-24 years	13,190	6,026	4,495	1,465	452	145	53	18	5	4	3	1	1	-	-	-	-	-	522
25-29 years	17,807	5,628	6,498	2,755	1,019	495	261	137	66	33	13	4	1	1	1	2	1	-	892
30-34 years	9,722	2,011	2,848	1,907	907	471	333	233	148	123	73	42	19	14	2	6	3	4	578
35-39 years	8,212	1,204	1,709	1,517	1,009	586	406	296	240	202	161	118	97	69	33	14	7	14	530
40-44 years	2,731	254	371	407	352	250	181	144	117	84	75	69	56	47	32	31	16	18	207
45-49 years	233	14	13	24	22	18	16	12	14	19	15	11	9	9	8	7	4	5	13
50 and over	9	1	1	-	-	-	-	2	-	1	1	-	1	1	-	-	-	-	1
Not stated	52	8	14	9	2	2	1	1	-	-	1	1	-	2	-	-	-	-	11
Female	50,443	15,312	15,243	7,743	3,600	1,853	1,090	788	566	446	348	251	183	128	83	44	30	33	2,702
Under 15 years	9	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15-19 years	1,738	1,109	423	118	25	3	-	-	-	-	-	-	-	-	-	-	-	-	60
20-24 years	12,285	5,558	4,142	1,458	395	149	57	21	9	6	4	1	1	-	-	-	-	-	484
25-29 years	16,397	5,181	5,979	2,576	945	415	226	131	47	28	22	7	3	3	2	1	-	-	831
30-34 years	9,367	2,004	2,696	1,769	922	490	291	231	153	92	59	42	22	13	3	2	4	-	574
35-39 years	7,725	1,151	1,602	1,429	939	536	356	282	229	200	157	116	83	54	39	18	9	13	512
40-44 years	2,639	279	376	360	350	240	141	107	111	104	85	77	61	47	33	19	12	16	211
45-49 years	230	15	16	23	20	19	17	13	17	14	11	8	13	11	6	3	5	4	15
50 and over	5	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1
Not stated	48	9	7	9	2	1	2	3	-	2	-	-	-	-	-	-	-	-	13
Nativity not stated	1,689	474	243	143	94	68	36	29	17	5	8	9	5	1	2	1	1	-	553
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	153	108	21	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	18
20-24 years	333	78	71	34	36	8	4	3	-	-	-	-	-	-	-	-	-	-	108
25-29 years	276	44	49	38	18	18	8	7	1	-	-	-	-	-	-	-	-	-	93
30-34 years	173	13	18	20	15	14	9	7	4	2	2	-	-	-	-	-	-	-	67
35-39 years	122	15	12	8	12	4	7	5	4	-	3	2	2	1	-	1	1	-	47
40-44 years	36	8	2	2	1	2	1	2	3	-	1	3	-	-	-	-	-	-	11
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	594	207	70	35	22	22	7	5	5	3	2	2	3	-	2	-	-	-	209
Male	870	233	127	83	49	39	18	17	8	1	6	5	1	1	2	1	-	-	279
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	88	61	14	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	10
20-24 years	154	31	38	17	13	3	2	3	-	-	-	-	-	-	-	-	-	-	47
25-29 years	155	22	30	22	13	13	2	4	1	-	-	-	-	-	-	-	-	-	48
30-34 years	85	6	8	12	8	8	4	3	2	-	2	2	-	-	-	-	-	-	30
35-39 years	57	4	5	5	3	2	4	3	1	-	2	2	-	1	-	1	-	-	24
40-44 years	23	6	-	1	1	2	1	1	2	-	1	-	-	-	-	-	-	-	8
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	308	103	32	23	11	11	5	3	2	1	1	1	1	-	2	-	-	-	112
Female	819	241	116	60	45	29	18	12	9	4	2	4	4	-	-	-	1	-	274
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	65	47	7	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	8
20-24 years	179	48	33	17	13	5	2	-	-	-	-	-	-	-	-	-	-	-	61
25-29 years	121	22	19	16	5	5	6	3	-	-	-	-	-	-	-	-	-	-	45
30-34 years	88	7	10	8	7	6	5	4	2	2	-	-	-	-	-	-	-	-	37
35-39 years	65	9	7	3	9	2	3	2	3	-	1	-	2	-	-	-	1	-	23
40-44 years	13	2	2	1	-	-	-	1	1	-	-	3	-	-	-	-	-	-	3
45-49 years	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
50 and over	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	286	104	38	12	11	11	2	2	3	2	1	1	2	-	-	-	-	-	97
NONWHITE	475,808	125,430	108,305	73,935	48,414	33,511	24,122	17,499	12,701	9,247	6,454	4,395	2,749	1,832	1,063	636	290	591	4,834
Under 15 years	3,285	2,941	282	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-	40
15-19 years	100,809	59,289	29,781	8,594	1,662	352	60	17	6	2	-	-	-	-	-	-	-	-	1,046
20-24 years	158,113	39,491	47,447	34,668	19,213	8,696	3,379	1,140	354	151	47	28	8	4	-	-	-	-	1,484
25-29 years	106,888	14,595	19,897	19,095	16,513	13,698	10,092	6,152	3,266	1,488	647	267	105	53	17	18	6	2	977
30-34 years	60,021	5,667	7,261	7,685	7,157	6,780	6,491	5,978	4,848	3,443	2,136	1,039	537	245	117	80	29	43	506
35-39 years	35,501	2,167	2,780	3,046	3,051	3,170	3,271	3,329	3,329	3,215	2,677	2,084	1,317	850	454	248	112	145	256
40-44 years	9,529	440	455	488	557	599	641	721	761	829	842	887	685	604	404	284	119	166	87
45-49 years	816	21	21	32	27	48	62	54	52	57	68	65	80	67	60	43	23	31	5
50 and over	42	-	1	3	5	-	1	11	5	2	1	2	2	1	4	1	1	1	1
Not stated	2,805	819	380	306	235	156	125	97	80	60	36	23	15	8	7	2	-	3	453

TABLE 6A.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949—Continued

(See headnote on p. 126)

AGE OF MOTHER, SEX OF CHILD, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
NONWHITE—Continued																			
Male	240,498	63,177	54,960	37,424	24,501	16,937	12,093	8,892	6,396	4,661	3,291	2,189	1,364	935	531	309	135	210	2,493
Under 15 years	1,665	1,484	147	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	22
15-19 years	50,882	29,990	15,000	4,282	823	196	27	4	1	1	-	-	-	-	-	-	-	-	558
20-24 years	78,911	19,829	24,066	17,544	9,731	4,411	1,702	565	184	73	23	9	2	3	-	-	-	-	769
25-29 years	53,973	7,311	10,134	9,621	8,369	6,899	5,024	3,139	1,642	782	338	133	55	29	11	8	2	-	495
30-34 years	30,548	2,858	3,750	3,961	3,627	3,420	3,261	3,060	2,485	1,758	1,089	515	287	122	56	25	9	20	255
35-39 years	17,951	1,064	1,422	1,617	1,531	1,613	1,650	1,691	1,684	1,576	1,354	1,035	636	427	235	127	61	84	144
40-44 years	4,744	225	242	236	282	284	328	354	338	428	427	456	332	321	193	126	50	88	34
45-49 years	411	9	12	11	12	22	36	35	17	31	40	30	45	30	30	21	12	16	2
50 and over	20	-	1	1	3	-	1	7	1	-	1	-	1	-	2	-	1	1	-
Not stated	1,393	407	186	141	121	92	64	47	44	32	18	11	6	3	4	2	-	1	214
Female	235,310	62,253	53,345	36,511	23,913	16,574	12,029	8,607	6,305	4,586	3,163	2,206	1,385	897	532	327	155	181	2,341
Under 15 years	1,620	1,457	135	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	18
15-19 years	48,927	28,299	14,781	4,312	839	156	33	13	5	1	-	-	-	-	-	-	-	-	488
20-24 years	77,201	19,662	23,381	17,124	9,482	4,287	1,677	575	170	78	24	19	6	1	-	-	-	-	715
25-29 years	52,915	7,284	9,763	9,474	8,144	6,799	5,068	3,013	1,624	726	308	134	50	24	6	10	4	2	482
30-34 years	29,473	2,809	3,511	3,724	3,530	3,360	3,230	2,928	2,363	1,685	1,047	524	250	123	61	35	20	23	250
35-39 years	17,550	1,103	1,358	1,429	1,520	1,557	1,621	1,638	1,645	1,639	1,323	1,049	681	423	219	121	51	61	112
40-44 years	4,785	215	213	252	275	315	313	367	423	401	415	431	353	283	211	138	69	78	33
45-49 years	405	12	9	21	15	26	26	19	35	26	28	35	35	37	30	22	11	15	3
50 and over	22	-	-	2	2	-	-	4	4	2	-	2	1	1	2	1	-	-	1
Not stated	1,412	412	194	165	104	74	61	50	36	26	18	12	9	5	3	-	-	2	239
Negro	453,235	118,976	102,543	70,537	46,350	32,152	23,095	16,764	12,190	8,840	6,208	4,238	2,674	1,775	1,030	622	282	388	4,573
Under 15 years	3,239	2,896	281	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-	40
15-19 years	98,175	57,527	29,084	8,466	1,642	349	60	17	8	2	-	-	-	-	-	-	-	-	1,023
20-24 years	148,878	36,797	44,975	33,453	18,720	8,522	3,321	1,125	350	150	46	28	8	4	-	-	-	-	1,389
25-29 years	100,659	13,184	18,205	18,004	15,744	13,149	9,708	5,989	3,202	1,480	634	265	104	53	15	18	6	2	916
30-34 years	56,392	5,297	6,626	7,024	6,663	6,415	6,138	5,887	4,648	3,307	2,078	1,025	533	242	115	59	29	43	463
35-39 years	33,492	2,048	2,585	2,804	2,824	2,980	3,094	3,122	3,157	3,045	2,569	2,005	1,280	822	446	246	106	145	234
40-44 years	8,881	412	415	455	506	535	591	675	703	787	787	834	656	584	389	255	117	163	57
45-49 years	739	20	21	27	23	42	57	45	44	53	58	57	76	'61	56	41	23	31	4
50 and over	36	-	1	3	4	-	1	10	3	1	1	2	2	1	3	1	1	1	1
Not stated	2,743	805	370	303	220	160	122	94	77	55	35	22	15	8	6	2	-	3	446
Male	229,078	59,935	52,043	35,709	23,438	16,237	11,608	8,508	6,140	4,458	3,160	2,104	1,327	904	508	304	131	207	2,357
Under 15 years	1,642	1,461	147	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	22
15-19 years	49,524	29,082	14,641	4,218	813	195	27	4	1	1	-	-	-	-	-	-	-	-	542
20-24 years	75,343	16,527	22,845	16,931	9,473	4,326	1,673	559	181	72	22	9	2	3	-	-	-	-	720
25-29 years	50,816	6,580	9,277	9,078	7,976	6,615	4,851	3,053	1,613	749	327	132	54	29	10	8	2	-	462
30-34 years	28,672	2,660	3,410	3,619	3,373	3,228	3,094	2,901	2,379	1,693	1,060	509	286	120	55	24	9	20	234
35-39 years	16,927	1,007	1,309	1,489	1,412	1,513	1,564	1,580	1,598	1,492	1,300	997	620	413	230	127	57	84	135
40-44 years	4,402	211	220	215	259	253	300	329	310	395	396	422	315	307	183	122	60	85	30
45-49 years	376	8	12	8	10	20	34	30	15	28	37	25	43	29	26	21	12	16	2
50 and over	18	-	1	1	2	-	1	7	1	-	1	-	1	-	1	-	1	1	-
Not stated	1,358	399	181	140	118	89	64	45	42	28	17	10	6	3	3	2	-	1	210
Female	224,157	59,041	50,500	34,828	22,912	15,915	11,485	8,256	6,050	4,382	3,048	2,134	1,347	871	522	318	151	181	2,216
Under 15 years	1,597	1,435	134	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	18
15-19 years	48,652	28,445	14,443	4,248	829	154	33	13	5	1	-	-	-	-	-	-	-	-	481
20-24 years	73,535	18,280	22,130	16,522	9,247	4,196	1,648	566	169	78	24	19	6	1	-	-	-	-	669
25-29 years	49,843	6,604	8,928	8,926	7,768	6,534	4,858	2,936	1,589	711	307	133	50	24	5	10	4	2	454
30-34 years	27,720	2,637	3,216	3,405	3,290	3,189	3,044	2,786	2,269	1,614	1,018	516	247	122	60	35	20	23	229
35-39 years	16,565	1,041	1,256	1,315	1,412	1,467	1,530	1,542	1,559	1,553	1,269	1,008	660	409	216	119	49	61	99
40-44 years	4,479	201	195	220	247	282	291	346	393	372	391	412	341	277	208	133	67	78	27
45-49 years	363	12	9	19	13	22	23	16	29	25	21	32	33	32	30	20	11	15	2
50 and over	18	-	-	2	2	-	-	3	2	1	-	2	1	1	2	1	-	-	1
Not stated	1,385	406	189	163	102	71	58	49	38	27	18	12	9	5	3	-	-	2	236
Other races	22,573	6,454	5,762	3,398	2,064	1,359	1,029	735	511	407	246	157	75	57	33	14	8	3	261
Under 15 years	46	45	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	2,633	1,762	697	128	20	3	-	-	-	-	-	-	-	-	-	-	-	-	23
20-24 years	7,234	2,704	2,472	1,215	493	176	58	15	4	1	1	-	-	-	-	-	-	-	95
25-29 years	6,229	1,411	1,592	1,091	769	549	383	163	64	28	13	2	1	-	2	-	-	-	61
30-34 years	3,629	370	635	661	494	365	353	291	200	136	58	14	4	3	2	1	-	-	42
35-39 years	2,009	119	215	242	227	190	177	207	172	170	108	78	37	28	8	2	6	-	22
40-44 years	648	28	40	53	51	64	50	46	58	62	55	53	29	20	15	9	2	3	10
45-49 years	77	1	-	5	4	6	5	9	8	4	10	8	4	6	4	2	-	-	1
50 and over	6	-	-	-	1	-	-	1	2	1	-	-	-	-	1	-	-	-	-
Not stated	62	14	10	3	5	6	3	3	3	5	1	1	-	-	1	-	-	-	7
Male	11,420	3,242	2,917	1,715	1,063	700	485	384	256	203	131	85	37	31	23	5	4	3	136
Under 15 years	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,358	908	359	64	10	1	-	-	-	-	-	-	-	-	-	-	-	-	16
20-24 years	3,568	1,302	1,221	613	258	85	29	6	3	1	1	-	-	-	-	-	-	-	49
25-29 years	3,157	731	857	543	393	284	173	86	29	13	12	1	1	-	1	-	-	-	33
30-34 years	1,876	198	340	342	254	194	167	148	108	65	29	6	1	2	1	1	-	-	21
35-39 years	1,024	57	113	128	119	100	66	111	66	64	54	36	16	14	5	-	4	-	3
40-44 years	342	14	22	21	23	31	28	25	28	33	31	34	17	14	10	4	-	3	4
45-49 years	35	1	-	3	2	2	2	5	2	3	3	5	2	1	4	-	-	-	-
50 and over	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-
Not stated	35	8	5	1	3	3	-	2	2	4	1	1	-	-	1	-	-	-	4
Female	11,153	3,212	2,845	1,683	1,001	659	544	351	255	204	115	72	39	26	10	9	4	-	125
Under 15 years	23	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	1,275	854	338	64	10	2	-	-	-	-	-	-	-	-	-	-	-	-	7
20-24 years	3,666	1,402	1,251	602	235	91	29	9	1	-	-	-	-	-	-	-	-	-	46
25-29 years	3,072	680	835	548	376	265	210	77	35	15	1	1	-	-	1	-	-	-	28
30-34 years	1,753	172	285	319	240	171	186	142	94	71	29	8	3	1	1	-	-	-	21
35-39 years	985	62	102	114	108	90	91	96	86	86	54	41	21	14	3	2	2	-	13
40-44 years	306	14	18	32	28	33	22	21	30	29	24	19	12	6	5	5	2	-	6
45-49 years	42	-	-	2	2	4	3	4	6	1	7	3	2	5	-	2	-	-	1
50 and over	4	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-
Not stated	27	6	5	2	2	3	3	1	1	1	-	-	-	-	-	-	-	-	3

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949

(By place of residence. Birth order refers to number of children born alive to mother. Births to white mothers whose nativity is not stated are not shown separately, but are included in State totals and in "White." "Negro" is shown separately only in those States where the total number of births so classified was 100 or more. "Other races" in these States may be obtained by subtracting "Negro" from "Nonwhite")

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ALABAMA	84,418	25,228	21,429	12,636	7,688	5,040	3,406	2,703	1,969	1,387	2,574	379
Under 15 years	258	238	17	-	-	-	-	-	-	-	-	3
15 to 19 years	15,575	10,492	3,916	822	167	35	4	-	2	-	-	137
20 to 24 years	27,220	9,148	9,424	4,933	2,243	906	278	101	34	17	13	123
25 to 29 years	19,692	3,320	5,108	3,963	2,794	1,938	1,202	714	360	131	116	46
30 to 34 years	11,574	1,226	2,023	1,852	1,503	1,278	1,055	969	715	432	483	28
35 to 39 years	7,164	505	704	831	736	684	637	686	643	558	1,159	19
40 to 44 years	2,089	110	117	139	142	143	169	198	182	204	679	6
45 to 49 years	188	11	6	4	7	7	11	12	12	23	95	-
50 years and over	6	-	-	-	-	1	-	2	1	-	2	-
Not stated	652	178	114	92	74	48	40	21	19	22	27	17
White	52,213	17,454	14,970	7,921	4,299	2,495	1,541	1,178	814	556	621	164
Under 15 years	57	55	2	-	-	-	-	-	-	-	-	-
15 to 19 years	8,426	6,308	1,810	213	25	6	1	-	-	-	-	63
20 to 24 years	17,182	6,985	6,502	2,543	828	217	41	7	2	4	2	51
25 to 29 years	13,079	2,611	4,250	2,901	1,700	891	408	187	70	19	17	25
30 to 34 years	7,559	978	1,690	1,461	1,085	819	559	451	284	129	96	7
35 to 39 years	4,240	356	556	647	537	438	395	379	334	255	336	9
40 to 44 years	1,289	77	94	114	95	100	116	142	111	123	313	4
45 to 49 years	110	8	5	4	4	5	7	7	8	17	47	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	270	78	61	38	25	20	14	5	5	9	10	5
Native white	51,887	17,355	14,837	7,865	4,292	2,486	1,539	1,175	811	556	820	161
Under 15 years	57	55	2	-	-	-	-	-	-	-	-	-
15 to 19 years	8,418	6,303	1,807	213	25	6	1	-	-	-	-	63
20 to 24 years	17,040	6,932	6,441	2,520	826	215	41	7	2	4	2	50
25 to 29 years	12,974	2,580	4,199	2,881	1,698	890	408	187	70	19	17	25
30 to 34 years	7,527	973	1,680	1,452	1,080	817	559	451	283	129	96	7
35 to 39 years	4,222	354	555	645	531	435	393	378	333	255	336	9
40 to 44 years	1,279	76	92	113	94	99	116	140	110	123	312	4
45 to 49 years	110	6	5	4	4	5	7	7	8	17	47	-
50 years and over	1	-	-	-	-	1	-	-	-	-	-	-
Not stated	259	76	58	37	24	18	14	5	5	9	10	3
Foreign-born white	304	95	128	54	14	4	2	3	2	-	1	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	4	2	-	-	-	-	-	-	-	-	-
20 to 24 years	140	53	61	22	2	1	-	-	-	-	-	1
25 to 29 years	101	30	50	19	2	-	-	-	-	-	-	-
30 to 34 years	30	5	10	9	4	1	-	-	1	-	-	-
35 to 39 years	16	2	3	2	5	1	2	1	-	-	-	-
40 to 44 years	10	1	2	1	1	1	-	2	1	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
Nonwhite	32,205	7,774	6,459	4,715	3,369	2,545	1,865	1,525	1,154	831	1,753	215
Under 15 years	201	183	15	-	-	-	-	-	-	-	-	3
15 to 19 years	7,149	4,184	2,106	609	142	29	3	-	2	-	-	74
20 to 24 years	10,038	2,163	2,922	2,390	1,415	689	237	94	32	13	11	72
25 to 29 years	6,613	709	859	1,062	1,094	1,047	794	527	290	112	99	21
30 to 34 years	4,015	248	333	391	418	459	506	518	431	303	367	21
35 to 39 years	2,924	149	148	184	201	248	242	307	309	303	823	10
40 to 44 years	800	33	23	23	47	43	53	56	71	81	366	2
45 to 49 years	78	5	1	-	3	2	4	5	4	6	48	-
50 years and over	5	-	-	-	-	-	-	2	1	-	2	-
Not stated	382	100	53	54	49	28	26	16	14	13	17	12
Negro	32,177	7,769	6,452	4,712	3,366	2,542	1,863	1,525	1,152	830	1,751	215
Under 15 years	201	183	15	-	-	-	-	-	-	-	-	3
15 to 19 years	7,147	4,183	2,105	609	142	29	3	-	2	-	-	74
20 to 24 years	10,026	2,159	2,917	2,388	1,414	689	237	94	32	13	11	72
25 to 29 years	6,608	709	858	1,061	1,093	1,046	793	527	289	112	99	21
30 to 34 years	4,010	248	332	391	417	458	506	518	430	302	387	21
35 to 39 years	2,921	149	148	184	201	247	241	307	309	303	822	10
40 to 44 years	799	33	23	25	47	43	53	56	71	81	365	2
45 to 49 years	78	5	1	-	3	2	4	5	4	6	48	-
50 years and over	5	-	-	-	-	-	-	2	1	-	2	-
Not stated	382	100	53	54	49	28	26	16	14	13	17	12
ARIZONA	20,275	6,073	5,610	3,387	1,920	1,076	717	493	314	250	407	28
Under 15 years	24	23	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,819	2,013	653	124	26	-	-	-	-	-	-	3
20 to 24 years	6,673	2,431	2,460	1,113	450	145	50	9	2	2	1	10
25 to 29 years	5,428	1,016	1,597	1,205	721	403	244	140	57	23	15	7
30 to 34 years	3,153	388	620	632	488	324	236	183	108	88	81	3
35 to 39 years	1,671	184	232	271	198	153	149	122	101	93	186	2
40 to 44 years	443	33	43	36	36	48	34	31	40	38	102	2
45 to 49 years	47	-	2	3	-	3	1	7	5	6	20	-
50 years and over	2	-	1	-	-	-	-	-	-	-	1	-
Not stated	15	5	1	3	1	-	1	1	1	-	1	1
White	17,520	5,458	5,060	2,960	1,606	842	525	362	219	175	292	21
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,356	1,724	520	92	19	-	-	-	-	-	-	1
20 to 24 years	5,812	2,208	2,187	914	350	104	33	5	1	1	1	8
25 to 29 years	4,771	954	1,503	1,069	599	299	164	104	48	18	9	6
30 to 34 years	2,756	370	584	590	428	272	182	134	71	58	65	2
35 to 39 years	1,427	156	225	256	176	125	116	92	73	66	140	2
40 to 44 years	353	32	38	35	33	39	28	23	27	29	68	1
45 to 49 years	25	-	2	2	-	3	1	4	-	3	8	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	11	4	-	2	1	-	1	-	1	-	1	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARIZONA—Continued												
White—Continued												
Native white	16,435	5,211	4,834	2,806	1,492	771	461	309	173	144	219	15
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,300	1,683	508	89	19	-	-	-	-	-	-	1
20 to 24 years	5,540	2,107	2,099	865	332	95	30	4	1	1	1	5
25 to 29 years	4,492	887	1,423	1,021	565	284	151	96	34	17	9	5
30 to 34 years	2,534	348	560	558	392	246	157	111	59	44	58	1
35 to 39 years	1,238	144	209	237	155	108	97	77	55	54	101	1
40 to 44 years	292	30	32	34	28	35	25	17	23	25	42	1
45 to 49 years	22	-	2	2	-	3	1	4	-	3	7	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	6	2	-	-	1	-	-	-	1	-	1	1
Foreign-born white	1,059	235	223	151	112	70	64	52	48	31	73	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	53	36	12	3	-	-	-	-	-	-	-	-
20 to 24 years	259	96	86	48	16	8	3	1	-	-	-	1
25 to 29 years	274	66	79	47	34	15	13	7	12	1	-	-
30 to 34 years	220	21	24	31	36	26	25	23	12	14	7	1
35 to 39 years	187	11	16	19	21	17	19	15	18	12	38	-
40 to 44 years	51	2	6	1	5	4	3	6	4	4	26	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	1	-	2	-	-	1	-	-	-	-	-
Nonwhite	2,755	615	550	427	314	234	192	131	95	75	115	7
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	463	288	133	32	7	-	-	-	-	-	-	2
20 to 24 years	861	223	273	199	100	41	17	4	1	1	-	2
25 to 29 years	657	62	94	136	122	104	80	36	11	5	6	1
30 to 34 years	397	18	36	42	60	52	56	49	37	30	16	1
35 to 39 years	244	8	7	15	22	28	33	30	28	27	46	-
40 to 44 years	90	1	5	1	3	9	6	8	13	9	34	1
45 to 49 years	24	-	-	1	-	-	-	3	5	3	12	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	4	1	1	1	-	-	-	1	-	-	-	-
Negro	715	185	155	123	80	53	39	29	12	16	20	3
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	169	98	53	12	4	-	-	-	-	-	-	2
20 to 24 years	211	47	67	50	27	12	8	-	-	-	-	-
25 to 29 years	181	23	19	44	31	27	19	9	4	3	1	1
30 to 34 years	90	7	12	11	13	9	5	13	4	10	6	-
35 to 39 years	48	2	1	5	5	5	6	6	2	3	11	-
40 to 44 years	9	-	2	1	-	-	1	1	2	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS	45,609	13,897	11,772	6,674	4,079	2,689	1,873	1,402	994	770	1,402	257
Under 15 years	170	138	27	-	-	-	-	-	-	-	-	5
15 to 19 years	8,996	5,989	2,274	510	102	26	6	1	2	-	-	86
20 to 24 years	14,637	4,829	5,195	2,566	1,156	517	210	63	18	6	4	73
25 to 29 years	10,553	1,663	2,729	2,063	1,533	993	630	377	177	86	61	41
30 to 34 years	6,076	649	1,055	990	804	668	584	476	353	227	267	23
35 to 39 years	3,819	298	392	418	383	372	368	368	318	308	584	20
40 to 44 years	1,200	61	50	85	69	93	71	94	114	131	429	3
45 to 49 years	93	4	1	5	6	5	8	7	5	5	47	-
50 years and over	7	1	-	1	-	-	1	2	-	1	1	-
Not stated	258	65	59	36	28	15	15	14	7	6	9	6
White	34,215	11,103	9,620	5,119	2,904	1,758	1,155	838	566	420	648	78
Under 15 years	36	33	3	-	-	-	-	-	-	-	-	-
15 to 19 years	6,273	4,562	1,439	216	32	1	-	-	1	-	-	22
20 to 24 years	11,309	4,185	4,342	1,814	635	217	70	14	3	1	1	27
25 to 29 years	8,156	1,440	2,468	1,766	1,195	652	353	179	64	17	6	18
30 to 34 years	4,527	534	939	860	648	504	379	293	187	97	80	6
35 to 39 years	2,777	253	344	357	315	289	279	260	210	198	288	4
40 to 44 years	901	50	45	78	57	79	59	78	93	100	261	1
45 to 49 years	67	3	1	5	6	4	5	6	4	3	30	-
50 years and over	5	1	-	-	-	-	1	1	-	1	1	-
Not stated	164	47	39	23	16	12	9	8	4	3	1	2
Native white	34,010	11,042	9,550	5,091	2,895	1,752	1,150	834	563	417	639	77
Under 15 years	36	33	3	-	-	-	-	-	-	-	-	-
15 to 19 years	6,265	4,554	1,439	216	32	1	-	-	1	-	-	22
20 to 24 years	11,234	4,155	4,314	1,800	633	217	70	13	3	1	1	27
25 to 29 years	8,089	1,420	2,437	1,757	1,191	650	352	179	64	17	6	16
30 to 34 years	4,506	531	934	857	646	502	377	290	186	97	80	6
35 to 39 years	2,752	249	340	356	314	288	277	259	209	196	260	4
40 to 44 years	897	48	45	78	57	78	59	78	92	100	260	1
45 to 49 years	67	3	1	5	6	4	5	6	4	3	30	-
50 years and over	5	1	-	-	-	-	1	1	-	1	1	-
Not stated	159	47	37	22	16	12	9	8	4	2	1	1
Foreign-born white	197	65	69	27	7	6	5	4	3	2	9	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	8	-	-	-	-	-	-	-	-	-	-
20 to 24 years	73	30	28	13	2	-	-	-	-	-	-	-
25 to 29 years	64	19	31	8	2	2	1	-	-	-	-	-
30 to 34 years	21	3	5	3	2	2	2	3	1	-	-	-
35 to 39 years	25	4	4	1	1	1	2	1	1	2	8	-
40 to 44 years	4	1	-	-	-	1	-	-	1	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	1	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
ARKANSAS—Continued												
Nonwhite	11,394	2,589	2,152	1,555	1,175	931	718	563	428	350	754	179
Under 15 years	134	105	24	-	-	-	-	-	-	-	-	5
15 to 19 years	2,723	1,427	835	294	70	25	6	1	1	-	-	64
20 to 24 years	3,326	644	853	752	521	300	140	49	15	5	3	46
25 to 29 years	2,197	223	261	297	336	341	277	198	113	69	55	25
30 to 34 years	1,549	115	116	130	156	164	185	183	166	130	187	17
35 to 39 years	1,042	45	38	61	68	83	89	108	108	110	316	16
40 to 44 years	299	11	5	7	12	14	12	16	21	31	168	2
45 to 49 years	26	1	-	-	-	1	3	1	1	2	17	-
50 years and over	2	-	-	1	-	-	-	1	-	-	-	-
Not stated	94	18	20	13	10	3	6	6	3	3	8	4
Negro	11,359	2,573	2,148	1,549	1,173	929	716	561	427	350	754	179
Under 15 years	134	105	24	-	-	-	-	-	-	-	-	5
15 to 19 years	2,718	1,423	835	293	70	25	6	1	1	-	-	64
20 to 24 years	3,316	635	851	752	520	300	140	49	15	5	3	46
25 to 29 years	2,185	221	259	293	338	339	276	197	113	69	55	25
30 to 34 years	1,548	115	116	130	156	164	185	183	165	130	187	17
35 to 39 years	1,038	44	38	60	67	83	89	107	108	110	316	16
40 to 44 years	298	11	5	7	12	14	11	16	21	31	168	2
45 to 49 years	26	1	-	-	-	1	3	1	1	2	17	-
50 years and over	2	-	-	1	-	-	-	1	-	-	-	-
Not stated	94	18	20	13	10	3	6	6	3	3	8	4
CALIFORNIA	245,199	87,682	81,869	41,095	17,092	7,508	3,873	2,232	1,305	863	1,508	172
Under 15 years	197	194	1	-	-	-	-	-	-	-	-	2
15 to 19 years	28,513	21,333	6,103	919	99	20	1	-	-	-	-	38
20 to 24 years	80,904	35,347	30,139	10,847	3,236	951	251	61	17	5	3	47
25 to 29 years	73,599	19,669	27,944	15,109	6,116	2,613	1,206	530	228	87	52	45
30 to 34 years	39,515	7,682	12,367	9,456	4,723	2,179	1,251	793	459	268	318	19
35 to 39 years	18,151	2,877	4,502	4,030	2,365	1,364	892	637	434	358	682	10
40 to 44 years	4,060	556	793	699	521	355	250	197	154	132	398	5
45 to 49 years	226	15	16	33	28	22	21	14	13	11	53	-
50 years and over	6	-	1	-	1	-	-	-	-	2	2	-
Not stated	28	9	3	2	3	4	1	-	-	-	-	6
White	224,785	81,417	76,175	37,407	15,075	6,396	3,222	1,651	1,090	691	1,306	155
Under 15 years	133	131	-	-	-	-	-	-	-	-	-	2
15 to 19 years	25,582	19,506	5,260	698	68	13	1	-	-	-	-	36
20 to 24 years	73,863	32,936	27,833	9,480	2,608	725	172	46	14	4	3	42
25 to 29 years	67,873	18,353	26,316	13,949	5,388	2,169	957	408	175	70	44	43
30 to 34 years	36,506	7,209	11,728	8,760	4,304	1,911	1,051	666	374	205	282	16
35 to 39 years	16,851	2,736	4,261	3,806	2,193	1,230	792	550	380	292	603	8
40 to 44 years	3,745	524	757	682	486	326	230	168	136	109	344	3
45 to 49 years	203	15	16	30	23	18	18	13	11	10	48	-
50 years and over	5	-	1	-	1	-	-	-	-	1	2	-
Not stated	24	7	3	2	3	4	-	-	-	-	-	5
Native white	211,233	77,193	72,036	35,232	14,070	5,850	2,874	1,578	882	522	853	143
Under 15 years	129	127	-	-	-	-	-	-	-	-	-	2
15 to 19 years	25,111	19,161	5,152	682	67	13	1	-	-	-	-	35
20 to 24 years	70,786	31,482	26,772	9,075	2,497	692	164	44	12	4	3	41
25 to 29 years	63,493	16,955	24,689	13,190	5,091	2,014	887	370	159	60	36	42
30 to 34 years	33,718	6,578	10,890	8,259	4,028	1,756	941	574	316	163	198	15
35 to 39 years	14,731	2,425	3,854	3,423	1,957	1,076	669	445	284	204	388	6
40 to 44 years	3,097	446	662	574	405	261	197	136	104	85	205	2
45 to 49 years	150	12	15	27	22	15	15	9	7	6	22	-
50 years and over	2	-	-	-	1	-	-	-	-	-	1	-
Not stated	16	7	2	2	2	3	-	-	-	-	-	-
Foreign-born white	13,532	4,218	4,139	2,173	1,001	544	348	273	208	169	453	6
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	487	342	108	16	1	-	-	-	-	-	-	-
20 to 24 years	3,075	1,452	1,081	405	111	33	8	2	2	-	-	1
25 to 29 years	4,378	1,398	1,627	758	297	155	70	38	16	10	8	1
30 to 34 years	2,787	631	838	521	276	154	110	92	58	42	64	1
35 to 39 years	2,117	311	407	383	234	153	123	105	96	88	215	2
40 to 44 years	647	78	95	87	81	45	33	32	32	24	139	1
45 to 49 years	53	3	1	3	1	3	4	4	4	4	26	-
50 years and over	3	-	1	-	-	-	-	-	-	1	1	-
Not stated	2	-	1	-	-	1	-	-	-	-	-	-
Nonwhite	20,414	6,265	5,694	3,688	2,017	1,112	651	381	215	172	202	17
Under 15 years	64	63	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,931	1,827	843	221	31	7	-	-	-	-	-	2
20 to 24 years	7,041	2,411	2,306	1,367	628	226	79	15	3	1	-	5
25 to 29 years	5,726	1,316	1,628	1,160	727	444	249	122	53	17	8	2
30 to 34 years	3,009	473	639	676	419	268	200	127	85	63	56	3
35 to 39 years	1,300	141	241	224	172	134	100	87	54	66	79	2
40 to 44 years	315	32	36	37	35	29	20	29	18	23	54	2
45 to 49 years	23	-	-	3	5	4	2	1	2	1	5	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	4	2	-	-	-	-	1	-	-	-	-	1
Negro	13,809	3,909	3,714	2,579	1,503	839	492	300	177	134	153	9
Under 15 years	60	59	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,414	1,478	708	194	28	4	-	-	-	-	-	2
20 to 24 years	4,836	1,328	1,584	1,099	544	195	66	13	3	1	-	3
25 to 29 years	3,649	628	900	804	565	372	208	108	43	13	7	1
30 to 34 years	1,850	301	350	344	255	184	141	101	74	49	50	1
35 to 39 years	804	93	150	122	91	73	65	60	42	54	53	1
40 to 44 years	187	22	21	15	18	10	10	18	15	16	42	-
45 to 49 years	7	-	-	1	2	1	1	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	-	-	-	1	-	-	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
COLORADO	32,894	11,206	10,095	5,463	2,500	1,308	754	473	351	258	475	11
Under 15 years	19	19	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,914	2,929	848	114	17	3	-	-	-	-	-	3
20 to 24 years	11,274	4,947	4,103	1,564	461	141	38	12	4	-	1	3
25 to 29 years	9,444	2,232	3,327	2,049	897	486	243	113	61	18	11	5
30 to 34 years	5,055	708	1,315	1,168	696	414	257	169	129	79	100	-
35 to 39 years	2,482	307	433	457	340	206	173	125	114	111	216	-
40 to 44 years	649	55	66	86	85	51	43	48	39	43	133	-
45 to 49 years	44	5	2	2	3	3	-	6	3	6	14	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	12	4	1	3	1	2	-	-	1	-	-	-
White	32,137	10,872	9,891	5,322	2,418	1,271	729	459	348	252	466	11
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,793	2,862	806	102	17	3	-	-	-	-	-	3
20 to 24 years	11,032	4,855	4,035	1,519	431	135	37	12	4	-	1	3
25 to 29 years	9,213	2,171	3,261	2,003	865	474	232	113	61	17	11	5
30 to 34 years	4,958	702	1,297	1,162	663	403	250	160	126	78	98	-
35 to 39 years	2,429	303	425	447	334	202	168	121	112	107	210	-
40 to 44 years	642	55	65	84	84	51	42	47	39	43	132	-
45 to 49 years	43	5	2	2	3	2	-	6	3	6	14	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	10	4	-	3	1	1	-	-	1	-	-	-
Native white	31,462	10,783	9,678	5,220	2,375	1,246	717	448	334	235	415	11
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,789	2,845	799	102	18	3	-	-	-	-	-	3
20 to 24 years	10,854	4,781	3,955	1,500	427	134	37	12	4	-	1	3
25 to 29 years	8,999	2,108	3,182	1,957	852	470	227	112	60	17	11	5
30 to 34 years	4,847	683	1,267	1,147	673	393	247	155	123	75	84	-
35 to 39 years	2,327	291	413	433	321	194	164	119	107	98	187	-
40 to 44 years	604	52	61	76	63	49	42	44	37	40	120	-
45 to 49 years	38	5	1	2	3	2	-	6	3	4	12	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	8	4	-	3	-	1	-	-	-	-	-	-
Foreign-born white	662	186	210	100	41	25	12	11	9	17	51	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	21	13	7	-	1	-	-	-	-	-	-	-
20 to 24 years	175	74	78	18	4	1	-	-	-	-	-	-
25 to 29 years	214	65	79	46	13	4	5	1	1	-	-	-
30 to 34 years	109	18	28	15	9	10	3	5	2	3	14	-
35 to 39 years	100	12	12	13	13	8	4	2	4	9	23	-
40 to 44 years	38	3	4	8	1	2	-	3	2	3	12	-
45 to 49 years	5	-	1	-	-	-	-	-	-	2	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	757	234	204	141	82	37	25	14	5	6	9	-
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	121	67	42	12	-	-	-	-	-	-	-	-
20 to 24 years	242	92	68	45	30	6	1	-	-	-	-	-
25 to 29 years	231	61	66	46	32	14	11	-	-	1	-	-
30 to 34 years	96	6	18	26	13	11	7	9	3	1	2	-
35 to 39 years	53	4	8	10	6	4	5	4	2	4	6	-
40 to 44 years	7	-	1	2	1	-	1	1	-	-	1	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	-	1	-	-	-	-	-	-
Negro	551	160	142	109	60	30	20	8	3	4	7	-
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	105	59	35	11	-	-	-	-	-	-	-	-
20 to 24 years	190	65	53	37	29	5	1	-	-	-	-	-
25 to 29 years	142	26	36	33	25	13	9	-	-	-	-	-
30 to 34 years	69	5	12	21	9	8	6	5	1	1	1	-
35 to 39 years	38	2	5	7	4	4	4	2	2	3	3	-
40 to 44 years	4	-	1	-	1	-	-	1	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT	40,887	15,511	13,557	6,348	2,708	1,118	511	243	147	77	124	543
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,083	1,709	298	36	3	-	-	-	-	-	-	37
20 to 24 years	11,364	6,559	3,543	825	226	63	9	1	1	-	-	137
25 to 29 years	13,836	4,682	5,455	2,339	742	278	117	35	14	5	4	185
30 to 34 years	8,898	1,840	3,067	2,073	1,025	404	182	96	46	22	20	123
35 to 39 years	3,807	804	1,029	905	565	279	146	81	54	34	57	53
40 to 44 years	820	111	153	162	139	88	53	26	29	14	40	5
45 to 49 years	45	7	4	7	6	6	3	3	3	2	3	1
50 years and over	3	-	2	-	-	-	-	-	-	-	-	1
Not stated	21	9	6	1	2	-	1	1	-	-	-	1
White	39,595	15,111	13,173	6,136	2,590	1,053	470	226	132	60	105	539
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,872	1,565	248	23	1	-	-	-	-	-	-	35
20 to 24 years	10,869	6,400	3,351	737	190	46	7	-	1	-	-	137
25 to 29 years	13,491	4,601	5,368	2,257	691	251	94	31	11	2	2	183
30 to 34 years	8,752	1,817	3,025	2,055	1,005	392	171	91	40	17	16	123
35 to 39 years	3,737	599	1,017	897	556	271	142	74	50	27	51	53
40 to 44 years	803	111	152	159	139	87	52	26	27	12	33	5
45 to 49 years	45	7	4	7	6	6	3	3	3	2	3	1
50 years and over	3	-	2	-	-	-	-	-	-	-	-	1
Not stated	21	9	6	1	2	-	1	1	-	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
CONNECTICUT—Continued												
White—Continued												
Native white	37,159	14,295	12,369	5,752	2,392	962	419	208	120	50	96	516
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,824	1,526	241	21	1	-	-	-	-	-	-	35
20 to 24 years	10,350	6,092	3,179	713	182	45	7	-	1	-	-	131
25 to 29 years	12,674	4,326	5,018	2,121	660	241	85	31	11	2	2	177
30 to 34 years	8,305	1,714	2,892	1,948	946	369	162	86	37	17	16	118
35 to 39 years	3,292	527	902	793	486	237	122	64	47	19	48	47
40 to 44 years	660	96	127	132	113	65	40	23	21	10	28	5
45 to 49 years	31	5	2	3	3	5	2	3	3	2	2	1
50 years and over	3	-	2	-	-	-	-	-	-	-	-	1
Not stated	18	7	6	1	1	-	1	1	-	-	-	1
Foreign-born white	2,427	812	801	404	197	91	51	17	12	10	9	23
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	48	39	7	2	-	-	-	-	-	-	-	-
20 to 24 years	519	308	172	24	8	1	-	-	-	-	-	6
25 to 29 years	816	275	349	136	31	10	9	-	-	-	-	6
30 to 34 years	445	103	132	107	59	23	9	4	3	-	-	5
35 to 39 years	443	72	114	104	69	34	20	10	3	8	3	6
40 to 44 years	141	13	25	27	28	22	12	3	6	2	5	-
45 to 49 years	14	2	2	4	3	1	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Nonwhite	1,292	400	384	212	118	65	41	17	15	17	19	4
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	211	144	50	13	2	-	-	-	-	-	-	2
20 to 24 years	495	159	192	88	36	17	2	1	-	-	-	-
25 to 29 years	345	61	87	82	51	27	23	4	3	3	2	2
30 to 34 years	146	23	42	18	20	12	11	5	8	5	4	-
35 to 39 years	70	5	12	8	9	8	4	7	4	7	6	-
40 to 44 years	17	-	1	3	-	1	1	-	2	2	7	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	1,259	389	369	208	115	65	41	16	15	17	19	4
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	208	142	49	13	2	-	-	-	-	-	-	2
20 to 24 years	481	154	183	88	36	17	2	1	-	-	-	-
25 to 29 years	336	59	84	80	49	27	23	4	3	3	2	2
30 to 34 years	142	21	40	18	20	12	11	5	6	5	4	-
35 to 39 years	68	5	12	8	8	8	4	6	4	7	6	-
40 to 44 years	16	-	1	2	-	1	1	-	2	2	7	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE	7,369	2,446	2,310	1,182	564	285	177	129	79	38	87	72
Under 15 years	18	17	1	-	-	-	-	-	-	-	-	-
15 to 19 years	883	609	198	55	6	-	1	-	-	-	-	14
20 to 24 years	2,333	1,031	791	302	111	45	20	7	1	-	1	24
25 to 29 years	2,140	507	804	398	195	89	62	39	12	6	6	23
30 to 34 years	1,267	195	377	292	165	85	48	42	23	14	19	7
35 to 39 years	561	70	122	118	75	53	37	20	25	7	31	3
40 to 44 years	152	13	17	17	10	12	9	20	15	11	27	1
45 to 49 years	10	-	-	-	2	-	-	2	3	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	4	-	-	-	1	-	-	-	-	-	-
White	6,103	2,132	1,996	966	456	191	116	76	49	23	41	57
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	571	437	107	16	2	-	-	-	-	-	-	9
20 to 24 years	1,913	947	655	208	57	17	8	1	-	-	-	20
25 to 29 years	1,853	478	745	347	160	53	31	15	1	2	1	20
30 to 34 years	1,132	186	359	268	154	62	39	27	16	7	9	5
35 to 39 years	500	67	115	111	73	48	31	15	18	4	15	3
40 to 44 years	120	15	15	16	9	10	7	16	11	10	13	-
45 to 49 years	9	-	-	-	1	-	-	2	3	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	3	-	-	-	1	-	-	-	-	-	-
Native white	5,970	2,081	1,947	948	449	187	114	75	49	23	41	56
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	569	435	107	16	2	-	-	-	-	-	-	9
20 to 24 years	1,875	923	644	205	57	17	8	1	-	-	-	20
25 to 29 years	1,799	459	723	338	158	51	31	15	1	2	1	20
30 to 34 years	1,117	183	353	265	152	62	38	27	16	7	9	5
35 to 39 years	482	65	107	109	70	47	31	14	16	4	15	2
40 to 44 years	114	12	13	15	9	9	6	16	11	10	13	-
45 to 49 years	9	-	-	-	1	-	-	2	3	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	3	-	-	-	1	-	-	-	-	-	-
Foreign-born white	133	51	49	18	7	4	2	1	-	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	2	-	-	-	-	-	-	-	-	-	-
20 to 24 years	38	24	11	3	-	-	-	-	-	-	-	-
25 to 29 years	54	19	22	9	2	2	-	-	-	-	-	-
30 to 34 years	15	3	6	3	2	-	1	-	-	-	-	-
35 to 39 years	18	2	8	2	3	1	-	1	-	-	-	1
40 to 44 years	6	1	2	1	-	1	1	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
DELAWARE—Continued												
Nonwhite	1,266	314	314	216	109	94	61	53	30	15	46	15
Under 15 years	17	16	1	-	-	-	-	-	-	-	-	-
15 to 19 years	312	172	91	39	4	-	1	-	-	-	-	5
20 to 24 years	420	84	136	94	54	28	12	6	1	-	1	4
25 to 29 years	287	29	59	51	35	36	31	23	11	4	5	3
30 to 34 years	135	9	18	24	11	23	9	15	7	7	10	2
35 to 39 years	61	3	7	7	2	5	6	5	7	3	16	-
40 to 44 years	32	-	2	1	1	2	2	4	4	1	14	1
45 to 49 years	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Negro	1,246	307	306	215	107	94	61	53	28	15	45	15
Under 15 years	17	16	1	-	-	-	-	-	-	-	-	-
15 to 19 years	308	170	69	39	4	-	1	-	-	-	-	5
20 to 24 years	410	82	130	93	53	28	12	6	1	-	1	4
25 to 29 years	284	26	59	51	35	36	31	23	11	4	5	3
30 to 34 years	134	9	18	24	11	23	9	15	6	7	10	2
35 to 39 years	61	3	7	7	2	5	6	5	7	3	16	-
40 to 44 years	30	-	2	1	1	2	2	4	3	1	13	1
45 to 49 years	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA	19,814	8,166	5,804	2,909	1,347	620	372	203	157	80	140	16
Under 15 years	51	49	2	-	-	-	-	-	-	-	-	-
15 to 19 years	2,438	1,737	552	126	16	4	-	1	-	-	-	2
20 to 24 years	6,330	3,009	1,984	870	305	107	35	9	9	-	-	2
25 to 29 years	5,879	2,048	1,913	965	475	224	133	54	41	14	8	4
30 to 34 years	3,221	853	929	592	334	168	124	77	67	29	46	2
35 to 39 years	1,420	296	344	293	174	93	64	46	28	24	56	2
40 to 44 years	343	69	70	59	41	22	16	13	12	12	28	1
45 to 49 years	12	4	1	2	1	-	-	1	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	120	101	9	2	1	2	-	2	-	-	-	3
White	11,624	5,225	3,749	1,575	612	204	121	41	42	12	29	14
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	901	738	149	10	1	1	-	-	-	-	-	2
20 to 24 years	3,563	2,033	1,138	301	62	17	4	2	4	-	-	2
25 to 29 years	3,811	1,487	1,414	591	210	58	31	1	12	1	2	4
30 to 34 years	2,093	616	711	409	190	74	47	20	13	5	6	2
35 to 39 years	937	216	275	216	119	40	32	15	10	2	11	1
40 to 44 years	215	46	56	44	29	14	7	3	3	4	8	1
45 to 49 years	7	2	-	2	1	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	95	85	6	2	-	-	-	-	-	-	-	2
Native white	10,911	4,877	3,526	1,483	586	195	115	39	39	12	27	12
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	887	728	146	9	1	1	-	-	-	-	-	2
20 to 24 years	3,413	1,942	1,093	291	59	17	3	2	4	-	-	2
25 to 29 years	3,572	1,389	1,314	564	201	57	29	1	11	1	2	4
30 to 34 years	1,952	562	661	383	186	70	45	20	13	5	5	2
35 to 39 years	856	193	256	193	111	36	31	13	9	2	11	1
40 to 44 years	197	41	50	40	27	14	7	3	2	4	8	1
45 to 49 years	6	2	-	2	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	19	6	1	-	-	-	-	-	-	-	-
Foreign-born white	637	276	223	90	26	9	6	2	3	-	2	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	9	3	1	-	-	-	-	-	-	-	-
20 to 24 years	147	89	45	9	3	-	1	-	-	-	-	-
25 to 29 years	236	97	100	26	9	1	2	-	1	-	-	-
30 to 34 years	141	54	50	26	4	4	2	-	-	-	1	-
35 to 39 years	80	22	19	23	8	4	1	2	1	-	-	-
40 to 44 years	18	5	6	4	2	-	-	-	1	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
Nonwhite	8,190	2,941	2,055	1,334	735	416	251	162	115	68	111	2
Under 15 years	49	47	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,537	999	403	116	15	3	-	1	-	-	-	-
20 to 24 years	2,767	976	846	569	243	90	31	7	5	-	-	-
25 to 29 years	2,066	561	499	374	265	168	102	53	29	13	6	-
30 to 34 years	1,128	237	218	183	144	94	77	57	54	24	40	-
35 to 39 years	483	80	69	77	55	53	32	31	18	22	45	1
40 to 44 years	128	23	14	15	12	8	9	10	9	8	20	-
45 to 49 years	5	2	1	-	-	-	-	1	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	25	16	3	-	1	2	-	2	-	-	-	1
Negro	8,068	2,884	2,025	1,317	729	411	249	158	114	68	111	2
Under 15 years	49	47	2	-	-	-	-	-	-	-	-	-
15 to 19 years	1,525	990	401	115	15	3	-	1	-	-	-	-
20 to 24 years	2,729	953	836	566	242	90	30	7	5	-	-	-
25 to 29 years	2,038	545	490	371	264	166	101	53	29	13	6	-
30 to 34 years	1,102	232	210	178	141	90	77	56	54	24	40	-
35 to 39 years	473	77	68	74	54	52	32	31	17	22	45	1
40 to 44 years	123	22	14	13	12	8	9	8	9	8	20	-
45 to 49 years	4	2	1	-	-	-	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	25	16	3	-	1	2	-	2	-	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
FLORIDA	61,743	20,225	17,938	9,927	5,199	2,962	1,894	1,212	805	525	960	95
Under 15 years	206	186	17	1	-	-	-	-	-	-	-	2
15 to 19 years	9,712	6,643	2,395	548	82	15	5	2	1	-	-	21
20 to 24 years	20,198	7,728	6,965	3,262	1,409	532	199	47	23	5	6	24
25 to 29 years	16,194	3,515	5,297	3,194	1,776	1,100	650	357	170	67	49	19
30 to 34 years	9,185	1,419	2,248	1,883	1,203	764	575	431	271	172	206	13
35 to 39 years	4,916	595	876	864	588	435	374	287	266	208	427	6
40 to 44 years	1,154	115	120	147	131	102	60	73	66	65	250	4
45 to 49 years	60	2	-	6	2	7	6	10	5	4	18	-
50 years and over	2	-	-	1	-	-	-	1	-	-	-	-
Not stated	116	34	21	21	8	7	5	4	3	3	4	6
White	44,496	15,896	14,082	7,155	3,320	1,632	916	531	345	238	335	46
Under 15 years	43	36	5	1	-	-	-	-	-	-	-	1
15 to 19 years	5,816	4,383	1,225	184	13	2	2	1	-	-	-	6
20 to 24 years	14,717	6,510	5,348	1,974	650	168	42	6	3	1	2	15
25 to 29 years	12,439	3,091	4,857	2,525	1,158	559	266	108	48	14	4	9
30 to 34 years	6,976	1,242	1,978	1,590	922	501	304	200	118	63	54	6
35 to 39 years	3,600	510	756	744	467	308	247	161	135	112	157	3
40 to 44 years	812	104	101	124	107	83	51	47	38	44	110	3
45 to 49 years	36	1	-	4	2	6	4	7	3	3	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	57	19	16	9	1	5	-	1	-	1	2	3
Native white	43,303	15,422	13,677	6,955	3,251	1,606	911	524	342	236	335	44
Under 15 years	43	36	5	1	-	-	-	-	-	-	-	1
15 to 19 years	5,754	4,334	1,213	183	13	2	2	1	-	-	-	6
20 to 24 years	14,405	6,347	5,237	1,944	642	167	41	6	3	1	2	15
25 to 29 years	12,029	2,947	4,502	2,447	1,135	553	265	107	47	14	4	6
30 to 34 years	6,745	1,178	1,888	1,537	904	496	303	198	118	63	54	6
35 to 39 years	3,460	464	720	716	452	298	246	159	134	111	157	3
40 to 44 years	783	100	96	114	102	80	50	47	38	43	110	3
45 to 49 years	34	1	-	4	2	6	4	6	2	3	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	50	15	16	9	1	4	-	-	-	1	2	2
Foreign-born white	1,183	459	400	199	67	25	3	4	3	2	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	53	40	12	1	-	-	-	-	-	-	-	-
20 to 24 years	304	160	107	29	7	1	-	-	-	-	-	-
25 to 29 years	406	144	153	78	22	6	-	1	1	-	-	1
30 to 34 years	228	64	87	53	18	5	1	-	-	-	-	-
35 to 39 years	140	46	36	28	15	10	1	2	1	1	-	-
40 to 44 years	29	4	5	10	5	3	1	-	-	1	-	-
45 to 49 years	2	-	-	-	-	-	-	1	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	17,247	4,329	3,857	2,772	1,879	1,330	978	681	460	287	625	49
Under 15 years	163	150	12	-	-	-	-	-	-	-	-	1
15 to 19 years	3,896	2,260	1,170	364	69	13	3	1	1	-	-	15
20 to 24 years	5,481	1,218	1,619	1,288	759	364	157	41	20	4	4	9
25 to 29 years	3,755	424	640	669	618	541	384	249	122	53	45	10
30 to 34 years	2,209	177	272	293	281	263	271	231	153	109	152	7
35 to 39 years	1,316	75	120	120	121	127	127	126	131	95	270	3
40 to 44 years	342	11	19	23	24	19	29	26	28	22	140	1
45 to 49 years	24	1	-	2	-	1	2	3	2	1	12	-
50 years and over	2	-	-	1	-	-	-	1	-	-	-	-
Not stated	59	15	5	12	7	2	5	3	3	2	2	3
Negro	17,196	4,320	3,840	2,759	1,873	1,328	977	680	460	285	625	49
Under 15 years	163	150	12	-	-	-	-	-	-	-	-	1
15 to 19 years	3,892	2,258	1,168	364	69	13	3	1	1	-	-	15
20 to 24 years	5,488	1,213	1,612	1,285	758	364	157	41	20	4	4	9
25 to 29 years	3,739	420	637	665	614	540	384	249	122	53	45	10
30 to 34 years	2,198	177	267	289	280	262	271	231	153	109	152	7
35 to 39 years	1,311	75	120	118	120	127	126	126	131	95	270	3
40 to 44 years	341	11	19	23	24	19	29	26	28	21	140	1
45 to 49 years	23	1	-	2	-	1	2	2	2	1	12	-
50 years and over	2	-	-	1	-	-	-	1	-	-	-	-
Not stated	59	15	5	12	7	2	5	3	3	2	2	3
GEORGIA	93,259	28,192	24,124	14,189	8,059	5,286	3,619	2,679	1,829	1,310	2,473	1,529
Under 15 years	358	330	22	3	-	-	-	-	-	-	-	3
15 to 19 years	17,127	11,371	4,310	1,007	158	32	9	5	1	1	-	233
20 to 24 years	29,414	9,826	9,970	5,299	2,458	972	376	139	35	30	6	303
25 to 29 years	22,392	3,947	6,093	4,414	2,943	2,074	1,290	762	383	174	127	185
30 to 34 years	12,974	1,456	2,582	2,279	1,602	1,321	1,114	957	644	420	498	101
35 to 39 years	7,518	819	940	975	762	701	656	626	575	496	1,117	51
40 to 44 years	1,988	92	145	147	108	163	155	171	169	172	631	15
45 to 49 years	184	7	8	10	3	12	6	7	15	11	85	2
50 years and over	5	-	1	-	1	-	-	2	-	1	-	-
Not stated	1,339	544	55	25	24	11	13	10	7	5	9	636
White	58,518	19,899	16,992	9,112	4,626	2,648	1,652	1,141	708	471	784	485
Under 15 years	75	75	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9,006	6,799	1,867	276	21	2	-	2	1	-	-	38
20 to 24 years	18,854	7,712	6,936	2,852	954	253	67	18	2	2	1	57
25 to 29 years	15,320	3,329	5,056	3,246	1,819	994	479	210	78	31	18	60
30 to 34 years	8,701	1,195	2,196	1,812	1,182	821	603	450	211	111	96	24
35 to 39 years	4,642	505	786	792	559	445	384	338	279	202	332	20
40 to 44 years	1,281	79	124	120	83	126	111	117	123	116	286	6
45 to 49 years	102	5	4	6	2	7	5	5	11	7	50	-
50 years and over	2	-	1	-	-	-	-	-	-	1	-	-
Not stated	515	200	22	8	6	-	3	1	3	1	1	270

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
GEORGIA—Continued												
White—Continued												
Native white	57,852	18,680	16,800	9,034	4,604	2,644	1,649	1,140	708	471	783	339
Under 15 years	75	75	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8,985	6,785	1,861	276	21	2	-	2	1	-	-	37
20 to 24 years	18,664	7,620	6,851	2,833	950	253	67	18	2	2	1	67
25 to 29 years	15,143	3,279	4,981	3,209	1,806	994	479	210	78	31	18	58
30 to 34 years	8,649	1,182	2,178	1,799	1,178	818	601	450	211	111	96	24
35 to 39 years	4,615	497	780	783	557	444	383	338	279	202	332	20
40 to 44 years	1,289	79	124	120	85	126	111	116	123	116	285	6
45 to 49 years	102	5	4	6	2	7	5	5	11	7	50	-
50 years and over	2	-	1	-	-	-	-	-	-	1	-	-
Not stated	328	158	20	8	6	-	3	1	3	1	1	127
Foreign-born white	468	172	189	77	22	4	3	-	-	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	19	13	6	-	-	-	-	-	-	-	-	-
20 to 24 years	197	90	84	19	4	-	-	-	-	-	-	-
25 to 29 years	175	50	75	36	13	-	-	-	-	-	-	1
30 to 34 years	51	13	17	13	3	3	2	-	-	-	-	-
35 to 39 years	25	6	6	9	2	1	1	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	34,741	8,293	7,132	5,047	3,433	2,638	1,967	1,538	1,121	839	1,689	1,044
Under 15 years	283	255	22	3	-	-	-	-	-	-	-	3
15 to 19 years	8,121	4,572	2,443	731	137	30	9	3	-	1	-	195
20 to 24 years	10,550	2,114	3,034	2,447	1,504	719	309	121	33	28	5	236
25 to 29 years	7,072	618	1,057	1,168	1,124	1,080	811	552	305	143	109	125
30 to 34 years	4,273	261	386	467	420	500	511	507	433	309	402	77
35 to 39 years	2,876	114	154	183	203	256	272	288	296	294	785	31
40 to 44 years	677	13	21	27	25	37	44	54	46	56	345	9
45 to 49 years	62	2	2	4	1	5	1	2	4	4	35	2
50 years and over	3	-	-	-	1	-	-	2	-	-	-	-
Not stated	824	344	33	17	18	11	10	9	4	4	8	366
Negro	34,715	8,285	7,117	5,047	3,433	2,635	1,967	1,538	1,121	839	1,689	1,044
Under 15 years	283	255	22	3	-	-	-	-	-	-	-	3
15 to 19 years	8,118	4,569	2,443	731	137	30	9	3	-	1	-	195
20 to 24 years	10,537	2,111	3,024	2,447	1,504	719	309	121	33	28	5	236
25 to 29 years	7,066	616	1,033	1,168	1,124	1,080	811	552	305	143	109	125
30 to 34 years	4,269	261	385	467	420	497	511	507	433	309	402	77
35 to 39 years	2,876	114	154	183	203	256	272	288	296	294	785	31
40 to 44 years	677	13	21	27	25	37	44	54	46	56	345	9
45 to 49 years	62	2	2	4	1	5	1	2	4	4	35	2
50 years and over	3	-	-	-	1	-	-	2	-	-	-	-
Not stated	824	344	33	17	18	11	10	9	4	4	8	366
IDAHO	15,984	4,814	4,669	2,867	1,652	801	488	246	145	76	131	75
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,239	1,638	497	65	7	2	-	-	-	-	-	32
20 to 24 years	5,372	2,044	2,125	822	276	60	13	4	1	1	1	25
25 to 29 years	4,228	717	1,315	1,110	606	269	110	54	17	10	5	15
30 to 34 years	2,444	242	519	595	503	262	180	72	32	17	21	1
35 to 39 years	1,208	110	180	207	203	156	136	82	60	30	43	1
40 to 44 years	341	23	23	41	41	44	44	30	28	16	51	-
45 to 49 years	32	1	2	2	3	3	3	4	4	1	9	-
50 years and over	3	1	-	-	-	-	-	-	1	-	1	-
Not stated	109	31	27	27	13	5	2	-	2	1	-	1
White	15,752	4,768	4,615	2,827	1,626	787	479	239	141	74	124	72
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,209	1,624	487	59	6	2	-	-	-	-	-	31
20 to 24 years	5,293	2,022	2,098	804	265	60	12	4	1	1	1	25
25 to 29 years	4,155	710	1,288	1,099	599	260	107	51	15	9	4	13
30 to 34 years	2,413	240	511	592	498	260	177	68	31	16	19	1
35 to 39 years	1,195	110	180	203	201	154	134	82	59	30	41	1
40 to 44 years	338	23	23	41	41	43	44	30	28	16	49	-
45 to 49 years	32	1	2	2	3	3	3	4	4	1	9	-
50 years and over	3	1	-	-	-	-	-	-	1	-	1	-
Not stated	106	30	25	27	13	5	2	-	2	1	-	1
Native white	15,417	4,664	4,498	2,774	1,595	778	473	235	138	70	121	71
Under 15 years	8	7	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,197	1,615	484	59	6	2	-	-	-	-	-	31
20 to 24 years	5,206	1,979	2,066	797	260	60	12	4	1	1	1	25
25 to 29 years	4,053	683	1,240	1,084	590	258	107	50	15	9	4	13
30 to 34 years	2,346	229	494	575	486	255	174	68	31	14	19	1
35 to 39 years	1,160	103	168	197	199	153	132	82	58	28	39	1
40 to 44 years	324	19	22	39	39	43	44	27	27	16	48	-
45 to 49 years	30	1	2	2	2	3	3	4	3	1	9	-
50 years and over	3	1	-	-	-	-	-	-	1	-	1	-
Not stated	90	27	21	21	13	4	1	-	2	1	-	-
Foreign-born white	302	97	107	42	31	7	5	3	3	4	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	11	8	3	-	-	-	-	-	-	-	-	-
20 to 24 years	80	41	28	6	5	-	-	-	-	-	-	-
25 to 29 years	101	27	47	15	9	2	-	1	-	-	-	-
30 to 34 years	62	11	17	13	12	4	3	-	-	2	-	-
35 to 39 years	33	7	11	6	2	1	1	-	1	2	2	-
40 to 44 years	12	3	1	2	2	-	-	2	1	-	1	-
45 to 49 years	2	-	-	-	1	-	-	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	1	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IDAHO—Continued												
Nonwhite	232	46	74	40	26	14	9	7	4	2	7	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	30	14	10	4	1	-	-	-	-	-	-	1
20 to 24 years	79	22	27	18	11	1	-	-	-	-	-	-
25 to 29 years	73	7	27	11	7	9	3	3	2	1	1	2
30 to 34 years	31	2	8	3	5	2	3	4	1	1	2	-
35 to 39 years	13	-	-	4	2	2	2	-	1	-	2	-
40 to 44 years	3	-	-	-	-	1	-	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	2	-	-	-	-	-	-	-	-	-
ILLINOIS	189,313	70,122	60,942	30,304	13,485	6,256	3,305	1,880	1,209	691	1,089	30
Under 15 years	137	129	8	-	-	-	-	-	-	-	-	-
15 to 19 years	18,130	14,050	3,509	515	47	7	-	-	-	-	-	2
20 to 24 years	60,967	30,671	20,839	6,777	1,936	546	135	39	7	5	-	12
25 to 29 years	57,124	16,496	21,782	10,940	4,434	1,929	889	383	175	56	31	9
30 to 34 years	33,577	6,145	10,464	8,066	4,216	2,009	1,171	672	437	215	178	4
35 to 39 years	15,588	2,219	3,695	3,406	2,358	1,359	830	576	393	275	476	1
40 to 44 years	3,578	396	625	574	474	383	260	197	185	126	358	-
45 to 49 years	197	12	14	26	18	23	20	13	12	14	45	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	14	3	6	-	2	-	-	-	-	-	1	2
White	170,376	64,032	55,689	27,156	11,604	5,243	2,674	1,456	913	528	854	27
Under 15 years	39	36	3	-	-	-	-	-	-	-	-	-
15 to 19 years	14,429	11,681	2,462	264	17	3	-	-	-	-	-	2
20 to 24 years	54,031	28,440	18,605	5,322	1,263	312	58	19	-	3	-	11
25 to 29 years	52,523	15,596	20,605	10,041	3,738	1,507	633	244	98	34	19	8
30 to 34 years	31,292	5,789	10,060	7,686	3,894	1,777	975	522	320	146	119	4
35 to 39 years	14,535	2,100	3,542	3,266	2,229	1,262	745	479	320	218	373	1
40 to 44 years	3,334	375	596	552	445	360	245	181	163	113	304	-
45 to 49 years	182	11	14	25	17	22	18	11	12	14	38	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	10	3	4	-	1	-	-	-	-	-	1	1
Native white	165,223	62,277	54,096	26,290	11,233	5,088	2,593	1,415	885	508	813	25
Under 15 years	38	35	3	-	-	-	-	-	-	-	-	-
15 to 19 years	14,313	11,569	2,442	261	16	3	-	-	-	-	-	2
20 to 24 years	52,879	27,827	18,185	5,230	1,236	310	58	19	-	3	-	11
25 to 29 years	50,675	14,922	19,853	9,753	3,648	1,477	622	241	97	34	19	7
30 to 34 years	30,390	5,578	9,742	7,459	3,815	1,744	960	516	313	143	116	4
35 to 39 years	13,730	1,970	3,330	3,076	2,106	1,207	708	461	308	209	354	1
40 to 44 years	3,027	342	524	490	396	328	228	168	155	107	289	-
45 to 49 years	163	10	13	21	15	19	17	10	12	12	34	-
50 years and over	1	1	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	4	-	1	-	-	-	-	-	1	-
Foreign-born white	5,132	1,745	1,788	864	371	154	79	41	28	20	41	1
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	109	86	19	3	1	-	-	-	-	-	-	-
20 to 24 years	1,149	610	418	92	27	2	-	-	-	-	-	-
25 to 29 years	1,044	673	750	286	90	30	10	3	1	-	-	1
30 to 34 years	699	211	317	227	79	32	14	6	7	3	-	-
35 to 39 years	805	130	212	190	123	55	37	18	12	9	19	-
40 to 44 years	306	35	71	62	49	32	17	15	8	6	15	-
45 to 49 years	19	1	1	4	2	3	1	1	-	2	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	18,937	6,090	5,053	3,148	1,881	1,013	631	424	296	163	235	3
Under 15 years	98	93	5	-	-	-	-	-	-	-	-	-
15 to 19 years	3,701	2,369	1,047	251	30	4	-	-	-	-	-	1
20 to 24 years	6,936	2,231	2,256	1,455	673	234	77	20	7	2	-	1
25 to 29 years	4,601	900	1,177	889	696	422	258	139	77	22	12	1
30 to 34 years	2,285	356	404	380	322	232	196	150	117	69	59	-
35 to 39 years	1,053	119	153	140	129	97	85	97	73	57	103	-
40 to 44 years	244	21	29	22	29	23	15	16	22	13	54	-
45 to 49 years	15	1	-	1	1	1	2	2	-	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	2	-	1	-	-	-	-	-	-	1
Negro	18,337	5,819	4,859	3,071	1,847	1,004	628	418	292	162	234	3
Under 15 years	98	93	5	-	-	-	-	-	-	-	-	-
15 to 19 years	3,677	2,350	1,045	250	30	4	-	-	-	-	-	-
20 to 24 years	8,747	2,115	2,178	1,444	670	233	77	20	7	2	-	1
25 to 29 years	4,386	806	1,100	872	684	417	256	139	77	22	12	1
30 to 34 years	2,162	325	360	354	308	230	195	146	116	69	59	-
35 to 39 years	1,015	110	144	129	125	96	84	96	71	57	103	-
40 to 44 years	234	19	27	21	28	23	14	15	21	12	54	-
45 to 49 years	14	1	-	1	1	1	2	2	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	-	2	-	1	-	-	-	-	-	-	1
INDIANA	94,214	32,668	28,868	15,415	7,495	3,703	2,113	1,290	896	531	915	219
Under 15 years	71	66	3	1	-	-	-	-	-	-	-	1
15 to 19 years	12,025	9,101	2,470	373	30	4	2	1	1	-	-	43
20 to 24 years	32,820	14,282	12,191	4,456	1,340	351	71	26	4	2	2	85
25 to 29 years	26,456	6,131	9,250	5,775	2,836	1,260	650	296	129	49	25	55
30 to 34 years	14,244	2,130	3,680	3,267	2,075	1,208	708	481	339	176	161	19
35 to 39 years	6,604	771	1,138	1,286	975	670	503	350	304	216	378	13
40 to 44 years	1,739	129	204	216	217	191	162	125	112	78	304	1
45 to 49 years	120	5	3	16	7	11	12	9	5	9	43	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	134	43	30	25	14	8	5	2	2	1	2	2

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
INDIANA—Continued												
White	89,231	31,181	27,686	14,610	6,983	3,417	1,925	1,164	801	473	799	192
Under 15 years	38	37	1	-	-	-	-	-	-	-	-	-
15 to 19 years	10,906	8,432	2,127	288	17	2	2	1	1	-	-	36
20 to 24 years	31,066	13,781	11,602	4,083	1,152	286	54	22	3	2	1	80
25 to 29 years	25,347	5,975	9,025	5,549	2,637	1,139	565	244	104	41	22	46
30 to 34 years	13,664	2,058	3,592	3,186	2,005	1,141	654	431	299	150	132	16
35 to 39 years	6,316	756	1,106	1,254	943	646	473	333	282	197	334	12
40 to 44 years	1,656	119	201	211	208	185	160	123	105	74	269	1
45 to 49 years	114	5	2	16	7	11	12	8	5	8	40	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	124	38	30	23	14	7	5	2	2	1	1	1
Native white	88,049	30,778	27,256	14,418	6,913	3,396	1,909	1,157	796	468	781	187
Under 15 years	38	37	1	-	-	-	-	-	-	-	-	-
15 to 19 years	10,881	8,399	2,116	287	17	2	2	1	1	-	-	36
20 to 24 years	30,660	13,587	11,452	4,033	1,148	283	54	22	3	2	1	77
25 to 29 years	24,920	5,858	8,841	5,464	2,610	1,132	562	244	103	41	21	44
30 to 34 years	13,512	2,022	3,541	3,156	1,990	1,132	650	428	297	148	132	16
35 to 39 years	6,201	715	1,076	1,234	928	636	464	330	281	196	329	12
40 to 44 years	1,630	117	198	208	201	184	160	122	105	72	262	1
45 to 49 years	104	5	2	13	7	10	12	8	4	8	35	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	123	38	29	23	14	7	5	2	2	1	1	1
Foreign-born white	1,165	394	427	190	67	31	16	7	5	5	18	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	38	27	10	1	-	-	-	-	-	-	-	-
20 to 24 years	402	191	150	50	5	3	-	-	-	-	-	3
25 to 29 years	422	117	182	83	26	7	3	-	1	-	1	2
30 to 34 years	151	36	51	30	14	9	4	3	2	2	-	-
35 to 39 years	115	21	30	20	15	10	9	3	1	1	5	-
40 to 44 years	26	2	3	3	7	1	-	1	-	2	7	-
45 to 49 years	10	-	-	3	-	1	-	-	1	-	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	4,983	1,487	1,283	805	512	286	188	126	95	58	116	27
Under 15 years	33	29	2	1	-	-	-	-	-	-	-	1
15 to 19 years	1,119	669	343	85	13	2	-	-	-	-	-	7
20 to 24 years	1,754	511	589	373	188	65	17	4	1	-	1	5
25 to 29 years	1,109	156	225	226	199	121	85	52	25	8	3	9
30 to 34 years	580	72	88	81	70	67	54	50	40	26	29	3
35 to 39 years	288	35	32	32	32	24	30	17	22	19	44	1
40 to 44 years	83	10	3	5	9	6	2	2	7	4	35	-
45 to 49 years	6	-	1	-	-	-	-	1	-	1	3	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	10	5	-	2	-	1	-	-	-	-	1	1
Negro	4,949	1,475	1,272	799	508	285	188	126	95	58	116	27
Under 15 years	33	29	2	1	-	-	-	-	-	-	-	1
15 to 19 years	1,118	668	343	85	13	2	-	-	-	-	-	7
20 to 24 years	1,742	505	586	371	187	65	17	4	1	-	1	5
25 to 29 years	1,094	152	218	223	199	120	85	52	25	8	3	9
30 to 34 years	576	71	87	80	69	67	54	50	40	26	29	3
35 to 39 years	287	35	32	32	31	24	30	17	22	19	44	1
40 to 44 years	82	10	3	5	8	5	2	2	7	4	35	-
45 to 49 years	6	-	1	-	-	-	-	1	-	1	3	-
50 years and over	1	-	-	-	1	-	-	-	-	-	-	-
Not stated	10	5	-	2	-	1	-	-	-	-	1	1
IOWA	61,871	20,646	19,249	10,550	5,278	2,656	1,380	825	467	324	440	56
Under 15 years	20	19	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,308	5,018	1,165	108	8	2	-	-	-	-	-	7
20 to 24 years	21,147	9,713	7,910	2,607	699	149	35	7	2	-	-	25
25 to 29 years	17,641	3,952	6,461	4,042	1,864	766	335	142	43	22	5	9
30 to 34 years	10,181	1,320	2,659	2,566	1,611	920	506	280	153	91	65	10
35 to 39 years	5,115	507	869	1,025	888	646	371	284	195	132	186	2
40 to 44 years	1,283	93	145	173	189	161	124	85	71	73	156	3
45 to 49 years	82	5	4	9	10	6	6	7	3	6	26	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	93	19	35	20	9	6	2	-	-	-	2	-
White	61,309	20,490	19,100	10,451	5,216	2,618	1,357	813	461	320	427	55
Under 15 years	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,195	4,944	1,132	102	7	2	-	-	-	-	-	6
20 to 24 years	20,938	9,656	7,832	2,565	677	142	33	8	2	-	-	25
25 to 29 years	17,523	3,937	6,437	4,014	1,838	752	328	139	43	22	4	9
30 to 34 years	10,107	1,316	2,648	2,548	1,604	910	489	275	149	87	61	10
35 to 39 years	5,080	505	866	1,022	882	642	366	291	193	132	179	2
40 to 44 years	1,276	93	145	171	189	158	122	85	71	73	156	3
45 to 49 years	81	5	4	9	10	6	6	7	3	6	25	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	93	19	35	20	9	6	2	-	-	-	2	-
Native white	60,608	20,298	18,821	10,327	5,172	2,596	1,343	806	458	316	417	54
Under 15 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,170	4,926	1,127	102	7	2	-	-	-	-	-	6
20 to 24 years	20,734	9,573	7,741	2,540	673	142	33	6	2	-	-	24
25 to 29 years	17,269	3,879	6,310	3,963	1,828	746	325	139	43	22	4	9
30 to 34 years	9,993	1,296	2,614	2,520	1,590	901	494	274	148	87	59	10
35 to 39 years	5,012	495	853	1,007	871	637	364	286	191	130	176	2
40 to 44 years	1,254	93	141	168	185	158	118	94	71	72	151	3
45 to 49 years	79	5	4	9	10	5	6	7	3	5	25	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	82	17	30	18	8	5	2	-	-	-	2	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued.

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
IOWA—Continued												
White—Continued												
Foreign-born white	678	184	274	121	41	20	13	7	3	4	10	1
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	21	16	5	-	-	-	-	-	-	-	-	-
20 to 24 years	202	81	91	25	4	-	-	-	-	-	-	1
25 to 29 years	248	56	126	50	9	5	2	-	-	-	-	-
30 to 34 years	114	20	34	28	14	8	5	1	1	-	2	-
35 to 39 years	67	10	13	15	10	5	2	5	2	2	3	-
40 to 44 years	22	-	4	3	4	-	4	1	-	1	5	-
45 to 49 years	2	-	-	-	-	1	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	563	156	149	99	62	38	23	12	6	4	13	1
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	115	74	33	6	1	-	-	-	-	-	-	1
20 to 24 years	209	57	78	42	22	7	2	1	-	-	-	-
25 to 29 years	118	15	24	28	26	14	7	3	-	-	1	-
30 to 34 years	74	4	11	18	7	10	7	5	4	4	4	-
35 to 39 years	35	2	3	3	6	4	5	3	2	-	7	-
40 to 44 years	7	-	-	2	-	3	2	-	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	514	146	137	91	55	32	22	12	3	3	12	1
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	113	73	32	6	1	-	-	-	-	-	-	1
20 to 24 years	195	54	71	39	22	6	2	1	-	-	-	-
25 to 29 years	102	11	21	26	23	11	6	3	-	-	1	-
30 to 34 years	62	3	10	16	4	9	7	5	1	3	4	-
35 to 39 years	30	1	3	2	5	3	5	3	2	-	6	-
40 to 44 years	7	-	-	2	-	3	2	-	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS	43,781	14,978	14,067	7,394	3,365	1,559	908	509	348	206	343	106
Under 15 years	27	26	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,225	4,048	988	151	9	3	-	-	-	-	-	26
20 to 24 years	15,138	6,634	5,773	2,009	501	135	27	9	2	1	-	47
25 to 29 years	12,395	2,804	4,620	2,796	1,229	525	236	104	39	15	9	18
30 to 34 years	6,673	963	1,943	1,584	991	488	317	170	112	60	38	7
35 to 39 years	3,274	375	597	701	506	319	248	162	133	90	140	5
40 to 44 years	851	72	97	130	118	79	73	60	57	33	130	2
45 to 49 years	58	5	6	3	1	7	1	2	3	6	24	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	140	53	42	20	10	3	4	2	2	1	2	1
White	41,874	14,432	13,558	7,081	3,182	1,431	819	461	317	180	315	98
Under 15 years	17	16	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,849	3,818	873	126	4	3	-	-	-	-	-	25
20 to 24 years	14,485	6,452	5,551	1,864	442	108	17	6	2	1	-	42
25 to 29 years	11,944	2,721	4,515	2,698	1,185	475	211	91	33	12	6	17
30 to 34 years	6,439	943	1,897	1,553	959	455	286	152	103	48	36	7
35 to 39 years	3,149	358	581	692	489	306	234	151	121	81	151	5
40 to 44 years	808	71	96	128	112	74	66	57	53	31	118	2
45 to 49 years	56	5	6	3	1	7	1	2	3	6	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	127	48	38	17	10	3	4	2	2	1	2	-
Native white	41,348	14,285	13,373	7,013	3,144	1,418	809	453	313	176	287	97
Under 15 years	16	15	1	-	-	-	-	-	-	-	-	-
15 to 19 years	4,829	3,802	869	126	4	3	-	-	-	-	-	25
20 to 24 years	14,301	6,375	5,475	1,838	438	107	17	6	2	1	-	42
25 to 29 years	11,788	2,677	4,444	2,675	1,151	472	210	91	33	12	6	17
30 to 34 years	6,358	926	1,876	1,538	946	451	283	147	103	47	33	6
35 to 39 years	3,099	349	573	690	484	303	230	151	118	79	117	5
40 to 44 years	789	69	95	128	110	74	64	55	52	30	110	2
45 to 49 years	52	5	6	2	1	6	1	2	3	6	20	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	118	47	34	18	10	2	4	1	2	1	1	-
Foreign-born white	510	159	161	67	38	11	10	8	4	4	28	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	12	4	-	-	-	-	-	-	-	-	-
20 to 24 years	181	76	76	25	4	1	-	-	-	-	-	-
25 to 29 years	156	44	71	23	14	3	1	-	-	-	-	-
30 to 34 years	81	17	21	15	13	3	3	5	-	1	3	-
35 to 39 years	48	8	7	2	5	3	4	-	3	2	4	-
40 to 44 years	19	2	1	-	2	-	2	2	1	1	6	-
45 to 49 years	4	-	-	1	-	1	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	-	2	1	-	-	-	1	-	-	1	-
Nonwhite	1,907	546	509	313	183	128	87	48	31	26	28	8
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	376	230	115	25	5	-	-	-	-	-	-	1
20 to 24 years	653	182	222	145	59	27	10	3	-	-	-	5
25 to 29 years	451	83	105	98	64	50	25	13	6	3	3	1
30 to 34 years	234	20	46	31	32	33	31	18	9	12	2	-
35 to 39 years	125	15	16	9	17	13	14	11	12	9	9	-
40 to 44 years	43	1	1	2	6	5	7	3	4	2	12	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	13	5	4	3	-	-	-	-	-	-	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
KANSAS—Continued												
Nonwhite—Continued												
Negro	1,810	519	477	296	174	123	87	44	29	25	28	8
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	367	226	110	25	5	-	-	-	-	-	-	1
20 to 24 years	612	164	205	140	56	27	10	3	-	-	-	5
25 to 29 years	432	79	102	90	62	48	25	13	6	3	3	1
30 to 34 years	216	19	41	28	29	31	31	18	8	11	2	-
35 to 39 years	116	15	14	9	14	12	14	9	11	9	9	-
40 to 44 years	43	1	1	2	6	5	7	3	4	2	12	-
45 to 49 years	2	-	-	-	-	-	-	-	-	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	12	5	4	2	-	-	-	-	-	-	-	1
KENTUCKY	76,197	23,419	19,503	11,164	6,518	4,340	3,158	2,294	1,782	1,278	2,320	421
Under 15 years	153	142	5	1	1	-	-	-	-	-	-	4
15 to 19 years	12,930	9,208	2,947	548	88	12	4	-	-	-	-	143
20 to 24 years	24,552	8,887	8,914	4,191	1,611	582	170	67	18	7	5	120
25 to 29 years	18,530	3,324	4,993	3,789	2,597	1,737	1,112	533	231	93	44	77
30 to 34 years	10,912	1,225	1,827	1,732	1,476	1,236	1,055	690	700	399	331	41
35 to 39 years	6,717	488	682	763	615	655	644	624	625	550	1,052	19
40 to 44 years	2,086	86	106	119	128	129	153	165	187	211	788	14
45 to 49 years	178	4	2	3	13	5	14	9	16	14	97	1
50 years and over	7	1	-	-	-	-	1	1	2	1	1	-
Not stated	132	54	27	18	9	4	5	5	3	3	2	2
White	71,218	21,977	18,287	10,448	6,026	3,986	2,928	2,144	1,653	1,191	2,161	395
Under 15 years	106	95	5	1	1	-	-	-	-	-	-	4
15 to 19 years	11,810	8,498	2,635	470	59	9	3	-	-	-	-	136
20 to 24 years	22,932	8,455	8,355	3,872	1,420	482	155	56	16	7	5	109
25 to 29 years	17,461	3,174	4,761	3,614	2,421	1,588	1,012	491	206	78	41	75
30 to 34 years	10,291	1,156	1,752	1,647	1,393	1,166	988	830	656	372	294	37
35 to 39 years	6,335	466	655	713	588	613	605	595	562	513	987	18
40 to 44 years	1,982	80	96	111	123	121	147	157	176	203	755	13
45 to 49 years	170	3	2	3	12	5	12	9	13	14	96	1
50 years and over	7	1	-	-	-	-	1	1	2	1	1	-
Not stated	124	49	26	17	9	4	5	5	2	3	2	2
Native white	70,812	21,832	18,131	10,376	6,007	3,984	2,926	2,143	1,652	1,191	2,177	393
Under 15 years	106	95	5	1	1	-	-	-	-	-	-	4
15 to 19 years	11,793	8,483	2,633	470	59	9	3	-	-	-	-	136
20 to 24 years	22,742	8,384	8,274	3,843	1,412	481	155	56	16	7	5	109
25 to 29 years	17,327	3,130	4,708	3,585	2,417	1,587	1,011	491	206	78	40	74
30 to 34 years	10,258	1,150	1,738	1,639	1,390	1,165	987	830	656	372	294	37
35 to 39 years	6,315	459	651	708	586	612	605	595	562	513	987	17
40 to 44 years	1,976	80	95	111	121	121	147	156	176	203	753	13
45 to 49 years	168	3	2	3	12	5	12	9	12	14	95	1
50 years and over	7	1	-	-	-	-	1	1	2	1	1	-
Not stated	120	47	25	16	9	4	5	5	2	3	2	2
Foreign-born white	393	141	154	68	18	2	2	1	1	-	4	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16	14	2	-	-	-	-	-	-	-	-	-
20 to 24 years	187	71	80	28	8	-	-	-	-	-	-	-
25 to 29 years	130	43	53	27	3	1	1	-	-	-	1	1
30 to 34 years	32	6	14	8	3	-	1	-	-	-	-	-
35 to 39 years	20	7	4	5	2	1	-	-	-	-	-	1
40 to 44 years	6	-	1	-	2	-	-	1	-	-	2	-
45 to 49 years	2	-	-	-	-	-	-	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	4,979	1,442	1,216	716	492	352	230	150	129	87	139	26
Under 15 years	47	47	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,120	710	312	78	9	3	1	-	-	-	-	7
20 to 24 years	1,620	432	559	319	191	80	15	11	2	-	-	11
25 to 29 years	1,069	150	232	175	176	149	100	42	25	15	3	2
30 to 34 years	621	69	75	85	83	70	67	60	44	27	37	4
35 to 39 years	382	22	27	50	27	42	39	29	43	37	65	1
40 to 44 years	104	6	10	8	5	8	6	8	11	8	33	1
45 to 49 years	6	1	-	-	1	-	2	-	3	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	5	1	1	-	-	-	-	1	-	-	-
Negro	4,961	1,436	1,211	715	491	350	229	149	129	86	139	26
Under 15 years	47	47	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,118	708	312	78	9	3	1	-	-	-	-	7
20 to 24 years	1,611	428	556	318	190	80	15	11	2	-	-	11
25 to 29 years	1,065	150	230	175	176	148	99	42	25	15	3	2
30 to 34 years	621	69	75	85	83	70	67	60	44	27	37	4
35 to 39 years	379	22	27	50	27	41	39	28	43	36	65	1
40 to 44 years	104	6	10	8	5	8	8	8	11	8	33	1
45 to 49 years	8	1	-	-	1	-	2	-	3	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	5	1	1	-	-	-	-	1	-	-	-
LOUISIANA	75,487	22,702	19,623	12,119	6,928	4,399	2,937	2,168	1,502	1,064	1,975	70
Under 15 years	220	209	9	1	-	-	-	-	-	-	-	1
15 to 19 years	12,656	8,854	3,151	896	114	19	2	1	-	-	-	19
20 to 24 years	25,122	8,899	8,585	4,475	1,972	781	268	83	25	9	6	19
25 to 29 years	18,717	3,116	5,058	4,001	2,515	1,725	1,141	621	284	152	89	17
30 to 34 years	10,739	1,067	1,988	1,983	1,549	1,124	877	793	584	351	404	8
35 to 39 years	6,032	449	677	811	652	613	516	533	449	424	908	2
40 to 44 years	1,557	83	114	127	110	119	114	121	150	113	505	1
45 to 49 years	107	-	2	2	4	11	12	9	4	8	54	1
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	135	25	30	23	12	7	7	7	8	7	9	2

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued.

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
LOUISIANA—Continued												
White	45,312	15,475	13,386	7,488	3,619	2,019	1,182	791	517	315	536	34
Under 15 years	28	28	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,488	5,004	1,280	179	18	1	-	-	-	-	-	8
20 to 24 years	15,397	6,627	5,700	2,169	638	197	42	11	1	-	2	10
25 to 29 years	12,089	2,536	4,040	2,834	1,360	712	331	172	54	33	7	10
30 to 34 years	6,868	856	1,687	1,565	1,068	634	405	281	189	92	88	3
35 to 39 years	3,461	343	544	630	452	385	292	255	186	131	241	2
40 to 44 years	880	68	96	95	78	82	74	69	86	55	176	1
45 to 49 years	40	-	1	1	2	6	6	2	-	2	20	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	61	13	18	15	5	2	2	1	1	2	2	-
Native white	45,075	15,382	13,281	7,453	3,607	2,018	1,149	790	516	314	531	34
Under 15 years	28	28	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6,477	4,995	1,278	179	16	1	-	-	-	-	-	8
20 to 24 years	15,300	6,580	5,663	2,159	637	197	41	11	1	-	1	10
25 to 29 years	12,022	2,510	4,018	2,823	1,353	712	330	172	54	33	7	10
30 to 34 years	6,834	851	1,670	1,555	1,067	634	405	281	189	91	88	3
35 to 39 years	3,442	338	541	626	480	384	292	254	185	131	239	2
40 to 44 years	873	67	94	95	77	82	73	69	86	55	174	1
45 to 49 years	40	-	1	1	2	6	6	2	-	2	20	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	59	13	16	15	5	2	2	1	1	2	2	-
Foreign-born white	235	92	84	35	12	1	3	1	1	1	5	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	11	9	2	-	-	-	-	-	-	-	-	-
20 to 24 years	96	46	37	10	1	-	1	-	-	-	1	-
25 to 29 years	67	26	22	11	7	-	1	-	-	-	-	-
30 to 34 years	34	5	17	10	1	-	-	-	-	1	-	-
35 to 39 years	19	5	3	4	2	1	-	1	1	-	2	-
40 to 44 years	7	1	2	-	1	-	1	-	-	-	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	1	-	-	-	-	-	-	-	-	-
Nonwhite	30,175	7,227	6,257	4,631	3,309	2,380	1,785	1,377	985	749	1,439	36
Under 15 years	192	181	9	1	-	-	-	-	-	-	-	1
15 to 19 years	6,369	3,850	1,871	517	98	18	2	1	-	-	-	11
20 to 24 years	9,725	2,272	2,885	2,306	1,334	584	226	72	24	9	4	9
25 to 29 years	6,628	580	1,016	1,167	1,155	1,013	810	449	230	119	82	7
30 to 34 years	3,871	211	312	418	481	490	472	512	395	259	316	5
35 to 39 years	2,571	106	133	181	200	228	224	278	263	293	665	-
40 to 44 years	677	15	18	32	32	37	40	52	64	58	329	-
45 to 49 years	67	-	1	1	2	5	6	7	4	6	34	1
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	74	12	12	8	7	5	5	6	5	5	7	2
Negro	30,091	7,216	6,238	4,621	3,297	2,374	1,779	1,371	980	745	1,435	36
Under 15 years	192	181	9	1	-	-	-	-	-	-	-	1
15 to 19 years	6,356	3,848	1,865	515	98	18	2	1	-	-	-	11
20 to 24 years	9,693	2,265	2,875	2,302	1,327	582	225	72	23	9	4	9
25 to 29 years	6,614	579	1,016	1,165	1,152	1,011	808	447	228	119	82	7
30 to 34 years	3,858	210	311	417	480	490	470	510	394	256	315	5
35 to 39 years	2,562	106	131	180	200	226	225	277	263	292	664	-
40 to 44 years	872	15	18	32	31	37	39	51	63	58	328	-
45 to 49 years	66	-	1	1	2	5	6	7	4	6	33	1
50 years and over	2	-	-	-	-	-	-	-	-	-	2	-
Not stated	74	12	12	8	7	5	5	6	5	5	7	2
MAINE	21,939	7,110	6,426	3,667	1,875	995	584	365	242	191	340	144
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,846	2,190	630	80	11	-	-	-	-	-	-	35
20 to 24 years	7,587	3,097	2,782	1,151	373	109	32	7	3	-	2	51
25 to 29 years	5,922	1,204	1,901	1,333	708	371	209	92	44	16	17	27
30 to 34 years	3,333	430	781	753	477	302	197	142	83	67	82	19
35 to 39 years	1,558	124	277	275	221	162	108	89	77	72	143	10
40 to 44 years	479	36	50	65	72	44	33	32	30	34	81	2
45 to 49 years	37	-	1	1	4	3	5	3	5	1	14	-
50 years and over	3	-	-	1	1	1	-	-	-	-	-	-
Not stated	61	16	24	8	8	3	-	-	-	1	1	-
White	21,904	7,102	6,422	3,658	1,871	992	583	364	241	190	337	144
Under 15 years	13	13	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,843	2,187	630	80	11	-	-	-	-	-	-	35
20 to 24 years	7,570	3,093	2,758	1,145	372	108	31	7	3	-	2	51
25 to 29 years	5,916	1,204	1,901	1,333	706	369	209	91	44	15	17	27
30 to 34 years	3,326	429	781	750	476	302	197	142	82	67	81	19
35 to 39 years	1,558	124	277	275	221	162	108	89	77	72	143	10
40 to 44 years	478	36	50	65	72	44	33	32	30	34	80	2
45 to 49 years	36	-	1	1	4	3	5	3	5	1	13	-
50 years and over	3	-	-	1	1	1	-	-	-	-	-	-
Not stated	61	16	24	8	8	3	-	-	-	1	1	-
Native white	20,547	6,714	6,037	3,440	1,744	918	541	327	213	176	297	140
Under 15 years	12	12	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,862	2,126	612	78	11	-	-	-	-	-	-	35
20 to 24 years	7,180	2,930	2,610	1,089	358	102	31	7	3	-	2	48
25 to 29 years	5,551	1,107	1,775	1,247	670	347	201	84	42	14	17	27
30 to 34 years	3,063	385	721	704	441	277	182	121	76	64	74	18
35 to 39 years	1,405	114	252	252	194	147	96	83	64	66	127	10
40 to 44 years	415	31	45	60	59	39	27	29	25	31	67	2
45 to 49 years	29	-	1	1	4	2	4	3	3	1	10	-
50 years and over	3	-	-	1	1	1	-	-	-	-	-	-
Not stated	47	9	21	8	6	3	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MAINE—Continued												
White—Continued												
Foreign-born white	1,329	377	380	211	126	73	42	36	28	14	38	4
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	80	60	18	2	-	-	-	-	-	-	-	-
20 to 24 years	383	159	146	55	14	6	-	-	-	-	-	3
25 to 29 years	379	86	126	83	36	21	8	6	2	1	-	-
30 to 34 years	259	43	59	44	35	25	15	21	6	3	7	1
35 to 39 years	151	10	25	22	27	15	12	6	13	6	15	-
40 to 44 years	63	5	5	5	13	5	6	3	5	3	13	-
45 to 49 years	7	-	-	-	-	1	1	-	2	-	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	3	1	-	1	-	-	-	-	1	-	-
Nonwhite	35	8	4	9	4	3	1	1	1	1	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	3	-	-	-	-	-	-	-	-	-	-
20 to 24 years	17	4	4	6	1	1	1	-	-	-	-	-
25 to 29 years	6	-	-	-	2	2	-	1	-	1	-	-
30 to 34 years	7	1	-	3	1	-	-	-	1	-	1	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	1	-	-	-	-	-	-	-	-	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND	53,597	18,038	16,421	8,578	4,338	2,417	1,400	825	601	364	576	49
Under 15 years	148	143	4	-	-	-	-	-	-	-	-	1
15 to 19 years	7,080	5,000	1,681	338	56	7	3	-	-	-	-	15
20 to 24 years	17,021	7,177	5,824	2,413	973	377	97	35	7	2	2	14
25 to 29 years	15,426	3,718	5,410	3,011	1,478	856	486	227	138	49	42	11
30 to 34 years	8,661	1,368	2,433	1,838	1,120	672	443	290	228	142	123	4
35 to 39 years	4,165	503	847	812	573	389	282	212	167	132	247	1
40 to 44 years	959	105	116	142	115	110	78	60	51	38	144	-
45 to 49 years	58	6	3	8	8	2	7	1	7	-	16	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	77	18	23	16	5	4	4	-	2	1	1	3
White	41,849	14,781	13,706	6,701	3,105	1,525	814	428	299	172	275	43
Under 15 years	21	19	1	-	-	-	-	-	-	-	-	1
15 to 19 years	4,222	3,291	811	97	11	1	-	-	-	-	-	11
20 to 24 years	13,286	6,274	4,793	1,558	482	130	23	8	2	2	1	13
25 to 29 years	12,800	3,394	4,947	2,512	1,062	494	231	82	46	13	9	11
30 to 34 years	7,266	1,228	2,265	1,659	942	503	281	166	107	60	51	4
35 to 39 years	3,396	456	767	726	494	305	213	131	105	75	125	1
40 to 44 years	761	101	103	130	103	89	61	40	31	22	81	-
45 to 49 years	44	6	2	7	8	2	4	1	5	-	9	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	51	12	17	12	3	1	1	-	2	-	1	2
Native white	40,696	14,381	13,267	6,505	3,031	1,511	797	425	297	171	272	39
Under 15 years	21	19	1	-	-	-	-	-	-	-	-	1
15 to 19 years	4,182	3,260	803	96	11	1	-	-	-	-	-	11
20 to 24 years	12,979	6,127	4,676	1,521	477	130	23	7	2	2	1	13
25 to 29 years	12,365	3,249	4,768	2,432	1,041	491	227	82	45	13	8	9
30 to 34 years	7,073	1,180	2,190	1,616	920	501	278	166	107	60	51	4
35 to 39 years	3,269	434	720	700	477	300	207	129	104	74	125	1
40 to 44 years	729	96	96	126	95	86	58	40	31	22	79	-
45 to 49 years	41	6	2	6	7	2	3	1	5	-	9	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	35	10	11	8	3	-	1	-	2	-	-	-
Foreign-born white	1,089	383	420	183	69	12	14	2	2	1	2	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	32	25	6	1	-	-	-	-	-	-	-	-
20 to 24 years	298	144	115	35	4	-	-	-	-	-	-	-
25 to 29 years	415	141	175	75	17	2	3	-	1	-	-	1
30 to 34 years	189	47	74	42	22	2	2	-	-	-	-	-
35 to 39 years	123	22	44	25	17	5	6	2	1	1	-	-
40 to 44 years	29	4	6	4	8	3	2	-	-	-	2	-
45 to 49 years	3	-	-	1	1	-	1	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	11,748	3,257	2,715	1,877	1,223	892	586	397	302	192	301	6
Under 15 years	127	124	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,858	1,709	850	241	45	6	3	-	-	-	-	4
20 to 24 years	3,735	903	1,131	855	491	247	74	27	5	-	1	1
25 to 29 years	2,626	324	463	499	416	362	255	145	92	36	34	-
30 to 34 years	1,395	140	168	179	178	169	162	124	121	82	72	-
35 to 39 years	769	47	80	86	79	84	69	81	62	57	124	-
40 to 44 years	198	4	13	12	12	21	17	20	20	16	63	-
45 to 49 years	14	-	1	1	-	-	3	-	2	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	6	6	4	2	3	3	-	-	1	-	1
Negro	11,697	3,242	2,694	1,869	1,221	889	586	395	302	192	301	6
Under 15 years	127	124	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,858	1,709	850	241	45	6	3	-	-	-	-	4
20 to 24 years	3,717	894	1,122	855	491	247	74	27	5	-	1	1
25 to 29 years	2,608	319	455	498	415	361	255	145	92	36	34	-
30 to 34 years	1,386	139	165	176	177	168	162	124	121	82	72	-
35 to 39 years	764	47	79	84	79	84	69	79	62	57	124	-
40 to 44 years	197	4	13	12	12	20	17	20	20	16	63	-
45 to 49 years	14	-	1	1	-	-	3	-	2	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	26	6	6	4	2	3	3	-	-	1	-	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MASSACHUSETTS[1]	95,615	519	447	183	83	32	19	8	2	3	9	94,300
Under 15 years	20	-	-	-	-	-	-	-	-	-	-	20
15 to 19 years	5,053	86	15	-	-	-	-	-	-	-	-	4,952
20 to 24 years	27,329	230	134	27	5	-	1	-	-	-	-	26,932
25 to 29 years	31,245	151	192	84	29	2	2	2	-	-	1	30,802
30 to 34 years	19,589	55	70	60	27	17	8	2	1	1	1	19,347
35 to 39 years	9,580	13	30	19	18	9	4	3	1	-	5	9,478
40 to 44 years	2,324	4	5	2	4	3	4	1	-	2	2	2,297
45 to 49 years	135	-	-	-	-	1	-	-	-	-	-	134
50 years and over	9	-	-	-	-	-	-	-	-	-	-	8
Not stated	332	-	1	1	-	-	-	-	-	-	-	330
White	93,565	516	444	192	83	32	19	8	2	3	9	92,257
Under 15 years	14	-	-	-	-	-	-	-	-	-	-	14
15 to 19 years	4,789	86	14	-	-	-	-	-	-	-	-	4,689
20 to 24 years	26,564	228	134	26	5	-	1	-	-	-	-	26,190
25 to 29 years	30,666	130	190	84	29	2	2	2	-	-	1	30,226
30 to 34 years	19,304	55	70	60	27	17	8	2	1	1	1	19,062
35 to 39 years	9,447	13	30	19	18	9	4	3	1	-	5	9,345
40 to 44 years	2,296	4	5	2	4	3	4	1	-	2	2	2,268
45 to 49 years	133	-	-	-	-	1	-	-	-	-	-	132
50 years and over	8	-	-	-	-	-	-	-	-	-	-	8
Not stated	324	-	1	1	-	-	-	-	-	-	-	322
Native white	87,880	498	423	181	77	31	16	8	2	2	8	86,714
Under 15 years	14	-	-	-	-	-	-	-	-	-	-	14
15 to 19 years	4,689	85	14	-	-	-	-	-	-	-	-	4,590
20 to 24 years	25,554	221	128	25	5	-	1	-	-	-	-	25,174
25 to 29 years	28,911	124	184	78	28	2	2	2	-	-	1	28,490
30 to 34 years	18,114	52	64	57	24	17	8	2	1	1	1	17,887
35 to 39 years	8,393	12	27	18	17	9	2	3	1	-	4	8,300
40 to 44 years	1,874	4	5	2	3	3	3	1	-	1	2	1,850
45 to 49 years	104	-	-	-	-	-	-	-	-	-	-	104
50 years and over	6	-	-	-	-	-	-	-	-	-	-	6
Not stated	301	-	1	1	-	-	-	-	-	-	-	299
Foreign-born white	5,278	18	21	11	6	1	3	-	-	1	1	5,216
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	85	1	-	-	-	-	-	-	-	-	-	84
20 to 24 years	929	7	6	1	-	-	-	-	-	-	-	915
25 to 29 years	1,668	6	6	6	1	-	-	-	-	-	-	1,649
30 to 34 years	1,125	3	6	3	3	-	-	-	-	-	-	1,110
35 to 39 years	1,008	1	3	1	1	-	2	-	-	-	1	999
40 to 44 years	411	-	-	-	1	-	1	-	-	1	-	408
45 to 49 years	29	-	-	-	-	1	-	-	-	-	-	28
50 years and over	2	-	-	-	-	-	-	-	-	-	-	2
Not stated	21	-	-	-	-	-	-	-	-	-	-	21
Nonwhite	2,050	3	3	1	-	-	-	-	-	-	-	2,043
Under 15 years	6	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years	264	-	1	-	-	-	-	-	-	-	-	263
20 to 24 years	745	2	-	1	-	-	-	-	-	-	-	742
25 to 29 years	579	1	2	-	-	-	-	-	-	-	-	576
30 to 34 years	285	-	-	-	-	-	-	-	-	-	-	285
35 to 39 years	133	-	-	-	-	-	-	-	-	-	-	133
40 to 44 years	28	-	-	-	-	-	-	-	-	-	-	28
45 to 49 years	2	-	-	-	-	-	-	-	-	-	-	2
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	-	-	-	-	-	-	-	-	-	-	8
Negro	1,662	3	3	1	-	-	-	-	-	-	-	1,655
Under 15 years	6	-	-	-	-	-	-	-	-	-	-	6
15 to 19 years	256	-	1	-	-	-	-	-	-	-	-	255
20 to 24 years	669	2	-	1	-	-	-	-	-	-	-	666
25 to 29 years	535	1	2	-	-	-	-	-	-	-	-	532
30 to 34 years	252	-	-	-	-	-	-	-	-	-	-	252
35 to 39 years	114	-	-	-	-	-	-	-	-	-	-	114
40 to 44 years	23	-	-	-	-	-	-	-	-	-	-	23
45 to 49 years	1	-	-	-	-	-	-	-	-	-	-	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	-	-	-	-	-	-	-	-	-	-	6
MICHIGAN	157,178	52,717	48,845	26,979	13,175	6,594	3,503	1,981	1,194	732	1,203	255
Under 15 years	117	113	4	-	-	-	-	-	-	-	-	-
15 to 19 years	18,404	12,394	3,379	503	71	10	-	2	-	-	-	45
20 to 24 years	53,606	24,062	19,559	6,930	2,117	623	175	36	7	4	1	94
25 to 29 years	46,363	10,985	18,558	10,158	4,710	2,166	985	410	209	68	41	73
30 to 34 years	25,971	3,642	8,853	6,476	3,927	2,174	1,224	777	375	244	256	23
35 to 39 years	11,565	1,241	2,121	2,434	1,882	1,298	847	542	423	269	494	14
40 to 44 years	2,906	251	345	442	440	305	251	197	163	137	370	5
45 to 49 years	177	5	16	25	20	16	19	16	14	8	38	-
50 years and over	4	-	-	-	1	1	-	-	-	-	2	-
Not stated	63	24	10	11	7	1	2	1	3	2	1	1
White	144,052	48,863	45,438	24,714	11,794	5,774	2,974	1,664	991	600	1,019	221
Under 15 years	48	45	3	-	-	-	-	-	-	-	-	-
15 to 19 years	13,949	10,851	2,714	324	34	4	-	2	-	-	-	40
20 to 24 years	48,878	22,717	17,932	5,953	1,610	445	109	24	4	1	-	83
25 to 29 years	43,089	10,423	15,814	9,481	4,217	1,803	764	305	148	44	29	81
30 to 34 years	24,264	3,415	6,577	6,157	3,689	1,987	1,071	657	296	196	201	18
35 to 39 years	10,865	1,173	2,047	2,338	1,792	1,223	778	479	374	224	424	15
40 to 44 years	2,739	233	327	427	426	296	252	181	155	126	331	5
45 to 49 years	165	5	15	25	19	15	18	15	14	8	31	-
50 years and over	4	-	-	-	1	1	-	-	-	-	2	-
Not stated	51	21	9	9	6	-	2	1	-	1	1	1

[1]Massachusetts does not require the reporting of birth order. Birth order data for Massachusetts are for births to residents of the State occurring in other States.

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MICHIGAN—Continued												
White—Continued												
Native white	137,591	46,998	43,323	23,518	11,199	5,490	2,831	1,575	936	567	942	212
Under 15 years	47	44	3	-	-	-	-	-	-	-	-	-
15 to 19 years	13,782	10,705	2,678	319	34	4	-	2	-	-	-	40
20 to 24 years	47,394	21,985	17,390	5,786	1,576	436	109	24	4	1	-	83
25 to 29 years	40,914	9,790	14,945	9,057	4,054	1,750	747	298	146	42	29	56
30 to 34 years	22,914	3,194	6,147	5,835	3,514	1,885	1,028	653	283	186	191	17
35 to 39 years	9,939	1,052	1,851	2,123	1,834	1,136	722	447	350	217	398	11
40 to 44 years	2,411	204	288	370	365	285	208	157	140	113	295	5
45 to 49 years	139	4	11	19	15	13	15	13	13	7	29	-
50 years and over	3	-	-	-	1	1	-	-	-	-	1	-
Not stated	48	20	9	9	6	-	1	1	-	1	1	-
Foreign-born white	8,452	1,861	2,115	1,193	594	284	143	89	55	33	77	8
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	164	124	36	4	-	-	-	-	-	-	-	-
20 to 24 years	1,482	731	542	166	34	9	-	-	-	-	-	-
25 to 29 years	2,174	632	869	424	163	53	17	7	2	2	-	5
30 to 34 years	1,348	221	430	321	174	102	42	24	13	10	10	1
35 to 39 years	926	121	196	215	158	87	56	32	24	7	28	2
40 to 44 years	328	29	38	57	61	31	24	24	15	15	36	-
45 to 49 years	26	1	4	6	4	2	3	2	1	1	2	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	2	1	-	-	-	-	1	-	-	-	-	-
Nonwhite	13,126	3,854	3,407	2,265	1,381	820	529	317	203	132	184	34
Under 15 years	69	68	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,455	1,563	665	179	37	6	-	-	-	-	-	5
20 to 24 years	4,730	1,545	1,627	977	507	178	66	12	3	3	1	11
25 to 29 years	3,274	562	744	677	493	363	221	105	61	24	12	12
30 to 34 years	1,707	227	276	319	238	187	153	120	79	48	55	5
35 to 39 years	700	68	74	96	90	75	69	63	49	45	70	1
40 to 44 years	167	18	18	15	14	9	19	16	8	11	39	-
45 to 49 years	12	-	1	-	1	1	1	1	-	-	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	12	3	1	2	1	1	-	-	3	1	-	-
Negro	12,863	3,789	3,344	2,221	1,359	805	519	310	194	129	180	33
Under 15 years	69	68	1	-	-	-	-	-	-	-	-	-
15 to 19 years	2,426	1,541	660	179	35	6	-	-	-	-	-	5
20 to 24 years	4,644	1,311	1,599	961	501	177	65	12	3	3	1	11
25 to 29 years	3,200	542	722	682	487	355	220	104	61	24	12	11
30 to 34 years	1,664	222	271	311	234	182	149	117	74	47	52	5
35 to 39 years	679	66	73	91	88	74	66	61	46	43	70	1
40 to 44 years	160	16	17	15	12	9	18	15	8	11	39	-
45 to 49 years	11	-	1	-	1	1	1	1	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	3	-	2	1	1	-	-	2	1	-	-
MINNESOTA	73,929	23,668	22,361	13,077	6,724	3,339	1,835	1,164	706	382	635	18
Under 15 years	17	16	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,637	4,538	1,000	86	12	-	-	-	-	-	-	1
20 to 24 years	23,329	11,289	8,379	2,762	696	151	38	4	3	-	-	8
25 to 29 years	21,891	5,118	7,943	4,982	2,276	938	368	169	63	17	11	6
30 to 34 years	13,848	1,828	3,538	3,445	2,250	1,245	685	439	230	102	86	-
35 to 39 years	7,004	671	1,239	1,490	1,195	754	571	392	269	158	263	2
40 to 44 years	1,921	144	232	272	274	228	161	147	129	98	234	-
45 to 49 years	333	5	10	14	12	15	11	11	12	5	38	-
50 years and over	2	-	-	1	-	-	-	-	-	1	-	-
Not stated	147	59	39	25	9	7	-	2	-	-	3	3
White	73,119	23,454	22,214	12,945	6,643	3,276	1,789	1,130	680	363	608	17
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,517	4,450	976	80	10	-	-	-	-	-	-	1
20 to 24 years	23,046	11,210	8,284	2,700	665	140	34	4	3	-	-	6
25 to 29 years	21,696	5,090	7,911	4,943	2,244	908	349	161	58	15	11	5
30 to 34 years	13,722	1,816	3,530	3,425	2,241	1,230	868	422	217	93	80	-
35 to 39 years	6,950	671	1,232	1,466	1,189	748	568	384	264	151	255	2
40 to 44 years	1,899	142	231	272	274	229	159	146	126	98	222	-
45 to 49 years	132	5	10	14	12	14	11	11	12	5	38	-
50 years and over	2	-	-	1	-	-	-	-	-	1	-	-
Not stated	141	57	39	24	8	7	-	2	-	-	2	2
Native white	71,747	23,063	21,769	12,699	6,522	3,214	1,756	1,116	656	353	585	14
Under 15 years	14	13	1	-	-	-	-	-	-	-	-	-
15 to 19 years	5,478	4,415	970	80	10	-	-	-	-	-	-	1
20 to 24 years	22,689	11,056	8,138	2,655	657	138	34	4	3	-	-	4
25 to 29 years	21,274	4,978	7,739	4,854	2,212	895	347	160	57	15	11	6
30 to 34 years	13,448	1,760	3,451	3,361	2,207	1,208	658	419	215	92	78	-
35 to 39 years	6,752	648	1,200	1,445	1,152	726	554	376	256	145	248	2
40 to 44 years	1,835	137	224	266	265	226	153	144	115	95	210	-
45 to 49 years	126	5	10	14	11	14	10	11	10	5	36	-
50 years and over	2	-	-	1	-	-	-	-	-	1	-	-
Not stated	130	51	36	23	8	7	-	2	-	-	2	1
Foreign-born white	1,345	380	437	244	120	61	32	14	22	10	23	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	37	32	5	-	-	-	-	-	-	-	-	-
20 to 24 years	352	151	144	45	8	2	-	-	-	-	-	2
25 to 29 years	417	111	170	87	32	13	2	1	1	-	-	-
30 to 34 years	272	56	78	64	34	22	10	3	2	1	2	-
35 to 39 years	194	23	31	41	36	21	13	8	8	8	7	-
40 to 44 years	62	5	7	6	9	3	6	2	9	3	12	-
45 to 49 years	6	-	-	-	1	-	1	-	2	-	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	2	2	1	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MISSOURI	85,302	29,606	25,692	15,344	6,693	3,576	2,224	1,428	926	598	1,128	87
Under 15 years	119	113	6	-	-	-	-	-	-	-	-	-
15 to 19 years	11,801	8,681	2,465	389	47	5	-	-	-	-	-	14
20 to 24 years	28,247	12,458	10,129	3,822	1,251	415	107	28	2	2	2	31
25 to 29 years	22,574	5,225	7,979	4,657	2,365	1,213	644	273	114	43	36	25
30 to 34 years	13,367	2,089	3,539	2,906	1,791	1,078	728	525	306	193	204	8
35 to 39 years	7,174	816	1,322	1,304	993	670	547	458	345	244	472	3
40 to 44 years	1,965	193	220	244	212	179	180	127	141	107	358	4
45 to 49 years	148	5	10	7	20	11	8	15	14	6	50	-
50 years and over	2	-	-	-	-	-	-	-	1	-	1	-
Not stated	107	26	22	15	14	5	10	2	3	3	5	2
White	77,288	27,254	23,766	12,055	5,877	3,098	1,872	1,167	763	475	889	72
Under 15 years	46	46	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9,713	7,460	1,950	266	25	2	-	-	-	-	-	10
20 to 24 years	25,668	11,788	9,303	3,235	946	283	89	14	1	-	1	28
25 to 29 years	20,870	4,991	7,626	4,290	2,072	1,037	505	207	77	25	20	20
30 to 34 years	12,380	1,978	3,383	2,778	1,672	978	631	429	237	147	139	8
35 to 39 years	6,585	779	1,267	1,254	934	617	482	389	302	203	375	3
40 to 44 years	1,801	183	209	234	198	166	168	114	128	92	306	3
45 to 49 years	134	5	9	6	19	11	8	13	14	6	43	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	90	24	19	12	11	4	9	1	3	2	5	-
Native white	76,416	26,977	23,439	11,890	5,825	3,084	1,856	1,162	758	475	878	72
Under 15 years	46	46	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9,679	7,432	1,945	265	25	2	-	-	-	-	-	10
20 to 24 years	25,403	11,685	9,194	3,189	941	281	89	14	1	-	1	28
25 to 29 years	20,576	4,896	7,495	4,239	2,061	1,033	504	206	77	25	20	20
30 to 34 years	12,256	1,948	3,340	2,747	1,660	977	629	429	236	147	135	8
35 to 39 years	6,478	764	1,239	1,205	918	614	476	386	300	203	370	3
40 to 44 years	1,765	180	189	228	193	162	163	113	127	92	305	3
45 to 49 years	132	5	9	5	18	11	8	13	14	6	43	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	80	21	18	12	9	4	7	1	2	2	4	-
Foreign-born white	851	269	324	163	50	14	14	5	4	-	8	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	30	24	5	1	-	-	-	-	-	-	-	-
20 to 24 years	265	103	109	46	5	2	-	-	-	-	-	-
25 to 29 years	291	94	129	51	11	4	1	1	-	-	-	-
30 to 34 years	122	30	43	30	12	1	2	-	1	-	3	-
35 to 39 years	106	15	28	29	16	3	6	3	2	-	4	-
40 to 44 years	35	3	10	5	5	4	5	1	1	-	1	-
45 to 49 years	2	-	-	1	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	8,014	2,352	1,926	1,289	816	478	352	261	163	123	239	15
Under 15 years	73	67	6	-	-	-	-	-	-	-	-	-
15 to 19 years	1,888	1,221	515	123	22	3	-	-	-	-	-	4
20 to 24 years	2,579	670	826	587	305	132	38	14	1	2	1	3
25 to 29 years	1,704	234	353	367	293	176	139	66	37	18	16	5
30 to 34 years	987	111	156	128	119	100	97	96	69	46	65	-
35 to 39 years	589	37	55	70	59	53	65	69	45	41	97	-
40 to 44 years	164	10	11	10	14	13	12	13	13	15	52	1
45 to 49 years	12	-	1	1	1	-	-	2	-	-	7	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	17	2	3	3	3	1	1	1	-	1	-	2
Negro	7,957	2,328	1,911	1,284	812	475	350	258	163	123	238	15
Under 15 years	73	67	6	-	-	-	-	-	-	-	-	-
15 to 19 years	1,861	1,216	513	123	22	3	-	-	-	-	-	4
20 to 24 years	2,558	662	817	584	305	131	38	14	1	2	1	3
25 to 29 years	1,690	226	350	366	291	176	139	66	37	18	16	5
30 to 34 years	981	109	155	128	117	100	97	95	69	46	65	-
35 to 39 years	582	36	55	69	59	51	63	68	43	41	97	-
40 to 44 years	162	10	11	10	14	13	12	12	13	15	51	1
45 to 49 years	12	-	1	1	1	-	-	2	-	-	7	-
50 years and over	1	-	-	-	-	-	-	-	-	-	1	-
Not stated	17	2	3	3	3	1	1	1	-	1	-	2
MONTANA	15,366	4,813	4,743	2,787	1,350	673	366	212	147	91	181	3
Under 15 years	11	10	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,775	1,349	373	41	10	1	-	-	-	-	-	1
20 to 24 years	5,172	2,187	1,991	760	173	41	16	3	-	-	-	1
25 to 29 years	4,167	794	1,467	1,040	486	217	97	42	17	4	3	-
30 to 34 years	2,613	324	663	651	429	242	135	82	55	27	24	1
35 to 39 years	1,250	117	205	268	197	137	93	63	50	40	80	-
40 to 44 years	343	24	40	42	52	33	25	20	22	19	66	-
45 to 49 years	26	5	2	3	3	2	-	1	3	-	7	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	8	3	1	2	-	-	-	-	-	1	1	-
White	14,556	4,637	4,590	2,650	1,278	810	306	170	118	57	137	3
Under 15 years	9	8	1	-	-	-	-	-	-	-	-	-
15 to 19 years	1,649	1,260	344	34	9	1	-	-	-	-	-	1
20 to 24 years	4,923	2,121	1,906	688	156	35	14	2	-	-	-	1
25 to 29 years	3,952	781	1,434	996	452	173	70	28	13	3	2	-
30 to 34 years	2,499	320	658	620	414	232	112	65	43	16	18	1
35 to 39 years	1,172	116	205	265	193	134	87	55	38	22	57	-
40 to 44 years	321	23	40	42	51	33	23	18	21	16	54	-
45 to 49 years	24	5	2	3	3	2	-	1	3	-	5	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	6	3	-	2	-	-	-	-	-	-	1	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
MINNESOTA—Continued												
Nonwhite	810	214	167	132	81	63	46	34	26	19	27	1
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	120	88	24	6	2	-	-	-	-	-	-	-
20 to 24 years	283	79	85	62	31	11	5	-	-	-	-	-
25 to 29 years	195	28	32	39	32	30	19	8	5	2	-	-
30 to 34 years	125	12	8	20	9	15	17	17	13	9	6	-
35 to 39 years	54	-	7	4	6	6	3	8	5	7	8	-
40 to 44 years	22	2	1	-	-	-	2	1	3	1	12	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	6	2	-	1	1	-	-	-	-	-	1	1
Negro	256	78	63	49	25	17	12	4	5	2	1	-
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	33	23	7	3	-	-	-	-	-	-	-	-
20 to 24 years	108	36	35	20	8	5	4	-	-	-	-	-
25 to 29 years	60	12	11	15	11	5	3	2	1	-	-	-
30 to 34 years	33	4	6	7	3	5	3	1	3	-	1	-
35 to 39 years	17	-	4	3	3	2	1	1	1	2	-	-
40 to 44 years	2	1	-	-	-	-	1	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI	66,415	17,295	15,712	8,865	6,449	4,428	3,272	2,567	1,947	1,398	2,943	539
Under 15 years	441	365	61	5	2	-	-	-	-	-	-	8
15 to 19 years	13,467	8,071	3,861	1,091	233	58	8	3	-	1	-	140
20 to 24 years	20,779	5,728	6,726	4,208	2,295	973	451	151	57	21	16	155
25 to 29 years	14,635	1,938	3,166	2,636	2,150	1,737	1,284	809	437	208	177	93
30 to 34 years	8,808	718	1,203	1,222	1,100	986	875	858	705	486	589	66
35 to 39 years	5,864	303	501	545	517	504	500	566	549	513	1,325	41
40 to 44 years	1,730	58	79	72	96	110	114	139	164	149	733	16
45 to 49 years	148	3	4	5	4	9	8	13	15	10	74	1
50 years and over	9	-	-	-	-	-	-	2	1	-	4	2
Not stated	538	111	111	81	54	51	31	26	18	10	25	17
White	29,087	9,541	8,375	4,399	2,476	1,400	884	668	456	283	507	108
Under 15 years	45	42	3	-	-	-	-	-	-	-	-	-
15 to 19 years	4,662	3,482	1,021	131	11	3	1	1	-	-	-	12
20 to 24 years	9,609	3,795	3,692	1,438	474	118	39	13	7	1	2	30
25 to 29 years	7,158	1,424	2,273	1,532	968	502	262	109	34	21	12	23
30 to 34 years	4,213	532	924	842	634	441	320	224	142	74	58	22
35 to 39 years	2,527	207	378	384	313	258	201	235	185	133	222	11
40 to 44 years	709	33	58	49	85	59	57	73	80	47	163	5
45 to 49 years	57	1	1	4	1	6	2	6	5	6	24	1
50 years and over	2	-	-	-	-	-	-	-	-	-	1	1
Not stated	115	25	25	19	12	13	2	7	3	1	5	3
Native white	28,896	9,481	8,303	4,366	2,467	1,391	876	665	455	283	502	107
Under 15 years	45	42	3	-	-	-	-	-	-	-	-	-
15 to 19 years	4,650	3,473	1,018	131	11	3	1	1	-	-	-	12
20 to 24 years	9,528	3,767	3,654	1,423	474	118	39	13	7	1	2	30
25 to 29 years	7,114	1,407	2,256	1,524	965	502	261	109	34	21	12	23
30 to 34 years	4,187	529	917	836	629	438	318	224	142	74	58	22
35 to 39 years	2,513	207	378	382	312	255	196	234	185	133	218	11
40 to 44 years	703	33	57	48	64	58	56	73	80	47	182	5
45 to 49 years	57	1	1	4	1	6	2	6	5	6	24	1
50 years and over	2	-	-	-	-	-	-	-	-	-	1	1
Not stated	97	22	19	18	11	11	1	5	2	1	5	2
Foreign-born white	170	53	60	32	7	6	6	2	-	-	4	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9	7	2	-	-	-	-	-	-	-	-	-
20 to 24 years	75	26	34	15	-	-	-	-	-	-	-	-
25 to 29 years	42	17	16	8	-	-	-	-	-	-	-	-
30 to 34 years	24	3	7	6	5	2	1	-	-	-	-	-
35 to 39 years	13	-	-	2	1	3	3	1	-	-	3	-
40 to 44 years	6	-	1	1	1	1	1	-	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	1	-	-	-	-
Nonwhite	37,318	7,754	7,337	5,466	3,973	3,028	2,388	1,899	1,491	1,115	2,436	431
Under 15 years	396	323	58	5	2	-	-	-	-	-	-	8
15 to 19 years	8,805	4,589	2,840	960	222	55	8	2	-	1	-	128
20 to 24 years	11,170	1,933	3,034	2,770	1,819	855	412	138	50	20	14	125
25 to 29 years	7,477	514	895	1,104	1,184	1,235	1,022	700	403	187	165	70
30 to 34 years	4,593	186	279	380	466	545	555	632	563	412	531	44
35 to 39 years	3,337	96	123	161	204	246	299	331	364	380	1,103	30
40 to 44 years	1,021	25	21	23	31	51	57	66	84	102	550	11
45 to 49 years	89	2	3	1	3	3	6	7	10	4	50	-
50 years and over	7	-	-	-	-	-	-	2	1	-	3	1
Not stated	423	86	88	62	42	38	29	21	16	9	20	14
Negro	37,189	7,728	7,297	5,448	3,961	3,018	2,382	1,895	1,485	1,112	2,432	431
Under 15 years	393	321	57	5	2	-	-	-	-	-	-	8
15 to 19 years	8,777	4,573	2,829	959	222	55	8	2	-	1	-	128
20 to 24 years	11,138	1,927	3,021	2,762	1,816	854	412	138	49	20	14	125
25 to 29 years	7,450	513	884	1,101	1,177	1,231	1,020	699	403	187	165	70
30 to 34 years	4,576	186	276	377	464	541	555	631	563	410	531	44
35 to 39 years	3,319	95	120	158	204	246	297	329	361	379	1,100	30
40 to 44 years	1,018	25	21	23	31	51	57	66	82	102	549	11
45 to 49 years	89	2	3	1	3	3	6	7	10	4	50	-
50 years and over	7	-	-	-	-	-	-	2	1	-	3	1
Not stated	422	86	86	62	42	37	29	21	16	9	20	14

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW HAMPSHIRE—Continued												
White—Continued												
Native white	11,265	3,742	3,372	1,860	872	447	250	124	68	38	71	421
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,091	841	184	23	3	-	-	-	-	-	-	40
20 to 24 years	3,851	1,731	1,310	497	103	34	10	2	1	-	-	143
25 to 29 years	3,354	778	1,170	707	302	163	67	16	13	8	2	130
30 to 34 years	1,913	281	511	438	290	131	94	51	26	6	22	83
35 to 39 years	858	89	170	167	144	86	58	41	19	16	31	37
40 to 44 years	201	18	26	27	30	32	20	12	8	10	14	4
45 to 49 years	7	-	1	-	-	1	-	2	1	-	2	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	5	-	-	1	-	-	-	-	-	-	-	4
Foreign-born white	648	162	185	121	58	37	22	11	10	3	5	34
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	9	6	3	-	-	-	-	-	-	-	-	-
20 to 24 years	143	63	47	21	4	-	-	-	-	-	-	8
25 to 29 years	224	60	78	39	18	9	5	1	-	-	-	14
30 to 34 years	137	23	32	33	19	10	7	4	3	-	-	6
35 to 39 years	93	7	22	21	12	9	8	3	2	2	2	5
40 to 44 years	40	3	3	7	4	9	2	3	5	1	2	1
45 to 49 years	2	-	-	-	1	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	20	4	7	4	2	2	-	-	-	1	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2	1	-	1	-	-	-	-	-	-	-	-
20 to 24 years	9	2	5	-	2	-	-	-	-	-	-	-
25 to 29 years	5	1	1	2	-	1	-	-	-	-	-	-
30 to 34 years	3	-	1	1	-	1	-	-	-	-	-	-
35 to 39 years	1	-	-	-	-	-	-	-	-	1	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY	97,606	38,322	32,513	14,785	6,017	2,585	1,330	728	411	296	451	167
Under 15 years	52	49	2	-	-	-	-	-	-	-	-	1
15 to 19 years	6,288	4,910	1,151	170	24	1	-	-	-	-	-	12
20 to 24 years	28,486	16,316	8,861	2,354	651	193	48	18	2	-	-	43
25 to 29 years	32,434	11,121	12,806	5,305	1,795	728	335	159	70	42	17	56
30 to 34 years	19,741	4,256	6,977	4,591	2,032	856	458	221	129	94	98	29
35 to 39 years	8,676	1,390	2,348	2,011	1,237	623	356	242	152	103	195	19
40 to 44 years	1,824	257	354	339	264	174	124	83	50	47	127	5
45 to 49 years	93	10	9	11	12	6	9	5	8	10	13	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	32	13	5	4	2	4	-	1	-	-	1	2
White	88,393	35,408	29,974	13,342	5,178	2,085	995	522	270	201	263	155
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,451	3,723	634	59	6	-	-	-	-	-	-	9
20 to 24 years	25,117	15,229	7,685	1,678	393	79	14	8	1	-	-	41
25 to 29 years	30,216	10,721	12,235	4,896	1,465	508	199	82	33	19	5	53
30 to 34 years	18,675	4,115	6,782	4,417	1,882	756	364	153	73	60	46	27
35 to 39 years	8,139	1,337	2,282	1,951	1,170	573	306	199	113	75	115	18
40 to 44 years	1,692	245	344	327	259	161	108	75	43	39	86	5
45 to 49 years	79	10	8	10	12	6	4	4	7	8	10	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	27	12	4	4	1	2	-	1	-	-	1	2
Native white	83,741	33,624	28,364	12,651	4,879	1,962	954	491	245	184	243	144
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,336	3,655	612	55	5	-	-	-	-	-	-	9
20 to 24 years	24,083	14,605	7,351	1,615	373	78	14	7	1	-	-	39
25 to 29 years	28,504	10,003	11,552	4,664	1,408	493	194	82	32	19	5	52
30 to 34 years	17,843	3,905	6,483	4,231	1,792	724	359	148	71	60	45	25
35 to 39 years	7,457	1,218	2,071	1,790	1,072	531	280	189	105	69	108	14
40 to 44 years	1,419	203	286	283	217	129	95	61	32	31	77	5
45 to 49 years	61	8	7	9	11	5	2	3	4	5	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	21	10	2	4	1	2	-	1	-	-	1	-
Foreign-born white	4,638	1,778	1,606	690	299	122	41	31	25	17	20	9
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	85	68	22	4	1	-	-	-	-	-	-	-
20 to 24 years	1,030	619	334	63	10	1	-	1	-	-	-	2
25 to 29 years	1,710	718	682	231	57	15	5	-	1	-	-	1
30 to 34 years	829	209	297	186	90	32	5	5	2	-	1	2
35 to 39 years	682	119	211	161	98	42	16	10	8	6	7	4
40 to 44 years	272	42	58	44	42	31	13	14	11	8	9	-
45 to 49 years	18	2	1	1	1	1	2	1	3	3	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	1	-	-	-	-	-	-	-	-	-
Nonwhite	9,213	2,914	2,539	1,443	839	500	335	207	141	85	188	12
Under 15 years	35	32	2	-	-	-	-	-	-	-	-	1
15 to 19 years	1,837	1,187	517	111	18	1	-	-	-	-	-	3
20 to 24 years	3,369	1,088	1,176	676	268	114	34	10	1	-	-	2
25 to 29 years	2,218	400	571	409	330	220	136	77	37	23	12	3
30 to 34 years	1,066	141	195	174	150	100	94	68	56	34	52	2
35 to 39 years	537	53	66	60	67	50	50	43	39	28	80	1
40 to 44 years	132	12	10	12	5	13	16	8	7	8	41	-
45 to 49 years	14	-	1	1	-	-	5	1	1	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	-	1	2	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW JERSEY—Continued												
Nonwhite—Continued												
Negro	8,080	2,866	2,485	1,430	828	495	335	205	141	95	188	12
Under 15 years	35	32	2	-	-	-	-	-	-	-	-	1
15 to 19 years	1,832	1,184	515	111	18	1	-	-	-	-	-	3
20 to 24 years	3,318	1,063	1,152	674	268	114	34	10	1	-	-	2
25 to 29 years	2,173	385	555	403	324	216	136	77	37	23	12	3
30 to 34 years	1,046	139	189	169	146	98	94	67	56	34	52	2
35 to 39 years	529	50	62	60	66	50	50	43	39	28	80	1
40 to 44 years	129	12	8	12	5	12	16	8	7	8	41	-
45 to 49 years	13	-	1	1	-	-	5	-	1	2	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	-	1	2	-	-	-	-	-	-
NEW MEXICO	21,620	6,012	5,572	3,401	1,989	1,268	872	722	515	386	728	155
Under 15 years	24	24	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3,224	2,248	774	152	20	1	1	1	-	-	-	27
20 to 24 years	7,046	2,399	2,493	1,308	533	203	44	17	5	7	2	35
25 to 29 years	5,571	903	1,532	1,174	779	493	329	170	93	40	21	37
30 to 34 years	3,153	289	547	528	422	350	276	283	179	120	133	26
35 to 39 years	1,946	112	195	190	191	182	174	195	190	165	331	21
40 to 44 years	577	25	26	42	37	37	45	47	41	49	221	7
45 to 49 years	45	4	3	2	1	1	2	6	4	4	18	-
50 years and over	5	-	-	-	1	-	-	1	3	-	-	-
Not stated	29	8	2	5	5	1	1	2	-	1	2	2
White	20,118	5,677	5,290	3,203	1,820	1,142	781	633	446	332	673	121
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,995	2,097	716	143	19	1	1	1	-	-	-	17
20 to 24 years	6,607	2,275	2,357	1,217	481	178	40	15	5	7	2	30
25 to 29 years	5,205	865	1,467	1,101	714	443	294	151	86	38	20	26
30 to 34 years	2,928	281	531	510	391	311	247	253	149	106	128	21
35 to 39 years	1,780	107	169	184	176	171	156	163	166	141	307	20
40 to 44 years	523	24	25	42	34	36	41	43	36	36	200	6
45 to 49 years	37	4	3	1	1	1	1	5	3	4	14	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	25	7	2	5	4	1	1	2	-	-	2	1
Native white	19,532	5,548	5,159	3,118	1,774	1,094	753	612	426	313	620	115
Under 15 years	17	17	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,942	2,064	699	140	19	1	1	1	-	-	-	17
20 to 24 years	6,416	2,216	2,292	1,180	465	171	37	15	5	7	2	26
25 to 29 years	5,063	840	1,435	1,075	696	421	284	147	86	36	17	26
30 to 34 years	2,841	275	516	500	388	302	236	243	138	100	119	20
35 to 39 years	1,704	102	186	178	170	162	152	156	159	134	286	19
40 to 44 years	493	24	24	40	32	35	39	43	35	32	183	6
45 to 49 years	35	4	3	1	1	1	1	5	2	4	13	-
50 years and over	1	-	-	-	-	-	-	-	1	-	-	-
Not stated	20	6	2	4	3	1	1	2	-	-	-	1
Foreign-born white	554	125	122	79	42	47	26	20	19	19	51	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	47	30	14	3	-	-	-	-	-	-	-	-
20 to 24 years	180	59	61	35	14	7	2	-	-	-	-	2
25 to 29 years	140	25	31	25	18	22	10	4	-	2	3	-
30 to 34 years	81	6	12	9	2	9	8	9	10	6	9	1
35 to 39 years	74	5	3	5	6	8	4	7	7	7	21	1
40 to 44 years	30	-	1	2	2	1	2	-	1	4	17	-
45 to 49 years	2	-	-	-	-	-	-	-	1	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,502	335	282	198	169	126	91	88	69	54	55	34
Under 15 years	7	7	-	-	-	-	-	-	-	-	-	-
15 to 19 years	229	151	58	9	1	-	-	-	-	-	-	10
20 to 24 years	439	124	136	91	52	25	4	2	-	-	-	5
25 to 29 years	366	38	65	73	65	50	35	19	7	2	1	11
30 to 34 years	225	8	16	18	31	39	29	30	30	14	5	5
35 to 39 years	166	5	6	6	15	11	16	32	24	24	24	1
40 to 44 years	54	1	1	-	3	1	4	4	5	13	21	1
45 to 49 years	8	-	-	1	-	-	1	1	1	-	4	-
50 years and over	4	-	-	-	1	-	-	1	2	-	-	-
Not stated	4	1	-	-	1	-	-	-	-	1	-	1
Negro	147	42	26	28	12	19	6	6	3	4	3	-
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	36	23	10	2	1	-	-	-	-	-	-	-
20 to 24 years	49	10	12	13	4	6	2	-	-	-	-	-
25 to 29 years	33	3	2	10	3	6	3	5	1	-	-	-
30 to 34 years	10	1	1	1	2	3	-	-	1	1	-	-
35 to 39 years	12	-	1	-	2	2	-	1	1	3	2	-
40 to 44 years	2	-	-	-	-	-	1	-	-	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
NEW YORK	301,287	119,799	98,527	45,060	19,026	8,360	4,234	2,337	1,390	858	1,277	419
Under 15 years	149	145	4	-	-	-	-	-	-	-	-	-
15 to 19 years	19,817	15,747	3,487	464	68	7	1	-	-	-	-	43
20 to 24 years	90,019	50,992	27,780	8,034	2,265	626	153	38	8	1	2	122
25 to 29 years	97,133	34,057	37,330	15,548	5,830	2,316	1,105	507	203	101	29	107
30 to 34 years	59,672	13,049	21,040	13,472	6,040	2,751	1,433	784	504	270	269	60
35 to 39 years	27,901	4,856	7,660	6,273	3,882	2,007	1,146	695	480	320	553	29
40 to 44 years	6,205	891	1,167	1,218	904	624	375	291	188	149	385	13
45 to 49 years	280	38	36	40	32	27	20	22	7	17	38	3
50 years and over	6	-	2	-	2	-	1	-	-	-	-	1
Not stated	105	24	21	11	5	2	-	-	-	-	1	41

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER									
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NEW YORK—Continued												
White	274,785	110,407	90,853	40,804	16,810	7,139	3,544	1,942	1,131	678	1,089	386
Under 15 years	66	65	1	-	-	-	-	-	-	-	-	-
15 to 19 years	15,603	12,881	2,411	239	30	3	1	-	-	-	-	38
20 to 24 years	80,182	47,242	24,404	6,336	1,601	376	81	20	2	1	2	117
25 to 29 years	90,258	32,343	35,342	14,201	4,999	1,829	843	370	139	66	25	101
30 to 34 years	56,118	12,337	20,195	12,782	5,591	2,455	1,222	652	405	207	215	57
35 to 39 years	26,365	4,633	7,341	6,026	3,694	1,859	1,027	614	411	261	470	29
40 to 44 years	5,851	847	1,107	1,173	859	594	352	265	169	129	343	13
45 to 49 years	254	38	34	37	31	21	17	21	5	14	33	3
50 years and over	5	-	1	-	2	-	1	-	-	-	-	1
Not stated	81	21	17	10	3	2	-	-	-	-	1	27
Native white	253,539	102,051	83,649	37,606	15,556	6,620	3,269	1,781	1,027	631	997	352
Under 15 years	66	65	1	-	-	-	-	-	-	-	-	-
15 to 19 years	15,225	12,552	2,365	236	30	3	1	-	-	-	-	39
20 to 24 years	75,810	44,606	23,037	6,021	1,561	370	79	20	2	1	2	111
25 to 29 years	83,085	29,273	32,479	13,285	4,790	1,762	819	355	137	66	25	94
30 to 34 years	52,052	11,063	18,681	11,986	5,295	2,381	1,177	634	386	203	212	54
35 to 39 years	22,451	3,783	6,179	5,129	3,210	1,645	907	534	362	240	435	27
40 to 44 years	4,625	666	869	921	649	462	274	222	137	111	302	12
45 to 49 years	165	26	23	20	18	15	11	16	3	10	21	3
50 years and over	3	-	1	-	-	-	1	-	-	-	-	1
Not stated	57	18	14	8	3	2	-	-	-	-	-	12
Foreign-born white	21,217	8,350	7,201	3,196	1,253	519	275	161	104	47	91	20
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	375	326	46	3	-	-	-	-	-	-	-	-
20 to 24 years	4,371	2,636	1,366	315	40	6	2	-	-	-	-	6
25 to 29 years	7,169	3,069	2,861	915	209	67	24	15	2	-	-	7
30 to 34 years	4,065	1,274	1,514	795	296	94	45	18	19	4	3	3
35 to 39 years	3,913	850	1,162	897	483	214	120	80	49	21	35	2
40 to 44 years	1,226	181	238	252	210	132	78	43	32	18	41	1
45 to 49 years	89	13	11	17	13	6	6	5	2	4	12	-
50 years and over	2	-	-	-	2	-	-	-	-	-	-	-
Not stated	7	1	3	2	-	-	-	-	-	-	-	1
Nonwhite	26,504	9,392	7,674	4,256	2,216	1,221	690	395	259	180	188	33
Under 15 years	83	80	3	-	-	-	-	-	-	-	-	-
15 to 19 years	4,214	2,866	1,076	225	38	4	-	-	-	-	-	5
20 to 24 years	9,837	3,750	3,376	1,698	662	250	72	18	8	-	-	5
25 to 29 years	6,875	1,714	1,988	1,347	851	487	262	137	64	35	4	6
30 to 34 years	3,554	712	845	690	449	296	211	132	99	63	54	3
35 to 39 years	1,536	223	319	247	188	148	119	81	69	59	83	-
40 to 44 years	354	44	60	45	45	30	23	26	19	20	42	-
45 to 49 years	26	-	2	3	1	6	3	1	2	3	5	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	24	3	4	1	2	-	-	-	-	-	-	14
Negro	25,211	8,927	7,237	4,075	2,115	1,177	667	378	246	172	186	33
Under 15 years	82	79	3	-	-	-	-	-	-	-	-	-
15 to 19 years	4,121	2,792	1,059	223	38	4	-	-	-	-	-	5
20 to 24 years	9,398	3,536	3,197	1,666	654	247	71	18	5	-	-	5
25 to 29 years	6,518	1,600	1,851	1,303	799	471	253	135	82	34	4	6
30 to 34 years	3,313	671	776	623	416	283	204	125	96	62	54	3
35 to 39 years	1,417	207	292	223	169	139	113	73	64	55	82	-
40 to 44 years	314	39	53	34	37	27	23	25	17	18	41	-
45 to 49 years	23	-	2	2	-	6	3	-	2	3	5	-
50 years and over	1	-	1	-	-	-	-	-	-	-	-	-
Not stated	23	3	3	1	2	-	-	-	-	-	-	14
NORTH CAROLINA	107,970	33,205	28,130	18,527	9,693	6,137	4,304	3,005	2,230	1,609	2,786	344
Under 15 years	315	290	16	1	1	-	-	-	-	-	-	7
15 to 19 years	18,768	12,851	4,591	998	181	38	4	2	-	-	-	123
20 to 24 years	35,609	12,480	12,066	6,362	2,869	1,160	402	119	39	16	14	102
25 to 29 years	26,599	5,034	7,333	5,262	3,409	2,337	1,803	871	420	179	99	52
30 to 34 years	15,179	1,769	2,880	2,567	2,084	1,569	1,313	1,035	840	533	565	24
35 to 39 years	8,481	619	1,012	1,098	921	814	787	741	684	633	1,170	22
40 to 44 years	2,502	121	184	194	188	190	166	203	241	224	809	2
45 to 49 years	207	3	4	8	7	8	13	19	11	17	117	-
50 years and over	7	-	1	1	1	-	1	1	-	-	2	-
Not stated	303	78	63	36	32	21	15	14	15	7	10	12
White	72,415	24,766	20,766	11,187	5,861	3,331	2,130	1,425	1,015	684	1,048	162
Under 15 years	62	60	1	-	-	-	-	-	-	-	-	1
15 to 19 years	10,920	8,218	2,292	321	38	4	-	1	-	-	-	46
20 to 24 years	24,105	10,018	8,720	3,624	1,204	354	104	19	6	1	2	53
25 to 29 years	18,902	4,321	6,169	3,973	2,155	1,184	618	298	114	30	12	28
30 to 34 years	10,711	1,510	2,551	2,148	1,556	1,036	746	488	355	181	142	18
35 to 39 years	5,721	509	889	951	736	581	528	457	372	303	406	9
40 to 44 years	1,707	104	148	168	151	156	120	158	155	152	414	1
45 to 49 years	137	2	3	5	6	8	8	16	9	15	65	-
50 years and over	6	-	1	1	1	-	-	1	-	-	2	-
Not stated	144	44	32	16	14	8	6	7	4	2	5	6
Native white	71,931	24,598	20,609	11,119	5,835	3,323	2,127	1,424	1,014	684	1,044	154
Under 15 years	62	60	1	-	-	-	-	-	-	-	-	1
15 to 19 years	10,896	8,203	2,284	321	38	4	-	1	-	-	-	45
20 to 24 years	23,895	9,922	8,638	3,601	1,198	354	104	19	6	1	2	50
25 to 29 years	18,740	4,263	6,107	3,943	2,147	1,180	618	298	114	30	12	28
30 to 34 years	10,665	1,500	2,516	2,141	1,548	1,034	745	487	355	181	140	18
35 to 39 years	5,694	505	879	925	732	579	528	457	372	303	405	9
40 to 44 years	1,701	103	148	167	151	156	118	138	154	152	413	1
45 to 49 years	137	2	3	5	6	8	8	16	9	15	65	-
50 years and over	6	-	1	1	1	-	-	1	-	-	2	-
Not stated	135	40	32	15	14	8	6	7	4	2	5	2

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
NORTH CAROLINA—Continued												
White—Continued												
Foreign-born white	489	178	172	66	26	7	3	-	1	-	2	4
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	20	12	7	-	-	-	-	-	-	-	-	1
20 to 24 years	205	94	80	22	6	-	-	-	-	-	-	3
25 to 29 years	159	57	61	30	8	3	-	-	-	-	-	-
30 to 34 years	43	10	14	7	8	2	1	-	-	-	1	-
35 to 39 years	26	4	10	6	4	2	-	-	-	-	-	-
40 to 44 years	6	1	-	1	-	-	2	-	1	-	1	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	35,555	8,419	7,344	5,340	3,832	2,806	2,174	1,580	1,215	925	1,736	182
Under 15 years	253	230	15	1	1	-	-	-	-	-	-	6
15 to 19 years	7,848	4,613	2,289	677	143	34	4	1	-	-	-	77
20 to 24 years	11,504	2,442	3,346	2,738	1,665	806	298	100	33	15	12	49
25 to 29 years	7,697	713	1,164	1,289	1,254	1,153	985	573	306	149	87	24
30 to 34 years	4,468	259	349	419	528	533	567	547	485	352	423	6
35 to 39 years	2,760	110	123	167	185	233	259	284	292	330	764	13
40 to 44 years	795	17	16	26	37	34	46	65	86	72	395	1
45 to 49 years	70	1	1	3	1	-	5	3	2	2	52	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	159	34	31	20	18	13	9	7	11	5	5	6
Negro	34,352	8,197	7,092	5,179	3,706	2,697	2,086	1,510	1,166	877	1,661	181
Under 15 years	246	223	15	1	1	-	-	-	-	-	-	6
15 to 19 years	7,636	4,485	2,227	670	158	34	4	1	-	-	-	77
20 to 24 years	11,131	2,378	3,218	2,654	1,608	778	290	97	33	15	11	49
25 to 29 years	7,428	698	1,131	1,234	1,220	1,089	946	552	296	145	83	24
30 to 34 years	4,305	253	338	412	510	514	541	520	463	337	411	6
35 to 39 years	2,623	109	116	161	176	226	248	266	280	303	725	13
40 to 44 years	760	16	15	24	35	33	44	65	82	71	375	-
45 to 49 years	68	1	1	3	1	-	4	3	2	2	51	-
50 years and over	1	-	-	-	-	-	1	-	-	-	-	-
Not stated	154	34	31	20	17	13	8	6	10	4	5	6
NORTH DAKOTA	16,846	5,185	4,894	2,971	1,805	844	521	338	215	152	289	32
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,617	1,279	299	27	2	-	-	-	-	-	-	10
20 to 24 years	5,683	2,551	2,061	804	207	44	16	6	-	-	-	14
25 to 29 years	4,528	891	1,471	1,127	582	259	121	46	16	7	3	5
30 to 34 years	2,813	323	604	682	486	283	188	116	67	31	28	3
35 to 39 years	1,607	101	200	272	271	201	145	121	94	74	128	-
40 to 44 years	502	28	48	54	51	53	48	42	35	32	112	-
45 to 49 years	44	1	3	1	5	1	2	5	2	7	17	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	47	25	10	4	1	3	1	-	1	1	1	-
White	16,475	5,102	4,630	2,921	1,577	915	487	315	199	135	265	30
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,558	1,234	286	26	2	-	-	-	-	-	-	10
20 to 24 years	5,582	2,506	2,022	777	202	42	14	6	-	-	-	13
25 to 29 years	4,443	881	1,464	1,112	571	245	104	41	14	5	1	5
30 to 34 years	2,751	321	601	678	477	273	179	108	58	26	27	3
35 to 39 years	1,562	101	199	269	269	197	140	114	90	67	117	-
40 to 44 years	491	29	46	54	51	53	47	41	35	31	104	-
45 to 49 years	41	1	3	1	5	-	2	5	2	6	16	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	42	24	9	4	1	3	1	-	-	-	-	-
Native white	16,119	5,004	4,529	2,872	1,544	792	476	302	193	129	248	30
Under 15 years	5	5	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,547	1,224	285	26	2	-	-	-	-	-	-	10
20 to 24 years	5,483	2,461	1,986	762	199	42	14	6	-	-	-	13
25 to 29 years	4,340	856	1,420	1,097	561	240	104	39	14	4	1	4
30 to 34 years	2,696	313	587	667	472	268	176	105	55	25	27	3
35 to 39 years	1,513	98	196	262	253	191	136	111	88	65	113	-
40 to 44 years	467	25	45	53	51	51	43	37	35	31	96	-
45 to 49 years	31	-	3	1	5	-	2	4	1	4	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	37	22	7	4	1	2	1	-	-	-	-	-
Foreign-born white	336	89	95	40	35	19	11	12	6	6	17	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	7	1	-	-	-	-	-	-	-	-	-
20 to 24 years	93	40	35	15	3	-	-	-	-	-	-	-
25 to 29 years	96	25	41	14	10	4	-	1	-	1	-	-
30 to 34 years	55	8	14	11	5	7	3	3	3	1	-	-
35 to 39 years	49	3	3	7	15	6	4	3	2	2	4	-
40 to 44 years	24	4	1	1	-	2	4	4	-	-	8	-
45 to 49 years	10	1	-	-	-	-	-	1	1	2	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	371	83	64	50	28	31	34	23	16	17	24	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	59	45	13	1	-	-	-	-	-	-	-	-
20 to 24 years	101	25	39	27	5	2	2	-	-	-	-	1
25 to 29 years	85	10	7	15	11	14	17	5	2	2	2	-
30 to 34 years	62	2	3	4	9	10	9	10	9	5	1	-
35 to 39 years	45	-	1	3	3	4	5	7	4	7	11	-
40 to 44 years	11	-	-	-	-	-	1	1	-	1	8	-
45 to 49 years	3	-	-	-	-	1	-	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	1	-	-	-	-	-	1	1	1	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OHIO	189,428	67,045	59,889	30,821	14,262	7,089	3,883	2,293	1,453	981	1,557	155
Under 15 years	145	142	3	-	-	-	-	-	-	-	-	-
15 to 19 years	19,832	15,237	3,950	553	54	7	1	-	-	-	-	30
20 to 24 years	63,321	30,146	22,430	7,667	2,189	613	155	52	13	3	1	52
25 to 29 years	56,578	14,593	21,067	11,521	5,079	2,368	1,104	503	194	78	34	37
30 to 34 years	31,426	4,898	9,049	7,544	4,244	2,312	1,377	843	559	303	277	20
35 to 39 years	14,328	1,709	2,889	2,998	2,199	1,385	934	656	505	372	671	10
40 to 44 years	3,504	279	465	504	479	373	291	227	169	210	505	2
45 to 49 years	188	10	10	18	11	22	15	11	12	12	67	-
50 years and over	4	-	1	1	-	-	-	-	-	1	1	-
Not stated	104	31	25	15	7	9	8	1	1	2	1	4
White	175,061	62,555	56,108	28,434	12,878	6,223	3,368	1,988	1,229	828	1,309	146
Under 15 years	68	68	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16,891	13,280	3,185	364	31	6	1	-	-	-	-	25
20 to 24 years	58,185	28,594	20,640	6,585	1,734	438	95	36	11	2	1	49
25 to 29 years	53,173	14,010	20,255	10,816	4,544	1,988	907	398	137	59	24	35
30 to 34 years	29,674	4,647	8,762	7,255	4,003	2,109	1,221	732	467	237	221	20
35 to 39 years	13,482	1,644	2,781	2,893	2,092	1,296	848	600	442	320	556	10
40 to 44 years	3,306	272	451	489	456	356	277	210	159	193	441	2
45 to 49 years	179	10	10	18	11	21	11	11	12	11	64	-
50 years and over	4	-	1	1	-	-	-	-	-	1	1	-
Not stated	99	30	23	13	7	9	8	1	1	2	1	4
Native white	171,455	61,318	54,832	27,802	12,651	6,107	3,323	1,967	1,217	808	1,287	143
Under 15 years	68	68	-	-	-	-	-	-	-	-	-	-
15 to 19 years	16,819	13,220	3,172	363	31	6	1	-	-	-	-	26
20 to 24 years	57,167	28,077	20,274	6,484	1,722	437	94	36	11	2	1	49
25 to 29 years	51,874	13,578	19,704	10,576	4,491	1,971	903	396	137	59	24	35
30 to 34 years	28,134	4,512	8,572	7,122	3,955	2,090	1,215	727	467	235	219	20
35 to 39 years	12,968	1,574	2,655	2,772	2,006	1,246	822	590	435	312	546	10
40 to 44 years	3,138	254	422	453	430	329	270	206	154	187	432	1
45 to 49 years	170	8	10	18	9	19	10	11	12	10	63	-
50 years and over	4	-	1	1	-	-	-	-	-	1	1	-
Not stated	93	27	22	13	7	9	8	1	1	2	1	2
Foreign-born white	3,577	1,224	1,266	630	225	116	45	20	12	16	22	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	69	57	11	1	-	-	-	-	-	-	-	-
20 to 24 years	990	515	362	100	11	1	1	-	-	-	-	-
25 to 29 years	1,284	430	549	239	53	17	4	2	-	-	-	-
30 to 34 years	536	133	190	133	48	19	6	4	-	1	2	-
35 to 39 years	511	69	125	121	85	50	26	10	7	8	10	-
40 to 44 years	167	17	29	36	26	27	7	4	5	6	9	1
45 to 49 years	9	2	-	-	2	2	1	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	1	-	-	-	-	-	-	-	-	-	-
Nonwhite	14,367	4,490	3,783	2,387	1,384	866	515	305	224	156	248	9
Under 15 years	77	74	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,941	1,957	767	189	23	1	-	-	-	-	-	4
20 to 24 years	5,136	1,552	1,790	1,082	455	175	60	16	2	1	-	3
25 to 29 years	3,405	583	812	705	535	380	197	105	57	18	10	2
30 to 34 years	1,752	251	287	289	241	203	156	111	92	66	56	-
35 to 39 years	846	65	108	105	107	89	86	56	63	52	115	-
40 to 44 years	198	7	14	15	23	17	14	17	10	17	64	-
45 to 49 years	7	-	-	-	-	1	2	-	-	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	2	2	-	-	-	-	-	-	-	-
Negro	14,249	4,445	3,738	2,373	1,375	863	514	305	224	156	247	9
Under 15 years	77	74	3	-	-	-	-	-	-	-	-	-
15 to 19 years	2,933	1,950	766	189	23	1	-	-	-	-	-	4
20 to 24 years	5,093	1,534	1,771	1,079	452	175	60	16	2	1	-	3
25 to 29 years	3,365	566	796	700	534	379	197	105	57	19	10	2
30 to 34 years	1,740	248	283	286	239	203	156	111	92	66	56	-
35 to 39 years	834	65	104	102	104	89	85	56	63	52	114	-
40 to 44 years	195	7	13	15	25	15	14	17	10	17	64	-
45 to 49 years	7	-	-	-	-	1	2	-	-	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	5	1	2	2	-	-	-	-	-	-	-	-
OKLAHOMA	49,702	16,824	14,777	7,686	3,961	2,205	1,462	863	629	460	762	75
Under 15 years	93	88	5	-	-	-	-	-	-	-	-	-
15 to 19 years	8,633	6,396	1,897	287	33	5	-	-	-	-	-	15
20 to 24 years	17,122	6,620	6,638	2,644	871	242	53	11	4	6	2	31
25 to 29 years	12,133	2,429	3,991	2,666	1,499	824	421	181	74	16	13	19
30 to 34 years	6,569	827	1,593	1,361	951	610	509	281	204	128	101	4
35 to 39 years	3,767	342	501	603	487	385	356	299	250	210	332	2
40 to 44 years	1,074	65	91	91	94	108	102	60	88	88	266	1
45 to 49 years	98	4	5	2	5	10	5	9	7	9	42	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	213	53	56	32	21	19	16	2	2	3	6	3
White	44,114	15,386	13,501	6,823	3,410	1,789	1,155	659	488	340	528	55
Under 15 years	45	44	1	-	-	-	-	-	-	-	-	-
15 to 19 years	7,432	5,626	1,554	216	24	3	-	-	-	-	-	9
20 to 24 years	15,430	6,212	6,084	2,231	690	170	28	6	1	5	2	21
25 to 29 years	10,972	2,311	3,778	2,429	1,288	660	288	120	56	8	7	17
30 to 34 years	5,841	775	1,507	1,278	854	508	408	218	148	88	55	4
35 to 39 years	3,239	316	480	563	446	331	304	235	200	157	225	2
40 to 44 years	902	59	84	80	86	94	82	70	74	72	200	1
45 to 49 years	90	4	5	2	5	10	3	9	7	9	36	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	163	41	48	24	17	13	12	1	2	1	8	1

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OKLAHOMA—Continued												
White—Continued												
Native white	43,806	15,266	13,378	6,787	3,396	1,782	1,133	656	487	338	528	54
Under 15 years	45	44	1	-	-	-	-	-	-	-	-	-
15 to 19 years	7,418	5,814	1,552	216	24	3	-	-	-	-	-	9
20 to 24 years	15,301	8,157	6,002	2,223	686	170	28	6	1	5	2	21
25 to 29 years	10,876	2,273	3,740	2,416	1,264	658	298	120	55	8	7	17
30 to 34 years	5,798	763	1,493	1,269	849	505	407	218	148	87	55	4
35 to 39 years	3,222	313	456	558	445	330	303	234	200	156	225	2
40 to 44 years	897	58	82	79	86	94	82	69	74	72	200	1
45 to 49 years	89	4	5	2	5	10	3	8	7	9	36	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	160	40	48	24	17	12	12	1	2	1	3	-
Foreign-born white	302	119	120	36	14	6	1	3	1	2	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	13	12	1	-	-	-	-	-	-	-	-	-
20 to 24 years	128	55	61	8	4	-	-	-	-	-	-	-
25 to 29 years	96	38	38	13	4	2	-	-	1	-	-	-
30 to 34 years	43	10	14	9	5	3	1	-	-	1	-	-
35 to 39 years	16	3	4	5	1	1	-	1	-	1	-	-
40 to 44 years	5	1	2	1	-	-	-	1	-	-	-	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	5,568	1,438	1,276	863	551	414	327	204	141	120	234	20
Under 15 years	48	44	4	-	-	-	-	-	-	-	-	-
15 to 19 years	1,201	770	343	71	9	2	-	-	-	-	-	6
20 to 24 years	1,692	408	574	413	181	72	25	5	3	1	-	10
25 to 29 years	1,161	118	213	237	211	164	123	61	18	8	6	2
30 to 34 years	728	54	86	83	97	102	101	63	56	40	46	-
35 to 39 years	528	26	41	40	41	54	52	64	50	53	107	-
40 to 44 years	172	6	7	11	8	14	20	10	14	16	66	-
45 to 49 years	8	-	-	-	-	-	2	-	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	50	12	8	8	4	6	4	1	-	2	3	2
Negro	3,617	943	814	572	334	266	185	129	93	76	176	19
Under 15 years	39	35	4	-	-	-	-	-	-	-	-	-
15 to 19 years	864	532	258	58	8	2	-	-	-	-	-	6
20 to 24 years	1,085	236	340	279	129	60	22	5	3	1	-	10
25 to 29 years	714	68	122	142	116	112	79	45	15	7	6	2
30 to 34 years	454	39	49	53	53	59	55	36	42	27	41	-
35 to 39 years	333	19	30	26	23	24	31	37	30	33	80	-
40 to 44 years	88	6	4	7	3	6	5	5	3	6	43	-
45 to 49 years	5	-	-	-	-	-	1	-	-	-	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	35	8	7	7	2	3	2	1	-	2	2	1
OREGON	35,316	11,677	11,671	6,210	2,841	1,171	600	324	174	107	166	375
Under 15 years	17	16	-	-	-	-	-	-	-	-	-	1
15 to 19 years	4,460	3,426	896	95	7	-	-	-	-	-	-	36
20 to 24 years	12,005	4,966	4,691	1,660	443	83	22	4	-	1	1	134
25 to 29 years	9,882	2,082	3,776	2,269	1,040	344	157	60	23	6	1	114
30 to 34 years	5,703	807	1,649	1,464	854	401	225	125	64	29	26	59
35 to 39 years	2,585	302	557	587	403	259	152	93	61	51	86	24
40 to 44 years	816	82	96	119	89	77	43	38	23	18	44	7
45 to 49 years	39	3	3	5	5	5	1	4	3	2	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	3	1	-	2	-	-	-	-	-	-
White	34,601	11,503	11,474	6,091	2,758	1,136	563	301	155	99	150	371
Under 15 years	16	15	-	-	-	-	-	-	-	-	-	1
15 to 19 years	4,380	3,375	870	92	7	-	-	-	-	-	-	36
20 to 24 years	11,786	4,899	4,616	1,617	426	75	18	4	-	1	1	131
25 to 29 years	9,670	2,053	3,711	2,236	1,002	332	147	51	18	6	1	113
30 to 34 years	5,594	797	1,631	1,433	837	393	214	117	58	26	19	59
35 to 39 years	2,512	297	544	589	392	254	143	88	53	48	79	24
40 to 44 years	605	61	96	118	89	75	42	36	23	16	42	7
45 to 49 years	39	3	3	5	5	5	1	4	3	2	8	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	3	1	-	2	-	-	-	-	-	-
Native white	33,536	11,157	11,121	5,896	2,681	1,096	547	289	154	98	142	355
Under 15 years	15	15	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4,330	3,332	863	92	7	-	-	-	-	-	-	36
20 to 24 years	11,530	4,780	4,523	1,588	416	74	16	4	-	1	1	127
25 to 29 years	9,282	1,940	3,561	2,160	984	326	143	47	18	6	1	106
30 to 34 years	5,362	752	1,560	1,381	815	375	207	113	57	26	18	57
35 to 39 years	2,392	272	518	561	372	246	139	87	53	48	73	23
40 to 44 years	570	60	90	108	82	69	41	35	23	15	41	6
45 to 49 years	36	3	3	5	5	4	1	3	3	2	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	3	3	1	-	2	-	-	-	-	-	-
Foreign-born white	1,060	343	353	195	77	40	16	11	1	1	8	15
Under 15 years	1	-	-	-	-	-	-	-	-	-	-	1
15 to 19 years	49	42	7	-	-	-	-	-	-	-	-	-
20 to 24 years	255	119	93	29	10	1	-	-	-	-	-	3
25 to 29 years	376	112	150	76	18	6	4	3	-	-	-	7
30 to 34 years	221	44	71	52	22	18	7	4	1	-	-	2
35 to 39 years	120	25	26	28	20	8	4	2	-	-	6	1
40 to 44 years	35	1	6	10	7	6	1	1	-	1	1	1
45 to 49 years	3	-	-	-	-	1	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
OREGON—Continued												
Nonwhite	715	174	197	119	83	35	37	25	19	8	16	4
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	80	51	28	3	-	-	-	-	-	-	-	-
20 to 24 years	219	67	75	43	17	8	6	-	-	-	-	3
25 to 29 years	212	39	65	33	38	12	10	8	5	-	-	1
30 to 34 years	119	10	18	31	17	8	11	8	6	3	7	-
35 to 39 years	73	5	13	8	11	5	9	4	8	3	7	-
40 to 44 years	11	1	-	1	-	2	1	2	-	2	2	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	328	60	102	62	38	17	18	12	10	4	5	-
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	41	21	18	2	-	-	-	-	-	-	-	-
20 to 24 years	93	16	43	18	10	3	3	-	-	-	-	-
25 to 29 years	100	12	30	19	18	6	6	6	5	-	-	-
30 to 34 years	59	6	7	17	7	4	6	3	3	3	3	-
35 to 39 years	31	3	4	5	5	4	3	3	2	-	2	-
40 to 44 years	3	1	-	1	-	-	-	-	-	1	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	224,581	83,795	69,432	34,355	16,389	8,252	4,695	2,699	1,715	1,168	1,989	112
Under 15 years	172	167	5	-	-	-	-	-	-	-	-	-
15 to 19 years	19,867	15,534	3,710	548	48	8	4	2	1	-	-	12
20 to 24 years	72,482	37,816	23,799	7,623	2,283	684	170	54	12	7	6	48
25 to 29 years	68,337	20,307	25,418	12,514	5,462	2,494	1,215	550	213	85	57	22
30 to 34 years	40,016	7,068	11,909	9,127	5,196	2,800	1,627	949	596	357	371	16
35 to 39 years	18,639	2,410	3,891	3,817	2,735	1,781	1,284	826	589	458	841	7
40 to 44 years	4,525	398	803	663	596	467	361	287	284	240	625	1
45 to 49 years	297	18	26	20	22	30	31	28	19	18	85	-
50 years and over	9	2	-	2	1	-	1	1	-	-	2	-
Not stated	237	75	71	41	26	8	2	2	1	3	2	6
White	207,720	78,559	64,912	31,604	14,759	7,271	4,052	2,305	1,489	975	1,685	109
Under 15 years	78	76	2	-	-	-	-	-	-	-	-	-
15 to 19 years	16,420	13,355	2,722	305	19	3	2	2	-	-	-	12
20 to 24 years	66,494	35,938	21,773	6,412	1,724	443	104	37	7	5	5	46
25 to 29 years	64,312	19,605	24,431	11,692	4,871	2,081	951	407	154	61	38	21
30 to 34 years	38,014	6,797	11,557	8,805	4,902	2,583	1,446	823	522	285	278	16
35 to 39 years	17,627	2,323	3,761	3,688	2,616	1,679	1,175	741	521	394	722	7
40 to 44 years	4,261	393	577	643	581	449	341	267	266	213	580	1
45 to 49 years	274	16	24	20	20	27	30	26	18	15	78	-
50 years and over	8	2	-	2	1	-	1	-	-	-	2	-
Not stated	212	64	65	37	25	6	2	2	1	2	2	6
Native white	202,513	76,775	63,102	30,767	14,417	7,101	3,955	2,261	1,448	953	1,631	103
Under 15 years	76	76	2	-	-	-	-	-	-	-	-	-
15 to 19 years	16,282	13,254	2,698	302	19	3	2	2	-	-	-	12
20 to 24 years	65,137	35,281	21,254	6,264	1,696	441	104	37	7	4	5	44
25 to 29 years	62,561	18,955	23,690	11,434	4,805	2,060	942	406	153	60	38	20
30 to 34 years	37,189	6,580	11,267	8,614	4,825	2,557	1,428	820	520	284	278	16
35 to 39 years	16,830	2,201	3,589	3,500	2,491	1,594	1,134	721	501	385	707	7
40 to 44 years	4,001	359	525	602	541	420	318	249	249	204	533	1
45 to 49 years	242	16	22	18	17	21	25	24	17	14	68	-
50 years and over	5	2	-	1	1	-	1	-	-	-	-	-
Not stated	178	53	55	32	22	5	1	2	1	2	2	3
Foreign-born white	5,135	1,756	1,790	828	336	167	95	43	41	22	54	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	121	85	23	3	-	-	-	-	-	-	-	-
20 to 24 years	1,341	648	514	147	27	2	-	-	-	1	-	2
25 to 29 years	1,744	650	738	257	66	21	8	1	1	1	-	1
30 to 34 years	818	217	287	190	76	24	18	3	2	1	-	-
35 to 39 years	794	122	172	187	124	85	41	19	20	9	15	-
40 to 44 years	280	24	52	41	40	29	23	18	17	9	27	-
45 to 49 years	32	-	2	2	3	6	5	2	1	1	10	-
50 years and over	3	-	-	1	-	-	-	-	-	-	2	-
Not stated	2	-	2	-	-	-	-	-	-	-	-	-
Nonwhite	16,861	5,236	4,520	2,751	1,610	981	643	394	226	193	304	3
Under 15 years	94	91	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,447	2,179	988	243	29	5	2	-	1	-	-	-
20 to 24 years	5,988	1,878	2,026	1,211	559	221	66	17	5	2	1	2
25 to 29 years	4,025	702	987	822	591	413	264	143	59	24	19	1
30 to 34 years	2,002	271	352	322	294	217	181	126	74	72	93	-
35 to 39 years	1,012	87	130	129	119	102	109	85	68	64	119	-
40 to 44 years	244	15	28	20	15	18	20	20	18	27	65	-
45 to 49 years	23	2	2	-	2	3	1	2	1	3	7	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	25	11	6	4	1	2	-	-	-	1	-	-
Negro	16,763	5,198	4,493	2,736	1,605	973	639	393	226	193	304	3
Under 15 years	94	91	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,444	2,178	986	243	29	5	2	-	1	-	-	-
20 to 24 years	5,957	1,859	2,018	1,207	559	221	66	17	5	2	1	2
25 to 29 years	3,994	690	976	817	590	412	263	143	59	24	19	1
30 to 34 years	1,984	266	347	318	293	215	180	126	74	72	93	-
35 to 39 years	1,002	86	129	127	117	101	107	84	68	64	119	-
40 to 44 years	239	15	26	20	14	14	20	20	18	27	65	-
45 to 49 years	23	2	2	-	2	3	1	2	1	3	7	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	25	11	6	4	1	2	-	-	-	1	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
RHODE ISLAND	16,492	6,087	5,172	2,577	1,050	482	231	125	65	49	87	567
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,022	802	169	15	2	1	-	-	-	-	-	33
20 to 24 years	5,002	2,759	1,533	424	64	24	3	2	-	-	-	173
25 to 29 years	5,332	1,650	2,013	931	349	132	54	22	2	1	2	176
30 to 34 years	3,235	578	1,042	795	350	172	78	42	27	17	16	118
35 to 39 years	1,529	241	356	357	210	115	74	39	24	19	44	50
40 to 44 years	342	52	55	52	54	35	19	19	11	8	25	12
45 to 49 years	18	1	2	2	1	3	3	1	1	4	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	1	-	-	-	-	-	-	-	5
White	16,070	5,983	5,065	2,495	1,010	448	216	113	58	42	75	565
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	958	754	156	14	-	1	-	-	-	-	-	33
20 to 24 years	4,860	2,721	1,479	388	76	19	3	2	-	-	-	172
25 to 29 years	5,220	1,639	1,988	905	332	114	44	18	2	-	2	176
30 to 34 years	3,170	572	1,033	782	338	164	76	37	24	13	12	118
35 to 39 years	1,502	241	351	351	209	114	71	39	21	18	38	49
40 to 44 years	332	52	54	51	54	33	19	17	10	7	23	12
45 to 49 years	17	1	2	2	1	3	3	-	1	4	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	10	2	2	1	-	-	-	-	-	-	-	5
Native white	15,291	5,739	4,853	2,349	942	424	196	103	55	36	67	527
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	946	745	154	14	-	1	-	-	-	-	-	32
20 to 24 years	4,720	2,642	1,447	371	76	19	3	2	-	-	-	166
25 to 29 years	4,955	1,536	1,897	865	313	112	44	18	2	-	2	166
30 to 34 years	3,021	547	984	740	325	160	71	36	24	13	12	109
35 to 39 years	1,349	218	322	318	185	105	61	32	20	15	34	39
40 to 44 years	272	47	46	39	42	24	16	15	9	4	19	11
45 to 49 years	12	1	1	1	1	3	1	-	-	4	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	9	2	2	1	-	-	-	-	-	-	-	4
Foreign-born white	778	244	212	146	68	24	20	10	3	6	8	37
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	12	9	2	-	-	-	-	-	-	-	-	1
20 to 24 years	134	73	32	17	-	-	-	-	-	-	-	6
25 to 29 years	265	103	91	40	19	2	-	-	-	-	-	10
30 to 34 years	149	25	49	43	13	4	5	1	-	-	-	9
35 to 39 years	153	23	29	33	24	9	10	7	1	3	4	10
40 to 44 years	60	5	8	12	12	9	3	2	1	3	4	1
45 to 49 years	5	-	1	1	-	-	2	-	1	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	422	104	107	82	40	34	15	12	7	7	12	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	64	48	13	1	2	-	-	-	-	-	-	-
20 to 24 years	142	38	54	36	8	5	-	-	-	-	-	1
25 to 29 years	112	11	25	26	17	18	10	4	-	1	-	-
30 to 34 years	65	6	9	12	12	8	2	5	3	4	4	-
35 to 39 years	27	-	5	6	1	1	3	-	3	1	6	1
40 to 44 years	10	-	1	1	-	2	-	2	1	1	2	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Negro	392	100	96	76	38	31	14	10	7	7	11	2
Under 15 years	1	1	-	-	-	-	-	-	-	-	-	-
15 to 19 years	61	47	11	1	2	-	-	-	-	-	-	-
20 to 24 years	133	36	48	36	7	5	-	-	-	-	-	1
25 to 29 years	104	10	22	23	17	17	10	4	-	1	-	-
30 to 34 years	59	6	9	10	11	7	2	3	3	4	4	-
35 to 39 years	25	-	5	5	1	1	2	-	3	1	6	1
40 to 44 years	8	-	1	1	-	1	-	2	1	1	1	-
45 to 49 years	1	-	-	-	-	-	-	1	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	58,516	16,488	14,248	9,070	5,627	3,766	2,829	2,041	1,482	1,019	1,905	41
Under 15 years	223	186	34	3	-	-	-	-	-	-	-	-
15 to 19 years	10,953	6,786	3,062	843	204	31	5	6	-	1	-	15
20 to 24 years	19,356	5,879	6,016	3,771	2,016	992	433	151	48	19	16	15
25 to 29 years	14,147	2,319	3,321	2,576	1,946	1,475	1,116	702	391	168	129	4
30 to 34 years	7,703	786	1,233	1,245	941	768	759	680	494	351	445	1
35 to 39 years	4,491	347	432	496	405	381	400	381	439	365	843	2
40 to 44 years	1,110	74	62	73	65	81	81	89	86	99	400	-
45 to 49 years	112	7	2	4	6	6	9	9	8	7	54	-
50 years and over	4	-	-	1	1	-	-	1	-	-	1	-
Not stated	417	104	86	58	43	32	26	22	16	9	17	4
White	31,649	10,501	9,168	5,084	2,653	1,440	1,010	630	435	293	418	17
Under 15 years	41	39	2	-	-	-	-	-	-	-	-	-
15 to 19 years	4,953	3,547	1,169	191	35	4	-	2	-	1	-	4
20 to 24 years	10,541	4,198	3,807	1,661	596	196	59	11	2	1	3	7
25 to 29 years	8,406	1,765	2,684	1,787	1,037	566	344	133	64	18	6	2
30 to 34 years	4,509	619	1,047	978	632	373	343	238	140	75	63	1
35 to 39 years	2,390	253	368	584	279	230	195	185	170	140	186	-
40 to 44 years	626	43	55	65	51	61	57	55	32	51	136	-
45 to 49 years	54	5	2	2	4	2	6	3	5	3	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	129	32	34	16	19	8	6	3	2	4	2	3

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH CAROLINA—Continued												
White—Continued												
Native white	31,345	10,383	9,052	5,044	2,639	1,432	1,008	628	434	291	418	16
Under 15 years	41	39	2	-	-	-	-	-	-	-	-	-
15 to 19 years	4,938	3,536	1,166	190	35	4	-	2	-	1	-	4
20 to 24 years	10,404	4,133	3,754	1,647	592	195	59	11	2	1	3	7
25 to 29 years	8,310	1,733	2,637	1,777	1,034	565	343	151	64	18	8	2
30 to 34 years	4,472	612	1,037	984	629	371	345	238	139	75	63	1
35 to 39 years	2,379	252	365	383	276	228	195	185	170	139	186	-
40 to 44 years	624	43	55	65	51	60	56	55	52	51	136	-
45 to 49 years	53	5	2	2	4	1	6	3	5	3	22	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	124	30	34	16	18	8	6	3	2	3	2	2
Foreign-born white	281	107	112	38	12	8	2	1	-	1	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8	5	2	1	-	-	-	-	-	-	-	-
20 to 24 years	134	65	52	13	3	1	-	-	-	-	-	-
25 to 29 years	92	30	46	10	3	1	1	1	-	-	-	-
30 to 34 years	34	6	9	14	3	2	-	-	-	-	-	-
35 to 39 years	10	1	3	-	3	2	-	-	-	1	-	-
40 to 44 years	2	-	-	-	-	1	1	-	-	-	-	-
45 to 49 years	1	-	-	-	-	1	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	26,867	5,987	5,080	3,986	2,974	2,326	1,819	1,411	1,047	726	1,487	24
Under 15 years	182	147	32	3	-	-	-	-	-	-	-	-
15 to 19 years	6,000	3,239	1,695	652	169	27	5	4	-	-	-	11
20 to 24 years	8,615	1,681	2,209	2,110	1,420	796	374	140	46	18	13	8
25 to 29 years	5,741	554	637	789	909	909	772	569	327	150	123	2
30 to 34 years	3,194	167	186	267	309	395	416	442	354	276	382	-
35 to 39 years	2,101	94	64	112	126	151	205	196	269	225	657	2
40 to 44 years	484	31	7	8	14	20	24	34	34	48	264	-
45 to 49 years	58	2	-	2	2	4	3	6	3	4	32	-
50 years and over	4	-	-	1	1	-	-	1	-	-	1	-
Not stated	288	72	52	42	24	24	20	19	14	5	15	1
Negro	26,840	5,980	5,075	3,982	2,973	2,325	1,819	1,409	1,044	726	1,485	24
Under 15 years	182	147	32	3	-	-	-	-	-	-	-	-
15 to 19 years	5,995	3,237	1,691	651	169	27	5	4	-	-	-	11
20 to 24 years	8,809	1,680	2,206	2,107	1,420	795	374	140	46	18	13	8
25 to 29 years	5,733	550	636	789	908	907	772	569	327	150	123	2
30 to 34 years	3,192	167	186	267	309	395	416	441	353	276	382	-
35 to 39 years	2,098	94	64	112	126	151	205	195	268	225	656	2
40 to 44 years	482	31	7	8	14	20	24	34	33	48	263	-
45 to 49 years	58	2	-	2	2	4	3	6	3	4	32	-
50 years and over	4	-	-	1	1	-	-	1	-	-	1	-
Not stated	287	72	51	42	24	24	20	19	14	5	15	1
SOUTH DAKOTA	17,211	5,424	5,121	2,990	1,567	820	456	316	180	111	184	42
Under 15 years	11	11	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,782	1,425	306	43	2	-	-	-	-	-	-	6
20 to 24 years	5,742	2,539	2,156	770	204	46	5	-	-	1	-	21
25 to 29 years	4,822	982	1,698	1,149	569	244	101	45	16	8	3	7
30 to 34 years	2,099	316	698	705	477	293	171	121	65	31	17	5
35 to 39 years	1,461	118	213	266	259	164	126	114	67	51	81	2
40 to 44 years	434	26	38	52	50	66	47	31	29	19	76	-
45 to 49 years	29	1	2	1	1	5	5	4	2	1	7	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	31	6	10	4	5	2	1	1	1	-	-	1
White	16,496	5,253	4,985	2,685	1,494	757	399	276	155	88	155	39
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,673	1,339	286	40	2	-	-	-	-	-	-	6
20 to 24 years	5,548	2,479	2,082	728	192	43	4	-	-	1	-	19
25 to 29 years	4,639	967	1,666	1,110	537	213	78	37	14	7	3	7
30 to 34 years	2,773	312	691	693	458	274	144	101	57	26	13	4
35 to 39 years	1,398	117	212	259	252	157	121	104	57	39	68	2
40 to 44 years	401	25	36	50	47	63	47	30	24	14	65	-
45 to 49 years	27	1	2	1	1	5	4	4	2	1	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	29	5	10	4	5	2	1	-	1	-	-	1
Native white	16,257	5,195	4,900	2,645	1,479	745	394	274	154	84	154	33
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,668	1,338	285	40	2	-	-	-	-	-	-	6
20 to 24 years	5,477	2,452	2,080	719	192	41	4	-	-	1	-	18
25 to 29 years	4,557	950	1,633	1,091	532	207	77	37	14	7	3	6
30 to 34 years	2,734	306	676	687	453	273	142	99	57	25	13	3
35 to 39 years	1,369	115	209	254	248	157	119	104	56	38	57	2
40 to 44 years	394	23	36	50	46	60	47	30	24	13	65	-
45 to 49 years	25	1	2	1	1	4	4	4	2	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	24	4	9	3	5	1	1	-	1	-	-	-
Foreign-born white	223	56	83	39	15	14	5	2	1	4	1	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	3	2	1	-	-	-	-	-	-	-	-	-
20 to 24 years	71	27	32	9	-	2	-	-	-	-	-	1
25 to 29 years	81	17	32	19	5	6	1	-	-	-	-	1
30 to 34 years	39	6	15	6	5	1	2	2	-	1	-	1
35 to 39 years	19	2	3	5	4	-	2	-	1	1	1	-
40 to 44 years	7	2	-	-	1	3	-	-	-	1	-	-
45 to 49 years	2	-	-	-	-	1	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	1	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
SOUTH DAKOTA—Continued												
Nonwhite	725	171	136	105	73	63	57	40	25	23	29	3
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	109	86	20	3	-	-	-	-	-	-	-	-
20 to 24 years	194	60	74	42	12	3	1	-	-	-	-	2
25 to 29 years	185	15	32	39	32	31	23	8	2	1	-	-
30 to 34 years	126	4	7	12	19	19	27	20	8	5	4	1
35 to 39 years	73	1	1	7	7	7	5	10	10	12	13	-
40 to 44 years	33	1	2	2	3	3	-	1	5	5	11	-
45 to 49 years	2	-	-	-	-	-	1	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	-	-	-	1	-	-	-	-
TENNESSEE	82,854	27,189	22,338	12,241	7,030	4,357	3,088	2,148	1,511	1,037	1,808	107
Under 15 years	213	204	9	-	-	-	-	-	-	-	-	-
15 to 19 years	14,666	10,484	3,465	603	80	12	1	-	-	-	-	21
20 to 24 years	26,626	10,081	9,545	4,437	1,743	553	173	53	13	1	-	27
25 to 29 years	20,324	4,072	5,939	4,162	2,883	1,652	994	470	212	67	46	27
30 to 34 years	11,563	1,525	2,338	2,008	1,535	1,190	1,052	611	516	308	262	20
35 to 39 years	6,878	583	835	841	801	732	678	607	574	445	778	4
40 to 44 years	2,154	145	149	152	153	190	174	188	185	194	624	2
45 to 49 years	174	7	2	4	12	13	12	12	8	16	88	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	254	90	56	33	25	15	4	7	3	6	9	6
White	67,573	22,942	18,950	9,882	5,454	3,295	2,303	1,578	1,087	732	1,269	81
Under 15 years	89	83	6	-	-	-	-	-	-	-	-	-
15 to 19 years	11,018	8,254	2,400	310	33	1	-	-	-	-	-	18
20 to 24 years	21,876	8,892	8,098	3,345	1,125	293	86	14	6	-	-	17
25 to 29 years	17,059	3,841	5,374	3,548	2,143	1,234	671	265	121	27	12	23
30 to 34 years	9,707	1,352	2,150	1,779	1,299	959	839	625	361	184	145	14
35 to 39 years	5,657	512	740	731	688	619	545	498	431	348	541	3
40 to 44 years	1,800	127	135	138	131	168	148	158	158	153	485	1
45 to 49 years	155	7	1	4	11	11	10	12	8	14	77	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	212	74	46	26	24	12	4	5	2	6	8	5
Native white	67,261	22,839	18,821	9,828	5,442	3,288	2,301	1,578	1,087	731	1,267	79
Under 15 years	89	83	6	-	-	-	-	-	-	-	-	-
15 to 19 years	11,004	8,244	2,398	310	33	1	-	-	-	-	-	18
20 to 24 years	21,754	8,847	8,043	3,325	1,124	293	85	14	6	-	-	17
25 to 29 years	16,958	3,613	5,325	3,532	2,138	1,231	671	265	121	27	12	23
30 to 34 years	9,664	1,344	2,133	1,767	1,296	957	839	625	361	184	144	14
35 to 39 years	5,642	509	736	727	687	617	545	499	431	347	541	3
40 to 44 years	1,797	126	135	138	130	166	147	158	158	153	485	1
45 to 49 years	155	7	1	4	11	11	10	12	8	14	77	-
50 years and over	2	-	-	1	-	-	-	-	-	-	1	-
Not stated	196	66	44	24	23	12	4	5	2	6	7	3
Foreign-born white	288	92	123	54	11	6	1	-	-	1	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	11	9	2	-	-	-	-	-	-	-	-	-
20 to 24 years	117	45	51	20	1	-	-	-	-	-	-	-
25 to 29 years	99	27	49	16	5	2	-	-	-	-	-	-
30 to 34 years	42	8	17	12	3	2	-	-	-	-	-	-
35 to 39 years	14	2	4	4	1	2	-	-	-	1	-	-
40 to 44 years	3	1	-	-	1	-	1	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	-	2	-	-	-	-	-	-	-	-
Nonwhite	15,281	4,247	3,388	2,359	1,576	1,062	785	570	424	305	539	26
Under 15 years	124	121	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,650	2,230	1,065	293	47	11	1	-	-	-	-	3
20 to 24 years	4,750	1,189	1,447	1,092	618	260	87	39	7	1	-	10
25 to 29 years	3,265	431	565	614	540	418	323	208	91	40	34	4
30 to 34 years	1,856	173	188	229	234	231	213	188	155	124	117	6
35 to 39 years	1,221	71	95	110	113	113	133	108	143	97	237	1
40 to 44 years	354	16	14	14	22	24	26	30	27	41	139	1
45 to 49 years	19	-	1	-	1	2	2	-	-	2	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	42	16	10	7	1	3	-	2	1	-	1	1
Negro	15,267	4,242	3,385	2,358	1,575	1,061	783	570	424	304	539	26
Under 15 years	124	121	3	-	-	-	-	-	-	-	-	-
15 to 19 years	3,650	2,230	1,065	293	47	11	1	-	-	-	-	3
20 to 24 years	4,747	1,186	1,447	1,092	618	260	87	39	7	1	-	10
25 to 29 years	3,259	430	562	613	539	418	323	208	91	40	34	4
30 to 34 years	1,854	172	188	229	234	231	212	186	155	124	117	6
35 to 39 years	1,219	71	95	110	113	112	132	108	143	97	237	1
40 to 44 years	353	16	14	14	22	24	26	30	27	40	139	1
45 to 49 years	19	-	1	-	1	2	2	-	-	2	11	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	42	16	10	7	1	3	-	2	1	-	1	1
TEXAS	202,297	58,811	57,298	33,440	18,245	10,856	6,955	4,600	3,315	2,348	4,713	1,522
Under 15 years	403	302	80	6	1	-	-	-	-	-	-	14
15 to 19 years	32,572	19,621	9,188	2,548	508	115	19	12	4	2	-	555
20 to 24 years	58,544	23,421	23,698	11,945	5,288	2,266	845	308	99	55	42	577
25 to 29 years	52,027	9,780	15,521	10,799	6,588	3,983	2,526	1,454	716	352	296	212
30 to 34 years	26,118	3,696	6,217	5,440	3,724	2,571	2,010	1,586	1,145	693	967	89
35 to 39 years	15,931	1,596	2,194	2,234	1,927	1,531	1,218	1,144	1,032	911	2,100	44
40 to 44 years	4,080	305	326	376	355	345	302	292	284	290	1,173	12
45 to 49 years	297	17	15	17	20	19	21	14	29	30	115	-
50 years and over	22	7	2	2	1	-	1	1	1	2	5	-
Not stated	323	66	57	73	33	26	13	9	5	7	15	19

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
TEXAS—Continued												
White	175,709	52,540	51,191	29,019	15,428	8,837	5,585	3,807	2,591	1,858	3,577	1,278
Under 15 years	229	171	45	4	-	-	-	-	-	-	-	9
15 to 19 years	26,554	16,636	7,156	1,837	369	67	11	9	3	2	-	444
20 to 24 years	59,809	21,466	21,173	9,878	4,075	1,713	629	231	69	40	33	502
25 to 29 years	46,367	9,078	14,552	9,739	5,492	3,212	1,895	1,109	528	267	217	178
30 to 34 years	24,868	3,360	5,856	5,051	3,367	2,167	1,631	1,238	875	527	713	83
35 to 39 years	13,902	1,467	2,040	2,093	1,759	1,338	1,024	953	832	743	1,614	39
40 to 44 years	3,472	281	303	345	325	308	262	245	251	247	895	10
45 to 49 years	255	16	15	15	19	15	20	14	28	25	88	-
50 years and over	21	7	2	2	1	-	1	1	1	1	5	-
Not stated	252	58	49	55	21	17	10	7	4	6	12	13
Native white	164,165	50,574	48,836	27,389	14,155	7,867	4,623	3,166	2,153	1,476	2,569	1,177
Under 15 years	215	164	38	4	-	-	-	-	-	-	-	9
15 to 19 years	25,400	16,148	6,749	1,676	329	59	10	7	3	1	-	417
20 to 24 years	56,663	20,692	20,212	9,240	3,691	1,519	536	195	57	32	23	464
25 to 29 years	43,466	8,674	13,919	9,256	5,045	2,860	1,748	941	461	227	169	166
30 to 34 years	23,029	3,227	5,849	4,833	3,135	1,962	1,413	1,036	733	420	546	75
35 to 39 years	12,151	1,356	1,934	1,979	1,624	1,179	868	786	674	582	1,137	32
40 to 44 years	2,882	257	286	324	299	266	220	208	200	191	625	6
45 to 49 years	187	13	12	14	13	12	17	11	21	17	57	-
50 years and over	19	6	2	2	1	-	1	-	1	1	5	-
Not stated	173	38	35	41	18	10	8	2	3	5	7	8
Foreign-born white	11,333	1,909	2,312	1,624	1,251	950	748	632	435	381	998	93
Under 15 years	14	7	7	-	-	-	-	-	-	-	-	-
15 to 19 years	1,112	475	402	157	40	8	1	2	-	1	-	26
20 to 24 years	3,095	766	945	632	371	190	90	35	12	8	10	36
25 to 29 years	2,864	393	625	479	445	346	245	166	66	40	48	11
30 to 34 years	1,818	129	206	214	228	203	215	201	142	108	167	7
35 to 39 years	1,749	107	104	113	134	158	152	185	157	161	471	7
40 to 44 years	586	23	17	21	26	41	42	37	51	56	268	4
45 to 49 years	68	3	3	1	6	3	3	3	7	8	31	-
50 years and over	3	1	-	-	-	-	-	1	-	-	-	-
Not stated	25	5	3	7	1	1	-	2	-	1	3	2
Nonwhite	26,588	6,271	6,107	4,421	2,817	2,019	1,372	993	724	494	1,136	244
Under 15 years	174	131	35	2	1	-	-	-	-	-	-	5
15 to 19 years	6,038	2,985	2,032	711	139	48	8	3	1	-	-	111
20 to 24 years	8,735	1,955	2,525	2,067	1,213	553	216	77	30	15	9	75
25 to 29 years	5,660	702	969	1,060	896	771	531	345	188	85	79	34
30 to 34 years	3,250	336	361	389	357	404	379	328	270	166	254	6
35 to 39 years	2,029	129	154	141	168	193	194	191	200	168	486	5
40 to 44 years	588	24	23	51	30	37	40	47	33	43	278	2
45 to 49 years	42	1	-	2	1	4	1	-	1	5	27	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	71	8	8	18	12	9	3	2	1	1	3	6
Negro	26,443	6,222	6,054	4,403	2,805	2,012	1,369	992	724	484	1,134	244
Under 15 years	174	131	35	2	1	-	-	-	-	-	-	5
15 to 19 years	6,025	2,978	2,027	710	139	48	8	3	1	-	-	111
20 to 24 years	8,672	1,929	2,499	2,060	1,210	552	216	77	30	15	9	75
25 to 29 years	5,618	690	952	1,056	893	769	528	344	188	85	79	34
30 to 34 years	3,236	333	359	386	353	402	379	328	270	166	254	6
35 to 39 years	2,021	129	151	139	167	192	194	191	200	168	485	5
40 to 44 years	584	24	23	30	29	36	40	47	33	43	277	2
45 to 49 years	41	-	-	2	1	4	1	-	1	5	27	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-
Not stated	71	8	8	18	12	9	3	2	1	1	3	6
UTAH	21,164	6,198	6,278	3,996	2,205	1,207	554	295	183	104	138	6
Under 15 years	10	10	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,550	2,011	500	63	5	-	-	-	-	-	-	1
20 to 24 years	7,097	2,856	2,921	987	243	67	17	2	1	1	-	2
25 to 29 years	5,771	933	1,966	1,611	768	311	120	32	19	5	4	2
30 to 34 years	3,370	255	632	932	726	434	181	109	54	26	21	-
35 to 39 years	1,741	97	201	330	375	305	175	109	66	35	48	-
40 to 44 years	487	19	40	55	72	82	58	38	36	29	58	-
45 to 49 years	46	-	2	6	5	6	3	5	6	7	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	62	17	16	12	11	2	-	-	1	1	1	1
White	20,888	6,127	6,217	3,950	2,174	1,186	536	287	176	102	130	3
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,558	1,997	495	61	4	-	-	-	-	-	-	1
20 to 24 years	7,006	2,822	2,895	971	237	63	15	1	1	1	-	-
25 to 29 years	5,681	917	1,939	1,594	754	303	116	31	18	5	4	2
30 to 34 years	3,318	251	629	921	720	428	171	103	51	25	19	-
35 to 39 years	1,730	96	201	330	371	303	175	109	65	34	46	-
40 to 44 years	481	19	40	55	72	81	56	38	36	29	55	-
45 to 49 years	45	-	2	6	5	6	3	5	6	7	5	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	61	17	16	12	11	2	-	-	1	1	1	-
Native white	20,400	6,012	6,080	3,852	2,126	1,146	519	277	168	95	122	3
Under 15 years	8	8	-	-	-	-	-	-	-	-	-	-
15 to 19 years	2,553	1,983	494	61	4	-	-	-	-	-	-	1
20 to 24 years	6,888	2,771	2,849	955	233	62	15	1	1	1	-	2
25 to 29 years	5,541	886	1,888	1,553	745	298	113	31	16	5	4	-
30 to 34 years	3,224	238	607	901	702	415	165	103	51	24	18	-
35 to 39 years	1,668	89	194	317	362	293	171	103	61	34	44	-
40 to 44 years	443	15	38	51	70	72	52	34	33	26	51	-
45 to 49 years	39	-	2	5	4	5	3	5	6	5	4	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	36	11	8	9	6	1	-	-	-	-	1	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
UTAH—Continued												
White—Continued												
Foreign-born white	429	102	123	86	39	34	16	9	6	6	8	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	4	3	1	-	-	-	-	-	-	-	-	-
20 to 24 years	108	49	43	13	3	-	-	-	-	-	-	-
25 to 29 years	128	29	48	36	9	3	3	-	-	-	-	-
30 to 34 years	87	13	22	19	15	11	5	-	-	1	1	-
35 to 39 years	61	7	7	13	9	10	4	5	4	-	2	-
40 to 44 years	35	1	2	4	2	9	4	4	2	3	4	-
45 to 49 years	6	-	-	1	1	1	-	-	-	2	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	276	71	61	46	31	21	18	8	7	2	8	3
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	22	14	5	2	1	-	-	-	-	-	-	-
20 to 24 years	91	34	26	16	6	4	2	1	-	-	-	2
25 to 29 years	90	16	27	17	14	8	4	1	3	-	-	-
30 to 34 years	52	4	3	11	6	6	10	6	3	1	2	-
35 to 39 years	11	1	-	-	4	2	-	-	1	1	2	-
40 to 44 years	6	-	-	-	-	1	2	-	-	-	3	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT	9,297	2,860	2,686	1,574	909	478	267	166	96	72	108	81
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,002	768	196	22	4	-	-	-	-	-	-	12
20 to 24 years	3,050	1,272	1,092	441	163	38	20	4	-	-	-	20
25 to 29 years	2,704	559	888	603	328	151	78	46	15	5	1	30
30 to 34 years	1,527	157	366	341	237	169	89	58	46	27	24	13
35 to 39 years	743	77	117	135	130	95	57	37	20	27	45	3
40 to 44 years	237	18	23	29	44	22	21	20	13	12	34	1
45 to 49 years	20	1	1	2	2	3	2	1	2	1	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	2	3	1	1	-	-	-	-	-	-	1
White	9,293	2,860	2,685	1,572	909	477	267	166	96	72	108	81
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,002	768	196	22	4	-	-	-	-	-	-	12
20 to 24 years	3,049	1,272	1,092	440	163	38	20	4	-	-	-	20
25 to 29 years	2,702	559	888	602	328	150	78	46	15	5	1	30
30 to 34 years	1,526	157	365	341	237	169	89	58	46	27	24	13
35 to 39 years	743	77	117	135	130	95	57	37	20	27	45	3
40 to 44 years	237	18	23	29	44	22	21	20	13	12	34	1
45 to 49 years	20	1	1	2	2	3	2	1	2	1	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	8	2	3	1	1	-	-	-	-	-	-	1
Native white	8,600	2,687	2,493	1,454	825	434	245	149	82	60	92	79
Under 15 years	6	6	-	-	-	-	-	-	-	-	-	-
15 to 19 years	972	746	191	19	4	-	-	-	-	-	-	12
20 to 24 years	2,891	1,207	1,028	421	155	36	20	4	-	-	-	20
25 to 29 years	2,470	495	816	550	300	143	74	43	15	4	1	29
30 to 34 years	1,393	146	333	316	214	151	79	53	41	28	22	12
35 to 39 years	651	67	102	122	114	83	53	33	15	19	40	3
40 to 44 years	195	17	21	24	36	18	17	15	10	11	25	1
45 to 49 years	16	1	1	2	2	3	2	1	1	-	4	1
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	4	2	1	-	-	-	-	-	-	-	-	1
Foreign-born white	684	172	189	115	83	43	22	17	13	12	16	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	29	21	5	3	-	-	-	-	-	-	-	-
20 to 24 years	158	65	64	17	8	2	-	-	-	-	-	-
25 to 29 years	231	64	72	52	27	7	4	3	-	1	-	1
30 to 34 years	132	11	32	25	23	18	10	5	4	1	2	1
35 to 39 years	90	10	13	13	16	12	4	4	5	8	5	-
40 to 44 years	42	1	2	5	8	4	4	5	3	1	9	-
45 to 49 years	2	-	-	-	-	-	-	-	1	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	-	1	-	1	-	-	-	-	-	-	-
Nonwhite	4	-	1	2	-	1	-	-	-	-	-	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	-	-	-	-	-	-	-	-	-	-	-	-
20 to 24 years	1	-	-	1	-	-	-	-	-	-	-	-
25 to 29 years	2	-	-	1	-	1	-	-	-	-	-	-
30 to 34 years	1	-	1	-	-	-	-	-	-	-	-	-
35 to 39 years	-	-	-	-	-	-	-	-	-	-	-	-
40 to 44 years	-	-	-	-	-	-	-	-	-	-	-	-
45 to 49 years	-	-	-	-	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	82,960	27,371	23,449	12,810	6,660	3,908	2,744	1,909	1,309	976	1,736	88
Under 15 years	218	194	20	4	-	-	-	-	-	-	-	-
15 to 19 years	12,855	8,928	3,157	627	95	16	5	2	-	-	-	25
20 to 24 years	26,396	10,428	8,958	4,253	1,745	652	230	79	24	13	9	25
25 to 29 years	22,407	5,120	6,998	4,371	2,391	1,541	1,012	523	238	115	77	21
30 to 34 years	12,384	1,839	3,054	2,320	1,454	1,006	646	708	492	321	334	10
35 to 39 years	6,466	646	1,063	981	770	545	486	458	382	379	744	2
40 to 44 years	1,868	139	173	212	170	121	150	128	146	136	491	2
45 to 49 years	149	8	7	6	7	10	10	8	10	9	74	-
50 years and over	9	1	-	1	1	2	-	-	1	-	3	-
Not stated	208	68	39	35	27	15	5	3	6	3	4	3

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
VIRGINIA—Continued												
White	61,351	21,590	18,611	9,507	4,452	2,379	1,536	1,086	733	521	888	48
Under 15 years	46	42	2	2	-	-	-	-	-	-	-	-
15 to 19 years	7,933	6,001	1,675	218	25	2	1	2	-	-	-	9
20 to 24 years	19,504	8,703	6,870	2,687	869	280	88	19	8	4	3	13
25 to 29 years	17,564	4,484	6,162	3,512	1,636	903	496	217	84	36	18	14
30 to 34 years	9,715	1,658	2,753	2,005	1,137	704	522	416	261	149	121	9
35 to 39 years	4,962	556	967	870	627	406	322	334	262	229	398	1
40 to 44 years	1,421	118	158	193	139	88	117	89	107	98	313	1
45 to 49 years	103	8	5	4	7	9	8	6	8	5	43	-
50 years and over	4	1	-	1	-	2	-	-	-	-	-	-
Not stated	99	39	19	15	10	5	2	3	3	-	2	1
Native white	50,240	21,202	18,155	9,331	4,389	2,362	1,530	1,085	731	521	887	47
Under 15 years	46	42	2	2	-	-	-	-	-	-	-	-
15 to 19 years	7,902	5,979	1,666	218	25	2	1	2	-	-	-	9
20 to 24 years	19,127	8,545	6,708	2,648	853	258	68	19	8	4	3	13
25 to 29 years	17,148	4,343	5,975	3,453	1,617	898	494	217	84	36	18	15
30 to 34 years	9,539	1,598	2,689	1,958	1,123	699	518	416	260	149	120	9
35 to 39 years	4,879	538	940	845	617	405	322	333	261	229	388	1
40 to 44 years	1,405	115	152	188	138	87	117	89	107	98	313	1
45 to 49 years	102	8	5	4	6	9	8	6	8	5	43	-
50 years and over	4	1	-	1	-	2	-	-	-	-	-	-
Not stated	88	33	18	14	10	2	2	3	3	-	2	1
Foreign-born white	1,083	375	454	172	60	14	5	-	2	-	-	1
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	29	20	9	-	-	-	-	-	-	-	-	-
20 to 24 years	370	154	162	38	14	2	-	-	-	-	-	1
25 to 29 years	413	140	186	59	21	5	1	-	-	-	-	-
30 to 34 years	172	40	64	45	13	5	4	-	1	-	-	-
35 to 39 years	82	18	27	25	10	1	-	-	1	-	-	-
40 to 44 years	16	3	6	5	1	1	-	-	-	-	-	-
45 to 49 years	1	-	-	-	1	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	21,609	5,781	4,636	3,303	2,208	1,529	1,208	823	576	455	848	40
Under 15 years	172	152	18	2	-	-	-	-	-	-	-	-
15 to 19 years	4,922	2,927	1,482	409	70	14	4	-	-	-	-	16
20 to 24 years	6,892	1,725	2,068	1,586	876	392	162	60	16	9	6	12
25 to 29 years	4,843	636	836	859	753	638	516	306	154	79	59	7
30 to 34 years	2,669	201	301	315	317	302	324	282	231	172	213	1
35 to 39 years	1,504	90	96	111	143	139	164	124	130	150	356	1
40 to 44 years	447	21	15	19	31	33	33	39	39	38	178	1
45 to 49 years	46	-	2	2	-	1	2	2	2	4	31	-
50 years and over	5	-	-	-	1	-	-	-	1	-	3	-
Not stated	109	29	20	20	17	10	3	-	3	3	2	2
Negro	21,559	5,757	4,821	3,300	2,207	1,527	1,206	823	575	455	848	40
Under 15 years	172	152	18	2	-	-	-	-	-	-	-	-
15 to 19 years	4,916	2,921	1,482	409	70	14	4	-	-	-	-	16
20 to 24 years	6,875	1,719	2,059	1,585	876	392	162	60	16	9	6	12
25 to 29 years	4,833	630	833	859	753	637	516	306	154	79	59	7
30 to 34 years	2,657	197	298	313	316	301	323	282	231	172	213	1
35 to 39 years	1,500	89	94	111	143	139	163	124	130	150	358	1
40 to 44 years	446	21	15	19	31	33	33	39	38	38	178	1
45 to 49 years	46	-	2	2	-	1	2	2	2	4	31	-
50 years and over	5	-	-	-	1	-	-	-	1	-	3	-
Not stated	109	28	20	20	17	10	3	-	3	3	2	2
WASHINGTON	56,542	18,749	18,698	10,400	4,515	1,905	970	500	283	181	229	114
Under 15 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,519	4,908	1,392	171	13	4	-	-	-	-	-	31
20 to 24 years	19,029	7,815	7,472	2,753	727	166	43	4	4	2	1	42
25 to 29 years	16,637	3,811	6,182	3,975	1,606	621	275	107	38	20	6	16
30 to 34 years	9,233	1,486	2,609	2,407	1,360	639	335	193	96	54	40	14
35 to 39 years	4,080	593	899	908	666	353	243	143	102	58	108	7
40 to 44 years	952	109	151	174	132	119	72	51	36	45	61	2
45 to 49 years	47	4	6	7	4	3	2	2	7	1	11	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	29	9	4	4	7	-	-	-	-	1	2	2
White	54,631	18,266	18,181	10,046	4,332	1,773	884	447	242	159	196	105
Under 15 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,245	4,766	1,292	145	10	4	-	-	-	-	-	28
20 to 24 years	18,408	7,635	7,266	2,617	673	135	32	2	4	2	1	41
25 to 29 years	16,055	3,695	6,018	3,852	1,526	586	241	91	30	17	6	13
30 to 34 years	8,957	1,451	2,560	2,364	1,327	609	307	169	79	44	33	14
35 to 39 years	3,967	584	887	888	656	343	234	135	91	54	89	6
40 to 44 years	913	108	147	170	130	113	68	48	31	41	55	2
45 to 49 years	44	4	6	5	4	3	2	2	7	1	10	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	26	9	4	4	6	-	-	-	-	-	2	1
Native white	51,909	17,393	17,244	9,525	4,123	1,692	842	424	234	148	182	102
Under 15 years	15	14	1	-	-	-	-	-	-	-	-	-
15 to 19 years	6,125	4,669	1,272	143	9	4	-	-	-	-	-	28
20 to 24 years	17,705	7,318	7,000	2,518	658	131	32	2	4	1	1	40
25 to 29 years	15,124	3,423	5,644	3,681	1,459	551	232	89	30	17	6	12
30 to 34 years	8,368	1,320	2,368	2,216	1,261	581	297	162	78	41	30	14
35 to 39 years	3,864	539	812	821	609	317	214	124	86	50	86	6
40 to 44 years	844	98	139	157	118	105	65	45	29	38	48	2
45 to 49 years	39	3	4	4	4	3	2	2	7	1	9	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	24	9	4	4	5	-	-	-	-	-	2	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 128)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WASHINGTON—Continued												
White—Continued												
Foreign-born white	2,711	870	932	521	208	81	42	23	8	11	13	2
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	118	97	18	2	1	-	-	-	-	-	-	-
20 to 24 years	700	316	264	99	15	4	-	-	-	1	-	1
25 to 29 years	929	271	373	191	67	15	9	2	-	-	-	1
30 to 34 years	589	131	192	148	86	28	10	7	1	3	3	-
35 to 39 years	302	44	75	67	47	26	20	11	5	4	3	-
40 to 44 years	66	10	8	13	12	8	3	3	2	3	6	-
45 to 49 years	5	1	2	1	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,911	483	515	354	183	132	86	53	41	22	33	9
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	274	142	100	26	3	-	-	-	-	-	-	3
20 to 24 years	621	180	206	136	54	31	11	2	-	-	-	1
25 to 29 years	582	116	144	123	80	55	34	16	8	3	-	3
30 to 34 years	276	35	49	43	33	30	28	24	17	10	7	-
35 to 39 years	113	9	12	20	10	10	9	8	11	4	19	1
40 to 44 years	39	1	4	4	2	6	4	3	5	4	6	-
45 to 49 years	3	-	-	2	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	-	-	-	1	-	-	-	-	1	-	1
Negro	832	196	229	176	91	62	36	17	13	5	4	3
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	116	56	45	13	1	-	-	-	-	-	-	1
20 to 24 years	283	68	97	65	28	20	5	-	-	-	-	-
25 to 29 years	264	49	58	64	41	25	15	5	4	1	-	2
30 to 34 years	115	17	22	22	14	12	10	8	6	3	1	-
35 to 39 years	39	6	4	9	4	3	4	4	1	1	3	-
40 to 44 years	12	-	3	1	2	2	2	-	2	-	-	-
45 to 49 years	2	-	-	2	-	-	-	-	-	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
WEST VIRGINIA	52,588	16,851	14,163	7,700	4,321	2,764	1,995	1,457	1,061	746	1,420	108
Under 15 years	58	58	1	-	-	-	-	-	-	-	-	-
15 to 19 years	8,730	6,426	1,926	308	28	2	2	-	-	-	-	36
20 to 24 years	18,122	6,799	6,677	2,988	1,081	398	110	27	9	3	-	30
25 to 29 years	12,844	2,384	3,621	2,621	1,713	1,128	734	391	161	44	35	12
30 to 34 years	7,179	798	1,340	1,188	939	774	684	538	414	286	230	8
35 to 39 years	4,067	285	477	477	447	355	354	378	342	321	627	4
40 to 44 years	1,306	61	78	98	99	88	96	104	119	100	460	3
45 to 49 years	134	5	3	3	4	11	4	15	11	12	66	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	144	35	36	16	10	8	11	4	5	-	2	15
White	49,684	16,047	13,496	7,291	4,054	2,541	1,864	1,342	972	678	1,301	98
Under 15 years	39	39	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8,152	6,035	1,775	282	24	1	2	-	-	-	-	33
20 to 24 years	17,139	6,532	6,344	2,796	968	352	93	19	7	2	-	26
25 to 29 years	12,175	2,301	3,497	2,497	1,618	1,030	671	346	137	39	27	12
30 to 34 years	6,823	775	1,303	1,147	900	717	654	504	376	238	202	7
35 to 39 years	3,847	272	462	455	434	338	342	357	323	292	569	3
40 to 44 years	1,243	56	77	94	97	85	89	98	115	95	435	2
45 to 49 years	128	5	3	3	4	10	2	14	9	12	66	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	137	32	35	16	9	8	11	4	5	-	2	15
Native white	49,300	15,919	13,362	7,231	4,025	2,532	1,857	1,340	972	676	1,298	88
Under 15 years	39	39	-	-	-	-	-	-	-	-	-	-
15 to 19 years	8,126	6,019	1,766	282	24	1	2	-	-	-	-	33
20 to 24 years	17,005	6,473	6,294	2,778	961	352	93	19	7	2	-	26
25 to 29 years	12,055	2,263	3,448	2,476	1,611	1,026	670	346	137	38	27	12
30 to 34 years	6,786	772	1,289	1,139	893	714	652	504	376	238	202	7
35 to 39 years	3,807	263	453	447	428	336	340	356	323	290	568	3
40 to 44 years	1,232	54	76	90	95	85	88	98	115	95	434	2
45 to 49 years	126	5	3	3	4	10	2	13	9	12	65	-
50 years and over	1	-	-	1	-	-	-	-	-	-	-	-
Not stated	123	31	34	15	9	8	10	4	5	-	2	5
Foreign-born white	384	125	132	58	28	9	5	2	-	2	3	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	25	15	10	-	-	-	-	-	-	-	-	-
20 to 24 years	131	58	49	17	7	-	-	-	-	-	-	-
25 to 29 years	119	38	49	21	6	4	1	-	-	-	-	-
30 to 34 years	36	3	14	8	7	3	1	-	-	-	-	-
35 to 39 years	40	9	9	8	6	2	2	1	-	2	1	-
40 to 44 years	11	2	1	4	2	-	1	-	-	-	1	-
45 to 49 years	2	-	-	-	-	-	-	1	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	2,902	804	667	409	267	223	131	115	89	68	119	10
Under 15 years	20	19	1	-	-	-	-	-	-	-	-	-
15 to 19 years	578	391	153	26	4	1	-	-	-	-	-	3
20 to 24 years	983	267	333	192	113	46	17	8	2	1	-	4
25 to 29 years	669	85	124	124	95	98	63	45	24	5	6	-
30 to 34 years	356	23	37	41	38	57	30	34	38	28	28	1
35 to 39 years	220	13	15	22	13	17	12	21	19	29	56	1
40 to 44 years	63	5	1	4	2	3	7	6	4	5	25	1
45 to 49 years	6	-	-	-	-	1	2	1	2	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	3	3	-	1	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WEST VIRGINIA—Continued												
Nonwhite—Continued												
Negro	2,895	802	665	406	267	223	131	115	89	68	119	10
Under 15 years	20	19	1	-	-	-	-	-	-	-	-	-
15 to 19 years	577	391	152	26	4	1	-	-	-	-	-	3
20 to 24 years	982	266	333	192	113	46	17	8	2	1	-	4
25 to 29 years	685	93	123	121	95	98	63	45	24	5	8	-
30 to 34 years	356	23	37	41	39	57	30	34	38	28	28	1
35 to 39 years	219	12	15	22	13	17	12	21	19	29	58	1
40 to 44 years	53	5	1	4	2	3	7	6	4	5	25	1
45 to 49 years	6	-	-	-	-	1	2	1	2	-	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	7	3	3	-	1	-	-	-	-	-	-	-
WISCONSIN	82,949	27,092	24,636	14,457	7,226	3,707	2,041	1,217	759	505	761	348
Under 15 years	19	17	2	-	-	-	-	-	-	-	-	-
15 to 19 years	6,198	4,939	1,052	116	12	1	-	-	-	-	-	78
20 to 24 years	26,885	13,038	9,378	3,194	846	208	42	9	2	1	3	144
25 to 29 years	24,984	6,099	9,006	5,470	2,454	1,051	488	203	87	25	18	83
30 to 34 years	15,244	2,068	3,910	3,824	2,356	1,335	764	437	259	136	128	27
35 to 39 years	7,474	738	1,258	1,529	1,250	851	576	401	297	226	338	10
40 to 44 years	1,932	163	204	291	298	242	154	147	105	106	230	2
45 to 49 years	151	9	7	18	13	16	13	18	9	10	40	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	81	21	19	17	7	3	4	1	-	1	4	4
White	81,513	28,723	24,476	14,204	7,077	3,627	1,980	1,166	731	479	710	340
Under 15 years	16	14	2	-	-	-	-	-	-	-	-	-
15 to 19 years	5,938	4,779	974	99	10	1	-	-	-	-	-	75
20 to 24 years	28,353	12,902	9,203	3,068	797	191	37	6	2	1	3	143
25 to 29 years	24,630	6,046	8,940	5,389	2,390	1,019	457	190	82	21	16	80
30 to 34 years	15,080	2,056	3,884	3,811	2,333	1,314	751	416	247	125	116	27
35 to 39 years	7,362	735	1,244	1,516	1,240	842	566	387	289	218	315	10
40 to 44 years	1,906	182	203	290	287	242	152	147	102	104	216	1
45 to 49 years	149	9	7	15	13	16	13	18	9	9	40	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	78	20	19	16	7	2	4	1	-	1	4	4
Native white	80,031	26,273	23,982	13,937	6,964	3,575	1,946	1,142	722	466	690	334
Under 15 years	16	14	2	-	-	-	-	-	-	-	-	-
15 to 19 years	5,907	4,761	963	98	9	1	-	-	-	-	-	75
20 to 24 years	25,964	12,734	9,048	3,014	788	191	37	6	2	1	3	140
25 to 29 years	24,110	5,877	8,723	5,289	2,366	1,013	454	190	82	20	16	80
30 to 34 years	14,861	2,002	3,828	3,754	2,305	1,305	741	413	247	124	116	26
35 to 39 years	7,152	706	1,202	1,471	1,203	820	555	379	286	214	307	9
40 to 44 years	1,906	151	190	280	273	228	144	136	96	97	210	1
45 to 49 years	138	9	7	15	13	15	11	18	9	9	34	-
50 years and over	1	-	-	-	-	-	-	1	-	-	-	-
Not stated	76	19	19	16	7	2	4	1	-	1	4	3
Foreign-born white	1,470	445	491	266	112	51	34	24	9	13	20	5
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	29	17	11	-	1	-	-	-	-	-	-	-
20 to 24 years	366	167	153	54	9	-	-	-	-	-	-	3
25 to 29 years	518	168	217	100	24	5	3	-	-	1	-	-
30 to 34 years	218	54	55	57	28	9	10	3	-	1	-	1
35 to 39 years	208	28	42	45	36	22	11	8	3	4	8	1
40 to 44 years	100	11	13	10	14	14	8	11	6	7	6	-
45 to 49 years	11	-	-	-	-	1	2	2	-	-	6	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	1,436	369	360	253	149	80	61	51	28	26	51	8
Under 15 years	3	3	-	-	-	-	-	-	-	-	-	-
15 to 19 years	260	160	78	17	2	-	-	-	-	-	-	3
20 to 24 years	512	136	175	128	49	17	5	3	-	-	-	1
25 to 29 years	354	53	68	81	64	32	31	13	5	4	2	3
30 to 34 years	164	12	26	13	23	21	13	21	12	11	12	-
35 to 39 years	112	3	14	13	10	9	10	14	8	8	23	-
40 to 44 years	26	1	1	1	1	-	2	-	3	2	14	1
45 to 49 years	2	-	-	1	-	-	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	3	1	-	1	-	1	-	-	-	-	-	-
Negro	911	254	255	164	94	55	32	20	9	11	11	6
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	185	110	61	11	2	-	-	-	-	-	-	1
20 to 24 years	342	92	119	83	29	12	4	2	-	-	-	1
25 to 29 years	221	37	45	49	44	21	15	3	2	2	-	3
30 to 34 years	106	11	21	8	16	16	7	12	4	5	6	-
35 to 39 years	44	2	8	10	3	6	5	3	1	3	3	-
40 to 44 years	8	-	1	1	-	-	1	-	2	-	2	1
45 to 49 years	2	-	-	1	-	-	-	-	-	1	-	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	1	-	-	-	-	-	-	-	-
WYOMING	7,490	2,510	2,311	1,269	623	304	195	100	55	48	68	7
Under 15 years	4	4	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,033	788	231	31	3	-	-	-	-	-	-	2
20 to 24 years	2,685	1,104	1,029	382	107	33	5	2	-	-	-	3
25 to 29 years	2,019	422	670	475	245	113	61	15	9	5	4	-
30 to 34 years	1,102	138	281	270	163	84	61	47	20	19	17	2
35 to 39 years	522	61	81	93	85	59	54	22	23	16	28	-
40 to 44 years	132	12	17	17	18	15	13	14	3	7	16	-
45 to 49 years	11	2	2	1	1	-	1	-	-	1	3	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	1	-	-	-	-	-	-	-

TABLE 6B.—LIVE BIRTHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: EACH STATE, 1949—Continued

(See headnote on p. 129)

AREA, AGE OF MOTHER, RACE, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER										
		First	Second	Third	Fourth	Fifth	Sixth	Seventh	Eighth	Ninth	Tenth and over	Not stated
WYOMING—Continued												
White	7,310	2,475	2,263	1,249	600	289	178	94	50	43	63	6
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	1,008	752	217	29	3	-	-	-	-	-	-	2
20 to 24 years	2,611	1,092	1,010	371	99	31	4	2	-	-	-	2
25 to 29 years	1,973	417	664	471	232	108	52	14	8	4	3	-
30 to 34 years	1,067	137	274	267	161	77	56	43	17	16	17	2
35 to 39 years	513	60	78	93	85	58	52	22	22	15	26	-
40 to 44 years	129	12	17	17	18	14	13	13	3	7	15	-
45 to 49 years	10	2	2	1	1	-	1	-	-	1	2	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	2	1	-	-	1	-	-	-	-	-	-	-
Native white	7,174	2,431	2,229	1,232	590	280	174	92	46	36	58	6
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	997	747	216	29	3	-	-	-	-	-	-	2
20 to 24 years	2,577	1,078	999	364	98	30	4	2	-	-	-	2
25 to 29 years	1,926	402	646	467	229	104	52	14	6	3	3	-
30 to 34 years	1,048	134	271	263	158	75	55	43	17	13	17	2
35 to 39 years	495	55	79	92	84	56	49	21	21	13	23	-
40 to 44 years	119	11	16	16	16	13	13	12	2	6	14	-
45 to 49 years	9	2	2	1	1	-	1	-	-	1	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	1	-	-	-	1	-	-	-	-	-	-	-
Foreign-born white	135	43	34	17	10	9	4	2	4	7	5	-
Under 15 years	-	-	-	-	-	-	-	-	-	-	-	-
15 to 19 years	6	5	1	-	-	-	-	-	-	-	-	-
20 to 24 years	34	14	11	7	1	1	-	-	-	-	-	-
25 to 29 years	47	15	18	4	3	4	-	-	2	1	-	-
30 to 34 years	19	3	3	4	3	2	1	-	-	3	-	-
35 to 39 years	18	5	-	1	1	1	3	1	1	2	3	-
40 to 44 years	10	1	1	1	2	1	-	1	1	1	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-
Nonwhite	180	35	48	20	23	15	17	6	5	5	5	1
Under 15 years	2	2	-	-	-	-	-	-	-	-	-	-
15 to 19 years	30	14	14	2	-	-	-	-	-	-	-	-
20 to 24 years	54	12	19	11	8	2	1	-	-	-	-	1
25 to 29 years	46	5	6	4	13	5	9	1	1	1	1	-
30 to 34 years	35	1	7	3	2	7	5	4	3	3	-	-
35 to 39 years	9	1	2	-	-	-	2	-	1	1	2	-
40 to 44 years	3	-	-	-	-	1	-	1	-	-	1	-
45 to 49 years	1	-	-	-	-	-	-	-	-	-	1	-
50 years and over	-	-	-	-	-	-	-	-	-	-	-	-
Not stated	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 7.—LIVE BIRTHS BY SINGLE YEAR OF AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949

(Birth order refers to number of children born alive to mother. Births occurring in Massachusetts are included in the total and "Not stated" classifications; they are not given by birth order because this State does not require the reporting of birth order)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
ALL RACES-	3,559,529	1,175,048	1,038,735	554,329	276,036	148,013	89,894	58,497	39,420	26,875	18,239	11,859	7,420	4,679	2,593	1,493	727	846	104,826
Under 15 years	5,016	4,536	376	26	5	-	-	-	-	-	-	-	-	-	-	-	-	-	73
15 years	13,737	12,129	1,308	107	10	5	-	-	-	-	-	-	-	-	-	-	-	-	178
16 years	38,247	32,498	4,696	470	44	12	2	-	-	-	-	-	-	-	-	-	-	-	526
17 years	76,921	60,695	13,314	1,602	168	35	8	6	-	-	-	-	-	-	-	-	-	-	1,093
18 years	127,164	90,542	28,797	4,998	645	111	25	6	7	-	-	-	-	-	-	-	-	-	2,033
19 years	176,959	112,471	47,868	10,847	1,937	353	54	29	5	5	-	-	-	-	-	-	-	-	3,390
20 years	204,327	112,221	64,103	18,127	4,160	960	204	66	21	16	5	2	-	-	-	-	-	-	4,442
21 years	227,518	108,861	76,785	26,409	7,339	1,861	435	142	41	23	12	8	-	-	-	-	-	-	5,602
22 years	236,944	100,539	82,122	32,474	11,061	3,360	858	216	67	38	11	11	4	-	-	-	-	-	6,183
23 years	243,115	90,041	85,328	38,016	14,837	5,314	1,804	564	126	63	23	9	8	2	-	-	-	-	6,879
24 years	242,920	80,231	85,282	40,730	17,800	7,544	2,818	928	312	116	39	25	6	5	1	-	-	-	7,083
25 years	231,548	67,466	80,836	41,538	19,124	8,859	3,940	1,495	559	205	60	25	13	8	2	1	-	-	7,417
26 years	214,435	56,001	73,700	40,430	19,036	9,727	5,085	2,163	867	309	111	45	18	13	6	3	1	-	6,920
27 years	201,490	46,319	68,405	39,708	19,399	10,460	5,737	2,870	1,203	503	178	68	25	15	3	4	-	3	6,590
28 years	191,195	39,543	61,797	38,803	20,123	11,104	6,785	3,720	1,803	722	283	118	57	27	15	5	1	-	6,289
29 years	168,569	31,571	51,241	34,795	19,030	10,923	6,961	4,183	2,263	1,056	460	180	68	29	13	19	6	3	5,765
30 years	146,955	25,459	42,445	31,118	17,106	9,927	6,473	4,373	2,579	1,312	608	276	120	69	24	17	6	7	5,035
31 years	127,454	20,472	35,293	27,550	15,852	8,844	5,790	3,932	2,461	1,434	640	308	114	48	15	8	5	8	4,680
32 years	115,098	16,610	29,134	24,688	15,039	8,668	6,002	4,253	2,998	1,706	985	418	223	89	38	23	10	14	4,190
33 years	100,720	13,713	23,876	21,219	13,443	8,246	5,581	4,129	2,953	1,921	1,152	515	282	139	55	30	10	18	3,458
34 years	91,123	11,764	20,028	18,466	12,382	7,871	5,447	4,136	3,042	2,101	1,355	704	345	168	72	40	22	27	3,153
35 years	79,774	9,869	16,431	15,748	10,894	6,858	4,899	3,846	2,931	2,220	1,462	866	479	255	107	55	15	33	2,785
36 years	67,288	7,936	12,728	12,378	8,813	5,993	4,525	3,565	2,918	2,309	1,638	1,018	523	304	140	62	30	30	2,378
37 years	55,789	6,043	9,577	9,878	7,435	5,218	3,903	3,068	2,482	2,134	1,587	1,072	656	370	181	80	53	49	1,913
38 years	49,705	5,089	7,844	7,902	6,344	4,618	3,507	2,972	2,613	2,165	1,830	1,315	838	553	287	143	70	90	1,725
39 years	38,678	3,704	5,526	5,843	4,786	3,535	2,921	2,379	2,128	1,835	1,535	1,222	947	523	302	176	75	79	1,264
40 years	28,051	2,636	3,686	3,869	3,274	2,716	2,021	1,769	1,563	1,417	1,252	1,018	687	543	315	176	73	101	935
41 years	18,398	1,634	2,193	2,365	2,130	1,693	1,400	1,167	1,074	994	899	758	552	356	254	138	74	81	657
42 years	14,182	1,090	1,440	1,604	1,464	1,262	1,068	970	916	880	790	735	495	371	264	155	89	95	494
43 years	8,716	601	720	913	837	777	641	619	605	557	519	462	427	307	187	136	74	73	261
44 years	4,952	281	382	432	459	389	367	360	379	360	337	298	275	216	128	85	40	44	120
45 years	2,691	146	164	246	214	223	191	207	191	197	180	174	160	122	87	51	31	32	75
46 years	1,266	66	43	78	94	94	92	103	98	90	107	91	85	57	47	36	17	24	44
47 years	591	26	30	27	30	40	45	39	44	42	51	41	53	38	33	18	8	14	12
48 years	314	20	22	13	21	24	27	23	12	17	25	17	27	25	10	9	10	8	6
49 years	189	12	10	10	11	16	14	11	10	8	15	13	14	9	11	6	3	8	7
50 and over	150	14	11	15	13	5	8	17	12	10	6	5	6	4	5	4	2	1	12
Not stated	7,339	2,179	1,293	886	577	368	256	171	137	112	73	42	33	16	11	3	2	3	1,177
WHITE[1]	3,083,721	1,049,618	930,430	480,394	227,622	114,502	65,772	40,998	26,719	17,628	11,785	7,464	4,671	2,847	1,530	857	437	455	99,992
Under 15 years	1,731	1,585	94	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	33
15 years	6,857	6,311	416	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-	106
16 years	24,456	21,815	2,097	153	10	4	-	-	-	-	-	-	-	-	-	-	-	-	357
17 years	56,275	47,057	7,644	648	59	12	3	5	-	-	-	-	-	-	-	-	-	-	847
18 years	99,314	75,293	19,589	2,370	232	34	10	4	3	-	-	-	-	-	-	-	-	-	1,779
19 years	145,337	98,570	36,456	6,240	837	113	16	15	3	3	-	-	-	-	-	-	-	-	3,084
20 years	171,690	100,812	52,324	11,843	2,046	382	85	28	8	8	3	1	-	-	-	-	-	-	4,150
21 years	195,227	99,673	66,057	19,054	4,108	804	151	55	17	5	9	5	-	-	-	-	-	-	5,289
22 years	205,126	92,953	72,445	24,887	6,821	1,649	350	81	28	17	3	8	1	-	-	-	-	-	5,883
23 years	212,447	83,820	77,052	30,900	10,108	2,933	752	225	49	22	13	3	5	-	-	-	-	-	6,565
24 years	214,222	75,144	78,296	34,404	13,001	4,573	1,402	387	111	53	15	10	4	3	1	-	-	-	6,818
25 years	206,191	63,432	75,375	36,379	14,818	5,798	2,144	709	236	67	21	9	8	2	1	-	-	-	7,192
26 years	191,614	52,676	69,292	36,130	15,348	6,744	3,001	1,137	402	114	37	13	9	6	4	1	-	-	6,700
27 years	180,742	43,505	64,527	36,048	16,247	7,755	3,733	1,587	580	233	70	23	12	6	2	1	-	3	6,410
28 years	171,148	37,113	58,400	35,568	17,149	8,483	4,630	2,203	943	343	119	45	23	11	7	2	1	-	6,108
29 years	150,654	29,579	49,488	32,054	16,637	8,595	4,908	2,643	1,268	550	198	79	24	14	8	10	1	1	5,597
30 years	130,960	23,769	40,303	28,853	14,985	7,984	4,719	2,814	1,483	661	267	127	51	33	8	10	3	1	4,889
31 years	115,800	19,302	33,812	25,976	14,411	7,435	4,503	2,773	1,548	811	351	153	59	22	3	4	3	5	4,569
32 years	103,126	15,510	27,717	23,171	13,619	7,337	4,705	3,063	1,962	997	543	214	106	48	14	11	5	3	4,101
33 years	90,260	12,797	22,723	19,989	12,292	7,124	4,458	3,065	2,043	1,195	663	282	140	76	27	15	5	9	3,357
34 years	81,183	10,973	18,960	17,367	11,358	6,836	4,417	3,130	2,149	1,367	791	406	191	89	35	18	8	13	3,075
35 years	70,881	9,276	15,590	14,806	10,018	5,969	4,053	2,988	2,105	1,476	891	505	272	131	54	27	9	10	2,721
36 years	59,504	7,405	12,066	11,698	8,121	5,248	3,786	2,815	2,190	1,578	1,069	599	311	163	72	38	14	13	2,318
37 years	49,035	5,657	9,138	9,313	6,874	4,625	3,258	2,441	1,859	1,504	1,057	662	375	214	97	47	29	24	1,861
38 years	42,619	4,688	7,188	7,592	5,810	4,083	2,910	2,355	1,986	1,533	1,249	830	509	336	159	67	32	49	1,683
39 years	35,494	3,468	5,224	5,485	4,398	3,147	2,497	1,922	1,623	1,355	1,109	813	539	311	181	99	47	40	1,228
40 years	24,419	2,430	3,495	3,668	3,050	2,442	1,759	1,463	1,270	1,121	930	697	471	333	190	98	38	59	905
41 years	16,364	1,538	2,091	2,250	2,003	1,568	1,250	1,031	916	819	721	566	401	237	144	91	52	45	641
42 years	12,275	1,020	1,351	1,503	1,359	1,152	957	821	755	696	628	547	349	249	186	91	65	59	487
43 years	7,466	549	673	862	774	711	555	532	511	457	405	351	321	225	121	86	47	36	250
44 years	4,247	265	356	412	421	365	335	317	324	286	271	223	209	145	83	60	29	29	117
45 years	2,337	136	159	231	203	201	166	181	166	169	155	146	131	91	57	33	19	21	72
46 years	1,072	62	36	73	90	82	77	82	88	74	91	72	66	42	32	24	12	14	43
47 years	469	25	25	23	25	35	39	34	34	35	37	31	34	29	26	12	6	9	11
48 years	231	17	18	6	16	23	19	15	9	12	20	14	20	13	7	4	6	6	6
49 years	126	9	8	9	9	8	7	7	6	7	7	8	8	7	6	4	3	6	7
50 years and over	108	14	10	12	8	5	7	6	7	8	5	3	4	3	1	3	1	-	11
Not stated	4,534	1,360	913	580	352	202	131	74	57	52	37	19	18	8	4	1	2	-	724

[1] Includes nativity not stated.

TABLE 7.—LIVE BIRTHS BY SINGLE YEAR OF AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949—Continued

(See headnote on p. 165)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
Native white	2,977,781	1,017,478	898,530	464,327	220,144	110,609	63,384	39,336	25,546	16,710	11,087	6,938	4,299	2,575	1,369	752	375	381	93,951
Under 15 years	1,707	1,579	87	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	32
15 years	6,788	6,258	401	19	4	1	-	-	-	-	-	-	-	-	-	-	-	-	105
16 years	24,249	21,683	2,057	145	9	4	-	-	-	-	-	-	-	-	-	-	-	-	351
17 years	55,796	46,720	7,540	627	56	12	3	5	-	-	-	-	-	-	-	-	-	-	833
18 years	98,264	74,606	19,334	2,513	220	31	9	3	3	-	-	-	-	-	-	-	-	-	1,745
19 years	143,392	97,362	35,966	6,105	807	108	16	14	3	2	-	-	-	-	-	-	-	-	3,009
20 years	168,648	89,107	51,442	11,619	1,973	365	80	26	7	7	3	1	-	-	-	-	-	-	4,019
21 years	190,992	87,530	64,669	18,663	4,005	777	140	54	17	4	8	4	-	-	-	-	-	-	5,121
22 years	199,692	80,485	70,601	24,269	6,641	1,583	333	75	25	16	2	7	1	-	-	-	-	-	5,653
23 years	206,061	81,138	74,833	30,076	9,862	2,849	719	212	48	18	11	3	5	-	-	-	-	-	6,289
24 years	207,510	72,479	75,921	33,504	12,730	4,465	1,354	367	103	50	12	10	2	3	1	-	-	-	6,509
25 years	199,434	60,997	72,910	35,433	14,504	5,649	2,066	685	231	59	19	9	8	2	1	-	-	-	6,861
26 years	164,432	50,201	66,663	35,048	15,022	6,570	2,931	1,093	390	104	34	12	8	6	3	1	-	-	6,346
27 years	173,506	41,254	61,895	34,914	15,826	7,565	3,645	1,538	561	220	64	21	10	6	2	1	-	3	5,961
28 years	164,026	35,036	55,798	34,444	16,668	8,278	4,519	2,132	909	328	108	40	23	10	6	2	-	-	5 725
29 years	144,471	27,964	46,290	30,971	16,197	8,385	4,760	2,556	1,224	535	185	76	23	11	7	7	1	1	5,278
30 years	126,261	22,678	38,819	27,973	14,592	7,777	4,593	2,720	1,419	631	253	110	47	27	8	9	2	1	4,602
31 years	112,056	18,459	32,669	25,255	14,063	7,342	4,405	2,699	1,504	780	332	149	51	21	3	4	2	5	4,313
32 years	99,486	14,748	26,696	22,468	13,264	7,148	4,579	2,968	1,902	959	518	204	101	42	13	9	3	3	3,861
33 years	86,773	12,138	21,755	19,513	11,940	6,941	4,318	2,960	1,974	1,143	627	255	130	71	27	13	5	9	3,154
34 years	77,491	10,500	18,014	16,651	10,962	6,593	4,274	3,027	2,091	1,301	751	378	177	80	31	15	5	9	2,842
35 years	67,139	8,639	14,680	14,072	9,558	6,751	3,913	2,862	2,019	1,399	840	470	249	115	45	23	6	9	2,489
36 years	56,032	6,869	11,257	11,018	7,750	5,042	3,816	2,690	2,074	1,487	1,015	562	279	148	63	35	13	11	2,103
37 years	45,989	5,209	8,517	8,731	6,454	4,381	3,096	2,327	1,784	1,448	997	609	345	192	88	42	25	21	1,623
38 years	39,734	4,283	6,635	6,866	5,448	3,813	2,752	2,231	1,855	1,427	1,171	770	457	299	137	63	28	38	1,461
39 years	30,880	3,126	4,814	5,063	4,051	2,939	2,338	1,808	1,538	1,283	1,031	762	494	277	158	82	42	30	1,044
40 years	22,444	2,202	3,177	3,387	2,793	2,267	1,630	1,383	1,205	1,055	875	647	437	295	168	83	32	48	760
41 years	15,124	1,411	1,911	2,064	1,815	1,456	1,183	974	872	782	631	551	380	215	132	81	49	40	545
42 years	11,148	922	1,202	1,351	1,231	1,048	892	766	703	654	594	501	318	236	165	84	54	50	377
43 years	6,785	491	611	765	687	645	517	497	469	427	377	326	303	209	117	77	43	31	193
44 years	3,864	235	316	359	378	328	311	291	296	273	257	210	196	140	77	51	25	25	96
45 years	2,090	123	141	200	179	180	148	166	147	150	141	138	119	84	52	30	18	19	57
46 years	960	52	32	67	77	74	74	87	83	67	81	68	60	36	28	20	8	12	34
47 years	413	21	23	18	24	33	31	30	28	29	35	27	33	24	24	11	6	6	10
48 years	204	16	15	4	14	19	14	15	9	11	20	12	18	12	6	3	5	6	5
49 years	105	8	8	6	7	6	7	6	5	7	7	7	7	6	4	3	2	4	5
50 years and over	94	13	9	11	6	5	7	4	7	7	4	3	3	2	1	2	1	-	9
Not stated	3,840	1,136	822	527	326	177	121	65	52	47	34	16	15	6	2	1	2	-	491
Foreign-born white	104,251	31,666	31,657	15,924	7,384	3,825	2,342	1,633	1,156	913	690	517	367	271	159	104	61	74	5,508
Under 15 years	22	14	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
15 years	65	49	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
16 years	172	119	40	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	4
17 years	440	308	99	19	3	-	-	-	-	-	-	-	-	-	-	-	-	-	11
18 years	1,011	657	250	57	12	3	1	1	-	-	-	-	-	-	-	-	-	-	30
19 years	1,989	1,176	479	131	30	5	-	1	-	1	-	-	-	-	-	-	-	-	66
20 years	2,983	1,682	869	221	72	17	5	2	1	1	-	-	-	-	-	-	-	-	113
21 years	4,171	2,130	1,377	385	99	27	10	1	-	1	1	1	-	-	-	-	-	-	149
22 years	5,365	2,452	1,826	612	178	63	15	6	2	1	1	1	-	-	-	-	-	-	206
23 years	6,330	2,675	2,206	817	236	82	33	12	3	4	2	-	-	-	-	-	-	-	260
24 years	6,626	2,655	2,357	868	262	105	47	18	8	3	3	-	2	-	-	-	-	-	278
25 years	6,889	2,421	2,451	934	310	144	77	24	5	8	2	-	-	-	-	-	-	-	313
26 years	7,132	2,464	2,621	1,074	322	172	69	44	12	10	3	1	1	-	1	-	-	-	339
27 years	7,176	2,246	2,618	1,126	417	184	86	47	19	13	6	2	2	-	-	-	-	-	410
28 years	7,070	2,066	2,594	1,120	480	203	110	69	33	15	11	5	-	1	1	-	1	-	361
29 years	6,137	1,612	2,193	1,077	435	207	145	84	44	15	13	3	1	3	1	3	-	-	301
30 years	4,655	1,089	1,477	875	387	206	125	92	63	30	14	17	4	6	-	1	1	-	268
31 years	3,715	839	1,140	718	348	152	95	74	43	31	19	4	8	1	-	-	1	-	242
32 years	3,600	758	1,019	696	351	182	122	95	59	38	25	10	5	6	1	2	2	-	229
33 years	3,459	658	966	674	351	180	139	102	68	51	36	26	10	5	-	2	-	-	191
34 years	3,560	671	942	713	392	241	143	101	68	65	38	27	14	9	4	3	3	4	222
35 years	3,713	634	904	731	455	218	138	106	96	77	51	34	23	16	9	4	3	1	223
36 years	3,449	533	828	680	369	204	150	122	113	91	54	37	32	15	9	3	1	2	206
37 years	3,109	446	617	579	416	242	160	114	75	56	59	52	29	22	9	5	4	3	221
38 years	3,085	402	552	525	361	250	157	123	110	106	76	60	52	36	22	4	4	11	214
39 years	2,601	340	410	431	347	208	157	113	85	72	78	51	44	34	23	16	4	10	178
40 years	1,964	226	317	281	257	174	129	79	63	66	55	49	34	38	22	15	6	11	142
41 years	1,233	125	180	185	188	109	67	58	44	37	40	38	21	22	12	10	3	5	94
42 years	1,116	95	149	152	127	104	64	55	51	42	34	44	31	13	21	7	11	9	107
43 years	674	57	61	96	87	66	38	35	42	30	27	25	18	16	4	9	4	5	54
44 years	383	30	40	53	43	37	24	26	28	13	14	13	13	5	6	9	4	4	21
45 years	247	13	18	31	24	21	18	15	19	19	14	8	12	7	5	3	3	2	15
46 years	112	10	6	6	13	8	3	5	5	7	10	4	6	6	4	4	4	2	9
47 years	56	4	2	5	1	2	7	4	6	6	2	4	1	5	2	1	-	3	1
48 years	27	1	3	2	2	4	5	-	-	1	-	2	2	1	1	1	1	-	1
49 years	21	1	-	3	2	2	-	1	1	-	-	1	1	1	2	1	1	2	2
50 years and over	14	1	1	1	2	-	-	2	-	1	1	-	1	1	-	1	-	-	2
Not stated	100	17	21	18	4	3	3	4	-	2	1	1	-	2	-	-	-	-	24

TABLE 7.—LIVE BIRTHS BY SINGLE YEAR OF AGE OF MOTHER, BIRTH ORDER, RACE, AND NATIVITY OF WHITE MOTHER: UNITED STATES, 1949—Continued

(See headnote on p. 165)

RACE, AGE OF MOTHER, AND NATIVITY OF WHITE MOTHER	Total	BIRTH ORDER																	
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
NONWHITE	475,808	125,430	108,305	73,935	48,414	33,511	24,122	17,489	12,701	9,247	6,454	4,395	2,749	1,832	1,063	636	290	391	4,634
Under 15 years	3,285	2,941	282	18	4	-	-	-	-	-	-	-	-	-	-	-	-	-	40
15 years	6,880	5,818	882	88	6	4	-	-	-	-	-	-	-	-	-	-	-	-	72
16 years	13,611	10,693	2,599	317	34	8	2	-	-	-	-	-	-	-	-	-	-	-	168
17 years	20,646	13,638	5,670	954	109	23	5	1	-	-	-	-	-	-	-	-	-	-	246
18 years	27,850	15,249	9,208	2,628	413	77	15	2	4	-	-	-	-	-	-	-	-	-	254
19 years	31,622	13,901	11,412	4,607	1,100	240	38	14	2	2	-	-	-	-	-	-	-	-	306
20 years	32,637	11,409	11,779	6,284	2,114	578	119	38	13	8	2	1	-	-	-	-	-	-	292
21 years	32,291	9,188	10,728	7,355	3,231	1,057	284	87	24	18	3	3	-	-	-	-	-	-	313
22 years	31,818	7,586	9,677	7,587	4,240	1,711	508	135	38	21	8	3	3	-	-	-	-	-	300
23 years	30,668	6,221	8,277	7,116	4,829	2,381	1,052	339	77	41	10	6	3	2	-	-	-	-	314
24 years	28,698	5,087	6,986	6,326	4,799	2,971	1,416	541	201	63	24	15	2	2	-	-	-	-	265
25 years	25,357	4,034	5,461	5,159	4,306	3,061	1,796	786	323	138	39	16	5	6	1	1	-	-	225
26 years	22,821	3,325	4,406	4,300	3,688	2,983	2,084	1,026	465	195	74	32	9	7	2	2	1	-	220
27 years	20,748	2,814	3,878	3,660	3,152	2,706	2,004	1,283	623	270	108	45	13	9	1	3	-	-	180
28 years	20,047	2,430	3,597	3,255	2,974	2,621	2,155	1,517	860	379	164	73	34	16	8	3	-	-	161
29 years	17,915	1,992	2,753	2,741	2,393	2,328	2,053	1,540	995	506	262	101	44	15	5	9	5	2	171
30 years	15,985	1,690	2,142	2,265	2,121	1,943	1,754	1,559	1,096	651	342	149	69	36	16	7	3	8	146
31 years	11,654	1,170	1,481	1,574	1,441	1,349	1,287	1,159	913	623	289	155	55	26	12	4	2	3	111
32 years	11,972	1,100	1,417	1,517	1,420	1,331	1,297	1,190	1,036	709	452	204	117	41	24	12	5	11	89
33 years	10,460	916	1,153	1,230	1,151	1,122	1,123	1,064	910	726	489	233	142	63	28	15	5	9	81
34 years	9,940	791	1,068	1,099	1,024	1,035	1,030	1,006	893	754	564	288	154	79	37	22	14	14	78
35 years	8,893	613	841	943	876	889	846	878	826	744	571	361	207	124	53	28	6	23	64
36 years	7,784	531	642	680	692	745	759	750	728	731	589	419	212	141	68	24	16	17	60
37 years	6,754	386	539	565	561	595	645	627	623	630	530	410	261	156	84	43	24	25	52
38 years	6,886	401	456	510	534	555	597	617	647	632	581	485	329	217	128	76	38	41	42
39 years	5,184	236	302	348	388	388	424	457	505	478	426	409	308	212	121	77	28	39	39
40 years	3,532	206	191	201	224	274	262	306	293	296	322	321	216	210	125	78	35	42	30
41 years	2,035	96	102	115	127	125	150	136	158	175	178	192	151	119	90	47	22	36	16
42 years	1,907	70	89	101	105	110	111	149	161	184	162	188	146	122	78	64	24	36	7
43 years	1,250	52	47	51	83	66	86	87	94	100	114	111	106	82	66	50	27	37	11
44 years	705	16	26	20	38	24	32	43	55	74	66	78	66	71	45	25	11	15	3
45 years	354	10	5	15	11	22	25	26	25	28	25	28	29	31	30	18	12	11	3
46 years	194	4	5	5	4	12	15	11	10	16	16	19	19	15	15	12	5	10	1
47 years	122	1	5	4	5	5	7	5	10	7	14	10	19	9	7	6	2	5	1
48 years	83	3	4	7	5	1	8	8	3	5	5	3	7	10	3	5	4	2	-
49 years	63	3	2	1	2	8	7	4	4	1	8	5	6	2	5	2	-	3	-
50 years and over	42	-	1	3	5	-	1	11	5	2	1	2	2	1	4	1	1	1	1
Not stated	2,805	819	380	306	225	166	125	97	80	60	36	23	15	8	7	2	-	3	453

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
UNITED STATES	3,559,529	39	66,218	762,297	1,061,833	751,989	455,939	215,276	84,604	27,678	16,597	117,059
Under 15 years	5,016	18	1,101	914	213	37	34	9	8	8	6	2,669
15-19 years	433,028	9	55,771	242,847	70,022	13,541	3,968	1,214	514	176	150	44,816
20-24 years	1,154,824	5	8,749	461,628	480,384	122,357	31,852	9,788	3,557	1,192	873	34,438
25-29 years	1,007,237	1	386	51,130	453,788	338,687	103,538	28,081	9,683	2,979	1,980	16,984
30-34 years	581,350	3	67	4,064	50,251	244,392	187,649	59,511	17,551	5,795	3,414	8,655
35-39 years	291,234	3	29	618	5,364	30,034	119,017	85,984	30,405	9,068	5,497	5,215
40-44 years	74,300	-	6	86	443	1,913	9,024	29,719	20,646	7,181	3,862	1,420
45-49 years	5,051	-	2	8	23	73	194	635	2,075	1,190	732	119
50 years and over	150	-	-	2	8	13	14	12	16	30	40	15
Not stated	7,339	-	107	999	1,337	942	649	323	149	61	43	2,729
Male	1,826,352	20	34,174	391,363	546,314	385,529	233,534	110,236	43,151	14,007	8,474	59,550
Under 15 years	2,528	7	594	445	107	20	14	5	3	6	3	1,324
15-19 years	222,430	6	28,780	124,879	35,910	6,946	2,036	612	259	91	78	22,833
20-24 years	593,170	1	4,482	236,817	247,246	62,701	16,329	5,031	1,858	613	423	17,669
25-29 years	516,267	1	211	26,283	233,401	173,362	52,850	14,285	4,914	1,458	1,005	8,517
30-34 years	298,444	2	36	2,056	25,953	125,555	96,245	30,486	8,949	3,007	1,725	4,430
35-39 years	149,178	3	17	325	2,774	15,411	60,984	44,081	15,516	4,576	2,818	2,673
40-44 years	37,990	-	3	44	222	961	4,660	15,260	10,522	3,614	1,966	718
45-49 years	2,551	-	1	3	11	44	91	307	1,038	606	388	62
50 years and over	84	-	-	-	4	9	7	8	9	16	25	6
Not stated	3,710	-	50	511	686	520	338	161	85	20	23	1,316
Female	1,733,177	19	32,044	370,934	515,519	366,460	222,405	105,040	41,453	13,671	8,123	57,508
Under 15 years	2,488	11	507	469	106	17	20	4	5	2	3	1,344
15-19 years	210,598	3	26,991	117,968	34,112	6,595	1,932	602	255	85	72	21,983
20-24 years	561,654	4	4,267	224,812	233,138	59,656	15,523	4,757	1,699	579	450	16,769
25-29 years	490,970	-	175	24,847	220,387	165,325	50,708	13,796	4,769	1,521	975	8,467
30-34 years	282,906	1	31	2,008	24,298	118,837	91,404	29,025	8,602	2,786	1,689	4,225
35-39 years	142,056	-	12	293	2,590	14,623	58,033	41,903	14,889	4,492	2,679	2,542
40-44 years	36,310	-	3	42	221	952	4,364	14,459	10,124	3,567	1,876	702
45-49 years	2,500	-	1	5	12	29	103	328	1,037	584	344	57
50 years and over	66	-	-	2	4	4	7	4	7	14	15	9
Not stated	3,629	-	57	488	651	422	311	162	66	41	20	1,411
WHITE	3,083,721	18	50,293	656,991	950,684	681,452	403,728	187,102	70,262	22,699	12,833	47,659
Under 15 years	1,731	4	435	537	119	22	20	4	5	4	3	578
15-19 years	332,219	5	41,924	200,206	57,832	11,256	3,101	896	365	132	111	16,411
20-24 years	998,712	2	7,484	405,089	425,752	106,941	26,203	7,718	2,648	903	646	15,328
25-29 years	900,349	1	320	46,249	414,469	307,635	89,822	25,276	7,392	2,277	1,474	7,434
30-34 years	521,329	3	60	3,606	46,362	225,447	168,930	51,801	14,224	4,602	2,590	3,704
35-39 years	255,733	3	21	538	4,755	27,558	106,801	76,243	25,748	7,508	4,243	2,215
40-44 years	64,771	-	6	75	366	1,727	8,228	26,382	17,896	6,192	3,112	667
45-49 years	4,235	-	1	7	18	58	160	549	1,776	1,022	594	50
50 years and over	108	-	-	2	7	10	11	10	12	23	29	4
Not stated	4,534	-	42	682	984	718	452	223	96	36	31	1,270
Male	1,585,654	12	26,015	338,224	489,999	349,737	207,229	95,983	38,011	11,502	6,580	24,562
Under 15 years	863	3	225	260	59	13	9	3	1	3	2	285
15-19 years	171,548	3	21,714	103,320	29,773	5,842	1,608	467	163	69	62	8,507
20-24 years	514,259	-	3,839	209,250	219,575	54,947	13,474	4,019	1,406	471	311	7,967
25-29 years	462,294	1	171	23,880	213,476	157,532	45,960	11,841	3,753	1,133	765	3,782
30-34 years	267,896	2	33	1,835	23,955	115,866	86,793	26,526	7,516	2,394	1,324	1,852
35-39 years	131,227	3	12	283	2,456	14,217	54,791	39,154	13,190	3,765	2,153	1,183
40-44 years	33,246	-	3	35	190	873	4,290	13,584	9,207	3,112	1,617	335
45-49 years	2,140	-	1	3	10	37	75	270	894	510	311	29
50 years and over	64	-	-	-	3	8	4	7	8	12	19	3
Not stated	2,317	-	17	358	502	402	225	112	53	13	16	619
Female	1,497,867	6	24,278	318,767	460,685	331,715	196,499	91,119	34,251	11,197	6,253	23,097
Under 15 years	868	1	210	277	60	9	11	1	4	1	1	293
15-19 years	160,671	2	20,210	96,886	28,059	5,394	1,493	429	182	63	49	7,904
20-24 years	484,453	2	3,645	196,839	208,177	51,994	12,729	3,699	1,242	432	335	7,359
25-29 years	438,055	-	149	22,369	200,993	150,103	43,862	11,435	3,539	1,144	709	3,652
30-34 years	253,433	1	27	1,771	22,407	109,581	82,137	25,275	6,908	2,208	1,266	1,852
35-39 years	124,506	-	9	255	2,299	13,441	52,010	37,089	12,558	3,723	2,090	1,032
40-44 years	31,525	-	3	40	196	854	3,938	12,798	8,789	3,080	1,495	332
45-49 years	2,095	-	-	4	8	21	85	279	882	512	285	21
50 years and over	44	-	-	2	4	2	7	5	4	11	10	1
Not stated	2,217	-	25	324	482	316	227	111	43	23	15	651
NONWHITE	475,808	21	15,925	105,306	111,149	70,537	52,211	28,174	14,342	4,979	3,764	69,400
Under 15 years	3,285	14	666	377	94	15	14	5	3	4	3	2,090
15-19 years	100,809	4	13,847	42,641	12,190	2,305	867	318	149	44	39	28,405
20-24 years	156,112	3	1,265	56,540	54,632	15,416	5,649	2,070	909	289	227	18,112
25-29 years	106,888	-	66	4,881	38,319	31,052	13,716	4,805	2,291	702	506	9,550
30-34 years	60,021	-	7	458	3,889	18,945	18,719	7,710	3,327	1,191	824	4,951
35-39 years	35,501	-	8	80	609	2,376	12,218	9,741	4,657	1,560	1,254	3,000
40-44 years	9,529	-	-	11	57	186	796	3,337	2,650	989	750	753
45-49 years	816	-	1	1	5	15	34	86	299	168	139	69
50 years and over	42	-	-	-	1	3	3	2	4	7	11	11
Not stated	2,805	-	65	317	353	224	197	100	53	25	12	1,459
Male	240,498	8	8,159	53,139	56,315	35,792	26,305	14,253	7,140	2,505	1,894	34,988
Under 15 years	1,665	4	369	185	48	7	5	2	2	3	1	1,039
15-19 years	50,882	3	7,066	21,559	6,137	1,104	428	145	78	22	16	14,326
20-24 years	78,911	1	643	28,567	27,671	7,754	2,855	1,012	452	142	112	9,702
25-29 years	53,973	-	40	2,403	19,925	15,830	6,870	2,444	1,181	325	240	4,735
30-34 years	30,548	-	3	221	1,998	9,689	9,452	3,960	1,633	613	401	2,578
35-39 years	17,951	-	5	42	318	1,194	6,193	4,927	2,326	791	665	1,490
40-44 years	4,744	-	-	9	32	88	370	1,676	1,315	502	369	383
45-49 years	411	-	-	-	1	7	16	37	144	96	77	33
50 years and over	20	-	-	-	1	1	3	1	1	4	6	3
Not stated	1,393	-	33	153	184	118	115	49	30	7	7	699

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX (AGE OF MOTHER FOR U. S. ONLY)	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
UNITED STATES—Continued												
NONWHITE—Continued												
Female	235,310	13	7,766	52,167	54,834	34,745	25,906	13,921	7,202	2,474	1,870	34,412
Under 15 years	1,620	10	297	192	46	8	9	3	1	1	2	1,051
15-19 years	49,927	1	6,781	21,082	6,053	1,201	439	173	73	22	23	14,079
20-24 years	77,201	2	622	27,973	26,961	7,662	2,794	1,058	457	147	115	9,410
25-29 years	52,915	-	26	2,478	19,394	15,222	6,846	2,361	1,130	377	286	4,815
30-34 years	29,473	-	4	237	1,891	9,256	9,267	3,750	1,694	578	423	2,373
35-39 years	17,550	-	3	38	291	1,162	6,023	4,814	2,351	769	589	1,510
40-44 years	4,785	-	-	2	25	98	426	1,661	1,335	487	381	370
45-49 years	405	-	1	1	4	8	18	49	155	72	61	36
50 years and over	22	-	-	-	-	2	-	1	3	3	5	8
Not stated	1,412	-	32	164	169	106	84	51	23	18	5	760
ALABAMA	84,418	1	2,027	18,932	21,301	14,557	10,316	5,483	2,478	861	730	7,732
Male	43,283	-	1,035	9,710	11,075	7,512	5,237	2,768	1,223	390	373	3,960
Female	41,135	1	992	9,222	10,226	7,045	5,079	2,715	1,255	471	357	3,772
White	52,213	-	1,217	12,600	14,941	10,284	6,643	3,412	1,402	472	370	872
Male	26,923	-	626	6,459	7,784	5,304	3,395	1,752	722	215	197	469
Female	25,290	-	591	6,141	7,157	4,980	3,248	1,660	680	257	173	403
Nonwhite	32,205	1	810	6,332	6,360	4,273	3,673	2,071	1,076	389	360	6,860
Male	16,360	-	409	3,251	3,291	2,208	1,842	1,016	501	175	176	3,491
Female	15,845	1	401	3,081	3,069	2,065	1,831	1,055	575	214	184	3,369
ARIZONA	20,275	3	473	4,742	5,768	4,053	2,611	1,347	645	211	144	278
Male	10,341	2	231	2,405	2,925	2,085	1,331	706	324	120	71	141
Female	9,934	1	242	2,337	2,843	1,968	1,280	641	321	91	73	137
White	17,520	1	364	4,167	5,102	3,576	2,262	1,124	512	153	98	159
Male	8,934	1	175	2,116	2,584	1,833	1,164	597	262	83	42	77
Female	8,586	-	189	2,051	2,518	1,745	1,098	527	250	70	56	82
Nonwhite	2,755	2	109	575	666	475	349	223	133	58	46	119
Male	1,407	1	56	289	341	252	167	109	62	37	29	64
Female	1,348	1	53	286	325	223	182	114	71	21	17	55
ARKANSAS	45,609	-	1,257	10,993	11,641	7,972	5,625	3,126	1,495	563	486	2,455
Male	23,083	-	658	5,619	5,946	3,981	2,786	1,610	716	283	256	1,228
Female	22,526	-	599	5,374	5,695	3,991	2,837	1,516	777	280	230	1,227
White	34,215	-	828	8,644	9,508	6,427	4,266	2,313	989	377	300	563
Male	17,412	-	445	4,420	4,879	3,233	2,127	1,196	477	192	158	285
Female	16,803	-	383	4,224	4,629	3,194	2,139	1,117	512	185	142	278
Nonwhite	11,394	-	429	2,349	2,133	1,545	1,357	813	504	186	186	1,892
Male	5,671	-	213	1,199	1,067	748	659	414	239	91	98	943
Female	5,723	-	216	1,150	1,066	797	698	399	265	95	88	949
CALIFORNIA	245,199	-	4,965	54,616	78,314	53,614	30,315	13,697	5,446	1,649	769	1,814
Male	125,744	-	2,584	27,911	40,348	27,442	15,457	6,986	2,857	864	379	936
Female	119,455	-	2,381	26,705	37,966	26,172	14,858	6,711	2,609	785	390	878
White	224,785	-	4,466	50,431	72,315	49,470	27,417	12,127	4,844	1,470	680	1,565
Male	115,355	-	2,315	25,818	37,264	25,345	14,000	6,190	2,507	762	335	819
Female	109,430	-	2,151	24,613	35,051	24,125	13,417	5,937	2,337	708	345	746
Nonwhite	20,414	-	499	4,185	5,999	4,144	2,898	1,570	602	179	89	249
Male	10,389	-	269	2,093	3,084	2,097	1,457	796	330	102	44	117
Female	10,025	-	230	2,092	2,915	2,047	1,441	774	272	77	45	132
COLORADO	32,894	1	633	7,664	10,489	6,844	3,967	1,822	794	291	149	240
Male	17,000	1	349	3,942	5,486	3,489	2,050	926	400	152	76	129
Female	15,894	-	284	3,722	5,003	3,355	1,917	896	394	139	73	111
White	32,137	1	614	7,505	10,243	6,693	3,877	1,777	770	287	146	224
Male	16,578	1	341	3,850	5,348	3,416	2,000	897	384	150	73	118
Female	15,559	-	273	3,655	4,895	3,277	1,877	880	386	137	73	106
Nonwhite	757	-	19	159	246	151	90	45	24	4	3	16
Male	422	-	8	92	138	73	50	29	16	2	3	11
Female	335	-	11	67	108	78	40	16	8	2	-	5
CONNECTICUT	40,887	1	258	6,323	13,024	10,887	6,144	2,416	792	208	80	754
Male	21,107	1	127	3,303	6,783	5,585	3,151	1,220	422	100	41	376
Female	19,780	-	131	3,020	6,241	5,304	2,993	1,196	370	108	39	378
White	39,595	1	242	5,989	12,637	10,701	6,026	2,352	772	204	75	594
Male	20,459	1	119	3,143	6,588	5,488	3,091	1,183	409	98	39	300
Female	19,136	-	123	2,846	6,049	5,213	2,937	1,169	363	106	36	294
Nonwhite	1,292	-	16	334	387	186	116	64	20	4	5	160
Male	648	-	8	160	195	95	60	37	13	2	2	76
Female	644	-	8	174	192	91	56	27	7	2	3	84
DELAWARE	7,369	-	119	1,402	2,164	1,622	900	426	141	45	22	530
Male	3,770	-	69	738	1,102	850	454	195	72	21	9	260
Female	3,599	-	50	664	1,062	772	446	231	69	22	13	270
White	6,103	-	91	1,183	1,898	1,458	795	363	119	37	16	143
Male	3,150	-	55	624	970	770	406	164	60	18	7	76
Female	2,953	-	36	559	928	688	389	199	59	19	9	67
Nonwhite	1,266	-	28	219	266	164	105	63	22	6	6	387
Male	620	-	14	114	132	80	48	31	12	3	2	184
Female	646	-	14	105	134	84	57	32	10	3	4	203

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
DISTRICT OF COLUMBIA	19,814	-	407	3,872	5,606	3,804	2,247	1,061	384	130	59	2,244
Male	9,944	-	216	1,919	2,870	1,903	1,102	532	200	68	30	1,104
Female	9,870	-	191	1,953	2,736	1,901	1,145	529	184	62	29	1,140
White	11,624	-	185	2,247	3,626	2,649	1,491	680	229	77	36	404
Male	5,905	-	92	1,102	1,889	1,342	742	339	130	43	20	206
Female	5,719	-	93	1,145	1,737	1,307	749	341	99	34	16	198
Nonwhite	8,190	-	222	1,625	1,980	1,155	756	381	155	53	23	1,840
Male	4,039	-	124	817	981	561	360	193	70	25	10	898
Female	4,151	-	98	808	999	594	396	188	85	28	13	942
FLORIDA	61,743	-	1,259	12,908	16,925	11,814	7,643	3,952	1,735	628	451	4,428
Male	31,787	-	662	6,682	8,714	6,042	3,968	2,010	893	301	251	2,264
Female	29,956	-	597	6,226	8,211	5,772	3,675	1,942	842	327	200	2,164
White	44,496	-	769	9,577	13,412	9,386	5,814	2,859	1,149	407	277	846
Male	23,094	-	397	5,000	6,948	4,842	3,042	1,454	609	189	152	451
Female	21,402	-	372	4,577	6,464	4,544	2,772	1,405	540	218	125	385
Nonwhite	17,247	-	490	3,331	3,513	2,428	1,829	1,093	586	221	174	3,582
Male	8,693	-	265	1,682	1,766	1,200	926	556	284	112	99	1,803
Female	8,554	-	225	1,649	1,747	1,228	903	537	302	109	75	1,779
GEORGIA	93,259	3	2,712	21,019	24,222	16,881	11,274	5,422	2,393	771	812	7,950
Male	47,600	1	1,371	10,670	12,528	8,594	5,731	2,771	1,199	420	289	4,026
Female	45,659	2	1,341	10,349	11,694	8,287	5,543	2,651	1,194	351	523	3,924
White	58,518	1	1,381	13,537	16,985	12,180	7,425	3,551	1,415	475	335	1,253
Male	30,126	-	711	6,945	8,830	6,280	3,779	1,826	714	255	149	657
Female	28,392	1	670	6,592	8,155	5,920	3,646	1,725	701	220	186	596
Nonwhite	34,741	2	1,331	7,482	7,257	4,701	3,849	1,871	978	296	277	6,697
Male	17,474	1	660	3,725	3,698	2,334	1,952	945	485	165	140	3,369
Female	17,267	1	671	3,757	3,559	2,367	1,897	926	493	131	137	3,328
IDAHO	15,984	-	361	3,782	4,763	3,381	2,035	951	397	120	68	126
Male	8,077	-	192	1,914	2,411	1,705	1,030	471	199	61	32	62
Female	7,907	-	169	1,868	2,352	1,676	1,005	480	198	59	36	64
White	15,752	-	356	3,752	4,691	3,325	1,996	939	392	116	67	118
Male	7,972	-	187	1,903	2,375	1,684	1,014	465	196	58	32	58
Female	7,780	-	169	1,849	2,316	1,641	982	474	196	58	35	60
Nonwhite	232	-	5	30	72	56	39	12	5	4	1	8
Male	105	-	5	11	36	21	16	6	3	3	-	4
Female	127	-	-	19	36	35	23	6	2	1	1	4
ILLINOIS	189,313	1	2,574	37,724	58,263	42,862	24,706	11,162	4,029	1,206	549	6,217
Male	97,128	1	1,270	19,395	29,807	21,903	12,784	5,823	2,088	666	275	3,116
Female	92,185	-	1,304	18,329	28,456	20,979	11,922	5,339	1,941	540	274	3,101
White	170,376	1	2,111	33,429	53,693	40,097	22,910	10,293	3,586	1,045	487	2,724
Male	87,726	1	1,033	17,279	27,561	20,512	11,988	5,379	1,851	585	248	1,391
Female	82,650	-	1,078	16,150	26,132	19,585	11,024	4,914	1,735	460	239	1,333
Nonwhite	18,937	-	463	4,295	4,570	2,765	1,796	869	443	161	62	3,483
Male	9,402	-	237	2,118	2,246	1,391	898	444	237	81	27	1,725
Female	9,535	-	226	2,179	2,324	1,394	898	425	206	80	35	1,758
INDIANA	94,214	4	2,276	23,648	29,332	18,847	10,947	4,964	1,905	657	375	1,259
Male	48,401	2	1,157	12,096	15,139	9,577	5,663	2,584	984	356	215	628
Female	45,813	2	1,119	11,552	14,193	9,270	5,284	2,380	921	301	160	631
White	89,231	1	2,036	22,220	28,007	18,133	10,467	4,704	1,760	591	345	967
Male	45,865	-	1,031	11,382	14,480	9,183	5,433	2,459	909	319	197	492
Female	43,346	1	1,005	10,838	13,527	8,950	5,034	2,245	851	272	148	475
Nonwhite	4,983	3	240	1,428	1,325	714	480	260	145	66	30	292
Male	2,516	2	126	714	659	394	230	125	75	37	18	136
Female	2,467	1	114	714	666	320	250	135	70	29	12	156
IOWA	61,871	-	1,040	13,852	19,475	13,316	7,611	3,559	1,264	414	201	1,139
Male	31,983	-	538	7,124	10,134	6,853	3,891	1,873	643	213	92	622
Female	29,888	-	502	6,728	9,341	6,463	3,720	1,686	621	201	109	517
White	61,308	-	1,017	13,716	19,339	13,231	7,551	3,530	1,257	411	195	1,061
Male	31,695	-	528	7,053	10,059	6,812	3,861	1,860	638	211	89	575
Female	29,623	-	489	6,663	9,280	6,419	3,690	1,670	619	200	107	486
Nonwhite	563	-	23	136	136	85	60	29	7	3	5	78
Male	288	-	10	71	75	41	30	13	5	2	4	47
Female	265	-	13	65	61	44	30	16	2	1	2	31
KANSAS	43,781	-	616	10,327	14,078	8,960	5,213	2,382	881	299	155	670
Male	22,596	-	424	5,338	7,344	4,559	2,673	1,205	458	164	79	342
Female	21,185	-	392	4,989	6,734	4,401	2,540	1,177	413	135	76	328
White	41,874	-	737	9,863	13,561	8,682	5,006	2,280	816	268	137	544
Male	21,801	-	389	5,085	7,073	4,402	2,574	1,151	430	146	68	283
Female	20,273	-	348	4,778	6,488	4,280	2,432	1,129	386	122	69	261
Nonwhite	1,907	-	79	464	517	298	207	102	65	31	18	126
Male	995	-	35	253	271	157	99	54	38	18	11	59
Female	912	-	44	211	246	141	108	48	27	13	7	67
KENTUCKY	76,197	-	2,080	18,223	21,303	14,418	9,719	5,396	2,369	953	789	957
Male	39,219	-	1,107	9,571	10,940	7,450	4,966	2,725	1,145	439	405	471
Female	36,978	-	983	8,652	10,363	6,968	4,753	2,671	1,224	514	384	486

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
KENTUCKY—Continued												
White	71,218	-	1,798	16,977	20,053	13,616	9,192	5,048	2,176	879	742	737
Male	36,688	-	948	8,934	10,312	7,020	4,696	2,558	1,057	400	384	379
Female	34,530	-	850	8,043	9,741	6,596	4,496	2,490	1,119	479	358	358
Nonwhite	4,979	-	292	1,246	1,250	802	527	348	193	74	47	200
Male	2,531	-	159	657	628	430	270	167	88	39	21	92
Female	2,448	-	133	609	622	372	257	181	105	35	26	108
LOUISIANA	75,487	-	1,682	17,137	20,379	13,727	8,455	4,772	2,092	667	505	5,071
Male	38,550	-	863	8,866	10,379	6,938	4,897	2,400	1,066	310	262	2,569
Female	36,937	-	819	8,271	10,000	6,789	4,558	2,372	1,026	357	243	2,502
White	45,312	-	786	10,581	13,586	9,489	5,964	2,769	1,071	322	214	570
Male	23,140	-	401	5,494	6,896	4,783	3,063	1,390	555	151	110	297
Female	22,172	-	385	5,087	6,670	4,706	2,901	1,379	516	171	104	273
Nonwhite	30,175	-	916	6,556	6,813	4,238	3,491	2,003	1,021	345	291	4,501
Male	15,410	-	462	3,372	3,483	2,155	1,834	1,010	511	159	152	2,272
Female	14,765	-	454	3,184	3,330	2,083	1,657	993	510	186	139	2,229
MAINE	21,939	-	489	5,424	6,608	4,328	2,459	1,210	498	168	109	646
Male	11,203	-	238	2,767	3,360	2,224	1,261	619	270	88	58	318
Female	10,736	-	251	2,657	3,248	2,104	1,198	591	228	80	51	328
White	21,904	-	488	5,420	6,598	4,323	2,453	1,206	496	167	109	644
Male	11,193	-	238	2,768	3,355	2,223	1,260	618	269	88	58	316
Female	10,711	-	250	2,654	3,243	2,100	1,193	588	227	79	51	326
Nonwhite	35	-	1	4	10	5	6	4	2	1	-	2
Male	10	-	-	1	5	1	1	1	1	-	-	-
Female	25	-	1	3	5	4	5	3	1	1	-	2
MARYLAND	53,597	2	1,532	11,960	16,281	11,404	6,782	3,080	1,167	379	180	830
Male	27,414	1	785	6,104	8,324	5,821	3,495	1,582	584	203	96	421
Female	26,183	1	749	5,856	7,957	5,583	3,287	1,498	583	176	84	409
White	41,849	-	620	8,782	13,289	9,516	5,556	2,425	861	269	145	366
Male	21,561	-	327	4,482	6,831	4,903	2,888	1,251	433	157	74	195
Female	20,288	-	293	4,300	6,458	4,613	2,668	1,174	428	132	71	171
Nonwhite	11,748	2	912	3,178	2,992	1,888	1,226	655	306	90	35	464
Male	5,853	1	456	1,622	1,493	918	597	331	151	46	22	226
Female	5,885	1	456	1,556	1,499	970	629	324	155	44	13	238
MASSACHUSETTS	95,615	-	678	16,594	30,431	23,570	13,546	6,010	1,966	561	239	2,020
Male	49,104	-	364	8,558	15,766	11,967	6,987	2,997	1,013	291	111	1,050
Female	46,511	-	314	8,036	14,665	11,603	6,559	3,013	953	270	128	970
White	93,585	-	641	16,152	29,828	23,215	13,317	5,909	1,912	546	228	1,817
Male	48,061	-	342	8,336	15,457	11,787	6,870	2,948	988	285	104	944
Female	45,504	-	299	7,816	14,371	11,428	6,447	2,961	924	261	124	873
Nonwhite	2,050	-	37	442	603	355	229	101	54	15	11	203
Male	1,043	-	22	222	309	180	117	49	25	6	7	106
Female	1,007	-	15	220	294	175	112	52	29	9	4	97
MICHIGAN	157,178	1	2,670	36,143	49,466	33,853	18,992	8,642	3,428	1,045	459	2,379
Male	81,128	1	1,415	18,877	25,598	17,450	9,749	4,463	1,779	523	241	1,232
Female	76,050	-	1,255	17,466	23,868	16,503	9,243	4,179	1,649	522	218	1,147
White	144,052	1	2,237	32,806	45,731	31,649	17,561	7,893	3,098	942	413	1,721
Male	74,391	1	1,191	16,966	23,673	16,310	8,999	4,049	1,606	476	212	908
Female	69,661	-	1,046	15,840	22,058	15,339	8,562	3,844	1,492	466	201	813
Nonwhite	13,126	-	433	3,337	3,735	2,204	1,431	749	330	103	46	658
Male	6,737	-	224	1,711	1,925	1,140	750	414	173	47	29	324
Female	6,389	-	209	1,626	1,810	1,164	681	335	157	56	17	334
MINNESOTA	73,929	1	652	13,429	22,365	17,271	10,575	5,081	1,922	667	293	1,673
Male	38,122	-	348	6,914	11,558	8,873	5,436	2,638	1,001	332	152	872
Female	35,807	1	304	6,515	10,807	8,398	5,139	2,443	921	335	141	801
White	73,119	1	645	13,302	22,193	17,144	10,481	5,036	1,895	660	284	1,488
Male	37,729	-	343	6,854	11,480	8,810	5,391	2,614	987	325	148	777
Female	35,390	1	302	6,448	10,713	8,334	5,090	2,422	908	335	136	711
Nonwhite	810	-	7	127	172	127	94	45	27	17	9	185
Male	393	-	3	60	78	63	45	24	14	7	4	95
Female	417	-	4	67	94	64	49	21	13	10	5	90
MISSISSIPPI	66,415	2	1,999	14,879	15,510	10,810	8,152	4,753	2,320	781	660	6,549
Male	33,853	1	985	7,518	7,933	5,506	4,238	2,417	1,163	407	340	3,335
Female	32,562	1	1,004	7,361	7,577	5,304	3,914	2,336	1,157	374	320	3,214
White	29,097	1	561	6,917	8,247	5,735	3,817	2,074	860	279	209	297
Male	15,036	1	271	3,503	4,272	2,983	2,090	1,088	434	148	106	140
Female	14,061	-	290	3,414	3,975	2,752	1,827	986	426	131	103	157
Nonwhite	37,318	1	1,438	7,962	7,263	5,075	4,235	2,679	1,460	502	451	6,252
Male	18,817	-	724	4,015	3,661	2,523	2,148	1,329	729	259	234	3,195
Female	18,501	1	714	3,947	3,602	2,552	2,087	1,350	731	243	217	3,057
MISSOURI	85,302	1	1,738	19,028	24,869	17,021	10,915	5,428	2,144	755	458	2,945
Male	43,826	-	889	9,727	12,870	8,666	5,631	2,827	1,118	385	250	1,463
Female	41,476	1	849	9,301	11,999	8,355	5,284	2,601	1,026	370	208	1,482
White	77,288	-	1,480	17,336	23,233	15,964	10,108	4,954	1,904	654	387	1,268
Male	39,839	-	754	8,883	12,092	8,113	5,259	2,563	991	337	211	626
Female	37,449	-	726	8,443	11,141	7,851	4,849	2,391	913	317	176	642
Nonwhite	8,014	1	258	1,692	1,636	1,057	807	474	240	101	71	1,677
Male	3,987	-	135	834	778	553	372	264	127	48	39	837
Female	4,027	1	123	858	858	504	435	210	113	53	32	840

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
MONTANA	15,366	2	226	3,193	4,635	3,456	1,993	950	440	153	113	205
Male	7,637	1	116	1,623	2,316	1,691	990	459	212	66	55	108
Female	7,729	1	110	1,570	2,319	1,765	1,003	491	228	87	58	97
White	14,556	2	210	3,014	4,432	3,317	1,891	897	408	137	101	147
Male	7,244	1	108	1,541	2,213	1,623	938	432	199	58	49	81
Female	7,312	1	101	1,473	2,219	1,694	953	465	209	79	52	66
Nonwhite	810	-	16	179	203	139	102	53	32	16	12	58
Male	393	-	7	82	103	68	52	27	13	8	6	27
Female	417	-	9	97	100	71	50	26	19	8	6	31
NEBRASKA	31,547	-	451	7,145	10,038	6,732	3,949	1,834	685	254	114	465
Male	16,038	-	238	3,691	5,087	3,370	1,978	957	332	117	54	214
Female	15,509	-	213	3,454	4,951	3,362	1,971	877	353	117	60	251
White	30,873	-	437	6,967	9,869	6,654	3,771	1,793	667	225	110	380
Male	15,686	-	232	3,589	5,000	3,328	1,939	933	323	112	54	176
Female	15,187	-	205	3,378	4,869	3,326	1,832	860	344	113	56	204
Nonwhite	674	-	14	178	169	78	78	41	18	9	4	85
Male	352	-	6	102	87	42	39	24	9	5	-	38
Female	322	-	8	76	82	36	39	17	9	4	4	47
NEVADA	3,673	-	74	721	1,089	821	507	225	113	42	25	56
Male	1,899	-	30	380	556	421	260	123	59	26	15	29
Female	1,774	-	44	341	533	400	247	102	54	16	10	27
White	3,384	-	66	661	1,019	767	464	204	109	37	23	34
Male	1,751	-	26	350	515	395	244	113	57	21	14	16
Female	1,633	-	40	311	504	372	220	91	52	16	9	18
Nonwhite	289	-	8	60	70	54	43	21	4	5	2	22
Male	148	-	4	30	41	26	16	10	2	5	1	13
Female	141	-	4	30	29	28	27	11	2	-	1	9
NEW HAMPSHIRE	11,940	-	169	2,638	3,738	2,607	1,507	656	215	95	42	273
Male	6,125	-	92	1,349	1,905	1,350	770	336	121	48	21	133
Female	5,815	-	77	1,289	1,833	1,257	737	320	94	47	21	140
White	11,920	-	168	2,636	3,732	2,603	1,503	656	214	94	42	272
Male	6,117	-	91	1,349	1,902	1,349	768	336	121	47	21	133
Female	5,803	-	77	1,287	1,830	1,254	735	320	93	47	21	139
Nonwhite	20	-	1	2	6	4	4	-	1	1	-	1
Male	8	-	1	-	3	1	2	-	-	1	-	-
Female	12	-	-	2	3	3	2	-	1	-	-	1
NEW JERSEY	97,606	1	866	15,867	30,812	25,032	14,411	6,006	1,986	579	240	1,806
Male	50,440	-	471	8,253	15,836	13,027	7,446	3,087	998	283	124	915
Female	47,166	1	395	7,614	14,976	12,005	6,965	2,919	988	296	116	891
White	88,393	-	574	13,464	28,303	23,611	13,500	5,555	1,759	510	197	920
Male	45,718	-	309	7,010	14,574	12,303	6,976	2,845	890	249	99	464
Female	42,675	-	266	6,454	13,729	11,308	6,524	2,710	869	261	98	456
Nonwhite	9,213	1	292	2,403	2,509	1,421	911	451	227	69	43	686
Male	4,722	-	163	1,243	1,262	724	470	242	108	34	25	451
Female	4,491	1	129	1,160	1,247	697	441	209	119	35	18	435
NEW MEXICO	21,620	-	443	4,910	5,966	4,138	2,653	1,460	725	253	207	865
Male	11,207	-	226	2,469	3,192	2,105	1,397	765	360	138	112	443
Female	10,413	-	217	2,441	2,774	2,033	1,256	695	365	115	95	422
White	20,118	-	422	4,683	5,648	3,873	2,457	1,357	650	226	172	630
Male	10,392	-	214	2,352	3,019	1,953	1,293	707	324	121	93	316
Female	9,726	-	208	2,331	2,629	1,920	1,164	650	326	105	79	314
Nonwhite	1,502	-	21	227	318	265	196	103	75	27	35	235
Male	815	-	12	117	173	152	104	58	36	17	19	127
Female	687	-	9	110	145	113	92	45	39	10	16	108
NEW YORK	301,287	2	2,610	49,161	92,033	73,547	44,949	20,695	7,082	2,041	828	8,359
Male	154,565	1	1,341	25,339	47,392	37,686	22,765	10,593	3,614	1,079	425	4,330
Female	146,722	1	1,269	23,822	44,641	35,861	22,184	10,102	3,448	962	403	4,029
White	274,763	1	1,960	43,376	84,875	69,342	42,243	19,330	6,453	1,865	732	4,606
Male	141,046	1	999	22,387	43,771	35,476	21,421	9,899	3,307	983	381	2,421
Female	133,737	-	961	20,989	41,104	33,866	20,822	9,431	3,146	882	351	2,185
Nonwhite	26,504	1	650	5,785	7,158	4,205	2,706	1,365	629	176	96	3,753
Male	13,519	-	342	2,952	3,621	2,210	1,344	694	307	96	44	1,909
Female	12,985	1	308	2,833	3,537	1,995	1,362	671	302	80	52	1,844
NORTH CAROLINA	107,970	5	3,311	26,211	30,202	19,755	12,698	6,161	2,650	898	723	5,356
Male	55,291	2	1,737	13,430	15,450	10,102	6,492	3,126	1,390	419	403	2,740
Female	52,679	3	1,574	12,781	14,752	9,653	6,206	3,035	1,260	479	320	2,616
White	72,415	-	1,724	17,619	21,617	14,287	8,735	4,229	1,684	585	457	1,478
Male	37,394	-	911	9,121	11,151	7,337	4,513	2,150	905	282	269	755
Female	35,021	-	813	8,498	10,466	6,950	4,222	2,079	779	303	188	723
Nonwhite	35,555	5	1,587	8,592	8,585	5,468	3,963	1,932	966	313	266	3,878
Male	17,897	2	826	4,309	4,299	2,765	1,979	976	485	137	134	1,985
Female	17,658	3	761	4,283	4,286	2,703	1,984	956	481	176	132	1,893
NORTH DAKOTA	16,845	-	161	3,190	4,968	3,720	2,438	1,269	496	158	98	348
Male	8,727	-	82	1,656	2,554	1,913	1,287	645	286	81	50	193
Female	8,119	-	79	1,534	2,414	1,807	1,151	624	230	77	48	155

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
NORTH DAKOTA—Continued												
White	16,475	-	155	3,123	4,895	3,640	2,396	1,233	474	153	95	311
Male	8,525	-	78	1,624	2,515	1,868	1,266	621	253	78	48	174
Female	7,950	-	77	1,499	2,380	1,772	1,130	612	221	75	47	137
Nonwhite	371	-	6	67	73	80	42	36	22	5	3	37
Male	202	-	4	32	39	45	21	24	13	3	2	19
Female	169	-	2	35	34	35	21	12	9	2	1	18
OHIO	189,428	-	3,372	42,818	58,163	40,968	22,991	10,294	3,842	1,215	832	4,333
Male	97,257	-	1,680	21,975	30,347	21,105	11,826	5,326	1,853	615	277	2,253
Female	92,171	-	1,692	20,843	28,816	19,863	11,165	4,968	1,789	600	555	2,080
White	175,061	-	2,875	39,202	55,478	38,739	21,587	9,532	3,258	1,090	577	2,723
Male	89,943	-	1,426	20,147	28,483	19,947	11,125	4,941	1,662	551	255	1,406
Female	85,118	-	1,449	19,055	26,995	18,792	10,462	4,591	1,596	539	322	1,317
Nonwhite	14,367	-	497	3,616	3,685	2,229	1,404	762	584	125	55	1,610
Male	7,314	-	254	1,828	1,864	1,158	701	385	191	64	22	847
Female	7,053	-	243	1,788	1,821	1,071	703	377	193	61	33	763
OKLAHOMA	49,702	-	1,294	12,592	14,545	8,909	5,549	2,888	1,310	438	353	1,825
Male	25,443	-	678	6,557	7,408	4,639	2,784	1,429	643	207	179	919
Female	24,259	-	616	6,035	7,137	4,269	2,765	1,459	667	231	174	906
White	44,114	-	1,141	11,542	13,293	8,148	4,923	2,528	1,095	346	264	836
Male	22,699	-	596	6,041	6,769	4,259	2,499	1,251	531	167	137	449
Female	21,415	-	545	5,501	6,524	3,887	2,424	1,277	564	179	127	387
Nonwhite	5,588	-	153	1,050	1,252	762	626	360	215	92	89	989
Male	2,744	-	82	516	639	380	285	178	112	40	42	470
Female	2,844	-	71	534	613	382	341	182	103	52	47	519
OREGON	35,316	-	618	8,134	10,942	7,759	4,527	1,910	752	250	96	328
Male	18,047	-	321	4,136	5,628	3,969	2,261	1,005	383	123	47	174
Female	17,269	-	297	3,998	5,314	3,790	2,266	905	369	127	49	154
White	34,601	-	606	8,009	10,769	7,595	4,417	1,846	723	240	96	300
Male	17,686	-	314	4,079	5,540	3,881	2,204	975	365	121	47	160
Female	16,915	-	292	3,930	5,229	3,714	2,213	871	358	119	49	140
Nonwhite	715	-	12	125	173	164	110	64	29	10	-	28
Male	361	-	7	57	88	88	57	30	18	2	-	14
Female	354	-	5	68	85	76	53	34	11	8	-	14
PENNSYLVANIA	224,581	6	3,478	46,477	70,054	51,385	29,558	13,047	4,478	1,523	692	3,883
Male	115,486	4	1,785	24,025	36,024	26,479	15,190	6,598	2,327	763	363	1,928
Female	109,095	2	1,693	22,452	34,030	24,906	14,368	6,449	2,151	760	329	1,955
White	207,720	5	2,836	42,185	65,447	48,818	27,847	12,134	4,033	1,382	616	2,437
Male	106,909	4	1,465	21,864	33,627	25,179	14,318	6,156	2,103	672	326	1,195
Female	100,811	1	1,371	20,321	31,820	23,639	13,529	5,978	1,930	690	290	1,242
Nonwhite	16,861	1	642	4,292	4,607	2,567	1,711	913	445	141	76	1,446
Male	8,577	-	320	2,161	2,397	1,300	872	442	224	91	37	733
Female	8,284	1	322	2,131	2,210	1,267	839	471	221	70	39	713
RHODE ISLAND	16,492	-	136	3,236	5,250	4,027	2,150	913	272	84	44	380
Male	8,504	-	63	1,617	2,719	2,067	1,151	473	147	48	18	201
Female	7,988	-	73	1,619	2,531	1,960	999	440	125	36	26	179
White	16,070	-	131	3,136	5,133	3,958	2,118	899	254	79	39	323
Male	8,285	-	60	1,569	2,656	2,033	1,132	466	138	45	16	170
Female	7,785	-	71	1,567	2,477	1,925	986	433	116	34	23	153
Nonwhite	422	-	5	100	117	69	32	14	18	5	5	57
Male	219	-	3	48	63	34	19	7	9	3	2	31
Female	203	-	2	52	54	35	13	7	9	2	3	26
SOUTH CAROLINA	58,516	-	1,349	13,572	15,754	10,270	6,754	3,066	1,273	455	395	5,648
Male	30,027	-	678	6,828	8,129	5,361	3,477	1,670	633	239	181	2,831
Female	28,489	-	671	6,744	7,605	4,909	3,277	1,396	640	216	214	2,817
White	31,649	-	718	7,698	9,505	6,400	3,752	1,749	647	260	177	743
Male	16,448	-	358	3,928	4,990	3,328	1,954	965	327	132	78	388
Female	15,201	-	360	3,770	4,515	3,072	1,798	784	320	128	99	355
Nonwhite	26,867	-	631	5,874	6,229	3,870	3,002	1,317	626	195	218	4,805
Male	13,579	-	320	2,900	3,139	2,033	1,523	705	306	107	103	2,443
Female	13,288	-	311	2,974	3,090	1,837	1,479	612	320	88	115	2,462
SOUTH DAKOTA	17,211	-	214	3,480	5,302	3,804	2,254	1,131	458	142	79	347
Male	8,882	-	115	1,802	2,743	1,979	1,136	596	227	71	40	173
Female	8,329	-	99	1,678	2,559	1,825	1,118	535	231	71	39	174
White	16,486	-	207	3,372	5,136	3,675	2,155	1,074	430	128	67	242
Male	8,533	-	112	1,754	2,658	1,913	1,089	587	214	68	34	124
Female	7,953	-	95	1,618	2,478	1,762	1,066	507	216	60	33	118
Nonwhite	725	-	7	108	166	129	99	57	28	14	12	105
Male	349	-	3	48	85	66	47	29	13	3	6	49
Female	376	-	4	60	81	63	52	28	15	11	6	56
TENNESSEE	82,854	-	2,350	19,255	22,457	14,639	10,248	5,310	2,375	863	687	4,470
Male	42,433	-	1,228	9,775	11,552	7,732	5,221	2,713	1,204	424	315	2,269
Female	40,421	-	1,122	9,480	10,905	7,107	5,027	2,597	1,171	439	372	2,201
White	67,573	-	1,794	16,009	19,204	12,851	8,578	4,446	1,878	645	567	1,601
Male	34,682	-	948	8,144	9,919	6,704	4,353	2,296	946	314	268	790
Female	32,891	-	846	7,865	9,285	6,147	4,225	2,150	932	331	299	811
Nonwhite	15,281	-	556	3,246	3,253	1,988	1,670	864	497	218	120	2,869
Male	7,751	-	280	1,631	1,633	1,028	868	417	258	110	47	1,479
Female	7,530	-	276	1,615	1,620	960	802	447	239	108	73	1,390

TABLE 8.—LIVE BIRTHS BY AGE OF FATHER, RACE, AND SEX, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND SEX	Total	AGE OF FATHER										
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55 years and over	Not stated
TEXAS	202,297	1	5,121	47,450	58,532	38,062	25,311	12,584	5,686	1,769	1,186	6,615
Male	103,315	-	2,629	24,192	30,155	19,416	12,983	6,323	2,891	869	622	3,335
Female	98,982	1	2,492	23,258	28,377	18,646	12,328	6,261	2,775	900	564	3,280
White	175,709	1	4,204	41,467	52,616	34,298	22,427	10,916	4,711	1,434	931	2,704
Male	90,003	-	2,172	21,203	27,140	17,543	11,437	5,491	2,426	712	495	1,384
Female	85,706	1	2,032	20,264	25,476	16,755	10,990	5,425	2,285	722	436	1,320
Nonwhite	26,588	-	917	5,983	5,916	3,764	2,884	1,668	955	335	255	3,911
Male	13,312	-	457	2,989	3,015	1,873	1,446	832	465	157	127	1,951
Female	13,276	-	460	2,994	2,901	1,891	1,438	836	490	178	128	1,960
UTAH	21,164	-	450	5,068	6,497	4,580	2,578	1,222	448	117	51	153
Male	11,021	-	257	2,669	3,330	2,404	1,342	642	212	61	24	80
Female	10,143	-	193	2,399	3,167	2,176	1,236	580	236	56	27	73
White	20,888	-	445	5,029	6,411	4,527	2,542	1,204	425	114	47	144
Male	10,890	-	253	2,649	3,289	2,379	1,325	633	201	60	24	77
Female	9,998	-	192	2,380	3,122	2,148	1,217	571	224	54	23	67
Nonwhite	276	-	5	39	86	53	38	18	23	3	4	9
Male	131	-	4	20	41	25	17	9	11	1	-	3
Female	145	-	1	19	45	28	19	9	12	2	4	6
VERMONT	9,297	-	149	2,007	2,760	2,014	1,190	593	241	65	39	239
Male	4,807	-	78	1,039	1,425	1,024	623	318	123	38	14	125
Female	4,490	-	71	968	1,335	990	567	275	118	27	25	114
White	9,293	-	149	2,005	2,760	2,013	1,189	593	241	65	39	239
Male	4,807	-	78	1,039	1,425	1,024	623	318	123	38	14	125
Female	4,486	-	71	966	1,335	989	566	275	118	27	25	114
Nonwhite	4	-	-	2	-	1	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	2	-	1	1	-	-	-	-	-
VIRGINIA	82,980	1	1,866	17,891	23,701	16,427	10,054	4,815	1,940	681	501	5,083
Male	42,541	1	979	9,190	12,200	8,415	5,156	2,444	987	327	256	2,586
Female	40,419	-	887	8,701	11,501	8,012	4,898	2,371	953	354	245	2,497
White	61,351	-	1,126	13,222	18,832	13,250	7,827	3,655	1,427	492	343	1,377
Male	31,546	-	592	6,803	9,635	6,789	4,006	1,865	732	230	179	715
Female	29,805	-	534	6,419	8,997	6,461	3,821	1,790	695	262	164	662
Nonwhite	21,609	1	740	4,669	5,069	3,177	2,227	1,160	513	189	158	3,706
Male	10,995	1	387	2,387	2,565	1,626	1,150	579	255	97	77	1,871
Female	10,614	-	353	2,282	2,504	1,551	1,077	581	258	92	81	1,835
WASHINGTON	56,542	-	975	12,521	18,030	12,521	6,960	2,982	1,025	369	164	1,015
Male	28,817	-	498	6,376	9,092	6,454	3,545	1,523	543	182	90	514
Female	27,725	-	477	6,145	8,938	6,067	3,415	1,459	482	187	74	501
White	54,631	-	941	12,214	17,476	12,131	6,706	2,834	965	350	150	864
Male	27,839	-	482	6,219	8,810	6,258	3,418	1,464	509	171	83	425
Female	26,792	-	459	5,995	8,666	5,873	3,288	1,370	456	179	67	439
Nonwhite	1,911	-	34	307	554	390	254	128	60	19	14	151
Male	978	-	16	157	282	196	127	59	34	11	7	89
Female	933	-	18	150	272	194	127	69	26	8	7	62
WEST VIRGINIA	52,586	-	937	12,450	14,808	9,652	6,254	3,431	1,586	569	426	2,493
Male	26,825	-	484	6,368	7,522	5,009	3,210	1,756	781	272	237	1,286
Female	25,661	-	453	6,082	7,286	4,643	3,044	1,675	785	297	189	1,207
White	49,684	-	891	11,882	14,184	9,261	5,989	3,209	1,418	500	385	1,985
Male	25,436	-	462	6,080	7,207	4,786	3,060	1,639	720	237	219	1,026
Female	24,248	-	429	5,802	6,977	4,475	2,909	1,570	698	263	166	959
Nonwhite	2,902	-	46	568	624	391	265	222	148	69	41	508
Male	1,489	-	22	288	315	223	150	117	61	35	18	260
Female	1,413	-	24	280	309	168	135	105	87	34	23	248
WISCONSIN	82,949	-	753	15,882	25,671	19,479	11,509	5,278	1,933	598	274	1,572
Male	42,763	-	416	8,237	13,176	10,048	5,895	2,760	947	320	144	818
Female	40,186	-	337	7,645	12,493	9,431	5,614	2,518	986	278	130	754
White	81,513	-	727	15,571	25,290	19,253	11,358	5,190	1,893	586	268	1,377
Male	42,045	-	402	8,074	12,979	9,951	5,819	2,717	930	310	142	721
Female	39,468	-	325	7,497	12,311	9,302	5,539	2,473	963	276	126	656
Nonwhite	1,436	-	26	311	381	226	151	88	40	12	6	195
Male	718	-	14	163	199	97	76	43	17	10	2	97
Female	718	-	12	148	182	129	75	45	23	2	4	98
WYOMING	7,490	-	138	1,807	2,329	1,550	800	434	170	60	48	56
Male	3,892	-	69	919	1,234	790	481	221	91	34	25	28
Female	3,598	-	69	888	1,095	760	419	213	79	26	21	28
White	7,310	-	136	1,772	2,284	1,518	876	421	161	58	43	41
Male	3,797	-	68	901	1,212	773	468	212	87	32	23	20
Female	3,513	-	68	871	1,072	745	407	209	74	26	20	21
Nonwhite	180	-	2	35	45	32	24	13	9	2	3	15
Male	95	-	1	18	22	17	12	9	4	2	2	8
Female	85	-	1	17	23	15	12	4	5	-	1	7

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
UNITED STATES	3,558,528	3,087,080	289,981	168,166	14,302
White	3,083,721	2,825,078	214,198	36,777	7,668
Nonwhite	475,808	262,002	75,783	131,389	6,634
Urban	2,093,317	1,975,028	74,430	38,868	4,991
White	1,827,084	1,770,195	43,108	11,581	2,200
Nonwhite	266,233	204,833	31,322	27,287	2,791
Places of 100,000 or more	981,576	947,128	25,158	6,399	2,891
White	821,390	805,816	11,014	3,678	881
Nonwhite	160,186	141,312	14,144	2,720	2,010
Places of 25,000 to 100,000	429,464	408,058	11,958	8,874	576
White	383,923	374,900	6,382	2,264	397
Nonwhite	45,541	33,158	5,596	6,610	179
Places of 10,000 to 25,000	301,274	280,400	11,007	9,302	565
White	272,850	264,846	5,814	1,834	256
Nonwhite	28,524	15,754	5,093	7,468	309
Places of 2,500 to 10,000	381,003	339,444	26,307	14,293	959
White	349,121	324,833	19,818	3,804	666
Nonwhite	31,882	14,611	6,489	10,489	293
Rural	1,466,212	1,112,052	215,551	129,298	9,311
White	1,256,637	1,054,883	171,090	25,196	5,468
Nonwhite	209,575	57,169	44,461	104,102	3,843
ALABAMA	84,418	49,301	15,926	18,673	518
White	52,213	40,211	10,293	1,562	147
Nonwhite	32,205	9,090	5,633	17,111	371
Urban	31,725	24,559	3,155	3,698	313
White	19,655	18,483	1,058	91	23
Nonwhite	12,070	6,076	2,097	3,607	290
Places of 100,000 or more	8,159	7,069	796	10	285
White	4,540	4,442	83	-	15
Nonwhite	3,619	2,626	713	10	270
Places of 25,000 to 100,000	10,055	7,633	679	1,732	11
White	6,358	6,025	307	24	2
Nonwhite	3,697	1,608	372	1,708	9
Places of 10,000 to 25,000	5,473	4,114	656	697	6
White	3,280	3,151	106	22	1
Nonwhite	2,193	963	550	675	5
Places of 2,500 to 10,000	8,038	5,744	1,024	1,259	11
White	5,477	4,885	562	45	5
Nonwhite	2,561	879	462	1,214	6
Rural	52,693	24,742	12,771	14,975	205
White	32,558	21,728	9,235	1,471	124
Nonwhite	20,135	3,014	3,536	13,504	81
ARIZONA	20,275	18,505	786	659	325
White	17,520	16,214	670	486	150
Nonwhite	2,755	2,291	118	173	173
Urban	11,765	11,077	344	261	83
White	11,055	10,437	309	233	76
Nonwhite	710	640	35	28	7
Places of 25,000 to 100,000	8,373	7,920	238	146	69
White	7,925	7,432	210	121	62
Nonwhite	548	488	28	25	7
Places of 2,500 to 10,000	3,392	3,157	106	115	14
White	3,230	3,005	99	112	14
Nonwhite	162	152	7	3	-
Rural	8,510	7,428	444	398	240
White	6,465	5,777	361	253	74
Nonwhite	2,045	1,651	83	145	166
ARKANSAS	45,609	28,917	9,547	6,829	316
White	34,215	28,511	5,950	608	146
Nonwhite	11,394	2,406	2,597	6,221	170
Urban	14,747	12,212	1,210	1,292	33
White	11,505	10,772	676	50	7
Nonwhite	3,242	1,440	534	1,242	26
Places of 25,000 to 100,000	3,927	3,769	83	75	-
White	3,122	3,079	39	4	-
Nonwhite	805	690	44	71	-
Places of 10,000 to 25,000	4,227	3,475	326	413	13
White	3,196	3,065	107	22	2
Nonwhite	1,031	410	219	391	11
Places of 2,500 to 10,000	6,593	4,968	801	804	20
White	5,187	4,628	530	24	5
Nonwhite	1,406	340	271	780	15
Rural	30,882	16,705	8,337	5,537	283
White	22,710	15,739	6,274	558	139
Nonwhite	8,152	966	2,063	4,979	144
CALIFORNIA	245,199	240,774	3,437	345	643
White	224,785	221,101	2,851	318	515
Nonwhite	20,414	19,673	586	27	128
Urban	166,767	164,352	1,766	271	378
White	150,297	148,374	1,366	258	299
Nonwhite	16,470	15,978	400	13	79
Places of 100,000 or more	83,925	82,819	745	170	191
White	72,128	71,325	508	161	134
Nonwhite	11,797	11,494	237	9	57
Places of 25,000 to 100,000	30,244	29,877	264	59	44
White	27,925	27,627	209	57	32
Nonwhite	2,319	2,250	55	2	12
Places of 10,000 to 25,000	23,753	23,300	370	33	50
White	22,190	21,830	283	32	45
Nonwhite	1,563	1,470	87	1	5
Places of 2,500 to 10,000	28,845	28,356	387	9	93
White	28,054	27,592	366	8	88
Nonwhite	791	764	21	1	5
Rural	78,432	76,422	1,671	74	265
White	74,488	72,727	1,485	60	216
Nonwhite	3,944	3,695	186	14	49
COLORADO	32,894	30,754	1,625	160	155
White	32,137	30,040	1,785	160	152
Nonwhite	757	714	40	-	3
Urban	20,149	19,415	603	75	56
White	19,520	18,822	570	75	53
Nonwhite	629	593	33	-	3
Places of 100,000 or more	10,143	9,968	134	16	25
White	9,625	9,477	110	16	22
Nonwhite	518	491	24	-	3
Places of 25,000 to 100,000	3,141	2,950	166	16	9
White	3,061	2,877	159	16	9
Nonwhite	80	73	7	-	-
Places of 10,000 to 25,000	2,400	2,294	97	3	6
White	2,390	2,284	97	3	6
Nonwhite	10	10	-	-	-
Places of 2,500 to 10,000	4,465	4,203	206	40	16
White	4,444	4,184	204	40	16
Nonwhite	21	19	2	-	-
Rural	12,745	11,339	1,222	85	99
White	12,617	11,218	1,215	85	99
Nonwhite	128	121	7	-	-
CONNECTICUT	40,887	40,623	247	12	5
White	39,585	39,357	222	11	5
Nonwhite	1,292	1,266	25	1	-
Urban	27,123	26,992	120	9	2
White	25,937	25,828	99	8	2
Nonwhite	1,186	1,164	21	1	-
Places of 100,000 or more	10,641	10,592	43	6	-
White	9,880	9,842	32	6	-
Nonwhite	761	750	11	-	-
Places of 25,000 to 100,000	10,598	10,552	42	3	1
White	10,261	10,225	33	2	1
Nonwhite	337	327	9	1	-
Places of 10,000 to 25,000	4,390	4,372	18	-	-
White	4,306	4,289	17	-	-
Nonwhite	84	83	1	-	-
Places of 2,500 to 10,000	1,494	1,476	17	-	1
White	1,490	1,472	17	-	1
Nonwhite	4	4	-	-	-
Rural	13,764	13,631	127	3	3
White	13,658	13,529	123	3	3
Nonwhite	106	102	4	-	-
DELAWARE	7,369	6,648	280	414	27
White	6,103	5,839	200	56	8
Nonwhite	1,266	809	80	358	19
Urban	3,959	3,820	45	90	4
White	3,286	3,247	29	9	1
Nonwhite	673	573	16	81	3
Places of 100,000 or more	2,940	2,907	12	21	-
White	2,431	2,418	9	4	-
Nonwhite	509	489	3	17	-
Places of 2,500 to 10,000	1,019	913	33	69	4
White	855	829	20	5	1
Nonwhite	164	84	13	64	3
Rural	3,410	2,828	235	324	23
White	2,817	2,592	171	47	7
Nonwhite	593	236	64	277	16
DISTRICT OF COLUMBIA	19,814	19,474	332	7	1
White	11,624	11,557	66	1	-
Nonwhite	8,190	7,917	266	6	1

[1] It is assumed that all births in hospitals or institutions are attended by physicians.

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
FLORIDA	61,743	47,698	4,982	8,841	222
White	44,496	40,993	2,546	863	94
Nonwhite	17,247	6,705	2,436	7,978	128
Urban	35,875	30,232	1,741	3,807	95
White	25,679	25,082	400	170	27
Nonwhite	10,196	5,150	1,341	3,637	68
Places of 100,000 or more	15,276	13,951	375	915	35
White	11,309	11,172	91	33	13
Nonwhite	3,967	2,779	284	882	22
Places of 25,000 to 100,000	5,786	4,911	327	540	8
White	4,234	4,195	36	1	2
Nonwhite	1,552	716	291	539	6
Places of 10,000 to 25,000	6,694	5,426	327	900	41
White	4,691	4,569	44	70	8
Nonwhite	2,003	857	283	830	33
Places of 2,500 to 10,000	8,119	5,944	712	1,452	11
White	5,445	5,148	229	66	4
Nonwhite	2,674	798	483	1,386	7
Rural	25,868	17,466	3,241	5,034	127
White	18,817	15,911	2,146	693	67
Nonwhite	7,051	1,555	1,095	4,341	60
GEORGIA	93,259	62,651	10,120	19,029	1,459
White	58,518	51,583	5,400	1,270	265
Nonwhite	34,741	11,068	4,720	17,759	1,194
Urban	37,704	31,574	2,434	3,413	283
White	24,248	23,529	595	100	24
Nonwhite	13,456	8,045	1,839	3,313	259
Places of 100,000 or more	8,504	8,260	207	24	13
White	5,027	4,988	39	-	-
Nonwhite	3,477	3,272	168	24	13
Places of 25,000 to 100,000	11,873	10,656	763	380	64
White	7,535	7,459	67	5	4
Nonwhite	4,338	3,207	698	375	60
Places of 10,000 to 25,000	7,787	5,877	812	1,182	116
White	5,308	5,159	102	36	11
Nonwhite	2,479	718	710	1,146	105
Places of 2,500 to 10,000	9,540	6,771	852	1,827	90
White	6,378	5,923	387	59	9
Nonwhite	3,162	848	465	1,768	81
Rural	55,555	31,077	7,686	15,616	1,176
White	34,270	28,054	4,805	1,170	241
Nonwhite	21,285	3,023	2,881	14,446	935
IDAHO	15,984	15,624	300	15	45
White	15,752	15,405	296	12	39
Nonwhite	232	219	4	3	6
Urban	7,015	6,930	74	2	9
White	6,944	6,859	74	2	9
Nonwhite	71	71	-	-	-
Places of 25,000 to 100,000	1,241	1,234	4	-	3
White	1,235	1,228	4	-	3
Nonwhite	6	6	-	-	-
Places of 10,000 to 25,000	3,106	3,063	20	1	2
White	3,076	3,053	20	1	2
Nonwhite	30	30	-	-	-
Places of 2,500 to 10,000	2,668	2,613	50	1	4
White	2,633	2,578	50	1	4
Nonwhite	35	35	-	-	-
Rural	8,969	8,694	226	13	36
White	8,808	8,546	222	10	30
Nonwhite	161	148	4	3	6
ILLINOIS	189,313	179,496	9,545	84	188
White	170,376	164,645	5,575	54	102
Nonwhite	18,937	14,851	3,970	30	86
Urban	142,064	135,850	6,050	56	108
White	123,818	121,465	2,266	40	49
Nonwhite	18,246	14,387	3,784	16	59
Places of 100,000 or more	81,573	76,936	4,564	39	34
White	66,309	65,093	1,166	31	19
Nonwhite	15,264	11,843	3,398	8	15
Places of 25,000 to 100,000	24,687	24,340	332	5	10
White	22,793	22,671	112	2	8
Nonwhite	1,894	1,669	220	3	2
Places of 10,000 to 25,000	14,618	14,298	273	4	42
White	13,970	13,808	156	2	4
Nonwhite	648	491	117	2	38
Places of 2,500 to 10,000	21,186	20,275	881	8	22
White	20,746	19,881	832	5	18
Nonwhite	440	394	49	3	4
Rural	47,249	43,646	3,495	28	80
White	46,558	43,182	3,309	14	53
Nonwhite	691	464	186	14	27
INDIANA	94,214	88,389	7,105	92	628
White	89,231	83,049	5,822	87	273
Nonwhite	4,983	3,340	1,283	5	355
Urban	66,620	53,444	2,561	47	568
White	51,785	50,178	1,346	45	216
Nonwhite	4,835	3,266	1,215	2	352
Places of 100,000 or more	22,312	20,582	1,182	3	545
White	18,893	18,327	369	1	196
Nonwhite	3,419	2,255	813	2	349
Places of 25,000 to 100,000	18,534	17,694	783	42	15
White	17,309	16,828	425	42	14
Nonwhite	1,225	866	358	-	1
Places of 10,000 to 25,000	6,950	6,819	129	1	1
White	6,837	6,715	121	1	-
Nonwhite	113	104	8	-	1
Places of 2,500 to 10,000	8,824	8,349	467	1	7
White	8,746	8,308	431	1	6
Nonwhite	78	41	36	-	1
Rural	27,594	32,945	4,544	45	60
White	37,446	32,871	4,476	42	57
Nonwhite	148	74	68	3	3
IOWA	61,871	59,457	2,363	22	29
White	61,308	58,917	2,344	19	28
Nonwhite	563	540	19	3	1
Urban	29,978	29,511	456	3	8
White	29,441	28,990	440	3	8
Nonwhite	537	521	16	-	-
Places of 100,000 or more	4,648	4,578	66	2	2
White	4,401	4,336	61	2	2
Nonwhite	247	242	5	-	-
Places of 25,000 to 100,000	12,516	12,363	150	-	3
White	12,285	12,142	140	-	3
Nonwhite	231	221	10	-	-
Places of 10,000 to 25,000	4,671	4,645	26	-	-
White	4,631	4,605	26	-	-
Nonwhite	40	40	-	-	-
Places of 2,500 to 10,000	8,143	7,925	214	1	3
White	8,124	7,907	213	1	3
Nonwhite	19	18	1	-	-
Rural	31,893	29,946	1,907	19	21
White	31,867	29,927	1,904	16	20
Nonwhite	26	19	3	3	1
KANSAS	43,781	41,596	2,139	19	27
White	41,874	40,079	1,759	14	22
Nonwhite	1,907	1,517	380	5	5
Urban	23,992	23,229	744	9	10
White	22,281	21,840	429	4	8
Nonwhite	1,711	1,389	315	5	2
Places of 100,000 or more	8,597	8,244	342	7	4
White	7,588	7,457	126	3	2
Nonwhite	1,009	787	216	4	2
Places of 25,000 to 100,000	3,051	2,965	84	1	1
White	2,866	2,818	47	-	1
Nonwhite	185	147	37	1	-
Places of 10,000 to 25,000	6,025	5,876	146	-	3
White	5,672	5,562	107	-	3
Nonwhite	353	314	39	-	-
Places of 2,500 to 10,000	6,319	6,144	172	1	2
White	6,155	6,003	149	1	2
Nonwhite	164	141	23	-	-
Rural	19,789	18,367	1,395	10	17
White	19,593	18,239	1,330	10	14
Nonwhite	196	128	65	-	3
KENTUCKY	76,197	47,422	23,322	4,670	783
White	71,218	44,846	21,127	4,490	755
Nonwhite	4,979	2,576	2,195	180	28
Urban	25,601	22,479	2,983	116	23
White	22,441	20,465	1,896	65	15
Nonwhite	3,160	2,014	1,087	51	8
Places of 100,000 or more	10,667	10,008	674	-	5
White	9,098	8,702	392	-	4
Nonwhite	1,569	1,306	282	-	1
Places of 25,000 to 100,000	6,401	5,840	548	9	4
White	5,930	5,513	308	6	3
Nonwhite	571	327	240	3	1
Places of 10,000 to 25,000	2,082	1,748	297	32	5
White	1,791	1,659	128	2	2
Nonwhite	291	89	169	30	3
Places of 2,500 to 10,000	6,431	4,883	1,464	75	9
White	5,722	4,591	1,068	57	6
Nonwhite	709	292	396	18	3

[1] It is assumed that all births in hospitals or institutions are attended by physicians.

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
KENTUCKY—Continued					
Rural	50,596	24,943	20,339	4,554	760
White	48,777	24,381	19,231	4,425	740
Nonwhite	1,819	562	1,108	129	20
LOUISIANA	75,487	60,620	4,767	10,037	63
White	45,512	41,534	2,747	1,011	20
Nonwhite	30,175	19,086	2,020	9,026	43
Urban	38,750	35,400	908	2,427	15
White	24,489	23,806	429	252	2
Nonwhite	14,261	11,594	479	2,175	13
Places of 100,000 or more	14,879	14,526	217	131	5
White	8,800	8,712	50	37	1
Nonwhite	6,079	5,814	167	94	4
Places of 25,000 to 100,000	9,677	9,011	118	544	4
White	6,005	5,958	38	8	1
Nonwhite	3,672	3,053	80	536	3
Places of 10,000 to 25,000	3,800	3,558	88	372	2
White	2,525	2,459	45	21	-
Nonwhite	1,275	879	43	351	2
Places of 2,500 to 10,000	10,394	8,525	485	1,380	4
White	7,159	6,677	296	186	-
Nonwhite	3,235	1,848	189	1,194	4
Rural	36,737	25,220	3,859	7,610	48
White	20,823	17,728	2,318	759	18
Nonwhite	15,914	7,492	1,541	6,851	30
MAINE	21,959	20,004	1,919	6	10
White	21,904	19,973	1,915	6	10
Nonwhite	55	31	4	-	-
Urban	8,462	8,251	206	-	5
White	8,442	8,234	203	-	5
Nonwhite	20	17	3	-	-
Places of 25,000 to 100,000	3,524	3,473	49	-	2
White	3,514	3,463	48	-	2
Nonwhite	10	10	-	-	-
Places of 10,000 to 25,000	2,651	2,594	55	-	2
White	2,650	2,593	55	-	2
Nonwhite	1	1	-	-	-
Places of 2,500 to 10,000	2,287	2,184	102	-	1
White	2,278	2,178	99	-	1
Nonwhite	9	6	3	-	-
Rural	13,477	11,753	1,713	6	5
White	13,462	11,739	1,712	6	5
Nonwhite	15	14	1	-	-
MARYLAND	53,597	45,862	5,693	1,971	71
White	41,849	38,325	3,140	342	42
Nonwhite	11,748	7,537	2,553	1,629	29
Urban	28,974	25,467	2,812	656	19
White	21,045	19,882	1,040	111	12
Nonwhite	7,929	5,605	1,772	545	7
Places of 100,000 or more	21,831	19,099	2,243	484	5
White	14,840	14,042	697	99	2
Nonwhite	6,991	5,057	1,546	385	3
Places of 25,000 to 100,000	1,656	1,556	96	-	4
White	1,603	1,512	87	-	4
Nonwhite	53	44	9	-	-
Places of 10,000 to 25,000	2,182	1,808	262	110	2
White	1,558	1,447	101	10	-
Nonwhite	624	361	161	100	2
Places of 2,500 to 10,000	3,305	3,024	211	62	8
White	3,044	2,881	155	2	6
Nonwhite	261	143	56	60	2
Rural	24,623	20,375	2,881	1,515	52
White	20,804	18,443	2,100	231	30
Nonwhite	3,819	1,932	781	1,084	22
MASSACHUSETTS	95,615	94,460	1,139	1	15
White	93,565	92,473	1,077	-	15
Nonwhite	2,050	1,987	62	1	-
Urban	84,127	83,196	919	1	11
White	82,164	81,280	873	-	11
Nonwhite	1,963	1,916	46	1	-
Places of 100,000 or more	35,549	35,075	469	-	5
White	33,826	33,392	429	-	5
Nonwhite	1,723	1,683	40	-	-
Places of 25,000 to 100,000	25,464	25,235	223	1	5
White	25,297	25,075	217	-	5
Nonwhite	167	160	6	1	-
MASSACHUSETTS—Con.					
Urban—Continued					
Places of 10,000 to 25,000	16,157	16,048	109	-	-
White	16,117	16,008	109	-	-
Nonwhite	40	40	-	-	-
Places of 2,500 to 10,000	6,857	6,838	118	-	1
White	6,824	6,805	118	-	1
Nonwhite	33	33	-	-	-
Rural	11,488	11,264	220	-	4
White	11,401	11,193	204	-	4
Nonwhite	87	71	16	-	-
MICHIGAN	157,178	151,223	5,693	120	142
White	144,052	139,553	4,314	67	118
Nonwhite	13,126	11,670	1,379	53	24
Urban	104,138	101,525	2,535	37	41
White	91,712	90,306	1,366	11	29
Nonwhite	12,426	11,219	1,169	26	12
Places of 100,000 or more	53,246	51,660	1,558	15	13
White	43,715	43,037	670	4	4
Nonwhite	9,531	8,623	888	11	9
Places of 25,000 to 100,000	22,930	22,632	290	2	6
White	21,588	21,374	207	2	5
Nonwhite	1,342	1,258	83	-	1
Places of 10,000 to 25,000	12,437	12,090	334	5	8
White	11,326	11,126	192	1	7
Nonwhite	1,111	964	142	4	1
Places of 2,500 to 10,000	15,525	15,143	353	15	14
White	15,083	14,769	297	4	13
Nonwhite	442	374	56	11	1
Rural	53,040	49,698	3,158	83	101
White	52,340	49,247	2,948	56	89
Nonwhite	700	451	210	27	12
MINNESOTA	73,929	72,058	1,693	112	66
White	73,119	71,304	1,653	104	48
Nonwhite	810	754	30	8	18
Urban	41,756	41,232	453	64	7
White	41,414	40,913	435	60	6
Nonwhite	342	319	18	4	1
Places of 100,000 or more	24,202	23,902	250	45	5
White	23,880	23,603	232	41	4
Nonwhite	322	299	18	4	1
Places of 25,000 to 100,000	857	842	15	-	-
White	857	842	15	-	-
Nonwhite	-	-	-	-	-
Places of 10,000 to 25,000	5,591	5,532	56	3	-
White	5,586	5,527	56	3	-
Nonwhite	5	5	-	-	-
Places of 2,500 to 10,000	11,106	10,956	132	16	2
White	11,091	10,941	132	16	2
Nonwhite	15	15	-	-	-
Rural	32,173	30,826	1,240	49	59
White	31,705	30,391	1,228	44	42
Nonwhite	468	435	12	4	17
MISSISSIPPI	66,415	29,464	12,829	23,327	795
White	29,097	23,177	5,141	630	149
Nonwhite	37,318	6,287	7,688	22,697	646
Urban	16,706	11,273	1,897	3,447	89
White	9,237	8,886	263	66	22
Nonwhite	7,469	2,387	1,634	3,381	67
Places of 25,000 to 100,000	5,790	2,624	431	724	11
White	2,004	1,972	19	6	7
Nonwhite	1,786	652	412	718	4
Places of 10,000 to 25,000	6,819	4,712	647	1,418	42
White	3,775	3,668	69	30	8
Nonwhite	3,044	1,044	578	1,388	34
Places of 2,500 to 10,000	6,097	3,937	819	1,305	36
White	3,458	3,246	175	30	7
Nonwhite	2,639	691	644	1,275	29
Rural	49,709	18,191	10,932	19,880	706
White	19,860	14,291	4,878	564	127
Nonwhite	29,849	3,900	6,054	19,316	579
MISSOURI	85,302	71,549	12,275	1,101	377
White	77,288	65,316	11,163	481	328
Nonwhite	8,014	6,233	1,112	620	49

[1] It is assumed that all births in hospitals or institutions are attended by physicians.

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
MISSOURI—Continued					
Urban	49,602	46,602	2,660	309	31
White	42,928	40,717	2,050	139	23
Nonwhite	6,674	5,885	610	171	8
Places of 100,000 or more	29,858	28,873	685	91	9
White	24,009	23,541	394	70	4
Nonwhite	5,849	5,332	291	21	5
Places of 25,000 to 100,000	4,478	4,277	195	5	1
White	4,352	4,171	175	5	1
Nonwhite	126	106	20	-	-
Places of 10,000 to 25,000	6,630	6,266	340	22	2
White	6,205	5,956	237	10	2
Nonwhite	425	310	103	12	-
Places of 2,500 to 10,000	8,836	7,186	1,440	191	19
White	8,362	7,049	1,244	53	16
Nonwhite	474	137	196	138	3
Rural	35,700	24,947	9,615	792	346
White	34,360	24,599	9,113	343	305
Nonwhite	1,340	348	502	449	41
MONTANA	15,366	14,893	401	43	29
White	14,556	14,164	361	21	10
Nonwhite	810	729	40	22	19
Urban	7,634	7,529	99	2	4
White	7,545	7,443	96	2	4
Nonwhite	89	86	3	-	-
Places of 25,000 to 100,000	2,177	2,161	15	1	-
White	2,153	2,138	14	1	-
Nonwhite	24	23	1	-	-
Places of 10,000 to 25,000	2,625	2,598	22	1	4
White	2,595	2,569	21	1	4
Nonwhite	30	29	1	-	-
Places of 2,500 to 10,000	2,832	2,770	82	-	-
White	2,797	2,736	81	-	-
Nonwhite	35	34	1	-	-
Rural	7,732	7,364	302	41	25
White	7,011	6,721	265	19	6
Nonwhite	721	643	37	22	19
NEBRASKA	31,547	30,302	1,202	6	37
White	30,873	29,670	1,165	5	33
Nonwhite	674	632	37	1	4
Urban	15,011	14,755	250	1	5
White	14,461	14,239	216	1	5
Nonwhite	550	516	34	-	-
Places of 100,000 or more	6,049	5,983	65	1	-
White	5,584	5,544	39	1	-
Nonwhite	465	439	26	-	-
Places of 25,000 to 100,000	2,439	2,404	32	-	3
White	2,401	2,373	25	-	3
Nonwhite	38	31	7	-	-
Places of 10,000 to 25,000	2,904	2,826	77	-	1
White	2,881	2,804	76	-	1
Nonwhite	23	22	1	-	-
Places of 2,500 to 10,000	3,619	3,542	76	-	1
White	3,595	3,518	76	-	1
Nonwhite	24	24	-	-	-
Rural	16,536	15,547	952	5	32
White	16,412	15,431	949	4	28
Nonwhite	124	116	3	1	4
NEVADA	3,673	3,567	54	6	24
White	3,384	3,337	37	2	8
Nonwhite	289	230	17	6	16
Urban	1,885	1,859	23	2	1
White	1,763	1,748	13	1	1
Nonwhite	122	111	10	1	-
Places of 10,000 to 25,000	814	813	1	-	-
White	791	790	1	-	-
Nonwhite	23	23	-	-	-
Places of 2,500 to 10,000	1,071	1,046	22	2	1
White	972	958	12	1	1
Nonwhite	99	88	10	1	-
Rural	1,788	1,728	31	6	23
White	1,621	1,589	24	1	7
Nonwhite	167	139	7	5	16
NEW HAMPSHIRE	11,940	11,754	181	2	3
White	11,920	11,735	180	2	3
Nonwhite	20	19	1	-	-
NEW HAMPSHIRE—Con.					
Urban	6,798	6,762	33	1	2
White	6,786	6,750	33	1	2
Nonwhite	12	12	-	-	-
Places of 25,000 to 100,000	3,253	3,245	7	-	1
White	3,246	3,238	7	-	1
Nonwhite	7	7	-	-	-
Places of 10,000 to 25,000	2,469	2,454	14	-	1
White	2,464	2,449	14	-	1
Nonwhite	5	5	-	-	-
Places of 2,500 to 10,000	1,076	1,063	12	1	-
White	1,076	1,063	12	1	-
Nonwhite	-	-	-	-	-
Rural	6,142	4,992	148	1	1
White	5,134	4,985	147	1	1
Nonwhite	8	7	1	-	-
NEW JERSEY	97,606	94,993	2,200	316	97
White	88,393	86,551	1,494	289	59
Nonwhite	9,213	8,442	706	27	38
Urban	76,279	74,647	1,296	275	61
White	68,465	67,355	810	256	44
Nonwhite	7,814	7,292	486	19	17
Places of 100,000 or more	26,405	25,728	529	119	29
White	21,897	21,497	272	109	19
Nonwhite	4,508	4,231	257	10	10
Places of 25,000 to 100,000	20,866	20,544	216	90	17
White	19,218	18,999	117	87	15
Nonwhite	1,648	1,545	98	3	2
Places of 10,000 to 25,000	13,730	13,442	246	34	8
White	12,670	12,466	167	31	6
Nonwhite	1,060	976	79	3	2
Places of 2,500 to 10,000	15,278	14,833	306	32	7
White	14,680	14,393	254	29	4
Nonwhite	598	540	52	3	3
Rural	21,327	20,346	904	41	36
White	19,928	19,196	684	33	15
Nonwhite	1,399	1,150	220	8	21
NEW MEXICO	21,620	15,142	3,327	2,530	621
White	20,118	14,096	3,274	2,326	422
Nonwhite	1,502	1,046	53	204	199
Urban	10,032	8,247	946	755	84
White	9,769	8,014	920	752	83
Nonwhite	263	233	26	3	1
Places of 25,000 to 100,000	2,747	2,445	212	77	13
White	2,679	2,381	208	77	13
Nonwhite	68	64	4	-	-
Places of 10,000 to 25,000	2,673	2,295	89	274	15
White	2,597	2,223	86	273	15
Nonwhite	76	72	3	1	-
Places of 2,500 to 10,000	4,612	3,507	645	404	56
White	4,493	3,410	626	402	55
Nonwhite	119	97	19	2	1
Rural	11,588	6,895	2,381	1,775	537
White	10,349	6,082	2,354	1,574	339
Nonwhite	1,239	813	27	201	198
NEW YORK	301,287	295,656	5,036	250	345
White	274,763	270,116	4,238	192	237
Nonwhite	26,504	25,540	798	58	108
Urban	238,482	235,373	2,630	227	252
White	212,949	210,682	1,930	173	164
Nonwhite	25,533	24,691	700	54	88
Places of 100,000 or more	184,832	182,434	1,977	202	219
White	161,160	159,535	1,340	149	136
Nonwhite	23,672	22,899	637	53	83
Places of 25,000 to 100,000	18,592	18,434	140	11	7
White	17,610	17,479	114	11	6
Nonwhite	982	955	26	-	1
Places of 10,000 to 25,000	19,039	18,842	174	11	12
White	18,448	18,283	146	11	8
Nonwhite	591	559	28	-	4
Places of 2,500 to 10,000	16,019	15,663	339	3	14
White	15,731	15,385	330	2	14
Nonwhite	288	278	9	1	-
Rural	62,805	60,283	2,406	23	93
White	61,834	59,434	2,308	19	73
Nonwhite	971	849	98	4	20

[1] It is assumed that all births in hospitals or institutions are attended by physicians.

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
NORTH CAROLINA	107,970	73,546	20,404	13,797	223
White	72,415	61,114	9,608	1,583	110
Nonwhite	35,555	12,432	10,796	12,214	113
Urban	34,173	29,812	2,240	2,089	32
White	24,221	23,546	623	43	9
Nonwhite	9,952	6,266	1,617	2,046	23
Places of 100,000 or more	3,649	3,525	46	75	3
White	2,521	2,516	4	1	-
Nonwhite	1,128	1,009	42	74	3
Places of 25,000 to 100,000	12,337	11,458	504	362	13
White	8,293	8,261	25	4	3
Nonwhite	4,044	3,197	479	358	10
Places of 10,000 to 25,000	9,480	7,769	653	1,052	6
White	6,770	6,599	151	19	1
Nonwhite	2,710	1,170	502	1,033	5
Places of 2,500 to 10,000	8,707	7,060	1,037	600	10
White	6,837	6,170	443	19	5
Nonwhite	2,070	890	594	581	5
Rural	73,797	43,734	18,164	11,708	191
White	48,194	37,568	8,985	1,540	101
Nonwhite	25,603	6,166	9,179	10,168	90
NORTH DAKOTA	16,846	16,049	705	46	46
White	16,475	15,711	698	30	36
Nonwhite	371	338	7	16	10
Urban	4,842	4,821	19	1	1
White	4,812	4,791	19	1	1
Nonwhite	30	30	-	-	-
Places of 25,000 to 100,000	1,094	1,092	2	-	-
White	1,089	1,087	2	-	-
Nonwhite	5	5	-	-	-
Places of 10,000 to 25,000	2,036	2,030	6	-	-
White	2,020	2,014	6	-	-
Nonwhite	16	16	-	-	-
Places of 2,500 to 10,000	1,712	1,699	11	1	1
White	1,703	1,690	11	1	1
Nonwhite	9	9	-	-	-
Rural	12,004	11,228	686	45	45
White	11,663	10,920	679	29	35
Nonwhite	341	308	7	16	10
OHIO	189,428	178,888	10,260	78	202
White	175,061	166,002	8,842	56	161
Nonwhite	14,367	12,886	1,418	22	41
Urban	130,378	126,760	3,491	36	91
White	117,000	114,606	2,314	20	60
Nonwhite	13,378	12,154	1,177	16	31
Places of 100,000 or more	76,303	74,441	1,772	21	69
White	65,166	64,293	820	13	40
Nonwhite	11,137	10,148	952	8	29
Places of 25,000 to 100,000	20,155	19,734	414	2	5
White	18,925	18,616	303	1	5
Nonwhite	1,230	1,118	111	1	-
Places of 10,000 to 25,000	15,072	14,898	355	9	10
White	14,554	14,229	315	2	8
Nonwhite	518	469	40	7	2
Places of 2,500 to 10,000	18,848	17,987	950	4	7
White	18,355	17,468	876	4	7
Nonwhite	493	419	74	-	-
Rural	59,050	52,128	6,769	42	111
White	58,061	51,396	6,528	36	101
Nonwhite	989	732	241	6	10
OKLAHOMA	49,702	41,949	6,336	1,070	347
White	44,114	38,482	5,251	233	148
Nonwhite	5,588	3,467	1,085	837	199
Urban	25,141	23,356	1,316	396	73
White	22,412	21,479	892	51	30
Nonwhite	2,729	1,877	464	345	43
Places of 100,000 or more	10,028	9,745	183	77	23
White	8,778	8,666	96	9	7
Nonwhite	1,250	1,079	87	68	16
Places of 25,000 to 100,000	1,781	1,639	63	66	13
White	1,555	1,524	21	6	4
Nonwhite	226	115	42	60	9
Places of 10,000 to 25,000	6,938	6,399	385	137	17
White	6,283	6,033	228	16	6
Nonwhite	655	366	157	121	11
Places of 2,500 to 10,000	6,394	5,573	685	116	20
White	5,796	5,256	507	20	13
Nonwhite	598	317	178	96	7
Rural	24,561	18,593	5,020	674	274
White	21,702	17,003	4,398	182	118
Nonwhite	2,859	1,590	621	492	156
OREGON	35,316	34,686	534	22	74
White	34,601	34,005	516	16	64
Nonwhite	715	681	18	6	10
Urban	19,307	19,178	107	3	19
White	18,816	18,701	96	3	16
Nonwhite	491	477	11	-	3
Places of 100,000 or more	9,891	9,840	37	-	14
White	9,457	9,416	30	-	11
Nonwhite	434	424	7	-	3
Places of 25,000 to 100,000	1,014	1,011	2	-	1
White	1,013	1,011	1	-	1
Nonwhite	1	-	1	-	-
Places of 10,000 to 25,000	3,207	3,190	15	1	1
White	3,185	3,171	12	1	1
Nonwhite	22	19	3	-	-
Places of 2,500 to 10,000	5,195	5,137	53	2	3
White	5,161	5,105	53	2	3
Nonwhite	34	34	-	-	-
Rural	16,009	15,508	427	19	55
White	15,785	15,304	420	13	48
Nonwhite	224	204	7	6	7
PENNSYLVANIA	224,581	208,063	16,274	124	120
White	207,720	192,748	14,778	90	104
Nonwhite	16,861	15,315	1,496	34	16
Urban	150,647	145,241	5,258	93	55
White	134,827	130,754	3,968	63	42
Nonwhite	15,820	14,487	1,290	30	13
Places of 100,000 or more	68,864	67,057	1,744	35	28
White	56,412	55,501	872	23	16
Nonwhite	12,452	11,556	872	12	12
Places of 25,000 to 100,000	28,317	27,144	1,130	35	8
White	26,677	25,729	920	21	7
Nonwhite	1,640	1,415	210	14	1
Places of 10,000 to 25,000	25,127	24,270	846	6	5
White	23,975	23,260	707	3	5
Nonwhite	1,152	1,010	139	3	-
Places of 2,500 to 10,000	28,339	26,770	1,538	17	14
White	27,763	26,264	1,469	16	14
Nonwhite	576	506	69	1	-
Rural	73,934	62,822	11,016	31	65
White	72,893	61,994	10,810	27	62
Nonwhite	1,041	828	206	4	3
RHODE ISLAND	16,492	16,268	213	4	7
White	16,070	15,855	204	4	7
Nonwhite	422	413	9	-	-
Urban	14,572	14,383	179	4	6
White	14,187	14,007	170	4	6
Nonwhite	385	376	9	-	-
Places of 100,000 or more	5,188	5,133	53	-	2
White	4,921	4,869	50	-	2
Nonwhite	267	264	3	-	-
Places of 25,000 to 100,000	6,680	6,578	97	1	4
White	6,586	6,490	91	1	4
Nonwhite	94	88	6	-	-
Places of 10,000 to 25,000	2,075	2,050	21	2	-
White	2,052	2,029	21	2	-
Nonwhite	21	21	-	-	-
Places of 2,500 to 10,000	631	622	8	1	-
White	628	619	8	1	-
Nonwhite	3	3	-	-	-
Rural	1,920	1,885	34	-	1
White	1,883	1,848	34	-	1
Nonwhite	37	37	-	-	-
SOUTH CAROLINA	58,516	31,726	10,103	16,536	151
White	31,649	26,882	4,357	384	26
Nonwhite	26,867	5,044	5,746	15,952	125
Urban	19,201	15,065	2,091	2,023	22
White	13,214	12,602	546	65	1
Nonwhite	5,987	2,463	1,545	1,958	21
Places of 25,000 to 100,000	8,890	7,293	1,001	585	11
White	5,990	5,878	91	20	1
Nonwhite	2,900	1,415	910	565	10
Places of 10,000 to 25,000	3,827	3,166	174	484	3
White	2,785	2,726	48	11	-
Nonwhite	1,042	440	126	473	3
Places of 2,500 to 10,000	6,484	4,606	916	954	8
White	4,439	3,998	407	34	-
Nonwhite	2,045	608	509	920	8
Rural	39,315	16,661	8,012	14,513	129
White	18,435	14,080	3,811	519	25
Nonwhite	20,880	2,581	4,201	13,994	104

[1] It is assumed that all births in hospitals or institutions are attended by physicians.

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
SOUTH DAKOTA	17,211	16,557	508	67	79
White	16,486	15,945	479	30	32
Nonwhite	725	612	29	37	47
Urban	5,703	5,636	59	3	5
White	5,824	5,564	56	-	4
Nonwhite	79	72	3	3	1
Places of 25,000 to 100,000	1,472	1,468	4	-	-
White	1,465	1,461	4	-	-
Nonwhite	7	7	-	-	-
Places of 10,000 to 25,000	2,408	2,386	19	1	2
White	2,381	2,362	17	-	2
Nonwhite	27	24	2	1	-
Places of 2,500 to 10,000	1,823	1,782	36	2	3
White	1,778	1,741	35	-	2
Nonwhite	45	41	1	2	1
Rural	11,508	10,921	449	64	74
White	10,862	10,381	423	30	28
Nonwhite	646	540	26	34	46
TENNESSEE	82,654	59,153	16,712	4,862	2,127
White	67,573	51,920	12,954	2,215	484
Nonwhite	15,281	7,233	3,758	2,647	1,643
Urban	33,609	28,953	2,940	521	1,195
White	24,768	23,274	1,328	89	77
Nonwhite	8,841	5,679	1,612	432	1,118
Places of 100,000 or more	22,887	20,330	1,292	143	1,122
White	15,687	15,223	594	15	55
Nonwhite	7,200	5,107	698	128	1,067
Places of 25,000 to 100,000	640	557	74	8	1
White	592	530	53	8	1
Nonwhite	48	27	21	-	-
Places of 10,000 to 25,000	3,359	2,614	487	237	21
White	2,775	2,488	253	24	10
Nonwhite	584	126	234	213	11
Places of 2,500 to 10,000	6,723	5,452	1,087	133	51
White	5,714	5,033	628	42	11
Nonwhite	1,009	419	459	91	40
Rural	49,245	30,200	13,772	4,341	932
White	42,805	28,648	11,626	2,126	407
Nonwhite	6,440	1,554	2,146	2,215	525
TEXAS	202,297	157,384	22,873	19,991	2,049
White	175,709	142,044	18,399	13,636	1,626
Nonwhite	26,588	15,340	4,474	6,353	421
Urban	126,219	104,794	10,526	10,106	793
White	110,119	93,041	8,301	8,127	650
Nonwhite	16,100	11,753	2,225	1,979	143
Places of 100,000 or more	48,873	43,823	1,743	3,145	162
White	41,503	37,314	1,221	2,825	143
Nonwhite	7,370	6,509	522	320	19
Places of 25,000 to 100,000	31,013	27,138	1,531	2,168	176
White	27,135	24,171	1,133	1,689	142
Nonwhite	3,878	2,967	398	479	34
Places of 10,000 to 25,000	13,665	10,203	1,658	1,696	108
White	11,927	9,532	1,151	1,166	78
Nonwhite	1,738	671	507	530	30
Places of 2,500 to 10,000	32,668	23,630	5,594	3,097	347
White	29,554	22,024	4,796	2,447	287
Nonwhite	3,114	1,606	798	650	60
Rural	76,078	52,590	12,347	9,885	1,256
White	65,590	49,003	10,098	5,511	978
Nonwhite	10,488	3,587	2,249	4,374	278
UTAH	21,164	20,757	346	29	32
White	20,888	20,501	336	28	23
Nonwhite	276	256	10	1	9
Urban	12,366	12,220	121	15	10
White	12,232	12,098	121	14	9
Nonwhite	134	132	-	1	1
Places of 100,000 or more	5,484	5,438	33	9	4
White	5,408	5,363	33	9	3
Nonwhite	76	75	-	-	1
Places of 25,000 to 100,000	1,867	1,852	12	2	1
White	1,835	1,820	12	2	1
Nonwhite	32	32	-	-	-
Places of 10,000 to 25,000	1,445	1,437	5	-	3
White	1,445	1,437	5	-	3
Nonwhite	-	-	-	-	-
UTAH—Continued					
Urban—Continued					
Places of 2,500 to 10,000	3,570	3,493	71	4	2
White	3,544	3,468	71	3	2
Nonwhite	26	25	-	1	-
Rural	8,798	8,537	225	14	22
White	8,656	8,413	215	14	14
Nonwhite	142	124	10	-	8
VERMONT	9,297	8,553	738	2	4
White	9,293	8,550	737	2	4
Nonwhite	4	3	1	-	-
Urban	3,489	3,415	73	-	1
White	3,487	3,413	73	-	1
Nonwhite	2	2	-	-	-
Places of 25,000 to 100,000	842	839	3	-	-
White	841	838	3	-	-
Nonwhite	1	1	-	-	-
Places of 10,000 to 25,000	700	693	7	-	-
White	699	692	7	-	-
Nonwhite	1	1	-	-	-
Places of 2,500 to 10,000	1,947	1,883	63	-	1
White	1,947	1,883	63	-	1
Nonwhite	-	-	-	-	-
Rural	5,808	5,138	665	2	3
White	5,806	5,137	664	2	3
Nonwhite	2	1	1	-	-
VIRGINIA	82,960	58,888	13,194	10,507	271
White	61,351	50,556	9,076	1,539	180
Nonwhite	21,609	8,432	4,118	8,968	91
Urban	31,594	27,770	1,639	2,168	17
White	25,334	22,597	650	81	6
Nonwhite	8,260	5,173	989	2,087	11
Places of 100,000 or more	10,331	9,265	463	575	8
White	6,619	6,540	71	6	2
Nonwhite	3,712	2,745	392	569	6
Places of 25,000 to 100,000	13,500	11,978	339	1,177	6
White	10,296	10,197	68	30	1
Nonwhite	3,204	1,781	271	1,147	5
Places of 10,000 to 25,000	2,294	1,975	169	150	-
White	1,727	1,665	61	1	-
Nonwhite	567	310	108	149	-
Places of 2,500 to 10,000	5,469	4,552	668	266	3
White	4,692	4,195	450	44	3
Nonwhite	777	357	218	222	-
Rural	51,366	31,218	11,555	8,339	254
White	38,017	27,959	8,426	1,458	174
Nonwhite	13,349	3,259	3,129	6,881	80
WASHINGTON	56,542	55,960	499	19	64
White	54,631	54,093	472	11	55
Nonwhite	1,911	1,867	27	8	9
Urban	34,143	33,954	163	2	24
White	32,835	32,661	151	2	21
Nonwhite	1,308	1,293	12	-	3
Places of 100,000 or more	21,394	21,283	88	2	21
White	20,337	20,237	79	2	19
Nonwhite	1,057	1,046	9	-	2
Places of 25,000 to 100,000	3,292	3,281	11	-	-
White	3,236	3,225	11	-	-
Nonwhite	56	56	-	-	-
Places of 10,000 to 25,000	4,708	4,682	25	-	1
White	4,629	4,605	23	-	1
Nonwhite	79	77	2	-	-
Places of 2,500 to 10,000	4,749	4,708	39	-	2
White	4,633	4,594	38	-	1
Nonwhite	116	114	1	-	1
Rural	22,399	22,006	336	17	40
White	21,796	21,432	321	9	34
Nonwhite	603	574	15	8	6
WEST VIRGINIA	52,586	33,898	17,066	1,245	376
White	49,684	32,908	15,241	1,183	352
Nonwhite	2,902	990	1,825	63	24
Urban	16,121	14,710	1,342	33	36
White	15,259	14,166	1,035	26	32
Nonwhite	862	544	307	7	4

[1] It is assumed that all births in hospitals or institutions are attended by physicians

TABLE 9.—LIVE BIRTHS BY PERSON IN ATTENDANCE, RACE, AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence)

AREA, RACE, AND POPULATION-SIZE GROUP	Total	BIRTHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
WEST VIRGINIA—Con.					
Urban—Continued					
Places of 25,000 to 100,000	7,334	7,126	184	4	20
White	7,033	6,880	150	4	19
Nonwhite	301	266	34	-	1
Places of 10,000 to 25,000	3,496	3,187	295	11	3
White	3,210	3,057	144	7	2
Nonwhite	286	130	151	4	1
Places of 2,500 to 10,000	5,291	4,397	863	18	13
White	5,016	4,249	741	15	11
Nonwhite	275	148	122	3	2
Rural	36,465	19,188	15,724	1,213	340
White	34,425	18,742	14,206	1,157	320
Nonwhite	2,040	446	1,518	56	20
WISCONSIN	82,949	80,533	2,310	50	56
White	81,513	79,216	2,214	39	44
Nonwhite	1,436	1,317	96	11	12
Urban	44,689	44,188	484	10	7
White	43,706	43,280	414	9	3
Nonwhite	983	908	70	1	4
Places of 100,000 or more	14,814	14,561	239	9	5
White	14,017	13,839	169	8	1
Nonwhite	797	722	70	1	4
Places of 25,000 to 100,000	16,359	16,271	86	1	1
White	16,196	16,108	86	1	1
Nonwhite	163	163	-	-	-
WISCONSIN—Con.					
Urban—Continued					
Places of 10,000 to 25,000	6,449	6,396	53	-	-
White	6,436	6,383	53	-	-
Nonwhite	13	13	-	-	-
Places of 2,500 to 10,000	7,067	6,960	106	-	1
White	7,057	6,950	106	-	1
Nonwhite	10	10	-	-	-
Rural	38,260	35,345	1,826	40	49
White	37,807	35,338	1,800	30	41
Nonwhite	453	409	26	10	8
WYOMING	7,490	7,226	239	15	10
White	7,310	7,075	221	7	7
Nonwhite	180	151	18	8	3
Urban	3,589	3,484	97	5	3
White	3,546	3,444	95	5	2
Nonwhite	43	40	2	-	1
Places of 10,000 to 25,000	2,293	2,269	23	-	1
White	2,271	2,247	23	-	1
Nonwhite	22	22	-	-	-
Places of 2,500 to 10,000	1,296	1,215	74	5	2
White	1,275	1,197	72	5	1
Nonwhite	21	18	2	-	1
Rural	3,901	3,742	142	10	7
White	3,764	3,631	126	2	5
Nonwhite	137	111	16	8	2

[1] It is assumed that all births in hospitals or institutions are attended by physicians.

TABLE 10.- CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND BORN DEAD, BY RACE, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE. 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA (AGE OF MOTHER FOR U. S. ONLY)	PLURAL BIRTHS			
	Total	White	Negro	Other
CASES OF TWINS				
UNITED STATES	[1]37,500	31,290	6,008	202
Both living	34,546	29,140	5,221	185
Under 20 years	2,429	1,805	604	20
20-24 years	9,003	7,520	1,439	44
25-29 years	10,343	8,894	1,405	44
30-34 years	7,485	6,494	951	40
35-39 years	4,303	3,619	654	30
40-44 years	909	764	139	6
45 years and over	35	26	8	1
1 living	1,933	1,412	512	9
Under 20 years	196	121	73	2
20-24 years	489	357	129	3
25-29 years	432	306	124	2
30-34 years	415	311	102	2
35-39 years	268	205	63	-
40-44 years	58	40	18	-
45 years and over	4	4	-	-
Both born dead	1,021	738	275	8
Under 20 years	119	73	45	1
20-24 years	268	186	82	-
25-29 years	283	223	57	3
30-34 years	180	140	37	3
35-39 years	123	77	45	1
40-44 years	24	19	5	-
45 years and over	5	4	1	-
Alabama	907	475	432	-
Both living	807	443	364	-
1 living	63	19	44	-
Both born dead	37	13	24	-
Arizona	203	171	14	18
Both living	193	164	13	16
1 living	7	6	-	1
Both born dead	3	1	1	1
Arkansas	537	367	170	-
Both living	504	350	154	-
1 living	17	9	8	-
Both born dead	16	8	8	-
California	2,671	2,414	215	42
Both living	2,501	2,264	197	40
1 living	119	102	15	2
Both born dead	51	48	3	-
Colorado	316	305	10	1
Both living	299	288	10	1
1 living	8	8	-	-
Both born dead	9	9	-	-
Connecticut	414	394	20	-
Both living	397	377	20	-
1 living	11	11	-	-
Both born dead	6	6	-	-
Delaware	70	63	7	-
Both living	62	55	7	-
1 living	6	6	-	-
Both born dead	2	2	-	-
District of Columbia	205	113	90	2
Both living	186	101	85	-
1 living	13	7	5	1
Both born dead	6	5	-	1
Florida	681	462	219	-
Both living	605	431	174	-
1 living	52	18	34	-
Both born dead	24	13	11	-
Georgia	922	535	387	-
Both living	836	508	328	-
1 living	61	17	44	-
Both born dead	25	10	15	-
Idaho	152	148	-	4
Both living	143	139	-	4
1 living	5	5	-	-
Both born dead	4	4	-	-
Illinois	2,028	1,758	266	4
Both living	1,892	1,648	239	4
1 living	100	79	21	-
Both born dead	36	30	6	-
Indiana	953	880	72	1
Both living	883	818	64	1
1 living	55	50	5	-
Both born dead	15	12	3	-
Iowa	639	631	8	-
Both living	606	599	7	-
1 living	24	23	1	-
Both born dead	9	9	-	-
Kansas	440	414	26	-
Both living	405	384	21	-
1 living	21	20	1	-
Both born dead	14	10	4	-
Kentucky	803	733	70	-
Both living	731	669	62	-
1 living	48	43	5	-
Both born dead	24	21	3	-
Louisiana	629	313	315	1
Both living	546	282	263	1
1 living	53	19	34	-
Both born dead	30	12	18	-
Maine	226	226	-	-
Both living	209	209	-	-
1 living	13	13	-	-
Both born dead	4	4	-	-
Maryland	563	406	155	2
Both living	506	370	135	1
1 living	37	22	14	1
Both born dead	20	14	6	-
Massachusetts	1,009	973	34	2
Both living	946	913	31	2
1 living	47	45	2	-
Both born dead	16	15	1	-
Michigan	1,699	1,510	186	3
Both living	1,570	1,397	170	3
1 living	89	77	12	-
Both born dead	40	36	4	-
Minnesota	849	840	3	6
Both living	794	786	3	5
1 living	42	41	-	1
Both born dead	13	13	-	-
Mississippi	734	294	440	-
Both living	648	269	379	-
1 living	53	17	36	-
Both born dead	33	8	25	-
Missouri	881	775	103	3
Both living	808	716	89	3
1 living	46	39	7	-
Both born dead	27	20	7	-
Montana	191	178	1	12
Both living	179	167	1	11
1 living	10	9	-	1
Both born dead	2	2	-	-
Nebraska	270	263	4	3
Both living	256	250	3	3
1 living	9	8	1	-
Both born dead	5	5	-	-
Nevada	32	30	2	-
Both living	30	28	2	-
1 living	2	2	-	-
New Hampshire	110	110	-	-
Both living	102	102	-	-
1 living	3	3	-	-
Both born dead	5	5	-	-
New Jersey	947	823	121	3
Both living	881	765	113	3
1 living	45	39	6	-
Both born dead	21	19	2	-
New Mexico	196	185	4	7
Both living	178	170	2	6
1 living	11	10	1	-
Both born dead	7	5	1	1
New York	3,217	2,859	348	10
Both living	2,925	2,620	296	9
1 living	160	135	25	-
Both born dead	132	104	27	1
North Carolina	1,163	708	442	13
Both living	1,024	646	366	12
1 living	97	40	57	-
Both born dead	42	22	19	1
North Dakota	190	186	-	4
Both living	183	180	-	3
1 living	5	4	-	1
Both born dead	2	2	-	-
Ohio	1,940	1,746	194	-
Both living	1,802	1,624	178	-
1 living	81	70	11	-
Both born dead	57	52	5	-
Oklahoma	529	460	51	18
Both living	469	428	44	17
1 living	22	18	3	-
Both born dead	18	13	4	1
Oregon	327	320	3	4
Both living	301	295	3	3
1 living	17	16	-	1
Both born dead	9	9	-	-
Pennsylvania	2,441	2,192	246	3
Both living	2,254	2,027	224	3
1 living	126	110	16	-
Both born dead	61	55	6	-
Rhode Island	153	149	4	-
Both living	145	141	4	-
1 living	7	7	-	-
Both born dead	1	1	-	-
South Carolina	663	316	347	-
Both living	600	301	299	-
1 living	31	9	22	-
Both born dead	32	6	26	-
South Dakota	177	175	-	2
Both living	168	166	-	2
1 living	6	6	-	-
Both born dead	3	3	-	-
Tennessee	921	706	215	-
Both living	845	648	197	-
1 living	53	44	9	-
Both born dead	23	14	9	-
Texas	2,164	1,768	394	2
Both living	2,013	1,671	340	2
1 living	97	62	35	-
Both born dead	54	35	19	-
Utah	206	202	2	2
Both living	198	195	2	1
1 living	4	4	-	-
Both born dead	4	3	-	1
Vermont	101	101	-	-
Both living	96	96	-	-
1 living	3	3	-	-
Both born dead	2	2	-	-
Virginia	964	635	329	-
Both living	878	600	278	-
1 living	60	24	36	-
Both born dead	26	11	15	-

[1] Excludes 485 cases in which only one mate was reported and 5 cases in which sex of mate born dead was undetermined.

TABLE 10.—CASES OF PLURAL BIRTHS CLASSIFIED BY NUMBER OF CHILDREN BORN ALIVE AND BORN DEAD, BY RACE, AND AGE OF MOTHER FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Con.

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA	PLURAL BIRTHS			
	Total	White	Negro	Other
Washington	552	522	12	18
Both living	511	483	11	17
1 living	29	29	-	-
Both born dead	12	10	1	1
West Virginia	582	548	34	-
Both living	533	503	30	-
1 living	27	25	2	-
Both born dead	22	20	2	-
Wisconsin	878	856	11	11
Both living	825	803	11	11
1 living	37	37	-	-
Both born dead	16	16	-	-
Wyoming	55	52	2	1
Both living	53	50	2	1
1 living	1	1	-	-
Both born dead	1	1	-	-
CASES OF TRIPLETS				
UNITED STATES	[2]352	280	69	3
All living	287	235	50	2
Under 20 years	15	14	2	-
20-24 years	43	37	5	1
25-29 years	84	67	16	1
30-34 years	81	66	15	-
35-39 years	49	40	9	-
40-44 years	14	11	3	-
45 years and over	-	-	-	-
2 living	34	22	11	1
Under 20 years	2	1	1	-
20-24 years	8	2	5	1
25-29 years	9	8	1	-
30-34 years	9	7	2	-
35-39 years	4	3	1	-
40-44 years	1	-	1	-
45 years and over	1	1	-	-
1 living	16	12	4	-
Under 20 years	-	-	-	-
20-24 years	5	3	2	-
25-29 years	2	2	-	-
30-34 years	7	6	1	-
35-39 years	-	-	-	-
40-44 years	2	1	1	-
45 years and over	-	-	-	-
All born dead	15	11	4	-
Under 20 years	1	1	-	-
20-24 years	5	5	-	-
25-29 years	4	1	3	-
30-34 years	4	3	1	-
35-39 years	1	1	-	-
40-44 years	-	-	-	-
45 years and over	-	-	-	-
Alabama	11	4	7	-
All living	8	4	4	-
2 living	2	-	2	-
1 living	1	-	1	-
Arizona	2	2	-	-
All living	2	2	-	-
Arkansas	5	3	2	-
All living	5	3	2	-
California	23	19	3	1
All living	18	16	2	-
2 living	3	1	1	1
All born dead	2	2	-	-
Colorado	5	5	-	-
All living	4	4	-	-
2 living	1	1	-	-
Connecticut	7	6	1	-
All living	6	5	1	-
All born dead	1	1	-	-
Delaware	1	1	-	-
All living	1	1	-	-
District of Columbia	1	-	1	-
All living	1	-	1	-
Florida	7	5	2	-
All living	7	5	2	-
Georgia	10	7	3	-
All living	7	5	2	-
1 living	2	2	-	-
All born dead	1	-	1	-
Idaho	1	1	-	-
All living	1	1	-	-
Illinois	21	19	1	1
All living	18	17	-	1
2 living	3	2	1	-
Indiana	4	3	1	-
All living	3	2	1	-
2 living	1	1	-	-
Iowa	10	9	1	-
All living	7	6	1	-
2 living	2	2	-	-
1 living	1	1	-	-
Kansas	1	1	-	-
All living	1	1	-	-
Kentucky	10	10	-	-
All living	7	7	-	-
2 living	1	1	-	-
1 living	1	1	-	-
All born dead	1	1	-	-
Louisiana	12	8	4	-
All living	6	5	1	-
2 living	3	2	1	-
1 living	2	1	1	-
All born dead	1	-	1	-
Maine	2	2	-	-
All living	2	2	-	-
Maryland	4	4	-	-
All living	4	4	-	-
Massachusetts	6	6	-	-
All living	5	5	-	-
2 living	1	1	-	-
Michigan	19	19	-	-
All living	14	14	-	-
2 living	3	3	-	-
1 living	2	2	-	-
Minnesota	8	8	-	-
All living	5	5	-	-
2 living	1	1	-	-
1 living	1	1	-	-
All born dead	1	1	-	-
Mississippi	5	1	4	-
All living	3	1	2	-
2 living	2	-	2	-
Missouri	9	7	2	-
All living	9	7	2	-
Montana	2	2	-	-
All living	1	1	-	-
2 living	1	1	-	-
Nebraska	1	1	-	-
All living	1	1	-	-
New Jersey	9	7	2	-
All living	7	5	2	-
2 living	2	2	-	-
New Mexico	5	5	-	-
All living	5	5	-	-
New York	26	21	5	-
All living	25	21	4	-
2 living	1	-	1	-
North Carolina	10	6	3	1
All living	7	5	1	1
2 living	2	1	1	-
All born dead	1	-	1	-
North Dakota	1	1	-	-
All living	1	1	-	-
Ohio	15	13	2	-
All living	13	12	1	-
1 living	2	1	1	-
Oklahoma	7	5	2	-
All living	7	5	2	-
Oregon	2	1	1	-
All living	2	1	1	-
Pennsylvania	20	18	2	-
All living	17	15	2	-
2 living	2	2	-	-
All born dead	1	1	-	-
Rhode Island	2	2	-	-
All living	2	2	-	-
South Carolina	9	3	6	-
All living	7	3	4	-
1 living	1	-	1	-
All born dead	1	-	1	-
South Dakota	1	1	-	-
All born dead	1	1	-	-
Tennessee	9	5	4	-
All living	7	5	2	-
2 living	2	-	2	-
Texas	17	13	4	-
All living	12	8	4	-
2 living	1	1	-	-
1 living	2	2	-	-
All born dead	2	2	-	-
Utah	3	3	-	-
All living	3	3	-	-
Vermont	1	1	-	-
All living	1	1	-	-
Virginia	9	4	5	-
All living	9	4	5	-
Washington	6	6	-	-
All living	6	6	-	-
West Virginia	3	2	1	-
All living	1	-	1	-
1 living	1	1	-	-
All born dead	1	1	-	-
Wisconsin	8	8	-	-
All living	7	7	-	-
All born dead	1	1	-	-
Wyoming	2	2	-	-
All living	2	2	-	-
CASES OF QUADRUPLETS				
UNITED STATES	3	3	-	-
All living	2	2	-	-
Under 20 years	-	-	-	-
20-24 years	-	-	-	-
25-29 years	2	2	-	-
30-34 years	-	-	-	-
35-39 years	-	-	-	-
40-44 years	-	-	-	-
45 years and over	-	-	-	-
3 living	1	1	-	-
Under 20 years	-	-	-	-
20-24 years	-	-	-	-
25-29 years	-	-	-	-
30-34 years	1	1	-	-
35-39 years	-	-	-	-
40-44 years	-	-	-	-
45 years and over	-	-	-	-
Illinois	1	1	-	-
3 living	1	1	-	-
New Jersey	1	1	-	-
All living	1	1	-	-
New York	1	1	-	-
All living	1	1	-	-

[2]Excludes 6 cases in which only one or two mates were reported.

TABLE 11.—FETAL DEATHS BY AGE OF MOTHER, RACE, AND POPULATION-SIZE GROUP: UNITED STATES, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
TOTAL	70,584	155	7,741	17,440	17,053	12,907	9,310	3,438	370	14	2,156
White	54,114	36	4,950	13,263	13,580	10,413	7,207	2,745	290	9	1,621
Negro	16,048	117	2,738	4,093	3,365	2,429	2,035	674	73	4	520
Other	422	2	53	84	108	65	68	19	7	1	15
URBAN	40,928	65	4,019	10,355	10,536	7,813	5,149	1,692	157	7	1,135
White	31,840	9	2,537	7,805	8,526	6,448	4,123	1,412	130	7	843
Negro	8,950	56	1,471	2,519	1,968	1,342	1,010	276	26	-	282
Other	138	-	11	31	44	23	16	4	1	-	8
Places of 100,000 or more	20,060	31	1,778	4,995	5,302	4,011	2,614	806	68	2	453
White	14,904	3	1,005	3,536	4,072	3,211	2,062	646	52	2	315
Negro	5,079	28	766	1,438	1,207	786	546	158	15	-	135
Other	77	-	7	21	23	14	6	2	1	-	3
Places of 25,000 to 100,000	8,154	11	849	2,087	2,117	1,470	1,030	325	26	1	238
White	6,428	2	546	1,591	1,772	1,210	837	276	23	1	170
Negro	1,706	9	302	494	336	259	189	48	3	-	66
Other	20	-	1	2	9	1	4	1	-	-	2
Places of 10,000 to 25,000	5,619	10	597	1,497	1,383	1,044	654	232	26	2	174
White	4,569	2	394	1,195	1,176	911	530	201	21	2	137
Negro	1,035	8	200	300	203	131	122	31	5	-	35
Other	15	-	3	2	4	2	2	-	-	-	2
Places of 2,500 to 10,000	7,095	13	795	1,776	1,736	1,288	851	329	37	2	268
White	5,939	2	592	1,485	1,506	1,116	694	289	34	2	221
Negro	1,130	11	203	287	222	166	153	39	3	-	46
Other	26	-	-	6	8	6	4	1	-	-	1
RURAL	29,656	90	3,722	7,085	6,515	5,094	4,161	1,746	213	7	1,023
White	22,274	27	2,413	5,458	5,054	3,965	3,084	1,333	160	2	778
Negro	7,098	61	1,267	1,574	1,397	1,087	1,025	398	47	4	238
Other	284	2	42	53	64	42	52	15	6	1	7

TABLE 12.—FETAL DEATHS BY AGE OF MOTHER, BIRTH ORDER, RACE, AND SEX OF CHILD: UNITED STATES, 1949

(Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths occurring in Massachusetts are included only in "Total" and "Not stated" classifications because this State does not require the reporting of birth order)

AGE OF MOTHER, RACE, AND SEX OF CHILD	Total	BIRTH ORDER																
		1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17+	Not stated
TOTAL	70,584	23,394	14,149	9,771	6,041	4,036	2,757	1,970	1,588	1,190	913	638	478	335	221	127	67	114	2,795
Male	37,808	12,515	7,549	5,234	3,275	2,162	1,458	1,063	847	641	496	351	258	180	121	77	34	53	1,514
Female	31,595	10,484	6,332	4,377	2,660	1,806	1,267	873	717	537	412	288	214	152	100	50	33	57	1,225
Not stated	1,181	395	268	160	106	68	32	34	24	12	5	8	6	3	-	-	-	4	56
Under 15 years	155	144	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
15-19 years	7,741	5,387	1,559	437	113	22	8	4	1	1	-	-	-	-	-	-	-	-	209
20-24 years	17,440	7,617	4,684	2,499	1,129	527	231	99	41	17	8	5	2	1	1	-	-	-	599
25-29 years	17,053	4,680	3,981	2,918	1,854	1,204	738	468	282	154	79	42	19	11	5	3	-	1	634
30-34 years	12,907	2,563	2,303	2,198	1,509	1,086	801	502	477	339	225	118	68	47	18	10	7	9	525
35-39 years	9,310	1,379	1,203	1,250	1,029	824	656	522	532	433	350	276	206	136	87	38	23	42	324
40-44 years	3,438	361	272	329	309	282	253	226	204	196	207	159	156	120	83	59	29	46	138
45-49 years	370	20	18	25	23	32	26	24	24	25	32	32	18	16	13	12	6	14	10
50 years and over	14	-	1	1	-	2	1	1	1	3	-	-	-	1	2	-	-	1	-
Not stated	2,156	1,243	161	113	76	55	43	24	26	22	12	6	9	3	2	5	2	1	353
WHITE	54,114	18,784	11,471	7,785	4,600	2,881	1,799	1,257	917	655	494	326	243	169	112	60	32	45	2,484
Male	28,866	9,962	6,094	4,158	2,482	1,553	945	663	485	355	276	180	133	97	60	39	19	16	1,349
Female	24,410	8,536	5,184	3,507	2,048	1,281	835	577	418	295	214	144	106	71	52	21	13	29	1,081
Not stated	838	286	193	120	72	47	19	17	14	5	4	2	4	1	-	-	-	-	54
Under 15 years	36	35	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	4,950	3,689	846	196	41	3	-	2	-	-	-	-	-	-	-	-	-	-	173
20-24 years	13,263	6,344	3,674	1,737	617	224	86	33	9	5	2	-	-	-	-	-	-	-	532
25-29 years	13,580	4,051	3,448	2,447	1,416	795	391	234	105	62	24	10	5	4	1	-	-	1	586
30-34 years	10,413	2,219	2,080	1,920	1,279	851	563	381	265	168	102	51	27	16	5	3	4	5	494
35-39 years	7,207	1,177	1,043	1,079	894	694	495	394	336	245	200	138	98	58	39	14	10	12	291
40-44 years	2,745	323	249	292	273	251	212	179	161	142	132	100	100	81	57	33	15	17	128
45-49 years	290	15	13	24	20	27	23	22	20	19	27	23	11	9	10	6	3	9	9
50 years and over	9	-	1	1	-	2	1	-	1	2	-	-	-	-	-	-	-	1	-
Not stated	1,621	931	136	89	60	44	28	12	20	12	7	4	2	1	-	4	-	-	271
NONWHITE	16,470	4,610	2,678	1,986	1,441	1,155	958	713	671	535	419	312	235	166	109	67	35	69	311
Male	8,942	2,553	1,455	1,076	793	609	513	400	362	286	220	151	125	83	61	38	15	37	165
Female	7,185	1,948	1,148	870	614	527	432	296	299	242	198	155	108	81	48	29	20	28	142
Not stated	343	109	75	40	34	19	13	17	10	7	1	6	2	2	-	-	-	4	4
Under 15 years	119	109	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
15-19 years	2,791	1,698	713	241	72	19	8	2	1	1	-	-	-	-	-	-	-	-	36
20-24 years	4,177	1,273	990	762	512	303	145	66	32	12	6	5	2	1	1	-	-	-	67
25-29 years	3,473	629	513	471	438	408	347	234	177	92	55	32	14	7	4	3	-	-	48
30-34 years	2,494	344	243	278	230	237	238	221	212	171	123	67	41	31	13	7	3	4	51
35-39 years	2,103	202	160	171	135	140	161	128	136	138	150	138	108	78	48	24	13	30	33
40-44 years	693	38	23	37	35	31	41	47	43	54	75	59	56	39	36	26	14	29	10
45-49 years	80	5	5	1	3	5	3	2	4	6	5	9	7	7	3	6	3	5	1
50 years and over	5	-	-	-	-	-	-	1	-	1	-	-	-	1	2	-	-	-	-
Not stated	535	312	25	24	16	11	15	12	6	10	5	2	7	2	2	1	2	1	82
Negro	16,048	4,500	2,613	1,930	1,405	1,120	928	697	649	524	405	306	231	163	107	66	35	69	300
Male	8,716	2,497	1,417	1,049	774	590	499	388	351	278	213	146	123	82	60	37	15	37	160
Female	6,996	1,896	1,123	842	598	511	416	292	289	239	191	154	106	79	47	29	20	28	136
Not stated	336	107	73	39	33	19	13	17	9	7	1	6	2	2	-	-	-	4	4
Under 15 years	117	108	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3
15-19 years	2,758	1,664	698	239	72	18	8	2	1	1	-	-	-	-	-	-	-	-	35
20-24 years	4,093	1,234	974	747	504	300	144	66	31	12	5	5	2	1	1	-	-	-	67
25-29 years	3,365	609	495	452	426	393	334	228	176	92	54	32	14	7	4	3	-	-	46
30-34 years	2,429	340	234	267	225	230	232	217	206	167	117	65	41	31	13	7	3	4	30
35-39 years	2,055	196	156	165	127	135	154	124	183	184	147	137	106	76	47	24	13	30	31
40-44 years	674	37	23	35	32	31	39	46	43	53	73	56	54	38	35	26	14	29	10
45-49 years	73	4	5	1	3	4	3	1	3	5	4	9	7	7	3	5	3	5	1
50 years and over	4	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-
Not stated	520	308	23	23	16	9	14	12	6	10	5	2	7	2	2	1	2	1	77
Other races	422	110	65	56	36	35	30	16	22	11	14	6	4	3	2	1	-	-	11
Male	226	56	38	27	19	19	14	12	11	8	7	5	2	1	1	1	-	-	5
Female	189	52	25	28	16	16	16	4	10	3	7	1	2	2	1	-	-	-	6
Not stated	7	2	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Under 15 years	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
15-19 years	53	34	15	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
20-24 years	84	39	16	15	8	3	1	-	1	-	1	-	-	-	-	-	-	-	-
25-29 years	108	20	18	19	12	16	13	6	1	-	1	-	-	-	-	-	-	-	2
30-34 years	65	4	9	11	5	7	6	4	6	4	6	2	-	-	-	-	-	-	1
35-39 years	68	6	4	6	8	5	7	4	13	4	3	1	2	2	1	-	-	-	2
40-44 years	19	1	-	2	3	-	2	1	-	1	2	3	2	1	1	-	-	-	-
45-49 years	7	1	-	-	-	1	-	1	1	1	1	-	-	-	-	1	-	-	-
50 years and over	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
Not stated	15	4	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	5

TABLE 13.—FETAL DEATHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
UNITED STATES	70,584	155	7,741	17,440	17,053	12,907	8,310	3,438	370	14	2,156
White	54,114	36	4,950	13,263	13,580	10,413	7,207	2,745	290	9	1,621
Nonwhite	16,470	119	2,791	4,177	3,473	2,494	2,103	693	80	5	535
Alabama	2,305	11	386	587	463	366	300	115	11	-	86
White	1,055	3	147	271	224	173	128	56	3	-	50
Nonwhite	1,250	8	239	296	239	193	172	59	8	-	36
Arizona	354	-	42	76	101	51	61	11	2	-	10
White	293	-	32	61	87	45	47	11	2	-	8
Nonwhite	61	-	10	15	14	6	14	-	-	-	2
Arkansas	789	6	123	179	134	127	122	53	1	-	44
White	510	2	66	121	91	77	73	41	1	-	38
Nonwhite	279	4	57	58	43	50	49	12	-	-	6
California	3,753	-	393	956	1,008	735	469	145	20	-	27
White	3,325	-	332	838	903	659	424	132	17	-	20
Nonwhite	426	-	61	118	105	76	45	13	3	-	7
Colorado	545	-	57	142	120	103	81	34	5	1	2
White	531	-	55	135	118	101	80	34	5	1	2
Nonwhite	14	-	2	7	2	2	1	-	-	-	-
Connecticut	585	-	21	116	176	146	72	25	2	-	7
White	558	-	18	105	172	145	69	23	2	-	4
Nonwhite	27	-	3	11	4	1	3	2	-	-	3
Delaware	189	1	24	36	43	38	17	6	2	-	2
White	127	-	13	28	33	30	15	5	1	-	2
Nonwhite	62	1	11	8	10	8	2	1	1	-	-
District of Columbia	440	2	47	101	114	92	58	10	2	-	14
White	205	-	16	39	64	39	34	7	1	-	5
Nonwhite	235	2	31	62	50	53	24	3	1	-	9
Florida	1,583	9	217	403	346	272	231	62	7	1	35
White	866	2	104	227	204	146	124	34	5	-	20
Nonwhite	717	7	113	176	142	126	107	28	2	1	15
Georgia	2,198	9	346	503	456	368	321	95	14	-	86
White	990	1	132	225	236	180	127	43	5	-	41
Nonwhite	1,208	8	214	278	220	188	194	52	9	-	45
Idaho	262	-	25	58	71	44	32	18	1	-	13
White	257	-	25	57	68	43	32	18	1	-	13
Nonwhite	5	-	-	1	3	1	-	-	-	-	-
Illinois	3,274	2	256	833	877	675	448	145	11	-	27
White	2,755	2	177	687	754	595	391	123	11	-	15
Nonwhite	519	-	79	146	123	80	57	22	-	-	12
Indiana	1,530	3	167	410	373	283	192	61	8	-	53
White	1,376	2	142	369	335	243	175	55	7	-	48
Nonwhite	154	1	25	41	38	20	17	6	1	-	5
Iowa	986	1	114	269	236	155	109	56	5	-	21
White	952	1	111	266	231	153	109	56	5	-	20
Nonwhite	14	-	3	3	5	2	-	-	-	-	1
Kansas	721	1	77	184	150	147	92	36	5	-	29
White	665	-	66	171	139	140	86	34	5	-	24
Nonwhite	56	1	11	13	11	7	6	2	-	-	5
Kentucky	1,484	8	225	357	331	225	214	86	13	-	25
White	1,344	4	203	324	295	207	198	79	13	-	21
Nonwhite	140	4	22	33	36	18	16	7	-	-	4
Louisiana	1,814	3	271	458	426	268	252	85	6	1	44
White	764	-	92	209	189	111	99	36	1	-	27
Nonwhite	1,050	3	179	249	237	157	153	49	5	1	17
Maine	375	-	42	93	92	59	54	22	3	-	10
White	373	-	41	93	91	59	54	22	3	-	10
Nonwhite	2	-	1	-	1	-	-	-	-	-	-
Maryland	1,202	2	156	274	309	229	119	57	4	-	52
White	813	-	73	193	228	160	76	41	3	-	39
Nonwhite	389	2	83	81	81	69	43	16	1	-	13
Massachusetts	1,646	-	74	356	445	386	231	108	9	-	37
White	1,589	-	70	342	429	375	222	106	9	-	36
Nonwhite	57	-	4	14	16	11	9	2	-	-	1
Michigan	2,957	3	281	800	746	569	340	141	13	1	63
White	2,582	1	229	697	661	511	308	126	12	1	36
Nonwhite	375	2	52	103	85	58	32	15	1	-	27
Minnesota	1,197	-	78	264	285	285	190	69	13	1	12
White	1,173	-	72	262	283	282	185	66	11	1	11
Nonwhite	24	-	6	2	2	3	5	3	2	-	1
Mississippi	1,989	17	317	483	422	303	289	129	11	-	18
White	548	-	60	126	147	97	77	32	3	-	6
Nonwhite	1,441	17	257	357	275	206	212	97	8	-	12
Missouri	1,704	8	201	450	385	286	243	85	11	-	35
White	1,402	1	146	372	336	236	200	67	11	-	33
Nonwhite	302	7	55	78	49	50	43	18	-	-	2

TABLE 13.—FETAL DEATHS BY AGE OF MOTHER AND RACE: UNITED STATES AND EACH STATE, 1949—Con.

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total	AGE OF MOTHER									
		Under 15 years	15-19 years	20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50 years and over	Not stated
Montana	231	-	24	70	49	41	32	9	2	-	4
White	220	-	21	69	46	39	30	9	2	-	4
Nonwhite	11	-	3	1	3	2	2	-	-	-	-
Nebraska	498	1	41	127	126	78	51	28	-	-	46
White	481	-	35	126	124	73	50	28	-	-	45
Nonwhite	17	1	6	1	2	5	1	-	-	-	1
Nevada	82	-	7	15	13	10	9	4	-	-	4
White	54	-	5	14	12	9	7	3	-	-	4
Nonwhite	8	-	2	1	1	1	2	1	-	-	-
New Hampshire	218	-	10	43	62	48	42	9	2	-	2
White	218	-	10	43	62	48	42	9	2	-	2
Nonwhite	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,933	4	113	425	535	448	281	87	10	-	30
White	1,654	-	67	353	462	408	253	78	9	-	24
Nonwhite	279	4	46	72	73	40	28	9	1	-	6
New Mexico	382	-	49	95	102	57	53	20	1	-	5
White	342	-	44	86	95	49	47	17	-	-	4
Nonwhite	40	-	5	9	7	8	6	3	1	-	1
New York	6,864	3	425	1,597	1,852	1,508	1,000	322	31	-	128
White	5,751	-	292	1,258	1,560	1,326	903	285	27	-	90
Nonwhite	1,113	3	133	339	292	182	97	27	4	-	36
North Carolina	2,766	14	387	750	615	429	366	148	22	1	34
White	1,377	1	159	367	323	237	176	78	12	-	24
Nonwhite	1,389	13	228	383	292	192	190	70	10	1	10
North Dakota	270	-	19	64	53	47	51	19	2	-	15
White	255	-	17	61	47	46	48	19	2	-	15
Nonwhite	15	-	2	3	6	1	3	-	-	-	-
Ohio	3,661	4	342	975	895	698	461	173	24	1	88
White	3,202	2	268	821	793	637	421	156	24	1	79
Nonwhite	459	2	74	154	102	61	40	17	-	-	9
Oklahoma	864	3	130	192	188	131	121	32	7	-	60
White	690	2	92	164	142	112	96	28	7	-	47
Nonwhite	174	1	38	28	46	19	25	4	-	-	13
Oregon	492	-	63	125	138	72	53	29	3	-	9
White	475	-	63	120	133	68	50	29	3	-	9
Nonwhite	17	-	-	5	5	4	3	-	-	-	-
Pennsylvania	4,374	5	393	1,149	1,137	863	567	238	19	2	3
White	3,818	-	308	980	1,020	772	500	217	16	2	3
Nonwhite	556	5	85	169	117	91	67	19	3	-	-
Rhode Island	291	-	17	53	89	70	36	24	1	-	1
White	285	-	16	53	86	70	34	24	1	-	1
Nonwhite	6	-	1	-	3	-	2	-	-	-	-
South Carolina	1,621	9	258	389	338	230	207	52	7	1	130
White	523	3	64	115	109	85	62	15	3	-	67
Nonwhite	1,098	6	194	274	229	145	145	37	4	1	63
South Dakota	251	-	24	71	62	38	30	15	-	1	12
White	238	-	24	67	60	33	28	14	-	-	12
Nonwhite	13	-	-	4	2	3	2	1	-	1	-
Tennessee	1,723	7	270	433	382	291	207	85	13	1	34
White	1,268	-	182	321	287	218	151	69	9	1	30
Nonwhite	455	7	88	112	95	73	56	16	4	-	4
Texas	4,273	8	541	1,043	898	679	518	181	16	2	387
White	3,320	4	378	815	712	547	404	140	12	2	306
Nonwhite	953	4	163	228	186	132	114	41	4	-	81
Utah	297	-	33	75	70	54	32	18	-	-	15
White	285	-	33	72	68	49	31	18	-	-	14
Nonwhite	12	-	-	3	2	5	1	-	-	-	1
Vermont	156	-	13	38	39	27	23	12	1	-	3
White	155	-	13	38	39	26	23	12	1	-	3
Nonwhite	1	-	-	-	-	1	-	-	-	-	-
Virginia	2,009	7	288	479	462	311	207	102	7	-	146
White	1,127	1	125	269	283	190	112	66	1	-	80
Nonwhite	882	6	163	210	179	121	95	36	6	-	66
Washington	858	1	103	219	243	155	87	38	3	-	9
White	805	1	87	210	230	150	82	37	3	-	5
Nonwhite	53	-	16	9	13	5	5	1	-	-	4
West Virginia	1,258	2	141	294	247	163	118	65	10	-	218
White	1,169	2	122	281	232	149	109	63	10	-	201
Nonwhite	89	-	19	13	15	14	9	2	-	-	17
Wisconsin	1,288	1	92	315	323	245	208	73	9	-	20
White	1,250	1	87	307	313	241	202	71	8	-	20
Nonwhite	36	-	5	8	10	4	6	2	1	-	-
Wyoming	124	-	18	36	26	24	13	3	1	-	3
White	119	-	16	35	24	24	13	3	1	-	3
Nonwhite	5	-	2	1	2	-	-	-	-	-	-

TABLE 14.—FETAL DEATHS BY BIRTH ORDER AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths occurring in Massachusetts are included only in "Total" and "Not stated" classifications because this State does not require the reporting of birth order)

AREA AND RACE	Total	BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
UNITED STATES	70,584	23,394	14,149	9,771	6,041	4,036	2,757	1,970	1,586	1,190	2,693	2,795
White	54,114	18,784	11,471	7,785	4,600	2,881	1,799	1,257	917	655	1,481	2,484
Nonwhite	16,470	4,610	2,678	1,986	1,441	1,155	958	713	671	535	1,412	311
Alabama	2,305	750	401	269	179	162	119	112	76	56	173	8
White	1,055	387	209	140	84	68	39	43	27	20	36	2
Nonwhite	1,250	363	192	129	95	94	80	69	49	36	137	6
Arizona	354	97	70	46	39	29	20	14	8	3	18	10
White	293	83	60	41	34	21	14	11	5	2	14	8
Nonwhite	61	14	10	5	5	8	6	3	3	1	4	2
Arkansas	789	250	106	93	61	63	42	37	23	21	59	34
White	510	173	75	73	39	45	18	18	14	12	23	20
Nonwhite	279	77	31	20	22	18	24	19	9	9	36	14
California	3,753	1,328	942	608	330	174	106	62	49	31	81	42
White	3,325	1,204	840	540	284	148	85	54	39	28	70	33
Nonwhite	428	124	102	68	46	26	21	8	10	3	11	9
Colorado	545	154	113	89	58	39	19	17	14	5	34	3
White	531	149	109	87	57	38	18	17	14	5	34	3
Nonwhite	14	5	4	2	1	1	1	-	-	-	-	-
Connecticut	565	228	128	96	41	26	11	17	2	-	5	11
White	538	218	121	92	40	25	10	15	2	-	5	10
Nonwhite	27	10	7	4	1	1	1	2	-	-	-	1
Delaware	169	58	43	30	15	9	4	1	1	1	6	1
White	127	46	33	21	10	8	3	-	1	-	4	1
Nonwhite	42	12	10	9	5	1	1	1	-	1	2	-
District of Columbia	440	219	85	57	27	15	12	7	8	6	1	3
White	205	105	49	28	7	7	3	2	2	-	-	2
Nonwhite	235	114	36	29	20	8	9	5	6	6	1	1
Florida	1,583	493	284	227	159	88	79	69	55	36	83	10
White	866	316	187	140	78	35	33	26	18	11	20	2
Nonwhite	717	177	97	87	81	53	46	43	37	25	63	8
Georgia	2,198	610	387	261	182	154	136	85	99	85	173	26
White	990	332	205	141	88	56	46	28	25	22	35	12
Nonwhite	1,208	278	182	120	94	98	90	57	74	63	138	14
Idaho	262	55	60	40	25	13	16	12	6	6	12	17
White	257	53	59	39	24	13	16	12	6	6	12	17
Nonwhite	5	2	1	1	1	-	-	-	-	-	-	-
Illinois	3,274	1,204	738	528	291	163	90	66	51	38	65	40
White	2,755	1,045	644	449	246	126	72	50	32	23	44	24
Nonwhite	519	159	94	79	45	37	18	16	19	15	21	16
Indiana	1,530	504	323	216	149	80	52	44	22	19	35	86
White	1,376	465	290	196	129	68	46	40	18	14	30	80
Nonwhite	154	39	33	20	20	12	6	4	4	5	5	6
Iowa	966	343	204	147	84	54	33	13	20	7	21	40
White	952	341	200	144	82	52	32	13	20	7	21	40
Nonwhite	14	2	4	3	2	2	1	-	-	-	-	-
Kansas	721	238	173	107	62	38	20	12	17	12	12	30
White	665	225	159	100	52	34	18	10	17	11	12	29
Nonwhite	56	13	14	7	10	4	4	2	-	1	-	1
Kentucky	1,484	418	247	160	114	106	90	67	39	31	126	86
White	1,344	378	225	147	101	95	80	60	37	27	115	79
Nonwhite	140	40	22	13	13	11	10	7	2	4	11	7
Louisiana	1,814	477	301	239	162	126	103	77	72	57	133	67
White	764	261	146	105	65	52	27	24	11	8	23	42
Nonwhite	1,050	216	155	134	97	74	76	53	61	49	110	25
Maine	375	134	72	46	41	16	15	10	8	7	17	9
White	373	132	72	46	41	16	15	10	8	7	17	9
Nonwhite	2	2	-	-	-	-	-	-	-	-	-	-
Maryland	1,202	480	259	146	86	66	49	37	18	16	38	29
White	813	336	202	99	58	32	22	17	8	6	12	23
Nonwhite	389	124	57	47	30	34	27	20	10	10	24	6
Massachusetts[1]	1,646	11	1	4	1	1	1	1	-	-	-	1,626
White	1,589	11	1	4	1	1	1	1	-	-	-	1,569
Nonwhite	57	-	-	-	-	-	-	-	-	-	-	57
Michigan	2,957	998	637	473	286	194	112	64	53	40	64	36
White	2,582	857	567	429	251	169	95	58	44	30	51	31
Nonwhite	375	141	70	44	35	25	17	6	9	10	13	5
Minnesota	1,197	407	279	182	107	85	41	26	23	17	27	3
White	1,173	397	277	182	107	83	39	25	22	15	23	3
Nonwhite	24	10	2	-	-	2	2	1	1	2	4	-
Mississippi	1,989	500	298	229	168	154	108	92	101	84	238	17
White	548	175	101	77	48	38	32	16	23	15	23	-
Nonwhite	1,441	325	197	152	120	116	76	76	78	69	215	17
Missouri	1,704	591	340	241	160	101	84	38	44	31	62	12
White	1,402	508	284	204	127	84	60	26	36	20	43	10
Nonwhite	302	83	56	37	33	17	24	12	8	11	19	2

[1] Massachusetts does not require the reporting of birth order. Birth order data for Massachusetts are for fetal deaths to residents of the State occurring in other States.

TABLE 14.—FETAL DEATHS BY BIRTH ORDER AND RACE: UNITED STATES AND EACH STATE, 1949—Con.

(By place or residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated. Birth order refers to number of children ever born to mother, including fetal deaths. Fetal deaths occurring in Massachusetts are included only in "Total" and "Not stated" classifications because this State does not require the reporting of birth order)

AREA AND RACE	Total	BIRTH ORDER										
		1	2	3	4	5	6	7	8	9	10 and over	Not stated
Montana	231	84	58	34	21	10	5	7	7	1	4	-
White	220	80	57	32	21	9	5	7	6	-	3	-
Nonwhite	11	4	1	2	-	1	-	-	1	1	1	-
Nebraska	498	178	134	79	37	25	11	9	6	5	10	4
White	481	173	130	78	36	23	9	7	6	5	10	4
Nonwhite	17	5	4	1	1	2	2	2	-	-	-	-
Nevada	62	20	12	11	4	4	2	1	2	-	-	6
White	54	19	10	10	4	4	1	-	1	-	-	6
Nonwhite	8	2	2	1	-	-	1	1	1	-	-	-
New Hampshire	218	74	50	32	22	7	8	6	3	3	9	4
White	218	74	50	32	22	7	8	6	3	3	9	4
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-
New Jersey	1,933	787	481	280	159	79	46	32	19	15	29	26
White	1,654	692	419	222	137	63	33	26	14	8	18	22
Nonwhite	279	95	62	38	22	16	13	6	5	7	11	4
New Mexico	382	113	76	49	33	28	19	12	7	12	26	7
White	342	102	73	45	28	26	15	9	5	11	23	5
Nonwhite	40	11	3	4	5	2	4	3	2	1	3	2
New York	6,864	2,514	1,614	1,101	624	346	192	141	89	44	120	99
White	5,751	2,146	1,357	946	519	283	150	105	56	34	81	74
Nonwhite	1,113	368	257	155	105	63	42	36	13	10	39	25
North Carolina	2,766	841	494	368	246	179	135	118	88	87	205	5
White	1,377	484	299	183	127	81	59	40	22	28	53	3
Nonwhite	1,389	357	195	185	119	98	76	78	66	61	152	2
North Dakota	270	90	48	31	19	18	11	13	11	5	16	8
White	255	88	45	28	17	17	11	12	10	5	14	8
Nonwhite	15	2	3	3	2	1	-	1	1	-	2	-
Ohio	3,661	1,304	783	578	322	217	125	103	57	46	97	28
White	3,202	1,148	700	508	282	187	105	90	47	37	79	21
Nonwhite	459	156	83	73	40	30	20	13	10	9	18	7
Oklahoma	864	286	184	123	74	45	31	40	22	18	33	8
White	690	232	158	107	60	32	22	29	14	10	19	7
Nonwhite	174	54	26	16	14	13	9	11	8	8	14	1
Oregon	492	193	98	84	42	22	9	13	4	2	8	17
White	475	186	93	83	41	20	9	13	4	2	8	16
Nonwhite	17	7	5	1	1	2	-	-	-	-	-	1
Pennsylvania	4,374	1,550	1,049	644	398	248	169	84	81	62	117	2
White	3,818	1,388	927	547	330	213	137	73	58	53	90	2
Nonwhite	558	142	122	97	58	35	32	11	23	9	27	-
Rhode Island	291	104	71	46	22	11	7	3	5	5	4	13
White	285	103	69	45	22	11	7	3	5	4	3	13
Nonwhite	6	1	2	1	-	-	-	-	-	1	1	-
South Carolina	1,621	419	239	190	151	122	88	59	84	68	166	35
White	523	173	103	76	59	31	14	11	12	13	22	9
Nonwhite	1,098	246	136	114	92	91	74	48	72	55	144	26
South Dakota	251	95	50	44	22	11	8	5	4	4	6	2
White	238	91	49	44	20	11	6	5	3	2	5	2
Nonwhite	13	4	1	-	2	-	2	-	1	2	1	-
Tennessee	1,723	611	301	215	150	109	69	50	49	33	98	18
White	1,268	468	220	168	105	79	67	31	34	22	60	14
Nonwhite	455	143	81	47	45	30	22	19	15	11	38	4
Texas	4,273	1,466	748	542	369	251	189	131	121	80	248	128
White	3,320	1,145	598	424	288	203	137	96	88	64	173	103
Nonwhite	953	321	150	118	81	48	52	35	32	16	75	25
Utah	297	103	63	55	26	18	11	7	4	2	3	5
White	285	99	61	53	26	17	10	6	3	2	3	5
Nonwhite	12	4	2	2	-	1	1	1	1	-	-	-
Vermont	156	55	27	25	11	12	9	4	5	4	4	-
White	155	55	27	24	11	12	9	4	5	4	4	-
Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-
Virginia	2,009	747	364	252	151	103	93	70	62	42	101	24
White	1,127	449	225	154	90	42	36	32	28	22	37	12
Nonwhite	882	298	139	98	61	61	57	38	34	20	64	12
Washington	858	276	222	122	81	44	23	12	6	5	5	62
White	805	258	212	119	76	38	21	9	5	5	5	57
Nonwhite	53	18	10	3	5	6	2	3	1	-	-	5
West Virginia	1,258	502	188	144	108	93	62	35	29	24	68	5
White	1,169	470	177	135	102	83	55	34	26	20	62	5
Nonwhite	89	32	11	9	6	10	7	1	3	4	6	-
Wisconsin	1,286	423	281	188	122	70	50	34	31	13	31	43
White	1,250	414	276	182	116	68	48	32	29	13	29	43
Nonwhite	36	9	5	6	6	2	2	2	2	-	2	-
Wyoming	124	52	23	19	10	8	3	1	3	1	4	-
White	119	51	21	18	10	7	3	1	3	1	4	-
Nonwhite	5	1	2	1	-	1	-	-	-	-	-	-

TABLE 15.—FETAL DEATHS BY PERSON IN ATTENDANCE AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total	FETAL DEATHS ATTENDED BY—			
		Physician in hospital[1]	Physician not in hospital	Midwife	Other and not specified
UNITED STATES	70,584	56,716	9,015	3,467	1,386
White	54,114	47,424	5,557	522	611
Nonwhite	16,470	9,292	3,458	2,945	775
Alabama	2,305	1,286	481	470	68
White	1,055	781	222	25	27
Nonwhite	1,250	505	259	445	41
Arizona	354	310	29	9	6
White	293	257	26	7	3
Nonwhite	61	53	3	2	3
Arkansas	789	489	156	113	31
White	510	394	101	10	5
Nonwhite	279	95	55	103	26
California	3,753	3,551	163	-	39
White	3,325	3,160	138	-	27
Nonwhite	428	391	25	-	12
Colorado	545	498	40	1	6
White	531	484	40	1	6
Nonwhite	14	14	-	-	-
Connecticut	565	557	6	-	2
White	538	533	4	-	1
Nonwhite	27	24	2	-	1
Delaware	169	151	10	7	1
White	127	122	4	-	1
Nonwhite	42	29	6	7	-
District of Columbia	440	407	25	-	8
White	205	199	4	-	2
Nonwhite	235	208	21	-	6
Florida	1,583	1,120	207	229	27
White	866	775	71	17	3
Nonwhite	717	345	136	212	24
Georgia	2,188	804	857	273	264
White	990	525	414	15	36
Nonwhite	1,206	279	443	258	228
Idaho	262	250	11	1	-
White	257	245	11	1	-
Nonwhite	5	5	-	-	-
Illinois	3,274	2,947	291	2	34
White	2,755	2,555	179	-	21
Nonwhite	519	392	112	2	13
Indiana	1,530	1,344	161	2	23
White	1,376	1,240	118	2	16
Nonwhite	154	104	43	-	7
Iowa	966	902	61	2	1
White	952	889	60	2	1
Nonwhite	14	13	1	-	-
Kansas	721	672	43	1	5
White	665	627	34	1	3
Nonwhite	56	45	9	-	2
Kentucky	1,484	916	442	81	45
White	1,344	850	383	72	39
Nonwhite	140	66	59	9	6
Louisiana	1,814	1,364	225	170	55
White	764	678	63	9	14
Nonwhite	1,050	686	162	161	41
Maine	375	337	36	2	-
White	373	335	36	2	-
Nonwhite	2	2	-	-	-
Maryland	1,202	933	201	33	35
White	813	698	90	3	22
Nonwhite	389	235	111	30	13
Massachusetts	1,646	1,582	62	2	-
White	1,589	1,529	58	2	-
Nonwhite	57	53	4	-	-
Michigan	2,957	2,795	149	1	12
White	2,582	2,461	113	-	8
Nonwhite	375	334	36	1	4
Minnesota	1,197	1,127	66	1	3
White	1,173	1,105	64	1	3
Nonwhite	24	22	2	-	-
Mississippi	1,989	849	443	650	47
White	548	424	110	7	7
Nonwhite	1,441	425	333	643	40
Missouri	1,704	1,379	279	9	37
White	1,402	1,143	232	5	22
Nonwhite	302	236	47	4	15
Montana	231	213	11	2	5
White	220	204	10	1	5
Nonwhite	11	9	1	1	-
Nebraska	498	463	33	-	2
White	481	448	31	-	2
Nonwhite	17	15	2	-	-
Nevada	62	62	-	-	-
White	54	54	-	-	-
Nonwhite	8	8	-	-	-
New Hampshire	218	203	14	-	1
White	218	203	14	-	1
Nonwhite	-	-	-	-	-
New Jersey	1,933	1,784	103	1	45
White	1,654	1,548	69	-	37
Nonwhite	279	236	34	1	8
New Mexico	382	272	82	16	12
White	342	238	78	16	9
Nonwhite	40	33	4	-	3
New York	6,864	6,307	461	2	94
White	5,751	5,369	309	1	72
Nonwhite	1,113	938	152	1	22
North Carolina	2,766	1,789	591	246	140
White	1,377	1,136	193	22	26
Nonwhite	1,389	653	398	224	114
North Dakota	270	248	21	-	1
White	255	233	21	-	1
Nonwhite	15	15	-	-	-
Ohio	3,661	3,292	335	1	33
White	3,202	2,912	268	-	22
Nonwhite	459	380	67	1	11
Oklahoma	864	683	145	23	13
White	690	581	96	6	7
Nonwhite	174	102	49	17	6
Oregon	492	476	15	-	1
White	475	459	15	-	1
Nonwhite	17	17	-	-	-
Pennsylvania	4,374	3,899	463	-	12
White	3,818	3,408	400	-	10
Nonwhite	556	491	63	-	2
Rhode Island	291	281	9	-	1
White	285	275	9	-	1
Nonwhite	6	6	-	-	-
South Carolina	1,621	781	337	470	33
White	523	418	96	7	2
Nonwhite	1,098	363	241	463	31
South Dakota	251	238	9	2	2
White	238	227	8	1	2
Nonwhite	13	11	1	1	-
Tennessee	1,723	1,276	343	51	53
White	1,268	985	238	21	24
Nonwhite	455	291	105	30	29
Texas	4,273	3,094	739	348	94
White	3,320	2,475	551	219	75
Nonwhite	953	619	188	127	19
Utah	297	276	20	-	1
White	285	264	20	-	1
Nonwhite	12	12	-	-	-
Vermont	156	145	11	-	-
White	155	144	11	-	-
Nonwhite	1	1	-	-	-
Virginia	2,009	1,331	396	220	62
White	1,127	920	169	21	17
Nonwhite	882	411	227	199	45
Washington	858	837	18	-	3
White	805	788	15	-	2
Nonwhite	53	49	3	-	1
West Virginia	1,258	857	346	28	27
White	1,169	825	294	25	25
Nonwhite	89	32	52	3	2
Wisconsin	1,286	1,222	63	-	1
White	1,250	1,188	61	-	1
Nonwhite	36	34	2	-	-
Wyoming	124	117	6	-	1
White	119	112	6	-	1
Nonwhite	5	5	-	-	-

[1] It is assumed that all fetal deaths in hospitals or institutions are attended by physicians.

TABLE 16.—FETAL DEATHS BY RACE AND POPULATION-SIZE GROUP: UNITED STATES AND EACH STATE, 1949

(By place of residence. Includes only fetal deaths for which the period of gestation was stated to be 20 weeks (or 5 months) or more, or was not stated)

AREA AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	70,584	40,928	20,060	8,154	5,619	7,095	29,656
White	54,114	31,840	14,904	6,428	4,569	5,939	22,274
Nonwhite	16,470	9,088	5,156	1,726	1,050	1,156	7,382
Alabama	2,305	850	239	258	156	197	1,455
White	1,055	366	91	92	66	117	689
Nonwhite	1,250	484	148	166	90	80	766
Arizona	354	189	...	142	...	47	165
White	293	172	...	129	...	44	121
Nonwhite	61	17	...	14	...	3	44
Arkansas	789	236	...	58	71	107	553
White	510	156	...	35	47	74	354
Nonwhite	279	80	...	23	24	33	199
California	3,753	2,490	1,293	420	340	437	1,263
White	3,325	2,148	1,051	370	303	424	1,177
Nonwhite	428	342	242	50	37	13	86
Colorado	545	324	164	46	28	66	221
White	531	311	152	46	28	85	220
Nonwhite	14	13	12	-	-	1	1
Connecticut	565	382	161	133	76	12	183
White	538	357	145	127	73	12	181
Nonwhite	27	25	16	6	3	-	2
Delaware	169	85	64	...	...	21	84
White	127	64	46	...	...	18	63
Nonwhite	42	21	18	...	...	3	21
District of Columbia	440	440	440	...	...	...	...
White	205	205	205	...	...	...	...
Nonwhite	235	235	235	...	...	...	...
Florida	1,583	859	373	131	158	197	724
White	866	468	201	68	84	115	398
Nonwhite	717	391	172	63	74	82	326
Georgia	2,198	954	230	322	174	228	1,244
White	990	433	111	140	71	111	557
Nonwhite	1,208	521	119	182	103	117	687
Idaho	262	104	...	22	46	36	158
White	257	103	...	22	45	36	154
Nonwhite	5	1	...	-	1	-	4
Illinois	3,274	2,574	1,533	444	248	349	700
White	2,755	2,082	1,133	383	228	338	673
Nonwhite	519	492	400	61	20	11	27
Indiana	1,530	996	389	335	122	150	534
White	1,376	843	288	289	118	148	533
Nonwhite	154	153	101	46	4	2	1
Iowa	966	473	79	201	71	122	493
White	952	460	73	198	69	120	492
Nonwhite	14	13	6	3	2	2	1
Kansas	721	393	131	54	91	117	328
White	665	340	96	50	83	111	325
Nonwhite	56	53	35	4	8	6	3
Kentucky	1,484	464	168	126	49	121	1,020
White	1,344	379	144	108	34	93	965
Nonwhite	140	85	24	18	15	28	55
Louisiana	1,814	931	330	231	99	271	883
White	764	418	148	98	41	131	346
Nonwhite	1,050	513	182	133	58	140	537
Maine	375	124	...	57	49	18	251
White	373	122	...	55	49	18	251
Nonwhite	2	2	...	2	-	-	-
Maryland	1,202	664	499	33	58	74	538
White	813	415	292	32	35	56	398
Nonwhite	389	249	207	1	23	18	140
Massachusetts	1,646	1,449	632	440	267	110	197
White	1,589	1,393	582	436	265	110	196
Nonwhite	57	56	50	4	2	-	1
Michigan	2,957	2,086	1,098	469	246	273	871
White	2,582	1,726	814	434	211	267	856
Nonwhite	375	360	284	35	35	6	15
Minnesota	1,197	657	379	11	90	177	540
White	1,173	651	374	11	89	177	522
Nonwhite	24	6	5	-	1	-	18
Mississippi	1,989	481	...	97	180	204	1,508
White	548	161	...	24	66	71	387
Nonwhite	1,441	320	...	73	114	133	1,121
Missouri	1,704	1,001	645	57	122	177	703
White	1,402	739	417	53	112	157	663
Nonwhite	302	262	228	4	10	20	40
Montana	231	118	...	45	31	42	113
White	220	116	...	44	30	42	104
Nonwhite	11	2	...	1	1	-	9
Nebraska	498	238	106	29	58	45	260
White	481	224	92	29	58	45	257
Nonwhite	17	14	14	-	-	-	3
Nevada	62	35	...	...	17	18	27
White	54	33	...	...	17	16	21
Nonwhite	8	2	...	...	-	2	6
New Hampshire	218	127	...	64	43	20	91
White	218	127	...	64	43	20	91
Nonwhite	-	-	...	-	-	-	-
New Jersey	1,933	1,500	552	410	257	281	433
White	1,854	1,264	419	348	235	262	390
Nonwhite	279	236	133	62	22	19	43
New Mexico	382	184	...	68	42	74	198
White	342	170	...	64	37	69	172
Nonwhite	40	14	...	4	5	5	26
New York	6,864	5,725	4,779	308	350	288	1,139
White	5,751	4,643	3,751	281	326	285	1,108
Nonwhite	1,113	1,082	1,028	27	24	3	31
North Carolina	2,766	803	77	290	250	186	1,963
White	1,377	411	35	134	130	112	966
Nonwhite	1,389	392	42	156	120	74	997
North Dakota	270	77	...	19	30	28	193
White	255	75	...	19	28	28	180
Nonwhite	15	2	...	-	2	-	13
Ohio	3,861	2,506	1,551	379	259	317	1,155
White	3,202	2,074	1,198	333	239	304	1,128
Nonwhite	659	432	353	46	20	13	27
Oklahoma	864	452	179	33	111	129	412
White	690	356	139	24	90	103	334
Nonwhite	174	96	40	9	21	26	78
Oregon	492	270	121	18	50	81	222
White	475	255	107	18	50	80	220
Nonwhite	17	15	14	-	-	1	2
Pennsylvania	4,374	2,923	1,393	545	458	527	1,451
White	3,818	2,419	1,031	477	411	500	1,399
Nonwhite	556	504	362	68	47	27	52
Rhode Island	291	256	80	124	42	10	35
White	285	250	75	123	42	10	35
Nonwhite	6	6	5	1	-	-	-
South Carolina	1,621	424	...	201	68	155	1,197
White	523	186	...	79	29	78	337
Nonwhite	1,098	238	...	122	39	77	860
South Dakota	251	72	...	19	35	18	179
White	238	72	...	19	35	18	166
Nonwhite	13	-	...	-	-	-	13
Tennessee	1,723	697	447	10	83	157	1,026
White	1,268	391	205	9	58	119	877
Nonwhite	455	306	242	1	25	38	149
Texas	4,273	2,676	983	689	313	691	1,597
White	3,320	2,085	762	511	246	566	1,235
Nonwhite	953	591	221	178	67	125	362
Utah	297	176	81	26	17	52	121
White	285	170	79	23	17	51	115
Nonwhite	12	6	2	3	-	1	6
Vermont	156	73	...	17	13	43	83
White	155	72	...	16	13	43	83
Nonwhite	1	1	...	1	-	-	-
Virginia	2,009	761	316	301	47	97	1,248
White	1,127	387	141	154	27	65	740
Nonwhite	882	374	175	147	20	32	508
Washington	858	518	341	43	84	50	340
White	805	482	315	43	79	45	323
Nonwhite	53	36	26	-	5	5	17
West Virginia	1,258	355	...	179	65	111	903
White	1,169	331	...	171	58	102	838
Nonwhite	89	24	...	8	7	9	65
Wisconsin	1,286	690	207	250	118	115	596
White	1,250	671	192	246	118	115	579
Nonwhite	36	19	15	4	-	-	17
Wyoming	124	66	...	...	37	29	58
White	119	64	...	...	36	28	55
Nonwhite	5	2	...	...	1	1	3

TABLE 17.—DEATHS BY SPECIFIED RACE AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA	Total	ALL RACES		WHITE		NEGRO		INDIAN		CHINESE		JAPANESE		ALL OTHER	
		Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female	Male	Female
UNITED STATES	1,443,607	821,291	622,316	726,169	542,679	90,765	77,302	2,405	1,879	978	184	676	216	298	56
Alabama	26,750	14,932	11,818	8,989	6,406	5,941	5,411	1	1	1	-	-	-	-	-
Arizona	6,387	4,025	2,372	3,438	1,926	172	118	396	300	9	6	7	2	3	-
Arkansas	15,680	8,997	6,683	6,690	4,682	2,301	1,999	3	2	2	-	1	-	-	-
California	100,334	58,759	41,595	55,506	39,592	2,021	1,576	214	149	406	107	401	139	211	32
Colorado	12,415	7,281	5,134	7,120	5,004	122	110	14	9	4	1	21	10	-	-
Connecticut	18,829	10,366	8,463	10,079	8,188	277	272	1	2	7	-	2	1	-	-
Delaware	3,330	1,825	1,505	1,486	1,247	335	255	2	1	1	-	1	-	-	2
District of Columbia	8,448	4,656	3,792	2,968	2,367	1,656	1,424	2	-	25	1	1	-	4	-
Florida	25,376	15,012	10,364	11,104	7,203	3,899	3,153	5	7	1	1	1	-	2	-
Georgia	29,608	16,551	13,057	10,132	7,262	6,412	5,775	3	-	4	-	-	-	-	-
Idaho	4,701	2,982	1,719	2,925	1,679	7	3	37	32	1	-	10	5	2	-
Illinois	92,568	52,818	39,750	48,575	36,290	4,133	3,441	5	3	56	7	46	7	3	2
Indiana	40,026	22,745	17,281	21,541	16,346	1,199	931	2	4	2	-	-	-	1	-
Iowa	26,106	14,933	11,173	14,785	11,054	144	114	5	3	1	-	-	1	-	1
Kansas	18,814	10,759	8,055	10,218	7,582	525	466	13	7	1	-	2	-	-	-
Kentucky	28,046	15,865	12,181	14,086	10,614	1,778	1,567	-	-	-	-	1	-	-	-
Louisiana	23,400	13,056	10,344	7,918	5,570	5,122	4,768	8	6	6	-	1	-	-	-
Maine	10,099	5,593	4,506	5,572	4,486	11	9	10	12	-	-	-	-	-	-
Maryland	22,110	12,206	9,904	9,810	7,843	2,585	2,057	2	-	9	4	-	-	-	-
Massachusetts	50,767	27,049	23,718	26,562	23,322	441	381	2	6	34	7	7	-	3	2
Michigan	57,422	33,224	24,198	31,013	22,352	2,127	1,805	55	40	20	1	5	-	4	-
Minnesota	27,719	16,138	11,581	15,939	11,446	120	66	71	65	5	1	2	1	1	2
Mississippi	20,661	11,433	9,228	5,515	3,868	5,902	5,344	12	18	4	-	-	-	-	-
Missouri	43,825	24,675	19,150	22,319	17,217	2,347	1,929	3	3	2	-	2	-	2	1
Montana	5,878	3,820	2,058	3,671	1,947	8	8	123	101	9	1	9	2	-	1
Nebraska	12,644	7,434	5,210	7,250	5,072	152	107	29	30	2	-	1	1	-	-
Nevada	1,610	1,130	480	1,068	422	15	10	43	46	-	-	3	1	1	1
New Hampshire	6,109	3,404	2,705	3,398	2,701	5	4	1	-	-	-	-	-	-	-
New Jersey	47,880	26,359	21,521	24,339	19,889	1,998	1,623	3	3	13	3	5	-	3	3
New Mexico	5,576	3,224	2,352	2,922	2,147	40	34	258	170	3	-	1	1	-	-
New York	155,020	85,809	69,211	80,814	64,995	4,686	4,142	67	44	203	23	25	4	14	3
North Carolina	31,009	17,687	13,322	11,790	8,411	5,754	4,815	138	96	5	-	-	-	-	-
North Dakota	5,222	3,265	1,957	3,189	1,901	5	-	70	56	1	-	-	-	-	-
Ohio	80,368	45,188	35,180	41,859	32,536	3,298	2,638	5	-	16	4	7	2	3	-
Oklahoma	19,394	11,669	7,725	10,381	6,737	963	725	318	262	5	1	-	-	2	-
Oregon	13,891	8,514	5,377	8,358	5,273	58	45	56	45	19	5	18	9	5	-
Pennsylvania	108,363	60,048	48,315	56,099	44,983	3,915	3,328	2	-	30	2	1	1	1	1
Rhode Island	8,071	4,334	3,737	4,228	3,640	100	91	4	6	2	-	-	-	-	-
South Carolina	17,494	9,873	7,621	5,360	3,622	4,513	3,999	-	-	-	-	-	-	-	-
South Dakota	5,687	3,455	2,232	3,306	2,094	2	1	146	137	-	-	1	-	-	-
Tennessee	28,993	16,247	12,746	12,716	9,541	3,530	3,205	1	-	-	-	-	-	-	-
Texas	63,337	37,343	25,994	31,500	21,243	5,821	4,746	3	4	13	1	5	-	1	-
Utah	4,929	2,968	1,961	2,979	1,918	21	15	30	19	4	-	31	8	-	1
Vermont	4,162	2,308	1,854	2,305	1,854	3	-	-	-	-	-	-	-	-	-
Virginia	29,345	16,949	12,396	11,805	8,359	5,140	4,035	2	1	2	-	-	-	-	1
Washington	22,491	13,918	8,573	13,506	8,344	155	95	133	102	39	8	53	21	32	3
West Virginia	17,305	10,193	7,112	9,361	6,579	831	533	-	-	1	-	-	-	-	-
Wisconsin	32,993	18,724	14,269	18,471	14,078	154	120	90	71	8	-	1	-	-	-
Wyoming	2,385	1,548	837	1,505	810	20	11	17	16	2	-	4	-	-	-

TABLE 18.—DEATHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES	1,443,607	130,586	117,537	130,340	121,713	119,808	115,801	119,012	112,874	109,856	117,852	119,867	128,361
Male	821,291	74,029	66,308	73,963	69,175	68,143	65,709	67,875	64,445	62,869	67,225	68,489	73,062
Female	622,316	56,557	51,229	56,377	52,538	51,665	50,092	51,137	48,429	46,987	50,627	51,379	55,299
White	1,268,848	114,889	103,173	114,647	107,416	105,534	101,854	104,051	98,032	96,519	103,569	105,165	113,039
Male	726,169	65,447	58,618	65,351	61,335	60,471	58,181	59,645	56,919	55,602	59,400	60,564	64,636
Female	542,679	49,442	44,555	49,296	46,081	45,063	43,653	44,386	42,113	40,917	44,169	44,601	48,403
Nonwhite	174,759	15,697	14,364	15,693	14,297	14,274	13,947	14,981	13,842	13,337	14,283	14,702	15,322
Male	95,122	8,582	7,690	8,612	7,840	7,672	7,528	8,230	7,526	7,267	7,825	7,924	8,426
Female	79,637	7,115	6,674	7,081	6,457	6,602	6,439	6,751	6,316	6,070	6,458	6,778	6,896
ALABAMA	26,750	2,324	2,137	2,524	2,251	2,161	2,128	2,217	2,083	1,898	2,162	2,306	2,461
Male	14,932	1,297	1,188	1,410	1,257	1,195	1,156	1,252	1,208	1,121	1,219	1,254	1,374
Female	11,818	1,027	949	1,114	994	966	972	965	874	875	943	1,052	1,087
White	15,395	1,323	1,242	1,425	1,310	1,245	1,242	1,270	1,238	1,151	1,249	1,301	1,399
Male	8,988	742	733	835	760	721	710	744	759	678	746	751	830
Female	6,408	581	509	590	550	524	532	526	479	473	503	570	569
Nonwhite	11,355	1,001	895	1,099	941	916	886	947	845	845	913	1,005	1,062
Male	5,943	555	455	575	497	474	446	508	450	443	473	523	544
Female	5,412	446	440	524	444	442	440	439	395	402	440	482	518
ARIZONA	6,397	598	518	529	524	528	494	575	484	470	538	543	596
Male	4,025	377	333	346	349	322	309	358	307	282	334	330	378
Female	2,372	221	185	183	175	206	185	217	177	188	204	213	218
White	5,384	511	445	438	442	453	405	484	388	389	445	464	520
Male	3,438	328	289	290	305	277	257	309	254	234	277	295	325
Female	1,946	183	156	148	139	176	148	175	134	155	168	169	195
Nonwhite	1,013	87	73	91	82	75	89	91	96	81	93	79	76
Male	587	49	44	56	46	45	52	49	53	48	57	35	53
Female	426	38	29	35	36	30	37	42	43	33	36	44	23
ARKANSAS	15,680	1,538	1,311	1,493	1,270	1,293	1,302	1,275	1,158	1,207	1,234	1,301	1,298
Male	8,997	851	753	856	722	731	755	738	670	684	740	737	760
Female	6,683	687	558	637	548	562	547	537	488	523	494	564	538
White	11,372	1,127	914	1,088	931	916	947	909	852	908	863	943	974
Male	6,690	827	547	635	547	549	561	536	483	525	528	552	590
Female	4,682	300	367	453	384	367	386	373	359	383	335	391	384
Nonwhite	4,308	411	397	405	339	377	355	366	306	299	371	358	324
Male	2,307	224	206	221	175	182	194	202	177	159	212	185	170
Female	2,001	187	191	184	164	195	161	164	129	140	159	173	154
CALIFORNIA	100,354	9,650	8,460	8,765	8,203	8,155	7,830	7,931	7,898	7,642	8,574	8,102	9,144
Male	58,759	5,651	4,927	5,097	4,695	4,784	4,637	4,695	4,570	4,427	5,017	4,747	5,372
Female	41,595	3,999	3,533	3,668	3,508	3,431	3,193	3,236	3,328	3,215	3,557	3,355	3,772
White	95,098	9,155	8,011	8,326	7,759	7,728	7,424	7,493	7,470	7,249	8,064	7,715	8,704
Male	55,506	5,330	4,639	4,835	4,628	4,481	4,378	4,410	4,309	4,186	4,702	4,520	5,088
Female	39,592	3,825	3,372	3,491	3,131	3,247	3,046	3,083	3,161	3,063	3,362	3,195	3,616
Nonwhite	5,256	495	449	439	444	427	406	438	428	393	510	387	440
Male	3,253	321	288	262	267	243	259	285	261	241	315	227	284
Female	2,003	174	161	177	177	184	147	153	167	152	195	160	156
COLORADO	12,415	1,133	1,067	1,103	1,052	988	999	926	1,013	1,008	1,041	1,016	1,069
Male	7,281	655	617	649	610	583	586	564	613	580	590	605	629
Female	5,134	478	450	454	442	405	413	362	400	428	451	411	440
White	12,124	1,099	1,041	1,080	1,028	971	981	898	994	978	1,017	990	1,047
Male	7,120	645	602	638	597	575	577	545	601	565	575	586	614
Female	5,004	454	439	442	431	396	404	353	393	413	442	404	433
Nonwhite	291	34	26	23	24	17	18	28	19	30	24	26	22
Male	161	10	15	11	13	8	9	19	12	15	15	19	15
Female	130	24	11	12	11	9	9	9	7	15	9	7	7
CONNECTICUT	18,829	1,647	1,602	1,776	1,596	1,620	1,530	1,530	1,378	1,459	1,481	1,556	1,654
Male	10,366	895	862	986	894	867	887	863	752	778	841	872	869
Female	8,463	752	740	790	702	753	643	667	626	681	640	684	785
White	18,267	1,593	1,552	1,721	1,551	1,582	1,491	1,487	1,334	1,416	1,431	1,508	1,601
Male	10,079	869	839	954	867	850	868	839	728	761	816	845	842
Female	8,188	724	713	767	684	732	623	648	605	655	615	663	759
Nonwhite	562	54	50	55	45	38	39	43	44	43	50	48	53
Male	287	26	23	32	27	17	19	24	23	17	25	27	27
Female	275	28	27	23	18	21	20	19	21	26	25	21	26
DELAWARE	3,330	270	289	288	284	283	311	294	268	213	255	275	302
Male	1,825	152	164	157	151	158	173	157	157	108	137	137	174
Female	1,505	118	125	129	133	125	138	137	111	105	118	138	128
White	2,733	218	228	252	235	234	255	240	224	174	215	225	255
Male	1,486	116	130	128	125	132	143	126	132	83	114	116	143
Female	1,247	102	98	108	110	102	112	114	92	91	99	109	112
Nonwhite	597	52	61	54	49	49	56	54	44	39	42	50	47
Male	339	36	34	31	26	28	30	31	25	25	23	21	31
Female	258	16	27	23	23	23	26	23	19	14	19	29	16
DISTRICT OF COLUMBIA	8,448	759	666	746	704	684	684	786	692	579	694	737	717
Male	4,656	413	382	404	380	387	370	448	394	318	380	407	393
Female	3,792	346	284	342	324	297	314	338	298	261	334	330	324
White	5,335	492	403	460	443	444	414	499	436	373	454	459	458
Male	2,968	285	229	251	258	262	224	277	251	202	241	249	259
Female	2,367	207	174	209	205	182	190	222	185	171	213	210	199
Nonwhite	3,113	267	263	286	261	240	270	287	256	206	240	278	259
Male	1,688	128	153	153	142	125	146	171	143	116	119	158	134
Female	1,425	139	110	133	119	115	124	116	113	90	121	120	125
FLORIDA	25,378	2,383	2,003	2,230	1,968	2,107	1,973	2,119	2,024	1,882	2,048	2,253	2,386
Male	15,012	1,483	1,159	1,297	1,173	1,248	1,124	1,200	1,232	1,090	1,270	1,325	1,431
Female	10,364	920	844	933	795	859	849	919	792	792	778	928	955
White	18,302	1,750	1,431	1,595	1,419	1,512	1,423	1,520	1,475	1,360	1,449	1,598	1,777
Male	11,104	1,100	843	955	872	919	821	878	927	830	919	961	1,079
Female	7,203	650	588	640	547	593	602	642	546	530	530	637	698
Nonwhite	7,089	633	572	635	549	595	550	599	551	522	599	655	609
Male	3,908	383	316	342	301	329	303	322	305	260	351	364	352
Female	3,181	270	256	293	248	286	247	277	246	262	248	291	257

TABLE 18.—DEATHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA	29,808	2,602	2,281	2,658	2,433	2,357	2,326	2,536	2,350	2,200	2,445	2,638	2,784
Male	16,551	1,469	1,281	1,513	1,396	1,305	1,275	1,421	1,270	1,255	1,362	1,457	1,557
Female	13,057	1,133	1,000	1,143	1,037	1,052	1,051	1,115	1,080	945	1,083	1,181	1,227
White	17,414	1,465	1,356	1,531	1,438	1,418	1,398	1,502	1,387	1,298	1,464	1,545	1,616
Male	10,132	868	787	907	851	820	799	853	784	775	856	901	931
Female	7,282	597	569	624	587	598	597	649	603	523	608	644	685
Nonwhite	12,194	1,137	925	1,125	995	941	930	1,034	963	902	981	1,093	1,168
Male	6,419	601	494	606	545	485	478	568	486	480	498	556	626
Female	5,775	536	431	519	450	456	454	466	477	422	485	537	542
IDAHO	4,701	418	385	366	383	407	366	368	381	380	446	373	428
Male	2,982	248	230	222	243	273	239	225	247	251	288	255	265
Female	1,719	172	155	144	140	134	127	145	134	129	158	118	163
White	4,604	408	378	360	378	393	361	362	370	374	437	369	416
Male	2,925	240	228	222	239	265	235	218	239	246	284	253	258
Female	1,679	168	152	138	137	128	126	144	131	128	153	116	158
Nonwhite	97	10	7	6	7	14	5	6	11	6	9	4	12
Male	57	6	4	-	4	8	4	5	8	5	4	2	7
Female	40	4	3	6	3	6	1	1	3	1	5	2	5
ILLINOIS	92,568	8,198	7,459	8,855	7,808	7,662	7,410	7,731	6,956	7,089	7,562	7,863	8,155
Male	52,818	4,710	4,170	4,920	4,315	4,444	4,252	4,371	4,005	4,127	4,344	4,544	4,616
Female	39,750	3,488	3,289	3,735	3,493	3,218	3,158	3,360	2,951	2,962	3,218	3,339	3,539
White	84,865	7,509	6,827	7,964	7,155	7,009	6,791	7,108	6,381	6,507	6,911	7,249	7,455
Male	48,575	4,312	3,858	4,553	3,949	4,076	3,869	4,043	3,696	3,813	3,978	4,192	4,236
Female	36,290	3,197	2,989	3,411	3,206	2,932	2,902	3,065	2,685	2,694	2,933	3,057	3,219
Nonwhite	7,703	689	632	691	653	654	619	623	575	582	651	634	700
Male	4,243	398	332	367	366	368	365	328	309	314	366	352	380
Female	3,460	291	300	324	287	286	256	295	266	268	285	282	320
INDIANA	40,026	3,634	3,238	3,623	3,399	3,370	3,070	3,419	3,159	3,124	3,175	3,305	3,510
Male	22,745	2,038	1,833	2,074	1,881	1,887	1,784	1,929	1,831	1,814	1,811	1,883	1,980
Female	17,281	1,596	1,405	1,549	1,518	1,483	1,286	1,490	1,328	1,310	1,364	1,422	1,530
White	37,887	3,431	3,073	3,439	3,207	3,193	2,896	3,244	2,988	2,947	3,012	3,137	3,320
Male	21,541	1,915	1,731	1,962	1,768	1,802	1,663	1,839	1,736	1,713	1,725	1,789	1,878
Female	16,346	1,516	1,342	1,477	1,439	1,391	1,213	1,405	1,252	1,234	1,287	1,348	1,442
Nonwhite	2,139	203	165	184	192	177	174	175	171	177	163	168	190
Male	1,204	123	102	112	113	85	101	90	95	101	86	94	102
Female	935	80	63	72	79	92	73	85	76	76	77	74	88
IOWA	26,106	2,373	2,220	2,412	2,197	2,147	2,069	2,135	1,946	2,108	2,048	2,148	2,303
Male	14,933	1,326	1,282	1,372	1,251	1,200	1,184	1,268	1,103	1,194	1,201	1,226	1,316
Female	11,173	1,047	928	1,040	946	947	885	867	843	914	847	922	987
White	25,837	2,351	2,204	2,384	2,172	2,113	2,054	2,118	1,930	2,087	2,025	2,122	2,277
Male	14,785	1,311	1,282	1,357	1,236	1,182	1,179	1,261	1,096	1,183	1,187	1,210	1,299
Female	11,054	1,040	922	1,027	936	931	875	857	834	904	838	912	978
Nonwhite	269	22	16	28	25	34	15	17	16	21	23	26	26
Male	150	15	10	15	15	18	5	7	7	11	14	16	17
Female	119	7	6	13	10	16	10	10	9	10	9	10	9
KANSAS	18,814	1,747	1,473	1,639	1,596	1,541	1,536	1,612	1,449	1,515	1,551	1,473	1,682
Male	10,759	989	832	917	886	844	893	914	855	900	871	875	983
Female	8,055	758	641	722	710	687	643	698	594	615	680	598	699
White	17,800	1,653	1,385	1,549	1,506	1,464	1,452	1,521	1,372	1,440	1,478	1,391	1,589
Male	10,218	944	798	865	846	801	850	863	815	853	826	831	926
Female	7,582	709	587	684	660	663	602	658	557	587	652	560	663
Nonwhite	1,014	94	88	90	90	77	84	91	77	75	73	82	93
Male	541	45	34	52	40	43	43	51	40	47	45	44	57
Female	473	49	54	38	50	34	41	40	37	28	28	38	36
KENTUCKY	28,046	2,542	2,333	2,502	2,273	2,288	2,188	2,365	2,337	2,214	2,233	2,277	2,474
Male	15,865	1,416	1,286	1,452	1,298	1,290	1,253	1,301	1,311	1,299	1,257	1,298	1,404
Female	12,181	1,126	1,047	1,050	975	998	935	1,064	1,026	915	976	979	1,070
White	24,700	2,241	2,038	2,213	2,000	2,028	1,934	2,125	2,081	1,925	1,987	1,987	2,181
Male	14,086	1,248	1,124	1,295	1,146	1,148	1,119	1,170	1,184	1,136	1,124	1,155	1,257
Female	10,614	993	914	918	854	880	815	955	897	789	863	832	924
Nonwhite	3,346	301	295	289	273	260	254	260	276	289	266	290	293
Male	1,779	168	162	157	152	142	134	131	147	163	133	143	147
Female	1,567	133	133	132	121	118	120	129	129	126	133	147	146
LOUISIANA	23,400	2,096	1,937	2,098	1,892	1,922	1,847	1,885	1,950	1,752	1,886	2,054	2,079
Male	13,056	1,187	1,079	1,171	1,051	1,089	979	1,078	1,090	993	1,055	1,098	1,190
Female	10,344	911	858	927	841	833	868	809	860	759	831	956	889
White	13,489	1,215	1,132	1,213	1,111	1,085	1,055	1,056	1,110	1,005	1,099	1,196	1,210
Male	7,919	730	671	712	642	671	581	631	671	602	630	659	719
Female	5,570	485	461	501	469	414	474	425	439	403	469	539	491
Nonwhite	9,911	883	805	885	781	837	792	829	840	747	787	856	869
Male	5,137	457	408	459	409	418	398	445	419	391	425	437	471
Female	4,774	426	397	426	372	419	394	384	421	356	362	419	398
MAINE	10,099	880	864	895	854	836	817	767	791	779	829	851	936
Male	5,593	500	476	478	464	449	458	421	448	457	487	474	481
Female	4,506	380	388	417	390	387	359	346	343	322	342	377	455
White	10,057	876	859	892	851	835	813	763	787	776	824	850	931
Male	5,572	499	472	477	463	448	456	419	446	456	483	473	480
Female	4,485	377	387	415	388	387	357	344	341	320	341	377	451
Nonwhite	42	4	5	3	3	1	4	4	4	3	5	1	5
Male	21	1	4	1	1	1	2	2	2	1	4	1	1
Female	21	3	1	2	2	-	2	2	2	2	1	-	4
MARYLAND	22,110	2,000	1,789	1,938	1,845	1,828	1,819	1,939	1,787	1,537	1,770	1,857	2,001
Male	12,206	1,102	970	1,067	1,030	1,009	1,024	1,047	1,006	863	983	1,043	1,062
Female	9,904	898	819	871	815	819	795	892	781	674	787	814	939
White	17,453	1,614	1,390	1,555	1,468	1,431	1,395	1,539	1,409	1,216	1,376	1,471	1,589
Male	9,610	890	743	868	817	786	802	826	787	674	761	826	830
Female	7,843	724	647	687	651	645	593	713	622	542	615	645	759
Nonwhite	4,657	386	399	383	377	397	424	400	378	321	394	386	412
Male	2,596	212	227	199	213	223	222	221	219	169	222	217	232
Female	2,061	174	172	184	164	174	202	179	159	152	172	169	180

TABLE 18.—DEATHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS	50,767	4,547	4,155	4,918	4,343	4,388	3,891	4,012	3,864	3,759	4,185	4,253	4,462
Male	27,049	2,444	2,144	2,614	2,271	2,351	2,072	2,184	2,118	2,045	2,247	2,255	2,324
Female	23,718	2,103	2,011	2,304	2,072	2,007	1,819	1,828	1,766	1,714	1,938	2,018	2,138
White	48,884	4,470	4,090	4,831	4,266	4,285	3,833	3,933	3,811	3,700	4,111	4,176	4,378
Male	26,562	2,401	2,110	2,564	2,228	2,307	2,035	2,144	2,080	2,012	2,208	2,195	2,278
Female	23,322	2,069	1,980	2,267	2,038	1,978	1,798	1,789	1,731	1,688	1,903	1,981	2,100
Nonwhite	893	77	65	87	77	73	58	79	73	59	74	77	84
Male	487	43	34	50	43	44	37	40	38	33	39	40	46
Female	396	34	31	37	34	29	21	39	35	26	35	37	38
MICHIGAN	57,422	5,122	4,627	5,330	4,689	4,806	4,626	4,776	4,410	4,432	4,742	4,674	4,988
Male	33,224	2,996	2,681	3,052	2,843	2,774	2,620	2,750	2,540	2,549	2,770	2,718	2,931
Female	24,198	2,126	1,946	2,278	2,046	2,032	2,006	2,026	1,870	1,883	1,972	1,956	2,057
White	53,365	4,767	4,301	4,970	4,547	4,499	4,321	4,416	4,076	4,102	4,407	4,304	4,655
Male	31,013	2,809	2,490	2,872	2,662	2,606	2,464	2,552	2,369	2,355	2,577	2,513	2,744
Female	22,352	1,958	1,811	2,098	1,885	1,893	1,857	1,864	1,707	1,747	1,830	1,791	1,911
Nonwhite	4,057	355	326	360	342	307	305	360	334	330	335	370	333
Male	2,211	187	191	180	181	168	156	198	171	184	193	205	197
Female	1,846	168	135	180	161	139	149	162	163	136	142	165	146
MINNESOTA	27,719	2,432	2,170	2,385	2,428	2,323	2,341	2,275	2,147	2,201	2,334	2,181	2,501
Male	16,138	1,400	1,249	1,383	1,388	1,379	1,378	1,319	1,273	1,292	1,389	1,250	1,457
Female	11,581	1,032	921	1,022	1,040	944	963	956	874	909	945	931	1,044
White	27,385	2,402	2,140	2,358	2,397	2,301	2,321	2,248	2,123	2,185	2,303	2,154	2,475
Male	15,939	1,384	1,229	1,348	1,369	1,364	1,364	1,309	1,260	1,288	1,366	1,234	1,446
Female	11,446	1,018	911	1,010	1,028	937	957	939	865	897	937	920	1,029
Nonwhite	334	30	30	29	32	22	20	27	24	36	31	27	26
Male	199	16	20	17	20	15	14	10	13	24	23	16	11
Female	135	14	10	12	12	7	6	17	11	12	8	11	15
MISSISSIPPI	20,661	1,872	1,761	1,857	1,689	1,646	1,701	1,688	1,674	1,504	1,680	1,748	1,843
Male	11,433	1,036	942	1,034	927	922	924	932	945	829	928	984	1,030
Female	9,228	836	819	823	762	724	777	754	729	675	752	764	813
White	9,381	886	764	846	753	752	766	781	793	652	760	814	834
Male	5,515	519	418	481	438	447	458	462	467	381	448	496	500
Female	3,866	367	346	365	315	305	308	319	326	271	312	318	334
Nonwhite	11,280	1,006	997	1,011	936	894	935	905	881	852	920	934	1,009
Male	5,918	517	524	553	489	475	486	470	478	448	460	486	530
Female	5,362	489	473	458	447	419	449	435	403	404	440	446	479
MISSOURI	43,825	4,068	3,645	3,877	3,873	3,591	3,370	3,643	3,496	3,380	3,563	3,635	3,884
Male	24,675	2,272	2,019	2,162	2,076	1,990	1,887	2,053	1,999	1,946	1,998	2,119	2,154
Female	19,150	1,796	1,626	1,715	1,797	1,601	1,483	1,590	1,497	1,434	1,565	1,516	1,730
White	39,536	3,658	3,317	3,462	3,321	3,229	3,016	3,287	3,157	3,049	3,226	3,297	3,516
Male	22,319	2,038	1,838	1,935	1,881	1,792	1,695	1,865	1,822	1,761	1,809	1,947	1,936
Female	17,217	1,621	1,479	1,527	1,440	1,437	1,321	1,422	1,335	1,288	1,417	1,350	1,580
Nonwhite	4,289	408	328	415	352	362	354	356	339	331	337	338	368
Male	2,356	234	181	227	195	198	192	188	177	185	189	172	218
Female	1,933	175	147	188	157	164	162	168	162	146	148	166	150
MONTANA	5,878	536	455	477	505	508	503	489	488	416	507	468	551
Male	3,820	349	283	300	302	336	350	320	298	282	331	315	354
Female	2,058	187	172	177	201	172	153	169	170	134	176	150	197
White	5,618	519	440	462	489	483	468	468	439	404	489	443	514
Male	3,671	342	275	294	296	320	328	305	282	277	318	301	333
Female	1,947	177	165	168	193	163	140	163	157	127	171	142	181
Nonwhite	260	17	15	15	16	25	35	21	29	12	18	22	37
Male	149	7	8	6	6	16	22	15	16	5	13	14	21
Female	111	10	7	9	8	9	13	6	13	7	5	8	16
NEBRASKA	12,644	1,196	1,003	1,087	1,012	1,058	1,058	1,081	981	1,030	1,031	1,032	1,077
Male	7,434	699	598	619	587	631	611	640	580	607	602	612	648
Female	5,210	497	405	468	425	427	445	441	401	423	429	420	429
White	12,322	1,159	977	1,058	984	1,034	1,031	1,053	954	1,003	1,011	1,008	1,052
Male	7,250	679	581	605	568	621	596	624	564	592	586	601	633
Female	5,072	480	396	451	416	413	435	429	390	411	425	407	419
Nonwhite	322	37	26	31	28	24	25	28	27	27	20	24	25
Male	184	20	17	14	19	10	15	16	16	15	16	11	15
Female	138	17	9	17	9	14	10	12	11	12	4	13	10
NEVADA	1,610	151	135	125	142	114	110	137	136	133	134	132	161
Male	1,130	108	89	80	101	87	80	100	87	96	90	91	121
Female	480	43	46	45	41	27	30	37	49	37	44	41	40
White	1,490	140	128	111	130	107	101	125	130	120	124	123	151
Male	1,068	102	86	79	96	82	75	92	82	89	86	84	115
Female	422	38	42	32	34	25	26	33	48	31	38	39	36
Nonwhite	120	11	7	14	12	7	9	12	6	13	10	9	10
Male	62	6	3	1	5	5	5	8	5	7	4	7	6
Female	58	5	4	13	7	2	4	4	1	6	6	2	4
NEW HAMPSHIRE	6,109	536	503	557	541	470	508	467	490	471	496	479	591
Male	3,404	295	266	319	297	260	294	258	243	255	289	267	341
Female	2,705	241	217	238	244	210	214	209	247	216	207	212	250
White	6,099	536	503	554	540	469	508	466	489	469	496	479	590
Male	3,398	295	286	318	296	260	294	257	242	254	289	267	340
Female	2,701	241	217	236	244	209	214	209	247	215	207	212	250
Nonwhite	10	-	-	3	1	1	-	1	1	2	-	-	1
Male	6	-	-	1	1	-	-	1	1	1	-	-	1
Female	4	-	-	2	-	1	-	-	-	1	-	-	-
NEW JERSEY	47,880	4,273	3,905	4,208	3,966	3,923	3,847	3,943	3,676	3,711	3,990	4,025	4,413
Male	26,359	2,263	2,137	2,325	2,195	2,184	2,075	2,170	2,059	2,065	2,206	2,222	2,458
Female	21,521	2,010	1,768	1,883	1,771	1,739	1,772	1,773	1,617	1,646	1,784	1,803	1,955
White	44,228	3,924	3,617	3,912	3,685	3,637	3,575	3,611	3,390	3,439	3,675	3,690	4,073
Male	24,339	2,077	1,969	2,159	2,035	2,035	1,925	1,982	1,903	1,911	2,037	2,049	2,257
Female	19,889	1,847	1,648	1,753	1,650	1,602	1,650	1,629	1,487	1,528	1,638	1,641	1,816
Nonwhite	3,652	349	288	296	281	286	272	332	286	272	315	335	340
Male	2,020	186	168	166	160	149	150	188	156	154	169	173	201
Female	1,632	163	120	130	121	137	122	144	130	118	146	162	139

TABLE 18.—DEATHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO	5,576	510	454	481	421	448	456	417	511	455	529	453	441
Male	3,224	289	271	280	216	266	277	250	289	270	298	273	235
Female	2,352	211	183	201	205	182	179	167	222	185	231	180	206
White	5,069	466	403	445	382	414	415	387	457	401	474	420	405
Male	2,922	276	240	257	194	242	256	231	260	235	261	261	209
Female	2,147	190	163	188	188	172	159	156	197	166	213	159	196
Nonwhite	507	44	51	36	39	34	41	30	54	54	55	33	36
Male	302	23	31	23	22	24	21	19	29	35	37	12	26
Female	205	21	20	13	17	10	20	11	25	19	18	21	10
NEW YORK	155,020	13,741	12,161	14,114	13,359	12,975	12,778	12,429	12,052	11,698	12,863	12,984	13,846
Male	85,809	7,524	6,671	7,776	7,410	7,136	6,993	6,918	6,805	6,544	7,059	7,332	7,641
Female	69,211	6,217	5,510	6,338	5,949	5,839	5,785	5,511	5,247	5,154	5,804	5,652	6,205
White	145,809	12,873	11,451	13,327	12,630	12,205	12,014	11,644	11,300	10,964	12,124	12,238	13,039
Male	80,814	7,061	6,288	7,519	7,028	6,739	6,592	6,476	6,380	6,145	6,655	6,936	7,195
Female	64,995	5,812	5,163	6,008	5,602	5,466	5,422	5,168	4,920	4,819	5,469	5,302	5,844
Nonwhite	9,211	868	730	787	729	770	764	785	752	734	739	746	807
Male	4,995	463	383	457	382	397	401	442	425	399	404	386	446
Female	4,216	405	347	330	347	373	363	343	327	335	335	350	361
NORTH CAROLINA	31,008	2,712	2,485	2,747	2,565	2,504	2,495	2,706	2,431	2,360	2,509	2,683	2,812
Male	17,687	1,529	1,393	1,539	1,497	1,446	1,394	1,543	1,381	1,350	1,432	1,548	1,636
Female	13,322	1,184	1,092	1,208	1,068	1,058	1,101	1,163	1,050	1,010	1,077	1,135	1,176
White	20,201	1,782	1,617	1,780	1,674	1,616	1,648	1,766	1,610	1,511	1,603	1,730	1,846
Male	11,790	1,035	949	1,000	987	956	939	1,047	941	886	935	1,036	1,079
Female	8,411	747	668	798	687	660	709	719	669	625	668	694	767
Nonwhite	10,808	930	868	949	891	888	847	940	821	849	906	953	966
Male	5,897	493	444	539	510	490	455	496	440	464	497	512	557
Female	4,911	437	424	410	381	398	392	444	381	385	409	441	409
NORTH DAKOTA	5,222	448	400	410	485	464	423	449	449	433	431	422	428
Male	3,265	280	253	242	291	289	259	290	282	284	258	265	272
Female	1,957	168	147	168	174	175	164	159	167	149	173	157	156
White	5,090	435	392	400	455	451	414	436	441	417	418	414	417
Male	3,189	272	249	236	286	282	254	282	277	275	251	260	265
Female	1,901	163	143	164	169	169	160	154	164	142	167	154	152
Nonwhite	132	13	8	10	10	13	9	13	8	16	13	8	11
Male	76	8	4	6	5	7	5	8	5	9	7	5	7
Female	56	5	4	4	5	6	4	5	3	7	6	3	4
OHIO	80,368	7,226	6,528	7,488	6,948	6,789	6,406	6,521	6,185	6,192	6,532	6,490	7,073
Male	45,188	4,000	3,631	4,182	3,849	3,848	3,620	3,696	3,462	3,438	3,694	3,679	3,988
Female	35,180	3,226	2,897	3,306	2,999	2,940	2,786	2,825	2,723	2,754	2,838	2,801	3,085
White	74,395	6,656	6,033	6,893	6,449	6,272	5,965	5,998	5,697	5,734	6,075	6,046	6,579
Male	41,859	3,695	3,356	3,835	3,661	3,563	3,384	3,411	3,193	3,187	3,434	3,448	3,712
Female	32,536	2,961	2,677	3,058	2,788	2,709	2,601	2,585	2,504	2,547	2,641	2,598	2,867
Nonwhite	5,973	570	495	595	499	517	441	525	488	458	457	434	494
Male	3,329	305	275	347	288	286	256	285	269	251	260	231	276
Female	2,644	265	220	248	211	231	185	240	219	207	197	203	218
OKLAHOMA	19,394	1,830	1,608	1,707	1,647	1,541	1,541	1,664	1,553	1,427	1,588	1,524	1,764
Male	11,669	1,107	968	1,038	948	929	951	977	942	877	960	910	1,062
Female	7,725	723	640	669	699	612	590	687	611	550	628	614	702
White	17,118	1,625	1,413	1,512	1,452	1,380	1,382	1,452	1,378	1,259	1,399	1,356	1,550
Male	10,381	986	859	917	843	832	853	846	844	773	863	807	956
Female	6,737	639	554	595	609	548	529	606	534	486	536	549	594
Nonwhite	2,276	205	195	195	195	181	179	212	175	168	189	168	214
Male	1,288	121	109	121	105	97	98	129	98	104	97	103	106
Female	988	84	86	74	90	84	81	83	77	64	92	65	108
OREGON	13,891	1,297	1,190	1,216	1,177	1,200	1,105	1,148	1,113	1,043	1,167	1,075	1,160
Male	8,514	847	704	762	751	722	665	709	665	641	679	660	709
Female	5,377	450	486	454	426	478	440	439	448	402	486	415	451
White	13,631	1,269	1,166	1,194	1,151	1,181	1,081	1,128	1,086	1,021	1,149	1,061	1,144
Male	8,358	836	686	745	733	712	650	695	649	630	667	655	700
Female	5,273	433	480	449	418	469	431	433	437	391	482	406	444
Nonwhite	260	28	24	22	26	19	24	20	27	22	18	14	16
Male	156	11	18	17	18	10	15	14	16	11	12	5	9
Female	104	17	6	5	8	9	9	6	11	11	6	9	7
PENNSYLVANIA	108,363	9,797	8,864	9,940	9,388	9,165	8,733	8,800	8,394	8,203	8,552	8,696	9,631
Male	60,048	5,372	4,958	5,523	5,247	5,079	4,796	4,908	4,561	4,557	4,718	4,957	5,382
Female	48,315	4,425	3,926	4,417	4,141	4,086	3,937	3,892	3,833	3,646	3,834	3,939	4,239
White	101,082	9,120	8,230	9,286	8,782	8,543	8,184	8,162	7,805	7,635	7,986	8,318	9,031
Male	56,099	4,994	4,630	5,148	4,913	4,732	4,492	4,555	4,247	4,270	4,420	4,647	5,051
Female	44,983	4,126	3,600	4,138	3,869	3,811	3,692	3,607	3,558	3,365	3,566	3,671	3,980
Nonwhite	7,281	677	634	654	606	622	549	638	589	568	566	578	600
Male	3,949	378	308	375	334	347	304	353	314	287	298	310	341
Female	3,332	299	326	279	272	275	245	285	275	281	268	268	259
RHODE ISLAND	8,071	674	713	731	725	678	616	660	633	591	600	683	767
Male	4,334	362	363	387	380	382	357	335	343	319	333	369	404
Female	3,737	312	350	344	345	296	259	325	290	272	267	314	363
White	7,868	661	692	713	710	666	604	639	618	575	576	665	749
Male	4,228	357	354	377	371	374	349	322	333	311	323	361	396
Female	3,640	304	338	336	339	292	255	317	285	264	253	304	353
Nonwhite	203	13	21	18	15	12	12	21	15	16	24	18	18
Male	106	5	9	10	9	8	8	13	10	8	10	8	8
Female	97	8	12	8	6	4	4	8	5	8	14	10	10
SOUTH CAROLINA	17,494	1,541	1,415	1,631	1,391	1,459	1,412	1,555	1,403	1,330	1,339	1,531	1,487
Male	9,873	864	797	891	779	829	755	812	794	742	741	880	869
Female	7,621	657	618	740	612	630	657	743	609	588	598	651	618
White	8,982	780	721	816	715	762	699	811	745	660	708	759	806
Male	5,360	471	452	461	423	477	393	511	431	377	410	451	503
Female	3,622	309	269	355	292	285	306	300	314	283	298	308	303
Nonwhite	8,512	761	694	815	676	697	713	744	658	670	631	772	681
Male	4,513	413	345	430	356	352	362	401	363	365	331	429	366
Female	3,999	348	349	385	320	345	351	343	295	305	300	343	315

TABLE 18.—DEATHS BY MONTH, RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA, RACE, AND SEX	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA	5,687	531	415	471	485	515	441	485	445	460	479	462	518
Male	3,455	321	249	278	306	331	259	274	280	285	295	273	304
Female	2,232	210	166	193	179	184	182	191	165	175	184	189	214
White	5,400	512	392	456	470	483	419	441	421	430	448	438	490
Male	3,306	310	239	272	298	315	250	257	267	267	277	259	295
Female	2,094	202	153	184	172	168	169	184	154	163	171	179	195
Nonwhite	287	19	23	15	15	32	22	24	24	30	31	24	28
Male	149	11	10	6	8	16	9	17	13	18	18	14	9
Female	138	8	13	9	7	16	13	7	11	12	13	10	19
TENNESSEE	28,993	2,466	2,380	2,606	2,448	2,404	2,255	2,535	2,310	2,206	2,297	2,552	2,554
Male	16,247	1,396	1,320	1,451	1,422	1,355	1,297	1,399	1,267	1,283	1,259	1,437	1,361
Female	12,746	1,070	1,040	1,155	1,026	1,049	958	1,136	1,043	923	1,038	1,115	1,193
White	22,257	1,916	1,788	2,001	1,892	1,880	1,733	1,911	1,762	1,703	1,739	1,986	1,986
Male	12,716	1,095	1,026	1,145	1,119	1,089	1,018	1,071	983	1,000	985	1,129	1,076
Female	9,541	821	762	856	773	791	715	840	779	703	754	837	910
Nonwhite	6,736	550	572	605	556	544	522	624	548	503	558	586	568
Male	3,531	301	294	306	303	286	279	328	284	283	274	308	285
Female	3,205	249	278	299	253	258	243	296	264	220	284	278	283
TEXAS	63,337	5,925	5,331	5,549	5,257	5,314	5,256	5,376	5,026	4,627	5,020	5,212	5,444
Male	37,343	3,475	3,140	3,378	3,083	3,076	3,041	3,187	2,929	2,672	3,026	3,118	3,219
Female	25,994	2,450	2,191	2,171	2,174	2,238	2,215	2,189	2,097	1,955	1,994	2,094	2,226
White	52,743	4,955	4,432	4,619	4,384	4,443	4,380	4,443	4,205	3,818	4,185	4,351	4,528
Male	31,500	2,931	2,672	2,862	2,598	2,589	2,562	2,651	2,475	2,271	2,541	2,640	2,708
Female	21,243	2,024	1,760	1,757	1,786	1,854	1,818	1,792	1,730	1,547	1,644	1,711	1,820
Nonwhite	10,594	970	899	930	873	871	876	933	821	809	835	861	916
Male	5,843	544	468	516	485	487	479	536	454	401	485	478	510
Female	4,751	426	431	414	388	384	397	397	367	408	350	383	406
UTAH	4,929	475	381	389	441	390	387	449	413	343	434	418	409
Male	2,968	285	221	227	258	246	241	263	266	199	270	248	244
Female	1,961	190	160	162	183	144	146	186	147	144	164	170	165
White	4,797	462	373	380	429	377	373	440	404	326	425	409	398
Male	2,879	276	216	219	251	236	232	258	259	191	262	240	239
Female	1,918	186	157	161	178	141	141	182	145	135	163	169	160
Nonwhite	132	13	8	9	12	13	14	9	9	17	9	9	10
Male	89	9	5	8	7	10	9	5	7	8	8	8	5
Female	43	4	3	1	5	3	5	4	2	9	1	1	5
VERMONT	4,162	387	340	408	357	373	338	294	310	319	328	356	354
Male	2,308	213	181	242	182	227	187	152	165	186	188	178	207
Female	1,854	174	159	166	175	146	149	142	145	133	140	178	147
White	4,159	387	340	408	357	373	336	294	310	319	327	355	353
Male	2,305	213	181	242	182	227	187	152	165	186	187	177	206
Female	1,854	174	159	166	175	146	149	142	145	133	140	178	147
Nonwhite	3	-	-	-	-	-	-	-	-	-	1	1	1
Male	3	-	-	-	-	-	-	-	-	-	1	1	1
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA	29,345	2,607	2,318	2,656	2,397	2,307	2,433	2,500	2,384	2,184	2,385	2,485	2,689
Male	16,949	1,498	1,337	1,518	1,384	1,307	1,416	1,439	1,392	1,272	1,345	1,476	1,567
Female	12,396	1,111	981	1,138	1,013	1,000	1,017	1,061	992	912	1,040	1,009	1,122
White	20,164	1,862	1,599	1,848	1,653	1,578	1,669	1,666	1,643	1,480	1,588	1,746	1,832
Male	11,805	1,095	939	1,071	975	904	981	968	984	860	893	1,036	1,099
Female	8,359	767	660	777	678	674	688	698	659	620	695	710	733
Nonwhite	9,181	745	719	808	744	729	764	834	741	704	797	739	857
Male	5,144	401	398	447	409	403	435	471	408	412	452	440	488
Female	4,037	344	321	361	335	326	329	363	333	292	345	299	369
WASHINGTON	22,491	2,157	1,872	2,034	1,933	1,885	1,695	1,854	1,706	1,730	1,910	1,745	1,970
Male	13,918	1,332	1,173	1,272	1,183	1,180	1,063	1,165	1,041	1,038	1,151	1,068	1,253
Female	8,573	825	700	762	750	705	632	689	665	692	759	677	717
White	21,850	2,097	1,819	1,984	1,877	1,839	1,644	1,792	1,643	1,682	1,857	1,700	1,916
Male	13,506	1,294	1,143	1,237	1,148	1,151	1,030	1,130	996	1,012	1,114	1,035	1,216
Female	8,344	803	676	747	729	688	614	662	647	670	743	665	700
Nonwhite	641	60	53	50	56	46	51	62	63	48	53	45	54
Male	412	38	29	35	35	29	33	35	45	26	37	33	37
Female	229	22	24	15	21	17	18	27	18	22	16	12	17
WEST VIRGINIA	17,305	1,605	1,457	1,571	1,425	1,376	1,489	1,329	1,403	1,388	1,367	1,427	1,468
Male	10,193	934	862	957	855	815	858	764	815	826	823	813	871
Female	7,112	671	595	614	570	561	631	565	588	562	544	614	597
White	15,940	1,467	1,341	1,458	1,308	1,263	1,375	1,218	1,294	1,273	1,286	1,319	1,361
Male	9,361	851	784	886	775	740	788	700	749	759	766	753	810
Female	6,579	616	557	572	530	523	587	518	545	514	500	566	551
Nonwhite	1,365	138	116	113	120	113	114	111	109	115	101	108	107
Male	832	83	78	71	80	75	70	64	66	67	57	60	61
Female	533	55	38	42	40	38	44	47	43	48	44	48	46
WISCONSIN	32,993	2,914	2,648	2,913	2,974	2,823	2,683	2,733	2,517	2,493	2,684	2,713	2,898
Male	18,724	1,645	1,446	1,618	1,687	1,616	1,514	1,607	1,429	1,465	1,589	1,500	1,658
Female	14,269	1,269	1,202	1,295	1,307	1,207	1,169	1,126	1,088	1,028	1,125	1,213	1,240
White	32,549	2,885	2,605	2,876	2,945	2,782	2,647	2,697	2,480	2,455	2,644	2,675	2,858
Male	18,471	1,829	1,425	1,595	1,655	1,590	1,494	1,590	1,403	1,440	1,535	1,477	1,638
Female	14,078	1,256	1,180	1,281	1,290	1,192	1,153	1,107	1,077	1,015	1,109	1,198	1,220
Nonwhite	444	29	43	37	29	41	36	36	37	38	40	38	40
Male	253	16	21	23	12	26	20	17	26	25	24	23	20
Female	191	13	22	14	17	15	16	19	11	13	16	15	20
WYOMING	2,385	216	186	221	191	224	209	189	170	183	204	194	198
Male	1,548	130	129	148	133	144	137	115	125	114	130	126	119
Female	837	86	57	75	58	80	72	74	45	69	74	68	79
White	2,315	206	180	208	190	219	203	182	167	180	198	189	193
Male	1,505	125	125	137	132	142	131	111	123	112	125	125	117
Female	810	81	55	71	58	77	72	71	44	68	73	64	76
Nonwhite	70	10	6	13	1	5	6	7	3	3	6	5	5
Male	43	5	4	9	1	2	6	4	2	2	5	1	2
Female	27	5	2	4	-	3	-	3	1	1	1	4	3

TABLE 19.—DEATHS BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES	1,443,607	914,658	459,877	179,330	121,696	153,755	528,949
White	1,268,848	806,862	397,999	160,378	109,371	139,114	461,986
Nonwhite	174,759	107,796	61,878	18,952	12,325	14,641	66,963
Alabama	26,750	10,988	3,167	3,247	1,784	2,790	15,762
White	15,395	6,112	1,628	1,844	914	1,726	9,283
Nonwhite	11,355	4,876	1,539	1,403	870	1,064	6,479
Arizona	6,397	2,883	...	1,907	...	976	3,514
White	5,384	2,682	...	1,750	...	932	2,702
Nonwhite	1,013	201	...	157	...	44	812
Arkansas	15,660	5,942	...	1,455	1,793	2,694	9,738
White	11,372	4,311	...	1,097	1,210	2,004	7,061
Nonwhite	4,308	1,631	...	358	583	690	2,677
California	100,354	73,774	42,336	13,620	7,856	9,962	26,580
White	95,098	69,684	39,413	12,947	7,582	9,742	25,414
Nonwhite	5,256	4,090	2,923	673	274	220	1,166
Colorado	12,415	8,149	4,297	1,277	879	1,696	4,266
White	12,124	7,909	4,122	1,225	876	1,686	4,215
Nonwhite	291	240	175	52	3	10	51
Connecticut	18,829	12,793	5,218	4,995	1,986	604	6,036
White	18,267	12,295	4,890	4,849	1,957	599	5,972
Nonwhite	562	498	328	136	29	5	64
Delaware	3,330	1,789	1,396	...	...	393	1,541
White	2,733	1,439	1,129	...	...	310	1,294
Nonwhite	597	350	267	...	...	83	247
District of Columbia	8,448	8,448	8,448	...	...	...	...
White	5,335	5,335	5,335	...	...	...	...
Nonwhite	3,113	3,113	3,113	...	...	...	...
Florida	25,376	16,032	6,433	3,278	2,675	3,646	9,344
White	18,307	11,619	4,558	2,666	1,874	2,521	6,688
Nonwhite	7,069	4,413	1,875	612	801	1,125	2,656
Georgia	29,608	14,281	4,015	4,230	2,469	3,567	15,327
White	17,414	7,951	2,213	2,257	1,423	2,058	9,463
Nonwhite	12,194	6,330	1,802	1,973	1,046	1,509	5,864
Idaho	4,701	2,183	...	356	952	875	2,518
White	4,604	2,165	...	351	942	872	2,439
Nonwhite	97	18	...	5	10	3	79
Illinois	92,568	71,710	42,642	12,634	6,469	9,965	20,858
White	84,865	64,432	36,716	11,815	6,127	9,774	20,433
Nonwhite	7,703	7,278	5,928	819	342	191	425
Indiana	40,026	23,594	8,789	7,386	3,056	4,383	16,432
White	37,887	21,568	7,376	6,885	2,970	4,337	16,319
Nonwhite	2,139	2,026	1,393	501	86	46	113
Iowa	26,106	13,239	1,812	5,409	1,863	4,155	12,867
White	25,837	12,996	1,714	5,307	1,839	4,137	12,841
Nonwhite	269	243	98	102	25	18	26
Kansas	18,814	9,741	2,943	1,212	2,838	2,748	9,073
White	17,800	8,868	2,512	1,097	2,596	2,663	8,932
Nonwhite	1,014	873	431	115	242	85	141
Kentucky	28,046	11,473	4,355	3,015	1,011	3,092	16,573
White	24,700	9,213	3,417	2,467	780	2,549	15,487
Nonwhite	3,346	2,260	938	548	231	543	1,086
Louisiana	23,400	13,046	6,156	2,787	1,071	3,032	10,354
White	13,489	7,878	4,038	1,463	625	1,752	5,611
Nonwhite	9,911	5,168	2,118	1,324	446	1,280	4,743
Maine	10,099	3,964	...	1,777	1,163	1,024	6,135
White	10,057	3,944	...	1,765	1,161	1,018	6,113
Nonwhite	42	20	...	12	2	6	22
Maryland	22,110	13,719	10,852	863	1,003	1,001	8,391
White	17,453	10,501	8,045	830	763	863	6,952
Nonwhite	4,657	3,218	2,807	33	240	138	1,439
Massachusetts	50,767	45,122	20,054	13,512	8,132	3,424	5,645
White	49,884	44,281	19,343	13,439	8,098	3,401	5,603
Nonwhite	883	841	711	73	34	23	42
Michigan	57,422	37,375	20,009	8,023	3,898	5,445	20,047
White	53,365	33,656	17,032	7,666	3,616	5,342	19,709
Nonwhite	4,057	3,719	2,977	357	282	103	338
Minnesota	27,719	15,616	9,724	315	1,816	3,761	12,103
White	27,385	15,413	9,534	314	1,811	3,754	11,972
Nonwhite	334	203	190	1	5	7	131
Mississippi	20,661	6,170	...	1,243	2,481	2,446	14,491
White	9,381	3,034	...	652	1,150	1,232	6,347
Nonwhite	11,280	3,136	...	591	1,331	1,214	8,144
Missouri	43,825	25,840	15,880	2,550	3,137	4,273	17,985
White	39,536	22,238	12,977	2,437	2,865	3,959	17,298
Nonwhite	4,289	3,602	2,903	113	272	314	687

TABLE 19.—DEATHS BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949—Con.

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
Montana	5,878	3,080	...	1,071	954	1,055	2,798
White	5,618	3,034	...	1,062	939	1,033	2,584
Nonwhite	260	46	...	9	15	22	214
Nebraska	12,644	6,085	2,536	898	1,144	1,507	6,559
White	12,322	5,829	2,323	879	1,131	1,496	6,493
Nonwhite	322	256	213	19	13	11	66
Nevada	1,610	765	...	...	379	386	845
White	1,490	729	...	...	370	359	761
Nonwhite	120	36	...	...	9	27	84
New Hampshire	6,109	3,464	...	1,700	1,198	566	2,645
White	6,099	3,459	...	1,696	1,197	566	2,640
Nonwhite	10	5	...	4	1	-	5
New Jersey	47,990	39,217	15,942	10,602	6,739	5,934	9,665
White	44,228	35,132	12,332	9,841	6,311	6,648	9,086
Nonwhite	3,652	3,085	1,610	761	428	286	567
New Mexico	5,576	2,617	...	661	656	1,300	2,959
White	5,069	2,522	...	644	622	1,256	2,547
Nonwhite	507	95	...	17	34	44	412
New York	155,020	126,655	98,271	9,674	9,486	8,224	28,365
White	145,809	117,831	91,129	9,315	9,276	8,111	27,978
Nonwhite	9,211	8,824	8,142	359	210	113	387
North Carolina	31,009	10,653	1,098	4,134	2,844	2,579	20,356
White	20,201	6,458	647	2,342	1,740	1,729	13,743
Nonwhite	10,808	4,195	449	1,792	1,104	850	6,613
North Dakota	5,222	1,442	...	340	532	570	3,780
White	5,090	1,429	...	337	527	565	3,661
Nonwhite	132	13	...	3	5	5	119
Ohio	80,368	55,815	32,177	8,771	6,506	8,361	24,553
White	74,395	50,347	27,724	8,283	6,259	8,081	24,048
Nonwhite	5,973	5,468	4,453	488	247	280	505
Oklahoma	18,394	9,983	3,513	753	2,562	3,135	8,411
White	17,118	8,855	3,124	593	2,249	2,869	8,263
Nonwhite	2,276	1,148	389	160	333	266	1,128
Oregon	13,891	8,123	4,547	433	1,052	2,091	5,768
White	13,631	7,976	4,431	431	1,041	2,073	5,655
Nonwhite	260	147	116	2	11	18	113
Pennsylvania	108,363	76,704	36,416	13,896	12,482	13,910	31,659
White	101,082	69,919	31,166	13,140	11,934	13,679	31,163
Nonwhite	7,281	6,785	5,250	756	548	231	496
Rhode Island	8,071	7,296	2,828	3,281	890	297	775
White	7,868	7,105	2,699	3,229	881	296	763
Nonwhite	203	191	129	52	9	1	12
South Carolina	17,494	5,962	...	2,673	1,150	2,139	11,532
White	8,982	3,355	...	1,497	693	1,165	5,627
Nonwhite	8,512	2,607	...	1,176	457	974	5,905
South Dakota	5,687	1,877	...	410	813	654	3,810
White	5,400	1,845	...	409	799	637	3,555
Nonwhite	287	32	...	1	14	17	255
Tennessee	28,993	12,761	8,563	230	1,244	2,724	16,232
White	22,257	8,364	5,162	194	675	2,133	13,893
Nonwhite	6,736	4,397	3,401	36	369	591	2,339
Texas	63,337	37,968	14,518	8,393	4,777	10,280	25,369
White	52,743	31,388	11,799	6,947	3,904	8,738	21,355
Nonwhite	10,594	6,580	2,719	1,446	873	1,542	4,014
Utah	4,929	3,078	1,542	484	260	792	1,851
White	4,797	3,001	1,506	459	260	776	1,796
Nonwhite	132	77	36	25	-	16	55
Vermont	4,162	1,569	...	328	364	877	2,593
White	4,159	1,567	...	327	363	877	2,592
Nonwhite	3	2	...	1	1	-	1
Virginia	29,345	12,274	4,807	4,497	957	2,013	17,071
White	20,164	8,124	2,908	2,923	685	1,598	12,040
Nonwhite	9,181	4,150	1,899	1,574	282	415	5,031
Washington	22,491	14,082	9,259	1,408	1,677	1,738	8,409
White	21,850	13,676	8,928	1,390	1,652	1,706	8,174
Nonwhite	641	406	331	18	25	32	235
West Virginia	17,305	6,399	...	3,155	1,402	1,842	10,906
White	15,940	5,806	...	2,902	1,229	1,675	10,134
Nonwhite	1,365	593	...	253	173	167	772
Wisconsin	32,993	18,777	6,356	6,457	2,522	3,442	14,216
White	32,549	18,497	6,129	6,415	2,515	3,438	14,052
Nonwhite	444	280	227	42	7	4	164
Wyoming	2,365	1,141	...	...	754	387	1,244
White	2,315	1,110	...	...	731	379	1,205
Nonwhite	70	31	...	...	23	8	39

TABLE 20.—DEATHS BY RACE, IN INSTITUTIONS BY TYPE OF INSTITUTION: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	Total	Deaths not in institutions	DEATHS IN INSTITUTIONS									
			All institutions	General hospitals	Maternity hospitals	Children's hospitals	Tuberculosis hospitals	Special and other hospitals (except mental)	Mental institutions	Convalescent, etc., homes	Other institutions	Institutions of unspecified type
UNITED STATES---	1,443,807	728,797	714,810	569,867	2,249	3,776	13,627	8,626	45,637	22,783	41,841	6,404
White-----	1,268,848	629,582	639,266	508,755	2,013	3,316	9,803	8,034	40,378	22,238	39,044	5,685
Nonwhite--	174,759	99,215	75,544	61,112	236	460	3,824	592	5,259	545	2,797	719
Alabama-----	26,750	17,800	8,950	7,604	32	64	244	15	505	74	280	132
White-----	15,395	9,377	6,018	5,151	28	56	94	14	302	87	196	110
Nonwhite--	11,355	8,423	2,932	2,453	4	8	150	1	203	7	84	22
Arizona-----	6,397	2,697	3,700	3,160	5	1	219	2	99	73	111	30
White-----	5,384	2,332	3,052	2,618	5	1	140	2	88	61	109	28
Nonwhite--	1,013	365	648	542	-	-	79	-	11	12	2	2
Arkansas-----	15,680	10,091	5,589	4,467	20	54	248	25	491	43	88	153
White-----	11,372	6,782	4,590	3,735	19	54	149	16	364	41	70	142
Nonwhite--	4,308	3,309	999	732	1	-	99	9	127	2	18	11
California-----	100,354	41,894	58,460	46,359	188	241	1,174	1,555	2,874	2,282	2,887	900
White-----	95,098	40,102	54,996	43,459	179	227	1,011	1,504	2,707	2,258	2,777	874
Nonwhite--	5,256	1,792	3,464	2,900	9	14	163	51	167	24	110	26
Colorado-----	12,415	5,209	7,206	5,840	2	98	103	31	539	235	205	153
White-----	12,124	5,103	7,021	5,687	2	96	98	31	527	230	202	148
Nonwhite--	291	106	185	153	-	2	5	-	12	5	3	5
Connecticut-----	18,829	8,259	10,570	7,938	1	10	197	171	831	643	715	64
White-----	18,267	8,092	10,175	7,637	1	10	173	167	795	629	700	63
Nonwhite--	562	167	395	301	-	-	24	4	36	14	15	1
Delaware-----	3,330	1,653	1,677	1,184	-	6	54	4	93	58	200	78
White-----	2,733	1,365	1,368	990	-	4	31	2	73	58	147	63
Nonwhite--	597	288	309	194	-	2	23	2	20	-	53	15
District of Columbia----	8,448	3,186	5,262	4,105	46	85	136	10	499	56	320	5
White-----	5,335	2,156	3,179	2,437	35	44	58	9	312	54	225	5
Nonwhite--	3,113	1,030	2,083	1,668	11	41	78	1	187	2	95	-
Florida-----	25,376	13,400	11,976	9,942	31	3	288	45	445	514	472	236
White-----	18,307	9,109	9,198	7,741	25	3	107	40	288	486	377	151
Nonwhite--	7,069	4,291	2,778	2,201	6	-	181	5	157	48	95	85
Georgia-----	29,608	18,859	10,749	8,877	63	65	212	29	817	69	433	184
White-----	17,414	9,968	7,446	6,296	60	65	101	19	453	67	255	130
Nonwhite--	12,194	8,891	3,303	2,581	3	-	111	10	364	2	178	54
Idaho-----	4,701	2,188	2,513	2,024	13	2	12	3	133	78	190	58
White-----	4,604	2,135	2,469	1,985	13	2	11	3	130	78	189	58
Nonwhite--	97	53	44	39	-	-	1	-	3	-	1	-
Illinois-----	92,568	41,530	51,038	41,061	134	179	817	324	4,212	1,384	2,804	123
White-----	84,865	38,497	46,368	37,254	120	173	605	298	3,796	1,317	2,689	116
Nonwhite--	7,703	3,033	4,670	3,807	14	6	212	26	416	67	115	7
Indiana-----	40,026	22,095	17,931	14,363	42	178	275	65	922	595	1,458	33
White-----	37,887	20,958	16,929	13,556	42	173	216	65	856	584	1,405	32
Nonwhite--	2,139	1,137	1,002	807	-	5	59	-	66	11	53	1
Iowa-----	26,106	13,148	12,958	10,186	12	46	91	90	645	691	1,071	126
White-----	25,837	13,040	12,797	10,062	12	46	90	90	627	687	1,058	125
Nonwhite--	269	108	161	124	-	-	1	-	18	4	13	1
Kansas-----	18,814	9,552	9,262	7,832	19	11	61	22	439	311	543	24
White-----	17,800	8,979	8,821	7,471	18	11	57	22	404	309	505	24
Nonwhite--	1,014	573	441	361	1	-	4	-	35	2	38	-
Kentucky-----	28,046	17,860	10,186	8,443	33	94	190	32	668	156	447	123
White-----	24,700	15,645	9,055	7,599	28	93	125	30	531	151	386	112
Nonwhite--	3,346	2,215	1,131	844	5	1	65	2	137	5	61	11
Louisiana-----	23,400	13,215	10,185	9,194	-	1	132	17	421	64	244	112
White-----	13,489	7,031	6,458	5,787	-	1	77	13	231	59	205	85
Nonwhite--	9,911	6,184	3,727	3,407	-	-	55	4	190	5	39	27
Maine-----	10,099	5,545	4,554	3,450	2	10	57	11	301	354	335	34
White-----	10,057	5,533	4,524	3,426	2	10	57	11	298	354	331	34
Nonwhite--	42	12	30	24	-	-	-	-	2	-	4	-
Maryland-----	22,110	11,428	10,682	8,644	26	24	320	83	552	404	616	13
White-----	17,453	9,210	8,243	6,603	22	22	136	76	434	371	567	12
Nonwhite--	4,657	2,218	2,439	2,041	4	2	184	7	118	33	49	1
Massachusetts-----	50,767	23,903	26,864	19,674	114	308	600	303	2,381	1,728	1,689	67
White-----	49,884	23,610	26,274	19,228	108	307	568	302	2,327	1,711	1,657	66
Nonwhite--	883	293	590	446	6	1	32	1	54	17	32	1
Michigan-----	57,422	27,016	30,406	22,815	42	383	760	307	1,525	983	3,464	127
White-----	53,365	25,805	27,560	20,915	41	253	492	282	1,439	935	3,078	125
Nonwhite--	4,057	1,211	2,846	1,900	1	130	268	25	86	48	386	2
Minnesota-----	27,719	12,142	15,577	12,854	36	31	151	97	1,121	430	785	72
White-----	27,385	12,022	15,363	12,679	34	30	144	97	1,106	429	773	71
Nonwhite--	334	120	214	175	2	1	7	-	15	1	12	1
Mississippi-----	20,661	14,412	6,249	5,396	41	-	65	22	429	45	103	148
White-----	9,381	5,575	3,806	3,321	27	-	39	14	222	23	67	93
Nonwhite--	11,280	8,837	2,443	2,075	14	-	26	8	207	22	36	55
Missouri-----	43,825	23,073	20,752	16,231	99	170	336	106	1,048	748	1,672	342
White-----	39,536	21,149	18,387	14,178	86	164	251	100	987	741	1,583	317
Nonwhite--	4,289	1,924	2,365	2,053	13	6	85	6	61	7	89	25

TABLE 20.—DEATHS BY RACE, IN INSTITUTIONS BY TYPE OF INSTITUTION: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas)

AREA AND RACE	Total	Deaths not in institutions	DEATHS IN INSTITUTIONS									
			All institutions	General hospitals	Maternity hospitals	Children's hospitals	Tuberculosis hospitals	Special and other hospitals (except mental)	Mental institutions	Convalescent, etc., homes	Other institutions	Institutions of unspecified type
Montana	5,878	2,370	3,508	3,101	5	2	67	4	173	34	94	28
White	5,618	2,265	3,353	2,961	5	2	58	4	169	34	92	28
Nonwhite	260	105	155	140	-	-	9	-	4	-	2	-
Nebraska	12,644	6,232	6,412	5,358	17	46	16	57	316	204	300	68
White	12,322	6,114	6,208	5,181	17	43	39	57	305	204	296	66
Nonwhite	322	118	204	177	-	3	7	-	11	-	4	2
Nevada	1,510	642	868	808	-	1	13	2	22	6	20	96
White	1,490	595	895	745	-	1	6	2	22	6	20	93
Nonwhite	120	47	73	63	-	-	7	-	-	-	-	3
New Hampshire	6,109	2,808	3,301	2,428	8	16	25	8	332	194	283	7
White	6,099	2,806	3,293	2,421	8	16	25	8	331	194	283	7
Nonwhite	10	2	8	7	-	-	-	-	1	-	-	-
New Jersey	47,880	23,024	24,856	19,097	178	45	887	336	2,089	862	1,306	56
White	44,228	21,595	22,633	17,401	153	36	690	320	1,907	852	1,220	54
Nonwhite	3,652	1,429	2,223	1,696	25	9	197	16	182	10	86	2
New Mexico	5,576	3,095	2,481	2,118	11	2	85	8	81	28	43	95
White	5,069	2,673	2,196	1,875	11	2	60	8	77	28	43	92
Nonwhite	507	222	285	243	-	-	35	-	4	-	-	3
New York	155,020	66,697	88,123	65,888	313	170	1,626	3,486	7,484	3,333	5,614	209
White	145,809	64,460	81,349	60,536	278	160	1,511	3,155	6,933	3,308	5,459	209
Nonwhite	9,211	2,437	6,774	5,352	35	10	315	331	551	25	155	-
North Carolina	31,009	18,802	12,207	10,301	18	26	438	26	604	152	480	182
White	20,201	11,623	8,578	7,362	12	25	179	24	399	116	324	137
Nonwhite	10,808	7,179	3,629	2,939	6	1	259	2	205	16	156	45
North Dakota	5,222	2,207	3,015	2,620	5	1	22	3	180	35	100	49
White	5,090	2,180	2,910	2,540	5	1	21	3	177	34	100	49
Nonwhite	132	47	85	80	-	-	1	-	3	1	-	-
Ohio	80,368	41,719	38,649	29,997	159	592	733	384	1,980	1,715	2,987	192
White	74,395	39,043	35,352	27,326	144	499	509	384	1,794	1,678	2,854	184
Nonwhite	5,973	2,676	3,297	2,571	15	93	224	-	186	37	153	8
Oklahoma	19,394	10,895	8,499	7,050	8	5	171	36	593	188	228	220
White	17,116	9,462	7,656	6,393	8	5	122	36	522	184	219	167
Nonwhite	2,278	1,433	843	657	-	-	49	-	71	4	9	53
Oregon	13,891	6,223	7,668	5,802	30	69	83	59	575	543	449	58
White	13,631	6,120	7,511	5,683	27	66	75	58	560	542	443	57
Nonwhite	260	103	157	119	3	3	8	1	15	1	6	1
Pennsylvania	108,363	55,612	52,751	42,782	91	294	638	368	2,722	1,252	4,547	57
White	101,082	53,240	47,842	38,667	79	252	496	306	2,506	1,182	4,302	52
Nonwhite	7,281	2,372	4,909	4,115	12	42	142	62	216	70	245	5
Rhode Island	8,071	4,104	3,967	2,887	109	14	76	60	388	171	246	13
White	7,868	4,018	3,850	2,807	102	13	65	59	378	171	243	12
Nonwhite	203	86	117	80	7	1	13	1	11	-	3	1
South Carolina	17,494	10,970	6,524	5,685	3	2	263	5	445	12	61	48
White	8,982	4,884	4,098	3,690	3	2	85	4	245	12	38	19
Nonwhite	8,512	6,086	2,426	1,995	-	-	178	1	200	-	23	29
South Dakota	5,687	2,617	3,070	2,571	-	3	30	1	179	58	153	75
White	5,400	2,477	2,923	2,450	-	3	14	1	173	58	151	73
Nonwhite	287	140	147	121	-	-	16	-	6	-	2	2
Tennessee	28,993	18,259	10,734	8,808	41	125	278	39	729	215	365	134
White	22,257	14,031	8,226	6,781	40	101	148	36	542	213	247	118
Nonwhite	6,736	4,228	2,508	2,027	1	24	130	3	187	2	118	16
Texas	63,337	35,449	27,888	24,092	110	96	415	88	1,391	305	546	855
White	52,743	28,584	24,159	20,964	108	81	298	87	1,156	292	489	684
Nonwhite	10,594	6,865	3,729	3,128	2	15	117	1	225	13	57	171
Utah	4,925	2,497	2,432	2,195	5	19	18	19	89	15	49	23
White	4,797	2,453	2,344	2,118	5	19	12	19	86	15	47	23
Nonwhite	132	44	88	77	-	-	6	-	3	-	2	-
Vermont	4,162	2,206	1,956	1,528	2	2	24	3	189	131	69	8
White	4,159	2,206	1,953	1,525	2	2	24	3	189	131	69	8
Nonwhite	3	-	3	3	-	-	-	-	-	-	-	-
Virginia	29,345	17,453	11,892	9,689	84	64	235	30	989	278	435	88
White	20,164	11,583	8,571	7,118	49	30	110	25	621	263	282	73
Nonwhite	9,181	5,860	3,321	2,571	35	34	125	5	368	15	153	15
Washington	22,491	8,693	13,798	10,988	11	5	246	127	816	523	823	159
White	21,850	8,464	13,386	10,639	10	5	222	125	798	519	812	156
Nonwhite	641	229	412	349	1	-	24	2	18	4	11	3
West Virginia	17,305	10,032	7,273	6,239	3	4	159	24	424	129	187	104
White	15,940	9,256	6,684	5,779	3	4	120	21	373	121	162	101
Nonwhite	1,365	776	589	460	-	-	39	3	51	8	25	3
Wisconsin	32,983	14,886	18,107	15,073	37	100	286	83	761	372	1,195	200
White	32,549	14,763	17,786	14,796	37	94	276	81	744	372	1,189	197
Nonwhite	444	123	321	277	-	6	10	2	17	-	6	3
Wyoming	2,385	950	1,435	1,219	-	9	9	1	95	30	29	43
White	2,315	922	1,393	1,182	-	9	8	1	93	29	29	42
Nonwhite	70	28	42	37	-	-	1	-	2	1	-	1

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES—All causes	1,443,607	130,586	117,537	130,340	121,713	119,808	115,801	119,012	112,874	109,856	117,852	119,867	128,361
Tuberculosis, all forms—001-019	39,100	3,508	3,235	3,643	3,586	3,481	3,307	3,382	3,139	2,978	2,917	3,032	2,894
Tuberculosis of respiratory system—001-008	35,988	3,264	2,988	3,372	3,293	3,202	3,010	3,089	2,883	2,750	2,673	2,779	2,685
Tuberculosis, other forms—010-019	3,112	242	247	271	293	279	297	293	256	228	244	253	209
Syphilis and its sequelae—020-029	8,581	798	763	803	710	745	663	692	639	612	748	738	670
Typhoid fever—040	161	9	15	8	13	12	7	24	29	13	15	5	11
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	1,440	76	57	80	106	131	155	232	181	132	116	100	74
Scarlet fever and streptococcal sore throat—050,051	486	33	57	50	58	44	33	29	28	25	38	44	41
Diphtheria—055	574	52	47	51	40	33	18	14	41	55	74	79	67
Whooping cough—056	727	61	54	42	49	60	57	60	86	67	57	56	58
Meningococcal infections—057	917	109	77	99	83	93	53	55	50	61	65	76	94
Plague—058	1	-	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis—080	2,720	57	31	27	20	37	94	378	867	568	351	179	91
Smallpox—084	2	-	-	1	1	-	-	-	-	-	-	-	-
Measles—085	949	97	118	187	183	174	83	45	11	2	9	16	24
Typhus and other rickettsial diseases—100-108	73	-	5	-	3	18	12	16	7	5	1	3	3
Malaria—110-117	118	6	9	6	6	10	11	15	21	13	4	8	9
All other infective and parasitic diseases-Residual	3,930	335	297	343	306	310	325	424	338	309	309	284	350
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	206,325	17,363	15,734	17,500	17,002	17,425	17,165	17,679	17,267	16,784	17,764	17,034	17,608
Malignant neoplasm of buccal cavity and pharynx—140-148	5,074	429	406	448	432	401	406	419	430	420	411	427	445
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	82,281	6,945	6,222	6,957	6,772	7,070	6,842	7,063	7,001	6,704	7,044	6,707	6,954
Malignant neoplasm of respiratory system—160-164	19,518	1,662	1,429	1,681	1,617	1,655	1,604	1,662	1,526	1,577	1,757	1,624	1,704
Malignant neoplasm of breast—170	18,553	1,599	1,442	1,562	1,456	1,561	1,512	1,567	1,552	1,513	1,626	1,533	1,630
Malignant neoplasm of genital organs—171-179	34,545	2,888	2,720	2,861	2,851	2,912	2,957	2,942	2,872	2,765	2,976	2,901	2,980
Malignant neoplasm of urinary organs—180,181	8,859	831	720	833	819	827	801	892	787	815	843	859	832
Malignant neoplasm of other and unspecified sites—156B,165,190-199	21,065	1,722	1,631	1,808	1,797	1,646	1,765	1,802	1,814	1,720	1,780	1,742	1,838
Leukemia and aleukemia—204	8,102	672	611	677	656	716	686	699	656	675	674	681	699
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	7,328	595	553	653	602	637	592	633	629	595	653	580	626
Benign neoplasms and neoplasms of unspecified nature—210-239	5,861	514	451	534	486	494	526	537	469	465	492	461	434
Diabetes mellitus—260	25,089	2,271	2,029	2,415	2,210	2,140	2,038	2,078	1,877	1,731	1,974	2,042	2,284
Anemias—290-293	4,446	368	343	404	369	370	376	389	355	359	370	376	357
Meningitis, except meningococcal and tuberculous—340	2,147	247	226	228	193	152	162	152	141	122	163	165	196
Major cardiovascular-renal diseases—330-334,400-468,592-594	746,434	68,649	62,070	68,896	64,011	62,292	59,243	59,159	55,378	55,232	60,368	62,720	68,416
Diseases of cardiovascular system—330-334,400-468	720,499	66,334	59,874	66,468	61,785	59,996	57,061	57,127	53,459	53,392	58,270	60,586	66,147
Vascular lesions affecting central nervous system—330-334	149,953	13,743	12,498	13,674	12,579	12,375	11,843	12,043	11,184	11,322	12,125	12,637	13,930
Rheumatic fever—400-402	2,304	194	202	245	243	232	192	187	174	139	166	164	166
Diseases of heart—410-443	518,568	47,731	42,850	47,989	44,631	43,280	41,041	40,804	38,466	38,234	42,055	43,718	47,669
Chronic rheumatic heart disease—410-416	20,434	2,007	1,786	1,935	1,702	1,727	1,566	1,552	1,499	1,499	1,628	1,712	1,831
Arteriosclerotic heart disease, including coronary disease—420	299,109	26,602	24,084	27,093	25,409	24,970	23,628	23,636	22,547	22,623	24,748	25,670	28,099
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	91,401	9,027	7,946	8,941	8,157	7,619	7,206	7,069	6,468	6,503	7,092	7,313	8,060
Other diseases of heart—430-434	23,816	2,276	1,957	2,164	2,009	1,993	1,843	1,899	1,862	1,770	1,898	1,992	2,153
Hypertension with heart disease—440-443	83,808	7,819	7,177	7,956	7,351	6,971	6,798	6,648	6,100	5,839	6,689	7,031	7,526
Hypertension without mention of heart—444-447	12,199	1,143	997	1,139	1,051	1,035	971	1,039	857	897	991	1,034	1,045
General arteriosclerosis—450	30,426	2,860	2,632	2,776	2,702	2,509	2,459	2,542	2,249	2,228	2,349	2,452	2,668
Other diseases of circulatory system—451-468	7,049	663	595	645	579	565	555	512	529	572	594	561	669
Chronic and unspecified nephritis and other renal sclerosis—592-594	25,935	2,315	2,196	2,428	2,226	2,296	2,182	2,032	1,919	1,840	2,098	2,134	2,269
Influenza and pneumonia, except pneumonia of newborn—480-493	44,640	5,809	5,357	5,511	4,231	3,061	2,452	2,376	2,371	2,362	3,060	3,504	4,546
Influenza—480-483	4,802	750	707	747	532	309	146	133	123	160	211	333	451
Pneumonia, except pneumonia of newborn—490-493	40,038	5,059	4,650	4,764	3,699	2,752	2,306	2,243	2,248	2,202	2,849	3,171	4,095
Bronchitis—500-502	3,284	437	392	388	280	222	179	163	159	193	238	305	328
Ulcer of stomach and duodenum—540,541	7,809	682	600	696	670	643	615	638	580	602	677	726	700
Appendicitis—550-553	3,744	306	267	304	303	315	394	424	368	284	283	241	244
Hernia and intestinal obstruction—560,561,570	9,854	884	765	858	808	804	827	918	881	737	818	777	777
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	9,970	662	556	561	589	722	918	1,256	1,195	1,140	909	756	686
Cirrhosis of liver—581	13,694	1,265	1,035	1,223	1,117	1,129	1,037	1,127	1,099	1,117	1,181	1,138	1,226
Acute nephritis and nephritis with edema, including nephrosis—580,591	3,597	294	324	350	328	322	306	263	252	258	278	301	311
Hyperplasia of prostate—610	6,860	596	545	595	584	610	534	541	557	597	581	555	565
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	3,216	301	254	300	253	269	266	297	296	269	221	249	241
Abortion—650-652	394	41	28	38	32	27	39	41	34	29	20	34	31
All other complications—640-649,660-689	2,822	260	226	262	221	242	227	256	262	240	201	215	210
Congenital malformations—750-759	18,864	1,705	1,494	1,710	1,455	1,476	1,439	1,543	1,637	1,475	1,571	1,651	1,708
Certain diseases of early infancy—760-776	64,179	5,372	4,775	5,169	5,043	5,539	5,355	5,774	5,933	5,420	5,511	5,118	5,170
Birth injuries, postnatal asphyxia, and atelectasis—760-762	25,553	2,112	1,841	2,054	1,974	2,242	2,161	2,371	2,384	2,081	2,111	2,018	2,184
Infections of newborn—763-768	4,471	435	419	395	304	283	279	363	422	460	389	361	351
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	34,155	2,825	2,515	2,720	2,765	3,004	2,895	3,040	3,127	2,879	3,011	2,739	2,635
Symptoms, senility, and ill-defined conditions—780-795	23,520	2,368	1,961	2,254	1,875	1,830	1,831	1,842	1,870	1,665	1,817	1,974	2,213
All other diseases—Residual	65,147	5,900	5,405	5,983	5,609	5,322	5,351	5,528	5,140	4,842	5,258	5,240	5,589
Accidents—E800-E962	90,106	7,496	6,425	6,945	7,014	7,308	7,757	8,743	7,557	7,269	7,491	7,814	8,277
Motor-vehicle accidents—E810-E835	31,701	2,363	1,964	2,149	2,331	2,485	2,423	2,817	2,824	2,991	3,106	3,012	3,236
All other accidents—E800-E802,E840-E962	58,405	5,133	4,461	4,796	4,683	4,823	5,334	5,926	4,733	4,298	4,375	4,802	5,041
Suicide—E963,E970-E979	16,993	1,253	1,195	1,583	1,462	1,549	1,567	1,405	1,347	1,350	1,434	1,452	1,396
Homicide—E964,E980-E985	8,033	677	569	581	655	665	643	783	723	674	716	644	703
Injury resulting from operations of war—E965,E990-E999	16	2	-	2	2	1	2	1	1	1	3	1	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ALABAMA—All causes	26,750	2,324	2,137	2,524	2,251	2,161	2,128	2,217	2,083	1,996	2,162	2,306	2,461
Tuberculosis, all forms—001-019	925	90	85	72	66	78	88	94	68	64	85	78	57
Tuberculosis of respiratory system—001-008	857	86	75	65	61	71	80	86	64	61	78	75	55
Tuberculosis, other forms—010-019	68	4	10	7	5	7	8	8	4	3	7	3	2
Syphilis and its sequelae—020-029	193	15	10	21	11	11	16	18	17	13	17	26	18
Typhoid fever—040	3	-	-	-	-	-	-	1	-	-	-	2	-
Cholera—043	..	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	34	2	3	1	1	3	4	7	6	4	-	1	2
Scarlet fever and streptococcal sore throat—050,051	11	-	1	-	1	1	2	1	-	1	2	1	1
Diphtheria—055	22	-	-	1	1	-	-	1	3	5	5	3	3
Whooping cough—056	23	2	5	2	3	1	5	-	-	1	1	3	-
Meningococcal infections—057	16	2	2	2	2	1	1	2	1	1	1	1	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	12	-	-	-	1	-	2	2	2	2	2	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	52	4	7	9	12	12	5	1	2	-	-	-	-
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	-	3	-	-	-	-	-	-
Malaria—110-117	18	1	-	1	2	2	-	1	3	3	2	1	2
All other infective and parasitic diseases-Residual	84	9	9	7	3	4	6	9	6	9	7	9	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,864	257	213	257	218	244	250	246	225	215	265	237	237
Malignant neoplasm of buccal cavity and pharynx—140-148	63	5	7	3	5	4	8	6	3	5	6	8	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	949	78	72	84	72	93	85	76	72	66	91	75	85
Malignant neoplasm of respiratory system—160-164	249	27	17	21	21	19	22	18	23	17	24	16	24
Malignant neoplasm of breast—170	227	24	12	21	18	22	15	22	13	19	22	25	14
Malignant neoplasm of genital organs—171-179	647	59	48	53	47	45	65	62	57	49	62	51	49
Malignant neoplasm of urinary organs—180,181	136	11	6	10	12	12	8	15	11	8	17	13	13
Malignant neoplasm of other and unspecified sites—156B,165,190-199	390	32	30	43	23	28	31	30	34	37	33	31	38
Leukemia and aleukemia—204	115	11	12	10	9	11	12	15	8	6	4	11	6
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	88	10	9	12	11	10	4	2	4	8	6	7	5
Benign neoplasms and neoplasms of unspecified nature—210-239	120	5	6	8	14	8	14	17	12	8	8	10	10
Diabetes mellitus—260	330	26	26	38	34	25	27	19	23	30	21	30	31
Anemias—290-293	59	1	4	3	7	6	3	6	9	7	4	7	2
Meningitis, except meningococcal and tuberculous-340	63	5	6	10	2	6	5	5	5	-	4	10	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	12,090	1,045	999	1,218	1,035	982	917	970	900	893	933	1,023	1,175
Diseases of cardiovascular system—330-334,400-468	11,346	981	949	1,145	976	909	857	916	842	850	869	961	1,091
Vascular lesions affecting central nervous system—330-334	2,980	263	226	298	257	256	233	231	193	231	235	259	298
Rheumatic fever—400-402	55	4	4	8	5	4	3	2	4	7	5	5	4
Diseases of heart—410-443	7,612	649	662	766	660	595	555	626	598	562	575	642	724
Chronic rheumatic heart disease—410-416	259	35	17	18	27	23	18	20	20	21	15	19	26
Arteriosclerotic heart disease, including coronary disease—420	3,392	265	303	333	275	274	253	291	260	260	278	270	332
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,422	147	128	153	106	120	99	115	88	103	98	123	142
Other diseases of heart—430-434	495	37	41	48	44	33	37	33	45	49	36	49	42
Hypertension with heart disease—440-443	2,044	165	173	213	208	145	148	167	183	129	150	181	182
Hypertension without mention of heart—444-447	291	16	23	33	28	19	27	24	22	22	27	24	26
General arteriosclerosis—450	291	38	23	30	20	25	29	26	20	17	14	21	28
Other diseases of circulatory system—451-468	117	11	11	10	6	10	10	7	7	11	13	10	11
Chronic and unspecified nephritis and other renal sclerosis—592-594	744	64	50	73	59	73	60	54	58	43	64	62	84
Influenza and pneumonia, except pneumonia of newborn—480-493	1,205	151	114	173	131	73	57	72	61	46	81	106	140
Influenza—480-483	213	37	18	37	38	16	11	8	4	3	7	16	18
Pneumonia, except pneumonia of newborn—490-493	992	114	96	136	93	57	46	64	57	43	74	90	122
Bronchitis—500-502	53	7	10	5	3	5	4	4	2	-	8	8	7
Ulcer of stomach and duodenum—540,541	84	8	10	7	10	8	9	10	4	5	9	7	7
Appendicitis—550-553	91	6	4	7	9	5	8	7	10	9	11	7	8
Hernia and intestinal obstruction—560,561,570	184	18	15	6	17	14	20	15	16	15	19	7	22
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	243	8	16	10	13	20	34	42	31	31	13	13	10
Cirrhosis of liver—581	154	13	10	13	11	13	11	11	16	13	14	18	11
Acute nephritis and nephritis with edema, including nephrosis—590,591	103	10	6	7	8	11	6	6	8	10	6	10	15
Hyperplasia of prostate—610	123	12	11	9	12	12	9	10	12	10	13	4	9
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	164	11	8	17	11	17	9	22	18	14	15	15	7
Abortion—650-652	22	2	1	2	1	3	1	4	2	2	1	3	-
All other complications—640-649,660-689	142	9	7	15	10	14	8	18	18	12	14	12	7
Congenital malformations—750-759	351	36	19	27	32	36	25	32	32	35	16	33	28
Certain diseases of early infancy—760-776	1,796	150	124	135	141	143	166	157	161	160	169	153	137
Birth injuries, postnatal asphyxia, and atelectasis—760-762	521	54	41	34	49	50	60	62	65	58	55	50	43
Infections of newborn—763-768	142	12	12	18	8	10	13	17	12	11	13	12	4
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,033	84	71	83	84	83	93	78	84	91	101	91	90
Symptoms, senility, and ill-defined conditions—780-795	1,561	147	146	150	130	108	123	101	114	113	120	134	175
All other diseases—Residual	1,293	110	114	120	102	103	106	97	101	110	117	105	108
Accidents—E800-E962	1,779	121	114	145	147	147	146	161	162	123	143	198	172
Motor-vehicle accidents—E810-E835	716	55	36	63	54	60	47	52	74	62	59	78	76
All other accidents—E800-E802,E840-E962	1,063	66	78	82	93	87	99	109	88	61	84	120	96
Suicide—E963,E970-E979	195	12	10	15	18	17	18	17	17	13	19	19	20
Homicide—E964,E980-E985	429	40	28	28	43	45	29	53	36	33	32	26	36
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARIZONA—All causes	6,387	598	518	529	524	528	494	575	484	470	538	543	596
Tuberculosis, all forms—001-019	524	48	47	45	43	57	47	51	32	40	35	38	41
Tuberculosis of respiratory system—001-008	474	43	42	43	38	54	40	48	27	36	32	32	39
Tuberculosis, other forms—010-019	50	5	5	2	5	3	7	3	5	4	3	6	2
Syphilis and its sequelae—020-029	49	2	3	6	5	6	5	4	2	2	6	3	5
Typhoid fever—040	2	-	-	-	1	-	-	-	-	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	28	2	-	1	-	-	4	3	3	2	4	4	5
Scarlet fever and streptococcal sore throat—050,051	5	1	-	-	-	1	-	-	-	-	-	2	1
Diphtheria—055	12	2	-	2	1	-	1	-	-	-	-	3	3
Whooping cough—056	5	-	-	-	-	-	-	2	-	1	-	2	-
Meningococcal infections—057	10	2	-	-	-	2	-	-	-	4	-	1	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	15	1	2	1	-	-	-	1	3	2	3	1	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	9	3	3	2	1	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	34	4	1	1	3	2	4	2	2	6	2	5	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	696	49	53	56	57	71	44	66	63	52	60	55	70
Malignant neoplasm of buccal cavity and pharynx—140-148	19	-	2	1	3	2	-	2	1	4	1	1	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	257	19	17	19	21	34	15	19	25	20	19	18	31
Malignant neoplasm of respiratory system—160-164	96	5	9	7	9	8	7	12	9	6	11	6	7
Malignant neoplasm of breast—170	43	4	3	4	2	2	2	6	3	2	4	6	5
Malignant neoplasm of genital organs—171-179	114	9	7	8	7	14	8	11	12	8	11	9	10
Malignant neoplasm of urinary organs—180,181	30	2	4	2	4	3	2	3	2	2	2	1	3
Malignant neoplasm of other and unspecified sites—156B,165,190-199	80	5	9	9	6	5	6	7	5	6	3	8	11
Leukemia and aleukemia—204	26	3	1	4	2	-	3	4	2	-	5	1	1
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	31	2	1	2	3	3	1	2	4	4	4	5	-
Benign neoplasms and neoplasms of unspecified nature—210-239	34	2	4	4	2	3	2	3	3	4	3	2	2
Diabetes mellitus—260	64	5	8	2	5	5	5	5	5	-	5	7	12
Anemias—290-293	10	1	2	-	-	1	-	1	1	2	1	-	1
Meningitis, except meningococcal and tuberculous—340	19	2	1	6	2	1	1	1	1	1	1	2	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,134	220	186	180	176	166	157	173	155	156	193	178	192
Diseases of cardiovascular system—330-334,400-468	2,056	205	178	176	171	156	154	166	148	149	190	176	187
Vascular lesions affecting central nervous system—330-334	415	29	30	36	26	40	19	42	33	36	42	42	38
Rheumatic fever—400-402	14	4	2	-	2	1	-	2	1	-	-	2	-
Diseases of heart—410-443	1,442	154	122	127	131	97	117	107	102	107	129	117	132
Chronic rheumatic heart disease—410-416	90	8	6	15	5	7	12	3	4	6	7	10	7
Arteriosclerotic heart disease, including coronary disease—420	613	96	78	60	68	50	58	51	67	64	77	63	81
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	258	24	19	21	32	17	17	30	23	23	19	20	13
Other diseases of heart—430-434	91	9	6	14	5	7	9	7	2	4	11	7	10
Hypertension with heart disease—440-443	190	17	13	17	21	16	21	16	6	10	15	17	21
Hypertension without mention of heart—444-447	47	5	4	3	5	2	4	4	4	3	4	6	3
General arteriosclerosis—450	103	7	15	5	4	14	12	11	8	1	11	5	10
Other diseases of circulatory system—451-468	37	6	5	5	3	2	2	-	-	2	4	4	4
Chronic and unspecified nephritis and other renal sclerosis—592-594	78	15	8	4	5	10	3	7	7	9	3	2	5
Influenza and pneumonia, except pneumonia of newborn—480-493	273	41	38	32	22	16	8	18	17	13	18	26	24
Influenza—480-483	15	2	4	2	-	1	2	-	-	-	-	2	2
Pneumonia, except pneumonia of newborn—490-493	258	39	34	30	22	15	6	18	17	13	18	24	22
Bronchitis—500-502	36	8	5	1	3	2	2	2	2	1	2	4	4
Ulcer of stomach and duodenum—540,541	38	5	5	4	2	5	-	3	3	4	2	4	2
Appendicitis—550-553	11	-	-	1	1	1	2	1	2	1	-	2	-
Hernia and intestinal obstruction—560,561,570	42	3	1	9	3	-	5	7	4	2	4	1	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	197	10	5	6	10	23	26	27	16	23	25	12	14
Cirrhosis of liver—581	52	5	7	2	4	1	2	6	7	6	5	2	5
Acute nephritis and nephritis with edema, including nephrosis—590,591	23	1	-	3	4	1	-	2	1	1	5	2	3
Hyperplasia of prostate—610	31	1	4	4	6	-	3	1	1	3	4	2	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	29	5	4	1	2	2	1	1	3	3	1	5	1
Abortion—650-652	4	1	-	-	-	-	-	-	1	-	-	1	1
All other complications—640-649,660-689	25	4	4	1	2	2	1	1	2	3	1	4	-
Congenital malformations—750-759	102	10	6	7	8	7	16	9	5	9	7	9	9
Certain diseases of early infancy—760-776	498	36	34	32	37	36	48	47	42	41	47	45	46
Birth injuries, postnatal asphyxia, and atelectasis—760-762	166	14	10	7	18	7	17	10	16	21	19	10	17
Infections of newborn—763-768	60	2	7	6	2	4	8	9	1	6	4	7	6
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	272	22	17	19	17	25	23	28	32	14	24	28	23
Symptoms, senility, and ill-defined conditions—780-795	264	34	25	30	31	24	12	14	22	10	16	23	23
All other diseases—Residual	464	42	40	42	42	30	32	46	33	29	37	40	49
Accidents—E800-E962	585	45	28	36	42	50	57	65	44	40	42	54	61
Motor-vehicle accidents—E810-E835	254	16	11	13	23	21	25	24	25	15	27	33	21
All other accidents—E800-E802,E840-E962	311	30	17	23	19	29	32	41	19	25	15	21	40
Suicide—E963,E970-E979	80	4	5	13	9	8	4	9	2	8	5	6	7
Homicide—E964,E980-E985	41	1	1	-	2	7	6	3	3	2	5	3	6
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ARKANSAS—All causes	15,680	1,538	1,311	1,493	1,270	1,295	1,302	1,275	1,158	1,207	1,234	1,301	1,298
Tuberculosis, all forms—001-019	648	52	51	65	57	69	52	46	51	53	57	50	45
Tuberculosis of respiratory system—001-008	612	48	50	63	55	65	47	45	45	49	52	48	45
Tuberculosis, other forms—010-019	36	4	1	2	2	4	5	1	6	4	5	2	-
Syphilis and its sequelae—020-029	91	12	12	11	4	6	11	7	6	4	3	10	5
Typhoid fever—040	3	-	-	1	-	-	-	-	1	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	40	4	3	-	1	1	4	8	3	8	6	-	2
Scarlet fever and streptococcal sore throat—050,051	13	3	1	2	-	1	-	1	1	1	1	1	1
Diphtheria—055	18	2	-	-	3	-	-	-	1	1	2	5	4
Whooping cough—056	13	-	-	1	-	1	2	1	3	1	2	-	2
Meningococcal infections—057	7	-	1	1	1	-	1	1	-	-	1	1	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	50	2	2	1	-	-	8	19	6	3	5	4	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	26	1	3	3	6	8	2	1	2	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	1	-	-	-	-	-
Malaria—110-117	22	1	1	-	2	1	4	3	3	4	1	2	-
All other infective and parasitic diseases-Residual	53	4	5	1	5	5	3	3	8	5	7	3	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,819	163	135	157	146	160	165	144	140	151	152	163	143
Malignant neoplasm of buccal cavity and pharynx—140-148	52	6	6	5	3	7	5	4	2	5	4	3	3
Malignant neoplasm of digestive organs and peritoneum—150-158A,157-159	653	56	45	57	49	52	65	48	46	63	44	67	61
Malignant neoplasm of respiratory system—160-164	122	8	11	5	13	7	16	8	10	9	13	11	11
Malignant neoplasm of breast—170	137	11	15	9	14	11	10	9	11	11	13	12	11
Malignant neoplasm of genital organs—171-179	411	37	31	38	22	44	36	40	39	28	34	36	26
Malignant neoplasm of urinary organs—180,181	74	8	3	6	4	6	12	4	6	5	4	11	5
Malignant neoplasm of other and unspecified sites—156B,165,190-199	241	27	18	26	25	17	15	20	17	22	24	16	16
Leukemia and aleukemia—204	73	7	3	7	9	10	4	5	6	4	7	4	7
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	55	3	5	4	7	6	2	6	3	4	9	3	3
Benign neoplasms and neoplasms of unspecified nature—210-239	66	7	6	9	7	7	8	6	2	4	3	3	4
Diabetes mellitus—260	194	18	23	18	22	12	14	24	13	13	10	7	20
Anemias—290-295	38	2	6	3	5	4	1	3	1	5	4	1	3
Meningitis, except meningococcal and tuberculous-340	31	3	1	2	2	3	7	-	1	3	2	4	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	7,143	670	587	687	609	594	612	599	531	517	565	597	575
Diseases of cardiovascular system—330-334,400-468	6,664	622	554	651	570	552	564	562	488	490	530	559	522
Vascular lesions affecting central nervous system—330-334	1,596	149	145	143	133	132	137	135	116	121	133	122	130
Rheumatic fever—400-402	25	4	2	1	2	2	3	1	3	3	1	1	2
Diseases of heart—410-443	4,564	425	366	455	394	376	381	381	332	334	362	403	355
Chronic rheumatic heart disease—410-416	186	16	7	16	13	18	21	21	14	16	12	16	16
Arteriosclerotic heart disease, including coronary disease—420	2,230	194	179	220	201	186	182	179	164	164	179	208	174
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	675	75	53	77	63	43	56	47	45	48	60	45	63
Other diseases of heart—430-434	482	40	51	48	34	41	46	42	37	31	35	40	37
Hypertension with heart disease—440-443	991	100	76	94	83	88	76	92	72	75	76	94	65
Hypertension without mention of heart—444-447	194	15	15	20	17	16	16	20	16	16	14	12	17
General arteriosclerosis—450	232	25	17	28	18	22	18	21	19	14	17	17	16
Other diseases of circulatory system—451-468	53	4	3	4	6	4	9	4	2	2	3	4	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	479	48	33	36	39	42	48	37	43	27	35	38	53
Influenza and pneumonia, except pneumonia of newborn—480-493	810	126	135	101	61	50	35	42	26	41	55	65	73
Influenza—480-483	127	21	30	22	13	8	2	-	2	2	5	11	11
Pneumonia, except pneumonia of newborn—490-493	683	105	105	79	48	42	33	42	24	39	50	54	62
Bronchitis—500-502	42	2	3	4	1	6	4	5	2	3	3	5	4
Ulcer of stomach and duodenum—540,541	67	8	6	2	8	11	8	2	1	2	6	7	6
Appendicitis—550-553	58	4	4	3	6	8	5	4	7	5	5	4	4
Hernia and intestinal obstruction—560,561,570	103	10	8	7	11	10	7	5	10	9	3	11	12
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	188	10	7	11	5	2	17	31	19	32	21	19	14
Cirrhosis of liver—581	104	9	9	14	7	8	7	5	11	6	10	6	12
Acute nephritis and nephritis with edema, including nephrosis—590,591	74	10	6	6	5	8	6	4	5	7	6	7	4
Hyperplasia of prostate—610	80	9	2	11	9	9	3	5	5	12	3	6	6
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	80	7	4	7	6	4	4	7	8	8	10	7	8
Abortion—650-652	6	1	-	1	-	1	-	-	-	-	-	2	1
All other complications—640-649,660-689	74	6	4	6	6	3	4	7	8	8	10	5	7
Congenital malformations—750-759	194	17	15	21	15	15	20	12	12	17	16	17	17
Certain diseases of early infancy—760-776	741	51	58	50	52	45	64	79	71	78	79	59	57
Birth injuries, postnatal asphyxia, and atelectasis—760-762	231	15	25	14	18	16	19	22	15	22	20	17	28
Infections of newborn—763-768	100	4	11	6	5	6	5	12	14	9	15	6	7
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	410	32	22	30	29	21	40	45	42	47	44	36	22
Symptoms, senility, and ill-defined conditions—780-795	616	71	49	78	49	46	55	30	42	46	37	43	70
All other diseases—Residual	760	72	66	86	71	63	58	64	59	69	45	51	56
Accidents—E800-E962	1,188	164	81	113	74	103	91	88	79	81	86	116	112
Motor-vehicle accidents—E810-E835	385	26	27	33	25	35	29	28	29	33	41	35	44
All other accidents—E800-E802,E840-E962	803	138	54	80	49	68	62	60	50	48	45	81	68
Suicide—E963,E970-E979	152	15	13	12	9	16	11	12	16	9	15	12	12
Homicide—E964,E980-E985	145	9	8	5	11	19	15	13	11	9	13	15	17
Injury resulting from operations of war—E965,E990-E999	1	-	-	-	-	-	-	-	1	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA—All causes	100,354	9,650	8,460	8,765	8,203	8,155	7,830	7,931	7,898	7,642	8,574	8,102	9,144
Tuberculosis, all forms—001-019	2,805	287	240	286	272	250	231	232	205	199	196	198	209
Tuberculosis of respiratory system—001-008	2,590	269	225	262	255	227	210	214	192	186	180	179	191
Tuberculosis, other forms—010-019	215	18	15	24	17	23	21	18	13	13	16	19	18
Syphilis and its sequelae—020-029	691	67	59	66	48	55	51	48	63	42	64	59	69
Typhoid fever—040	3	1	-	-	-	1	-	-	-	1	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	35	1	1	3	2	3	3	1	3	5	3	8	2
Scarlet fever and streptococcal sore throat—050,051	16	3	3	1	3	3	1	-	1	-	-	1	-
Diphtheria—055	54	5	8	7	7	6	3	1	5	3	3	3	3
Whooping cough—056	30	4	2	2	2	3	2	6	7	2	-	-	-
Meningococcal infections—057	62	10	8	5	1	6	1	1	2	6	4	9	9
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	136	17	7	6	3	2	7	24	23	13	13	11	10
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	31	7	3	3	2	4	6	2	-	-	1	1	2
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	2	1	-	-	-	-	-	1	-	-	-	-	-
All other infective and parasitic diseases-Residual	256	19	19	22	20	20	21	29	20	19	30	16	21
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	14,906	1,200	1,123	1,248	1,259	1,242	1,250	1,243	1,296	1,225	1,313	1,197	1,309
Malignant neoplasm of buccal cavity and pharynx—140-148	349	27	38	21	30	21	35	24	35	18	38	26	33
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	5,686	493	448	448	452	499	474	484	507	463	480	462	496
Malignant neoplasm of respiratory system—160-164	1,559	131	104	130	165	122	141	119	124	128	144	113	138
Malignant neoplasm of breast—170	1,480	130	93	120	107	113	128	145	140	127	136	100	141
Malignant neoplasm of genital organs—171-179	2,381	173	188	208	211	216	188	208	193	184	222	191	199
Malignant neoplasm of urinary organs—180,181	748	57	63	75	67	50	53	58	61	67	77	66	54
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,465	89	105	126	127	113	139	124	131	125	119	132	135
Leukemia and aleukemia—204	658	55	47	68	50	51	46	60	57	51	57	50	66
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	580	45	37	52	50	57	45	41	48	52	40	55	47
Benign neoplasms and neoplasms of unspecified nature—210-239	388	32	27	35	24	25	33	32	33	36	36	22	31
Diabetes mellitus—260	936	111	93	86	80	71	69	70	68	72	80	85	70
Anemias—290-293	237	15	17	18	18	18	28	18	20	24	25	21	17
Meningitis, except meningococcal and tuberculous—340	138	18	12	7	7	12	9	12	12	9	11	12	17
Major cardiovascular-renal diseases—330-334,400-468,592-594	53,027	5,235	4,680	4,802	4,372	4,311	3,932	4,029	4,013	3,912	4,504	4,326	4,911
Diseases of cardiovascular system—330-334,400-468	51,765	5,132	4,547	4,687	4,275	4,182	3,840	3,940	3,923	3,818	4,398	4,223	4,810
Vascular lesions affecting central nervous system—330-334	9,969	997	865	877	848	820	703	763	773	758	830	859	875
Rheumatic fever—400-402	103	3	9	9	5	6	10	11	13	7	10	9	11
Diseases of heart—410-443	37,723	3,730	3,253	3,446	3,108	3,070	2,840	2,861	2,861	2,769	3,214	3,033	3,538
Chronic rheumatic heart disease—410-416	1,519	159	156	146	128	123	95	108	127	99	118	117	143
Arteriosclerotic heart disease, including coronary disease—420	25,421	2,442	2,124	2,310	2,063	2,093	1,927	1,981	1,912	1,863	2,212	2,048	2,446
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	5,059	578	475	485	463	404	382	369	401	371	347	362	422
Other diseases of heart—430-434	761	71	51	80	54	61	46	53	74	68	69	56	78
Hypertension with heart disease—440-443	4,963	480	447	425	400	369	390	350	347	368	468	450	449
Hypertension without mention of heart—444-447	691	54	79	65	63	49	52	51	57	45	60	54	62
General arteriosclerosis—450	2,668	284	281	240	201	206	188	212	177	185	225	217	272
Other diseases of circulatory system—451-466	612	64	60	50	50	41	47	42	42	54	59	51	52
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,242	103	133	115	97	119	92	89	90	94	106	103	101
Influenza and pneumonia, except pneumonia of newborn—480-493	2,860	394	342	295	210	196	193	145	144	170	214	242	315
Influenza—480-483	85	21	12	17	8	3	2	2	3	3	5	5	4
Pneumonia, except pneumonia of newborn—490-493	2,775	373	330	278	202	193	191	143	141	167	209	237	311
Bronchitis—500-502	201	34	27	18	15	9	13	11	9	14	14	14	23
Ulcer of stomach and duodenum—540,541	727	57	57	62	65	56	56	69	63	51	60	65	64
Appendicitis—550-553	212	12	27	12	16	19	22	17	18	18	24	14	13
Hernia and intestinal obstruction—560,561,570	619	63	50	61	50	54	46	48	49	42	39	61	56
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	527	42	24	23	29	30	52	49	49	55	54	65	55
Cirrhosis of liver—581	1,775	189	130	146	159	131	141	151	140	135	161	127	165
Acute nephritis and nephritis with edema, including nephrosis—590,591	188	20	13	19	21	12	14	16	17	10	13	12	21
Hyperplasia of prostate—610	407	43	42	36	26	28	31	31	30	33	32	37	38
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	158	19	3	12	7	20	15	8	12	15	18	16	13
Abortion—650-652	28	4	2	3	1	3	3	4	1	2	2	1	2
All other complications—640-649,660-689	130	15	1	9	6	17	12	4	11	13	16	15	11
Congenital malformations—750-759	1,244	123	108	123	73	95	91	100	106	98	106	120	102
Certain diseases of early infancy—760-776	4,117	353	334	331	337	337	386	386	372	315	334	295	357
Birth injuries, postnatal asphyxia, and atelectasis—760-762	2,218	176	175	174	169	190	190	214	227	173	181	148	201
Infections of newborn—763-768	245	35	28	21	19	18	16	21	21	20	16	16	15
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,653	142	131	136	149	129	160	151	124	122	137	131	141
Symptoms, senility, and ill-defined conditions—780-795	321	56	20	18	26	26	26	28	37	20	21	17	26
All other diseases—Residual	4,302	411	343	387	332	364	381	323	330	364	360	339	368
Accidents—E800-E962	6,828	621	487	406	514	544	527	605	554	548	643	531	650
Motor-vehicle accidents—E810-E835	3,150	246	236	162	218	269	238	264	264	291	356	292	314
All other accidents—E800-E802,E840-E962	3,478	375	251	244	296	275	289	339	290	257	287	239	336
Suicide—E963,E970-E979	1,853	140	122	188	159	169	162	152	157	150	149	151	154
Homicide—E964,E980-E985	485	40	29	31	44	33	49	45	39	35	49	47	44
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
COLORADO—All causes	12,415	1,133	1,067	1,103	1,052	988	999	926	1,013	1,008	1,041	1,016	1,069
Tuberculosis, all forms—001-019	241	27	28	20	22	17	18	23	22	23	13	17	13
Tuberculosis of respiratory system—001-008	223	27	27	19	19	14	16	19	20	22	12	16	12
Tuberculosis, other forms—010-019	18	-	1	1	3	3	-	4	2	1	1	1	1
Syphilis and its sequelae—020-029	57	6	5	7	7	4	2	9	2	8	4	3	-
Typhoid fever—040	1	-	-	-	-	-	-	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	9	2	-	-	-	-	2	-	-	-	1	2	2
Scarlet fever and streptococcal sore throat—050,051	5	-	1	-	-	1	2	-	1	-	-	-	-
Diphtheria—055	2	1	-	-	-	-	1	-	-	-	-	-	-
Whooping cough—056	2	-	-	-	-	-	-	-	-	1	1	-	-
Meningococcal infections—057	12	3	2	1	-	2	-	-	-	-	2	1	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	36	-	-	-	-	-	1	3	6	12	9	5	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	14	3	2	3	2	1	2	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	-	-	-	-	-	-	-	1	-
All other infective and parasitic diseases-Residual	52	1	3	-	-	5	3	6	8	11	9	3	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,634	120	120	119	147	155	145	153	139	146	116	134	140
Malignant neoplasm of buccal cavity and pharynx—140-148	27	-	3	2	3	2	3	4	3	3	3	-	1
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	682	63	48	53	62	64	58	54	53	67	46	52	62
Malignant neoplasm of respiratory system—160-164	141	9	5	11	11	16	14	15	13	10	15	11	11
Malignant neoplasm of breast—170	140	13	10	8	12	14	11	15	12	8	14	10	12
Malignant neoplasm of genital organs—171-179	295	12	23	29	27	25	24	33	26	25	18	26	27
Malignant neoplasm of urinary organs—180,181	70	5	8	2	6	6	9	8	5	6	4	5	6
Malignant neoplasm of other and unspecified sites—156B,165,190-199	145	7	13	5	16	18	12	9	15	16	7	16	11
Leukemia and aleukemia—204	69	6	4	2	2	5	8	7	7	9	4	7	8
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	65	5	6	6	8	5	6	8	5	2	5	7	2
Benign neoplasms and neoplasms of unspecified nature—210-239	64	4	3	7	7	4	4	3	6	6	5	6	9
Diabetes mellitus—260	158	13	18	14	11	9	15	11	5	11	21	16	14
Anemias—290-293	27	2	3	2	1	1	1	1	3	8	2	2	3
Meningitis, except meningococcal and tuberculous—340	14	2	2	1	1	1	-	1	2	-	1	1	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	5,992	567	518	561	536	455	463	435	486	438	489	507	537
Diseases of cardiovascular system—330-334,400-468	5,775	550	499	534	513	439	440	418	463	430	474	493	524
Vascular lesions affecting central nervous system—330-334	1,109	98	99	94	92	80	88	75	101	101	113	81	87
Rheumatic fever—400-402	30	2	2	3	3	4	1	5	3	1	1	2	5
Diseases of heart—410-443	4,186	398	355	399	378	325	323	304	331	295	323	366	389
Chronic rheumatic heart disease—410-416	227	20	16	23	22	14	13	13	19	18	24	26	19
Arteriosclerotic heart disease, including coronary disease—420	2,534	238	202	242	208	187	203	176	217	186	189	226	262
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	626	62	67	58	62	57	46	51	38	39	53	44	49
Other diseases of heart—430-434	164	22	9	18	17	13	16	14	9	8	12	14	12
Hypertension with heart disease—440-443	635	56	61	58	71	54	45	50	48	44	45	56	47
Hypertension without mention of heart—444-447	93	12	5	4	10	10	6	8	6	8	6	10	8
General arteriosclerosis—450	270	34	28	25	21	15	17	21	15	19	25	29	25
Other diseases of circulatory system—451-468	87	6	12	9	9	5	5	5	7	6	8	5	10
Chronic and unspecified nephritis and other renal sclerosis—592-594	217	17	19	27	23	16	23	19	23	8	15	14	13
Influenza and pneumonia, except pneumonia of newborn—480-493	665	98	78	91	67	55	42	28	52	33	51	44	50
Influenza—480-483	43	3	5	6	8	1	6	3	1	4	1	1	4
Pneumonia, except pneumonia of newborn—490-493	622	93	71	85	59	54	36	25	51	29	50	43	46
Bronchitis—500-502	38	5	6	4	3	-	3	1	1	2	2	3	6
Ulcer of stomach and duodenum—540,541	104	11	8	10	10	7	13	7	9	6	9	6	8
Appendicitis—550-553	43	3	3	6	3	1	5	2	3	1	4	4	8
Hernia and intestinal obstruction—560,561,570	109	9	5	10	9	12	11	9	7	8	14	9	6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	117	14	4	3	3	9	5	5	13	25	18	12	6
Cirrhosis of liver—581	86	4	4	8	6	10	8	7	4	11	5	7	12
Acute nephritis and nephritis with edema, including nephrosis—590,591	30	1	4	4	8	1	1	1	3	1	1	2	3
Hyperplasia of prostate—610	75	6	4	6	2	6	9	1	7	15	7	4	8
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	30	4	2	7	1	6	-	1	-	2	4	2	1
Abortion—650-652	5	1	-	1	-	-	-	-	-	-	2	1	-
All other complications—640-649,660-689	25	3	2	6	1	6	-	1	-	2	2	1	1
Congenital malformations—750-759	200	14	21	18	12	13	14	11	21	26	15	14	21
Certain diseases of early infancy—760-776	575	52	56	53	39	70	55	61	62	46	66	55	60
Birth injuries, postnatal asphyxia, and atelectasis—760-762	337	18	23	29	23	41	27	31	23	23	36	23	40
Infections of newborn—763-769	49	8	9	1	3	1	2	4	3	6	6	2	4
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	289	26	24	25	13	28	26	26	36	17	24	30	16
Symptoms, senility, and ill-defined conditions—780-795	88	10	7	4	8	8	9	4	8	9	11	6	4
All other diseases—Residual	681	65	63	56	56	51	52	45	50	53	67	62	61
Accidents—E800-E962	868	66	78	68	66	60	84	82	82	88	76	62	56
Motor-vehicle accidents—E810-E835	310	27	22	18	20	23	24	27	32	34	29	23	31
All other accidents—E800-E802,E840-E962	558	39	56	50	46	37	60	55	50	54	47	39	25
Suicide—E963,E970-E979	223	15	18	14	19	19	28	10	22	15	14	20	29
Homicide—E964,E980-E985	63	7	3	6	6	4	3	5	8	5	4	6	6
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.–DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CONNECTICUT—All causes	18,829	1,647	1,602	1,776	1,586	1,620	1,530	1,530	1,378	1,459	1,481	1,556	1,654
Tuberculosis, all forms—001-019	418	45	38	38	39	50	25	43	34	29	24	30	23
Tuberculosis of respiratory system—001-008	391	44	38	38	38	48	21	38	30	26	23	25	22
Tuberculosis, other forms—010-019	27	1	-	-	1	2	4	5	4	3	1	5	1
Syphilis and its sequelae—020-029	78	9	9	10	6	8	5	8	3	6	3	10	1
Typhoid fever—040	1	-	-	-	-	-	-	-	-	1	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	3	-	1	-	2	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	3	-	-	-	-	1	-	-	-	-	1	-	1
Diphtheria—055	3	-	-	2	1	-	-	-	-	-	-	-	-
Whooping cough—056	2	-	-	-	-	-	-	-	-	1	1	-	-
Meningococcal infections—057	11	2	-	1	-	1	1	1	1	1	1	1	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	31	-	-	-	-	-	-	5	11	6	4	2	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	-	-	2	3	1	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	2	1	-	-	1	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	39	1	6	5	8	4	3	3	1	3	2	-	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,428	266	248	321	274	292	275	307	287	324	288	271	275
Malignant neoplasm of buccal cavity and pharynx—140-148	100	7	6	9	7	6	10	7	10	9	6	9	14
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,451	108	97	136	119	105	127	131	139	148	126	107	108
Malignant neoplasm of respiratory system—160-164	333	34	23	39	29	34	23	36	13	37	19	24	22
Malignant neoplasm of breast—170	302	28	29	23	29	28	21	23	15	21	31	19	35
Malignant neoplasm of genital organs—171-179	515	36	40	49	39	55	41	38	49	39	45	45	39
Malignant neoplasm of urinary organs—180,181	183	18	13	11	13	19	15	14	11	30	11	16	12
Malignant neoplasm of other and unspecified sites—156B,165,190-199	278	23	18	22	15	19	19	32	22	18	23	32	35
Leukemia and aleukemia—204	124	6	8	14	13	10	11	12	11	11	14	6	8
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	142	6	14	18	10	16	8	14	17	11	13	13	2
Benign neoplasms and neoplasms of unspecified nature—210-239	69	7	6	10	7	14	7	12	8	6	4	5	3
Diabetes mellitus—260	388	34	19	43	29	38	34	35	33	24	29	32	38
Anemias—290-293	43	3	6	1	2	5	4	4	3	2	6	3	4
Meningitis, except meningococcal and tuberculous-340	13	-	1	4	3	2	-	-	-	1	-	-	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	10,315	916	907	999	888	873	851	796	711	769	799	865	941
Diseases of cardiovascular system—330-334,400-468	10,087	901	886	979	867	848	829	784	693	752	783	839	926
Vascular lesions affecting central nervous system—330-334	1,654	158	160	170	159	140	157	153	132	127	144	171	183
Rheumatic fever—400-402	23	2	1	2	3	4	1	2	1	4	2	-	1
Diseases of heart—410-443	7,584	676	670	747	655	646	616	567	520	575	601	624	687
Chronic rheumatic heart disease—410-416	277	31	31	29	28	18	26	14	15	28	22	11	24
Arteriosclerotic heart disease, including coronary disease—420	5,169	441	436	504	422	465	439	393	357	391	398	436	487
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	927	90	94	93	87	63	71	70	63	70	81	81	64
Other diseases of heart—430-434	123	6	11	15	8	8	5	11	10	19	14	10	6
Hypertension with heart disease—440-443	1,088	108	98	106	110	92	75	79	75	67	86	86	106
Hypertension without mention of heart—444-447	154	14	8	23	8	12	15	17	10	14	6	10	17
General arteriosclerosis—450	364	35	45	30	32	37	26	35	23	21	25	24	31
Other diseases of circulatory system—451-468	109	16	2	7	10	9	14	10	7	11	5	10	7
Chronic and unspecified nephritis and other renal sclerosis—592-594	228	15	21	20	21	25	22	12	18	17	16	26	15
Influenza and pneumonia, except pneumonia of newborn—480-493	381	34	36	46	41	33	26	18	19	26	22	30	50
Influenza—480-483	19	3	1	3	6	1	1	1	-	-	2	-	1
Pneumonia, except pneumonia of newborn—490-493	362	31	35	43	35	32	25	17	19	26	20	30	49
Bronchitis—500-502	39	5	4	3	3	2	2	-	3	3	4	4	6
Ulcer of stomach and duodenum—540,541	89	13	6	8	7	7	7	8	4	7	10	11	11
Appendicitis—550-553	31	4	3	3	2	2	4	2	2	1	3	3	2
Hernia and intestinal obstruction—560,561,570	146	11	10	8	14	12	17	17	14	13	12	7	11
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	68	2	9	8	4	3	8	6	5	6	6	5	6
Cirrhosis of liver—581	241	25	14	28	16	26	18	20	18	16	16	18	25
Acute nephritis and nephritis with edema, including nephrosis—590,591	24	2	3	3	3	2	3	3	1	-	2	2	-
Hyperplasia of prostate—610	60	6	6	4	4	5	3	2	6	3	5	7	9
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	26	3	1	-	3	3	3	1	2	2	4	2	2
Abortion—650-652	3	1	-	-	-	-	-	-	1	-	-	1	-
All other complications—640-649,660-689	23	2	1	-	3	3	3	1	1	2	4	1	2
Congenital malformations—750-759	244	26	25	21	14	13	19	26	20	18	16	18	28
Certain diseases of early infancy—760-776	610	65	56	55	48	50	53	50	55	43	52	44	39
Birth injuries, postnatal asphyxia, and atelectasis—760-762	311	38	32	21	24	25	25	28	27	22	34	20	15
Infections of newborn—763-768	30	5	-	-	1	2	4	5	2	1	-	3	7
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	269	22	24	34	23	23	24	17	26	20	18	21	17
Symptoms, senility, and ill-defined conditions—780-795	77	12	12	6	5	6	5	5	3	1	7	6	9
All other diseases—Residual	767	66	88	62	66	71	61	52	54	57	69	59	62
Accidents—E800-E962	871	77	68	63	79	61	70	77	59	72	74	94	77
Motor-vehicle accidents—E810-E835	224	20	20	13	18	17	15	19	15	12	30	29	16
All other accidents—E800-E802,E840-E962	647	57	48	50	61	44	55	58	44	60	44	65	61
Suicide—E963,E970-E979	236	10	19	19	21	32	21	24	16	15	14	24	21
Homicide—E964,E980-E985	36	2	1	3	3	3	5	5	4	3	3	3	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DELAWARE—All causes	3,330	270	289	286	284	283	311	294	268	213	255	275	302
Tuberculosis, all forms—001-019	113	11	11	3	6	12	18	11	16	9	5	5	6
Tuberculosis of respiratory system—001-008	104	10	9	3	6	11	17	11	15	8	3	5	6
Tuberculosis, other forms—010-019	9	1	2	-	-	1	1	-	1	1	2	-	-
Syphilis and its sequelae—020-029	27	6	2	4	-	4	1	2	-	4	1	3	-
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	1	-	1	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	2	-	-	-	1	-	-	-	-	-	1	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	5	1	-	-	-	-	-	-	-	-	-	1	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	-	-	-	-	-	-	-	-	-	1	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	12	1	2	1	-	-	-	1	1	1	1	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	451	30	34	41	45	45	42	34	30	32	33	40	45
Malignant neoplasm of buccal cavity and pharynx—140-148	12	1	2	-	2	1	-	1	1	2	-	1	1
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	172	12	11	18	21	21	20	12	13	12	6	13	13
Malignant neoplasm of respiratory system—160-164	49	4	6	3	5	3	4	1	2	2	5	3	11
Malignant neoplasm of breast—170	44	2	2	2	6	4	4	5	1	5	5	7	1
Malignant neoplasm of genital organs—171-179	78	7	6	9	3	8	8	7	6	4	7	5	8
Malignant neoplasm of urinary organs—180,181	24	1	2	3	2	2	3	4	-	2	3	2	-
Malignant neoplasm of other and unspecified sites—156B,165,190-199	43	2	4	3	4	6	1	-	2	2	5	6	8
Leukemia and aleukemia—204	16	1	1	2	1	-	1	4	1	1	2	2	-
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	13	-	-	1	1	-	1	-	4	2	-	1	3
Benign neoplasms and neoplasms of unspecified nature—210-239	16	-	-	4	-	3	4	2	-	1	1	-	1
Diabetes mellitus—260	83	9	5	7	4	6	13	11	4	5	5	4	10
Anemias—280-285	12	-	-	2	-	2	1	1	1	2	1	-	2
Meningitis, except meningococcal and tuberculous—340	6	1	2	1	-	1	-	-	-	-	-	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	1,797	127	163	153	153	154	153	153	156	117	147	153	166
Diseases of cardiovascular system—330-334,400-468	1,716	123	159	151	146	148	145	138	147	113	140	148	158
Vascular lesions affecting central nervous system—330-334	276	24	23	24	14	25	23	20	30	19	30	29	15
Rheumatic fever—400-402	8	2	-	-	2	-	1	1	-	-	-	2	-
Diseases of heart—410-443	1,324	90	125	116	117	115	114	104	112	84	103	107	137
Chronic rheumatic heart disease—410-416	45	2	3	5	6	4	-	6	2	3	3	2	9
Arteriosclerotic heart disease, including coronary disease—420	678	48	60	52	54	60	59	51	64	44	58	52	76
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	287	16	30	34	26	25	22	27	20	15	24	19	29
Other diseases of heart—430-434	34	1	6	3	8	3	1	4	1	3	1	2	1
Hypertension with heart disease—440-443	280	25	26	22	23	23	32	18	25	19	17	32	22
Hypertension without mention of heart—444-447	18	2	2	1	3	2	-	1	-	1	2	2	2
General arteriosclerosis—450	78	5	8	5	10	6	7	11	5	7	4	7	3
Other diseases of circulatory system—451-468	12	-	1	5	-	-	-	1	-	2	1	1	1
Chronic and unspecified nephritis and other renal sclerosis—592-594	81	4	4	2	7	6	8	15	9	4	7	5	10
Influenza and pneumonia, except pneumonia of newborn—480-493	92	12	9	13	11	4	9	7	3	4	5	3	12
Influenza—480-483	8	1	2	-	3	-	-	-	-	-	-	-	2
Pneumonia, except pneumonia of newborn—490-493	84	11	7	13	8	4	9	7	3	4	5	3	10
Bronchitis—500-502	6	-	1	2	1	-	-	1	-	-	1	-	-
Ulcer of stomach and duodenum—540,541	12	2	-	-	-	2	1	1	-	-	2	1	3
Appendicitis—550-553	10	2	1	-	1	1	2	1	2	-	-	-	-
Hernia and intestinal obstruction—560,561,570	28	6	2	1	1	5	2	2	2	1	5	1	-
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	21	2	-	1	1	-	2	4	3	2	3	1	2
Cirrhosis of liver—581	23	4	2	1	1	2	1	3	2	-	4	1	2
Acute nephritis and nephritis with edema, including nephrosis—590,591	6	-	2	-	-	-	2	-	-	1	-	1	-
Hyperplasia of prostate—610	13	3	-	2	3	-	2	-	2	-	-	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	4	-	-	-	-	-	2	-	-	1	-	1	-
Abortion—650-652	1	-	-	-	-	-	-	-	-	-	-	1	-
All other complications—640-649,660-689	3	-	-	-	-	-	2	-	-	1	-	-	-
Congenital malformations—750-759	41	5	3	2	3	1	5	1	6	3	2	6	4
Certain diseases of early infancy—760-776	132	18	8	13	11	5	13	15	11	5	10	13	10
Birth injuries, postnatal asphyxia, and atelectasis—760-762	61	3	2	8	5	2	5	11	6	3	4	8	4
Infections of newborn—763-768	-	-	-	-	-	-	-	-	-	-	-	-	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	71	15	6	5	6	3	8	4	5	2	6	5	6
Symptoms, senility, and ill-defined conditions—780-795	21	3	4	1	5	1	-	2	2	-	1	1	1
All other diseases—Residual	140	14	9	14	12	12	17	18	3	15	11	6	9
Accidents—E800-E962	188	8	24	11	18	14	14	21	21	6	12	26	13
Motor-vehicle accidents—E810-E835	76	2	15	6	5	2	7	9	11	2	3	13	1
All other accidents—E800-E802,E840-E962	112	6	9	5	13	12	7	12	10	4	9	13	12
Suicide—E963,E970-E979	41	3	3	6	5	7	6	1	1	2	-	2	5
Homicide—E964,E980-E985	25	2	1	3	2	1	1	2	2	2	3	4	2
Injury resulting from operations of war-E986,E990-E999	1	-	-	-	-	1	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
DISTRICT OF COLUMBIA—All causes	8,448	759	666	746	704	684	684	788	692	579	694	737	717
Tuberculosis, all forms—001-019	438	29	32	34	37	41	37	46	42	32	32	39	37
Tuberculosis of respiratory system—001-008	396	28	30	28	34	37	32	41	37	30	29	35	35
Tuberculosis, other forms—010-019	42	1	2	6	3	4	5	5	5	2	3	4	2
Syphilis and its sequelae—020-029	83	8	8	5	6	4	9	10	7	8	9	5	8
Typhoid fever—040	1	-	-	-	-	-	-	-	-	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	7	-	2	-	1	1	-	-	-	-	-	3	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	4	1	-	-	1	-	2	-	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	4	-	-	-	-	-	-	1	2	-	1	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	25	2	4	3	2	-	4	3	-	2	3	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,292	105	97	110	118	123	98	107	100	108	100	113	115
Malignant neoplasm of buccal cavity and pharynx—140-148	32	5	3	3	6	3	1	2	2	3	-	1	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	475	36	35	37	48	51	41	37	36	40	43	37	34
Malignant neoplasm of respiratory system—160-164	147	15	7	7	11	15	11	17	7	14	13	12	18
Malignant neoplasm of breast—170	144	13	11	15	10	8	9	14	9	12	11	24	8
Malignant neoplasm of genital organs—171-179	214	20	14	12	22	24	14	16	19	19	13	19	22
Malignant neoplasm of urinary organs—180,181	64	2	5	10	6	6	5	4	6	6	3	6	5
Malignant neoplasm of other and unspecified sites—156B,165,190-199	129	7	10	15	6	11	10	10	11	6	13	6	21
Leukemia and aleukemia—204	39	2	7	1	2	3	4	4	7	5	1	1	2
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	48	5	5	9	7	2	1	3	3	3	3	5	2
Benign neoplasms and neoplasms of unspecified nature—210-239	53	9	4	2	5	4	6	5	5	4	3	2	4
Diabetes mellitus—260	119	16	8	13	12	10	11	17	6	5	7	9	5
Anemias—290-293	18	1	5	-	1	1	-	-	1	3	2	2	2
Meningitis, except meningococcal and tuberculous-340	21	1	2	3	5	-	3	-	-	3	2	2	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	4,258	407	340	383	342	338	339	397	335	259	361	388	359
Diseases of cardiovascular system—330-334,400-468	4,135	391	326	385	335	332	326	390	322	252	356	375	345
Vascular lesions affecting central nervous system—330-334	715	79	59	63	61	66	39	72	49	44	74	57	52
Rheumatic fever—400-402	9	-	1	1	1	1	1	-	2	-	2	-	-
Diseases of heart—410-443	3,116	286	242	291	249	245	265	291	251	189	251	290	288
Chronic rheumatic heart disease—410-416	99	6	5	8	6	6	9	11	7	4	12	13	12
Arteriosclerotic heart disease, including coronary disease—420	1,484	129	109	127	115	121	135	130	139	93	116	136	135
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	580	57	42	69	56	41	34	69	31	34	46	53	45
Other diseases of heart—430-434	130	15	17	10	7	12	10	8	10	9	9	14	9
Hypertension with heart disease—440-443	825	79	70	77	65	65	77	73	61	49	68	74	67
Hypertension without mention of heart—444-447	77	9	5	8	5	7	7	7	5	3	11	7	3
General arteriosclerosis—450	153	13	10	15	16	10	11	20	10	10	11	15	12
Other diseases of circulatory system—451-468	83	4	9	7	3	3	3	-	5	6	7	6	10
Chronic and unspecified nephritis and other renal sclerosis—592-594	123	16	14	8	7	6	13	7	13	7	5	13	14
Influenza and pneumonia, except pneumonia of newborn—480-493	223	23	21	19	24	15	11	18	19	16	16	21	20
Influenza—480-483	2	-	-	-	2	-	-	-	-	-	-	-	-
Pneumonia, except pneumonia of newborn—490-493	221	23	21	19	22	15	11	18	19	16	16	21	20
Bronchitis—500-502	15	1	3	-	-	-	1	2	1	-	-	5	2
Ulcer of stomach and duodenum—540,541	50	8	6	4	4	4	2	4	2	1	5	4	6
Appendicitis—550-553	17	3	-	1	-	1	1	4	3	2	-	2	-
Hernia and intestinal obstruction—560,561,570	59	3	6	3	6	3	5	6	8	1	4	7	7
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	35	2	5	-	1	3	1	3	5	2	4	4	5
Cirrhosis of liver—581	133	16	8	19	8	15	8	9	11	9	12	7	11
Acute nephritis and nephritis with edema, including nephrosis—590,591	16	3	-	2	-	-	1	2	2	-	2	2	2
Hyperplasia of prostate—610	29	-	2	-	4	1	2	2	2	5	5	2	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	11	1	-	1	2	-	-	1	1	2	-	1	2
Abortion—650-652	4	1	-	1	1	-	-	-	-	-	-	-	1
All other complications—640-649,660-689	7	-	-	-	1	-	-	1	1	2	-	1	1
Congenital malformations—750-759	103	11	8	11	8	9	10	4	3	7	12	11	9
Certain diseases of early infancy—760-776	403	30	32	35	33	38	32	42	39	34	30	28	30
Birth injuries, postnatal asphyxia, and atelectasis—760-762	226	14	15	23	21	14	15	18	28	23	20	17	18
Infections of newborn—763-768	9	-	1	-	1	1	2	1	1	1	-	-	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	168	16	16	12	11	23	15	25	10	10	10	11	11
Symptoms, senility, and ill-defined conditions—780-795	30	-	4	2	1	4	4	4	2	1	1	4	3
All other diseases—Residual	340	35	28	26	23	25	38	29	23	29	36	31	17
Accidents—E800-E962	468	30	35	42	49	29	42	46	46	30	33	35	51
Motor-vehicle accidents—E810-E835	127	9	7	9	17	8	9	6	12	12	17	7	15
All other accidents—E800-E802,E840-E962	341	22	28	33	32	21	33	40	34	18	16	28	36
Suicide—E963,E970-E979	104	7	1	7	8	7	14	13	13	11	9	4	10
Homicide—E964,E980-E985	89	9	5	11	3	8	5	11	14	7	5	5	6
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
FLORIDA—All causes	25,376	2,383	2,003	2,250	1,988	2,107	1,973	2,119	2,024	1,882	2,048	2,253	2,386
Tuberculosis, all forms—001-019	687	67	55	56	70	59	56	47	59	58	63	47	50
Tuberculosis of respiratory system—001-008	650	67	54	52	68	52	52	45	57	54	60	44	47
Tuberculosis, other forms—010-019	37	-	1	4	4	7	4	2	2	4	3	3	3
Syphilis and its sequelae—020-029	203	19	21	19	20	13	10	16	16	12	21	19	17
Typhoid fever—040	6	-	1	-	1	1	1	-	-	1	-	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	24	4	-	6	2	4	4	-	1	-	1	1	1
Scarlet fever and streptococcal sore throat—050,051	11	1	1	1	-	2	-	1	-	3	-	1	1
Diphtheria—055	10	2	1	1	-	1	-	-	2	1	-	1	1
Whooping cough—056	6	-	1	2	2	-	-	-	-	1	-	-	-
Meningococcal infections—057	11	1	1	3	-	1	-	-	3	-	-	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	13	2	-	2	-	1	-	-	2	3	-	2	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	9	-	1	2	4	-	2	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	1	-	1	-	-	1	-	-
Malaria—110-117	7	-	2	-	1	1	-	-	2	-	-	-	1
All other infective and parasitic diseases-Residual	130	13	12	15	7	12	14	13	15	7	4	9	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,259	302	260	250	247	304	257	276	274	242	300	258	289
Malignant neoplasm of buccal cavity and pharynx—140-148	92	5	6	8	7	7	5	9	6	13	6	6	12
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,149	99	88	103	94	110	89	88	90	81	108	97	102
Malignant neoplasm of respiratory system—160-164	329	39	29	26	26	30	21	27	27	16	35	32	21
Malignant neoplasm of breast—170	237	29	16	19	19	21	16	18	21	15	18	19	26
Malignant neoplasm of genital organs—171-179	683	60	58	44	53	63	63	52	53	63	62	52	60
Malignant neoplasm of urinary organs—180,181	161	11	16	12	9	17	9	20	20	10	13	13	11
Malignant neoplasm of other and unspecified sites—156B,165,190-199	405	40	33	26	27	39	37	44	31	29	42	22	35
Leukemia and aleukemia—204	114	8	7	6	8	7	9	8	16	8	8	13	16
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	89	11	5	6	4	10	8	10	10	7	8	4	6
Benign neoplasms and neoplasms of unspecified nature—210-239	111	6	6	14	6	9	11	12	9	16	10	8	4
Diabetes mellitus—260	356	33	32	38	29	22	29	26	26	25	22	45	29
Anemias—290-293	78	6	9	7	4	5	8	6	5	4	9	12	4
Meningitis, except meningococcal and tuberculous—340	51	6	6	8	5	4	3	4	3	2	1	4	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	12,471	1,162	988	1,138	976	1,014	955	1,047	969	921	949	1,139	1,213
Diseases of cardiovascular system—330-334,400-468	11,988	1,114	941	1,082	929	985	900	993	922	892	892	1,093	1,159
Vascular lesions affecting central nervous system—330-334	2,793	249	214	248	217	250	229	234	208	200	218	232	294
Rheumatic fever—400-402	35	3	4	6	-	4	5	3	2	1	1	5	1
Diseases of heart—410-443	8,206	775	650	747	654	641	613	691	650	610	608	793	774
Chronic rheumatic heart disease—410-416	305	29	25	23	32	24	22	28	22	21	20	32	27
Arteriosclerotic heart disease, including coronary disease—420	4,697	419	366	441	392	387	349	372	371	353	368	433	446
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,180	127	97	92	85	79	87	118	95	94	71	129	106
Other diseases of heart—430-434	699	60	50	52	59	59	54	58	63	47	49	80	68
Hypertension with heart disease—440-443	1,325	140	112	139	86	92	101	115	99	95	100	119	127
Hypertension without mention of heart—444-447	254	32	16	27	15	16	17	22	18	22	22	21	26
General arteriosclerosis—450	444	39	40	40	32	38	25	31	36	43	33	36	51
Other diseases of circulatory system—451-468	156	16	17	14	11	16	11	12	8	18	10	12	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	583	48	47	56	47	49	55	54	47	29	57	40	54
Influenza and pneumonia, except pneumonia of newborn—480-493	766	93	80	73	54	49	55	63	43	47	55	63	91
Influenza—480-483	129	19	21	10	12	5	4	4	3	8	9	13	21
Pneumonia, except pneumonia of newborn—490-493	637	74	59	63	42	44	51	59	40	39	46	50	70
Bronchitis—500-502	48	6	-	3	8	6	4	3	5	1	3	3	5
Ulcer of stomach and duodenum—540,541	134	12	5	10	11	17	9	12	8	6	17	13	14
Appendicitis—550-553	74	2	7	10	5	10	3	10	7	6	5	6	3
Hernia and intestinal obstruction—560,561,570	169	15	9	15	14	14	15	15	12	12	14	17	17
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	166	26	14	25	12	16	11	16	8	11	6	10	11
Cirrhosis of liver—581	252	29	17	27	20	14	22	21	17	23	21	20	22
Acute nephritis and nephritis with edema, including nephrosis—590,591	78	6	6	8	9	9	5	8	3	5	4	7	8
Hyperplasia of prostate—610	139	17	6	9	10	12	11	10	15	9	15	13	14
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	107	13	8	11	4	6	8	8	5	12	7	15	10
Abortion—650-652	13	4	-	-	-	1	-	3	-	2	1	2	-
All other complications—640-649,660-689	94	9	8	11	4	5	8	5	5	10	6	13	10
Congenital malformations—750-759	301	24	22	30	22	27	21	19	23	25	38	26	24
Certain diseases of early infancy—760-776	1,248	113	104	85	82	104	104	109	111	110	115	123	88
Birth injuries, postnatal asphyxia, and atelectasis—760-762	427	35	30	26	24	34	32	36	43	46	38	44	39
Infections of newborn—763-768	66	10	8	3	6	4	3	5	9	9	5	2	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	755	68	66	56	52	66	69	68	59	55	72	77	47
Symptoms, senility, and ill-defined conditions—780-795	924	93	56	88	65	69	74	68	71	74	81	90	89
All other diseases—Residual	1,170	100	94	86	100	106	110	90	113	81	90	95	105
Accidents—E800-E962	1,685	142	124	141	129	150	119	154	145	110	129	162	180
Motor-vehicle accidents—E810-E835	656	41	43	41	46	50	38	70	58	51	89	72	77
All other accidents—E800-E802,E840-E962	1,029	101	81	100	83	100	81	84	87	59	80	90	103
Suicide—E963,E970-E979	353	33	28	25	25	25	27	30	26	28	38	21	47
Homicide—E964,E980-E985	315	30	26	22	24	19	25	34	27	27	28	22	31
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
GEORGIA—All causes	29,608	2,602	2,281	2,656	2,483	2,357	2,326	2,536	2,350	2,200	2,445	2,638	2,784
Tuberculosis, all forms—001-019	943	82	64	109	78	83	83	77	74	82	80	75	56
Tuberculosis of respiratory system—001-008	877	79	61	98	73	75	73	72	69	78	75	72	52
Tuberculosis, other forms—010-019	66	3	3	11	5	8	10	5	5	4	5	3	4
Syphilis and its sequelae—020-029	241	16	23	28	20	21	10	16	22	20	20	23	22
Typhoid fever—040	13	2	2	-	-	1	1	2	3	2	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	46	5	-	1	-	1	8	17	9	-	2	2	1
Scarlet fever and streptococcal sore throat—050,051	13	-	1	1	1	2	2	-	-	3	1	1	1
Diphtheria—055	21	-	3	1	-	-	-	-	-	1	5	7	4
Whooping cough—056	24	2	2	3	4	2	1	4	-	1	-	1	4
Meningococcal infections—057	18	2	1	3	2	2	-	-	-	3	-	2	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	11	-	-	1	-	[a] -	-	-	4	1	2	1	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	31	-	2	8	6	12	2	-	1	-	-	-	-
Typhus and other rickettsial diseases—100-108	14	-	2	-	-	4	2	3	-	1	-	1	1
Malaria—110-117	4	-	-	-	-	1	-	1	-	-	-	2	-
All other infective and parasitic diseases-Residual	132	12	8	7	11	12	10	17	14	11	10	8	12
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,206	279	240	289	284	268	281	286	264	233	280	245	277
Malignant neoplasm of buccal cavity and pharynx—140-148	99	13	3	11	9	8	6	5	5	11	10	6	7
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,124	82	75	88	100	92	108	103	106	79	101	85	105
Malignant neoplasm of respiratory system—160-164	250	18	20	21	19	24	21	21	15	23	24	17	27
Malignant neoplasm of breast—170	266	17	18	19	22	23	21	27	25	21	22	25	26
Malignant neoplasm of genital organs—171-179	698	70	67	60	64	57	61	56	54	45	60	60	44
Malignant neoplasm of urinary organs—180,181	126	12	12	11	13	14	7	10	9	9	7	6	16
Malignant neoplasm of other and unspecified sites—156B,165,190-199	399	40	29	36	36	31	31	44	30	27	31	37	27
Leukemia and aleukemia—204	142	15	9	9	9	10	16	13	13	11	17	4	16
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	102	7	7	14	12	9	10	7	7	7	8	5	9
Benign neoplasms and neoplasms of unspecified nature—210-239	103	7	11	11	7	8	11	12	12	6	7	6	5
Diabetes mellitus—260	370	19	24	26	37	28	31	43	28	14	40	41	37
Anemias—290-293	72	5	3	4	4	6	7	8	7	8	7	5	8
Meningitis, except meningococcal and tuberculous—340	76	4	7	7	8	4	9	4	2	5	5	10	11
Major cardiovascular-renal diseases—330-334,400-468,592-594	14,400	1,255	1,082	1,273	1,173	1,151	1,099	1,175	1,111	1,110	1,218	1,355	1,398
Diseases of cardiovascular system—330-334,400-468	13,473	1,179	1,005	1,201	1,084	1,088	1,027	1,112	1,037	1,042	1,138	1,246	1,314
Vascular lesions affecting central nervous system—330-334	3,896	355	275	339	295	312	310	309	296	301	355	360	389
Rheumatic fever—400-402	52	5	5	4	8	3	2	3	6	4	3	5	4
Diseases of heart—410-443	8,633	745	656	783	705	700	650	714	677	661	704	792	846
Chronic rheumatic heart disease—410-416	284	32	23	19	20	21	24	33	25	14	27	21	25
Arteriosclerotic heart disease, including coronary disease—420	3,878	324	291	351	296	335	291	300	304	325	324	359	378
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,332	112	109	122	105	99	97	110	108	102	109	139	122
Other diseases of heart—430-434	844	97	50	74	70	74	59	76	67	53	66	70	88
Hypertension with heart disease—440-443	2,295	180	183	217	214	171	179	195	175	167	178	203	233
Hypertension without mention of heart—444-447	357	34	27	31	26	27	26	27	22	34	27	45	31
General arteriosclerosis—450	408	25	36	32	40	34	35	50	30	29	32	34	31
Other diseases of circulatory system—451-468	127	15	6	12	10	12	4	9	6	13	17	10	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	927	76	77	72	89	63	72	63	74	68	80	109	84
Influenza and pneumonia, except pneumonia of newborn—480-493	1,211	163	129	158	117	84	56	55	44	52	79	99	175
Influenza—480-483	190	24	18	29	25	12	7	8	2	5	5	21	36
Pneumonia, except pneumonia of newborn—490-493	1,021	139	111	129	92	72	49	49	42	47	74	78	139
Bronchitis—500-502	79	8	9	8	6	5	4	8	4	2	7	12	6
Ulcer of stomach and duodenum—540,541	128	11	9	10	10	17	6	7	10	9	10	17	12
Appendicitis—550-553	92	6	8	7	11	4	9	15	7	6	11	4	4
Hernia and intestinal obstruction—560,561,570	212	18	14	16	17	18	22	27	20	22	12	10	16
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	270	23	15	12	13	13	22	51	38	26	21	20	16
Cirrhosis of liver—581	182	19	17	17	13	11	14	16	17	11	16	14	17
Acute nephritis and nephritis with edema, including nephrosis—590,591	191	19	23	17	14	19	17	19	16	8	7	13	19
Hyperplasia of prostate—610	131	10	8	19	11	8	14	14	9	7	13	9	9
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	170	8	16	12	20	15	19	16	14	14	12	9	15
Abortion—650-652	25	-	-	1	6	-	3	6	1	1	1	1	3
All other complications—640-649,660-689	147	8	16	11	14	15	16	10	13	13	11	8	12
Congenital malformations—750-759	378	27	29	38	29	30	29	31	44	27	31	25	39
Certain diseases of early infancy—760-776	1,748	140	124	136	112	134	169	148	177	149	160	152	148
Birth injuries, postnatal asphyxia, and atelectasis—760-762	574	56	30	48	30	49	60	46	55	52	51	40	57
Infections of newborn—763-768	147	11	8	9	12	8	12	14	14	10	20	15	14
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,028	73	86	79	70	77	97	88	108	87	89	97	77
Symptoms, senility, and ill-defined conditions—780-795	978	97	81	82	72	75	61	68	85	66	72	103	98
All other diseases—Residual	1,451	108	126	152	120	120	121	110	111	96	116	136	135
Accidents—E800-E962	1,923	194	135	159	172	143	156	169	145	141	142	172	175
Motor-vehicle accidents—E810-E835	725	69	46	51	71	64	55	63	53	55	64	63	71
All other accidents—E800-E802,E840-E962	1,198	125	89	108	101	79	101	126	92	86	78	109	104
Suicide—E963,E970-E979	297	19	27	24	27	25	24	25	18	26	25	27	30
Homicide—E964,E980-E985	427	42	36	35	34	30	26	52	40	37	34	31	30
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IDAHO—All causes	4,701	418	385	366	383	407	366	368	381	380	446	373	428
Tuberculosis, all forms—001-019	56	7	2	5	8	7	4	3	4	4	3	2	7
Tuberculosis of respiratory system—001-008	51	7	1	5	7	6	4	2	4	4	3	1	7
Tuberculosis, other forms—010-019	5	-	1	-	1	1	-	1	-	-	-	1	-
Syphilis and its sequelae—020-029	16	4	-	-	2	1	-	2	3	-	1	1	2
Typhoid fever—040	2	-	-	-	-	-	1	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat-050,051	4	-	-	1	1	-	-	-	-	-	1	-	1
Diphtheria—055	2	-	-	1	-	-	1	-	-	-	-	-	-
Whooping cough—056	5	1	-	-	1	-	-	-	2	1	-	-	-
Meningococcal infections—057	5	2	-	-	-	1	-	-	-	1	-	-	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	16	-	-	-	-	1	-	5	2	2	2	3	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	5	-	1	-	-	1	1	1	1	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	13	1	2	1	1	-	2	2	1	2	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	601	42	58	53	49	65	42	52	46	38	58	50	48
Malignant neoplasm of buccal cavity and pharynx—140-148	8	-	1	-	-	1	1	1	1	-	-	3	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	242	19	27	21	21	27	13	17	15	20	25	15	22
Malignant neoplasm of respiratory system—160-164	47	2	2	9	2	6	4	5	2	3	3	3	6
Malignant neoplasm of breast—170	56	4	7	7	6	3	7	3	2	4	5	3	5
Malignant neoplasm of genital organs—171-179	86	9	6	8	6	10	9	13	10	5	6	9	5
Malignant neoplasm of urinary organs—180,181	39	1	5	3	-	8	1	3	4	4	3	3	4
Malignant neoplasm of other and unspecified sites—156B,165,190-199	63	5	7	4	6	8	4	7	6	-	6	5	5
Leukemia and aleukemia—204	34	2	2	1	5	2	3	3	3	1	8	4	-
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	16	-	1	-	3	-	-	-	3	1	2	5	1
Benign neoplasms and neoplasms of unspecified nature—210-239	14	2	-	1	-	1	-	1	3	-	3	2	1
Diabetes mellitus—260	67	12	7	4	6	6	4	3	4	3	7	4	7
Anemias—290-293	12	1	3	-	2	1	1	-	-	1	-	2	1
Meningitis, except meningococcal and tuberculous-340	10	1	2	-	1	2	-	-	1	-	-	1	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,320	219	191	201	197	180	177	157	186	186	214	196	216
Diseases of cardiovascular system—330-334,400-468	2,219	202	181	195	188	174	172	149	179	178	205	188	210
Vascular lesions affecting central nervous system—330-334	479	45	44	44	32	39	37	28	39	31	43	37	60
Rheumatic fever—400-402	18	-	1	2	4	2	1	2	3	2	-	-	1
Diseases of heart—410-443	1,601	146	130	138	143	124	124	107	126	135	150	140	138
Chronic rheumatic heart disease—410-416	87	11	12	3	8	6	4	9	6	6	5	10	7
Arteriosclerotic heart disease, including coronary disease—420	894	72	68	76	73	70	68	58	81	81	82	83	82
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	302	23	20	28	35	23	30	18	19	32	23	23	28
Other diseases of heart—430-434	94	15	8	6	7	10	4	8	7	6	9	6	8
Hypertension with heart disease—440-443	224	25	22	25	20	15	18	14	13	10	31	18	13
Hypertension without mention of heart—444-447	28	2	1	2	2	5	2	4	1	2	3	3	1
General arteriosclerosis—450	73	7	5	7	5	1	8	6	7	7	6	6	8
Other diseases of circulatory system—451-468	20	2	-	2	2	3	-	2	3	1	1	2	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	101	17	10	6	9	6	5	8	7	8	11	8	6
Influenza and pneumonia, except pneumonia of newborn—480-493	131	18	17	10	10	9	6	6	9	10	11	13	12
Influenza—480-483	15	3	4	1	-	1	-	-	1	1	2	2	-
Pneumonia, except pneumonia of newborn—490-493	116	15	13	9	10	8	6	6	8	9	9	11	12
Bronchitis—500-502	9	-	-	1	-	4	-	2	1	1	-	-	-
Ulcer of stomach and duodenum—540,541	36	4	3	-	2	4	5	2	-	5	5	3	3
Appendicitis—550-553	13	2	1	-	2	-	1	-	3	-	1	2	1
Hernia and intestinal obstruction—560,561,570	39	3	4	4	3	1	4	5	4	2	3	3	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	16	1	-	-	2	1	3	2	-	1	2	3	1
Cirrhosis of liver—581	18	1	2	2	-	1	3	2	-	2	3	1	1
Acute nephritis and nephritis with edema, including nephrosis—590,591	9	-	-	-	2	-	2	-	1	-	2	-	2
Hyperplasia of prostate—610	28	4	1	4	1	2	3	1	1	2	2	3	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	12	1	-	1	4	1	2	1	-	2	-	-	-
Abortion—650-652	1	-	-	-	-	-	-	-	-	1	-	-	-
All other complications—640-649,660-689	11	1	-	1	4	1	2	1	-	1	-	-	-
Congenital malformations—750-759	79	6	7	5	11	5	5	11	4	5	8	4	8
Certain diseases of early infancy—760-776	258	18	19	18	25	22	22	15	23	22	30	15	33
Birth injuries, postnatal asphyxia, and atelectasis—760-762	103	5	4	10	10	12	7	6	8	14	12	7	8
Infections of newborn—763-768	10	2	2	1	-	-	1	-	1	1	2	-	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	145	11	13	7	15	10	14	7	14	7	16	6	25
Symptoms, senility, and ill-defined conditions—780-795	111	6	10	10	5	10	9	9	15	7	13	7	10
All other diseases—Residual	251	26	25	20	15	23	17	26	18	18	23	21	19
Accidents—E800-E962	470	29	28	19	29	49	49	53	41	58	48	30	37
Motor-vehicle accidents—E810-E835	166	3	3	6	8	12	18	19	21	30	20	15	11
All other accidents—E800-E802,E840-E962	304	26	25	13	21	37	31	34	20	28	28	15	26
Suicide—E963,E970-E979	61	5	2	4	4	8	2	7	7	6	6	5	5
Homicide—E964,E980-E985	12	2	-	1	-	1	-	2	-	1	-	4	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
ILLINOIS—All causes	92,568	8,198	7,459	8,655	7,808	7,662	7,410	7,731	6,956	7,089	7,562	7,883	8,155
Tuberculosis, all forms—001-019	2,484	217	212	222	250	242	172	205	189	189	198	206	181
Tuberculosis of respiratory system—001-008	2,314	206	198	209	238	222	160	191	176	168	181	192	171
Tuberculosis, other forms—010-019	170	11	14	13	12	20	12	14	11	21	18	14	10
Syphilis and its sequelae—020-029	517	47	60	53	42	31	35	46	40	26	44	44	49
Typhoid fever—040	1	-	-	-	-	-	-	-	-	1	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-049	28	2	1	-	2	4	1	4	3	3	4	3	1
Scarlet fever and streptococcal sore throat—050,051	26	3	6	5	-	5	-	1	-	2	-	2	4
Diphtheria—055	4	1	1	-	-	1	-	-	-	-	1	-	-
Whooping cough—056	26	1	2	1	2	3	1	5	5	3	3	2	-
Meningococcal infections—057	49	4	5	9	5	4	2	5	-	4	3	7	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	246	1	1	-	-	-	-	29	109	66	28	11	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	-	1	-	-	2	2	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	1	-	-	1	1	-	-	-
Malaria—110-117	1	-	-	-	-	-	1	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	176	18	10	15	11	11	9	23	18	16	11	20	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	14,512	1,253	1,076	1,259	1,171	1,207	1,211	1,214	1,192	1,167	1,214	1,301	1,247
Malignant neoplasm of buccal cavity and pharynx—140-148	393	41	35	34	38	37	29	35	29	30	33	28	24
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	6,034	517	423	527	488	500	504	484	505	481	528	530	549
Malignant neoplasm of respiratory system—160-164	1,369	125	112	123	97	114	104	114	107	111	118	132	112
Malignant neoplasm of breast—170	1,379	123	108	104	112	112	97	140	115	112	108	135	113
Malignant neoplasm of genital organs—171-179	2,309	185	178	201	166	197	212	182	186	187	191	210	216
Malignant neoplasm of urinary organs—180,181	750	62	49	69	60	74	66	69	57	56	63	68	57
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,306	115	98	124	113	97	118	100	120	108	102	116	94
Leukemia and aleukemia—204	512	47	40	42	49	40	42	46	39	41	40	46	40
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	460	38	34	35	48	36	39	44	34	41	33	36	42
Benign neoplasms and neoplasms of unspecified nature—210-239	330	36	27	30	27	27	30	29	23	26	27	20	28
Diabetes mellitus—260	2,275	179	191	236	194	184	180	190	173	157	178	192	221
Anemias—290-293	395	35	22	39	34	32	34	40	34	29	31	26	39
Meningitis, except meningococcal and tuberculous-340	98	11	16	9	10	8	8	7	4	6	7	3	9
Major cardiovascular-renal diseases—330-334,400-468,592-594	50,093	4,582	4,107	4,822	4,297	4,118	3,985	4,110	3,439	3,726	4,031	4,304	4,572
Diseases of cardiovascular system—330-334,400-468	47,994	4,410	3,940	4,621	4,090	3,937	3,793	3,931	3,325	3,560	3,863	4,136	4,388
Vascular lesions affecting central nervous system—330-334	8,170	765	705	730	696	627	638	691	562	594	654	744	764
Rheumatic fever—400-402	84	3	5	5	14	11	8	7	5	3	11	6	6
Diseases of heart—410-443	36,971	3,421	2,986	3,650	3,153	3,095	2,920	2,976	2,551	2,730	2,973	3,138	3,378
Chronic rheumatic heart disease—410-416	1,383	145	116	145	98	128	102	105	95	91	110	121	127
Arteriosclerotic heart disease, including coronary disease—420	18,097	1,577	1,412	1,722	1,495	1,491	1,467	1,500	1,262	1,374	1,530	1,564	1,663
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	10,511	1,003	873	1,101	942	838	790	855	703	770	796	885	925
Other diseases of heart—430-434	1,721	186	139	152	162	108	128	130	116	150	152	137	161
Hypertension with heart disease—440-443	5,259	510	446	530	456	490	413	406	355	345	385	431	502
Hypertension without mention of heart—444-447	657	46	58	65	43	60	54	61	45	61	49	57	58
General arteriosclerosis—450	1,740	135	155	137	152	118	141	177	123	150	139	162	151
Other diseases of circulatory system—451-468	372	40	31	34	32	26	32	19	39	22	37	29	31
Chronic and unspecified nephritis and other renal sclerosis—592-594	2,099	172	167	201	207	181	192	179	114	166	169	169	184
Influenza and pneumonia, except pneumonia of newborn—480-493	2,099	234	253	281	183	152	139	104	121	127	159	160	186
Influenza—480-483	123	16	26	28	14	6	6	3	7	4	3	8	2
Pneumonia, except pneumonia of newborn—490-493	1,976	218	227	253	169	146	133	101	114	123	156	152	184
Bronchitis—500-502	268	40	29	32	23	17	9	14	12	24	22	20	26
Ulcer of stomach and duodenum—540,541	577	53	43	61	43	38	54	47	45	47	46	50	50
Appendicitis—550-553	244	19	17	17	13	23	20	27	25	33	16	13	21
Hernia and intestinal obstruction—560,561,570	685	66	54	58	59	65	55	65	52	44	57	48	62
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	415	25	29	34	20	32	22	45	50	39	48	38	33
Cirrhosis of liver—581	969	84	72	104	80	88	83	89	78	60	86	79	66
Acute nephritis and nephritis with edema, including nephrosis—590,591	208	15	20	20	24	19	21	12	9	14	17	21	16
Hyperplasia of prostate—610	523	35	40	48	35	44	47	45	51	52	38	43	45
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	132	16	10	9	18	8	6	12	14	13	9	5	12
Abortion—650-652	15	1	2	2	2	-	2	-	3	1	-	-	2
All other complications—640-649,660-689	117	15	8	7	16	8	4	12	11	12	9	5	10
Congenital malformations—750-759	1,113	98	76	110	87	80	104	63	80	113	107	85	90
Certain diseases of early infancy—760-776	3,227	264	243	251	235	265	272	276	302	287	290	272	250
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,781	156	134	142	120	157	161	158	177	141	141	148	146
Infections of newborn—763-768	203	22	12	18	12	12	13	11	17	23	22	19	22
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,243	86	97	91	103	116	98	107	108	123	127	105	82
Symptoms, senility, and ill-defined conditions—780-795	325	19	20	37	28	28	19	32	30	21	32	25	36
All other diseases—Residual	3,739	321	318	352	309	335	301	335	287	273	298	316	294
Accidents—E800-E962	5,336	405	398	412	477	456	433	532	457	410	436	442	476
Motor-vehicle accidents—E810-E835	1,826	146	109	141	137	142	146	166	164	136	181	173	185
All other accidents—E800-E802,E840-E962	3,510	259	289	271	340	314	287	366	293	274	257	269	291
Suicide—E963,E970-E979	1,007	70	67	103	88	83	112	64	78	80	82	90	90
Homicide—E964,E980-E985	425	44	32	26	41	31	41	40	35	30	35	35	35
Injury resulting from operations of war-E965,E990-E999	2	-	-	-	-	-	1	-	-	-	1	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
INDIANA—All causes	40,026	3,634	3,238	3,623	3,399	3,370	3,070	3,419	3,159	3,124	3,175	3,305	3,510
Tuberculosis, all forms—001-019	801	79	62	77	80	74	61	68	54	57	64	65	60
Tuberculosis of respiratory system—001-008	719	68	55	71	73	69	53	60	48	49	61	56	56
Tuberculosis, other forms—010-019	82	11	7	6	7	5	8	8	6	8	3	9	4
Syphilis and its sequelae—020-029	262	21	29	17	25	16	16	23	20	22	21	25	27
Typhoid fever—040	2	-	-	-	-	-	-	-	1	-	1	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	14	1	-	-	1	1	1	1	1	1	3	3	1
Scarlet fever and streptococcal sore throat—050,051	24	2	1	3	3	3	3	1	2	1	-	5	-
Diphtheria—055	21	5	3	1	1	3	-	-	-	2	1	3	2
Whooping cough—056	25	4	1	-	2	4	4	2	3	1	3	-	1
Meningococcal infections—057	29	2	4	2	4	2	1	1	3	1	3	2	4
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	116	2	2	-	1	1	1	22	40	26	9	8	4
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	9	1	1	1	2	2	2	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	-	1	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	107	6	8	5	12	11	7	13	9	11	6	12	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	5,653	525	412	511	481	444	421	478	468	483	475	476	479
Malignant neoplasm of buccal cavity and pharynx—140-148	105	11	10	8	6	6	7	8	11	8	7	9	12
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,280	241	151	201	198	188	169	199	186	193	175	179	180
Malignant neoplasm of respiratory system—160-164	480	38	37	45	33	32	36	42	41	32	48	37	39
Malignant neoplasm of breast—170	507	46	46	41	37	46	21	38	33	51	45	52	51
Malignant neoplasm of genital organs—171-179	1,019	85	83	84	97	77	92	80	93	70	85	88	95
Malignant neoplasm of urinary organs—180,181	240	19	8	17	22	20	15	17	23	23	21	25	30
Malignant neoplasm of other and unspecified sites—156B,165,190-199	630	50	48	60	59	46	45	58	51	62	56	49	46
Leukemia and aleukemia—204	230	20	17	26	15	16	16	18	18	23	18	20	23
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	204	15	12	29	14	13	20	20	12	21	20	17	11
Benign neoplasms and neoplasms of unspecified nature—210-239	155	11	15	11	12	12	7	19	8	15	16	13	16
Diabetes mellitus—260	711	65	39	59	69	75	65	69	53	47	64	51	55
Anemias—290-295	152	17	17	17	13	15	9	8	14	9	9	13	11
Meningitis, except meningococcal and tuberculous-340	49	9	5	5	2	2	3	2	2	5	3	6	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	21,722	1,935	1,805	1,985	1,869	1,854	1,699	1,817	1,638	1,642	1,708	1,818	1,952
Diseases of cardiovascular system—330-334,400-468	20,974	1,877	1,743	1,913	1,803	1,787	1,650	1,747	1,589	1,588	1,636	1,747	1,897
Vascular lesions affecting central nervous system—330-334	4,855	427	408	462	415	420	350	416	376	375	370	398	438
Rheumatic fever—400-402	63	8	5	7	5	9	1	7	8	4	3	3	3
Diseases of heart—410-443	14,349	1,287	1,162	1,318	1,236	1,186	1,165	1,161	1,074	1,094	1,132	1,209	1,325
Chronic rheumatic heart disease—410-416	601	61	50	53	45	32	52	49	44	45	51	57	62
Arteriosclerotic heart disease, including coronary disease—420	7,691	669	623	675	677	635	634	645	571	602	595	660	705
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,706	260	233	266	235	258	208	207	211	194	190	221	228
Other diseases of heart—430-434	769	77	50	75	61	67	57	52	61	62	74	64	69
Hypertension with heart disease—440-443	2,582	220	206	249	218	194	219	208	187	191	222	207	261
Hypertension without mention of heart—444-447	347	36	31	30	25	39	25	30	20	20	33	31	25
General arteriosclerosis—450	1,201	100	123	85	113	114	100	119	94	81	89	91	92
Other diseases of circulatory system—451-468	159	17	14	11	9	19	9	14	17	11	9	15	14
Chronic and unspecified nephritis and other renal sclerosis—592-594	748	58	62	72	66	67	49	70	49	57	72	71	55
Influenza and pneumonia, except pneumonia of newborn—480-493	1,098	156	128	173	105	84	45	42	54	70	56	75	110
Influenza—480-483	141	28	26	30	13	10	2	3	3	8	5	9	4
Pneumonia, except pneumonia of newborn—490-493	957	128	102	143	92	74	43	39	51	62	51	66	106
Bronchitis—500-502	73	7	16	6	10	5	7	4	4	3	2	3	6
Ulcer of stomach and duodenum—540,541	190	15	20	14	13	22	17	13	13	15	18	12	18
Appendicitis—550-553	107	13	6	7	9	10	12	13	14	5	6	7	5
Hernia and intestinal obstruction—560,561,570	261	28	17	29	23	11	26	32	19	11	22	20	23
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	272	19	19	10	14	15	15	35	36	45	25	19	20
Cirrhosis of liver—581	294	35	24	25	15	30	32	17	16	23	14	30	33
Acute nephritis and nephritis with edema, including nephrosis—590,591	96	9	7	7	11	10	8	11	1	8	7	10	7
Hyperplasia of prostate—610	197	24	14	14	20	14	20	13	12	19	13	17	17
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	57	4	5	8	4	4	7	4	6	4	4	4	3
Abortion—650-652	8	1	-	-	2	-	1	-	2	-	1	-	1
All other complications—640-649,660-689	49	3	5	8	2	4	6	4	4	4	3	4	2
Congenital malformations—750-759	533	47	39	49	44	40	35	37	49	47	41	50	55
Certain diseases of early infancy—760-776	1,566	129	124	117	125	120	115	153	153	136	144	141	109
Birth injuries, postnatal asphyxia, and atelectasis—760-762	622	50	54	46	47	42	49	62	66	50	53	56	47
Infections of newborn—763-769	92	13	8	5	5	7	5	6	8	16	9	9	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	852	66	62	66	73	71	61	85	79	70	82	76	61
Symptoms, senility, and ill-defined conditions—780-795	260	26	16	24	15	20	23	31	21	17	23	16	28
All other diseases—Residual	1,811	169	148	172	155	164	129	153	159	136	127	135	164
Accidents—E800-E962	2,709	225	197	205	205	249	224	277	258	212	227	205	245
Motor-vehicle accidents—E810-E835	1,098	86	66	72	83	92	69	112	115	101	104	81	117
All other accidents—E800-E802,E840-E962	1,611	139	131	133	122	157	155	165	123	111	123	124	128
Suicide—E963,E970-E979	526	32	43	54	44	45	47	48	41	45	46	50	31
Homicide—E964,E980-E985	123	11	11	15	10	7	8	12	7	5	14	11	12
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.–DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
IOWA—All causes	26,108	2,373	2,220	2,412	2,197	2,147	2,069	2,135	1,946	2,108	2,048	2,148	2,303
Tuberculosis, all forms—001-019	244	16	17	32	23	18	17	28	21	21	14	20	18
Tuberculosis of respiratory system—001-008	223	13	17	27	23	15	16	26	18	19	14	19	16
Tuberculosis, other forms—010-019	21	3	-	5	-	1	1	3	3	2	-	1	2
Syphilis and its sequelae—020-029	125	8	13	10	11	13	12	6	8	14	9	10	11
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	11	2	2	1	-	-	1	-	-	1	-	2	2
Scarlet fever and streptococcal sore throat—050,051	24	1	9	1	3	1	2	1	2	2	-	2	-
Diphtheria—055	1	-	-	1	-	-	-	-	-	-	-	-	-
Whooping cough—056	4	-	1	-	-	-	-	1	1	-	-	-	1
Meningococcal infections—057	15	-	1	1	2	-	2	2	1	3	1	2	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—060	86	-	1	1	2	-	1	9	28	27	9	6	2
Smallpox—064	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	5	-	1	-	1	-	-	-	-	-	-	1	2
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	1	-	1	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	55	3	4	4	7	6	8	7	2	7	2	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,836	332	285	312	332	327	332	316	330	311	346	293	320
Malignant neoplasm of buccal cavity and pharynx—140-148	78	5	4	7	3	4	7	8	6	14	5	3	12
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,657	124	135	130	163	145	132	140	135	122	153	141	137
Malignant neoplasm of respiratory system—160-164	275	25	18	25	16	27	21	13	33	22	26	24	25
Malignant neoplasm of breast—170	362	43	27	26	30	35	26	34	29	33	27	24	26
Malignant neoplasm of genital organs—171-179	639	48	44	63	51	57	56	58	59	60	53	34	55
Malignant neoplasm of urinary organs—180,181	181	20	14	19	12	15	13	14	12	14	21	17	10
Malignant neoplasm of other and unspecified sites—156B,163,190-199	330	34	23	24	20	21	33	29	36	25	22	33	30
Leukemia and aleukemia—204	164	13	9	12	23	14	20	13	9	10	22	9	10
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	150	20	11	6	14	9	24	6	11	11	17	8	13
Benign neoplasms and neoplasms of unspecified nature—210-239	99	11	3	10	10	7	6	9	4	8	13	9	9
Diabetes mellitus—260	417	28	35	48	39	34	31	36	23	28	38	43	34
Anemias—290-293	141	8	5	17	12	10	20	12	11	11	12	13	10
Meningitis, except meningococcal and tuberculous—340	17	3	3	2	1	1	1	-	-	1	2	1	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	14,575	1,373	1,293	1,405	1,253	1,171	1,113	1,131	1,035	1,138	1,108	1,214	1,341
Diseases of cardiovascular system—330-334,400-468	14,101	1,336	1,247	1,360	1,214	1,140	1,066	1,100	996	1,100	1,069	1,177	1,296
Vascular lesions affecting central nervous system—330-334	3,488	311	300	325	291	281	263	268	240	279	278	315	337
Rheumatic fever—400-402	27	1	2	5	1	5	4	2	1	-	2	2	2
Diseases of heart—410-443	9,514	921	835	933	830	772	716	749	699	720	721	771	857
Chronic rheumatic heart disease—410-416	353	30	45	38	32	30	23	22	26	27	29	26	25
Arteriosclerotic heart disease, including coronary disease—420	5,811	553	486	539	513	479	449	498	422	438	437	474	543
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,776	185	171	193	145	149	129	119	136	141	129	128	151
Other diseases of heart—430-434	373	31	34	32	31	26	26	23	28	33	31	43	35
Hypertension with heart disease—440-443	1,201	122	119	131	109	88	89	87	77	81	95	100	103
Hypertension without mention of heart—444-447	220	20	21	17	16	19	20	19	14	19	13	18	24
General arteriosclerosis—450	718	68	73	65	63	50	57	55	44	66	47	64	66
Other diseases of circulatory system—451-468	134	15	16	15	13	13	6	7	8	16	8	7	10
Chronic and unspecified nephritis and other renal sclerosis—592-594	474	37	46	45	39	31	47	31	39	38	39	37	45
Influenza and pneumonia, except pneumonia of newborn—480-493	725	116	87	82	77	60	36	34	29	40	44	60	60
Influenza—480-483	97	16	15	18	10	8	2	-	3	4	5	5	11
Pneumonia, except pneumonia of newborn—490-493	628	100	72	64	67	52	34	34	26	36	39	55	49
Bronchitis—500-502	52	11	6	6	1	1	1	3	2	3	4	10	4
Ulcer of stomach and duodenum—540,541	134	17	11	15	12	12	7	11	8	10	13	13	5
Appendicitis—550-553	60	3	6	8	2	2	17	6	4	5	2	2	3
Hernia and intestinal obstruction—560,561,570	177	17	17	9	15	22	11	18	13	12	14	13	16
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	87	9	5	7	8	6	9	7	7	6	3	9	11
Cirrhosis of liver—581	151	12	10	14	11	14	14	9	9	19	9	16	14
Acute nephritis and nephritis with edema, including nephrosis—590,591	34	2	3	2	3	5	4	2	5	4	-	2	2
Hyperplasia of prostate—610	163	16	19	10	16	15	11	13	12	11	15	11	14
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	31	3	4	4	2	1	2	4	2	1	3	3	2
Abortion—650-652	3	-	-	-	-	-	-	1	-	-	2	-	-
All other complications—640-649,660-689	28	3	4	4	2	1	2	3	2	1	1	3	2
Congenital malformations—750-759	361	30	32	24	26	25	25	29	36	31	33	38	32
Certain diseases of early infancy—760-776	1,006	86	86	100	66	82	81	91	83	86	69	93	83
Birth injuries, postnatal asphyxia, and atelectasis—760-762	449	44	35	51	27	29	35	51	35	28	31	43	40
Infections of newborn—763-768	70	4	6	10	3	6	7	2	7	11	5	7	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	487	38	45	39	36	47	39	38	41	47	33	43	41
Symptoms, senility, and ill-defined conditions—780-795	216	21	20	23	17	16	14	20	17	18	14	13	23
All other diseases—Residual	1,240	112	95	113	104	114	99	116	84	108	91	91	113
Accidents—E800-E962	1,648	105	116	110	109	156	151	186	142	157	148	123	145
Motor-vehicle accidents—E810-E835	575	31	35	39	30	44	52	57	52	60	66	54	55
All other accidents—E800-E802,E840-E962	1,073	74	81	71	79	112	99	129	90	97	82	69	90
Suicide—E963,E970-E979	342	27	29	40	26	28	37	25	27	24	29	32	18
Homicide—E964,E980-E985	23	1	-	-	6	2	4	2	-	1	3	2	2
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KANSAS—All causes	18,814	1,747	1,473	1,639	1,596	1,541	1,536	1,612	1,449	1,515	1,551	1,473	1,682
Tuberculosis, all forms—001-019	208	20	13	20	18	18	23	21	19	17	11	14	14
Tuberculosis of respiratory system—001-008	194	18	13	20	18	18	21	18	17	16	10	12	13
Tuberculosis, other forms—010-019	14	2	-	-	-	-	2	3	2	1	1	2	1
Syphilis and its sequelae—020-029	99	13	8	8	6	5	7	9	9	7	9	7	11
Typhoid fever—040	1	-	-	-	1	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	5	1	-	-	-	-	2	1	1	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	10	1	1	1	2	2	-	1	1	1	-	-	-
Diphtheria—055	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	10	3	-	2	-	1	-	-	1	1	1	1	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	62	1	-	-	-	1	2	12	14	19	9	1	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	18	2	1	3	7	2	2	-	-	-	-	1	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	2	-	-	-	-	-	-	2	-	-	-	-	-
All other infective and parasitic diseases—Residual	56	5	2	4	2	7	5	4	6	3	9	2	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,639	222	177	198	228	245	228	225	208	242	253	206	227
Malignant neoplasm of buccal cavity and pharynx—140-148	70	2	6	4	7	7	8	4	6	7	5	8	8
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,019	92	70	77	83	99	91	76	77	94	83	81	86
Malignant neoplasm of respiratory system—160-164	191	19	15	17	16	13	15	13	12	23	17	18	15
Malignant neoplasm of breast—170	262	18	16	20	27	28	30	20	14	21	28	19	21
Malignant neoplasm of genital organs—171-179	470	34	32	34	40	47	40	53	42	32	38	39	39
Malignant neoplasm of urinary organs—180,181	128	10	6	9	9	10	12	13	12	16	10	10	11
Malignant neoplasm of other and unspecified sites—156B,165,190-199	303	33	23	25	28	25	16	30	23	28	25	20	28
Leukemia and aleukemia—204	115	10	5	7	12	6	9	11	14	15	6	11	9
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	81	4	4	5	8	10	7	5	8	5	11	4	10
Benign neoplasms and neoplasms of unspecified nature—210-239	63	6	5	7	3	4	6	5	5	3	6	7	6
Diabetes mellitus—260	356	32	25	33	33	32	29	25	29	14	36	34	34
Anemias—290-293	79	8	8	8	5	3	3	8	12	5	7	7	5
Meningitis, except meningococcal and tuberculous—340	29	1	3	3	1	3	3	3	-	1	4	3	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	10,176	924	825	959	888	806	831	841	718	788	825	812	959
Diseases of cardiovascular system—330-334,400-468	9,767	890	792	921	840	779	791	805	698	760	800	776	915
Vascular lesions affecting central nervous system—330-334	2,428	227	208	217	210	207	188	198	163	193	208	196	215
Rheumatic fever—400-402	27	-	2	4	2	2	2	5	2	3	2	1	2
Diseases of heart—410-443	6,522	578	533	628	554	506	534	540	468	496	525	522	638
Chronic rheumatic heart disease—410-416	249	30	17	27	19	20	18	18	18	14	23	20	25
Arteriosclerotic heart disease, including coronary disease—420	3,779	326	284	357	330	285	320	313	270	311	304	317	382
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,239	112	111	124	94	95	95	108	83	92	98	102	127
Other diseases of heart—430-434	328	40	27	38	26	28	20	24	25	19	28	27	25
Hypertension with heart disease—440-443	930	70	94	82	85	78	81	77	72	80	78	56	99
Hypertension without mention of heart—444-447	182	23	16	13	20	15	9	10	13	18	15	13	17
General arteriosclerosis—450	505	48	27	56	45	39	51	44	46	38	38	39	34
Other diseases of circulatory system—451-468	103	14	6	3	9	10	7	8	6	12	12	5	11
Chronic and unspecified nephritis and other renal sclerosis—592-594	409	34	33	38	40	27	40	36	20	28	25	36	44
Influenza and pneumonia, except pneumonia of newborn—480-493	479	80	62	46	37	20	16	32	30	31	34	45	46
Influenza—480-483	74	14	15	8	6	2	-	4	3	6	1	8	7
Pneumonia, except pneumonia of newborn—490-493	405	66	47	38	31	18	16	28	27	25	33	37	39
Bronchitis—500-502	54	16	9	4	4	3	1	2	1	3	2	6	3
Ulcer of stomach and duodenum—540,541	118	11	8	11	12	13	7	14	7	6	13	7	9
Appendicitis—550-553	59	2	2	5	2	6	10	11	6	4	9	1	1
Hernia and intestinal obstruction—560,561,570	134	17	8	7	5	9	13	11	20	9	14	13	8
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	86	8	5	9	9	8	7	2	5	9	10	2	12
Cirrhosis of liver—581	91	11	8	9	8	8	2	6	4	8	8	9	10
Acute nephritis and nephritis with edema, including nephrosis—590,591	55	4	3	4	6	5	10	3	6	4	4	3	3
Hyperplasia of prostate—610	151	19	14	9	16	4	13	12	14	10	14	12	14
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	23	1	3	4	1	-	1	8	-	2	2	-	3
Abortion—650-652	5	-	-	1	-	-	-	1	-	1	-	-	2
All other complications—640-649,660-689	18	1	3	3	1	-	1	5	-	1	2	-	1
Congenital malformations—750-759	215	24	17	22	17	9	17	19	20	16	14	12	28
Certain diseases of early infancy—760-776	724	65	53	49	47	73	47	68	66	73	62	63	58
Birth injuries, postnatal asphyxia, and atelectasis—760-762	337	31	28	22	19	27	23	28	41	38	22	29	29
Infections of newborn—765-768	49	5	2	3	2	10	3	4	2	4	5	6	3
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	338	29	23	24	26	36	21	36	23	31	35	28	26
Symptoms, senility, and ill-defined conditions—780-795	203	23	17	20	17	25	21	17	11	6	21	10	17
All other diseases—Residual	960	96	76	76	91	71	74	87	92	80	65	83	69
Accidents—E800-E962	1,357	117	88	96	112	128	122	137	116	127	111	90	112
Motor-vehicle accidents—E810-E835	496	28	26	34	37	40	31	55	54	55	50	44	42
All other accidents—E800-E802,E840-E962	861	89	63	62	75	88	91	82	62	72	61	46	70
Suicide—E963,E970-E979	245	11	28	21	12	28	31	23	20	21	13	21	16
Homicide—E964,E980-E985	46	3	2	1	6	4	3	5	8	5	5	1	3
Injury resulting from operations of war—E985,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY—All causes	28,046	2,542	2,333	2,502	2,273	2,288	2,188	2,385	2,337	2,214	2,233	2,277	2,474
Tuberculosis, all forms—001-019	1,255	124	120	114	110	119	111	89	103	92	100	97	86
Tuberculosis of respiratory system—001-008	1,153	110	108	108	102	112	100	83	93	87	90	82	78
Tuberculosis, other forms—010-019	102	14	12	6	8	7	11	6	10	5	10	5	8
Syphilis and its sequelae—020-029	145	15	12	7	14	13	8	18	8	10	16	19	5
Typhoid fever—040	14	-	2	1	-	1	-	2	3	1	2	1	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	94	1	3	2	3	2	9	26	18	19	4	2	5
Scarlet fever and streptococcal sore throat—050,051	11	2	-	2	1	-	1	1	-	2	-	-	2
Diphtheria—055	26	4	-	3	1	-	-	-	2	1	4	6	5
Whooping cough—056	68	7	1	6	5	3	1	9	10	6	9	5	6
Meningococcal infections—057	43	4	6	6	4	3	3	2	4	2	3	2	4
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	54	2	-	-	-	2	2	13	12	12	5	5	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	36	5	3	6	6	11	-	3	-	-	-	1	1
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	1	-	-	-	-
Malaria—110-117	1	-	-	1	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	103	11	8	4	2	15	11	10	7	6	14	7	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,156	262	234	257	251	287	258	270	260	277	267	268	265
Malignant neoplasm of buccal cavity and pharynx—140-148	82	10	6	7	6	5	4	6	8	10	9	6	5
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,209	106	84	104	93	113	99	108	110	102	98	96	96
Malignant neoplasm of respiratory system—160-164	271	15	21	21	19	20	32	25	19	31	24	24	20
Malignant neoplasm of breast—170	260	26	24	22	23	23	23	20	20	17	21	18	23
Malignant neoplasm of genital organs—171-179	518	47	47	39	46	58	44	55	53	65	60	55	49
Malignant neoplasm of urinary organs—180,181	116	10	8	7	12	14	7	8	10	7	8	11	14
Malignant neoplasm of other and unspecified sites—156B,165,190-199	340	26	28	33	29	29	28	27	21	26	29	27	35
Leukemia and aleukemia—204	146	13	7	18	14	15	11	11	8	10	8	17	14
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	114	9	9	6	9	10	10	10	11	7	10	14	9
Benign neoplasms and neoplasms of unspecified nature—210-239	81	8	8	5	6	9	2	10	6	5	4	10	8
Diabetes mellitus—260	349	41	26	34	23	26	36	36	22	32	15	26	31
Anemias—290-293	88	10	4	9	8	5	7	10	7	4	5	10	9
Meningitis, except meningococcal and tuberculous-340	50	4	2	5	3	3	5	8	5	1	5	5	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	13,435	1,203	1,062	1,228	1,119	1,149	1,064	1,094	1,068	1,032	1,050	1,110	1,256
Diseases of cardiovascular system—330-334,400-468	12,833	1,150	1,006	1,175	1,078	1,113	994	1,047	1,014	990	1,000	1,060	1,206
Vascular lesions affecting central nervous system—330-334	3,043	260	247	283	250	262	235	248	237	253	242	261	265
Rheumatic fever—400-402	57	1	8	5	11	6	7	3	4	3	3	2	4
Diseases of heart—410-443	8,746	808	644	782	757	764	691	720	706	653	667	708	846
Chronic rheumatic heart disease—410-416	381	41	29	35	30	33	28	32	31	35	24	25	38
Arteriosclerotic heart disease, including coronary disease—420	4,130	357	302	375	354	380	345	337	318	306	331	345	380
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,574	152	113	135	148	127	108	138	118	114	124	132	164
Other diseases of heart—430-434	786	71	83	68	65	61	56	70	69	58	64	48	95
Hypertension with heart disease—440-443	1,675	167	137	171	159	163	154	143	170	140	124	158	169
Hypertension without mention of heart—444-447	244	21	17	31	15	23	18	22	16	20	24	20	17
General arteriosclerosis—450	646	54	81	67	39	50	34	47	44	54	54	58	64
Other diseases of circulatory system—451-468	97	6	9	7	6	8	9	7	7	7	10	11	10
Chronic and unspecified nephritis and other renal sclerosis—592-594	602	53	56	53	41	36	70	47	54	42	50	50	50
Influenza and pneumonia, except pneumonia of newborn—480-493	1,326	173	209	153	110	73	53	57	69	74	94	107	144
Influenza—480-483	169	30	35	27	23	9	2	1	3	4	10	14	11
Pneumonia, except pneumonia of newborn—490-493	1,157	143	174	126	87	64	51	56	66	70	84	93	133
Bronchitis—500-502	73	11	12	7	8	7	2	3	6	5	4	1	7
Ulcer of stomach and duodenum—540,541	134	16	10	12	17	10	7	6	9	12	12	9	12
Appendicitis—550-553	90	9	10	10	11	9	3	11	5	4	9	7	2
Hernia and intestinal obstruction—560,561,570	168	20	6	17	14	18	19	11	17	14	13	5	14
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	469	14	15	16	10	18	31	91	108	81	48	20	17
Cirrhosis of liver—581	205	19	29	17	17	9	12	11	11	23	20	19	18
Acute nephritis and nephritis with edema, including nephrosis—590,591	84	7	5	12	6	5	6	7	9	5	6	11	5
Hyperplasia of prostate—610	119	8	7	12	12	12	8	8	8	9	16	9	10
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	93	8	9	8	7	8	11	8	7	14	3	7	3
Abortion—650-652	7	-	1	-	1	-	-	-	-	2	1	2	-
All other complications—640-649,660-689	86	8	8	8	6	8	11	8	7	12	2	5	3
Congenital malformations—750-759	403	38	34	37	36	34	27	37	39	26	37	27	31
Certain diseases of early infancy—760-776	1,532	129	135	127	135	118	123	124	142	130	114	121	134
Birth injuries, postnatal asphyxia, and atelectasis—760-762	530	42	39	48	52	45	51	41	59	35	46	44	48
Infections of newborn—763-768	175	16	23	13	13	12	6	11	22	13	10	15	21
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	827	71	73	66	70	61	66	72	61	82	58	62	65
Symptoms, senility, and ill-defined conditions—780-795	506	60	46	54	38	36	56	45	35	28	34	49	45
All other diseases—Residual	1,323	126	134	133	111	77	105	112	100	99	95	119	103
Accidents—E800-E962	1,977	155	143	152	138	166	183	191	174	141	177	166	191
Motor-vehicle accidents—E810-E835	717	55	44	46	43	49	59	73	75	65	73	66	69
All other accidents—E800-E802,E840-E962	1,260	100	99	106	95	117	124	118	99	76	104	100	122
Suicide—E963,E970-E979	284	21	17	26	25	20	31	20	30	21	30	22	21
Homicide—E964,E980-E985	250	23	21	19	22	20	13	32	23	26	17	14	20
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
LOUISIANA—All causes	23,400	2,098	1,937	2,098	1,892	1,922	1,847	1,885	1,950	1,752	1,886	2,054	2,079
Tuberculosis, all forms—001-019	785	59	71	63	62	64	61	76	65	62	59	58	65
Tuberculosis of respiratory system—001-008	738	53	67	60	76	59	60	69	60	60	56	55	63
Tuberculosis, other forms—010-019	47	6	4	3	6	5	1	7	5	2	3	3	2
Syphilis and its sequelae—020-029	299	32	15	29	19	29	36	26	25	20	22	33	13
Typhoid fever—040	12	-	1	-	1	1	-	2	3	2	-	-	2
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	32	4	5	4	3	2	3	1	4	3	-	1	2
Scarlet fever and streptococcal sore throat—050,051	2	-	-	-	-	1	-	1	-	-	-	-	-
Diphtheria—055	14	2	1	2	-	-	1	-	-	2	1	3	2
Whooping cough—056	16	3	3	2	-	1	2	1	-	-	1	2	1
Meningococcal infections—057	20	2	2	4	5	2	1	-	-	-	-	2	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	6	-	-	-	-	-	1	1	3	1	-	-	-
Smallpox—084	1	-	-	-	1	-	-	-	-	-	-	-	-
Measles—085	16	2	2	1	3	4	3	-	1	-	-	-	-
Typhus and other rickettsial diseases—100-108	2	-	-	-	1	-	-	1	-	-	-	-	-
Malaria—110-117	3	-	1	-	-	-	-	1	1	-	-	-	-
All other infective and parasitic diseases-Residual	119	12	9	10	11	7	12	13	7	6	9	9	14
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,080	258	238	240	250	250	274	234	246	254	281	305	250
Malignant neoplasm of buccal cavity and pharynx—140-148	93	6	8	6	7	6	6	5	5	11	10	8	15
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,033	97	75	90	95	83	96	86	84	72	86	69	80
Malignant neoplasm of respiratory system—160-164	345	25	25	22	21	29	32	33	29	39	28	34	28
Malignant neoplasm of breast—170	228	18	23	13	15	18	17	17	19	22	23	25	18
Malignant neoplasm of genital organs—171-179	619	56	47	51	47	47	52	43	45	51	69	59	52
Malignant neoplasm of urinary organs—160,161	141	10	14	15	13	11	11	10	9	8	11	17	12
Malignant neoplasm of other and unspecified sites—156B,165,190-199	393	29	30	26	35	28	43	25	37	33	34	46	27
Leukemia and aleukemia—204	125	8	7	9	11	15	8	9	10	10	13	14	11
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	103	9	9	6	6	13	9	6	8	8	7	15	7
Benign neoplasms and neoplasms of unspecified nature—210-239	104	11	10	11	7	9	6	8	12	8	7	7	8
Diabetes mellitus—260	350	39	24	31	45	33	26	29	16	21	22	32	32
Anemias—290-293	62	4	5	1	5	7	7	7	5	6	7	4	4
Meningitis, except meningococcal and tuberculous-340	71	9	10	3	6	10	4	3	12	1	3	7	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	11,148	991	963	1,050	889	917	849	852	909	828	867	997	1,036
Diseases of cardiovascular system—330-334,400-468	10,672	962	922	1,000	845	878	821	804	876	789	830	949	996
Vascular lesions affecting central nervous system—330-334	2,164	196	178	208	168	177	159	168	201	163	174	173	201
Rheumatic fever—400-402	29	2	4	3	4	1	3	-	3	2	2	3	2
Diseases of heart—410-443	7,865	704	691	721	625	655	604	589	627	579	606	721	743
Chronic rheumatic heart disease—410-416	189	26	13	19	16	16	10	13	13	12	15	17	19
Arteriosclerotic heart disease, including coronary disease—420	4,228	349	360	372	347	348	323	308	337	337	330	404	413
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,182	120	117	137	98	95	97	86	80	71	77	94	110
Other diseases of heart—430-434	526	51	58	43	35	58	42	37	44	30	32	53	43
Hypertension with heart disease—440-443	1,740	158	143	150	129	138	152	145	153	129	152	153	159
Hypertension without mention of heart—444-447	235	24	16	27	23	20	23	22	17	16	22	15	10
General arteriosclerosis—450	284	23	25	33	19	20	29	20	25	18	19	27	26
Other diseases of circulatory system—451-468	95	13	8	10	6	5	3	5	3	11	7	10	14
Chronic and unspecified nephritis and other renal sclerosis—592-594	476	29	41	50	44	39	28	48	33	39	37	48	40
Influenza and pneumonia, except pneumonia of newborn—480-493	1,015	137	120	137	96	53	48	51	60	48	54	92	119
Influenza—480-483	181	28	27	39	28	10	5	3	6	4	4	13	14
Pneumonia, except pneumonia of newborn—490-493	834	109	93	98	68	43	43	48	54	44	50	79	105
Bronchitis—500-502	76	8	8	7	7	7	4	7	5	5	5	5	8
Ulcer of stomach and duodenum—540,541	85	11	4	4	8	7	8	10	6	4	5	10	8
Appendicitis—550-553	58	5	2	5	3	6	9	6	7	5	4	3	3
Hernia and intestinal obstruction—560,561,570	155	12	8	15	12	8	13	12	18	15	18	13	9
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	187	17	17	14	14	13	28	21	16	13	12	17	5
Cirrhosis of liver—581	149	11	10	18	7	13	15	12	7	12	17	12	15
Acute nephritis and nephritis with edema, including nephrosis—590,591	82	7	7	10	5	6	12	6	8	5	4	5	7
Hyperplasia of prostate—610	98	4	6	6	11	11	6	12	14	11	7	6	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	93	6	10	9	9	10	6	9	7	4	4	8	11
Abortion—650-652	13	-	-	2	-	3	1	3	1	-	-	2	1
All other complications—640-649,660-689	80	6	10	7	9	7	5	6	6	4	4	6	10
Congenital malformations—750-759	349	33	26	37	20	20	24	34	38	22	35	28	32
Certain diseases of early infancy—760-776	1,584	136	104	113	106	149	127	155	163	127	170	106	128
Birth injuries, postnatal asphyxia, and atelectasis—760-762	548	49	33	30	45	43	38	59	66	42	63	36	44
Infections of newborn—763-768	134	21	13	11	4	11	6	10	14	11	12	10	11
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	902	66	58	72	57	95	83	86	83	74	95	60	73
Symptoms, senility, and ill-defined conditions—780-795	415	35	40	31	37	33	28	30	40	38	36	37	30
All other diseases—Residual	976	84	75	86	75	73	83	80	91	71	79	88	91
Accidents—E800-E962	1,524	129	107	123	120	143	119	143	130	117	121	128	144
Motor-vehicle accidents—E810-E835	508	43	30	41	42	49	27	46	45	35	32	55	43
All other accidents—E800-E802,E840-E962	1,016	86	77	82	78	94	92	97	85	82	89	73	101
Suicide—E963,E970-E979	173	16	14	18	7	18	15	15	11	20	16	10	15
Homicide—E964,E980-E985	241	19	19	14	27	17	16	26	20	21	20	28	16
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MAINE—All causes	10,099	880	864	895	854	836	817	767	781	779	828	851	936
Tuberculosis, all forms—001-019	189	13	20	18	20	23	19	16	9	15	8	10	18
Tuberculosis of respiratory system—001-008	168	11	17	18	17	19	16	16	8	13	8	10	15
Tuberculosis, other forms—010-019	21	2	3	-	3	4	3	-	1	2	-	-	3
Syphilis and its sequelae—020-029	31	4	2	3	4	4	2	2	2	-	4	-	4
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	5	-	-	2	1	-	-	-	-	-	-	2	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	9	-	1	-	-	-	1	2	3	1	-	-	1
Meningococcal infections—057	9	2	1	1	1	2	1	1	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	10	-	-	-	-	-	-	-	2	6	1	-	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	12	-	2	-	3	4	1	1	-	-	-	-	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	2	-	-	1	-	-	1	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	20	5	1	1	1	1	1	2	1	2	2	2	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,507	132	107	117	123	129	137	123	126	115	129	135	134
Malignant neoplasm of buccal cavity and pharynx—140-148	45	5	4	3	4	4	5	2	7	3	2	3	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	686	73	44	54	59	55	61	59	57	55	56	57	56
Malignant neoplasm of respiratory system—160-164	100	5	7	4	8	8	9	10	6	4	13	13	13
Malignant neoplasm of breast—170	119	10	12	13	9	10	9	9	8	6	12	7	14
Malignant neoplasm of genital organs—171-179	281	19	18	25	24	27	31	17	20	26	17	35	21
Malignant neoplasm of urinary organs—180,181	79	6	6	6	7	4	6	7	9	7	8	8	5
Malignant neoplasm of other and unspecified sites—156B,165,190-199	110	9	9	8	7	10	8	10	13	7	14	7	8
Leukemia and aleukemia—204	46	3	2	1	3	7	2	6	4	5	3	1	9
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	41	2	4	3	2	4	6	3	2	2	4	4	5
Benign neoplasms and neoplasms of unspecified nature—210-239	43	1	3	6	4	7	3	5	3	6	2	2	1
Diabetes mellitus—260	173	19	15	20	11	12	12	17	15	9	16	10	17
Anemias—290-293	33	2	2	4	3	3	1	2	2	2	4	2	6
Meningitis, except meningococcal and tuberculous—340	12	3	-	1	2	-	-	2	-	-	-	1	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	5,497	484	488	502	499	456	437	398	408	423	425	452	525
Diseases of cardiovascular system—330-334,400-468	5,312	474	471	490	475	436	423	382	394	411	412	432	512
Vascular lesions affecting central nervous system—330-334	1,226	96	106	116	113	104	98	89	94	109	97	94	110
Rheumatic fever—400-402	13	-	2	-	2	2	1	1	-	1	-	3	1
Diseases of heart—410-443	3,649	342	330	329	329	301	290	265	271	270	279	295	348
Chronic rheumatic heart disease—410-416	135	14	16	13	6	8	8	15	9	10	9	8	17
Arteriosclerotic heart disease, including coronary disease—420	2,196	196	188	191	200	185	172	158	177	169	168	174	218
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	740	81	68	64	68	59	62	51	47	55	58	64	63
Other diseases of heart—430-434	109	5	12	16	8	8	10	7	8	8	9	10	10
Hypertension with heart disease—440-443	469	46	44	45	47	41	38	34	32	28	35	39	40
Hypertension without mention of heart—444-447	87	6	7	12	8	7	6	10	7	6	7	5	8
General arteriosclerosis—450	287	27	20	27	24	20	21	15	17	21	25	31	39
Other diseases of circulatory system—451-468	50	3	6	6	1	2	7	2	5	4	4	4	6
Chronic and unspecified nephritis and other renal sclerosis—592-594	185	10	17	12	24	20	14	16	14	12	13	20	13
Influenza and pneumonia, except pneumonia of newborn—480-493	308	21	26	42	38	23	18	12	15	17	28	27	41
Influenza—480-483	33	2	2	8	5	3	3	1	-	1	1	3	4
Pneumonia, except pneumonia of newborn—490-493	275	19	24	34	33	20	15	11	15	16	27	24	37
Bronchitis—500-502	34	4	2	4	1	2	2	1	1	5	8	1	3
Ulcer of stomach and duodenum—540,541	48	7	6	4	7	2	3	4	1	3	2	6	3
Appendicitis—550-553	27	2	2	2	2	1	2	4	3	3	2	1	3
Hernia and intestinal obstruction—560,561,570	61	5	4	3	2	4	6	4	5	4	7	10	7
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	49	6	7	5	3	4	1	2	2	4	3	2	10
Cirrhosis of liver—581	68	3	3	5	3	5	4	5	9	9	8	6	8
Acute nephritis and nephritis with edema, including nephrosis—590,591	24	1	3	2	1	3	3	-	4	2	3	2	-
Hyperplasia of prostate—610	45	4	8	1	3	4	4	2	8	1	6	2	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	19	1	2	1	1	5	2	2	3	-	-	1	1
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-648,660-689	19	1	2	1	1	5	2	2	3	-	-	1	1
Congenital malformations—750-759	141	17	14	18	11	9	9	12	17	10	8	9	9
Certain diseases of early infancy—760-776	418	38	35	38	35	32	31	31	40	34	34	34	36
Birth injuries, postnatal asphyxia, and atelectasis—760-762	192	17	13	18	16	17	17	12	15	15	17	15	20
Infections of newborn—763-768	18	2	2	-	3	-	-	1	3	5	1	-	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	208	19	20	20	16	15	14	18	22	14	16	19	15
Symptoms, senility, and ill-defined conditions—780-795	100	17	11	9	3	12	5	5	5	7	8	9	9
All other diseases—Residual	458	38	45	38	28	29	44	43	36	31	49	45	33
Accidents—E800-E962	586	48	47	39	31	44	49	55	60	51	55	57	50
Motor-vehicle accidents—E810-E835	159	4	13	5	7	11	8	16	15	26	18	17	19
All other accidents—E800-E802,E840-E962	427	44	34	34	24	33	41	39	45	25	37	40	31
Suicide—E963,E970-E979	145	4	6	9	10	15	18	14	10	18	11	22	8
Homicide—E964,E980-E985	15	1	1	1	1	1	-	-	1	1	6	1	1
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	1	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MARYLAND—All causes	22,110	2,000	1,789	1,938	1,845	1,828	1,819	1,939	1,787	1,537	1,770	1,857	2,001
Tuberculosis, all forms—001-019	922	87	81	86	85	79	79	71	70	61	63	75	85
Tuberculosis of respiratory system—001-008	845	82	76	81	84	71	72	64	61	54	58	67	75
Tuberculosis, other forms—010-019	77	5	5	5	1	8	7	7	9	7	5	8	10
Syphilis and its sequelae—020-029	186	15	14	13	17	15	15	14	10	8	23	17	25
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	7	-	-	-	1	-	-	1	2	3	-	-	-
Scarlet fever and streptococcal sore throat—050,051	4	-	1	-	-	-	-	1	-	-	1	1	-
Diphtheria—055	6	-	1	-	1	1	-	-	-	1	-	1	1
Whooping cough—056	5	-	1	-	-	-	-	-	-	2	1	-	1
Meningococcal infections—057	11	1	1	-	-	2	-	-	1	1	1	2	2
Plague—059	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	13	-	-	-	1	-	1	2	2	1	6	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	17	4	3	4	4	-	1	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	-	1	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	57	2	5	3	4	3	4	11	4	5	6	4	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,205	266	249	260	264	293	248	286	282	241	259	264	293
Malignant neoplasm of buccal cavity and pharynx—140-148	78	9	9	3	8	6	10	8	5	6	3	4	7
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,151	96	86	102	85	95	94	100	103	97	102	102	89
Malignant neoplasm of respiratory system—160-164	344	30	20	25	25	43	30	39	28	17	28	30	29
Malignant neoplasm of breast—170	297	20	19	33	21	26	24	23	27	20	26	27	31
Malignant neoplasm of genital organs—171-179	572	48	44	41	57	55	41	48	47	48	42	41	61
Malignant neoplasm of urinary organs—180,181	184	19	19	18	20	16	8	19	13	12	16	7	17
Malignant neoplasm of other and unspecified sites—156B,165,190-199	343	24	29	15	31	30	21	28	40	23	28	39	35
Leukemia and aleukemia—204	119	9	8	13	15	16	5	9	7	10	7	9	11
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	117	11	15	10	2	8	15	11	12	8	7	5	13
Benign neoplasms and neoplasms of unspecified nature—210-239	94	6	7	4	11	5	9	18	6	7	7	7	5
Diabetes mellitus—260	427	43	39	45	36	28	38	37	33	27	31	36	34
Anemias—290-293	44	7	2	3	3	2	4	4	6	2	2	7	2
Meningitis, except meningococcal and tuberculous—340	41	8	3	5	7	1	1	1	1	-	3	7	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	11,737	1,081	985	1,041	971	986	987	1,012	883	798	920	988	1,085
Diseases of cardiovascular system—330-334,400-468	11,382	1,061	962	1,002	938	960	954	975	857	775	886	964	1,048
Vascular lesions affecting central nervous system—330-334	1,929	192	181	159	149	161	141	166	134	142	143	181	180
Rheumatic fever—400-402	32	2	4	4	2	3	4	3	2	1	5	2	-
Diseases of heart—410-443	8,738	800	728	769	741	741	757	752	668	588	687	712	795
Chronic rheumatic heart disease—410-416	295	31	23	29	24	24	20	27	20	27	17	23	30
Arteriosclerotic heart disease, including coronary disease—420	3,981	339	320	356	354	311	329	321	317	277	354	372	371
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,127	210	191	202	187	192	191	180	175	134	140	154	171
Other diseases of heart—430-434	239	20	19	21	20	22	16	27	20	16	13	15	28
Hypertension with heart disease—440-443	2,096	200	175	181	176	192	199	197	136	134	163	148	195
Hypertension without mention of heart—444-447	174	19	11	15	16	15	6	11	16	14	9	18	23
General arteriosclerosis—450	412	38	31	45	27	31	35	35	33	23	33	43	38
Other diseases of circulatory system—451-468	97	10	7	9	3	9	11	8	4	7	9	8	12
Chronic and unspecified nephritis and other renal sclerosis—592-594	355	20	25	39	33	26	33	37	26	23	34	24	37
Influenza and pneumonia, except pneumonia of newborn—480-493	558	64	63	72	45	38	22	36	35	24	46	58	55
Influenza—480-483	32	5	3	6	1	2	2	2	-	1	1	3	6
Pneumonia, except pneumonia of newborn—490-493	526	59	60	66	44	36	20	34	35	23	45	55	49
Bronchitis—500-502	58	5	9	7	8	2	4	2	4	1	3	4	9
Ulcer of stomach and duodenum—540,541	92	3	6	11	10	2	7	8	12	6	12	8	7
Appendicitis—550-553	48	7	1	3	4	4	6	6	5	6	2	1	3
Hernia and intestinal obstruction—560,561,570	147	11	8	11	9	11	9	15	15	22	12	10	14
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	120	15	6	2	6	4	4	12	13	17	17	10	14
Cirrhosis of liver—581	212	25	20	18	14	11	22	13	20	14	18	23	14
Acute nephritis and nephritis with edema, including nephrosis—590,591	57	4	5	6	11	6	5	3	3	2	2	3	7
Hyperplasia of prostate—610	85	10	7	9	6	10	3	8	12	7	3	6	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	35	2	1	4	-	3	7	4	5	2	3	2	2
Abortion—650-652	7	-	-	-	-	1	2	-	2	-	-	2	-
All other complications—640-649,660-689	28	2	1	4	-	2	5	4	3	2	3	-	2
Congenital malformations—750-759	322	33	22	24	22	21	31	29	20	19	29	45	27
Certain diseases of early infancy—760-776	901	81	51	70	72	80	85	81	97	80	77	61	66
Birth injuries, postnatal asphyxia, and atelectasis—760-762	400	33	21	37	29	34	39	39	40	35	29	32	32
Infections of newborn—763-768	56	9	3	3	6	1	6	4	1	9	5	4	5
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	445	39	27	30	37	45	40	38	56	36	43	25	29
Symptoms, senility, and ill-defined conditions—780-795	59	6	5	4	4	2	3	4	6	3	12	4	6
All other diseases—Residual	935	82	74	90	87	74	82	87	80	58	78	69	74
Accidents—E800-E962	1,264	103	89	107	102	98	100	139	112	80	103	109	122
Motor-vehicle accidents—E810-E835	409	38	34	28	36	35	24	24	35	36	42	40	39
All other accidents—E800-E802,E840-E962	855	65	55	81	66	63	76	115	77	44	61	69	83
Suicide—E963,E970-E979	288	21	23	24	27	30	25	20	28	23	20	27	20
Homicide—E964,E980-E985	151	5	7	12	13	17	17	13	20	15	10	8	14
Injury resulting from operations of war-E965,E990-E999	1	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MASSACHUSETTS—All causes	50,767	4,547	4,155	4,918	4,343	4,358	3,891	4,012	3,884	3,759	4,185	4,253	4,462
Tuberculosis, all forms—001-019	1,127	101	88	107	101	100	101	94	107	82	89	99	59
Tuberculosis of respiratory system—001-008	1,069	97	86	100	88	97	95	92	103	77	83	96	55
Tuberculosis, other forms—010-019	58	4	2	7	13	3	6	2	4	5	5	3	4
Syphilis and its sequelae—020-029	153	10	22	17	11	17	11	12	11	10	14	12	6
Typhoid fever—040	3	-	-	-	1	-	-	2	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	7	-	-	1	-	-	2	1	1	-	2	-	-
Scarlet fever and streptococcal sore throat—050,051	11	1	-	1	3	1	1	-	-	-	2	1	1
Diphtheria—055	44	4	6	7	6	6	2	2	5	-	3	1	2
Whooping cough—056	6	1	-	1	-	-	1	1	2	-	-	-	-
Meningococcal infections—057	18	-	2	3	2	3	2	-	2	-	-	1	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	53	-	-	1	-	-	2	4	18	16	5	5	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	12	1	2	3	-	4	2	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	3	-	2	-	-	1	-	-	-	-	-	-	-
Malaria—110-117	1	-	-	-	-	-	-	-	-	-	-	-	1
All other infective and parasitic diseases-Residual	91	12	10	15	4	7	7	10	6	4	4	4	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	8,405	672	655	698	712	721	709	721	727	692	723	714	671
Malignant neoplasm of buccal cavity and pharynx—140-148	210	16	16	21	20	13	14	24	21	20	23	12	10
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	3,648	276	280	288	304	313	304	338	313	294	331	304	303
Malignant neoplasm of respiratory system—160-164	735	65	45	66	69	64	69	63	59	58	66	63	48
Malignant neoplasm of breast—170	781	63	68	54	65	67	68	45	62	83	63	80	63
Malignant neoplasm of genital organs—171-179	1,254	104	95	113	107	117	98	114	100	97	105	104	100
Malignant neoplasm of urinary organs—180,181	425	36	34	30	42	37	45	38	42	24	31	34	32
Malignant neoplasm of other and unspecified sites—156B,165,190-199	768	61	66	71	64	63	65	56	72	63	60	63	66
Leukemia and aleukemia—204	281	25	27	21	21	21	27	13	28	30	20	29	21
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	303	26	24	24	20	26	21	30	32	23	24	25	28
Benign neoplasms and neoplasms of unspecified nature—210-239	194	17	15	18	20	25	18	19	15	11	19	12	5
Diabetes mellitus—260	966	104	67	104	64	89	77	80	70	62	65	72	92
Anemias—290-293	145	12	11	9	14	13	18	8	9	12	8	11	20
Meningitis, except meningococcal and tuberculous—340	51	7	4	6	2	4	6	3	3	3	3	3	7
Major cardiovascular-renal diseases—330-334,400-468,592-594	28,896	2,714	2,394	2,881	2,502	2,506	2,144	2,171	2,056	2,061	2,373	2,455	2,639
Diseases of cardiovascular system—330-334,400-468	28,236	2,650	2,340	2,807	2,462	2,447	2,087	2,107	2,004	2,022	2,325	2,399	2,588
Vascular lesions affecting central nervous system—330-334	5,500	495	436	513	491	503	387	431	405	413	469	506	451
Rheumatic fever—400-402	61	7	5	6	5	4	7	6	4	3	2	3	9
Diseases of heart—410-443	20,727	1,990	1,737	2,078	1,770	1,786	1,528	1,517	1,458	1,490	1,744	1,730	1,971
Chronic rheumatic heart disease—410-416	843	91	78	71	66	75	50	54	54	55	91	81	77
Arteriosclerotic heart disease, including coronary disease—420	13,967	1,308	1,136	1,356	1,179	1,190	1,022	1,021	1,003	1,030	1,195	1,201	1,326
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,736	270	238	314	246	240	194	196	178	206	206	189	259
Other diseases of heart—430-434	552	54	44	50	62	45	39	48	41	41	41	36	51
Hypertension with heart disease—440-443	2,689	267	241	287	217	236	221	198	182	158	211	223	258
Hypertension without mention of heart—444-447	292	16	20	34	37	32	29	27	13	21	20	23	20
General arteriosclerosis—450	1,338	122	125	153	125	103	116	107	106	82	73	116	110
Other diseases of circulatory system—451-468	248	20	17	23	34	19	22	19	18	13	17	21	25
Chronic and unspecified nephritis and other renal sclerosis—592-594	660	64	54	74	40	59	57	64	52	39	48	56	53
Influenza and pneumonia, except pneumonia of newborn—480-493	1,252	137	127	184	150	110	53	68	78	61	90	80	114
Influenza—480-483	34	4	4	6	5	2	-	3	2	-	3	3	2
Pneumonia, except pneumonia of newborn—490-493	1,218	133	123	178	145	108	53	65	76	61	87	77	112
Bronchitis—500-502	107	15	6	19	5	10	4	2	8	9	5	14	10
Ulcer of stomach and duodenum—540,541	348	20	27	28	26	31	29	32	25	26	32	40	32
Appendicitis—550-553	102	11	6	11	7	6	6	14	8	9	10	6	8
Hernia and intestinal obstruction—560,561,570	309	30	25	29	27	19	22	30	26	20	22	25	34
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	190	18	15	12	22	13	10	13	16	27	11	16	16
Cirrhosis of liver—581	548	47	43	53	43	43	46	43	37	49	63	37	44
Acute nephritis and nephritis with edema, including nephrosis—590,591	86	6	4	6	7	7	9	10	5	7	9	4	12
Hyperplasia of prostate—610	204	16	15	16	18	21	19	21	19	15	15	16	13
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	57	4	3	6	2	4	7	3	4	8	8	6	2
Abortion—650-652	9	1	1	1	-	1	2	1	-	1	1	-	-
All other complications—640-649,660-689	48	3	2	5	2	3	5	2	4	7	7	6	2
Congenital malformations—750-759	585	49	48	58	32	58	41	54	52	46	51	48	48
Certain diseases of early infancy—760-776	1,477	120	108	118	118	133	128	121	137	121	108	142	125
Birth injuries, postnatal asphyxia, and atelectasis—760-762	633	56	48	56	45	60	45	44	63	56	43	58	59
Infections of newborn—763-768	73	11	3	6	8	7	3	7	5	7	5	8	3
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	771	53	57	58	65	66	78	70	69	58	60	76	63
Symptoms, senility, and ill-defined conditions—780-795	149	14	15	20	19	13	9	9	10	7	12	11	10
All other diseases—Residual	2,108	164	178	226	195	173	161	184	177	159	178	141	170
Accidents—E800-E962	2,464	207	193	209	181	178	194	233	197	199	193	218	256
Motor-vehicle accidents—E810-E835	520	48	33	30	41	38	36	40	39	43	44	56	74
All other accidents—E800-E802,E840-E962	1,944	161	160	179	140	140	158	193	158	156	155	162	182
Suicide—E963,E970-E979	543	31	40	57	42	40	49	46	44	36	55	55	48
Homicide—E964,E980-E985	51	1	4	2	7	2	3	1	9	6	8	4	4
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	-	-	-	-	-	1	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MICHIGAN—All causes	57,422	5,122	4,627	5,330	4,889	4,806	4,626	4,776	4,410	4,432	4,742	4,674	4,988
Tuberculosis, all forms—001-019	1,431	102	117	135	122	133	125	146	95	132	112	111	101
Tuberculosis of respiratory system—001-008	1,285	90	102	117	113	114	115	129	88	121	99	106	91
Tuberculosis, other forms—010-019	146	12	15	18	9	19	10	17	7	11	13	5	10
Syphilis and its sequelae—020-029	390	26	21	43	41	36	32	36	31	29	32	29	34
Typhoid fever—040	1	-	-	-	-	-	-	-	-	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	18	-	-	2	2	3	1	1	1	3	1	3	1
Scarlet fever and streptococcal sore throat—050,051	15	2	2	1	1	1	1	1	1	-	2	-	3
Diphtheria—055	10	3	-	-	-	1	1	1	2	-	-	-	2
Whooping cough—056	21	-	1	-	-	1	2	1	4	3	3	2	4
Meningococcal infections—057	33	6	1	3	3	3	3	-	3	1	6	1	3
Plague—059	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	210	1	1	-	-	2	6	24	87	40	26	14	9
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	31	2	2	6	3	5	6	4	-	-	-	1	2
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	-	-	-	-	1
Malaria—110-117	1	-	-	-	-	1	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	118	13	4	15	6	9	11	15	9	6	12	10	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	8,620	732	601	736	711	748	700	747	750	697	759	691	748
Malignant neoplasm of buccal cavity and pharynx—140-148	208	19	7	19	15	22	22	13	15	22	15	26	13
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	3,447	281	267	285	270	314	273	301	302	308	307	280	279
Malignant neoplasm of respiratory system—160-164	826	79	60	70	73	64	55	74	65	56	81	71	78
Malignant neoplasm of breast—170	754	55	53	72	56	70	59	63	62	51	63	56	74
Malignant neoplasm of genital organs—171-179	1,401	125	96	114	124	122	118	120	119	106	120	117	120
Malignant neoplasm of urinary organs—180,181	422	43	23	31	41	31	35	36	41	34	36	33	38
Malignant neoplasm of other and unspecified sites—156B,165,190-199	912	73	57	93	87	63	77	89	82	63	72	80	76
Leukemia and aleukemia—204	332	27	25	26	26	33	31	22	21	32	29	28	32
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	318	30	13	26	19	23	30	29	23	25	36	20	38
Benign neoplasms and neoplasms of unspecified nature—210-239	214	16	21	17	15	17	19	27	17	22	11	16	18
Diabetes mellitus—260	1,614	71	61	177	156	149	130	141	149	133	146	129	172
Anemias—290-293	220	12	14	14	22	16	18	17	21	20	14	33	19
Meningitis, except meningococcal and tuberculous—340	88	12	10	6	9	4	11	7	7	5	8	2	7
Major cardiovascular-renal diseases—330-334,400-468,592-594	29,753	2,763	2,535	2,715	2,524	2,435	2,310	2,268	2,005	2,059	2,249	2,318	2,572
Diseases of cardiovascular system—330-334,400-468	27,783	2,670	2,468	2,616	2,435	2,326	2,231	2,193	1,949	1,993	2,169	2,259	2,474
Vascular lesions affecting central nervous system—330-334	5,864	603	610	549	459	506	458	457	421	419	437	442	523
Rheumatic fever—400-402	73	3	8	3	10	11	11	5	5	2	6	5	4
Diseases of heart—410-443	19,979	1,901	1,703	1,882	1,790	1,652	1,626	1,571	1,396	1,424	1,603	1,651	1,779
Chronic rheumatic heart disease—410-416	837	58	73	90	80	82	75	60	63	61	63	75	59
Arteriosclerotic heart disease, including coronary disease—420	11,995	1,146	1,012	1,100	1,073	970	971	921	847	871	981	999	1,104
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	3,545	352	311	338	324	286	270	284	252	247	300	259	322
Other diseases of heart—430-434	1,067	136	114	84	71	78	82	91	75	68	76	103	89
Hypertension with heart disease—440-443	2,534	209	193	270	242	236	228	215	159	177	165	217	205
Hypertension without mention of heart—444-447	370	32	17	41	29	33	25	33	24	34	36	35	31
General arteriosclerosis—450	1,193	98	97	107	122	102	109	100	87	95	70	101	105
Other diseases of circulatory system—451-468	305	33	33	34	25	22	22	27	16	19	17	25	32
Chronic and unspecified nephritis and other renal sclerosis—592-594	970	93	67	99	89	109	79	75	56	66	80	59	98
Influenza and pneumonia, except pneumonia of newborn—480-493	1,668	261	247	211	183	108	95	68	54	93	102	113	133
Influenza—480-483	106	14	17	22	14	9	4	1	2	6	7	4	6
Pneumonia, except pneumonia of newborn—490-493	1,562	247	230	189	169	99	91	67	52	87	95	109	127
Bronchitis—500-502	94	15	13	12	8	4	6	3	7	3	4	10	9
Ulcer of stomach and duodenum—540,541	343	20	19	28	25	26	25	32	25	38	42	31	32
Appendicitis—550-553	136	11	7	10	9	14	16	10	19	12	10	8	10
Hernia and intestinal obstruction—560,561,570	438	44	30	27	32	42	34	44	42	38	38	47	19
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	340	24	29	30	23	20	22	31	33	45	28	29	28
Cirrhosis of liver—581	555	42	41	41	51	48	36	45	47	45	50	56	53
Acute nephritis and nephritis with edema, including nephrosis—590,591	141	9	13	18	9	9	18	8	12	7	11	14	13
Hyperplasia of prostate—610	207	17	11	19	13	26	18	12	23	20	21	11	16
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	97	12	6	8	6	11	10	9	7	5	8	10	5
Abortion—650-652	16	5	-	-	-	2	-	2	1	-	3	2	1
All other complications—640-649,660-689	81	7	6	8	6	9	10	7	6	5	5	8	4
Congenital malformations—750-759	942	87	73	85	79	76	65	91	73	65	76	93	79
Certain diseases of early infancy—760-776	2,689	215	183	240	193	225	224	233	241	231	266	220	218
Birth injuries, postnatal asphyxia, and atelectasis—760-762	851	72	51	76	60	74	76	84	84	85	66	66	77
Infections of newborn—763-768	193	9	15	20	9	10	12	12	21	27	27	16	15
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,645	134	117	144	124	141	136	137	136	139	173	138	126
Symptoms, senility, and ill-defined conditions—780-795	577	56	45	53	35	47	60	52	44	50	48	49	38
All other diseases—Residual	2,626	219	212	266	233	204	204	215	177	208	244	215	209
Accidents—E800-E962	3,908	264	248	327	283	298	339	404	348	357	347	344	349
Motor-vehicle accidents—E810-E835	1,592	116	87	119	98	119	108	146	144	186	155	157	156
All other accidents—E800-E802,E840-E962	2,316	148	161	208	184	179	231	258	204	171	192	187	193
Suicide—E963,E970-E979	653	48	41	68	54	60	61	61	56	51	50	46	57
Homicide—E964,E980-E985	219	17	18	17	20	24	17	22	20	14	17	18	15
Injury resulting from operations of war—E965,E990-E998	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MINNESOTA—All causes	27,719	2,432	2,170	2,385	2,429	2,323	2,341	2,275	2,147	2,201	2,334	2,181	2,501
Tuberculosis, all forms—001-019	377	33	38	29	35	31	31	27	31	31	34	24	33
Tuberculosis of respiratory system—001-008	342	28	36	25	35	28	26	25	29	29	30	20	31
Tuberculosis, other forms—010-019	35	5	2	4	-	3	5	2	2	2	4	4	2
Syphilis and its sequelae—020-029	118	11	8	12	10	14	9	9	9	8	11	7	10
Typhoid fever—040	1	-	-	-	-	-	-	1	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	6	-	1	1	-	-	-	1	1	-	-	1	1
Scarlet fever and streptococcal sore throat—050,051	8	-	1	1	-	-	1	-	-	1	1	2	1
Diphtheria—055	11	3	1	1	1	-	-	-	-	1	1	2	1
Whooping cough—056	6	1	2	-	1	-	-	1	-	-	-	-	1
Meningococcal infections—057	20	3	2	4	-	1	-	1	2	4	-	-	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	114	1	1	2	2	-	7	11	43	28	14	4	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	-	-	-	-	-	1	-	-	-	-	-	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	61	5	6	7	4	5	2	4	7	8	8	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	4,340	338	329	380	349	400	373	364	374	371	343	330	389
Malignant neoplasm of buccal cavity and pharynx—140-148	82	11	7	4	7	7	6	6	6	9	6	5	8
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,667	154	156	161	145	182	156	132	177	161	155	140	168
Malignant neoplasm of respiratory system—160-164	286	25	22	32	29	25	26	19	15	23	14	28	30
Malignant neoplasm of breast—170	390	27	23	35	31	33	37	37	34	28	35	32	38
Malignant neoplasm of genital organs—171-179	626	48	42	52	51	56	62	64	43	61	53	41	53
Malignant neoplasm of urinary organs—180,181	199	9	17	20	13	15	19	16	18	15	16	22	19
Malignant neoplasm of other and unspecified sites—156B,185,190-199	415	33	27	35	42	43	35	43	34	31	29	25	38
Leukemia and aleukemia—204	246	16	16	28	14	25	18	24	28	22	20	18	17
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	207	15	19	13	17	14	14	23	19	21	15	19	18
Benign neoplasms and neoplasms of unspecified nature—210-239	98	10	5	8	9	10	8	7	12	5	12	4	8
Diabetes mellitus—260	496	50	40	43	52	30	41	47	31	39	52	38	33
Anemias—280-293	105	11	8	12	4	13	5	15	7	9	5	7	9
Meningitis, except meningococcal and tuberculous-340	22	2	3	1	3	2	3	1	-	2	2	1	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	14,861	1,399	1,222	1,306	1,339	1,235	1,265	1,155	1,039	1,127	1,214	1,208	1,352
Diseases of cardiovascular system—330-334,400-468	14,585	1,377	1,201	1,280	1,319	1,211	1,238	1,136	1,016	1,100	1,194	1,188	1,325
Vascular lesions affecting central nervous system—330-334	3,517	334	280	344	297	292	304	278	271	273	264	259	321
Rheumatic fever—400-402	47	3	2	2	8	2	7	5	2	4	3	4	5
Diseases of heart—410-443	9,735	926	816	817	889	810	827	740	674	725	815	817	879
Chronic rheumatic heart disease—410-416	414	43	48	46	43	28	37	33	21	26	24	36	29
Arteriosclerotic heart disease, including coronary disease—420	6,185	598	479	519	545	506	515	468	453	469	523	548	564
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,358	132	131	110	137	125	111	96	81	97	121	105	112
Other diseases of heart—430-434	444	29	38	33	40	33	53	36	26	36	36	39	45
Hypertension with heart disease—440-443	1,334	124	120	109	124	118	111	107	93	97	111	91	129
Hypertension without mention of heart—444-447	286	29	23	27	27	29	20	21	14	19	19	34	24
General arteriosclerosis—450	819	74	66	68	79	63	66	79	42	67	82	59	72
Other diseases of circulatory system—451-468	181	11	14	22	19	15	12	13	13	12	11	15	24
Chronic and unspecified nephritis and other renal sclerosis—592-594	276	22	21	26	20	24	27	19	23	27	20	20	27
Influenza and pneumonia, except pneumonia of newborn—490-493	787	79	72	108	85	42	50	50	39	45	71	53	93
Influenza—490-493	46	7	6	8	5	4	1	-	-	3	3	1	8
Pneumonia, except pneumonia of newborn—490-493	741	72	66	100	80	38	49	50	38	42	68	52	85
Bronchitis—500-502	50	6	2	10	6	4	2	1	-	5	1	4	9
Ulcer of stomach and duodenum—540,541	129	6	10	13	18	10	4	11	8	11	13	12	13
Appendicitis—550-553	55	4	3	3	3	6	2	5	5	6	5	7	6
Hernia and intestinal obstruction—560,561,570	170	18	11	16	12	17	14	13	16	10	15	14	14
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	105	10	13	9	9	5	6	5	11	12	9	9	7
Cirrhosis of liver—581	184	14	10	15	19	14	15	10	19	18	19	11	20
Acute nephritis and nephritis with edema, including nephrosis—590,591	46	3	6	3	3	8	5	4	4	4	2	1	3
Hyperplasia of prostate—610	151	16	15	15	16	8	9	9	12	9	12	15	14
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	40	4	2	1	2	2	2	-	7	5	4	8	3
Abortion—650-652	4	-	-	-	2	-	1	-	1	-	-	-	-
All other complications—640-649,660-689	36	4	2	1	-	2	1	-	6	5	4	8	3
Congenital malformations—750-759	435	44	40	37	34	43	35	28	31	44	39	30	31
Certain diseases of early infancy—760-776	1,147	86	73	88	97	108	104	95	124	99	95	79	99
Birth injuries, postnatal asphyxia, and atelectasis—760-762	420	26	29	33	35	47	33	37	42	39	31	36	32
Infections of newborn—765-768	65	8	3	5	1	9	6	3	12	3	5	3	7
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	662	52	41	50	61	52	65	55	70	57	59	40	60
Symptoms, senility, and ill-defined conditions—780-795	276	14	19	20	23	30	25	29	26	22	21	20	27
All other diseases—Residual	1,354	116	84	97	135	122	112	124	100	110	114	122	118
Accidents—E800-E962	1,799	129	114	118	130	136	174	212	158	142	167	136	163
Motor-vehicle accidents—E810-E835	580	29	28	30	41	49	46	69	55	52	72	54	55
All other accidents—E800-E802,E840-E962	1,219	100	86	88	89	87	128	143	103	90	115	82	108
Suicide—E963,E970-E979	315	15	23	25	23	26	28	35	29	22	29	26	30
Homicide—E964,E980-E985	32	1	6	-	5	1	8	-	2	3	2	2	2
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSISSIPPI—All causes	20,661	1,872	1,761	1,857	1,689	1,646	1,701	1,686	1,674	1,504	1,680	1,748	1,843
Tuberculosis, all forms—001-019	605	71	46	46	47	64	54	40	46	53	38	51	49
Tuberculosis of respiratory system—001-008	571	68	42	42	43	63	52	39	42	52	36	49	44
Tuberculosis, other forms—010-019	34	3	4	4	4	1	2	2	4	1	2	2	5
Syphilis and its sequelae—020-029	156	14	11	17	18	15	13	5	12	10	16	14	11
Typhoid fever—040	3	1	1	1	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	64	4	-	5	3	1	11	14	5	5	7	6	3
Scarlet fever and streptococcal sore throat—050,051	16	1	2	2	3	-	2	2	2	-	1	2	1
Diphtheria—055	32	1	-	-	-	1	2	2	4	4	6	8	4
Whooping cough—056	32	2	4	2	1	6	5	3	1	3	2	1	2
Meningococcal infections—057	8	-	1	-	-	1	1	-	1	1	-	-	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	10	1	-	-	-	-	2	1	1	-	3	2	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	26	4	6	2	4	6	-	1	1	1	-	1	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	5	-	-	1	-	-	-	1	3	-	-	-	-
All other infective and parasitic diseases-Residual	74	5	10	10	6	3	2	11	5	6	3	6	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,077	172	178	188	157	182	168	195	194	145	178	152	188
Malignant neoplasm of buccal cavity and pharynx—140-148	49	2	6	3	5	4	6	7	3	2	1	3	7
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	741	65	65	68	50	58	64	69	68	53	58	60	63
Malignant neoplasm of respiratory system—160-164	166	17	17	17	13	23	10	13	16	9	9	10	12
Malignant neoplasm of breast—170	145	10	11	19	13	14	5	11	12	14	18	9	9
Malignant neoplasm of genital organs—171-179	461	37	42	40	51	38	41	48	47	29	43	33	32
Malignant neoplasm of urinary organs—180,181	81	3	6	6	3	8	8	7	9	7	9	4	8
Malignant neoplasm of other and unspecified sites—156B,165,190-199	262	24	22	27	18	26	18	31	28	17	27	24	20
Leukemia and aleukemia—204	82	8	5	7	1	7	11	7	5	9	8	3	11
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	50	3	4	1	3	4	5	2	8	5	5	6	6
Benign neoplasms and neoplasms of unspecified nature—210-239	85	6	7	5	9	4	11	4	12	7	9	6	5
Diabetes mellitus—260	234	23	19	24	22	27	20	16	12	14	16	21	20
Anemias—290-293	67	7	3	4	6	9	7	6	8	3	6	3	5
Meningitis, except meningococcal and tuberculous-340	50	7	3	8	5	4	6	2	1	4	3	2	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	8,745	758	724	804	739	715	716	707	694	655	725	743	765
Diseases of cardiovascular system—330-334,400-468	8,083	695	673	752	680	659	659	654	640	601	678	679	713
Vascular lesions affecting central nervous system—330-334	2,136	178	174	175	184	162	176	175	174	145	198	183	212
Rheumatic fever—400-402	29	6	2	4	1	2	-	1	4	2	4	2	1
Diseases of heart—410-443	5,417	464	450	519	461	455	440	429	428	421	426	465	459
Chronic rheumatic heart disease—410-416	272	25	29	27	20	31	27	24	20	16	18	16	19
Arteriosclerotic heart disease, including coronary disease—420	2,047	167	174	196	173	160	177	175	160	147	154	186	178
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,087	97	100	113	100	83	70	78	84	85	92	91	94
Other diseases of heart—430-434	489	43	29	50	35	47	36	40	46	43	31	46	42
Hypertension with heart disease—440-443	1,523	132	118	133	133	134	130	112	118	130	131	126	126
Hypertension without mention of heart—444-447	209	17	21	23	13	15	18	23	17	14	14	14	20
General arteriosclerosis—450	227	28	21	26	17	22	18	17	13	15	22	10	16
Other diseases of circulatory system—451-468	65	2	5	5	4	3	7	9	4	4	14	5	3
Chronic and unspecified nephritis and other renal sclerosis—592-594	662	63	51	52	59	58	57	55	54	54	47	64	52
Influenza and pneumonia, except pneumonia of newborn—480-493	859	116	137	114	84	53	39	37	34	29	51	79	86
Influenza—480-483	229	33	45	40	26	16	3	6	7	1	11	22	19
Pneumonia, except pneumonia of newborn—490-493	630	83	92	74	58	37	36	31	27	28	40	57	67
Bronchitis—500-502	37	7	3	4	3	1	6	2	3	1	-	6	1
Ulcer of stomach and duodenum—540,541	72	13	7	9	5	4	5	2	4	3	3	12	5
Appendicitis—550-553	59	8	2	3	5	7	3	8	8	6	5	1	5
Hernia and intestinal obstruction—560,561,570	132	10	14	5	16	10	12	10	12	7	15	9	12
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	204	10	4	14	9	11	25	35	28	22	21	15	10
Cirrhosis of liver—581	102	14	8	4	6	4	5	16	15	4	11	6	9
Acute nephritis and nephritis with edema, including nephrosis—580,591	116	6	11	14	10	11	10	7	9	13	7	11	7
Hyperplasia of prostate—610	105	12	12	9	10	11	6	10	8	6	6	8	7
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	148	10	18	15	17	8	15	13	11	7	13	10	12
Abortion—650-652	12	1	3	-	2	-	1	1	1	2	1	-	-
All other complications—640-649,660-689	137	9	15	15	15	8	14	12	10	5	12	10	12
Congenital malformations—750-759	202	14	22	10	18	12	12	15	22	16	22	17	22
Certain diseases of early infancy—760-776	1,188	83	89	90	112	88	100	100	117	98	100	83	108
Birth injuries, postnatal asphyxia, and atelectasis—760-762	394	25	25	28	46	37	35	27	39	39	35	27	31
Infections of newborn—763-768	77	9	10	7	5	7	1	8	6	4	4	9	9
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	697	49	54	55	61	44	84	67	72	55	61	47	68
Symptoms, senility, and ill-defined conditions—780-795	2,589	269	228	229	190	183	217	185	200	179	198	220	271
All other diseases—Residual	848	81	76	66	60	54	71	91	69	53	71	78	78
Accidents—E800-E962	1,248	110	76	117	97	100	106	108	86	98	92	139	118
Motor-vehicle accidents—E810-E835	436	39	15	37	31	27	32	38	40	47	42	46	41
All other accidents—E800-E802,E840-E962	812	71	61	80	66	73	74	70	46	51	50	93	77
Suicide—E963,E970-E979	147	8	9	9	11	15	18	17	13	13	16	10	6
Homicide—E964,E980-E985	355	24	30	26	16	36	33	19	35	38	36	26	36
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MISSOURI—All causes	43,825	4,068	3,645	3,877	3,673	3,591	3,370	3,643	3,496	3,380	3,563	3,635	3,884
Tuberculosis, all forms—001-019	1,059	82	78	108	110	85	101	82	99	71	71	88	84
Tuberculosis of respiratory system—001-008	987	79	75	101	104	82	93	78	91	62	62	84	76
Tuberculosis, other forms—010-019	72	3	3	7	6	3	8	4	8	9	9	4	8
Syphilis and its sequelae—020-029	278	27	24	27	25	21	19	20	20	26	30	17	22
Typhoid fever—040	6	-	-	-	-	1	1	2	2	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	25	-	1	2	-	1	3	3	-	5	6	2	2
Scarlet fever and streptococcal sore throat—050,051	22	-	1	3	3	1	2	2	2	-	3	5	-
Diphtheria—055	22	-	1	3	1	-	-	1	3	8	4	1	-
Whooping cough—056	25	1	1	-	1	1	1	1	3	5	2	6	3
Meningococcal infections—057	22	3	-	2	1	1	2	4	3	-	-	4	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	129	1	1	-	-	-	-	30	50	23	14	5	5
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	27	3	8	8	4	3	1	2	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	1	-	1	-	1	-	-	-
Malaria—110-117	1	-	-	-	-	-	-	-	-	1	-	-	-
All other infective and parasitic diseases-Residual	86	9	9	3	7	7	7	9	5	13	5	7	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	6,208	503	502	511	525	526	545	531	493	502	511	503	556
Malignant neoplasm of buccal cavity and pharynx—140-148	168	7	11	16	11	17	17	13	13	9	15	21	18
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,533	209	207	216	247	228	220	205	178	194	207	188	234
Malignant neoplasm of respiratory system—160-164	591	51	37	48	57	31	47	51	54	51	54	53	57
Malignant neoplasm of breast—170	531	42	43	47	33	44	58	46	57	41	40	37	43
Malignant neoplasm of genital organs—171-179	1,074	89	89	83	82	88	93	94	82	92	84	89	99
Malignant neoplasm of urinary organs—180,181	277	28	24	23	25	16	22	27	22	24	21	26	19
Malignant neoplasm of other and unspecified sites—156B,165,190-199	623	46	62	46	47	55	48	51	51	51	56	60	50
Leukemia and aleukemia—204	233	22	16	13	16	23	23	27	15	25	19	17	17
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	178	9	13	19	7	14	17	17	21	15	15	12	19
Benign neoplasms and neoplasms of unspecified nature—210-239	176	16	14	15	18	10	18	14	9	17	16	19	10
Diabetes mellitus—260	690	63	50	61	61	66	47	60	59	53	50	54	66
Anemias—290-293	163	11	11	13	10	19	11	14	19	14	16	12	11
Meningitis, except meningococcal and tuberculous—340	57	6	4	7	8	2	-	5	7	7	3	4	4
Major cardiovascular-renal diseases—330-334,400-468,592-594	23,466	2,285	1,950	2,130	1,987	1,972	1,761	1,866	1,832	1,704	1,914	1,912	2,133
Diseases of cardiovascular system—330-334,400-468	22,350	2,188	1,849	2,026	1,890	1,879	1,672	1,791	1,734	1,631	1,840	1,822	2,028
Vascular lesions affecting central nervous system—330-334	4,824	456	435	425	376	412	349	375	356	376	401	364	479
Rheumatic fever—400-402	65	8	7	7	7	6	6	1	4	3	5	4	7
Diseases of heart—410-443	15,957	1,575	1,304	1,468	1,359	1,330	1,192	1,280	1,249	1,137	1,321	1,324	1,418
Chronic rheumatic heart disease—410-416	711	72	57	70	64	56	52	62	54	51	59	49	65
Arteriosclerotic heart disease, including coronary disease—420	8,077	764	645	729	673	670	617	668	657	575	670	683	726
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	3,731	408	309	368	321	316	275	275	259	267	304	292	337
Other diseases of heart—430-434	863	73	73	88	85	87	63	68	68	62	73	64	71
Hypertension with heart disease—440-443	2,585	258	220	213	216	221	185	207	213	182	215	236	219
Hypertension without mention of heart—444-447	390	42	30	25	36	33	35	38	30	32	30	30	29
General arteriosclerosis—450	876	84	55	79	92	81	72	77	73	64	61	66	72
Other diseases of circulatory system—451-468	238	23	18	22	20	17	18	20	22	19	22	14	23
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,116	97	101	104	97	93	89	95	98	73	74	90	105
Influenza and pneumonia, except pneumonia of newborn—480-493	1,556	238	208	195	120	93	84	74	75	102	103	113	151
Influenza—480-483	175	28	33	32	12	10	5	3	6	5	12	14	15
Pneumonia, except pneumonia of newborn—490-493	1,381	210	175	163	108	83	79	71	69	97	91	99	136
Bronchitis—500-502	107	12	14	16	11	4	5	2	4	8	11	12	8
Ulcer of stomach and duodenum—540,541	199	24	15	21	15	12	18	13	17	10	16	13	15
Appendicitis—550-553	124	9	7	12	14	9	13	15	14	11	4	9	7
Hernia and intestinal obstruction—560,561,570	321	17	34	22	40	19	20	37	28	24	25	30	25
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	220	12	14	8	8	6	17	27	38	33	24	18	15
Cirrhosis of liver—581	403	39	37	37	36	40	18	34	29	38	28	35	34
Acute nephritis and nephritis with edema, including nephrosis—580,591	146	11	17	13	10	16	3	15	5	12	18	18	8
Hyperplasia of prostate—610	198	11	15	14	20	16	11	13	18	28	18	18	16
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	76	12	3	4	5	5	7	7	6	6	4	7	10
Abortion—650-652	8	1	1	-	-	1	2	-	-	2	-	-	1
All other complications—640-649,660-689	68	11	2	4	5	4	5	7	6	4	4	7	9
Congenital malformations—750-759	487	31	36	40	34	36	44	45	40	43	35	46	57
Certain diseases of early infancy—760-776	1,500	140	116	112	127	119	139	146	125	114	122	124	116
Birth injuries, postnatal asphyxia, and atelectasis—760-762	598	53	46	43	43	47	59	59	47	41	45	53	62
Infections of newborn—763-768	108	16	11	7	11	2	8	7	7	15	11	9	6
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	794	71	59	62	73	70	74	80	71	58	66	62	48
Symptoms, senility, and ill-defined conditions—780-795	591	46	42	58	53	43	43	39	56	51	52	63	45
All other diseases—Residual	2,043	189	175	175	158	170	157	182	167	157	150	176	187
Accidents—E800-E962	2,699	216	208	197	197	212	208	273	215	243	235	260	245
Motor-vehicle accidents—E810-E835	852	55	59	59	59	70	47	84	57	83	96	83	100
All other accidents—E800-E802,E840-E962	1,847	161	149	138	138	142	161	189	158	160	139	177	145
Suicides—E963,E970-E979	478	34	32	47	43	57	51	42	33	34	51	31	23
Homicide—E964,E980-E985	221	16	19	23	21	17	15	12	20	16	20	23	19
Injury resulting from operations of war—E965,E990-E999	1	1	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
MONTANA—All causes	5,878	536	455	477	503	508	503	489	468	416	507	465	551
Tuberculosis, all forms—001-019	109	7	11	5	11	6	15	6	8	6	11	7	16
Tuberculosis of respiratory system—001-008	95	7	9	5	7	6	14	6	7	4	8	7	15
Tuberculosis, other forms—010-019	14	-	2	-	4	-	1	-	1	2	3	-	1
Syphilis and its sequelae—020-029	35	3	4	3	-	3	4	1	3	2	7	3	2
Typhoid fever—040	1	-	-	-	-	-	-	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	3	-	-	-	-	-	-	2	-	1	-	-	-
Scarlet fever and streptococcal sore throat—050,051	4	-	-	-	1	-	-	-	2	-	-	-	1
Diphtheria—055	3	-	-	-	-	-	-	-	-	2	1	-	-
Whooping cough—056	2	-	1	1	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	3	1	-	1	1	-	-	-	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—060	13	-	-	-	-	-	-	-	-	3	4	2	3	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	3	-	-	2	1	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	17	3	-	2	1	-	1	4	3	-	1	1	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	729	64	65	55	65	47	67	64	55	56	86	50	75
Malignant neoplasm of buccal cavity and pharynx—140-148	14	2	1	-	1	2	-	3	-	-	-	2	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	300	30	25	25	28	22	19	26	18	22	37	20	28
Malignant neoplasm of respiratory system—160-164	76	4	12	5	8	3	10	5	9	5	4	4	7
Malignant neoplasm of breast—170	57	1	5	7	3	6	5	5	6	5	3	4	7
Malignant neoplasm of genital organs—171-179	104	8	7	3	10	5	13	7	11	7	9	10	14
Malignant neoplasm of urinary organs—180,181	40	3	2	6	3	1	4	5	1	2	5	3	5
Malignant neoplasm of other and unspecified sites—156B,165,190-199	75	10	7	5	7	5	8	6	4	10	5	2	6
Leukemia and aleukemia—204	36	4	2	1	1	1	5	6	5	3	2	2	4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	27	2	4	3	4	2	3	1	1	2	1	3	1
Benign neoplasms and neoplasms of unspecified nature—210-239	19	1	5	-	1	5	2	1	2	1	-	1	-
Diabetes mellitus—260	102	11	11	10	7	9	5	7	10	4	11	1	16
Anemias—290-293	14	2	4	1	1	1	1	-	1	2	-	-	1
Meningitis, except meningococcal and tuberculous-340	4	-	-	-	1	-	-	-	-	-	2	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,958	278	221	234	252	278	248	230	228	218	262	246	265
Diseases of cardiovascular system—330-334,400-468	2,854	274	208	224	243	266	243	225	217	212	252	236	254
Vascular lesions affecting central nervous system—330-334	601	63	45	41	49	57	37	45	56	62	47	41	58
Rheumatic fever—400-402	9	-	2	1	1	1	-	1	-	1	-	2	-
Diseases of heart—410-443	2,002	196	141	162	172	198	178	158	143	135	185	168	176
Chronic rheumatic heart disease—410-416	100	7	7	9	9	11	11	9	8	4	11	10	8
Arteriosclerotic heart disease, including coronary disease—420	1,141	116	77	94	89	97	102	94	88	82	103	92	107
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	354	32	26	28	29	37	32	28	26	23	33	29	31
Other diseases of heart—430-434	179	19	6	14	19	24	18	15	10	11	17	15	11
Hypertension with heart disease—440-443	228	22	25	17	26	19	15	12	13	15	21	22	21
Hypertension without mention of heart—444-447	57	5	4	6	3	3	5	4	6	4	4	7	6
General arteriosclerosis—450	154	8	12	12	15	15	21	14	11	7	13	16	10
Other diseases of circulatory system—451-468	31	2	4	2	3	2	2	3	1	3	3	2	4
Chronic and unspecified nephritis and other renal sclerosis—592-594	104	4	13	10	9	12	5	5	9	6	10	10	11
Influenza and pneumonia, except pneumonia of newborn—480-493	157	23	9	20	16	13	8	7	7	9	9	13	23
Influenza—480-483	13	-	2	3	-	2	-	-	2	-	-	2	2
Pneumonia, except pneumonia of newborn—490-493	144	23	7	17	16	11	8	7	5	9	9	11	21
Bronchitis—500-502	4	2	-	1	-	-	-	-	-	-	-	-	1
Ulcer of stomach and duodenum—540,541	32	-	1	5	4	1	3	4	2	4	3	1	4
Appendicitis—550-553	24	2	1	5	-	-	4	5	-	4	3	-	-
Hernia and intestinal obstruction—560,561,570	55	7	7	3	4	3	4	2	6	3	5	5	6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	26	-	1	2	2	1	5	4	2	3	2	2	2
Cirrhosis of liver—581	40	6	3	6	1	6	2	3	2	3	3	3	2
Acute nephritis and nephritis with edema, including nephrosis—590,591	27	3	2	4	4	3	2	2	-	-	2	2	3
Hyperplasia of prostate—610	24	3	-	6	1	1	2	2	-	1	2	4	2
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	14	3	3	1	1	-	2	1	-	1	1	1	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	14	3	3	1	1	-	2	1	-	1	1	1	-
Congenital malformations—750-759	88	8	11	7	6	7	10	9	5	6	6	7	6
Certain diseases of early infancy—760-776	255	26	14	19	26	27	22	30	16	7	14	27	27
Birth injuries, postnatal asphyxia, and atelectasis—760-762	95	14	5	8	10	10	7	8	6	5	6	9	7
Infections of newborn—763-768	8	-	1	-	-	1	-	-	-	-	-	2	4
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	152	12	8	11	16	16	15	22	10	2	8	16	16
Symptoms, senility, and ill-defined conditions—780-795	140	9	9	8	14	10	10	11	14	9	12	15	19
All other diseases—Residual	309	27	24	33	29	29	19	28	20	20	37	14	29
Accidents—E800-E962	552	43	39	34	39	42	53	56	75	45	38	50	38
Motor-vehicle accidents—E810-E835	152	8	5	3	11	14	20	18	17	17	13	16	10
All other accidents—E800-E802,E840-E962	400	35	34	31	28	28	33	38	58	28	25	34	28
Suicide—E963,E970-E979	89	3	8	8	12	13	11	6	3	5	6	8	6
Homicide—E964,E980-E985	21	1	1	-	1	3	3	4	2	-	1	-	5
Injury resulting from operations of war-E985,E990-E999	2	-	-	1	1	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEBRASKA—All causes	12,644	1,196	1,003	1,087	1,012	1,058	1,056	1,081	981	1,030	1,031	1,032	1,077
Tuberculosis, all forms—001-019	154	13	17	16	12	15	12	11	9	11	12	15	9
Tuberculosis of respiratory system—001-008	135	11	14	17	11	15	10	9	8	10	10	12	8
Tuberculosis, other forms—010-019	19	2	3	1	1	-	2	2	1	1	2	3	1
Syphilis and its sequelae—020-029	48	2	4	6	4	2	6	3	5	4	3	5	4
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	2	-	-	-	-	-	1	1	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	3	-	-	1	-	1	-	-	-	1	-	-	-
Diphtheria—055	2	-	-	-	-	1	-	-	-	-	-	1	-
Whooping cough—056	4	-	1	1	-	1	-	-	-	1	-	-	-
Meningococcal infections—057	1	-	-	-	-	-	-	1	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	49	1	-	-	-	1	2	2	9	17	9	5	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	1	-	-	-	-	1	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	34	4	3	4	3	3	2	3	1	5	-	1	5
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,972	164	165	167	135	170	160	174	174	168	167	158	170
Malignant neoplasm of buccal cavity and pharynx—140-148	41	2	5	4	4	5	4	3	2	2	3	5	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	857	75	74	73	56	68	68	90	72	68	69	73	71
Malignant neoplasm of respiratory system—160-164	141	9	13	9	11	10	13	12	11	12	17	13	11
Malignant neoplasm of breast—170	175	13	9	24	14	15	7	13	16	20	20	10	14
Malignant neoplasm of genital organs—171-179	326	27	33	20	21	28	29	24	28	32	28	30	26
Malignant neoplasm of urinary organs—180,181	94	12	9	7	4	11	8	2	5	9	9	8	10
Malignant neoplasm of other and unspecified sites—156B,165,190-199	184	16	13	14	15	18	17	18	21	14	11	12	15
Leukemia and aleukemia—204	78	9	8	6	5	9	5	6	8	6	3	3	10
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	76	1	1	10	5	6	9	6	11	5	7	4	11
Benign neoplasms and neoplasms of unspecified nature—210-239	47	5	3	6	8	4	4	5	2	3	-	5	2
Diabetes mellitus—260	254	27	20	21	25	21	17	12	17	16	23	16	19
Anemias—280-285	62	4	6	8	7	6	5	6	4	1	7	4	4
Meningitis, except meningococcal and tuberculous—340	14	2	2	1	1	1	-	-	1	-	1	3	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	6,873	650	538	549	549	558	566	558	488	501	516	538	564
Diseases of cardiovascular system—330-334,400-468	6,342	630	504	522	533	539	551	542	472	478	502	520	549
Vascular lesions affecting central nervous system—330-334	1,554	172	126	128	131	132	142	130	99	135	123	111	125
Rheumatic fever—400-402	27	1	5	2	2	3	2	1	2	2	4	2	1
Diseases of heart—410-443	4,278	406	335	346	365	366	368	367	334	305	331	362	393
Chronic rheumatic heart disease—410-416	179	19	13	10	15	12	17	16	16	18	12	18	13
Arteriosclerotic heart disease, including coronary disease—420	2,256	199	182	197	183	210	188	194	172	169	174	189	199
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	980	90	68	66	101	76	87	72	74	62	87	88	91
Other diseases of heart—430-434	298	47	20	29	18	21	22	28	20	18	22	25	30
Hypertension with heart disease—440-445	585	51	52	44	48	47	54	59	52	38	36	44	60
Hypertension without mention of heart—444-447	108	15	6	7	8	7	9	13	11	6	11	9	6
General arteriosclerosis—450	308	30	25	33	24	21	26	21	23	28	26	29	22
Other diseases of circulatory system—451-468	67	6	7	6	3	10	4	10	3	2	7	7	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	231	20	34	27	16	19	15	14	16	23	14	18	15
Influenza and pneumonia, except pneumonia of newborn—480-493	370	55	33	34	36	19	19	20	24	25	33	31	41
Influenza—480-483	60	9	6	10	5	3	4	1	3	2	4	5	8
Pneumonia, except pneumonia of newborn—490-493	310	46	27	24	31	16	15	19	21	23	29	26	33
Bronchitis—500-502	29	4	4	3	1	-	4	-	2	4	4	2	1
Ulcer of stomach and duodenum—540,541	74	5	8	6	4	7	5	7	4	11	5	7	5
Appendicitis—550-553	35	2	2	4	5	1	6	2	5	-	2	3	3
Hernia and intestinal obstruction—560,561,570	108	13	5	8	7	13	9	7	14	11	10	4	7
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	51	2	5	1	1	6	-	9	8	6	8	4	1
Cirrhosis of liver—581	101	8	10	10	11	7	12	8	8	9	6	7	8
Acute nephritis and nephritis with edema, including nephrosis—590,591	20	-	2	4	-	1	2	2	-	2	2	2	3
Hyperplasia of prostate—610	78	3	4	6	9	9	5	6	5	6	7	8	8
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	24	2	1	2	1	1	3	4	4	2	1	2	1
Abortion—650-652	6	-	1	1	-	-	1	-	2	-	-	1	-
All other complications—640-649,660-689	18	2	-	1	1	1	2	4	2	2	1	1	1
Congenital malformations—750-759	170	24	11	18	14	9	18	11	17	9	12	11	16
Certain diseases of early infancy—760-776	463	37	28	31	38	34	39	48	40	50	49	32	37
Birth injuries, postnatal asphyxia, and atelectasis—760-762	168	16	9	13	16	14	12	19	11	17	13	14	14
Infections of newborn—763-768	19	2	1	2	-	1	2	2	1	4	-	1	3
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	276	19	18	16	22	19	25	27	28	29	36	17	20
Symptoms, senility, and ill-defined conditions—780-795	203	19	15	22	15	17	10	18	19	15	16	16	19
All other diseases—Residual	637	66	49	62	49	44	56	54	44	57	50	52	54
Accidents—E800-E962	698	69	58	76	68	62	78	97	65	84	66	82	75
Motor-vehicle accidents—E810-E835	271	13	10	21	13	20	21	28	30	29	28	30	27
All other accidents—E800-E802,E840-E962	627	56	48	55	53	62	57	69	35	55	37	52	48
Suicide—E963,E970-E979	162	15	7	17	7	21	13	12	11	9	19	17	15
Homicide—E964,E980-E985	23	3	2	1	4	2	2	2	1	3	1	1	1
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEVADA—All causes	1,610	151	135	125	142	114	110	137	136	133	134	132	161
Tuberculosis, all forms—001-019	58	4	4	3	10	4	2	11	2	6	4	3	3
Tuberculosis of respiratory system—001-008	50	4	4	3	6	4	2	8	2	6	4	3	2
Tuberculosis, other forms—010-019	8	-	-	-	4	-	-	3	-	-	-	-	1
Syphilis and its sequelae—020-029	12	-	1	1	-	2	1	1	-	-	1	2	3
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	1	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	-	-	-	-	-	-	-	-	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	2	-	-	1	-	-	-	-	-	-	1	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	4	-	-	-	1	1	1	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	2	-	-	-	-	-	-	1	-	-	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	192	18	10	8	28	17	6	18	18	21	15	19	14
Malignant neoplasm of buccal cavity and pharynx—140-148	5	2	-	-	-	1	-	1	-	1	-	-	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	70	4	5	2	11	5	3	6	5	8	2	10	9
Malignant neoplasm of respiratory system—160-164	28	2	2	3	2	4	-	4	3	3	3	-	2
Malignant neoplasm of breast—170	14	-	-	1	2	-	-	1	4	2	2	2	-
Malignant neoplasm of genital organs—171-179	31	1	1	2	7	3	2	3	1	3	4	4	-
Malignant neoplasm of urinary organs—180,181	5	-	-	-	3	-	-	-	-	1	-	-	1
Malignant neoplasm of other and unspecified sites—156B,165,190-199	22	6	2	-	2	3	-	1	1	1	4	2	-
Leukemia and aleukemia—204	8	1	-	-	1	-	1	2	-	2	-	1	-
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	9	2	-	-	-	1	-	-	4	-	-	-	2
Benign neoplasms and neoplasms of unspecified nature—210-239	6	-	-	2	1	1	-	-	1	1	-	-	-
Diabetes mellitus—260	23	5	3	4	-	-	4	-	1	-	2	3	1
Anemias—280-285	5	-	1	2	-	-	-	-	1	-	-	1	-
Meningitis, except meningococcal and tuberculous-340	2	-	-	-	-	-	-	-	-	-	1	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	710	78	60	55	66	51	52	50	54	59	62	44	79
Diseases of cardiovascular system—330-334,400-468	688	75	60	54	61	48	49	48	53	59	60	44	77
Vascular lesions affecting central nervous system—330-334	126	11	11	13	7	11	7	10	9	11	12	9	15
Rheumatic fever—400-402	4	1	1	-	-	-	-	1	-	-	-	1	-
Diseases of heart—410-443	521	62	48	36	52	35	39	35	41	43	44	30	56
Chronic rheumatic heart disease—410-416	23	6	3	-	2	4	1	2	-	1	-	-	4
Arteriosclerotic heart disease, including coronary disease—420	341	40	32	23	34	18	26	25	30	28	28	20	37
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	72	9	6	5	7	3	7	2	5	6	10	5	7
Other diseases of heart—430-434	43	2	2	4	7	5	2	2	5	4	3	1	6
Hypertension with heart disease—440-443	42	5	5	4	2	5	3	4	1	4	3	4	2
Hypertension without mention of heart—444-447	7	-	-	-	1	-	1	-	2	1	1	1	-
General arteriosclerosis—450	18	-	-	1	1	-	-	1	1	3	3	2	6
Other diseases of circulatory system—451-468	12	1	-	4	-	2	2	1	-	1	-	1	-
Chronic and unspecified nephritis and other renal sclerosis—592-594	22	3	-	1	5	3	3	2	1	-	2	-	2
Influenza and pneumonia, except pneumonia of newborn—480-493	37	5	5	6	2	5	1	1	-	-	7	-	5
Influenza—480-483	1	-	-	-	-	-	1	-	-	-	-	-	-
Pneumonia, except pneumonia of newborn—490-493	36	5	5	6	2	5	-	1	-	-	7	-	5
Bronchitis—500-502	2	-	-	1	1	-	-	-	-	-	-	-	-
Ulcer of stomach and duodenum—540,541	11	2	-	1	1	1	1	1	-	-	1	1	2
Appendicitis—550-553	7	1	-	-	2	-	-	-	1	1	1	-	1
Hernia and intestinal obstruction—560,561,570	24	2	3	4	1	1	2	2	1	1	2	2	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	6	-	-	1	-	-	2	-	-	1	1	-	1
Cirrhosis of liver—581	17	1	2	1	-	1	1	2	2	2	3	1	1
Acute nephritis and nephritis with edema, including nephrosis—590,591	4	-	1	-	1	1	-	1	-	-	-	-	-
Hyperplasia of prostate—610	17	2	1	1	2	2	2	2	2	1	1	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	6	1	-	-	-	-	-	1	1	1	-	2	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	6	1	-	-	-	-	-	1	1	1	-	2	-
Congenital malformations—750-759	17	2	2	1	3	1	1	2	-	2	1	2	-
Certain diseases of early infancy—760-776	77	10	8	3	4	7	5	9	7	6	3	8	7
Birth injuries, postnatal asphyxia, and atelectasis—760-762	36	5	3	3	-	5	2	4	5	3	-	3	3
Infections of newborn—763-768	4	-	-	-	-	1	1	1	-	-	1	-	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	37	5	5	-	4	1	2	4	2	3	2	5	4
Symptoms, senility, and ill-defined conditions—780-795	50	4	6	2	3	2	2	4	4	10	4	6	3
All other diseases—Residual	95	6	8	12	6	6	6	8	10	5	8	9	11
Accidents—E800-E962	167	8	15	12	7	10	16	17	22	11	14	19	16
Motor-vehicle accidents—E810-E835	68	4	2	4	3	3	4	10	12	5	7	6	8
All other accidents—E800-E802,E840-E962	99	4	13	8	4	7	12	7	10	6	7	13	8
Suicide—E963,E970-E979	40	2	3	4	2	-	4	3	6	4	1	4	7
Homicide—E964,E980-E985	16	-	2	-	1	-	1	2	3	1	1	4	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE—All causes	6,109	536	503	557	541	470	508	467	490	471	496	479	591
Tuberculosis, all forms—001-019	69	6	7	10	8	4	5	2	5	3	7	5	7
Tuberculosis of respiratory system—001-008	64	6	5	10	8	4	4	2	5	3	7	5	7
Tuberculosis, other forms—010-019	5	-	2	-	2	-	1	-	-	-	-	-	-
Syphilis and its sequelae—020-029	23	2	3	-	3	1	1	2	1	2	3	3	2
Typhoid fever—040	2	-	-	-	-	-	1	-	-	-	1	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	-	-	-	-	-	1	-	-
Diphtheria—055	1	-	1	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	2	-	-	-	-	-	-	-	-	-	1	-	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	9	-	-	-	-	-	-	-	1	5	2	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	4	-	1	1	-	-	2	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	8	-	1	-	4	-	1	1	-	1	-	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	953	86	77	81	76	75	89	86	89	66	70	68	90
Malignant neoplasm of buccal cavity and pharynx—140-148	31	2	4	2	1	1	1	3	3	3	4	4	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	416	41	38	33	32	31	38	44	39	31	28	29	32
Malignant neoplasm of respiratory system—160-164	69	7	5	5	3	9	8	10	5	1	3	7	6
Malignant neoplasm of breast—170	93	7	5	5	9	6	12	9	6	7	11	4	12
Malignant neoplasm of genital organs—171-179	108	13	11	14	15	14	10	5	20	11	10	14	17
Malignant neoplasm of urinary organs—180,181	41	5		8	1	2	5	1	3	4	3	3	5
Malignant neoplasm of other and unspecified sites—156B,165,190-199	95	9	9	9	9	9	7	6	8	7	6	4	7
Leukemia and aleukemia—204	33	2	4	3	2	1	3	6	3	2	1	1	5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	22	1	-	2	4	2	5	2	2	-	4	2	3
Benign neoplasms and neoplasms of unspecified nature—210-239	30	3	2	2	2	2	4	2	3	3	2	1	4
Diabetes mellitus—260	122	6	10	14	10	14	10	3	13	11	8	10	10
Anemias—290-293	13	-	1	3	1	1	2	3	2	1	2	2	-
Meningitis, except meningococcal and tuberculous-340	4	-	1	-	2	-	-	1	-	-	1	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	3,434	284	314	318	309	263	282	259	282	283	290	279	345
Diseases of cardiovascular system—330-334,400-468	3,137	247	271	308	303	257	273	256	271	269	283	264	334
Vascular lesions affecting central nervous system—330-334	604	41	49	60	63	50	56	40	49	34	62	58	78
Rheumatic fever—400-402	7	-	1	-	1	3	-	-	-	1	-	-	1
Diseases of heart—410-443	2,186	197	211	213	189	182	188	180	191	207	196	179	223
Chronic rheumatic heart disease—410-416	71	5	5	6	10	8	5	10	5	5	6	8	8
Arteriosclerotic heart disease, including coronary disease—420	1,011	113	131	155	107	118	114	117	129	136	127	115	149
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	321	27	21	23	34	25	35	20	28	34	29	20	26
Other diseases of heart—430-434	49	1	1	4	4	5	9	7	8	7	7	6	10
Hypertension with heart disease—440-443	275	21	24	27	34	28	25	26	21	25	27	30	30
Hypertension without mention of heart—444-447	41	4	4	5	3	1	2	3	2	5	8	4	6
General arteriosclerosis—450	238	25	15	28	46	19	24	31	26	17	16	21	23
Other diseases of circulatory system—451-468	43	3	3	2	1	2	3	2	3	5	1	2	3
Chronic and unspecified nephritis and other renal sclerosis—592-594	71	11	7	10	6	6	9	3	11	14	7	15	11
Influenza and pneumonia, except pneumonia of newborn—480-493	164	17	16	17	18	10	13	8	8	9	11	16	12
Influenza—480-487	2	-	-	1	2	-	2	-	-	-	-	-	2
Pneumonia, except pneumonia of newborn—490-493	162	15	16	16	16	10	11	8	8	9	11	16	10
Bronchitis—500-502	7	1	-	3	4	2	-	3	1	1	-	1	2
Ulcer of stomach and duodenum—540,541	34	4	4	2	1	-	5	4	1	2	3	2	6
Appendicitis—550-553	11	-	-	-	2	2	3	2	2	1	3	3	1
Hernia and intestinal obstruction—560,561,570	41	4	7	2	7	7	1	5	4	5	4	4	2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	41	4	1	3	1	1	1	2	5	4	-	-	2
Cirrhosis of liver—581	48	4	2	4	4	1	2	3	3	3	5	4	8
Acute nephritis and nephritis with edema, including nephrosis—590,591	17	1	-	4	1	1	1	-	-	1	-	-	1
Hyperplasia of prostate—610	41	2	4	4	4	1	1	2	2	-	3	1	5
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	11	-	-	1	-	-	1	2	1	-	-	1	2
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	11	-	-	1	-	-	1	2	1	-	-	1	2
Congenital malformations—750-759	51	4	11	7	5	5	6	7	7	8	7	5	9
Certain diseases of early infancy—760-776	194	14	14	15	17	20	16	23	14	15	19	15	15
Birth injuries, postnatal asphyxia, and atelectasis—760-762	70	7	7	10	12	12	6	12	7	4	7	7	5
Infections of newborn—763-768	11	1	-	1	1	-	-	2	-	3	-	1	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	73	7	11	4	4	8	10	9	7	8	12	7	9
Symptoms, senility, and ill-defined conditions—780-795	81	9	4	7	7	5	4	4	3	2	6	2	1
All other diseases—Residual	277	27	26	24	25	24	22	24	17	17	23	21	20
Accidents—E800-E962	322	25	18	21	23	19	32	14	21	23	16	25	31
Motor-vehicle accidents—E810-E835	70	12	1	2	5	3	7	2	13	6	6	8	11
All other accidents—E800-E802,E840-E962	252	13	17	19	18	16	25	12	8	17	10	18	20
Suicide—E963,E970-E979	48	4	6	11	7	11	6	5	5	5	10	8	7
Homicide—E964,E980-E985	11	-	-	3	-	1	1	-	-	-	-	2	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW JERSEY—All causes	47,880	4,273	3,905	4,208	3,966	3,923	3,847	3,943	3,676	3,711	3,990	4,025	4,413
Tuberculosis, all forms—001-019	1,277	118	98	128	109	126	116	110	92	98	87	93	102
Tuberculosis of respiratory system—001-008	1,188	108	91	122	103	117	108	101	89	88	83	81	97
Tuberculosis, other forms—010-019	89	10	7	6	6	9	8	9	3	10	4	12	5
Syphilis and its sequelae—020-029	243	38	18	13	25	19	14	14	22	16	31	18	15
Typhoid fever—040	1	-	-	-	-	-	-	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	3	-	-	-	-	-	-	-	2	-	-	1	-
Scarlet fever and streptococcal sore throat—050,051	14	3	-	-	3	1	2	-	2	-	1	-	2
Diphtheria—055	3	-	1	1	1	-	-	-	-	-	-	-	-
Whooping cough—056	6	-	-	-	1	-	-	1	1	-	1	1	1
Meningococcal infections—057	21	4	4	1	1	-	2	1	2	3	2	-	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	120	4	-	-	1	-	1	12	34	37	20	7	4
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	10	-	1	1	2	-	1	2	1	-	1	-	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	108	1	10	18	9	9	9	9	5	6	11	5	16
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	8,328	678	669	685	674	680	714	719	693	707	737	649	723
Malignant neoplasm of buccal cavity and pharynx—140-148	217	18	14	25	22	21	13	16	20	18	14	15	21
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	3,563	283	260	289	288	298	294	305	311	270	314	291	360
Malignant neoplasm of respiratory system—160-164	899	72	81	67	68	79	84	66	77	77	90	64	74
Malignant neoplasm of breast—170	798	71	64	64	59	64	70	77	74	67	74	65	49
Malignant neoplasm of genital organs—171-179	1,179	104	110	97	104	85	100	112	90	107	98	92	80
Malignant neoplasm of urinary organs—180,181	438	30	35	35	39	37	28	38	33	46	44	35	38
Malignant neoplasm of other and unspecified sites—156B,165,190-199	683	58	57	55	50	49	69	59	55	72	50	53	56
Leukemia and aleukemia—204	274	28	21	28	19	23	30	22	17	23	22	19	22
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	277	14	27	25	25	24	26	24	16	27	31	15	23
Benign neoplasms and neoplasms of unspecified nature—210-239	194	13	16	23	20	24	11	9	13	15	15	18	17
Diabetes mellitus—260	1,001	103	93	91	83	82	69	94	76	75	67	71	97
Anemias—280-293	122	10	13	14	10	6	7	8	9	11	8	11	15
Meningitis, except meningococcal and tuberculous—340	48	4	6	6	1	1	4	3	3	6	5	6	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	28,343	2,408	2,171	2,307	2,210	2,215	2,054	2,151	1,923	1,973	2,186	2,284	2,481
Diseases of cardiovascular system—330-334,400-468	25,625	2,333	2,111	2,240	2,145	2,158	1,995	2,080	1,867	1,925	2,127	2,225	2,419
Vascular lesions affecting central nervous system—330-334	4,649	421	364	395	389	393	400	391	358	341	357	380	460
Rheumatic fever—400-402	72	5	5	8	4	7	7	2	10	6	5	7	6
Diseases of heart—410-443	19,289	1,737	1,606	1,690	1,632	1,614	1,479	1,557	1,375	1,459	1,640	1,687	1,813
Chronic rheumatic heart disease—410-416	774	68	61	60	70	60	68	54	50	63	71	76	73
Arteriosclerotic heart disease, including coronary disease—420	11,110	960	917	923	932	962	844	873	788	891	951	998	1,071
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	3,939	379	333	393	363	319	298	327	276	263	303	324	361
Other diseases of heart—430-434	490	45	41	37	28	35	41	44	47	39	46	50	37
Hypertension with heart disease—440-443	2,976	265	254	277	259	238	228	259	214	203	269	259	271
Hypertension without mention of heart—444-447	412	42	28	40	25	34	19	43	26	26	41	43	45
General arteriosclerosis—450	985	102	84	93	79	92	73	73	79	74	72	90	74
Other diseases of circulatory system—451-468	218	26	24	14	16	18	17	14	19	19	12	18	21
Chronic and unspecified nephritis and other renal sclerosis—592-594	718	75	60	67	65	57	59	51	58	48	59	59	82
Influenza and pneumonia, except pneumonia of newborn—480-493	1,068	135	109	135	115	62	61	52	69	56	67	89	119
Influenza—480-483	53	7	14	12	4	3	1	1	-	2	3	2	4
Pneumonia, except pneumonia of newborn—490-493	1,016	128	95	123	111	59	60	51	69	54	64	87	115
Bronchitis—500-502	98	7	13	8	11	5	5	3	3	8	4	10	19
Ulcer of stomach and duodenum—540,541	303	26	31	21	31	28	20	24	28	19	29	28	20
Appendicitis—550-553	145	10	4	15	9	13	17	18	16	10	12	12	9
Hernia and intestinal obstruction—560,561,570	314	22	24	34	23	20	28	32	23	38	31	25	14
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	194	25	14	17	12	9	15	18	19	20	11	17	17
Cirrhosis of liver—581	553	47	47	52	41	45	55	46	40	42	42	45	53
Acute nephritis and nephritis with edema, including nephrosis—590,591	66	7	6	11	7	5	5	3	9	5	7	11	10
Hyperplasia of prostate—610	181	10	17	22	19	21	10	12	15	16	11	13	15
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	65	1	10	3	6	7	4	6	8	8	3	4	5
Abortion—650-652	15	-	-	2	2	1	1	2	-	2	1	2	2
All other complications—640-649,660-689	50	1	10	1	4	6	3	4	6	6	2	2	3
Congenital malformations—750-759	507	37	39	38	39	40	37	34	54	40	38	59	52
Certain diseases of early infancy—760-776	1,655	124	119	130	131	135	156	156	139	115	161	124	145
Birth injuries, postnatal asphyxia, and atelectasis—760-762	725	61	47	68	57	47	68	78	57	49	68	63	66
Infections of newborn—763-768	98	7	5	9	15	5	4	5	9	4	9	9	9
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	824	56	69	55	59	85	84	75	75	62	84	52	70
Symptoms, senility, and ill-defined conditions—780-795	159	16	12	22	13	3	12	17	13	14	12	7	18
All other diseases—Residual	1,902	159	151	180	160	166	180	166	124	147	148	150	171
Accidents—E800-E962	2,071	203	143	172	142	139	187	180	173	161	183	177	211
Motor-vehicle accidents—E810-E835	627	54	42	46	38	39	55	52	50	54	56	51	90
All other accidents—E800-E802,E840-E962	1,444	149	101	126	104	100	132	128	123	107	127	126	121
Suicide—E963,E970-E979	609	43	56	51	54	53	41	47	54	46	46	74	44
Homicide—E964,E980-E985	149	17	10	9	3	13	10	16	10	19	13	15	13
Injury resulting from operations of war—E965,E990-E999	1	-	-	-	-	-	-	-	-	-	-	1	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW MEXICO—All causes	5,576	510	454	481	421	448	456	417	511	455	529	453	441
Tuberculosis, all forms—001-019	282	29	27	31	30	20	28	20	15	21	19	23	19
Tuberculosis of respiratory system—001-008	248	25	24	28	26	18	23	16	15	18	17	21	17
Tuberculosis, other forms—010-019	34	4	3	3	4	2	5	4	-	3	2	2	2
Syphilis and its sequelae—020-029	43	7	4	3	2	6	2	2	2	3	6	3	3
Typhoid fever—040	4	-	1	-	-	-	-	-	1	-	2	-	-
Cholera—045	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	46	-	1	3	1	1	3	5	10	11	8	2	1
Scarlet fever and streptococcal sore throat—050,051	1	-	1	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	2	-	-	1	-	-	-	-	-	-	-	-	1
Whooping cough—056	12	-	1	-	-	2	-	-	-	-	-	7	2
Meningococcal infections—057	1	-	1	-	-	-	-	-	-	-	-	-	-
Plague—058	1	-	-	-	-	-	-	-	-	-	-	1	-
Acute poliomyelitis—080	19	1	-	-	-	-	1	2	3	7	4	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	16	2	3	3	1	-	4	-	-	-	1	1	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	20	1	1	1	2	2	1	1	2	2	3	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	551	50	41	38	51	48	51	31	45	48	47	41	42
Malignant neoplasm of buccal cavity and pharynx—140-148	7	1	-	2	-	-	1	-	-	-	-	2	1
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	202	23	20	13	26	17	20	8	17	10	17	13	18
Malignant neoplasm of respiratory system—160-164	30	3	-	1	1	4	3	4	3	3	4	2	2
Malignant neoplasm of breast—170	44	-	3	3	4	5	3	4	5	4	5	4	4
Malignant neoplasm of genital organs—171-179	97	8	9	5	8	7	6	5	12	10	12	9	6
Malignant neoplasm of urinary organs—180,181	26	3	2	1	2	2	1	5	-	5	3	1	1
Malignant neoplasm of other and unspecified sites—156B,165,190-199	73	8	3	7	5	8	11	3	6	9	3	4	6
Leukemia and aleukemia—204	31	3	1	3	3	1	5	-	1	5	1	6	2
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	21	1	3	3	2	2	1	2	1	2	2	-	2
Benign neoplasms and neoplasms of unspecified nature—210-239	18	1	3	2	-	1	-	1	2	4	-	2	2
Diabetes mellitus—260	43	3	3	4	5	3	6	3	1	2	6	2	5
Anemias—290-293	9	-	1	1	-	2	-	2	-	-	1	1	1
Meningitis, except meningococcal and tuberculous-340	14	-	2	-	1	1	-	1	1	1	3	2	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	1,551	152	137	129	122	144	131	122	134	110	138	117	115
Diseases of cardiovascular system—330-334,400-468	1,462	143	129	115	115	136	123	118	129	106	130	112	106
Vascular lesions affecting central nervous system—330-334	295	30	16	30	25	26	27	24	26	24	20	17	20
Rheumatic fever—400-402	24	3	1	1	1	2	5	2	3	1	2	2	1
Diseases of heart—410-443	1,047	104	102	75	80	91	78	83	91	78	100	89	76
Chronic rheumatic heart disease—410-416	93	9	13	7	7	6	9	7	7	5	10	5	13
Arteriosclerotic heart disease, including coronary disease—420	491	52	40	45	38	37	34	39	43	42	48	40	33
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	217	21	23	10	20	20	12	15	24	14	19	23	16
Other diseases of heart—430-434	97	11	13	6	3	15	9	8	5	6	8	7	6
Hypertension with heart disease—440-443	144	11	13	7	12	13	14	14	12	11	15	14	8
Hypertension without mention of heart—444-447	29	1	4	2	2	6	3	3	3	2	1	-	2
General arteriosclerosis—450	64	5	4	7	7	9	8	4	4	-	7	4	5
Other diseases of circulatory system—451-468	13	-	2	-	-	2	2	2	2	1	-	-	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	89	9	8	14	7	8	8	4	5	4	8	5	9
Influenza and pneumonia, except pneumonia of newborn—480-493	315	53	48	38	20	20	17	14	19	13	24	17	32
Influenza—480-483	24	4	5	3	2	-	-	-	-	2	3	3	2
Pneumonia, except pneumonia of newborn—490-493	291	49	43	35	18	20	17	14	19	11	21	14	30
Bronchitis—500-502	24	3	3	4	2	3	1	-	-	3	2	2	1
Ulcer of stomach and duodenum—540,541	13	1	1	1	-	1	-	2	1	4	-	2	-
Appendicitis—550-553	30	5	1	1	-	2	2	3	3	2	4	4	3
Hernia and intestinal obstruction—560,561,570	42	4	3	6	2	1	3	6	5	3	4	2	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	224	7	1	6	7	6	14	24	50	42	43	17	7
Cirrhosis of liver—581	35	4	1	6	2	5	1	-	3	5	2	2	4
Acute nephritis and nephritis with edema, including nephrosis—590,591	12	1	1	1	-	1	2	1	1	1	-	2	1
Hyperplasia of prostate—610	24	1	4	2	1	3	1	2	2	4	1	2	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	30	3	4	1	2	4	1	2	3	4	3	2	1
Abortion—650-652	4	-	-	-	-	-	-	1	1	1	1	-	-
All other complications—640-649,660-689	26	3	4	1	2	4	1	1	2	3	2	2	1
Congenital malformations—750-759	117	14	7	6	10	8	11	2	16	8	9	17	9
Certain diseases of early infancy—760-776	571	46	27	60	48	42	61	42	62	32	49	45	59
Birth injuries, postnatal asphyxia, and atelectasis—760-762	167	13	12	19	14	14	21	14	17	4	12	11	16
Infections of newborn—763-768	55	8	1	10	2	3	2	6	6	8	6	6	7
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	339	25	14	31	32	25	38	22	39	20	31	26	36
Symptoms, senility, and ill-defined conditions—780-795	650	59	60	58	41	57	45	46	62	53	73	48	48
All other diseases—Residual	277	25	21	25	26	22	18	28	21	22	20	27	22
Accidents—E800-E962	504	31	35	36	39	35	45	47	41	44	48	55	48
Motor-vehicle accidents—E810-E835	223	11	13	15	21	18	21	19	10	19	22	31	23
All other accidents—E800-E802,E840-E962	281	20	22	21	18	17	24	28	31	25	26	24	25
Suicide—E963,E970-E979	50	3	7	6	5	4	5	4	2	4	6	2	2
Homicide—E964,E980-E985	45	4	3	8	1	6	2	4	4	2	3	5	3
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW YORK—All causes	155,020	13,741	12,181	14,114	13,359	12,975	12,778	12,429	12,052	11,698	12,863	12,984	13,845
Tuberculosis, all forms—001-019	4,360	377	360	402	349	381	404	374	384	328	307	367	327
Tuberculosis of respiratory system—001-008	4,058	352	338	374	322	352	371	355	362	308	280	341	305
Tuberculosis, other forms—010-019	302	25	22	28	27	29	33	19	22	22	27	26	22
Syphilis and its sequelae—020-029	757	86	69	62	53	76	59	69	53	53	66	62	50
Typhoid fever—040	5	-	-	1	-	1	-	-	-	1	2	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	26	-	2	2	2	1	2	2	7	4	-	3	1
Scarlet fever and streptococcal sore throat—050,051	37	1	2	7	6	6	2	3	2	-	4	1	3
Diphtheria—055	12	-	1	-	3	1	-	-	-	-	1	1	5
Whooping cough—056	27	2	4	4	1	5	2	2	4	1	-	1	1
Meningococcal infections—057	70	5	2	6	9	7	2	10	2	2	8	9	8
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	320	2	-	1	1	-	2	36	152	63	38	17	8
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	37	9	3	5	5	4	5	4	-	-	-	1	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	3	-	1	-	-	-	-	1	1	-	-	-	-
All other infective and parasitic diseases-Residual	275	22	22	26	24	23	31	27	29	17	20	17	17
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	25,862	2,186	2,009	2,222	2,140	2,134	2,140	2,231	2,107	2,051	2,257	2,206	2,179
Malignant neoplasm of buccal cavity and pharynx—140-148	665	52	51	59	58	66	45	54	62	45	49	52	62
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	10,721	905	829	941	870	900	910	914	887	870	918	897	880
Malignant neoplasm of respiratory system—160-164	3,078	257	211	290	260	257	243	278	243	264	260	270	245
Malignant neoplasm of breast—170	2,498	217	204	200	191	197	224	208	201	187	243	186	238
Malignant neoplasm of genital organs—171-179	3,524	304	300	269	295	276	293	298	290	263	320	319	297
Malignant neoplasm of urinary organs—180,181	1,293	101	98	94	112	97	108	127	104	111	103	129	109
Malignant neoplasm of other and unspecified sites—156B,165,190-199	2,165	160	163	193	191	165	164	191	191	174	207	163	183
Leukemia and aleukemia—204	964	75	79	75	81	87	91	76	64	71	81	100	84
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	954	95	74	101	82	89	82	85	65	66	76	78	81
Benign neoplasms and neoplasms of unspecified nature—210-239	658	58	46	47	67	45	61	50	47	53	68	58	58
Diabetes mellitus—260	2,920	279	221	282	244	252	234	248	215	209	239	238	279
Anemias—290-293	370	26	24	32	34	39	36	30	28	38	22	25	36
Meningitis, except meningococcal and tuberculous—340	196	22	21	24	17	12	13	15	12	11	19	10	20
Major cardiovascular-renal diseases—330-334,400-468,592-594	85,678	7,654	6,810	7,971	7,515	7,202	7,031	6,581	6,289	6,364	7,142	7,190	7,919
Diseases of cardiovascular system—330-334,400-468	83,752	7,484	6,632	7,761	7,330	7,033	6,898	6,437	6,158	6,228	6,991	7,038	7,762
Vascular lesions affecting central nervous system—330-334	13,489	1,220	1,100	1,240	1,117	1,099	1,170	1,105	995	985	1,111	1,066	1,260
Rheumatic fever—400-402	281	26	24	36	27	31	25	25	21	18	18	14	16
Diseases of heart—410-443	65,098	5,815	5,120	6,052	5,710	5,498	5,313	4,934	4,759	4,831	5,453	5,604	6,009
Chronic rheumatic heart disease—410-416	2,551	239	210	235	215	212	225	185	185	181	222	217	225
Arteriosclerotic heart disease, including coronary disease—420	44,594	3,874	3,589	4,093	3,860	3,757	3,547	3,487	3,330	3,375	3,767	3,887	4,228
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	8,538	865	710	823	776	721	756	588	573	591	695	705	735
Other diseases of heart—430-434	820	77	51	83	81	74	53	58	59	60	63	75	86
Hypertension with heart disease—440-443	8,595	760	760	618	778	734	732	616	612	624	706	720	735
Hypertension without mention of heart—444-447	1,169	107	103	93	106	105	96	88	75	85	101	87	123
General arteriosclerosis—450	3,096	274	237	286	312	257	244	239	250	245	254	209	289
Other diseases of circulatory system—451-468	639	42	48	54	58	43	50	45	58	64	54	58	65
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,926	170	178	210	185	169	133	144	141	136	151	152	157
Influenza and pneumonia, except pneumonia of newborn—480-483	4,180	442	402	500	423	333	302	246	263	215	318	346	390
Influenza—480-483	157	16	23	25	27	21	2	4	3	6	9	10	11
Pneumonia, except pneumonia of newborn—490-493	4,023	426	379	475	396	312	300	242	260	209	309	336	379
Bronchitis—500-502	293	42	35	38	26	15	22	17	11	11	24	28	24
Ulcer of stomach and duodenum—540,541	1,047	83	74	102	92	71	78	89	76	81	93	101	107
Appendicitis—550-553	392	37	32	22	38	28	54	34	44	35	24	16	28
Hernia and intestinal obstruction—560,561,570	971	105	75	85	77	74	66	94	87	69	82	79	78
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	529	54	38	37	38	44	43	46	61	45	43	37	42
Cirrhosis of liver—581	2,081	159	157	179	187	174	172	161	175	173	167	175	204
Acute nephritis and nephritis with edema, including nephrosis—590,591	196	13	25	21	16	16	22	19	6	15	17	14	12
Hyperplasia of prostate—610	740	67	53	59	58	65	55	56	60	66	65	70	66
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	200	28	15	17	20	19	16	15	23	19	8	11	9
Abortion—650-652	32	4	3	4	4	2	4	3	3	2	1	2	-
All other complications—640-649,660-689	168	24	12	13	16	17	12	12	20	17	7	9	9
Congenital malformations—750-759	1,790	139	142	171	163	186	128	133	138	126	140	168	156
Certain diseases of early infancy—760-776	5,008	421	363	443	385	430	395	418	464	450	399	397	423
Birth injuries, postnatal asphyxia, and atelectasis—760-762	2,420	206	186	209	174	218	189	200	224	225	203	176	211
Infections of newborn—763-768	326	25	35	26	33	21	20	27	32	40	16	28	23
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	2,262	190	142	209	178	191	186	191	228	185	180	193	189
Symptoms, senility, and ill-defined conditions—780-795	697	49	49	55	50	65	67	52	56	49	68	63	74
All other diseases—Residual	5,631	531	462	508	526	459	488	486	420	375	441	449	486
Accidents—E800-E962	7,541	652	520	610	596	640	670	695	657	594	599	654	676
Motor-vehicle accidents—E810-E835	2,067	169	124	139	152	150	159	177	191	202	182	197	228
All other accidents—E800-E802,E840-E962	5,474	483	396	471	444	490	512	516	446	392	417	457	450
Suicide—E963,E970-E979	1,672	146	111	153	162	139	145	139	133	139	146	139	120
Homicide—E964,E980-E985	439	44	31	40	32	29	31	48	38	40	36	31	39
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH CAROLINA—All causes	31,009	2,712	2,485	2,747	2,565	2,504	2,495	2,706	2,431	2,360	2,509	2,683	2,812
Tuberculosis, all forms—001-019	972	89	60	89	91	77	77	78	88	79	76	94	71
Tuberculosis of respiratory system—001-008	889	76	56	80	88	69	69	73	80	71	71	89	67
Tuberculosis, other forms—010-019	83	13	4	9	3	8	8	6	8	8	7	5	4
Syphilis and its sequelae—020-029	193	12	17	14	16	28	18	18	12	14	19	10	17
Typhoid fever—040	4	-	1	-	1	-	1	-	-	-	1	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	36	-	1	2	2	4	3	10	7	3	4	-	-
Scarlet fever and streptococcal sore throat—050,051	15	1	-	1	1	1	-	3	1	-	2	2	3
Diphtheria—055	25	2	1	1	1	2	-	-	3	4	5	4	2
Whooping cough—056	34	2	1	1	7	3	4	4	4	2	-	2	4
Meningococcal infections—057	32	7	3	1	4	2	3	3	-	1	1	4	3
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	12	2	-	-	-	-	1	2	2	1	-	-	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	91	6	7	21	26	18	4	4	-	-	1	-	4
Typhus and other rickettsial diseases—100-108	8	-	-	-	-	1	3	2	1	1	-	-	-
Malaria—110-117	3	-	-	-	-	-	-	-	-	1	1	-	1
All other infective and parasitic diseases-Residual	100	7	8	14	5	6	8	11	9	8	3	10	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,261	291	250	277	268	265	255	282	296	247	284	270	276
Malignant neoplasm of buccal cavity and pharynx—140-148	81	7	11	8	5	9	2	7	6	4	9	5	6
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,102	83	81	89	92	90	84	106	92	77	103	106	99
Malignant neoplasm of respiratory system—160-164	234	16	19	21	18	26	14	17	19	14	31	21	18
Malignant neoplasm of breast—170	272	27	16	25	30	24	19	19	22	20	23	26	21
Malignant neoplasm of genital organs—171-179	720	77	59	65	58	56	62	48	60	71	52	44	66
Malignant neoplasm of urinary organs—180,181	141	10	14	8	9	12	10	15	21	10	6	14	12
Malignant neoplasm of other and unspecified sites—156B,165,190-199	450	50	32	44	33	27	47	45	46	24	34	40	28
Leukemia and aleukemia—204	154	12	12	9	14	14	11	12	18	14	13	12	13
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	107	9	6	8	9	5	8	13	10	13	13	2	13
Benign neoplasms and neoplasms of unspecified nature—210-239	138	15	20	15	9	10	8	8	7	9	8	17	12
Diabetes mellitus—260	402	38	35	40	35	28	27	34	28	29	33	32	42
Anemias—290-293	75	6	8	10	9	5	2	6	5	4	9	8	3
Meningitis, except meningococcal and tuberculous—340	45	2	4	2	7	-	4	4	6	4	3	3	6
Major cardiovascular-renal diseases—330-334,400-468,592-594	15,163	1,309	1,179	1,366	1,307	1,253	1,271	1,271	1,119	1,165	1,224	1,303	1,396
Diseases of cardiovascular system—330-334,400-468	14,392	1,230	1,118	1,309	1,245	1,165	1,198	1,208	1,040	1,118	1,156	1,254	1,331
Vascular lesions affecting central nervous system—330-334	3,810	293	298	367	319	270	319	310	258	297	327	382	370
Rheumatic fever—400-402	107	8	10	21	14	11	4	9	3	3	4	10	10
Diseases of heart—410-443	9,567	853	739	856	836	819	786	816	709	749	752	782	870
Chronic rheumatic heart disease—410-416	326	21	22	31	19	27	21	30	30	33	37	26	28
Arteriosclerotic heart disease, including coronary disease—420	4,290	341	310	392	394	380	358	370	318	342	341	345	399
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,471	148	131	129	113	121	115	112	122	103	119	116	144
Other diseases of heart—430-434	868	91	83	75	75	86	78	63	55	71	51	72	68
Hypertension with heart disease—440-443	2,612	252	193	229	235	205	216	241	184	200	204	223	230
Hypertension without mention of heart—444-447	315	37	25	26	29	25	24	24	24	21	21	31	28
General arteriosclerosis—450	440	44	33	28	37	30	48	35	29	34	42	40	40
Other diseases of circulatory system—451-468	153	15	13	11	10	10	17	14	17	14	10	9	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	771	59	61	57	62	68	73	63	79	47	68	49	65
Influenza and pneumonia, except pneumonia of newborn—480-493	1,296	181	159	160	97	74	56	80	76	59	81	128	147
Influenza—480-483	170	36	26	25	16	8	5	9	3	7	7	12	16
Pneumonia, except pneumonia of newborn—490-493	1,126	145	133	135	81	66	51	71	73	52	74	114	131
Bronchitis—500-502	76	11	6	13	4	5	2	3	5	4	7	8	8
Ulcer of stomach and duodenum—540,541	108	9	7	7	6	12	8	14	3	10	8	10	14
Appendicitis—550-553	79	4	2	6	4	10	9	14	7	7	5	5	6
Hernia and intestinal obstruction—560,561,570	166	4	15	17	9	11	12	19	24	8	18	13	16
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	340	18	12	8	7	19	43	56	53	53	33	28	8
Cirrhosis of liver—581	137	15	13	14	11	14	12	11	6	8	9	10	14
Acute nephritis and nephritis with edema, including nephrosis—590,591	117	8	18	12	11	6	6	10	8	8	14	5	11
Hyperplasia of prostate—610	140	5	11	17	9	16	11	8	17	15	11	10	10
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	127	11	15	10	12	13	5	12	13	6	11	9	10
Abortion—650-652	10	1	3	-	-	-	-	-	3	-	-	1	2
All other complications—640-649,660-689	117	10	12	10	12	13	5	12	10	6	11	8	8
Congenital malformations—750-759	518	57	42	36	41	36	39	63	37	43	37	43	44
Certain diseases of early infancy—760-776	2,177	175	158	185	182	185	165	220	186	193	186	166	176
Birth injuries, postnatal asphyxia, and atelectasis—760-762	595	45	42	52	63	64	59	74	60	47	67	59	64
Infections of newborn—763-768	183	21	21	16	13	12	10	21	12	12	13	14	18
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,299	109	95	117	108	109	98	125	114	134	106	94	94
Symptoms, senility, and ill-defined conditions—780-795	829	77	65	85	64	63	71	58	50	61	53	68	94
All other diseases—Residual	1,388	108	117	127	93	113	140	121	125	94	104	117	129
Accidents—E800-E962	2,235	173	194	151	175	167	174	222	179	166	195	225	214
Motor-vehicle accidents—E810-E835	940	69	73	59	79	64	74	86	82	87	91	86	88
All other accidents—E800-E802,E840-E962	1,295	104	121	92	96	103	100	134	97	79	104	139	126
Suicide—E963,E970-E979	290	32	19	23	24	27	31	21	19	26	21	32	15
Homicide—E964,E980-E985	377	35	37	22	27	32	22	33	34	25	37	29	44
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NORTH DAKOTA—All causes	5,222	448	400	410	465	464	423	449	449	433	431	422	428
Tuberculosis, all forms—001-019	67	2	3	6	9	2	8	6	6	6	9	4	6
Tuberculosis of respiratory system—001-008	55	2	2	6	7	1	7	5	4	4	8	3	6
Tuberculosis, other forms—010-019	12	-	1	-	2	1	1	1	2	2	1	1	-
Syphilis and its sequelae—020-029	14	-	-	3	2	1	2	2	-	-	3	1	-
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	3	1	-	-	-	1	-	-	-	-	-	-	1
Scarlet fever and streptococcal sore throat—050,051	8	1	-	2	1	1	-	-	2	-	-	-	1
Diphtheria—055	1	-	-	-	-	-	-	-	-	-	-	1	-
Whooping cough—056	1	-	-	-	-	-	-	-	-	1	-	-	-
Meningococcal infections—057	6	1	-	1	-	1	-	2	-	-	-	-	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	19	-	-	-	-	-	-	4	6	4	3	2	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	7	3	1	-	-	-	-	-	-	1	-	2	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	18	1	1	-	1	1	1	1	4	1	2	1	4
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	704	49	57	57	64	59	65	61	57	51	63	65	56
Malignant neoplasm of buccal cavity and pharynx—140-148	14	1	1	1	2	-	-	2	2	1	-	2	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	286	22	27	20	23	21	29	26	25	20	22	28	23
Malignant neoplasm of respiratory system—160-164	62	4	2	2	5	6	5	6	8	5	7	7	5
Malignant neoplasm of breast—170	57	1	5	10	8	4	7	2	4	3	5	4	4
Malignant neoplasm of genital organs—171-179	97	9	8	10	14	10	10	6	6	4	6	9	5
Malignant neoplasm of urinary organs—180,181	50	3	5	4	2	5	3	6	3	4	5	7	3
Malignant neoplasm of other and unspecified sites—156B,165,190-199	69	6	4	4	7	5	4	5	5	10	9	1	9
Leukemia and aleukemia—204	37	2	2	3	2	5	5	5	3	2	4	3	1
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	32	1	3	3	1	3	2	3	1	2	5	4	4
Benign neoplasms and neoplasms of unspecified nature—210-239	13	2	1	1	2	1	-	-	1	4	-	-	1
Diabetes mellitus—260	107	11	4	6	11	13	9	11	7	4	8	14	9
Anemias—280-293	29	3	3	1	5	1	2	2	2	2	4	3	1
Meningitis, except meningococcal and tuberculous-340	7	1	1	-	1	-	-	-	-	-	3	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,558	245	190	190	221	229	203	214	206	213	207	205	215
Diseases of cardiovascular system—330-334,400-468	2,451	236	181	183	214	224	198	202	196	206	202	200	209
Vascular lesions affecting central nervous system—330-334	591	49	39	48	48	57	43	57	58	51	46	49	46
Rheumatic fever—400-402	12	-	2	1	1	1	1	3	1	-	2	-	-
Diseases of heart—410-443	1,642	161	125	124	147	150	132	131	121	146	128	134	143
Chronic rheumatic heart disease—410-416	59	3	3	5	1	7	6	4	7	7	3	4	9
Arteriosclerotic heart disease, including coronary disease—420	942	93	77	61	86	83	77	75	64	83	76	76	91
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	298	30	19	29	26	26	23	25	17	27	24	27	25
Other diseases of heart—430-434	116	6	10	9	11	13	12	13	14	9	6	7	5
Hypertension with heart disease—440-443	227	29	16	20	23	21	14	14	19	21	17	20	13
Hypertension without mention of heart—444-447	60	9	3	2	5	5	6	1	6	4	10	4	5
General arteriosclerosis—450	122	15	11	4	10	8	16	8	8	4	16	10	12
Other diseases of circulatory system—451-468	24	2	1	4	3	3	-	2	2	1	-	3	3
Chronic and unspecified nephritis and other renal sclerosis—592-594	67	9	9	7	7	5	5	12	10	7	5	5	6
Influenza and pneumonia, except pneumonia of newborn—480-493	160	20	22	14	13	12	11	10	12	7	9	11	19
Influenza—480-483	10	1	-	2	-	1	1	1	1	-	-	2	1
Pneumonia, except pneumonia of newborn—490-493	150	19	22	12	13	11	10	9	11	7	9	9	18
Bronchitis—500-502	19	3	2	1	1	2	2	1	1	2	1	1	2
Ulcer of stomach and duodenum—540,541	21	1	2	3	1	1	1	2	4	1	4	-	1
Appendicitis—550-553	20	1	-	2	1	3	4	2	2	-	2	1	2
Hernia and intestinal obstruction—560,561,570	39	7	4	2	4	3	3	3	2	3	4	3	1
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	27	1	3	2	3	1	-	1	3	4	3	4	2
Cirrhosis of liver—581	28	4	2	1	5	3	1	1	3	2	1	1	2
Acute nephritis and nephritis with edema, including nephrosis—590,591	14	1	1	2	1	1	1	1	-	1	2	2	1
Hyperplasia of prostate—610	40	2	3	3	4	4	4	1	6	7	2	3	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	9	-	1	-	1	1	1	4	-	-	1	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	9	-	1	-	1	1	1	4	-	-	1	-	-
Congenital malformations—750-759	92	6	11	8	8	12	8	6	7	4	4	9	9
Certain diseases of early infancy—760-776	322	24	26	38	32	37	18	30	25	25	19	23	25
Birth injuries, postnatal asphyxia, and atelectasis—760-762	118	10	6	15	11	15	4	12	9	9	6	9	12
Infections of newborn—763-768	18	1	-	3	4	2	-	2	3	3	-	-	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	186	13	20	20	17	20	14	16	13	13	13	14	13
Symptoms, senility, and ill-defined conditions—780-795	122	8	9	10	15	6	4	11	18	9	11	8	13
All other diseases—Residual	287	23	22	22	29	23	24	17	26	34	22	19	26
Accidents—E800-E962	427	23	28	29	27	36	46	50	46	42	40	35	25
Motor-vehicle accidents—E810-E835	146	5	5	10	10	11	12	11	19	20	19	17	7
All other accidents—E800-E802,E840-E962	281	18	23	19	17	25	34	39	27	22	21	18	18
Suicide—E963,E970-E979	51	4	3	6	3	7	5	6	2	4	4	3	4
Homicide—E964,E980-E985	4	-	-	-	-	2	-	-	1	1	-	-	-
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OHIO—All causes	80,368	7,228	6,528	7,488	6,948	6,789	6,406	6,521	6,185	6,192	6,532	6,460	7,073
Tuberculosis, all forms—001-019	1,985	174	163	204	203	172	180	170	156	168	148	136	137
Tuberculosis of respiratory system—001-008	1,776	158	139	181	176	150	145	147	142	148	136	127	126
Tuberculosis, other forms—010-019	209	15	24	23	27	22	15	23	14	14	12	9	11
Syphilis and its sequelae—020-029	559	53	45	52	53	46	47	43	43	41	44	49	42
Typhoid fever—040	7	-	1	1	1	1	-	1	-	-	1	1	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	16	2	-	2	1	-	-	5	1	-	2	1	2
Scarlet fever and streptococcal sore throat—050,051	21	1	5	2	4	1	1	2	1	-	2	2	-
Diphtheria—055	12	2	1	2	-	-	-	-	2	2	1	1	1
Whooping cough—056	29	1	3	-	2	2	3	4	2	3	5	1	3
Meningococcal infections—057	57	4	3	7	3	12	7	2	2	3	8	2	4
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	102	-	1	2	3	1	1	20	34	21	12	4	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	19	1	-	2	4	8	3	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	2	-	-	-	-	1	-	1	-	-	-	-	-
Malaria—110-117	1	1	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	202	23	10	17	18	22	11	15	17	13	19	13	24
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	11,793	1,015	897	1,035	949	968	973	1,001	985	973	1,025	968	1,004
Malignant neoplasm of buccal cavity and pharynx—140-148	377	26	20	27	23	14	26	25	25	18	20	26	27
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	4,714	388	352	414	352	410	393	405	425	387	425	387	376
Malignant neoplasm of respiratory system—160-164	1,045	100	72	89	83	81	85	86	86	93	91	75	104
Malignant neoplasm of breast—170	1,093	100	98	102	91	101	76	84	74	87	99	89	92
Malignant neoplasm of genital organs—171-179	2,058	171	148	181	180	149	184	165	173	172	189	174	172
Malignant neoplasm of urinary organs—180,181	565	43	32	55	49	40	48	69	38	43	49	47	52
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,177	112	103	96	105	92	86	95	94	114	86	92	104
Leukemia and aleukemia—204	457	39	37	35	35	43	46	34	36	33	37	41	41
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	407	36	35	36	33	38	29	38	34	26	29	37	36
Benign neoplasms and neoplasms of unspecified nature—210-239	326	29	25	32	27	26	28	31	25	21	26	33	23
Diabetes mellitus—260	1,796	161	170	174	161	148	136	151	131	123	134	155	152
Anemias—290-293	283	28	24	29	24	20	23	27	26	20	21	23	18
Meningitis, except meningococcal and tuberculous-340	79	11	6	3	11	10	7	7	6	3	5	5	5
Major cardiovascular-renal diseases—330-334,400-468,592-594	42,280	3,843	3,523	4,011	3,730	3,658	3,368	3,237	3,046	3,090	3,411	3,528	3,845
Diseases of cardiovascular system—330-334,400-468	41,112	3,715	3,425	3,890	3,631	3,534	3,260	3,155	2,965	3,000	3,329	3,442	3,746
Vascular lesions affecting central nervous system—330-334	9,345	842	839	853	772	755	756	718	708	712	742	762	886
Rheumatic fever—400-402	113	13	9	9	11	12	11	8	6	8	11	7	8
Diseases of heart—410-443	28,369	2,580	2,306	2,738	2,534	2,467	2,237	2,147	2,031	2,055	2,303	2,413	2,578
Chronic rheumatic heart disease—410-416	1,227	108	103	128	97	126	82	90	98	101	91	102	101
Arteriosclerotic heart disease, including coronary disease—420	16,726	1,460	1,326	1,581	1,478	1,473	1,263	1,280	1,181	1,233	1,375	1,484	1,592
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	4,989	461	456	479	440	396	415	390	375	349	427	394	407
Other diseases of heart—430-434	1,070	105	76	118	82	99	93	74	77	81	97	86	84
Hypertension with heart disease—440-443	4,357	426	345	434	437	375	384	313	300	291	313	347	394
Hypertension without mention of heart—444-447	743	56	77	61	65	65	63	60	54	45	67	66	64
General arteriosclerosis—450	2,104	205	158	191	204	190	174	193	132	145	170	161	171
Other diseases of circulatory system—451-468	438	39	26	38	43	43	39	29	34	35	36	33	39
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,178	128	98	121	99	124	88	82	81	90	82	88	99
Influenza and pneumonia, except pneumonia of newborn—480-493	2,122	277	254	257	184	169	95	140	127	105	142	130	222
Influenza—480-483	226	40	29	34	23	18	6	7	7	16	10	10	26
Pneumonia, except pneumonia of newborn—490-493	1,896	237	225	223	161	171	89	133	120	89	132	120	186
Bronchitis—500-502	200	18	27	25	22	16	11	10	9	16	14	7	25
Ulcer of stomach and duodenum—540,541	422	34	37	45	40	34	31	34	28	34	31	46	28
Appendicitis—550-553	188	16	14	15	25	8	20	30	17	9	13	10	12
Hernia and intestinal obstruction—560,561,570	566	33	47	40	61	44	66	47	48	44	49	45	42
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	455	32	28	22	22	28	24	54	72	68	43	25	37
Cirrhosis of liver—581	826	75	62	79	68	63	55	70	69	74	69	73	69
Acute nephritis and nephritis with edema, including nephrosis—590,591	175	19	9	18	22	27	14	8	10	11	13	11	13
Hyperplasia of prostate—610	416	44	29	36	22	36	36	41	22	37	37	39	37
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	103	12	11	12	11	11	8	8	7	10	6	4	3
Abortion—650-652	13	-	1	5	-	-	3	-	1	2	-	-	1
All other complications—640-649,660-689	90	12	10	7	11	11	5	8	6	8	6	4	2
Congenital malformations—750-759	1,099	90	91	118	72	84	79	102	100	93	88	87	115
Certain diseases of early infancy—760-776	3,189	292	247	263	240	293	247	275	292	277	284	242	237
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,333	104	110	108	100	128	121	114	119	101	118	107	102
Infections of newborn—763-768	235	23	31	24	7	12	8	14	30	29	23	19	15
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,621	165	106	131	133	152	118	147	143	147	143	116	120
Symptoms, senility, and ill-defined conditions—780-795	883	81	58	95	82	73	76	76	75	59	63	70	79
All other diseases—Residual	3,945	362	305	366	356	302	320	320	325	317	331	288	353
Accidents—E800-E962	4,894	385	346	416	405	384	428	495	409	446	366	380	432
Motor-vehicle accidents—E810-E835	1,779	143	111	132	150	132	143	158	164	195	125	157	169
All other accidents—E800-E802,E840-E962	3,115	242	237	284	255	252	285	337	245	251	241	223	263
Suicide—E963,E970-E979	951	71	52	81	97	86	98	70	65	85	91	75	80
Homicide—E964,E980-E985	350	36	32	24	25	35	30	23	33	32	28	26	26
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OKLAHOMA—All causes	19,394	1,830	1,608	1,707	1,647	1,541	1,541	1,864	1,553	1,427	1,588	1,524	1,764
Tuberculosis, all forms—001-019	530	47	44	47	56	48	43	48	42	33	40	40	42
Tuberculosis of respiratory system—001-008	493	43	44	46	51	44	40	42	38	30	35	36	42
Tuberculosis, other forms—010-019	37	4	-	1	5	4	3	6	4	3	5	2	-
Syphilis and its sequelae—020-029	118	4	14	14	9	16	12	14	7	8	8	9	5
Typhoid fever—040	3	-	-	-	-	-	1	-	1	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	28	1	1	-	2	1	7	1	5	1	3	3	3
Scarlet fever and streptococcal sore throat—050,051	16	2	5	-	1	-	3	1	1	-	-	1	2
Diphtheria—055	7	-	-	1	-	-	-	-	1	1	-	2	2
Whooping cough—056	7	1	-	1	-	1	-	1	-	-	1	-	2
Meningococcal infections—057	10	2	2	-	-	2	-	2	-	2	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	109	1	-	-	-	-	10	51	29	14	13	8	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	30	1	1	11	8	8	-	-	-	-	1	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—110-117	4	-	-	-	-	1	1	-	1	1	-	1	-
All other infective and parasitic diseases-Residual	71	6	5	5	7	5	4	2	12	7	4	5	9
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,578	243	199	228	202	205	214	231	188	216	232	199	223
Malignant neoplasm of buccal cavity and pharynx—140-148	62	9	3	8	6	2	5	2	5	9	5	3	5
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	959	77	76	82	85	80	80	93	64	81	82	77	82
Malignant neoplasm of respiratory system—160-164	225	20	16	28	15	16	23	16	17	12	25	16	21
Malignant neoplasm of breast—170	210	29	16	24	5	19	24	18	16	12	19	12	16
Malignant neoplasm of genital organs—171-179	541	50	46	42	50	41	32	50	42	51	46	42	49
Malignant neoplasm of urinary organs—180,181	98	13	11	4	9	7	9	8	2	8	9	9	9
Malignant neoplasm of other and unspecified sites—156B,165,190-199	301	24	20	22	22	24	22	27	27	26	34	21	32
Leukemia and aleukemia—204	101	13	7	8	6	9	12	9	8	8	8	10	3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	81	8	4	10	4	5	7	8	7	9	4	9	6
Benign neoplasms and neoplasms of unspecified nature—210-239	104	6	4	9	8	8	18	7	13	6	10	7	8
Diabetes mellitus—260	301	33	27	31	23	30	23	26	25	25	23	12	23
Anemias—290-293	66	6	6	6	5	2	3	11	2	2	6	8	9
Meningitis, except meningococcal and tuberculous-340	35	5	3	4	1	2	3	2	4	1	5	2	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	9,224	892	770	830	829	730	703	743	694	645	782	736	870
Diseases of cardiovascular system—330-334,400-468	8,767	839	726	791	791	688	660	715	660	615	740	702	840
Vascular lesions affecting central nervous system—330-334	2,273	207	183	208	219	157	177	189	160	162	164	197	230
Rheumatic fever—400-402	26	4	2	4	5	3	1	3	1	-	1	1	1
Diseases of heart—410-443	5,816	568	484	513	507	472	436	466	454	407	494	455	560
Chronic rheumatic heart disease—410-416	207	20	18	18	22	19	8	10	20	12	18	18	24
Arteriosclerotic heart disease, including coronary disease—420	3,360	309	270	279	260	279	270	266	259	271	282	273	342
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	791	88	67	98	81	57	64	62	62	45	58	46	62
Other diseases of heart—430-434	525	52	39	38	56	45	33	45	40	29	51	41	56
Hypertension with heart disease—440-443	933	99	90	90	88	72	61	83	73	50	84	77	76
Hypertension without mention of heart—444-447	215	27	16	27	20	19	16	23	14	8	19	16	10
General arteriosclerosis—450	343	27	32	33	33	29	25	29	22	29	29	25	30
Other diseases of circulatory system—451-468	94	6	9	6	7	8	5	5	9	9	13	8	9
Chronic and unspecified nephritis and other renal sclerosis—592-594	457	53	44	39	38	42	43	28	34	30	42	34	30
Influenza and pneumonia, except pneumonia of newborn—480-493	849	116	95	66	44	38	26	27	35	33	45	49	75
Influenza—480-483	89	26	18	12	3	6	1	1	1	3	3	5	10
Pneumonia, except pneumonia of newborn—490-493	560	90	77	54	41	32	25	26	34	30	42	44	65
Bronchitis—500-502	42	3	1	6	5	3	2	2	1	4	4	4	7
Ulcer of stomach and duodenum—540,541	87	6	4	7	7	7	8	6	5	12	8	7	10
Appendicitis—550-553	74	6	11	7	5	5	8	10	5	6	4	2	5
Hernia and intestinal obstruction—560,561,570	151	11	11	18	14	15	11	22	11	6	8	11	13
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	117	9	11	4	7	8	4	13	15	7	9	18	12
Cirrhosis of liver—581	112	11	5	10	13	12	10	11	8	7	8	10	7
Acute nephritis and nephritis with edema, including nephrosis—590,591	58	5	1	4	3	7	5	5	5	5	4	6	8
Hyperplasia of prostate—610	121	10	7	10	4	15	15	14	12	10	9	6	9
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	63	5	4	3	5	4	7	10	10	3	2	3	6
Abortion—650-652	8	-	1	1	1	2	1	1	1	-	-	-	-
All other complications—640-649,660-689	55	6	3	2	4	2	6	9	9	3	2	3	6
Congenital malformations—750-759	242	18	22	24	19	21	21	13	33	10	23	21	17
Certain diseases of early infancy—760-776	913	69	74	61	73	90	67	90	83	85	77	70	74
Birth injuries, postnatal asphyxia, and atelectasis—760-762	337	20	27	25	27	39	19	38	27	33	21	27	34
Infections of newborn—763-768	55	7	8	3	3	4	4	4	2	8	5	5	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	521	42	39	33	43	47	44	48	54	44	51	38	38
Symptoms, senility, and ill-defined conditions—780-795	587	61	52	60	52	44	37	42	35	51	40	57	56
All other diseases—Residual	1,135	100	93	95	90	75	97	106	108	86	94	88	103
Accidents—E800-E962	1,499	131	113	125	127	119	152	145	131	111	94	118	133
Motor-vehicle accidents—E810-E835	551	49	34	34	42	36	71	54	55	47	41	43	45
All other accidents—E800-E802,E840-E962	948	82	79	91	85	83	81	91	76	64	53	75	88
Suicide—E963,E970-E979	178	7	19	11	16	14	16	19	18	12	20	11	15
Homicide—E964,E980-E985	124	11	4	9	12	6	10	9	13	19	11	11	9
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
OREGON—All causes	13,891	1,297	1,190	1,216	1,177	1,200	1,105	1,148	1,113	1,043	1,167	1,075	1,160
Tuberculosis, all forms—001-019	223	21	24	21	24	18	15	16	22	18	16	19	11
Tuberculosis of respiratory system—001-008	202	20	23	16	21	18	13	14	19	17	14	17	10
Tuberculosis, other forms—010-019	23	1	1	5	3	-	2	2	3	1	2	2	1
Syphilis and its sequelae—020-029	80	5	5	3	3	7	11	5	3	13	7	9	9
Typhoid fever—040	1	-	1	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	11	1	-	-	3	5	-	-	1	-	-	1	-
Scarlet fever and streptococcal sore throat—050,051	4	1	1	1	-	-	-	-	-	-	-	-	1
Diphtheria—055	8	-	1	1	-	-	-	-	-	-	5	1	-
Whooping cough—056	5	1	-	1	-	-	-	-	1	-	-	-	2
Meningococcal infections—057	7	-	2	-	1	1	-	-	-	-	1	-	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	23	2	-	-	-	2	-	2	3	6	5	2	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	1	1	1	2	-	-	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	2	-	1	-	-	-	1	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	29	2	2	4	2	3	1	3	4	2	1	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,009	165	175	161	153	174	156	202	180	158	180	149	156
Malignant neoplasm of buccal cavity and pharynx—140-148	42	5	5	4	2	4	3	5	4	5	3	2	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	739	80	80	57	62	63	52	71	71	53	59	47	64
Malignant neoplasm of respiratory system—160-164	190	16	11	15	22	18	18	20	15	14	16	15	10
Malignant neoplasm of breast—170	185	8	19	16	12	14	15	21	17	15	23	15	10
Malignant neoplasm of genital organs—171-179	332	25	27	35	18	32	21	31	27	31	27	31	27
Malignant neoplasm of urinary organs—180,181	106	6	4	9	10	11	11	15	4	8	10	9	9
Malignant neoplasm of other and unspecified sites—156B,165,190-199	243	15	25	15	17	18	26	23	30	13	21	16	24
Leukemia and aleukemia—204	82	7	6	7	5	10	3	7	6	9	9	7	4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	90	3	16	3	5	4	7	9	6	10	12	7	8
Benign neoplasms and neoplasms of unspecified nature—210-239	55	5	3	1	6	7	5	6	4	4	3	6	3
Diabetes mellitus—260	187	19	9	11	20	18	17	17	17	10	14	16	19
Anemias—290-293	37	2	2	2	2	3	6	4	3	2	5	2	4
Meningitis, except meningococcal and tuberculous—340	21	2	4	3	2	-	2	3	2	-	1	-	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	7,315	707	662	630	638	624	594	582	542	543	616	574	603
Diseases of cardiovascular system—330-334,400-468	7,126	690	649	618	612	604	577	566	533	529	595	562	591
Vascular lesions affecting central nervous system—330-334	1,473	145	119	136	120	111	121	112	127	120	108	134	120
Rheumatic fever—400-402	16	2	-	-	2	1	3	1	-	-	5	2	-
Diseases of heart—410-443	5,093	474	478	442	447	443	412	418	371	369	431	388	420
Chronic rheumatic heart disease—410-416	223	25	24	19	20	19	12	12	15	17	17	23	20
Arteriosclerotic heart disease, including coronary disease—420	3,096	282	285	248	264	262	264	258	231	238	264	253	247
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	528	48	56	49	34	48	48	43	35	42	41	37	47
Other diseases of heart—430-434	203	26	16	20	19	24	17	14	12	13	13	11	18
Hypertension with heart disease—440-443	1,043	93	97	106	110	90	71	91	78	59	98	64	88
Hypertension without mention of heart—444-447	98	16	6	8	6	12	10	3	6	8	5	10	8
General arteriosclerosis—450	360	44	38	25	32	29	29	24	24	24	37	24	30
Other diseases of circulatory system—451-468	86	9	8	7	5	8	2	8	5	8	9	4	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	189	17	13	12	26	20	17	16	9	14	21	12	12
Influenza and pneumonia, except pneumonia of newborn—480-493	383	44	53	50	26	34	20	24	17	19	29	26	39
Influenza—480-483	34	7	3	4	4	2	-	2	1	2	2	4	3
Pneumonia, except pneumonia of newborn—490-493	349	37	50	46	24	32	20	22	16	17	27	22	36
Bronchitis—500-502	28	1	3	3	3	3	-	1	-	-	7	5	3
Ulcer of stomach and duodenum—540,541	86	10	6	8	6	10	8	1	5	9	12	5	6
Appendicitis—550-553	32	4	5	3	5	3	1	-	-	2	3	3	3
Hernia and intestinal obstruction—560,561,570	72	9	6	9	7	3	6	2	11	5	4	5	5
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	46	6	3	-	5	4	4	4	7	3	3	4	3
Cirrhosis of liver—581	88	9	9	6	5	7	6	6	11	10	10	3	6
Acute nephritis and nephritis with edema, including nephrosis—590,591	30	2	4	6	2	1	4	2	-	2	2	2	3
Hyperplasia of prostate—610	70	8	8	4	3	6	5	6	6	6	8	5	5
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-669	19	2	1	2	1	2	1	3	1	2	1	2	1
Abortion—650-652	3	1	-	-	1	1	-	-	-	-	-	-	-
All other complications—640-649,660-669	16	1	1	2	-	1	1	3	1	2	1	2	1
Congenital malformations—750-759	192	18	16	23	14	14	11	15	19	13	15	17	17
Certain diseases of early infancy—760-776	549	52	34	40	54	47	47	48	50	57	42	40	38
Birth injuries, postnatal asphyxia, and atelectasis—760-762	257	19	18	17	23	24	22	28	19	24	22	22	19
Infections of newborn—765-768	19	2	4	1	-	1	-	1	-	2	3	3	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	273	31	12	22	31	22	25	19	31	31	17	15	17
Symptoms, senility, and ill-defined conditions—780-795	248	27	24	37	16	19	19	23	15	15	17	16	20
All other diseases—Residual	641	57	47	58	71	57	51	52	49	38	51	60	50
Accidents—E800-E962	1,103	95	62	94	82	99	95	93	112	88	89	78	116
Motor-vehicle accidents—E810-E835	391	21	8	32	30	34	28	27	43	36	33	36	63
All other accidents—E800-E802,E840-E962	712	74	54	62	52	65	67	66	69	52	56	42	53
Suicide—E963,E970-E979	239	16	15	29	16	27	18	23	24	15	15	18	23
Homicide—E964,E980-E985	39	3	1	4	3	2	1	4	4	3	5	3	6
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
PENNSYLVANIA—All causes	108,363	9,797	8,864	9,940	9,388	9,165	8,733	8,800	8,394	8,203	8,552	8,896	9,631
Tuberculosis, all forms—001-019	2,683	253	222	232	275	246	220	225	230	198	190	187	205
Tuberculosis of respiratory system—001-008	2,459	239	208	216	243	228	199	201	207	187	175	165	191
Tuberculosis, other forms—010-019	224	14	14	16	32	18	21	24	23	11	15	22	14
Syphilis and its sequelae—020-029	487	39	42	57	45	42	39	34	29	33	45	54	28
Typhoid fever—040	4	-	1	2	-	-	-	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	19	2	2	2	2	-	2	4	2	2	-	-	1
Scarlet fever and streptococcal sore throat—050,051	18	3	4	3	3	1	-	-	1	1	-	1	1
Diphtheria—055	14	1	2	1	2	2	2	2	-	-	1	-	1
Whooping cough—056	44	2	2	3	1	3	1	5	7	3	5	8	4
Meningococcal infections—057	65	8	8	3	7	7	5	3	4	5	5	6	4
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	77	-	-	-	-	1	-	2	24	22	19	8	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	57	8	8	14	10	9	4	2	-	-	-	-	2
Typhus and other rickettsial diseases—100-108	2	-	-	-	-	1	1	-	-	-	-	-	-
Malaria—110-117	3	-	1	-	-	-	-	-	1	-	-	-	1
All other infective and parasitic diseases-Residual	255	24	19	20	25	14	19	26	18	18	24	22	25
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	15,900	1,290	1,167	1,394	1,297	1,310	1,372	1,377	1,371	1,341	1,350	1,282	1,349
Malignant neoplasm of buccal cavity and pharynx—140-148	360	30	23	38	30	17	32	36	40	27	25	32	30
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	6,878	555	490	620	563	569	625	620	587	595	586	530	538
Malignant neoplasm of respiratory system—160-164	1,506	127	112	126	125	132	121	122	105	118	136	146	136
Malignant neoplasm of breast—170	1,420	129	107	138	95	126	110	107	128	141	101	113	125
Malignant neoplasm of genital organs—171-179	2,512	202	183	193	191	207	219	226	227	198	224	226	216
Malignant neoplasm of urinary organs—180,181	722	70	57	67	58	62	60	57	66	51	63	53	58
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,453	97	113	129	135	108	134	106	116	131	123	111	150
Leukemia and aleukemia—204	550	36	45	48	54	47	32	47	48	43	42	55	53
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	519	44	37	35	46	42	39	56	54	37	50	36	43
Benign neoplasms and neoplasms of unspecified nature—210-239	443	36	32	43	39	41	45	45	35	33	44	25	25
Diabetes mellitus—260	2,104	183	179	198	196	195	179	163	163	128	157	174	189
Anemias—290-293	293	28	24	27	27	25	23	29	16	23	29	26	16
Meningitis, except meningococcal and tuberculous—340	155	22	22	18	7	7	16	11	11	14	11	8	8
Major cardiovascular-renal diseases—330-334,400-468,592-594	60,134	5,498	5,020	5,552	5,244	5,138	4,776	4,697	4,469	4,423	4,681	5,077	5,559
Diseases of cardiovascular system—330-334,400-468	58,515	5,350	4,881	5,407	5,109	4,988	4,626	4,563	4,353	4,326	4,543	4,938	5,431
Vascular lesions affecting central nervous system—330-334	10,616	1,000	857	991	952	904	862	882	792	792	776	842	964
Rheumatic fever—400-402	221	21	14	21	24	19	16	26	16	14	19	16	15
Diseases of heart—410-443	43,574	3,951	3,665	4,001	3,779	3,725	3,415	3,336	3,229	3,211	3,405	3,736	4,123
Chronic rheumatic heart disease—410-416	1,659	162	137	164	125	154	127	126	138	120	124	136	148
Arteriosclerotic heart disease, including coronary disease—420	25,972	2,024	1,948	2,090	2,054	2,019	1,853	1,848	1,872	1,866	1,929	2,144	2,325
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	8,854	903	778	865	792	780	691	676	575	622	659	669	824
Other diseases of heart—430-434	1,930	156	161	186	167	173	153	141	159	140	142	186	167
Hypertension with heart disease—440-443	7,159	706	641	676	643	597	591	545	485	463	551	602	659
Hypertension without mention of heart—444-447	833	78	65	101	81	64	63	68	54	60	74	60	65
General arteriosclerosis—450	2,661	240	236	236	228	228	224	206	219	205	206	229	204
Other diseases of circulatory system—451-468	610	60	44	57	45	50	46	45	43	44	61	55	60
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,619	148	139	145	135	150	150	134	116	97	138	139	128
Influenza and pneumonia, except pneumonia of newborn—480-493	3,005	356	375	387	327	192	177	174	160	175	194	207	281
Influenza—480-483	256	44	40	41	24	16	7	12	11	15	10	11	25
Pneumonia, except pneumonia of newborn—490-493	2,749	312	335	346	303	176	170	162	149	160	184	196	256
Bronchitis—500-502	230	32	24	30	25	15	11	11	9	12	21	24	16
Ulcer of stomach and duodenum—540,541	525	59	45	42	46	47	41	32	29	47	39	52	46
Appendicitis—550-553	265	23	19	22	18	24	25	31	29	22	21	15	15
Hernia and intestinal obstruction—560,561,570	819	89	82	77	65	67	81	68	77	61	82	48	62
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	452	31	40	38	35	35	38	45	46	38	40	28	37
Cirrhosis of liver—581	998	91	65	88	73	83	64	98	89	101	92	80	74
Acute nephritis and nephritis with edema, including nephrosis—590,591	258	20	24	37	19	25	12	17	25	14	19	23	23
Hyperplasia of prostate—610	420	39	37	43	41	45	24	33	32	33	27	32	34
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	151	9	12	15	9	12	16	16	19	11	10	13	9
Abortion—650-652	19	2	1	1	2	1	4	3	1	1	1	1	1
All other complications—640-649,660-689	132	7	11	14	7	11	12	13	18	10	9	12	8
Congenital malformations—750-759	1,261	124	83	125	115	99	98	87	111	92	97	104	126
Certain diseases of early infancy—760-776	4,088	341	315	344	306	374	307	382	384	360	331	338	306
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,430	120	109	124	109	139	119	145	122	109	105	105	125
Infections of newborn—763-768	228	21	19	33	10	19	13	17	17	20	18	26	15
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	2,410	200	187	187	188	216	175	220	225	231	208	207	166
Symptoms, senility, and ill-defined conditions—780-795	1,051	107	74	86	94	102	79	89	84	66	69	79	102
All other diseases—Residual	5,088	502	420	458	483	445	400	445	390	363	378	376	449
Accidents—E800-E962	5,632	469	428	444	450	428	531	532	441	454	490	482	513
Motor-vehicle accidents—E810-E835	1,730	120	110	139	139	136	154	127	144	153	183	147	178
All other accidents—E800-E802,E840-E962	3,902	349	318	305	311	292	377	405	297	301	277	335	335
Suicide—E963,E970-E979	1,109	89	67	115	104	102	96	88	87	86	90	84	101
Homicide—E964,E980-E985	273	19	19	21	18	28	28	27	20	24	21	31	17
Injury resulting from operations of war-E965,E990-E999	2	-	-	1	-	-	1	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
RHODE ISLAND—All causes	8,071	674	713	731	725	678	616	660	633	591	600	683	767
Tuberculosis, all forms—001-019	168	15	17	11	16	12	10	17	15	13	14	17	11
Tuberculosis of respiratory system—001-008	157	12	17	11	14	11	10	14	15	13	14	15	11
Tuberculosis, other forms—010-019	11	3	-	-	2	1	-	3	-	-	-	2	-
Syphilis and its sequelae—020-029	50	4	4	6	6	5	2	4	5	4	3	4	3
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	2	-	1	-	1	-	-	-	-	-	-	-	-
Meningococcal infections—057	4	-	1	1	-	1	-	-	-	-	1	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	1	-	-	-	-	-	-	-	-	-	-	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	3	-	2	-	-	-	1	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	17	1	-	3	1	-	2	3	-	1	2	3	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,405	105	127	122	126	118	112	120	119	100	102	116	136
Malignant neoplasm of buccal cavity and pharynx—140-148	39	2	4	6	3	2	3	1	2	6	2	5	3
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	600	40	56	46	52	53	44	58	59	42	46	52	52
Malignant neoplasm of respiratory system—160-164	142	11	13	15	18	17	8	7	7	10	10	11	15
Malignant neoplasm of breast—170	146	12	11	14	16	10	10	11	12	7	9	12	22
Malignant neoplasm of genital organs—171-179	165	15	16	14	15	13	14	16	13	9	13	11	16
Malignant neoplasm of urinary organs—180,181	61	3	3	7	3	4	8	5	4	6	4	5	7
Malignant neoplasm of other and unspecified sites—156B,165,190-199	183	13	19	13	14	13	22	14	15	13	13	19	16
Leukemia and aleukemia—204	30	6	2	2	1	1	-	6	3	2	1	1	5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	39	3	4	5	4	5	3	2	4	3	4	2	-
Benign neoplasms and neoplasms of unspecified nature—210-239	34	1	3	1	4	4	4	3	1	4	3	5	1
Diabetes mellitus—260	306	24	29	28	27	24	33	15	28	28	25	24	21
Anemias—290-293	42	5	4	3	1	2	4	3	4	3	5	5	3
Meningitis, except meningococcal and tuberculous-340	3	-	-	1	-	-	-	1	-	1	-	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	4,401	384	393	403	391	376	319	359	335	323	314	364	440
Diseases of cardiovascular system—330-334,400-468	4,252	373	381	389	371	365	308	345	326	314	308	352	420
Vascular lesions affecting central nervous system—330-334	731	69	65	64	69	71	70	54	52	43	53	63	58
Rheumatic fever—400-402	8	-	-	-	-	3	-	-	-	-	-	2	3
Diseases of heart—410-443	3,261	281	290	298	284	274	223	273	250	252	238	269	329
Chronic rheumatic heart disease—410-416	86	9	12	6	11	7	3	9	5	4	9	3	10
Arteriosclerotic heart disease, including coronary disease—420	2,217	183	178	203	203	190	164	174	178	172	165	192	215
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	400	34	45	41	25	23	25	38	23	39	32	36	41
Other diseases of heart—430-434	82	4	3	15	7	7	5	9	10	6	5	7	4
Hypertension with heart disease—440-443	474	51	52	33	38	47	26	43	34	31	27	33	59
Hypertension without mention of heart—444-447	58	9	6	3	4	1	2	6	5	4	6	6	7
General arteriosclerosis—450	169	12	18	21	14	13	10	11	15	14	10	10	21
Other diseases of circulatory system—451-468	25	3	2	3	-	3	3	1	4	1	1	2	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	149	11	12	14	20	11	11	14	9	9	6	12	20
Influenza and pneumonia, except pneumonia of newborn—480-493	118	10	11	10	14	13	8	4	5	7	12	11	13
Influenza—480-483	5	1	1	-	-	1	-	1	-	-	-	-	1
Pneumonia, except pneumonia of newborn—490-493	113	9	10	10	14	12	8	3	5	7	12	11	12
Bronchitis—500-502	20	2	2	1	3	2	-	-	2	-	-	3	5
Ulcer of stomach and duodenum—540,541	53	7	2	10	2	6	5	3	3	2	4	3	6
Appendicitis—550-553	26	2	3	2	2	2	3	4	2	1	-	2	3
Hernia and intestinal obstruction—560,561,570	64	3	8	5	5	8	7	4	3	4	3	8	6
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	25	-	1	4	4	1	3	3	-	4	-	2	3
Cirrhosis of liver—581	92	12	6	5	8	4	5	8	8	5	12	11	8
Acute nephritis and nephritis with edema, including nephrosis—590,591	16	3	2	2	1	2	-	-	1	3	1	-	1
Hyperplasia of prostate—610	35	1	3	2	5	3	7	2	2	2	1	3	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	12	3	1	-	-	1	1	2	-	2	1	1	-
Abortion—650-652	1	1	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	11	2	1	-	-	1	1	2	-	2	1	1	-
Congenital malformations—750-759	91	7	7	8	3	10	6	8	8	9	6	8	8
Certain diseases of early infancy—750-776	263	15	27	20	28	24	20	21	23	20	29	16	20
Birth injuries, postnatal asphyxia, and atelectasis—760-762	115	3	14	8	19	7	6	10	10	5	16	7	10
Infections of newborn—763-768	9	1	2	1	-	-	1	-	-	1	3	-	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	139	11	11	11	9	17	13	11	13	14	10	9	10
Symptoms, senility, and ill-defined conditions—780-795	45	3	3	5	2	2	5	3	3	-	4	9	6
All other diseases—Residual	309	28	26	37	23	25	27	30	27	14	27	20	25
Accidents—E800-E962	389	29	27	34	40	25	27	38	30	35	30	34	40
Motor-vehicle accidents—E810-E835	78	8	4	8	6	4	5	8	7	5	7	12	6
All other accidents—E800-E802,E840-E962	311	21	23	26	34	21	22	32	23	30	23	22	34
Suicide—E963,E970-E979	73	10	3	9	7	8	5	5	9	5	1	9	2
Homicide—E964,E980-E985	4	-	-	-	-	-	-	-	-	1	-	2	1
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH CAROLINA—All causes	17,494	1,541	1,415	1,631	1,391	1,459	1,412	1,555	1,403	1,330	1,339	1,551	1,487
Tuberculosis, all forms—001-019	503	34	45	38	44	35	35	51	52	38	41	44	48
Tuberculosis of respiratory system—001-008	463	33	40	36	42	30	33	48	44	35	37	40	45
Tuberculosis, other forms—010-019	40	1	5	2	2	5	2	3	8	3	4	4	3
Syphilis and its sequelae—020-029	147	18	14	11	16	12	15	11	12	8	6	17	9
Typhoid fever—040	6	-	2	-	-	1	-	3	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	14	-	2	1	-	1	2	4	2	-	-	-	2
Scarlet fever and streptococcal sore throat—050,051	10	-	1	1	2	1	1	-	-	1	2	1	-
Diphtheria—055	21	1	-	1	2	1	-	1	2	4	3	4	2
Whooping cough—056	30	6	2	1	2	-	5	1	3	2	2	3	3
Meningococcal infections—057	11	-	1	2	2	-	1	2	1	2	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	9	-	-	-	1	1	-	1	4	2	-	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	16	1	1	3	4	3	1	2	-	-	-	-	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	4	-	1	-	-	-	2	-	1	-	-	-	-
All other infective and parasitic diseases-Residual	63	5	3	3	5	3	8	13	5	2	3	5	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,693	145	122	142	133	151	148	147	133	135	140	161	136
Malignant neoplasm of buccal cavity and pharynx—140-148	56	3	7	7	7	4	5	5	3	7	2	4	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	566	46	31	39	46	59	53	56	50	43	38	63	42
Malignant neoplasm of respiratory system—160-164	165	18	9	12	14	12	14	15	10	14	18	10	19
Malignant neoplasm of breast—170	114	5	15	10	8	9	7	11	11	9	9	8	12
Malignant neoplasm of genital organs—171-179	383	39	34	41	30	26	34	31	27	21	28	42	30
Malignant neoplasm of urinary organs—180,181	66	8	4	2	2	7	5	5	4	5	9	7	8
Malignant neoplasm of other and unspecified sites—156B,165,190-199	221	14	15	20	20	14	21	18	19	22	24	21	15
Leukemia and aleukemia—204	72	7	7	4	4	15	8	5	2	8	7	4	5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	50	5	2	7	2	7	1	3	7	6	5	2	3
Benign neoplasms and neoplasms of unspecified nature—210-239	58	4	4	4	3	6	5	8	6	4	6	5	3
Diabetes mellitus—260	248	19	18	24	22	20	17	22	17	19	22	19	30
Anemias—290-293	52	2	3	7	4	10	4	4	3	4	4	3	4
Meningitis, except meningococcal and tuberculous—340	42	5	2	9	4	3	3	3	5	3	2	3	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	8,469	731	699	804	698	722	689	719	668	635	667	724	715
Diseases of cardiovascular system—330-334,400-468	8,055	703	673	757	673	684	649	684	630	604	632	685	681
Vascular lesions affecting central nervous system—330-334	2,124	192	179	191	181	175	148	188	161	165	167	197	180
Rheumatic fever—400-402	43	3	3	4	3	6	2	4	7	-	2	7	2
Diseases of heart—410-443	5,291	447	446	509	442	465	450	445	413	387	415	421	451
Chronic rheumatic heart disease—410-416	185	23	18	17	10	22	20	8	12	9	11	21	14
Arteriosclerotic heart disease, including coronary disease—420	2,341	211	202	217	196	208	191	187	195	173	192	158	211
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	898	74	63	93	74	78	88	73	71	59	72	65	88
Other diseases of heart—430-434	348	25	30	39	27	32	26	42	28	15	27	30	27
Hypertension with heart disease—440-443	1,519	114	133	143	135	125	125	135	107	131	113	147	111
Hypertension without mention of heart—444-447	207	25	15	18	14	11	20	13	14	21	19	23	18
General arteriosclerosis—450	321	31	23	30	27	24	25	30	26	21	25	30	27
Other diseases of circulatory system—451-468	69	5	7	7	6	3	4	4	7	10	4	7	5
Chronic and unspecified nephritis and other renal sclerosis—592-594	414	28	26	47	23	38	40	35	38	31	35	38	34
Influenza and pneumonia, except pneumonia of newborn—480-493	782	103	92	95	65	47	37	43	40	36	36	81	87
Influenza—480-483	132	23	20	18	10	8	5	3	4	4	4	13	20
Pneumonia, except pneumonia of newborn—480-493	630	80	72	77	55	39	32	40	36	32	32	68	67
Bronchitis—500-502	43	5	4	7	4	1	1	2	2	-	3	6	8
Ulcer of stomach and duodenum—540,541	54	3	2	4	1	8	6	10	5	3	1	8	3
Appendicitis—550-553	46	3	3	4	-	8	5	5	5	4	3	5	1
Hernia and intestinal obstruction—560,561,570	94	11	4	13	2	7	11	13	4	5	7	13	4
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	195	12	8	9	7	10	31	37	20	28	15	17	3
Cirrhosis of liver—581	83	14	4	7	5	8	9	5	3	6	5	8	9
Acute nephritis and nephritis with edema, including nephrosis—590,591	74	7	5	5	7	6	4	6	5	14	5	4	6
Hyperplasia of prostate—610	68	7	6	5	6	3	7	10	6	8	1	6	3
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	102	10	10	13	10	11	7	12	7	4	3	7	8
Abortion—650-652	8	1	1	-	-	1	1	2	-	-	-	1	1
All other complications—640-649,660-689	94	9	9	13	10	10	6	10	7	4	3	6	7
Congenital malformations—750-759	210	22	16	20	13	13	18	17	16	15	19	23	16
Certain diseases of early infancy—760-776	1,131	106	93	105	91	99	80	104	100	96	89	89	79
Birth injuries, postnatal asphyxia, and atelectasis—760-762	328	36	19	33	25	33	23	38	27	21	27	28	18
Infections of newborn—763-768	91	3	10	9	5	4	6	14	9	10	11	2	8
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	712	67	64	63	61	62	51	52	64	65	51	59	53
Symptoms, senility, and ill-defined conditions—780-795	840	73	68	88	61	64	66	62	72	70	52	88	76
All other diseases—Residual	733	66	56	73	59	50	56	72	62	54	54	65	66
Accidents—E800-E962	1,280	101	96	103	88	117	118	119	110	96	111	93	128
Motor-vehicle accidents—E810-E835	523	52	38	31	35	47	37	52	48	48	51	31	53
All other accidents—E800-E802,E840-E962	757	49	58	72	53	70	81	67	62	48	60	62	75
Suicide—E963,E970-E979	132	8	8	14	14	15	8	14	7	13	9	14	8
Homicide—E964,E980-E985	250	19	18	15	18	24	16	30	26	20	28	15	21
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA—All causes	5,687	531	415	471	485	515	441	485	445	480	479	462	518
Tuberculosis, all forms—001-019	111	8	6	7	7	14	11	8	12	9	6	9	14
Tuberculosis of respiratory system—001-008	92	8	4	6	5	10	9	8	10	9	4	6	13
Tuberculosis, other forms—010-019	19	-	2	1	2	4	2	-	2	-	2	3	1
Syphilis and its sequelae—020-029	18	2	1	3	4	1	-	2	-	2	-	2	1
Typhoid fever—040	2	-	-	1	-	-	-	-	1	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	2	-	-	-	1	-	-	-	-	-	-	1	-
Scarlet fever and streptococcal sore throat—050,051	2	1	-	-	-	-	1	-	-	-	-	-	-
Diphtheria—055	2	-	-	-	-	-	-	-	1	-	1	-	-
Whooping cough—056	2	-	-	-	1	-	-	-	-	1	-	-	-
Meningococcal infections—057	2	-	-	-	-	-	-	-	1	-	-	1	-
Plague—059	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—060	22	-	-	-	-	-	-	3	6	4	4	2	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	3	-	-	-	-	1	1	1	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	23	1	2	1	3	2	4	1	2	1	1	2	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	798	83	46	57	61	70	73	68	70	70	58	63	80
Malignant neoplasm of buccal cavity and pharynx—140-148	20	-	3	1	1	2	5	2	-	1	2	1	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	354	39	12	26	30	30	32	35	37	26	26	24	37
Malignant neoplasm of respiratory system—160-164	79	7	5	5	4	10	7	8	11	6	6	6	4
Malignant neoplasm of breast—170	50	12	1	6	5	3	2	5	1	4	3	4	4
Malignant neoplasm of genital organs—171-179	107	6	10	7	9	10	7	3	7	14	7	12	15
Malignant neoplasm of urinary organs—180,181	40	2	1	1	2	4	7	5	3	4	2	5	4
Malignant neoplasm of other and unspecified sites—156B,165,190-199	79	10	9	2	5	7	7	5	5	9	7	5	8
Leukemia and aleukemia—204	39	6	2	7	2	2	2	3	2	4	3	3	3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	31	1	3	2	3	2	4	2	4	2	2	3	3
Benign neoplasms and neoplasms of unspecified nature—210-239	31	3	1	1	2	4	4	4	3	-	5	1	3
Diabetes mellitus—260	127	13	7	11	7	13	12	14	6	13	13	7	11
Anemias—290-293	25	2	1	3	3	3	2	4	4	3	-	-	-
Meningitis, except meningococcal and tuberculous—340	6	-	-	-	-	1	1	1	1	1	1	-	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,824	278	212	250	237	255	205	225	218	221	239	235	249
Diseases of cardiovascular system—330-334,400-468	2,747	269	203	246	231	250	196	220	211	217	234	230	240
Vascular lesions affecting central nervous system—330-334	729	74	60	58	62	67	42	53	55	60	62	56	80
Rheumatic fever—400-402	12	1	3	1	2	3	-	-	-	1	-	-	1
Diseases of heart—410-443	1,777	174	124	169	149	158	137	148	136	137	154	152	139
Chronic rheumatic heart disease—410-416	50	6	1	3	3	9	8	2	2	3	1	8	3
Arteriosclerotic heart disease, including coronary disease—420	1,067	105	71	88	86	94	81	96	78	91	108	85	96
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	336	42	20	43	35	28	23	35	27	25	25	22	11
Other diseases of heart—430-434	117	9	10	13	10	12	5	8	10	6	8	16	10
Hypertension with heart disease—440-443	207	12	22	24	15	15	20	17	19	12	12	20	18
Hypertension without mention of heart—444-447	61	3	2	7	2	8	5	8	6	6	4	4	6
General arteriosclerosis—450	143	14	11	11	12	12	12	10	10	12	11	15	13
Other diseases of circulatory system—451-468	25	3	3	-	4	2	-	1	4	1	3	3	1
Chronic and unspecified nephritis and other renal sclerosis—592-594	77	9	9	4	6	5	9	5	7	4	5	5	9
Influenza and pneumonia, except pneumonia of newborn—480-493	166	14	18	22	24	10	7	11	12	10	6	14	18
Influenza—480-483	20	2	3	3	6	2	1	-	2	-	-	-	1
Pneumonia, except pneumonia of newborn—490-493	146	12	15	19	18	8	6	11	10	10	6	14	17
Bronchitis—500-502	13	-	2	3	3	2	1	-	-	1	1	-	-
Ulcer of stomach and duodenum—540,541	30	3	3	3	2	1	3	2	1	6	2	4	-
Appendicitis—550-553	14	2	2	2	2	1	1	1	-	1	1	-	1
Hernia and intestinal obstruction—560,561,570	40	6	7	2	3	4	2	1	3	4	2	3	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	31	3	2	2	3	-	2	2	3	1	3	5	5
Cirrhosis of liver—581	28	3	4	2	-	3	3	1	3	-	2	2	5
Acute nephritis and nephritis with edema, including nephrosis—590,591	9	2	-	-	2	1	-	1	1	-	1	-	1
Hyperplasia of prostate—610	38	2	4	1	2	8	3	2	1	-	5	6	4
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	9	-	3	-	1	-	-	1	-	1	-	2	1
Abortion—850-852	2	-	-	-	-	-	-	-	-	-	-	1	1
All other complications—640-649,660-689	7	-	3	-	1	-	-	1	-	1	-	1	-
Congenital malformations—750-759	73	8	5	4	6	9	3	4	7	3	8	9	9
Certain diseases of early infancy—760-776	272	26	18	17	23	28	30	22	27	18	23	23	19
Birth injuries, postnatal asphyxia, and atelectasis—760-762	104	8	3	6	8	11	13	7	14	8	11	8	7
Infections of newborn—763-768	17	2	-	2	1	2	2	-	1	-	4	1	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	151	16	13	9	14	15	15	15	12	10	8	14	10
Symptoms, senility, and ill-defined conditions—780-795	117	9	15	7	8	10	4	10	6	18	8	11	13
All other diseases—Residual	311	27	33	33	20	22	23	23	19	25	29	22	35
Accidents—E800-E962	459	30	23	31	48	49	36	47	34	42	58	32	29
Motor-vehicle accidents—E810-E835	155	5	9	9	15	16	15	17	9	15	23	11	11
All other accidents—E800-E802,E840-E962	304	25	14	22	33	33	21	30	25	27	35	21	18
Suicide—E963,E970-E979	62	5	2	7	10	2	7	3	2	4	4	6	10
Homicide—E964,E980-E985	14	-	-	1	2	1	2	3	1	3	-	-	1
Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TENNESSEE—All causes	28,993	2,466	2,360	2,606	2,448	2,404	2,255	2,535	2,310	2,208	2,297	2,552	2,554
Tuberculosis, all forms—001-019	1,243	116	104	115	98	98	102	125	108	88	106	94	89
Tuberculosis of respiratory system—001-008	1,125	109	95	105	87	91	89	109	93	83	97	85	82
Tuberculosis, other forms—010-019	118	7	9	10	11	7	13	16	15	5	9	9	7
Syphilis and its sequelae—020-029	153	10	20	16	17	17	15	10	12	13	9	9	5
Typhoid fever—040	9	1	-	-	1	-	-	3	2	-	1	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	68	2	2	2	1	1	7	17	18	5	8	5	-
Scarlet fever and streptococcal sore throat—050,051	9	-	-	-	1	1	1	2	-	-	3	1	-
Diphtheria—055	27	1	1	-	-	1	1	-	3	5	7	6	2
Whooping cough—056	41	1	1	1	3	4	3	10	7	5	4	2	-
Meningococcal infections—057	24	1	1	5	4	2	-	2	2	1	-	4	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	33	-	-	1	-	-	3	10	5	4	5	2	3
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	50	4	1	12	9	13	5	3	-	-	-	2	1
Typhus and other rickettsial diseases—100-108	4	-	-	-	-	1	1	1	-	-	-	-	1
Malaria—110-117	3	1	-	1	-	-	-	-	1	-	-	-	-
All other infective and parasitic diseases-Residual	123	10	8	6	9	11	13	16	16	11	6	6	11
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,285	272	241	300	269	287	265	274	243	287	295	270	280
Malignant neoplasm of buccal cavity and pharynx—140-148	84	6	6	6	6	4	11	6	6	5	8	13	7
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,131	84	71	108	100	107	77	109	91	100	102	84	99
Malignant neoplasm of respiratory system—160-164	285	26	23	33	22	19	22	25	9	30	28	23	25
Malignant neoplasm of breast—170	267	27	21	16	14	16	27	22	17	23	29	28	27
Malignant neoplasm of genital organs—171-179	661	56	55	67	60	67	60	50	50	53	58	51	44
Malignant neoplasm of urinary organs—180,181	142	17	9	15	13	16	11	13	5	15	8	8	14
Malignant neoplasm of other and unspecified sites—156B,165,190-199	430	38	33	33	41	33	33	27	38	41	35	39	39
Leukemia and aleukemia—204	148	10	10	8	11	18	16	17	8	9	12	17	12
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	135	8	13	14	12	7	8	6	19	11	17	7	13
Benign neoplasms and neoplasms of unspecified nature—210-239	112	13	11	11	7	13	9	7	11	6	9	9	6
Diabetes mellitus—260	294	22	26	20	23	29	25	29	26	19	23	28	24
Anemias—280-285	72	7	4	9	2	5	5	7	8	4	7	8	8
Meningitis, except meningococcal and tuberculous-340	64	6	6	10	7	7	1	3	5	3	5	3	8
Major cardiovascular-renal diseases—330-334,400-468,592-594	13,132	1,104	1,095	1,134	1,147	1,098	1,024	1,132	1,037	981	1,019	1,202	1,159
Diseases of cardiovascular system—330-334,400-468	12,448	1,039	1,031	1,069	1,093	1,040	973	1,082	981	934	982	1,147	1,097
Vascular lesions affecting central nervous system—330-334	3,387	282	292	296	295	285	225	298	244	279	283	316	300
Rheumatic fever—400-402	57	3	4	8	6	8	3	6	5	3	4	3	4
Diseases of heart—410-443	8,259	683	662	706	733	685	686	704	678	616	624	749	733
Chronic rheumatic heart disease—410-416	373	30	38	39	43	33	24	26	30	28	21	33	28
Arteriosclerotic heart disease, including coronary disease—420	3,767	320	298	312	341	297	329	328	314	280	266	341	343
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,518	128	125	132	132	139	115	135	139	104	110	146	115
Other diseases of heart—430-434	708	58	62	50	62	61	55	59	51	57	67	62	66
Hypertension with heart disease—440-443	1,893	151	141	173	155	155	163	156	144	147	160	167	161
Hypertension without mention of heart—444-447	309	30	33	20	32	21	29	35	25	8	18	35	23
General arteriosclerosis—450	316	29	31	30	18	27	24	27	23	23	26	32	26
Other diseases of circulatory system—451-468	110	12	9	9	9	14	6	12	8	5	7	10	11
Chronic and unspecified nephritis and other renal sclerosis—592-594	684	65	64	65	54	58	51	50	56	47	57	55	62
Influenza and pneumonia, except pneumonia of newborn—480-493	1,357	160	158	177	152	96	60	62	68	65	86	123	150
Influenza—480-483	263	37	45	36	33	17	8	11	4	9	12	19	32
Pneumonia, except pneumonia of newborn—480-493	1,094	123	113	141	119	79	52	51	64	56	74	104	118
Bronchitis—500-502	78	6	10	9	1	9	6	4	5	6	4	11	7
Ulcer of stomach and duodenum—540,541	110	10	6	10	10	5	7	9	7	8	9	12	17
Appendicitis—550-553	75	5	5	11	12	3	6	10	7	2	7	5	2
Hernia and intestinal obstruction—560,561,570	140	13	14	14	12	17	9	11	13	8	9	10	10
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	397	10	8	16	7	15	59	110	48	44	36	23	20
Cirrhosis of liver—581	174	11	14	12	13	14	11	28	9	14	16	16	16
Acute nephritis and nephritis with edema, including nephrosis—590,591	104	13	8	7	11	12	6	4	10	8	8	12	5
Hyperplasia of prostate—610	163	12	13	13	16	21	13	13	9	10	19	11	13
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	110	7	7	15	8	6	12	12	12	4	8	9	10
Abortion—650-652	3	-	-	1	1	-	-	-	1	-	-	-	-
All other complications—640-649,660-689	107	7	7	14	7	6	12	12	11	4	8	9	10
Congenital malformations—750-759	405	38	33	36	28	33	27	34	37	33	29	38	39
Certain diseases of early infancy—760-776	1,704	134	133	137	147	161	139	151	154	155	132	133	128
Birth injuries, postnatal asphyxia, and atelectasis—760-762	572	51	41	51	40	48	54	58	41	49	49	50	40
Infections of newborn—763-768	176	10	19	16	16	8	17	16	20	22	12	5	15
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	956	73	73	70	91	105	68	77	93	84	71	78	73
Symptoms, senility, and ill-defined conditions—780-795	1,713	154	150	182	131	123	125	132	131	119	115	155	196
All other diseases—Residual	1,380	128	109	126	112	103	108	116	118	96	129	121	119
Accidents—E800-E962	1,733	140	128	139	142	154	139	141	134	144	129	178	164
Motor-vehicle accidents—E810-E835	703	48	56	54	58	55	45	56	47	71	65	71	77
All other accidents—E800-E802,E840-E962	1,030	92	72	85	84	99	94	85	87	73	64	108	87
Suicide—E963,E970-E979	285	22	27	31	22	22	29	18	16	27	23	25	25
Homicide—E964,E980-E985	321	32	16	28	26	21	24	29	30	31	31	20	33
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
TEXAS—All causes	63,337	5,925	5,331	5,549	5,257	5,314	5,256	5,376	5,026	4,627	5,020	5,212	5,444
Tuberculosis, all forms—001-019	2,438	219	205	245	224	213	229	221	185	186	172	196	183
Tuberculosis of respiratory system—001-008	2,232	205	187	229	200	194	203	207	172	156	159	174	146
Tuberculosis, other forms—010-019	206	14	18	16	24	19	26	14	13	10	13	22	17
Syphilis and its sequelae—020-028	460	45	46	46	25	41	36	47	35	37	31	32	39
Typhoid fever—040	19	2	1	-	3	1	-	4	4	2	1	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	536	29	22	34	67	90	64	66	44	31	28	36	25
Scarlet fever and streptococcal sore throat—050,051	28	2	3	2	5	1	2	1	1	3	2	5	1
Diphtheria—055	61	9	6	8	3	2	3	2	4	4	7	5	8
Whooping cough—056	46	3	6	-	5	4	4	4	7	6	3	2	2
Meningococcal infections—057	38	4	1	4	9	3	2	1	1	2	4	2	5
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	183	8	9	4	3	18	30	20	27	21	22	15	6
Smallpox—084	1	-	-	1	-	-	-	-	-	-	-	-	-
Measles—085	92	10	22	26	21	11	1	-	-	-	1	-	-
Typhus and other rickettsial diseases—100-108	6	-	-	-	1	2	1	3	-	-	-	1	-
Malaria—110-117	20	-	1	1	-	2	4	2	4	2	-	1	3
All other infective and parasitic diseases-Residual	281	21	21	26	18	21	33	29	25	20	21	24	22
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	7,700	665	599	641	607	652	585	648	648	619	689	646	701
Malignant neoplasm of buccal cavity and pharynx—140-148	213	20	16	18	18	19	9	15	15	17	29	18	19
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,632	242	214	223	194	224	194	203	224	234	232	209	239
Malignant neoplasm of respiratory system—160-164	724	55	49	60	52	73	59	66	60	59	60	59	72
Malignant neoplasm of breast—170	592	56	47	39	60	57	46	44	45	53	50	46	49
Malignant neoplasm of genital organs—171-179	1,424	118	112	122	107	115	119	113	120	107	121	140	130
Malignant neoplasm of urinary organs—180,181	307	29	18	32	21	26	17	30	24	25	33	23	29
Malignant neoplasm of other and unspecified sites—156B,165,190-199	1,165	103	87	99	114	87	94	112	99	76	111	98	105
Leukemia and aleukemia—204	342	21	34	28	24	23	24	33	39	26	29	32	29
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	281	21	22	20	17	28	23	32	22	22	24	21	29
Benign neoplasms and neoplasms of unspecified nature—210-239	345	35	21	37	28	29	30	33	32	21	29	20	32
Diabetes mellitus—260	811	100	65	71	69	57	82	51	54	61	55	81	65
Anemias—280-285	181	13	13	17	19	11	16	19	10	17	20	15	11
Meningitis, except meningococcal and tuberculous—340	135	20	14	10	17	14	6	9	6	7	13	12	7
Major cardiovascular-renal diseases—330-334,400-468,592-594	26,507	2,454	2,349	2,470	2,203	2,127	2,175	2,142	2,046	1,931	2,081	2,181	2,348
Diseases of cardiovascular system—330-334,400-468	25,210	2,327	2,233	2,343	2,106	2,003	2,065	2,044	1,965	1,831	1,978	2,075	2,242
Vascular lesions affecting central nervous system—330-334	5,865	506	456	541	452	405	491	459	432	428	475	471	549
Rheumatic fever—400-402	85	8	7	12	10	6	6	7	3	7	5	5	9
Diseases of heart—410-443	17,744	1,643	1,618	1,621	1,471	1,461	1,422	1,441	1,382	1,287	1,383	1,469	1,546
Chronic rheumatic heart disease—410-416	457	50	37	50	39	41	38	28	25	40	41	26	42
Arteriosclerotic heart disease, including coronary disease—420	10,104	881	913	935	836	827	793	847	789	734	805	836	906
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,387	225	214	206	215	205	218	183	170	166	171	210	206
Other diseases of heart—430-434	1,936	193	178	171	150	161	164	153	177	142	138	140	169
Hypertension with heart disease—440-443	2,880	294	278	259	233	227	208	230	221	205	228	255	223
Hypertension without mention of heart—444-447	614	51	59	56	76	51	49	45	49	39	43	47	49
General arteriosclerosis—450	804	94	69	75	67	60	61	71	61	47	50	60	69
Other diseases of circulatory system—451-468	298	25	24	38	30	20	34	21	18	23	22	23	20
Chronic and unspecified nephritis and other renal sclerosis—592-594	1,297	127	116	127	97	124	112	98	81	100	103	106	106
Influenza and pneumonia, except pneumonia of newborn—480-493	2,398	331	328	276	258	154	125	130	118	98	155	207	218
Influenza—480-483	350	54	53	58	40	31	14	12	6	4	15	29	33
Pneumonia, except pneumonia of newborn—490-493	2,048	277	275	217	218	123	111	118	112	94	140	178	185
Bronchitis—500-502	142	19	19	18	9	14	8	8	10	6	7	15	9
Ulcer of stomach and duodenum—540,541	240	14	27	18	20	22	16	16	25	11	22	23	26
Appendicitis—550-553	194	18	12	12	12	28	17	27	18	8	13	20	9
Hernia and intestinal obstruction—560,561,570	416	23	34	42	25	37	33	38	40	44	40	34	26
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,475	103	63	81	143	227	165	170	108	84	93	107	133
Cirrhosis of liver—581	475	52	36	34	43	42	24	43	35	39	34	46	47
Acute nephritis and nephritis with edema, including nephrosis—590,591	204	18	16	13	18	14	26	13	13	17	21	18	17
Hyperplasia of prostate—610	352	38	27	30	38	19	23	29	25	32	34	35	22
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	240	28	13	31	17	14	24	20	19	23	11	10	30
Abortion—650-652	31	3	2	5	2	1	3	2	2	3	-	2	6
All other complications—640-649,660-689	209	25	11	26	15	13	21	18	17	20	11	8	24
Congenital malformations—750-759	890	91	62	58	69	77	53	84	88	63	86	78	81
Certain diseases of early infancy—760-776	4,274	345	307	299	336	372	376	404	406	354	367	338	370
Birth injuries, postnatal asphyxia, and atelectasis—760-762	1,216	97	81	78	86	82	98	128	121	124	100	106	115
Infections of newborn—763-768	408	41	39	29	37	32	35	38	35	27	29	30	36
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	2,650	207	187	192	213	258	243	238	250	203	238	202	219
Symptoms, senility, and ill-defined conditions—780-795	2,062	267	194	202	169	167	181	189	166	140	143	135	149
All other diseases—Residual	3,436	340	301	311	295	276	285	280	296	247	284	267	274
Accidents—E800-E962	5,160	487	378	372	362	417	451	498	408	394	424	483	486
Motor-vehicle accidents—E810-E835	1,977	167	139	121	119	146	159	163	169	182	182	204	217
All other accidents—E800-E802,E840-E962	3,183	320	239	251	244	271	292	335	239	212	232	279	269
Suicide—E963,E970-E979	700	52	58	63	58	64	59	66	49	54	53	69	56
Homicide—E964,E980-E985	768	60	52	46	60	71	68	78	71	63	74	53	72
Injury resulting from operations of war—E985,E990-E999	1	-	-	-	-	-	-	1	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UTAH—All causes	4,929	475	381	389	441	390	387	449	413	343	434	418	409
Tuberculosis, all forms—001-019	60	5	8	6	4	5	3	7	7	2	5	6	2
Tuberculosis of respiratory system—001-008	46	3	7	5	2	5	3	4	6	2	4	4	1
Tuberculosis, other forms—010-019	14	2	1	1	2	-	-	3	1	-	1	2	1
Syphilis and its sequelae—020-029	11	3	2	1	-	1	2	-	1	-	-	1	-
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	2	-	1	-	-	-	-	-	-	1	-	-	-
Scarlet fever and streptococcal sore throat-050,051	2	1	-	-	-	-	-	-	-	-	-	-	1
Diphtheria—055	5	1	1	-	-	-	-	-	-	-	1	-	2
Whooping cough—056	1	-	-	-	-	-	-	-	1	-	-	-	-
Meningococcal infections—057	7	-	1	-	-	2	-	-	-	-	1	2	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	9	-	-	1	-	-	1	-	2	3	2	-	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	2	-	-	-	-	-	-	-	1	-	-	1	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	1	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	15	1	1	-	-	1	2	3	2	1	-	1	3
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	570	51	47	45	47	41	37	56	61	34	50	59	42
Malignant neoplasm of buccal cavity and pharynx—140-148	13	3	-	1	2	1	1	2	2	1	-	-	-
Malignant neoplasm of digestive organs and peritoneum—150 150A,157-159	203	21	18	11	17	13	14	17	24	13	16	24	15
Malignant neoplasm of respiratory system—160-164	57	2	7	5	2	1	6	7	5	7	6	5	4
Malignant neoplasm of breast—170	58	4	5	5	8	4	5	4	5	1	4	6	7
Malignant neoplasm of genital organs—171-179	93	9	9	7	10	11	5	11	6	5	7	8	5
Malignant neoplasm of urinary organs—180,181	29	2	1	4	2	5	1	6	-	1	2	2	3
Malignant neoplasm of other and unspecified sites—150B,165,190-199	76	9	5	8	2	4	4	6	10	4	11	10	3
Leukemia and aleukemia—204	26	1	-	3	3	1	1	2	4	2	3	3	3
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	15	-	2	1	1	1	-	1	5	-	1	1	2
Benign neoplasms and neoplasms of unspecified nature—210-239	30	1	1	1	-	1	3	3	5	2	2	4	7
Diabetes mellitus—260	70	7	11	11	5	6	3	5	4	6	3	3	6
Anemias—290-293	17	4	-	2	4	1	-	1	1	1	2	1	-
Meningitis, except meningococcal and tuberculous-340	11	1	2	1	2	1	-	-	2	1	-	1	-
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,334	236	194	187	208	196	197	197	161	155	210	197	196
Diseases of cardiovascular system—330-334,400-468	2,259	232	187	180	202	186	189	192	158	151	203	192	187
Vascular lesions affecting central nervous system—330-334	414	43	25	33	37	29	36	30	34	42	41	28	36
Rheumatic fever—400-402	25	2	-	-	5	2	4	3	1	2	1	4	1
Diseases of heart—410-443	1,679	175	152	135	151	142	138	146	115	99	145	146	136
Chronic rheumatic heart disease—410-416	117	13	7	6	11	7	9	7	9	11	14	13	10
Arteriosclerotic heart disease, including coronary disease—420	950	100	81	72	79	91	71	93	68	58	79	84	74
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	300	34	30	29	32	28	31	23	14	13	23	21	22
Other diseases of heart—430-434	76	8	7	4	10	4	7	10	6	8	2	4	8
Hypertension with heart disease—440-443	236	20	27	24	19	12	20	13	18	11	27	24	21
Hypertension without mention of heart—444-447	32	2	2	5	-	4	1	3	2	3	4	4	2
General arteriosclerosis—450	80	7	6	5	6	7	7	8	6	3	9	5	11
Other diseases of circulatory system—451-468	29	3	2	2	3	2	3	2	-	2	3	5	2
Chronic and unspecified nephritis and other renal sclerosis—592-594	75	4	7	7	6	10	8	5	3	4	7	5	9
Influenza and pneumonia, except pneumonia of newborn—480-493	112	13	14	8	11	9	6	8	11	6	12	7	7
Influenza—480-483	9	1	1	1	2	1	-	-	-	-	-	2	1
Pneumonia, except pneumonia of newborn—490-493	103	12	13	7	9	8	6	8	11	6	12	5	6
Bronchitis—500-502	17	5	-	1	-	1	1	1	-	1	2	3	2
Ulcer of stomach and duodenum—540,541	47	2	3	4	4	6	8	2	3	1	4	2	8
Appendicitis—550-553	11	1	1	-	-	-	4	3	1	-	-	-	1
Hernia and intestinal obstruction—560,561,570	36	5	1	2	5	3	3	6	3	2	1	2	3
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	15	3	-	-	1	1	1	1	1	3	1	1	2
Cirrhosis of liver—581	36	4	2	2	4	3	4	4	2	2	3	3	3
Acute nephritis and nephritis with edema, including nephrosis—590,591	16	-	2	-	-	2	2	2	3	-	2	3	-
Hyperplasia of prostate—610	18	2	2	2	2	1	1	2	3	-	2	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	5	-	-	1	1	-	-	1	1	-	-	1	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	5	-	-	1	1	-	-	1	1	-	-	1	-
Congenital malformations—750-759	118	16	9	3	12	4	4	23	7	8	10	11	11
Certain diseases of early infancy—760-776	353	38	24	32	32	29	22	39	37	22	18	25	35
Birth injuries, postnatal asphyxia, and atelectasis—760-762	170	21	13	14	9	15	9	19	21	10	6	3	20
Infections of newborn—763-768	15	1	2	1	-	1	2	2	1	1	2	1	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	168	16	9	17	23	15	11	18	15	11	10	11	14
Symptoms, senility, and ill-defined conditions—780-795	187	19	13	17	15	14	25	13	15	10	22	11	13
All other diseases—Residual	258	19	19	23	36	14	11	17	22	23	27	23	24
Accidents—E800-E962	490	31	21	33	46	40	43	48	47	53	45	42	31
Motor-vehicle accidents—E810-E835	178	6	7	8	19	15	15	24	19	21	17	18	9
All other accidents—E800-E802,E840-E962	302	25	14	25	27	25	28	24	28	32	28	24	22
Suicide—E963,E970-E979	38	4	1	5	1	6	4	6	7	5	6	7	6
Homicide—E964,E980-E985	15	2	-	1	-	2	-	1	2	1	3	1	2
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VERMONT—All causes	4,162	387	340	408	357	373	336	294	310	319	328	356	354
Tuberculosis, all forms—001-019	98	5	6	17	10	8	6	12	9	2	8	9	6
Tuberculosis of respiratory system—001-008	96	5	6	16	9	8	6	12	9	2	8	9	6
Tuberculosis, other forms—010-019	2	-	-	1	1	-	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	14	1	1	2	-	-	1	-	1	1	3	2	2
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	1	-	-	-	-	-	-	-	-	-	-	-	1
Scarlet fever and streptococcal sore throat—050,051	-	-	-	-	-	-	-	-	-	-	-	-	-
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	-	-	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	1	-	1	-	-	-	-	-	-	-	-	-	-
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	5	-	-	-	-	-	-	-	-	4	-	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	6	2	2	1	1	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	8	1	-	-	-	2	-	-	1	1	-	-	1
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	620	48	57	47	43	52	54	43	51	55	55	66	49
Malignant neoplasm of buccal cavity and pharynx—140-148	16	2	2	-	1	2	-	1	-	2	1	3	2
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	265	21	19	25	16	21	25	13	24	25	27	31	18
Malignant neoplasm of respiratory system—160-164	31	1	6	1	4	2	2	1	-	6	2	1	3
Malignant neoplasm of breast—170	62	6	7	3	3	4	2	6	5	8	1	9	8
Malignant neoplasm of genital organs—171-179	111	8	9	7	10	13	9	12	12	7	11	7	6
Malignant neoplasm of urinary organs—180,181	35	4	1	4	-	1	4	6	4	3	1	4	3
Malignant neoplasm of other and unspecified sites—156B,165,190-199	48	2	7	3	4	5	8	1	3	3	3	7	2
Leukemia and aleukemia—204	24	2	2	-	1	1	2	1	1	-	6	4	4
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	28	2	2	4	4	3	2	2	2	1	3	-	3
Benign neoplasms and neoplasms of unspecified nature—210-239	19	2	1	-	-	1	3	2	1	3	1	2	3
Diabetes mellitus—260	82	6	3	11	8	9	6	13	4	3	10	4	5
Anemias—280-285	12	1	-	3	-	-	3	1	2	-	1	-	1
Meningitis, except meningococcal and tuberculous-340	9	-	1	2	1	2	1	-	1	-	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	2,302	217	192	227	197	216	189	145	171	181	178	180	209
Diseases of cardiovascular system—330-334,400-468	2,241	211	187	219	191	214	185	142	168	174	173	177	200
Vascular lesions affecting central nervous system—330-334	473	40	36	53	36	48	49	24	33	41	28	35	50
Rheumatic fever—400-402	3	-	-	-	1	-	-	-	-	1	-	-	1
Diseases of heart—410-443	1,542	147	138	140	130	142	123	103	122	108	128	132	129
Chronic rheumatic heart disease—410-416	65	5	8	5	6	4	4	7	3	3	6	4	10
Arteriosclerotic heart disease, including coronary disease—420	972	90	91	84	85	88	79	69	70	69	74	95	78
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	255	25	19	19	17	28	22	8	25	22	32	19	19
Other diseases of heart—430-434	57	8	4	6	10	4	3	4	5	4	3	2	4
Hypertension with heart disease—440-443	193	19	16	26	12	18	15	15	19	10	13	12	18
Hypertension without mention of heart—444-447	32	4	1	2	5	3	4	1	2	5	1	-	4
General arteriosclerosis—450	167	14	11	20	17	18	8	13	10	19	16	8	13
Other diseases of circulatory system—451-468	24	6	1	4	2	3	1	1	1	-	-	2	3
Chronic and unspecified nephritis and other renal sclerosis—592-594	61	6	5	8	6	2	4	3	3	7	5	3	9
Influenza and pneumonia, except pneumonia of newborn—480-493	121	19	16	19	14	9	8	4	3	7	7	5	10
Influenza—480-483	19	2	1	4	7	2	-	-	1	-	-	-	2
Pneumonia, except pneumonia of newborn—490-493	102	17	15	15	7	7	8	4	2	7	7	5	8
Bronchitis—500-502	13	1	2	1	1	2	-	-	2	1	2	1	-
Ulcer of stomach and duodenum—540,541	32	1	2	3	1	5	2	5	1	6	1	4	1
Appendicitis—550-553	6	-	-	-	-	1	1	1	-	1	-	2	-
Hernia and intestinal obstruction—560,561,570	35	2	2	2	4	4	2	3	3	2	3	6	2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	16	-	-	2	2	1	3	1	1	-	1	1	4
Cirrhosis of liver—581	29	-	-	4	4	1	5	-	5	3	2	3	2
Acute nephritis and nephritis with edema, including nephrosis—590,591	8	-	1	2	1	-	-	1	-	1	-	-	-
Hyperplasia of prostate—610	22	1	3	2	4	2	3	-	2	3	1	-	1
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	6	-	-	-	2	-	-	2	-	2	-	-	-
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	6	-	-	-	2	-	-	2	-	2	-	-	-
Congenital malformations—750-75.	47	7	5	2	4	2	3	5	7	3	2	3	4
Certain diseases of early infancy—760-776	189	17	15	19	17	18	10	28	16	9	13	16	9
Birth injuries, postnatal asphyxia, and atelectasis—760-762	41	7	3	7	8	7	5	14	6	3	8	5	2
Infections of newborn—763-768	9	-	-	1	-	-	1	1	2	2	1	1	-
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	99	10	6	11	9	11	4	13	8	4	4	12	7
Symptoms, senility, and ill-defined conditions—780-795	56	5	3	1	6	3	1	-	2	3	1	4	4
All other diseases—Residual	171	13	17	16	16	17	15	9	10	10	19	19	15
Accidents—E800-E962	215	31	14	16	17	17	16	17	14	15	17	21	18
Motor-vehicle accidents—E810-E835	63	6	3	6	4	7	5	3	4	7	9	3	6
All other accidents—E800-E802,E840-E962	152	25	11	12	13	11	11	14	10	8	8	18	12
Suicide—E963,E970-E979	41	6	1	5	4	1	4	2	3	3	3	3	6
Homicide—E964,E980-E985	3	-	-	-	-	-	-	-	-	-	-	2	-
Injury resulting from operations of war-E98S,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
VIRGINIA—All causes	29,345	2,607	2,318	2,656	2,397	2,307	2,433	2,500	2,384	2,184	2,385	2,485	2,689
Tuberculosis, all forms—001-019	975	79	73	84	83	80	79	90	67	88	90	72	91
Tuberculosis of respiratory system—001-008	905	77	64	79	76	77	74	79	63	83	82	66	85
Tuberculosis, other forms—010-019	71	2	9	5	7	3	5	11	4	5	8	6	6
Syphilis and its sequelae—020-029	231	19	18	23	24	20	16	18	14	18	20	19	22
Typhoid fever—040	8	-	-	-	-	1	-	1	2	1	3	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	47	1	1	-	1	-	1	16	13	2	6	3	3
Scarlet fever and streptococcal sore throat—050,051	5	-	1	-	-	-	-	-	1	-	2	-	1
Diphtheria—055	12	-	2	1	-	-	-	-	1	2	2	2	2
Whooping cough—056	34	8	1	5	-	5	3	1	3	1	2	2	3
Meningococcal infections—057	41	8	-	6	4	5	3	1	2	1	2	1	8
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	17	2	-	-	-	-	-	1	9	3	1	1	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	42	4	8	6	8	6	6	3	-	-	-	1	-
Typhus and other rickettsial diseases—100-108	4	-	-	-	-	1	-	-	3	-	-	-	-
Malaria—110-117	1	-	-	-	-	-	-	-	-	-	-	1	-
All other infective and parasitic diseases-Residual	101	12	3	14	8	8	6	15	9	7	5	6	8
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,328	280	259	280	277	273	273	294	307	258	266	294	267
Malignant neoplasm of buccal cavity and pharynx—140-148	69	3	7	9	7	7	6	4	9	3	3	7	5
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,179	97	98	89	105	106	90	103	113	88	78	122	88
Malignant neoplasm of respiratory system—160-164	332	31	34	24	21	25	23	28	31	23	28	36	28
Malignant neoplasm of breast—170	298	19	13	30	23	18	30	33	34	22	34	20	22
Malignant neoplasm of genital organs—171-179	635	59	55	53	53	50	56	62	57	49	53	37	51
Malignant neoplasm of urinary organs—180,181	147	18	7	12	12	13	10	9	9	15	14	16	12
Malignant neoplasm of other and unspecified sites—156B,165,190-199	396	28	28	33	40	34	35	38	28	34	28	32	40
Leukemia and aleukemia—204	129	10	7	18	10	6	11	10	11	10	14	15	7
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	143	16	9	12	6	14	12	9	15	13	14	9	14
Benign neoplasms and neoplasms of unspecified nature—210-239	128	11	9	17	4	9	14	13	9	11	11	13	7
Diabetes mellitus—260	388	45	38	42	36	25	37	31	33	15	28	28	30
Anemias—290-293	82	5	6	6	11	7	9	5	1	8	7	11	6
Meningitis, except meningococcal and tuberculous—340	52	3	5	7	3	3	4	6	1	4	5	4	7
Major cardiovascular-renal diseases—330-334,400-468,592-594	14,618	1,331	1,178	1,363	1,215	1,152	1,236	1,199	1,181	1,071	1,195	1,265	1,432
Diseases of cardiovascular system—330-334,400-468	14,135	1,259	1,128	1,300	1,171	1,090	1,196	1,162	1,132	1,016	1,124	1,194	1,363
Vascular lesions affecting central nervous system—330-334	3,396	277	271	321	289	253	289	281	275	228	270	304	338
Rheumatic fever—400-402	64	9	8	9	7	5	6	3	3	2	5	4	3
Diseases of heart—410-443	9,674	875	777	885	785	749	823	784	784	708	771	908	925
Chronic rheumatic heart disease—410-416	388	39	41	37	25	33	34	28	23	33	26	30	39
Arteriosclerotic heart disease, including coronary disease—420	4,872	443	353	421	397	375	407	388	428	361	406	431	462
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,950	173	176	195	162	148	175	150	131	149	150	148	193
Other diseases of heart—430-434	434	39	49	40	42	28	32	47	31	24	30	26	46
Hypertension with heart disease—440-443	2,050	181	158	192	159	165	175	171	171	141	159	173	165
Hypertension without mention of heart—444-447	289	27	18	23	22	32	23	32	17	24	27	20	24
General arteriosclerosis—450	554	57	38	50	57	42	48	45	44	38	43	37	54
Other diseases of circulatory system—451-468	158	14	16	12	11	9	7	17	9	15	8	21	19
Chronic and unspecified nephritis and other renal sclerosis—592-594	683	72	50	63	44	82	40	37	49	55	71	71	69
Influenza and pneumonia, except pneumonia of newborn—480-493	1,093	144	143	112	100	85	64	48	52	62	78	77	128
Influenza—480-483	156	29	17	16	20	15	10	3	4	4	9	10	19
Pneumonia, except pneumonia of newborn—490-493	937	115	126	96	80	70	54	45	48	58	69	67	109
Bronchitis—500-502	85	16	16	13	5	3	3	2	4	5	8	4	6
Ulcer of stomach and duodenum—540,541	134	9	7	11	13	8	16	13	6	12	10	13	16
Appendicitis—550-553	70	6	8	7	4	3	6	9	7	2	7	6	5
Hernia and intestinal obstruction—560,561,570	202	11	15	24	16	17	18	20	18	16	14	17	16
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	269	16	7	10	13	8	23	43	47	39	36	18	9
Cirrhosis of liver—581	169	17	11	15	13	23	11	13	18	10	16	10	14
Acute nephritis and nephritis with edema, including nephrosis—580,581	86	7	9	8	7	5	9	4	8	5	9	4	11
Hyperplasia of prostate—610	116	4	12	14	13	9	11	8	6	9	14	5	11
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	85	9	6	12	5	5	5	8	10	7	4	9	5
Abortion—650-652	12	2	1	1	-	2	2	1	1	-	-	1	1
All other complications—640-649,660-689	73	7	5	11	5	3	3	7	9	7	4	8	4
Congenital malformations—750-759	411	36	34	36	34	25	30	40	32	34	34	33	43
Certain diseases of early infancy—760-776	1,833	132	126	162	156	169	173	159	150	149	173	158	126
Birth injuries, postnatal asphyxia, and atelectasis—760-762	670	47	36	57	71	65	72	61	60	42	63	57	39
Infections of newborn—763-769	124	4	11	22	7	5	8	7	11	15	7	15	12
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	1,039	81	79	83	78	99	93	91	79	92	103	86	75
Symptoms, senility, and ill-defined conditions—780-795	436	47	41	41	37	25	38	45	37	34	31	36	24
All other diseases—Residual	1,385	123	105	124	119	115	108	130	124	100	84	126	127
Accidents—E800-E962	1,980	171	131	172	142	168	176	202	154	158	145	171	190
Motor-vehicle accidents—E810-E835	714	54	42	61	57	55	48	47	50	83	72	68	77
All other accidents—E800-E802,E840-E962	1,266	117	89	111	85	113	128	155	104	75	73	103	113
Suicide—E963,E970-E979	373	33	30	22	22	26	29	30	30	25	45	42	39
Homicide—E964,E980-E985	302	18	15	21	24	18	26	32	25	27	31	33	32
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug..	Sept.	Oct.	Nov.	Dec.
WASHINGTON—All causes	22,491	2,157	1,872	2,034	1,933	1,885	1,695	1,854	1,706	1,750	1,910	1,745	1,970
Tuberculosis, all forms—001-019	437	44	31	45	34	46	35	41	35	48	26	27	25
Tuberculosis of respiratory system—001-008	394	42	26	43	32	43	32	36	31	39	24	25	23
Tuberculosis, other forms—010-019	43	2	5	2	2	3	3	5	4	9	2	4	2
Syphilis and its sequelae—020-029	130	17	15	9	11	14	9	12	10	7	9	6	11
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-046	7	2	-	-	-	-	-	-	-	1	3	-	1
Scarlet fever and streptococcal sore throat—050,051	1	-	-	-	-	-	-	-	-	-	-	1	-
Diphtheria—055	2	-	-	-	2	-	-	-	-	-	-	-	-
Whooping cough—056	4	-	-	1	-	-	1	1	-	1	-	-	-
Meningococcal infections—057	17	-	2	3	1	1	2	2	2	1	-	2	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	35	-	2	1	-	2	1	2	12	7	6	1	1
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	10	1	1	1	3	1	-	1	1	-	-	-	1
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	-	-	-	-	-	-	1	-
Malaria—110-117	1	-	-	-	-	-	-	-	1	-	-	-	-
All other infective and parasitic diseases-Residual	54	7	3	6	7	1	3	4	1	4	5	6	7
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,266	291	229	275	288	300	243	306	269	255	288	241	283
Malignant neoplasm of buccal cavity and pharynx—140-148	66	6	3	8	4	5	4	7	4	9	7	3	6
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,278	116	95	106	123	124	77	133	100	91	110	99	104
Malignant neoplasm of respiratory system—160-164	304	34	16	25	28	27	27	15	27	27	28	20	30
Malignant neoplasm of breast—170	290	24	18	20	23	26	27	29	25	22	28	22	28
Malignant neoplasm of genital organs—171-179	524	55	37	50	41	41	51	47	46	41	36	38	41
Malignant neoplasm of urinary organs—180,181	162	9	15	13	14	17	13	11	13	12	15	15	15
Malignant neoplasm of other and unspecified sites—156B,165,190-199	359	29	25	29	30	31	22	37	33	26	31	27	39
Leukemia and aleukemia—204	139	7	15	11	12	13	11	13	12	16	10	8	11
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	144	11	5	13	13	16	11	14	9	9	23	9	11
Benign neoplasms and neoplasms of unspecified nature—210-239	75	9	9	6	7	7	2	4	8	6	7	6	4
Diabetes mellitus—260	339	29	32	31	28	34	22	25	26	25	30	32	25
Anemias—290-293	82	6	7	9	6	6	10	7	7	8	6	4	6
Meningitis, except meningococcal and tuberculous-340	30	5	4	6	3	-	3	3	-	-	-	4	2
Major cardiovascular-renal diseases—330-334,400-468,592-594	11,740	1,148	1,046	1,079	1,002	970	887	885	823	893	1,026	922	1,059
Diseases of cardiovascular system—330-334,400-468	11,454	1,120	1,030	1,061	978	945	860	856	798	869	1,005	894	1,038
Vascular lesions affecting central nervous system—330-334	2,481	239	187	243	208	226	194	175	171	188	211	189	250
Rheumatic fever—400-402	27	5	2	4	5	2	1	-	2	2	-	2	2
Diseases of heart—410-443	8,153	802	773	742	691	649	592	619	558	624	743	651	708
Chronic rheumatic heart disease—410-416	350	34	25	31	34	27	25	34	21	25	35	29	32
Arteriosclerotic heart disease, including coronary disease—420	5,220	529	489	483	418	406	401	378	376	396	490	412	442
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,168	117	131	94	109	99	68	102	63	68	93	102	102
Other diseases of heart—430-434	400	33	30	34	33	33	29	32	33	36	50	26	31
Hypertension with heart disease—440-443	1,015	89	98	100	97	84	89	73	65	79	77	82	102
Hypertension without mention of heart—444-447	194	20	20	17	16	13	13	22	17	13	9	15	19
General arteriosclerosis—450	468	44	41	41	45	41	45	33	40	30	32	30	46
Other diseases of circulatory system—451-468	131	10	7	14	13	14	15	7	10	12	10	7	12
Chronic and unspecified nephritis and other renal sclerosis—592-594	286	28	16	18	24	25	27	29	25	24	21	28	21
Influenza and pneumonia, except pneumonia of newborn—480-493	716	94	83	87	77	54	38	51	45	33	50	34	70
Influenza—480-483	46	11	7	4	5	1	1	3	1	3	2	3	5
Pneumonia, except pneumonia of newborn—490-493	670	83	76	83	72	53	37	48	44	30	48	31	65
Bronchitis—500-502	41	6	6	5	3	3	1	6	-	2	2	3	4
Ulcer of stomach and duodenum—540,541	136	14	12	12	9	9	11	8	11	15	9	10	16
Appendicitis—550-553	42	3	4	7	2	4	4	4	2	5	-	4	3
Hernia and intestinal obstruction—560,561,570	178	13	14	19	17	14	9	15	14	16	17	19	11
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	70	4	3	6	5	7	8	10	8	5	7	3	4
Cirrhosis of liver—581	191	19	13	22	14	15	11	9	12	18	20	21	17
Acute nephritis and nephritis with edema, including nephrosis—590,591	41	2	3	3	6	-	3	3	5	5	2	5	4
Hyperplasia of prostate—610	90	3	6	6	11	11	11	7	2	7	8	8	10
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	31	2	4	3	2	1	3	1	3	1	3	4	4
Abortion—650-652	3	1	-	1	-	-	-	-	-	-	-	1	-
All other complications—640-649,660-689	28	1	4	2	2	1	3	1	3	1	3	3	4
Congenital malformations—750-759	289	21	26	24	24	29	24	22	24	21	25	23	26
Certain diseases of early infancy—760-776	945	82	71	77	79	94	70	87	91	77	77	73	67
Birth injuries, postnatal asphyxia, and atelectasis—760-762	428	34	28	30	41	47	40	35	36	39	32	33	33
Infections of newborn—763-768	31	4	5	4	2	3	-	3	4	2	1	2	1
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	486	44	38	43	36	44	30	49	51	36	44	38	33
Symptoms, senility, and ill-defined conditions—780-795	334	43	31	25	21	28	22	38	29	20	24	23	30
All other diseases—Residual	1,030	107	79	93	98	85	82	81	82	71	81	82	89
Accidents—E800-E962	1,692	154	105	137	127	108	145	179	156	149	138	151	143
Motor-vehicle accidents—E810-E835	481	35	17	39	35	32	37	49	51	46	45	55	40
All other accidents—E800-E802,E840-E962	1,211	119	88	98	92	76	108	130	105	103	93	96	103
Suicide—E963,E970-E979	357	25	28	27	35	36	30	33	23	28	30	23	39
Homicide—E964,E980-E985	77	6	3	9	11	5	5	7	4	3	11	8	7
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WEST VIRGINIA—All causes	17,305	1,605	1,457	1,571	1,425	1,376	1,489	1,329	1,403	1,388	1,367	1,427	1,468
Tuberculosis, all forms—001-019	530	46	54	48	44	44	40	51	40	43	36	42	42
Tuberculosis of respiratory system—001-008	490	42	52	43	41	43	40	47	37	41	31	35	38
Tuberculosis, other forms—010-019	40	4	2	5	3	1	-	4	3	2	5	7	4
Syphilis and its sequelae—020-029	131	10	9	18	11	14	11	3	11	13	12	11	8
Typhoid fever—040	5	2	-	-	1	1	-	-	-	-	-	-	1
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	31	-	-	1	-	-	-	9	6	7	7	1	-
Scarlet fever and streptococcal sore throat—050,051	11	1	2	1	-	-	2	1	-	1	1	-	2
Diphtheria—055	8	-	-	-	-	2	-	-	-	1	2	1	2
Whooping cough—056	38	3	2	-	1	4	3	6	2	7	3	3	4
Meningococcal infections—057	31	5	2	3	1	6	1	2	3	2	2	2	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	15	1	-	-	-	1	-	1	4	5	1	2	-
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	8	-	1	2	1	1	-	1	-	-	-	-	2
Typhus and other rickettsial diseases—100-108	3	-	-	-	-	-	-	2	1	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	60	3	3	7	7	8	4	3	4	6	4	5	6
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,027	170	169	182	172	142	190	171	177	185	182	154	133
Malignant neoplasm of buccal cavity and pharynx—140-149	30	2	3	2	2	1	4	4	2	4	4	2	-
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	760	69	65	68	52	54	61	62	76	73	63	52	58
Malignant neoplasm of respiratory system—160-164	158	18	15	15	13	9	10	16	9	12	19	7	15
Malignant neoplasm of breast—170	165	8	18	12	15	18	18	14	11	16	14	16	5
Malignant neoplasm of genital organs—171-179	416	32	30	35	32	19	51	36	36	41	41	33	30
Malignant neoplasm of urinary organs—180,181	91	6	9	7	11	7	11	4	8	4	12	9	3
Malignant neoplasm of other and unspecified sites—156B,165,190-199	221	16	16	31	17	14	25	18	18	15	20	19	12
Leukemia and aleukemia—204	102	11	8	6	10	11	6	10	9	11	5	10	5
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	84	8	5	6	13	9	4	7	8	9	4	6	5
Benign neoplasms and neoplasms of unspecified nature—210-239	68	9	7	7	5	2	9	6	3	4	3	11	2
Diabetes mellitus—260	300	18	39	32	28	29	23	10	28	18	26	24	25
Anemias—280-283	67	12	3	8	3	7	5	5	2	7	4	8	3
Meningitis, except meningococcal and tuberculous-340	39	4	5	4	4	2	3	5	2	2	3	2	3
Major cardiovascular-renal diseases—330-334,400-468,592-594	7,816	754	651	710	647	650	686	591	565	584	592	658	758
Diseases of cardiovascular system—330-334,400-468	7,459	723	601	679	617	618	649	557	539	561	555	634	726
Vascular lesions affecting central nervous system—330-334	1,741	166	147	146	141	145	161	142	113	130	125	159	166
Rheumatic fever—400-402	27	-	5	5	1	3	2	-	2	5	2	-	2
Diseases of heart—410-443	5,168	493	415	480	439	419	438	377	386	390	396	442	513
Chronic rheumatic heart disease—410-416	250	24	24	29	24	15	25	20	22	24	8	21	14
Arteriosclerotic heart disease, including coronary disease—420	2,627	222	203	231	228	218	228	203	187	205	198	229	275
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	1,072	114	79	118	85	82	83	77	98	64	86	83	103
Other diseases of heart—430-434	380	37	38	23	38	34	29	19	22	29	36	32	43
Hypertension with heart disease—440-443	858	96	71	79	84	70	73	58	57	68	68	77	78
Hypertension without mention of heart—444-447	140	17	9	8	9	10	21	9	15	15	8	10	9
General arteriosclerosis—450	293	39	17	33	23	31	22	24	17	18	22	18	29
Other diseases of circulatory system—451-468	70	8	8	7	4	10	5	5	6	3	2	5	7
Chronic and unspecified nephritis and other renal sclerosis—592-594	357	31	30	31	30	32	37	24	26	23	37	24	32
Influenza and pneumonia, except pneumonia of newborn—480-493	716	122	82	96	55	39	44	29	42	37	53	52	65
Influenza—480-483	101	25	6	14	9	4	3	5	4	4	10	8	9
Pneumonia, except pneumonia of newborn—490-493	615	97	76	82	46	35	41	24	38	33	43	44	56
Bronchitis—500-502	46	7	8	4	3	5	1	1	4	1	3	5	4
Ulcer of stomach and duodenum—540,541	91	8	7	8	10	5	9	4	12	8	9	7	4
Appendicitis—550-553	42	3	3	1	7	6	3	5	3	7	2	-	2
Hernia and intestinal obstruction—560,561,570	134	11	9	10	11	9	10	17	17	7	8	15	10
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	235	8	10	7	4	5	15	27	57	56	31	14	3
Cirrhosis of liver—581	142	8	8	9	15	10	11	13	16	10	13	18	11
Acute nephritis and nephritis with edema, including nephrosis—590,591	60	2	6	8	4	4	3	6	5	2	6	9	5
Hyperplasia of prostate—610	83	3	6	5	7	7	6	9	7	9	14	5	5
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	52	4	3	1	3	7	1	2	6	10	5	5	5
Abortion—650-652	2	-	-	-	1	-	-	-	-	1	-	-	-
All other complications—640-649,660-689	50	4	3	1	2	7	1	2	6	9	5	5	5
Congenital malformations—750-759	296	27	19	31	19	23	34	18	26	25	36	22	15
Certain diseases of early infancy—760-776	1,093	99	80	92	91	89	97	84	111	104	76	91	79
Birth injuries, postnatal asphyxia, and atelectasis—760-762	364	32	27	28	37	33	42	28	40	21	16	32	28
Infections of newborn—763-768	102	7	3	7	7	4	3	4	19	20	15	9	5
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	627	60	50	57	47	52	52	52	52	63	45	51	46
Symptoms, senility, and ill-defined conditions—780-795	496	47	48	52	56	34	30	32	41	36	38	41	41
All other diseases—Residual	905	80	95	82	64	71	72	71	70	58	76	79	87
Accidents—E800-E962	1,404	112	125	112	121	121	142	125	109	105	99	116	117
Motor-vehicle accidents—E810-E835	394	28	22	22	32	40	39	36	33	43	26	38	35
All other accidents—E800-E802,E840-E962	1,010	84	103	90	89	81	103	89	76	62	73	76	82
Suicide—E963,E970-E979	185	17	10	17	15	18	21	13	18	15	10	13	17
Homicide—E964,E980-E985	137	11	11	13	15	9	13	16	11	12	10	11	5
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 21.–DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WISCONSIN—All causes	32,993	2,914	2,648	2,913	2,974	2,823	2,693	2,733	2,517	2,493	2,684	2,713	2,898
Tuberculosis, all forms—001-019	451	44	28	39	50	35	39	39	34	33	26	34	50
Tuberculosis of respiratory system—001-008	416	43	27	38	48	32	34	33	28	31	25	31	46
Tuberculosis, other forms—010-019	35	1	1	1	2	3	5	6	6	2	1	3	4
Syphilis and its sequelae—020-029	118	10	10	2	9	11	8	10	12	15	9	11	14
Typhoid fever—040	1	-	-	-	1	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	8	-	-	1	-	-	-	-	1	1	3	2	-
Scarlet fever and streptococcal sore throat—050,051	11	-	-	1	2	1	-	1	1	1	2	-	2
Diphtheria—055	1	-	-	-	-	-	-	1	-	-	-	-	-
Whooping cough—056	2	1	-	-	-	-	-	-	-	-	1	-	-
Meningococcal infections—057	15	3	1	2	2	-	1	-	-	1	2	1	2
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	73	1	1	1	-	-	-	8	24	21	10	5	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	32	2	2	9	3	7	3	-	-	-	3	2	1
Typhus and other rickettsial diseases—100-108	-	-	-	-	-	-	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	89	6	13	8	10	9	4	12	7	6	6	8	2
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	5,148	448	409	439	457	435	449	432	398	395	437	418	431
Malignant neoplasm of buccal cavity and pharynx—140-148	132	7	9	14	14	12	11	9	11	7	13	10	15
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,251	195	189	178	199	178	188	205	187	180	194	180	178
Malignant neoplasm of respiratory system—160-164	360	30	23	30	28	36	28	40	27	18	32	23	45
Malignant neoplasm of breast—170	485	48	45	41	37	36	48	28	48	34	25	53	44
Malignant neoplasm of genital organs—171-178	803	70	62	78	75	70	72	66	52	59	73	64	61
Malignant neoplasm of urinary organs—180,181	271	27	17	22	21	25	28	23	21	24	21	22	20
Malignant neoplasm of other and unspecified sites—156B,165,190-199	449	33	41	38	41	37	35	35	28	40	41	39	41
Leukemia and aleukemia—204	214	23	10	17	20	28	16	17	12	17	19	18	17
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	183	17	13	20	22	13	23	9	12	16	19	9	10
Benign neoplasms and neoplasms of unspecified nature—210-239	123	13	11	14	9	10	13	8	7	11	6	12	8
Diabetes mellitus—260	627	55	56	56	61	62	54	46	40	48	36	48	65
Anemias—290-293	123	15	13	11	7	8	12	14	10	8	11	4	10
Meningitis, except meningococcal and tuberculous—340	50	7	7	6	5	5	3	2	3	-	1	3	8
Major cardiovascular-renal diseases—330-334,400-468,592-594	18,030	1,591	1,443	1,599	1,665	1,554	1,448	1,448	1,347	1,327	1,461	1,519	1,628
Diseases of cardiovascular system—330-334,400-468	17,559	1,544	1,405	1,560	1,622	1,516	1,401	1,416	1,314	1,291	1,427	1,482	1,581
Vascular lesions affecting central nervous system—330-334	3,911	333	307	359	348	357	302	288	294	278	332	356	355
Rheumatic fever—400-402	49	4	7	6	3	5	3	5	6	2	3	2	3
Diseases of heart—410-443	12,391	1,076	997	1,074	1,165	1,032	997	1,041	933	924	1,005	1,019	1,126
Chronic rheumatic heart disease—410-416	525	64	54	51	46	35	34	43	30	42	35	48	43
Arteriosclerotic heart disease, including coronary disease—420	7,369	586	579	649	670	603	586	625	584	566	606	619	686
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	2,849	252	226	239	280	234	226	193	169	179	212	210	229
Other diseases of heart—430-434	342	28	22	23	35	25	26	32	26	33	32	29	31
Hypertension with heart disease—440-443	1,506	138	116	112	134	135	125	148	124	104	120	113	137
Hypertension without mention of heart—444-447	270	30	20	26	29	30	26	19	14	20	16	24	16
General arteriosclerosis—450	784	87	64	77	67	83	56	52	48	57	58	67	68
Other diseases of circulatory system—451-468	154	12	10	18	10	9	17	11	19	10	13	12	13
Chronic and unspecified nephritis and other renal sclerosis—592-594	471	47	38	39	43	38	47	32	33	36	34	37	47
Influenza and pneumonia, except pneumonia of newborn—480-493	768	105	90	110	72	47	46	31	48	50	50	50	69
Influenza—480-483	106	14	18	21	13	8	3	2	7	3	6	4	9
Pneumonia, except pneumonia of newborn—490-493	662	91	74	89	58	39	43	29	41	47	44	46	60
Bronchitis—500-502	56	5	8	4	4	5	6	3	-	3	3	8	7
Ulcer of stomach and duodenum—540,541	157	14	7	13	19	18	16	15	14	8	7	17	9
Appendicitis—550-553	76	4	6	8	6	5	9	5	8	6	4	7	8
Hernia and intestinal obstruction—560,561,570	240	18	27	28	16	23	22	21	17	12	24	10	22
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	140	8	15	13	12	8	13	11	13	16	12	10	11
Cirrhosis of liver—581	250	20	21	20	18	27	13	22	23	16	25	25	20
Acute nephritis and nephritis with edema, including nephrosis—590,591	48	2	10	2	4	7	5	3	-	7	-	3	5
Hyperplasia of prostate—610	206	24	16	14	17	23	12	19	12	17	15	20	17
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	49	4	8	6	1	7	2	5	6	2	3	3	2
Abortion—650-652	5	-	3	1	-	-	-	-	1	-	-	-	-
All other complications—640-649,660-689	44	4	5	5	1	7	2	5	5	2	3	3	2
Congenital malformations—750-759	484	41	42	50	37	34	43	33	46	29	46	39	44
Certain diseases of early infancy—760-776	1,357	131	93	104	108	126	108	115	123	114	120	93	121
Birth injuries, postnatal asphyxia, and atelectasis—760-762	544	50	41	40	39	59	47	43	55	43	37	36	54
Infections of newborn—763-768	49	8	7	1	1	4	1	4	5	4	8	2	4
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	764	73	45	63	68	63	60	69	63	67	75	55	63
Symptoms, senility, and ill-defined conditions—780-795	293	31	19	30	25	28	15	35	16	29	20	25	20
All other diseases—Residual	1,448	123	128	138	123	130	127	122	96	103	120	113	125
Accidents—E800-E962	2,054	152	131	147	181	149	174	227	173	172	186	191	171
Motor-vehicle accidents—E810-E835	734	42	38	53	60	68	52	69	81	63	74	78	78
All other accidents—E800-E802,E840-E962	1,320	110	93	94	121	81	122	158	112	109	112	115	93
Suicide—E963,E970-E979	420	32	31	37	46	44	38	38	33	40	32	28	21
Homicide—E964,E980-E985	44	6	2	3	4	5	3	5	5	2	2	4	3
Injury resulting from operations of war-E965,E990-E999	1	-	-	-	-	-	-	-	-	-	1	-	-

TABLE 21.—DEATHS FROM 64 SELECTED CAUSES, BY MONTH: UNITED STATES AND EACH STATE, 1949—Con.

(See headnote on p. 202)

AREA AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
WYOMING—All causes	2,385	216	186	221	191	224	209	189	170	183	204	194	198
Tuberculosis, all forms—001-019	29	2	2	2	4	3	1	5	1	3	5	-	1
Tuberculosis of respiratory system—001-008	27	2	2	2	4	3	1	3	1	3	5	-	1
Tuberculosis, other forms—010-019	2	-	-	-	-	-	-	2	-	-	-	-	-
Syphilis and its sequelae—020-029	19	3	6	2	-	1	2	1	-	-	3	-	1
Typhoid fever—040	-	-	-	-	-	-	-	-	-	-	-	-	-
Cholera—043	-	-	-	-	-	-	-	-	-	-	-	-	-
Dysentery, all forms—045-048	-	-	-	-	-	-	-	-	-	-	-	-	-
Scarlet fever and streptococcal sore throat—050,051	3	-	-	-	2	-	-	-	-	-	-	-	1
Diphtheria—055	-	-	-	-	-	-	-	-	-	-	-	-	-
Whooping cough—056	1	1	-	-	-	-	-	-	-	-	-	-	-
Meningococcal infections—057	3	-	-	-	-	-	-	-	-	1	-	1	1
Plague—058	-	-	-	-	-	-	-	-	-	-	-	-	-
Acute poliomyelitis—080	10	-	-	-	1	-	-	1	4	2	-	-	2
Smallpox—084	-	-	-	-	-	-	-	-	-	-	-	-	-
Measles—085	-	-	-	-	-	-	-	-	-	-	-	-	-
Typhus and other rickettsial diseases—100-108	1	-	-	-	-	1	-	-	-	-	-	-	-
Malaria—110-117	-	-	-	-	-	-	-	-	-	-	-	-	-
All other infective and parasitic diseases-Residual	6	-	1	1	-	-	1	1	-	-	2	-	-
Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	281	26	24	24	22	28	23	25	19	27	26	19	18
Malignant neoplasm of buccal cavity and pharynx—140-148	8	1	-	-	1	-	-	2	1	1	-	1	1
Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	110	13	10	13	4	6	14	10	6	11	14	4	5
Malignant neoplasm of respiratory system—160-164	15	1	2	1	3	2	1	-	-	3	1	-	1
Malignant neoplasm of breast—170	19	1	1	-	4	4	-	2	1	-	2	2	2
Malignant neoplasm of genital organs—171-179	43	5	1	5	4	7	1	1	5	6	3	6	5
Malignant neoplasm of urinary organs—180,181	11	1	-	1	2	1	-	3	-	1	-	1	1
Malignant neoplasm of other and unspecified sites—156B,165,190-199	45	3	5	3	4	5	6	6	2	4	3	3	1
Leukemia and aleukemia—204	11	-	3	-	-	2	-	1	1	-	2	1	1
Lymphosarcoma and other neoplasms of lymphatic and hematopoietic tissues—200-203,205	13	1	2	1	-	1	1	-	3	1	1	1	1
Benign neoplasms and neoplasms of unspecified nature—210-239	15	1	-	-	1	1	1	1	3	3	2	-	2
Diabetes mellitus—260	31	1	3	6	2	2	4	1	5	2	1	2	2
Anemias—290-293	6	-	1	-	1	2	-	2	-	-	-	-	-
Meningitis, except meningococcal and tuberculous-340	3	-	-	1	-	-	-	1	-	-	-	-	1
Major cardiovascular-renal diseases—330-334,400-468,592-594	1,051	104	79	95	78	95	93	81	67	82	88	94	95
Diseases of cardiovascular system—330-334,400-468	1,006	98	75	94	75	90	88	74	67	76	84	92	93
Vascular lesions affecting central nervous system—330-334	213	22	16	19	17	18	18	15	21	11	9	26	21
Rheumatic fever—400-402	6	2	-	1	-	-	1	1	-	-	-	-	1
Diseases of heart—410-443	745	70	55	73	53	69	65	53	43	59	72	63	70
Chronic rheumatic heart disease—410-416	39	2	4	3	2	2	4	5	1	4	3	3	6
Arteriosclerotic heart disease, including coronary disease—420	399	42	28	36	33	40	33	17	25	32	43	31	39
Nonrheumatic chronic endocarditis and other myocardial degeneration—421,422	169	18	16	18	11	14	15	15	7	10	17	18	9
Other diseases of heart—430-434	48	3	-	8	1	4	5	7	4	2	3	4	7
Hypertension with heart disease—440-443	91	5	7	8	6	9	8	9	6	11	8	7	9
Hypertension without mention of heart—444-447	6	2	-	-	-	-	1	1	1	-	-	1	-
General arteriosclerosis—450	31	2	3	1	5	3	2	4	2	3	3	2	1
Other diseases of circulatory system—451-468	5	-	1	-	-	-	1	-	-	3	-	-	-
Chronic and unspecified nephritis and other renal sclerosis—592-594	45	6	4	1	3	5	5	7	-	6	4	2	2
Influenza and pneumonia, except pneumonia of newborn—480-493	68	7	6	6	5	4	7	5	-	7	7	8	6
Influenza—480-483	7	-	2	-	-	-	1	1	-	1	-	1	1
Pneumonia, except pneumonia of newborn—490-493	61	7	4	6	5	4	6	4	-	6	7	7	5
Bronchitis—500-502	9	3	-	3	1	-	1	-	-	-	-	-	1
Ulcer of stomach and duodenum—540,541	15	1	2	2	-	3	-	3	2	1	1	-	-
Appendicitis—550-553	9	1	-	2	2	-	1	-	-	-	1	1	1
Hernia and intestinal obstruction—560,561,570	28	2	1	4	-	1	1	2	4	3	5	3	2
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	19	2	3	1	-	1	4	3	-	-	3	2	-
Cirrhosis of liver—581	19	3	3	2	4	1	-	-	3	1	-	1	1
Acute nephritis and nephritis with edema, including nephrosis—590,591	7	-	1	-	-	1	1	-	-	1	3	-	-
Hyperplasia of prostate—610	9	-	-	2	2	-	1	-	2	1	-	1	-
Deliveries and complications of pregnancy, childbirth, and the puerperium—640-689	3	1	-	1	-	-	-	-	-	-	-	-	1
Abortion—650-652	-	-	-	-	-	-	-	-	-	-	-	-	-
All other complications—640-649,660-689	3	1	-	1	-	-	-	-	-	-	-	-	1
Congenital malformations—750-759	46	1	5	6	5	3	3	2	2	8	2	3	6
Certain diseases of early infancy—760-776	169	14	10	17	14	15	21	7	12	11	18	17	13
Birth injuries, postnatal asphyxia, and atelectasis—760-762	54	4	5	10	1	6	5	1	3	5	6	5	3
Infections of newborn—763-768	11	1	-	1	1	2	1	-	-	1	-	2	2
Other diseases peculiar to early infancy, and immaturity unqualified—769-776	104	9	5	6	12	7	15	6	9	5	12	10	8
Symptoms, senility, and ill-defined conditions—780-795	37	5	3	5	2	5	6	1	2	1	2	1	4
All other diseases—Residual	136	9	13	12	20	21	6	11	12	2	11	11	8
Accidents—E800-E962	296	26	18	22	21	29	26	31	25	26	23	23	26
Motor-vehicle accidents—E810-E835	123	5	6	7	8	14	8	16	12	15	8	14	10
All other accidents—E800-E802,E840-E962	173	21	12	15	13	15	18	15	13	11	15	9	16
Suicide—E963,E970-E979	43	3	3	3	3	6	5	4	6	1	1	5	3
Homicide—E964,E980-E985	13	-	2	2	1	1	1	1	1	-	-	2	2
Injury resulting from operations of war-E965,E990-E999	-	-	-	-	-	-	-	-	-	-	-	-	-

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal

	Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES										
1		ALL CAUSES	1,443,607	111,531	8,106	5,020	3,139	2,422	130,218	8,738	6,979	11,988
2		White—M	726,169	51,530	3,452	2,352	1,409	1,142	59,885	4,403	3,582	6,223
3		White—F	542,679	37,477	2,929	1,768	1,103	849	44,126	2,867	2,151	3,078
4		Nonwhite—M	95,122	12,631	947	492	333	235	14,638	804	754	1,471
5		Nonwhite—F	79,637	9,893	778	408	294	196	11,569	644	512	1,216
6	001-019	Tuberculosis, all forms	39,100	279	375	234	134	88	1,110	248	223	1,064
7		White—M	18,684	96	113	71	41	38	359	84	47	169
8		White—F	8,634	82	135	80	42	29	368	69	66	256
9		Nonwhite—M	6,654	52	69	37	23	11	192	48	40	247
10		Nonwhite—F	4,728	49	58	46	28	10	191	47	70	392
11	001-008	Tuberculosis of respiratory system	35,988	123	115	72	48	29	387	91	151	929
12		White—M	17,773	41	31	19	18	12	121	22	24	143
13		White—F	7,977	30	34	24	10	8	106	22	43	232
14		Nonwhite—M	6,017	29	24	16	11	6	86	26	28	206
15		Nonwhite—F	4,221	23	26	13	9	3	74	21	56	348
16	010-019	Tuberculosis, other forms	3,112	156	260	162	86	59	723	157	72	135
17		White—M	1,111	55	82	52	23	26	238	62	23	26
18		White—F	857	52	101	56	32	21	262	47	23	24
19		Nonwhite—M	637	23	45	21	12	5	106	22	12	41
20		Nonwhite—F	507	26	32	33	19	7	117	26	14	44
21	020-029	Syphilis and its sequelae	8,581	300	7	2	5	-	314	4	5	27
22		White—M	4,221	57	1	1	-	-	59	1	-	9
23		White—F	1,342	33	-	-	1	-	34	1	2	3
24		Nonwhite—M	2,080	111	3	1	3	-	118	2	2	8
25		Nonwhite—F	938	99	3	-	1	-	103	-	1	7
26	040	Typhoid fever	161	9	4	3	4	-	20	8	7	11
27		White—M	66	4	3	1	2	-	10	1	1	4
28		White—F	49	4	-	2	1	-	7	2	1	1
29		Nonwhite—M	26	1	-	-	-	-	1	2	4	4
30		Nonwhite—F	20	-	1	-	1	-	2	3	1	2
31	045-048	Dysentery, all forms	1,440	882	125	28	24	8	1,067	21	9	8
32		White—M	611	370	51	12	11	4	448	15	5	5
33		White—F	531	330	53	12	7	2	404	3	3	3
34		Nonwhite—M	168	95	9	3	5	-	112	1	1	-
35		Nonwhite—F	130	87	12	1	1	2	103	2	-	-
36	050,051	Scarlet fever and streptococcal sore throat	486	61	31	20	14	18	144	51	35	29
37		White—M	205	23	15	11	7	7	63	25	13	11
38		White—F	203	23	13	7	6	5	54	17	18	12
39		Nonwhite—M	34	5	2	1	1	4	13	5	-	5
40		Nonwhite—F	44	10	1	1	-	2	14	4	4	1
41	055	Diphtheria	574	41	65	75	75	69	325	130	21	7
42		White—M	248	17	25	33	30	26	131	46	8	3
43		White—F	217	14	22	30	28	31	125	53	8	4
44		Nonwhite—M	56	7	8	5	11	7	38	14	1	-
45		Nonwhite—F	53	3	10	7	6	5	31	17	4	-
46	056	Whooping cough	727	524	114	36	27	10	711	10	2	-
47		White—M	230	181	24	8	6	4	225	2	1	-
48		White—F	269	186	46	16	10	4	262	5	1	-
49		Nonwhite—M	109	85	15	5	3	1	109	-	-	-
50		Nonwhite—F	119	72	29	7	6	1	115	3	-	-
51	057	Meningococcal infections	917	237	131	102	34	25	529	76	46	40
52		White—M	459	129	68	58	18	11	265	31	18	22
53		White—F	331	73	52	38	12	12	187	37	22	9
54		Nonwhite—M	79	23	7	2	3	1	36	7	5	7
55		Nonwhite—F	48	12	3	4	1	1	21	1	1	2
56	080	Acute poliomyelitis	2,720	118	78	109	75	78	459	526	415	309
57		White—M	1,627	66	39	57	48	46	256	334	246	192
58		White—F	1,004	40	36	42	21	29	168	181	159	106
59		Nonwhite—M	46	4	4	4	4	2	18	6	8	5
60		Nonwhite—F	43	8	-	6	2	1	17	5	2	6
61	084	Smallpox	2	1	-	-	-	-	1	-	-	-
62		White—M	1	1	-	-	-	-	1	-	-	-
63		White—F	1	-	-	-	-	-	-	-	-	-
64		Nonwhite—M	-	-	-	-	-	-	-	-	-	-
65		Nonwhite—F	-	-	-	-	-	-	-	-	-	-
66	085	Measles	949	256	193	78	44	41	612	170	44	26
67		White—M	367	106	75	26	14	17	238	75	14	8
68		White—F	396	89	74	39	22	19	243	70	17	10
69		Nonwhite—M	98	29	30	9	4	3	75	14	5	1
70		Nonwhite—F	88	32	14	4	4	2	56	11	8	7
71	100-108	Typhus and other rickettsial diseases	73	-	3	1	-	3	7	7	5	-
72		White—M	39	-	1	-	-	1	2	2	3	-
73		White—F	17	-	1	1	-	1	3	2	1	-
74		Nonwhite—M	11	-	1	-	-	-	1	1	-	-
75		Nonwhite—F	6	-	-	-	-	1	1	2	1	-
76	110-117	Malaria	118	15	1	1	2	1	20	3	1	3
77		White—M	41	6	-	1	-	-	7	2	-	-
78		White—F	22	4	1	-	1	-	6	1	-	1
79		Nonwhite—M	31	3	-	-	1	1	5	-	1	1
80		Nonwhite—F	24	2	-	-	-	-	2	-	-	1
81	Residual	All other infective and parasitic diseases	3,930	617	142	113	62	47	981	169	113	93
82		White—M	1,770	260	65	47	25	19	416	76	49	42
83		White—F	1,341	188	49	37	25	17	316	53	38	25
84		Nonwhite—M	432	100	16	16	4	6	142	20	15	9
85		Nonwhite—F	387	89	12	13	8	5	107	20	11	17

RACE, AND SEX: UNITED STATES AND EACH STATE, 1949

deaths and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
17,495	19,929	23,374	33,085	45,316	63,652	86,558	113,445	139,949	162,325	171,867	166,768	128,853	75,484	28,485	6,253	1,358	1,488	1
8,805	9,086	10,280	15,110	21,841	31,841	45,995	63,189	79,138	87,509	88,892	83,114	60,616	32,566	11,045	2,118	271	659	2
4,353	5,593	7,249	9,926	13,391	18,454	25,462	34,681	45,560	58,988	70,447	74,223	62,180	39,735	15,976	3,421	471	347	3
2,504	2,768	3,053	4,135	5,211	7,086	8,451	8,853	8,389	8,791	6,870	5,269	3,190	1,624	640	308	230	283	4
2,033	2,482	2,792	3,914	4,873	6,271	8,650	8,722	6,862	7,037	5,657	4,162	2,867	1,559	824	406	386	199	5
2,285	2,836	2,876	3,233	3,538	3,609	3,561	3,548	3,521	3,039	2,009	1,418	694	201	47	11	1	32	6
433	848	890	1,219	1,673	1,873	2,142	2,343	2,373	2,045	1,245	822	378	101	20	5	1	14	7
618	862	837	853	709	623	499	510	589	599	566	450	250	81	18	3	-	8	8
495	570	552	688	771	766	721	538	403	306	150	101	41	14	3	1	-	7	9
737	756	597	473	385	347	199	155	156	89	48	45	25	5	6	2	-	3	10
2,097	2,669	2,713	3,021	3,339	3,425	3,584	3,373	3,332	2,877	1,913	1,351	660	187	47	10	1	31	11
397	608	847	1,148	1,607	1,817	2,077	2,250	2,272	1,968	1,188	783	365	98	20	4	1	13	12
579	814	800	815	671	574	454	477	539	556	536	425	233	72	18	3	-	8	13
441	527	511	635	717	715	668	505	374	272	144	99	40	12	3	1	-	7	14
680	720	555	423	344	319	185	141	147	81	45	44	22	5	6	2	-	3	15
186	167	163	212	199	184	177	173	189	162	96	67	34	14	-	1	-	1	16
36	40	43	71	66	56	65	93	101	77	57	39	13	3	-	1	-	1	17
39	48	37	38	38	49	45	33	50	43	30	25	17	9	-	-	-	-	18
54	43	41	53	54	51	53	33	29	34	6	2	1	2	-	-	-	-	19
57	36	42	50	41	28	14	14	9	8	3	1	3	-	-	-	-	-	20
39	56	155	351	523	897	1,020	1,188	1,264	1,086	793	510	224	101	8	5	-	13	21
8	10	16	52	191	323	473	661	790	667	495	288	120	49	5	-	-	4	22
6	10	22	58	62	108	122	154	182	174	153	131	77	36	2	4	-	1	23
12	23	56	149	182	341	318	281	207	172	99	67	22	13	-	-	-	8	24
13	13	61	92	88	125	107	90	85	73	46	24	5	3	1	1	-	-	25
12	11	12	9	10	12	11	6	6	7	7	7	4	-	1	-	-	-	26
3	4	3	3	5	2	8	3	4	2	5	6	2	-	-	-	-	-	27
3	4	3	5	3	5	2	1	2	4	2	1	2	-	1	-	-	-	28
4	2	4	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	29
2	1	2	1	1	3	1	1	-	-	-	-	-	-	-	-	-	-	30
7	7	11	14	14	23	27	36	35	35	35	31	31	17	8	1	2	1	31
3	3	6	7	5	15	9	9	13	17	15	11	18	5	1	-	1	-	32
4	1	2	3	3	3	9	17	12	12	10	17	9	9	7	-	-	-	33
-	1	2	3	3	3	8	5	8	4	7	2	3	3	-	1	-	1	34
-	2	1	1	3	2	1	5	2	2	3	1	1	-	-	-	1	-	35
20	14	17	16	20	16	18	25	18	11	16	18	11	3	4	-	-	-	36
9	5	10	9	6	4	9	9	5	5	9	9	3	-	1	-	-	-	37
7	7	5	4	9	8	7	11	10	5	7	9	7	3	3	-	-	-	38
2	-	-	1	1	1	-	3	2	-	-	-	1	-	-	-	-	-	39
2	2	2	2	4	3	2	2	1	1	-	-	-	-	-	-	-	-	40
4	2	1	10	17	18	8	8	8	2	3	3	6	1	-	-	-	-	41
2	-	1	4	15	13	6	8	5	1	2	1	1	1	-	-	-	-	42
1	2	-	6	1	4	2	-	2	1	1	2	5	-	-	-	-	-	43
-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	44
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
17	16	14	19	31	23	30	22	19	13	9	8	3	1	1	-	-	-	51
7	6	6	7	17	5	15	13	8	7	4	4	2	1	1	-	-	-	52
6	7	3	7	4	11	11	8	5	5	4	4	1	-	-	-	-	-	53
3	-	1	3	7	3	3	1	1	1	1	-	-	-	-	-	-	-	54
1	3	4	2	3	4	1	-	5	-	-	-	-	-	-	-	-	-	55
276	311	184	126	45	29	15	12	3	3	5	1	-	-	-	-	-	1	56
149	190	104	83	29	19	11	6	1	3	3	1	-	-	-	-	-	-	57
119	116	79	40	15	9	4	3	2	-	2	-	-	-	-	-	-	1	58
3	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	59
5	1	1	2	1	1	-	2	-	-	-	-	-	-	-	-	-	-	60
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	65
10	10	15	15	9	4	1	4	2	4	9	6	4	2	1	-	-	1	66
5	5	6	3	1	2	1	-	-	2	4	2	1	-	-	-	-	-	67
4	4	7	10	6	2	-	4	2	2	5	4	3	2	1	-	-	-	68
-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	69
1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	70
1	1	-	2	7	4	7	9	7	8	7	-	1	-	-	-	-	-	71
-	-	-	1	3	1	2	7	5	7	6	-	-	-	-	-	-	-	72
1	1	-	1	-	1	2	1	1	1	1	-	1	-	-	-	-	-	73
-	-	-	-	4	2	3	-	-	-	-	-	-	-	-	-	-	-	74
-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	75
4	9	5	4	7	6	6	5	11	7	15	8	2	3	-	-	1	-	76
2	5	4	1	3	3	2	-	1	2	5	1	1	2	-	-	-	-	77
-	-	-	1	-	1	-	2	4	1	1	2	1	1	-	-	-	-	78
1	1	-	1	1	1	1	3	5	1	7	1	-	-	-	-	1	-	79
1	3	1	1	3	1	3	-	1	3	2	2	-	-	-	-	-	-	80
107	143	186	205	212	247	246	245	227	228	186	153	108	54	19	4	2	2	81
34	41	73	76	82	103	133	132	116	124	98	87	55	25	6	-	1	1	82
34	55	62	74	84	65	67	76	80	83	77	58	49	27	12	4	1	1	83
9	20	22	24	23	45	28	24	21	13	7	5	2	2	1	-	-	-	84
30	27	29	31	23	34	18	13	10	8	4	3	2	-	-	-	-	-	85

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal

	Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES—Continued										
86	140-205	Malignant neoplasms, etc.*	206,325	282	317	430	344	277	1,650	873	621	851
87		White—M	96,459	143	160	230	177	146	856	467	326	459
88		F	93,827	110	125	179	145	114	673	340	225	276
89		Nonwhite—M	7,573	16	24	13	9	9	71	33	48	53
90		F	8,466	13	8	8	13	8	50	33	22	41
91	140-148	Of buccal cavity and pharynx	5,074	-	1	2	2	3	8	1	4	6
92		White—M	3,792	-	-	1	1	2	4	-	4	4
93		F	940	-	-	1	1	1	3	1	-	-
94		Nonwhite—M	240	-	1	-	-	-	1	-	-	1
95		F	102	-	-	-	-	-	-	-	-	1
96	150-156A,	Of digestive organs and peritoneum	82,231	30	19	10	6	8	73	20	25	60
97	157-159	White—M	41,616	15	9	6	3	4	37	10	11	34
98		F	34,533	11	8	3	2	3	27	7	8	16
99		Nonwhite—M	3,664	2	1	1	1	1	6	1	3	6
100		F	2,468	2	1	-	-	-	3	2	3	4
101	160-164	Of respiratory system	19,518	3	3	3	-	2	11	8	14	26
102		White—M	14,844	3	1	-	-	1	5	6	6	14
103		F	3,454	-	2	3	-	1	6	1	6	8
104		Nonwhite—M	978	-	-	-	-	-	-	-	2	4
105		F	242	-	-	-	-	-	-	1	-	-
106	170	Of breast	18,553	-	-	-	-	-	-	-	-	1
107		White—M	217	-	-	-	-	-	-	-	-	1
108		F	17,137	-	-	-	-	-	-	-	-	-
109		Nonwhite—M	16	-	-	-	-	-	-	-	-	-
110		F	1,183	-	-	-	-	-	-	-	-	-
111	171-179	Of genital organs	34,545	-	6	3	5	2	16	12	20	63
112		White—M	10,985	-	6	2	3	2	13	2	2	24
113		F	19,359	-	-	1	2	-	3	10	15	27
114		Nonwhite—M	1,070	-	-	-	-	-	-	-	2	2
115		F	3,131	-	-	-	-	-	-	-	1	10
116	180,181	Of urinary organs	9,859	18	34	59	34	33	178	51	15	14
117		White—M	6,096	12	10	32	14	15	83	17	6	10
118		F	3,204	3	17	25	14	14	73	25	5	3
119		Nonwhite—M	320	1	6	-	1	1	9	3	4	-
120		F	239	2	1	2	5	3	13	6	-	1
121	156B, 165,	Of other and unspecified sites	21,065	68	94	118	85	78	443	267	219	284
122	190-199	White—M	10,360	35	47	64	34	34	214	150	109	144
123		F	9,219	31	38	44	40	38	191	91	86	113
124		Nonwhite—M	724	-	6	5	5	2	18	13	17	14
125		F	762	2	3	5	6	4	20	13	7	13
126	204	Leukemia and aleukemia	8,102	139	137	210	194	131	811	426	225	234
127		White—M	4,453	67	73	115	109	77	441	228	125	151
128		F	3,226	54	55	68	81	50	326	178	81	62
129		Nonwhite—M	252	11	8	6	2	3	30	11	10	13
130		F	171	7	3	1	2	1	14	9	9	8
131	200-203,205	Lymphosarcoma and other neoplasms, etc.*	7,328	24	23	25	18	20	110	88	99	143
132		White—M	4,096	11	14	10	13	11	59	54	63	77
133		F	2,755	11	7	14	5	7	44	27	24	48
134		Nonwhite—M	309	2	2	1	-	2	7	5	10	13
135		F	168	-	-	-	-	-	-	2	2	4
136	210-239	Benign neoplasms and neoplasms of unspecified nature	5,861	152	64	37	24	21	298	100	90	100
137		White—M	2,104	89	24	20	14	7	134	42	42	37
138		F	2,836	61	32	10	8	8	119	47	33	47
139		Nonwhite—M	234	11	3	3	2	2	21	4	10	7
140		F	687	11	5	4	-	4	24	7	5	9
141	260	Diabetes mellitus	25,089	10	17	12	6	5	50	43	79	131
142		White—M	8,717	5	6	6	4	3	24	15	28	40
143		F	14,158	5	8	5	2	2	22	25	37	56
144		Nonwhite—M	714	-	1	-	-	-	1	1	7	16
145		F	1,500	-	2	1	-	-	3	2	7	17
146	290-293	Anemias	4,446	122	67	25	18	9	241	62	40	53
147		White—M	1,855	47	24	9	4	2	86	17	15	12
148		F	2,164	37	26	4	7	4	78	25	15	19
149		Nonwhite—M	183	18	12	7	4	1	42	9	4	7
150		F	244	20	5	5	3	2	35	11	8	15
151	340	Meningitis, except meningococcal and tuberculous	2,147	722	191	116	68	39	1,136	109	61	36
152		White—M	939	284	86	58	31	14	473	47	29	18
153		F	644	217	59	33	21	17	347	44	18	9
154		Nonwhite—M	320	127	26	16	8	5	182	9	6	7
155		F	244	94	20	9	8	3	134	9	8	2
156	330-334,	Major cardiovascular-renal diseases	746,434	360	151	131	119	114	875	653	915	1,233
157	400-468,	White—M	381,303	182	66	52	47	51	398	255	367	534
158	592-594	F	289,098	108	50	46	49	40	293	245	353	442
159		Nonwhite—M	38,065	40	23	20	18	13	112	77	92	124
160		F	36,968	30	12	13	7	10	72	76	103	133
161	330-334,	Diseases of cardiovascular system	720,499	338	135	93	81	78	725	537	773	1,012
162	400-468	White—M	370,089	174	61	32	27	30	324	203	296	439
163		F	279,214	101	45	30	35	27	238	199	296	351
164		Nonwhite—M	36,639	36	19	18	12	13	98	66	85	109
165		F	34,557	27	10	13	7	8	85	69	96	113
166	330-334	Vascular lesions affecting central nervous system	149,953	158	48	24	18	12	260	57	61	98
167		White—M	64,490	85	30	12	7	7	141	32	27	46
168		F	66,900	39	10	8	7	5	89	22	20	35
169		Nonwhite—M	8,702	18	4	1	1	-	24	2	5	10
170		F	9,861	16	4	3	3	-	26	1	9	7

*For complete category title, refer to table XIII, Part I.

RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
1,134	1,742	2,892	5,196	8,175	12,528	18,026	23,625	27,440	29,055	27,582	22,755	13,928	6,185	1,613	284	41	149	86
571	764	987	1,660	2,577	4,425	7,329	10,762	13,764	14,777	14,173	11,719	7,113	2,868	686	108	9	59	87
444	759	1,477	2,761	4,381	6,342	8,618	10,672	11,653	12,378	12,067	10,163	6,393	3,130	865	143	17	53	88
57	83	113	224	391	637	955	1,140	1,064	1,037	745	512	243	98	33	14	4	18	89
62	136	315	551	826	1,124	1,124	1,051	959	868	597	361	179	89	29	19	11	19	90
16	15	35	67	154	251	437	574	708	742	743	626	400	219	51	14	1	2	91
10	5	20	35	95	187	316	431	559	563	581	485	301	153	28	8	1	1	92
2	8	8	13	29	42	80	91	107	123	129	129	86	61	22	6	-	-	93
2	1	6	11	17	34	31	41	28	28	18	7	10	3	-	-	-	1	94
2	1	1	8	13	8	10	11	14	8	15	5	3	2	-	-	-	-	95
117	271	540	1,162	2,032	3,613	6,025	8,797	11,490	13,053	13,019	11,236	6,900	2,966	697	111	14	60	96
52	116	217	530	860	1,631	2,861	4,519	6,159	7,079	6,838	5,674	3,409	1,248	268	35	3	25	97
46	113	235	477	846	1,372	2,569	3,375	4,463	5,098	5,522	5,144	3,307	1,619	401	60	7	20	98
12	23	44	87	168	326	485	584	525	534	414	247	113	52	15	8	1	10	99
7	19	44	68	158	284	310	319	343	341	245	171	71	47	13	8	3	5	100
38	62	129	318	715	1,365	2,362	3,258	3,532	2,985	2,302	1,435	653	235	64	13	2	11	101
21	40	80	212	487	1,020	1,840	2,614	2,875	2,313	1,740	980	429	133	34	7	1	9	102
11	17	35	62	127	212	306	411	473	528	485	424	211	97	27	5	1	-	103
6	3	12	36	71	105	180	174	158	116	55	43	7	3	1	1	-	1	104
-	2	2	8	30	28	36	38	28	27	22	8	6	2	2	-	-	1	105
21	117	369	813	1,360	1,849	2,236	2,456	2,270	2,181	1,854	1,478	911	442	145	32	6	12	106
1	2	-	5	13	18	18	21	27	31	27	27	16	5	3	1	-	1	107
16	98	313	721	1,228	1,654	2,047	2,265	2,125	2,038	1,763	1,402	865	426	137	28	2	9	108
-	1	1	1	2	2	1	2	1	2	1	1	-	1	-	-	-	-	109
4	16	55	86	117	175	170	168	117	110	65	48	30	10	5	3	4	2	110
171	347	720	1,318	1,887	2,575	3,067	3,629	3,864	4,366	4,450	3,930	2,643	1,111	276	44	7	29	111
78	110	103	88	85	104	236	464	951	1,554	2,156	2,549	1,702	746	182	27	2	9	112
69	172	456	918	1,404	1,976	2,325	2,656	2,431	2,358	1,973	1,340	810	319	78	8	1	12	113
1	3	6	11	21	27	77	132	169	186	147	149	85	28	15	4	3	2	114
23	62	155	301	379	468	429	377	313	268	174	92	46	18	3	5	1	6	115
14	33	44	118	227	426	699	1,074	1,368	1,612	1,538	1,257	743	347	80	13	-	8	116
9	9	20	62	128	250	444	688	930	1,062	947	771	424	183	44	7	-	4	117
3	13	20	37	62	128	192	308	359	468	541	458	311	158	35	5	-	2	118
-	6	2	10	19	23	29	48	44	58	35	19	4	4	1	-	-	1	119
2	5	2	9	18	25	34	31	35	26	15	9	4	2	-	1	-	1	120
291	371	489	722	1,041	1,488	1,916	2,300	2,488	2,378	2,256	1,794	1,262	726	272	53	9	16	121
151	193	242	359	512	718	914	1,158	1,241	1,182	1,113	879	614	329	112	20	1	5	122
120	146	201	292	405	589	809	985	1,057	1,050	1,047	853	614	385	154	30	5	6	123
12	19	19	28	48	65	100	99	88	73	49	37	17	4	-	1	-	3	124
8	13	27	43	76	96	93	78	92	73	47	25	17	8	6	2	3	2	125
230	248	256	300	327	426	554	727	800	847	742	591	251	79	16	2	1	9	128
120	129	123	144	163	218	287	395	488	487	395	358	142	46	8	2	-	3	127
88	97	107	123	130	176	238	297	288	338	331	226	106	32	7	-	1	4	128
12	11	12	19	18	16	13	31	18	17	11	6	2	1	1	-	-	-	129
10	11	14	14	16	16	16	14	6	5	5	1	1	-	-	-	-	2	130
236	278	310	378	432	555	730	830	920	891	678	408	165	80	12	2	1	2	131
129	160	182	225	236	299	413	474	536	486	376	216	76	25	6	1	1	2	132
69	95	102	116	150	193	252	314	340	372	276	187	83	33	6	1	-	-	133
12	16	11	21	27	39	39	28	33	23	15	3	5	2	-	-	-	-	134
6	7	15	14	19	24	26	14	11	10	11	2	1	-	-	-	-	-	135
134	188	270	429	567	670	598	553	504	408	379	256	191	90	31	3	1	3	136
53	59	85	104	128	179	226	241	221	180	169	93	69	31	10	-	-	1	137
55	90	114	187	308	345	293	251	230	190	176	150	119	57	21	3	-	1	138
5	5	11	14	18	29	27	29	20	10	16	6	1	1	-	-	-	-	139
21	34	60	124	113	117	52	32	33	26	18	7	2	1	-	-	1	1	140
173	228	256	339	482	816	1,498	2,493	3,603	4,334	4,402	3,337	1,997	665	131	15	2	15	141
61	78	125	154	176	291	538	819	1,157	1,408	1,476	1,247	776	236	60	7	-	1	142
78	99	78	106	169	305	684	1,380	2,151	2,640	2,708	1,969	1,168	407	62	5	1	8	143
14	28	21	24	35	62	74	87	88	95	82	44	18	10	2	1	1	3	144
20	23	32	55	102	158	202	207	207	191	136	77	35	12	7	2	-	5	145
62	53	58	67	94	122	157	215	318	495	690	771	578	285	75	8	-	2	146
14	18	13	21	16	37	64	85	152	239	328	354	266	114	24	2	-	-	147
23	20	22	28	42	52	87	100	148	229	347	422	305	169	49	4	-	2	148
7	4	7	9	10	15	12	12	9	14	7	7	5	1	-	2	-	-	149
18	11	16	9	26	18	14	18	11	13	10	8	2	1	2	-	-	-	150
40	51	41	65	73	86	91	80	86	75	62	32	15	7	1	-	-	-	151
17	19	12	22	29	39	44	39	48	40	38	18	5	4	-	-	-	-	152
10	20	15	15	16	17	21	20	26	24	17	12	9	3	1	-	-	-	153
7	5	10	17	16	16	17	10	6	5	4	2	1	-	-	-	-	-	154
6	7	4	11	12	14	9	11	8	8	3	-	-	-	-	-	-	-	155
1,869	2,928	4,775	8,207	16,708	28,119	42,953	60,503	80,115	99,082	111,478	113,408	91,172	54,299	20,324	4,265	800	752	156
757	1,191	1,983	4,389	8,636	15,091	24,229	35,216	46,368	53,695	57,394	55,862	42,154	23,105	7,789	1,416	171	311	157
684	963	1,542	2,345	3,940	6,669	10,567	16,241	24,318	35,190	45,746	51,125	44,917	29,013	11,576	2,415	287	187	158
190	313	571	1,101	1,928	3,126	4,255	4,917	4,933	5,456	4,398	3,458	2,093	1,072	403	178	128	140	159
238	462	679	1,372	2,204	3,213	3,882	4,129	4,496	4,741	3,950	2,963	2,008	1,109	556	254	214	114	160
1,483	2,465	4,252	8,477	15,719	26,845	41,347	58,451	77,705	98,083	108,315	109,963	88,379	52,638	19,724	4,126	766	715	161
558	967	1,762	4,107	8,259	14,612	23,591	34,377	45,247	52,387	55,985	54,308	40,885	22,391	7,552	1,374	167	298	162
552	813	1,351	2,108	3,634	6,288	10,075	15,525	23,543	34,081	44,481	49,672	43,691	28,224	11,284	2,349	279	182	163
170	272	530	1,019	1,807	2,956	4,043	4,667	4,651	5,143	4,129	3,196	1,930	992	366	164	120	126	164
203	413	609	1,245	2,019	2,989	3,638	3,882	4,264	4,472	3,720	2,787	1,873	1,031	522	239	199	109	165
211	361	639	1,429	2,676	4,639	7,445	10,600	14,922	20,079	24,387	25,582	20,404	11,295	3,803	683	138	184	166
88	118	195	459	889	1,479	2,668	4,407	6,679	9,088	11,222	11,726	9,000	4,582	1,366	210	26	62	167
71	127	209	440	835	1,654	2,693	3,841	5,718	8,312	11,079	12,298	10,508	6,258	2,242	304	44	41	168
32	50	95	223	369	654	976	1,157	1,208	1,349	994	766	406	212	72	36	23	39	169
20	66	140	307	583	852	1,108	1,195	1,317	1,330	1,092	792	490	263	123	53	45	42	170

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal

	Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES—Continued										
		Major cardiovascular-renal diseases—Continued										
		Diseases of cardiovascular system—Continued										
171	400-402	Rheumatic fever	2,304	16	12	10	19	30	87	252	330	224
172		White—M	985	5	3	2	5	9	24	91	118	84
173		F	904	9	4	5	9	7	34	89	135	78
174		Nonwhite—M	196	1	3	1	4	7	16	35	32	30
175		F	239	1	2	2	1	7	13	37	45	32
176	410-443	Diseases of heart	518,588	103	64	51	37	32	287	208	348	619
177		White—M	281,716	52	25	14	12	12	115	75	139	287
178		F	189,709	35	26	14	15	13	103	76	125	203
179		Nonwhite—M	25,141	11	10	15	7	6	49	27	46	64
180		F	22,002	5	3	8	3	1	20	30	38	65
181	410-416	Chronic rheumatic heart disease	20,434	...	5	9	7	11	32	117	223	329
182		White—M	9,326	...	2	2	1	5	10	43	86	160
183		F	9,104	...	1	2	1	5	9	44	81	116
184		Nonwhite—M	1,044	...	2	5	2	1	10	15	31	30
185		F	960	...	-	-	3	-	3	15	25	23
186	420	Arteriosclerotic heart disease, etc.*	289,109	21	3	1	4	2	31	15	13	64
187		White—M	185,324	6	2	-	1	1	10	8	4	32
188		F	97,482	9	1	-	1	-	11	6	5	23
189		Nonwhite—M	5,542	4	-	-	2	1	7	1	2	4
190		F	6,761	2	-	1	-	-	3	-	2	5
191	421,422	Nonrheumatic chronic endocarditis, etc.*	91,401	...	24	22	6	5	57	24	44	79
192		White—M	42,982	...	12	6	2	2	22	7	16	39
193		F	38,863	...	9	7	2	1	19	10	17	21
194		Nonwhite—M	5,069	...	1	4	2	1	8	4	6	12
195		F	4,487	...	2	5	-	1	8	3	5	7
196	430-434	Other diseases of heart	23,816	82	32	18	19	14	165	51	60	133
197		White—M	12,172	46	9	6	7	4	72	16	29	52
198		F	7,516	26	15	5	11	7	64	16	20	40
199		Nonwhite—M	2,287	7	7	5	1	3	23	7	5	15
200		F	1,841	3	1	2	-	-	6	12	6	26
201	440-443	Hypertension with heart disease	83,808	-	-	1	1	-	2	1	8	14
202		White—M	31,912	-	-	-	1	-	1	1	4	4
203		F	36,744	-	-	-	-	-	-	-	2	3
204		Nonwhite—M	7,199	-	-	1	-	-	1	-	2	3
205		F	7,953	-	-	-	-	-	-	-	-	4
206	444-447	Hypertension without mention of heart	12,199	-	-	1	1	-	2	3	2	8
207		White—M	4,931	-	-	-	1	-	1	-	1	1
208		F	5,057	-	-	-	-	-	-	3	1	3
209		Nonwhite—M	1,078	-	-	1	-	-	1	-	-	4
210		F	1,133	-	-	-	-	-	-	-	-	-
211	450	General arteriosclerosis	30,426	-	-	-	-	-	-	-	-	-
212		White—M	14,374	-	-	-	-	-	-	-	-	-
213		F	14,002	-	-	-	-	-	-	-	-	-
214		Nonwhite—M	1,124	-	-	-	-	-	-	-	-	-
215		F	926	-	-	-	-	-	-	-	-	-
216	451-468	Other diseases of circulatory system	7,049	61	11	7	6	4	89	17	32	83
217		White—M	3,613	32	3	4	2	2	43	5	11	21
218		F	2,642	18	5	3	4	2	32	9	15	32
219		Nonwhite—M	398	6	2	-	-	-	8	2	2	1
220		F	396	5	1	-	-	-	6	1	4	9
221	592-594	Chronic and unspecified nephritis and other renal sclerosis	25,935	22	16	38	38	36	150	116	142	221
222		White—M	11,214	8	5	20	20	21	74	52	71	95
223		F	9,884	7	5	16	14	13	55	46	57	91
224		Nonwhite—M	2,426	4	4	2	4	-	14	11	7	15
225		F	2,411	3	2	-	-	2	7	7	7	20
226	480-493	Influenza and pneumonia, except pneumonia of newborn	44,640	9,141	1,418	598	271	170	11,598	498	268	331
227		White—M	20,383	3,479	528	230	92	64	4,393	220	105	134
228		F	15,403	2,779	482	204	96	62	3,623	160	98	97
229		Nonwhite—M	4,914	1,557	216	80	40	24	1,917	73	37	55
230		F	3,940	1,326	192	84	43	20	1,665	45	28	45
231	480-483	Influenza	4,602	788	126	50	23	19	1,006	65	33	56
232		White—M	1,704	244	50	21	7	11	333	24	8	27
233		F	1,656	217	39	15	8	6	285	21	12	13
234		Nonwhite—M	646	189	19	7	3	2	220	14	5	8
235		F	596	138	18	7	5	-	168	6	8	8
236	490-493	Pneumonia, except pneumonia of newborn	40,038	8,353	1,292	548	248	151	10,592	433	235	275
237		White—M	18,679	3,235	478	209	85	53	4,060	196	97	107
238		F	13,747	2,562	443	188	88	56	3,338	139	86	84
239		Nonwhite—M	4,268	1,368	197	73	37	22	1,697	59	32	47
240		F	3,344	1,188	174	77	38	20	1,497	39	20	37
241	500-502	Bronchitis	3,284	675	176	86	44	31	1,012	52	14	12
242		White—M	1,731	293	83	46	20	18	460	28	8	7
243		F	1,140	219	61	28	19	9	336	21	6	2
244		Nonwhite—M	189	77	12	8	3	2	102	1	-	1
245		F	214	86	20	4	2	2	114	2	-	2
246	540,541	Ulcer of stomach and duodenum	7,809	34	1	2	1	2	40	4	4	14
247		White—M	5,848	16	-	-	-	1	17	2	3	6
248		F	1,275	7	-	2	-	1	10	2	-	2
249		Nonwhite—M	531	5	1	-	1	-	7	-	-	5
250		F	155	6	-	-	-	-	6	-	1	1
251	550-553	Appendicitis	3,744	19	32	71	52	45	219	168	191	160
252		White—M	2,002	5	19	43	22	23	112	85	91	78
253		F	1,191	13	10	23	21	15	82	48	63	50
254		Nonwhite—M	323	-	3	4	3	4	14	18	21	18
255		F	228	1	-	1	6	3	11	17	16	14

*For complete category title, refer to table XIII, Part I.

RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
174	200	204	271	243	59	54	60	45	29	23	23	15	9	-	1	-	1	171
66	96	88	120	111	28	30	36	22	14	10	12	9	6	-	-	-	-	172
79	71	86	109	112	20	16	19	18	13	10	7	6	1	-	-	-	1	173
15	9	17	18	7	3	2	3	3	1	1	3	-	-	-	-	1	-	174
14	24	13	24	13	8	6	2	2	1	2	1	-	2	-	-	-	-	175
960	1,658	3,073	6,193	11,978	21,000	32,284	45,710	59,777	71,708	77,757	76,006	58,778	34,273	12,422	2,579	469	481	176
375	688	1,380	3,347	6,975	12,670	20,167	28,913	37,001	41,134	41,704	38,432	27,499	14,775	4,846	871	107	216	177
326	518	938	1,396	2,454	4,261	8,923	11,051	16,871	24,248	30,852	33,653	28,741	18,175	7,032	1,470	169	124	178
114	168	376	668	1,283	2,120	2,852	3,280	3,181	3,453	2,829	2,152	1,338	665	231	92	76	77	179
145	264	379	782	1,266	1,949	2,342	2,486	2,724	2,873	2,372	1,769	1,200	658	313	148	117	64	180
405	624	921	1,198	1,522	1,932	2,099	2,167	2,058	1,924	1,619	1,420	1,036	563	181	43	10	19	181
153	249	372	534	709	858	956	1,058	1,047	914	752	708	451	213	57	10	-	6	182
176	269	449	525	659	874	943	929	854	850	729	609	538	312	107	23	4	4	183
34	34	58	69	74	101	101	108	83	94	83	57	30	17	8	2	1	4	184
42	72	42	70	80	99	89	72	74	66	55	46	39	21	9	8	5	5	185
169	396	1,038	2,895	6,603	12,615	20,612	29,694	38,817	44,980	46,590	42,322	29,753	15,862	5,182	1,043	169	245	186
78	234	668	2,120	4,923	9,411	15,299	21,560	28,930	28,580	27,286	23,210	14,903	7,337	2,179	385	43	144	187
45	69	173	379	853	1,765	3,348	6,007	9,822	14,124	17,485	17,730	14,008	8,104	2,833	591	63	60	188
24	50	109	223	497	859	1,203	1,317	1,216	1,330	1,044	806	473	218	73	33	29	24	189
22	43	89	173	350	580	762	810	849	966	777	576	369	203	97	34	34	17	190
140	224	362	689	1,219	1,991	2,947	4,615	7,022	10,068	13,244	16,107	15,628	10,878	4,746	1,024	198	95	191
48	60	131	285	493	863	1,383	2,366	3,737	5,242	6,617	7,800	7,103	4,593	1,789	328	50	30	192
47	87	114	186	298	453	735	1,289	2,090	3,516	5,428	7,358	7,823	5,879	2,774	608	76	35	193
19	29	48	102	204	359	464	536	664	724	843	814	379	198	80	30	29	17	194
26	48	69	136	224	316	365	424	531	586	556	435	323	208	103	58	43	13	195
186	258	355	552	840	1,213	1,595	2,097	2,571	3,032	3,124	3,047	2,384	1,414	563	125	31	40	196
76	88	133	233	388	592	801	1,150	1,458	1,696	1,695	1,610	1,193	600	218	48	8	15	197
42	71	98	128	196	248	314	454	633	855	1,073	1,167	994	722	307	57	10	7	198
31	47	70	97	142	206	255	286	275	261	195	161	91	50	17	8	6	9	199
37	52	54	94	114	167	225	197	205	200	160	109	86	42	21	12	7	9	200
60	156	396	859	1,794	3,249	5,041	7,137	9,309	11,704	13,180	13,110	9,995	5,556	1,750	344	61	82	201
20	57	76	195	462	946	1,728	2,779	3,829	4,722	5,353	5,104	3,869	2,032	603	100	6	21	202
16	22	104	178	468	921	1,583	2,372	3,472	4,903	6,139	6,789	5,378	3,158	1,011	191	16	18	203
6	28	91	177	366	595	829	1,003	943	1,024	864	614	365	182	53	19	11	23	204
18	49	125	309	498	787	901	983	1,065	1,055	824	603	383	184	83	34	28	20	205
30	98	157	339	472	612	720	845	1,028	1,300	1,531	1,832	1,637	1,079	396	74	24	10	206
8	27	46	88	139	205	295	363	468	565	684	797	689	414	140	17	2	1	207
12	17	35	73	104	177	215	261	363	509	670	886	843	608	227	40	8	2	208
4	16	30	77	109	113	103	114	109	103	101	79	50	29	17	9	4	6	209
6	38	46	101	120	117	107	107	88	123	96	70	55	28	12	8	10	1	210
3	4	8	20	42	97	274	522	1,104	2,102	3,794	5,797	7,011	5,726	2,989	789	128	36	211
-	1	4	7	13	40	117	249	580	1,080	1,928	2,956	3,432	2,505	1,145	268	31	18	212
2	2	2	2	13	20	57	130	325	719	1,554	2,529	3,338	3,062	1,733	445	56	13	213
1	-	1	8	7	18	58	87	103	193	178	175	125	84	44	24	16	4	214
-	1	1	3	9	19	42	56	96	110	134	137	118	75	67	32	25	1	215
105	144	171	225	308	438	570	714	829	885	823	723	534	256	114	20	6	3	216
21	37	49	88	132	190	314	409	497	508	457	385	256	129	55	8	1	1	217
62	78	81	85	116	156	171	223	248	280	316	299	255	120	50	10	2	1	218
4	9	11	25	32	46	52	46	47	44	26	21	13	2	2	2	1	-	219
18	20	30	28	28	44	33	36	37	35	24	18	10	5	7	-	2	1	220
386	464	523	730	989	1,274	1,606	2,052	2,410	2,999	3,163	3,445	2,793	1,661	600	139	35	37	22.
199	224	221	282	377	479	638	839	1,121	1,308	1,399	1,554	1,269	714	237	44	4	13	222
132	150	191	239	306	401	512	716	775	1,109	1,265	1,453	1,226	789	292	66	8	5	223
20	41	41	82	121	170	212	250	282	313	269	262	163	80	37	14	8	14	224
35	49	70	127	185	224	244	247	232	269	230	176	135	78	34	16	16	5	225
391	448	585	855	1,101	1,531	1,731	2,236	2,649	3,338	3,855	4,360	3,994	2,995	1,386	344	102	66	226
150	148	198	358	491	730	893	1,250	1,469	1,748	1,972	2,186	1,863	1,340	527	144	20	24	227
114	136	158	215	226	292	334	462	708	1,074	1,465	1,867	1,883	1,480	791	154	35	21	228
54	71	110	171	234	311	317	297	277	289	241	173	127	82	30	19	19	10	229
73	93	99	111	150	198	187	227	175	227	177	134	121	81	38	27	28	11	230
44	51	69	73	100	131	159	201	252	344	439	492	473	352	174	61	16	11	231
19	12	19	25	25	41	51	80	101	131	178	211	190	138	65	22	3	3	232
7	14	19	16	24	23	35	47	79	111	173	231	234	179	103	24	3	3	233
9	4	15	15	24	32	44	38	45	47	49	22	20	17	3	8	8	1	234
9	21	16	17	27	35	29	36	27	55	39	28	29	18	5	7	4	4	235
347	397	496	782	1,001	1,400	1,572	2,035	2,397	2,994	3,416	3,868	3,521	2,641	1,212	283	86	55	236
131	136	179	333	466	668	848	1,170	1,388	1,617	1,794	1,975	1,673	1,202	464	122	17	21	237
107	122	139	199	202	269	299	415	629	963	1,292	1,636	1,649	1,311	688	130	32	18	238
45	67	95	156	210	278	273	259	232	242	192	151	107	65	27	11	13	9	239
64	72	83	94	123	163	158	191	148	172	138	106	92	63	33	20	24	7	240
14	17	20	32	46	76	140	149	216	242	264	330	323	217	82	21	4	1	241
5	8	10	9	19	41	78	110	150	172	168	162	161	88	36	10	1	-	242
6	4	3	11	19	17	30	24	45	57	84	148	155	120	42	7	3	-	243
1	1	3	6	4	12	20	11	10	5	4	10	2	3	-	2	-	1	244
2	4	4	6	4	6	12	4	11	8	8	10	5	6	4	2	-	-	245
42	91	122	277	446	628	813	1,023	1,154	1,090	855	649	339	156	47	8	2	5	246
15	51	71	165	325	469	627	824	933	840	660	463	231	90	30	3	1	3	247
10	16	21	37	51	75	100	126	145	180	167	161	95	59	15	3	-	-	248
11	17	29	34	60	65	72	58	64	54	18	19	9	5	2	1	-	1	249
6	7	1	21	10	20	14	15	12	16	10	6	4	2	-	1	1	1	250
128	138	128	175	206	224	305	291	386	328	296	206	119	58	10	4	-	4	251
59	58	67	87	113	111	193	156	226	191	174	103	63	28	4	1	-	1	252
44	45	33	51	53	59	68	84	118	108	107	91	48	29	6	3	-	1	253
16	16	17	19	23	34	24	34	31	15	8	7	7	-	-	-	-	1	254
8	19	11	18	17	20	20	17	11	14	7	5	1	-	-	-	-	1	255

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal

	Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES—Continued										
256	560,561,570	Hernia and intestinal obstruction	9,854	1,001	82	48	21	12	1,164	59	31	48
257		White—M	4,496	524	34	33	9	9	609	28	11	18
258		F	4,211	320	19	8	6	2	355	16	16	15
259		Nonwhite—M	814	106	19	6	4	1	136	7	3	9
260		F	533	51	10	1	2	-	64	8	1	6
261	543,571,572	Gastritis, duodenitis, enteritis, and colitis, etc.*	9,970	5,667	593	127	44	46	6,477	88	42	54
262		White—M	4,076	2,281	245	52	15	17	2,610	43	26	25
263		F	3,846	1,901	219	51	19	16	2,206	35	13	21
264		Nonwhite—M	1,114	853	60	13	8	5	939	6	3	3
265		F	934	632	69	11	2	8	722	4	-	5
266	581	Cirrhosis of liver	13,694	50	12	7	5	5	79	13	27	23
267		White—M	8,488	24	8	5	2	1	40	5	11	8
268		F	4,290	18	4	2	2	1	27	8	13	12
269		Nonwhite—M	580	3	-	-	-	3	6	1	1	-
270		F	356	5	-	-	1	-	6	1	2	3
271	590,591	Acute nephritis and nephritis with edema, etc.*	3,587	71	43	59	47	41	261	126	84	102
272		White—M	1,546	31	13	29	25	15	111	55	32	44
273		F	1,215	23	18	18	9	19	87	45	36	37
274		Nonwhite—M	439	10	8	6	8	7	39	16	9	8
275		F	387	7	4	6	5	2	24	10	7	13
276	610	Hyperplasia of prostate	6,860	-	-	-	-	-	-	-	-	-
277		White—M	6,097	-	-	-	-	-	-	-	-	-
278		Nonwhite—M	763	-	-	-	-	-	-	-	-	-
279	640-689	Deliveries and complications of pregnancy, childbirth, etc.*	3,216	...	...	...	...	...	...	...	16	348
280		White—F	2,099	...	...	...	...	...	...	...	5	174
281		Nonwhite—F	1,117	...	...	...	...	...	...	...	11	174
282	650-652	Abortion	394	...	...	...	...	...	...	...	1	46
283		White—F	236	...	...	...	...	...	...	...	1	21
284		Nonwhite—F	158	...	...	...	...	...	...	...	-	25
285	640-649,	All other complications	2,622	...	...	...	...	...	...	...	15	302
286	660-689	White—F	1,863	...	...	...	...	...	...	...	4	153
287		Nonwhite—F	959	...	...	...	...	...	...	...	11	149
288	750-759	Congenital malformations	16,864	14,504	781	380	227	125	16,017	358	214	220
289		White—M	9,438	7,269	372	178	105	66	7,990	190	111	118
290		F	7,742	5,972	336	157	101	42	6,608	133	82	85
291		Nonwhite—M	959	720	34	26	11	13	804	21	10	10
292		F	745	543	39	19	10	4	615	24	11	7
293	760-776	Certain diseases of early infancy	64,179	64,158	12	-	2	1	64,173	4	-	-
294		White—M	31,115	31,103	7	-	1	1	31,112	2	-	-
295		F	21,460	21,456	2	-	-	-	21,458	1	-	-
296		Nonwhite—M	6,545	6,543	1	-	1	-	6,545	-	-	-
297		F	5,059	5,056	2	-	-	-	5,058	1	-	-
298	760-762	Birth injuries, postnatal asphyxia, and atelectasis	25,553	25,551	1	-	-	-	25,552	-	-	-
299		White—M	13,340	13,339	1	-	-	-	13,340	-	-	-
300		F	8,486	8,485	-	-	-	-	8,485	-	-	-
301		Nonwhite—M	2,158	2,158	-	-	-	-	2,158	-	-	-
302		F	1,569	1,569	-	-	-	-	1,569	-	-	-
303	763-768	Infections of newborn	4,471	4,471	-	-	-	-	4,471	-	-	-
304		White—M	1,938	1,938	-	-	-	-	1,938	-	-	-
305		F	1,350	1,350	-	-	-	-	1,350	-	-	-
306		Nonwhite—M	674	674	-	-	-	-	674	-	-	-
307		F	509	509	-	-	-	-	509	-	-	-
308	769-776	Other diseases of early infancy, and immaturity unqualified	34,155	34,136	11	-	2	1	34,150	4	-	-
309		White—M	15,837	15,826	6	-	1	1	15,834	2	-	-
310		F	11,624	11,621	2	-	-	-	11,623	1	-	-
311		Nonwhite—M	3,713	3,711	1	-	1	-	3,713	-	-	-
312		F	2,981	2,978	2	-	-	-	2,980	1	-	-
313	780-795	Symptoms, senility, and ill-defined conditions	23,520	3,811	241	150	67	44	4,313	121	99	133
314		White—M	8,859	1,042	87	47	20	20	1,196	39	24	38
315		F	6,330	738	53	31	21	9	852	28	19	30
316		Nonwhite—M	4,515	1,145	66	41	17	4	1,273	29	30	27
317		F	3,816	886	55	31	9	11	992	25	26	38
318	Residual	All other diseases	65,147	3,554	874	554	369	291	5,642	902	618	830
319		White—M	31,676	1,680	398	256	186	138	2,658	437	273	373
320		F	25,814	1,204	328	209	118	103	1,962	335	215	279
321		Nonwhite—M	4,107	395	84	55	32	27	593	65	73	101
322		F	3,550	275	64	34	33	23	429	65	57	77
323	E800-E962	Accidents	90,106	3,730	1,739	1,367	893	740	8,469	3,004	2,535	5,013
324		White—M	54,876	1,682	822	721	422	365	4,012	1,705	1,619	3,510
325		F	24,802	1,175	606	451	280	233	2,745	814	529	869
326		Nonwhite—M	7,600	476	186	111	98	78	950	302	298	526
327		F	2,828	397	125	84	92	64	762	183	69	108
328	E810-E835	Motor-vehicle accidents	31,701	211	414	414	328	302	1,667	1,289	869	2,668
329		White—M	21,642	98	204	230	165	165	862	752	548	2,033
330		F	5,700	93	175	148	116	92	624	358	230	603
331		Nonwhite—M	2,650	13	19	18	28	29	107	125	68	190
332		F	709	7	16	18	17	16	74	54	23	42
333	E800-E802,	All other accidents	58,405	3,519	1,325	953	567	438	6,802	1,715	1,666	2,145
334	E840-E962	White—M	33,234	1,584	618	491	257	200	3,150	953	1,071	1,477
335		F	18,102	1,062	431	303	164	141	2,121	458	299	266
336		Nonwhite—M	4,950	463	167	93	71	48	843	177	230	336
337		F	2,119	390	109	66	75	48	688	129	66	66

*For complete category title, refer to table XIII, Part I.

RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
72	129	164	228	301	416	575	765	925	1,129	1,205	1,120	857	472	151	31	7	5	256
18	38	45	57	93	167	237	352	440	578	588	550	386	210	55	14	1	1	257
28	57	76	104	131	151	236	319	384	453	544	533	437	246	87	16	4	3	258
14	16	18	26	23	43	52	51	49	57	48	19	26	9	7	-	1	-	259
12	18	25	41	54	55	50	43	52	41	25	18	8	7	2	1	1	1	260
79	89	95	139	139	171	191	264	301	363	391	448	328	185	94	25	4	6	261
29	30	32	56	50	83	90	116	153	166	163	168	125	69	28	10	-	4	262
41	46	40	58	55	57	72	110	108	165	202	249	180	111	62	15	2	-	263
4	3	13	8	14	15	14	16	20	13	6	18	13	4	1	1	1	1	264
5	10	10	17	20	16	15	22	20	19	20	13	10	1	3	1	1	-	265
38	148	355	619	1,167	1,533	1,726	1,896	1,823	1,505	1,109	800	417	157	39	7	3	10	266
16	54	163	469	634	964	1,094	1,286	1,223	980	686	500	228	78	20	1	1	7	267
15	59	147	260	407	444	508	487	515	455	374	282	178	74	17	6	1	3	268
3	17	21	52	71	75	82	85	61	48	33	13	6	2	2	-	1	-	269
4	18	24	38	55	50	42	38	24	22	16	5	5	3	-	-	-	-	270
111	125	129	179	192	227	217	259	271	299	306	294	240	119	42	7	3	4	271
55	53	43	66	74	92	91	119	115	131	138	140	111	55	19	1	-	1	272
30	36	39	40	55	62	62	64	91	111	114	114	109	60	19	4	-	-	273
11	14	25	37	29	35	32	34	40	29	31	29	10	2	3	1	2	3	274
15	22	22	36	34	38	32	42	25	28	23	11	10	2	1	1	1	-	275
-	2	1	1	5	20	75	218	500	845	1,220	1,553	1,312	761	281	51	10	5	276
-	1	-	1	2	8	31	156	405	705	1,081	1,436	1,234	729	257	43	6	2	277
-	1	1	-	3	12	44	62	95	140	139	117	78	32	24	8	4	3	278
591	709	692	562	263	30	1	1	...	...	...	...	...	...	...	...	...	3	279
377	477	481	362	205	18	-	-	...	...	...	...	...	...	...	...	...	-	280
214	232	211	200	58	12	1	1	...	...	...	...	...	...	...	...	...	3	281
88	108	70	56	18	5	-	-	...	...	...	...	...	...	...	...	...	2	282
50	62	46	39	14	3	-	-	...	...	...	...	...	...	...	...	...	-	283
38	46	24	17	4	2	-	-	...	...	...	...	...	...	...	...	...	2	284
505	601	622	506	245	25	1	1	...	...	...	...	...	...	...	...	...	1	285
327	415	435	323	191	15	-	-	...	...	...	...	...	...	...	...	...	-	286
176	186	187	183	54	10	1	1	...	...	...	...	...	...	...	...	...	1	287
214	209	197	248	236	204	207	190	128	86	66	46	15	4	1	-	-	2	288
110	98	97	110	135	99	93	109	81	42	34	19	8	2	-	-	-	2	289
82	85	80	112	78	85	97	69	43	44	30	23	6	2	-	-	-	-	290
11	13	11	14	11	12	6	7	4	-	2	3	-	-	-	-	-	-	291
11	13	9	12	14	8	11	5	-	2	-	1	1	-	1	-	-	-	292
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	293
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	294
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	295
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	296
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	297
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	298
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	299
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	300
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	301
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	302
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	303
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	304
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	305
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	306
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	307
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	308
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	309
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	310
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	311
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	312
217	235	323	494	632	615	1,034	1,174	1,346	1,668	1,834	2,102	2,453	2,132	1,492	558	251	94	313
66	69	93	178	252	316	430	537	632	731	758	890	980	831	552	173	39	37	314
31	43	69	84	107	113	126	180	206	327	448	677	931	984	747	259	62	7	315
60	57	82	116	127	229	271	263	289	358	355	290	276	170	85	52	50	26	316
60	67	79	116	146	158	207	194	219	252	273	245	266	147	108	74	100	24	317
1,096	1,437	1,861	2,426	3,042	3,658	4,466	5,587	6,400	7,108	6,717	5,917	3,866	2,295	998	227	56	78	318
439	523	741	1,055	1,358	1,732	2,230	2,857	3,532	3,751	3,428	2,822	1,627	1,043	347	69	7	34	319
425	574	706	860	1,095	1,287	1,579	2,011	2,345	2,809	2,889	2,749	1,866	1,161	485	131	20	21	320
105	154	204	222	278	328	382	353	305	307	222	189	100	54	26	16	14	16	321
127	186	210	289	311	311	275	266	218	241	188	117	93	37	40	11	15	7	322
6,509	5,369	4,788	4,796	4,479	4,517	4,491	4,582	4,712	4,879	5,045	5,528	5,233	3,869	1,663	368	66	191	323
4,951	3,942	3,354	3,330	3,164	3,131	3,083	3,244	3,221	3,037	2,767	2,564	2,124	1,338	537	105	12	128	324
773	657	724	720	679	700	797	861	1,099	1,403	1,968	2,708	2,928	2,440	1,082	242	38	26	325
637	628	586	611	518	536	480	370	290	302	202	157	98	41	18	11	4	35	328
148	142	124	135	118	150	131	107	102	137	108	99	83	50	26	10	12	4	327
3,804	2,786	2,306	2,039	1,761	1,785	1,705	1,788	1,795	1,685	1,431	1,085	584	228	55	7	3	81	328
3,021	2,024	1,602	1,367	1,197	1,179	1,118	1,204	1,225	1,146	969	733	410	165	42	6	-	41	329
497	407	388	373	330	340	383	418	454	405	379	292	146	53	10	1	-	9	330
308	286	263	250	194	210	160	131	92	105	65	52	19	10	3	-	2	10	331
78	69	53	49	40	56	46	35	24	29	18	8	9	-	-	-	1	1	332
2,605	2,583	2,482	2,757	2,718	2,732	2,786	2,794	2,917	3,194	3,614	4,443	4,649	3,641	1,608	361	63	130	333
1,930	1,918	1,752	1,963	1,967	1,852	1,967	2,040	1,996	1,891	1,798	1,831	1,714	1,173	495	99	18	85	334
276	250	336	347	349	360	414	443	645	998	1,589	2,416	2,782	2,387	1,072	241	38	17	335
329	342	323	361	324	326	320	289	198	197	137	105	79	31	15	11	2	25	336
70	73	71	86	78	94	85	72	78	108	80	91	74	50	26	10	11	3	337

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE,

(By place of residence. Exclusive of fetal

	Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1 year	1 year	2 years	3 years	4 years	Under 5 years	5-9 years	10-14 years	15-19 years
		UNITED STATES—Continued										
338	E963,E970-E979	Suicide	16,993	-	-	-	-	-	-	2	54	268
339		White—M	12,668	-	-	-	-	-	-	1	39	177
340		F	3,662	-	-	-	-	-	-	1	11	70
341		Nonwhite—M	541	-	-	-	-	-	-	-	1	15
342		F	122	-	-	-	-	-	-	-	3	6
343	E964,E980-E985	Homicide	8,033	128	25	18	17	16	204	75	50	431
344		White—M	2,729	55	9	11	9	10	94	35	17	122
345		F	914	48	9	3	3	3	66	22	8	52
346		Nonwhite—M	3,485	14	4	-	5	1	24	12	19	192
347		F	905	11	3	4	-	2	20	6	6	85
348	E965,E990-E999	Injury resulting from operations of war	16	-	-	-	-	-	-	-	-	-
349		White—M	14	-	-	-	-	-	-	-	-	-
350		F	1	-	-	-	-	-	-	-	-	-
351		Nonwhite—M	-	-	-	-	-	-	-	-	-	-
352		F	1	-	-	-	-	-	-	-	-	-

NOTE.—The 64 selected causes include cholera (043) and plague (058). There were no deaths reported from cholera, and 1 death from plague was reported in New Mexico—a white male between 5 and 9 years of age—which is included in all totals.

RACE, AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

20-24 years	25-29 years	30-34 years	35-39 years	40-44 years	45-49 years	50-54 years	55-59 years	60-64 years	65-69 years	70-74 years	75-79 years	80-84 years	85-89 years	90-94 years	95-99 years	100 and over	Not stated	
747	944	1,125	1,489	1,699	1,696	1,855	1,900	1,728	1,408	920	625	330	141	33	6	-	23	338
495	638	739	1,019	1,231	1,226	1,401	1,455	1,379	1,127	756	524	291	120	30	4	-	16	339
193	231	313	385	406	405	405	398	301	250	145	89	34	18	3	2	-	3	340
42	61	55	87	52	55	42	40	44	27	18	10	5	3	-	-	-	4	341
17	14	18	18	11	10	7	7	4	4	1	2	-	-	-	-	-	-	342
1,051	1,231	1,039	1,056	828	677	456	331	222	144	97	72	38	11	1	-	-	19	343
267	329	302	313	307	249	181	160	129	88	63	42	20	2	-	-	-	9	344
87	107	91	123	74	99	53	34	37	19	10	13	14	3	1	-	-	1	345
526	640	507	493	370	274	191	120	42	32	20	12	3	3	-	-	-	5	346
171	155	139	127	77	55	31	17	14	5	4	5	1	3	-	-	-	4	347
2	1	2	2	1	-	2	4	1	-	-	-	-	-	1	-	-	-	348
2	1	1	2	1	-	2	4	1	-	-	-	-	-	-	-	-	-	349
-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	350
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	351
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	352

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA																										
	ALL CAUSES	26,750	3,345	241	150	77	63	229	210	368	547	605	680	884	1,019	1,382	1,811	1,996	2,217	2,776	2,579	2,311	1,608	909	413	126	224
	White—M	8,989	1,058	55	45	29	17	68	83	106	155	184	201	287	328	405	541	708	769	994	993	909	597	326	127	24	22
	F	6,406	686	68	35	17	20	57	29	62	69	95	123	141	177	227	264	554	445	732	833	820	586	358	164	38	26
	Nonwhite—M	5,943	994	75	44	15	14	54	51	110	172	154	150	209	268	364	524	514	540	576	410	322	217	104	56	31	75
	F	5,412	747	43	26	16	12	50	47	90	151	172	186	267	246	388	482	420	463	474	343	260	208	121	66	55	101
001-019	Tuberculosis, all forms	925	5	5	10	1	1	10	6	33	99	95	69	90	84	84	65	78	61	53	35	28	10	2	-	1	-
	White—M	246	-	1	1	-	1	3	1	3	7	9	12	26	18	34	24	28	28	23	11	12	3	1	-	-	-
	F	171	-	1	3	-	-	1	1	2	12	19	12	14	10	8	9	16	17	14	17	11	4	-	-	-	-
	Nonwhite—M	257	2	1	3	1	-	2	-	9	25	22	18	29	31	28	30	23	11	13	5	2	3	1	-	-	-
	F	251	3	2	3	-	-	4	4	19	55	45	27	21	25	18	2	11	5	3	2	3	-	-	-	1	-
001-008	Tuberculosis of respiratory system	857	1	2	3	-	-	3	5	31	94	91	64	67	81	79	63	72	60	49	34	26	10	1	-	1	-
	White—M	230	-	-	-	-	-	-	-	3	7	8	11	25	17	32	24	26	28	23	11	11	3	1	-	-	-
	F	161	-	-	1	-	-	1	1	2	12	19	10	14	10	8	9	15	16	12	17	10	4	-	-	-	-
	Nonwhite—M	236	1	1	1	-	-	1	-	9	22	21	17	27	31	24	28	21	11	12	4	2	3	-	-	-	-
	F	230	-	1	1	-	-	1	4	17	53	43	26	21	23	15	2	10	5	2	2	3	-	-	-	1	-
010-019	Tuberculosis, other forms	68	4	3	7	1	1	7	1	2	5	4	5	3	3	5	2	6	1	4	1	2	-	1	-	-	-
	White—M	16	-	1	1	-	1	3	1	-	-	1	1	1	1	2	-	2	-	-	-	1	-	-	-	-	-
	F	10	-	1	2	-	-	-	-	-	-	-	2	-	-	-	-	1	1	2	-	1	-	-	-	-	-
	Nonwhite—M	21	1	-	2	1	-	1	-	-	3	1	1	2	-	2	2	2	-	1	1	-	-	1	-	-	-
	F	21	3	1	2	-	-	3	-	2	2	2	1	-	2	1	-	1	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	193	27	-	-	1	-	-	1	2	4	2	6	17	11	24	33	21	12	12	6	10	2	1	-	-	1
	White—M	34	-	-	-	-	-	-	-	-	-	-	-	1	2	2	8	6	4	4	2	3	1	1	-	-	-
	F	15	3	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	1	2	2	-	-	-	-	-
	Nonwhite—M	90	14	-	-	-	-	-	1	1	1	1	2	10	5	14	15	9	5	6	2	2	1	-	-	-	1
	F	54	10	-	-	1	-	-	-	1	3	1	4	6	4	5	9	4	2	1	-	3	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	34	15	2	-	-	-	-	-	-	-	-	2	-	-	3	-	3	2	1	2	3	1	-	-	-	-
	White—M	11	5	1	-	-	-	-	-	-	-	-	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-
	F	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	3	-	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	4	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White—M	3	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite—M	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	22	3	5	3	2	1	7	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	2	-	2	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	2	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	23	14	4	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	3	3	-	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	16	7	1	-	2	-	1	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-
	White—M	6	2	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	6	3	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	12	-	1	-	-	2	3	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	2	3	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	52	16	10	6	-	2	4	6	1	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	1
	White—M	12	4	1	1	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	19	6	4	2	-	1	1	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	13	3	5	3	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	3	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	18	3	-	-	-	1	-	-	-	-	-	1	1	1	1	1	1	4	2	2	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	6	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	2	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	84	18	8	1	3	1	3	3	3	4	3	4	4	-	8	3	4	3	3	3	2	1	2	-	-	-
	White—M	19	4	1	-	1	-	1	2	-	-	-	2	1	-	2	1	-	1	1	-	1	1	-	-	-	-
	F	18	-	1	-	1	-	1	1	-	3	1	1	-	-	-	1	2	1	1	2	-	-	2	-	-	-
	Nonwhite—M	21	7	5	1	-	-	1	-	-	1	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-
	F	26	7	1	-	1	1	-	-	3	-	1	1	3	-	3	-	2	-	1	1	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
140-205	Malignant neoplasms, etc.*——	2,864	10	5	7	9	10	20	22	17	17	43	69	109	169	222	281	315	331	390	320	240	149	64	27	5	13
	White——M—	1,009	3	3	5	4	4	8	12	8	3	14	20	20	51	56	73	102	132	136	143	108	63	30	9	2	2
	F—	1,026	5	1	1	2	4	5	2	5	5	12	19	34	62	71	98	107	113	152	125	97	65	24	12	2	2
	Nonwhite—M—	355	-	1	-	2	1	3	7	3	3	7	5	14	23	22	42	47	44	60	30	16	13	5	3	1	3
	F—	474	2	-	1	1	1	4	1	1	6	10	25	41	33	73	67	59	42	42	22	21	8	5	3	-	6
140-148	Of buccal cavity and pharynx——	63	-	-	-	-	1	-	-	-	-	-	-	1	3	2	3	8	7	11	7	9	4	4	3	-	-
	White——M—	36	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	4	5	5	8	2	3	1	-	-
	F—	15	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	3	1	1	1	1	2	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	3	1	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	949	3	1	1	1	-	-	-	2	2	7	8	21	48	60	83	110	118	158	135	84	62	24	5	3	3
	White——M—	349	1	-	1	-	-	-	-	1	-	3	5	7	16	19	19	33	50	59	64	36	21	10	2	2	-
	F—	325	1	1	-	1	-	-	-	-	-	1	1	5	15	12	25	35	33	51	49	49	35	8	1	1	1
	Nonwhite—M—	165	-	-	-	-	-	-	-	1	2	2	1	6	11	14	19	24	21	33	15	4	3	5	1	-	1
	F—	112	1	-	-	-	-	-	-	-	-	1	1	3	6	15	20	18	14	15	7	5	3	1	1	-	1
160-164	Of respiratory system——	249	-	-	-	-	-	-	2	-	-	1	2	7	22	22	31	34	39	34	30	17	5	2	1	-	-
	White——M—	161	-	-	-	-	-	-	2	-	-	-	1	4	17	16	21	24	27	20	15	9	4	1	-	-	-
	F—	51	-	-	-	-	-	-	-	-	-	1	-	-	1	3	6	5	6	9	10	7	1	1	1	-	-
	Nonwhite—M—	30	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	4	6	5	3	1	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	-	-	2	-	-	-	-	-	-
170	Of breast——	227	-	-	-	-	-	-	-	-	-	3	5	14	19	28	30	31	22	25	18	16	9	2	2	1	2
	White——M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	F—	150	-	-	-	-	-	-	-	-	-	1	4	7	11	14	19	20	18	19	15	9	8	2	2	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	74	-	-	-	-	-	-	-	-	-	2	1	7	8	14	11	10	3	6	2	7	1	-	-	-	2
171-179	Of genital organs——	647	-	-	-	-	-	-	-	-	6	11	27	41	44	61	69	66	62	78	62	53	42	12	6	1	6
	White——M—	120	-	-	-	-	-	-	-	-	1	1	1	2	3	1	3	7	6	15	21	27	24	4	2	-	2
	F—	258	-	-	-	-	-	-	-	-	-	3	7	14	26	26	33	29	28	42	26	10	8	4	1	-	1
	Nonwhite—M—	60	-	-	-	-	-	-	-	-	-	-	-	-	3	-	5	6	8	10	6	9	9	-	2	1	1
	F—	209	-	-	-	-	-	-	-	-	5	7	19	25	12	34	28	24	20	11	9	7	1	4	1	-	2
180, 181	Of urinary organs——	136	-	-	3	-	2	3	-	-	1	1	-	2	4	6	12	8	18	23	16	23	5	8	1	-	-
	White——M—	69	-	-	2	-	1	1	-	-	-	-	-	-	1	3	4	4	9	14	8	13	4	4	1	-	-
	F—	31	-	-	-	-	-	1	-	-	1	-	-	-	-	2	3	1	4	1	6	7	1	4	-	-	-
	Nonwhite—M—	19	-	-	1	-	1	1	-	-	-	1	-	2	2	1	2	1	3	4	2	1	-	-	-	-	-
	F—	17	-	-	-	1	-	1	-	-	-	-	-	-	1	-	3	2	2	4	-	2	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	390	4	1	2	3	3	7	10	11	6	9	12	14	17	29	36	42	43	41	38	25	18	9	8	-	2
	White——M—	169	1	-	2	-	1	3	4	4	1	4	7	4	8	12	13	22	22	13	21	11	8	6	2	-	-
	F—	134	2	-	-	-	1	-	1	4	4	3	1	5	7	8	11	12	14	19	13	13	8	3	5	-	-
	Nonwhite—M—	50	-	1	-	2	1	2	5	2	1	2	3	2	1	3	8	5	4	4	2	1	-	-	-	-	1
	F—	37	1	-	-	1	-	2	-	1	-	-	1	3	1	6	4	3	3	5	2	-	2	-	1	-	1
204	Leukemia and aleukemia——	115	3	3	1	5	4	8	5	2	2	7	6	6	5	7	10	3	14	8	9	2	2	2	1	-	-
	White——M—	60	1	3	-	4	2	5	4	2	1	4	2	1	3	2	7	-	8	4	5	1	-	2	1	-	-
	F—	39	2	-	1	1	2	3	1	-	-	2	2	3	1	4	2	2	4	3	3	1	2	-	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	1	-	-	-	1	1	-	1	1	-	1	2	-	1	-	-	-	-	-	-
	F—	7	-	-	-	-	-	1	-	-	1	-	1	2	-	-	1	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	88	-	-	-	-	-	2	5	2	-	4	9	3	7	7	7	13	8	12	5	1	2	1	-	-	-
	White——M—	42	-	-	-	-	-	1	2	1	-	2	4	1	1	2	4	9	5	6	3	1	-	-	-	-	-
	F—	23	-	-	-	-	-	1	-	1	-	1	4	-	1	2	-	1	3	5	2	-	1	1	-	-	-
	Nonwhite—M—	15	-	-	-	-	-	-	2	-	-	1	-	1	2	1	3	3	-	1	-	-	1	-	-	-	-
	F—	8	-	-	-	-	-	-	1	-	-	-	1	1	3	2	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	120	4	-	-	-	-	1	5	4	1	5	9	16	15	11	9	13	9	7	3	5	1	1	-	-	-
	White——M—	34	-	-	-	-	-	-	3	1	-	1	3	2	3	1	2	7	2	5	1	3	-	-	-	-	-
	F—	40	1	-	-	-	-	-	-	1	-	2	2	3	8	6	4	3	4	1	1	2	1	1	-	-	-
	Nonwhite—M—	12	-	-	-	-	-	1	2	1	-	1	1	1	1	1	2	-	1	-	-	-	-	-	-	-	-
	F—	34	3	-	-	-	-	-	-	1	1	2	3	10	3	3	1	3	2	1	1	-	-	-	-	-	-
260	Diabetes mellitus——	330	-	1	-	-	-	-	1	12	4	7	9	9	9	18	30	28	31	55	49	38	18	2	3	2	2
	White——M—	100	-	-	-	-	-	-	-	6	-	1	-	5	1	4	10	4	10	19	14	17	7	1	1	-	-
	F—	104	-	1	-	-	-	-	-	-	2	-	3	1	3	3	6	7	10	13	29	14	8	1	3	-	-
	Nonwhite—M—	52	-	-	-	-	-	-	-	3	2	2	2	1	-	2	6	7	7	9	2	5	2	-	1	1	-
	F—	74	-	-	-	-	-	-	1	3	-	4	4	2	5	9	8	10	4	14	4	2	1	-	-	1	2
290-293	Anemias——	59	4	1	-	-	-	2	3	2	1	1	2	1	2	3	4	2	3	7	7	9	2	2	1	-	-
	White——M—	16	1	-	-	-	-	1	1	1	1	-	1	-	-	-	1	1	-	1	2	3	1	1	-	-	-
	F—	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	4	5	6	-	1	1	-	-
	Nonwhite—M—	8	2	-	-	-	-	1	1	-	-	1	-	-	-	1	1	-	-	2	-	-	-	-	-	-	-
	F—	14	1	1	-	-	-	-	1	1	-	-	1	1	1	1	1	1	3	-	-	-	1	-	-	-	-
340	Nonmeningococcal meningitis——	63	23	10	5	1	1	3	5	1	-	-	-	4	3	2	1	2	-	1	1	-	-	-	-	-	-
	White——M—	16	8	4	1	-	-	2	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	7	4	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	25	7	5	1	-	-	-	2	1	-	-	-	3	3	-	1	1	-	1	-	-	-	-	-	-	-
	F—	15	6	-	3	1	-	1	-	-	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	12,090	4	5	6	2	3	19	25	33	51	79	128	251	379	644	955	1,139	1,361	1,768	1,848	1,527	1,050	597	289	57	111
	White——M—	4,170	2	-	2	-	1	4	3	6	11	17	38	62	108	176	267	418	467	646	622	602	408	212	78	8	12
	F—	2,970	-	4	-	1	-	5	8	6	8	9	18	29	54	77	104	172	218	434	518	529	385	247	109	23	12
	Nonwhite—M—	2,464	1	1	4	1	-	4	7	9	11	15	25	55	100	183	291	304	350	358	265	223	117	57	27	14	42
	F—	2,486	1	-	-	-	2	6	7	12	21	38	47	105	117	208	293	244	326	330	243	173	140	81	35	12	45
330-334, 400-468	Diseases of cardiovascular system——	11,346	4	4	5	2	2	14	22	29	42	71	117	231	352	608	904	1,083	1,278	1,667	1,538	1,432	993	580	234	53	103
	White——M—	3,983	2	-	1	-	-	4	3	6	7	13	35	60	99	171	261	405	450	621	588	577	390	199	74	7	12
	F—	2,791	-	4	-	1	-	3	7	6	6	9	16	24	51	70	96	166	206	408	484	498	363	236	103	21	11
	Nonwhite—M—	2,273	1	-	4	1	-	3	5	8	11	14	23	52	93	173	271	285	323	325	245	201	107	52	24	14	37
	F—	2,299	1	-	-	-	2	4	7	9	18	35	43	95	109	192	276	225	299	315	223	156	133	71	33	11	43
330-334	Vascular lesions, etc.*——	2,980	3	1	-	-	-	1	3	2	5	14	23	56	88	156	248	259	347	484	412	391	252	138	45	14	38
	White——M—	843	2	-	-	-	-	1	-	-	1	3	5	10	16	28	46	58	88	139	145	145	90	47	14	1	3
	F—	757	-	1	-	-	-	-	2	1	1	2	1	8	12	20	25	50	57	132	131	148	81	55	21	5	4
	Nonwhite—M—	630	-	-	-	-	-	-	-	-	1	5	4	15	25	48	79	75	96	109	63	50	29	11	3	5	12
	F—	750	1	-	-	-	-	1	1	2	4	13	23	35	60	98	75	106	104	73	48	52	25	7	3	19
400-402	Rheumatic fever——	55	-	1	-	1	2	9	9	6	4	6	5	4	2	1	1	1	-	1	1	-	-	1	-	-	-
	White——M—	14	-	-	-	-	-	3	2	-	-	1	2	2	1	1	1	1	-	-	-	-	-	-	-	-	-
	F—	10	-	1	-	-	-	3	2	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M—	15	-	-	-	1	-	1	2	4	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	18	-	-	-	-	2	2	3	2	2	4	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
410-443	Diseases of heart-	7,612	1	1	4	1	-	3	6	20	32	43	80	152	241	408	621	781	872	1,101	1,034	931	652	378	159	31	57
	White-----M--	2,907	-	-	-	-	-	-	1	5	6	8	26	46	80	134	201	328	346	453	414	390	268	134	54	5	8
	F--	1,852	-	1	-	1	-	-	3	5	3	5	14	14	32	46	67	103	141	259	330	319	247	169	69	13	6
	Nonwhite--M--	1,485	1	-	4	-	-	1	2	4	9	7	16	33	62	105	184	201	211	193	166	130	73	37	19	7	20
	F--	1,368	-	-	-	-	-	2	2	6	14	23	24	59	67	123	169	143	174	197	124	92	64	39	17	6	23
410-416	Chronic rheumatic heart disease-----	259	...	-	1	-	-	1	5	10	10	6	8	14	13	20	13	17	17	25	33	26	20	11	3	2	4
	White-----M--	83	...	-	-	-	-	-	1	5	4	1	1	5	7	2	3	6	8	9	11	10	9	-	1	-	-
	F--	67	...	-	-	-	-	-	2	1	2	2	3	2	1	6	2	2	3	5	13	6	5	9	1	2	-
	Nonwhite--M--	56	...	-	1	-	-	1	2	2	-	2	1	5	6	4	5	1	5	6	10	3	-	1	-	1
	F--	55	...	-	-	-	-	1	1	2	2	3	2	6	-	6	4	4	5	6	3	-	3	2	-	-	3
420	Arteriosclerotic heart dis., etc.*	3,392	1	-	-	-	-	-	1	3	6	14	43	88	115	195	311	412	437	518	442	386	253	129	50	8	20
	White-----M--	1,693	-	-	-	-	-	-	-	-	1	4	16	32	59	94	143	235	243	273	210	196	107	51	22	2	5
	F--	832	-	-	-	-	-	-	-	2	-	-	8	8	16	19	44	56	78	131	160	137	91	59	19	4	3
	Nonwhite--M--	486	1	-	-	-	-	-	-	1	1	2	9	15	24	45	75	78	62	55	41	35	19	12	4	1	6
	F--	381	-	-	-	-	-	-	1	-	4	8	10	16	16	37	49	43	54	59	31	18	16	7	5	1	6
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,422	...	-	2	-	-	1	2	2	7	5	7	14	30	52	80	86	141	183	203	216	163	120	56	13	14
	White-----M--	430	...	-	-	-	-	-	-	-	1	-	-	2	5	8	20	25	36	52	89	83	60	48	17	3	1
	F--	359	...	-	-	-	-	-	1	1	-	-	1	2	5	3	4	10	16	39	60	67	67	52	25	4	2
	Nonwhite--M--	324	...	-	2	-	-	-	1	1	3	2	2	2	2	13	31	30	51	52	45	40	20	9	9	3	6
	F--	309	...	-	-	-	-	1	-	-	3	3	4	8	18	28	35	31	38	40	34	26	16	11	5	3	5
430-434	Other diseases of heart---------	495	-	1	1	1	-	1	-	5	7	9	14	21	20	43	39	59	50	62	59	43	24	19	1	-	6
	White-----M--	206	-	-	-	-	-	-	-	-	-	2	7	6	6	19	14	24	25	35	31	21	10	6	-	-	-
	F--	93	-	1	-	1	-	-	-	1	1	2	2	3	3	3	2	12	7	9	15	14	7	8	1	-	1
	Nonwhite--M--	104	-	-	1	-	-	1	-	-	2	1	2	4	8	9	11	14	16	9	10	6	7	1	-	-	2
	F--	92	-	-	-	-	-	-	-	4	4	4	3	8	3	12	12	9	12	9	3	2	-	4	-	-	3
440-443	Hypertension with heart dis.--	2,044	-	-	-	-	-	-	-	-	2	9	8	35	63	98	168	197	217	313	292	260	212	100	49	8	13
	White-----M--	495	-	-	-	-	-	-	-	-	-	1	2	1	3	11	21	38	34	84	93	80	92	29	14	-	2
	F--	501	-	-	-	-	-	-	-	-	-	1	-	2	7	15	15	29	37	74	82	95	77	41	23	3	-
	Nonwhite--M--	515	-	-	-	-	-	-	-	-	1	2	1	11	23	32	63	74	81	72	64	39	24	15	5	3	5
	F--	533	-	-	-	-	-	-	-	-	1	5	5	21	30	40	69	56	65	83	53	46	29	15	7	2	6
444-447	Hypertension without mention of heart----------	291	-	-	-	-	-	-	-	-	-	3	5	13	15	26	15	17	27	32	40	46	32	12	5	2	1
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	6	5	11	10	17	9	4	1	1	-
	F--	80	-	-	-	-	-	-	-	-	-	-	-	-	4	1	2	4	3	7	8	13	11	4	3	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	1	-	3	4	13	3	2	7	5	7	7	3	1	1	-	1
	F--	98	-	-	-	-	-	-	-	-	2	5	10	6	7	5	5	12	9	15	9	9	3	-	1	-
450	General arteriosclerosis---------	291	-	-	-	-	-	-	-	-	-	-	1	1	1	1	9	14	18	36	40	54	51	29	23	6	7
	White-----M--	97	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	5	5	12	11	21	20	13	5	-	1
	F--	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	11	17	21	10	10	3	1
	Nonwhite--M--	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	7	15	8	9	2	3	1	2	4
	F--	51	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	3	4	2	10	7	8	3	7	1	1
451-468	Other diseases of circulatory sys.-	117	-	1	1	-	-	1	2	1	1	5	3	5	5	14	10	11	14	13	11	10	6	1	2	-	-
	White-----M--	47	-	-	1	-	-	-	-	1	-	1	1	2	-	2	7	6	6	6	6	4	3	1	-	-	-
	F--	29	-	1	-	-	-	-	-	-	1	2	1	2	2	3	1	3	3	3	3	1	3	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	1	1	-	-	-	1	-	2	7	2	2	2	3	1	5	-	-	-	-	-
	F--	14	-	-	-	-	-	-	1	-	-	2	-	1	1	2	-	-	3	1	1	-	-	-	2	-	-
592-594	Chronic nephritis, etc.*----------	744	-	1	1	-	1	5	3	4	9	8	11	20	27	38	51	55	63	101	110	95	57	37	15	4	8
	White-----M--	187	-	-	1	-	1	-	-	-	4	4	3	2	9	5	6	13	17	25	36	25	18	15	4	1	-
	F--	179	-	-	-	-	-	2	1	-	2	-	2	5	3	7	8	6	12	25	34	31	22	8	6	2	1
	Nonwhite--M--	191	-	1	-	-	-	1	2	1	-	1	2	3	7	10	20	16	27	33	20	22	10	5	3	-	5
	F--	187	-	-	-	-	-	2	-	3	3	3	4	10	3	16	17	18	27	17	20	17	7	10	2	1	2
480-493	Influenza and pneumonia, etc.*-	1,205	284	52	30	13	6	22	13	12	18	17	16	22	27	31	59	61	80	83	92	85	73	50	30	11	18
	White-----M--	321	68	7	8	1	1	8	5	2	5	2	2	3	4	6	10	14	12	20	38	36	29	21	14	3	2
	F--	274	54	14	8	4	3	3	2	3	-	4	6	4	2	7	2	9	12	23	24	33	24	16	11	4	2
	Nonwhite--M--	332	86	23	9	5	2	9	2	5	6	4	4	7	13	12	30	17	20	21	14	16	11	4	3	2	8
	F--	278	86	8	5	3	-	3	4	2	7	7	4	8	8	6	17	21	16	19	16	10	9	9	2	2	6
480-493	Influenza---------	213	40	7	2	4	2	3	3	3	5	2	4	5	2	7	11	9	16	18	15	14	13	12	6	3	7
	White-----M--	51	6	-	-	1	1	-	1	1	1	-	1	-	-	-	2	2	3	3	6	7	5	3	4	2	2
	F--	37	4	2	-	1	1	1	1	-	-	1	1	-	1	1	1	4	2	3	3	4	2	2	2	-	-
	Nonwhite--M--	70	20	3	1	1	-	2	-	2	3	-	1	3	-	3	5	-	7	5	4	-	3	3	-	1	3
	F--	55	10	2	1	1	-	-	1	-	1	1	1	2	1	3	3	3	4	7	2	3	3	4	-	-	2
490-493	Pneumonia, etc.*--	982	254	46	29	9	4	19	10	9	13	15	12	17	25	24	46	52	44	65	77	81	60	38	24	8	11
	White-----M--	270	62	7	8	-	-	6	4	1	4	2	1	3	4	6	8	12	9	17	32	29	24	18	10	1	-
	F--	237	50	12	9	3	2	2	1	3	-	3	5	4	1	6	1	5	10	20	21	29	22	14	9	4	2
	Nonwhite--M--	262	66	20	9	4	2	6	2	3	3	4	3	4	13	9	25	17	13	16	10	16	8	1	3	1	5
	F--	223	76	6	4	2	-	3	3	2	6	6	3	6	7	3	14	18	12	12	14	7	6	5	2	2	4
500-502	Bronchitis---------	63	12	6	2	1	-	-	1	2	-	1	-	1	-	1	3	2	3	4	4	9	7	3	-	1	-
	White-----M--	15	3	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	5	1	-	-	-
	F--	20	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	4	2	-	-	-	-
	Nonwhite--M--	13	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	-	-	-	-	-	1	-
	F--	15	2	2	-	-	-	-	-	2	-	1	-	1	-	-	1	-	1	-	1	2	-	2	-	-	-
540, 541	Ulcer of stomach and duodenum-----	94	1	-	-	-	1	-	-	-	1	3	2	5	8	8	8	11	10	12	12	4	5	1	-	-	2
	White-----M--	44	-	-	-	-	1	-	-	-	-	1	1	2	5	3	3	5	5	5	7	3	1	1	-	-	1
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	-	1	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	1	1	1	1	2	4	4	6	3	4	1	1	2	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	1	-	-	1	-	-	-	1
550-553	Appendicitis------	91	-	-	1	1	1	6	4	4	4	4	5	4	7	7	4	6	11	9	4	6	2	1	-	-	-
	White-----M--	28	-	-	-	1	-	1	2	1	-	1	2	2	3	1	1	2	2	4	2	2	1	-	-	-	-
	F--	20	-	-	1	-	1	-	-	2	-	2	-	-	3	1	-	-	2	3	1	3	-	1	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	1	-	1	4	-	3	1	1	3	1	2	5	1	1	1	1	-	-	-	-
	F--	17	-	-	-	-	-	4	2	-	-	1	-	1	-	2	2	2	2	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	194	19	4	-	1	-	2	-	2	5	8	6	5	13	13	15	17	11	21	17	11	7	3	3	1	-
	White-----M--	63	9	1	-	1	-	1	-	-	1	2	2	1	2	3	4	6	4	7	8	1	4	1	2	1	-
	F--	48	2	-	-	-	-	-	-	2	1	3	3	-	4	4	2	2	3	6	5	7	2	2	-	-	-
	Nonwhite--M--	40	6	-	-	-	-	-	-	-	3	2	-	1	3	1	6	7	1	4	4	-	1	-	1	-	-
	F--	33	2	3	-	-	-	1	-	-	-	1	1	3	4	5	3	-	3	4	-	3	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ALABAMA—Con.																										
543, 571, 572	Gastritis, etc.*--	243	157	24	8	2	-	-	-	-	-	2	1	5	1	3	3	4	1	8	2	6	5	7	2	-	2
	White-----M--	69	48	9	1	2	-	-	-	-	-	-	-	2	-	-	-	1	-	1	1	2	1	1	-	-	-
	F--	69	32	7	5	-	-	-	-	-	-	-	-	2	-	2	1	-	1	4	1	2	3	6	2	-	1
	Nonwhite--M--	60	48	4	1	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-	2	-	-	-	-	-	1
	F--	45	29	4	1	-	-	-	-	-	-	2	-	1	1	1	-	2	-	3	-	-	1	-	-	-	-
581	Cirrhosis of liver	154	-	-	-	-	-	-	-	1	1	5	11	9	13	14	23	19	20	18	12	4	4	-	-	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	1	3	7	4	7	6	12	6	8	9	7	-	4	-	-	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	2	1	2	1	3	7	5	3	4	2	-	-	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	1	1	4	2	2	5	2	2	3	1	1	-	-	-	-	-
	F--	26	-	-	-	-	-	-	-	1	-	1	1	-	2	5	3	4	5	3	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	103	2	2	2	2	-	5	3	3	1	4	4	5	8	7	6	10	6	10	7	3	9	2	1	-	1
	White-----M--	22	1	-	2	1	-	3	-	-	1	-	-	1	2	1	2	1	-	2	1	-	2	1	1	-	-
	F--	22	-	1	-	-	-	1	1	1	-	1	-	-	-	1	2	2	3	3	-	1	4	1	-	-	-
	Nonwhite--M--	31	1	-	-	-	-	1	1	1	-	1	3	2	4	1	-	4	1	2	5	2	1	-	-	-	1
	F--	28	-	1	-	1	-	-	1	1	-	2	1	2	2	4	2	3	2	3	1	-	2	-	-	-	-
610	Hyperplasia of prostate----------	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	12	16	23	27	16	10	8	1	1
	White-----M--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	13	22	8	7	3	1	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	8	13	12	5	8	3	3	-	1
640-689	Complications of pregnancy, etc.*-	164	---	---	---	---	---	---	2	20	27	32	45	27	9	-	-	1	---	---	---	---	---	---	---	---	1
	White-----F--	71	---	---	---	---	---	---	-	7	8	14	24	12	6	-	-	-	---	---	---	---	---	---	---	---	-
	Nonwhite--F--	93	---	---	---	---	---	---	2	13	19	18	21	15	3	-	-	1	---	---	---	---	---	---	---	---	1
650-652	Abortion----------	22	---	---	---	---	---	---	-	2	3	6	7	4	-	-	-	-	---	---	---	---	---	---	---	---	-
	White-----F--	10	---	---	---	---	---	---	-	1	1	3	4	1	-	-	-	-	---	---	---	---	---	---	---	---	-
	Nonwhite--F--	12	---	---	---	---	---	---	-	1	2	3	3	3	-	-	-	-	---	---	---	---	---	---	---	---	-
640-649, 660-689	All other complications--------	142	---	---	---	---	---	---	2	18	24	26	38	23	9	-	-	1	---	---	---	---	---	---	---	---	1
	White-----F--	61	---	---	---	---	---	---	-	6	7	11	20	11	6	-	-	-	---	---	---	---	---	---	---	---	-
	Nonwhite--F--	81	---	---	---	---	---	---	2	12	17	15	18	12	3	-	-	1	---	---	---	---	---	---	---	---	1
750-759	Congenital malformations--------	351	283	13	12	2	1	6	9	4	3	-	2	4	2	3	3	3	1	-	-	-	-	-	-	-	-
	White-----M--	148	123	4	3	1	-	1	5	1	-	-	1	1	-	1	1	3	1	-	-	-	-	-	-	-	-
	F--	109	83	6	2	1	-	4	2	3	1	-	1	3	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	48	38	1	4	-	1	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	48	39	2	3	-	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	1,796	1,796	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	633	633	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	386	386	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	421	421	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	356	356	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	621	621	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768-776	Other diseases of infancy, and immaturity unqualified----------	1,033	1,033	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	334	334	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	254	254	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	1,561	426	18	12	5	2	6	9	10	12	17	23	28	41	54	78	82	84	102	116	101	121	78	57	33	46
	White-----M--	307	64	4	2	2	1	1	-	-	3	2	2	3	14	9	12	24	17	27	29	28	28	16	12	6	1
	F--	185	38	3	3	2	-	1	-	2	1	1	1	4	1	4	3	3	10	11	17	19	23	23	8	2	5
	Nonwhite--M--	531	180	5	5	-	-	2	5	5	3	5	6	11	8	23	26	26	30	38	35	25	34	23	16	9	11
	F--	538	144	6	2	1	1	2	4	3	5	9	14	10	18	18	37	29	27	26	35	29	36	16	21	16	29
Residual	All other diseases	1,293	102	22	21	7	8	31	17	27	29	39	44	56	54	78	92	78	33	120	116	109	79	34	15	8	14
	White-----M--	436	36	5	7	4	2	9	2	10	8	9	15	14	20	25	28	30	30	55	43	38	22	15	6	2	1
	F--	376	23	6	6	2	3	9	3	2	8	9	11	14	10	16	16	12	24	40	52	49	38	7	4	5	3
	Nonwhite--M--	259	26	8	4	-	1	8	5	6	4	8	4	12	13	21	22	20	25	16	15	14	14	7	1	1	4
	F--	222	17	3	4	1	2	5	7	9	9	13	14	16	11	14	24	16	14	9	6	8	5	5	4	-	6
E800-E962	Accidents----------	1,779	93	42	23	18	20	72	68	143	175	150	124	125	103	90	94	63	61	62	74	60	45	41	17	6	11
	White-----M--	834	21	12	10	9	4	19	38	83	98	95	71	83	63	41	57	27	26	22	33	16	11	10	1	1	3
	F--	312	15	12	1	3	4	22	7	19	15	13	15	9	10	12	4	8	12	11	20	34	24	25	14	2	1
	Nonwhite--M--	468	34	14	8	5	8	18	15	50	49	37	29	28	24	28	26	21	16	21	14	6	7	4	1	2	3
	F--	165	23	4	4	2	4	13	8	11	11	5	9	5	6	9	7	7	7	8	7	4	3	2	1	1	4
E810-E835	Motor-vehicle accidents--------	716	11	12	7	8	6	36	22	79	107	81	66	57	42	35	34	22	23	26	23	15	3	2	-	-	2
	White-----M--	400	5	4	5	2	2	9	10	36	65	57	39	37	27	17	21	12	15	15	12	8	1	1	-	-	-
	F--	103	2	5	-	1	1	12	4	15	10	5	7	3	5	4	3	4	6	4	4	5	2	-	-	-	1
	Nonwhite--M--	170	3	2	-	1	2	8	7	25	28	18	15	15	7	10	7	6	2	6	4	2	-	1	-	-	1
	F--	43	1	1	2	1	1	7	1	3	4	1	5	2	3	4	3	-	-	1	3	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	1,063	82	30	16	14	14	36	46	64	66	69	58	68	61	55	60	41	38	36	51	45	42	33	17	6	9
	White-----M--	434	16	8	5	7	2	10	28	27	33	38	32	46	38	24	36	15	11	7	21	8	10	9	1	1	3
	F--	209	13	7	1	2	3	10	3	4	5	8	8	6	5	8	1	4	6	7	16	29	22	25	14	2	-
	Nonwhite--M--	298	31	12	8	4	6	10	8	25	21	19	14	13	17	18	19	15	14	15	10	4	7	3	1	2	2
	F--	122	22	3	2	1	3	6	7	8	7	4	4	3	3	5	4	7	7	7	4	4	3	2	1	1	4
E963, E970-E979	Suicide----------	195	-	-	-	-	-	-	7	14	21	15	18	20	22	23	14	13	7	10	3	1	1	-	-	-	-
	White-----M--	146	-	-	-	-	-	-	2	9	14	10	14	17	17	25	11	9	4	10	2	1	1	-	-	-	-
	F--	29	-	-	-	-	-	-	4	2	3	5	3	-	4	2	1	3	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	1	2	4	-	1	3	1	2	2	1	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide----------	428	3	-	-	-	-	3	1	25	75	67	67	64	41	31	15	13	15	3	3	2	-	1	-	-	-
	White-----M--	91	-	-	-	-	-	-	1	2	7	13	12	17	10	9	5	3	8	1	2	1	-	-	-	-	-
	F--	19	-	-	-	-	-	1	-	2	3	2	2	5	-	2	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	257	2	-	-	-	-	2	-	13	55	42	45	30	28	15	8	8	5	2	1	1	-	-	-	-	-
	F--	62	1	-	-	-	-	-	-	8	10	10	8	12	3	5	1	1	2	-	-	-	-	1	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA																										
	ALL CAUSES	6,397	1,034	112	51	27	24	78	49	108	132	146	165	233	252	301	368	459	563	580	554	505	324	195	84	26	27
	White—M	3,438	432	33	25	7	15	29	19	39	57	53	84	116	131	178	222	325	382	359	327	297	192	87	31	9	9
	F	1,946	291	28	8	8	4	28	18	36	31	51	48	75	92	74	102	96	156	173	189	164	110	95	48	14	6
	Nonwhite—M	587	176	26	8	4	1	9	8	17	22	20	19	23	18	34	26	23	32	35	23	26	18	9	2	2	9
	F	426	135	24	10	8	4	13	4	16	22	22	14	19	11	15	18	15	13	13	15	18	6	4	3	1	3
001-019	Tuberculosis, all forms	524	11	14	7	4	1	6	5	23	35	41	43	50	44	44	43	41	39	35	21	8	6	-	1	-	2
	White—M	271	2	4	2	-	-	-	-	2	6	15	17	28	26	28	29	35	28	25	15	5	3	-	1	-	-
	F	103	-	4	1	1	-	2	-	5	7	11	12	14	13	6	7	4	7	4	4	1	-	-	-	-	-
	Nonwhite—M	80	7	3	1	-	1	2	3	8	9	5	6	5	4	5	5	2	3	6	1	2	1	-	-	-	1
	F	70	2	3	3	3	-	2	2	8	13	10	8	3	1	5	2	-	1	-	1	-	2	-	-	-	1
001-008	Tuberculosis of respiratory system	474	8	6	1	3	-	1	4	16	32	35	41	49	44	44	42	41	38	32	20	8	6	-	1	-	2
	White—M	251	2	2	-	-	-	-	-	2	6	13	17	27	26	28	28	35	27	25	14	5	3	-	1	-	-
	F	93	-	-	-	1	-	1	-	4	7	10	12	14	13	6	7	4	7	2	4	1	-	-	-	-	-
	Nonwhite—M	63	5	1	-	-	-	3	4	7	4	5	5	5	4	5	5	2	3	5	1	2	1	-	-	-	1
	F	57	1	3	1	2	-	-	1	6	12	8	7	3	1	5	2	-	1	-	1	-	2	-	-	-	1
010-019	Tuberculosis, other forms	50	3	8	6	1	1	5	1	7	3	6	2	1	-	-	1	-	1	3	1	-	-	-	-	-	-
	White—M	10	-	2	2	-	-	-	-	-	-	2	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-
	F	10	-	4	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	17	2	2	1	-	1	2	-	4	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	13	1	-	2	1	-	2	1	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	49	16	-	-	-	-	-	-	-	-	-	1	-	2	5	4	3	5	6	2	4	-	-	1	-	-
	White—M	25	1	-	-	-	-	-	-	-	-	-	1	-	2	3	1	2	5	5	2	3	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	12	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	-	1	-	-	-	-	-
	F	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-049	Dysentery, all forms	28	20	4	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	White—M	11	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	4	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	12	3	2	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	4	1	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	15	1	2	1	1	-	2	2	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	-	1	1	1	-	2	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	9	1	-	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	1	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	34	5	-	1	1	-	6	1	1	1	1	1	4	1	2	2	3	1	-	2	-	1	-	-	-	-
	White—M	16	3	-	1	-	-	-	-	-	1	-	-	3	1	1	1	2	1	-	1	-	1	-	-	-	-
	F	7	-	-	-	-	-	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	1	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
140-205	Malignant neoplasms, etc.*	696	1	-	2	1	3	4	6	8	4	4	15	23	39	38	56	83	100	91	97	65	33	14	5	1	3
	White—M	370	1	-	1	-	2	-	4	3	3	-	7	9	16	17	25	46	61	50	54	38	23	5	2	-	3
	F	285	-	-	1	1	1	4	2	4	1	3	8	12	21	18	26	31	33	34	39	24	10	9	3	1	-
	Nonwhite—M	23	-	-	-	-	-	-	-	1	-	1	-	1	1	2	3	4	4	4	-	1	-	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	2	3	4	2	-	-	-	-	-
140-148	Of buccal cavity and pharynx	19	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	2	6	3	1	-	-	-	-
	White—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	5	3	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	257	1	-	-	-	-	-	-	1	-	-	3	8	6	8	21	28	42	40	37	30	17	8	4	1	2
	White—M	145	1	-	-	-	-	-	-	-	-	-	1	5	3	4	11	19	27	23	21	14	10	2	2	-	2
	F	97	-	-	-	-	-	-	-	1	-	-	2	2	2	3	9	6	13	14	15	15	7	5	2	1	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	2	2	-	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
160-184	Of respiratory system	98	-	-	-	-	-	-	-	-	-	-	3	2	7	7	10	17	12	13	9	10	4	1	-	-	1
	White—M	78	-	-	-	-	-	-	-	-	-	-	2	2	6	6	9	14	10	10	8	10	2	-	-	-	1
	F	12	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	2	-	2	2	-	2	1	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
170	Of breast	43	-	-	-	-	-	-	-	-	-	-	1	2	5	5	6	7	5	6	3	2	-	-	1	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	-	1	2	5	5	5	7	5	6	3	2	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	114	-	-	-	-	-	-	-	1	1	1	3	4	9	6	10	13	15	13	17	10	9	2	-	-	-
	White—M	37	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	5	5	8	8	9	1	-	-	-
	F	65	-	-	-	-	-	-	-	1	-	1	3	3	8	6	9	7	9	6	9	2	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	2	2	2	-	-	-	-	-	-
180, 181	Of urinary organs	30	-	-	-	-	-	1	-	-	-	-	1	-	2	-	-	3	5	4	8	3	1	-	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	3	5	4	7	2	1	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	80	-	-	1	-	1	-	3	5	2	2	1	6	5	6	6	7	10	7	11	6	-	1	-	-	-
	White—M	38	-	-	-	-	1	-	3	2	1	1	1	1	5	3	2	5	5	5	4	3	-	1	-	-	-
	F	38	-	-	1	-	-	-	-	2	1	1	-	5	4	1	1	5	5	2	7	3	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	26	-	-	1	1	2	2	2	-	-	1	2	-	3	2	-	-	4	3	2	-	-	1	-	-	-
	White—M	14	-	-	1	-	1	1	1	-	-	-	1	-	3	1	-	-	3	1	1	-	-	1	-	-	-
	F	12	-	-	-	1	1	1	1	-	-	1	1	-	-	1	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	31	-	-	-	-	-	1	1	1	1	-	1	1	1	3	3	5	3	3	4	1	1	1	-	-	-
	White—M	17	-	-	-	-	-	1	1	1	1	-	1	1	1	1	2	3	2	-	4	-	-	-	-	-	-
	F	12	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	2	-	2	-	1	1	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	34	1	-	1	-	1	-	1	3	-	3	-	3	3	5	2	2	3	-	2	3	1	-	-	-	-
	White—M	7	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-
	F	22	1	-	1	-	-	-	1	1	-	2	-	3	2	4	2	1	2	-	1	1	1	-	-	-	-
	Nonwhite—M	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	64	-	-	-	-	-	1	-	1	-	-	2	-	2	5	3	4	15	9	12	7	2	-	1	-	-
	White—M	22	-	-	-	-	-	-	-	-	-	-	2	-	1	3	-	1	2	4	5	2	1	-	1	-	-
	F	33	-	-	-	-	1	-	-	1	-	-	-	-	-	2	3	2	8	4	6	5	1	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-
280-293	Anemias	10	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	1	1	-	1	-
	White—M	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	19	5	3	2	-	1	5	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	7	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,134	2	1	2	1	-	3	5	11	7	28	14	41	65	85	146	201	246	291	298	287	202	126	50	16	6
	White—M	1,270	-	1	1	-	-	2	2	1	12	3	17	36	57	97	151	160	183	179	165	122	57	18	5	1
	F	720	-	-	1	1	-	2	3	7	6	11	8	18	25	22	34	37	71	69	104	102	71	65	30	10	3
	Nonwhite—M	86	1	-	-	-	-	-	-	2	-	-	2	3	3	4	8	8	10	12	9	10	8	3	2	-	1
	F	58	1	-	-	-	-	1	-	-	-	5	1	3	1	2	7	5	5	7	8	10	1	1	-	1	1
330-334, 400-468	Diseases of cardiovascular system	2,056	2	1	-	-	-	3	4	7	5	22	11	38	58	82	142	196	238	284	289	279	200	124	49	16	6
	White—M	1,229	-	1	-	-	-	-	2	-	1	9	1	16	34	55	95	146	157	179	172	161	121	58	17	5	1
	F	694	-	-	-	-	-	2	2	6	4	10	7	17	21	21	34	37	66	88	102	100	70	64	30	10	3
	Nonwhite—M	80	1	-	-	-	-	1	-	-	-	-	2	2	2	4	7	8	10	11	9	9	8	3	2	-	1
	F	53	1	-	-	-	-	1	-	-	-	3	1	3	1	2	6	5	5	6	8	9	1	1	-	1	1
330-334	Vascular lesions, etc.*	413	-	-	-	-	-	-	-	1	-	2	-	4	11	9	31	37	50	58	60	54	53	31	10	1	1
	White—M	220	-	-	-	-	-	-	-	-	-	2	-	-	4	4	15	20	28	32	34	31	31	14	4	-	1
	F	163	-	-	-	-	-	-	-	1	-	-	-	3	7	4	11	15	15	22	20	20	22	16	6	1	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	3	3	2	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	3	1	3	1	-	1	-	-	-
400-402	Rheumatic fever	14	-	-	-	-	-	1	2	1	1	1	-	5	2	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	2	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	1	-	1	1	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
410-443	Diseases of heart	1,442	1	-	-	-	-	2	2	3	4	13	11	28	40	67	105	151	176	205	200	197	127	70	25	10	5
	White—M	907	-	-	-	-	-	-	2	-	1	6	1	13	28	47	77	119	117	135	124	117	77	31	12	2	-
	F	444	-	-	-	-	-	1	-	2	3	6	7	11	11	15	22	21	51	59	69	68	41	36	11	7	3
	Nonwhite—M	58	1	-	-	-	-	-	-	1	-	-	2	2	2	3	3	7	6	7	5	5	8	3	2	-	1
	F	33	-	-	-	-	-	1	-	-	-	1	1	2	1	2	3	4	2	4	2	7	1	-	-	1	1
410-416	Chronic rheumatic heart disease	90	...	-	-	-	-	-	1	2	1	10	7	10	3	7	10	11	8	7	2	3	1	1	1	-	-
	White—M	40	...	-	-	-	-	-	1	-	-	4	-	5	5	5	7	5	3	4	-	1	-	-	-	-	-
	F	44	...	-	-	-	-	-	-	1	1	6	5	5	3	2	3	4	5	2	2	2	1	1	1	-	-
	Nonwhite—M	3	...	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	...	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	813	-	-	-	-	-	-	-	-	2	-	2	7	22	42	63	88	114	147	113	110	56	31	13	2	1
	White—M	572	-	-	-	-	-	-	-	-	-	-	1	5	17	34	50	75	85	101	78	69	35	14	8	-	-
	F	205	-	-	-	-	-	-	-	-	2	-	1	2	3	7	9	8	25	40	33	35	17	15	5	2	1
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	5	4	4	2	3	3	2	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	3	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	258	...	-	-	-	-	-	-	1	-	1	2	2	3	6	12	14	29	25	41	41	47	18	8	5	3
	White—M	146	...	-	-	-	-	-	-	-	-	-	1	1	1	3	7	10	18	19	21	26	28	8	3	1	-
	F	84	...	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	3	8	4	18	10	15	9	4	3	1
	Nonwhite—M	16	...	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	2	1	-	2	4	1	1	-	1
	F	12	...	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	2	3	-	-	-	1	1
430-434	Other diseases of heart	91	1	-	-	-	-	2	1	-	1	2	-	4	5	4	8	14	6	10	9	11	7	3	2	1	-
	White—M	57	-	-	-	-	-	-	1	-	1	2	-	1	3	4	7	13	4	5	6	5	5	-	-	-	-
	F	30	-	-	-	-	-	1	-	-	-	-	-	3	2	-	1	1	2	5	3	5	2	3	1	1	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
440-445	Hypertension with heart dis.	190	-	-	-	-	-	-	-	-	-	-	-	5	2	8	12	24	18	16	35	32	16	17	1	2	1
	White—M	92	-	-	-	-	-	-	-	-	-	-	-	1	-	1	6	16	7	6	19	16	9	9	1	1	-
	F	81	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	5	11	8	13	16	6	8	-	1	1
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	3	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	2	1	1	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	47	-	-	-	-	-	-	-	-	-	3	-	-	2	1	4	4	4	5	9	7	6	2	-	-	-
	White—M	31	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	4	4	3	5	4	6	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	4	3	-	2	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis	103	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	12	16	16	13	20	14	5	-
	White—M	50	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	7	7	7	7	11	1	3	-
	F	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	7	6	9	13	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.	37	1	1	-	-	-	-	-	2	-	3	-	1	3	4	2	2	3	4	4	5	1	1	-	-	-
	White—M	16	-	1	-	-	-	-	-	-	-	1	-	1	-	2	2	1	3	2	2	2	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	2	-	2	-	-	3	2	-	1	-	2	-	2	1	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*	78	-	-	2	1	-	-	1	4	2	6	3	3	7	3	4	5	8	7	9	8	2	2	1	-	-
	White—M	41	-	-	1	-	-	-	-	2	-	3	2	1	2	2	2	5	3	4	7	4	1	1	1	-	-
	F	26	-	-	1	1	-	-	1	1	2	1	1	1	4	1	-	-	5	1	2	2	1	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	1	2	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	273	111	13	4	4	1	3	-	3	4	-	2	3	4	6	8	8	14	16	12	27	9	5	5	1	2
	White—M	111	33	3	2	1	1	2	-	1	2	-	2	3	2	4	6	5	8	9	6	13	3	3	1	1	-
	F	72	24	2	-	2	-	1	-	1	1	-	-	2	-	1	1	2	5	5	4	10	5	1	4	-	1
	Nonwhite—M	56	33	2	-	1	-	2	-	-	1	-	-	4	2	1	1	-	2	1	4	1	-	-	-	-	1
	F	34	21	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
460-483	Influenza	15	4	-	-	-	-	-	-	-	1	-	-	-	-	1	3	-	1	1	-	1	-	1	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	2	-	-	-	-	1
	F	7	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1
	F	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	258	107	13	4	4	1	5	-	3	3	-	2	9	4	5	5	8	13	15	11	25	9	5	5	1	1
	White—M	104	33	3	2	1	1	2	-	1	2	-	2	3	2	4	4	5	7	8	5	11	3	3	1	1	-
	F	65	20	2	-	2	-	1	-	1	1	-	-	2	-	-	-	2	5	5	4	10	5	1	4	-	-
	Nonwhite—M	55	33	2	-	1	-	2	-	-	-	-	-	4	2	1	1	-	2	1	4	1	-	-	-	-	1
	F	34	21	6	2	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-
500-502	Bronchitis	36	12	1	-	1	-	-	-	-	-	2	2	1	-	1	3	5	2	-	4	-	1	1	-	-	-
	White—M	25	7	-	-	1	-	-	-	-	-	-	2	1	-	1	2	4	2	-	4	-	1	1	-	-	-
	F	9	3	1	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	39	-	-	-	-	-	-	-	-	-	2	-	-	2	2	2	9	4	5	8	4	-	1	-	-	-
	White—M	33	-	-	-	-	-	-	-	-	-	1	-	-	2	2	2	9	3	3	7	3	-	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	11	-	-	-	-	-	-	-	1	-	1	1	2	-	-	1	-	1	1	2	1	-	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	1	1	2	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	42	7	-	1	-	-	1	-	-	-	-	3	4	2	2	2	4	1	4	2	4	4	1	-	-	-
	White—M	20	5	-	1	-	-	1	-	-	-	-	-	1	-	1	-	2	1	1	1	3	3	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	3	2	2	1	2	2	-	1	1	1	-	-	-	-	-
	Nonwhite—M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARIZONA—Con.																										
543, 571, 572	Gastritis, etc.*—	197	150	22	4	1	-	1	1	-	-	-	-	2	1	1	1	2	1	1	3	3	2	1	-	-	-
	White——M—	56	46	5	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F—	51	36	4	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	3	1	1	1	-	-	-
	Nonwhite—M—	56	40	8	3	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	1	-	-	-	-
	F—	34	28	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	52	1	-	-	-	-	-	1	-	-	-	1	6	5	2	6	2	9	5	6	5	3	-	-	-	-
	White——M—	34	-	-	-	-	-	-	-	-	-	-	1	5	2	1	5	1	7	3	3	4	2	-	-	-	-
	F—	17	1	-	-	-	-	-	1	-	-	-	-	1	3	1	1	-	2	2	3	1	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	23	1	1	-	1	-	-	1	1	-	3	2	-	1	-	3	2	-	1	1	1	1	3	-	-	-
	White——M—	9	-	1	-	1	-	-	1	1	-	2	-	-	-	-	2	1	-	1	-	1	1	-	-	-	-
	F—	11	1	-	-	-	-	-	1	-	-	1	2	-	1	-	-	1	-	-	1	1	2	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	5	7	8	3	2	3	-	-
	White——M—	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	5	8	3	2	3	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	29	...	...	...	...	...	...	-	2	8	7	2	7	3	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	17	...	...	...	...	...	...	-	2	6	6	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	12	...	...	...	...	...	...	-	-	2	1	1	6	2	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	4	...	...	...	...	...	...	-	-	1	1	-	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	2	...	...	...	...	...	...	-	-	1	1	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	2	...	...	...	...	...	...	-	-	1	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	25	...	...	...	...	...	...	-	2	7	6	2	5	3	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	15	...	...	...	...	...	...	-	2	6	5	1	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	10	...	...	...	...	...	...	-	-	1	1	1	5	2	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	102	80	4	1	1	1	4	2	1	1	2	1	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	White——M—	50	39	2	-	-	-	2	1	1	1	1	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	F—	40	34	1	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	7	4	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	498	498	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	144	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	264	40	6	3	1	-	-	4	5	4	5	3	5	10	17	8	14	18	25	18	20	23	18	6	5	6
	White——M—	121	9	1	1	-	-	-	1	-	1	2	-	2	4	7	2	8	13	17	9	13	15	10	1	2	-
	F—	40	11	-	-	-	-	-	1	2	-	-	-	-	2	2	3	1	1	2	3	-	3	4	3	1	1
	Nonwhite—M—	55	11	3	-	-	-	1	1	-	1	-	1	-	1	6	1	2	3	5	5	3	3	-	2	1	4
	F—	48	9	2	2	1	-	-	2	2	3	3	-	1	3	2	2	3	1	1	1	4	2	1	2	2	1
Residual	All other diseases	464	32	5	5	2	4	9	6	5	7	9	11	25	22	25	45	43	60	52	35	30	17	9	2	2	1
	White——M—	258	13	1	3	-	2	5	2	3	4	-	7	10	10	13	31	34	41	30	19	18	7	5	2	-	-
	F—	152	7	2	2	-	1	3	3	1	3	6	3	9	12	8	12	7	15	21	14	8	9	4	-	2	-
	Nonwhite—M—	28	5	1	-	-	1	1	-	1	-	2	1	3	-	1	1	2	5	1	2	2	-	-	-	-	1
	F—	26	7	1	-	1	1	2	-	-	1	1	1	3	-	3	1	-	1	-	1	2	1	-	-	-	-
E800-E962	Accidents—	565	28	28	15	4	7	25	12	34	30	30	30	36	32	44	18	20	27	19	21	22	16	12	9	-	6
	White——M—	344	13	11	10	1	6	14	7	21	26	14	33	30	19	27	12	15	16	11	16	14	9	3	1	-	5
	F—	131	8	12	1	2	-	7	4	9	5	6	8	3	7	5	4	4	8	6	4	7	6	8	8	-	1
	Nonwhite—M—	68	3	2	2	1	-	2	1	3	8	8	9	3	6	10	-	-	5	1	1	1	1	1	-	-	-
	F—	22	4	3	2	-	1	2	-	1	1	2	-	-	-	2	2	1	-	1	-	-	1	-	-	-	-
E810-E835	Motor-vehicle accidents—	254	4	10	2	1	3	7	6	21	34	19	22	19	17	24	9	8	18	8	6	9	2	4	-	-	1
	White——M—	165	3	4	1	1	3	7	4	14	22	9	16	15	11	14	7	5	8	5	6	6	2	2	-	-	1
	F—	48	1	4	-	1	-	1	1	6	5	3	4	2	3	4	1	2	5	1	-	3	-	2	-	-	-
	Nonwhite—M—	32	-	1	1	-	-	-	1	-	6	5	2	2	3	5	-	-	5	1	-	-	-	-	-	-	-
	F—	9	-	1	-	-	-	-	-	1	1	2	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	311	24	18	13	3	4	18	6	15	16	11	28	17	15	20	9	12	9	11	15	13	14	8	9	-	5
	White——M—	179	10	7	9	1	3	7	3	7	14	5	17	15	8	13	5	10	8	6	10	8	7	1	1	-	4
	F—	83	7	8	1	1	-	7	3	3	3	4	1	4	1	1	3	2	1	5	4	4	6	6	8	-	1
	Nonwhite—M—	36	3	1	1	1	-	2	-	3	2	3	7	1	3	5	-	-	-	-	1	1	1	1	-	-	-
	F—	13	4	2	2	-	1	2	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide—	80	-	-	-	-	-	-	-	2	4	7	4	6	8	10	9	11	9	6	2	2	-	-	-	-	-
	White——M—	52	-	-	-	-	-	-	-	1	1	3	2	1	7	8	4	9	8	6	2	2	4	-	-	-	-
	F—	20	-	-	-	-	-	-	-	1	1	2	2	3	1	1	4	2	3	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	1	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	41	-	-	-	-	-	-	1	1	3	2	5	4	5	4	6	2	-	1	-	-	1	-	-	-	1
	White——M—	15	-	-	-	-	-	-	-	-	2	1	2	2	3	1	3	-	-	1	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	1	1	1	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	1	-	-	1	-	1	1	3	1	2	-	-	-	-	1	-	-	-	-	1
	F—	6	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS																										
	ALL CAUSES	15,680	1,539	151	92	62	32	170	115	186	296	270	328	397	535	683	904	1,158	1,307	1,753	1,739	1,742	1,202	651	250	71	47
	White—M	6,690	604	51	29	22	10	71	52	73	123	108	122	142	185	251	393	514	601	806	779	817	524	286	103	17	7
	F	4,682	481	50	35	14	13	51	28	37	59	70	82	88	154	153	194	266	345	479	584	598	489	271	105	29	7
	Nonwhite—M	2,307	252	26	11	16	7	27	16	44	60	45	56	70	82	139	167	196	200	265	228	190	108	57	22	11	12
	F	2,001	202	24	17	10	2	21	19	32	54	47	68	97	114	140	150	182	161	203	148	137	81	37	20	14	21
001-019	Tuberculosis, all forms	648	3	5	5	6	2	7	3	26	43	46	42	53	50	52	48	52	42	59	41	41	16	4	2	-	-
	White—M	227	1	2	-	2	-	2	-	4	5	9	13	18	14	19	17	28	22	32	13	15	10	2	1	-	-
	F	171	1	2	4	1	2	1	1	-	13	14	10	9	13	8	10	10	11	18	24	15	3	1	-	-	-
	Nonwhite—M	142	1	-	-	2	-	4	-	9	15	8	9	15	12	18	15	14	3	7	1	6	2	1	-	-	-
	F	108	-	1	1	1	-	-	2	13	10	15	10	11	11	7	6	2	6	2	3	5	1	-	1	-	-
001-008	Tuberculosis of respiratory system	612	-	2	3	2	-	6	3	24	39	45	42	52	49	52	48	50	39	56	38	40	16	3	2	-	-
	White—M	213	-	-	-	-	-	1	-	2	5	9	13	18	14	19	17	24	22	30	11	15	10	2	1	-	-
	F	162	-	1	2	-	-	1	1	-	13	14	10	9	13	8	10	10	10	18	24	14	3	1	-	-	-
	Nonwhite—M	133	-	-	-	1	-	4	-	9	12	8	9	14	11	18	15	14	2	7	1	6	2	-	-	-	-
	F	104	-	1	1	1	-	-	2	13	9	14	10	11	11	7	6	2	5	1	3	5	1	-	1	-	-
010-019	Tuberculosis, other forms	36	3	3	2	4	2	1	-	2	4	1	-	1	1	-	-	2	3	3	2	1	-	1	-	-	-
	White—M	14	1	2	-	2	-	1	-	2	-	-	-	-	-	-	-	2	-	2	2	-	-	-	-	-	-
	F	9	1	1	2	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	9	1	-	-	1	-	-	-	-	3	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	91	3	1	-	-	-	1	-	-	-	-	5	5	5	11	9	12	10	14	5	5	3	2	-	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	2	5	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	4	1	-	-	-	-	-	-	-
	Nonwhite—M	43	2	-	-	-	-	-	-	-	-	-	1	3	4	7	3	7	4	4	2	3	2	1	-	-	-
	F	24	1	1	-	-	-	-	-	-	-	-	3	1	1	3	4	1	4	1	1	1	1	1	-	-	-
040	Typhoid fever	3	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	40	24	1	-	1	-	1	-	-	-	1	-	1	1	-	2	2	-	1	-	1	2	1	-	1	-
	White—M	10	6	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F	13	8	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	8	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	1	-
	F	9	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	13	-	1	2	1	-	-	1	-	1	1	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-
	White—M	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
055	Diphtheria	18	2	2	5	3	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	1	1	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	13	11	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	1	2	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	50	1	2	2	5	5	12	7	5	2	2	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	31	1	1	1	3	3	8	5	4	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	1	-	1	2	2	2	1	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	26	7	2	5	2	-	4	3	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	9	2	1	2	1	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	-	3	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	22	4	-	-	2	-	-	1	-	2	1	-	-	-	-	2	1	1	2	4	1	-	-	-	-	1
	White—M	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	5	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	Nonwhite—M	10	1	-	-	1	-	-	1	-	1	1	-	-	-	-	-	-	-	1	3	-	-	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	55	10	2	2	1	-	3	2	3	1	2	1	3	3	5	3	4	3	1	1	1	1	-	1	-	-
	White—M	21	2	1	2	-	-	1	-	1	-	-	-	2	1	3	-	3	-	1	1	1	1	-	1	-	-
	F	8	2	-	-	1	-	1	-	-	-	-	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	15	3	-	-	-	-	-	-	1	-	1	-	1	1	2	1	-	3	-	-	-	-	-	-	-	-
	F	11	3	1	-	-	-	1	2	1	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
140-205	Malignant neoplasms, etc.*----	1,819	4	9	8	1	-	16	7	6	10	27	33	65	87	149	154	202	212	236	228	194	105	46	15	2	2
	White----M--	717	3	5	5	-	-	9	5	3	6	11	10	17	18	38	57	68	94	96	98	95	51	20	5	1	-
	F--	746	1	3	4	1	-	5	2	-	3	10	15	28	48	66	61	87	79	88	105	70	44	18	9	-	-
	Nonwhite--M--	143	-	1	-	-	-	1	-	1	-	2	3	7	3	11	14	12	22	27	14	16	5	3	1	-	-
	F--	213	-	-	-	-	-	1	-	2	1	4	5	13	18	34	22	34	17	25	12	15	5	4	-	1	2
140-148	Of buccal cavity and pharynx------	53	-	1	-	-	-	-	-	-	-	-	2	1	1	4	5	4	7	8	5	5	5	-	-	-	-
	White----M--	38	-	-	-	-	-	-	-	-	-	-	1	1	1	3	3	3	7	6	2	5	3	3	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	2	-	-	-
	Nonwhite--M--	4	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	653	-	1	-	-	-	-	-	-	3	6	7	15	25	41	48	65	81	103	105	85	44	16	8	-	-
	White----M--	288	-	-	-	-	-	-	-	-	2	5	4	4	11	11	22	25	39	44	39	34	21	4	3	-	-
	F--	271	-	1	-	-	-	-	-	-	1	-	2	6	10	14	18	30	27	36	56	37	21	8	4	-	-
	Nonwhite--M--	66	-	-	-	-	-	-	-	-	-	-	-	3	3	7	8	4	10	13	8	8	-	1	1	-	-
	F--	48	-	-	-	-	-	-	-	-	-	1	1	2	1	9	-	6	5	10	2	6	2	3	-	-	-
160-164	Of respiratory system----------	122	-	-	-	-	-	1	-	-	-	2	3	1	4	18	14	17	15	13	13	12	6	1	-	1	1
	White----M--	88	-	-	-	-	-	1	-	-	-	2	1	1	1	11	12	13	12	10	11	9	2	1	-	1	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	3	5	1	3	2	2	1	1	2	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	1	1	1	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	2	-	-	-	1
170	Of breast----------	137	-	-	-	-	-	-	-	-	2	1	6	6	12	14	17	20	12	17	13	9	4	2	1	-	1
	White----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	114	-	-	-	-	-	-	-	-	1	1	6	5	9	12	16	16	11	13	13	5	4	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	1	-	-	1	3	2	1	4	1	4	-	2	-	1	-	-	1
171-179	Of genital organs----	411	-	-	-	-	-	1	-	1	1	8	4	22	26	45	31	46	54	41	48	43	24	13	2	1	-
	White----M--	100	-	-	-	-	-	-	-	-	1	1	1	1	-	3	-	1	13	12	21	23	13	8	2	-	-
	F--	173	-	-	-	-	-	1	-	-	-	5	3	10	14	22	17	24	24	15	15	13	7	3	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	8	6	3	5	4	2	-	-	-
	F--	104	-	-	-	-	-	-	-	1	-	2	-	10	12	19	12	19	9	8	9	2	-	-	-	1	-
180, 181	Of urinary organs----	74	-	2	-	-	-	1	-	-	-	1	1	2	1	1	5	15	9	12	12	7	3	1	1	-	-
	White----M--	31	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	8	4	5	6	1	3	-	-	-	-
	F--	29	-	1	-	-	-	1	-	-	-	-	1	1	1	-	1	4	3	4	5	5	-	1	1	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	241	-	2	3	1	-	4	3	2	3	4	4	11	13	21	25	16	23	31	21	26	17	8	3	-	-
	White----M--	114	-	1	2	-	-	3	1	1	3	2	1	6	1	8	11	7	10	14	12	18	8	4	-	-	-
	F--	95	-	1	1	1	-	-	2	-	-	2	2	4	10	11	7	4	10	11	8	6	8	4	3	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	4	-	1	-	-	-	-	-
	F--	21	-	-	-	-	-	1	-	1	-	-	-	1	2	-	6	3	2	2	1	1	1	-	-	-	-
204	Leukemia and aleukemia----------	73	3	3	5	-	-	7	2	2	1	2	5	2	1	-	6	8	6	8	5	6	1	-	-	-	-
	White----M--	40	3	3	2	-	-	4	2	2	-	-	1	-	1	-	4	3	5	4	2	3	1	-	-	-	-
	F--	25	-	-	3	-	-	3	-	-	1	2	1	1	-	-	1	4	1	4	2	2	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	55	1	-	1	-	-	2	2	1	-	3	1	5	4	5	3	11	5	3	6	1	1	-	-	-	-
	White----M--	36	-	-	1	-	-	1	2	-	-	1	1	3	3	1	3	9	4	1	6	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	-	1	1	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	1	-	1	-	1	-	1	-	2	-	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	68	1	1	-	-	-	3	-	-	5	3	4	7	7	8	6	4	4	3	4	4	1	1	-	-	-
	White----M--	15	1	-	-	-	-	1	-	-	1	1	1	-	-	1	1	2	-	1	2	1	1	1	-	-	-
	F--	28	-	1	-	-	-	1	-	-	2	1	2	-	5	2	5	-	2	2	2	3	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	21	-	-	-	-	-	1	-	-	2	1	1	7	2	5	-	1	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus--	194	-	-	-	-	-	1	-	3	1	3	2	4	3	7	17	21	24	27	51	26	13	11	-	-	-
	White----M--	68	-	-	-	-	-	1	-	1	-	2	1	-	-	4	3	8	6	10	14	12	4	2	-	-	-
	F--	79	-	-	-	-	-	-	-	1	1	1	1	1	1	1	8	3	14	12	14	8	7	6	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	1	-	-	-	-	2	-	4	5	2	3	1	3	-	3	-	-	-
	F--	23	-	-	-	-	-	-	-	-	-	-	-	3	-	2	2	5	2	2	2	3	2	-	-	-	-
280-293	Anemias----------	38	2	1	-	1	1	-	2	-	2	-	-	1	1	3	-	4	-	3	3	6	5	2	1	-	-
	White----M--	14	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	-	1	2	3	2	1	1	-	-
	F--	13	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	2	-	1	-	3	3	1	-	-	-
	Nonwhite--M--	4	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	2	-	-	-	-	-	1	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	31	9	4	3	1	1	2	3	-	1	1	1	2	1	-	-	-	2	-	-	-	-	-	-	-	-
	White----M--	9	1	1	-	1	1	-	1	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	8	4	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	2	1	1	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	6	2	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	7,143	4	3	3	2	2	11	11	20	28	25	59	95	161	269	446	610	729	1,085	1,103	1,111	776	394	141	39	16
	White----M--	3,256	2	-	-	-	1	4	4	9	11	9	17	28	59	99	209	282	359	511	510	527	359	173	59	11	3
	F--	2,051	2	2	-	1	-	2	6	5	7	8	14	24	27	50	66	115	166	280	345	379	314	163	58	15	2
	Nonwhite--M--	954	-	-	1	1	1	3	1	1	4	4	12	15	25	56	81	106	101	166	150	114	52	37	13	6	5
	F--	882	-	1	2	-	-	2	-	5	6	4	16	28	50	64	90	97	103	128	98	91	51	21	11	8	6
330-334, 400-468	Diseases of cardiovascular system-	6,684	4	3	3	1	1	10	10	20	24	21	49	87	147	245	424	580	684	1,015	1,035	1,031	722	366	130	36	16
	White----M--	3,088	2	-	-	-	-	4	3	9	11	8	13	27	55	95	203	280	347	480	486	493	340	165	55	9	3
	F--	1,910	2	2	-	-	-	1	6	5	5	7	10	22	23	47	63	111	153	283	325	358	280	146	55	14	2
	Nonwhite--M--	850	-	-	1	1	1	3	1	1	3	3	11	14	25	49	73	100	89	150	132	95	45	35	10	5	5
	F--	816	-	1	2	-	-	2	-	5	5	3	15	24	46	54	85	89	95	122	92	85	47	20	10	8	6
330-334	Vascular lesions, etc.*----------	1,586	1	1	-	1	-	2	-	4	3	5	9	14	31	51	103	126	174	240	254	289	178	89	30	8	3
	White----M--	619	-	-	-	-	-	1	-	3	2	2	1	4	8	12	26	42	66	102	100	126	76	36	11	-	1
	F--	533	1	-	-	-	-	-	-	-	-	2	3	1	5	15	25	33	41	74	95	93	83	43	15	3	1
	Nonwhite--M--	200	-	-	-	1	-	1	-	-	-	-	3	3	3	12	21	24	28	33	30	23	8	6	-	3	1
	F--	244	-	1	-	-	-	-	1	1	1	1	2	6	15	12	31	27	39	31	29	27	11	4	4	2	-
400-402	Rheumatic fever----	25	-	1	-	-	-	2	4	4	3	4	-	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White----M--	12	-	-	-	-	-	1	-	2	2	2	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	-	3	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
410-443	Diseases of heart-	4,564	-	1	3	-	1	6	6	12	16	12	34	64	105	162	305	423	485	720	703	677	466	228	82	22	11
	White-----M--	2,255	-	-	-	-	-	2	3	4	8	4	10	18	46	79	172	224	274	356	358	331	224	102	34	7	1
	F--	1,221	-	1	-	-	-	1	3	5	5	3	5	19	18	31	32	70	105	179	199	236	178	85	35	10	1
	Nonwhite--M--	581	-	-	1	-	1	2	-	-	2	3	7	10	17	34	51	70	57	106	88	61	33	26	7	1	4
	F--	507	-	-	2	-	-	1	-	3	3	2	12	17	24	38	50	59	49	79	58	49	31	15	6	4	5
410-416	Chronic rheumatic heart disease----	186	...	-	-	-	-	4	2	6	7	3	6	8	7	13	10	13	17	23	28	18	7	9	4	1	-
	White-----M--	79	...	-	-	-	-	2	1	2	2	2	2	1	4	6	4	3	6	11	16	7	6	3	1	-	-
	F--	61	...	-	-	-	-	-	1	3	3	1	2	3	-	3	4	3	5	10	7	9	1	3	2	1	-
	Nonwhite--M--	21	...	-	-	-	-	1	-	-	-	-	1	2	-	1	1	4	6	1	2	1	-	1	-	-	-
	F--	25	...	-	-	-	-	1	-	1	2	-	1	2	3	3	1	3	-	1	3	1	-	2	1	-	-
420	Arteriosclerotic heart dis., etc.*	2,230	-	-	-	-	-	1	-	-	3	3	13	23	61	98	190	238	254	371	339	295	208	90	34	7	4
	White-----M--	1,386	-	-	-	-	-	-	-	-	1	2	5	13	31	61	135	168	176	222	203	176	103	52	15	3	-
	F--	533	-	-	-	-	-	1	-	-	2	-	1	6	10	12	14	27	48	93	90	101	81	30	14	3	-
	Nonwhite--M--	181	-	-	-	-	-	-	-	-	-	1	3	2	9	15	23	23	14	27	31	9	14	5	3	-	2
	F--	150	-	-	-	-	-	-	-	-	-	-	4	2	11	8	18	20	16	29	15	9	10	3	2	1	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	675	...	-	1	-	-	-	1	1	2	-	4	10	7	20	22	51	54	93	108	120	91	56	23	7	4
	White-----M--	277	...	-	-	-	-	-	1	-	-	-	-	2	3	4	9	16	23	38	49	52	42	25	10	2	1
	F--	198	...	-	-	-	-	-	-	-	-	-	-	4	1	3	1	14	12	20	27	41	36	24	11	4	-
	Nonwhite--M--	115	...	-	-	-	-	-	-	-	1	-	2	1	2	6	6	12	12	24	17	18	7	5	1	-	1
	F--	85	...	-	1	-	-	-	-	1	1	-	2	3	1	7	6	9	7	11	15	9	6	2	1	1	2
430-434	Other diseases of heart----------	492	-	1	2	-	1	1	3	4	4	6	8	13	13	17	28	34	49	64	67	72	60	25	8	3	1
	White-----M--	203	-	-	-	-	-	-	1	1	3	-	1	1	6	2	10	14	30	25	28	35	33	9	3	1	-
	F--	116	-	1	-	-	-	-	2	2	-	2	1	3	3	5	5	4	8	10	18	21	18	8	4	1	-
	Nonwhite--M--	94	-	-	1	-	1	1	-	-	1	2	1	3	3	6	7	10	7	19	13	9	4	5	1	-	-
	F--	69	-	-	1	-	-	-	1	-	2	3	6	1	4	6	8	4	10	8	7	5	3	-	1	1	
440-443	Hypertension with heart dis.--	991	-	-	-	-	-	-	-	1	-	-	5	10	17	36	55	87	111	169	161	172	100	48	13	4	2
	White-----M--	330	-	-	-	-	-	-	-	1	-	-	2	1	2	6	14	23	39	60	62	61	40	13	5	1	-
	F--	313	-	-	-	-	-	-	-	-	-	-	1	3	4	8	8	22	32	46	57	64	42	20	4	1	1
	Nonwhite--M--	170	-	-	-	-	-	-	-	-	-	-	-	2	3	6	14	21	18	35	25	24	8	10	2	1	1
	F--	178	-	-	-	-	-	-	-	-	-	-	2	4	8	16	19	21	22	28	17	23	10	5	2	1	-
444-447	Hypertension without mention of heart----------	194	-	-	-	-	-	-	-	-	2	-	4	3	7	8	12	17	16	19	29	28	29	11	7	2	-
	White-----M--	64	-	-	-	-	-	-	-	-	1	-	2	1	-	2	2	6	5	4	12	7	12	6	4	-	-
	F--	68	-	-	-	-	-	-	-	-	-	-	1	2	-	-	5	5	3	5	10	18	14	4	2	-	-
	Nonwhite--M--	29	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	3	3	5	7	2	1	-	1	1	-
	F--	32	-	-	-	-	-	-	-	-	1	-	-	-	6	3	4	3	5	5	-	1	2	1	-	1	-
450	General arteriosclerosis---------	232	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	9	5	29	39	47	46	37	11	4	2
	White-----M--	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	12	12	25	27	21	6	2	1
	F--	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	15	8	13	13	3	1	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	6	7	8	3	3	2	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	4	6	3	-	-	1	1
451-468	Other diseases of circulatory sys.-	53	3	-	-	-	-	-	-	-	-	-	2	2	1	3	2	5	4	7	10	10	3	1	-	-	-
	White-----M--	26	2	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	6	4	4	1	-	-	-	-
	F--	19	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	3	-	5	3	2	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	2	-	-	-	-	-	-
582-594	Chronic nephritis, etc.*----------	479	-	-	-	1	1	1	1	-	4	4	10	8	14	24	22	30	45	70	68	80	54	28	11	3	-
	White-----M--	168	-	-	-	-	1	-	1	-	-	1	4	1	4	4	8	12	12	31	24	34	19	8	4	2	-
	F--	141	-	-	-	1	-	1	-	-	2	1	4	2	4	3	3	4	13	17	20	21	24	17	3	1	-
	Nonwhite--M--	104	-	-	-	-	-	-	-	-	1	1	1	1	2	7	8	6	12	16	18	19	7	2	3	-	-
	F--	66	-	-	-	-	-	-	-	-	1	1	1	4	4	10	5	8	8	6	6	6	4	1	1	-	-
480-493	Influenza and pneumonia, etc.*-	810	196	35	10	4	1	17	6	5	9	9	10	8	17	20	20	35	38	58	75	82	69	55	20	5	8
	White-----M--	266	57	7	-	-	1	7	4	1	3	2	4	4	4	5	7	8	13	19	21	45	23	22	8	1	-
	F--	251	71	12	3	1	-	3	-	2	4	3	1	-	4	2	1	9	8	12	27	22	30	25	10	1	-
	Nonwhite--M--	165	39	10	2	-	-	3	1	-	1	2	2	1	6	7	9	11	8	14	16	11	13	6	1	2	-
	F--	128	29	6	5	3	-	4	1	2	1	2	3	3	3	6	3	7	9	13	11	4	3	2	1	1	6
480-483	Influenza----------	127	18	4	1	1	-	1	1	-	2	1	2	3	5	3	2	8	6	10	13	19	13	9	2	2	-
	White-----M--	44	5	1	-	-	-	1	-	-	-	-	-	3	2	1	2	3	-	3	2	13	4	3	1	-	-
	F--	29	6	1	-	-	-	-	-	-	2	-	-	-	1	-	-	-	2	1	4	2	5	4	1	-	-
	Nonwhite--M--	21	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	2	4	2	3	1	-	1	-
	F--	33	5	2	1	1	-	-	1	-	-	-	2	-	1	1	-	3	3	4	3	2	1	1	-	1	-
490-493	Pneumonia, etc.*--	683	177	31	9	3	1	16	5	5	7	8	8	5	12	17	18	27	32	48	62	63	56	46	18	3	6
	White-----M--	222	52	6	-	-	1	6	4	1	3	2	4	1	2	4	5	5	13	16	19	32	19	19	7	1	-
	F--	222	65	11	3	1	-	3	-	2	2	3	1	-	3	2	1	9	6	11	23	20	25	21	9	1	-
	Nonwhite--M--	144	36	10	2	-	-	3	1	-	1	2	2	1	5	6	9	9	7	12	12	9	10	5	1	1	-
	F--	95	24	4	4	2	-	4	-	2	1	1	1	3	2	5	3	4	6	9	8	2	2	1	1	-	6
500-502	Bronchitis---------	42	8	1	1	2	-	-	-	-	-	1	-	-	-	1	2	2	-	3	5	6	4	6	-	-	-
	White-----M--	20	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	4	2	1	4	-	-	-
	F--	14	3	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-
	Nonwhite--M--	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	67	1	-	-	-	-	-	-	-	1	2	1	2	3	4	6	7	7	8	10	5	4	6	-	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	1	1	2	1	4	4	6	3	5	7	2	3	5	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	2	2	1	-	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
550-553	Appendicitis------	59	-	-	2	-	1	6	6	3	6	2	1	5	3	1	5	3	3	4	3	4	1	-	-	-	-
	White-----M--	26	-	-	2	-	-	2	3	-	2	-	-	2	2	-	3	2	2	2	2	2	-	-	-	-	-
	F--	18	-	-	-	-	-	3	2	2	2	-	1	-	-	1	1	-	1	1	1	2	1	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	1	1	-	1	1	1	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	1	-	1	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	103	10	1	1	-	-	2	1	-	-	1	5	4	8	5	8	6	8	14	12	4	8	3	1	1	-
	White-----M--	32	5	-	1	-	-	-	-	-	-	-	-	-	2	-	1	2	2	9	4	2	3	1	-	-	-
	F--	38	3	-	-	-	-	1	1	-	-	-	2	1	1	3	3	2	1	4	6	2	4	2	1	1	-
	Nonwhite--M--	17	2	1	-	-	-	1	-	-	-	-	1	1	3	1	2	1	1	1	1	-	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	2	2	2	1	2	1	4	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ARKANSAS—Con.																										
543, 571, 572	Gastritis, etc.*—	188	127	9	3	2	1	2	-	-	1	-	2	-	4	3	3	4	4	5	3	8	4	1	1	1	-
	White——M—	62	45	3	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	1	-	4	4	-	-	-	-
	F—	64	43	3	3	-	-	1	-	-	-	-	-	-	2	-	1	1	2	1	1	4	-	1	1	-	-
	Nonwhite—M—	33	24	1	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	2	1	-	-	-	-	1	-
	F—	29	15	2	-	1	1	-	-	-	1	-	1	-	1	2	-	2	1	1	1	-	-	-	-	-	-
581	Cirrhosis of liver	104	-	-	-	-	1	-	-	-	1	4	2	5	6	5	18	11	16	9	8	13	3	2	-	-	-
	White——M—	58	-	-	-	-	-	-	-	-	1	1	-	3	4	2	11	9	7	8	4	8	1	1	-	-	-
	F—	28	-	-	-	-	-	-	-	-	-	3	2	1	1	3	2	-	5	2	2	4	-	1	-	-	-
	Nonwhite—M—	16	-	-	-	-	1	-	-	-	-	-	-	-	1	-	4	1	3	1	2	1	2	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	74	2	2	1	1	-	4	2	-	1	1	3	-	4	7	4	8	9	6	8	5	3	1	-	-	-
	White——M—	35	1	1	-	1	-	2	-	-	-	1	2	-	1	2	1	4	4	4	6	2	3	1	-	-	-
	F—	17	-	1	-	-	-	2	1	-	1	-	-	-	2	-	1	1	3	1	1	3	-	-	-	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	1	-	-	1	1	-	1	3	1	2	2	2	-	-	-	-	-	-	-
	F—	8	1	-	1	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	-	-	-	-
610	Hyperplasia of prostate	80	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	8	14	18	14	11	9	2	-	1
	White——M—	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	10	14	10	7	9	1	-	1
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	4	4	4	4	-	1	-	-
640-689	Complications of pregnancy, etc.*-	80	...	...	...	...	...	...	1	7	15	15	16	10	18	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	35	...	...	...	...	...	...	-	2	5	8	7	1	12	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	45	...	...	...	...	...	...	1	5	10	5	9	9	6	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion	6	...	...	...	...	...	...	-	1	1	2	-	-	2	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	4	...	...	...	...	...	...	-	1	-	1	-	-	2	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications	74	...	...	...	...	...	...	1	6	14	11	16	10	16	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	33	...	...	...	...	...	...	-	2	4	7	7	1	12	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	41	...	...	...	...	...	...	1	4	10	4	9	9	4	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations	194	159	8	3	4	2	2	4	1	4	-	1	-	2	-	1	1	2	-	-	-	-	-	-	-	-
	White——M—	111	92	3	2	3	-	1	1	-	4	-	1	-	2	-	-	1	1	-	-	-	-	-	-	-	-
	F—	62	51	3	1	1	1	1	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	10	8	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	8	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	741	740	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	320	320	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	104	103	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Birth injuries, etc.*	231	231	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	112	112	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	410	409	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	176	176	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	51	50	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	616	110	5	5	2	1	4	6	4	6	-	7	8	12	11	25	31	39	44	48	64	67	48	39	17	13
	White——M—	163	22	3	-	-	-	1	2	-	2	-	1	2	5	3	8	4	10	10	15	18	18	19	15	4	1
	F—	142	19	1	2	1	-	2	-	-	-	-	2	1	1	1	1	2	4	8	8	17	22	21	15	8	4
	Nonwhite—M—	171	38	-	2	-	1	-	3	1	1	-	1	1	2	5	11	13	20	9	16	16	17	5	4	1	4
	F—	140	31	1	1	1	-	1	1	1	3	-	3	4	4	2	5	12	5	17	8	13	10	3	5	4	4
Residual	All other diseases	760	41	11	8	4	2	12	12	12	11	19	29	27	30	34	44	63	68	83	66	96	48	26	11	1	2
	White——M—	307	19	4	1	2	1	6	6	3	3	4	10	7	8	12	16	21	28	41	28	50	18	13	6	-	-
	F—	259	10	6	4	-	1	5	3	4	6	7	7	7	12	9	12	21	29	24	24	32	21	11	3	1	-
	Nonwhite—M—	96	9	1	2	1	-	-	-	5	1	2	3	5	4	7	8	8	7	11	7	9	5	-	1	-	-
	F—	98	3	-	1	1	-	1	3	-	1	6	9	8	6	6	8	13	4	7	7	5	4	2	1	-	2
E800-E962	Accidents	1,188	59	40	21	16	11	52	33	78	113	79	72	55	71	57	55	52	65	51	47	45	60	34	16	4	6
	White——M—	609	17	15	9	6	2	19	18	43	74	54	47	36	50	33	33	31	34	21	20	12	16	11	6	-	2
	F—	299	15	12	6	4	6	15	6	15	12	8	11	8	11	8	10	8	15	18	19	25	38	19	8	3	1
	Nonwhite—M—	198	12	8	1	4	2	11	7	19	22	12	12	8	7	13	7	11	11	9	8	6	3	1	1	1	2
	F—	82	15	5	5	2	1	7	2	1	5	5	2	3	3	5	3	2	3	3	-	2	3	3	1	-	1
E810-E835	Motor-vehicle accidents	385	2	6	8	4	5	16	3	41	57	39	27	24	25	26	17	17	25	19	9	7	4	1	-	-	3
	White——M—	238	1	3	5	2	1	6	2	24	36	30	21	14	18	16	9	11	18	7	6	4	2	1	-	-	1
	F—	89	1	3	2	1	3	5	1	11	7	1	2	4	4	2	4	2	6	7	1	2	-	-	-	-	-
	Nonwhite—M—	64	-	-	-	1	1	2	-	6	12	6	3	6	3	6	3	4	1	4	2	1	1	-	-	-	-	2
	F—	14	-	-	1	-	-	3	-	-	2	2	1	-	-	2	1	-	-	1	-	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents	803	57	34	13	12	8	36	30	37	56	40	45	31	46	31	38	35	38	32	38	38	56	33	16	4	3
	White——M—	371	16	12	4	4	1	13	16	19	38	24	26	22	32	17	24	20	16	14	14	8	14	10	6	-	1
	F—	230	14	9	4	3	3	10	5	4	5	7	9	4	7	4	6	6	9	11	18	23	38	19	8	3	1
	Nonwhite—M—	134	12	8	1	3	1	9	7	13	10	6	9	2	4	7	4	7	10	5	6	5	2	1	1	1	-
	F—	68	15	5	4	2	1	4	2	1	3	3	1	3	3	3	2	2	3	2	-	2	2	3	1	-	1
E963, E970-E979	Suicide	152	-	-	-	-	-	-	2	2	5	11	7	12	18	18	13	18	7	20	11	7	-	-	1	-	-
	White——M—	118	-	-	-	-	-	-	1	1	2	8	4	11	8	18	10	16	5	17	10	6	-	-	1	-	-
	F—	25	-	-	-	-	-	-	-	1	2	3	2	1	7	-	3	2	-	2	1	1	-	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	1	-	-	-	3	-	-	-	2	1	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E995	Homicide	145	-	-	1	-	-	3	-	9	25	16	19	22	14	14	11	5	3	1	2	-	-	-	-	-	-
	White——M—	46	-	-	1	-	-	1	-	3	5	4	6	7	5	4	5	1	3	1	-	-	-	-	-	-	-
	F—	12	-	-	-	-	-	1	-	-	-	1	1	3	2	1	2	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	66	-	-	-	-	-	-	-	5	12	10	10	10	6	8	3	1	-	-	-	-	-	-	-	-	-
	F—	21	-	-	-	-	-	1	-	1	8	1	2	2	1	1	1	2	-	-	1	-	-	-	-	-	-
E965, E990-E999	Operations of war	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA																										
	ALL CAUSES	100,554	6,574	476	304	209	150	497	355	743	1,131	1,378	1,640	2,572	3,339	4,863	6,325	7,916	10,154	11,617	12,101	11,300	8,675	5,415	2,008	455	155
	White	55,506	3,448	252	171	112	76	272	207	439	674	725	860	1,397	1,962	2,921	3,956	4,963	6,386	6,950	6,683	5,782	4,048	2,289	715	154	64
	M	39,592	2,431	179	114	78	66	188	116	253	301	447	582	877	1,081	1,506	1,952	2,546	3,331	4,242	5,015	5,244	4,462	3,043	1,248	285	55
	Nonwhite	3,253	385	31	4	12	2	18	21	41	77	125	124	178	207	289	284	260	255	288	269	180	106	55	22	8	21
	M	2,003	310	16	15	7	6	19	11	30	79	81	74	119	119	147	133	147	172	137	134	94	59	28	23	8	15
001-019	Tuberculosis, all forms	2,805	16	41	31	15	10	27	8	53	120	191	157	217	251	296	281	254	259	241	163	107	47	13	5	-	2
	White	1,686	6	12	14	5	3	12	1	14	31	57	53	94	164	200	201	193	192	201	116	70	33	10	2	-	2
	M	676	5	21	13	6	7	11	3	25	55	73	60	84	55	48	41	34	41	19	33	28	12	3	1	-	-
	Nonwhite	304	4	6	-	1	-	2	3	5	11	34	24	28	21	45	31	25	20	17	13	10	2	-	2	-	-
	M	139	1	2	4	3	-	2	1	9	23	27	20	11	11	3	8	2	6	4	1	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	2,590	10	20	12	6	6	9	5	46	109	179	150	205	236	281	272	245	247	225	158	101	46	13	5	-	2
	White	1,592	4	5	6	3	3	2	-	12	28	55	51	90	158	193	197	186	184	187	113	68	33	10	2	-	2
	M	603	2	10	4	2	3	5	2	23	52	67	59	80	52	46	39	33	37	19	31	22	11	3	1	-	-
	Nonwhite	274	3	4	-	-	-	1	2	4	9	32	23	25	17	40	28	24	20	15	13	10	2	-	2	-	-
	M	121	1	1	2	1	-	1	1	7	20	25	17	10	11	2	8	2	6	4	1	1	-	-	-	-	-
010-019	Tuberculosis, other forms	215	6	21	19	9	4	18	3	7	11	12	7	12	13	15	9	9	12	16	5	6	1	-	-	-	-
	White	94	2	7	8	2	-	10	1	2	3	2	2	4	6	7	4	7	8	14	3	2	-	-	-	-	-
	M	73	3	11	9	4	4	6	1	2	3	6	1	4	3	2	2	1	4	-	2	4	1	-	-	-	-
	Nonwhite	30	1	2	-	1	-	1	1	1	2	2	1	3	4	5	3	1	-	2	-	-	-	-	-	-	-
	M	18	-	1	2	2	-	1	-	2	3	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	691	7	-	-	-	-	-	-	1	3	4	4	19	37	66	64	101	118	98	81	51	23	13	1	-	-
	White	444	3	-	-	-	-	-	-	-	1	2	-	4	22	34	44	72	88	67	53	32	14	7	1	-	-
	M	130	2	-	-	-	-	-	-	1	1	1	1	6	7	8	8	17	15	18	16	14	8	6	-	-	-
	Nonwhite	94	-	-	-	-	-	-	-	1	-	2	3	6	6	19	12	12	10	12	9	5	-	-	-	-	-
	M	23	2	-	-	-	-	-	-	-	-	1	1	3	2	5	-	3	5	1	3	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
045-049	Dysentery, all forms	33	14	2	2	4	1	3	1	-	-	1	1	-	1	1	2	1	-	-	1	-	-	-	-	-	-
	White	11	3	-	1	1	-	2	1	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	M	18	8	2	-	3	1	1	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	Nonwhite	5	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	16	1	1	1	1	1	-	1	1	1	-	2	-	2	-	1	-	1	-	1	-	-	1	-	-	-
	White	8	-	1	1	1	1	-	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	1	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	-	1	-	-	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	54	2	1	2	4	5	4	1	1	-	1	-	5	5	9	2	3	4	1	1	1	1	1	-	-	-
	White	36	1	-	2	3	1	1	1	1	-	-	-	3	4	7	2	3	3	1	1	-	1	1	-	-	-
	M	17	1	1	-	1	4	3	-	-	-	1	-	2	1	2	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	30	26	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	13	12	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	13	10	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	62	14	16	5	1	3	3	2	4	-	2	-	-	4	-	3	2	1	-	-	1	1	-	-	-	-
	White	38	8	12	3	1	2	-	1	3	-	1	-	-	2	-	3	1	-	-	-	-	1	-	-	-	-
	M	21	6	4	2	-	1	2	1	1	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	136	6	5	5	3	3	24	13	9	19	18	13	11	4	1	1	-	-	1	-	-	-	-	-	-	-
	White	82	3	5	3	2	2	18	7	5	10	10	7	5	3	1	-	-	-	1	-	-	-	-	-	-	-
	M	49	2	-	2	1	1	5	5	4	9	7	6	5	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	31	8	6	-	1	3	7	4	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	12	3	4	-	-	-	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	17	3	2	-	1	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	256	23	6	2	4	1	12	8	8	14	14	17	22	23	14	19	15	18	11	5	10	6	3	1	-	-
	White	120	14	3	2	2	1	5	2	4	5	5	7	10	8	3	11	10	10	5	3	6	3	-	1	-	-
	M	71	7	3	-	2	-	5	4	1	1	7	1	3	8	2	5	2	3	6	1	4	3	3	-	-	-
	Nonwhite	43	-	-	-	-	-	-	1	1	4	2	6	8	5	7	2	2	4	-	1	-	-	-	-	-	-
	M	22	2	-	-	-	-	2	1	2	4	-	3	1	2	2	1	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
140-205	Malignant neoplasms, etc.*	14,905	23	23	36	25	28	69	38	58	77	123	210	396	560	953	1,321	1,684	2,113	2,103	1,977	1,516	989	445	139	13	6
	White	7,134	10	11	22	9	12	37	23	39	37	54	90	154	199	358	568	787	1,087	1,074	1,039	771	484	205	56	6	2
	M	7,151	10	9	11	15	15	32	13	15	34	60	100	214	315	527	680	817	948	958	879	711	467	235	77	6	3
	Nonwhite	336	1	1	2	-	-	-	1	1	2	5	13	8	16	31	35	43	40	48	38	28	15	3	4	1	-
	M	284	2	2	1	1	1	-	1	3	4	4	7	20	30	37	38	37	38	23	21	8	3	2	2	-	1
140-148	Of buccal cavity and pharynx	348	-	-	-	-	1	-	1	-	1	-	2	10	10	22	31	55	47	50	48	41	18	6	5	-	-
	White	280	-	-	-	-	1	-	1	-	-	-	1	7	6	20	25	44	44	36	41	33	15	4	2	-	-
	M	54	-	-	-	-	-	-	-	-	-	-	1	1	3	2	6	7	2	11	7	7	2	2	3	-	-
	Nonwhite	11	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	3	1	3	-	1	1	-	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	5,686	3	-	-	-	-	-	2	2	9	15	40	84	136	269	395	602	814	895	941	709	499	210	55	4	2
	White	2,985	2	-	-	-	-	-	1	2	6	4	22	38	58	128	202	338	440	494	521	355	257	89	24	-	1
	M	2,436	1	-	-	-	-	-	1	-	2	10	13	38	65	110	187	234	343	361	380	328	233	117	29	3	1
	Nonwhite	178	-	-	-	-	-	-	-	-	-	1	4	3	5	19	19	16	18	28	30	22	8	2	2	1	-
	M	89	-	-	-	-	-	-	-	-	1	-	1	5	8	12	7	13	13	12	10	4	1	2	-	-	-
160-164	Of respiratory system	1,559	-	-	-	-	-	1	1	3	2	4	11	20	58	115	189	218	316	250	171	124	46	22	7	1	-
	White	1,208	-	-	-	-	-	1	-	2	1	2	4	15	42	92	153	178	260	197	133	88	28	11	3	-	-
	M	301	-	-	-	-	-	-	1	1	1	2	6	4	11	17	27	33	45	47	37	36	18	11	4	1	-
	Nonwhite	40	-	-	-	-	-	-	-	-	-	-	2	1	4	4	8	6	8	4	1	1	-	-	-	-	-
	M	10	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	2	-	1	-	-	-	-	-	-
170	Of breast	1,480	-	-	-	-	-	-	-	-	1	6	15	54	103	165	183	204	202	169	158	103	73	28	15	-	1
	White	13	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	1	2	3	-	1	-	-	-	-
	M	1,423	-	-	-	-	-	-	-	-	1	5	15	53	98	158	174	194	193	163	152	102	72	28	14	-	1
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	43	-	-	-	-	-	-	-	-	-	-	-	1	4	5	7	9	8	4	3	1	-	-	1	-	-
171-179	Of genital organs	2,381	-	-	-	-	-	-	-	1	3	18	28	48	100	113	191	230	249	262	311	287	252	150	86	26	5	1
	White	747	-	-	-	-	-	-	-	1	1	8	11	11	11	4	9	22	32	69	115	135	147	91	59	17	4	-
	M	1,514	-	-	-	-	-	-	-	-	1	8	13	34	78	95	168	196	199	202	187	143	101	53	26	8	1	1
	Nonwhite	31	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	7	2	7	2	4	4	1	1	-	-
	M	89	-	-	-	-	-	-	-	-	1	1	4	3	11	13	14	11	11	9	2	7	-	2	-	-	-	-
180, 181	Of urinary organs	748	3	3	7	-	3	2	1	1	-	1	2	13	17	28	49	78	108	129	108	84	63	38	6	1	1
	White	460	1	-	3	-	1	1	1	-	-	-	1	10	10	18	33	53	74	78	64	53	33	21	2	1	-
	M	264	1	3	4	-	2	1	-	1	-	1	1	3	7	9	13	20	31	45	41	31	29	17	4	-	-
	Nonwhite	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	3	3	-	1	-	-	-	-	-
	M	9	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	-	-	-	-	-	-	1
155B, 165, 190-199	Of other sites, etc.*	1,465	3	6	13	8	9	25	13	21	15	33	44	57	66	95	130	152	200	171	147	108	85	40	22	2	-
	White	759	1	3	9	3	3	13	5	16	7	15	28	36	44	50	75	76	108	78	79	44	42	15	8	1	-
	M	649	2	1	2	4	5	12	6	4	8	15	11	19	17	37	50	72	81	90	67	64	43	25	13	1	-
	Nonwhite	32	-	1	1	-	-	-	1	1	-	3	4	-	3	5	1	3	6	2	1	-	-	-	-	-	-
	M	25	-	1	1	1	1	-	-	-	-	-	1	2	2	3	4	1	5	1	-	-	-	-	1	-	-
204	Leukemia and aleukemia	658	12	13	15	15	12	38	13	19	17	16	22	28	23	27	60	57	58	64	67	50	20	10	2	-	-
	White	353	6	8	10	5	5	19	9	13	9	10	10	14	14	15	26	31	35	35	39	28	8	4	-	-	-
	M	285	4	4	5	10	7	19	4	4	6	6	11	13	7	12	28	25	22	29	28	22	12	6	1	-	-
	Nonwhite	7	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	1	-	-
	M	13	1	1	-	-	-	-	2	-	2	-	1	-	1	-	5	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	580	2	1	1	2	3	3	6	9	14	20	26	30	34	40	54	69	66	64	49	45	15	5	1	-	1
	White	331	-	-	-	1	2	3	5	5	6	11	13	23	21	23	30	33	56	38	24	25	9	2	-	-	1
	M	225	2	1	-	1	1	-	1	4	8	8	9	5	12	14	19	33	29	25	24	20	5	3	1	-	-
	Nonwhite	21	-	-	1	-	-	-	-	-	-	1	3	2	1	3	3	3	1	1	1	-	1	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	366	6	5	4	1	1	2	3	5	7	16	19	21	39	51	39	26	33	30	25	17	9	6	3	-	-
	White	147	4	2	2	1	1	1	1	2	2	4	8	8	8	19	24	15	11	13	11	6	2	2	-	-	-
	M	195	2	3	2	-	1	1	2	2	2	12	10	11	26	28	15	9	20	15	11	11	7	4	3	-	-
	Nonwhite	6	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	M	18	-	-	-	-	-	-	-	1	3	-	1	2	5	3	-	1	1	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus	936	-	3	1	1	-	3	5	5	6	14	8	18	25	28	54	86	132	128	174	131	83	23	8	-	-
	White	384	-	-	1	1	-	2	2	3	1	6	4	10	12	10	23	38	48	52	64	58	36	9	4	-	-
	M	501	-	3	-	-	-	1	3	1	3	7	4	6	9	13	23	44	74	72	102	72	47	14	3	-	-
	Nonwhite	19	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	4	1	7	-	-	-	-	-	-	-
	M	32	-	-	-	-	-	-	-	1	2	1	-	1	1	5	6	3	6	3	1	1	-	-	1	-	-
290-293	Anemias	237	6	3	-	-	-	1	2	1	3	1	3	6	5	5	10	11	20	34	32	30	28	32	5	1	-
	White	104	1	-	-	-	-	-	1	-	1	-	1	2	2	1	4	5	13	11	15	16	16	13	2	-	-
	M	125	5	2	-	-	-	1	1	1	1	-	1	4	3	3	5	6	7	22	17	14	10	19	3	-	-
	Nonwhite	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-
	M	3	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
340	Meningococcal meningitis	158	38	8	3	7	3	5	3	4	2	5	6	4	6	8	4	2	11	7	7	3	2	-	-	-	-
	White	75	16	4	2	2	1	3	3	3	1	2	1	1	6	5	2	2	8	5	5	1	-	-	-	-	-
	M	48	15	3	1	4	2	2	-	1	1	2	2	2	-	1	2	-	3	2	1	2	2	-	-	-	-
	Nonwhite	13	4	1	-	1	-	-	-	-	-	1	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-
	M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 582-594	Major cardiovascular-renal diseases	53,027	19	11	4	4	7	31	34	47	92	156	278	617	1,062	1,908	2,990	4,155	5,775	7,265	8,069	7,995	6,439	4,090	1,544	352	82
	White	29,287	11	4	3	2	5	18	12	22	36	66	141	369	700	1,267	2,048	2,768	3,780	4,373	4,436	3,987	2,881	1,685	527	118	28
	M	21,770	6	4	1	1	2	10	10	21	41	58	112	172	248	489	746	1,183	1,785	2,642	3,377	3,829	3,437	2,348	990	223	28
	Nonwhite	1,178	2	3	-	1	-	1	1	2	5	17	12	40	72	95	116	128	120	156	164	100	73	39	11	5	14
	M	792	-	-	-	-	-	2	3	2	9	15	13	36	41	57	80	76	91	94	92	79	48	20	16	6	12
330-334, 400-468	Diseases of cardiovascular system	51,785	19	11	4	2	2	19	23	32	75	126	240	554	1,001	1,842	2,902	4,048	5,656	7,125	7,928	7,843	6,351	4,022	1,529	349	82
	White	28,647	11	4	3	1	2	10	8	17	28	50	125	332	672	1,259	2,002	2,705	3,711	4,286	4,365	3,922	2,834	1,658	519	115	28
	M	21,244	6	4	1	1	-	7	11	12	34	50	92	152	226	457	715	1,146	1,739	2,594	3,313	3,745	3,399	2,306	983	225	28
	Nonwhite	1,135	2	3	-	-	-	1	1	2	5	13	11	36	85	91	111	125	118	152	160	98	72	38	11	5	14
	M	759	-	-	-	-	-	1	3	1	8	13	12	34	38	55	74	72	88	93	90	78	46	19	16	6	12
330-334	Vascular lesions, etc.*	9,968	6	4	2	1	1	2	2	3	13	13	31	73	121	254	442	635	959	1,351	1,682	1,721	1,408	877	289	59	19
	White	4,464	3	2	1	1	1	1	1	2	5	4	13	23	60	109	190	305	466	693	784	770	599	318	93	17	3
	M	5,070	2	-	1	-	-	1	1	1	6	6	13	37	45	109	197	293	445	592	837	911	788	545	190	39	11
	Nonwhite	221	1	2	-	-	-	-	-	-	1	2	1	4	8	19	28	16	27	35	34	19	10	10	1	1	2
	M	213	-	-	-	-	-	-	-	-	1	1	4	9	8	17	27	21	21	31	27	21	11	4	5	2	3
400-402	Rheumatic fever	103	1	1	-	-	-	9	11	4	9	8	12	12	13	5	5	3	4	1	4	1	2	-	-	-	-
	White	49	-	-	-	-	-	3	3	3	3	5	9	5	4	2	5	1	3	1	-	-	2	-	-	-	-
	M	42	1	1	-	-	-	5	4	1	4	2	3	5	8	1	-	2	1	-	3	1	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	-	-	-	-	-	1	3	-	-	1	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.*	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
410-443	Diseases of heart	37,723	9	4	1	1	1	7	6	19	40	66	172	441	810	1,505	2,344	3,269	4,483	5,447	5,701	5,436	4,219	2,531	922	221	48
	White—M	22,256	5	2	1	-	1	6	2	7	17	38	93	286	581	1,089	1,737	2,309	3,105	3,424	3,282	2,817	1,916	1,106	329	74	19
	F	14,171	3	2	-	1	-	-	4	9	20	32	62	95	152	314	481	807	1,228	1,860	2,246	2,498	2,226	1,399	578	141	13
	Nonwhite—M	828	1	-	-	-	-	1	-	2	1	10	10	31	54	66	81	103	91	105	116	70	48	16	7	3	10
	F	468	-	-	-	-	-	-	-	1	2	6	7	19	23	34	45	50	59	58	57	51	29	10	8	3	6
410-416	Chronic rheumatic heart disease	1,519	...	-	-	-	-	-	3	10	26	34	65	86	132	157	177	197	167	156	119	90	65	28	7	4	1
	White—M	708	...	-	-	-	-	-	2	5	6	14	26	38	69	70	78	104	81	70	55	54	19	14	2	-	1
	F	755	...	-	-	-	-	-	1	4	16	15	34	41	49	79	69	89	84	85	54	31	43	12	5	4	-
	Nonwhite—M	42	...	-	-	-	-	-	-	1	1	1	5	4	9	3	3	4	1	1	6	3	-	-	-	-	-
	F	34	...	-	-	-	-	-	-	-	2	4	-	3	5	5	7	-	1	-	4	2	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	25,421	2	1	-	1	-	3	-	-	2	21	63	254	515	1,056	1,731	2,387	3,350	3,931	3,951	3,549	2,552	1,418	500	122	32
	White—M	16,381	-	1	-	-	-	3	-	-	1	12	51	202	425	871	1,421	1,833	2,470	2,626	2,388	1,955	1,216	662	183	47	14
	F	8,354	1	-	-	1	-	-	-	-	1	6	10	30	57	139	242	467	796	1,205	1,464	1,527	1,274	744	311	71	8
	Nonwhite—M	470	1	-	-	-	-	-	-	-	-	1	2	15	27	36	48	56	51	71	70	42	30	8	3	2	7
	F	216	-	-	-	-	-	-	-	-	-	2	-	7	6	10	20	31	33	29	29	25	12	4	3	2	3
421, 422	Nonrheumatic chronic endocarditis, etc.*	5,059	...	1	1	-	-	2	2	4	4	10	9	31	56	86	119	210	364	556	725	893	944	693	278	59	12
	White—M	2,525	...	1	1	-	-	1	-	1	2	3	4	23	36	46	64	129	220	332	382	456	416	285	99	17	3
	F	2,354	...	-	-	-	-	-	2	3	2	5	4	3	12	26	45	69	124	205	317	415	504	401	174	40	3
	Nonwhite—M	125	...	-	-	-	-	1	-	-	-	2	-	5	6	10	8	10	13	12	18	14	14	6	2	1	3
	F	57	...	-	-	-	-	-	-	-	-	-	-	1	-	2	4	2	2	7	7	8	8	8	1	3	1	3
430-434	Other diseases of heart	761	7	2	-	-	1	2	-	5	5	15	12	22	34	39	52	62	74	100	99	84	89	51	16	8	2
	White—M	451	5	-	-	-	1	2	-	1	5	7	7	13	16	25	35	41	54	61	59	36	40	24	10	4	1
	F	274	2	2	-	-	-	-	-	2	-	5	5	8	9	12	14	17	19	32	37	45	27	27	6	4	1
	Nonwhite—M	24	-	-	-	-	-	-	-	1	-	3	-	-	5	1	3	4	-	4	2	-	1	-	-	-	-
	F	12	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	-	1	3	1	1	1	-	-	-	-
440-443	Hypertension with heart dis.	4,963	-	-	-	-	-	1	-	4	6	23	48	73	167	265	413	528	704	807	820	611	343	121	28	1
	White—M	2,193	-	-	-	-	-	-	-	3	2	5	20	33	77	139	202	280	335	398	314	223	121	35	6	-
	F	2,454	-	-	-	-	-	1	-	1	1	9	13	25	58	91	165	205	333	374	480	378	215	82	22	1
	Nonwhite—M	167	-	-	-	-	-	-	-	-	3	3	7	7	18	19	29	25	17	20	11	3	2	2	-	-
	F	149	-	-	-	-	-	-	-	-	-	-	8	8	8	14	16	17	17	19	15	15	7	5	2	-	-
444-447	Hypertension without mention of heart	691	-	-	-	-	-	-	-	-	3	5	8	12	29	36	36	50	56	66	84	104	91	75	34	2	-
	White—M	298	-	-	-	-	-	-	-	-	1	-	3	2	12	17	20	29	31	30	42	42	31	27	11	-	-
	F	349	-	-	-	-	-	-	-	-	1	1	5	7	9	15	14	19	22	33	37	58	55	48	23	2	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	1	-	-	-	3	2	2	2	-	2	4	3	3	-	-	-	-
	F	22	-	-	-	-	-	-	-	-	-	4	-	3	5	2	-	-	3	1	1	1	2	-	-	-	-
450	General arteriosclerosis	2,698	-	-	-	-	-	-	-	-	-	-	1	1	4	9	17	32	84	173	382	516	591	519	278	67	14
	White—M	1,204	-	-	-	-	-	-	-	-	-	-	1	-	-	3	12	19	55	85	208	253	263	194	83	24	6
	F	1,403	-	-	-	-	-	-	-	-	-	-	-	1	3	6	5	9	25	82	165	253	315	307	169	41	4
	Nonwhite—M	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	6	6	5	11	13	3	1	1
	F	32	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	2	3	5	4	5	3	1	3
451-468	Other diseases of circulatory sys.	612	3	2	1	-	-	1	4	6	10	14	16	15	24	35	58	59	70	87	75	65	40	20	6	-	1
	White—M	376	3	-	1	-	-	-	2	5	2	3	6	6	15	19	38	42	51	55	49	40	23	13	3	-	-
	F	209	-	1	-	-	-	1	2	1	3	9	9	7	9	12	18	16	18	27	25	24	17	7	3	-	-
	Nonwhite—M	12	-	1	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	4	-	1	-	-	-	-	1
	F	15	-	-	-	-	-	-	-	-	5	1	1	1	-	2	2	-	1	1	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	1,242	-	-	-	2	5	12	11	15	17	30	38	53	61	66	88	107	120	140	141	152	88	68	15	3	-
	White—M	640	-	-	-	1	3	8	4	5	8	16	16	37	28	28	46	63	69	87	71	65	47	27	8	3	-
	F	526	-	-	-	-	2	3	7	9	7	8	20	20	23	32	31	37	48	48	64	84	38	40	7	-	-
	Nonwhite—M	43	-	-	-	1	-	-	-	-	1	4	1	4	7	4	5	3	2	4	4	2	1	-	-	-	-
	F	53	-	-	-	-	-	1	-	1	1	2	1	2	3	2	6	4	3	1	2	1	2	1	-	-	-
480-493	Influenza and pneumonia, etc.*	2,860	487	63	34	13	15	33	9	18	17	24	38	72	123	133	132	144	159	204	244	260	269	234	94	32	9
	White—M	1,556	239	26	23	5	5	13	2	10	9	11	22	40	78	98	92	96	96	133	130	142	128	106	37	14	2
	F	1,082	187	26	10	6	7	18	6	5	4	11	12	21	31	18	30	39	48	65	102	107	132	122	54	16	5
	Nonwhite—M	140	35	6	-	1	-	1	1	2	2	1	3	8	12	11	7	6	11	5	8	10	4	3	2	1	-
	F	80	28	5	1	1	3	1	-	1	2	1	1	3	2	6	3	3	4	1	4	1	4	3	1	1	2
480-483	Influenza	85	14	5	-	-	-	-	-	-	1	2	-	2	2	3	-	2	3	6	9	8	9	13	2	4	-
	White—M	41	8	1	-	-	-	-	-	-	-	2	-	1	1	2	-	1	-	4	5	3	4	9	-	-	-
	F	38	4	3	-	-	-	-	-	-	1	-	-	1	1	1	-	1	1	2	3	5	5	4	2	4	-
	Nonwhite—M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	2,775	473	58	34	13	15	33	9	18	16	22	38	70	121	130	132	142	156	198	235	252	260	221	92	28	9
	White—M	1,517	231	25	23	5	5	13	2	10	9	9	22	39	77	98	92	95	96	129	125	139	125	97	37	14	2
	F	1,044	183	23	10	8	7	18	6	5	3	11	12	20	30	17	30	38	47	63	98	102	127	118	52	12	5
	Nonwhite—M	136	34	6	-	1	-	1	1	2	2	1	3	8	12	11	7	6	9	5	7	10	4	3	2	1	-
	F	78	25	4	1	1	3	1	-	1	2	1	1	3	2	6	3	3	4	1	4	1	4	3	1	1	2
500-502	Bronchitis	201	38	11	7	1	-	3	-	-	-	1	2	3	3	4	9	9	17	16	14	21	22	15	2	2	1
	White—M	116	21	6	3	1	-	2	-	-	-	1	2	3	1	1	5	8	16	9	11	11	10	5	-	-	-
	F	76	14	3	4	-	-	1	-	-	-	-	-	-	2	2	4	1	1	7	2	10	12	10	2	2	1
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	727	1	1	-	-	-	-	-	-	2	6	8	18	35	62	68	87	110	95	86	70	54	17	5	-	-
	White—M	564	1	-	-	-	-	-	-	-	2	5	8	14	28	46	59	72	86	76	67	50	38	7	5	-	-
	F	132	-	-	-	-	-	-	-	-	-	-	-	3	6	9	9	13	16	12	20	19	16	9	-	-	-
	Nonwhite—M	27	-	1	-	-	-	-	-	-	-	-	-	1	1	7	-	1	6	7	1	1	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
550-553	Appendicitis	212	1	2	2	6	4	5	11	12	8	8	4	10	3	10	13	14	24	17	23	14	7	7	1	1	-
	White—M	115	-	1	1	4	2	3	7	5	3	4	3	5	6	7	8	8	17	10	11	6	3	-	1	-	-
	F	88	1	-	1	2	2	2	3	7	4	4	-	3	2	2	5	5	7	7	11	8	4	7	-	1	-
	Nonwhite—M	6	-	1	-	-	-	-	1	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	619	70	2	2	3	2	1	2	1	5	5	6	14	20	27	36	53	52	75	79	68	53	33	8	2	-
	White—M	306	39	1	2	2	1	1	2	1	1	1	4	2	6	7	17	31	26	41	42	36	27	15	1	-	-
	F	277	23	-	-	-	1	-	-	-	2	3	2	9	13	17	16	18	24	29	38	31	26	18	7	2	-
	Nonwhite—M	19	5	1	-	1	-	-	-	-	1	-	-	1	1	2	1	1	1	3	-	1	-	-	-	-	-
	F	17	3	-	-	-	-	-	-	-	1	1	-	2	-	1	2	3	1	2	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CALIFORNIA—Con.																										
543,	Gastritis, etc.*—	527	272	28	4	3	4	5	-	3	3	6	5	8	7	12	13	11	23	21	22	32	21	15	9	-	-
571,	White——M—	273	141	19	3	2	1	2	-	1	1	2	2	4	6	6	8	6	16	13	9	12	10	6	3	-	-
572	F—	213	106	5	1	1	3	3	-	2	2	4	2	4	1	5	5	4	5	8	11	18	9	8	6	-	-
	Nonwhite—M—	18	12	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F—	23	13	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	2	-	-	-	-
581	Cirrhosis of liver	1,775	2	1	-	-	1	-	-	-	3	20	69	163	205	251	261	222	205	159	90	73	36	9	4	-	1
	White——M—	1,082	2	1	-	-	-	-	-	-	2	5	26	79	105	161	168	144	138	111	56	48	15	2	1	-	1
	F—	621	-	-	-	-	1	-	-	-	1	8	37	74	85	75	88	69	58	43	29	25	20	6	2	-	-
	Nonwhite—M—	72	-	-	-	-	-	-	-	-	-	6	3	7	11	13	7	5	7	5	5	-	1	1	1	-	-
	F—	20	-	-	-	-	-	-	-	-	-	1	3	3	4	2	1	4	2	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	188	3	1	5	2	1	10	4	4	7	9	2	8	11	17	18	12	16	13	12	15	6	11	2	1	-
	White——M—	93	1	-	2	2	1	4	1	2	4	5	1	4	7	7	9	7	7	5	6	6	3	6	1	-	-
	F—	84	2	1	3	-	-	6	3	2	3	2	1	4	2	8	6	3	8	7	6	7	3	5	1	1	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	2	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	407	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	13	29	59	73	91	70	49	16	2	2
	White——M—	384	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	11	27	56	69	85	68	47	16	2	2
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	6	2	2	-	-	-
640-	Complications of																										
689	pregnancy, etc.*—	158	...	...	...	...	...	...	-	13	32	43	35	25	9	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	130	...	...	...	...	...	...	-	11	25	34	33	19	7	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	28	...	...	...	...	...	...	-	2	7	9	2	6	2	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	28	...	...	...	...	...	...	-	6	3	9	3	5	2	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	22	...	...	...	...	...	...	-	5	2	7	3	4	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	6	...	...	...	...	...	...	-	1	1	2	-	1	1	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	130	...	...	...	...	...	...	-	7	29	34	32	20	7	1	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	108	...	...	...	...	...	...	-	6	23	27	30	15	6	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	22	...	...	...	...	...	...	-	1	6	7	2	5	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	1,244	678	51	29	18	8	20	15	11	15	17	25	33	25	20	20	19	16	12	7	5	2	-	-	-	-
	White——M—	651	455	27	12	9	5	10	8	4	8	9	11	12	13	8	7	8	10	5	6	3	1	-	-	-	-
	F—	514	356	19	14	8	3	7	7	7	5	6	9	15	11	7	12	11	6	7	1	2	1	-	-	-	-
	Nonwhite—M—	52	39	2	-	-	-	1	-	-	1	1	2	3	1	2	-	-	-	-	-	-	-	-	-	-	-
	F—	47	28	3	3	1	-	2	-	-	1	1	1	3	-	3	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	4,117	4,116	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	2,178	2,178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1,500	1,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	244	244	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	195	194	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	2,218	2,218	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	1,193	1,193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	794	794	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	99	99	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765-	Infections of																										
788	newborn—	246	246	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	120	120	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	1,653	1,652	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	865	865	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	617	617	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	89	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	82	81	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	321	25	1	-	1	-	2	-	12	5	5	11	10	12	14	19	25	21	18	20	12	34	36	23	9	8
795	White——M—	187	13	1	-	-	-	2	-	4	3	2	4	10	5	9	16	21	15	15	13	5	17	17	8	3	4
	F—	116	7	-	-	1	-	-	-	7	-	3	7	-	6	4	2	4	4	1	6	6	17	17	14	6	4
	Nonwhite—M—	13	3	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	2	-	1	1	-	1	1	-	-
	F—	5	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
Re-	All other diseases	4,302	198	52	33	23	14	46	33	37	54	88	116	167	204	261	320	359	444	488	478	414	218	172	61	17	7
sid-	White——M—	2,361	109	33	15	12	8	24	21	18	21	39	50	78	117	156	186	218	284	293	260	219	104	65	19	3	1
ual	F—	1,720	68	17	17	9	3	22	9	14	23	42	49	69	70	90	110	122	138	180	210	188	109	103	41	13	4
	Nonwhite—M—	128	10	1	1	2	2	-	-	4	8	3	10	10	7	8	11	9	13	11	3	6	4	2	1	-	2
	F—	93	9	1	2	-	1	-	3	1	2	4	7	10	10	7	3	10	9	4	5	1	1	2	-	1	-
E800-	Accidents—	6,628	264	128	91	65	34	179	153	396	529	463	430	447	386	427	407	373	346	355	328	296	234	169	74	23	31
E962	White——M—	4,507	145	75	55	43	24	109	106	277	434	351	316	329	286	312	289	278	249	243	193	161	115	85	27	8	17
	F—	1,704	81	48	32	16	9	49	34	90	67	74	85	88	77	80	83	79	77	96	127	124	115	104	44	15	10
	Nonwhite—M—	309	18	4	-	5	-	11	11	22	20	28	23	23	21	31	28	11	17	14	6	8	3	-	-	-	4
	F—	108	20	1	4	1	1	10	2	7	8	9	6	7	2	4	7	5	3	2	2	3	1	-	3	-	-
E810-	Motor-vehicle																										
E835	accidents—	3,150	24	47	34	33	17	78	74	289	361	289	228	224	169	205	187	194	176	168	151	98	63	23	4	3	10
	White——M—	2,199	7	25	23	18	10	44	48	204	296	219	161	154	124	139	130	132	122	116	94	65	39	15	4	3	7
	F—	751	15	21	10	12	6	24	20	70	45	47	48	52	36	48	37	37	42	43	54	29	23	8	-	-	3
	Nonwhite—M—	154	-	1	-	2	-	7	6	11	13	17	15	13	8	15	16	3	10	9	3	4	1	-	-	-	-
	F—	46	2	-	1	1	1	4	-	4	7	6	3	5	1	3	4	2	2	-	-	-	-	-	-	-	-
E800-	All ot. accidents—	3,478	240	81	57	32	17	100	79	107	168	174	202	223	217	222	220	179	170	187	177	198	171	146	70	20	21
E802,	White——M—	2,308	138	50	32	25	14	65	58	73	138	132	155	175	162	173	159	148	127	127	98	98	76	50	23	5	10
E840-	F—	953	66	27	22	4	3	25	14	20	22	27	36	36	41	32	46	22	35	53	73	95	92	96	44	15	7
E962	Nonwhite—M—	155	18	3	-	3	-	4	5	11	7	12	8	10	13	16	12	8	7	5	3	4	2	-	-	-	4
	F—	62	16	1	3	-	-	6	2	3	1	3	3	2	1	1	3	3	1	2	2	3	1	-	3	-	-
E963,	Suicide—	1,853	-	-	-	-	-	-	4	22	50	86	114	187	207	237	193	211	185	154	80	59	39	19	3	-	3
E970-	White——M—	1,345	-	-	-	-	-	-	3	11	33	62	71	134	145	171	139	147	140	128	59	46	36	15	3	-	2
E979	F—	429	-	-	-	-	-	-	1	11	14	16	38	42	54	57	50	57	40	22	15	11	1	2	-	-	-
	Nonwhite—M—	67	-	-	-	-	-	-	-	-	2	7	8	8	6	7	3	7	5	3	6	2	2	2	-	-	1
	F—	12	-	-	-	-	-	-	-	-	1	1	1	3	2	2	1	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide—	485	12	3	-	3	-	2	1	18	56	50	57	70	60	46	25	23	21	14	9	8	4	2	-	-	3
E980-	White——M—	243	9	2	-	2	-	1	-	10	26	20	24	23	27	25	14	14	19	9	8	5	1	1	-	-	3
E985	F—	92	3	1	-	1	-	1	1	2	3	10	12	17	8	10	3	7	1	4	1	3	3	1	-	-	-
	Nonwhite—M—	110	-	-	-	-	-	-	-	4	17	15	14	24	20	7	6	2	-	1	-	-	-	-	-	-	-
	F—	40	-	-	-	-	-	-	-	-	10	5	7	6	5	4	2	-	1	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO																										
	ALL CAUSES	12,415	1,153	87	51	31	26	99	76	113	166	154	177	259	341	466	593	847	981	1,291	1,498	1,504	1,283	842	301	72	1/
	White—M	7,120	660	43	31	15	13	53	46	81	108	85	111	161	212	276	380	512	608	797	850	822	672	406	141	30	7
	F	5,004	461	42	18	15	12	44	30	27	56	61	57	84	116	171	187	307	351	467	616	656	598	426	155	42	5
	Nonwhite—M	161	20	1	1	-	1	1	-	1	2	6	6	10	4	7	4	12	12	15	22	18	8	7	2	-	1
	F	130	12	1	1	1	-	1	-	4	-	2	3	4	9	12	12	16	10	12	10	8	5	3	3	-	1
001-019	Tuberculosis, all forms	241	2	-	4	1	-	3	1	3	9	16	21	18	22	26	18	24	21	15	15	10	8	3	-	-	-
	White—M	145	1	-	-	1	-	1	1	-	5	4	11	8	14	14	15	20	14	14	10	6	4	2	-	-	-
	F	77	1	-	3	-	-	1	-	1	4	11	9	8	6	8	2	4	7	1	3	3	4	1	-	-	-
	Nonwhite—M	13	-	-	-	-	-	1	-	-	-	1	1	2	2	2	-	-	-	1	2	1	-	-	-	-	-
	F	6	-	-	1	-	-	-	-	2	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	223	1	-	3	-	-	1	-	3	7	16	20	17	22	25	18	22	20	15	13	10	7	3	-	-	-
	White—M	130	-	-	-	-	-	-	-	-	3	4	10	7	14	14	15	16	13	13	6	6	3	2	-	-	-
	F	76	1	-	2	-	-	1	-	1	4	11	9	8	6	8	2	4	7	1	3	3	4	1	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	1	2	1	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	18	1	-	1	1	-	2	1	-	2	-	1	1	-	1	-	2	1	1	2	-	1	-	-	-	-
	White—M	15	1	-	-	1	-	1	1	-	2	-	1	1	-	-	-	2	1	1	2	-	1	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	57	1	-	-	-	-	-	-	-	-	-	-	2	2	2	4	12	6	11	9	3	1	2	-	-	-
	White—M	39	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	11	6	8	5	2	1	1	-	-	-
	F	15	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	4	1	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	9	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White—M	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	-	-	-	-	-	-	-	1	-	-	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	12	2	4	3	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	2	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	36	-	-	-	2	-	6	7	4	7	3	3	2	-	-	-	1	-	-	1	-	-	-	-	-	-
	White—M	19	-	-	-	2	-	2	4	3	4	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	17	-	-	-	-	-	4	3	1	3	2	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	14	6	3	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	4	1	-	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	52	6	3	1	-	1	2	1	1	-	2	1	1	2	2	3	5	6	5	3	3	3	-	1	-	-
	White—M	21	4	2	1	-	-	-	-	1	-	1	1	1	-	1	2	2	1	1	1	1	1	-	-	-	-
	F	30	2	1	-	-	1	2	1	-	-	1	-	-	2	1	1	3	5	3	2	2	2	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
140-205	Malignant neoplasms, etc.*----	1,634	2	5	4	5	1	14	2	1	15	10	28	29	58	58	113	176	189	221	241	226	141	66	16	3	-
	White----M--	815	-	1	2	3	-	9	1	1	7	6	12	11	27	27	49	59	101	125	133	130	72	34	5	1	-
	F--	792	2	4	2	2	1	5	1	-	8	4	16	17	31	38	61	113	85	92	106	94	66	31	11	2	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	1	-	2	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	1	2	1	2	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	27	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	4	4	2	1	1	1	-	-
	White----M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	3	-	1	1	-	1	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	1	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	662	1	1	-	-	-	-	-	-	3	2	6	6	23	20	33	70	73	108	107	118	70	32	8	1	-
	White----M--	361	-	-	-	-	-	-	-	-	2	1	4	4	12	9	16	25	42	69	63	73	29	12	1	-	-
	F--	308	1	1	-	-	-	-	-	-	1	1	2	2	11	11	16	43	29	36	43	43	40	20	7	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	1	2	1	-	-	-	-
160-164	Of respiratory system----------	141	-	-	-	-	-	1	-	-	-	-	3	2	6	5	19	15	27	16	27	10	7	2	-	1	-
	White----M--	108	-	-	-	-	-	1	-	-	-	-	2	1	6	4	15	10	25	15	19	8	4	2	-	-	-
	F--	32	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	5	4	3	8	2	3	-	-	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	140	-	-	-	-	-	-	-	-	-	-	5	4	4	10	14	22	24	18	15	17	4	1	2	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	139	-	-	-	-	-	-	-	-	-	-	5	4	4	10	13	21	24	18	15	17	4	1	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs----	295	-	-	-	-	-	1	-	-	3	1	9	8	12	14	16	32	26	33	47	36	34	18	4	1	-
	White----M--	125	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	4	7	15	28	24	20	16	3	1	-
	F--	163	-	-	-	-	-	1	-	-	2	1	8	7	9	11	16	26	18	17	18	12	14	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs----	70	-	1	-	-	-	1	-	-	-	1	-	-	1	3	4	5	12	14	6	12	6	2	-	-	-
	White----M--	50	-	1	-	-	-	1	-	-	-	1	-	-	1	2	1	4	11	8	3	9	6	1	-	-	-
	F--	20	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	6	3	3	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 180-199	Of other sites, etc.*----------	145	-	2	3	2	1	6	1	-	3	3	1	4	8	8	15	16	8	14	16	13	11	9	1	-	-
	White----M--	81	-	1	2	2	-	4	-	-	-	2	1	3	5	5	9	8	6	9	8	8	6	3	-	-	-
	F--	63	-	2	1	-	1	2	1	-	3	1	-	1	3	3	6	8	2	5	8	5	4	6	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	69	1	-	1	3	-	5	1	-	5	-	2	1	3	2	3	7	4	10	10	7	3	1	-	-	-
	White----M--	36	-	-	1	1	-	3	1	-	3	-	2	-	-	2	2	2	2	5	5	4	3	1	-	-	-
	F--	33	1	-	1	2	-	2	-	-	2	-	-	1	3	-	1	5	2	5	5	3	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-205, 205	Lymphomas, etc.*--	65	-	1	-	-	-	-	-	1	1	3	2	4	1	4	6	6	9	4	9	11	3	-	-	-	-
	White----M--	37	-	1	-	-	-	-	-	1	1	2	2	2	-	3	3	3	5	3	7	3	3	-	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	3	4	1	2	8	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	64	3	-	-	-	-	2	1	1	1	1	1	8	6	9	7	5	5	4	3	5	2	-	-	-	-
	White----M--	27	2	-	-	-	-	1	-	1	1	-	-	4	3	3	1	2	2	2	2	2	1	-	-	-	-
	F--	35	1	-	-	-	-	1	1	-	-	-	-	4	3	6	6	3	3	2	1	3	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
250	Diabetes mellitus----	158	-	1	-	-	-	-	-	-	1	2	2	1	6	4	8	10	23	25	24	27	18	6	-	-	-
	White----M--	74	-	-	-	-	-	-	-	-	-	-	1	1	4	2	6	3	11	14	7	11	12	2	-	-	-
	F--	80	-	1	-	-	-	-	-	-	1	2	1	-	1	2	2	7	11	11	16	15	6	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
290-293	Anemias----------	27	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	2	1	2	4	7	3	4	-	-	-
	White----M--	10	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	4	1	1	-	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	3	2	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	14	2	3	1	1	-	1	1	-	-	-	-	-	-	1	3	1	-	-	-	-	-	-	-	-	-
	White----M--	8	1	1	-	1	-	1	1	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F--	6	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	5,992	2	2	-	1	3	13	11	9	15	23	25	61	104	191	281	406	517	760	924	963	853	567	203	51	7
	White----M--	3,390	1	-	-	1	1	10	4	5	5	10	16	42	70	114	196	277	320	468	524	517	440	256	89	22	2
	F--	2,467	1	2	-	-	1	2	7	4	10	13	8	15	27	68	76	113	185	274	381	428	406	303	110	29	4
	Nonwhite--M--	71	-	-	-	-	1	-	-	-	-	-	1	1	2	2	2	8	7	8	14	13	6	5	1	-	-
	F--	64	-	-	-	-	-	1	-	-	-	-	1	3	5	7	7	8	5	10	5	5	1	3	3	-	1
330-334, 400-468	Diseases of cardiovascular system----	5,775	2	1	-	1	3	13	8	8	8	17	21	55	96	181	268	392	504	740	899	928	826	552	196	50	7
	White----M--	3,282	1	-	-	1	1	10	3	5	2	7	15	37	65	111	189	272	314	457	513	497	425	248	86	21	2
	F--	2,363	1	1	-	-	1	2	5	3	6	10	5	14	25	64	68	104	178	265	368	414	394	296	106	29	4
	Nonwhite--M--	71	-	-	-	-	1	-	-	-	-	-	1	1	2	2	2	8	7	8	14	13	6	5	1	-	-
	F--	59	-	-	-	-	-	1	-	-	-	-	-	3	4	4	7	8	5	10	4	5	1	3	3	-	1
330-334	Vascular lesions, etc.*----------	1,109	1	-	-	-	-	2	-	1	-	4	2	7	12	28	40	60	81	148	187	187	192	102	48	7	-
	White----M--	494	1	-	-	-	-	1	-	1	-	2	2	2	2	9	19	27	39	63	84	85	85	43	16	3	-
	F--	592	-	-	-	-	-	1	-	-	-	2	-	2	8	16	19	29	40	78	100	99	107	57	30	4	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	2	-	2	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	3	1	4	1	1	-	2	-	-	-
400-402	Rheumatic fever----	30	-	-	-	-	2	6	6	3	1	2	1	2	1	3	-	-	-	1	-	2	-	-	-	-	-
	White----M--	16	-	-	-	-	1	5	2	2	-	1	1	1	-	2	-	-	-	-	-	1	-	-	-	-	-
	F--	13	-	-	-	-	1	-	4	1	1	1	-	1	1	1	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
410-443	Diseases of heart	4,186	1	1	-	1	1	3	2	4	7	10	18	43	78	142	215	313	399	555	646	657	562	369	116	34	7
	White—M	2,528	-	-	-	1	-	3	1	2	2	4	12	32	60	96	163	234	260	368	395	359	303	165	51	15	2
	F	1,570	1	1	-	-	-	-	1	2	5	6	5	10	14	43	45	88	130	176	238	285	253	200	63	19	4
	Nonwhite—M	54	-	-	-	-	1	-	-	-	-	-	1	1	2	1	2	7	5	5	11	9	6	2	1	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	4	4	6	3	4	-	2	1	-	1
410-416	Chronic rheumatic heart disease	227	...	-	-	-	-	2	1	3	2	6	7	9	15	20	24	23	28	28	18	16	11	12	1	-	-
	White—M	120	...	-	-	-	-	2	1	1	-	2	5	3	11	7	13	16	16	17	9	7	5	4	1	-	-
	F	104	...	-	-	-	-	-	-	2	2	4	2	6	4	13	10	6	12	12	8	9	6	8	-	-	-
	Nonwhite—M	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,534	-	-	-	-	-	1	1	1	1	-	6	27	41	94	151	224	277	370	409	403	294	172	43	13	6
	White—M	1,691	-	-	-	-	-	1	-	1	-	-	6	23	40	76	122	175	190	260	273	235	171	90	20	6	2
	F	795	-	-	-	-	-	-	1	-	1	-	-	3	1	17	26	41	82	102	128	161	118	80	23	7	4
	Nonwhite—M	33	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	2	5	7	5	5	1	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	3	1	2	-	1	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	626	...	-	-	-	-	-	-	-	1	1	2	2	10	8	11	21	35	75	74	104	116	108	44	14	-
	White—M	337	...	-	-	-	-	-	-	-	-	-	-	1	4	5	10	14	28	46	43	54	61	43	24	6	-
	F	282	...	-	-	-	-	-	-	-	1	1	2	1	5	3	1	7	9	27	30	49	54	64	20	8	-
	Nonwhite—M	4	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	F	3	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	164	1	1	-	-	1	-	-	-	3	2	-	3	4	5	9	9	15	13	22	29	27	13	4	3	-
	White—M	100	-	-	-	-	-	-	-	-	2	1	-	3	2	2	8	8	11	6	12	15	19	7	2	2	-
	F	62	1	1	-	-	-	-	-	-	1	1	-	-	2	3	1	1	4	7	10	13	8	6	2	1	-
	Nonwhite—M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	635	-	-	-	1	-	-	-	-	-	1	3	2	8	15	20	36	44	68	125	105	114	64	24	4	1
	White—M	280	-	-	-	1	-	-	-	-	-	1	1	2	3	6	10	21	17	39	58	48	47	21	4	1	-
	F	327	-	-	-	-	-	-	-	-	-	-	1	-	2	7	7	13	23	28	63	53	67	42	18	3	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	1	3	-	2	2	-	-	1	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	1	2	2	-	1	1	-	1
444-447	Hypertension without mention of heart	93	-	-	-	-	-	-	-	-	-	-	-	2	1	3	4	3	9	9	15	17	11	18	1	-	-
	White—M	54	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	6	7	7	12	7	8	1	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	3	2	7	3	4	9	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
450	General arteriosclerosis	270	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	8	15	33	53	55	58	29	8	-
	White—M	148	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	6	5	12	17	31	25	29	17	2	-
	F	119	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	16	22	29	28	12	6	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.	87	-	-	-	-	-	2	-	-	-	1	-	1	4	3	5	9	7	12	16	13	6	5	2	1	-
	White—M	52	-	-	-	-	-	1	-	-	-	-	-	1	3	1	2	4	4	7	10	9	5	3	1	1	-
	F	35	-	-	-	-	-	1	-	-	-	1	-	-	1	2	3	5	3	5	6	4	1	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	217	-	1	-	-	-	-	3	1	7	6	4	6	8	10	15	14	13	20	25	34	27	15	7	1	-
	White—M	108	-	-	-	-	-	-	1	-	3	3	1	5	5	3	7	5	6	11	11	20	15	8	3	1	-
	F	104	-	1	-	-	-	-	2	1	4	3	3	1	2	4	8	9	7	9	13	14	12	7	4	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	665	115	20	7	3	4	4	5	5	7	-	3	7	6	18	16	24	39	56	72	82	77	56	32	3	4
	White—M	368	61	5	3	1	3	2	2	5	1	-	3	4	5	11	12	17	21	37	39	45	36	35	15	2	3
	F	284	52	14	4	2	1	2	3	-	6	-	-	3	1	6	3	6	18	19	30	36	39	20	17	1	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-
	F	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-
480-483	Influenza	43	7	1	2	1	-	1	-	-	1	-	-	1	-	2	1	1	3	3	2	6	5	2	3	1	-
	White—M	21	1	1	2	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	2	5	3	1	-	1	-
	F	22	6	-	-	1	-	1	-	-	1	-	-	-	-	1	1	-	2	2	-	1	2	1	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	622	108	19	5	2	4	3	5	5	6	-	3	6	6	16	15	23	36	53	70	76	72	54	29	2	4
	White—M	347	60	4	1	1	3	2	2	5	1	-	3	3	5	10	12	16	20	36	37	40	33	34	15	1	3
	F	262	46	14	4	1	1	1	3	-	5	-	-	3	1	5	2	6	16	17	30	35	37	19	14	1	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	1	-	-	-
	F	8	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	-	-	-
500-502	Bronchitis	36	8	1	-	1	-	1	-	-	-	-	-	-	-	4	-	3	2	1	3	1	7	3	-	1	-
	White—M	24	6	-	-	1	-	1	-	-	-	-	-	-	-	4	-	3	1	1	2	-	5	-	-	1	-
	F	12	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	104	1	-	-	-	-	-	-	-	-	-	1	4	3	3	10	9	10	13	14	17	8	4	4	2	-	1
	White—M	76	-	-	-	-	-	-	-	-	-	-	1	1	1	3	9	9	7	11	11	14	7	2	1	-	-	1
	F	23	1	-	-	-	-	-	-	-	-	-	-	3	2	-	1	-	3	-	2	3	1	2	3	2	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	43	-	-	-	1	1	1	-	4	1	1	3	2	1	3	4	9	2	1	5	1	2	1	-	-	-
	White—M	33	-	-	-	-	-	-	-	3	1	1	3	1	1	3	4	7	2	1	3	-	2	1	-	-	-
	F	7	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	2	-	-	1	1	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	109	13	-	1	-	-	-	-	-	1	-	-	4	3	5	5	9	6	12	15	12	14	4	4	1	-
	White—M	58	9	-	1	-	-	-	-	-	-	-	-	3	2	3	3	3	4	5	6	6	9	2	2	-	-
	F	50	4	-	-	-	-	-	-	-	1	-	-	1	-	2	2	6	2	7	9	6	5	2	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	COLORADO—Con.																										
543,	Gastritis, etc.*--	117	70	2	3	1	1	1	-	-	2	1	2	3	1	2	1	5	1	1	6	4	6	2	1	1	-
571,	White-----M--	65	45	-	2	-	1	1	-	-	2	-	1	2	-	1	-	1	1	-	2	2	2	1	1	-	-
572	F--	51	24	2	1	1	-	-	-	-	-	1	1	1	1	1	1	4	-	1	4	2	4	1	-	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	86	-	-	1	-	-	-	-	-	1	3	1	3	5	7	13	19	6	10	7	3	5	1	1	-	-
	White-----M--	58	-	-	1	-	-	-	-	-	-	2	1	2	3	4	11	11	5	7	4	2	4	1	1	-	-
	F--	24	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	6	1	3	3	1	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	30	1	1	1	-	-	-	3	4	-	-	2	1	3	1	1	2	-	3	2	1	1	3	-	-	-
	White-----M--	15	-	1	1	-	-	-	1	3	-	-	1	1	2	1	-	1	-	-	1	1	-	1	-	-	-
	F--	14	1	-	-	-	-	-	2	1	-	-	-	-	1	-	1	1	-	3	1	-	1	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	9	10	9	16	13	9	-	-
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	9	10	9	16	13	8	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
640-	Complications of																										
688	pregnancy, etc.*-	30	...	...	...	...	...	...	-	1	5	8	3	9	4	-	-	-	-	...	...	...	...	...	...	...	-
	White-----F--	29	...	...	...	...	...	...	-	-	5	8	3	8	4	-	-	-	-	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	-
650-	Abortion----------	5	...	...	...	...	...	...	-	-	1	1	-	3	-	-	-	-	-	...	...	...	...	...	...	...	-
652	White-----F--	5	...	...	...	...	...	...	-	-	1	1	-	3	-	-	-	-	-	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	-
640-	All other com-																										
648,	plications-------	25	...	...	...	...	...	...	-	1	4	7	3	6	4	-	-	-	-	...	...	...	...	...	...	...	-
660-	White-----F--	24	...	...	...	...	...	...	-	-	4	7	3	6	4	-	-	-	-	...	...	...	...	...	...	...	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	200	162	2	4	4	-	3	2	3	-	3	-	4	4	2	1	1	2	2	1	-	-	-	-	-	-
	White-----M--	106	87	1	2	1	-	1	2	1	-	2	-	3	3	-	-	1	2	-	-	-	-	-	-	-	-
	F--	91	72	1	2	3	-	2	-	2	-	1	-	1	1	2	1	-	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	675	675	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	390	390	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	285	285	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	289	289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	88	7	-	-	-	-	-	-	-	-	-	2	3	1	2	3	2	2	3	4	8	21	15	6	8	1
795	White-----M--	48	3	-	-	-	-	-	-	-	-	-	2	2	1	1	2	1	2	2	2	4	10	10	2	4	-
	F--	39	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	2	4	11	5	4	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	681	26	8	7	1	5	12	9	10	13	7	8	19	38	32	46	61	61	70	82	72	47	35	10	2	-
sid-	White-----M--	383	12	6	6	-	1	4	2	4	8	-	3	9	20	18	29	42	38	42	47	40	25	18	9	-	-
ual	F--	278	12	2	-	1	4	8	7	6	4	7	5	9	17	14	16	17	19	28	32	31	21	17	1	2	-
	Nonwhite--M--	8	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	1	1	2	1	-	-	-	-	-	-
	F--	12	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	-	2	1	1	-	-	-	-
E800-	Accidents---------	668	35	31	14	9	9	33	29	60	71	54	39	53	44	41	24	31	43	43	35	58	45	54	16	2	1
E962	White-----M--	629	25	21	11	4	7	18	24	48	63	45	33	46	35	33	21	25	36	29	22	27	21	25	9	-	1
	F--	223	7	10	3	5	2	15	5	10	8	5	4	5	9	7	3	6	7	14	12	24	24	29	7	2	-
	Nonwhite--M--	12	2	-	-	-	-	-	-	1	-	3	1	2	-	1	-	-	-	-	1	1	-	-	-	-	-
	F--	4	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	310	2	6	3	3	3	17	10	28	38	28	18	20	13	21	12	14	21	15	9	17	8	3	-	-	1
	White-----M--	233	2	4	2	1	2	10	8	23	32	21	14	17	10	15	9	10	17	11	5	9	7	3	-	-	1
	F--	69	-	2	1	2	1	7	2	5	6	4	2	2	3	6	3	4	4	4	3	7	1	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	558	33	25	11	6	6	16	19	32	33	26	21	33	31	20	12	17	22	28	26	35	37	51	16	2	-
E802,	White-----M--	396	23	17	9	3	5	8	16	25	31	24	19	29	25	18	12	15	19	18	17	18	14	22	9	-	-
E840-	F--	154	7	8	2	3	1	8	3	5	2	1	2	3	6	1	-	2	3	10	9	17	23	29	7	2	-
E962	Nonwhite--M--	6	2	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	223	-	-	-	-	-	-	-	1	9	10	17	19	23	26	18	23	28	20	12	7	7	3	-	-	-
E970-	White-----M--	169	-	-	-	-	-	-	-	1	5	8	14	15	15	19	12	13	25	19	11	6	6	2	-	-	-
E979	F--	49	-	-	-	-	-	-	-	-	4	4	2	4	8	6	6	8	3	1	1	-	1	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	63	4	-	-	-	-	1	1	4	9	7	8	7	4	9	4	1	1	-	1	-	2	-	-	-	-
E980-	White-----M--	43	3	-	-	-	-	1	1	3	6	5	5	5	2	6	2	1	-	-	1	-	2	-	-	-	-
E985	F--	13	-	-	-	-	-	-	-	1	2	1	1	1	1	3	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT																										
	ALL CAUSES	18,829	943	57	41	27	26	80	44	99	131	170	235	343	505	701	1,210	1,586	2,081	2,378	2,473	2,404	1,744	1,011	438	87	35
	White	16,079	525	29	29	14	17	44	23	65	74	86	127	186	290	393	688	926	1,286	1,361	1,306	1,180	823	400	164	30	13
	White—M	8,188	359	26	12	11	7	34	19	27	48	64	86	130	193	247	472	606	730	965	1,118	1,188	905	690	265	56	20
	White—F	287	27	2	-	1	1	2	1	4	2	13	6	10	9	35	26	36	29	26	18	20	10	6	2	-	1
	Nonwhite	275	32	-	-	1	1	-	1	3	7	7	16	17	13	26	24	18	16	28	31	18	8	5	7	1	1
	Nonwhite—M	138	16	-	-	1	1	-	1	2	3	3	8	9	6	13	12	9	8	14	15	9	4	3	3	1	1
	Nonwhite—F	137	16	-	-	-	-	-	-	1	4	4	8	8	7	13	12	9	8	14	16	9	4	2	4	-	-
001-019	Tuberculosis, all forms	418	3	-	1	-	-	1	-	1	12	19	30	29	32	41	41	50	56	34	31	25	4	3	3	-	1
	White	259	2	-	-	-	-	-	-	-	3	4	13	13	16	25	27	37	46	30	23	16	2	1	-	-	1
	White—M	104	-	-	1	-	-	1	-	1	4	9	10	11	11	6	7	8	8	3	8	9	2	2	3	-	-
	White—F	33	1	-	-	-	-	-	-	-	2	3	-	4	2	7	5	5	2	1	-	1	-	-	-	-	-
	Nonwhite	22	-	-	-	-	-	-	-	-	3	3	7	1	3	3	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	2	2	5	1	2	2	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	10	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	391	2	-	-	-	-	-	-	1	10	18	27	26	30	37	37	49	56	34	30	24	3	3	3	-	1
	White	248	1	-	-	-	-	-	-	-	2	4	11	13	16	23	25	36	46	30	22	15	2	1	-	-	1
	White—M	95	-	-	-	-	-	-	-	1	3	9	9	11	10	5	6	8	8	3	8	8	1	2	3	-	-
	White—F	26	1	-	-	-	-	-	-	-	2	3	-	2	2	6	4	5	2	1	-	1	-	-	-	-	-
	Nonwhite	19	-	-	-	-	-	-	-	-	3	2	7	-	2	3	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	-	-	-	-	-	-	-	-	2	1	5	-	1	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	8	-	-	-	-	-	-	-	-	1	1	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	27	1	-	1	-	-	1	-	-	2	1	3	3	2	4	4	1	-	-	1	2	1	-	-	-	-
	White	11	1	-	-	-	-	-	-	-	1	-	2	-	-	2	2	1	-	-	1	1	-	-	-	-	-
	White—M	9	-	-	1	-	-	1	-	-	1	-	1	-	1	1	1	-	-	-	1	1	-	-	-	-	-
	White—F	4	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	78	-	-	-	-	-	-	-	-	-	1	-	2	2	7	8	13	16	8	7	7	6	1	-	-	-
	White	53	-	-	-	-	-	-	-	-	-	-	-	-	2	2	7	11	12	8	3	5	3	-	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	2	-	2	2	2	-	-	-	-
	White—F	11	-	-	-	-	-	-	-	-	-	-	-	2	-	4	-	1	2	-	-	-	1	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	4	1	3	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	4	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	31	2	-	1	-	-	7	3	5	2	1	7	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White	20	-	-	1	-	-	4	3	3	-	1	6	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	2	-	-	-	-	3	-	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	-	2	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	39	4	-	-	-	-	1	-	-	-	3	1	3	2	3	3	3	2	5	2	4	1	1	1	-	-
	White	23	3	-	-	-	-	1	-	-	-	1	-	1	2	1	2	2	-	4	-	3	1	1	1	-	-
	White—M	15	1	-	-	-	-	-	-	-	-	2	-	2	-	2	1	1	2	1	2	1	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
140-205	Malignant neoplasms, etc.*——	3,428	2	5	5	6	4	10	5	10	14	27	38	62	117	159	293	403	488	543	476	395	220	115	22	6	3
	White——M—	1,755	1	3	5	2	2	6	3	6	7	20	14	25	57	60	119	192	285	296	252	213	117	56	11	2	1
	F—	1,625	1	1	-	3	2	4	2	4	7	7	20	34	77	93	164	205	195	252	220	178	100	59	11	4	2
	Nonwhite—M—	36	-	1	-	-	-	-	-	-	-	-	1	1	1	2	5	4	6	6	2	4	3	-	-	-	-
	F—	32	-	-	-	1	-	-	-	-	-	-	3	2	2	4	5	2	2	9	2	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx——	100	-	-	-	-	-	-	-	-	-	-	1	2	2	1	9	14	16	19	9	11	9	6	1	-	-
	White——M—	82	-	-	-	-	-	-	-	-	-	-	1	1	1	1	8	12	13	15	7	10	7	6	-	-	-
	F—	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	4	2	1	2	-	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	1,451	-	-	-	1	-	-	1	1	1	2	4	10	30	49	85	181	226	253	220	210	100	54	8	3	2
	White——M—	795	-	-	-	1	-	-	-	1	1	2	2	4	15	22	44	91	148	151	126	110	47	25	4	-	1
	F—	633	-	-	-	-	-	-	1	-	-	-	2	6	15	25	48	86	75	97	92	99	50	29	4	3	1
	Nonwhite—M—	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	3	3	1	1	3	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-	-
160-164	Of respiratory system——	333	-	-	-	-	-	-	-	-	1	-	7	7	10	20	45	43	60	48	38	24	21	9	-	-	-
	White——M—	274	-	-	-	-	-	-	-	-	-	-	5	6	8	15	40	38	51	38	31	16	19	7	-	-	-
	F—	56	-	-	-	-	-	-	-	-	1	-	2	1	2	5	4	5	9	8	8	7	2	2	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast——	302	-	-	-	-	-	-	-	-	-	3	6	13	31	21	46	38	33	34	33	20	12	10	2	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	297	-	-	-	-	-	-	-	-	-	3	6	13	31	21	44	38	32	32	33	20	12	10	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
171-179	Of genital organs——	515	-	-	-	-	-	-	1	1	1	7	9	9	22	30	42	57	59	62	64	67	39	20	3	2	-
	White——M—	174	-	-	-	-	-	-	-	1	1	6	2	-	1	1	2	10	14	26	31	41	23	11	2	2	-
	F—	320	-	-	-	-	-	-	1	-	-	1	5	7	20	26	38	45	44	30	32	25	16	9	1	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-
	F—	17	-	-	-	-	-	-	-	-	-	-	2	2	1	3	2	2	-	5	-	-	-	-	-	-	-
180, 181	Of urinary organs——	183	-	-	-	1	-	3	1	-	-	2	-	1	3	4	10	13	22	41	35	21	16	9	1	-	-
	White——M—	110	-	-	-	-	-	1	1	-	-	1	-	1	2	4	5	9	12	29	21	10	10	4	-	-	-
	F—	69	-	-	-	-	-	2	-	-	-	1	-	-	-	-	5	4	9	11	14	11	6	5	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F—	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	278	2	3	-	2	1	-	1	3	4	3	6	8	8	15	19	31	42	34	39	29	16	6	7	1	-
	White——M—	140	1	2	-	-	-	-	1	2	-	2	2	4	3	9	5	15	24	19	20	16	8	2	5	-	-
	F—	131	1	-	-	2	1	-	-	1	4	1	3	2	5	6	14	16	16	14	18	12	8	4	2	1	-
	Nonwhite—M—	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia——	124	-	2	3	2	3	6	1	2	6	1	3	5	4	5	13	10	13	13	18	8	4	1	-	-	1
	White——M—	74	-	1	3	1	2	4	1	-	4	1	1	2	3	1	7	6	11	6	10	8	1	1	-	-	-
	F—	48	-	1	-	1	1	2	-	2	2	-	1	2	1	4	6	4	2	7	8	-	3	-	-	-	1
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	142	-	-	2	-	-	1	-	3	1	9	2	9	7	14	13	16	17	21	19	5	3	-	-	-	-
	White——M—	85	-	-	2	-	-	1	-	2	1	8	1	7	4	7	7	11	12	12	6	2	2	-	-	-	-
	F—	54	-	-	-	-	-	-	-	1	-	1	1	2	3	6	4	5	5	9	13	3	1	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	89	-	-	-	-	-	2	2	1	2	1	3	5	4	10	9	8	14	10	9	3	2	4	-	-	-
	White——M—	40	-	-	-	-	-	1	1	-	1	-	2	1	2	3	5	6	5	6	3	2	1	2	-	-	-
	F—	44	-	-	-	-	-	1	1	1	1	1	1	4	1	5	3	3	9	4	5	1	1	2	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus——	388	-	-	-	-	-	1	-	1	-	4	2	5	8	4	23	52	50	65	77	53	31	11	1	-	-
	White——M—	117	-	-	-	-	-	-	-	-	-	-	2	4	3	1	8	17	11	20	20	9	2	-	-	-	-
	F—	262	-	-	-	-	-	1	-	1	-	4	-	1	5	3	12	33	37	44	57	33	21	9	1	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	1	-	-	-	-
290-293	Anemias——	43	-	-	-	1	-	2	-	1	-	1	1	1	1	1	3	3	2	5	3	6	8	2	1	1	-
	White——M—	21	-	-	-	1	-	-	-	1	-	1	1	-	-	1	2	1	2	3	2	2	4	-	-	-	-
	F—	21	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	2	-	2	1	4	4	2	1	1	-
	Nonwhite—M—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	13	3	2	3	-	1	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	White——M—	8	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	4	1	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	10,315	4	2	1	2	2	5	5	18	19	35	47	109	187	338	588	778	1,129	1,392	1,556	1,636	1,284	741	344	71	26
	White——M—	5,431	2	2	-	1	1	2	3	10	8	19	30	64	134	206	366	474	715	787	813	778	582	279	124	23	8
	F—	4,623	2	-	1	1	1	1	2	7	10	14	12	36	45	97	199	273	388	576	706	829	693	455	213	47	17
	Nonwhite—M—	132	-	-	-	-	-	-	-	-	-	2	1	1	6	20	11	21	18	16	14	13	5	5	1	-	-
	F—	129	-	-	-	-	-	-	-	1	1	-	4	8	2	15	12	10	10	13	23	16	4	4	6	1	1
330-334, 400-468	Diseases of cardiovascular system——	10,087	4	2	1	1	-	2	3	13	12	27	46	104	177	323	571	755	1,102	1,368	1,529	1,615	1,266	729	341	71	25
	White——M—	5,324	2	2	-	-	-	1	2	10	6	14	30	60	129	200	359	467	684	775	800	771	575	273	123	23	8
	F—	4,515	2	-	1	1	-	1	1	3	6	11	12	35	41	92	191	259	392	566	693	815	682	447	211	47	16
	Nonwhite—M—	129	-	-	-	-	-	-	-	-	-	2	1	1	5	20	11	20	16	15	14	13	5	5	1	-	-
	F—	119	-	-	-	-	-	-	-	-	-	-	3	8	2	11	10	9	10	12	22	16	4	4	6	1	1
330-334	Vascular lesions, etc.*——	1,854	3	-	-	1	-	1	-	-	3	4	8	12	30	31	96	133	203	244	303	321	250	137	58	12	4
	White——M—	829	1	-	-	-	-	1	-	-	2	3	6	2	19	9	42	69	98	114	153	135	109	47	13	3	2
	F—	983	2	-	-	1	-	-	-	-	1	1	2	7	11	16	51	60	101	123	147	180	139	86	44	9	2
	Nonwhite—M—	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	-	2	1	2	-	-	-
	F—	20	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	3	2	5	-	2	1	2	-	-	-
400-402	Rheumatic fever——	23	-	-	-	-	-	1	-	1	1	5	3	8	2	-	3	1	1	2	3	4	1	2	1	-	-
	White——M—	13	-	-	-	-	-	-	-	1	-	3	2	5	2	-	1	-	1	-	-	-	-	-	-	-	-
	F—	10	-	-	-	-	-	1	-	-	1	2	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
410-443	Diseases of heart-	7,584	1	2	1	-	-	-	3	10	5	17	28	78	136	274	455	604	662	1,070	1,165	1,184	906	506	217	44	18
	White-----M--	4,198	1	2	-	-	-	-	2	7	4	8	18	50	103	180	306	391	572	632	618	583	419	195	87	15	6
	F--	3,200	-	-	1	-	-	-	1	3	1	7	8	22	28	70	132	188	268	421	514	582	482	306	127	28	12
	Nonwhite--M--	100	-	-	-	-	-	-	-	-	-	2	1	1	5	15	8	17	13	8	13	10	4	3	-	-	-
	F--	85	-	-	-	-	-	-	-	-	-	-	1	5	2	9	9	7	9	9	18	9	1	2	3	1	-
410-416	Chronic rheumatic heart disease----	277	...	-	-	-	-	-	2	6	2	8	13	22	23	36	30	38	28	24	21	17	5	2	2	-	-
	White-----M--	126	...	-	-	-	-	-	1	5	2	4	7	11	14	14	12	15	15	7	9	7	1	1	1	-	-
	F--	140	...	-	-	-	-	-	1	1	-	4	5	11	8	19	16	20	10	17	12	10	4	1	1	-	-
	Nonwhite--M--	6	...	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	2	-	-	-	-	-	-	-	-
	F--	5	...	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,169	-	-	-	-	-	-	1	1	3	7	13	37	92	189	317	420	598	759	818	815	618	329	117	27	12
	White-----M--	3,085	-	-	-	-	-	-	1	-	2	4	10	32	77	142	239	298	426	481	460	430	291	128	51	9	4
	F--	1,981	-	-	-	-	-	-	-	1	1	2	2	3	11	32	67	112	160	267	340	376	321	198	65	17	8
	Nonwhite--M--	63	-	-	-	-	-	-	-	-	-	1	1	-	4	10	5	8	8	6	10	7	3	2	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	-	2	-	5	6	2	4	5	8	2	1	1	3	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	327	...	2	-	-	-	-	-	-	-	-	-	-	5	4	13	15	38	74	95	151	179	166	96	73	12	4
	White-----M--	448	...	2	-	-	-	-	-	-	-	-	-	-	2	3	11	11	26	49	50	70	77	79	40	23	4	1
	F--	484	...	-	-	-	-	-	-	-	-	-	-	-	3	1	2	4	10	22	45	73	96	86	55	50	8	3
	Nonwhite--M--	5	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	-
	F--	10	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	4	-	1	-	-	-	-
430-434	Other diseases of heart---------	123	1	-	1	-	-	-	-	3	-	-	2	6	4	6	13	14	12	17	13	7	18	3	3	2	-
	White-----M--	71	1	-	-	-	-	-	-	2	-	-	1	2	2	4	10	10	7	10	6	4	7	2	2	1	-
	F--	48	-	-	1	-	-	-	-	1	-	-	1	3	1	2	3	4	5	7	5	3	9	1	1	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	1,088	-	-	-	-	-	-	-	-	-	2	-	8	13	30	80	96	152	175	160	166	103	76	22	3	2
	White-----M--	469	-	-	-	-	-	-	-	-	-	-	-	3	7	9	34	42	75	84	73	65	41	24	10	1	1
	F--	567	-	-	-	-	-	-	-	-	-	-	1	-	2	5	15	42	43	71	85	78	97	62	51	12	2	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	6	5	2	3	1	-	1	-	-	-
	F--	28	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	5	1	4	6	3	-	-	-	-	-
444-447	Hypertension without mention of heart----------	154	-	-	-	-	-	-	-	-	-	2	-	3	2	5	8	7	5	13	18	16	28	22	14	11	-	-
	White-----M--	66	-	-	-	-	-	-	-	-	-	-	-	1	-	5	4	4	2	7	8	9	12	7	2	5	-	-
	F--	81	-	-	-	-	-	-	-	-	-	2	-	-	2	-	3	3	3	6	9	7	14	14	12	6	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-
450	General arteriosclerosis---------	364	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	1	8	27	37	68	79	68	52	15	3
	White-----M--	158	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	16	15	36	36	27	16	5	-
	F--	194	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	9	20	31	42	41	34	10	2
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	1	-	1
451-468	Other diseases of circulatory sys.--	108	-	-	-	-	-	-	-	2	1	1	4	4	4	9	8	11	15	9	10	14	9	4	3	-	-
	White-----M--	59	-	-	-	-	-	-	-	2	-	-	3	3	-	8	6	5	11	5	5	5	4	2	2	-	-
	F--	47	-	-	-	-	-	-	-	-	1	1	1	1	4	3	2	8	4	4	5	8	5	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
592-594	Chronic nephritis, etc.*----------	228	-	-	-	1	2	1	2	5	7	8	1	5	10	13	17	23	27	24	27	21	18	12	3	-	1
	White-----M--	107	-	-	-	1	1	1	1	-	2	5	-	4	5	6	7	7	21	12	13	7	7	6	1	-	-
	F--	108	-	-	-	-	1	-	1	4	4	3	-	1	4	5	8	14	6	10	13	14	11	6	2	-	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	10	-	-	-	-	-	-	-	1	1	-	1	-	-	2	2	1	-	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	381	42	6	3	1	3	6	1	5	1	5	4	9	6	15	25	18	26	31	40	49	30	39	14	-	-
	White-----M--	215	25	4	1	-	2	4	-	4	1	1	3	5	4	10	12	14	16	17	23	28	15	21	5	-	-
	F--	156	13	4	2	1	1	2	1	-	-	4	1	4	2	5	12	3	10	13	17	20	15	18	8	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
480-483	Influenza----------	19	-	1	1	-	-	-	-	-	1	1	1	1	-	-	1	1	1	2	1	3	2	2	-	-	-
	White-----M--	12	-	1	1	-	-	-	-	-	1	-	1	1	-	-	1	-	1	1	1	1	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	382	42	7	2	1	3	6	1	5	-	4	3	8	6	15	24	17	25	29	39	46	28	37	14	-	-
	White-----M--	203	25	3	-	-	2	4	-	4	-	1	2	4	4	10	11	14	15	16	22	27	14	20	5	-	-
	F--	150	13	4	2	1	1	2	1	-	-	3	1	4	2	5	12	3	10	12	17	18	14	17	8	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis---------	39	8	3	1	1	-	3	-	-	-	-	-	-	-	1	2	3	1	1	4	5	4	1	1	-	-
	White-----M--	21	4	-	1	1	-	-	-	-	-	-	-	-	-	1	1	3	1	1	4	3	-	1	-	-	-
	F--	16	3	2	-	-	-	3	-	-	-	-	-	-	-	-	1	-	-	-	2	4	-	1	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	99	1	-	-	-	-	-	-	-	1	1	1	3	2	10	8	7	15	23	10	9	4	3	1	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	1	3	-	8	6	5	13	19	10	7	2	3	-	-	-
	F--	20	1	-	-	-	-	-	-	-	1	1	-	-	2	1	2	2	2	3	-	2	2	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	31	-	-	-	-	1	-	-	-	-	2	-	2	1	1	3	5	5	-	4	4	2	1	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	2	-	2	1	1	3	4	3	-	2	1	1	-	-	-	-
	F--	9	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	3	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	146	18	2	1	-	-	1	-	1	-	-	3	2	-	6	8	14	17	11	22	18	12	7	3	-	-
	White-----M--	78	8	1	1	-	-	1	-	1	-	-	1	-	-	6	2	6	8	8	11	11	8	3	2	-	-
	F--	61	8	1	-	-	-	-	-	-	-	-	2	1	-	-	6	8	5	3	11	7	4	4	1	-	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	CONNECTICUT—Con.																										
543, 571, 572	Gastritis, etc.*	68	9	3	-	-	-	-	1	1	1	-	1	2	3	5	6	3	5	6	8	4	6	3	1	-	-
	White	28	1	1	-	-	-	-	-	-	1	-	1	1	1	3	1	2	4	3	3	1	3	1	1	-	-
	M	38	7	2	-	-	-	-	1	1	-	-	-	1	2	2	5	1	1	3	5	2	3	2	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	241	-	-	-	-	-	-	-	-	-	-	3	17	16	21	41	44	32	27	26	7	6	-	1	-	-
	White	150	-	-	-	-	-	-	-	-	-	-	-	8	8	13	28	34	21	16	14	4	3	-	1	-	-
	M	86	-	-	-	-	-	-	-	-	-	-	2	8	7	7	13	9	11	11	12	3	3	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	24	1	1	-	1	-	1	-	1	1	-	-	-	1	1	2	2	3	2	3	-	2	2	-	-	-
	White	15	1	1	-	1	-	1	-	-	1	-	-	-	1	1	1	1	2	1	2	-	1	-	-	-	-
	M	8	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	1	1	-	1	2	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	14	10	6	15	4	4	-	-
	White	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	6	14	10	6	15	4	4	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	26	...	...	...	...	...	...	-	1	5	5	7	2	6	-	-	-	...	...	...	...	...	...	...	...	-
	White	21	...	...	...	...	...	...	-	1	4	2	7	1	6	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite	5	...	...	...	...	...	...	-	-	1	3	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications	23	...	...	...	...	...	...	-	1	4	4	6	2	6	-	-	-	...	...	...	...	...	...	...	...	-
	White	20	...	...	...	...	...	...	-	1	4	2	6	1	6	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite	3	...	...	...	...	...	...	-	-	-	2	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations	244	169	8	5	3	2	5	2	6	3	6	8	6	2	3	3	3	3	1	4	2	-	-	-	-	-
	White	137	95	4	3	1	2	3	1	3	2	1	5	4	1	2	2	1	3	-	2	2	-	-	-	-	-
	M	98	68	4	2	2	-	2	1	2	1	1	2	2	1	1	1	2	-	1	2	-	-	-	-	-	-
	Nonwhite	7	4	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	610	610	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	338	338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	233	233	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	311	311	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	269	269	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	143	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	77	8	2	-	-	-	-	-	1	-	-	1	4	3	1	2	2	8	11	3	8	7	9	6	2	1
	White	46	5	1	-	-	-	-	-	1	-	-	-	3	2	1	2	-	6	8	2	3	7	3	1	1	-
	M	28	1	1	-	-	-	-	-	-	-	-	1	1	1	-	-	1	1	3	-	5	-	6	5	1	1
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	767	26	2	7	4	2	10	6	9	12	9	28	23	33	36	59	86	96	89	90	79	33	17	9	1	1
	White	425	15	1	5	4	2	5	-	6	5	4	14	16	17	20	32	51	65	52	44	34	17	8	6	1	1
	M	320	9	1	2	-	-	5	4	1	6	5	12	7	13	14	25	33	31	35	44	45	16	9	3	-	-
	Nonwhite	9	2	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	-	1	1	-	-	-	-	-	-	-
	M	13	-	-	-	-	-	-	1	1	1	-	2	-	3	1	1	1	-	1	1	-	-	-	-	-	-	-
E800-E962	Accidents	871	28	16	10	6	9	24	16	33	48	31	33	29	43	24	53	46	53	79	72	74	64	45	28	6	3
	White	547	18	7	8	3	6	14	11	28	38	22	22	21	35	18	38	33	33	54	50	33	29	13	8	3	2
	M	295	7	9	2	2	1	9	5	4	10	5	10	4	8	5	13	11	20	23	21	41	34	31	17	3	-
	Nonwhite	17	2	-	-	1	1	1	-	1	-	-	4	1	2	-	1	1	-	1	-	-	-	-	-	-	1
	M	12	1	-	-	-	1	-	-	-	-	-	-	2	-	1	1	1	-	1	1	-	1	1	1	-	-
E810-E835	Motor-vehicle accidents	224	-	5	3	1	3	8	7	19	28	12	15	6	13	3	14	9	15	18	19	11	10	2	2	-	1
	White	161	-	1	1	-	3	4	4	15	25	7	10	5	12	2	9	6	9	16	15	8	9	1	1	-	-
	M	57	-	4	2	1	-	4	3	4	3	3	5	1	1	-	4	3	6	2	3	5	1	1	1	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	647	28	11	7	5	6	16	9	14	20	19	18	23	30	21	38	37	38	61	53	63	54	43	24	6	2
	White	386	18	6	7	3	3	10	7	13	13	15	12	16	23	16	29	27	24	38	35	27	20	12	7	3	2
	M	238	7	5	-	1	1	5	2	-	7	2	5	3	7	5	9	8	14	21	18	36	33	30	16	3	-
	Nonwhite	14	2	-	-	1	1	1	-	1	-	2	1	2	-	-	1	1	-	1	-	-	-	1	1	-	-
	M	9	1	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	1	1	-	-
E963, E970-E979	Suicide	236	-	-	-	-	-	-	1	3	7	13	15	21	28	13	23	36	31	17	15	8	3	2	-	-	-
	White	178	-	-	-	-	-	-	1	2	6	8	11	13	18	8	20	27	27	11	12	7	3	2	-	-	-
	M	55	-	-	-	-	-	-	-	1	1	3	4	8	10	4	3	7	4	6	3	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	36	2	-	-	-	-	-	1	1	2	4	-	6	4	2	4	4	2	3	-	1	-	-	-	-	-
	White	19	1	-	-	-	-	-	-	-	1	-	-	2	3	1	3	4	1	2	-	1	-	-	-	-	-
	M	12	1	-	-	-	-	-	1	1	-	1	-	3	1	1	1	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE																										
	ALL CAUSES	3,330	224	11	6	11	3	16	14	26	32	42	61	77	116	159	191	280	316	354	409	390	315	196	77	14	8
	White—M	1,486	93	4	5	1	1	9	5	9	17	18	17	24	49	78	91	124	163	182	178	158	147	80	25	5	3
	F	1,247	70	3	1	3	2	5	6	7	9	10	21	25	24	41	51	85	98	120	176	196	148	102	48	5	1
	Nonwhite—M	339	34	1	-	6	-	3	2	3	3	7	14	16	20	23	40	35	31	27	29	26	11	3	1	1	3
	F	258	27	3	-	1	-	1	1	7	3	7	9	12	23	17	9	16	24	25	26	20	9	11	3	3	1
001-019	Tuberculosis, all forms	113	1	5	-	3	-	-	-	3	4	8	7	7	15	12	12	8	10	5	4	5	4	-	-	-	-
	White—M	43	-	2	-	-	-	-	-	-	-	2	1	-	6	8	5	5	7	3	2	1	1	-	-	-	-
	F	23	-	1	-	1	-	-	-	1	2	3	2	3	1	2	-	1	-	-	1	3	2	-	-	-	-
	Nonwhite—M	26	-	1	-	2	-	-	-	-	-	1	2	3	4	1	6	2	1	1	-	1	1	-	-	-	-
	F	21	1	1	-	-	-	-	-	2	2	2	2	1	4	1	1	-	2	1	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	104	1	2	-	1	-	-	-	3	4	8	7	7	13	11	11	8	10	5	4	5	4	-	-	-	-
	White—M	41	-	1	-	-	-	-	-	-	-	2	1	-	5	8	5	5	7	3	2	1	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	1	2	3	2	3	1	1	-	1	-	-	1	3	2	-	-	-	-
	Nonwhite—M	23	-	-	-	1	-	-	-	-	-	1	2	3	4	1	5	2	1	1	-	1	1	-	-	-	-
	F	20	1	1	-	-	-	-	-	2	2	2	2	1	3	1	1	-	2	1	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	9	-	3	-	2	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	27	2	-	-	-	-	-	-	-	-	-	1	3	1	2	3	7	1	3	2	1	-	1	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	1	2	-	-	-	-	-	-	-	-
	F	9	2	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	2	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	12	1	-	-	-	1	1	-	1	1	1	-	1	1	1	1	1	-	-	-	-	1	-	-	-	-
	White—M	3	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	-	-	-	-	-	1	1	1	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
140-205	Malignant neoplasms, etc.*—	451	1	1	-	2	-	5	4	-	3	3	4	13	15	31	35	55	70	51	63	49	24	16	4	1	1
	White——M—	193	-	1	-	1	-	4	2	-	1	-	-	4	3	8	17	22	41	28	27	17	10	6	1	-	-
	F—	210	1	-	-	1	-	1	1	-	2	2	4	7	8	16	14	27	23	19	32	27	13	10	2	-	-
	Nonwhite—M—	26	-	-	-	-	-	-	1	-	-	1	-	1	1	3	4	3	5	2	1	3	-	-	-	-	1
	F—	22	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	3	1	2	3	2	1	-	1	1	-
140-148	Of buccal cavity and pharynx———	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	1	1	1	-	1	1	-	-
	White——M—	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	1	-	-	1	1	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum———	172	-	-	-	-	-	-	-	-	-	-	1	1	1	10	10	17	33	24	33	25	10	5	1	-	1
	White——M—	81	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	6	20	15	16	8	4	1	-	-	-
	F—	71	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	9	10	8	14	13	5	4	1	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	3	-	1	2	-	-	-	-	1
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-
160-184	Of respiratory system———	49	-	-	-	-	-	-	-	-	-	-	-	2	2	2	5	8	8	9	9	2	2	-	-	-	-
	White——M—	38	-	-	-	-	-	-	-	-	-	-	-	2	1	2	4	7	8	7	4	1	2	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	1	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast———	44	-	-	-	-	-	-	-	-	-	1	-	4	4	5	2	8	4	-	4	5	4	1	2	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	40	-	-	-	-	-	-	-	-	-	1	-	4	2	5	2	8	4	-	3	5	4	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-
171-179	Of genital organs—	78	-	-	-	-	-	-	-	-	1	-	1	3	5	9	7	10	10	8	7	8	4	4	-	1	-
	White——M—	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	-	3	5	2	2	-	-	-
	F—	45	-	-	-	-	-	-	-	-	1	-	1	1	3	5	6	7	4	7	4	2	2	2	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-
	F—	12	-	-	-	-	-	-	-	-	-	-	-	1	2	4	-	2	1	1	-	-	-	-	-	1	-
180, 181	Of urinary organs—	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	5	2	3	3	1	-	-	-
	White——M—	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	-	1	2	1	-	-	-
	F—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*———	43	-	1	-	2	-	1	2	-	1	2	-	2	1	4	6	6	2	2	4	2	1	4	-	-	-
	White——M—	20	-	1	-	1	-	1	1	-	1	-	-	-	-	2	3	4	1	2	2	1	-	1	-	-	-
	F—	21	-	-	-	1	-	1	1	-	-	1	-	1	1	2	3	2	1	-	2	1	1	3	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia———	16	1	-	-	-	-	3	1	-	1	-	-	1	-	-	1	1	2	1	2	2	-	-	-	-	-
	White——M—	10	-	-	-	-	-	3	-	-	-	-	-	1	-	-	1	1	2	1	1	1	-	-	-	-	-
	F—	5	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	13	-	-	-	-	-	1	1	-	-	-	2	-	1	1	1	1	2	1	1	1	-	-	-	-	-
	White——M—	5	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	2	-	1	1	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	16	-	-	-	-	-	1	1	-	-	1	1	1	3	2	1	2	-	1	-	1	-	1	-	-	-
	White——M—	6	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	83	-	-	-	-	-	-	-	-	-	1	1	1	1	2	6	10	14	11	18	8	6	4	-	-	-
	White——M—	18	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	3	3	6	-	3	-	-	-	-
	F—	46	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	8	6	8	8	3	4	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-	-	-	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	4	-	-	-	-	-	-
280-283	Anemias———	12	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2	3	3	-	-	-	-
	White——M—	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	2	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Normeningococcal meningitis———	6	1	1	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White——M—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	1	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases———	1,797	2	-	-	-	1	1	2	3	3	4	14	16	52	59	84	126	175	237	275	274	242	149	60	13	5
	White——M—	839	2	-	-	-	-	-	-	2	2	2	6	8	27	31	49	67	84	118	127	114	115	58	20	5	2
	F—	706	-	-	-	-	1	-	2	1	1	2	3	5	8	13	21	38	57	82	114	125	112	77	38	5	1
	Nonwhite—M—	134	-	-	-	-	-	1	-	-	-	-	2	2	6	7	11	14	19	17	21	19	9	3	1	1	1
	F—	118	-	-	-	-	-	-	-	-	-	-	3	1	11	8	3	7	15	20	13	16	6	11	1	2	1
330-334, 400-468	Diseases of cardiovascular system—	1,716	2	-	-	-	1	1	2	2	2	3	13	16	49	56	76	121	172	230	267	259	230	142	57	11	5
	White——M—	808	2	-	-	-	-	-	-	2	1	2	6	8	25	30	45	67	82	116	122	109	110	55	19	5	2
	F—	668	-	-	-	-	1	-	2	-	1	1	2	5	7	12	17	37	57	77	112	118	105	74	36	3	1
	Nonwhite—M—	126	-	-	-	-	-	1	-	-	-	-	2	2	6	7	11	11	19	17	20	16	9	2	1	1	1
	F—	114	-	-	-	-	-	-	-	-	-	-	3	1	11	7	3	6	14	20	13	15	6	11	1	2	1
330-334	Vascular lesions, etc.*———	276	-	-	-	-	-	-	-	-	1	1	1	1	8	4	9	25	29	37	50	43	37	18	11	1	-
	White——M—	108	-	-	-	-	-	-	-	-	-	-	-	-	5	-	6	8	11	11	18	20	18	6	5	-	-
	F—	126	-	-	-	-	-	-	-	-	1	1	-	-	-	2	3	13	12	17	23	21	17	9	6	1	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	3	4	2	1	-	-	-	-
	F—	28	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	2	5	6	5	-	1	3	-	-	-
400-402	Rheumatic fever———	8	-	-	-	-	1	-	1	-	-	1	1	-	2	-	-	-	-	1	-	-	-	-	-	1	-
	White——M—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	4	-	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																										
410-443	Diseases of heart	1,324	2	-	-	-	-	1	1	2	1	1	11	14	37	52	66	94	137	179	205	200	173	104	58	5	3
	White—M	658	2	-	-	-	-	-	-	2	1	1	6	8	19	30	38	59	68	97	102	83	85	43	12	3	1
	F	492	-	-	-	-	-	-	1	-	-	-	2	5	5	10	14	23	44	57	82	90	80	53	24	1	1
	Nonwhite—M	99	-	-	-	-	-	1	-	-	-	-	2	1	6	6	11	8	16	13	14	13	6	1	1	-	-
	F	75	-	-	-	-	-	-	-	-	-	-	1	-	7	6	3	4	9	12	5	14	4	7	1	1	1
410-416	Chronic rheumatic heart disease	45	...	-	-	-	-	-	-	2	-	-	2	3	9	2	2	7	3	4	4	3	2	-	2	-	-
	White—M	23	...	-	-	-	-	-	2	-	-	-	2	5	1	2	3	1	3	3	-	1	-	-	-	-	-
	F	21	...	-	-	-	-	-	-	-	-	-	2	1	3	1	-	4	2	1	1	3	1	-	2	-	-
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	678	-	-	-	-	-	-	-	-	-	1	3	7	16	31	43	57	82	101	107	95	67	53	11	1	1
	White—M	392	-	-	-	-	-	-	-	-	-	1	5	6	10	23	29	42	46	61	61	49	33	20	4	1	1
	F	251	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	13	29	35	37	39	33	28	6	-	-
	Nonwhite—M	36	-	-	-	-	-	-	-	-	-	-	-	1	2	3	7	2	6	4	7	3	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	1	2	4	-	5	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	287	...	-	-	-	-	-	1	-	1	-	-	1	2	7	4	9	20	33	42	54	57	31	22	2	1
	White—M	121	...	-	-	-	-	-	-	-	1	-	-	-	1	-	1	5	7	16	18	25	24	15	7	1	-
	F	114	...	-	-	-	-	-	1	-	-	-	-	1	-	3	2	2	5	8	18	20	25	14	14	-	1
	Nonwhite—M	27	...	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	3	1	5	5	5	1	1	-	-
	F	25	...	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	8	1	4	3	1	-	1	-
430-434	Other diseases of heart	34	2	-	-	-	-	1	-	-	-	-	-	1	-	3	2	2	3	4	7	5	3	1	-	-	-
	White—M	16	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	4	5	1	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	2	3	1	1	-	-	-
	Nonwhite—M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.	280	-	-	-	-	-	-	-	-	-	-	4	2	10	9	15	19	29	37	43	43	44	19	3	2	1
	White—M	106	-	-	-	-	-	-	-	-	-	-	1	-	3	5	6	9	13	13	15	8	25	8	1	1	-
	F	115	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	4	8	13	24	25	20	10	2	1	-
	Nonwhite—M	31	-	-	-	-	-	-	-	-	-	-	2	-	3	-	3	2	6	8	2	5	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	1	-	3	3	2	4	2	3	2	5	1	1	-	-	1
444-447	Hypertension without mention of heart	18	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	5	3	1	4	1	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	1	2	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
450	General arteriosclerosis	78	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	4	8	13	14	18	8	4	2
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	1	5	5	6	2	2	1
	F	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	4	6	6	10	6	1	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	1	-	-	1
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	-	1	-
451-468	Other diseases of circulatory sys.	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	3	1	2	1	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	81	-	-	-	-	-	-	1	1	1	1	-	-	3	3	8	5	3	7	8	16	12	7	3	2	-
	White—M	31	-	-	-	-	-	-	-	1	-	-	-	-	2	1	4	-	2	2	5	5	5	3	1	-	-
	F	38	-	-	-	-	-	-	1	-	1	1	-	-	1	1	4	1	-	5	2	7	7	3	2	2	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	1	3	-	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-
480-483	Influenza and pneumonia, etc.*	92	16	-	-	-	-	1	1	-	1	-	3	2	3	8	5	4	9	8	6	9	9	5	4	-	-
	White—M	43	2	-	-	-	-	1	-	-	-	-	1	1	1	6	-	3	5	4	2	8	3	4	2	-	-
	F	24	3	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	4	3	1	5	1	2	-	-
	Nonwhite—M	17	8	-	-	-	-	-	-	1	-	-	-	-	2	2	2	-	1	-	1	-	-	-	-	-	-
	F	8	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-
480-	Influenza	8	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	-	-	-
483	White—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-	Pneumonia, etc.*	84	12	-	-	-	-	1	1	-	1	-	3	2	3	8	3	4	9	6	6	9	7	5	4	-	-
493	White—M	40	1	-	-	-	-	1	-	-	-	-	1	1	1	6	-	3	5	3	2	8	2	4	2	-	-
	F	21	2	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	3	3	1	4	1	2	-	-
	Nonwhite—M	15	6	-	-	-	-	-	-	-	1	-	-	-	2	2	2	-	1	-	1	-	-	-	-	-	-
	F	8	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	1	-	-	-	-
500-502	Bronchitis	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	2	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	12	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	3	-	2	1	1	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	1	1	1	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	28	2	-	-	-	-	-	-	-	-	-	1	1	-	2	2	3	4	2	5	4	2	-	-	-	-
	White—M	10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	1	-	-	-	-
	F	14	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	1	4	2	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DELAWARE—Con.																									
543,	Gastritis, etc.*--	21	9	1	-	-	-	1	1	1	2	-	-	-	1	1	-	1	1	-	1	1	-	-	-	-
571,	White-----M--	5	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
572	F--	7	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	6	2	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	23	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	5	7	4	-	-	-	-	-	-
	White-----M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	5	2	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																									
591	etc.*----------	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	2	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
610	Hyperplasia of																									
	prostate---------	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	2	4	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
640-	Complications of																									
689	pregnancy, etc.*-	4	...	...	...	...	...	...	-	1	-	-	3	-	-	-	-	-	...	...	...	...	...	...	...	-
	White-----F--	3	...	...	...	...	...	...	-	-	-	-	3	-	-	-	-	-	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	-
650-	Abortion---------	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	-
652	White-----F--	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	-
640-	All other com-																									
649,	plications-------	3	...	...	...	...	...	...	-	1	-	-	2	-	-	-	-	-	...	...	...	...	...	...	...	-
660-	White-----F--	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	...	...	...	...	...	...	...	-
669	Nonwhite--F--	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	-
750-	Congenital mal-																									
759	formations-------	41	36	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	16	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	2	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																									
776	of early infancy-	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																									
762	etc.*----------	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																									
768	newborn----------	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																									
776	infancy, and im-																									
	maturity unquali-																									
	fied----------	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	21	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	2	-	4	4	6	-
795	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	2	2	-
	F--	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	-
	Nonwhite--M--	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-
Re-	All other diseases	140	10	2	1	-	-	1	1	4	1	6	1	10	8	14	15	13	12	11	14	8	4	3	-	-
sid-	White-----M--	58	3	-	1	-	-	-	-	1	-	2	-	2	2	8	4	5	9	7	5	1	3	3	-	-
ual	F--	56	4	1	-	-	-	1	-	1	1	2	-	5	3	3	7	7	2	3	8	7	1	-	-	-
	Nonwhite--M--	14	1	-	-	-	-	-	-	-	-	-	-	2	2	2	3	-	1	1	1	-	-	-	-	-
	F--	14	2	1	-	-	-	-	1	2	-	2	1	1	1	1	1	1	-	-	-	-	-	-	-	-
E800-	Accidents----------	188	5	1	1	4	1	6	5	10	11	9	16	13	12	13	15	7	6	7	7	16	12	9	3	-	1
E962	White-----M--	98	3	1	1	-	-	2	3	6	10	8	7	8	8	5	10	2	2	5	2	7	4	3	-	-	1
	F--	41	-	-	-	1	1	2	-	2	-	-	2	-	-	4	1	1	1	-	1	8	6	3	-	-	-
	Nonwhite--M--	45	1	-	-	3	-	2	-	2	1	1	7	4	4	4	4	3	3	2	3	1	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
E810-	Motor-vehicle																									
E835	accidents---------	76	-	-	1	1	-	2	2	7	9	4	11	6	7	5	6	3	2	3	3	3	1	-	-	-	-
	White-----M--	52	-	-	1	-	-	2	2	4	8	3	4	6	5	4	5	1	1	2	2	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	2	-	-	2	-	-	-	1	1	-	-	1	2	-	-	-	-	-
	Nonwhite--M--	15	-	-	-	1	-	-	-	1	1	1	5	-	2	1	-	1	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	112	5	1	-	3	1	4	1	3	2	5	5	7	5	8	9	4	4	4	4	13	11	9	3	-	1
E802,	White-----M--	46	3	1	-	-	-	-	1	2	2	5	3	2	3	1	5	1	1	3	-	6	3	3	-	-	1
E840-	F--	32	-	-	-	1	1	2	-	-	-	-	-	-	4	-	-	-	1	-	-	6	8	6	3	-	-
E962	Nonwhite--M--	30	1	-	-	2	-	2	-	1	-	-	2	4	2	3	4	2	2	1	3	1	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
E963,	Suicide----------	41	-	-	-	-	-	-	-	2	1	1	6	2	3	6	3	4	2	4	3	2	1	-	-	-	1
E970-	White-----M--	19	-	-	-	-	-	-	-	-	1	1	1	-	2	4	2	3	1	2	1	2	-	-	-	-	-
E979	F--	13	-	-	-	-	-	-	-	1	1	-	2	1	1	2	1	-	1	2	2	-	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	1	-	-	-	-	1
	F--	4	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	25	-	-	-	-	-	-	-	1	2	5	1	4	-	-	6	4	-	2	-	-	-	-	-	-	-
E980-	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-	-	-
E985	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	1	3	-	2	-	-	4	3	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	1	2	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA																										
	ALL CAUSES	8,448	576	29	28	11	9	29	15	50	101	161	246	305	423	552	634	766	767	929	946	757	619	333	110	23	9
	White—M	2,968	193	3	4	1	2	15	3	11	27	40	44	62	130	178	258	323	346	384	363	251	199	102	20	7	2
	F	2,367	134	8	8	4	3	5	4	5	14	28	38	48	78	98	109	168	179	242	308	340	239	180	68	10	1
	Nonwhite—M	1,688	125	14	9	1	3	5	7	18	30	51	84	108	120	164	168	166	131	148	152	93	57	25	8	1	2
	F	1,425	124	6	7	5	1	4	1	16	30	62	80	87	95	112	99	109	111	155	123	73	74	26	16	5	4
001-019	Tuberculosis, all forms	438	-	1	3	1	-	1	-	14	23	46	55	35	57	46	47	25	28	20	15	13	6	2	-	-	-
	White—M	104	-	-	-	-	-	-	-	1	2	2	4	5	19	13	13	13	7	6	7	8	4	-	-	-	-
	F	34	-	-	-	-	-	-	-	-	1	6	6	5	2	4	4	-	1	-	3	1	-	1	-	-	-
	Nonwhite—M	187	-	-	3	-	-	-	-	5	6	16	22	16	25	25	23	10	15	11	5	3	2	-	-	-	-
	F	113	-	1	-	1	-	1	-	8	14	22	23	9	11	4	7	2	5	3	-	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system	396	-	-	1	-	-	1	-	12	17	42	50	30	54	40	44	25	27	18	14	13	6	2	-	-	-
	White—M	102	-	-	-	-	-	-	-	1	2	1	4	5	18	13	13	13	7	6	7	8	4	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	5	6	3	2	3	4	-	1	-	3	1	-	1	-	-	-
	Nonwhite—M	164	-	-	1	-	-	-	-	3	4	16	18	15	23	21	21	10	14	9	4	3	2	-	-	-	-
	F	101	-	-	-	-	-	1	-	8	11	20	22	7	11	3	6	2	5	3	-	1	-	1	-	-	-
010-019	Tuberculosis, other forms	42	-	1	2	1	-	-	-	2	6	4	5	5	3	6	3	-	1	2	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	23	-	-	2	-	-	-	-	2	2	-	4	1	2	4	2	-	1	2	1	-	-	-	-	-	-	-
	F	12	-	1	-	1	-	-	-	-	3	2	1	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	83	1	-	-	-	-	-	-	-	-	-	3	5	6	11	17	14	8	6	9	-	2	1	-	-	-
	White—M	25	1	-	-	-	-	-	-	-	-	-	-	1	2	1	1	4	4	2	6	-	2	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	-	2	2	3	5	10	6	1	4	1	-	-	-	-	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	1	2	1	5	5	4	2	-	1	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	1	1	-	1	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	4	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	4	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	25	2	-	2	-	-	-	-	2	-	1	4	1	3	2	1	2	1	1	1	1	1	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	1	1	1	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	11	1	-	1	-	-	-	-	1	-	1	3	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	4	1	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
140-205	Malignant neoplasms, etc.*——	1,282	1	-	-	2	3	5	1	3	9	10	27	43	85	87	119	163	158	176	131	161	70	27	10	2	1
	White——M——	436	1	-	-	-	1	2	-	2	3	3	8	7	16	21	38	63	62	63	54	54	26	9	2	1	-
	F——	485	-	-	-	2	1	1	-	-	1	3	7	13	31	31	40	57	57	66	45	73	32	15	8	1	1
	Nonwhite—M——	185	-	-	-	-	1	-	1	1	3	1	1	7	11	20	21	28	19	28	18	22	5	2	-	-	-
	F——	186	-	-	-	-	-	-	-	-	2	3	11	16	27	15	20	17	20	21	14	12	7	1	-	-	-
140-148	Of buccal cavity and pharynx——	32	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	4	8	1	6	6	-	1	-	-	-
	White——M——	19	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	5	-	4	3	-	1	-	-	-
	F——	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite—M——	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	-	1	1	1	-	-	-	-	-
	F——	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	475	-	-	-	-	-	-	-	1	2	2	5	9	20	21	43	61	59	69	57	75	36	12	4	1	
	White——M——	156	-	-	-	-	-	-	-	1	1	-	1	1	5	5	14	23	21	24	19	21	14	5	1	-	
	F——	162	-	-	-	-	-	-	-	-	-	-	1	3	7	3	9	16	15	26	20	36	17	5	3	1	
	Nonwhite—M——	92	-	-	-	-	-	-	-	-	1	-	1	3	2	9	11	13	12	11	9	9	4	1	-	-	
	F——	65	-	-	-	-	-	-	-	-	-	2	2	2	6	4	9	3	11	8	9	7	1	1	-	-	
160-164	Of respiratory system——	147	-	-	-	-	-	-	-	1	1	-	1	2	10	9	22	23	21	23	13	15	3	3	-	-	
	White——M——	101	-	-	-	-	-	-	-	-	-	-	1	-	6	5	15	20	16	15	10	9	3	1	-	-	
	F——	16	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	1	2	4	-	2	-	1	-	-	
	Nonwhite—M——	25	-	-	-	-	-	-	-	1	1	-	-	1	1	2	4	1	3	4	2	4	-	1	-	-	
	F——	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	
170	Of breast——	144	-	-	-	-	-	-	-	-	-	2	3	8	11	14	18	20	16	18	6	12	8	5	2	-	1
	White——M——	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	F——	103	-	-	-	-	-	-	-	-	-	1	-	6	6	8	11	16	14	12	4	11	5	5	2	-	1
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	40	-	-	-	-	-	-	-	-	-	1	3	2	5	5	7	4	2	5	2	1	3	-	-	-	
171-179	Of genital organs——	214	-	-	-	-	-	-	-	-	1	1	7	9	22	18	18	26	19	20	24	31	14	2	2	-	
	White——M——	33	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	2	4	6	11	4	1	-	-	
	F——	107	-	-	-	-	-	-	-	-	-	-	3	1	10	13	12	16	11	8	12	11	7	1	2	-	
	Nonwhite—M——	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	5	6	1	-	-	-	
	F——	54	-	-	-	-	-	-	-	-	1	-	4	8	12	4	3	7	5	4	1	3	2	-	-	-	
180, 181	Of urinary organs——	64	-	-	-	-	-	1	-	1	-	-	1	1	5	4	1	9	5	14	7	11	-	2	2	-	
	White——M——	34	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	5	4	7	7	5	-	1	1	-	
	F——	14	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	4	-	4	-	1	1	-	
	Nonwhite—M——	13	-	-	-	-	-	1	-	1	-	-	-	-	2	1	1	2	1	2	-	2	-	-	-	-	
	F——	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	
156B, 165, 190-199	Of other sites, etc.*——	129	-	-	-	-	-	2	-	-	1	2	2	4	7	7	13	7	13	18	15	18	11	7	1	-	1
	White——M——	53	-	-	-	-	-	1	-	-	1	-	1	1	2	4	5	3	6	7	6	8	4	3	-	-	1
	F——	49	-	-	-	-	-	1	-	-	-	1	2	2	2	2	3	2	5	9	4	3	6	3	1	-	-
	Nonwhite—M——	14	-	-	-	-	-	-	-	-	1	-	-	1	-	4	2	1	1	1	3	1	-	-	-	-	-	
	F——	13	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	1	1	2	1	1	1	-	-	-	-	
204	Leukemia and aleukemia——	39	1	-	-	2	-	3	-	-	2	1	3	2	-	-	3	5	7	6	-	1	2	1	-	-	
	White——M——	23	1	-	-	-	-	2	-	-	2	1	2	2	-	-	1	4	4	2	-	-	2	-	-	-	
	F——	14	-	-	-	2	-	1	-	-	-	-	-	-	-	-	2	1	2	4	-	1	-	1	-	-	
	Nonwhite—M——	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	F——	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	
200-203, 205	Lymphomas, etc.*——	48	-	-	-	-	-	-	-	1	2	3	4	4	9	4	5	3	7	10	-	1	-	-	-	-	
	White——M——	16	-	-	-	-	-	-	-	-	-	3	3	1	1	-	1	2	3	4	-	1	-	-	-	-	
	F——	17	-	-	-	-	-	-	-	1	1	1	-	-	3	2	2	-	4	4	-	-	-	-	-	-	
	Nonwhite—M——	12	-	-	-	-	-	-	-	1	-	-	-	1	5	2	2	-	-	1	-	-	-	-	-	-	
	F——	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	
210-239	Benign and unspecified neoplasms——	53	-	-	-	1	-	-	1	-	-	1	1	3	5	4	4	11	4	4	5	5	1	2	1	-	
	White——M——	10	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	2	2	1	-	-	-	-	-	
	F——	28	-	-	-	-	-	-	1	-	1	-	1	2	1	2	6	2	-	3	4	1	1	1	-	-	
	Nonwhite—M——	6	-	-	-	-	-	-	-	-	1	-	1	-	1	2	2	-	-	-	-	-	-	-	-	-	
	F——	11	-	-	-	1	-	-	-	-	-	-	1	3	2	-	1	-	2	-	-	-	1	-	-	-	
260	Diabetes mellitus——	119	-	-	-	-	-	-	-	1	2	1	1	2	6	6	13	16	12	15	19	14	5	5	1	-	
	White——M——	37	-	-	-	-	-	-	-	-	1	-	-	2	3	1	3	4	6	2	4	6	-	4	1	-	
	F——	44	-	-	-	-	-	-	-	-	-	-	1	-	3	3	8	2	8	7	8	3	1	-	-	-	
	Nonwhite—M——	12	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	2	1	2	2	-	-	-	-	-	
	F——	26	-	-	-	-	-	-	-	-	-	-	1	2	1	2	7	2	3	3	6	-	2	-	-	-	
290-293	Anemias——	18	3	-	1	-	-	-	-	1	-	-	1	1	1	1	1	-	-	3	-	2	2	2	-	-	
	White——M——	6	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	2	-	-	
	F——	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	1	1	-	-	-	
	Nonwhite—M——	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F——	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	
340	Nonmeningococcal meningitis——	21	2	-	1	1	-	-	1	-	1	-	-	2	1	2	-	2	-	4	3	1	-	-	-	-	
	White——M——	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	4	-	-	-	-	-	-	
	F——	5	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	
	Nonwhite—M——	6	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	1	-	-	-	-	
	F——	6	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	4,258	2	1	1	-	-	2	1	5	8	36	58	104	154	254	316	409	452	580	620	472	437	248	76	16	6
	White——M——	1,561	1	-	1	-	-	-	-	1	2	8	8	19	44	88	153	172	213	261	220	141	135	73	15	4	1
	F——	1,252	-	-	-	-	-	-	-	1	2	7	8	12	22	32	38	78	94	126	210	225	211	134	45	7	-
	Nonwhite—M——	748	1	1	-	-	-	-	1	2	2	9	25	38	49	72	77	92	77	79	102	58	39	18	4	1	1
	F——	697	-	-	-	-	-	2	-	1	2	12	17	35	39	61	48	67	68	114	88	48	52	23	12	4	4
330-334, 400-468	Diseases of cardiovascular system——	4,135	2	1	1	-	-	1	1	5	7	34	56	99	147	244	306	398	441	570	602	462	427	237	73	15	6
	White——M——	1,525	1	-	1	-	-	-	-	1	2	8	7	18	41	86	152	167	208	257	216	139	134	65	15	4	1
	F——	1,217	-	-	-	-	-	-	-	1	2	5	8	10	22	29	37	75	90	124	205	221	205	133	44	6	-
	Nonwhite—M——	720	1	1	-	-	-	-	1	2	1	9	25	37	46	69	72	90	77	77	95	56	38	17	4	1	1
	F——	673	-	-	-	-	-	1	-	1	2	12	16	34	38	58	45	66	66	112	86	46	50	22	10	4	4
330-334	Vascular lesions, etc.*——	715	2	-	1	-	-	-	-	-	1	6	10	17	18	30	40	75	73	101	105	88	86	50	12	2	
	White——M——	209	1	-	1	-	-	-	-	-	-	1	2	1	2	7	7	20	33	33	39	22	26	10	4	-	
	F——	258	-	-	-	-	-	-	-	-	1	1	4	4	5	7	18	13	26	39	51	48	32	7	2	-	
	Nonwhite—M——	124	1	-	-	-	-	-	-	-	1	2	3	4	4	8	16	20	14	15	20	9	4	2	1	-	
	F——	124	-	-	-	-	-	-	-	-	-	2	4	8	6	10	10	17	13	27	7	6	8	6	-	-	
400-402	Rheumatic fever——	9	-	-	-	-	-	1	-	-	-	1	2	1	3	-	-	-	-	1	-	-	-	-	-	-	
	White——M——	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	
	F——	3	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M——	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F——	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
410-443	Diseases of heart-	3,118	-	1	-	-	-	-	1	4	5	25	40	71	118	196	248	302	353	443	465	334	293	154	50	10	5
	White-----M--	1,227	-	-	-	-	-	-	-	1	2	7	4	15	37	79	136	135	171	213	164	107	94	47	10	4	1
	F--	852	-	-	-	-	-	-	-	-	1	2	6	6	15	23	27	56	73	92	154	148	134	82	29	4	-
	Nonwhite--M--	550	-	1	-	-	-	-	1	2	-	6	20	30	38	54	52	68	63	58	72	42	31	11	2	-	1
	F--	489	-	-	-	-	-	-	-	1	2	10	10	20	28	40	33	45	46	80	75	37	34	14	9	2	3
410-416	Chronic rheumatic heart disease-----	98	...	1	-	-	-	-	1	3	1	3	2	6	9	10	11	11	10	10	8	4	5	2	2	-	-
	White-----M--	33	...	-	-	-	-	-	-	1	1	-	-	1	5	2	4	5	1	3	1	3	4	1	1	-	-
	F--	33	...	-	-	-	-	-	-	-	-	-	-	3	1	5	4	3	7	3	5	1	-	1	-	-	-
	Nonwhite--M--	18	...	1	-	-	-	-	1	1	-	-	2	1	-	2	3	3	1	2	1	-	-	-	1	-	-
	F--	14	...	-	-	-	-	-	-	1	-	3	-	1	3	1	-	-	1	2	1	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,484	-	-	-	-	-	-	-	-	1	2	4	18	37	69	126	152	196	238	230	171	142	72	23	1	2
	White-----M--	755	-	-	-	-	-	-	-	-	-	2	-	7	20	43	93	85	122	142	97	62	52	25	4	-	1
	F--	417	-	-	-	-	-	-	-	-	1	-	1	-	4	5	11	31	39	45	79	79	70	36	15	1	-
	Nonwhite--M--	174	-	-	-	-	-	-	-	-	-	-	3	8	8	16	16	24	22	16	26	20	11	4	-	-	-
	F--	138	-	-	-	-	-	-	-	-	-	-	-	3	5	5	6	12	13	35	28	10	9	7	4	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	580	...	-	-	-	-	-	-	1	-	7	8	18	23	35	35	49	52	78	95	62	65	37	8	6	1
	White-----M--	170	...	-	-	-	-	-	-	-	-	1	2	4	2	13	11	18	19	26	33	14	16	8	2	3	-
	F--	139	...	-	-	-	-	-	-	-	-	1	-	1	3	3	4	4	5	15	20	26	31	19	5	2	-
	Nonwhite--M--	160	...	-	-	-	-	-	-	1	-	3	3	8	11	13	12	14	18	23	23	13	11	6	-	-	1
	F--	111	...	-	-	-	-	-	-	-	-	2	3	5	7	6	8	15	10	14	19	9	7	4	1	1	-
430-434	Other diseases of heart---------	130	-	-	-	-	-	-	-	-	1	6	11	6	13	21	10	7	12	6	11	7	14	2	2	-	1
	White-----M--	52	-	-	-	-	-	-	-	-	1	2	2	-	4	10	7	5	6	4	5	2	4	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	2	1	3	2	1	-	-	-	3	4	6	2	-	-	-
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	2	4	5	5	5	2	-	4	2	2	-	2	-	1	-	-
	F--	20	-	-	-	-	-	-	-	-	-	2	3	-	1	4	-	2	2	-	1	1	2	-	1	-	1
440-443	Hypertension with heart dis.---	825	-	-	-	-	-	-	-	-	2	7	15	23	36	61	66	83	83	111	121	90	67	41	15	3	1
	White-----M--	217	-	-	-	-	-	-	-	-	-	2	-	3	6	11	21	24	23	38	28	26	18	13	3	1	-
	F--	239	-	-	-	-	-	-	-	-	-	1	3	1	4	6	7	18	22	23	47	38	27	24	9	1	-
	Nonwhite--M--	163	-	-	-	-	-	-	-	-	1	8	8	14	16	19	25	18	15	20	9	7	1	-	-	-	-
	F--	206	-	-	-	-	-	-	-	2	3	4	11	12	24	19	18	20	29	26	17	15	3	3	1	1	-
444-447	Hypertension without mention of heart----------	77	-	-	-	-	-	-	-	-	-	-	3	5	5	14	7	10	5	6	7	6	4	5	-	-	-
	White-----M--	25	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	7	3	2	2	1	1	3	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	3	1	1	-	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	1	2	6	3	2	-	-	1	1	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	1	3	2	7	1	1	-	2	-	1	1	1	-	-	-
450	General arteriosclerosis--------	153	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	5	13	15	29	42	26	11	3	1
	White-----M--	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	7	9	12	4	1	-	-
	F--	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	16	22	17	8	-	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	3	2	4	1	1	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	1	1	6	1	1	2	1
451-468	Other diseases of circulatory sys.-	63	-	-	-	-	-	-	-	1	1	2	1	5	4	4	7	8	5	6	10	5	2	2	-	-	-
	White-----M--	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	4	1	3	4	-	1	1	-	-	-
	F--	17	-	-	-	-	-	-	-	1	1	1	-	-	1	1	2	1	1	1	3	3	-	1	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	1	-	1	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	1	3	1	1	-	2	3	1	3	1	1	-	-	-	-
582-594	Chronic nephritis, etc.*----------	123	-	-	-	-	-	1	-	-	1	2	2	6	7	10	10	11	11	10	18	10	10	11	3	1	-
	White-----M--	56	-	-	-	-	-	-	-	-	-	-	1	1	3	1	1	5	5	4	4	2	1	8	-	-	-
	F--	35	-	-	-	-	-	-	-	-	-	2	-	2	-	3	1	3	4	2	5	4	6	1	1	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	1	-	-	1	3	3	5	2	-	2	7	2	1	1	-	-	-
	F--	24	-	-	-	-	-	1	-	-	-	-	1	1	1	3	3	1	2	2	2	2	1	2	-	-	-
480-483	Influenza and pneumonia, etc.*-	223	12	3	-	2	1	-	1	-	2	4	11	10	10	19	5	26	13	23	29	20	20	9	3	-	-
	White-----M--	62	2	-	-	1	-	-	-	-	-	-	1	3	2	6	1	10	6	8	6	6	6	4	-	-	-
	F--	41	1	-	-	-	1	-	-	-	-	-	3	1	1	2	-	4	1	-	9	6	7	3	2	-	-
	Nonwhite--M--	71	6	1	-	-	-	-	-	-	1	1	5	2	5	6	4	9	4	9	10	4	2	1	1	-	-
	F--	49	3	2	-	1	-	-	1	-	1	3	2	4	2	5	-	3	2	6	4	4	5	1	-	-	-
480-483	Influenza---------	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	221	12	3	-	2	1	-	1	-	2	4	11	10	10	19	5	25	13	22	29	20	20	9	3	-	-
	White-----M--	62	2	-	-	1	-	-	-	-	-	-	1	3	2	6	1	10	6	8	6	6	6	4	-	-	-
	F--	40	1	-	-	-	1	-	-	-	-	-	3	1	1	2	-	3	1	-	9	6	7	3	2	-	-
	Nonwhite--M--	71	6	1	-	-	-	-	-	-	1	1	5	2	5	6	4	9	4	9	10	4	2	1	1	-	-
	F--	48	3	2	-	1	-	-	1	-	1	3	2	4	2	5	-	3	2	5	4	4	5	1	-	-	-
500-502	Bronchitis---------	15	1	2	2	-	-	-	-	-	-	-	1	-	-	-	-	1	2	1	2	2	-	1	-	-	-
	White-----M--	6	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	2	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite--M--	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	50	1	-	-	-	-	-	-	1	-	1	-	1	2	4	5	8	6	8	6	4	1	2	-	-	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	1	4	2	-	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	3	1	2	1	1	-	-	-
	Nonwhite--M--	10	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	3	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	-	-	-	-	-	-
550-553	Appendicitis-------	17	-	-	-	-	-	1	1	1	-	1	-	-	-	2	1	1	-	3	3	1	1	1	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	59	5	-	-	-	1	-	-	-	-	2	1	2	4	6	4	3	5	8	6	5	5	2	-	-	-
	White-----M--	15	1	-	-	-	-	-	-	-	-	1	-	1	2	1	1	2	-	1	2	1	2	-	-	-	-
	F--	20	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	6	2	3	2	2	-	-	-
	Nonwhite--M--	10	1	-	-	-	1	-	-	-	-	-	-	-	-	2	2	-	2	1	1	-	-	-	-	-	-
	F--	14	2	-	-	-	-	-	-	-	-	1	1	1	2	2	1	1	-	-	1	1	1	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	DISTRICT OF COLUMBIA—Con.																										
543,	Gastritis, etc.*—	35	12	-	1	-	-	-	-	1	-	-	2	1	2	1	-	2	-	3	3	3	2	-	2	-	-	-
571,	White-----M--	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
572	F--	16	2	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	2	3	2	1	-	2	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	6	-	1	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	133	1	-	-	-	-	-	-	-	-	-	4	8	14	17	17	14	17	19	8	7	2	3	1	1	-	-
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	1	2	6	10	8	8	14	14	5	6	1	-	1	1	-	-
	F--	30	-	-	-	-	-	-	-	-	-	-	1	3	3	4	4	4	1	3	3	-	1	3	-	-	-	-
	Nonwhite--M--	13	1	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	1	-	1	-	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	2	2	3	2	3	-	-	1	-	-	-	-	-	-	-	-
590,	Acute nephritis,																											
591	etc.*----------	16	1	-	-	-	1	-	-	-	1	-	-	1	1	1	1	1	4	1	1	1	-	1	-	-	-	-
	White-----M--	5	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
610	Hyperplasia of																											
	prostate---------	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	5	10	2	1	-	1	
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	4	8	2	1	-	-	
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	1	
640-	Complications of																											
689	pregnancy, etc.*-	11	***	***	***	***	***	***	-	2	2	5	2	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
	White-----F--	4	***	***	***	***	***	***	-	2	1	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
	Nonwhite--F--	7	***	***	***	***	***	***	-	-	1	4	2	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
650-	Abortion---------	4	***	***	***	***	***	***	-	-	-	3	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
652	White-----F--	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
	Nonwhite--F--	3	***	***	***	***	***	***	-	-	-	2	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
640-	All other com-																											
649,	plications-------	7	***	***	***	***	***	***	-	2	2	2	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
660-	White-----F--	3	***	***	***	***	***	***	-	2	1	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
689	Nonwhite--F--	4	***	***	***	***	***	***	-	-	1	2	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-	
750-	Congenital mal-																											
759	formations-------	103	72	5	3	1	-	1	1	1	4	2	1	-	-	4	-	4	2	-	-	-	1	-	1	-	-	
	White-----M--	45	32	1	1	-	-	1	1	1	1	1	1	-	-	1	-	2	2	-	-	-	-	-	-	-	-	
	F--	30	21	1	2	1	-	-	-	-	1	1	-	-	-	2	-	1	-	-	-	-	-	-	-	1	-	
	Nonwhite--M--	15	11	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	
	F--	13	8	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	
760-	Certain diseases																											
776	of early infancy-	403	402	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M--	138	138	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	97	97	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	86	85	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760-	Birth injuries,																											
762	etc.*----------	226	226	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M--	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	45	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
763-	Infections of																											
768	newborn----------	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
769-	Other diseases of																											
776	infancy, and im-																											
	maturity unquali-																											
	fied----------	168	167	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White-----M--	53	53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	37	36	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
780-	Senility, etc.*---	30	2	-	-	-	-	1	-	-	1	1	-	-	1	-	2	1	2	2	1	3	5	2	4	2	-	
795	White-----M--	12	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	1	1	1	-	3	2	-	1	-	-	
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	1	-	
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	1	1	1	-	-	
	F--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	
Re-	All other diseases	340	18	5	3	1	1	5	2	2	4	11	18	19	18	30	28	25	26	28	41	20	18	12	3	1	1	
sid-	White-----M--	114	3	1	-	-	1	3	1	1	-	1	3	3	5	8	11	9	11	9	25	12	5	1	-	-	1	
ual	F--	101	5	1	2	-	-	2	-	1	3	1	3	5	10	3	7	7	14	12	6	8	9	2	-	-	-	
	Nonwhite--M--	67	7	2	-	-	-	1	1	-	3	6	9	6	7	10	4	3	3	1	-	2	2	-	-	-	-	
	F--	58	3	1	1	1	-	-	-	-	3	4	8	4	2	5	4	5	5	2	3	2	3	-	1	1	-	
E800-	Accidents---------	488	33	10	7	2	1	9	7	12	28	31	21	38	30	31	31	33	12	24	31	24	27	14	10	2		
E962	White-----M--	161	8	1	1	-	-	6	1	4	14	15	7	9	13	13	13	15	4	7	11	9	5	4	-	1	-	
	F--	110	5	2	2	1	1	1	2	1	2	3	5	5	4	2	3	7	5	5	10	9	17	9	8	1	-	
	Nonwhite--M--	133	5	7	2	1	-	1	4	4	9	8	6	18	11	12	12	8	3	7	6	3	4	1	1	-	-	
	F--	64	15	-	2	-	-	1	-	3	3	5	3	6	2	4	3	3	-	5	4	3	1	-	1	-	-	
E810-	Motor-vehicle																											
E835	accidents--------	127	-	-	1	2	-	8	2	6	19	14	11	10	7	7	7	9	4	7	5	4	4	-	-	-	-	
	White-----M--	43	-	-	1	-	-	6	-	2	7	6	3	-	2	3	3	2	-	2	3	2	1	-	-	-	-	
	F--	21	-	-	-	1	-	1	2	1	2	1	2	2	-	1	-	2	3	2	-	1	-	-	-	-	-	
	Nonwhite--M--	43	-	-	-	1	-	1	-	1	8	3	3	6	3	2	3	3	1	2	2	1	3	-	-	-	-	
	F--	20	-	-	-	-	-	-	-	2	2	4	3	2	2	1	1	2	-	1	-	-	-	-	-	-	-	
E800-	All ot. accidents-	341	33	10	6	-	1	1	5	6	9	17	10	28	23	24	24	24	8	17	26	20	23	14	10	2		
E802,	White-----M--	118	8	1	-	-	-	1	1	2	7	9	4	8	11	10	10	13	4	5	8	7	4	4	-	1		
E840-	F--	89	5	2	2	-	1	-	-	-	2	3	3	4	1	3	5	2	3	10	8	17	9	8	1	-		
E962	Nonwhite--M--	90	5	7	2	-	-	4	3	1	5	3	12	8	10	9	5	2	5	4	2	1	1	1	-	-		
	F--	44	15	-	2	-	-	1	1	1	-	1	4	-	3	2	1	-	4	4	3	1	-	1	-	-		
E963,	Suicide----------	104	-	-	-	-	-	-	-	1	6	4	15	10	10	10	13	6	7	8	9	4	1	-	-	-		
E970-	White-----M--	64	-	-	-	-	-	-	-	1	3	4	7	3	6	6	10	5	3	6	7	2	1	-	-	-		
E979	F--	22	-	-	-	-	-	-	-	-	2	-	4	1	2	4	3	1	1	2	1	1	-	-	-	-		
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	3	6	1	-	-	-	3	-	1	-	-	-	-	-		
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-		
E964,	Homicide----------	89	4	-	-	-	-	1	-	4	9	16	14	10	9	15	3	1	-	-	2	-	1	-	-	-		
E980-	White-----M--	17	2	-	-	-	-	-	-	-	-	1	1	2	1	6	1	1	-	-	1	-	1	-	-	-		
E985	F--	5	2	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	50	-	-	-	-	-	1	-	2	7	11	8	6	5	7	2	-	-	-	1	-	-	-	-	-		
	F--	17	-	-	-	-	-	-	-	2	1	4	5	2	1	2	-	-	-	-	-	-	-	-	-	-		
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E980-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA																										
	ALL CAUSES	25,376	2,089	155	86	64	51	161	128	199	388	508	571	798	1,096	1,481	1,853	2,176	2,324	2,630	2,726	2,474	1,821	1,048	391	90	467
	White—M	11,104	718	52	33	22	22	65	44	81	140	169	181	241	372	524	755	1,053	1,167	1,311	1,428	1,221	856	453	155	27	14
	F	7,203	509	35	20	17	16	39	28	41	72	87	122	163	224	279	363	438	552	795	908	970	800	485	186	44	10
	Nonwhite—M	3,908	454	41	20	10	8	26	38	39	89	122	133	212	281	384	408	408	336	323	220	175	99	65	25	8	24
	F	3,161	407	27	13	15	5	31	18	38	87	130	135	182	241	314	327	277	269	201	170	108	66	45	25	11	19
001-018	Tuberculosis, all forms	687	5	4	1	3	2	1	4	14	45	59	56	55	83	70	69	48	58	47	26	16	18	2	-	-	1
	White—M	230	1	-	-	-	-	-	-	2	6	7	11	11	27	13	30	23	29	28	18	9	13	2	-	-	-
	F	85	-	2	-	2	-	-	1	1	4	9	4	7	9	6	8	1	8	10	5	4	2	-	-	-	-
	Nonwhite—M	214	3	-	-	1	1	-	-	4	12	16	21	24	32	31	22	19	13	6	3	2	3	-	-	-	1
	F	160	1	2	1	-	1	1	3	7	23	27	30	13	15	30	9	5	8	3	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	650	3	-	-	1	1	-	1	12	45	57	54	50	80	68	67	46	57	46	26	16	17	2	-	-	1
	White—M	226	1	-	-	-	-	-	-	1	6	7	11	11	27	13	30	22	28	28	18	9	12	2	-	-	-
	F	75	-	-	-	-	-	-	-	1	4	9	4	6	9	5	8	1	8	9	5	4	2	-	-	-	-
	Nonwhite—M	203	2	-	-	1	1	-	-	4	12	15	20	22	29	31	20	16	13	6	3	2	3	-	-	-	1
	F	146	-	-	-	-	-	-	1	6	23	26	19	11	15	19	9	5	8	3	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms	37	2	4	1	2	1	1	3	2	-	2	2	5	3	2	2	2	1	1	-	-	1	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F	8	-	2	-	2	-	-	1	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	11	1	-	-	-	-	-	-	-	-	1	1	2	3	-	2	1	-	-	-	-	-	-	-	-	-
	F	14	1	2	1	-	1	1	2	1	-	1	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	203	8	-	-	-	-	-	-	-	1	3	7	15	17	25	31	17	17	22	26	8	4	1	-	-	1
	White—M	78	-	-	-	-	-	-	-	-	-	-	1	3	2	6	14	9	9	11	16	6	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	1	1	3	5	1	3	1	-	-	-
	Nonwhite—M	70	5	-	-	-	-	-	-	-	-	3	3	9	9	11	10	4	6	5	3	1	-	-	-	-	1
	F	32	3	-	-	-	-	-	-	1	-	3	3	6	3	4	3	1	3	2	-	-	-	-	-	-	-
040	Typhoid fever	6	1	-	1	-	-	1	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	24	9	2	-	1	-	-	-	-	-	-	1	-	1	1	1	1	2	1	3	1	-	-	-	-	-
	White—M	8	1	-	-	1	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	1	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	8	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	2	1	1	-	-	2	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	-	-	-	-
	White—M	4	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	10	-	1	3	1	1	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	4	-	2	-	-	2	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	13	-	-	1	-	-	1	1	2	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	1	-	-	1	1	1	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	9	1	3	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	7	1	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	7	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	2	1	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	130	25	6	4	3	3	9	3	-	4	6	8	2	5	9	7	4	3	7	11	4	3	4	-	-	-
	White—M	41	4	3	2	1	-	1	1	-	-	-	2	-	-	5	3	3	-	4	7	3	-	2	-	-	-
	F	35	4	1	-	-	1	2	1	-	1	1	4	1	3	1	2	-	2	2	3	1	3	2	-	-	-
	Nonwhite—M	24	9	-	2	-	2	3	1	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-	-	-	-
	F	30	8	2	-	2	-	3	-	-	3	5	2	1	1	2	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
140-205	Malignant neoplasms, etc.*	3,259	2	8	6	7	4	18	7	14	8	36	59	99	156	268	345	365	366	429	401	335	208	98	18	4	4
	White—M	1,427	1	4	4	4	1	9	4	6	5	13	10	24	35	74	117	155	180	218	205	178	120	45	9	3	2
	F	1,263	-	4	1	2	3	4	2	5	2	12	24	44	72	113	132	126	126	168	185	134	77	40	7	1	1
	Nonwhite—M	255	1	-	1	-	-	1	-	1	1	1	6	9	22	27	47	44	28	27	19	10	6	4	-	-	-
	F	314	-	-	-	1	-	4	1	2	-	10	19	22	27	54	49	40	32	16	14	15	5	2	2	-	1
140-148	Of buccal cavity and pharynx	92	-	-	-	-	-	-	-	-	-	-	1	1	3	8	10	10	13	15	11	7	7	4	-	2	-
	White—M	58	-	-	-	-	-	-	-	-	-	-	-	1	1	1	8	6	10	12	6	5	5	2	-	1	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	1	1	2	2	2	-	1	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	1	1	2	2	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	2	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,149	-	-	-	-	-	1	-	1	-	6	14	21	37	71	107	118	139	177	149	156	108	39	3	-	2
	White—M	557	-	-	-	-	-	-	-	1	-	3	1	8	13	32	44	49	80	92	75	76	65	16	1	-	1
	F	387	-	-	-	-	-	-	-	-	-	2	6	6	10	15	26	35	38	68	58	64	36	19	2	-	1
	Nonwhite—M	122	-	-	-	-	1	-	-	-	-	-	4	3	11	10	25	22	13	11	9	7	3	3	-	-	-
	F	83	-	-	-	-	-	-	-	-	-	1	3	4	3	14	12	12	8	6	6	9	4	1	-	-	-
160-164	Of respiratory system	329	-	-	-	-	-	-	-	-	-	-	2	6	11	31	49	61	47	55	39	20	4	3	-	1	-
	White—M	241	-	-	-	-	-	-	-	-	-	-	1	2	4	18	32	48	37	45	32	15	3	3	-	1	-
	F	47	-	-	-	-	-	-	-	-	-	-	1	3	4	7	4	6	6	5	5	5	1	-	-	-	-
	Nonwhite—M	31	-	-	-	-	-	-	-	-	-	-	-	1	3	5	9	5	3	4	1	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	1	1	-	-	-	-	-	-
170	Of breast	237	-	-	-	-	-	-	-	-	-	2	4	12	20	31	33	21	24	25	26	19	16	2	2	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
	F	202	-	-	-	-	-	-	-	-	-	1	3	8	16	22	29	18	21	22	26	18	16	1	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	31	-	-	-	-	-	-	-	-	-	1	1	3	3	9	4	3	3	3	-	-	-	1	-	-	-
171-179	Of genital organs	683	-	1	-	-	-	-	-	3	1	9	19	36	52	73	78	67	67	68	78	62	40	23	7	-	1
	White—M	170	-	1	-	-	-	-	-	2	1	-	-	-	2	2	5	9	10	22	35	37	25	15	4	-	-
	F	355	-	-	-	-	-	-	-	-	-	4	8	21	32	49	48	38	39	36	38	21	11	7	3	-	-
	Nonwhite—M	33	-	-	-	-	-	-	-	-	-	-	-	2	2	3	5	5	3	5	3	2	3	-	-	-	-
	F	125	-	-	-	-	-	-	-	1	-	5	11	13	16	19	20	15	15	3	2	2	1	1	-	-	1
180, 181	Of urinary organs	161	-	2	-	2	1	1	-	-	-	-	2	4	5	3	10	18	20	31	28	23	6	5	-	-	-
	White—M	90	-	1	-	1	-	-	-	-	-	-	-	-	4	-	4	12	12	18	19	14	5	-	-	-	-
	F	47	-	1	-	-	1	1	-	-	-	-	1	3	1	2	4	2	2	11	6	7	1	4	-	-	-
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	4	1	2	1	-	1	-	-	-
	F	10	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	2	2	1	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	405	-	2	2	-	1	6	3	6	2	9	10	13	18	33	43	50	40	43	49	38	17	14	5	1	-
	White—M	185	-	-	1	-	-	4	1	2	1	4	5	8	5	12	15	18	21	20	24	22	9	8	4	1	-
	F	148	-	2	1	-	1	-	2	3	1	3	3	2	5	9	16	19	12	18	22	15	8	6	-	-	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	-	-	1	4	3	6	7	4	3	1	-	-	-	-	-	-
	F	43	-	-	-	-	-	2	-	1	-	2	2	2	4	9	6	6	3	2	2	1	-	-	1	-	-
204	Leukemia and aleukemia	114	2	2	4	5	1	3	4	1	4	5	4	1	7	4	6	10	7	9	15	6	5	2	-	-	1
	White—M	66	1	1	3	3	-	5	3	-	2	2	2	1	3	1	6	7	2	3	10	5	4	1	-	-	1
	F	36	-	1	-	2	1	3	-	1	1	1	1	-	3	3	-	1	5	5	5	1	1	1	-	-	-
	Nonwhite—M	8	1	-	1	-	-	-	1	-	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	89	-	1	-	-	1	1	-	3	1	5	3	5	3	14	9	10	9	8	6	4	5	-	1	-	-
	White—M	57	-	1	-	-	1	-	-	1	1	4	1	4	2	8	3	6	8	6	4	3	4	-	-	-	-
	F	23	-	-	-	-	-	-	-	1	-	1	1	1	1	4	3	4	1	2	1	1	1	-	1	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	111	6	3	-	1	-	1	1	3	4	2	2	12	13	17	12	7	7	3	7	4	2	3	1	-	-
	White—M	22	3	2	-	-	-	1	-	1	-	-	-	1	-	1	2	1	2	1	3	1	-	3	-	-	-
	F	44	2	1	-	-	-	-	-	1	2	2	1	3	4	5	7	4	3	1	3	2	2	-	1	-	-
	Nonwhite—M	8	1	-	-	1	-	-	1	1	-	-	-	-	1	-	2	-	-	1	-	-	-	-	-	-	-
	F	37	-	-	-	-	-	-	-	-	2	-	1	8	8	11	1	2	2	-	1	1	-	-	-	-	-
260	Diabetes mellitus	356	-	-	-	-	1	-	1	2	3	8	8	11	19	12	24	35	46	69	54	28	25	5	4	-	1
	White—M	122	-	-	-	-	-	-	-	-	-	2	3	2	3	1	7	13	17	28	18	12	11	2	3	-	-
	F	151	-	-	-	-	1	-	-	-	1	1	1	2	4	2	5	17	21	34	34	13	12	2	1	-	-
	Nonwhite—M	28	-	-	-	-	-	-	1	1	1	1	1	1	2	4	2	3	3	1	1	2	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	1	1	1	3	6	11	7	8	3	5	4	1	2	-	1	-	-	1
280-293	Anemias	79	3	1	3	1	-	-	-	1	1	2	3	3	-	6	3	6	2	13	8	12	7	3	1	-	-
	White—M	25	-	-	1	-	-	-	-	-	-	-	-	1	-	2	-	4	-	5	4	4	3	1	-	-	-
	F	29	1	-	-	-	-	-	-	-	1	2	1	-	-	-	2	2	1	2	3	7	4	2	1	-	-
	Nonwhite—M	12	1	1	1	-	-	-	-	-	-	-	-	2	-	2	1	-	-	3	1	-	-	-	-	-	-
	F	13	1	-	1	1	-	-	-	1	-	-	2	-	-	2	-	-	1	3	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis	51	20	5	2	-	-	5	1	-	-	1	1	1	-	3	-	5	2	2	2	1	-	-	-	-	-
	White—M	16	4	1	1	-	-	1	1	-	-	1	1	-	-	1	-	2	-	2	1	-	-	-	-	-	-
	F	8	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite—M	15	7	1	-	-	-	2	-	-	-	-	-	1	-	2	-	1	1	-	-	-	-	-	-	-	-
	F	12	8	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	12,471	10	2	4	2	6	13	19	16	36	72	97	217	415	643	949	1,262	1,394	1,604	1,761	1,632	1,237	717	262	63	40
	White—M	5,737	3	-	-	-	4	4	2	5	8	18	22	68	149	252	388	632	713	801	915	779	553	293	102	18	8
	F	3,718	3	-	1	1	1	3	5	4	11	18	25	42	66	85	152	213	306	470	578	659	570	344	122	32	6
	Nonwhite—M	1,625	2	2	3	-	-	3	9	3	6	13	19	52	86	156	221	239	203	197	135	118	65	45	18	5	15
	F	1,391	2	-	-	1	1	3	3	4	11	23	31	55	102	150	188	178	172	136	132	76	49	35	20	8	11
330-334, 400-468	Diseases of cardiovascular system	11,888	10	2	3	2	6	13	17	10	33	65	87	194	381	610	903	1,199	1,345	1,538	1,691	1,565	1,190	679	247	60	38
	White—M	5,558	3	-	-	-	4	4	2	3	8	14	20	63	141	244	381	614	697	775	888	757	551	285	98	18	8
	F	3,550	3	-	-	1	1	3	5	2	11	17	21	36	61	80	141	201	299	452	557	634	551	323	114	31	6
	Nonwhite—M	1,497	2	2	3	-	-	3	7	2	4	12	18	46	90	147	209	220	188	183	122	104	60	40	17	4	14
	F	1,283	2	-	-	1	1	3	3	3	10	22	28	49	69	139	172	164	161	128	124	70	48	31	18	7	10
330-334	Vascular lesions, etc.*	2,795	6	1	-	-	1	1	1	2	5	15	22	42	87	145	217	275	291	361	388	399	312	145	54	11	12
	White—M	925	1	-	-	-	1	-	-	2	2	4	2	9	18	24	28	82	85	131	171	157	126	63	16	1	2
	F	929	2	-	-	-	-	-	-	-	2	1	3	9	13	29	50	55	82	113	146	173	151	65	28	6	1
	Nonwhite—M	491	2	1	-	-	-	-	-	-	-	4	7	12	24	45	70	78	67	68	32	38	21	9	7	2	4
	F	448	1	-	-	-	-	1	1	-	1	6	10	12	32	47	69	60	57	49	39	31	14	8	3	2	5
400-402	Rheumatic fever	35	-	-	-	1	1	6	2	1	3	4	7	4	2	1	-	1	-	1	1	-	-	-	-	-	-
	White—M	10	-	-	-	-	-	2	-	-	-	2	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	1	-	1	1	1	2	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	-	2	1	-	1	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-
	F	8	-	-	-	-	1	1	-	-	-	1	3	-	-	-	-	1	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
410-443	Diseases of heart	8,206	2	-	3	1	3	6	13	6	20	39	50	131	267	440	645	882	992	1,081	1,193	1,028	759	438	144	34	20
	White—M	4,283	2	-	-	-	2	2	2	1	5	8	13	50	110	217	344	517	582	613	667	534	353	184	61	11	5
	F	2,311	-	-	-	-	1	2	4	1	6	11	15	21	45	45	83	136	211	307	371	407	350	207	67	17	4
	Nonwhite—M	891	-	-	3	-	-	1	5	2	3	7	8	28	59	97	131	134	110	98	76	56	33	26	5	2	7
	F	721	-	-	-	1	-	1	2	2	6	12	14	32	53	81	87	95	89	73	79	31	23	21	11	4	4
410-416	Chronic rheumatic heart disease	305	...	-	-	1	1	4	8	2	5	12	16	11	22	26	43	28	24	21	30	18	23	7	2	-	1
	White—M	120	...	-	-	-	-	1	1	2	1	-	3	6	4	12	12	17	14	10	8	11	5	12	2	-	-	1
	F	120	...	-	-	-	-	1	2	1	3	5	8	5	7	9	17	7	7	10	13	10	10	4	1	-	-
	Nonwhite—M	32	...	-	-	-	-	1	2	-	-	2	1	1	1	1	6	3	3	4	4	1	1	1	-	-	-
	F	33	...	-	-	1	-	1	2	-	2	2	1	1	2	4	3	4	4	1	2	2	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	4,697	-	-	-	-	-	-	-	2	3	9	15	63	142	259	369	552	649	686	700	583	396	196	52	14	7
	White—M	2,930	-	-	-	-	-	-	-	-	1	4	5	38	81	163	260	392	442	436	447	337	200	94	24	6	3
	F	1,215	-	-	-	-	-	-	-	-	2	1	3	5	19	25	39	84	155	189	206	214	176	90	23	5	1
	Nonwhite—M	327	-	-	-	-	-	-	-	-	-	1	2	12	23	44	39	49	48	39	26	24	13	5	-	-	2
	F	225	-	-	-	-	-	-	-	2	-	3	5	11	19	27	31	27	26	22	21	8	7	7	5	3	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,180	...	-	1	-	-	1	3	-	8	6	6	17	23	37	65	97	100	118	165	167	152	121	56	9	8
	White—M	464	...	-	-	-	-	-	-	-	3	1	-	4	4	5	13	37	42	56	84	81	62	45	25	2	-
	F	371	...	-	-	-	-	1	1	-	-	-	1	2	3	2	6	7	17	29	57	71	80	58	28	6	2
	Nonwhite—M	179	...	-	1	-	-	-	2	-	2	1	2	2	7	12	32	26	23	19	21	9	6	9	2	-	3
	F	166	...	-	-	-	-	-	-	-	3	4	3	9	9	18	14	27	18	14	23	6	4	9	1	1	3
430-434	Other diseases of heart	699	2	-	1	-	2	1	2	2	4	10	7	22	31	50	62	71	83	92	82	83	44	32	10	6	-
	White—M	335	2	-	-	-	1	1	-	-	1	-	1	6	9	20	27	37	46	52	50	41	20	14	4	3	-
	F	176	-	-	-	-	1	-	1	-	1	5	1	6	6	5	7	10	23	17	20	35	19	12	5	2	-
	Nonwhite—M	118	-	-	1	-	-	-	1	2	1	3	2	8	9	16	14	18	9	13	4	6	3	8	1	1	-
	F	70	-	-	-	-	-	-	-	-	1	2	3	2	7	9	14	6	5	10	8	1	2	-	-	-	-
440-443	Hypertension with heart dis.	1,325	-	-	1	-	-	-	-	-	-	1	6	18	49	68	106	134	136	174	196	177	144	82	24	5	4
	White—M	434	-	-	-	-	-	-	-	-	-	1	1	4	17	27	37	42	63	75	70	59	28	8	-	1	
	F	429	-	-	-	-	-	-	-	-	-	-	2	3	10	4	14	28	31	62	75	77	65	43	10	4	1
	Nonwhite—M	235	-	-	1	-	-	-	-	-	-	1	5	19	24	40	38	27	23	21	16	10	5	2	1	2	
	F	227	-	-	-	-	-	-	-	-	-	1	2	9	16	23	25	31	36	26	25	14	10	5	4	-	-
444-447	Hypertension without mention of heart	254	-	-	-	-	-	-	-	-	1	3	3	6	9	9	15	23	21	38	31	42	22	15	10	3	3
	White—M	94	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	9	10	13	14	20	11	6	2	1	-
	F	79	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	6	3	14	10	18	6	7	5	2	-
	Nonwhite—M	41	-	-	-	-	-	-	-	-	-	2	2	3	-	2	6	4	7	6	1	1	2	2	-	3	
	F	40	-	-	-	-	-	-	-	-	1	2	-	3	2	5	9	2	4	4	1	2	4	-	1	-	-
450	General arteriosclerosis	444	-	-	-	-	-	-	-	-	-	-	1	1	4	5	8	10	26	31	57	83	88	79	37	11	3
	White—M	179	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	2	10	11	24	37	37	30	18	4	1
	F	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	9	22	31	40	44	13	6	1
	Nonwhite—M	50	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	5	9	8	9	4	3	3	-	-
	F	45	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	6	8	2	3	6	7	2	3	1	1
451-468	Other diseases of circulatory sys.	156	2	1	-	-	1	-	1	1	4	5	4	10	12	10	18	8	15	16	21	13	9	2	2	1	-
	White—M	67	-	-	-	-	1	-	-	-	1	-	1	2	6	-	6	4	10	7	12	9	4	2	1	1	-
	F	51	1	-	-	-	-	-	-	-	1	3	2	3	2	4	5	4	-	9	8	4	4	-	1	-	-
	Nonwhite—M	17	-	1	-	-	-	-	1	-	-	1	-	3	3	2	3	-	2	-	-	-	1	-	-	-	-
	F	21	1	-	-	-	-	-	-	1	2	1	1	2	1	4	4	-	3	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	583	-	-	1	-	-	-	2	6	3	7	10	23	32	33	46	63	49	66	70	67	47	36	15	3	2
	White—M	179	-	-	-	-	-	-	-	2	-	4	2	5	8	8	7	18	16	26	27	22	22	8	4	-	-
	F	168	-	-	1	-	-	-	-	2	-	1	4	6	5	5	11	12	7	18	22	25	19	21	8	1	-
	Nonwhite—M	128	-	-	-	-	-	-	2	1	2	1	1	6	6	9	12	19	15	14	13	14	5	5	1	1	1
	F	106	-	-	-	-	-	-	-	1	1	1	3	6	13	11	16	14	11	8	8	6	1	4	2	1	1
480-493	Influenza and pneumonia, etc.*	788	167	32	14	3	2	8	7	4	5	15	11	20	22	34	38	41	35	50	58	69	55	41	26	5	4
	White—M	245	33	9	3	1	-	2	3	-	2	-	2	1	5	4	10	17	12	18	28	33	32	18	10	2	-
	F	174	34	2	4	2	-	4	2	-	-	3	-	4	5	4	1	1	6	10	15	22	18	20	14	2	1
	Nonwhite—M	183	45	11	2	-	1	1	1	1	-	5	5	7	3	17	16	16	10	13	11	10	4	2	1	1	1
	F	164	55	10	5	-	1	1	1	4	3	7	4	8	9	9	11	7	7	9	4	4	1	1	1	-	2
480-483	Influenza	129	35	1	2	-	-	2	1	2	1	5	1	4	2	6	10	6	5	11	10	7	6	4	4	3	1
	White—M	26	7	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	2	2	5	3	-	1	-
	F	19	5	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	2	3	-	1	3	1	-
	Nonwhite—M	43	10	1	-	-	-	1	-	-	-	3	1	-	-	4	7	3	2	5	3	1	1	-	-	1	-
	F	41	13	-	1	-	-	-	1	2	1	2	-	3	1	2	2	3	2	3	3	1	-	-	1	-	1
490-493	Pneumonia, etc.*	657	132	31	12	3	2	6	6	2	4	10	10	16	20	28	28	35	30	39	48	62	49	37	22	2	3
	White—M	219	28	9	2	1	-	2	3	-	2	-	2	1	4	4	9	16	12	16	26	31	27	15	10	1	-
	F	155	29	2	4	2	-	3	2	-	-	3	-	3	5	4	1	1	6	8	13	19	18	18	11	1	1
	Nonwhite—M	140	35	10	2	-	1	-	1	-	-	2	4	7	3	13	9	13	8	8	8	9	3	2	1	-	1
	F	123	42	10	4	-	1	1	-	2	2	5	4	5	8	7	9	5	4	7	1	3	1	1	-	-	1
500-502	Bronchitis	48	4	4	-	1	-	3	1	1	-	-	2	-	1	2	3	1	2	2	10	3	4	3	1	-	-
	White—M	27	2	1	-	-	-	2	1	-	-	-	-	-	-	1	1	1	1	2	7	3	2	2	1	-	-
	F	11	1	1	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	3	-	2	1	-	-	-
	Nonwhite—M	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	134	1	-	-	-	-	-	-	-	-	1	4	5	15	11	15	25	14	24	7	10	2	-	-	-	-
	White—M	86	1	-	-	-	-	-	-	-	-	-	1	3	10	5	12	16	10	14	7	8	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	3	1	6	-	1	1	-	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	-	-	3	-	4	4	2	5	3	4	-	1	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	74	-	-	-	2	1	3	2	6	2	4	2	3	9	6	5	7	9	4	6	2	1	-	-	-	-
	White—M	30	-	-	-	-	-	-	-	3	-	2	-	1	4	3	1	2	5	3	5	1	-	-	-	-	-
	F	10	-	-	-	1	1	-	-	-	-	-	-	-	1	-	1	1	3	-	1	-	1	-	-	-	-
	Nonwhite—M	16	-	-	-	-	-	1	1	1	-	2	1	-	2	1	2	3	1	-	-	1	-	-	-	-	-
	F	16	-	-	-	1	-	2	1	2	2	-	1	2	2	2	1	1	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	169	18	1	1	-	-	1	1	2	3	4	4	4	7	9	10	9	19	15	23	18	14	3	3	-	-
	White—M	53	7	1	1	-	-	1	-	-	-	-	-	-	-	-	1	4	4	7	9	8	7	2	1	-	-
	F	56	2	-	-	-	-	-	1	1	2	-	1	-	4	-	4	4	8	3	11	9	6	1	1	-	-
	Nonwhite—M	36	6	-	-	-	-	-	-	1	1	2	-	2	-	5	5	1	4	3	3	1	1	-	-	-	-
	F	22	3	-	-	-	-	-	-	-	-	2	3	2	3	4	-	-	3	2	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	FLORIDA—Con.																										
543, 571, 572	Gastritis, etc.*—	166	81	9	2	-	2	1	-	-	-	1	3	2	7	5	9	10	4	10	7	6	5	2	-	-	-
	White— M—	38	9	2	1	-	1	-	-	-	-	-	-	1	1	-	3	5	-	6	4	2	2	1	-	-	-
	F—	45	19	4	1	-	1	-	-	-	-	1	-	-	-	1	1	2	2	2	3	4	3	1	-	-	-
	Nonwhite— M—	34	28	1	-	-	-	1	-	-	-	-	2	-	5	2	2	1	1	1	-	-	-	-	-	-	-
	F—	49	35	2	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	252	-	1	-	-	1	-	-	-	-	4	8	17	20	25	34	33	34	20	27	18	7	2	1	-	-
	White— M—	151	-	1	-	-	1	-	-	-	-	1	3	5	13	17	23	19	22	11	17	14	3	1	-	-	-
	F—	68	-	-	-	-	-	-	-	-	-	1	3	6	4	6	6	9	7	7	9	4	4	1	1	-	-
	Nonwhite— M—	17	-	-	-	-	-	-	-	-	-	-	1	5	1	-	3	3	2	1	1	-	-	-	-	-	-
	F—	16	-	-	-	-	-	-	-	-	-	2	1	1	2	2	2	2	3	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	78	2	1	1	-	-	2	-	-	1	3	2	7	3	5	8	13	5	3	5	10	5	2	-	-	-
	White— M—	24	1	-	-	-	-	1	-	-	-	2	1	-	-	1	-	4	2	-	2	5	4	1	-	-	-
	F—	14	-	-	-	-	-	-	-	-	-	-	-	3	1	-	1	1	1	2	2	2	1	-	-	-	-
	Nonwhite— M—	18	-	-	1	-	-	1	-	-	-	-	1	1	-	2	4	3	1	-	-	3	1	-	-	-	-
	F—	22	1	1	-	-	-	-	-	-	1	1	-	3	2	2	3	5	1	1	1	-	-	-	-	-	-
610	Hyperplasia of prostate—	139	-	-	-	-	-	-	-	-	-	1	1	-	-	2	6	10	13	13	19	33	21	14	6	-	-
	White— M—	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	9	11	29	19	13	5	-	-
	Nonwhite— M—	44	-	-	-	-	-	-	-	-	-	1	1	-	-	2	5	7	8	4	8	4	2	1	1	-	-
640-669	Complications of pregnancy, etc.*—	107	...	...	...	...	...	...	2	12	9	23	28	23	9	1	-	-	...	...	...	...	...	...	...	...	-
	White— F—	44	...	...	...	...	...	...	2	5	5	7	17	6	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	63	...	...	...	...	...	...	-	7	4	16	11	17	7	1	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	13	...	...	...	...	...	...	-	3	1	5	-	3	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White— F—	7	...	...	...	...	...	...	-	1	1	2	-	2	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	6	...	...	...	...	...	...	-	2	-	3	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	94	...	...	...	...	...	...	2	9	8	18	28	20	8	1	-	-	...	...	...	...	...	...	...	...	-
	White— F—	37	...	...	...	...	...	...	2	4	4	5	17	4	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	57	...	...	...	...	...	...	-	5	4	13	11	16	7	1	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	301	257	3	5	8	3	6	5	2	1	1	5	4	5	1	4	4	2	2	1	1	-	1	-	-	-
	White— M—	148	112	-	3	4	2	4	2	-	-	1	5	3	4	-	1	1	1	2	1	1	-	1	-	-	-
	F—	92	75	3	1	1	1	2	1	1	1	-	-	-	-	1	2	3	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	32	25	-	1	2	-	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F—	29	25	-	-	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	1,248	1,247	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	465	464	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	316	316	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	427	427	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	52	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	755	754	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	266	265	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	135	135	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	824	80	10	2	1	1	2	-	4	11	14	21	46	35	65	72	67	71	71	67	73	79	78	36	12	7
	White— M—	297	15	1	-	-	-	-	-	-	-	3	4	12	8	15	22	25	31	21	26	36	29	30	15	4	2
	F—	176	12	-	-	1	-	-	-	1	-	1	3	3	3	-	4	5	8	17	14	17	32	35	16	4	-
	Nonwhite— M—	275	32	5	-	-	-	1	-	1	7	6	7	18	15	32	22	23	19	28	19	15	9	8	4	1	3
	F—	176	21	4	2	-	1	1	-	2	4	4	7	12	11	18	24	14	13	5	8	5	9	5	1	3	2
Residual	All other diseases	1,170	68	17	7	10	4	16	17	17	25	31	45	47	68	90	70	100	107	129	105	96	54	26	14	2	5
	White— M—	511	22	5	2	4	3	8	4	5	6	8	13	15	26	37	32	46	52	66	66	42	27	15	6	-	1
	F—	331	19	3	1	2	1	2	5	6	10	7	14	9	16	19	9	25	28	35	30	48	24	9	7	1	1
	Nonwhite— M—	167	15	5	3	2	-	2	4	2	4	3	6	8	10	20	17	17	12	19	5	4	3	2	-	1	3
	F—	161	12	4	1	2	-	4	4	4	5	13	12	15	16	14	12	12	15	9	4	2	-	-	1	-	-
E800-E962	Accidents—	1,685	76	39	26	20	18	58	49	84	147	145	113	138	110	99	79	79	72	63	67	86	64	48	18	4	1
	White— M—	870	29	17	9	7	8	27	22	53	88	85	66	60	47	54	51	52	42	32	38	40	23	19	3	-	-
	F—	370	17	10	9	4	5	15	7	12	22	14	13	17	17	15	11	11	11	20	20	40	36	25	15	4	-
	Nonwhite— M—	350	15	11	6	4	4	8	17	17	30	40	28	38	38	24	13	16	17	5	9	4	3	3	-	-	-
	F—	95	17	1	2	5	1	8	3	2	7	6	6	3	8	6	4	-	2	6	2	2	2	1	-	-	1
E810-E835	Motor-vehicle accidents—	656	6	13	11	5	8	21	17	47	69	75	50	52	49	32	41	38	35	25	26	23	6	7	1	1	-
	White— M—	373	3	2	4	1	4	12	12	32	41	45	30	23	19	19	27	22	17	18	17	16	4	6	1	-	-
	F—	122	1	7	5	1	2	6	1	8	12	10	5	7	8	5	7	7	10	6	6	5	2	-	-	1	-
	Nonwhite— M—	139	2	4	1	2	1	2	3	6	13	17	14	22	21	5	6	7	7	1	2	2	-	1	-	-	-
	F—	22	-	-	1	1	1	1	1	1	3	3	1	-	1	3	1	-	1	2	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	1,029	72	26	15	15	10	37	32	37	78	70	63	66	61	67	38	43	37	38	41	63	58	41	17	3	1
	White— M—	497	26	15	5	6	4	15	10	21	47	40	38	37	28	35	24	30	25	16	19	24	19	13	2	-	-
	F—	248	16	3	4	3	3	9	6	4	10	4	8	10	9	10	4	4	1	14	14	35	34	25	15	3	-
	Nonwhite— M—	211	13	7	5	2	3	6	14	11	17	23	14	16	17	19	7	9	10	4	7	2	3	2	-	-	-
	F—	73	17	1	1	4	-	7	2	1	4	3	3	3	7	3	3	-	1	4	1	2	2	1	-	-	1
E963, E970-E979	Suicide—	355	-	-	-	-	-	-	3	4	25	21	30	39	41	37	46	21	30	24	18	6	5	1	-	-	2
	White— M—	255	-	-	-	-	-	-	2	1	16	15	22	24	29	25	32	15	27	20	17	5	5	1	-	-	1
	F—	82	-	-	-	-	-	-	1	2	7	6	5	12	11	10	12	7	3	3	1	1	-	-	-	-	1
	Nonwhite— M—	10	-	-	-	-	-	-	-	-	2	-	2	3	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	315	4	-	-	-	2	2	3	9	52	46	49	49	37	31	12	4	8	3	4	1	-	-	-	-	1
	White— M—	68	1	-	-	-	-	1	2	8	7	12	6	10	5	4	2	2	2	2	4	1	-	-	-	-	-
	F—	25	2	-	-	-	1	1	-	-	2	1	6	3	2	4	-	-	3	-	-	-	-	-	-	-	-
	Nonwhite— M—	159	-	-	-	-	-	1	1	7	23	26	26	31	18	19	4	2	-	1	-	-	-	-	-	-	-	-
	F—	63	1	-	-	-	-	1	-	-	19	12	5	9	7	3	4	-	1	-	-	-	-	-	-	-	1
E965, E990-E998	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA																										
	ALL CAUSES	29,608	3,101	219	123	95	69	234	188	374	561	700	828	1,103	1,419	1,804	2,143	2,456	2,631	2,924	2,828	2,524	1,728	954	380	120	122
	White—M	10,132	980	63	34	31	20	84	68	96	185	211	199	289	422	500	658	903	980	1,137	1,165	1,035	615	281	105	25	16
	F	7,282	696	53	39	24	14	44	31	56	73	104	143	178	214	270	342	403	533	794	941	950	715	433	183	35	14
	Nonwhite—M	6,419	787	59	23	17	21	61	52	131	145	194	248	313	379	522	630	626	584	531	375	298	205	107	44	30	37
	F	5,775	638	44	27	23	14	45	37	91	148	191	238	323	404	512	513	524	524	462	347	241	193	103	48	30	55
001-019	Tuberculosis, all forms	943	4	3	3	-	1	2	6	40	81	84	93	93	103	98	74	75	57	54	33	20	13	4	-	-	2
	White—M	244	1	2	-	-	-	-	-	-	9	6	13	14	30	27	27	35	22	27	15	8	5	1	-	-	2
	F	126	-	-	1	-	1	1	-	2	5	10	10	16	7	8	10	4	14	13	11	7	5	1	-	-	-
	Nonwhite—M	290	1	1	1	-	-	-	1	13	22	23	30	37	39	31	25	26	15	11	6	4	3	1	-	-	-
	F	283	2	-	1	-	-	1	5	25	45	45	40	26	27	32	12	10	5	3	1	1	-	1	-	-	-
001-008	Tuberculosis of respiratory system	877	2	1	2	-	-	-	5	32	80	78	88	83	97	89	59	71	56	54	33	19	13	3	-	-	2
	White—M	238	-	1	-	-	-	-	-	-	9	6	13	13	29	26	27	34	22	27	15	8	5	1	-	-	2
	F	118	-	-	1	-	-	-	-	2	5	9	10	16	7	7	8	4	14	13	11	6	5	-	-	-	-
	Nonwhite—M	265	1	-	1	-	-	-	1	11	21	19	28	31	36	27	25	25	14	11	6	4	3	1	-	-	-
	F	256	1	-	-	-	-	-	4	19	45	44	37	23	25	29	9	6	6	3	1	1	-	1	-	-	-
010-019	Tuberculosis, other forms	66	2	2	1	-	1	2	1	8	1	6	5	10	6	9	5	4	1	-	-	1	-	1	-	-	-
	White—M	6	1	1	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	1	1	-	-	-	1	-	-	-	1	2	-	-	-	-	1	-	1	-	-	-
	Nonwhite—M	25	-	1	-	-	-	-	-	2	1	4	2	6	3	4	-	1	1	-	-	-	-	-	-	-	-
	F	27	1	-	1	-	-	1	1	6	-	1	3	3	2	3	3	2	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	241	9	1	-	1	-	1	-	2	5	4	10	26	30	37	25	25	29	15	18	3	2	-	-	-	-
	White—M	53	1	-	-	-	-	-	-	-	-	-	-	2	3	6	3	7	11	6	12	2	-	-	-	-	-
	F	11	1	-	-	-	-	-	-	-	1	1	-	-	-	1	4	1	-	-	1	1	-	-	-	-	-
	Nonwhite—M	115	4	1	-	1	-	1	-	1	2	1	5	13	13	21	14	13	12	9	3	-	1	-	-	-	-
	F	62	3	-	-	-	-	-	-	1	2	2	5	11	14	9	4	4	8	-	-	1	-	-	-	-	-
040	Typhoid fever	13	1	-	-	-	-	2	-	-	1	1	5	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	46	20	1	-	1	-	1	-	-	1	-	1	-	-	-	5	2	2	4	2	2	2	2	-	-	-
	White—M	12	7	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	F	10	1	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	2	2	-	-	2	-	-	-	-
	Nonwhite—M	15	4	-	-	1	-	-	-	-	-	1	-	1	-	-	2	1	-	1	1	1	-	2	-	-	-
	F	9	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	13	1	2	-	-	-	1	1	2	-	-	1	-	-	1	1	1	-	1	-	1	-	-	-	-	-
	White—M	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-
055	Diphtheria	21	5	3	2	3	2	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	10	4	-	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	24	16	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	18	3	3	-	1	-	2	1	4	-	1	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	White—M	6	-	1	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	1	-	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	11	1	-	-	1	-	5	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	1	-	-	1	-	4	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	31	8	3	5	1	4	2	3	1	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	4	-	2	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	2	1	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	2	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	14	-	1	1	-	-	2	2	-	-	-	-	-	1	1	2	1	-	2	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	5	-	1	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
110-117	Malaria	4	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	132	24	8	4	3	1	8	4	3	2	3	9	9	13	6	7	4	7	2	5	4	3	2	1	-	-
	White—M	36	6	1	-	1	1	2	1	1	-	1	1	1	2	1	4	1	1	1	3	4	2	1	-	-	-
	F	24	5	3	3	-	-	-	1	-	1	-	-	2	3	-	-	1	1	-	2	-	1	1	-	-	-
	Nonwhite—M	32	7	2	-	1	-	3	1	1	-	1	2	2	5	1	2	-	2	1	-	-	-	-	1	-	-
	F	40	6	2	1	1	-	3	1	1	1	1	6	4	3	4	1	2	3	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
140-205	Malignant neoplasms, etc.*——	3,206	3	4	9	8	5	19	20	20	28	53	70	117	191	268	325	368	381	399	340	293	165	86	13	8	13
	White——M—	1,059	-	2	5	4	2	13	10	6	11	15	13	20	33	73	90	118	142	139	145	124	62	22	6	-	4
	F—	1,219	2	1	3	2	1	5	5	4	7	18	29	51	66	98	118	121	120	164	139	131	82	43	4	2	3
	Nonwhite—M—	391	-	1	1	1	1	-	3	6	5	8	8	11	31	25	55	59	54	39	33	22	10	9	2	4	3
	F—	537	1	-	-	1	1	1	2	4	8	12	20	35	61	72	62	70	65	57	23	16	11	12	1	2	3
140-148	Of buccal cavity and pharynx——	99	-	-	-	-	-	-	-	1	1	-	2	1	4	7	14	12	17	10	13	8	6	1	2	-	-
	White——M—	63	-	-	-	-	-	-	-	1	1	-	-	1	-	6	9	9	9	7	9	6	4	1	-	-	-
	F—	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	1	3	2	2	-	2	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	1	1	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	1,124	1	1	1	-	-	-	1	6	5	6	10	24	51	82	104	117	160	154	144	134	72	36	5	6	4
	White——M—	375	-	1	-	-	-	-	-	2	1	3	2	6	8	25	21	40	60	62	53	54	24	8	3	-	2
	F—	387	-	-	-	-	-	-	-	-	-	1	3	7	11	25	30	32	37	58	63	62	41	15	1	1	-
	Nonwhite—M—	198	-	-	1	-	-	-	-	4	2	2	3	5	17	15	28	24	38	14	21	6	4	6	1	4	1
	F—	166	1	-	-	-	-	-	1	-	2	-	2	6	15	17	25	21	25	20	7	12	3	7	-	1	1
160-164	Of respiratory system——	250	-	-	-	-	-	-	-	-	4	1	3	4	9	29	38	51	35	27	25	14	6	2	1	-	3
	White——M—	167	-	-	-	-	-	-	-	-	2	-	1	1	6	19	26	36	27	15	19	8	4	-	1	-	2
	F—	45	-	-	-	-	-	-	-	-	1	-	1	2	1	4	3	4	5	9	5	6	2	2	-	-	-
	Nonwhite—M—	26	-	-	-	-	-	-	-	-	1	1	1	1	2	3	5	7	1	2	1	-	-	-	-	-	1
	F—	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	4	2	1	-	-	-	-	-	-	-
170	Of breast——	266	-	-	-	-	-	-	-	-	1	3	10	19	15	32	23	33	26	40	19	18	14	10	2	1	-
	White——M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F—	188	-	-	-	-	-	-	-	-	1	1	6	14	9	20	18	21	20	28	14	17	11	7	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	75	-	-	-	-	-	-	-	-	2	4	5	6	12	5	12	6	10	4	1	3	3	1	1	-
171-179	Of genital organs——	698	-	-	-	-	-	-	-	4	1	8	27	38	57	60	78	88	74	78	76	59	35	10	3	-	2
	White——M—	128	-	-	-	-	-	-	-	-	1	2	2	-	2	1	4	2	13	15	34	28	17	5	2	-	-
	F—	285	-	-	-	-	-	-	-	-	-	2	11	19	27	31	38	43	27	31	27	16	10	3	-	-	-
	Nonwhite—M—	87	-	-	-	-	-	-	-	-	-	-	1	-	2	2	11	17	8	15	8	13	5	3	1	-	1
	F—	198	-	-	-	-	-	-	-	1	-	-	1	-	2	2	11	17	8	15	8	13	5	3	1	-	1
180, 181	Of urinary organs——	126	-	-	1	-	-	1	1	-	2	2	1	-	5	9	13	15	12	19	18	12	10	4	-	-	1
	White——M—	59	-	-	1	-	-	-	-	-	-	-	-	-	1	3	5	7	6	9	11	9	4	3	-	-	-
	F—	41	-	-	-	-	-	1	1	-	-	-	1	-	1	1	5	3	5	8	5	3	5	1	-	-	1
	Nonwhite—M—	16	-	-	-	-	-	-	-	-	-	1	-	-	3	2	2	5	1	1	1	-	-	-	-	-	-
	F—	10	-	-	-	-	-	-	-	-	2	1	-	-	-	3	1	-	-	1	1	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	399	-	-	3	2	-	7	8	4	7	17	8	19	32	36	37	40	38	42	31	29	18	19	-	1	1
	White——M—	155	-	-	1	1	-	5	5	1	5	4	5	8	10	15	14	18	16	13	13	10	8	5	-	-	-
	F—	154	-	-	2	-	-	1	1	2	1	8	3	8	6	13	16	11	12	20	13	15	9	11	-	1	1
	Nonwhite—M—	35	-	-	-	-	-	1	1	1	-	2	-	-	4	1	5	6	5	4	2	3	-	1	-	-	-
	F—	55	-	-	-	1	-	1	1	-	1	3	-	3	12	9	2	5	5	5	3	1	1	2	-	-	-
204	Leukemia and aleukemia——	142	1	3	4	6	3	10	8	5	4	9	6	4	7	8	11	4	10	16	4	12	3	2	-	-	2
	White——M—	61	-	1	3	3	1	7	3	2	-	4	2	1	2	3	5	2	5	8	1	7	1	-	-	-	-
	F—	60	1	1	1	2	1	3	3	2	3	3	3	1	3	4	3	2	5	6	3	5	2	2	-	-	1
	Nonwhite—M—	12	-	1	-	1	-	-	2	-	1	1	1	1	1	-	2	-	-	1	-	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	-	-	1	-	-	-	-	-	-	1
200-203, 205	Lymphomas, etc.*——	102	1	-	-	-	2	1	2	-	3	7	3	8	11	5	9	8	9	13	10	7	1	2	-	-	-
	White——M—	49	-	-	-	-	1	1	2	-	1	2	1	3	4	3	6	4	6	9	4	2	-	-	-	-	-
	F—	37	1	-	-	-	-	-	-	-	1	3	1	-	5	-	3	4	3	3	6	5	-	2	-	-	-
	Nonwhite—M—	11	-	-	-	-	1	-	-	-	1	1	-	4	2	1	-	-	-	-	-	-	1	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	103	-	1	3	-	1	2	4	2	2	3	4	10	19	12	7	10	7	5	6	2	2	-	1	-	-
	White——M—	25	-	1	3	-	-	2	-	-	1	-	1	-	3	2	1	3	1	2	2	-	2	-	1	-	-
	F—	33	-	-	-	-	-	-	1	-	1	3	-	2	8	3	3	3	3	1	3	2	-	-	-	-	-
	Nonwhite—M—	10	-	-	-	1	-	2	2	-	-	-	-	1	1	1	-	-	1	1	-	-	-	-	-	-	-
	F—	33	-	-	-	-	-	1	-	-	-	-	3	7	7	6	3	4	2	1	1	-	-	-	-	-	-
260	Diabetes mellitus——	370	-	-	-	-	-	4	3	7	6	7	7	15	20	43	43	49	41	47	40	24	8	5	-	1	
	White——M—	109	-	-	-	-	-	-	-	2	2	4	3	5	2	12	9	15	9	18	18	11	1	-	-	-	
	F—	124	-	-	-	-	-	1	-	-	1	1	2	2	4	9	16	15	17	20	18	10	6	2	-	-	
	Nonwhite—M—	45	-	-	-	-	-	2	2	2	1	-	1	2	6	4	4	7	7	2	1	1	1	-	-	1	
	F—	92	-	-	-	-	-	1	1	1	2	2	2	1	6	8	18	14	14	8	7	3	2	-	3	-	
290-293	Anemias——	72	7	2	3	-	-	2	1	4	-	1	2	2	6	8	4	2	2	11	7	4	3	1	-	-	
	White——M—	27	3	-	-	-	-	-	-	2	-	-	1	-	2	-	1	1	1	7	3	3	3	-	-	-	
	F—	18	2	1	-	-	-	1	-	-	-	1	-	1	-	4	-	-	-	2	4	1	-	1	-	-	
	Nonwhite—M—	10	1	1	-	-	-	-	1	1	-	-	-	1	-	2	2	-	1	-	-	-	-	-	-	-	
	F—	17	1	-	3	-	-	1	-	1	-	-	1	-	4	2	1	1	-	2	-	-	-	-	-	-	
340	Nonmeningococcal meningitis——	76	34	6	4	2	1	3	2	-	-	3	-	4	5	2	3	2	-	2	3	-	-	-	-	-	
	White——M—	19	10	3	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	2	-	-	-	-	-	
	F—	8	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
	Nonwhite—M—	24	8	-	3	1	1	1	1	-	-	1	-	2	2	1	1	1	-	1	-	-	-	-	-	-	
	F—	25	10	2	1	1	-	2	1	-	-	1	-	1	3	-	2	-	-	1	-	-	-	-	-	-	
330-334, 400-468, 582-594	Major cardiovascular-renal diseases——	14,400	9	3	4	5	1	15	24	35	62	107	204	371	597	873	1,213	1,458	1,676	1,925	1,923	1,726	1,172	627	259	71	60
	White——M—	5,066	2	3	1	2	-	3	8	8	22	25	33	65	177	220	376	537	623	756	791	702	411	195	67	16	5
	F—	3,583	2	-	1	3	-	3	2	11	7	13	40	43	56	91	141	199	301	487	634	642	488	288	112	22	7
	Nonwhite—M—	2,922	3	-	1	-	1	3	6	5	13	28	68	103	177	280	369	385	395	361	251	203	137	71	27	18	17
	F—	2,829	2	-	1	-	-	6	8	11	20	41	63	142	187	282	327	337	357	321	257	179	136	73	33	15	31
330-334, 400-468	Diseases of cardiovascular system——	13,473	8	2	4	5	1	14	22	31	48	87	182	336	559	826	1,168	1,377	1,577	1,814	1,806	1,601	1,081	578	220	69	57
	White——M—	4,792	2	2	1	2	-	3	8	8	12	21	51	74	169	209	370	519	597	719	751	649	383	179	62	16	5
	F—	3,371	2	-	1	3	-	3	2	10	6	10	34	37	54	87	136	184	286	486	589	609	453	267	105	20	7
	Nonwhite—M—	2,711	3	-	1	-	1	2	6	5	12	22	64	94	169	264	357	361	360	331	231	182	123	65	25	18	15
	F—	2,599	1	-	1	-	-	6	6	8	18	34	53	131	167	266	305	315	334	298	235	161	122	67	28	15	30
330-334	Vascular lesions, etc.*——	3,896	4	1	1	-	-	2	3	5	8	23	38	93	173	243	346	383	460	565	508	470	306	158	53	20	16
	White——M—	1,063	2	1	-	-	-	1	1	2	2	5	6	7	27	33	77	92	130	182	172	153	109	45	14	2	-
	F—	992	-	-	-	-	-	-	-	2	-	5	8	6	18	30	50	41	100	148	170	188	125	76	16	6	-
	Nonwhite—M—	870	2	-	-	-	-	1	-	1	3	6	14	30	54	76	115	132	124	122	68	58	33	14	8	8	3
	F—	971	-	-	1	-	-	-	2	-	5	7	11	50	74	104	104	118	126	110	96	73	39	23	13	4	13
400-402	Rheumatic fever——	52	2	1	-	1	-	4	9	8	1	6	7	5	4	-	1	-	-	1	-	1	1	-	-	-	-
	White——M—	13	-	1	-	-	-	-	4	3	1	1	2	-	2	-	-	-	-	-	-	1	1	-	-	-	-
	F—	9	1	-	1	-	-	-	1	3	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	1	2	2	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	21	1	-	-	-	-	3	2	3	-	4	3	3	-	-	1	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
410-443	Diseases of heart	8,633	1	-	3	3	1	8	9	18	36	55	121	211	352	542	759	938	1,011	1,159	1,190	991	670	354	132	36	33
	White—M	3,437	-	-	1	2	-	2	2	8	9	13	22	66	136	170	283	414	439	501	532	429	239	112	41	13	5
	F	2,107	-	-	1	1	-	3	1	5	6	5	22	25	29	52	78	136	171	296	387	372	282	155	66	9	5
	Nonwhite—M	1,649	1	-	1	-	1	-	4	2	8	14	45	50	104	188	219	215	216	187	147	114	77	48	12	6	10
	F	1,440	-	-	-	-	-	3	2	5	13	23	32	70	83	152	179	173	185	175	124	76	72	39	13	8	13
410-416	Chronic rheumatic heart disease	284	...	-	-	-	1	4	3	6	7	15	16	19	27	27	25	27	21	20	18	16	20	6	4	1	1
	White—M	75	...	-	-	-	-	1	1	2	3	4	3	5	10	5	3	8	6	6	6	8	3	1	1	-	-
	F	67	...	-	-	-	-	2	-	2	1	2	6	4	4	4	1	7	2	6	7	5	9	3	2	-	-
	Nonwhite—M	65	...	-	-	-	1	-	2	1	2	3	3	3	5	6	13	5	7	4	4	1	2	1	1	1	-
	F	77	...	-	-	-	-	1	1	1	1	6	4	7	8	12	8	7	6	4	1	2	6	1	-	-	1
420	Arteriosclerotic heart dis., etc.*	3,878	-	-	-	1	-	-	3	3	12	19	39	92	172	258	353	475	510	590	556	445	197	109	32	6	6
	White—M	2,073	-	-	-	1	-	-	1	2	4	5	14	47	93	135	200	298	299	328	296	204	89	38	12	4	3
	F	974	-	-	-	-	-	-	-	1	2	2	2	10	14	24	39	73	94	171	199	184	92	52	13	2	-
	Nonwhite—M	468	-	-	-	-	-	-	1	-	2	5	17	20	43	59	63	64	68	54	32	37	8	10	4	-	1
	F	343	-	-	-	-	-	-	1	-	4	7	6	15	22	40	51	40	49	37	29	20	8	9	3	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,332	...	-	3	1	-	3	1	4	5	7	14	23	39	59	84	99	133	148	192	198	158	94	46	13	10
	White—M	582	...	-	1	-	-	1	1	1	-	2	2	2	3	6	15	20	32	40	72	76	57	33	14	2	2
	F	343	...	-	1	1	-	-	-	1	1	-	1	5	5	2	10	15	26	29	53	68	57	36	25	5	2
	Nonwhite—M	312	...	-	1	-	-	-	-	-	1	3	7	3	17	28	32	33	40	36	32	32	27	10	3	3	4
	F	295	...	-	-	-	-	2	-	2	3	2	4	15	14	23	27	31	35	41	35	22	17	15	4	8	2
430-434	Other diseases of heart	844	1	-	-	1	-	1	1	5	9	5	24	28	54	74	86	89	91	94	98	71	63	28	13	4	3
	White—M	275	-	-	-	1	-	-	-	1	2	-	1	9	18	15	22	26	32	31	40	39	23	8	4	3	-
	F	137	-	-	-	-	-	1	1	1	1	-	4	3	3	4	7	7	9	15	24	22	16	12	6	-	1
	Nonwhite—M	219	1	-	-	-	-	-	-	1	3	1	10	9	14	31	32	27	26	20	18	7	10	5	2	-	1
	F	213	-	-	-	-	-	-	-	2	3	4	9	7	19	24	25	29	24	28	18	3	14	3	1	1	1
440-443	Hypertension with heart dis.	2,295	-	-	-	-	-	-	1	-	3	9	28	49	80	124	211	248	256	309	325	261	232	117	37	12	13
	White—M	632	-	-	-	-	-	-	-	-	-	2	2	3	12	9	43	62	70	96	118	102	67	32	10	4	-
	F	588	-	-	-	-	-	-	-	-	1	1	9	3	3	18	21	34	40	75	104	93	108	52	20	2	2
	Nonwhite—M	565	-	-	-	-	-	-	1	-	-	2	8	15	25	44	79	86	75	73	60	37	30	22	2	2	4
	F	512	-	-	-	-	-	-	-	-	2	4	9	28	20	53	68	66	71	65	43	28	27	11	5	4	7
444-447	Hypertension without mention of heart	357	-	-	-	-	-	-	-	-	-	-	7	23	21	23	26	30	28	43	41	45	32	20	10	5	3
	White—M	85	-	-	-	-	-	-	-	-	-	-	-	1	3	2	4	3	8	14	14	20	10	6	-	-	-	-
	F	94	-	-	-	-	-	-	-	-	-	-	-	5	2	1	4	3	4	15	12	14	13	10	8	3	-
	Nonwhite—M	100	-	-	-	-	-	-	-	-	-	-	4	10	10	12	7	11	9	8	9	8	6	3	1	1	1
	F	78	-	-	-	-	-	-	-	-	-	-	3	7	6	8	11	13	7	6	6	3	3	1	1	1	2
450	General arteriosclerosis	408	-	-	-	-	-	-	-	-	-	-	1	1	3	5	16	16	41	39	60	84	62	45	23	7	5
	White—M	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	15	14	28	42	22	15	8	1	-
	F	141	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	9	6	18	30	29	26	13	2	2
	Nonwhite—M	59	-	-	-	-	-	-	-	-	-	-	-	1	-	4	7	3	8	13	7	4	5	-	4	2	1
	F	56	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	9	6	7	8	6	4	-	2	2
451-468	Other diseases of circulatory sys.	127	1	-	-	1	-	-	1	-	3	3	7	3	6	13	20	10	17	9	9	10	10	1	2	1	-
	White—M	42	-	-	-	-	-	-	1	-	-	2	1	-	1	4	3	4	5	8	5	4	2	1	1	-	-	-
	F	28	1	-	-	1	-	-	-	-	-	-	2	1	2	4	2	2	-	2	5	4	-	-	-	-	-
	Nonwhite—M	24	-	-	-	-	-	-	-	-	1	1	-	1	1	4	9	-	3	1	-	-	2	-	-	1	-
	F	33	-	-	-	-	-	-	-	-	2	-	4	1	2	1	6	4	7	-	2	1	2	-	1	-	-
592-594	Chronic nephritis, etc.*	927	1	1	-	-	-	1	2	4	14	20	22	35	38	47	45	81	99	111	117	125	91	49	19	2	3
	White—M	274	-	1	-	-	-	-	-	-	10	4	2	9	8	11	6	18	26	37	40	53	28	16	5	-	-
	F	212	-	-	-	-	-	-	-	1	1	3	6	6	2	4	5	15	15	21	35	33	35	21	7	2	-
	Nonwhite—M	211	-	-	-	-	-	1	-	-	1	6	4	9	8	16	12	24	35	30	20	21	14	6	2	-	2
	F	230	1	-	-	-	-	-	2	3	2	7	10	11	20	18	22	24	23	23	22	18	14	6	5	-	1
480-493	Influenza and pneumonia, etc.*	1,211	288	48	21	6	9	23	12	11	19	22	28	27	35	64	62	77	51	81	69	82	66	48	23	10	9
	White—M	290	58	6	2	1	1	5	2	-	4	3	4	3	1	11	8	19	15	27	23	36	31	18	6	3	2
	F	250	45	9	5	2	-	6	1	-	3	4	4	4	3	6	8	8	9	11	26	25	33	21	14	3	-
	Nonwhite—M	359	110	21	9	2	4	9	6	2	4	2	10	12	9	26	26	28	12	22	8	12	16	4	2	-	3
	F	312	74	12	5	1	4	3	3	9	8	13	10	8	22	21	20	22	15	21	12	9	6	5	1	4	4
480-483	Influenza	190	33	6	1	-	3	4	3	-	3	2	5	5	7	13	12	10	10	19	10	11	15	9	5	4	-
	White—M	35	5	1	-	-	1	-	1	-	2	-	1	-	1	1	-	1	3	3	3	4	2	3	1	2	-
	F	26	4	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	1	1	3	3	5	1	4	-	-
	Nonwhite—M	73	18	4	-	-	2	2	1	-	1	-	1	4	2	6	5	6	3	8	1	2	5	2	-	-	-
	F	56	6	-	1	-	-	1	1	-	-	2	2	1	4	6	6	3	3	7	3	2	3	3	-	2	-
490-493	Pneumonia, etc.*	1,021	255	42	20	6	6	19	9	11	16	20	23	22	28	51	50	67	41	62	59	71	71	39	18	6	9
	White—M	255	54	5	2	1	-	5	1	-	2	3	3	3	-	10	8	18	12	24	20	32	29	15	5	1	2
	F	224	41	8	5	2	-	5	1	-	3	4	3	4	3	6	7	8	8	10	23	22	28	20	10	3	-
	Nonwhite—M	286	92	17	9	2	2	7	5	2	3	2	9	8	7	20	21	22	9	14	7	10	11	2	2	-	3
	F	256	68	12	4	1	4	2	2	9	8	11	8	7	18	15	14	19	12	14	9	7	3	2	1	2	4
500-502	Bronchitis	79	20	5	1	1	1	1	1	-	-	1	1	-	5	3	2	2	4	5	6	12	5	2	1	-	-
	White—M	30	5	4	1	1	1	1	1	-	-	-	-	-	1	-	-	-	1	3	3	7	1	-	-	-	-
	F	20	3	1	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	3	3	4	2	1	-	-
	Nonwhite—M	14	5	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	1	-	-	-	-	-	-	-	-
	F	15	7	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	2	2	-	2	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	128	1	-	1	-	-	1	-	-	2	3	5	8	13	14	14	20	19	6	8	7	2	2	1	-	-
	White—M	65	-	-	-	-	-	-	-	-	1	1	-	5	5	7	6	13	10	5	5	5	1	1	-	-	-
	F	21	-	-	1	-	-	1	-	-	-	-	-	-	1	4	2	3	3	-	3	1	-	1	1	-	-
	Nonwhite—M	36	1	-	-	-	-	-	-	-	1	2	5	2	7	2	5	4	4	1	-	1	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	-	1	-	-	-	-	-	-
550-553	Appendicitis	92	-	-	2	-	1	6	5	9	2	9	3	6	2	8	8	8	11	5	3	2	1	-	-	-	1
	White—M	32	-	-	2	-	1	1	-	3	-	1	-	2	1	3	3	3	7	2	1	1	1	-	-	-	-
	F	18	-	-	-	-	-	2	-	2	-	4	1	-	1	-	-	-	2	3	2	1	-	-	-	-	-
	Nonwhite—M	28	-	-	-	-	-	3	3	2	2	3	1	1	-	4	3	3	2	-	-	-	-	-	-	-	1
	F	14	-	-	-	-	-	-	2	2	-	1	1	3	-	1	2	2	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	212	24	5	1	2	-	2	1	3	6	6	9	8	14	7	16	13	15	23	19	16	15	5	2	-	-
	White—M	70	10	1	1	1	-	1	-	-	1	1	1	1	2	3	2	3	9	10	6	6	7	3	1	-	-
	F	56	6	1	-	-	-	-	1	1	2	-	2	1	2	1	4	3	2	8	6	9	4	2	1	-	-
	Nonwhite—M	46	5	2	-	-	-	1	-	1	2	2	4	3	5	2	5	3	1	2	4	1	3	-	-	-	-
	F	40	3	1	-	1	-	-	-	1	1	3	2	3	5	1	5	4	3	3	3	-	1	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	GEORGIA—Con.																										
543, 571, 572	Gastritis, etc.*—	270	163	15	5	-	1	2	2	2	2	2	3	3	7	6	5	11	12	4	8	11	3	3	1	-	1
	White——M—	78	44	3	2	-	-	-	2	1	1	1	1	1	2	2	1	4	4	1	1	4	1	1	1	-	-
	F—	57	31	4	2	-	1	1	-	1	1	-	-	-	-	-	-	2	2	1	3	5	1	2	-	-	-
	Nonwhite—M—	61	45	4	-	-	-	1	-	-	-	-	-	1	1	2	-	1	1	2	-	1	1	-	-	-	1
	F—	74	43	4	1	-	-	-	-	-	-	1	2	1	4	2	2	4	5	-	4	1	-	-	-	-	-
581	Cirrhosis of liver	182	-	-	-	1	-	-	-	-	1	6	8	16	20	28	18	20	20	22	7	8	6	-	-	-	1
	White——M—	98	-	-	-	-	-	-	-	-	-	1	4	11	12	14	12	11	11	14	2	5	1	-	-	-	-
	F—	35	-	-	-	1	-	-	-	-	-	-	1	1	3	6	2	2	6	6	3	2	2	-	-	-	-
	Nonwhite—M—	30	-	-	-	-	-	-	-	-	1	3	3	1	3	4	2	4	3	1	2	1	1	-	-	-	1
	F—	19	-	-	-	-	-	-	-	-	-	2	-	3	2	4	2	3	-	1	-	-	2	-	-	-	-
590, 591	Acute nephritis, etc.*—	191	4	1	4	5	4	7	-	5	3	4	7	13	8	19	16	12	15	14	13	14	11	6	6	-	-
	White——M—	49	1	-	-	-	1	2	-	1	-	2	-	2	-	8	4	2	5	3	4	4	4	3	3	-	-
	F—	33	-	-	2	1	2	-	-	1	-	1	2	2	-	-	1	-	2	3	1	4	7	2	2	-	-
	Nonwhite—M—	59	1	1	1	2	1	4	-	1	2	-	2	4	2	5	6	4	5	6	5	5	-	1	1	-	-
	F—	50	2	-	1	2	-	1	-	2	1	1	3	5	6	6	5	6	3	2	3	1	-	-	-	-	-
610	Hyperplasia of prostate—	131	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	16	25	25	23	11	10	3	2	-
	White——M—	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	12	15	16	9	9	2	1	-
	Nonwhite—M—	57	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	9	13	10	7	2	1	1	1	-
640-689	Complications of pregnancy, etc.*—	170	...	...	...	...	...	...	1	17	36	32	44	24	13	2	1	-	...	...	...	...	...	...	...	...	-
	White——F—	65	...	...	...	...	...	...	-	5	11	16	13	11	8	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	105	...	...	...	...	...	...	1	12	25	16	31	13	5	1	1	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	23	...	...	...	...	...	...	-	1	7	6	7	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	6	...	...	...	...	...	...	-	-	2	1	3	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	17	...	...	...	...	...	...	-	1	5	5	4	2	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 650-689	All other complications—	147	...	...	...	...	...	...	1	16	28	26	37	22	13	2	1	-	...	...	...	...	...	...	...	...	-
	White——F—	59	...	...	...	...	...	...	-	5	9	15	10	11	8	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	88	...	...	...	...	...	...	1	11	20	11	27	11	5	1	1	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	379	276	21	8	7	5	11	6	5	8	5	5	7	2	2	3	5	1	1	1	-	-	-	-	-	-
	White——M—	161	120	10	3	4	2	4	3	1	5	2	2	2	1	-	-	2	-	-	-	-	-	-	-	-	-
	F—	123	88	7	3	1	-	3	3	2	2	2	1	3	-	2	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite—M—	56	39	2	1	1	2	3	-	1	-	1	1	1	1	-	1	2	-	-	-	-	-	-	-	-	-
	F—	39	29	2	1	1	1	1	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	1,749	1,748	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	604	603	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	425	425	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	408	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	312	312	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	574	574	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	117	117	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	147	147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	46	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-776	Other diseases of infancy, and immaturity unqualified—	1,028	1,027	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	318	317	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	259	259	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	201	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	978	223	7	5	1	3	6	2	8	13	12	16	31	32	47	55	63	51	54	76	67	76	46	41	20	23
	White——M—	210	35	1	-	1	1	2	1	1	2	1	1	5	11	10	15	17	17	14	22	18	17	9	6	2	1
	F—	145	24	1	1	-	1	-	-	2	-	2	-	3	4	4	-	6	5	11	6	11	18	20	21	3	2
	Nonwhite—M—	328	78	4	1	-	-	-	1	2	7	2	10	14	7	22	25	23	17	18	27	23	21	10	6	7	5
	F—	295	88	1	3	-	1	4	-	3	4	7	5	9	10	11	15	17	12	11	21	15	20	7	8	8	15
Re-sid-ual	All other diseases	1,451	94	27	9	17	7	19	16	25	31	50	65	86	96	104	105	101	116	129	125	105	61	37	18	5	3
	White——M—	478	28	10	3	5	2	6	5	7	7	7	13	23	21	31	33	43	48	53	47	39	22	16	5	3	1
	F—	405	23	6	4	4	-	4	4	5	6	9	15	16	22	17	22	18	30	43	55	48	26	15	11	2	-
	Nonwhite—M—	301	28	4	-	3	5	4	5	11	6	16	20	17	23	28	29	26	21	17	15	9	6	4	2	-	2
	F—	267	15	7	2	5	-	5	2	2	12	18	17	30	30	28	21	14	17	16	8	9	7	2	-	-	-
E800-E962	Accidents—	1,923	114	41	26	28	22	63	68	136	165	166	144	131	113	112	74	90	57	70	71	74	61	43	24	4	6
	White——M—	895	32	13	8	6	5	29	31	56	105	109	75	75	67	56	32	46	21	30	34	27	20	11	6	-	1
	F—	362	23	10	9	8	7	14	12	16	16	9	13	7	17	12	10	11	13	14	25	38	32	28	14	3	1
	Nonwhite—M—	469	33	9	3	4	3	26	18	58	34	39	46	43	27	29	25	25	13	15	6	6	2	1	2	-	2
	F—	197	26	9	6	10	7	14	7	6	10	9	10	6	2	15	7	8	10	11	6	3	7	3	2	1	2
E810-E835	Motor-vehicle accidents—	726	4	10	10	8	10	34	24	59	102	87	72	53	54	48	25	39	19	27	14	14	8	2	-	-	4
	White——M—	431	2	5	5	3	3	15	14	30	75	63	45	32	31	28	12	20	6	11	11	11	6	2	-	-	1
	F—	104	1	3	3	2	3	4	6	11	10	5	6	3	11	5	7	7	6	7	2	1	-	-	-	-	1
	Nonwhite—M—	152	1	1	-	2	2	12	3	18	14	15	18	15	12	8	6	10	4	7	1	2	-	-	-	-	1
	F—	38	-	1	2	1	2	3	1	-	3	4	3	3	-	7	-	2	3	2	-	-	-	-	-	-	1
E800-E802, E840-E962	All ot. accidents—	1,198	110	31	16	20	12	29	44	77	63	79	72	78	59	64	49	51	38	43	57	60	55	41	24	4	2
	White——M—	464	30	8	3	3	2	14	17	26	30	46	30	43	36	28	20	26	15	19	23	16	14	9	6	-	-
	F—	258	22	7	6	6	4	10	6	5	6	4	7	4	6	7	3	4	7	7	23	37	32	28	14	3	-
	Nonwhite—M—	317	32	8	3	2	1	14	15	40	20	24	28	28	15	21	19	15	9	8	5	4	2	1	2	-	1
	F—	159	26	8	4	9	5	11	6	6	7	5	7	3	2	8	7	6	7	9	6	3	7	3	2	1	1
E963, E970-E979	Suicide—	297	-	-	-	-	-	-	-	7	21	22	34	43	39	28	25	25	21	15	11	2	3	-	1	-	2
	White——M—	211	-	-	-	-	-	-	-	6	15	14	19	28	29	20	20	21	17	8	8	2	3	-	1	-	-
	F—	59	-	-	-	-	-	-	-	-	6	6	8	9	8	4	4	3	2	6	2	-	-	-	-	-	1	-
	Nonwhite—M—	22	-	-	-	-	-	1	-	1	-	1	6	4	1	2	1	1	2	1	1	-	-	-	-	-	1	-
	F—	5	-	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	427	1	1	-	1	-	-	1	30	63	90	49	59	38	33	26	8	9	9	2	5	-	2	-	-	-
	White——M—	85	1	-	-	1	-	-	-	1	8	17	10	7	14	3	7	4	3	6	1	2	-	-	-	-	-
	F—	16	-	-	-	-	-	-	-	2	4	3	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	258	-	-	-	-	-	1	19	41	58	28	38	19	24	18	3	5	2	1	1	-	2	-	-	-	-
	F—	68	-	1	-	-	-	-	8	10	12	12	11	5	4	-	1	1	1	-	2	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO																										
	ALL CAUSES	4,701	431	33	23	13	6	46	45	58	81	70	69	121	138	155	218	299	441	510	583	564	418	268	85	14	14
	White—M	2,925	246	14	12	8	4	28	30	36	58	49	46	73	91	93	144	199	308	325	358	346	255	146	45	6	5
	F	1,679	188	16	10	5	2	16	13	19	21	18	22	47	46	57	73	93	122	181	212	210	158	117	39	7	7
	Nonwhite—M	57	10	2	-	-	-	1	2	1	1	1	1	-	-	4	1	3	7	3	9	4	2	3	-	1	1
	F	40	7	1	1	-	-	1	-	-	1	2	-	1	1	1	-	4	4	1	4	4	3	2	1	-	1
001-019	Tuberculosis, all forms	56	-	-	1	-	-	1	1	3	1	1	-	4	6	1	5	5	11	5	4	1	4	2	-	-	-
	White—M	38	-	-	-	-	-	1	1	2	-	-	-	1	3	1	4	5	9	4	2	1	3	1	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	1	-	3	3	-	1	-	2	-	1	-	1	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	51	-	-	1	-	-	1	1	2	-	1	-	4	6	1	5	3	11	4	4	1	4	2	-	-	-
	White—M	34	-	-	-	-	-	1	1	1	-	-	-	1	3	1	4	3	9	3	2	1	3	1	-	-	-
	F	14	-	-	-	-	-	-	-	1	-	1	-	3	3	-	1	-	2	-	1	-	1	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	5	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	2	4	-	2	-	-	-	1
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	-	1	-	-	-	1
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	5	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	16	-	-	-	-	-	3	3	1	1	5	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	2	-	-	1	3	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	-	1	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	13	3	-	-	-	-	3	-	-	-	1	1	-	1	-	-	-	-	2	1	-	-	1	-	-	-
	White—M	8	3	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
140-205	Malignant neoplasms, etc.*	601	3	2	1	3	1	2	1	3	3	6	8	23	19	30	36	58	98	87	77	79	36	21	4	-	-
	White	334	1	1	1	3	1	2	1	1	1	2	5	9	8	11	19	30	61	45	44	48	23	15	2	-	-
	F	257	1	1	-	-	-	-	-	2	2	3	3	14	10	19	17	25	34	42	33	30	13	6	2	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	2	-	-	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx	8	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	-	-	-	1	1	1	-	-
	White	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	1	1	1	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	242	1	1	-	-	-	-	-	-	1	1	-	2	7	10	13	21	44	40	40	37	16	6	2	-	-
	White	138	-	-	-	-	-	-	-	-	-	-	-	-	4	4	6	10	33	21	24	21	10	4	1	-	-
	F	99	-	1	-	-	-	-	-	-	1	1	-	2	3	6	7	8	10	19	16	16	6	2	1	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	47	-	-	-	-	-	-	-	-	-	-	-	1	-	2	7	8	7	10	5	4	1	1	-	-	-
	White	37	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	8	5	8	2	3	1	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	4	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of bronchus	56	-	-	-	-	-	-	-	-	-	-	-	4	3	7	2	7	12	7	4	4	4	2	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	55	-	-	-	-	-	-	-	-	-	-	-	4	3	7	2	7	11	7	4	4	4	2	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
171-179	Of genital organs	96	-	-	-	-	-	-	-	-	-	2	4	8	5	4	3	5	10	10	16	19	6	4	-	-	-
	White	55	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	-	6	5	11	17	5	4	-	-	-
	F	39	-	-	-	-	-	-	-	-	-	-	2	6	3	4	2	5	4	5	5	2	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	39	-	-	1	-	-	-	1	-	-	-	-	2	2	2	1	4	8	6	6	3	2	1	-	-	-
	White	32	-	-	1	-	-	-	1	-	-	-	-	2	2	2	1	3	6	4	6	2	1	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	63	1	-	-	-	-	-	-	2	1	2	3	2	1	2	5	5	9	8	3	8	5	5	1	-	-
	White	33	-	-	-	-	-	-	-	1	-	1	2	1	1	2	3	3	4	4	1	3	4	3	-	-	-
	F	28	1	-	-	-	-	-	-	1	1	1	1	1	-	-	2	2	4	4	2	4	1	2	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia	34	1	1	-	2	1	2	-	1	1	1	1	2	-	1	3	3	3	4	1	4	1	1	-	-	-
	White	23	1	1	-	2	1	2	-	-	1	-	1	2	-	1	-	2	3	2	-	2	1	1	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	1	-	-	-	-	3	1	-	2	1	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	16	-	-	-	1	-	-	-	-	-	-	-	1	1	2	2	4	2	2	1	-	-	-	-	-	-
	White	9	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	3	2	1	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	14	-	-	-	-	-	1	-	1	-	-	-	1	4	-	1	1	1	2	1	-	1	-	-	-	-	-
	White	6	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	1	1	1	-	1	-	-	-	-	-
	F	8	-	-	-	-	-	1	-	1	-	-	-	1	3	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	67	-	-	-	-	-	-	-	1	1	-	2	2	2	-	5	2	8	18	11	7	7	1	-	-	-
	White	34	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	1	5	9	5	4	3	1	-	-	-
	F	31	-	-	-	-	-	-	-	1	1	-	1	1	1	-	2	1	3	9	6	3	3	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
280-293	Anemias	12	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	1	-	2	3	3	-	-	-	-	-
	White	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	2	1	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	10	3	2	-	-	-	1	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White	6	2	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,320	1	-	-	-	-	5	5	6	11	14	14	35	42	70	104	153	236	312	382	392	283	186	53	12	6
	White	1,450	-	-	-	-	-	3	3	3	6	10	5	19	30	46	65	110	168	203	238	245	164	96	26	6	4
	F	843	1	-	-	-	-	2	2	3	5	3	9	13	12	23	38	41	83	107	139	143	119	87	26	5	2
	Nonwhite	18	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	4	2	3	1	-	2	-	1	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-	1	1	-	-
330-334, 400-468	Diseases of cardiovascular system	2,219	1	-	-	-	-	5	5	6	8	10	11	28	38	65	99	145	228	305	364	372	277	182	51	12	6
	White	1,391	-	-	-	-	-	3	3	3	4	7	3	17	28	43	64	103	160	202	229	232	160	95	25	6	4
	F	801	1	-	-	-	-	2	2	3	4	2	8	11	10	21	34	40	63	101	130	136	117	84	25	5	2
	Nonwhite	18	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	4	2	3	1	-	2	-	1	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-	1	1	-	-
330-334	Vascular lesions, etc.*	479	1	-	-	-	-	1	-	-	1	3	2	3	2	11	9	25	44	69	89	91	69	48	7	3	1
	White	247	-	-	-	-	-	1	-	-	-	3	-	2	1	5	2	12	25	37	42	51	40	19	3	3	1
	F	226	1	-	-	-	-	-	-	-	1	-	2	1	1	5	7	12	18	32	44	40	29	29	4	-	-
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	3	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	18	-	-	-	-	-	2	3	-	5	2	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-
	White	10	-	-	-	-	-	1	2	-	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	1	1	-	2	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
410-443	Diseases of heart	1,801	-	-	-	-	-	2	2	4	2	4	8	22	33	51	86	116	177	226	258	257	179	123	39	8	4
	White—M	1,063	-	-	-	-	-	1	1	3	1	2	2	13	26	35	60	87	133	157	175	169	102	72	19	3	2
	F	518	-	-	-	-	-	1	1	1	1	1	6	8	7	16	25	28	40	68	81	84	77	48	19	4	2
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	-	1	-	2	-	1	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	3	-	1	1	-	-
410-416	Chronic rheumatic heart disease	87	...	-	-	-	-	1	-	2	-	2	2	3	7	12	8	3	15	8	8	11	4	2	-	-	1
	White—M	38	...	-	-	-	-	-	-	1	-	1	-	-	3	5	3	1	10	4	4	5	-	1	-	-	-
	F	48	...	-	-	-	-	1	-	1	-	1	2	3	4	7	5	2	5	2	4	5	4	1	-	-	1
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	894	-	-	-	-	-	-	-	-	1	-	3	10	17	31	52	80	112	152	159	135	73	50	14	3	2
	White—M	673	-	-	-	-	-	-	-	-	1	-	2	7	16	25	45	65	88	114	114	97	51	34	10	1	2
	F	211	-	-	-	-	-	-	-	-	-	-	1	3	1	6	6	15	19	37	45	37	22	15	3	1	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	-	1	-	1	-	1	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	302	...	-	-	-	-	-	2	2	-	1	-	3	2	-	9	10	13	27	46	60	58	51	12	5	1
	White—M	179	...	-	-	-	-	-	1	2	-	1	-	2	1	-	4	7	10	17	31	40	27	29	5	2	-
	F	119	...	-	-	-	-	-	1	-	-	-	-	1	1	-	5	3	3	10	13	19	31	21	7	3	1
	Nonwhite—M	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
430-434	Other diseases of heart	94	-	-	-	-	-	-	-	-	1	-	-	2	4	2	7	7	13	12	11	17	10	5	3	-	-
	White—M	69	-	-	-	-	-	-	-	-	-	-	-	2	4	2	4	5	12	9	8	13	7	3	-	-	-
	F	22	-	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	1	3	3	3	3	1	3	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
440-443	Hypertension with heart dis.	224	-	-	-	-	-	1	-	-	-	1	3	4	3	6	10	16	24	29	34	34	34	15	10	-	-
	White—M	104	-	-	-	-	-	1	-	-	-	-	-	2	2	3	4	9	12	13	18	14	17	5	4	-	-
	F	118	-	-	-	-	-	-	-	-	-	-	3	1	1	3	6	7	12	16	16	20	17	10	6	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	28	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	2	1	5	3	4	6	2	-	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	3	-	4	-	-	-	-
	F	13	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	1	-	4	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	10	18	22	9	5	1	1
	White—M	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	10	13	4	3	-	1
	F	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	8	9	5	2	1	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	20	-	-	-	-	-	-	-	1	-	1	-	2	-	1	3	2	2	1	4	2	1	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	1	1	2	2	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	2	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	101	-	-	-	-	-	-	-	-	3	4	3	4	4	5	5	8	8	7	18	20	6	4	2	-	-
	White—M	59	-	-	-	-	-	-	-	-	2	3	2	2	2	3	1	7	8	1	9	13	4	1	1	-	-
	F	42	-	-	-	-	-	-	-	-	1	1	1	2	2	2	4	1	-	6	9	7	2	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	131	33	5	2	2	-	3	-	-	1	1	-	3	2	4	3	2	6	9	14	10	15	9	6	1	-
	White—M	71	13	3	1	1	-	-	-	-	1	1	-	2	1	3	2	1	5	4	10	4	10	4	5	-	-
	F	46	15	-	1	1	-	2	-	-	-	-	-	1	1	1	1	1	-	5	4	5	4	4	1	1	-
	Nonwhite—M	8	5	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	6	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
480-483	Influenza	15	-	3	1	-	-	1	-	-	-	1	-	-	1	1	-	-	1	1	1	-	2	1	-	1	-
	White—M	7	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	1	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
480-493	Pneumonia, etc.*	116	33	2	1	2	-	2	-	-	1	-	-	3	1	3	3	2	5	8	13	10	13	8	6	-	-
	White—M	64	13	1	-	1	-	-	-	-	1	-	-	2	1	3	2	1	4	3	10	4	9	4	5	-	-
	F	42	13	-	1	1	-	2	-	-	-	-	-	1	-	-	1	1	-	5	3	5	4	4	1	-	-
	Nonwhite—M	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
500-502	Bronchitis	9	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-
	White—M	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-
	F	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	36	-	-	-	-	-	-	-	-	1	-	1	-	3	6	2	2	4	8	5	1	1	2	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	1	-	1	-	2	5	1	2	4	8	4	1	1	2	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	13	-	-	-	-	-	3	-	-	-	-	1	-	-	2	2	-	3	-	1	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	2	-	-	-	-	-	-	-	1	2	-	2	-	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	39	5	-	-	-	-	1	-	-	-	1	-	2	-	4	1	4	1	4	5	6	2	3	-	-	-
	White—M	22	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	3	2	3	2	3	-	-	-
	F	16	1	-	-	-	-	1	-	-	-	1	-	1	-	2	-	3	-	1	3	3	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IDAHO—Continued																										
543,	Gastritis, etc.*—	16	8	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	-	1	2	-	-	1	-	-	-
571,	White——M—	8	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	-	-	1	-	-	-
572	F—	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	18	1	-	-	-	-	-	-	-	-	-	-	2	1	1	1	1	4	3	2	1	-	1	-	-	-
	White——M—	14	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	3	3	2	1	-	1	-	-	-
	F—	4	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	9	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	4	-	3	1	-	-	-	-	-
	White——M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-
	F—	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate—	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	8	5	-	-	-
	White——M—	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	6	8	5	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*—	12	...	...	...	...	...	...	-	2	4	-	1	3	2	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	12	...	...	...	...	...	...	-	2	4	-	1	3	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	11	...	...	...	...	...	...	-	2	3	-	1	3	2	-	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	11	...	...	...	...	...	...	-	2	3	-	1	3	2	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	79	69	2	2	-	-	-	1	1	-	-	-	-	2	-	2	-	-	-	-	-	-	-	-	-	-
	White——M—	48	44	-	1	-	-	-	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F—	29	23	2	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	258	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	145	145	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	111	7	-	2	-	-	-	-	-	-	-	-	3	3	4	3	8	6	8	15	10	13	16	10	1	2
795	White——M—	62	3	-	-	-	-	-	-	-	-	-	-	1	2	1	2	7	5	6	9	6	8	7	5	-	-
	F—	36	3	-	2	-	-	-	-	-	-	-	-	2	1	2	1	1	1	1	3	2	2	8	5	1	1
	Nonwhite—M—	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-
	F—	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	1
Re-	All other diseases	251	11	3	4	-	2	8	5	3	3	6	6	6	10	8	20	26	17	27	28	26	20	5	5	-	2
sid-	White——M—	137	7	1	3	-	2	6	3	1	3	2	3	5	4	13	11	10	15	16	10	15	3	4	-	-	2
ual	F—	108	3	1	1	-	-	2	2	3	2	2	4	3	5	4	7	14	8	12	11	16	5	2	1	-	2
	Nonwhite—M—	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
E800-	Accidents—	470	16	14	11	7	2	15	22	32	49	31	26	32	31	17	27	24	28	12	20	15	19	14	5	-	3
E962	White——M—	363	8	7	8	4	1	12	18	29	44	28	23	28	27	15	25	21	20	10	12	8	11	7	1	-	-
	F—	97	7	7	5	3	1	2	2	2	5	3	3	4	4	1	4	2	5	2	7	7	8	7	4	-	2
	Nonwhite—M—	8	-	-	-	-	-	1	2	1	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	1
	F—	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents—	166	1	3	4	4	1	6	6	15	28	7	10	8	11	7	16	7	10	5	6	5	4	1	-	-	1
	White——M—	117	-	-	2	1	-	4	4	12	24	6	7	7	8	6	12	4	5	4	4	3	3	1	-	-	-
	F—	41	1	3	2	3	1	1	1	2	4	1	3	1	3	-	4	2	4	1	1	2	1	-	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	1	1	1	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	1
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents—	304	15	11	7	3	1	9	16	17	21	24	16	24	20	10	11	17	18	7	14	10	15	13	5	-	2
E802,	White——M—	246	8	7	4	3	1	8	14	17	20	22	16	21	19	9	11	17	15	6	8	5	8	6	1	-	-
E840-	F—	56	6	4	3	-	-	1	1	-	1	2	-	3	1	1	-	-	1	1	6	5	6	7	4	-	2
E962	Nonwhite—M—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide—	61	-	-	-	-	-	-	-	1	3	4	7	7	5	3	4	7	7	5	1	3	3	-	1	-	-
E970-	White——M—	52	-	-	-	-	-	-	-	1	1	1	6	7	4	3	4	6	6	5	1	3	3	-	1	-	-
E979	F—	8	-	-	-	-	-	-	-	-	1	3	1	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	12	-	1	-	-	-	1	1	-	1	-	-	-	1	1	2	1	2	-	-	1	-	-	-	-	-
E980-	White——M—	8	-	-	-	-	-	-	1	-	1	-	-	-	-	1	2	1	1	-	-	1	-	-	-	-	-
E985	F—	4	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS																										
	ALL CAUSES	92,568	5,195	340	231	136	109	404	351	575	886	1,062	1,360	1,990	2,952	4,059	5,915	8,045	10,111	11,018	11,092	10,912	8,730	4,853	1,747	333	62
	White—M	48,575	2,581	146	127	75	55	210	205	307	454	483	598	980	1,480	2,217	3,556	4,736	6,007	6,094	5,865	5,526	4,196	2,123	671	127	16
	F	36,290	1,907	127	81	44	41	159	101	160	256	306	452	629	913	1,181	1,828	2,544	3,386	4,179	4,726	5,025	4,303	2,711	1,056	182	33
	Nonwhite—M	4,243	425	40	12	9	9	24	27	58	105	165	167	206	305	355	438	442	384	411	268	195	117	55	13	7	6
	F	3,460	342	27	11	6	4	11	18	50	91	108	143	175	254	306	285	323	334	334	233	166	114	64	27	17	7
001-019	Tuberculosis, all forms	2,404	13	23	13	11	1	17	6	46	122	159	158	212	225	267	233	253	259	193	122	87	40	20	3	1	-
	White—M	1,315	7	4	3	2	1	4	1	5	19	33	50	82	108	163	153	186	198	127	81	50	25	10	2	1	-
	F	436	3	5	6	4	-	5	1	6	23	30	40	54	36	34	25	24	28	37	28	30	12	6	1	-	-
	Nonwhite—M	438	1	6	3	2	-	4	-	11	27	48	37	40	60	47	49	33	28	23	11	6	1	4	-	-	-
	F	293	2	8	1	3	-	4	4	24	53	51	31	36	21	23	6	10	5	6	2	1	2	-	-	-	-
001-008	Tuberculosis of respiratory system	2,314	6	8	3	2	1	5	4	42	110	153	148	200	216	258	225	240	248	181	119	84	39	18	3	1	-
	White—M	1,261	5	1	1	-	1	1	1	5	17	32	49	80	103	161	150	179	191	119	79	48	25	10	2	1	-
	F	398	1	2	2	-	-	1	-	6	21	30	40	51	34	32	24	20	27	34	27	29	12	4	1	-	-
	Nonwhite—M	389	-	2	-	1	-	1	-	10	22	42	33	37	59	44	46	32	25	23	11	6	1	4	-	-	-
	F	256	-	3	-	1	-	2	3	21	50	49	26	32	20	21	5	9	5	5	2	1	1	-	-	-	-
010-019	Tuberculosis, other forms	170	7	15	10	9	-	12	2	4	12	6	10	12	9	9	8	13	11	12	3	3	1	2	-	-	-
	White—M	54	2	3	2	2	-	3	-	-	2	1	1	2	5	2	3	7	7	6	2	2	-	-	-	-	-
	F	40	2	3	4	4	-	4	1	-	2	-	-	3	2	2	1	4	1	3	1	1	-	2	-	-	-
	Nonwhite—M	39	1	4	3	1	-	3	-	1	5	3	4	3	1	3	3	1	3	-	-	-	-	-	-	-	-
	F	37	2	5	1	2	-	2	1	3	3	2	5	4	1	2	1	1	-	1	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae	517	2	-	-	-	-	-	-	-	1	3	6	14	24	47	73	87	83	76	52	24	17	7	1	-	-
	White—M	295	1	-	-	-	-	-	-	-	1	-	5	9	22	34	55	54	51	34	14	8	6	1	-	-	-
	F	94	1	-	-	-	-	-	-	-	-	-	2	1	1	9	11	15	16	14	9	7	7	1	-	-	-
	Nonwhite—M	85	-	-	-	-	-	-	-	-	-	3	1	4	9	10	23	12	9	6	4	3	1	-	-	-	-
	F	43	-	-	-	-	-	-	-	-	-	-	3	4	5	6	5	5	4	5	5	-	1	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	28	3	1	1	-	-	1	-	-	1	2	-	1	4	3	1	4	-	4	1	-	1	-	-	-	-
	White—M	17	-	1	1	-	-	1	-	-	-	1	-	-	1	3	1	2	-	4	1	-	1	-	-	-	-
	F	7	3	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	28	2	2	1	1	1	1	3	2	-	-	2	1	3	1	3	-	-	1	1	2	1	-	-	-	-
	White—M	12	2	1	-	1	-	1	1	-	-	-	1	-	-	1	2	-	-	-	-	2	-	-	-	-	-
	F	13	-	1	1	-	-	1	2	1	-	-	2	-	1	-	1	-	-	1	1	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	28	21	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	11	4	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	49	10	7	8	1	1	6	1	-	1	1	-	1	2	2	1	2	3	1	-	-	-	-	1	-	-
	White—M	25	6	4	4	-	-	2	-	-	1	1	-	-	1	-	-	2	2	1	-	-	-	-	1	-	-
	F	15	2	2	3	1	1	3	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	246	6	9	7	5	5	41	40	30	33	40	11	8	6	1	2	1	1	-	-	-	-	-	-	-	-	-
	White—M	154	4	4	5	3	2	18	30	20	18	25	8	8	6	1	2	1	1	-	-	-	-	-	-	-	-	-
	F	87	2	4	2	2	3	22	8	9	15	15	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	2	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	176	31	7	-	1	-	3	4	5	5	5	6	8	11	15	16	10	19	13	7	5	4	1	-	-	-
	White—M	83	12	4	-	-	-	2	3	3	-	1	1	3	5	9	7	5	13	5	4	3	2	1	-	-	-
	F	74	14	3	-	1	-	1	1	2	3	1	4	5	6	4	6	3	6	7	3	2	2	-	-	-	-
	Nonwhite—M	11	4	-	-	-	-	-	-	-	1	2	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	1	1	1	-	-	1	2	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
140-205	Malignant neoplasms, etc.*----	14,512	8	10	21	12	13	47	32	40	71	92	182	357	561	816	1,275	1,771	2,068	2,083	1,887	1,601	1,006	444	96	18	1
	White------M--	6,931	3	-	10	8	8	24	18	14	35	38	60	117	168	296	560	845	1,068	1,095	986	789	538	204	40	9	-
	F--	6,697	4	8	10	5	5	21	11	20	31	46	90	197	313	425	587	798	889	887	840	762	451	232	56	9	-
	Nonwhite--M--	452	1	1	-	-	-	-	3	6	4	3	11	15	25	34	65	65	56	59	38	32	10	4	-	-	-
	F--	452	-	1	1	1	-	2	-	-	1	5	21	28	55	61	63	63	55	42	23	18	7	4	-	-	1
140-148	Of buccal cavity and pharynx------	393	-	-	-	-	-	-	-	-	1	1	1	4	15	17	44	38	57	70	53	40	34	13	4	1	-
	White------M--	324	-	-	-	-	-	-	-	-	1	-	-	2	12	13	39	31	51	61	41	33	28	7	4	1	-
	F--	54	-	-	-	-	-	-	-	-	-	1	1	-	2	2	4	5	6	5	11	6	6	5	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	1	-	4	1	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	6,034	-	-	1	-	-	2	-	1	8	18	41	75	131	268	448	709	892	957	875	809	519	227	47	6	-
	White------M--	3,129	-	-	1	-	-	2	-	-	3	5	14	34	48	132	224	386	498	532	472	387	274	97	17	3	-
	F--	2,559	-	-	-	-	-	-	-	1	5	13	20	29	60	103	170	259	347	374	375	407	238	127	30	3	-
	Nonwhite--M--	218	-	-	-	-	-	-	-	-	-	-	3	8	11	20	41	40	24	35	19	11	5	1	-	-	-
	F--	128	-	-	-	-	-	-	-	-	-	-	4	4	12	13	13	24	23	16	11	4	2	2	-	-	-
160-164	Of respiratory system----------	1,369	-	-	-	-	-	-	1	1	3	5	14	22	54	86	175	220	242	227	162	94	49	10	3	1	-
	White------M--	1,050	-	-	-	-	-	-	-	-	2	2	11	17	32	62	134	186	202	178	118	64	34	6	2	-	-
	F--	239	-	-	-	-	-	-	-	-	-	1	3	2	4	14	15	27	20	28	42	38	25	15	4	1	1	-
	Nonwhite--M--	66	-	-	-	-	-	-	1	1	-	-	-	1	-	6	7	12	12	10	6	5	5	-	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	2	1	1	1	-	-	-	-	-
170	Of breast----------	1,379	-	-	-	-	-	-	-	-	1	6	28	69	107	116	155	221	172	142	151	90	66	39	11	4	1
	White------M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	1	-	-	2	-	-	-	-
	F--	1,299	-	-	-	-	-	-	-	-	1	4	25	63	97	112	140	209	164	134	148	88	62	37	11	4	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	-	-	-	-	-	-	-	-	-	2	3	6	9	4	15	10	8	8	2	2	2	2	-	-	1
171-179	Of genital organs-	2,309	-	-	-	-	-	1	-	7	9	20	37	80	117	177	191	228	291	314	305	274	173	70	15	2	-
	White------M--	784	-	-	-	-	-	-	-	4	6	9	7	7	10	10	19	34	71	116	158	156	114	49	12	2	-
	F--	1,324	-	-	-	-	-	1	-	3	3	10	21	58	88	135	144	176	196	181	133	99	54	21	1	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	12	4	7	12	3	-	-	-	-
	F--	156	-	-	-	-	-	1	-	-	-	1	8	14	19	32	25	16	12	13	7	7	2	-	-	-	-
180, 181	Of urinary organs-	750	1	2	5	4	4	3	-	1	-	2	1	13	19	19	54	75	122	117	118	100	60	26	3	1	-
	White------M--	456	1	-	2	2	3	2	-	1	-	1	8	11	9	38	48	77	74	74	53	36	14	1	1	-
	F--	264	-	2	2	1	1	1	-	-	-	-	-	5	6	7	14	23	40	37	41	46	24	12	2	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	4	3	1	-	-	-	-	-
	F--	16	-	-	1	1	-	-	-	-	-	1	-	-	1	2	1	3	4	2	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,306	3	3	2	3	5	19	11	16	16	18	24	51	62	82	119	164	163	146	132	122	77	50	15	3	-
	White------M--	666	1	-	1	3	2	8	7	5	10	13	14	27	24	46	62	87	90	69	70	58	37	26	4	2	-
	F--	562	2	3	1	-	3	9	3	8	5	4	6	22	30	30	49	65	65	68	58	58	36	23	11	1	-
	Nonwhite--M--	37	-	-	-	-	-	-	1	3	1	1	2	1	2	1	3	7	4	5	2	2	1	1	-	-	-
	F--	41	-	-	-	-	-	2	-	-	-	-	2	1	6	5	5	5	4	4	2	4	1	-	-	-	-
204	Leukemia and aleukemia----------	512	4	5	13	5	3	19	12	7	16	11	13	22	30	18	36	48	72	61	51	44	18	4	-	-	-
	White------M--	285	1	-	6	1	2	10	7	3	7	2	3	10	15	8	18	27	44	33	32	24	10	2	-	-	-
	F--	215	2	3	7	4	1	9	5	4	6	7	6	9	9	9	16	20	24	27	18	20	7	2	-	-	-
	Nonwhite--M--	20	1	1	-	-	-	-	-	-	3	1	2	1	2	-	2	1	3	1	1	-	1	-	-	-	-
	F--	12	-	1	-	-	-	-	-	-	1	2	2	4	1	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*----	460	-	-	-	-	1	3	8	7	17	11	23	21	26	33	53	68	57	49	40	28	10	5	-	-	-
	White------M--	249	-	-	-	-	1	2	4	1	6	7	10	12	15	16	28	44	35	30	20	14	3	3	-	-	-
	F--	181	-	-	-	-	-	1	3	4	10	4	9	7	7	14	23	21	18	19	20	13	7	1	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	1	2	-	-	2	2	3	3	3	1	2	-	-	1	-	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	2	-	1	-	1	2	2	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms-	330	7	5	2	1	-	6	3	5	6	6	14	21	42	46	34	33	27	25	25	13	6	5	-	-	-
	White------M--	123	4	3	1	1	-	4	1	2	4	1	5	4	8	9	14	13	12	10	14	6	5	2	-	-	-
	F--	162	3	-	1	-	-	2	2	2	2	3	4	13	27	22	18	18	13	13	8	7	1	3	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	-	1	-	-	-	-	-	-
	F--	38	-	2	-	-	-	-	-	-	-	2	4	4	7	14	2	-	1	2	-	-	-	-	-	-	-
260	Diabetes mellitus-	2,275	2	1	1	2	-	2	5	11	11	14	15	22	30	70	141	241	346	427	390	303	179	55	5	2	-
	White------M--	802	1	1	1	1	-	1	3	3	5	6	8	7	14	28	55	85	107	138	128	123	67	17	2	-	-
	F--	1,360	1	-	-	1	-	1	2	7	6	7	6	9	8	34	71	137	216	274	254	176	109	37	3	1	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	5	3	7	3	1	1	-	-	-	-
	F--	85	-	-	-	-	-	-	-	1	-	1	1	5	6	7	11	14	20	7	5	3	2	1	-	1	-
280-283	Anemias----------	385	3	7	3	-	1	4	2	1	4	3	4	5	10	10	14	19	33	40	53	75	73	25	6	-	-
	White------M--	176	1	4	2	-	-	3	1	-	-	-	-	3	2	3	6	9	10	19	26	41	33	9	4	-	-
	F--	196	1	1	1	-	1	1	1	-	1	2	2	2	6	5	7	7	21	20	26	33	40	16	2	-	-
	Nonwhite--M--	11	-	2	-	-	-	-	-	-	2	1	-	-	-	1	-	2	2	1	-	-	-	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	1	1	-	2	-	2	1	1	1	-	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	98	35	8	1	6	1	2	4	2	-	3	1	-	5	4	6	5	6	4	3	2	-	-	-	-	-
	White------M--	51	16	5	1	4	1	-	2	1	-	1	-	-	2	3	4	3	4	2	1	1	-	-	-	-	-
	F--	30	10	1	-	2	-	2	2	-	-	1	1	-	2	-	2	1	2	1	2	1	-	-	-	-	-
	Nonwhite--M--	13	8	2	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	50,093	20	10	1	10	4	27	45	71	128	185	352	605	1,143	1,839	2,994	4,242	5,721	6,583	7,063	7,399	6,258	3,712	1,372	255	44
	White------M--	26,554	12	6	-	6	1	12	24	24	56	75	162	333	611	1,081	1,806	2,621	3,529	3,876	3,716	3,720	2,822	1,549	504	94	14
	F--	19,939	4	2	1	3	3	9	13	27	42	62	115	153	291	431	800	1,164	1,743	2,418	2,991	3,434	3,161	2,071	836	145	22
	Nonwhite--M--	1,846	2	2	-	1	-	5	2	14	20	29	40	62	120	169	213	252	224	255	176	119	86	38	12	5	2
	F--	1,754	2	-	-	-	-	1	6	6	10	13	37	57	121	158	175	205	225	246	180	126	89	54	20	11	6
330-334, 400-468	Diseases of cardiovascular system-	47,994	19	9	1	8	3	21	41	61	100	159	326	564	1,085	1,757	2,873	4,079	5,528	6,349	6,809	7,102	5,969	3,529	1,317	244	43
	White------M--	25,584	11	6	-	5	1	10	20	19	42	61	149	313	591	1,036	1,758	2,546	3,433	3,568	3,605	3,587	2,778	1,462	482	89	14
	F--	19,006	4	1	1	2	2	8	13	22	30	54	104	136	286	412	758	1,092	1,659	2,305	2,872	3,285	3,030	1,984	805	139	22
	Nonwhite--M--	1,759	2	2	-	1	-	2	2	14	19	26	38	60	118	158	202	248	220	241	163	110	80	35	11	5	2
	F--	1,645	2	-	-	-	-	1	6	6	9	18	35	55	110	151	155	193	216	235	169	120	81	48	19	11	5
330-334	Vascular lesions, etc.*----------	8,170	10	4	-	1	1	2	2	4	6	30	31	74	155	235	412	611	910	1,163	1,238	1,351	1,086	622	193	23	6
	White------M--	3,782	5	4	-	1	-	1	1	1	2	12	12	34	62	96	172	286	463	578	605	633	479	280	63	10	2
	F--	3,819	2	-	-	-	1	1	1	2	2	9	12	26	55	86	184	234	363	500	580	676	589	350	129	12	4
	Nonwhite--M--	278	1	-	-	-	-	-	-	1	1	3	5	6	14	23	33	45	47	38	30	18	7	6	-	-	-
	F--	291	2	-	-	-	-	-	-	-	1	6	2	8	24	28	23	46	37	47	23	24	12	6	1	1	-
400-402	Rheumatic fever----	84	-	1	-	2	-	12	17	5	3	5	7	12	8	1	3	2	3	-	-	-	1	2	-	-	-
	White------M--	43	-	-	-	2	-	7	9	-	1	2	2	6	3	1	3	1	2	-	-	-	1	2	-	-	-
	F--	30	-	1	-	-	-	2	4	4	1	2	5	3	5	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	1	4	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
410-443	Diseases of heart	36,971	6	4	-	2	2	6	18	51	80	115	285	453	878	1,452	2,387	3,340	4,436	4,953	5,227	5,217	4,332	2,579	946	190	32
	White	20,579	4	2	-	1	1	8	18	37	47	125	259	514	911	1,544	2,182	2,848	2,865	2,827	2,667	2,021	1,070	349	89	10
	M	15,953	2	-	-	1	1	5	6	16	22	39	80	102	192	302	553	825	1,249	1,727	2,137	2,377	2,178	1,444	572	108	15
	Nonwhite	1,383	-	2	-	1	-	-	2	12	17	20	33	49	94	127	161	195	163	189	124	84	68	26	10	4	2
	M	1,256	-	-	-	-	-	-	2	5	4	9	27	43	78	112	129	138	176	172	139	89	85	39	15	9	5
410-416	Chronic rheumatic heart disease	1,383	...	-	-	-	1	3	14	28	21	34	76	69	117	140	145	154	134	126	123	96	54	32	9	1	-
	White	670	...	-	-	-	1	1	4	10	9	11	33	37	56	64	72	84	74	59	64	54	23	10	4	-	-
	M	625	...	-	-	-	-	2	6	11	6	19	37	29	53	62	66	64	56	58	61	38	29	22	5	1	-
	Nonwhite	51	...	-	-	-	-	2	4	4	4	4	2	4	11	3	3	2	4	3	-	1	-	-	-	-	-
	M	37	...	-	-	-	-	-	2	3	2	-	2	1	4	3	4	3	2	5	1	4	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	18,087	1	-	-	1	-	-	1	1	14	23	63	172	365	698	1,328	1,832	2,492	2,705	2,699	2,524	1,815	989	302	63	9
	White	11,344	1	-	-	-	-	-	1	1	8	15	41	125	289	556	1,001	1,355	1,762	1,666	1,596	1,396	933	458	113	22	5
	M	5,992	-	-	-	-	-	-	-	-	3	6	11	27	44	88	235	389	620	886	988	1,037	833	507	180	36	4
	Nonwhite	513	-	-	-	1	-	-	-	-	3	2	10	15	24	39	53	75	64	86	57	40	25	13	4	2	-
	M	348	-	-	-	-	-	-	-	-	-	-	1	5	8	15	39	33	46	67	60	31	24	11	5	3	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	10,511	...	1	-	-	-	1	1	9	21	23	56	117	215	357	496	676	999	1,183	1,409	1,606	1,646	1,078	495	104	18
	White	5,390	...	1	-	-	-	-	1	3	10	6	24	60	98	186	297	417	612	710	744	804	753	437	184	39	4
	M	4,260	...	-	-	-	-	1	-	3	7	9	18	26	49	73	103	162	260	380	595	747	844	621	289	58	7
	Nonwhite	448	...	-	-	-	-	-	-	3	3	4	6	16	37	55	57	58	66	49	33	24	24	6	5	2	2
	M	413	...	-	-	-	-	-	-	-	1	4	10	15	31	45	39	39	61	44	37	31	25	14	7	5	5
430-434	Other diseases of heart	1,721	5	3	-	1	1	2	2	11	21	26	45	44	60	84	119	159	192	222	214	211	168	93	33	2	3
	White	939	3	1	-	-	-	-	2	4	8	11	17	23	30	51	61	94	125	135	112	121	81	43	15	1	1
	M	582	2	-	-	1	1	2	-	2	5	3	11	9	16	21	41	36	54	66	85	81	79	47	17	1	2
	Nonwhite	103	-	2	-	-	-	-	-	3	7	8	10	4	9	1	6	16	6	14	9	3	4	-	1	-	-
	M	97	-	-	-	-	-	-	-	2	1	4	7	8	5	11	11	13	7	7	8	8	4	3	-	-	-
440-443	Hypertension with heart dis.	5,259	-	-	-	-	-	-	-	2	3	9	25	51	121	173	298	519	619	717	778	780	849	387	107	20	2
	White	2,036	-	-	-	-	-	-	-	-	2	4	10	14	41	54	113	232	275	295	311	292	231	122	33	7	-
	M	2,594	-	-	-	-	-	-	-	-	1	2	5	11	30	58	108	194	259	337	410	454	393	247	71	12	2
	Nonwhite	268	-	-	-	-	-	-	-	2	-	2	3	12	20	23	42	43	25	36	22	17	14	7	-	-	-
	M	361	-	-	-	-	-	-	-	-	-	1	7	14	30	38	36	50	60	49	33	17	11	11	3	1	-
444-447	Hypertension without mention of heart	657	-	-	-	-	-	-	-	-	3	4	16	16	28	40	36	45	46	66	66	113	93	55	24	4	1
	White	289	-	-	-	-	-	-	-	-	2	-	7	7	6	15	18	20	27	29	27	53	44	24	8	1	1
	M	285	-	-	-	-	-	-	-	-	1	-	3	3	8	11	11	12	16	29	26	58	47	31	15	3	-
	Nonwhite	36	-	-	-	-	-	-	-	-	-	2	-	4	7	6	5	5	1	3	1	1	1	-	-	-	-
	M	47	-	-	-	-	-	-	-	-	-	2	6	2	7	8	2	8	2	5	2	-	1	1	1	-	-
450	General arteriosclerosis	1,740	-	-	-	-	-	-	-	-	-	1	-	-	3	5	7	38	88	120	240	382	421	257	148	28	4
	White	886	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	24	63	66	126	211	217	102	60	9	1
	M	781	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	11	17	38	102	160	198	150	85	15	3
	Nonwhite	47	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	7	9	7	6	4	3	1	1	-
	M	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	5	5	2	2	2	1	-
451-468	Other diseases of circulatory sys.	372	3	-	1	1	-	1	4	1	8	4	7	9	13	24	28	43	45	47	58	39	36	13	8	1	-
	White	205	2	-	-	-	-	1	2	-	-	-	3	5	5	11	17	33	30	30	20	23	17	4	2	-	-
	M	138	-	-	1	1	-	-	2	-	4	3	4	2	6	10	10	9	13	11	17	13	18	9	4	1	-
	Nonwhite	11	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	2	2	1	1	-	-	-	-	-
	M	18	-	-	-	-	-	-	-	1	4	-	-	1	1	3	1	-	-	4	-	2	1	-	-	-	-
592-594	Chronic nephritis, etc.*	2,099	1	1	-	4	1	6	4	10	28	26	26	41	58	82	121	163	193	244	254	297	289	183	55	11	1
	White	970	1	-	-	3	-	2	4	5	14	14	13	20	20	48	48	76	96	108	111	133	144	87	22	5	-
	M	953	-	1	-	1	1	1	-	5	12	8	9	17	25	19	42	72	84	113	119	149	131	87	31	6	-
	Nonwhite	87	-	-	-	-	-	3	-	-	1	3	2	2	2	11	11	4	4	12	13	9	6	3	1	-	-
	M	109	-	-	-	-	-	-	-	-	1	1	2	2	11	7	20	12	9	11	11	6	8	6	1	-	1
480-493	Influenza and pneumonia, etc.*	2,089	325	50	30	8	8	16	11	8	15	27	26	53	80	95	91	128	179	209	210	181	173	128	39	7	2
	White	1,139	132	25	16	4	5	7	6	3	6	13	11	32	45	60	63	91	123	132	108	95	86	62	14	-	-
	M	629	101	17	11	3	2	8	3	1	5	7	8	6	8	13	11	19	32	53	89	69	74	61	23	4	1
	Nonwhite	205	49	5	-	1	1	-	1	2	2	4	3	12	24	17	14	9	17	18	8	7	6	3	1	-	1
	M	126	43	3	3	-	-	1	1	2	2	3	4	3	3	5	3	9	7	6	5	10	7	2	1	3	-
480-483	Influenza	123	8	3	3	1	1	2	1	1	-	1	2	2	5	2	6	6	5	10	16	11	14	15	5	1	-
	White	54	5	2	2	1	-	2	1	-	-	-	-	1	2	1	3	2	1	5	8	5	4	7	2	-	-
	M	58	2	1	3	-	1	-	-	-	-	1	2	-	1	-	2	1	3	5	8	6	10	8	3	1	-
	Nonwhite	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	-	-	-
	M	8	1	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	-	-	2	-	-	-	-	-	-
490-493	Pneumonia, etc.*	1,976	317	47	25	7	7	14	10	7	15	26	24	51	75	93	85	122	174	198	194	170	159	115	34	6	2
	White	1,085	127	25	14	3	5	5	5	3	6	13	11	31	43	59	60	89	122	127	100	90	82	55	12	-	-
	M	573	99	16	8	3	1	8	3	1	5	6	6	6	7	13	9	18	29	48	65	63	64	53	20	3	1
	Nonwhite	200	49	5	-	1	1	-	1	2	2	4	3	11	23	17	13	8	16	18	8	7	6	3	1	-	1
	M	118	42	3	3	-	-	1	1	1	2	3	4	3	2	4	3	7	7	6	3	10	7	2	1	3	-
500-502	Bronchitis	268	45	13	7	1	5	6	2	2	2	1	1	5	3	8	11	9	25	23	22	26	26	19	5	3	-
	White	151	21	5	5	-	5	3	-	1	1	-	-	-	1	4	6	9	17	17	14	16	10	11	4	1	-
	M	94	14	4	2	-	-	3	2	-	1	1	1	2	2	2	4	-	7	6	8	9	16	8	1	1	-
	Nonwhite	11	6	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	12	4	2	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	1	-
540, 541	Ulcer of stomach and duodenum	577	4	-	-	-	-	-	2	-	1	4	13	16	27	57	65	71	91	86	56	49	22	9	4	-	-
	White	441	3	-	-	-	-	-	2	-	1	2	9	13	21	40	48	58	77	67	44	34	12	6	3	-	-
	M	99	1	-	-	-	-	-	-	-	-	2	1	1	4	7	14	10	10	12	10	15	8	3	1	-	-
	Nonwhite	28	-	-	-	-	-	-	-	-	-	-	2	1	2	8	3	2	4	5	-	-	1	-	-	-	-
	M	9	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	2	2	-	1	-	-	-	-
550-553	Appendicitis	244	1	4	6	1	2	12	9	8	4	8	7	12	15	12	28	21	29	20	22	11	8	4	-	-	-
	White	143	1	2	6	-	1	7	3	4	2	7	4	5	9	4	18	16	15	12	13	6	6	2	-	-	-
	M	84	-	2	-	1	-	5	6	2	2	1	2	6	5	4	7	4	13	7	8	5	2	2	-	-	-
	Nonwhite	10	-	-	-	-	-	-	-	1	-	-	1	-	1	2	2	-	1	1	1	-	-	-	-	-	-
	M	7	-	-	-	-	1	-	-	1	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	685	56	3	3	-	-	10	3	2	-	5	9	3	25	23	41	63	75	83	92	86	57	31	12	2	1
	White	331	32	-	3	-	-	6	-	-	-	2	2	-	9	11	17	30	33	45	56	36	25	17	5	2	-
	M	320	15	1	-	-	-	4	3	1	-	1	6	3	14	12	19	31	37	34	35	46	31	14	6	-	1
	Nonwhite	19	3	2	-	-	-	-	-	1	-	1	1	-	1	-	1	2	2	2	1	1	1	-	-	-	-
	M	15	2	-	-	-	-	-	-	-	-	1	-	-	1	-	1	4	-	3	2	-	1	-	-	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Birth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	ILLINOIS—Con.																										
543, 571, 572	Gastritis, etc.*—	415	179	14	8	3	2	7	3	1	7	5	9	7	5	10	14	16	17	23	29	30	17	7	2	-	-
	White— M—	176	71	6	3	2	1	4	2	1	6	2	5	3	3	6	5	9	8	9	9	10	7	4	-	-	-
	F—	182	63	5	4	1	-	3	1	-	1	3	4	3	2	3	7	7	7	14	20	19	10	3	2	-	-
	Nonwhite— M—	34	25	2	-	-	1	-	-	-	-	-	-	1	-	1	1	-	2	-	-	1	-	-	-	-	-
	F—	23	20	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	969	8	-	2	1	-	-	3	3	1	10	26	57	82	81	126	150	157	101	61	49	30	15	5	-	1
	White— M—	620	4	-	2	-	-	-	2	2	1	2	15	37	49	58	84	100	110	68	39	19	20	6	3	-	1
	F—	303	2	-	-	-	-	-	-	1	-	5	8	10	31	20	35	45	45	32	20	28	10	9	2	-	-
	Nonwhite— M—	30	1	-	-	-	-	1	-	-	-	-	3	5	-	3	6	4	2	1	2	2	-	-	-	-	-
	F—	16	1	-	-	1	-	-	-	-	-	3	-	5	2	2	1	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	208	2	1	3	-	3	1	6	8	9	13	8	5	8	9	14	13	20	20	16	13	25	7	3	1	-
	White— M—	107	1	-	3	-	1	-	4	4	6	8	1	3	4	4	1	4	14	9	10	8	14	6	1	-	-
	F—	79	1	-	-	-	1	1	1	3	3	4	3	1	3	3	9	7	5	11	5	3	11	1	2	1	-
	Nonwhite— M—	14	-	1	-	-	1	-	1	1	-	1	2	-	1	-	2	1	1	-	1	1	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	523	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	19	39	55	99	119	106	49	24	7	1
	White— M—	493	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	17	36	50	94	112	101	47	24	7	1
	Nonwhite— M—	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	5	5	7	5	2	-	-	-
640-689	Complications of pregnancy, etc.*—	132	...	...	...	...	...	...	-	6	22	38	39	16	10	1	-	-	...	...	...	...	...	...	...	...	-
	White— F—	109	...	...	...	...	...	...	-	3	17	33	31	14	8	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	23	...	...	...	...	...	...	-	3	5	5	8	2	2	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion	15	...	...	...	...	...	...	-	1	2	10	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	12	...	...	...	...	...	...	-	1	2	7	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	3	...	...	...	...	...	...	-	-	-	3	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-648, 650-669	All other complications	117	...	...	...	...	...	...	-	5	20	28	38	16	10	1	-	-	...	...	...	...	...	...	...	...	-
	White— F—	97	...	...	...	...	...	...	-	2	15	28	30	13	8	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	20	...	...	...	...	...	...	-	3	5	-	8	2	2	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations	1,113	870	47	16	13	9	17	7	15	8	14	6	10	23	9	15	11	4	13	3	2	1	-	-	-	-
	White— M—	559	427	24	7	8	6	9	4	9	4	7	5	5	13	4	7	7	2	7	2	1	1	-	-	-	-
	F—	475	378	18	7	5	3	8	3	5	4	5	1	5	7	5	7	4	2	6	1	1	-	-	-	-	-
	Nonwhite— M—	45	38	2	2	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	34	27	3	-	-	-	-	1	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	3,227	3,227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	1,601	1,601	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1,155	1,155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	255	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	1,781	1,781	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	902	902	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	578	578	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	129	129	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	1,243	1,243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	608	608	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	510	510	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	325	16	4	1	3	1	3	-	8	5	8	6	7	12	13	9	19	16	23	30	34	35	32	28	9	4
	White— M—	186	11	3	1	2	1	2	-	7	4	4	3	4	9	10	4	15	11	16	14	16	16	14	15	4	-
	F—	113	4	-	-	-	-	1	-	-	1	1	2	2	1	3	4	2	4	5	13	16	18	17	12	4	3
	Nonwhite— M—	15	1	1	-	1	-	-	-	1	-	3	-	-	1	-	-	2	1	-	1	-	1	-	-	1	1
	F—	11	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	2	2	-	-	1	1	-	-
Residual	All other diseases	3,739	156	45	32	19	22	46	19	38	57	65	97	132	179	212	279	372	400	449	391	331	231	118	37	9	3
	White— M—	1,658	77	16	19	15	13	19	8	20	25	31	43	56	88	108	150	195	203	233	190	173	115	49	11	1	-
	F—	1,817	50	24	11	4	6	21	8	17	21	24	37	52	70	75	110	151	179	199	189	152	114	69	25	8	1
	Nonwhite— M—	163	20	3	1	-	2	4	2	-	6	4	9	14	9	18	14	21	11	10	8	4	1	-	-	-	2
	F—	101	9	2	1	-	1	2	1	1	5	6	8	10	12	11	5	5	7	7	4	2	1	-	1	-	-
E800-E962	Accidents	5,336	136	63	59	34	25	123	136	228	298	234	228	282	281	282	290	346	356	366	386	414	385	259	102	19	5
	White— M—	3,330	63	27	32	18	8	78	86	169	229	181	153	193	206	212	214	260	255	228	221	202	154	96	35	8	-
	F—	1,639	57	25	18	11	14	36	30	46	47	32	48	65	43	41	45	67	84	116	157	202	222	157	64	9	5
	Nonwhite— M—	263	7	7	6	3	2	8	13	8	17	17	20	18	24	24	25	14	13	17	5	8	3	3	-	1	-
	F—	104	11	4	3	2	1	1	5	3	6	4	7	8	8	5	8	5	4	4	3	2	4	2	3	1	-
E810-E835	Motor-vehicle accidents	1,826	9	14	18	17	7	54	57	133	197	127	101	127	122	101	98	129	148	131	104	73	38	15	6	-	-
	White— M—	1,270	3	5	10	10	5	35	38	98	150	97	84	88	96	68	65	90	108	81	75	52	20	11	5	-	-
	F—	438	6	8	6	5	3	16	17	33	34	18	23	29	18	23	23	33	36	41	26	18	18	3	1	-	-
	Nonwhite— M—	93	-	1	1	2	1	3	3	1	10	10	11	9	7	8	7	4	4	7	1	2	-	1	-	-	-
	F—	25	-	-	1	-	-	-	1	1	3	2	3	1	1	2	3	2	-	2	2	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	3,510	129	49	41	17	18	69	79	95	101	107	127	155	159	181	192	217	208	235	282	341	345	243	96	19	5
	White— M—	2,060	60	22	22	8	5	43	52	71	78	84	89	105	110	144	149	170	147	148	146	150	134	85	30	8	-
	F—	1,201	51	17	12	6	11	20	13	15	13	14	25	34	25	18	20	34	48	75	131	184	204	154	63	9	5
	Nonwhite— M—	170	7	6	5	1	1	5	10	7	7	7	9	9	17	16	18	10	9	10	4	6	3	2	-	1	-
	F—	79	11	4	2	2	1	1	4	2	3	2	4	7	7	3	5	3	4	2	1	1	4	2	3	1	-
E963, E970-E979	Suicide	1,007	-	-	-	-	-	-	3	14	31	47	68	70	91	96	111	112	125	83	83	54	30	7	2	-	-
	White— M—	756	-	-	-	-	-	-	2	10	19	27	40	51	71	69	80	85	97	69	54	47	28	5	2	-	-
	F—	207	-	-	-	-	-	-	-	2	7	14	25	17	18	23	26	26	24	12	7	5	2	1	-	-	-
	Nonwhite— M—	36	-	-	-	-	-	-	1	1	3	4	3	1	3	3	5	1	4	2	2	2	-	1	-	-	-
	F—	8	-	-	-	-	-	-	-	1	2	2	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	425	2	1	2	3	3	4	2	21	42	69	66	58	45	32	23	25	12	4	9	2	-	-	-	-	-
	White— M—	126	-	-	1	2	-	3	-	4	11	14	15	13	17	10	12	10	6	2	5	1	-	-	-	-	-
	F—	52	2	-	1	-	1	-	-	3	3	4	6	10	5	5	3	3	3	-	2	1	-	-	-	-	-
	Nonwhite— M—	198	-	1	-	1	1	1	2	8	23	46	33	29	19	15	7	10	2	1	1	-	-	-	-	-	-
	F—	49	-	-	-	-	1	-	-	6	5	5	12	6	4	4	1	2	1	1	1	-	-	-	-	-	-
E965, E990-E999	Operations of war	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White— M—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA																										
	ALL CAUSES	40,026	2,746	175	116	75	58	227	195	329	450	504	546	747	1,026	1,535	2,129	2,828	3,618	4,490	4,850	5,331	4,296	2,589	940	174	52
	White—M	21,541	1,480	86	61	47	27	130	123	202	258	287	282	366	552	883	1,217	1,644	2,122	2,594	2,615	2,761	2,129	1,191	419	78	27
	F	16,348	1,034	76	49	24	28	84	66	94	137	183	199	300	349	496	702	982	1,323	1,698	2,070	2,406	2,083	1,356	497	89	19
	Nonwhite—M	1,204	134	7	4	2	2	8	3	19	28	28	36	39	60	101	128	120	100	116	100	84	47	21	11	4	2
	F	935	98	6	2	2	1	5	1	14	27	26	29	42	65	75	82	82	73	82	65	80	57	21	13	3	4
001-019	Tuberculosis, all forms	801	7	11	9	2	2	7	7	26	37	58	58	60	74	58	64	75	61	78	48	42	14	4	2	-	1
	White—M	418	2	5	6	2	2	4	3	7	8	17	23	26	39	30	36	46	41	58	31	26	3	1	1	-	1
	F	231	4	6	3	-	-	2	3	9	11	28	21	21	15	12	13	17	13	13	15	14	9	3	1	-	-
	Nonwhite—M	95	1	-	-	-	-	1	1	5	9	4	6	8	14	10	12	7	7	5	2	2	1	-	-	-	-
	F	57	-	-	-	-	-	-	-	5	9	9	8	5	8	4	3	3	-	2	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	719	2	1	3	1	-	2	6	18	33	55	54	58	69	56	60	69	57	70	46	38	14	4	2	-	1
	White—M	381	1	-	2	1	-	-	3	6	8	17	21	26	36	30	35	42	38	54	30	25	3	1	1	-	1
	F	202	1	1	1	-	-	1	2	7	9	26	19	21	12	12	12	17	12	11	14	11	9	3	1	-	-
	Nonwhite—M	85	-	-	-	-	-	1	1	3	8	3	6	7	13	10	10	7	7	4	2	2	1	-	-	-	-
	F	51	-	-	-	-	-	-	-	2	8	9	8	4	8	4	3	3	-	1	-	-	1	-	-	-	-
010-019	Tuberculosis, other forms	82	5	10	6	1	2	5	1	8	4	3	4	2	5	-	4	4	4	8	2	4	-	-	-	-	-
	White—M	37	1	5	4	1	2	4	-	1	-	-	2	-	3	-	1	4	3	4	1	1	-	-	-	-	-
	F	29	3	5	2	-	-	1	1	2	2	2	2	-	1	-	1	-	1	2	1	3	-	-	-	-	-
	Nonwhite—M	10	1	-	-	-	-	-	-	2	1	1	-	1	1	-	2	-	-	1	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	3	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	262	1	-	-	-	-	-	-	1	1	-	1	9	17	36	30	30	48	37	26	13	11	1	-	-	-
	White—M	171	-	-	-	-	-	-	-	1	-	-	-	3	8	20	14	19	38	30	20	7	10	-	-	-	-
	F	46	-	-	-	-	-	-	-	-	1	-	1	5	6	4	9	6	5	3	4	-	1	1	-	-	-
	Nonwhite—M	33	-	-	-	-	-	-	-	-	-	-	-	1	2	11	5	4	3	3	1	3	-	-	-	-	-
	F	12	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	1	1	3	-	-	-	-	-
040	Typhoid fever	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	14	6	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	2	-	1	-	1	1	-	-
	White—M	8	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	1	1	-	-
	F	6	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	24	4	1	1	1	-	-	1	1	2	1	-	1	-	1	2	2	1	1	1	2	-	-	1	-	-
	White—M	9	1	1	-	-	-	-	-	-	1	1	-	-	-	-	2	-	1	-	1	-	-	-	1	-	-
	F	14	2	-	1	1	-	-	1	1	1	-	-	1	-	1	-	2	-	1	-	2	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	21	1	2	-	3	4	6	2	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	8	1	1	-	1	-	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	13	-	1	-	2	4	3	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	25	15	5	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	9	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	4	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	29	10	1	5	2	-	2	2	1	-	-	1	2	-	-	-	-	-	1	1	1	-	-	-	-	-
	White—M	17	7	-	2	1	-	1	1	1	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	F	11	2	1	3	1	-	1	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	116	3	4	1	-	3	20	21	14	15	19	6	8	-	1	-	-	-	-	1	-	-	-	-	-	-
	White—M	70	1	1	-	-	2	15	12	10	9	9	5	6	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	45	2	3	1	-	1	5	9	3	6	10	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	9	2	1	-	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	-	1	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	107	19	3	2	1	2	4	3	1	-	2	5	3	4	3	5	10	9	7	6	5	9	3	-	-	1
	White—M	68	13	2	2	-	2	1	3	1	-	2	3	2	3	2	3	7	6	4	1	5	7	-	-	-	1
	F	31	4	-	-	1	-	3	-	-	-	-	1	1	1	-	1	2	3	3	5	2	2	2	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	F	3	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
140-205	Malignant neoplasms, etc.*—	5,653	4	5	7	15	5	21	16	17	34	47	78	121	192	332	420	582	744	860	760	686	441	177	62	4	2
	White— M	2,612	3	-	6	9	3	12	10	12	17	23	31	32	70	115	163	247	364	443	370	356	228	74	22	1	1
	F	2,806	1	4	1	4	2	8	6	3	13	22	45	85	109	194	221	299	349	391	378	322	204	103	37	3	1
	Nonwhite— M	132	-	-	-	-	-	1	-	-	2	-	1	1	5	11	22	24	18	16	18	5	7	-	-	-	-
	F	103	-	1	-	2	-	-	-	2	2	2	2	3	8	12	14	12	13	10	12	3	2	-	3	-	-
140-148	Of buccal cavity and pharynx	103	-	-	-	-	-	-	-	1	1	1	-	-	-	5	6	8	17	15	20	13	13	3	-	-	-
	White— M	78	-	-	-	-	-	-	-	1	1	1	-	-	-	3	5	5	14	10	16	10	10	2	-	-	-
	F	21	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	3	3	3	1	-	-	-
	Nonwhite— M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,260	-	-	-	1	-	-	-	1	2	7	19	26	43	86	136	197	309	384	380	344	208	86	29	1	1
	White— M	1,128	-	-	-	1	-	-	-	-	1	4	8	6	25	44	56	93	159	208	190	177	110	37	9	-	-
	F	1,055	-	-	-	-	-	-	-	-	-	3	10	17	15	36	58	86	142	164	176	163	95	49	19	1	1
	Nonwhite— M	66	-	-	-	-	-	-	-	-	1	-	1	1	3	4	14	12	8	8	10	1	3	-	-	-	-
	F	31	-	-	-	-	-	-	-	1	-	-	-	2	-	2	8	6	-	4	4	3	-	-	1	-	-
160-164	Of respiratory system	460	-	-	-	-	-	-	-	-	1	2	3	6	18	30	52	81	87	80	44	31	18	6	1	-	-
	White— M	355	-	-	-	-	-	-	-	-	-	1	2	4	12	26	42	69	68	63	32	21	10	4	1	-	-
	F	82	-	-	-	-	-	-	-	-	-	1	1	2	3	3	6	8	17	13	11	8	7	2	-	-	-
	Nonwhite— M	17	-	-	-	-	-	-	-	-	1	-	-	-	1	1	4	4	1	3	-	2	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	1	-	1	-	-	-	-
170	Of breast	507	-	-	-	-	-	-	-	-	-	-	3	12	22	31	54	60	69	64	63	48	39	27	10	5	-
	White— M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	-	1	-	-
	F	486	-	-	-	-	-	-	-	-	-	-	3	10	22	30	51	55	68	63	61	46	39	25	10	4	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	2	-	-	-	3	3	1	1	3	-	1	-	-	-	-
171-179	Of genital organs	1,019	-	-	-	1	-	2	-	1	6	11	18	33	47	71	77	98	110	124	140	135	101	35	8	1	-
	White— M	332	-	-	-	-	-	1	-	1	3	1	4	1	3	1	9	13	26	50	60	77	61	16	4	1	-
	F	636	-	-	-	1	-	1	-	-	2	8	14	32	39	65	65	78	75	71	72	57	36	19	3	-	-
	Nonwhite— M	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	5	1	4	-	-	-	-
	F	32	-	-	-	-	-	-	-	-	-	2	-	-	-	5	6	1	5	6	2	3	-	-	1	-	-
180, 181	Of urinary organs	240	-	1	1	3	-	1	1	-	-	-	2	1	5	10	16	19	45	39	37	35	12	7	5	-	-
	White— M	153	-	1	1	-	-	1	1	-	-	-	2	1	3	5	11	15	30	26	23	23	6	4	3	-	-
	F	76	-	1	-	2	-	-	-	-	-	-	-	-	1	4	5	6	9	11	14	12	6	3	2	-	-
	Nonwhite— M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	630	1	2	2	3	2	5	8	7	10	7	11	14	29	46	48	62	67	93	64	65	43	27	11	1	1
	White— M	309	-	-	2	2	1	2	4	3	6	4	5	8	15	21	22	29	40	48	28	33	21	11	3	-	1
	F	300	1	1	-	1	1	3	4	3	3	3	6	6	14	23	24	31	24	42	33	31	22	16	7	1	-
	Nonwhite— M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	2	1	-	-	-	-	-	-
	F	11	-	1	-	-	-	-	-	1	1	-	-	-	-	1	1	-	3	1	1	-	-	1	-	-	-
204	Leukemia and aleukemia	230	3	2	4	6	3	8	6	3	7	7	3	8	6	13	13	25	26	27	33	13	11	2	1	-	-
	White— M	137	3	-	3	5	2	6	4	3	1	6	1	5	5	6	8	12	18	19	14	11	5	-	-	-	-
	F	87	-	2	1	-	1	1	2	-	6	1	2	3	1	5	5	13	7	8	18	2	6	2	1	-	-
	Nonwhite— M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	204	-	-	-	1	-	5	1	4	7	9	11	11	13	17	11	23	19	35	14	11	8	1	2	1	-
	White— M	114	-	-	-	1	-	2	1	4	5	6	9	7	6	9	8	13	9	18	7	4	4	-	1	-	-
	F	83	-	-	-	-	-	3	-	-	2	3	2	3	6	7	2	8	9	17	7	7	4	1	1	1	-
	Nonwhite— M	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	155	8	1	1	1	-	1	5	2	-	7	7	11	16	21	13	15	11	8	13	8	4	2	-	-	-
	White— M	61	3	-	-	1	-	-	3	1	-	2	3	5	2	9	5	5	3	3	7	4	3	2	-	-	-
	F	79	4	1	-	-	-	1	2	1	-	5	2	5	11	9	8	8	7	4	6	4	1	-	-	-	-
	Nonwhite— M	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	11	-	-	1	-	-	-	-	-	-	-	2	1	3	2	-	2	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	711	-	-	2	-	-	1	5	2	4	6	9	1	6	29	47	69	93	121	114	120	58	17	7	1	1
	White— M	279	-	-	1	-	-	1	3	1	1	3	7	-	1	11	18	23	32	52	41	48	21	12	3	-	-
	F	405	-	-	1	-	-	-	2	1	3	3	2	1	3	12	25	44	57	66	72	67	35	5	4	1	1
	Nonwhite— M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	1	-	2	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	-	2	4	4	1	2	2	1	3	-	-	-	-	-
290-293	Anemias	152	3	1	-	-	-	2	-	2	1	2	3	2	-	2	2	8	9	7	36	33	28	11	2	-	-
	White— M	71	3	-	-	-	-	1	-	1	-	1	1	1	-	1	-	3	3	3	18	18	13	4	-	-	-
	F	76	-	1	-	-	-	-	-	-	1	1	2	1	-	1	1	4	6	4	17	15	13	7	2	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	49	15	3	3	-	1	2	2	1	1	3	-	2	3	2	-	2	4	2	2	1	-	-	-	-	-
	White— M	23	6	1	2	-	-	1	1	-	1	1	-	1	-	2	-	2	2	1	2	-	-	-	-	-	-
	F	20	8	1	-	-	1	1	1	-	-	2	-	1	1	-	-	-	2	1	-	1	-	-	-	-	-
	Nonwhite— M	4	-	-	1	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	21,722	15	3	4	4	6	15	24	36	42	77	120	219	382	673	1,075	1,515	2,049	2,747	3,187	3,692	3,097	1,939	668	122	33
	White— M	11,942	10	1	2	3	3	9	11	17	17	36	56	128	225	421	672	949	1,284	1,617	1,748	1,916	1,529	905	309	58	16
	F	8,794	4	2	2	-	3	5	12	16	18	33	48	85	109	175	303	457	657	1,004	1,310	1,653	1,503	1,000	342	61	12
	Nonwhite— M	503	-	-	-	1	-	1	-	2	2	4	7	6	20	40	50	59	58	70	62	59	32	16	10	2	2
	F	483	1	-	-	-	-	-	1	1	5	4	9	20	28	37	48	50	50	56	47	64	33	18	7	1	3
330-334, 400-468	Diseases of cardiovascular system	20,974	11	3	3	2	3	15	19	29	32	68	99	202	360	643	1,029	1,470	1,990	2,666	3,081	3,580	2,992	1,886	645	115	31
	White— M	11,571	8	1	1	2	1	9	8	16	11	33	47	121	216	409	655	929	1,246	1,578	1,705	1,859	1,470	882	295	55	14
	F	8,474	2	2	2	-	2	5	10	11	16	27	39	57	101	162	283	437	638	968	1,271	1,605	1,459	973	333	59	12
	Nonwhite— M	475	-	-	-	-	-	1	-	1	1	4	8	5	19	38	48	55	56	68	59	54	32	15	10	1	2
	F	454	1	-	-	-	-	-	1	1	4	4	7	19	24	34	43	49	50	52	46	62	31	16	7	-	3
330-334	Vascular lesions, etc.*	4,855	4	-	-	-	1	3	-	-	3	6	18	26	60	107	192	298	408	637	808	982	760	409	135	15	3
	White— M	2,289	3	-	1	-	1	3	-	-	2	8	9	29	46	83	147	222	317	410	449	340	161	47	9	3	
	F	2,543	1	-	1	-	-	-	-	-	2	4	7	13	25	47	87	118	153	287	370	494	405	241	84	6	-
	Nonwhite— M	100	-	-	-	-	-	-	-	-	-	-	1	1	2	3	9	16	16	17	17	8	5	4	1	-	-
	F	123	1	-	-	-	-	-	-	-	-	-	1	-	2	3	4	11	13	17	17	16	11	11	10	3	3	-
400-402	Rheumatic fever	63	2	-	1	-	1	5	8	10	6	6	3	6	5	5	1	-	1	1	-	1	1	-	-	-	-
	White— M	33	1	-	-	-	1	2	5	5	2	5	-	2	4	4	1	-	1	1	-	-	1	-	-	-	-	-
	F	23	1	-	1	-	-	2	2	3	4	1	2	4	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite— M	4	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
410-443	Diseases of heart	14,349	3	2	2	2	1	6	11	17	23	52	68	155	276	507	784	1,115	1,518	1,913	2,063	2,323	1,865	1,169	385	70	21
	White—M	8,382	3	1	1	2	-	3	3	11	9	24	38	105	177	350	544	756	987	1,198	1,178	1,249	940	574	187	32	10
	F	5,335	-	1	1	-	1	3	8	6	10	20	24	35	64	105	179	296	464	634	813	986	881	572	187	37	8
	Nonwhite—M	339	-	-	-	-	-	-	-	-	1	4	3	2	15	33	35	35	38	48	38	43	23	11	8	1	1
	F	283	-	-	-	-	-	-	-	-	3	4	3	13	20	19	28	28	28	33	34	45	21	12	1	-	2
410-416	Chronic rheumatic heart disease	601	...	-	1	1	1	3	8	6	12	17	24	33	39	43	51	62	63	71	48	51	41	20	5	1	-
	White—M	302	...	-	-	1	-	2	2	4	4	7	13	18	17	24	24	28	29	38	26	34	21	8	2	-	-
	F	261	...	-	1	-	1	1	6	2	6	8	8	13	18	17	19	31	31	29	22	14	20	10	3	1	-
	Nonwhite—M	23	...	-	-	-	-	-	-	-	1	1	1	-	3	2	6	3	-	3	-	2	-	1	-	-	-
	F	15	...	-	-	-	-	-	-	-	1	1	2	2	1	-	2	-	3	1	-	1	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,691	1	-	-	-	-	-	-	2	4	16	24	84	167	344	522	764	958	1,136	1,114	1,170	780	445	133	18	9
	White—M	5,128	1	-	-	-	-	-	-	1	1	10	17	69	132	270	436	569	703	786	695	672	439	237	73	10	7
	F	2,310	-	-	-	-	-	-	-	1	2	4	5	14	21	46	64	168	236	314	389	459	326	199	55	8	1
	Nonwhite—M	156	-	-	-	-	-	-	-	-	-	2	1	-	9	20	14	16	16	24	17	19	8	6	4	-	-
	F	97	-	-	-	-	-	-	-	-	1	-	1	1	5	8	8	11	4	12	13	21	7	3	1	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,708	...	1	-	-	-	2	1	4	2	7	7	11	23	42	57	97	193	290	400	497	515	363	155	32	7
	White—M	1,362	...	-	-	-	-	-	-	2	1	2	2	6	15	17	27	60	106	155	211	257	233	182	68	16	2
	F	1,244	...	1	-	-	-	2	1	2	1	4	5	4	4	20	24	25	76	121	178	226	271	175	85	15	4
	Nonwhite—M	52	...	-	-	-	-	-	-	-	-	-	-	-	-	4	4	4	6	8	7	10	4	2	2	1	-
	F	48	...	-	-	-	-	-	-	-	-	1	-	1	4	1	2	8	5	6	4	4	7	4	-	-	1
430-434	Other diseases of heart	769	2	1	1	1	-	1	2	5	4	10	6	12	17	23	38	67	64	109	106	118	83	75	22	2	-
	White—M	405	2	1	1	1	-	1	1	4	2	4	2	8	7	16	13	44	36	66	58	57	38	32	11	-	-
	F	329	-	-	-	-	-	-	1	1	1	4	3	2	8	7	20	17	25	37	46	56	45	43	11	2	-
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	2	5	1	4	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	-	1	2	-	2	2	-	4	3	1	1	1	1	-	-	-	-	-
440-443	Hypertension with heart dis.	2,582	-	-	-	-	-	-	-	-	1	2	7	15	30	55	116	125	240	307	395	467	446	268	68	17	5
	White—M	1,185	-	-	-	-	-	-	-	-	1	1	4	4	6	23	44	55	113	153	188	229	209	115	33	6	1
	F	1,191	-	-	-	-	-	-	-	-	-	-	3	2	13	15	52	55	97	133	178	232	219	145	33	11	3
	Nonwhite—M	91	-	-	-	-	-	-	-	-	-	1	-	2	3	7	10	9	14	8	13	8	11	2	2	-	1
	F	115	-	-	-	-	-	-	-	-	-	-	-	7	8	10	10	6	16	13	16	18	7	4	-	-	-
444-447	Hypertension without mention of heart	347	-	-	-	-	-	-	-	-	-	2	3	10	13	16	26	28	21	29	46	50	59	32	8	4	-
	White—M	154	-	-	-	-	-	-	-	-	-	1	1	4	4	4	12	12	10	13	21	25	26	15	4	2	-
	F	159	-	-	-	-	-	-	-	-	-	1	1	1	7	7	8	11	7	14	23	23	33	17	4	2	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	1	2	2	2	3	2	-	1	2	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	3	-	3	3	3	4	1	-	2	-	-	-	-	-
450	General arteriosclerosis	1,201	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	19	21	67	147	223	297	270	118	26	6
	White—M	630	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	10	10	39	84	125	159	128	57	12	1
	F	543	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	9	24	60	92	135	141	57	14	3
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	2	3	-	1	-	1
	F	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	-	1	3	-	1
451-468	Other diseases of circulatory sys.	159	2	1	-	-	-	1	-	2	-	2	7	4	6	7	21	10	21	19	17	21	10	6	1	-	1
	White—M	83	1	-	-	-	-	1	-	-	-	1	-	-	2	4	12	4	16	10	12	11	5	4	-	-	-
	F	71	1	1	-	-	-	-	-	2	-	1	5	4	3	3	8	5	5	9	5	10	4	2	1	-	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	748	4	-	1	2	3	-	5	7	10	9	21	17	22	30	44	45	59	81	86	112	105	53	23	7	2
	White—M	371	2	-	1	1	2	-	3	1	6	3	9	7	9	12	17	20	38	39	43	57	59	23	14	3	2
	F	320	2	-	-	-	1	-	2	5	2	6	9	8	8	13	20	20	19	36	39	48	44	27	9	2	-
	Nonwhite—M	28	-	-	-	1	-	-	-	1	1	-	1	1	1	2	2	4	2	2	3	5	-	1	-	1	-
	F	29	-	-	-	-	-	-	-	-	1	-	2	1	4	3	5	1	-	4	1	2	2	2	-	1	-
490-493	Influenza and pneumonia, etc.*	1,098	230	35	17	8	4	13	10	10	9	5	11	15	24	27	46	57	60	85	78	107	110	82	44	10	3
	White—M	542	106	20	8	7	2	4	3	6	4	1	5	2	15	18	21	34	33	48	40	48	52	41	20	3	1
	F	440	98	11	8	1	2	7	7	1	4	3	4	7	4	2	9	10	23	28	35	55	57	37	22	6	2
	Nonwhite—M	71	13	3	-	-	-	1	-	3	-	-	1	5	2	6	14	8	3	5	2	2	1	2	-	-	-
	F	45	16	1	1	-	-	1	-	-	1	1	1	1	3	1	2	5	1	2	1	2	-	2	2	1	-
480-483	Influenza	141	24	2	-	-	-	3	2	3	-	1	1	-	1	3	3	9	10	11	11	16	16	8	12	4	1
	White—M	61	10	2	-	-	-	1	-	3	-	-	-	-	1	3	1	6	5	6	4	5	5	2	5	1	1
	F	72	11	-	-	-	-	2	2	-	-	1	1	-	-	-	2	1	5	4	7	10	11	6	7	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-
490-493	Pneumonia, etc.*	957	206	33	17	8	4	10	8	7	9	4	10	15	23	24	43	48	50	72	67	91	94	74	32	6	2
	White—M	481	96	18	8	7	2	3	3	3	4	1	5	2	14	15	20	28	29	42	36	43	47	39	15	2	-
	F	368	84	11	8	1	2	5	5	1	4	2	3	7	4	2	7	9	18	24	28	45	46	31	15	4	2
	Nonwhite—M	69	13	3	-	-	-	1	-	3	-	-	1	5	2	6	14	7	3	4	2	2	1	2	-	-	-
	F	39	13	1	1	-	-	1	-	-	1	1	1	1	3	1	2	4	1	2	1	1	-	2	2	-	-
500-502	Bronchitis	73	18	3	1	-	-	-	-	-	-	-	-	1	-	1	3	4	1	6	8	11	9	3	3	-	-
	White—M	40	11	2	1	-	-	-	-	-	-	-	-	-	-	1	3	1	-	4	5	6	3	1	2	-	-
	F	25	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	3	4	5	2	1	-	-
	Nonwhite—M	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	190	1	-	-	-	-	-	-	-	3	2	1	3	9	16	28	19	28	26	20	17	8	5	4	-	-
	White—M	143	1	-	-	-	-	-	-	-	2	2	-	2	6	13	23	16	22	19	16	13	5	4	3	-	-
	F	38	-	-	-	-	-	-	-	-	1	-	1	1	1	1	4	3	4	6	4	3	3	1	1	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	2	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	107	1	1	1	-	1	1	10	6	5	2	4	7	3	6	11	7	7	8	10	7	8	1	-	-	-
	White—M	73	-	1	1	-	1	1	6	3	3	2	3	7	3	4	10	4	4	4	7	4	5	-	-	-	-
	F	30	1	-	-	-	-	4	1	2	-	1	-	-	2	1	1	2	3	4	3	2	3	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	261	20	2	1	-	-	3	-	1	3	1	8	4	7	13	12	24	30	26	31	31	24	15	4	1	-
	White—M	129	12	1	1	-	-	2	-	1	-	-	3	1	4	6	4	11	16	11	16	16	10	11	1	1	-
	F	117	7	1	1	-	-	-	-	-	2	1	4	3	3	3	8	11	12	14	15	14	13	3	3	-	-
	Nonwhite—M	8	1	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	1	-	1	-	-
	F	8	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	1	1	-	1	-	1	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	INDIANA—Con.																										
543,	Gastritis, etc.*—	272	157	14	3	2	1	-	1	-	3	5	2	3	6	3	7	7	4	7	9	19	11	6	2	-	-
571,	White——M—	142	87	9	2	1	1	-	1	-	-	3	1	-	2	3	5	-	3	3	5	9	3	3	1	-	-
572	F—	100	49	5	1	1	-	-	-	-	2	2	1	2	3	-	2	5	1	3	4	8	7	3	1	-	-
	Nonwhite—M—	14	8	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	2	-	-	-	-	-	-
	F—	16	13	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	294	-	-	-	-	-	-	1	-	1	2	6	13	22	33	36	40	37	28	36	23	7	6	3	-	-
	White——M—	193	-	-	-	-	-	-	-	-	1	1	3	8	14	25	23	32	24	18	21	14	5	3	1	-	-
	F—	84	-	-	-	-	-	-	1	-	-	1	2	4	7	4	9	6	12	10	13	9	2	3	1	-	-
	Nonwhite—M—	12	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	1	-	2	-	-	-	1	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	96	1	-	-	-	1	2	1	1	2	1	1	2	5	3	6	7	9	8	8	15	17	3	2	1	-
	White——M—	46	1	-	-	-	-	1	1	1	1	-	1	2	1	1	4	4	4	5	3	8	7	1	-	-	-
	F—	45	-	-	-	-	1	1	-	-	1	-	-	-	3	2	1	3	5	2	4	7	10	2	2	1	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	197	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	6	19	27	51	54	21	10	1	-
	White——M—	189	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	4	17	25	50	54	21	10	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	-	-	-	1	-
640-	Complications of																										
689	pregnancy, etc.*—	57	...	...	...	...	...	...	-	8	5	15	10	15	2	2	-	-	...	...	...	...	...	...	...	...	-
	White——F—	48	...	...	...	...	...	...	-	8	5	11	9	12	2	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	9	...	...	...	...	...	...	-	-	-	4	1	3	-	1	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	8	...	...	...	...	...	...	-	1	-	1	1	4	-	1	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	7	...	...	...	...	...	...	-	1	-	-	1	4	-	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	49	...	...	...	...	...	...	-	7	5	14	9	11	2	1	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	41	...	...	...	...	...	...	-	7	5	11	8	8	2	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	8	...	...	...	...	...	...	-	-	-	3	1	3	-	1	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	533	433	19	9	3	1	10	9	4	2	5	4	3	5	4	6	4	3	3	3	2	1	-	-	-	-
	White——M—	278	234	8	5	1	-	6	5	2	1	2	-	-	3	2	3	2	1	1	1	-	1	-	-	-	-
	F—	239	188	9	4	2	-	4	4	2	1	3	3	3	2	1	3	2	2	2	2	-	-	-	-	-	-
	Nonwhite—M—	10	6	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	1,566	1,565	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	852	852	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	574	573	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	622	622	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	359	359	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	208	208	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	92	92	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	852	851	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	452	452	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	331	330	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	250	17	3	2	1	2	3	-	-	-	5	4	4	2	5	11	14	5	15	25	31	36	30	34	9	2
795	White——M—	122	10	-	-	-	2	1	-	-	-	1	2	3	1	2	7	10	5	9	12	15	15	9	15	3	-
	F—	118	5	3	1	1	-	2	-	-	-	3	1	1	1	1	3	1	-	4	10	16	20	21	18	5	1
	Nonwhite—M—	12	1	-	1	-	-	-	-	-	-	1	-	-	-	1	1	3	-	1	2	-	1	-	-	-	-
	F—	8	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	-	1	1	1	1
Re-	All other diseases	1,811	85	21	8	5	3	26	21	23	35	41	29	56	69	89	115	154	198	181	202	182	143	83	32	6	4
sid-	White——M—	863	49	9	2	2	1	13	12	13	12	16	12	18	29	40	53	87	90	97	103	81	67	30	12	5	2
ual	F—	875	32	11	6	3	2	13	8	9	19	24	13	31	31	36	52	59	104	79	95	96	76	53	20	1	2
	Nonwhite—M—	34	3	-	-	-	-	-	1	-	1	1	2	4	1	2	4	4	-	3	3	5	-	-	-	-	-
	F—	39	1	1	-	-	-	-	-	1	3	-	2	3	8	3	6	4	4	2	1	-	-	-	-	-	-
E800-	Accidents—	2,709	99	35	38	22	21	64	48	162	204	152	130	126	106	126	128	115	144	158	173	201	189	167	58	18	5
E962	White——M—	1,713	51	22	20	16	8	52	42	121	162	118	96	91	81	95	98	85	98	104	100	94	74	57	18	6	5
	F—	674	39	10	16	5	11	26	5	33	33	22	25	26	18	22	22	26	44	44	70	103	113	108	42	11	-
	Nonwhite—M—	93	7	3	2	1	1	4	1	6	6	10	9	7	6	5	7	3	1	5	3	1	2	2	-	1	-
	F—	29	2	-	-	-	1	2	-	2	3	2	-	2	1	4	-	1	1	5	-	3	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents—	1,098	6	6	15	11	10	36	19	110	138	97	86	80	55	52	50	55	75	63	66	43	12	7	5	-	1
	White——M—	796	2	4	7	7	5	22	18	81	110	75	59	50	43	42	37	38	51	47	44	33	9	6	5	-	1
	F—	257	4	2	8	4	5	13	1	24	24	15	21	22	10	8	10	15	23	14	21	10	2	1	-	-	-
	Nonwhite—M—	35	-	-	-	-	-	-	-	4	2	6	6	6	2	-	3	1	1	2	1	-	1	-	-	-	-
	F—	10	-	-	-	-	-	1	-	1	2	1	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents	1,611	93	29	23	11	11	48	29	52	66	55	44	46	51	74	78	60	69	95	107	158	177	160	53	18	4
E802,	White——M—	917	49	18	13	9	3	30	24	40	52	43	37	41	38	53	62	47	47	57	56	61	65	51	11	6	4
E840-	F—	617	35	8	8	1	6	13	4	9	9	7	4	4	8	14	12	11	21	30	49	93	111	107	42	11	-
E962	Nonwhite—M—	58	7	3	2	1	1	4	1	2	4	4	3	1	4	5	4	2	-	3	2	1	1	2	-	1	-
	F—	19	2	-	-	-	1	1	-	1	1	1	-	-	1	2	-	-	1	5	-	3	-	-	-	-	-
E963,	Suicide—	526	-	-	-	-	-	-	6	4	27	26	29	44	57	38	48	59	55	49	23	28	19	12	1	1	-
E970-	White——M—	391	-	-	-	-	-	-	5	2	17	19	20	25	39	28	40	46	43	38	19	23	14	11	1	1	-
E979	F—	126	-	-	-	-	-	-	1	2	8	7	9	17	18	9	6	13	11	11	3	5	5	1	-	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	1	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	123	4	-	-	-	-	-	-	5	14	19	17	11	15	12	13	6	-	2	2	1	2	-	-	-	-
E980-	White——M—	50	1	-	-	-	-	-	-	1	3	7	6	5	6	5	6	6	-	2	2	-	-	-	-	-	-
E985	F—	20	2	-	-	-	-	-	-	3	3	1	2	-	3	3	1	-	-	-	-	1	1	-	-	-	-
	Nonwhite—M—	40	-	-	-	-	-	-	-	1	6	7	8	3	5	3	6	-	-	-	-	-	1	-	-	-	-
	F—	13	1	-	-	-	-	-	-	-	2	4	1	3	1	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA																										
	ALL CAUSES	26,106	1,591	114	62	50	29	120	126	194	231	217	281	328	451	790	1,079	1,610	2,121	2,692	3,396	3,899	3,531	2,140	829	186	38
	White—M	14,783	920	64	33	29	15	64	88	140	150	147	173	224	285	483	656	1,051	1,344	1,614	1,915	2,141	1,818	1,011	371	68	19
	F	11,054	642	46	29	19	13	55	36	53	80	67	101	103	158	309	401	546	757	1,044	1,458	1,736	1,695	1,115	457	118	16
	Nonwhite—M	150	14	1	-	2	-	1	1	1	1	3	2	1	4	12	13	15	11	25	15	9	8	8	1	-	2
	F	119	15	3	-	-	1	-	1	-	-	-	5	1	4	6	9	18	9	9	8	13	10	6	-	-	1
001-019	Tuberculosis, all forms	244	1	3	-	-	-	1	-	1	17	11	24	10	26	20	11	21	23	26	13	21	12	3	-	-	-
	White—M	155	1	2	-	-	-	1	-	1	5	6	10	7	19	11	8	20	14	20	11	12	5	3	-	-	-
	F	82	-	1	-	-	-	-	-	-	12	8	12	3	7	9	2	1	8	5	1	8	7	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
001-008	Tuberculosis of respiratory system	223	-	-	-	-	-	1	-	1	16	11	23	10	26	17	8	21	19	24	12	20	11	3	-	-	-
	White—M	142	-	-	-	-	-	1	-	1	4	5	10	7	19	9	6	20	13	18	10	11	5	3	-	-	-
	F	74	-	-	-	-	-	-	-	-	12	6	11	3	7	8	1	1	5	5	1	8	6	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
010-019	Tuberculosis, other forms	21	1	3	-	-	-	-	-	-	1	-	1	-	-	3	3	-	4	2	1	1	1	-	-	-	-
	White—M	13	1	2	-	-	-	-	-	-	1	-	-	-	-	2	2	-	1	2	1	1	-	-	-	-	-
	F	8	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	3	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	125	2	-	-	-	-	-	-	-	-	-	-	1	1	15	12	21	21	15	14	9	11	2	-	-	1
	White—M	86	1	-	-	-	-	-	-	-	-	-	-	1	-	9	10	16	14	13	10	7	3	1	-	-	1
	F	28	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	1	4	2	8	1	-	-	-
	Nonwhite—M	5	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	11	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	2	-	-	-	-	-	-	-
	White—M	6	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	24	-	1	1	1	-	1	4	5	1	2	2	2	-	-	-	2	-	-	1	-	1	-	-	-	-
	White—M	10	-	-	1	1	-	1	1	2	-	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	14	-	1	-	-	-	-	3	3	1	2	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	15	1	3	4	-	-	-	1	-	1	-	-	-	-	2	2	-	-	1	-	-	-	-	-	-	-
	White—M	7	1	1	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	8	-	2	3	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Acute poliomyelitis	86	2	-	4	3	2	17	14	10	7	8	7	8	2	1	1	-	-	-	-	-	-	-	-	-	-
	White—M	47	2	-	1	3	2	9	9	4	4	4	3	4	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	39	-	-	3	-	-	8	5	6	3	4	4	4	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	5	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	55	3	3	-	3	-	1	1	-	2	3	3	2	1	2	4	2	5	2	7	5	1	1	3	-	-
	White—M	26	1	2	-	2	-	-	1	-	1	2	-	-	-	1	2	2	2	1	3	3	1	1	1	-	-
	F	29	2	1	-	1	-	1	-	-	1	1	3	2	1	1	2	-	4	1	4	2	-	-	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,836	3	9	5	10	4	7	12	16	14	19	42	62	75	177	244	372	445	501	577	584	413	187	45	8	5
	White-----M--	1,902	2	8	1	7	1	3	7	6	6	12	15	30	25	63	99	180	210	256	311	302	241	89	22	5	1
	F--	1,902	1	1	4	3	3	4	5	10	8	7	28	32	48	114	143	190	230	239	260	279	169	97	23	3	3
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	4	2	2	1	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	3	1	2	1	1	-	-	-	1
140-149	Of buccal cavity and pharynx------	78	-	-	-	-	-	-	-	-	-	-	3	-	2	2	4	2	7	11	14	12	11	7	3	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	3	-	1	2	3	1	5	10	12	10	10	5	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	2	2	1	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,657	-	1	1	-	1	-	-	1	-	4	8	16	19	39	85	133	183	217	279	323	216	100	24	4	3
	White-----M--	913	-	-	-	-	-	-	-	1	-	3	6	12	10	25	45	81	93	129	162	160	134	40	12	2	-
	F--	732	-	1	1	-	1	-	-	-	-	1	2	4	8	16	40	52	87	88	113	160	82	60	12	2	2
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	2	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	1
160-164	Of respiratory system----------	275	-	-	-	-	-	-	-	2	2	-	-	3	4	15	21	43	48	39	38	33	18	5	3	-	1
	White-----M--	208	-	-	-	-	-	-	-	-	1	-	-	3	3	11	17	36	40	28	25	24	13	4	2	-	1
	F--	65	-	-	-	-	-	-	-	2	1	-	-	-	1	4	4	6	8	10	13	9	5	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	362	-	-	-	-	-	-	-	-	-	-	-	5	8	12	35	39	57	49	46	36	41	21	11	1	1
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	360	-	-	-	-	-	-	-	-	-	-	-	4	8	12	35	39	56	49	46	36	41	21	11	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-178	Of genital organs-	639	-	-	-	-	-	-	-	1	2	1	13	13	23	38	28	55	70	87	97	84	85	35	5	2	-
	White-----M--	267	-	-	-	-	-	-	-	1	1	1	3	1	1	1	2	7	18	34	56	57	58	22	2	2	-
	F--	360	-	-	-	-	-	-	-	-	1	-	10	12	21	37	25	47	51	48	41	27	25	12	3	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	-	-	1	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	1	-	-	-	-
180, 181	Of urinary organs-	181	-	-	-	1	-	1	-	-	-	1	-	2	2	8	10	19	16	32	27	28	28	8	2	-	-
	White-----M--	103	-	-	-	-	-	-	-	-	-	1	-	1	1	5	7	14	11	17	16	15	10	4	2	-	-
	F--	74	-	-	-	1	-	1	-	-	-	1	-	1	1	3	3	5	4	15	8	11	17	2	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	330	-	5	2	1	2	3	5	8	5	4	8	5	8	20	30	32	36	30	50	31	19	20	6	1	1
	White-----M--	169	-	5	1	1	1	2	3	4	1	2	3	3	5	11	8	21	19	14	23	16	10	13	2	1	-
	F--	161	-	-	1	-	1	1	2	4	4	2	5	2	1	8	22	11	17	16	27	15	9	7	4	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	164	2	3	1	8	-	3	4	2	1	3	3	6	5	8	13	17	20	15	20	18	7	3	1	-	-
	White-----M--	96	1	3	-	6	-	1	1	-	1	3	-	3	3	5	7	11	16	10	7	13	3	1	1	-	-
	F--	67	1	-	1	2	-	2	3	2	-	-	-	3	2	4	5	6	4	5	13	5	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	150	1	-	1	-	1	-	3	2	4	6	2	9	2	11	14	14	18	24	16	16	8	-	-	-	-
	White-----M--	82	1	-	-	-	-	-	3	-	2	3	-	7	1	5	10	8	8	14	10	7	3	-	-	-	-
	F--	68	-	-	1	-	1	-	-	2	2	3	2	2	1	6	4	6	8	10	6	9	5	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	99	1	3	-	-	-	2	1	3	1	1	3	4	5	12	10	12	10	8	10	6	3	3	1	-	-
	White-----M--	58	-	2	-	-	-	1	1	1	1	1	2	2	3	5	5	7	8	5	5	4	3	2	-	-	-
	F--	40	1	1	-	-	-	1	-	2	-	-	1	2	2	7	5	5	1	3	5	2	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	417	-	2	-	-	-	1	-	2	1	1	4	5	3	9	15	50	49	54	81	79	45	14	2	-	-
	White-----M--	175	-	1	-	-	-	-	-	1	-	1	4	4	1	5	7	19	24	15	32	33	23	4	1	-	-
	F--	242	-	1	-	-	-	1	-	1	1	-	-	1	2	4	8	31	25	39	49	46	22	10	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-293	Anemias----------	141	4	2	1	-	-	-	1	-	1	3	-	2	-	1	3	5	8	7	17	34	26	21	5	-	-
	White-----M--	62	1	-	1	-	-	-	1	-	-	1	-	1	-	1	1	6	5	5	14	14	10	1	-	-	-
	F--	78	3	1	-	-	-	-	-	-	1	2	-	1	-	1	2	4	2	2	12	20	12	11	4	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis------	17	3	2	3	-	-	-	-	1	1	-	-	-	-	1	3	-	1	2	-	-	-	-	-	-	-
	White-----M--	11	3	1	3	-	-	-	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-
	F--	6	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	14,575	7	1	7	1	1	11	14	20	25	29	55	88	178	355	507	846	1,225	1,678	2,229	2,595	2,492	1,496	570	124	20
	White-----M--	8,301	4	-	3	-	-	6	5	13	15	18	31	62	123	230	335	600	814	1,054	1,269	1,452	1,257	698	253	48	11
	F--	6,159	3	1	4	1	1	5	9	7	10	11	20	27	53	114	158	225	400	605	946	1,128	1,224	787	316	76	8
	Nonwhite--M--	76	-	-	-	-	-	-	-	-	-	-	1	-	1	8	9	9	6	13	10	7	6	1	-	-	1
	F--	59	-	-	-	-	-	-	-	-	-	-	3	-	1	3	5	12	5	8	4	8	7	5	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	14,101	7	1	5	1	1	9	13	15	20	22	38	82	164	338	485	821	1,192	1,622	2,162	2,519	2,420	1,464	561	120	19
	White-----M--	8,053	4	-	1	-	-	4	4	11	10	13	24	58	116	222	322	567	781	1,020	1,227	1,417	1,224	687	248	47	11
	F--	5,920	3	1	4	1	1	5	9	4	10	9	13	24	46	105	145	214	390	585	921	1,088	1,185	767	312	73	7
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	-	-	-	-	1	8	8	9	8	13	10	7	4	5	1	-	1
	F--	55	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	11	5	6	4	7	7	5	-	-	-
330-334	Vascular lesions, etc.*----------	3,488	2	-	-	-	-	1	2	2	2	3	7	15	21	65	92	157	258	385	585	692	646	380	134	32	7
	White-----M--	1,765	2	-	-	-	-	1	1	1	1	3	5	6	11	31	38	86	126	221	289	375	320	176	58	11	3
	F--	1,689	-	-	-	-	-	-	1	1	1	-	2	9	9	30	51	66	127	162	291	315	323	203	76	21	3
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	3	1	4	1	-	1	-	-	1
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	5	2	1	1	3	3	-	-	-	-
400-402	Rheumatic fever----	27	-	-	1	1	-	5	6	1	1	1	1	2	3	-	2	2	-	-	1	-	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	2	2	1	1	-	-	2	1	-	1	2	-	-	1	-	-	-	-	-	-
	F--	14	-	-	1	1	-	3	4	-	-	1	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Con.																										
410-443	Diseases of heart-	9,514	3	-	4	-	1	2	5	11	12	17	27	63	129	256	371	626	886	1,188	1,488	1,642	1,518	889	343	62	11
	White-----M--	5,729	2	-	1	-	-	1	1	8	6	10	17	49	98	186	278	474	640	758	877	935	771	432	151	27	7
	F--	3,698	1	-	3	-	1	1	4	3	6	7	9	14	30	64	84	138	240	394	582	699	739	449	191	35	4
	Nonwhite--M--	54	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	9	3	12	6	8	4	3	1	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	5	3	4	3	2	4	5	-	-	-
410-416	Chronic rheumatic heart disease----	353	...	-	-	-	-	2	3	5	4	5	9	12	21	19	35	34	21	39	48	36	31	21	7	1	-
	White-----M--	191	...	-	-	-	-	1	-	3	2	2	4	10	11	11	21	19	16	14	28	24	13	8	3	1	-
	F--	158	...	-	-	-	-	1	3	2	2	3	5	2	10	8	14	14	5	23	20	11	18	13	4	-	-
	Nonwhite--M--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,811	1	-	-	-	-	-	1	1	3	7	15	37	87	186	265	468	648	821	948	966	786	387	148	22	4
	White-----M--	3,862	1	-	-	-	-	-	1	-	3	4	12	32	75	151	218	382	487	577	601	580	429	222	64	11	2
	F--	1,907	-	-	-	-	-	-	-	1	-	3	3	5	11	32	42	75	149	237	342	383	364	163	84	11	2
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	1	6	2	3	2	-	-	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	1	3	-	1	2	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,776	...	-	4	-	-	-	-	2	3	3	1	3	11	13	20	48	88	142	260	346	376	298	121	30	7
	White-----M--	929	...	-	1	-	-	-	-	2	1	2	1	2	7	6	11	28	51	79	150	196	190	126	59	11	5
	F--	830	...	-	3	-	-	-	-	-	2	1	-	1	4	7	9	19	35	61	107	149	182	167	62	19	2
	Nonwhite--M--	11	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	1	2	2	-	-	-
	F--	6	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-
430-434	Other diseases or heart---------	373	2	-	-	-	1	-	1	3	1	2	1	6	5	3	10	23	25	34	42	68	63	42	17	4	-
	White-----M--	193	1	-	-	-	-	-	-	3	-	2	-	4	1	3	7	15	18	21	19	35	43	14	5	2	-
	F--	174	1	-	-	-	1	-	1	-	1	-	-	2	4	-	2	7	7	13	23	31	40	27	12	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,201	-	-	-	-	-	-	-	-	1	-	1	5	5	35	41	53	104	132	170	226	232	141	50	5	-
	White-----M--	554	-	-	-	-	-	-	-	-	-	-	-	1	4	15	21	29	58	67	79	100	96	62	20	2	-
	F--	629	-	-	-	-	-	-	-	-	1	-	1	4	1	17	17	23	44	60	90	125	135	79	28	3	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	3	1	1	-	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	220	-	-	-	-	-	1	-	-	2	-	1	1	7	10	9	12	19	17	25	37	40	31	7	1	-
	White-----M--	108	-	-	-	-	-	-	-	-	-	-	1	-	4	4	4	9	10	14	12	21	17	10	1	1	-
	F--	109	-	-	-	-	-	1	-	-	2	-	-	1	3	5	4	2	9	3	13	16	23	21	6	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	718	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	19	35	67	130	203	157	70	25	1
	White-----M--	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	20	39	77	111	66	34	8	1
	F--	348	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	9	15	28	52	92	90	36	17	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	134	2	1	-	-	-	-	-	1	3	1	2	1	3	6	8	18	10	17	16	18	13	7	7	-	-
	White-----M--	68	-	-	-	-	-	-	-	1	2	-	1	1	2	1	5	13	5	7	9	9	5	3	4	-	-
	F--	64	2	1	-	-	-	-	-	-	1	1	1	-	1	5	3	5	5	9	7	8	8	4	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	474	-	-	2	-	-	2	1	5	5	7	17	7	14	17	22	25	33	56	67	76	72	32	9	4	1
	White-----M--	248	-	-	2	-	-	2	1	2	5	5	7	4	7	8	8	13	23	34	42	35	33	11	5	1	-
	F--	219	-	-	-	-	-	-	-	3	-	2	7	3	7	9	13	11	10	22	25	40	39	20	4	3	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	725	97	15	4	3	1	7	3	3	5	4	3	9	9	12	23	26	34	44	67	101	101	98	43	12	1
	White-----M--	383	54	10	1	1	-	5	2	1	3	2	2	6	7	7	8	13	23	29	40	56	42	49	18	4	-
	F--	326	41	5	3	2	1	2	1	2	2	1	1	3	2	5	13	10	11	13	27	45	55	47	25	8	1
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	2	1	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	1	-	-	-
480-483	Influenza----------	97	9	1	-	-	-	2	-	1	-	1	-	-	1	-	1	2	3	6	13	15	18	17	5	2	-
	White-----M--	56	4	-	-	-	-	2	-	1	-	1	-	-	1	-	-	2	5	8	11	9	9	3	1	-	-
	F--	40	5	1	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	1	5	4	8	8	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	628	88	14	4	3	1	5	3	2	5	3	3	9	8	12	22	24	31	38	54	86	83	81	36	10	1
	White-----M--	327	50	10	1	1	-	3	2	1	3	1	2	6	6	7	8	13	21	24	32	45	33	40	15	3	-
	F--	266	36	4	3	2	1	2	1	1	2	1	1	3	2	5	12	8	10	12	22	41	47	39	23	7	1
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	1	1	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	2	1	-	-	-
500-502	Bronchitis---------	52	6	3	2	-	-	-	1	-	-	-	1	1	1	1	2	1	4	1	3	8	9	3	2	-	1
	White-----M--	23	3	2	2	-	-	-	1	-	-	-	1	-	-	-	1	-	4	1	1	1	4	-	2	-	-
	F--	29	5	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	2	7	5	3	-	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	134	-	-	-	-	-	1	-	-	2	-	2	1	5	5	13	15	30	18	21	12	4	3	2	-	-
	White-----M--	104	-	-	-	-	-	-	-	-	-	-	2	-	5	3	8	11	28	13	20	9	4	1	2	-	-
	F--	28	-	-	-	-	-	1	-	-	2	-	-	1	-	2	3	4	4	5	1	3	-	2	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	80	-	-	1	-	1	2	1	1	3	3	2	4	2	4	2	3	5	10	7	2	4	1	-	-	-
	White-----M--	44	-	-	-	-	1	1	1	1	2	2	1	4	1	4	2	2	5	7	5	1	3	1	-	-	-
	F--	16	-	-	1	-	-	1	-	-	1	1	1	-	1	-	-	1	-	3	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	177	10	1	-	-	-	1	-	2	2	2	1	2	2	7	9	10	18	19	16	31	20	15	8	1	-
	White-----M--	95	6	1	-	-	-	1	-	1	1	2	1	-	2	4	5	6	12	6	9	18	12	5	3	1	-
	F--	77	2	-	-	-	-	-	-	1	1	-	-	1	-	3	4	4	6	11	8	13	8	10	5	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	IOWA—Con.																										
543,	Gastritis, etc.*--	87	21	1	1	-	1	1	2	1	-	2	-	-	2	1	-	3	8	7	7	7	11	6	3	2	-
571,	White-----M--	44	11	-	1	-	1	-	2	1	-	-	-	-	2	1	-	2	4	5	4	2	4	1	2	1	-
572	F--	42	9	1	-	-	-	1	-	-	-	2	-	-	-	-	-	1	4	2	3	5	7	5	1	1	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	151	-	-	-	-	-	1	1	1	1	4	3	6	16	17	17	11	23	22	13	8	4	2	1	-	-
	White-----M--	108	-	-	-	-	-	1	1	-	1	2	3	4	12	14	14	9	17	10	12	3	3	2	-	-	-
	F--	42	-	-	-	-	-	-	-	1	-	2	-	2	4	3	3	2	5	12	1	5	1	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*	34	1	1	-	2	-	-	-	1	2	1	1	4	1	2	2	1	-	2	3	7	2	1	-	-	-
	White-----M--	19	-	1	-	2	-	-	-	1	2	-	1	3	-	-	1	-	-	1	3	3	1	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	-	1	-	1	1	2	1	1	-	1	-	4	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	15	17	34	47	27	17	1	-
	White-----M--	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	15	17	34	47	27	17	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*	31	...	...	...	...	...	...	-	4	10	4	6	6	1	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	31	...	...	...	...	...	...	-	4	10	4	6	6	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications	28	...	...	...	...	...	...	-	4	9	3	5	6	1	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	28	...	...	...	...	...	...	-	4	9	3	5	6	1	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations	361	295	11	3	4	1	-	3	3	3	2	4	4	1	5	7	3	5	3	4	-	-	-	-	-	-
	White-----M--	193	152	8	2	2	1	-	2	2	2	1	2	2	1	4	6	2	2	1	1	-	-	-	-	-	-
	F--	164	140	2	1	2	-	-	1	1	1	1	2	2	-	1	1	1	3	2	3	-	-	-	-	-	-
	Nonwhite--M--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy	1,006	1,006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	597	597	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	395	395	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*	449	449	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	275	275	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	170	170	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
778	infancy, and im-																										
	maturity unquali-																										
	fied	487	487	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	278	278	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*	216	7	2	-	-	-	-	-	-	-	-	1	2	-	3	5	3	2	8	10	16	45	49	44	16	3
795	White-----M--	105	3	2	-	-	-	-	-	-	-	-	1	2	-	1	4	3	2	1	7	10	22	23	21	3	1
	F--	108	4	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	7	2	6	23	26	23	13	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
Re-	All other diseases	1,240	54	8	8	2	3	17	14	17	19	20	27	22	51	35	65	82	94	126	155	186	114	80	28	11	2
sid-	White-----M--	653	35	5	3	1	2	9	12	9	11	6	16	11	22	19	38	46	64	61	86	93	52	37	11	3	1
ual	F--	579	19	3	5	1	1	8	1	7	8	14	11	11	28	16	27	35	29	64	69	92	62	43	17	8	-
	Nonwhite--M--	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	1
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
E800-	Accidents	1,648	56	40	18	21	14	48	52	98	102	82	77	54	53	65	77	75	76	82	98	125	146	123	52	10	4
E962	White-----M--	1,105	39	18	13	10	8	27	40	89	88	72	69	52	46	55	61	59	62	54	53	55	64	53	13	2	3
	F--	522	11	20	5	9	7	20	11	9	13	9	8	1	6	9	16	14	14	27	44	69	82	70	39	8	1
	Nonwhite--M--	14	4	-	-	2	-	1	1	-	1	1	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	F--	9	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents	575	5	11	6	9	6	18	18	68	63	48	39	19	21	31	44	41	30	28	29	23	14	2	1	-	1
	White-----M--	447	4	6	3	4	2	9	12	59	55	41	34	18	17	25	33	31	24	20	20	13	13	2	1	-	1
	F--	126	1	5	3	5	4	9	6	9	8	6	5	1	4	6	11	10	6	7	9	10	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents	1,073	51	29	12	12	8	30	34	30	39	34	38	35	32	34	33	34	46	54	69	102	132	121	51	10	3
E802,	White-----M--	656	35	12	10	6	4	18	28	30	33	31	35	34	29	30	28	28	33	34	33	42	51	51	12	2	2
E840-	F--	396	10	15	2	4	3	11	5	-	5	3	3	-	2	3	5	4	8	20	35	59	81	70	39	8	1
E962	Nonwhite--M--	13	4	-	-	2	-	1	1	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-
	F--	8	2	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-
E963,	Suicide	342	-	-	-	-	-	-	1	3	9	15	12	30	23	35	41	33	41	37	17	23	16	3	2	-	1
E970-	White-----M--	287	-	-	-	-	-	-	1	3	8	14	9	27	21	27	34	24	35	32	13	20	13	3	2	-	1
E979	F--	54	-	-	-	-	-	-	-	-	1	1	3	3	1	8	7	9	6	5	4	3	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide	23	-	-	-	-	1	-	-	2	2	4	-	1	3	2	3	2	2	-	-	1	-	-	-	-	-
E980-	White-----M--	14	-	-	-	-	1	-	-	2	-	3	-	1	2	-	3	1	1	-	-	-	-	-	-	-	-
E985	F--	4	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS																										
	ALL CAUSES	19,814	1,136	85	64	26	24	105	107	148	182	207	245	322	414	600	766	1,221	1,551	2,036	2,532	2,686	2,177	1,416	608	117	39
	White	10,218	627	41	30	12	13	81	81	101	106	122	154	187	221	345	428	728	889	1,127	1,371	1,447	1,132	672	276	52	15
	White—M	7,582	436	37	28	12	10	40	44	38	82	61	69	110	149	193	270	399	570	790	1,055	1,150	991	694	313	56	15
	White—F	541	47	1	3	1	-	2	2	4	11	15	16	10	23	24	39	47	47	73	58	86	26	21	7	4	4
	Nonwhite	475	26	6	3	1	1	2	-	5	13	9	6	15	21	38	29	47	45	46	48	33	28	29	12	5	5
	Nonwhite—M	208	-	1	-	1	-	1	-	5	10	5	15	20	14	16	18	17	29	15	18	10	6	6	1	-	-
	Nonwhite—F	123	-	-	-	-	-	1	-	1	1	2	8	9	7	10	11	16	23	12	12	7	-	2	1	-	-
001-019	Tuberculosis, all forms	65	-	1	-	1	-	-	-	2	4	-	6	8	7	4	4	1	6	3	6	3	5	4	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	2	2	1	2	-	2	3	-	-	-	-	-	1	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	194	-	-	-	-	-	-	-	5	10	5	13	20	14	16	15	16	28	14	17	9	6	5	1	-	-
	Nonwhite—F	117	-	-	-	-	-	-	-	1	1	2	7	9	7	10	9	15	23	12	12	6	-	2	1	-	-
001-008	Tuberculosis of respiratory system	57	-	-	-	-	-	-	-	2	4	-	5	8	7	4	3	1	5	2	5	3	5	3	-	-	-
	White—M	12	-	-	-	-	-	-	-	-	2	2	1	2	-	2	3	-	-	-	-	-	1	-	-	-	-
	White—F	8	-	-	-	-	-	-	-	2	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	14	-	1	-	1	-	1	-	-	-	-	2	-	-	-	3	1	1	1	1	1	-	1	-	-	-
	Nonwhite—F	6	-	-	-	-	-	1	-	-	-	-	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	8	-	1	-	1	-	-	-	-	-	-	1	-	-	-	1	-	1	1	-	1	-	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	99	2	-	-	-	-	-	-	1	-	-	2	2	7	8	10	9	14	17	14	8	2	3	-	-	-
	White—M	53	1	-	-	-	-	-	-	-	-	-	-	2	2	3	4	8	9	11	6	5	1	1	-	-	-
	White—F	20	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	2	4	4	3	-	1	-	-	-
	Nonwhite—M	15	1	-	-	-	-	-	-	-	-	-	2	-	1	1	3	-	2	1	3	-	1	-	-	-	-
	Nonwhite—F	11	-	-	-	-	-	-	-	1	-	-	-	-	1	2	3	-	1	1	1	-	-	1	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	5	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	-	2	-	-	-	1	2	-	1	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-
	White—M	7	-	1	-	-	-	1	1	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-
	White—F	3	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	2	1	2	-	-	-	1	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	8	1	1	2	-	-	-	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	62	2	-	3	3	1	9	14	8	4	5	5	4	1	1	-	1	1	-	-	-	-	-	-	-	-
	White—M	29	-	-	1	2	-	5	8	6	1	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	31	1	-	2	1	1	4	6	2	3	3	4	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	18	4	5	-	-	-	8	-	-	-	1	-	-	-	-	7	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	3	-	-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	11	4	2	-	-	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	56	1	2	1	-	1	2	3	1	1	1	4	5	2	4	6	5	4	4	3	3	3	-	-	-	-
	White—M	28	1	1	1	-	1	2	2	1	-	1	3	2	1	1	1	3	2	1	2	1	2	-	-	-	-
	White—F	20	-	1	-	-	-	-	1	-	1	1	1	1	1	2	2	1	1	3	1	2	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite—F	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	-	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
140-205	Malignant neoplasms, etc.*——	2,639	2	3	6	-	1	16	10	11	15	21	38	57	85	124	197	273	302	363	405	331	221	112	38	6	1
	White——M—	1,201	-	3	2	-	1	10	6	7	8	10	15	24	24	43	72	125	118	174	207	164	117	51	17	2	1
	F—	1,326	2	-	4	-	-	6	4	4	7	10	22	29	55	75	112	130	172	167	183	163	100	56	21	4	-
	Nonwhite--M—	54	-	-	-	-	-	-	-	-	-	-	1	2	1	-	8	9	6	12	6	4	1	4	-	-	-
	F—	58	-	-	-	-	-	-	-	-	-	1	1	2	5	6	5	9	6	10	9	-	3	1	-	-	-
140-148	Of buccal cavity and pharynx——	70	-	-	-	-	-	-	-	-	-	-	-	3	1	3	5	10	7	9	10	12	3	6	-	1	-
	White——M—	56	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	9	5	7	8	9	3	6	-	1	-
	F—	13	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	2	2	3	-	-	-	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	1,019	-	-	-	-	-	-	-	1	-	1	4	19	27	34	57	100	114	138	187	153	104	63	13	4	-
	White——M—	498	-	-	-	-	-	-	-	1	-	1	2	9	12	16	28	53	51	73	98	77	52	22	3	1	-
	F—	471	-	-	-	-	-	-	-	-	-	1	1	8	14	15	25	37	58	57	82	73	48	39	10	3	-
	Nonwhite--M—	31	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	6	2	7	4	3	1	2	-	-	-
	F—	19	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	4	3	1	3	-	3	-	-	-	-
160-164	Of respiratory system——	191	-	-	-	-	-	1	1	-	-	2	-	2	9	7	19	28	32	35	29	13	9	2	-	-	1
	White——M—	139	-	-	-	-	-	1	1	-	-	2	-	2	3	7	12	24	24	27	22	7	6	1	-	-	1
	F—	40	-	-	-	-	-	-	1	-	-	-	-	-	5	-	3	3	6	6	6	3	1	-	-	-	-
	Nonwhite--M—	10	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	1	2	2	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
170	Of breast——	262	-	-	-	-	-	-	-	-	1	4	4	8	13	24	26	40	31	32	32	21	15	4	7	-	-
	White——M—	3	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F—	248	-	-	-	-	-	-	-	-	1	3	4	7	13	23	24	38	30	28	30	21	15	4	7	-	-
	Nonwhite--M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2	1	4	1	-	-	-	-	-	-
171-179	Of genital organs——	470	-	-	-	-	-	-	-	1	2	5	12	7	16	27	35	37	58	69	69	67	47	14	8	1	-
	White——M—	169	-	-	-	-	-	-	-	1	1	1	1	2	-	1	3	3	7	25	34	40	34	9	8	-	-
	F—	276	-	-	-	-	-	-	-	-	1	4	10	5	15	24	31	33	42	40	30	26	13	3	-	1	-
	Nonwhite--M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	1	-	-	-
	F—	18	-	-	-	-	-	-	-	-	-	1	1	2	3	2	1	1	2	3	3	-	-	1	-	-	-
160, 181	Of urinary organs——	128	-	1	1	-	-	1	-	-	-	-	1	2	2	6	12	7	9	28	25	14	12	5	2	-	-
	White——M—	83	-	1	-	-	-	-	-	-	-	-	1	1	1	4	8	4	7	21	19	7	5	2	2	-	-
	F—	39	-	-	1	-	-	1	-	-	-	-	-	1	1	1	4	2	2	6	3	7	7	3	-	-	-
	Nonwhite--M—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	303	1	2	2	-	-	5	2	2	7	5	10	9	9	15	25	31	29	31	33	34	26	17	8	-	-
	White——M—	152	-	2	-	-	-	4	2	-	3	3	6	5	5	8	12	18	10	14	15	17	14	10	4	-	-
	F—	145	1	-	2	-	-	1	-	2	4	2	4	4	4	7	11	12	19	15	18	17	12	6	4	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	-	-	-	-	-	-
204	Leukemia and aleukemia——	115	1	-	3	-	1	8	6	5	3	3	3	3	5	2	11	10	18	9	11	10	3	-	-	-	-
	White——M—	60	-	-	2	-	1	4	3	5	3	3	2	1	2	-	4	7	10	3	5	3	2	-	-	-	-
	F—	55	1	-	1	-	-	4	3	-	1	-	1	2	3	2	7	3	8	6	6	7	1	-	-	-	-
	Nonwhite--M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	81	-	-	-	-	-	1	1	2	1	1	4	4	3	6	7	9	9	12	11	7	2	1	-	-	-
	White——M—	41	-	-	-	-	-	1	1	-	1	-	3	2	1	4	2	7	4	4	5	4	1	1	-	-	-
	F—	39	-	-	-	-	-	-	-	2	1	-	1	2	2	2	5	2	5	7	6	3	1	-	-	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	63	1	1	-	-	-	2	-	-	2	3	4	1	5	4	8	10	6	3	3	4	4	2	-	-	-
	White——M—	18	1	1	-	-	-	1	-	-	-	-	-	-	1	2	1	3	2	2	-	2	2	-	-	-	-
	F—	34	-	-	-	-	-	1	-	-	1	1	1	1	3	2	4	7	4	1	3	1	2	2	-	-	-
	Nonwhite--M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	1	2	3	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus——	356	-	-	-	-	-	-	-	1	2	5	2	3	5	6	10	39	36	50	77	60	42	17	2	-	1
	White——M—	138	-	-	-	-	-	-	-	1	-	3	1	-	1	3	8	11	13	17	31	19	18	10	2	-	1
	F—	201	-	-	-	-	-	-	-	-	2	1	1	2	1	2	2	26	22	29	43	39	23	7	-	-	-
	Nonwhite--M—	6	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	3	2	-	-	-	-	-	-
280-283	Anemias——	79	1	1	-	-	-	1	1	-	-	-	-	-	-	2	1	2	1	12	19	19	13	5	1	-	-
	White——M—	45	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	8	13	10	8	3	-	-	-
	F—	33	1	-	-	-	-	1	1	-	-	-	-	-	-	1	-	2	1	4	6	8	5	2	1	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	28	12	2	2	-	-	3	1	-	1	-	2	1	-	1	-	2	-	-	2	-	-	-	-	-	-
	White——M—	12	4	1	1	-	-	2	1	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-
	F—	12	8	1	1	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite--M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	10,176	1	-	1	1	2	7	15	13	13	24	37	78	132	254	332	616	878	1,242	1,617	1,861	1,825	1,004	415	84	24
	White——M—	5,643	1	-	-	-	-	3	7	9	5	15	27	46	85	158	222	396	546	713	878	1,028	789	485	180	38	11
	F—	4,034	-	-	1	1	2	4	7	2	5	8	7	28	35	61	82	165	268	463	673	771	698	486	223	38	8
	Nonwhite--M—	251	-	-	-	-	-	-	1	-	2	1	3	3	7	13	14	25	31	43	36	34	17	13	4	3	1
	F—	248	-	-	-	-	-	-	2	2	1	-	-	3	5	22	14	30	33	23	30	28	21	20	8	4	4
330-334, 400-468	Diseases of cardiovascular system——	9,767	1	-	-	-	2	4	12	10	10	21	31	71	116	247	322	588	842	1,199	1,556	1,808	1,462	966	394	81	24
	White——M—	5,444	1	-	-	-	-	1	6	6	4	13	24	42	77	157	218	382	525	697	846	1,001	757	469	169	38	11
	F—	3,856	-	-	-	-	2	3	5	2	3	7	5	24	27	58	76	156	258	438	646	748	672	468	214	36	8
	Nonwhite--M—	235	-	-	-	-	-	-	1	-	2	1	2	3	7	12	14	21	30	42	36	32	15	10	3	3	1
	F—	232	-	-	-	-	-	-	-	2	1	-	-	2	5	20	14	29	29	22	28	27	18	19	8	4	4
330-334	Vascular lesions, etc.*——	2,428	-	-	-	-	1	-	-	-	-	6	5	10	24	42	61	111	181	291	398	516	411	280	104	12	5
	White——M—	1,185	-	-	-	-	-	-	-	-	-	3	3	6	14	13	33	47	85	133	207	268	198	127	38	4	2
	F—	1,118	-	-	-	-	1	-	-	-	-	2	1	1	8	19	22	48	76	137	178	228	205	119	62	8	1
	Nonwhite--M—	51	-	-	-	-	-	-	-	-	-	1	1	-	-	3	2	8	8	11	3	11	2	1	-	-	-
	F—	76	-	-	-	-	-	-	-	-	-	-	-	1	2	7	4	8	12	10	10	6	5	3	4	-	2
400-402	Rheumatic fever——	27	-	-	-	-	-	1	9	3	-	1	2	4	4	-	-	-	1	1	-	-	1	-	-	-	-
	White——M—	12	-	-	-	-	-	-	5	-	-	1	1	2	1	-	-	-	1	1	-	-	1	-	-	-	-
	F—	13	-	-	-	-	-	1	4	2	-	-	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part 1.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
410-443	Diseases of heart-	6,522	1	-	-	-	-	1	3	6	9	13	20	52	81	192	249	462	624	850	1,056	1,154	882	577	220	52	18
	White-----M--	3,841	1	-	-	-	-	1	1	5	4	9	17	29	58	140	181	327	419	532	574	666	487	276	101	24	8
	F--	2,371	-	-	-	-	-	-	1	-	2	4	3	20	14	32	47	102	170	281	432	451	390	278	115	22	7
	Nonwhite--M--	170	-	-	-	-	-	-	1	-	2	-	-	3	5	9	11	13	20	25	33	21	13	9	1	3	1
	F--	140	-	-	-	-	-	-	-	1	1	-	-	-	3	11	10	20	15	12	17	16	12	14	3	3	2
410-416	Chronic rheumatic heart disease-----	249	...	-	-	-	-	1	1	1	5	5	4	8	4	16	11	18	31	27	32	38	23	17	6	1	-
	White-----M--	135	...	-	-	-	-	1	-	1	1	2	3	4	2	11	4	9	21	16	16	25	11	8	-	-	-
	F--	101	...	-	-	-	-	-	-	-	2	3	1	4	2	3	5	7	8	11	16	13	12	9	5	-	-
	Nonwhite--M--	8	...	-	-	-	-	-	1	-	1	-	-	-	-	1	2	1	2	-	-	-	-	-	-	-	-
	F--	5	...	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-
420	Arteriosclerotic heart dis., etc.*	3,779	-	-	-	-	-	-	-	-	2	5	9	27	57	137	177	315	430	571	647	645	434	229	67	21	6
	White-----M--	2,497	-	-	-	-	-	-	-	-	1	4	9	18	46	114	149	253	322	383	391	385	248	122	38	9	5
	F--	1,155	-	-	-	-	-	-	-	-	-	1	-	8	6	14	21	52	92	169	230	246	176	99	28	11	1
	Nonwhite--M--	73	-	-	-	-	-	-	-	-	1	-	-	1	4	4	5	4	7	13	19	8	5	2	-	-	-
	F--	54	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	6	9	6	7	6	5	6	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,239	...	-	-	-	-	-	-	2	1	3	1	4	7	9	20	44	80	101	188	235	248	194	91	20	11
	White-----M--	619	...	-	-	-	-	-	-	2	1	3	1	2	4	5	9	25	31	60	87	128	120	88	38	12	3
	F--	559	...	-	-	-	-	-	-	-	-	-	-	2	2	2	8	16	26	35	91	96	121	96	51	7	6
	Nonwhite--M--	31	...	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	3	5	6	4	5	1	-	-
	F--	30	...	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	3	5	5	3	5	1	1	2
430-434	Other diseases of heart---------	325	1	-	-	-	-	2	2	1	-	4	8	6	10	13	26	23	37	50	58	37	35	10	2	-
	White-----M--	184	1	-	-	-	-	1	1	1	-	3	3	5	7	7	19	14	21	21	37	19	18	6	-	-
	F--	120	-	-	-	-	-	1	-	-	-	1	4	1	2	4	4	7	15	24	19	16	16	4	2	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	4	1	2	1	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	930	-	-	-	-	-	-	1	-	-	2	5	7	20	28	59	80	114	139	178	140	102	46	8	1
	White-----M--	406	-	-	-	-	-	-	1	-	-	1	2	2	3	12	21	31	52	58	91	68	40	19	3	-
	F--	436	-	-	-	-	-	-	-	-	-	1	2	3	11	9	23	37	51	71	77	65	58	26	2	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	7	8	5	6	2	1	-	3	1
	F--	46	-	-	-	-	-	-	-	-	-	-	-	-	1	5	5	11	5	3	4	4	4	3	1	-	-
444-447	Hypertension without mention of heart----------	182	-	-	-	-	-	-	-	-	-	-	2	3	3	5	5	3	16	22	25	40	25	20	12	1	-
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	1	8	15	17	18	15	10	4	1	-
	F--	78	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	7	6	8	21	9	10	8	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-
450	General arteriosclerosis--------	505	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	12	23	65	83	133	112	54	16	1
	White-----M--	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	7	10	41	42	71	52	24	9	1
	F--	231	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	9	23	39	62	59	27	6	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	2	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	1	1	1	-
451-468	Other diseases of circulatory sys.-	103	-	-	-	-	1	2	-	1	1	1	2	2	4	7	6	8	8	12	12	15	10	7	4	-	-
	White-----M--	55	-	-	-	-	-	-	-	1	-	1	2	1	3	2	3	6	5	6	7	7	5	4	2	-	-
	F--	45	-	-	-	-	1	2	-	-	1	-	-	1	1	4	3	2	3	5	5	8	5	2	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
592-584	Chronic nephritis, etc.*----------	409	-	-	1	1	-	3	3	3	3	3	6	7	16	7	10	28	36	43	61	53	63	38	21	3	-
	White-----M--	199	-	-	-	-	-	2	1	3	1	2	3	4	8	1	4	14	21	16	32	27	32	16	11	1	-
	F--	178	-	-	1	1	-	1	2	-	2	1	2	2	8	3	6	9	10	25	27	23	26	18	9	2	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	4	1	1	-	2	2	3	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	4	1	2	1	3	1	-	-	-
480-493	Influenza and pneumonia, etc.*-	479	81	15	4	4	2	4	3	2	3	6	5	3	10	7	14	20	25	35	54	53	48	48	25	7	1
	White-----M--	243	39	5	2	2	1	2	-	1	2	1	3	1	4	4	9	14	12	20	30	29	26	20	12	4	-
	F--	196	28	7	2	2	-	2	3	1	1	4	2	2	5	3	4	3	11	11	23	21	21	24	13	2	1
	Nonwhite--M--	23	9	1	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	3	-	2	-	3	-	-	-
	F--	17	5	2	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	1	1	-	1	-
480-483	Influenza---------	74	5	2	-	-	-	1	1	1	-	2	2	-	2	-	-	4	6	3	12	9	11	10	3	-	-
	White-----M--	35	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	4	2	3	6	5	5	6	1	-	-
	F--	34	2	2	-	-	-	1	1	-	-	2	2	-	1	-	-	-	3	-	5	4	6	3	2	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	405	76	13	4	4	2	3	2	1	3	4	3	3	8	7	14	16	19	32	42	44	37	38	22	7	1
	White-----M--	208	37	5	2	2	1	2	-	-	2	1	3	1	4	4	9	10	10	17	24	24	21	14	11	4	-
	F--	162	26	5	2	2	-	1	2	1	1	2	-	2	4	3	4	3	8	11	18	17	15	21	11	2	1
	Nonwhite--M--	19	8	1	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	3	-	2	-	2	-	-	-
	F--	16	5	2	-	-	1	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	-	1	-
500-502	Bronchitis--------	54	4	2	1	1	-	-	-	-	-	-	-	-	1	-	-	2	4	3	-	8	12	11	5	-	-
	White-----M--	28	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	5	6	4	2	-	-
	F--	26	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	6	7	3	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	116	1	-	-	-	-	-	-	-	-	-	1	2	9	11	11	11	21	14	13	10	8	4	1	1	-
	White-----M--	85	-	-	-	-	-	-	-	-	-	-	1	-	4	9	8	11	16	12	10	8	4	1	1	-	-
	F--	27	1	-	-	-	-	-	-	-	-	-	-	1	4	1	3	-	4	1	2	2	4	3	-	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	59	-	-	2	-	1	1	4	2	1	1	2	-	5	4	5	2	8	7	9	3	2	-	-	-	-
	White-----M--	32	-	-	-	-	1	1	1	1	-	-	2	-	2	2	3	2	4	4	7	1	1	-	-	-	-
	F--	19	-	-	1	-	-	-	3	1	-	1	-	-	2	1	2	-	3	2	1	2	-	-	-	-	-
	Nonwhite--M--	5	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	134	10	1	1	-	-	-	-	-	1	1	3	3	2	8	10	8	10	18	17	19	12	6	3	1	-
	White-----M--	71	7	1	1	-	-	-	-	-	-	-	2	1	-	5	5	5	6	8	7	11	7	3	2	-	-
	F--	57	3	-	-	-	-	-	-	-	1	1	1	2	1	2	4	3	3	9	9	8	5	3	1	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KANSAS—Continued																										
543,	Gastritis, etc.*—	86	27	-	1	-	-	2	1	-	2	1	-	3	-	3	2	2	8	3	7	7	11	5	1	-	-
571,	White——M—	36	16	-	1	-	-	1	-	-	1	-	-	2	-	-	-	-	4	1	3	3	3	1	-	-	-
572	F—	47	10	-	-	-	-	1	1	-	1	1	-	1	-	3	2	2	4	1	4	3	8	4	1	-	-
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
581	Cirrhosis of liver	91	1	-	1	-	-	-	1	-	1	1	2	4	5	7	5	9	12	12	12	7	7	2	1	1	-
	White——M—	52	1	-	1	-	-	-	1	-	1	1	2	3	2	5	3	5	8	7	6	3	4	-	-	-	-
	F—	31	-	-	-	-	-	-	1	-	-	-	-	1	1	1	2	1	4	4	5	4	3	2	1	1	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	1	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	55	3	1	-	-	1	-	1	1	2	-	-	3	2	2	1	2	2	6	5	6	9	4	3	1	-	-
	White——M—	24	2	-	-	-	-	-	1	-	1	-	-	2	-	2	1	2	-	2	3	3	3	1	1	-	-	-
	F—	22	1	1	-	-	-	1	-	1	-	-	-	1	1	-	-	-	1	3	2	2	3	2	2	1	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	1	3	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate—	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	13	19	43	33	15	11	2	-
	White——M—	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	8	11	18	41	32	15	10	2	-
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	1	-	1	-	-
640-	Complications of																										
689	pregnancy, etc.*—	23	...	...	...	...	...	...	-	2	7	5	4	2	3	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	20	...	...	...	...	...	...	-	2	6	4	3	2	3	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	5	...	...	...	...	...	...	-	1	2	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	5	...	...	...	...	...	...	-	1	2	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	18	...	...	...	...	...	...	-	1	5	4	3	2	3	-	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	15	...	...	...	...	...	...	-	1	4	3	2	2	3	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	3	...	...	...	...	...	...	-	-	1	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	215	160	6	6	3	1	4	3	5	2	3	2	2	5	2	3	1	4	2	-	1	-	-	-	-	-
	White——M—	118	89	3	3	1	-	1	1	2	2	2	-	2	4	-	1	1	3	2	-	1	-	-	-	-	-
	F—	86	63	2	3	2	1	2	2	3	-	1	2	-	1	2	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	8	6	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	724	724	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	406	406	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	282	282	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	28	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	191	191	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	127	127	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	32	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	338	338	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	141	141	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	203	10	1	1	-	-	-	1	1	1	-	-	1	2	7	5	2	8	12	20	24	28	31	35	7	6
795	White——M—	113	6	1	-	-	-	-	1	1	1	-	-	1	1	6	4	1	6	9	12	13	15	14	16	3	3
	F—	79	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	1	2	3	8	9	13	16	16	3	2
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	1	1
	F—	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-
Re-	All other diseases	980	46	16	5	4	6	8	7	11	11	17	13	27	28	34	47	73	81	118	112	115	87	56	30	4	4
sid-	White——M—	464	23	7	2	3	4	5	2	5	4	7	6	11	13	17	23	40	44	57	58	50	40	28	14	1	-
ual	F—	452	21	8	2	1	2	3	4	6	5	8	6	12	10	13	18	27	36	52	47	62	44	26	15	3	1
	Nonwhite—M—	34	1	-	1	-	-	-	1	-	1	1	1	-	3	1	5	3	-	4	4	2	3	1	-	-	2
	F—	30	1	1	-	-	-	-	-	-	1	1	-	4	2	3	1	3	1	5	3	1	-	1	1	-	1
E800-	Accidents—	1,357	39	25	26	9	8	36	39	80	91	90	84	68	63	69	51	67	69	60	84	82	101	83	58	4	2
E962	White——M—	879	28	11	12	4	5	23	30	64	70	66	70	55	50	57	33	46	44	30	48	36	48	31	19	1	-
	F—	402	8	12	11	3	3	10	9	14	12	15	8	12	8	8	17	18	14	26	32	41	51	48	17	3	2
	Nonwhite—M—	48	2	-	1	1	-	2	-	2	4	7	6	1	4	2	1	3	2	2	3	3	1	-	1	-	-
	F—	28	2	2	2	1	-	1	-	-	5	2	-	-	1	1	-	-	-	2	1	2	1	4	1	-	-
E810-	Motor-vehicle																										
E835	accidents—	498	4	8	10	4	4	11	13	46	62	46	45	30	28	28	23	32	22	21	28	15	10	2	3	-	-
	White——M—	349	3	2	5	3	3	7	7	33	46	27	34	25	23	21	14	20	19	11	23	9	9	2	3	-	-
	F—	124	1	6	5	1	1	3	6	12	10	13	7	5	5	6	8	11	3	10	5	5	1	-	-	-	-
	Nonwhite—M—	17	-	-	-	-	-	1	-	1	3	4	4	-	1	1	1	1	-	-	-	1	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents—	861	34	17	16	5	4	25	26	34	29	44	39	38	34	40	28	35	38	39	56	67	91	81	55	4	2
E802,	White——M—	550	23	9	7	1	2	16	23	31	24	39	36	30	27	36	19	26	25	19	25	27	39	29	16	1	-
E840-	F—	278	7	6	6	2	2	7	3	2	2	2	1	7	3	2	9	7	11	16	27	36	50	48	17	3	2
E962	Nonwhite—M—	51	2	-	1	1	-	2	-	1	1	3	2	1	3	1	-	2	2	2	3	2	1	-	1	-	
	F—	22	2	2	2	1	-	-	-	-	2	-	-	1	1	1	-	-	-	2	1	2	1	4	1	-	-
E963,	Suicide—	245	-	-	-	-	-	-	-	2	9	10	8	25	25	23	23	40	30	25	18	8	7	2	-	-	-
E970-	White——M—	186	-	-	-	-	-	-	-	2	8	9	5	18	15	17	14	31	15	21	16	6	7	2	-	-	-
E979	F—	54	-	-	-	-	-	-	-	-	1	1	3	6	7	6	9	9	5	3	2	2	-	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	46	1	-	-	-	-	-	-	2	2	6	7	7	4	4	3	3	2	3	2	-	-	-	-	-	-
E980-	White——M—	26	-	-	-	-	-	-	-	-	1	2	5	5	1	1	2	3	2	2	2	-	-	-	-	-	-
E985	F—	7	1	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	11	-	-	-	-	-	-	-	2	-	2	2	1	2	2	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY																										
	ALL CAUSES	28,046	3,139	249	146	75	64	217	173	361	462	496	559	713	647	1,090	1,439	1,765	2,098	2,741	3,192	3,281	2,656	1,524	565	150	44
	White	14,066	1,596	111	70	38	34	119	93	195	270	256	295	371	453	528	727	947	1,081	1,434	1,570	1,654	1,305	655	227	37	15
	M	10,614	1,250	117	69	34	28	79	65	126	139	169	175	259	248	511	403	512	703	983	1,334	1,357	1,160	751	278	73	15
	Nonwhite	1,779	160	13	2	2	3	9	5	15	27	34	44	41	76	139	185	174	179	184	153	146	95	57	23	5	8
	M	1,567	134	8	5	1	2	10	10	26	26	39	45	62	70	112	124	132	135	140	135	134	98	61	37	15	6
001-019	Tuberculosis, all forms	1,255	12	12	14	2	1	8	6	51	80	101	106	98	106	88	100	67	88	101	90	61	33	7	3	-	-
	White	568	1	3	4	1	-	4	1	11	26	26	50	41	60	38	65	54	48	56	40	22	15	2	-	-	-
	M	472	9	7	8	1	1	1	3	21	38	50	37	40	30	24	18	15	31	37	46	34	15	4	2	-	-
	Nonwhite	111	1	2	1	-	-	-	-	3	6	15	5	9	10	17	15	13	3	7	2	1	2	1	-	-	-
	M	104	1	-	1	-	-	3	2	16	10	12	14	8	6	9	2	5	6	1	2	4	1	-	1	-	-
001-008	Tuberculosis of respiratory system	1,153	3	1	3	-	-	3	4	49	77	97	99	90	97	87	99	80	85	95	83	59	32	7	3	-	-
	White	528	1	1	-	-	-	2	-	10	24	23	47	36	54	38	64	52	47	55	37	21	14	2	-	-	-
	M	426	2	-	2	-	-	-	2	20	37	49	34	38	28	24	18	13	29	34	42	33	15	4	2	-	-
	Nonwhite	104	-	-	1	-	-	-	-	3	6	15	5	9	9	17	15	12	3	5	2	1	2	1	-	-	-
	M	95	-	-	-	-	-	1	2	16	10	12	13	7	6	8	2	3	6	1	2	4	1	-	1	-	-
010-019	Tuberculosis, other forms	102	9	11	11	2	1	5	2	2	3	4	7	8	9	1	1	7	3	6	7	2	1	-	-	-	-
	White	40	-	2	4	1	-	2	1	1	2	3	3	5	6	-	1	2	1	1	3	1	1	-	-	-	-
	M	46	7	7	6	1	1	1	1	1	1	1	3	2	2	-	-	2	2	3	4	1	-	-	-	-	-
	Nonwhite	7	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-
	M	9	1	-	1	-	-	2	-	-	-	-	1	1	-	1	-	2	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	145	10	-	-	-	-	1	-	-	1	1	4	9	11	13	21	29	12	14	7	8	1	3	-	-	-
	White	67	3	-	-	-	-	1	-	-	-	-	1	1	5	7	12	14	6	8	3	5	1	-	-	-	-
	M	25	3	-	-	-	-	-	-	-	-	-	-	5	2	1	-	6	-	4	-	1	-	3	-	-	-
	Nonwhite	36	4	-	-	-	-	-	-	-	-	-	-	2	3	2	8	6	4	2	3	2	-	-	-	-	-
	M	17	-	-	-	-	-	-	-	-	1	1	3	1	1	3	1	3	2	-	1	-	-	-	-	-	-
040	Typhoid fever	14	1	-	-	2	-	-	-	1	2	1	-	-	1	2	1	-	2	-	-	1	-	-	-	-	-
	White	9	1	-	-	1	-	-	-	1	-	1	-	-	1	-	1	-	2	-	-	1	-	-	-	-	-
	M	3	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	94	73	8	3	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	3	1	1	1	-	1
	White	51	37	5	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	1	1	-	-	1
	M	40	34	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	3	-	2	1	1	1	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	5	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	6	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	26	2	6	4	3	4	4	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	15	-	3	4	2	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	11	2	3	-	1	-	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	68	42	15	6	2	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White	27	21	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	30	14	8	4	2	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite	6	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	43	14	9	6	3	2	3	4	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White	25	7	5	5	2	1	2	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	M	18	7	4	1	1	1	1	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	54	7	5	10	3	2	9	6	4	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	28	5	2	5	1	1	4	5	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	25	2	3	4	2	1	5	1	3	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	36	10	8	2	2	1	3	2	-	-	-	-	1	-	1	-	1	-	1	1	2	-	1	-	-	-
	White	15	4	5	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	18	5	2	1	1	-	1	-	-	-	-	-	1	-	1	-	1	-	1	1	2	-	1	-	-	-
	Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	103	18	4	2	3	1	6	4	4	2	4	3	6	1	3	5	7	5	2	8	7	5	2	1	-	-
	White	47	10	-	1	-	-	3	2	1	-	1	1	4	-	1	3	2	4	1	4	5	4	-	-	-	-
	M	44	7	3	1	3	1	2	2	3	2	2	2	1	1	-	1	3	1	1	3	1	1	2	1	-	-
	Nonwhite	7	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-
	M	3	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
140-205	Malignant neoplasms, etc.*	3,156	10	5	8	6	7	18	10	25	23	30	45	97	129	203	253	311	374	402	433	375	222	128	33	8	3
	White—M	1,355	5	2	6	3	6	12	5	16	13	13	9	37	40	71	84	132	155	188	165	192	116	51	11	4	1
	F	1,515	5	3	2	3	1	6	5	9	7	15	28	48	74	103	137	138	172	183	226	160	96	68	20	4	2
	Nonwhite—M	130	-	-	-	-	-	-	-	-	2	2	4	3	4	13	15	18	20	14	13	10	7	4	1	-	-
	F	156	-	-	-	-	-	-	-	-	1	-	4	9	11	16	17	23	27	17	11	11	5	5	1	-	-
140-148	Of buccal cavity and pharynx	62	-	-	-	-	-	-	-	-	-	-	1	2	3	3	4	14	11	10	10	11	11	2	-	-	-
	White—M	61	-	-	-	-	-	-	-	-	-	-	-	2	2	3	4	11	4	8	8	9	9	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	2	1	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,209	-	-	1	-	-	1	-	4	2	9	8	22	31	61	80	106	156	164	201	178	109	59	14	2	1
	White—M	550	-	-	1	-	-	-	-	2	1	7	2	14	12	25	31	50	69	80	93	93	46	20	4	-	-
	F	563	-	-	-	-	-	1	-	2	-	1	3	8	13	27	40	42	70	73	101	80	58	33	8	2	1
	Nonwhite—M	62	-	-	-	-	-	-	-	-	1	1	2	-	3	6	7	7	8	8	7	3	3	3	1	-	-
	F	34	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	7	9	3	-	2	2	3	1	-	-
160-164	Of respiratory system	271	-	1	-	-	-	-	-	2	-	1	2	5	11	18	25	51	47	34	31	26	9	6	2	-	-
	White—M	185	-	-	-	-	-	-	-	2	-	-	2	3	9	13	17	38	37	25	19	13	3	4	-	-	-
	F	57	-	1	-	-	-	-	-	-	-	1	-	-	1	1	3	6	7	6	10	12	5	2	2	-	-
	Nonwhite—M	22	-	-	-	-	-	-	-	-	-	-	-	2	-	2	5	5	3	2	1	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	1	-	-	-	-	-	-
170	Of breast	260	-	-	-	-	-	-	-	-	-	-	5	11	23	31	28	36	21	29	35	23	7	8	2	1	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	1	-	-	-	-	-
	F	228	-	-	-	-	-	-	-	-	-	-	5	11	20	26	25	32	18	24	32	18	6	8	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	3	4	3	4	2	4	2	3	-	-	-	-	-
171-179	Of genital organs	618	-	-	1	-	-	1	-	2	5	10	14	29	32	44	60	47	67	78	78	77	42	25	4	-	2
	White—M	188	-	-	1	-	-	-	-	-	2	1	1	2	-	2	4	5	10	28	36	45	33	15	2	-	1
	F	348	-	-	-	-	-	1	-	2	3	9	10	19	28	35	45	36	45	43	34	20	8	7	2	-	1
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	3	6	1	1	-	-	-
	F	66	-	-	-	-	-	-	-	-	-	-	3	8	4	7	9	6	10	6	5	6	-	2	-	-	-
180, 181	Of urinary organs	116	-	-	-	-	1	-	-	-	-	-	-	1	5	9	9	13	12	17	20	13	12	2	1	1	-
	White—M	60	-	-	-	-	1	-	-	-	-	-	-	1	5	5	5	6	4	9	4	8	8	2	1	1	-
	F	46	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	5	4	6	15	5	4	-	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	340	3	1	3	2	2	5	3	4	4	4	9	16	11	18	29	28	31	41	34	28	25	26	9	4	-
	White—M	158	1	-	3	1	1	4	1	2	3	2	1	8	6	11	15	17	13	20	9	14	11	9	3	3	-
	F	158	2	1	-	1	1	1	2	2	1	1	7	6	5	6	11	7	14	17	24	14	11	17	6	1	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	2	3	1	-	-	2	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	2	1	3	1	-	1	-	-	-	-
204	Leukemia and aleukemia	146	5	2	3	3	4	4	5	9	5	2	4	4	9	9	12	9	13	16	14	10	4	-	-	-	-
	White—M	84	4	1	1	1	4	2	3	8	2	1	1	3	4	5	4	2	8	13	8	6	3	-	-	-	-
	F	58	1	1	2	2	-	2	2	1	2	1	3	1	5	2	8	6	5	3	6	4	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
200-205	Lymphomas, etc.*	114	2	1	-	1	-	7	2	4	7	4	2	7	4	10	6	7	16	13	10	7	3	-	1	-	-
	White—M	62	-	1	-	1	-	6	1	2	5	2	2	4	2	6	4	3	8	4	5	2	2	-	1	-	-
	F	46	2	-	-	-	-	1	1	2	1	2	-	3	2	3	1	4	6	9	3	5	1	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	81	7	1	1	1	2	-	2	1	2	2	5	8	6	7	10	5	9	2	3	2	2	1	2	-	-
	White—M	33	5	-	1	1	-	-	1	-	-	1	1	3	4	1	3	1	4	2	2	1	-	1	1	-	-
	F	41	2	1	-	-	2	-	1	1	2	1	4	4	2	5	6	2	3	-	1	1	2	-	1	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	349	-	-	1	-	-	-	2	3	2	2	6	4	6	18	25	31	45	58	69	36	33	7	1	-	-
	White—M	123	-	-	1	-	-	-	-	1	2	-	4	2	1	4	8	12	13	27	19	13	13	2	1	-	-
	F	187	-	-	-	-	-	-	2	1	-	2	1	2	2	10	10	13	25	30	48	19	18	4	-	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	3	-	-	2	1	1	-	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	1	-	2	3	6	5	4	1	2	2	1	-	-	-	-
280-293	Anemias	88	7	1	1	-	-	1	2	2	1	-	3	1	3	3	4	4	4	10	12	10	14	5	-	-	-
	White—M	42	5	-	1	-	-	1	-	1	-	-	2	-	1	1	1	3	3	4	6	3	7	3	-	-	-
	F	34	2	1	-	-	-	-	-	1	1	-	1	1	1	1	2	-	-	5	5	5	6	2	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F	8	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	1	-	1	1	-	-	-	-
340	Nonmeningococcal meningitis	50	19	6	4	2	-	8	1	-	1	1	-	1	1	3	1	-	-	1	1	-	-	-	-	-	-
	White—M	23	8	3	1	2	-	5	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	25	11	3	3	-	-	3	1	-	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	13,435	5	6	-	2	2	19	33	33	56	74	90	188	307	454	694	947	1,198	1,689	2,077	2,258	1,836	1,022	349	73	22
	White—M	5,742	4	4	-	2	1	10	10	19	28	32	44	93	156	233	361	524	625	903	1,051	1,123	909	441	146	19	4
	F	4,333	1	-	-	-	1	8	18	12	20	27	26	58	76	97	163	252	377	558	815	950	790	493	165	39	6
	Nonwhite—M	914	-	2	-	-	-	1	2	1	2	4	8	10	38	65	86	97	114	133	111	108	84	40	17	4	7
	F	847	-	-	-	-	-	-	3	1	6	11	12	28	37	59	84	74	82	95	100	97	73	48	21	11	5
330-334, 400-468	Diseases of cardiovascular system	12,833	5	5	-	1	2	15	29	30	46	65	*85	177	282	429	660	913	1,184	1,617	2,009	2,153	1,742	978	328	68	20
	White—M	6,440	4	4	-	1	1	8	9	17	22	28	41	91	148	219	343	508	612	872	1,020	1,065	851	422	154	17	3
	F	4,732	1	-	-	-	1	6	15	11	17	23	25	51	74	91	157	240	369	527	788	899	782	474	158	37	6
	Nonwhite—M	859	-	1	-	-	-	1	2	1	1	3	7	10	35	63	82	94	105	126	104	102	60	38	15	3	6
	F	802	-	-	-	-	-	-	3	1	6	11	12	25	35	56	78	71	78	92	97	87	69	44	21	11	5
330-334	Vascular lesions, etc.*	3,043	-	2	-	-	-	1	1	4	4	15	16	34	43	76	141	212	270	364	532	578	445	226	64	13	2
	White—M	1,358	-	2	-	-	-	1	-	2	4	7	6	10	11	23	47	92	118	178	249	275	216	90	24	3	-
	F	1,251	-	-	-	-	-	-	1	1	-	3	5	10	23	18	54	66	103	140	232	248	202	108	28	7	2
	Nonwhite—M	204	-	-	-	-	-	-	-	-	-	2	-	4	4	16	16	30	24	24	26	28	12	13	5	-	-
	F	230	-	-	-	-	-	-	-	1	-	3	5	10	5	19	24	24	25	22	25	27	15	15	7	3	-
400-402	Rheumatic fever	57	1	1	-	-	1	6	10	9	8	2	1	3	9	-	1	2	1	-	1	-	1	-	-	-	-
	White—M	22	-	1	-	-	1	2	2	4	3	-	1	-	6	-	-	1	-	-	-	-	1	-	-	-	-
	F	31	1	-	-	-	-	3	7	5	5	2	-	2	3	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
410-443	Diseases of heart-	8,746	3	2	-	1	1	8	18	17	34	47	63	130	225	334	498	668	839	1,176	1,353	1,389	1,103	581	189	41	16
	White-----M--	4,807	3	1	-	1	-	5	7	11	15	20	32	75	125	187	286	402	475	656	719	696	542	249	86	10	2
	F--	3,053	-	-	-	-	1	3	7	5	12	18	18	36	46	68	98	163	243	366	509	580	474	288	92	22	4
	Nonwhite--M--	576	-	1	-	-	-	-	2	1	1	1	7	5	26	44	61	57	75	91	67	61	41	22	8	2	5
	F--	308	-	-	-	-	-	-	2	-	6	8	6	14	28	35	53	46	46	63	58	52	46	22	11	7	5
410-416	Chronic rheumatic heart disease-----	381	...	-	-	-	-	7	7	11	9	24	19	23	23	21	34	34	30	26	37	26	27	18	4	1	-
	White-----M--	177	...	-	-	-	-	4	3	8	4	9	8	12	10	12	19	19	12	13	13	13	12	4	1	1	-
	F--	163	...	-	-	-	-	3	2	3	3	10	10	11	9	7	14	13	15	10	19	9	11	11	3	-	-
	Nonwhite--M--	17	...	-	-	-	-	-	1	-	-	-	1	-	1	1	-	2	2	1	3	-	4	1	-	-	-
	F--	24	...	-	-	-	-	-	1	-	2	5	-	-	3	1	1	-	1	2	2	4	-	2	-	-	-
420	Arteriosclerotic heart dis., etc.*	4,130	1	1	-	-	-	-	-	1	12	12	21	55	112	172	258	381	436	621	854	628	455	218	78	14	2
	White-----M--	2,498	1	1	-	-	-	-	-	1	5	6	15	43	78	122	177	269	287	376	399	340	247	91	36	3	-
	F--	1,304	-	-	-	-	-	-	-	-	6	3	3	8	16	26	41	81	120	184	215	254	168	117	37	9	-
	Nonwhite--M--	195	-	-	-	-	-	-	-	-	1	-	2	3	8	17	28	21	19	34	24	16	9	3	3	1	2
	F--	134	-	-	-	-	-	-	-	-	-	1	1	3	10	7	12	10	10	27	18	19	11	5	-	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,574	...	-	-	-	-	-	4	1	4	4	5	17	24	31	53	61	117	162	248	304	280	178	58	18	4
	White-----M--	707	...	-	-	-	-	-	1	-	1	1	1	5	9	12	27	23	59	85	108	138	133	78	25	3	-
	F--	615	...	-	-	-	-	-	1	1	1	2	1	9	7	10	9	18	31	53	106	126	121	82	27	10	2
	Nonwhite--M--	132	...	-	-	-	-	-	1	-	-	-	1	1	5	4	11	9	15	14	21	25	11	10	2	1	1
	F--	120	...	-	-	-	-	-	1	-	2	1	2	2	3	5	6	13	12	10	13	15	15	10	3	4	1
430-434	Other diseases of heart----------	786	2	1	-	1	1	1	6	4	5	3	7	23	29	31	40	49	74	121	110	105	83	45	27	2	5
	White-----M--	425	2	-	-	1	-	1	2	2	3	-	4	13	16	14	18	32	39	66	67	64	48	21	11	-	1
	F--	234	-	-	-	-	1	-	4	1	2	2	1	6	7	10	9	9	10	38	37	31	34	19	11	-	2
	Nonwhite--M--	77	-	1	-	-	-	-	-	1	-	1	1	1	3	5	6	7	16	15	3	6	6	2	2	-	1
	F--	50	-	-	-	-	-	-	-	-	1	-	1	3	3	2	7	1	9	2	3	4	5	3	3	2	1
440-443	Hypertension with heart dis.---	1,875	-	-	-	-	-	-	1	-	3	4	11	12	37	79	113	143	182	246	304	326	248	122	33	6	5
	White-----M--	798	-	-	-	-	-	-	1	-	2	2	4	2	12	27	45	59	78	116	132	141	102	57	15	3	1
	F--	737	-	-	-	-	-	-	-	-	-	1	3	4	7	15	25	44	67	81	134	160	120	59	14	3	-
	Nonwhite--M--	159	-	-	-	-	-	-	-	-	-	-	2	-	9	17	16	18	23	27	16	14	11	4	1	-	1
	F--	180	-	-	-	-	-	-	-	-	1	1	2	6	9	20	27	22	14	22	22	11	15	2	3	-	3
444-447	Hypertension without mention of heart----------	244	-	-	-	-	-	-	-	-	-	-	4	7	10	14	12	11	25	24	30	50	27	24	6	-	-
	White-----M--	117	-	-	-	-	-	-	-	-	-	-	2	3	3	6	6	6	9	13	13	27	15	11	3	-	-
	F--	91	-	-	-	-	-	-	-	-	-	-	1	3	2	5	4	3	10	8	11	20	11	11	2	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	2	3	2	2	3	-	2	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	3	1	4	-	1	-	-	-	-
450	General arteriosclerosis--------	646	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	7	14	17	40	75	123	159	136	58	13	2
	White-----M--	287	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	7	18	31	58	75	66	19	4	1
	F--	268	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	5	8	27	47	72	62	36	7	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	1	8	7	10	8	1	1	1	1
	F--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	6	10	8	8	7	2	1	-
451-468	Other diseases of circulatory sys.-	97	1	-	-	-	-	-	-	-	-	1	1	3	4	4	1	6	12	13	18	13	7	11	1	1	-
	White-----M--	49	1	-	-	-	-	-	-	-	-	1	-	3	3	2	1	3	3	7	8	9	2	6	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	7	5	9	4	3	5	-	1	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	1	1	-	1	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-
592-594	Chronic nephritis, etc.*----------	602	-	1	-	1	-	4	4	3	10	9	5	12	15	25	34	34	34	72	68	105	94	44	21	5	2
	White-----M--	302	-	-	-	1	-	2	1	2	6	4	3	2	8	14	18	16	13	31	31	58	58	19	12	2	1
	F--	200	-	-	-	-	-	2	3	1	3	4	1	7	2	6	6	12	8	31	27	31	28	19	7	2	-
	Nonwhite--M--	55	-	1	-	-	-	-	-	-	1	1	1	-	3	2	4	3	9	7	7	6	4	2	2	1	1
	F--	45	-	-	-	-	-	-	-	-	-	-	-	3	2	3	6	3	4	3	3	10	4	4	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,328	387	61	17	11	5	15	14	16	5	14	14	21	18	31	37	42	41	85	85	131	134	97	33	10	2
	White-----M--	605	176	23	7	5	2	5	10	8	3	2	4	8	7	17	16	19	18	32	44	78	58	46	10	4	-
	F--	552	162	30	8	6	3	10	2	4	-	10	6	9	5	5	6	10	14	38	32	44	71	49	20	6	2
	Nonwhite--M--	91	22	6	-	-	-	-	-	2	-	-	1	1	1	4	11	7	7	7	4	4	2	2	-	-	-
	F--	88	27	2	2	-	-	-	2	2	-	2	3	3	5	5	4	6	2	8	5	4	3	-	3	-	-
480-483	Influenza----------	169	31	3	1	-	1	4	1	2	1	1	3	2	2	2	3	9	9	10	9	21	29	17	7	1	-
	White-----M--	71	14	2	-	-	1	2	1	1	1	-	1	1	-	1	1	1	3	5	2	10	12	8	4	-	-
	F--	74	12	1	1	-	-	2	-	1	-	1	1	1	2	-	-	5	4	4	4	8	15	9	2	1	-
	Nonwhite--M--	12	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	2	1	-	-	-	-
	F--	12	2	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	2	1	1	-	1	-	-
490-493	Pneumonia, etc.*--	1,157	356	58	16	11	4	11	13	14	4	13	11	19	16	29	34	33	32	75	76	110	105	80	26	9	2
	White-----M--	534	182	21	7	5	1	3	8	7	4	2	3	7	7	16	15	18	15	27	42	69	46	38	6	4	-
	F--	478	150	29	7	6	3	8	2	3	-	9	5	8	3	5	8	5	10	34	28	36	56	40	18	5	2
	Nonwhite--M--	68	19	6	-	-	-	-	-	2	-	-	1	1	1	4	10	8	5	6	3	2	1	2	-	-	-
	F--	76	25	3	2	-	-	-	2	2	-	2	2	3	5	4	3	4	2	8	3	3	2	-	2	-	-
500-502	Bronchitis--------	73	14	1	2	-	-	-	-	1	-	1	-	-	1	3	4	3	6	6	8	3	10	5	2	3	-
	White-----M--	36	8	1	1	-	-	-	-	-	-	-	-	-	1	1	2	2	1	5	-	3	6	3	1	1	-
	F--	26	5	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	2	1	8	-	4	1	1	1	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	1	-	-
540, 541	Ulcer of stomach and duodenum-----	134	-	-	-	-	-	-	2	-	3	4	7	5	12	14	14	24	20	15	11	1	1	1	-	-	-
	White-----M--	104	-	-	-	-	-	-	1	-	1	3	5	4	9	10	11	22	16	11	9	-	1	1	-	-	-
	F--	23	-	-	-	-	-	-	-	-	2	1	2	1	3	2	2	1	4	3	1	1	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis------	90	-	1	5	1	1	7	4	6	4	2	2	6	4	4	6	6	8	7	4	4	4	2	2	-	-
	White-----M--	41	-	1	1	-	1	4	3	1	3	-	1	4	2	1	2	-	4	2	3	2	4	2	-	-	-
	F--	36	-	-	3	1	-	2	1	4	1	1	-	2	1	2	3	3	4	4	1	1	-	-	2	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-
	F--	9	-	-	1	-	-	1	-	1	-	1	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	168	19	1	2	-	1	1	3	-	1	2	4	-	6	10	10	15	11	16	17	26	15	5	2	1	-
	White-----M--	74	9	1	1	-	1	-	1	-	1	-	-	-	2	2	2	2	6	8	9	16	6	5	1	1	-
	F--	76	9	-	1	-	-	-	2	-	-	2	2	-	4	4	6	10	3	6	8	10	8	-	1	-	-
	Nonwhite--M--	11	1	-	-	-	-	1	-	-	-	-	2	-	-	2	2	-	1	1	-	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	KENTUCKY—Con.																										
543, 571, 572	Gastritis, etc.*—	469	349	30	3	-	-	4	1	3	1	1	3	3	1	1	6	9	3	8	3	13	14	8	5	-	-
	White——M—	217	162	18	1	-	-	2	1	3	-	-	1	2	-	1	4	4	1	5	1	5	2	3	1	-	-
	F—	205	152	11	2	-	-	1	-	-	1	-	1	1	-	-	1	2	1	2	2	8	11	5	4	-	-
	Nonwhite—M—	27	19	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3	1	-	-	-	1	-	-	-	-
	F—	20	16	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	205	-	-	-	-	-	-	-	-	-	1	4	15	16	23	28	26	17	29	18	13	12	2	1	-	-
	White——M—	132	-	-	-	-	-	-	-	-	-	-	1	10	11	18	19	18	13	16	11	7	7	1	-	-	-
	F—	55	-	-	-	-	-	-	-	-	-	1	3	5	4	2	4	6	3	12	5	6	2	1	1	-	-
	Nonwhite—M—	12	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	2	1	1	1	-	1	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	1	-	2	-	-	-	-
590, 591	Acute nephritis, etc.*—	84	1	1	3	-	-	5	3	2	1	-	2	6	6	3	9	6	5	6	5	10	7	2	1	-	-
	White——M—	37	1	1	1	-	-	1	-	2	1	-	2	2	1	2	3	3	3	3	1	6	2	1	1	-	-
	F—	32	-	-	2	-	-	4	3	-	-	-	-	3	4	1	3	2	1	2	2	2	2	1	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	2	1	2	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	-	-
610	Hyperplasia of prostate—	118	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	3	5	17	20	24	33	11	4	-	-
	White——M—	102	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	4	12	18	24	28	10	3	-	-
	Nonwhite—M—	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	5	2	-	5	1	1	-	-
640-689	Complications of pregnancy, etc.*—	93	...	...	...	...	...	...	1	16	15	16	15	22	8	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	81	...	...	...	...	...	...	1	13	14	14	14	18	7	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	12	...	...	...	...	...	...	-	3	1	2	1	4	1	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	7	...	...	...	...	...	...	1	-	2	1	1	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	6	...	...	...	...	...	...	1	-	2	1	-	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	86	...	...	...	...	...	...	-	16	13	15	14	20	8	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	75	...	...	...	...	...	...	-	13	12	13	14	16	7	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	11	...	...	...	...	...	...	-	3	1	2	-	4	1	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	403	320	18	11	5	1	6	5	5	7	3	4	2	5	2	2	3	-	-	3	1	-	-	-	-	-
	White——M—	219	176	8	5	4	-	1	3	3	3	2	3	1	4	-	2	1	-	-	2	1	-	-	-	-	-
	F—	154	121	10	6	1	-	3	-	2	3	1	1	1	1	2	-	1	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	15	13	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	15	10	-	-	-	1	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	1,532	1,532	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	805	805	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	582	582	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	550	550	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	292	292	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	195	195	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	175	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	827	827	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	422	422	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	318	318	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	506	97	-	2	1	3	1	-	2	2	3	3	4	4	7	10	9	17	19	38	53	74	76	59	14	8
	White——M—	248	52	-	1	1	3	-	-	1	1	1	2	3	2	4	5	3	12	13	22	27	33	36	21	2	3
	F—	205	35	-	1	-	-	-	-	1	1	2	1	-	2	1	-	3	4	6	12	22	35	33	29	12	3
	Nonwhite—M—	28	6	-	-	-	-	-	-	-	-	-	-	-	-	2	4	1	1	-	2	3	3	4	1	-	1
	F—	25	4	-	-	-	-	1	-	-	-	-	-	1	-	-	1	2	-	-	2	1	3	1	8	-	1
Residual	All other diseases	1,323	84	22	16	8	7	23	14	18	29	33	51	56	43	64	71	91	112	121	152	125	80	55	30	13	5
	White——M—	639	41	8	8	5	3	15	10	7	16	12	25	30	26	24	34	52	56	58	73	50	40	25	13	4	4
	F—	533	37	13	8	1	3	7	3	10	9	15	16	19	12	23	23	30	42	53	67	63	35	24	13	6	1
	Nonwhite—M—	80	3	-	-	1	1	1	1	-	2	2	7	5	2	11	10	7	9	2	4	5	1	4	2	-	-
	F—	71	3	1	-	1	-	-	-	1	2	4	3	2	3	6	4	2	5	8	8	7	4	2	2	3	-
E800-E962	Accidents—	1,977	95	28	20	17	21	74	60	149	184	144	133	102	96	82	98	65	83	96	95	103	117	81	35	8	1
	White——M—	1,269	46	14	10	6	10	45	44	110	143	119	104	84	81	60	62	46	60	54	45	45	44	19	16	2	-
	F—	538	42	12	10	10	10	22	15	33	29	15	17	12	8	12	13	6	13	28	42	46	62	58	17	5	1
	Nonwhite—M—	122	4	1	-	1	1	5	-	5	10	7	10	3	6	10	13	11	7	8	5	8	5	-	1	1	-
	F—	48	3	1	-	-	-	2	1	1	2	3	2	3	1	-	-	2	3	6	3	4	8	4	1	-	-
E810-E835	Motor-vehicle accidents—	717	3	6	7	4	6	27	19	97	117	76	59	49	34	29	32	25	31	31	28	22	13	3	1	-	1
	White——M—	528	2	5	4	2	3	19	11	71	89	62	45	41	28	22	20	17	21	22	18	16	8	3	-	-	-
	F—	138	-	1	3	2	3	6	7	25	21	8	8	7	4	4	9	2	8	6	6	4	2	-	1	-	1
	Nonwhite—M—	43	1	-	-	-	2	-	-	1	7	4	5	1	2	3	3	5	1	2	3	2	1	-	-	-	-
	F—	8	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	1,260	92	22	13	13	15	47	41	52	67	68	75	53	62	53	66	40	52	65	69	81	104	78	34	8	-
	White——M—	741	44	9	6	4	7	26	33	39	54	57	59	43	53	38	42	29	39	32	29	29	35	16	16	2	-
	F—	400	42	11	7	8	7	16	8	8	8	7	9	5	4	8	4	4	5	22	36	42	60	58	16	5	-
	Nonwhite—M—	79	3	1	-	1	1	3	-	4	3	3	5	2	4	7	10	6	6	6	2	6	4	-	1	1	-
	F—	40	3	1	-	-	-	2	-	1	2	1	2	3	1	-	-	1	2	5	2	4	5	4	1	-	-
E963, E970-E978	Suicide—	284	-	-	-	-	-	-	-	5	16	16	20	22	36	27	19	31	23	27	24	9	6	2	-	-	1
	White——M—	217	-	-	-	-	-	-	-	3	10	14	12	18	28	20	15	26	17	19	19	9	6	2	-	-	1
	F—	62	-	-	-	-	-	-	-	2	5	2	8	3	8	7	4	5	5	7	5	-	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	250	1	-	1	-	-	-	-	9	21	39	38	33	25	24	20	18	6	3	3	4	4	-	-	-	1
	White——M—	165	1	-	1	-	-	-	-	3	15	27	25	22	16	11	13	16	4	1	2	4	3	-	-	-	1
	F—	27	-	-	-	-	-	-	-	3	1	5	6	4	1	5	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M—	50	-	-	-	-	-	-	-	2	3	5	5	6	8	8	7	2	1	2	1	-	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	1	2	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA																										
	ALL CAUSES	23,400	2,810	212	128	53	64	189	146	230	387	403	435	695	885	1,275	1,606	1,861	2,098	2,634	2,303	2,204	1,436	779	330	134	103
	White—M	7,919	712	62	31	14	21	62	50	61	127	126	114	205	280	443	597	727	808	923	869	827	483	239	99	24	15
	F	5,570	519	48	29	10	15	31	26	40	46	62	78	134	156	203	296	348	447	612	682	753	529	322	126	49	9
	Nonwhite—M	5,137	864	46	35	14	10	48	47	79	110	99	128	176	195	302	363	415	434	595	389	345	223	117	40	24	39
	F	4,774	715	56	33	15	18	48	23	50	104	116	115	180	254	327	350	371	409	504	363	279	201	101	65	37	40
001-019	Tuberculosis, all forms	785	4	-	3	1	-	4	1	25	64	66	57	70	70	72	74	69	71	66	30	31	5	1	1	-	-
	White—M	266	1	-	-	-	-	-	-	1	3	7	7	15	26	31	30	34	35	37	17	19	2	-	1	-	-
	F	93	1	-	1	-	-	-	-	1	5	9	6	10	12	7	8	6	10	6	7	4	-	-	-	-	-
	Nonwhite—M	243	1	-	-	-	-	2	-	7	22	21	23	31	19	21	25	21	19	17	6	5	2	1	-	-	-
	F	183	1	-	2	1	-	3	1	16	34	29	21	14	13	13	11	8	7	6	-	3	1	-	-	-	-
001-008	Tuberculosis of respiratory system	738	2	-	-	1	-	3	1	23	57	66	55	64	68	68	69	63	69	64	29	29	5	1	1	-	-
	White—M	256	1	-	-	-	-	-	-	1	2	7	7	13	26	30	29	35	34	36	16	18	2	-	1	-	-
	F	88	1	-	-	-	-	-	-	1	4	9	6	10	12	6	7	5	10	6	7	4	-	-	-	-	-
	Nonwhite—M	224	-	-	-	-	-	2	-	6	21	21	22	28	17	19	23	18	18	16	6	4	2	1	-	-	-
	F	170	-	-	-	1	-	1	1	15	30	29	20	13	13	13	10	7	7	6	-	3	1	-	-	-	-
010-019	Tuberculosis, other forms	47	2	-	3	-	-	1	-	2	7	-	2	6	2	4	5	6	2	2	1	2	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	1	-	-	2	-	1	1	1	1	1	1	1	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	1	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	19	1	-	-	-	-	-	-	1	1	-	1	3	2	2	2	3	1	1	-	1	-	-	-	-	-
	F	13	1	-	2	-	-	1	-	1	4	-	1	1	-	-	1	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	299	30	-	-	-	-	1	-	-	-	3	9	17	23	42	46	28	30	30	17	14	5	2	-	1	1
	White—M	51	1	-	-	-	-	-	-	-	-	-	1	1	3	8	9	5	5	7	7	4	-	-	-	-	-
	F	13	1	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	1	-	2	1	2	-	-	1	-
	Nonwhite—M	158	15	-	-	-	-	1	-	-	-	2	4	11	16	24	25	13	18	15	4	8	2	2	-	-	1
	F	77	13	-	-	-	-	-	-	-	-	1	4	4	4	8	10	10	6	8	4	4	1	-	-	-	-
040	Typhoid fever	12	-	1	1	1	-	1	1	1	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	32	15	2	1	2	-	-	1	-	-	-	-	3	-	2	-	-	-	-	2	3	-	1	-	-	-
	White—M	10	3	-	1	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	2	1	-	-	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-
	Nonwhite—M	11	8	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	14	3	4	2	2	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	16	13	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	7	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	20	6	4	2	2	-	-	1	-	-	-	-	-	2	-	2	-	-	-	-	1	-	-	-	-	-
	White—M	5	1	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	11	5	2	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	6	-	1	1	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	16	5	2	2	1	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	4	2	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	119	32	6	3	3	1	7	4	4	4	4	5	7	3	5	10	2	7	6	1	3	1	-	1	-	-
	White—M	34	6	1	-	2	-	4	1	-	-	-	3	2	-	3	-	4	2	-	2	1	-	-	-	-	-
	F	15	3	-	-	-	-	-	1	-	-	3	-	1	1	-	3	-	1	1	-	-	-	-	1	-	-
	Nonwhite—M	40	13	5	1	-	-	2	2	3	-	-	-	1	1	1	4	2	1	2	1	1	-	-	-	-	-
	F	30	10	-	2	1	1	1	-	1	4	-	2	3	1	1	-	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,080	6	6	4	3	5	20	14	20	16	31	51	118	168	227	281	360	394	436	349	294	175	55	21	12	4
	White----M--	1,109	2	2	-	-	2	11	5	8	6	14	11	28	44	69	92	128	169	154	145	115	72	22	7	3	1
	F--	989	3	3	2	2	1	5	6	5	4	10	17	43	54	64	116	116	111	116	103	113	63	17	10	5	-
	Nonwhite--M--	464	1	1	-	-	-	2	2	4	3	2	6	15	17	30	39	61	57	86	55	43	25	9	2	2	1
	F--	518	-	-	2	1	1	2	1	3	3	5	17	32	53	65	44	55	57	80	46	23	15	7	2	2	2
140-148	Of buccal cavity and pharynx------	93	-	-	-	-	-	-	-	1	-	-	-	3	4	7	7	10	12	12	9	17	6	4	1	-	-
	White----M--	49	-	-	-	-	-	-	-	-	-	-	-	-	-	5	6	5	8	8	6	8	3	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	3	-	1	5	2	1	1	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	-	2	2	2	-	4	-	4	2	3	-	2	-	-	-
	F--	6	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	1	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,033	-	-	-	-	-	-	1	2	1	4	11	28	39	56	86	119	141	158	153	131	69	19	9	4	2
	White----M--	385	-	-	-	-	-	-	1	1	-	1	5	8	12	23	26	44	58	61	62	43	26	9	3	1	1
	F--	295	-	-	-	-	-	-	-	1	-	1	2	9	10	7	27	31	35	35	41	61	25	5	4	1	-
	Nonwhite--M--	205	-	-	-	-	-	-	-	-	1	-	2	7	6	10	22	31	33	31	27	20	12	2	-	1	-
	F--	148	-	-	-	-	-	-	-	-	-	2	2	4	11	16	11	13	15	31	23	7	6	3	2	1	1
160-164	Of respiratory system----------	345	-	-	-	-	-	-	-	2	1	1	2	4	14	20	43	65	67	61	34	24	5	2	-	-	-
	White----M--	224	-	-	-	-	-	-	-	1	-	1	-	1	7	10	29	44	50	38	28	13	3	1	-	-	-
	F--	47	-	-	-	-	-	-	-	1	1	-	-	1	4	3	5	7	6	8	5	3	2	1	-	-	-
	Nonwhite--M--	61	-	-	-	-	-	-	-	-	-	-	1	2	2	7	7	11	8	14	2	7	-	-	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	3	3	1	1	1	-	-	-	-	-
170	Of breast----------	228	-	-	-	-	-	-	-	-	-	-	10	14	21	34	30	30	21	28	13	12	8	3	2	1	1
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	156	-	-	-	-	-	-	-	-	-	-	5	9	12	19	25	22	15	20	9	8	7	3	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	70	-	-	-	-	-	-	-	-	-	-	5	5	8	15	5	8	6	7	4	4	1	-	-	1	1
171-179	Of genital organs----	619	-	-	-	-	-	-	-	3	2	9	14	32	38	48	56	62	70	68	68	53	50	15	6	4	1
	White----M--	122	-	-	-	-	-	-	-	2	1	5	-	1	1	-	4	4	14	14	16	25	24	7	3	1	-
	F--	255	-	-	-	-	-	-	-	1	-	4	5	15	17	19	33	34	29	27	24	14	9	1	1	2	-
	Nonwhite--M--	74	-	-	-	-	-	-	-	-	-	-	2	1	-	2	3	2	8	15	14	8	11	4	2	1	1
	F--	168	-	-	-	-	-	-	-	1	-	-	1	7	15	20	27	16	22	19	32	14	6	6	3	-	-	-
180, 181	Of urinary organs----	141	1	3	-	-	1	2	3	-	-	-	-	2	7	10	10	19	24	17	14	19	6	3	-	-	-
	White----M--	79	-	-	-	-	1	1	1	-	-	-	-	2	5	5	8	8	15	8	11	10	2	3	-	-	-
	F--	31	-	2	-	-	1	-	1	-	-	-	-	-	-	1	1	7	3	3	2	6	4	-	-	-	-
	Nonwhite--M--	15	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	-	2	-	-	-	-	-
	F--	16	-	-	-	-	1	1	-	-	-	-	-	-	1	3	-	2	4	2	1	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	393	2	-	1	1	1	6	5	5	5	8	6	17	33	33	41	29	45	50	40	30	21	8	3	3	-
	White----M--	147	1	-	-	-	-	3	1	3	3	2	2	7	12	16	11	8	20	17	15	13	9	2	1	1	-
	F--	147	1	-	-	-	1	1	3	1	1	3	3	4	9	8	21	11	14	15	17	13	10	6	2	2	-
	Nonwhite--M--	47	-	-	-	-	-	1	1	-	1	1	-	2	3	6	2	6	3	13	6	1	1	-	-	-	-
	F--	52	-	-	-	1	1	-	1	-	1	2	1	4	9	2	7	4	8	5	2	3	1	-	-	-	-
204	Leukemia and aleukemia----------	125	3	3	3	1	2	11	8	4	5	4	3	7	3	11	7	14	6	11	8	5	5	1	-	-	-
	White----M--	53	1	2	-	-	1	7	3	-	1	2	1	2	1	4	4	8	2	5	5	1	3	-	-	-	-
	F--	40	2	1	2	1	-	3	3	1	2	1	1	2	-	4	2	2	4	4	-	3	2	-	-	-	-
	Nonwhite--M--	18	-	-	-	-	1	1	1	2	-	-	1	1	2	1	-	3	-	1	2	1	-	1	-	-	-	-
	F--	14	-	-	1	-	-	-	1	1	2	1	-	2	-	2	1	1	1	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*----	103	-	-	-	-	-	-	-	-	3	2	5	11	9	8	11	12	8	11	10	3	5	-	-	-	-
	White----M--	48	-	-	-	-	-	-	-	1	1	3	3	7	5	5	4	7	2	3	4	2	2	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	1	3	-	2	1	1	2	4	4	-	2	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	2	1	1	-	-	1	1	4	2	3	3	2	1	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	3	-	2	2	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	104	3	1	3	-	3	2	1	2	-	2	7	9	12	11	15	7	8	7	5	3	2	1	-	-	-
	White----M--	29	-	-	3	-	-	-	1	1	-	1	1	1	2	1	5	3	3	2	2	1	2	-	-	-	-
	F--	31	1	-	-	-	-	-	1	1	-	1	3	3	4	4	4	2	3	1	1	2	-	1	-	-	-
	Nonwhite--M--	12	-	1	-	-	1	-	-	-	-	-	1	-	2	1	3	1	-	2	1	-	-	-	-	-	-
	F--	32	2	1	-	-	1	-	-	-	-	-	2	5	4	5	3	1	2	2	1	-	-	-	-	-	-
260	Diabetes mellitus----	350	-	1	-	-	-	-	1	2	2	3	5	10	8	21	27	27	40	66	60	32	30	10	4	-	1
	White----M--	74	-	-	-	-	-	-	-	-	-	-	3	2	1	1	3	5	9	13	16	7	9	4	1	-	-
	F--	150	-	-	-	-	-	-	-	1	-	-	-	2	2	5	8	8	18	37	30	19	16	3	1	-	-
	Nonwhite--M--	45	-	1	-	-	-	-	1	-	-	1	1	3	1	4	4	5	4	5	8	3	2	1	-	-	1
	F--	81	-	-	-	-	-	-	-	1	2	2	1	3	4	11	12	9	9	11	6	3	3	2	2	-	-
290-293	Anemias----------	62	8	2	1	-	2	3	1	3	3	1	2	2	3	4	1	4	1	6	8	3	5	-	1	-	-
	White----M--	14	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	4	1	1	-	-	-	-
	F--	14	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	2	1	2	2	2	1	-	-	-	-
	Nonwhite--M--	16	3	1	1	-	-	1	1	2	1	1	1	1	-	-	1	-	1	1	1	1	-	-	-	-	-
	F--	18	3	1	-	-	-	2	1	1	2	1	1	-	2	1	-	-	-	1	1	-	-	-	1	-	-
340	Nonmeningococcal meningitis--------	71	27	12	4	1	2	2	1	-	1	2	1	1	1	1	1	4	3	2	3	-	2	-	-	-	-
	White----M--	16	5	2	2	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	2	-	1	-	-	-	-
	F--	7	1	2	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	13	2	1	1	1	1	-	-	-	1	-	-	-	-	-	2	-	1	-	-	1	-	-	-	-
	F--	24	8	6	1	-	-	1	1	-	1	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	11,148	9	3	8	3	5	19	12	16	38	56	86	207	348	619	874	1,062	1,288	1,635	1,502	1,486	983	540	219	89	61
	White----M--	3,825	1	1	1	1	2	3	-	2	8	10	19	58	100	210	344	422	475	550	536	547	307	152	57	13	7
	F--	2,792	3	1	1	-	1	2	1	4	8	7	17	28	44	92	112	160	254	367	454	508	365	238	88	31	5
	Nonwhite--M--	2,168	3	-	2	2	-	8	8	5	5	11	22	50	73	144	191	254	258	379	246	228	162	75	26	14	24
	F--	2,362	2	1	4	-	2	6	5	5	17	28	28	71	131	173	227	246	281	339	266	203	149	74	48	31	25
330-334, 400-468	Diseases of cardiovascular system----	10,672	8	2	6	3	4	15	12	15	29	49	75	192	331	602	851	1,027	1,225	1,578	1,427	1,425	938	506	207	86	59
	White----M--	3,696	1	1	-	1	2	2	-	2	5	9	15	54	97	210	334	418	460	533	514	528	294	144	53	15	6
	F--	2,888	3	1	-	-	1	1	1	4	7	6	15	26	41	86	110	151	243	354	432	494	350	223	83	31	5
	Nonwhite--M--	2,071	3	-	2	2	-	7	6	5	5	9	21	48	71	139	185	223	252	366	229	212	155	69	25	13	24
	F--	2,237	1	-	4	-	1	5	5	4	12	25	24	64	122	167	222	235	270	325	252	191	139	70	46	29	24
330-334	Vascular lesions, etc.*----------	2,164	2	1	1	-	1	2	-	1	7	9	17	40	80	117	163	209	283	346	272	286	192	94	34	16	11
	White----M--	541	-	1	-	-	-	2	-	-	2	1	3	10	9	17	39	60	64	85	71	84	58	21	10	1	3
	F--	535	2	-	-	-	1	-	-	-	2	2	5	8	12	25	25	30	83	84	71	94	74	43	11	5	-
	Nonwhite--M--	442	-	-	-	-	-	-	-	1	1	4	6	13	7	25	35	45	55	90	56	48	29	17	2	3	5
	F--	646	-	-	1	-	-	-	-	-	2	2	3	9	32	52	64	74	101	107	74	80	51	15	11	7	3
400-402	Rheumatic fever----	29	-	-	-	1	1	7	4	3	-	4	-	3	2	1	1	-	-	-	-	2	-	-	-	-	-
	White----M--	5	-	-	-	-	1	-	-	-	-	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	-	-	-	1	-	4	2	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	3	2	2	-	2	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
410-443	Diseases of heart-	7,865	1	1	5	2	2	6	8	10	16	29	48	135	248	458	650	782	894	1,166	1,080	1,066	686	351	142	57	40
	White-----M--	2,973	-	-	-	1	1	-	-	2	3	6	11	40	85	187	282	344	381	432	419	417	212	106	36	7	1
	F--	1,970	1	1	-	-	-	1	1	2	4	3	9	16	26	57	81	117	172	275	340	379	248	152	57	23	5
	Nonwhite--M--	1,474	-	-	2	1	-	3	4	4	4	4	4	14	27	55	108	137	167	185	253	159	153	108	41	21	7	17
	F--	1,448	-	-	3	-	1	2	3	2	7	16	14	52	82	106	150	154	156	206	162	117	98	52	28	20	17
410-416	Chronic rheumatic heart disease-----	189	...	-	2	-	-	3	3	7	2	5	6	11	16	15	17	15	14	24	11	14	13	8	1	1	1
	White-----M--	42	...	-	-	-	-	-	1	1	1	-	2	8	1	8	4	4	4	2	3	2	5	2	-	-	-
	F--	46	...	-	-	-	-	-	2	-	-	3	3	1	5	4	3	2	8	2	7	2	3	-	-	-	1
	Nonwhite--M--	56	...	-	2	-	-	1	2	3	-	-	3	5	1	5	4	4	10	3	3	3	2	1	-	-	-
	F--	45	...	-	-	-	-	2	1	1	1	4	-	1	6	4	3	4	4	4	3	2	3	1	-	1*	-
420	Arteriosclerotic heart dis., etc.*	4,228	1	-	1	-	-	-	-	-	7	6	15	58	117	250	392	436	510	636	608	583	335	168	62	22	23
	White-----M--	2,042	-	-	-	-	-	-	-	-	1	2	8	29	62	145	220	248	289	302	272	265	124	55	18	2	-
	F--	1,079	1	-	-	-	-	-	-	-	1	-	-	7	8	29	41	65	101	162	208	203	132	79	26	12	4
	Nonwhite--M--	601	-	-	-	-	-	-	-	-	3	1	3	5	26	44	71	69	73	104	62	67	41	14	7	2	9
	F--	506	-	-	1	-	-	-	-	-	2	3	4	15	21	32	60	54	47	66	66	48	38	20	11	6	10
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,182	...	-	2	-	1	2	-	3	4	7	10	17	38	59	56	85	106	166	175	174	132	79	39	19	8
	White-----M--	348	...	-	-	-	-	-	-	1	-	-	1	3	6	14	21	22	33	50	61	58	40	27	7	3	1
	F--	315	...	-	-	-	-	1	-	-	2	1	2	2	1	8	7	16	18	33	51	68	49	32	18	6	-
	Nonwhite--M--	264	...	-	-	-	1	-	1	-	2	2	3	13	24	15	27	31	40	31	25	23	11	8	2	5
	F--	255	...	-	2	-	1	-	-	1	2	4	5	9	16	13	13	20	24	43	32	23	20	9	6	8	2
430-434	Other diseases of heart---------	526	-	1	-	2	1	1	4	-	5	9	7	18	20	31	44	59	50	69	52	71	40	25	12	3	2
	White-----M--	160	-	-	-	1	1	-	-	-	1	2	-	4	6	13	13	18	14	19	20	24	12	5	6	1	-
	F--	110	-	1	-	-	-	-	1	-	1	2	3	2	2	2	7	6	8	10	14	21	13	12	3	2	-
	Nonwhite--M--	134	-	-	-	1	-	1	1	-	1	-	3	6	5	8	8	18	13	26	8	18	10	4	1	-	2
	F--	122	-	-	-	-	-	-	2	-	2	5	1	6	7	8	16	17	15	14	10	8	5	4	2	-	-
440-443	Hypertension with heart dis.--	1,740	-	-	-	-	-	-	1	-	-	2	10	33	57	103	141	167	214	271	234	224	146	71	28	12	5
	White-----M--	381	-	-	-	-	-	-	-	-	-	1	2	2	3	14	22	52	41	59	63	68	31	17	5	1	-
	F--	420	-	-	-	-	-	-	-	-	-	-	1	2	14	13	22	27	43	62	65	80	52	26	10	3	-
	Nonwhite--M--	419	-	-	-	-	-	-	1	-	-	1	3	8	10	27	39	49	64	73	55	40	31	10	4	3	1
	F--	520	-	-	-	-	-	-	-	-	-	-	4	21	30	49	58	59	66	77	51	36	32	18	9	5	5
444-447	Hypertension without mention of heart----------	235	-	-	-	-	-	-	-	1	1	4	8	11	17	10	26	15	19	29	32	18	22	14	6	1	1
	White-----M--	50	-	-	-	-	-	-	-	-	-	-	1	3	2	2	8	4	6	4	11	4	2	1	1	1	-
	F--	55	-	-	-	-	-	-	-	1	-	-	1	-	1	3	3	3	3	9	6	5	8	10	2	-	-
	Nonwhite--M--	77	-	-	-	-	-	-	-	-	-	1	1	5	8	4	9	3	6	10	7	5	12	3	2	-	1
	F--	53	-	-	-	-	-	-	-	-	1	3	5	3	6	1	6	5	4	6	8	4	-	-	1	-	-
450	General arteriosclerosis---------	284	-	-	-	-	-	-	-	-	-	1	-	-	-	6	7	9	15	28	32	45	55	44	23	12	7
	White-----M--	95	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	6	8	10	19	20	13	5	4	2
	F--	86	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	11	14	19	18	13	3	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	11	4	5	6	8	-	3	1
	F--	57	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	1	5	5	7	7	10	5	5	2	4
451-468	Other diseases of circulatory sys.-	95	5	-	-	-	-	-	-	-	3	2	2	3	4	10	4	12	14	9	11	8	3	3	2	-	-
	White-----M--	32	1	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	3	4	3	3	2	3	1	-	-
	F--	19	-	-	-	-	-	-	-	-	1	1	-	1	2	2	-	-	3	2	4	2	1	-	-	-	-
	Nonwhite--M--	23	3	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	4	2	3	1	-	-	-	-	-
	F--	21	1	-	-	-	-	-	-	-	2	1	2	-	-	5	-	1	4	1	1	2	-	-	1	-	-
592-594	Chronic nephritis, etc.*----------	476	1	1	2	-	1	4	-	1	9	7	11	15	17	17	23	35	43	57	75	61	45	34	12	3	2
	White-----M--	130	-	-	1	-	-	1	-	-	3	1	4	4	3	-	10	4	15	17	22	19	13	8	4	-	1
	F--	124	-	-	1	-	-	1	-	-	1	1	2	2	3	6	2	9	11	13	22	14	15	16	5	-	-
	Nonwhite--M--	97	-	-	-	-	-	1	-	-	-	2	1	2	2	5	6	11	6	13	17	16	7	6	1	1	-
	F--	125	1	1	-	-	1	1	-	1	5	3	4	7	9	6	5	11	11	14	14	12	10	4	2	2	1
480-493	Influenza and pneumonia, etc.*-	1,015	352	42	22	4	3	10	6	11	9	11	12	25	23	25	26	48	33	77	62	65	51	59	23	9	8
	White-----M--	258	45	11	2	2	-	2	2	4	3	3	2	5	5	5	5	12	12	30	24	23	19	22	11	3	1
	F--	200	34	9	4	-	2	1	-	1	2	2	4	6	2	1	3	7	7	17	21	24	18	25	7	3	-
	Nonwhite--M--	284	138	7	7	-	-	4	2	4	1	3	3	7	11	8	9	14	9	16	13	8	6	6	2	3	3
	F--	273	135	15	9	2	1	3	2	2	3	3	3	7	5	12	9	10	5	14	4	10	8	6	3	-	2
480-483	Influenza----------	181	61	9	3	-	-	1	1	2	4	2	1	6	4	3	3	7	6	16	15	8	7	10	9	2	1
	White-----M--	50	10	3	1	-	-	-	-	1	1	1	-	3	2	-	1	3	-	5	6	2	4	4	3	-	-
	F--	27	1	2	-	-	-	-	-	-	-	-	-	1	1	-	1	-	3	1	4	3	2	4	3	1	-
	Nonwhite--M--	53	30	1	1	-	-	-	1	-	-	-	-	-	1	-	-	3	3	4	4	2	-	-	1	1	1
	F--	51	20	3	1	-	-	1	-	1	3	1	1	2	-	3	1	1	-	6	1	1	1	2	2	-	-
490-493	Pneumonia, etc.*--	834	291	33	19	4	3	9	5	9	5	9	11	19	19	23	23	41	27	61	47	57	44	49	14	7	5
	White-----M--	208	35	8	1	2	-	2	2	3	2	2	2	2	3	5	4	14	12	25	18	21	15	18	8	3	1
	F--	173	33	7	4	-	2	1	-	1	2	2	4	5	1	1	2	7	4	16	17	21	16	21	4	2	-
	Nonwhite--M--	231	108	6	6	-	-	4	1	4	1	3	3	7	10	8	9	11	6	12	9	6	6	6	1	2	2
	F--	222	115	12	8	2	1	2	2	1	-	2	2	5	5	9	8	9	5	8	3	9	7	4	1	-	2
500-502	Bronchitis---------	76	28	8	7	1	2	-	-	-	-	-	-	-	-	4	2	1	1	5	1	7	4	4	1	-	-
	White-----M--	26	7	3	3	-	-	-	-	-	-	-	-	-	-	1	2	-	-	4	1	1	1	3	-	-	-
	F--	19	5	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	-	1	-	-
	Nonwhite--M--	14	7	-	2	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	1	-	-	-
	F--	17	9	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	85	3	-	-	-	-	-	-	3	-	4	1	9	9	4	9	5	7	18	5	6	2	2	-	-	-
	White-----M--	42	1	-	-	-	-	-	-	-	-	2	-	1	5	2	5	3	3	7	5	5	2	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	27	-	-	-	-	-	-	-	3	-	-	1	6	2	1	3	-	3	6	-	1	-	1	-	-	-
	F--	10	2	-	-	-	-	-	-	-	-	1	-	2	1	1	-	1	1	1	-	-	-	-	-	-	-
550-553	Appendicitis------	58	1	1	-	4	1	3	7	3	2	-	1	2	3	4	5	3	4	6	4	2	2	-	-	-	-
	White-----M--	18	-	1	-	1	1	-	2	1	1	-	-	2	1	2	2	1	-	2	-	1	-	-	-	-	-
	F--	14	1	-	-	1	-	1	3	-	-	-	-	-	1	-	1	-	1	3	1	1	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	1	1	1	1	1	1	-	-	-	1	1	1	1	3	-	1	-	1	-	-	-	-
	F--	12	-	-	-	1	-	1	1	1	-	-	1	-	-	1	1	1	-	3	-	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	153	23	3	2	-	-	3	1	-	1	4	3	6	6	9	11	9	14	12	21	8	8	6	2	-	1
	White-----M--	45	6	2	-	-	-	1	-	-	-	-	-	2	1	2	3	3	2	3	5	3	2	1	-	-	-
	F--	38	5	-	-	-	-	1	1	-	-	3	1	2	1	2	2	1	3	3	7	-	4	2	1	-	-
	Nonwhite--M--	33	6	1	2	-	-	-	-	-	1	1	-	1	1	2	3	4	3	3	1	1	1	1	-	-	1
	F--	37	6	-	-	-	-	1	-	-	-	-	2	2	3	4	4	2	5	3	2	2	-	1	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	LOUISIANA—Con.																										
543,	Gastritis, etc.*—	187	122	13	2	1	1	1	-	1	-	2	2	3	2	1	1	5	4	5	4	10	2	1	3	-	1
571,	White——M—	41	21	4	1	1	1	1	-	-	-	-	-	-	-	-	-	2	1	3	1	3	-	-	2	-	-
572	F—	34	18	1	-	-	-	-	-	-	-	1	-	3	-	1	-	1	-	2	2	3	1	-	1	-	-
	Nonwhite—M—	68	53	3	1	-	-	-	-	1	-	-	2	-	1	-	-	2	1	-	-	2	1	1	-	-	-
	F—	44	30	5	-	-	-	-	-	-	-	1	-	-	1	-	1	-	2	-	1	2	-	-	-	-	1
581	Cirrhosis of liver	149	-	-	-	-	1	1	1	-	1	1	-	5	9	14	22	26	21	17	17	8	4	1	-	-	-
	White——M—	80	-	-	-	-	-	-	-	-	1	1	-	4	2	5	10	19	12	7	13	4	2	-	-	-	-
	F—	29	-	-	-	-	1	-	-	-	-	-	-	-	3	1	6	2	5	4	2	3	2	-	-	-	-
	Nonwhite—M—	26	-	-	-	1	-	-	-	-	-	-	-	1	2	4	4	3	4	5	1	1	-	-	-	-	-
	F—	14	-	-	-	-	-	1	-	-	-	-	-	-	2	4	2	2	-	1	1	-	1	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	82	1	5	5	2	1	5	2	1	1	1	1	3	3	6	4	4	5	8	9	3	5	6	-	1	-
	White——M—	22	-	-	1	1	1	1	2	1	-	-	-	1	1	2	2	1	1	1	2	1	3	-	-	-	-
	F—	22	1	4	1	-	-	-	-	-	-	-	-	-	2	-	-	2	1	2	3	1	1	4	-	-	-
	Nonwhite—M—	19	-	1	1	1	-	1	-	-	-	-	1	-	-	2	1	1	3	2	1	1	1	1	-	1	-
	F—	19	-	-	2	-	-	3	-	-	1	1	-	2	-	2	1	-	-	3	3	-	1	-	-	-	-
610	Hyperplasia of prostate—	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	16	18	25	11	8	6	1	-
	White——M—	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	6	10	16	10	5	2	1	-
	Nonwhite—M—	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	10	8	9	1	3	4	-	-
640-	Complications of																										
689	pregnancy, etc.*-	93	...	...	...	...	...	...	1	10	17	26	16	17	4	1	-	-	...	...	...	...	...	...	...	...	1
	White——F—	29	...	...	...	...	...	...	-	5	5	8	4	5	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	64	...	...	...	...	...	...	1	5	12	18	12	12	2	1	-	-	...	...	...	...	...	...	...	...	1
650-	Abortion—	13	...	...	...	...	...	...	-	1	4	3	3	1	-	-	-	-	...	...	...	...	...	...	...	...	1
652	White——F—	2	...	...	...	...	...	...	-	-	1	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	11	...	...	...	...	...	...	-	1	3	2	3	1	-	-	-	-	...	...	...	...	...	...	...	...	1
640-	All other com-																										
649,	plications—	80	...	...	...	...	...	...	1	9	13	23	13	16	4	1	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	27	...	...	...	...	...	...	-	5	4	7	4	5	2	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	53	...	...	...	...	...	...	1	4	9	16	9	11	2	1	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	348	268	11	8	2	2	13	8	3	3	7	3	3	2	5	1	5	2	-	3	-	-	-	-	-	-
	White——M—	125	100	2	1	-	-	3	4	-	2	4	1	1	1	-	-	3	2	-	1	-	-	-	-	-	-
	F—	95	75	4	5	-	-	2	1	-	2	1	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	76	55	1	1	2	-	6	2	1	1	-	1	1	-	2	-	2	-	-	1	-	-	-	-	-	-
	F—	53	38	4	1	-	2	2	1	2	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,584	1,584	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	454	454	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	317	317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	435	435	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	378	378	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	548	548	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	121	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	140	140	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	134	134	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unqualified—	902	902	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	249	249	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	185	185	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	240	240	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	415	76	5	4	1	3	1	1	3	3	5	5	9	12	11	17	23	24	37	27	43	34	25	26	6	14
795	White——M—	97	6	1	-	1	1	-	1	-	-	2	2	3	4	4	3	8	4	8	8	11	10	8	9	2	1
	F—	55	6	-	-	-	-	-	-	-	1	-	1	1	1	1	1	3	1	4	3	12	8	4	7	1	1
	Nonwhite—M—	139	38	2	2	-	1	1	-	1	1	1	1	-	3	5	7	6	12	18	10	10	7	6	5	1	5
	F—	124	28	2	2	-	1	-	-	2	2	2	1	5	4	1	6	6	7	9	6	10	9	7	5	2	7
Re-	All other diseases	976	34	28	12	5	6	20	12	6	20	20	37	34	43	53	62	66	82	104	84	84	54	24	13	7	6
sid-	White——M—	344	27	9	2	2	1	8	6	-	5	3	13	11	13	17	24	26	34	43	29	35	18	12	5	1	-
ual	F—	254	21	7	1	1	3	5	3	-	7	5	8	11	8	11	13	20	16	28	27	26	20	5	4	1	2
	Nonwhite—M—	188	29	6	4	1	1	3	1	4	3	4	5	5	5	9	14	9	18	20	14	15	7	5	1	3	2
	F—	190	17	6	5	1	1	4	2	2	5	8	11	7	17	16	11	11	14	12	14	8	9	2	3	2	2
E800-	Accidents—	1,524	92	49	30	13	22	59	67	93	149	108	81	88	90	91	70	65	51	58	60	64	52	33	9	8	7
E962	White——M—	683	19	17	11	2	8	26	24	40	88	61	40	46	48	54	36	29	21	30	25	23	18	8	3	1	5
	F—	290	16	11	9	3	5	13	9	19	13	9	12	11	16	4	5	12	10	15	14	24	26	21	5	7	1
	Nonwhite—M—	399	37	11	8	3	4	11	28	34	38	33	25	25	23	28	22	18	13	5	14	9	3	4	-	-	1
	F—	152	20	10	2	5	5	19	5	5	9	5	4	6	3	5	7	6	7	8	7	8	5	-	1	-	-
E810-	Motor-vehicle																										
E835	accidents—	508	5	10	5	5	8	29	22	46	67	48	29	33	32	30	26	33	16	24	14	14	9	2	1	-	-
	White——M—	273	3	4	1	2	3	14	10	25	41	29	12	17	20	17	15	17	7	12	10	7	6	-	1	-	-
	F—	86	1	2	2	2	2	8	3	11	8	3	7	4	6	4	3	7	4	6	1	1	1	-	-	-	-
	Nonwhite—M—	117	-	2	2	1	3	4	7	8	15	14	9	10	6	8	5	7	4	3	1	6	1	2	-	-	-
	F—	32	1	2	-	1	-	3	2	2	3	2	1	2	-	1	3	2	1	3	2	-	1	-	-	-	-
E800-	All ot. accidents-	1,016	87	39	25	8	14	30	45	52	82	60	52	55	58	61	44	32	35	34	46	50	43	31	8	8	7
E802,	White——M—	410	18	13	10	-	5	12	14	15	47	32	28	29	28	37	21	12	14	18	15	16	12	8	2	1	5
E840-	F—	204	15	9	7	1	3	5	6	8	5	6	5	7	10	-	2	5	6	9	13	23	25	21	5	7	1
E962	Nonwhite—M—	282	37	9	6	3	1	7	22	25	24	19	16	15	17	20	17	11	9	2	13	3	2	2	-	-	1
	F—	120	19	8	2	4	5	16	3	3	6	3	3	4	3	4	4	4	6	5	5	8	4	-	1	-	-
E963,	Suicide—	173	-	-	-	-	-	-	4	6	14	11	18	17	20	23	21	14	12	7	5	1	-	-	-	-	-
E970-	White——M—	120	-	-	-	-	-	-	3	4	11	8	10	14	17	13	13	9	9	6	2	1	-	-	-	-	-
E979	F—	27	-	-	-	-	-	-	1	-	1	1	2	2	3	7	4	2	1	1	2	-	-	-	-	-	-
	Nonwhite—M—	25	-	-	-	-	-	-	-	2	2	2	5	1	-	3	4	3	2	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	241	2	1	-	-	-	-	2	11	45	31	39	27	21	22	11	11	5	7	3	3	-	-	-	-	-
E980-	White——M—	58	1	1	-	-	-	-	1	-	6	6	3	8	6	8	4	3	3	5	2	1	-	-	-	-	-
E985	F—	11	-	-	-	-	-	-	-	2	1	-	2	3	-	-	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	156	1	-	-	-	-	-	1	8	29	17	29	13	14	12	6	6	-	2	1	1	-	-	-	-	-
	F—	34	-	-	-	-	-	-	-	3	9	8	5	3	1	2	-	1	2	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE																										
	ALL CAUSES	10,099	713	45	25	16	15	41	44	71	84	98	113	170	232	325	483	594	866	1,071	1,272	1,475	1,204	765	291	77	11
	White—M	5,572	417	28	15	11	11	25	28	46	53	61	53	99	144	203	283	372	525	617	710	795	599	326	117	28	6
	F	4,485	292	17	10	5	4	16	15	24	30	35	58	70	87	117	195	221	340	452	560	674	602	434	173	49	5
	Nonwhite—M	21	1	-	-	-	-	-	-	1	-	1	2	-	-	2	4	1	1	1	1	3	2	1	-	-	-
	F	21	3	-	-	-	-	-	1	-	1	1	-	1	1	3	1	-	2	1	1	1	1	2	1	-	-
001-019	Tuberculosis, all forms	189	2	2	-	2	1	2	4	5	9	11	11	15	14	17	14	17	18	18	11	8	6	1	-	-	1
	White—M	116	1	2	-	-	1	1	4	2	3	3	3	4	9	14	11	12	14	13	7	7	4	-	-	-	1
	F	72	1	-	-	2	-	1	-	3	6	8	8	11	5	3	3	5	3	5	4	1	2	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	168	1	1	-	2	1	-	1	3	7	11	11	13	14	16	14	15	17	18	9	7	5	1	-	-	1
	White—M	104	1	1	-	-	1	-	1	1	2	3	3	4	9	13	11	11	14	13	5	6	4	-	-	-	1
	F	63	-	-	-	2	-	-	-	2	5	8	8	9	5	3	3	4	2	5	4	1	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	21	1	1	-	-	-	2	3	2	2	-	-	2	-	1	-	2	1	-	2	1	1	-	-	-	-
	White—M	12	-	1	-	-	-	1	3	1	1	-	-	-	-	1	-	1	-	-	2	1	-	-	-	-	-
	F	9	1	-	-	-	-	1	-	1	1	-	-	2	-	-	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	31	1	-	-	-	-	-	1	-	-	-	-	-	-	1	4	2	4	13	3	1	1	-	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	9	3	1	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	4	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	9	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	9	4	-	1	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	5	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	10	-	-	-	-	-	2	-	2	-	2	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	1	-	1	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	12	5	2	-	-	1	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	3	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-sid-ual	All other infective and parasitic diseases	20	1	1	-	-	-	-	-	-	-	-	1	3	-	1	2	2	-	1	-	5	3	-	-	-	-
	White—M	13	1	1	-	-	-	-	-	-	-	-	-	2	-	-	1	2	-	-	-	4	2	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	-	1	-	1	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Con.																										
140-205	Malignant neoplasms, etc.*——	1,507	1	2	1	3	1	-	6	3	7	6	15	22	40	85	114	127	174	216	215	239	149	55	24	2	-
	White——M—	758	-	-	1	3	-	-	3	1	2	5	5	11	19	39	45	58	86	117	111	141	78	24	8	1	-
	F—	744	1	2	-	-	1	-	3	2	5	1	10	11	21	44	68	69	88	98	104	97	71	31	16	1	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx——	45	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	3	5	6	10	6	3	1	-	-
	White——M—	32	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	3	1	3	8	4	3	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	2	2	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	686	-	-	-	-	-	-	-	-	1	2	3	5	12	34	34	57	80	98	106	130	89	22	12	1	-
	White——M—	384	-	-	-	-	-	-	-	-	-	1	1	4	7	19	14	36	44	65	56	79	48	9	2	1	-
	F—	301	-	-	-	-	-	-	-	-	1	1	2	1	5	14	20	21	36	33	50	51	43	13	10	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
150-164	Of respiratory system——	100	-	-	-	-	-	-	-	-	-	-	-	3	3	9	9	8	19	19	14	12	4	-	-	-	-
	White——M—	78	-	-	-	-	-	-	-	-	-	-	-	3	3	8	7	6	17	14	12	7	1	-	-	-	-
	F—	21	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	2	5	3	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Of breast——	119	-	-	-	-	-	-	-	-	-	-	-	2	6	10	14	16	12	18	13	14	9	5	2	-	-
	White——M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-
	F—	116	-	-	-	-	-	-	-	-	-	-	-	2	6	10	14	16	12	15	12	14	9	5	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs——	281	-	-	-	-	-	-	-	-	2	-	4	6	7	16	25	25	33	32	41	47	24	14	5	-	-
	White——M—	113	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	4	9	13	21	33	19	8	2	-	-
	F—	167	-	-	-	-	-	-	-	-	1	-	4	5	6	15	24	21	24	19	20	14	5	6	3	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs——	79	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	6	6	4	13	16	12	8	5	3	-	-
	White——M—	50	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	3	3	9	9	4	2	2	-	-	-
	F—	29	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	3	1	4	7	3	4	3	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 180-199	Of other sites, etc.*——	110	1	-	1	-	-	-	2	1	1	1	2	2	5	7	15	5	16	18	11	7	7	6	1	1	-
	White——M—	50	-	-	1	-	-	-	2	-	1	1	2	1	3	5	9	2	6	8	4	2	3	2	1	-	-
	F—	58	1	-	-	-	-	-	-	1	1	-	2	1	2	2	6	3	10	10	7	4	4	4	-	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia——	46	-	2	-	3	1	-	4	-	2	2	1	2	2	1	4	1	4	6	4	5	2	-	-	-	-
	White——M—	25	-	-	-	3	-	-	1	-	1	2	1	1	1	1	3	1	1	2	4	2	1	-	-	-	-
	F—	20	-	2	-	-	1	-	3	-	1	-	-	1	1	-	-	-	3	4	-	3	1	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	41	-	-	-	-	-	-	-	2	1	1	4	2	3	3	4	3	3	3	4	2	-	-	-	-	-
	White——M—	23	-	-	-	-	-	-	-	1	-	1	3	1	2	2	3	1	3	4	1	1	-	-	-	-	-	-
	F—	18	-	-	-	-	-	-	-	1	1	-	1	1	1	1	1	2	-	5	3	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	45	1	-	-	1	-	1	-	1	-	1	2	4	4	4	3	2	4	6	2	4	1	1	-	-	1
	White——M—	19	1	-	-	1	-	1	-	1	-	-	1	1	2	-	1	3	3	2	2	-	-	-	-	-	-
	F—	24	-	-	-	-	-	-	-	-	-	1	1	3	2	4	3	1	1	3	-	2	1	1	-	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus——	173	-	-	-	-	-	-	2	2	3	2	3	-	1	6	7	16	24	19	36	33	14	3	2	-	-
	White——M—	62	-	-	-	-	-	-	1	1	-	1	1	-	1	3	1	6	8	4	13	9	8	2	1	-	-
	F—	110	-	-	-	-	-	-	1	1	3	1	2	-	-	1	6	10	15	15	23	24	6	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
290-293	Anemias——	33	-	-	-	-	-	-	1	-	1	-	-	-	-	2	2	-	2	4	1	8	8	4	-	-	-
	White——M—	20	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	2	1	5	5	2	-	-	-
	F—	13	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	2	-	3	3	2	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	12	5	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White——M—	4	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	7	4	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	5,497	3	-	1	-	1	1	3	4	5	14	15	34	84	113	243	324	500	643	825	996	856	570	203	53	5
	White——M—	2,970	3	-	-	-	1	1	2	2	2	9	8	21	54	78	146	227	316	376	454	518	410	236	87	17	2
	F—	2,510	-	-	1	-	-	-	1	2	3	5	7	12	29	34	94	97	184	266	371	475	444	331	115	36	3
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	-	2	1	1	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	2	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system——	5,312	3	-	-	-	-	-	3	4	4	12	12	32	81	110	229	312	486	620	795	973	824	554	200	53	5
	White——M—	2,862	3	-	-	-	-	-	2	2	2	7	6	20	53	77	142	220	304	368	442	507	394	229	85	17	2
	F—	2,415	-	-	-	-	-	-	1	2	2	5	6	11	27	32	85	92	182	251	352	464	428	322	114	36	3
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	2	1	1	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	2	1	-	-	-
330-334	Vascular lesions, etc.*——	1,228	1	-	-	-	-	-	-	-	1	3	7	18	10	51	52	102	136	216	235	211	126	50	9	-	-
	White——M—	567	1	-	-	-	-	-	-	-	-	2	3	9	3	19	24	57	69	110	106	94	47	19	4	-	-
	F—	656	-	-	-	-	-	-	-	-	1	1	3	7	7	32	28	45	67	105	129	116	79	31	5	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
400-402	Rheumatic fever——	13	-	-	-	-	-	-	2	1	2	2	-	2	-	1	1	-	-	-	1	1	-	-	-	-	-	-
	White——M—	10	-	-	-	-	-	-	1	1	2	2	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Con.																										
410-443	Diseases of heart-	3,649	1	-	-	-	-	-	1	2	1	7	9	21	60	97	175	248	367	452	529	664	518	338	121	35	3
	White-----M--	2,102	1	-	-	-	-	-	1	1	-	5	4	15	42	73	120	189	239	279	301	362	262	141	54	11	2
	F--	1,537	-	-	-	-	-	-	-	1	1	2	5	6	17	23	53	59	128	172	228	302	255	194	66	24	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	1	1	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-
410-416	Chronic rheumatic heart disease----	135	...	-	-	-	-	-	1	2	-	1	4	1	8	10	11	12	19	22	13	15	8	7	-	1	-
	White-----M--	65	...	-	-	-	-	-	1	1	-	1	2	-	2	4	5	8	10	11	5	10	2	2	-	1	-
	F--	70	...	-	-	-	-	-	-	1	-	-	2	1	6	6	6	4	9	11	8	5	6	5	-	-	-
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,196	-	-	-	-	-	-	-	-	-	3	4	14	44	73	126	179	255	292	317	390	278	159	48	12	2
	White-----M--	1,401	-	-	-	-	-	-	-	-	-	1	2	11	34	62	105	145	181	186	188	220	158	76	27	4	1
	F--	789	-	-	-	-	-	-	-	-	-	2	2	3	9	10	21	34	74	105	129	170	120	81	20	8	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	740	...	-	-	-	-	-	-	-	-	2	-	4	2	5	12	18	44	59	106	145	157	112	54	19	1
	White-----M--	377	...	-	-	-	-	-	-	-	-	2	-	3	1	4	4	14	25	44	65	81	69	41	18	5	1
	F--	362	...	-	-	-	-	-	-	-	-	-	-	1	1	1	7	4	19	15	41	64	88	71	36	14	-
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart----------	109	1	-	-	-	-	-	-	-	1	1	-	1	3	4	6	7	12	14	12	21	9	12	4	1	-
	White-----M--	63	1	-	-	-	-	-	-	-	-	1	-	1	2	2	2	7	7	8	6	14	5	5	2	-	-
	F--	45	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	-	5	6	6	7	4	6	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
440-443	Hypertension with heart dis.--	469	-	-	-	-	-	-	-	-	-	-	1	1	3	5	20	32	37	65	81	93	66	48	15	2	-
	White-----M--	196	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	15	16	30	37	37	28	17	7	1	-
	F--	271	-	-	-	-	-	-	-	-	-	-	1	1	-	4	15	17	21	35	44	56	37	31	8	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
444-447	Hypertension without mention of heart----------	87	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	7	8	8	7	16	15	13	6	1	1
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	4	3	7	5	9	4	6	3	-	-
	F--	42	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	5	1	2	7	11	7	3	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	287	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	8	13	35	47	77	76	22	7	1
	White-----M--	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	7	21	20	34	35	8	2	-
	F--	153	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	6	14	25	43	41	14	5	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-469	Other diseases of circulatory sys.-	50	1	-	-	-	-	-	-	1	1	2	-	2	1	2	-	5	1	11	7	10	3	1	1	1	-
	White-----M--	26	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	-	6	5	9	-	-	1	-	-
	F--	24	-	-	-	-	-	-	-	1	1	2	-	2	1	1	-	2	1	5	2	1	3	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	185	-	-	1	-	1	1	-	-	1	2	3	2	3	3	14	12	14	23	31	23	32	16	3	-	-
	White-----M--	88	-	-	-	-	1	1	-	-	-	2	2	1	1	1	4	7	12	8	12	11	16	7	2	-	-
	F--	95	-	-	1	-	-	-	-	-	1	-	1	1	2	2	9	5	2	15	19	11	16	9	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	308	63	7	2	-	1	1	1	2	4	3	2	6	10	5	5	9	17	17	27	32	37	40	13	4	-
	White-----M--	167	43	4	2	-	-	1	1	1	1	2	-	5	8	3	4	4	9	7	13	20	15	20	1	3	-
	F--	139	20	3	-	-	1	-	-	1	3	1	2	1	2	2	1	5	8	10	13	12	21	20	12	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza----------	33	6	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	2	2	1	3	7	5	1	1	-
	White-----M--	17	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	4	4	-	1	-	-
	F--	16	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	2	3	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	275	57	7	2	-	1	1	1	2	4	3	2	5	8	4	4	9	15	15	26	29	30	35	12	3	-
	White-----M--	150	38	4	2	-	-	1	1	1	1	2	-	4	7	3	4	4	9	7	13	19	11	18	1	2	-
	F--	123	19	3	-	-	1	-	-	1	3	1	2	1	1	1	-	5	6	8	12	10	18	19	11	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	34	2	1	-	-	-	-	-	-	1	-	-	-	2	1	-	2	4	2	5	-	7	3	4	-	-
	White-----M--	26	2	1	-	-	-	-	-	-	1	-	-	-	2	1	-	1	4	1	4	-	5	1	3	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	48	-	-	-	-	-	-	-	-	1	-	-	3	2	4	6	5	5	6	3	6	4	2	1	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	1	-	-	3	1	4	6	5	4	4	2	4	3	2	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	27	-	1	-	1	-	2	2	1	3	1	-	1	1	1	-	-	4	3	3	2	-	1	-	-	-
	White-----M--	18	-	1	-	1	-	1	1	1	2	1	-	1	1	1	-	-	3	2	2	-	-	-	-	-	-
	F--	9	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	1	1	1	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	61	6	-	-	-	-	-	-	-	1	-	-	-	2	2	2	-	5	12	12	9	5	4	1	-	-
	White-----M--	37	2	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	2	8	9	5	3	3	1	-	-
	F--	24	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	4	3	4	2	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MAINE—Con.																										
543,	Gastritis, etc.*--	49	24	2	-	-	-	-	-	2	-	-	-	1	-	-	1	2	1	-	3	9	1	2	1	-	-
571,	White-----M--	27	16	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	1	4	1	1	-	-	-
572	F--	22	8	2	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	2	5	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	68	-	-	-	-	-	-	-	-	-	1	4	4	5	5	6	7	9	6	8	8	3	1	1	-	-
	White-----M--	44	-	-	-	-	-	-	-	-	-	1	1	2	4	2	6	5	3	4	7	6	3	-	-	-	-
	F--	24	-	-	-	-	-	-	-	-	-	-	3	2	1	3	-	2	6	2	1	2	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	24	-	-	1	1	-	1	-	-	1	-	2	1	-	2	-	-	4	2	2	4	-	1	1	1	-
	White-----M--	14	-	-	1	1	-	-	-	-	1	-	1	1	-	-	-	-	2	1	1	3	-	-	1	1	-
	F--	10	-	-	-	-	-	1	-	-	-	-	1	-	-	2	-	-	2	1	1	1	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	13	11	11	3	1	2	-
	White-----M--	45	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	13	11	11	3	1	2	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	19	...	...	...	...	...	...	-	1	3	5	3	5	1	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	18	...	...	...	...	...	...	-	1	3	4	3	5	1	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	19	...	...	...	...	...	...	-	1	3	5	3	5	1	1	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	18	...	...	...	...	...	...	-	1	3	4	3	5	1	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	141	102	6	3	-	1	3	2	2	1	1	3	5	3	2	4	1	-	1	-	1	-	-	-	-	-
	White-----M--	69	49	5	3	-	-	1	1	1	-	1	2	1	2	1	2	-	-	-	-	-	-	-	-	-	-
	F--	72	53	1	-	-	1	2	1	1	1	-	1	4	1	1	2	1	-	1	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	418	417	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	251	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	192	192	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	208	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	124	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	F--	83	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	100	11	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	3	8	3	7	13	27	14	7	2
795	White-----M--	60	7	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	8	2	5	7	15	5	4	1
	F--	40	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	2	6	12	9	3	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	458	23	10	4	3	3	4	3	11	4	9	17	19	26	21	22	32	48	44	50	43	33	18	7	4	-
sid-	White-----M--	249	15	6	2	3	3	1	1	6	3	5	9	9	10	13	18	18	29	18	32	23	17	6	4	-	-
ual	F--	206	10	4	2	-	-	3	2	5	-	4	7	10	16	8	4	14	18	26	18	20	16	12	3	4	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E800-	Accidents----------	586	31	8	11	4	6	20	16	33	34	33	24	31	21	28	30	24	32	27	40	39	47	24	18	3	1
E962	White-----M--	394	18	4	4	1	5	14	13	27	32	26	17	27	16	22	23	18	25	18	26	21	25	8	5	-	1
	F--	186	13	4	7	3	1	6	3	5	2	6	6	4	5	5	6	6	7	9	14	18	24	16	13	3	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents----------	159	1	4	3	-	1	10	5	19	15	19	12	9	4	11	6	6	10	5	7	7	5	-	-	-	-
	White-----M--	116	1	2	1	-	1	7	4	16	14	15	7	6	2	6	3	4	6	4	6	6	5	-	-	-	-
	F--	40	-	2	2	-	-	3	1	3	1	4	5	3	2	3	2	2	4	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	427	30	4	8	4	5	10	11	14	19	14	12	22	17	18	24	18	22	22	33	32	42	24	18	3	1
E802,	White-----M--	278	17	2	3	1	4	7	9	11	18	11	10	21	14	16	20	14	19	14	20	15	18	8	5	-	1
E840-	F--	146	13	2	5	3	1	3	2	2	1	2	1	1	3	2	4	4	3	8	13	17	24	16	13	3	-
E962	Nonwhite--M--	3	-	-	-	1	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963,	Suicide----------	145	-	-	-	-	-	-	1	2	5	7	7	11	12	18	13	19	9	19	8	6	4	3	-	1	-
E970-	White-----M--	108	-	-	-	-	-	-	-	1	3	4	3	8	11	15	9	11	8	18	7	4	3	3	-	-	-
E979	F--	37	-	-	-	-	-	-	1	1	2	3	4	3	1	3	4	8	1	1	1	2	1	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	15	3	1	-	-	-	-	-	-	1	-	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	11	1	1	-	-	-	-	-	-	1	-	1	3	2	2	-	-	-	-	-	-	-	-	-	-	-
E985	F--	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND																										
	ALL CAUSES	22,110	1,636	119	70	56	43	141	94	180	296	351	429	524	803	1,168	1,488	1,844	2,203	2,493	2,493	2,392	1,758	1,040	381	74	54
	White—M	9,610	624	51	31	18	20	63	37	67	115	121	126	199	330	483	682	933	1,127	1,163	1,113	1,052	701	390	118	25	21
	F	7,843	483	34	27	15	15	38	28	37	53	78	131	119	194	301	382	465	653	886	1,032	1,091	928	590	206	46	14
	Nonwhite—M	2,596	317	14	9	16	5	20	16	42	69	74	95	119	148	212	253	260	240	234	186	140	67	30	17	3	9
	F	2,061	212	20	3	7	3	20	15	34	59	78	77	87	130	172	171	186	183	210	162	109	62	30	20	3	10
001-019	Tuberculosis, all forms	922	6	7	1	5	2	5	5	32	67	83	82	77	85	96	82	83	81	46	41	18	16	1	1	-	-
	White—M	318	2	3	-	-	1	1	-	1	7	9	10	14	34	34	36	42	46	31	23	13	9	1	1	-	-
	F	143	2	-	1	2	-	1	-	3	8	15	28	9	6	11	7	5	15	7	12	5	6	-	-	-	-
	Nonwhite—M	291	1	2	-	2	-	3	1	13	22	23	21	41	32	42	34	30	16	4	4	-	-	-	-	-	-
	F	170	1	2	-	1	1	-	4	15	30	36	23	13	13	9	5	6	4	4	2	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	845	4	3	-	2	-	2	4	29	58	77	76	69	79	91	74	83	78	43	36	18	16	1	1	-	-
	White—M	299	-	-	-	-	-	-	-	1	6	8	9	12	34	33	35	42	45	30	20	13	9	1	1	-	-
	F	129	2	-	-	-	-	-	-	3	7	15	27	7	6	10	6	5	14	6	10	5	6	-	-	-	-
	Nonwhite—M	267	1	1	-	2	-	2	1	11	21	18	17	39	30	40	30	30	16	4	4	-	-	-	-	-	-
	F	150	1	2	-	-	-	-	3	14	25	36	23	11	9	8	3	6	3	3	2	-	1	-	-	-	-
010-019	Tuberculosis, other forms	77	2	4	1	3	2	3	1	3	8	6	6	8	6	5	8	-	3	3	5	-	-	-	-	-	-
	White—M	19	2	3	-	-	1	1	-	-	1	1	1	2	-	1	1	-	1	1	3	-	-	-	-	-	-
	F	14	-	-	1	2	-	1	-	-	1	-	1	2	-	1	1	-	1	1	2	-	-	-	-	-	-
	Nonwhite—M	24	-	1	-	-	-	1	-	2	1	5	4	2	2	2	4	-	-	-	-	-	-	-	-	-	-
	F	20	-	-	-	1	1	-	1	1	5	-	-	2	4	1	2	-	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	186	9	-	-	-	-	-	-	-	1	2	9	6	15	28	23	19	26	18	10	13	5	1	-	-	1
	White—M	58	-	-	-	-	-	-	-	-	-	-	2	1	3	7	10	5	8	6	7	6	3	-	-	-	-
	F	19	1	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	2	2	1	3	1	-	-	-	-
	Nonwhite—M	73	5	-	-	-	-	-	-	-	1	1	4	1	9	15	5	8	12	5	2	2	1	1	-	-	1
	F	36	3	-	-	-	-	-	-	-	-	1	3	3	3	5	4	3	4	5	-	2	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	7	4	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	6	-	1	-	1	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	5	2	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	7	4	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	13	1	-	-	-	-	2	1	2	3	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	1	1	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	17	7	2	-	2	1	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	7	3	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	8	2	1	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-sidual	All other infective and parasitic diseases	57	14	2	3	2	1	1	2	2	3	3	2	-	2	1	1	8	2	4	1	2	1	-	-	-	-
	White—M	25	5	2	1	1	-	1	-	-	1	1	-	-	1	-	1	8	-	2	1	-	1	-	-	-	-
	F	18	2	-	2	1	1	-	-	1	1	1	2	-	1	-	-	-	2	2	-	1	1	-	-	-	-
	Nonwhite—M	8	6	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas]

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
140-205	Malignant neoplasms, etc.*——	3,205	4	8	11	5	4	15	11	18	17	30	59	70	156	233	312	369	406	459	373	329	200	88	22	3	3
	White——M—	1,381	1	3	5	3	2	6	10	10	9	9	15	20	37	69	106	159	193	226	184	164	96	42	9	1	2
	F—	1,349	2	3	6	2	2	7	1	5	4	13	30	32	77	122	135	143	151	180	139	144	93	43	13	1	1
	Nonwhite—M—	230	-	-	-	-	-	1	-	1	2	4	3	3	10	15	35	39	38	30	31	11	5	2	-	-	-
	F—	245	1	2	-	-	-	1	-	2	2	4	11	15	32	27	36	28	24	23	19	10	6	1	-	1	-
140-148	Of buccal cavity and pharynx——	78	-	-	-	-	-	-	-	-	-	-	2	1	2	7	14	8	8	9	9	7	7	4	-	-	-
	White——M—	54	-	-	-	-	-	-	-	-	-	-	2	1	1	4	8	4	7	7	7	4	6	3	-	-	-
	F—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	1	2	-	3	-	1	-	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	-	-	1	-	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	1,151	-	-	-	-	-	-	-	2	-	7	10	15	37	64	95	130	158	190	159	139	90	44	10	2	1
	White——M—	551	-	-	-	-	-	-	-	1	-	1	4	8	13	20	37	57	79	100	80	65	41	19	4	1	1
	F—	453	-	-	-	-	-	-	-	-	-	3	4	5	15	27	34	47	49	68	61	65	45	24	6	-	-
	Nonwhite—M—	98	-	-	-	-	-	-	-	-	-	1	2	1	4	8	11	20	22	13	12	3	1	-	-	-	-
	F—	69	-	-	-	-	-	-	-	1	-	2	-	1	5	9	11	6	8	9	6	6	3	1	-	1	-
160-164	Of respiratory system——	344	-	-	-	-	-	1	-	-	-	1	3	2	14	23	43	52	54	66	46	23	11	5	-	-	-
	White——M—	252	-	-	-	-	-	-	-	-	-	-	3	-	8	18	29	42	40	50	35	18	8	1	-	-	-
	F—	46	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	3	5	11	9	4	3	3	-	-	-
	Nonwhite—M—	41	-	-	-	-	-	-	-	-	-	1	-	1	4	3	10	6	8	5	1	1	-	1	-	-	-
	F—	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-
170	Of breast——	297	-	-	-	-	-	-	-	-	-	1	4	15	24	35	38	40	36	36	28	25	9	7	-	1	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	266	-	-	-	-	-	-	-	-	-	1	4	11	20	32	34	35	33	33	24	23	9	7	-	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	30	-	-	-	-	-	-	-	-	-	-	-	2	4	4	4	4	3	3	4	2	-	-	-	-	-
171-179	Of genital organs——	572	-	-	-	1	-	-	-	-	5	6	16	22	52	46	56	56	50	74	63	67	41	13	4	-	-
	White——M—	165	-	-	-	1	-	-	-	-	4	2	-	3	2	3	2	8	8	27	29	41	24	10	-	-	-
	F—	277	-	-	-	-	-	-	-	-	-	3	9	9	30	36	38	33	30	33	17	20	13	2	4	-	-
	Nonwhite—M—	35	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	3	4	6	11	4	3	1	-	-	-
	F—	95	-	-	-	-	-	-	-	-	1	1	7	9	19	7	15	12	7	8	6	2	1	-	-	-	-
180, 181	Of urinary organs——	184	-	2	3	1	-	-	-	1	1	1	1	1	3	12	10	20	29	27	28	20	17	6	2	-	-
	White——M—	103	-	-	1	1	-	-	-	-	-	-	-	-	1	6	6	14	21	17	12	11	7	5	1	-	-
	F—	64	-	1	2	-	-	-	-	1	-	-	-	1	2	4	2	3	7	9	13	9	8	1	1	-	-
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	2	-	1	2	-	-	-	-	-	-
	F—	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	343	1	1	2	1	1	8	3	6	3	8	14	11	16	28	34	31	44	38	23	35	22	8	4	-	1
	White——M—	184	1	1	1	-	-	3	3	4	2	4	4	6	9	8	14	16	18	16	10	17	9	4	3	-	1
	F—	136	-	-	1	1	1	5	-	1	-	2	6	2	5	14	10	11	18	15	10	16	13	4	1	-	-
	Nonwhite—M—	25	-	-	-	-	-	-	-	1	1	-	-	-	-	1	6	3	4	4	3	2	-	-	-	-	-
	F—	28	-	-	-	-	-	-	-	1	-	1	4	3	2	5	4	1	4	3	-	-	-	-	-	-	-
204	Leukemia and aleukemia——	119	3	5	5	2	3	6	5	7	5	2	5	3	3	5	10	13	12	9	4	9	1	-	1	-	1
	White——M—	61	-	2	3	1	2	3	5	4	1	1	1	-	1	4	4	9	9	4	2	5	-	-	-	-	-
	F—	46	2	2	2	1	1	2	-	3	2	1	4	3	2	1	5	1	3	4	1	3	1	-	1	-	1
	Nonwhite—M—	6	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-
	F—	6	1	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	117	-	-	1	-	-	-	3	2	4	4	4	2	5	13	14	19	15	10	13	4	2	1	1	-	-
	White——M—	61	-	-	-	-	-	-	2	1	2	1	1	2	2	6	8	9	10	5	9	3	1	-	1	-	-
	F—	47	-	-	1	-	-	-	1	-	2	3	3	-	1	5	5	8	5	5	4	1	1	1	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	94	7	1	1	-	1	2	1	-	2	4	6	7	9	7	6	13	10	7	5	1	1	2	-	-	1
	White——M—	32	4	-	-	-	-	-	1	-	-	1	2	1	1	2	5	4	5	3	-	-	1	2	-	-	-
	F—	39	2	1	-	-	1	-	-	-	1	2	2	3	3	3	1	6	5	4	5	-	-	-	-	-	-
	Nonwhite—M—	5	1	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-
	F—	18	-	-	1	-	-	2	-	-	1	1	2	3	3	1	-	3	-	-	-	-	-	-	-	-	1
260	Diabetes mellitus——	427	-	-	-	-	-	-	1	-	1	4	5	-	5	9	25	48	64	85	75	62	30	12	1	-	-
	White——M—	119	-	-	-	-	-	-	1	-	-	-	-	-	-	2	9	17	19	26	16	17	9	3	-	-	-
	F—	257	-	-	-	-	-	-	-	-	1	1	2	-	3	3	11	21	42	48	54	42	20	8	1	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	2	1	-	1	2	2	-	-	2	2	-	1	1	-	-	-
	F—	37	-	-	-	-	-	-	-	-	-	1	2	-	1	2	3	10	3	9	3	3	-	-	-	-	-
290-293	Anemias——	44	1	1	-	1	-	2	-	1	-	3	2	-	2	1	-	3	4	3	5	3	4	2	-	-	-
	White——M—	12	-	-	-	1	-	-	-	1	-	1	-	-	1	1	-	1	3	1	-	2	-	-	-	-	-
	F—	27	-	1	-	-	-	2	-	-	-	1	1	-	-	-	-	1	1	2	5	7	4	2	-	-	-
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	41	11	3	6	-	2	2	-	1	1	-	2	1	-	1	7	1	1	-	1	1	-	-	-	-	-
	White——M—	18	3	1	3	-	2	2	-	-	1	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-
	F—	12	4	1	2	-	-	-	-	-	-	-	-	-	-	-	4	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	8	3	1	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	3	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	11,737	5	6	2	4	3	8	15	12	33	44	72	157	302	536	741	1,032	1,298	1,869	1,717	1,708	1,307	788	280	55	33
	White——M—	5,163	1	3	1	1	1	3	5	3	11	14	32	64	140	227	357	542	667	712	743	724	501	290	92	18	11
	F—	4,408	-	2	1	2	1	2	2	6	10	17	16	32	57	115	136	227	352	543	715	793	702	459	155	32	9
	Nonwhite—M—	1,103	2	-	-	-	1	1	4	-	5	5	13	26	51	90	125	143	143	166	127	105	51	21	14	3	7
	F—	1,063	2	1	-	1	-	2	4	3	7	8	9	35	54	104	103	120	136	148	132	86	53	28	19	2	6
330-334, 400-468	Diseases of cardiovascular system——	11,382	5	6	-	4	3	4	14	11	27	33	65	145	280	515	721	996	1,265	1,529	1,685	1,672	1,267	776	274	53	32
	White——M—	5,037	1	3	-	1	1	-	5	3	7	10	30	61	132	222	348	529	655	698	738	708	485	283	89	17	10
	F—	4,296	-	2	-	2	1	1	2	5	9	13	14	28	54	110	152	220	341	536	702	730	684	446	153	32	9
	Nonwhite—M—	1,047	2	-	-	-	1	1	4	-	5	3	13	23	47	86	119	135	138	159	120	101	47	20	13	3	7
	F—	1,002	2	1	-	1	-	2	3	3	6	7	8	33	47	97	101	112	131	136	125	85	51	27	19	1	6
330-334	Vascular lesions, etc.*——	1,929	2	3	-	2	-	-	1	2	4	5	8	27	30	69	109	143	184	291	305	301	260	138	33	7	5
	White——M—	658	1	1	-	1	-	-	-	1	1	2	4	11	10	16	34	45	67	113	103	109	85	39	12	2	2
	F—	858	-	1	-	1	-	-	1	1	1	-	2	8	5	20	27	44	60	117	143	156	153	92	20	4	1
	Nonwhite—M—	192	1	-	-	-	-	-	1	-	1	1	1	2	7	15	22	23	31	28	27	16	10	4	-	-	2
	F—	223	-	1	-	1	-	-	-	-	1	2	1	6	8	18	26	31	26	33	32	20	12	3	1	1	-
400-402	Rheumatic fever——	32	-	-	-	-	-	3	2	6	3	3	2	2	1	4	2	2	-	2	-	-	-	-	-	-	-
	White——M—	11	-	-	-	-	-	1	-	1	1	2	-	2	-	3	-	-	-	1	-	-	-	-	-	-	-
	F—	9	-	-	-	-	-	1	-	1	1	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	1	-	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	2	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
410-443	Diseases of heart-	8,736	2	2	-	-	-	2	6	5	19	23	49	106	231	421	585	826	1,025	1,176	1,298	1,257	883	559	191	40	22
	White-----M--	4,092	-	1	-	-	-	-	3	1	4	8	24	46	117	203	306	467	565	563	597	546	353	209	60	11	8
	F--	3,165	-	1	-	-	-	1	1	2	7	11	10	17	47	82	116	174	266	401	527	575	471	312	109	26	7
	Nonwhite--M--	782	1	-	-	-	-	1	1	-	4	2	11	19	32	66	92	107	94	121	85	80	34	16	9	3	4
	F--	698	1	-	-	-	-	-	1	2	4	2	4	24	35	70	71	78	98	91	89	56	35	22	13	-	3
410-416	Chronic rheumatic heart disease-----	295	...	1	-	-	-	2	4	3	8	12	20	17	21	33	28	35	33	26	25	15	6	4	2	-	-
	White-----M--	115	...	-	-	-	-	-	1	-	2	3	12	4	8	15	10	14	16	11	11	4	1	3	-	-	-
	F--	139	...	1	-	-	-	1	1	2	4	9	5	6	11	13	16	16	13	12	13	9	4	1	2	-	-
	Nonwhite--M--	20	...	-	-	-	-	1	1	-	-	-	2	3	-	5	2	4	-	1	1	2	-	-	-	-	-
	F--	21	...	-	-	-	-	-	1	1	2	-	1	4	2	2	-	1	4	2	-	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,981	-	-	-	-	-	-	-	1	3	4	10	47	120	211	322	465	551	584	579	506	314	194	56	4	10
	White-----M--	2,364	-	-	-	-	-	-	-	-	-	3	6	39	88	151	228	335	387	328	325	260	136	66	22	1	5
	F--	1,204	-	-	-	-	-	-	-	-	-	-	2	1	13	29	47	74	126	193	219	208	157	106	25	2	2
	Nonwhite--M--	241	-	-	-	-	-	-	-	-	1	1	2	6	11	20	25	35	35	37	15	25	12	10	3	1	2
	F--	172	-	-	-	-	-	-	-	1	2	-	-	1	8	11	22	21	23	26	20	13	7	10	6	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,127	...	-	-	-	-	-	1	-	2	2	2	5	27	38	76	128	178	255	332	394	344	227	81	29	6
	White-----M--	844	...	-	-	-	-	-	1	-	-	1	1	-	6	9	23	48	81	112	147	162	134	88	22	6	3
	F--	882	...	-	-	-	-	-	-	-	-	-	-	1	8	5	11	32	46	69	126	188	188	131	53	22	2
	Nonwhite--M--	219	...	-	-	-	-	-	-	-	2	-	-	2	6	12	32	30	27	45	28	22	8	2	1	1	1
	F--	162	...	-	-	-	-	-	-	-	-	1	1	2	7	12	10	18	24	29	31	22	14	6	5	-	-
430-434	Other diseases of heart---------	239	2	1	-	-	-	-	1	1	3	3	8	14	10	24	14	16	25	27	25	24	19	10	9	1	1
	White-----M--	93	-	1	-	-	-	-	1	1	2	-	3	2	4	6	5	6	13	14	12	6	8	4	2	1	-
	F--	68	-	-	-	-	-	-	-	-	-	2	1	1	3	5	-	5	5	9	7	12	7	5	5	-	1
	Nonwhite--M--	45	1	-	-	-	-	-	-	-	1	1	4	5	2	7	5	-	2	3	5	4	3	-	2	-	-
	F--	33	1	-	-	-	-	-	-	-	-	-	-	6	1	6	4	3	5	1	2	2	1	1	-	-	-
440-443	Hypertension with heart dis.---	2,096	-	-	-	-	-	-	-	-	3	2	9	23	53	115	145	182	238	284	336	318	210	124	43	6	5
	White-----M--	676	-	-	-	-	-	-	-	-	-	1	2	1	11	22	40	62	86	98	102	114	72	46	14	3	-
	F--	872	-	-	-	-	-	-	-	-	3	-	2	8	12	30	42	47	78	118	162	158	115	69	24	2	2
	Nonwhite--M--	257	-	-	-	-	-	-	-	-	-	-	3	3	13	24	28	38	30	35	36	27	11	4	3	1	1
	F--	291	-	-	-	-	-	-	-	-	-	1	2	1	17	39	35	35	42	33	36	19	12	5	2	-	2
444-447	Hypertension without mention of heart----------	174	-	-	-	1	-	-	-	-	-	2	1	5	12	12	9	5	18	15	24	29	19	15	8	-	1
	White-----M--	68	-	-	-	1	-	-	-	-	-	-	-	3	2	1	4	2	8	4	10	15	6	9	3	-	-
	F--	55	-	-	-	-	-	-	-	-	-	1	-	-	1	3	1	-	3	6	13	10	10	6	1	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	1	-	6	2	2	3	3	1	2	1	-	2	-	-	-
	F--	26	-	-	-	-	-	-	-	-	-	1	-	2	3	6	2	1	2	2	-	2	2	-	2	-	1
450	General arteriosclerosis---------	412	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	10	22	37	55	78	69	63	42	6	4
	White-----M--	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	2	12	26	35	39	25	14	4	-
	F--	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	10	18	37	46	36	23	2	1
	Nonwhite--M--	34	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	10	6	7	3	2	-	2	-	1
	F--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	9	4	3	2	2	3	-	2
451-468	Other diseases of circulatory sys.-	97	1	1	-	1	-	-	1	1	1	1	5	6	2	11	11	12	16	10	3	7	6	1	-	-	-
	White-----M--	45	-	1	-	-	-	-	1	-	-	-	-	1	-	2	4	10	12	6	2	3	2	1	-	-	-
	F--	28	-	-	-	1	-	-	-	1	-	-	2	3	-	4	5	1	2	2	1	2	4	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	1	1	3	2	1	-	1	-	-	-	-	-	-	-
	F--	15	1	-	-	-	-	-	-	-	1	1	3	1	1	2	-	-	2	1	-	2	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	355	-	-	2	-	-	4	1	1	6	11	7	12	22	21	20	36	33	40	32	36	40	22	8	2	1
	White-----M--	126	-	-	1	-	-	3	-	-	4	4	2	3	8	5	8	13	12	14	5	16	16	7	3	1	1
	F--	112	-	-	1	-	-	1	-	1	1	4	4	4	3	5	4	7	11	7	13	13	18	13	2	-	-
	Nonwhite--M--	56	-	-	-	-	-	-	-	-	-	2	-	3	4	4	6	8	5	7	7	4	4	1	1	-	-
	F--	61	-	-	-	-	-	-	1	-	1	1	1	2	7	7	2	8	5	12	7	3	2	1	-	1	-
480-493	Influenza and pneumonia, etc.*-	559	125	17	4	5	3	5	3	4	6	13	17	10	17	23	29	38	42	30	31	43	44	31	15	1	2
	White-----M--	203	35	7	1	-	1	1	1	1	2	3	2	3	3	4	14	13	24	9	18	23	20	12	5	-	1
	F--	155	31	6	1	2	2	2	1	-	1	2	5	2	2	3	4	7	5	9	6	13	24	18	8	1	-
	Nonwhite--M--	109	31	2	1	2	-	2	1	1	1	4	4	3	8	9	6	12	9	4	5	3	-	-	1	-	-
	F--	91	28	2	1	1	-	-	-	2	2	4	6	2	4	7	5	6	4	8	2	4	-	1	1	-	1
480-483	Influenza---------	32	4	-	-	1	1	-	-	-	-	1	2	1	2	3	1	2	4	1	2	2	4	-	1	-	-
	White-----M--	12	2	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	1	1	1	1	2	-	-	-	-
	F--	8	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	2	-	1	-	-
	Nonwhite--M--	7	1	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	526	121	17	4	4	2	5	3	4	6	12	15	9	15	20	28	36	38	29	29	41	40	31	14	1	2
	White-----M--	191	33	7	1	-	-	1	1	1	2	3	1	3	3	3	13	13	23	8	17	22	18	12	5	-	1
	F--	147	30	6	1	1	2	2	1	-	1	2	4	2	2	3	4	6	5	9	6	12	22	18	7	1	-
	Nonwhite--M--	102	30	2	1	2	-	2	1	1	1	4	4	3	7	7	6	11	7	4	5	3	-	-	1	-	-
	F--	86	28	2	1	1	-	-	-	2	2	3	6	1	3	7	5	6	3	8	1	4	-	1	1	-	1
500-502	Bronchitis---------	58	26	1	3	-	1	2	-	-	-	-	-	1	-	2	-	2	4	2	2	6	2	3	1	-	-
	White-----M--	27	10	-	2	-	1	-	-	-	-	-	-	1	-	-	-	1	4	2	1	1	1	2	1	-	-
	F--	20	9	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	5	1	1	-	-	-
	Nonwhite--M--	5	2	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	92	-	-	-	-	-	-	-	-	-	2	2	4	4	10	17	12	15	10	6	6	3	1	-	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	1	-	4	3	5	12	11	12	7	6	6	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	3	3	-	-	2	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	1	1	-	1	3	1	1	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	48	-	1	1	-	1	2	2	3	1	1	3	1	-	2	5	5	7	4	2	1	3	2	-	-	1
	White-----M--	12	-	-	-	-	-	2	-	-	1	-	-	1	-	1	2	-	3	1	1	-	-	-	-	-	-	-
	F--	24	-	1	1	-	1	-	1	1	-	-	1	-	-	-	-	3	4	3	1	1	3	2	-	-	1
	Nonwhite--M--	9	-	-	-	-	-	-	1	1	-	1	2	-	-	-	2	2	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	147	12	-	1	1	-	3	-	2	1	1	5	5	2	2	7	14	12	20	18	17	18	5	1	-	-
	White-----M--	52	4	-	1	-	-	1	-	-	-	-	1	-	-	1	3	6	3	7	6	10	7	2	-	-	-
	F--	56	6	-	-	-	-	-	-	1	-	-	1	1	-	-	1	4	4	9	11	6	8	3	1	-	-
	Nonwhite--M--	23	1	-	-	1	-	-	-	1	1	1	3	3	1	-	1	1	4	2	1	-	2	-	-	-	-
	F--	16	1	-	-	-	-	2	-	-	-	-	-	1	1	1	2	3	1	2	-	1	1	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MARYLAND—Con.																										
543, 571, 572	Gastritis, etc.*--	120	73	6	2	1	-	-	-	1	2	2	-	3	1	4	3	3	2	3	7	3	3	-	-	1	-
	White-----M--	39	21	2	1	1	-	-	-	1	-	-	-	2	-	3	-	-	1	2	2	2	1	-	-	-	-
	F--	39	16	2	1	-	-	-	-	-	2	1	-	1	1	1	2	3	-	-	5	1	2	-	-	1	-
	Nonwhite--M--	29	26	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	13	10	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	212	-	-	-	-	-	-	2	-	1	2	8	16	15	41	27	22	24	21	16	11	3	-	1	-	2
	White-----M--	131	-	-	-	-	-	-	-	-	-	2	2	10	10	32	20	16	12	8	11	5	3	-	-	-	2
	F--	58	-	-	-	-	-	-	2	-	1	1	3	4	2	5	4	2	10	12	5	6	-	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	-	-	1	-	2	4	3	3	2	1	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	57	1	1	1	-	3	2	-	1	-	3	4	2	3	6	8	1	7	3	6	1	2	1	1	-	-
	White-----M--	17	-	1	1	-	-	-	-	-	-	-	2	-	-	2	4	-	3	-	2	-	1	1	-	-	-
	F--	14	1	-	-	-	2	1	-	-	-	2	1	-	-	1	-	-	2	1	2	-	1	-	-	-	-
	Nonwhite--M--	14	-	-	-	-	1	-	-	1	-	-	1	2	1	2	2	-	1	1	1	-	-	-	1	-	-
	F--	12	-	-	-	-	-	1	-	-	-	1	-	-	2	1	2	1	1	1	1	1	-	-	-	-	-
610	Hyperplasia of prostate----------	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	7	14	13	17	19	8	4	-	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	6	11	12	12	16	7	4	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	5	3	1	-	-	-
640-689	Complications of pregnancy, etc.*-	35	***	***	***	***	***	***	1	7	6	7	8	3	3	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	15	***	***	***	***	***	***	-	3	2	2	5	1	2	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	20	***	***	***	***	***	***	1	4	4	5	3	2	1	-	-	-	***	***	***	***	***	***	***	***	-
650-652	Abortion----------	7	***	***	***	***	***	***	-	-	2	3	1	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	1	***	***	***	***	***	***	-	-	-	-	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	6	***	***	***	***	***	***	-	-	2	3	1	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-649, 650-689	All other complications--------	28	***	***	***	***	***	***	1	7	4	4	7	3	2	-	-	-	***	***	***	***	***	***	***	***	-
	White-----F--	14	***	***	***	***	***	***	1	3	2	2	5	1	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite--F--	14	***	***	***	***	***	***	1	4	2	2	2	2	1	-	-	-	***	***	***	***	***	***	***	***	-
750-759	Congenital malformations---------	322	242	14	8	4	4	5	2	2	3	6	2	5	4	2	5	4	1	4	2	3	-	-	-	-	-
	White-----M--	142	102	7	5	3	3	2	1	-	2	4	-	2	1	1	-	4	1	1	1	2	-	-	-	-	-
	F--	126	101	5	1	1	1	2	-	2	1	-	2	1	2	-	3	-	-	3	1	-	-	-	-	-	-
	Nonwhite--M--	34	25	1	1	-	-	-	1	-	-	-	-	2	-	1	2	-	-	-	-	1	-	-	-	-	-
	F--	20	14	1	1	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	901	900	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	370	370	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	186	185	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	113	113	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	400	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	177	177	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-769	Infections of newborn----------	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	445	444	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	174	174	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	132	132	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	83	82	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*---	59	10	6	1	-	-	-	-	1	1	-	-	-	1	1	6	2	1	3	3	2	4	7	4	4	2
	White-----M--	25	1	2	-	-	-	-	-	1	-	-	-	-	1	1	4	1	-	2	3	-	2	3	-	2	-
	F--	23	3	2	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	2	3	4	2	2
	Nonwhite--M--	11	5	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	935	80	16	6	11	8	15	11	11	14	28	33	44	54	56	81	71	94	90	70	68	34	24	7	3	5
	White-----M--	398	24	6	2	4	3	6	4	3	1	12	5	18	26	21	35	38	49	45	33	29	14	11	3	2	3
	F--	326	24	2	4	1	2	6	5	2	6	5	11	10	13	19	29	20	34	29	34	34	17	13	4	1	1
	Nonwhite--M--	134	22	5	-	6	1	1	1	4	4	8	8	9	8	11	11	9	8	10	1	5	2	-	-	-	-
	F--	77	10	3	-	-	2	2	1	2	3	3	9	7	7	5	6	3	3	6	2	1	1	-	-	-	1
E800-E962	Accidents----------	1,264	83	22	17	11	8	61	34	67	98	70	71	67	69	56	58	58	69	75	69	62	56	53	23	7	2
	White-----M--	667	32	11	7	2	4	36	13	40	67	50	39	40	42	34	32	37	47	44	29	27	15	13	3	2	1
	F--	336	17	5	5	2	2	9	15	10	8	5	13	9	9	10	8	11	16	23	30	29	39	37	19	5	-
	Nonwhite--M--	193	17	-	5	3	2	10	5	15	17	12	17	17	13	8	15	9	3	4	9	5	2	3	1	-	1
	F--	68	17	6	-	4	-	6	1	2	6	3	2	1	5	4	1	1	3	4	1	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents---------	409	1	5	5	4	3	30	7	35	58	34	30	32	23	20	14	19	23	29	14	15	3	5	-	-	-
	White-----M--	255	-	4	-	1	1	17	3	23	41	24	14	18	14	7	7	14	17	24	11	10	1	4	-	-	-
	F--	61	1	1	4	-	1	4	4	7	4	4	7	4	1	5	2	1	5	3	1	1	1	-	-	-	-
	Nonwhite--M--	68	-	-	1	1	1	5	-	3	8	4	8	9	5	6	5	3	-	2	2	3	1	1	-	-	-
	F--	25	-	-	-	2	-	4	-	2	5	2	1	1	3	2	-	1	1	-	-	1	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	855	82	17	12	7	5	31	27	32	40	36	41	35	46	36	42	39	46	46	55	47	53	48	23	7	2
	White-----M--	412	32	7	7	1	3	19	10	17	26	26	25	22	28	27	25	23	30	20	18	17	14	9	3	2	1
	F--	275	16	4	1	2	1	5	11	3	4	1	6	5	8	5	6	10	11	20	28	28	38	37	19	5	-
	Nonwhite--M--	125	17	-	4	2	1	5	5	12	9	8	9	8	8	2	10	6	3	2	7	2	1	2	1	-	1
	F--	43	17	6	-	2	-	2	1	-	1	1	1	-	2	2	1	-	2	4	1	-	-	-	-	-	-
E963, E970-E979	Suicide----------	288	-	-	-	-	-	-	-	4	15	18	17	25	38	36	33	31	22	21	17	8	2	-	-	-	1
	White-----M--	198	-	-	-	-	-	-	-	2	9	9	9	13	21	29	25	25	17	17	12	8	1	-	-	-	1
	F--	70	-	-	-	-	-	-	-	1	4	5	5	10	15	5	7	5	4	4	4	-	1	-	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	1	3	3	1	2	1	1	1	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	151	4	1	-	1	1	2	2	8	20	22	18	17	15	15	11	4	4	2	2	-	1	-	-	-	1
	White-----M--	39	-	1	-	-	1	1	-	2	2	5	4	3	5	6	4	1	3	-	1	-	-	-	-	-	-
	F--	19	2	-	-	-	-	-	-	1	2	4	-	2	1	-	3	2	-	1	-	-	1	-	-	-	-
	Nonwhite--M--	75	1	-	-	1	-	-	1	4	15	9	11	10	8	7	4	1	1	1	1	-	-	-	-	-	-
	F--	18	1	-	-	-	-	1	1	1	1	4	3	2	1	2	-	-	-	-	-	-	-	-	-	-	1
E965, E980-E999	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS																										
	ALL CAUSES	50,767	2,347	157	122	95	63	186	137	204	317	450	521	652	1,227	1,848	2,911	4,003	5,263	6,256	6,921	6,763	5,329	3,155	1,120	282	258
	White	26,562	1,307	77	70	52	34	106	74	129	192	251	278	490	704	1,090	1,787	2,337	3,163	3,418	3,561	3,349	2,338	1,258	370	97	130
	M	23,322	962	73	45	41	27	76	61	69	115	178	216	322	480	702	1,049	1,591	2,008	2,740	3,256	3,440	2,947	1,870	746	183	124
	Nonwhite	487	46	4	3	-	-	2	2	3	3	10	12	11	28	30	46	44	54	60	59	31	24	10	2	-	3
	M	396	32	3	4	2	2	2	-	3	7	10	15	9	15	26	29	31	38	38	45	43	20	17	2	2	1
001-019	Tuberculosis, all forms	1,127	4	9	5	3	3	3	3	11	37	56	59	88	97	108	120	125	132	121	72	39	20	5	1	1	7
	White	785	2	4	2	3	3	2	-	4	12	25	34	59	71	78	98	101	101	87	53	31	11	2	-	-	4
	M	271	2	4	-	-	-	-	3	6	23	24	22	22	21	33	11	20	25	28	15	6	8	3	1	1	3
	Nonwhite	53	-	1	1	-	-	-	-	-	-	4	2	6	5	5	8	4	6	6	3	2	-	-	-	-	-
	M	18	-	-	-	-	-	1	-	1	2	5	1	1	-	2	3	-	-	-	1	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	1,069	2	2	2	1	1	2	2	10	36	50	57	84	92	107	115	121	125	117	71	39	19	5	1	1	7
	White	755	1	1	1	1	1	1	-	4	12	20	34	56	69	78	94	99	97	86	52	31	11	2	-	-	4
	M	247	1	1	-	-	-	-	2	5	22	22	20	21	18	23	11	18	22	25	15	6	7	3	1	1	3
	Nonwhite	51	-	-	1	-	-	-	-	-	-	4	2	6	5	4	8	4	6	6	3	2	-	-	-	-	-
	M	16	-	-	-	-	-	1	-	1	2	4	1	1	-	2	2	-	-	-	1	-	1	-	-	-	-
010-019	Tuberculosis, other forms	58	2	7	1	2	2	1	1	1	1	6	2	4	5	1	5	4	7	4	1	-	1	-	-	-	-
	White	30	1	3	1	2	2	1	-	-	-	3	-	3	2	-	4	2	4	1	1	-	-	-	-	-	-
	M	24	1	3	-	-	-	-	1	1	1	2	2	1	3	-	-	2	3	3	-	-	1	-	-	-	-
	Nonwhite	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	153	-	-	-	-	-	-	1	1	-	-	1	-	7	5	11	19	23	31	25	13	9	5	-	1	1
	White	86	-	-	-	-	-	-	-	-	-	-	-	-	2	3	8	14	14	24	17	9	5	-	-	-	-
	M	45	-	-	-	-	-	-	1	1	-	-	1	-	3	1	2	3	8	5	6	3	4	5	-	1	1
	Nonwhite	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	1	1	-	-	-	-	-	-
	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	7	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-
	White	6	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	3	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	-	2	-	-	-	-	-	-
	White	4	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	44	1	1	6	2	2	2	1	2	-	-	-	1	8	4	3	2	-	1	2	2	4	-	-	-	-
	White	29	1	1	3	1	2	1	-	1	-	-	-	1	8	3	3	2	-	-	1	1	-	-	-	-	-
	M	14	-	-	3	1	-	1	-	1	-	-	-	-	-	1	-	-	-	1	1	1	4	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	3	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	18	4	3	3	1	-	1	1	1	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-
	White	13	4	1	2	-	-	1	1	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	M	5	-	2	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	53	1	-	1	-	-	7	4	3	8	19	4	2	1	-	-	2	-	-	1	-	-	-	-	-	-
	White	33	-	-	1	-	-	5	2	1	5	13	1	2	-	-	-	2	-	-	1	-	-	-	-	-	-
	M	19	1	-	-	-	-	2	2	1	3	6	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	12	1	1	1	1	4	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	3	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	1	1	1	1	1	1	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	91	14	3	3	-	1	4	1	2	2	2	2	6	5	5	5	8	6	7	7	3	2	2	-	-	1
	White	47	9	3	2	-	-	2	1	1	-	-	-	4	2	2	3	5	5	2	3	1	1	1	-	-	-
	M	41	5	-	-	-	1	2	-	1	2	2	2	2	3	2	1	3	1	5	4	2	1	1	-	-	1
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
140-205	Malignant neoplasms, etc.*----	8,405	4	9	7	15	10	21	23	25	34	52	70	146	251	408	635	944	1,139	1,279	1,245	1,042	626	304	65	14	37
	White-------M--	4,075	2	2	4	9	5	11	10	15	18	33	32	51	94	155	300	426	606	656	638	528	293	157	21	9	20
	F--	4,203	2	7	3	6	5	10	13	10	16	19	36	95	147	244	327	497	512	612	586	499	328	165	44	5	17
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	-	1	-	5	6	3	11	14	5	13	7	6	-	-	-	-
	F--	56	-	-	-	-	-	-	-	-	-	-	1	-	5	3	5	10	7	6	8	8	1	2	-	-	-
140-148	Of buccal cavity and pharynx------	210	-	-	-	-	-	-	-	-	-	-	1	2	2	3	10	13	26	43	40	37	18	10	4	-	1
	White-------M--	174	-	-	-	-	-	-	-	-	-	-	1	1	2	3	8	10	20	38	36	28	16	8	2	-	1
	F--	35	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	6	5	4	8	2	2	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	3,648	-	-	-	1	-	-	-	1	1	9	21	33	79	122	227	402	498	574	612	522	350	148	27	7	14
	White-------M--	1,880	-	-	-	-	-	-	-	1	-	7	11	14	37	64	129	210	276	306	331	265	157	52	10	3	7
	F--	1,705	-	-	-	1	-	-	-	-	1	2	9	19	38	55	95	183	211	263	267	251	188	94	17	4	7
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	1	-	2	3	2	6	8	5	11	4	4	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3	2	3	2	1	2	-	-	-
160-164	Of respiratory system----------	735	-	-	-	-	-	-	-	1	3	1	2	12	24	35	94	95	150	121	92	62	28	12	1	-	2
	White-------M--	584	-	-	-	-	-	-	-	1	1	1	2	9	18	26	86	75	126	93	74	44	18	8	-	-	2
	F--	141	-	-	-	-	-	-	-	-	2	-	-	3	5	9	8	17	22	26	18	17	9	4	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2	1	-	1	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
170	Of breast----------	781	-	-	-	-	-	-	-	-	-	3	7	30	38	57	93	112	86	102	89	83	42	27	7	-	5
	White-------M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	1	-	1	-	-	-
	F--	767	-	-	-	-	-	-	-	-	-	3	7	30	38	54	93	110	85	100	87	80	42	26	7	-	5
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	2	-	-	-	-	-
171-179	Of genital organs----	1,254	-	-	-	-	-	-	-	3	6	7	16	22	43	82	90	132	146	186	185	186	97	55	14	2	2
	White-------M--	482	-	-	-	-	-	-	-	1	3	3	6	5	2	4	8	17	47	67	85	107	60	40	5	2	-
	F--	765	-	-	-	-	-	-	-	2	3	4	9	17	39	77	78	108	96	118	97	55	36	15	9	-	2
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	1	-	2	1	4	8	2	1	2	2	-	-	-	-	-	-
180, 181	Of urinary organs----	425	-	-	-	-	1	-	-	-	2	-	-	3	13	17	15	43	58	81	65	55	44	18	6	1	3
	White-------M--	262	-	-	-	-	-	-	-	-	2	-	-	2	8	11	11	26	47	57	32	31	19	10	3	-	3
	F--	157	-	-	-	-	1	-	-	-	-	-	-	1	5	6	4	17	10	22	31	23	25	8	3	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	788	-	6	2	2	7	8	7	6	6	13	11	22	27	46	67	89	111	94	104	75	29	25	4	2	5
	White-------M--	385	-	2	1	1	5	6	1	1	5	8	6	8	12	21	41	54	51	54	48	30	14	11	-	2	3
	F--	378	-	4	1	1	2	2	6	5	1	5	5	14	13	25	26	35	58	39	56	45	15	14	4	-	2
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	281	3	2	3	11	1	11	14	9	5	9	8	10	9	18	18	26	23	32	29	18	10	5	2	2	3
	White-------M--	158	1	-	2	8	-	4	8	8	5	6	3	8	4	10	6	17	14	13	14	12	5	5	1	2	2
	F--	121	2	2	1	3	1	7	6	1	-	3	5	4	4	6	12	9	9	19	14	6	5	-	1	-	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*----	303	1	1	2	1	1	2	2	5	11	10	4	12	16	28	21	32	41	46	29	24	8	4	-	-	2
	White-------M--	165	1	-	1	-	-	1	1	3	2	8	3	6	11	15	11	14	25	26	17	10	4	2	-	-	2
	F--	134	-	1	1	1	1	1	1	2	9	2	1	6	5	12	9	15	15	20	12	14	4	2	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	194	1	-	1	1	-	1	1	6	3	5	7	7	19	24	17	28	19	16	12	14	6	2	3	1	-
	White-------M--	66	-	-	1	1	-	-	1	3	1	1	2	2	7	6	6	13	7	2	3	7	2	-	1	-	-
	F--	123	1	-	-	-	-	1	-	3	2	3	4	4	12	17	11	15	12	14	8	7	4	2	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus----	966	1	1	-	-	-	-	2	4	5	6	7	13	12	27	59	102	130	167	177	123	86	34	6	-	4
	White-------M--	356	1	-	-	-	-	-	-	2	3	4	4	6	4	14	26	39	46	53	63	50	29	9	2	-	1
	F--	592	-	1	-	-	-	-	2	2	2	2	3	7	6	10	30	61	83	112	113	70	56	25	4	-	3
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	1	1	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	1	2	-	-	-	-	-
290-295	Anemias----------	145	-	1	-	-	-	-	1	-	1	2	1	-	3	3	2	10	8	19	23	29	28	9	4	-	1
	White-------M--	43	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	6	7	9	11	1	-	-	-
	F--	101	-	1	-	-	-	-	1	-	-	2	1	-	2	3	1	7	4	13	16	20	17	8	4	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	51	14	6	2	2	1	-	4	1	2	2	-	-	2	2	-	4	3	1	4	1	-	-	-	-	-
	White-------M--	24	3	4	1	1	-	-	2	-	-	2	-	-	-	2	-	3	1	1	3	1	-	-	-	-	-
	F--	26	11	1	1	1	1	-	2	1	2	-	-	-	2	-	-	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	28,896	15	4	2	4	1	11	21	30	43	74	129	247	471	851	1,472	2,146	3,059	3,755	4,485	4,613	3,853	2,370	881	216	163
	White-------M--	14,863	6	2	1	1	1	4	12	16	28	40	71	164	298	548	960	1,315	1,868	2,057	2,274	2,188	1,654	938	291	68	80
	F--	13,644	9	2	1	3	-	6	9	12	16	32	56	80	159	280	481	799	1,142	1,639	2,146	2,401	2,168	1,411	586	146	80
	Nonwhite--M--	189	-	-	-	-	-	1	-	2	-	1	1	1	8	9	19	17	21	33	35	16	14	7	2	-	2
	F--	200	-	-	-	-	-	-	-	-	1	1	1	2	6	14	12	15	28	28	30	28	17	14	2	2	1
330-334, 400-468	Diseases of cardiovascular system----	28,236	14	4	2	2	-	9	16	21	31	64	110	228	456	804	1,437	2,090	2,981	3,656	4,412	4,524	3,790	2,345	874	211	155
	White-------M--	14,536	5	2	1	-	-	2	9	13	18	34	57	153	288	534	942	1,291	1,828	2,013	2,238	2,127	1,622	927	290	68	75
	F--	13,325	9	2	1	2	-	6	7	8	12	28	51	73	155	248	465	767	1,106	1,586	2,111	2,356	2,137	1,397	580	141	77
	Nonwhite--M--	180	-	-	-	-	-	1	-	-	-	1	1	1	6	9	18	17	21	32	35	13	14	7	2	-	2
	F--	185	-	-	-	-	-	-	-	-	1	1	1	1	6	13	12	15	26	25	30	28	17	14	2	2	1
330-334	Vascular lesions, etc.*----------	5,500	5	2	1	-	-	5	3	4	5	15	9	39	63	128	222	373	502	714	955	945	831	479	145	30	25
	White-------M--	2,394	2	2	-	-	-	1	2	2	2	6	6	22	23	56	99	185	251	331	434	414	319	175	48	5	9
	F--	3,037	3	-	1	-	-	4	1	2	3	9	3	17	37	68	117	181	240	375	508	525	504	302	97	24	16
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	3	4	3	7	2	5	1	-	-	-
	F--	37	3	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	7	5	6	4	3	1	-	1	-
400-402	Rheumatic fever----	61	1	-	-	-	-	1	6	4	3	6	7	11	11	5	1	2	1	-	1	-	-	-	-	-	1
	White-------M--	33	-	-	-	-	-	1	3	3	2	2	2	8	7	2	1	1	-	-	1	-	-	-	-	-	-
	F--	27	1	-	-	-	-	-	3	1	1	3	5	3	4	3	-	1	1	-	-	-	-	-	-	-	1
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
410-443	Diseases of heart-	20,797	4	2	1	2	-	3	5	12	20	35	86	166	368	642	1,162	1,659	2,393	2,791	3,217	3,268	2,570	1,576	564	131	120
	White-----M--	11,278	1	-	1	-	-	-	4	8	13	20	44	117	252	460	812	1,078	1,520	1,596	1,689	1,577	1,132	852	190	47	65
	F--	9,237	3	2	-	2	-	2	1	4	7	14	40	47	107	165	327	558	839	1,149	1,482	1,559	1,416	908	370	83	52
	Nonwhite--M--	134	-	-	-	-	-	1	-	-	-	-	1	1	4	6	14	12	16	28	23	10	9	5	2	-	2
	F--	148	-	-	-	-	-	-	-	-	-	1	1	1	5	11	9	11	18	18	23	22	13	11	2	1	1
410-416	Chronic rheumatic heart disease----	843	...	-	-	-	-	3	4	7	10	18	41	43	67	86	119	116	88	75	51	45	47	15	6	1	3
	White-----M--	362	...	-	-	-	-	-	3	5	7	10	17	21	24	39	45	44	37	41	26	20	16	3	2	-	2
	F--	475	...	-	-	-	-	2	1	2	3	8	24	22	41	47	74	72	50	33	25	25	30	10	4	1	1
	Nonwhite--M--	3	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	F--	3	...	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	13,967	2	-	-	-	-	-	-	2	2	5	29	88	212	409	808	1,182	1,748	1,995	2,262	2,186	1,610	963	338	74	72
	White-----M--	8,253	-	-	-	-	-	-	-	-	2	5	23	72	178	346	633	845	1,197	1,216	1,253	1,117	754	421	119	28	44
	F--	5,546	2	-	-	-	-	-	-	2	-	-	6	14	30	56	162	322	530	750	978	1,030	842	535	217	46	26
	Nonwhite--M--	85	-	-	-	-	-	-	-	-	-	-	-	1	2	3	8	8	13	19	16	4	3	4	2	-	2
	F--	81	-	-	-	-	-	-	-	-	-	-	-	1	2	4	5	7	8	10	15	15	11	3	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	2,736	...	1	-	-	-	-	-	1	4	6	5	13	26	46	59	110	170	269	381	491	534	395	157	41	27
	White-----M--	1,223	...	-	-	-	-	-	-	1	1	4	2	8	18	25	37	57	92	134	185	212	223	149	53	12	10
	F--	1,472	...	1	-	-	-	-	-	-	3	2	3	5	8	15	22	50	77	128	181	274	306	240	102	28	17
	Nonwhite--M--	17	...	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	1	3	3	2	3	1	-	-	-
	F--	24	...	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	4	2	3	2	5	2	1	-
430-434	Other diseases of heart---------	552	2	1	1	2	-	-	1	2	3	4	8	10	23	31	42	48	70	68	74	66	45	34	13	2	2
	White-----M--	305	1	-	1	-	-	-	1	2	2	-	2	6	15	14	30	27	47	41	46	33	23	10	2	1	1
	F--	239	1	1	-	2	-	-	-	-	1	4	4	4	7	17	11	20	23	25	27	33	22	24	11	1	1
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	2	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	2,699	-	-	-	-	-	-	-	-	1	2	3	12	40	70	134	203	317	384	449	500	334	171	50	13	16
	White-----M--	1,135	-	-	-	-	-	-	-	-	1	1	-	10	17	36	67	105	147	164	179	195	116	89	14	6	8
	F--	1,503	-	-	-	-	-	-	-	-	-	-	3	2	21	30	58	94	158	213	261	297	216	99	36	7	7
	Nonwhite--M--	23	-	-	-	-	-	-	-	-	-	-	-	-	2	-	5	2	2	3	3	4	2	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	1	-	-	-	4	4	2	9	4	6	4	-	3	-	-	1
444-447	Hypertension without mention of heart----------	292	-	1	-	-	-	-	1	1	1	1	1	7	5	13	21	13	19	22	45	46	54	31	9	1	1
	White-----M--	125	-	-	-	-	-	-	-	-	-	1	-	3	3	6	12	7	12	13	20	18	21	5	4	-	-
	F--	161	-	-	-	-	-	-	1	1	-	-	1	4	2	7	8	5	7	9	24	27	33	25	5	1	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
450	General arteriosclerosis--------	1,338	-	-	-	-	-	-	-	-	1	1	-	-	1	-	9	16	44	94	165	242	311	245	153	48	8
	White-----M--	569	-	-	-	-	-	-	-	-	-	1	-	-	-	-	6	7	29	53	78	108	134	89	47	16	1
	F--	756	-	-	-	-	-	-	-	-	1	-	-	-	1	-	3	9	13	39	83	132	176	154	106	32	7
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	1	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-
451-468	Other diseases of circulatory sys.-	248	4	-	-	-	-	-	1	-	1	6	7	5	8	16	22	27	22	35	29	23	24	14	3	1	-
	White-----M--	137	2	-	-	-	-	-	-	-	1	4	5	3	4	10	12	13	16	20	14	10	16	6	1	-	-
	F--	107	2	-	-	-	-	-	1	-	-	2	2	2	4	5	10	13	6	14	14	13	8	8	2	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	660	1	-	-	2	1	2	5	9	12	10	19	19	15	27	35	56	78	99	73	89	63	25	7		8
	White-----M--	327	1	-	-	1	1	2	3	3	8	6	14	11	9	14	18	24	40	44	38	41	32	11	1	-	5
	F--	319	-	-	-	1	-	-	2	4	4	4	5	7	4	12	16	32	36	53	35	45	31	14	6	5	3
	Nonwhite--M--	9	-	-	-	-	-	-	-	2	-	-	-	-	2	-	1	-	-	1	-	3	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,252	124	25	18	5	3	10	5	3	19	11	12	24	33	40	56	49	102	103	143	149	155	105	41	9	8
	White-----M--	672	71	14	9	2	2	5	2	2	13	2	6	16	22	26	35	33	73	65	82	70	61	38	16	3	4
	F--	557	49	10	8	3	1	5	3	1	6	9	3	8	9	12	20	13	27	36	61	79	94	65	25	6	4
	Nonwhite--M--	16	3	-	1	-	-	-	-	-	-	-	1	-	1	1	1	3	2	1	-	-	-	2	-	-	-
	F--	7	1	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-
490-493	Influenza---------	34	-	1	2	-	-	-	-	-	1	-	-	-	-	3	2	3	1	2	6	7	4	2	-	-	-
	White-----M--	16	-	-	1	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	4	4	-	-	-	-	-
	F--	18	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	3	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,218	124	24	16	5	3	10	5	3	18	11	12	24	33	37	54	46	101	101	137	142	151	103	41	9	8
	White-----M--	656	71	14	8	2	2	5	2	2	12	2	6	16	22	24	34	31	72	65	78	66	61	38	16	3	4
	F--	539	49	9	7	3	1	5	3	1	6	9	3	8	9	11	19	12	27	34	59	76	90	63	25	6	4
	Nonwhite--M--	16	3	-	1	-	-	-	-	-	-	-	1	-	1	1	1	3	2	1	-	-	-	2	-	-	-
	F--	7	1	1	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis--------	107	11	2	2	-	1	3	-	-	-	1	1	1	1	3	6	6	11	14	9	12	10	11	2	-	-
	White-----M--	68	5	1	2	-	-	1	-	-	-	1	-	-	1	3	5	6	9	10	5	6	8	5	-	-	-
	F--	37	6	1	-	-	1	2	-	-	-	-	1	1	-	-	1	-	1	3	4	6	2	6	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	348	-	-	-	-	-	-	-	1	-	-	4	9	7	23	29	52	56	58	36	41	19	12	-	-	1
	White-----M--	290	-	-	-	-	-	-	-	1	-	-	4	8	6	21	27	46	51	47	27	31	13	7	-	-	1
	F--	52	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	6	5	9	8	9	6	4	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
550-553	Appendicitis------	102	-	1	1	1	1	3	4	3	-	8	4	5	6	5	8	6	10	6	1	13	6	5	1	1	-
	White-----M--	50	-	-	-	-	-	2	1	2	-	3	2	4	2	1	7	5	6	2	1	9	2	1	-	-	-
	F--	51	-	1	1	1	1	1	3	1	-	4	2	1	4	4	1	1	4	4	-	4	4	4	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	309	28	1	1	-	1	1	-	1	-	-	6	3	8	5	17	29	33	32	50	42	35	10	3	1	2
	White-----M--	156	16	-	1	-	1	-	-	-	-	-	2	2	3	2	7	17	20	14	25	20	19	5	1	1	-
	F--	145	11	1	-	-	-	-	-	1	-	-	3	1	4	3	10	11	12	17	24	22	16	5	2	-	2
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MASSACHUSETTS—Continued																										
543,	Gastritis, etc.*--	190	25	6	2	-	1	1	1	2	3	6	5	10	2	7	9	10	16	14	17	19	19	7	5	3	2
571,	White-----M--	94	14	3	2	-	1	1	-	-	-	1	-	5	-	5	5	6	13	9	9	4	11	1	1	2	1
572	F--	94	8	3	-	-	-	-	1	2	3	5	5	5	2	2	4	4	3	5	7	15	8	6	4	1	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	548	1	-	-	-	-	-	-	1	1	7	15	32	52	48	77	59	73	72	48	39	17	3	-	-	3
	White-----M--	330	1	-	-	-	-	-	-	-	1	3	4	16	28	31	55	32	47	50	33	19	8	2	-	-	1
	F--	207	-	-	-	-	-	-	-	-	-	1	4	11	16	22	17	19	24	26	20	15	20	9	1	-	-	2
	Nonwhite--M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	-	2	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	86	2	-	2	3	1	3	3	4	5	1	5	4	2	3	3	4	5	8	8	10	6	3	-	-	1
	White-----M--	41	2	-	1	2	-	1	1	2	4	-	1	2	1	2	2	3	2	3	4	4	2	1	-	-	1
	F--	40	-	-	1	1	1	2	1	2	-	1	3	1	1	1	-	1	3	5	4	6	4	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
611.	Hyperplasia of prostate---------	204	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	9	22	36	64	42	15	5	4	1
	White-----M--	201	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	8	21	36	63	42	15	5	4	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	57	...	...	...	...	...	...	-	3	12	12	13	10	6	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	54	...	...	...	...	...	...	-	3	11	12	11	10	6	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	9	...	...	...	...	...	...	-	-	3	2	2	1	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	8	...	...	...	...	...	...	-	-	2	2	2	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications---------	48	...	...	...	...	...	...	-	3	9	10	11	9	5	1	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	46	...	...	...	...	...	...	-	3	9	10	9	9	5	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	585	437	29	12	12	4	18	6	7	6	7	8	4	3	10	5	4	2	3	3	3	1	-	-	-	1
	White-----M--	292	214	16	7	3	3	11	1	6	4	4	3	3	3	6	2	-	2	1	2	-	-	-	-	-	1
	F--	286	219	12	5	9	1	7	5	1	2	3	4	1	-	4	3	4	-	2	1	2	1	-	-	-	-
	Nonwhite--M--	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	4	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,477	1,477	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	845	845	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	570	570	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	26	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	633	633	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	368	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	243	243	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	73	73	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	771	771	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	429	429	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	304	304	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	149	16	-	1	3	1	-	-	2	1	2	2	4	7	7	8	6	8	15	12	15	8	12	8	6	5
795	White-----M--	83	10	-	1	3	-	-	-	2	-	1	1	2	6	3	6	5	6	12	8	4	2	3	3	3	2
	F--	64	5	-	-	-	1	-	-	-	1	1	1	2	1	3	2	1	2	3	4	11	6	9	5	3	3
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	2,108	87	27	15	16	5	19	18	23	26	40	47	85	87	135	189	190	204	268	257	182	94	58	22	5	9
sid-	White-----M--	1,119	57	12	10	10	2	12	13	16	14	11	23	45	49	75	103	101	117	142	129	81	46	32	11	1	4
ual	F--	939	27	13	5	6	3	7	5	6	12	24	17	37	36	57	78	86	82	123	125	101	45	26	11	4	5
	Nonwhite--M--	29	1	2	-	-	-	-	-	-	-	2	2	1	2	1	4	1	4	3	4	-	2	-	-	-	-
	F--	21	2	-	-	-	-	-	-	1	-	-	5	2	-	2	4	2	1	-	1	-	1	-	-	-	-
E800-	Accidents----------	2,464	72	26	36	22	23	72	36	56	80	97	78	74	82	98	112	126	150	199	205	270	271	180	72	19	10
E962	White-----M--	1,445	40	14	18	15	11	46	27	44	72	78	63	58	63	69	82	103	107	119	106	114	107	57	18	6	8
	F--	970	31	12	15	5	10	25	9	12	6	16	13	13	18	23	25	21	41	75	97	150	163	122	54	13	1
	Nonwhite--M--	34	1	-	1	-	-	1	-	-	1	2	2	3	1	4	4	2	2	3	2	3	1	-	-	-	1
	F--	15	-	-	2	2	2	-	-	-	1	1	-	-	-	-	1	-	-	2	-	3	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents----------	520	4	4	11	6	12	26	9	35	42	50	23	29	15	20	26	26	38	41	39	37	19	4	1	-	3
	White-----M--	376	3	1	5	5	5	15	6	27	38	41	20	21	11	14	17	19	29	29	25	23	15	3	1	-	3
	F--	130	1	3	5	1	6	10	3	8	3	7	2	7	4	4	9	7	9	10	13	13	4	1	-	-	-
	Nonwhite--M--	10	-	-	-	-	1	-	-	-	1	1	1	1	-	2	-	-	-	1	1	1	-	-	-	-	-
	F--	4	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,944	68	22	25	16	11	46	27	21	38	47	55	45	67	76	86	100	112	158	166	233	252	176	71	19	7
E802,	White-----M--	1,069	37	15	13	10	6	31	21	17	34	37	43	37	52	55	65	84	78	90	91	91	92	54	17	6	5
E840-	F--	840	30	9	10	4	4	15	6	4	3	9	11	6	14	19	16	14	32	65	34	137	159	121	54	13	1
E962	Nonwhite--M--	24	1	-	1	-	-	-	-	-	-	1	1	2	1	2	4	2	2	2	1	2	1	-	-	-	1
	F--	11	-	-	1	2	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	3	-	1	-	-	-
E963,	Suicide----------	543	-	-	-	-	-	1	-	9	23	31	38	53	45	41	64	61	58	43	38	22	10	3	1	1	1
E970-	White-----M--	399	-	-	-	-	-	-	-	7	16	24	24	38	27	30	44	50	47	34	27	17	10	3	-	-	1
E979	F--	157	-	-	-	-	-	1	-	2	7	6	12	14	17	11	19	11	10	9	11	5	-	-	1	1	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	51	3	1	2	-	-	2	-	2	6	7	2	3	5	5	1	2	5	1	1	1	2	-	-	-	-
E980-	White-----M--	28	1	-	1	-	-	-	-	2	3	4	1	2	3	5	-	1	3	-	1	-	1	-	-	-	-
E985	F--	12	2	-	-	-	-	2	-	-	-	2	1	-	1	-	1	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	6	-	1	-	-	-	-	-	-	2	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN																										
	ALL CAUSES	57,422	4,545	296	172	129	95	426	279	469	706	755	886	1,220	1,726	2,555	3,553	4,833	5,876	6,272	6,822	6,362	4,964	3,083	1,129	224	43
	White—M	31,013	2,339	139	88	57	54	236	170	301	378	354	421	586	829	1,351	2,028	2,955	3,582	3,646	3,749	3,342	2,474	1,407	429	80	20
	F	22,352	1,669	125	72	59	33	157	90	109	195	256	289	382	600	814	1,114	1,533	1,925	2,321	2,869	2,870	2,411	1,624	681	135	19
	Nonwhite—M	2,211	298	20	7	8	4	18	15	26	74	68	100	132	155	206	242	200	204	171	110	75	40	23	9	4	2
	F	1,846	239	12	5	5	4	15	4	33	59	77	78	120	142	184	169	147	165	134	94	75	38	29	10	5	2
001-019	Tuberculosis, all forms	1,431	8	11	7	9	4	8	6	38	87	91	113	118	111	126	127	152	165	113	72	38	20	7	2	-	-
	White—M	715	5	4	5	2	2	3	3	8	15	20	33	42	48	51	71	115	109	80	56	29	11	2	1	-	-
	F	280	3	5	2	2	1	2	1	7	18	31	36	20	18	30	17	18	25	12	11	7	7	5	1	-	-
	Nonwhite—M	278	-	1	-	2	-	1	2	8	28	13	29	27	33	32	34	15	29	16	4	3	2	-	-	-	-
	F	158	-	1	-	3	1	2	-	15	25	27	13	29	12	13	5	4	2	5	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	1,285	3	2	1	4	-	1	2	32	77	83	105	110	103	118	119	140	151	105	68	33	19	7	2	-	-
	White—M	655	2	-	1	1	-	-	-	8	13	18	29	40	44	50	69	106	105	77	53	25	11	2	1	-	-
	F	245	1	1	-	1	-	1	-	6	18	28	35	19	18	27	14	16	20	10	11	6	6	5	1	-	-
	Nonwhite—M	253	-	-	-	2	-	-	2	7	25	11	28	24	31	30	32	15	24	14	4	2	2	-	-	-	-
	F	132	-	1	-	-	-	-	-	11	21	25	13	27	10	11	4	3	2	4	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	146	5	9	6	5	4	7	4	8	10	8	6	8	8	8	8	12	14	8	4	5	1	-	-	-	-
	White—M	60	3	4	4	1	2	3	3	-	2	2	4	2	4	1	2	9	4	3	3	4	-	-	-	-	-
	F	35	2	4	2	1	1	1	1	1	1	2	1	1	-	3	3	2	5	2	-	1	1	-	-	-	-
	Nonwhite—M	25	-	1	-	-	-	1	-	1	3	2	1	3	2	2	2	-	5	2	-	-	-	-	-	-	-
	F	26	-	-	-	3	1	2	-	4	4	2	-	2	2	2	1	1	-	1	1	-	-	-	-	-	-
020-029	Syphilis and its sequelae	390	9	1	-	-	-	-	-	1	3	2	6	12	14	32	44	65	67	60	33	24	11	5	1	-	-
	White—M	235	5	-	-	-	-	-	-	-	1	-	1	2	7	13	29	43	51	39	21	16	4	2	1	-	-
	F	66	2	-	-	-	-	-	-	-	1	1	2	-	1	6	1	6	9	11	10	8	6	2	-	-	-
	Nonwhite—M	64	-	-	-	-	-	-	-	1	1	1	2	6	3	9	11	14	5	7	2	-	1	1	-	-	-
	F	25	2	1	-	-	-	-	-	-	-	-	1	4	3	4	3	2	2	3	-	-	-	-	-	-	-
040	Typhoid fever	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	18	11	1	1	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	10	6	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	15	-	-	-	-	-	4	1	1	-	1	-	-	-	-	-	1	2	1	1	1	1	-	1	-	-
	White—M	7	-	-	-	-	-	3	-	1	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	2	-	-	1	1	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	10	-	-	2	-	1	5	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	2	-	1	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	21	15	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	9	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	33	12	6	5	-	1	2	-	1	-	1	1	2	-	1	-	-	-	-	-	1	-	-	-	-	-
	White—M	17	7	3	2	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	10	3	3	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	210	13	7	1	4	3	43	47	23	22	22	12	8	4	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	139	10	4	-	4	3	28	28	17	14	13	8	6	1	-	-	-	-	1	-	-	-	-	-	-	-
	F	69	1	3	1	-	-	14	18	6	8	9	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	31	6	2	5	3	1	10	-	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	4	-	2	1	1	4	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	1	2	3	2	-	5	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	118	19	3	3	2	1	3	1	4	6	7	3	4	4	6	6	14	11	5	5	4	4	3	-	-	-
	White—M	60	10	1	2	1	-	3	-	1	3	4	1	1	2	4	3	7	6	1	3	3	3	1	-	-	-
	F	47	7	2	1	1	1	-	1	2	2	3	2	3	2	1	-	5	4	4	2	1	1	2	-	-	-
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	1	1	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
140-205	Malignant neoplasms, etc.*	8,620	15	11	22	16	10	31	26	36	43	83	114	207	354	505	804	1,001	1,150	1,188	1,141	699	398	284	68	12	2
	White	4,205	9	4	10	9	7	17	12	23	20	35	41	67	111	186	345	488	600	614	627	485	311	152	27	4	1
	F	3,919	6	8	10	7	2	11	11	8	23	38	60	119	202	260	382	438	484	520	488	395	278	126	38	7	1
	Nonwhite—M	255	-	1	2	-	1	1	1	3	-	4	2	6	15	20	35	43	36	31	13	11	7	2	1	-	-
	F	261	-	-	-	-	-	2	2	2	-	6	11	15	26	39	42	32	30	23	13	8	4	4	1	1	-
140-148	Of buccal cavity and pharynx	208	-	-	-	-	-	1	-	-	-	-	-	1	6	6	14	21	34	31	27	31	17	15	3	1	-
	White	162	-	-	-	-	-	-	-	-	-	-	-	-	4	4	7	18	31	27	20	26	12	10	2	1	-
	F	40	-	-	-	-	-	1	-	-	-	-	-	1	1	2	6	3	1	3	7	5	4	5	1	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,447	2	1	1	-	-	-	2	2	6	7	17	30	81	134	273	377	487	521	558	457	290	150	26	4	1
	White	1,822	2	-	-	-	-	-	1	1	2	1	7	23	34	55	131	213	270	274	331	248	142	74	11	1	1
	F	1,441	-	1	1	-	-	-	-	-	4	5	7	25	38	58	112	135	190	217	217	200	144	71	14	2	-
	Nonwhite—M	109	-	-	-	-	-	-	-	1	-	1	1	-	6	12	17	22	15	16	6	7	2	2	1	-	-
	F	75	-	-	-	-	-	-	1	-	-	-	2	2	3	9	13	7	12	14	4	2	2	3	-	1	-
160-164	Of respiratory system	826	-	1	-	-	-	-	-	-	1	2	2	17	33	56	109	147	146	124	96	52	31	6	2	1	-
	White	641	-	-	-	-	-	-	-	-	1	1	2	11	23	44	86	124	119	100	70	33	23	4	-	-	-
	F	144	-	1	-	-	-	-	-	-	-	1	-	3	5	8	15	17	20	19	23	18	8	2	2	1	-
	Nonwhite—M	38	-	-	-	-	-	-	-	-	-	-	-	3	4	4	8	4	7	5	3	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-
170	Of breast	754	-	-	-	-	-	-	-	1	1	7	11	33	48	62	92	87	98	94	83	63	43	18	10	3	-
	White	11	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	1	2	-	1	-	-	1	-
	F	713	-	-	-	-	-	-	-	-	1	4	11	28	45	55	88	85	91	92	81	63	40	18	10	2	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	3	-	4	3	6	3	3	4	1	-	-	2	-	-	-	-
171-179	Of genital organs	1,401	-	-	1	-	-	1	1	2	3	14	32	51	83	111	124	162	155	167	184	138	117	45	9	-	1
	White	469	-	-	1	-	-	-	-	-	1	3	3	4	2	4	12	29	37	65	98	84	81	37	8	-	-
	F	795	-	-	-	-	-	1	-	2	2	7	24	40	67	87	90	110	97	94	82	47	34	8	-	-	1
	Nonwhite—M	32	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	11	10	2	-	3	2	-	-	-	-
	F	107	-	-	-	-	-	-	-	-	-	3	5	7	14	19	21	12	11	6	4	4	-	1	-	-	-
180, 181	Of urinary organs	422	1	-	1	-	-	1	-	2	-	5	4	2	14	22	37	47	60	75	69	38	24	17	3	-	-
	White	252	1	-	1	-	-	-	-	2	-	3	2	1	6	14	24	23	38	45	43	24	11	13	1	-	-
	F	145	-	-	-	-	-	-	-	-	-	2	2	-	5	7	11	17	21	25	24	13	12	4	2	-	-
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	3	1	4	2	-	1	-	-	-	-
	F	10	-	-	-	-	-	1	-	-	-	-	-	1	-	-	2	4	-	1	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	912	7	5	9	6	4	9	10	9	13	17	24	27	56	69	101	93	100	101	74	76	56	29	14	3	-
	White	461	3	2	3	2	2	5	4	5	5	8	15	16	24	37	54	43	54	50	37	44	31	11	5	1	-
	F	411	4	3	6	4	1	2	5	3	8	9	7	10	28	29	36	46	45	48	34	31	25	17	9	2	-
	Nonwhite—M	18	-	-	-	-	1	1	-	1	-	-	1	1	1	-	8	1	1	2	-	-	-	-	-	-	-
	F	22	-	-	-	-	-	1	1	-	-	1	-	2	3	3	3	2	1	3	1	-	1	-	-	-	-
204	Leukemia and aleukemia	332	5	4	9	10	3	14	9	11	8	17	13	10	15	21	22	31	31	42	21	23	13	-	-	-	-
	White	197	3	2	4	7	2	8	4	8	5	11	3	3	7	15	10	18	21	32	15	12	7	-	-	-	-
	F	118	2	1	3	3	1	6	5	2	3	5	8	5	5	4	12	12	10	10	6	10	5	-	-	-	-
	Nonwhite—M	12	-	1	2	-	-	-	1	-	-	1	-	2	1	1	-	1	-	-	-	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	318	-	-	1	-	3	5	4	9	11	14	11	16	18	24	32	36	39	33	29	21	7	4	1	-	-
	White	190	-	-	1	-	3	4	3	6	6	8	9	9	11	12	20	19	28	20	11	14	3	3	-	-	-
	F	114	-	-	-	-	-	1	1	1	5	5	1	6	7	10	12	15	11	12	14	7	4	1	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	2	-	-	1	1	-	1	-	1	-	-	2	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	214	5	3	1	-	1	4	1	2	7	8	10	22	14	22	22	19	15	14	17	13	7	4	3	-	-
	White	85	1	1	-	-	-	1	1	2	4	7	1	7	3	2	8	8	10	8	13	1	4	1	-	-	-
	F	100	4	2	1	-	1	3	-	-	3	-	3	8	6	16	11	8	5	5	3	12	3	3	3	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	2	-	-	1	-	-	-	-	-	-
	F	24	-	-	-	-	-	-	-	-	-	1	5	5	4	2	1	-	1	-	-	-	-	-	-	-	-
260	Diabetes mellitus	1,614	2	-	-	-	-	2	5	6	18	7	7	19	29	61	92	163	273	272	305	194	113	40	6	-	-
	White	573	1	-	-	-	-	-	2	3	7	1	4	8	9	16	30	59	118	89	104	68	41	12	1	-	-
	F	942	1	-	-	-	-	2	2	1	7	5	2	5	14	28	51	91	144	174	190	122	71	27	5	-	-
	Nonwhite—M	33	-	-	-	-	-	-	1	1	2	1	1	2	3	3	6	3	4	5	-	-	-	-	-	-	-
	F	66	-	-	-	-	-	-	1	1	2	-	-	5	4	14	8	7	8	5	6	4	1	1	-	-	-
280-283	Anemias	220	2	3	1	2	-	2	1	1	2	1	1	2	5	6	11	11	13	25	33	41	28	21	6	2	-
	White	91	2	1	-	-	-	1	1	-	-	-	-	1	-	2	3	6	9	13	14	13	16	6	2	1	-
	F	122	-	2	1	2	-	1	-	1	1	1	1	1	4	4	6	4	4	11	19	27	12	15	4	1	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-
340	Nonmeningococcal meningitis	88	31	9	5	4	-	5	1	1	1	2	1	1	4	3	6	2	4	3	5	1	1	-	-	-	-
	White	47	17	6	2	1	-	2	1	1	-	1	-	-	1	2	3	-	2	2	4	1	1	-	-	-	-
	F	27	11	2	1	3	-	3	-	-	-	1	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-
	Nonwhite—M	8	2	1	-	-	-	-	-	-	1	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	28,753	15	6	5	4	5	35	28	49	73	116	208	339	669	1,143	1,732	2,520	3,201	3,620	4,257	4,189	3,452	2,110	790	159	28
	White	15,933	12	3	2	2	2	14	14	24	28	53	108	166	365	687	1,096	1,613	2,000	2,189	2,342	2,179	1,702	941	304	58	9
	F	11,307	3	1	3	2	1	17	12	19	37	46	55	88	184	285	439	737	999	1,265	1,787	1,911	1,702	1,132	475	94	18
	Nonwhite—M	758	-	2	-	-	1	1	2	4	7	5	21	30	58	85	110	91	98	86	66	47	21	15	5	3	2
	F	755	-	-	-	-	1	3	-	2	1	12	26	34	62	86	87	79	106	82	62	52	27	22	6	4	1
330-334, 400-468	Diseases of cardiovascular system	27,795	13	6	2	3	5	30	20	35	57	88	194	314	630	1,086	1,884	2,446	3,122	3,516	4,132	4,076	3,353	2,046	759	158	28
	White	15,439	11	3	1	1	2	11	9	18	20	36	101	176	350	662	1,060	1,574	1,950	2,126	2,279	2,123	1,655	910	294	58	9
	F	10,908	2	1	1	2	1	15	10	13	30	37	49	79	168	264	419	712	975	1,228	1,731	1,856	1,851	1,099	456	93	16
	Nonwhite—M	718	-	2	-	-	1	1	1	3	6	5	20	29	54	60	104	86	92	83	61	47	20	15	3	3	2
	F	718	-	-	-	-	1	3	-	1	1	10	24	30	58	80	81	74	105	79	61	50	27	22	6	4	1
330-334	Vascular lesions, etc.*	5,864	9	2	1	1	3	2	2	3	14	12	39	47	97	188	304	422	568	728	969	1,013	780	463	156	25	6
	White	2,673	7	1	1	1	2	1	-	-	8	2	13	21	31	65	123	189	278	355	457	481	367	203	58	7	1
	F	2,867	2	-	-	-	1	1	2	2	3	8	14	15	48	87	134	193	252	330	485	511	411	253	96	16	4
	Nonwhite—M	146	-	-	-	-	-	-	-	1	3	1	3	7	7	12	27	13	21	19	14	10	4	1	1	1	1
	F	178	-	-	-	-	-	-	-	-	3	1	9	6	11	24	20	27	17	24	15	11	8	6	-	1	-
400-402	Rheumatic fever	73	-	-	-	1	1	17	7	11	2	5	3	5	6	2	1	2	5	3	-	1	-	1	-	-	-
	White	37	-	-	-	-	-	7	2	8	1	4	-	2	3	-	1	-	5	2	-	1	-	1	-	-	-
	F	28	-	-	1	-	-	7	4	3	1	-	2	3	2	2	-	2	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	1	3	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
410-443	Diseases of heart	19,978	3	4	1	1	1	8	11	19	35	67	137	257	503	864	1,296	1,957	2,428	2,644	2,931	2,790	2,166	1,289	475	98	15
	White—M	11,811	3	2	-	-	-	2	7	9	11	28	82	145	308	579	903	1,357	1,691	1,689	1,705	1,504	1,087	568	175	40	6
	F	7,163	-	-	1	1	-	5	4	7	20	27	30	56	113	165	263	488	680	848	1,139	1,214	1,051	697	293	54	7
	Nonwhite—M	515	-	2	-	-	1	1	-	2	3	4	15	16	40	65	72	67	66	56	41	33	14	13	2	1	1
	F	489	-	-	-	-	-	-	-	1	1	8	10	20	42	55	58	45	81	51	45	39	14	11	5	1	1
410-416	Chronic rheumatic heart disease	837	...	-	-	-	-	6	10	13	22	22	36	55	82	84	85	100	75	70	66	57	31	17	4	2	-
	White	427	...	-	-	-	-	1	7	8	7	6	18	32	41	42	43	52	43	41	34	33	13	4	1	1	-
	F	365	...	-	-	-	-	4	3	4	14	14	14	19	38	34	39	42	28	29	28	21	17	13	3	1	-
	Nonwhite—M	24	...	-	-	-	-	1	-	1	1	-	3	3	2	3	1	2	4	-	-	2	1	-	-	-	-	-
	F	21	...	-	-	-	-	-	-	-	-	2	1	1	1	5	2	4	-	-	4	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	11,995	1	-	-	-	-	1	-	3	1	18	66	109	278	545	926	1,380	1,690	1,730	1,817	1,564	1,084	569	164	42	7
	White—M	7,951	1	-	-	-	-	1	-	1	1	14	50	85	207	428	710	1,054	1,212	1,204	1,139	907	584	258	69	21	4
	F	3,618	-	-	-	-	-	-	-	1	-	3	7	15	42	67	148	277	409	478	636	629	491	301	92	21	1
	Nonwhite—M	243	-	-	-	-	-	-	-	-	-	1	6	4	14	32	44	36	34	27	22	15	2	5	-	-	1
	F	183	-	-	-	-	-	-	-	1	-	-	3	5	15	17	24	13	35	21	20	13	7	5	3	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	3,545	...	2	-	-	-	-	-	1	7	12	18	23	47	79	88	186	244	384	533	604	609	444	217	41	6
	White—M	1,840	...	2	-	-	-	-	-	-	2	-	6	10	27	45	54	109	143	225	298	320	296	209	78	14	2
	F	1,553	...	-	-	-	-	-	-	1	4	7	6	8	8	22	22	65	82	141	223	267	303	228	136	26	4
	Nonwhite—M	84	...	-	-	-	-	-	-	-	1	3	2	8	7	6	7	11	11	7	7	6	4	2	1	-	-
	F	68	...	-	-	-	-	-	-	-	-	4	3	3	4	5	6	5	8	7	5	10	4	5	1	-	-
430-434	Other diseases of heart	1,067	2	2	1	1	1	1	1	2	5	8	8	17	28	40	55	75	132	130	154	145	143	85	28	2	1
	White—M	582	2	-	-	-	-	-	-	-	1	6	4	12	16	27	34	44	81	70	79	80	77	41	7	1	-
	F	429	-	-	1	1	-	1	1	1	2	2	3	4	6	9	14	24	44	57	69	62	63	43	20	1	1
	Nonwhite—M	30	-	2	-	-	1	-	-	1	1	-	1	-	4	1	2	4	4	3	3	-	3	-	-	-	-
	F	26	-	-	-	-	-	-	-	-	1	-	-	1	2	3	5	3	3	-	3	3	-	1	1	-	-
440-443	Hypertension with heart dis.	2,534	-	-	-	-	-	-	-	-	-	7	9	33	69	116	142	216	287	330	361	420	299	174	62	9	1
	White—M	1,011	-	-	-	-	-	-	-	-	-	2	4	6	17	36	62	98	122	149	155	164	117	56	20	3	-
	F	1,198	-	-	-	-	-	-	-	-	-	1	-	10	19	33	40	80	117	143	183	235	177	112	42	5	1
	Nonwhite—M	134	-	-	-	-	-	-	-	-	-	2	2	7	12	22	19	18	13	15	9	9	2	4	-	-	-
	F	191	-	-	-	-	-	-	-	-	-	2	3	10	20	25	21	20	35	23	14	12	3	2	-	1	-
444-447	Hypertension without mention of heart	370	-	-	-	-	-	1	-	-	-	1	7	11	16	11	26	25	38	43	51	34	34	40	10	2	-
	White—M	148	-	-	-	-	-	-	-	-	-	1	2	4	5	6	8	11	18	20	20	13	17	18	4	1	-
	F	181	-	-	-	-	-	1	-	-	-	-	1	1	3	4	12	12	16	21	28	20	36	20	6	-	-
	Nonwhite—M	23	-	-	-	-	-	-	-	-	-	-	1	3	5	-	3	1	2	2	3	1	-	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	3	3	3	1	3	1	2	-	-	-	1	1	-	-	-
450	General arteriosclerosis	1,193	-	-	-	-	-	-	-	-	-	-	-	1	-	-	9	12	33	74	141	208	321	241	111	35	7
	White—M	610	-	-	-	-	-	-	-	-	-	-	-	-	-	-	7	5	17	46	74	107	173	115	54	10	2
	F	551	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	14	22	63	96	143	123	56	23	5
	Nonwhite—M	17	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	-	5	2	3	2	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	3	3	1	2	-	-
451-468	Other diseases of circulatory sys.	305	1	-	-	-	-	2	-	2	6	3	8	15	8	21	28	28	50	24	40	30	22	12	7	-	-
	White—M	160	1	-	-	-	-	1	-	1	-	1	4	4	3	12	18	12	31	14	23	17	11	5	2	-	-
	F	118	-	-	-	-	-	1	-	1	6	2	2	6	2	6	9	14	13	6	16	13	10	6	5	-	-
	Nonwhite—M	16	-	-	-	-	-	-	-	-	-	-	1	2	2	3	1	2	3	1	1	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	3	3	-	-	1	1	-	-	-
592-594	Chronic nephritis, etc.*	970	2	-	3	1	-	5	8	14	16	28	14	25	39	57	68	74	79	104	125	113	99	64	31	1	-
	White—M	494	1	-	1	1	-	3	5	6	8	17	7	10	15	25	36	39	50	63	63	56	47	31	10	-	-
	F	398	1	-	2	-	-	2	2	6	7	9	4	10	16	21	20	25	24	35	56	55	51	33	19	1	-
	Nonwhite—M	40	-	-	-	-	-	-	1	1	1	-	1	1	4	5	6	5	4	3	5	-	1	-	2	-	-
	F	37	-	-	-	-	-	-	-	1	-	2	2	4	4	6	6	5	1	3	1	2	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	1,668	332	80	17	5	7	26	7	11	17	19	21	30	42	82	69	100	131	137	133	147	129	88	45	12	1
	White—M	887	158	28	11	3	4	14	1	5	2	9	9	10	20	44	43	62	89	87	83	76	66	49	18	4	1
	F	577	119	25	5	1	3	10	4	6	10	5	7	9	11	14	14	20	38	40	44	67	59	36	24	8	-
	Nonwhite—M	113	30	3	-	-	-	2	2	-	2	2	3	7	8	16	9	8	3	6	2	2	4	2	2	-	-
	F	81	25	3	1	1	-	-	-	-	3	3	2	4	3	8	3	10	3	4	4	2	-	1	1	-	-
480-485	Influenza	106	23	5	3	1	-	4	-	2	-	5	-	2	1	3	2	4	10	2	12	9	8	7	3	-	-
	White—M	50	14	1	2	1	-	3	-	2	-	2	-	1	-	1	1	2	4	-	5	5	2	2	2	-	-
	F	49	6	4	1	-	-	-	-	-	-	2	-	1	1	2	1	2	6	1	7	3	6	5	1	-	-
	Nonwhite—M	5	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	1,582	309	55	14	4	7	22	7	9	17	14	21	28	41	79	67	96	121	135	121	138	121	81	42	12	1
	White—M	847	144	28	9	2	4	11	1	3	2	7	9	9	20	43	42	60	85	87	78	71	64	47	16	4	1
	F	528	113	21	4	1	3	10	4	6	10	3	3	7	8	10	12	13	18	30	39	37	64	53	31	23	8
	Nonwhite—M	108	27	3	-	-	-	1	2	-	2	2	3	7	8	16	9	8	3	5	2	2	4	2	2	-	-
	F	79	25	3	1	1	-	-	-	-	3	2	2	4	3	8	3	10	3	4	4	1	-	1	1	-	-
500-502	Bronchitis	94	25	4	1	3	1	6	-	-	1	-	-	-	1	-	2	8	5	9	7	5	9	5	1	-	1
	White—M	58	11	1	1	1	1	3	-	-	-	-	-	-	1	-	1	7	5	6	6	4	6	3	-	-	1
	F	30	11	2	-	2	-	2	-	-	-	-	-	-	-	-	1	1	-	3	1	1	3	2	1	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	343	1	-	-	-	-	-	-	-	4	4	6	19	20	25	35	38	70	40	41	18	13	8	1	-	-
	White—M	273	1	-	-	-	-	-	-	-	2	3	3	12	17	22	30	30	61	36	28	17	8	3	-	-	-
	F	56	-	-	-	-	-	-	-	-	1	-	2	4	3	3	4	6	7	2	12	1	5	5	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	1	2	2	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-
550-553	Appendicitis	136	-	2	2	2	-	7	5	4	8	7	4	5	7	6	7	11	12	14	17	6	5	4	1	-	-
	White—M	79	-	2	2	1	-	1	3	4	3	3	-	2	3	2	7	9	6	11	12	3	1	3	-	-	-
	F	43	-	-	-	1	-	6	2	-	5	2	2	1	2	1	-	2	4	3	5	2	3	1	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	2	1	1	1	2	-	-	2	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	438	43	5	-	2	1	3	3	4	4	6	7	11	10	19	37	43	36	47	44	56	26	22	8	1	-
	White—M	237	25	4	-	1	1	2	2	3	2	1	3	2	7	17	24	26	31	22	39	12	11	1	-	-	-
	F	178	17	-	-	1	-	1	1	-	2	4	6	6	6	9	18	13	8	15	22	16	14	11	7	1	-
	Nonwhite—M	12	1	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	1	1	-	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	1	-	2	1	2	1	2	1	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MICHIGAN—Con.																										
543,	Gastritis, etc.*—	340	192	12	4	1	1	3	3	4	3	4	2	2	9	9	5	9	10	13	13	15	16	6	4	-	-
571,	White——M—	174	97	7	3	-	-	3	2	1	-	3	1	2	3	5	3	7	5	7	8	5	5	4	2	-	-
572	F—	136	74	3	1	1	1	-	1	3	2	1	1	-	4	3	2	2	4	5	3	10	11	2	2	-	-
	Nonwhite—M—	17	12	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	1	-	-	-	-	-	-
	F—	13	9	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	555	2	-	-	1	-	-	2	1	1	5	15	26	49	61	67	88	80	53	43	30	17	14	-	-	-
	White——M—	339	1	-	-	1	-	-	1	1	1	1	11	14	21	31	36	67	56	36	29	16	13	4	-	-	-
	F—	182	1	-	-	-	-	-	2	-	-	4	3	8	22	25	26	20	19	15	12	12	4	9	-	-	-
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	1	4	3	3	2	1	3	2	2	1	-	1	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	-	2	-	-	1	-	-	-	-	-
580,	Acute nephritis,																										
591	etc.*—	141	3	1	-	-	2	5	7	3	3	7	5	6	7	9	7	6	13	11	15	17	9	3	1	-	-
	White——M—	75	2	-	1	-	1	1	6	-	1	4	3	3	2	6	4	5	6	2	9	11	5	3	-	-	-
	F—	61	1	-	-	-	1	3	1	3	2	2	1	3	5	3	3	1	6	9	6	6	4	-	1	-	-
	Nonwhite—M—	5	-	1	-	-	-	1	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	207	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	15	25	32	45	38	28	11	3	-
	White——M—	196	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	9	14	22	30	45	36	28	11	2	-
	Nonwhite—M—	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2	-	2	-	-	1	-
640-	Complications of																										
689	pregnancy, etc.*—	87	...	...	...	...	...	...	-	7	19	26	22	15	7	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	70	...	...	...	...	...	...	-	6	9	19	15	14	6	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	27	...	...	...	...	...	...	-	1	10	7	7	1	1	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	16	...	...	...	...	...	...	-	2	3	5	2	4	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	13	...	...	...	...	...	...	-	2	1	5	1	4	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	3	...	...	...	...	...	...	-	-	2	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	81	...	...	...	...	...	...	-	5	16	21	20	11	7	1	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	57	...	...	...	...	...	...	-	4	8	14	14	10	6	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	24	...	...	...	...	...	...	-	1	8	7	6	1	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	942	738	33	14	11	7	20	12	12	11	10	8	10	12	9	12	11	4	4	2	1	1	-	-	-	-
	White——M—	479	376	11	7	5	3	11	7	9	6	3	2	4	7	5	6	9	4	3	-	-	1	-	-	-	-
	F—	413	321	20	7	6	3	9	5	3	3	5	5	6	5	4	5	2	-	1	2	1	-	-	-	-	-
	Nonwhite—M—	20	16	1	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	30	25	1	-	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	2,688	2,689	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	1,376	1,376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	954	954	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	209	209	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	150	150	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	851	851	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	457	457	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	289	289	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	193	193	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	70	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	1,645	1,645	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	824	824	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	595	595	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	577	33	1	2	4	-	2	2	1	2	1	2	6	6	10	13	26	25	25	43	82	94	113	67	13	4
795	White——M—	303	20	-	2	-	-	1	-	-	-	-	1	4	4	7	4	20	23	14	25	47	44	51	30	4	2
	F—	252	12	1	-	3	-	1	1	1	1	-	1	1	1	3	5	5	1	10	18	33	47	60	36	9	*2
	Nonwhite—M—	12	-	-	-	1	-	-	1	-	1	1	-	-	-	-	3	-	1	-	-	2	-	2	-	-	-
	F—	10	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	3	-	1	-	-
Re-	All other diseases	2,625	175	42	15	14	9	37	16	38	42	68	53	76	81	128	180	225	260	313	288	253	154	121	33	3	2
sid-	White——M—	1,338	97	21	5	5	7	21	8	21	21	23	22	33	36	66	95	126	142	152	152	127	87	61	9	1	1
ual	F—	1,116	56	17	9	9	2	13	6	12	17	35	27	27	39	50	67	92	105	146	122	120	65	60	22	2	-
	Nonwhite—M—	91	10	3	1	-	-	-	2	3	1	3	3	8	1	7	10	5	11	7	9	4	2	-	1	-	-
	F—	78	12	1	-	-	-	3	-	2	3	9	1	6	5	5	8	2	2	8	5	2	-	-	1	-	1
E800-	Accidents—	3,808	141	68	58	41	38	155	103	204	271	189	202	189	170	209	194	217	232	227	240	261	208	192	77	18	4
E962	White——M—	2,500	76	34	30	19	20	94	76	170	225	141	141	129	109	142	140	168	174	159	131	138	88	68	19	5	4
	F—	1,165	50	28	21	16	15	46	22	26	30	30	37	34	42	46	42	40	48	63	105	114	116	123	58	13	-
	Nonwhite—M—	169	9	3	4	5	1	11	4	5	11	13	19	21	12	17	12	5	5	4	3	5	-	-	-	-	-
	F—	74	6	3	3	1	2	4	1	3	5	5	5	5	7	4	-	4	5	1	1	4	4	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents—	1,992	12	22	19	16	16	73	37	128	185	113	109	99	86	113	95	108	98	85	82	56	22	15	1	1	3
	White——M—	1,131	8	12	8	4	9	45	27	105	152	83	77	85	57	67	61	82	74	65	57	40	17	11	1	1	3
	F—	367	4	10	8	9	6	22	9	17	25	22	21	22	22	34	30	22	22	17	24	13	4	4	-	-	-
	Nonwhite—M—	71	-	-	2	3	-	6	1	2	4	6	7	9	6	11	4	2	1	3	1	3	-	-	-	-	-
	F—	23	-	-	1	-	1	-	-	2	4	2	4	3	1	1	-	2	1	-	-	-	1	-	-	-	-
E800-	All ot. accidents—	2,316	129	46	39	25	22	82	66	78	86	76	93	90	84	96	99	109	134	142	158	205	186	177	76	17	1
E802,	White——M—	1,369	88	22	22	15	11	49	49	65	73	58	64	64	52	75	79	86	100	94	74	98	71	57	18	4	1
E840-	F—	798	46	18	13	7	9	24	13	9	5	8	18	12	20	12	12	18	26	46	81	101	112	119	58	13	-
E962	Nonwhite—M—	98	9	3	2	2	1	5	3	3	7	7	12	12	6	6	8	3	4	1	2	2	-	-	-	-	-
	F—	51	6	3	2	1	1	4	1	1	1	3	1	2	6	3	-	2	4	1	1	4	3	1	-	-	-
E963,	Suicide—	653	-	-	-	-	-	-	7	27	35	41	63	68	67	64	89	73	48	32	20	8	6	3	1	1	
E970-	White——M—	492	-	-	-	-	-	-	6	18	20	23	44	54	49	48	68	63	39	26	18	7	4	3	1	1	
E979	F—	137	-	-	-	-	-	-	1	7	12	13	13	14	15	15	21	8	8	5	2	1	2	-	-	-	
	Nonwhite—M—	19	-	-	-	-	-	-	-	2	1	3	5	-	3	1	-	2	1	1	-	-	-	-	-	-	
	F—	5	-	-	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	
E964,	Homicide—	219	8	1	-	-	2	7	1	9	28	32	25	27	29	15	13	4	9	4	2	1	2	-	-	-	
E980-	White——M—	56	4	-	-	-	1	5	1	-	4	8	7	5	3	2	5	1	3	4	1	-	2	-	-	-	
E985	F—	49	4	1	-	-	1	2	-	3	4	3	5	7	5	6	3	-	3	-	1	1	-	-	-	-	
	Nonwhite—M—	88	-	-	-	-	-	-	-	1	14	19	11	12	15	6	4	3	3	-	-	-	-	-	-	-	
	F—	26	-	-	-	-	-	-	-	5	6	2	2	3	6	1	1	-	-	-	-	-	-	-	-	-	
E965,	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA																										
	ALL CAUSES	27,719	1,893	115	105	53	42	195	137	216	244	251	295	468	638	898	1,331	2,054	2,583	2,986	3,354	3,629	3,219	2,056	800	156	21
	White	15,939	1,046	70	60	30	21	125	89	157	157	159	185	291	391	541	856	1,263	1,615	1,776	1,911	2,025	1,693	1,016	374	79	9
	White—M	11,448	791	41	41	22	19	67	43	51	78	85	103	166	237	344	454	743	942	1,177	1,418	1,578	1,502	1,034	424	76	10
	White—F	199	31	3	1	1	1	3	2	4	7	4	1	7	4	8	13	18	19	20	19	12	14	3	2	-	2
	Nonwhite	135	25	1	3	-	1	-	3	4	2	3	6	4	6	5	8	10	7	13	6	14	10	3	-	1	-
	Nonwhite—M	9	-	1	-	-	-	-	-	-	-	2	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite—F	7	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms	377	2	1	1	1	1	1	-	4	10	14	15	23	25	38	36	34	45	46	27	29	12	9	2	1	-
	White	246	2	-	1	-	-	1	-	3	4	5	9	14	13	25	28	23	34	31	16	20	8	7	2	-	-
	White—M	115	-	-	-	1	1	-	-	1	5	5	6	8	11	12	6	9	10	14	11	8	4	2	-	1	-
	White—F	9	-	1	-	-	-	-	-	-	-	2	-	1	-	1	2	1	-	-	-	1	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M																										
	Nonwhite—F																										
001-008	Tuberculosis of respiratory system	342	-	-	-	-	-	1	-	2	9	13	15	20	25	33	33	31	43	45	25	24	11	9	2	1	-
	White	228	-	-	-	-	-	1	-	2	4	5	9	12	13	22	25	22	33	31	15	16	7	7	2	-	-
	White—M	101	-	-	-	-	-	-	-	-	4	4	6	7	11	10	5	8	9	13	10	6	4	2	-	1	-
	White—F	6	-	-	-	-	-	-	-	-	-	2	-	1	-	1	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite	7	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M																										
	Nonwhite—F																										
010-019	Tuberculosis, other forms	35	2	1	1	1	1	-	-	2	1	1	-	3	-	5	3	3	2	1	2	5	1	-	-	-	-
	White	18	2	-	1	-	-	-	-	1	-	-	-	2	-	3	3	1	1	-	1	2	1	-	-	-	-
	White—M	14	-	-	-	1	1	-	-	1	1	1	-	1	-	2	-	1	1	1	1	2	-	-	-	-	-
	White—F	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																										
	Nonwhite—F																										
020-029	Syphilis and its sequelae	118	-	-	-	-	-	-	-	-	-	-	2	2	4	4	10	17	24	16	16	13	7	1	2	-	-
	White	74	-	-	-	-	-	-	-	-	-	-	-	2	3	1	7	12	15	12	11	7	5	-	1	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	-	-	2	1	1	3	3	4	6	2	4	5	2	1	1	-	-
	White—F	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M																										
	Nonwhite—F																										
045-048	Dysentery, all forms	6	1	-	1	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	White	5	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 061	Scarlet fever, etc.*	8	2	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	White	4	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	11	-	-	-	1	1	3	-	-	1	-	-	1	1	1	-	1	-	2	-	-	-	-	-	-	-	-
	White	6	-	-	-	-	-	2	-	-	1	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-
	White—M	5	-	-	-	1	1	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
058	Whooping cough	6	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	20	8	1	3	1	1	2	-	-	-	-	-	2	-	1	1	-	1	-	-	1	-	-	-	-	-	-
	White	12	6	-	2	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	1	1	1	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	114	3	2	3	2	1	17	21	15	8	14	11	7	5	2	-	2	-	-	-	-	-	-	-	-	-	-
	White	70	2	2	1	2	1	10	10	10	5	11	8	3	3	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	43	1	-	1	-	-	7	11	5	4	3	3	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	61	6	4	-	1	1	1	1	2	3	-	3	2	4	5	2	2	4	5	3	3	5	2	1	1	-
	White	34	3	4	-	-	1	1	1	1	3	-	2	1	2	2	2	-	4	2	1	1	3	1	-	-	-
	White—M	26	2	-	-	1	1	-	-	1	-	-	1	1	2	3	-	2	-	3	2	2	2	1	1	1	-
	White—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
140-205	Malignant neoplasms, etc.*----	4,340	7	7	10	5	7	33	15	12	28	28	52	83	116	226	315	484	539	600	603	550	376	187	50	7	3
	White----M--	2,308	1	7	4	1	5	22	7	10	16	21	27	34	37	97	148	217	290	321	343	327	231	109	27	3	3
	F--	1,986	6	-	6	2	2	11	7	2	12	7	25	48	78	129	163	259	244	270	258	221	143	78	23	4	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	2	4	3	1	1	-	-	-	-
	F--	17	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	3	3	5	1	1	-	-	-	-	-
140-148	Of buccal cavity and pharynx----	68	-	-	-	-	-	-	-	-	-	-	1	-	1	3	10	9	12	13	9	4	11	6	3	-	-
	White----M--	66	-	-	-	-	-	-	-	-	-	-	1	-	-	3	8	6	9	10	8	3	10	5	3	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	2	1	1	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,887	1	-	1	-	1	-	-	-	3	2	10	25	25	83	106	171	252	299	307	303	196	94	26	2	-
	White----M--	1,112	-	-	1	-	1	-	-	-	2	2	3	16	10	56	66	98	152	184	172	179	130	52	10	-	-
	F--	757	1	-	-	-	-	-	-	-	3	-	7	9	15	27	38	68	98	110	131	124	66	42	16	2	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	1	2	3	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	-	-	-	-	-
160-164	Of respiratory system----------	288	-	-	-	-	-	-	-	-	-	1	2	1	9	13	25	60	46	39	42	24	20	3	2	-	1
	White----M--	219	-	-	-	-	-	-	-	-	-	1	1	1	7	10	20	44	38	35	31	14	12	2	2	-	1
	F--	67	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	15	8	4	11	9	8	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	390	-	-	-	-	-	-	-	-	-	2	6	9	22	40	53	48	51	56	42	26	21	10	3	1	-
	White----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-
	F--	385	-	-	-	-	-	-	-	-	-	2	6	9	22	40	52	47	49	56	40	26	20	10	3	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
171-179	Of genital organs----	626	-	-	-	-	-	-	1	-	3	4	5	17	24	44	34	78	57	75	81	98	53	43	8	2	1
	White----M--	302	-	-	-	-	-	-	-	-	1	3	3	2	1	5	4	11	23	38	54	70	42	35	7	2	1
	F--	320	-	-	-	-	-	-	1	-	2	1	2	14	22	39	30	65	33	36	27	28	11	8	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs----	199	-	-	-	-	1	-	1	-	-	-	1	2	5	7	9	26	32	25	35	31	16	7	-	1	-
	White----M--	125	-	-	-	-	-	-	1	-	-	-	1	1	3	6	4	15	22	13	27	20	8	1	-	1	-
	F--	74	-	-	-	-	1	-	-	-	-	-	-	1	2	1	5	10	9	12	8	11	8	6	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	415	3	2	5	1	-	10	8	7	10	5	7	18	10	31	40	46	38	42	41	27	37	17	7	1	1
	White----M--	215	-	2	2	-	-	7	2	6	6	4	5	10	5	21	23	19	16	16	24	14	16	12	4	-	1
	F--	197	3	-	3	1	-	3	6	1	4	1	2	9	5	10	17	27	22	24	17	13	20	5	3	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	246	3	3	3	2	4	18	3	4	5	6	10	6	6	14	19	21	27	22	31	25	10	3	1	-	-
	White----M--	155	1	3	1	1	3	12	2	4	4	4	7	1	3	11	10	12	16	12	17	21	8	1	1	-	-
	F--	90	2	-	2	1	1	6	-	-	1	2	3	5	3	3	9	9	11	10	14	4	2	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	207	-	2	1	-	1	5	2	1	7	8	10	4	14	11	19	27	24	29	15	12	11	4	-	-	-
	White----M--	112	-	2	-	-	1	3	2	-	5	7	6	3	8	5	13	12	13	13	8	6	4	1	-	-	-
	F--	94	-	-	1	-	-	2	-	1	2	1	4	1	6	6	6	15	11	16	7	5	7	3	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	98	7	-	-	1	-	3	-	2	1	2	3	3	6	6	11	8	6	11	11	6	6	5	-	-	-
	White----M--	36	3	-	-	1	-	2	-	1	-	1	-	1	1	3	4	3	3	2	7	3	-	1	-	-	-
	F--	60	4	-	-	-	-	1	-	1	1	1	2	2	5	3	7	5	3	8	4	3	6	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus----	496	-	-	-	-	-	1	2	2	4	10	5	9	8	10	17	33	66	77	80	74	57	23	8	1	-
	White----M--	200	-	-	-	-	-	1	1	2	2	4	4	7	4	7	9	14	19	26	37	26	26	8	2	1	-
	F--	289	-	-	-	-	-	-	1	-	2	6	2	2	4	3	8	19	45	50	51	47	31	14	4	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	1	-	-	-	-
280-283	Anemias----------	105	1	-	1	-	-	1	1	1	2	2	-	-	2	2	6	3	6	6	19	21	17	11	2	1	-
	White----M--	32	-	-	-	-	-	1	1	-	-	1	-	-	1	2	2	2	3	2	10	9	10	7	1	-	-
	F--	49	1	-	1	-	-	-	-	-	1	1	-	-	1	-	4	1	3	4	9	10	7	4	1	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	22	11	1	3	-	1	1	-	-	-	-	1	-	-	-	-	-	-	3	1	-	-	-	-	-	-
	White----M--	16	7	1	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	3	1	-	-	-	-	-	-
	F--	5	3	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	14,861	3	3	5	1	1	15	15	29	33	33	45	133	227	376	854	1,063	1,488	1,815	2,152	2,412	2,249	1,447	558	98	8
	White----M--	8,602	2	3	4	1	-	7	12	16	18	17	28	90	158	256	466	719	964	1,106	1,234	1,340	1,145	704	262	49	1
	F--	6,146	1	-	1	-	-	8	3	13	15	16	17	41	65	113	181	331	513	691	905	1,059	1,095	740	294	48	6
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	1	2	3	5	7	11	13	9	5	10	2	2	-	1
	F--	44	-	-	-	1	-	-	-	-	-	-	-	1	2	4	4	6	-	3	4	8	9	1	-	1	-
330-334, 400-468	Diseases of cardiovascular system-	14,585	3	2	4	1	1	14	10	20	24	30	37	126	216	366	833	1,038	1,465	1,781	2,135	2,372	2,232	1,426	550	96	8
	White----M--	8,453	2	2	4	1	-	7	7	14	13	14	24	83	152	252	451	707	949	1,086	1,224	1,320	1,139	695	258	48	1
	F--	6,020	1	-	-	-	-	7	3	6	11	16	13	41	60	107	175	315	505	679	896	1,040	1,074	728	290	47	6
	Nonwhite--M--	69	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	7	11	13	9	5	10	2	2	-	1
	F--	43	-	-	-	1	-	-	-	-	-	-	-	1	2	4	4	6	-	3	4	7	9	1	-	1	-
330-334	Vascular lesions, etc.*----------	3,517	2	1	2	1	-	-	-	4	5	6	8	18	36	76	122	200	305	433	557	641	607	341	134	18	-
	White----M--	1,755	2	1	2	1	-	-	-	3	3	-	7	8	19	35	61	106	152	226	281	332	283	163	61	7	-
	F--	1,740	-	-	-	-	-	-	-	1	2	6	1	10	17	36	60	93	149	202	274	303	320	177	73	11	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	4	5	2	1	2	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	2	1	-	-	-
400-402	Rheumatic fever----	47	-	-	1	-	1	5	5	6	2	2	3	4	10	1	1	3	-	-	1	-	1	1	-	-	-
	White----M--	27	-	-	1	-	-	3	3	4	-	1	2	2	6	1	1	2	-	-	-	-	-	1	-	-	-
	F--	19	-	-	-	-	-	2	2	2	2	1	1	2	4	-	-	1	-	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Birth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
410-443	Diseases of heart-	9,735	1	1	1	-	-	9	5	9	12	19	24	92	181	272	484	795	1,100	1,272	1,450	1,533	1,327	831	286	45	6
	White-----M--	5,985	-	1	1	-	-	4	4	7	7	13	15	66	123	207	371	575	768	813	870	881	695	408	135	21	-
	F--	3,671	1	-	-	-	-	5	1	2	5	6	9	24	34	63	107	209	327	449	569	642	618	422	149	24	5
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	1	2	-	3	6	5	7	7	4	7	1	2	-	1
	F--	33	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	5	-	3	4	6	7	-	-	-	-
410-416	Chronic rheumatic heart disease----	414	...	-	-	-	-	4	3	3	4	5	10	16	29	35	36	52	40	46	46	33	29	19	3	1	-
	White-----M--	234	...	-	-	-	-	2	2	2	1	2	5	10	22	19	24	21	27	29	24	20	18	6	1	1	-
	F--	171	...	-	-	-	-	2	1	1	3	3	5	6	6	16	10	31	13	17	18	13	11	13	2	-	-
	Nonwhite--M--	5	...	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-
	F--	4	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	6,185	-	-	-	-	-	1	-	1	4	5	10	54	100	185	354	566	788	876	983	964	712	424	137	20	1
	White-----M--	4,118	-	-	-	-	-	1	-	1	3	4	7	44	86	153	281	451	575	583	621	595	398	226	66	10	-
	F--	2,027	-	-	-	-	-	-	-	-	1	1	3	10	12	30	62	108	210	287	358	364	306	195	69	10	1
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	4	2	1	4	1	2	-	-
	F--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	-	2	2	4	3	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,356	...	1	1	-	-	2	-	2	3	2	1	8	9	14	28	60	78	105	162	242	310	221	93	12	4
	White-----M--	748	...	1	1	-	-	1	-	2	2	1	-	4	3	9	18	34	50	62	100	131	159	115	47	6	-
	F--	604	...	-	-	-	-	1	-	-	1	1	1	4	6	5	10	24	28	43	62	109	148	106	46	6	3
	Nonwhite--M--	6	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	2	-	-	-	1
	F--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
430-434	Other diseases of heart---------	444	1	-	-	-	-	2	2	3	1	5	3	5	11	12	18	43	64	65	51	53	56	28	14	7	-
	White-----M--	266	-	-	-	-	-	-	2	2	1	4	3	4	7	8	11	27	43	47	30	33	24	9	7	4	-
	F--	174	1	-	-	-	-	2	-	1	-	1	-	1	4	4	6	15	20	18	21	20	31	19	7	3	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.--	1,334	-	-	-	-	-	-	-	-	-	2	-	8	12	26	48	74	130	180	208	241	220	139	39	8	1
	White-----M--	621	-	-	-	-	-	-	-	-	-	2	-	4	5	18	27	42	73	92	95	102	97	50	14	-	-
	F--	695	-	-	-	-	-	-	-	-	-	-	-	3	6	8	19	31	56	84	110	136	122	89	25	5	1
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	3	3	2	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	1	1	-	-	-	-
444-447	Hypertension without mention of heart----------	286	-	-	-	-	-	-	-	-	-	1	2	6	7	10	8	15	22	14	33	50	63	37	15	3	-
	White-----M--	131	-	-	-	-	-	-	-	-	-	-	-	2	3	5	6	8	9	11	16	25	26	12	8	-	-
	F--	154	-	-	-	-	-	-	-	-	-	1	2	4	4	5	2	7	12	3	17	25	37	25	7	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	819	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	8	21	32	65	125	212	206	112	29	2
	White-----M--	449	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	10	20	42	71	121	103	52	19	1
	F--	365	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	10	12	23	53	90	102	60	9	1
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-
451-468	Other diseases of circulatory sys.-	181	-	-	-	-	-	-	-	1	5	2	-	6	2	5	13	14	17	30	27	23	22	10	3	1	-
	White-----M--	108	-	-	-	-	-	-	-	-	3	-	-	5	1	2	9	11	10	16	15	11	14	8	2	1	-
	F--	71	-	-	-	-	-	-	-	1	2	2	-	1	1	3	4	2	7	13	12	12	8	2	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	276	-	1	1	-	-	1	5	9	9	3	8	7	11	10	21	28	23	32	19	40	17	21	6	2	-
	White-----M--	149	-	1	-	-	-	1	5	2	5	3	4	7	8	4	15	12	15	20	10	20	8	8	4	1	-
	F--	126	-	-	1	-	-	1	-	7	4	-	4	-	5	6	6	16	8	12	9	19	11	12	4	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	787	131	16	9	5	3	4	4	4	3	5	4	9	15	18	24	26	43	45	68	100	117	84	40	8	2
	White-----M--	432	70	9	7	3	1	2	1	3	2	2	3	6	10	8	14	21	32	30	35	46	58	41	23	4	1
	F--	329	49	7	2	1	2	2	3	1	1	3	1	3	5	9	8	5	10	13	31	52	57	42	17	4	1
	Nonwhite--M--	17	7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	2	1	-	-	-
	F--	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
480-483	Influenza----------	46	4	3	1	-	-	1	1	-	-	-	1	-	-	-	2	2	3	1	3	9	5	8	2	-	-
	White-----M--	28	3	3	1	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	1	7	3	3	2	-	-
	F--	18	1	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	1	1	2	2	2	5	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	741	127	13	8	5	3	3	3	4	3	5	3	9	15	18	22	24	40	44	65	91	112	76	38	8	2
	White-----M--	404	67	6	6	3	1	2	1	3	2	2	2	6	10	8	13	20	30	30	34	39	55	38	21	4	1
	F--	311	48	7	2	1	2	1	2	1	1	3	1	3	5	9	7	4	9	12	29	50	55	37	17	4	1
	Nonwhite--M--	17	7	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	2	1	-	-	-
	F--	9	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-
500-502	Bronchitis---------	50	18	-	1	-	1	-	-	-	-	-	-	1	-	2	-	-	3	5	3	6	4	5	1	-	-
	White-----M--	26	12	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	2	2	1	2	1	2	-	-	-
	F--	23	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	4	2	3	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	129	1	-	-	-	-	-	1	-	-	2	1	2	6	4	13	25	12	19	11	13	11	3	4	1	-
	White-----M--	98	-	-	-	-	-	-	1	-	-	2	-	1	5	4	10	21	9	16	9	7	9	-	3	1	-
	F--	28	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	3	3	3	2	5	2	3	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	55	-	-	3	-	2	5	2	4	3	-	1	1	4	3	2	5	5	4	5	4	1	-	1	-	-
	White-----M--	44	-	-	3	-	-	3	2	4	3	-	1	-	4	3	1	5	3	4	4	3	-	-	1	-	-
	F--	11	-	-	-	-	2	2	-	-	-	-	-	1	-	-	1	-	2	-	1	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	170	24	-	2	-	-	-	-	1	1	3	2	-	4	7	3	12	15	20	18	26	21	5	5	1	-
	White-----M--	84	14	-	2	-	-	-	-	-	1	1	1	-	2	5	2	6	10	6	8	14	7	2	3	1	-
	F--	84	10	-	-	-	-	-	-	1	1	2	1	-	2	2	1	6	5	14	9	11	14	3	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* *For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MINNESOTA—Con.																										
543, 571, 572	Gastritis, etc.*—	105	33	6	3	-	-	-	-	1	1	-	2	2	1	2	1	8	8	9	7	6	9	5	1	-	-
	White— M—	46	18	3	1	-	-	-	-	-	-	-	-	-	1	-	-	4	3	5	3	2	3	3	-	-	-
	F—	54	12	1	2	-	-	-	-	1	1	-	2	2	-	2	1	4	5	4	4	4	6	2	1	-	-
	Nonwhite— M—	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	184	-	-	1	-	-	1	2	1	-	1	4	9	18	18	22	21	24	17	21	10	11	2	1	-	-
	White— M—	112	-	-	-	-	-	-	-	-	-	-	3	6	11	6	16	13	19	9	15	6	6	2	-	-	-
	F—	67	-	-	1	-	-	-	2	1	-	1	-	3	7	11	5	8	5	7	6	4	5	-	1	-	-
	Nonwhite— M—	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	46	-	-	3	1	-	1	-	4	1	1	1	1	2	6	1	3	2	7	5	4	3	-	-	-	-
	White— M—	28	-	-	2	1	-	1	-	2	-	1	-	1	1	2	-	1	2	6	3	2	3	-	-	-	-
	F—	18	-	-	1	-	-	-	-	2	1	-	1	-	1	4	1	2	-	1	2	2	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	14	20	36	35	24	9	2	-
	White— M—	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	10	14	20	36	35	24	9	2	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	40	...	...	...	...	...	...	-	2	6	14	9	5	4	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	39	...	...	...	...	...	...	-	1	6	14	9	5	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion	4	...	...	...	...	...	...	-	-	1	1	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	4	...	...	...	...	...	...	-	-	1	1	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications	36	...	...	...	...	...	...	-	2	5	13	7	5	4	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	35	...	...	...	...	...	...	-	1	5	13	7	5	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations	435	334	23	9	2	3	10	3	6	4	3	2	7	4	5	4	11	2	-	1	1	1	-	-	-	-
	White— M—	223	172	10	5	-	1	7	3	3	2	2	1	3	1	2	1	6	1	-	1	1	1	-	-	-	-
	F—	209	159	13	4	2	2	3	-	3	2	1	1	4	3	3	3	5	1	-	-	-	-	-	-	-	-
	Nonwhite— M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	1,147	1,147	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	661	661	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	460	460	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	420	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	250	250	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	662	662	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	376	376	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	272	272	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	276	15	1	1	-	1	1	1	-	3	2	-	2	4	3	9	8	14	14	15	31	37	58	39	17	2
	White— M—	148	6	1	-	-	1	-	1	-	1	1	-	1	1	2	9	8	10	10	11	17	16	30	11	9	-
	F—	119	7	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	3	4	4	13	20	28	28	8	1
	Nonwhite— M—	6	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1
	F—	3	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1
Residual	All other diseases	1,354	65	16	10	8	5	23	15	15	22	21	37	41	55	58	72	121	127	121	152	150	111	69	27	11	2
	White— M—	711	33	9	3	6	3	11	9	10	6	6	20	21	28	30	35	67	71	71	75	86	58	33	12	7	1
	F—	626	28	6	6	2	1	12	5	5	15	15	17	19	26	28	36	51	56	50	76	64	53	35	15	4	1
	Nonwhite— M—	12	2	1	1	-	1	-	-	-	1	-	-	1	-	-	1	3	-	-	1	-	-	-	-	-	-
	F—	5	2	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-
E800-E962	Accidents	1,799	67	31	36	26	13	69	51	98	101	82	77	95	91	69	86	99	101	101	93	122	122	112	47	7	4
	White— M—	1,220	28	19	22	15	8	50	39	82	87	71	63	79	76	56	68	75	81	69	55	59	64	38	13	2	3
	F—	541	36	12	14	11	5	17	9	11	10	10	10	11	13	10	17	24	18	32	37	62	58	74	34	5	1
	Nonwhite— M—	24	2	-	-	-	-	1	2	3	4	1	1	3	1	2	1	-	2	-	1	-	-	-	-	-	-
	F—	14	1	-	-	-	-	1	2	-	-	-	3	2	1	1	2	-	-	-	-	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents	580	3	10	6	12	6	18	16	65	61	40	41	40	43	33	32	33	35	34	31	18	8	5	-	-	-
	White— M—	429	2	6	4	6	3	13	12	54	54	32	31	30	30	19	20	20	26	25	20	13	5	4	-	-	-
	F—	134	1	4	2	6	3	5	3	8	6	7	7	9	11	2	10	13	8	9	11	5	3	1	-	-	-
	Nonwhite— M—	7	-	-	-	-	-	-	1	2	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F—	10	-	-	-	-	-	-	1	1	-	-	3	1	1	1	2	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	1,219	64	21	30	14	7	50	35	33	40	42	36	55	48	46	54	66	66	67	62	104	114	107	47	7	4
	White— M—	791	26	15	18	9	5	37	27	28	33	39	32	49	46	37	46	55	55	44	35	46	59	34	13	2	3
	F—	407	35	6	12	5	2	12	6	3	4	3	3	2	2	8	7	11	10	23	26	57	55	73	34	5	1
	Nonwhite— M—	17	2	-	-	-	-	1	2	1	3	-	1	3	-	1	1	-	1	-	1	-	-	-	-	-	-
	F—	4	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E963, E970-E979	Suicide	313	-	-	-	-	-	2	7	8	12	15	23	30	33	36	46	35	29	13	11	6	3	4	-	-	-
	White— M—	263	-	-	-	-	-	1	4	7	12	13	18	24	27	30	42	27	26	11	10	4	3	4	-	-	-
	F—	46	-	-	-	-	-	1	2	-	-	2	5	5	6	5	4	8	3	2	1	2	-	-	-	-	-
	Nonwhite— M—	4	-	-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	32	4	1	-	-	-	4	-	4	1	2	2	3	2	-	4	1	-	4	-	-	-	-	-	-	-
	White— M—	24	2	1	-	-	-	3	-	4	-	1	1	2	2	-	4	1	-	3	-	-	-	-	-	-	-
	F—	5	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite— M—	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI																										
	ALL CAUSES	20,661	2,631	198	108	72	62	193	167	304	405	432	434	656	800	972	1,240	1,399	1,654	2,065	2,103	1,973	1,405	779	333	159	136
	White—M	5,515	545	34	23	13	14	45	31	71	97	97	97	115	178	228	340	433	526	805	654	622	408	218	85	22	14
	F	5,866	378	20	15	8	13	25	20	29	45	53	66	77	102	139	181	204	294	410	490	551	380	246	102	32	6
	Nonwhite—M	5,918	986	70	43	31	21	72	67	109	145	149	130	206	254	288	335	414	430	561	532	452	306	160	67	37	53
	F	5,362	722	74	27	20	14	51	49	95	118	133	141	258	266	317	404	348	404	489	427	348	311	155	79	47	65
001-019	Tuberculosis, all forms	605	3	6	2	1	2	5	4	31	64	51	42	66	63	41	47	45	41	35	25	19	10	-	-	-	2
	White—M	132	-	1	-	-	-	1	-	2	5	6	8	9	9	10	15	17	15	13	11	5	5	-	-	-	-
	F	70	-	1	1	-	1	1	-	-	4	6	3	8	6	2	8	5	7	5	4	5	3	-	-	-	-
	Nonwhite—M	193	1	2	1	1	1	1	-	11	17	18	11	21	31	19	11	12	9	14	4	6	-	-	-	-	2
	F	210	2	2	-	-	-	2	4	18	30	21	20	28	17	10	13	11	10	3	6	3	2	-	-	-	-
001-008	Tuberculosis of respiratory system	571	2	1	2	-	1	-	4	29	62	51	40	64	61	40	45	45	39	34	21	19	9	-	-	-	2
	White—M	128	-	-	-	-	-	-	-	2	5	6	8	9	9	10	14	17	15	13	10	5	5	-	-	-	-
	F	64	-	-	1	-	-	-	-	-	4	6	3	8	5	2	8	5	6	5	3	5	3	-	-	-	-
	Nonwhite—M	181	1	-	1	-	1	-	-	10	16	18	11	20	30	18	11	12	8	13	3	6	-	-	-	-	2
	F	198	1	1	-	-	-	-	4	17	37	21	18	27	17	10	12	11	10	3	5	3	1	-	-	-	-
010-019	Tuberculosis, other forms	34	1	5	-	1	1	5	-	2	2	-	2	2	2	1	2	-	2	1	4	-	1	-	-	-	-
	White—M	4	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	6	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M	12	-	2	-	1	-	1	-	1	1	-	-	1	1	1	-	-	1	1	1	-	-	-	-	-	-
	F	12	1	1	-	-	-	2	-	1	1	-	2	1	-	-	1	-	-	-	1	-	1	-	-	-	-
020-029	Syphilis and its sequelae	156	12	2	-	-	-	-	-	1	1	3	8	6	15	18	19	14	19	14	12	12	1	1	-	-	-
	White—M	21	-	-	-	-	-	-	-	-	-	-	-	-	3	1	4	1	3	1	2	4	1	1	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	-
	Nonwhite—M	88	5	1	-	-	-	-	-	-	1	1	2	5	9	10	12	11	11	11	7	2	-	-	-	-	-
	F	43	7	1	-	-	-	-	-	1	-	2	6	1	3	5	3	2	4	2	3	3	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	64	41	5	-	2	1	-	-	-	-	-	-	1	-	1	1	2	3	1	-	2	3	-	1	-	-
	White—M	9	4	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-
	F	12	5	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	-	1	-	-
	Nonwhite—M	25	20	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	-
	F	18	12	2	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	16	3	1	1	-	-	3	-	1	1	-	-	1	1	-	-	2	2	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-
055	Diphtheria	32	2	3	7	3	7	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	1	2	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	1	-	2	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	32	22	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	4	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	8	1	2	-	-	-	-	-	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Acute poliomyelitis	10	-	1	-	-	1	2	-	1	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	26	6	6	-	-	-	4	1	3	-	-	-	1	-	2	-	1	-	-	-	2	-	-	-	-	-
	White—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	6	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	10	3	3	-	-	-	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	8	2	2	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-
	White—M	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	74	10	4	4	1	2	7	1	1	2	5	3	3	5	6	-	3	4	4	3	3	3	-	-	-	-
	White—M	17	2	2	1	1	-	1	-	1	-	1	1	-	1	1	-	1	1	1	2	-	-	-	-	-	-
	F	11	-	1	-	-	1	1	-	-	1	1	-	-	-	1	-	-	1	1	-	2	1	-	-	-	-
	Nonwhite—M	25	5	-	1	-	-	4	-	-	-	1	-	2	2	3	-	2	2	1	1	-	1	-	-	-	-
	F	21	3	1	2	-	1	1	1	-	1	2	2	1	2	1	-	-	-	1	-	1	1	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas]

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
140-205	Malignant neoplasms, etc.*----	2,077	7	4	7	7	9	9	16	9	15	23	42	77	116	163	204	223	225	269	250	217	113	45	16	5	6
	White----M--	652	1	1	6	3	4	2	6	4	4	6	9	14	23	37	40	73	71	81	100	84	41	15	6	1	-
	F--	600	1	-	-	2	4	3	1	2	4	6	11	22	37	44	52	43	68	85	72	82	40	20	4	1	-
	Nonwhite--M--	350	3	3	1	2	1	3	7	2	2	5	5	9	16	21	36	32	37	51	37	30	16	5	3	1	2
	F--	495	2	-	-	-	-	1	2	1	5	6	17	32	40	61	76	55	51	54	41	21	16	5	3	2	4
140-148	Of buccal cavity and pharynx----	49	-	-	-	-	-	-	1	-	2	-	-	3	1	4	3	7	6	3	5	8	3	3	-	-	-
	White----M--	27	-	-	-	-	-	-	1	-	1	-	-	-	-	3	2	6	2	2	3	3	1	3	-	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	-	1	3	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	F--	9	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	1	1	1	1	1	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	741	1	-	-	-	-	1	-	-	1	2	5	6	15	30	46	80	73	75	118	106	101	54	20	5	1	1
	White----M--	223	-	-	-	-	-	1	-	-	-	1	2	6	7	12	18	21	21	33	37	38	19	5	2	-	-
	F--	215	-	-	-	-	-	-	-	-	-	-	2	3	5	9	17	12	21	32	33	45	23	10	2	1	-
	Nonwhite--M--	167	1	-	-	-	-	-	-	-	1	3	1	4	4	7	23	29	19	31	23	11	6	3	-	-	1
	F--	136	-	-	-	-	-	-	-	-	1	1	1	1	2	14	16	22	11	14	22	13	7	6	2	1	-	-
160-164	Of respiratory system----------	166	-	-	-	-	-	-	-	-	-	3	-	1	4	12	10	18	29	28	22	18	17	2	-	2	-	-
	White----M--	106	-	-	-	-	-	-	-	-	-	1	-	-	3	6	5	10	20	20	15	14	11	1	-	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	4	1	2	2	3	4	-	-	-	-	-
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	2	6	4	5	1	1	-	-	1	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	-	-	1	1	-	1	-	-
170	Of breast----------	145	-	-	-	-	-	-	-	-	-	-	-	4	7	10	19	24	12	16	29	7	8	4	4	-	-	1
	White----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-
	F--	83	-	-	-	-	-	-	-	-	-	-	-	2	4	7	8	8	6	11	20	6	7	1	3	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	58	-	-	-	-	-	-	-	-	-	-	-	2	3	3	10	16	5	5	8	1	-	3	1	-	-	1
171-179	Of genital organs----	481	-	-	-	-	-	-	-	-	1	4	8	15	32	33	43	54	55	48	57	56	40	24	4	3	3	3
	White----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	5	11	22	19	10	2	1	-	-	-
	F--	124	-	-	-	-	-	-	-	-	1	1	2	3	9	15	14	16	13	13	18	11	2	5	1	-	-	-
	Nonwhite--M--	58	-	-	-	-	-	-	-	-	-	1	1	1	1	1	5	3	5	6	9	5	12	6	-	2	1	1
	F--	222	-	-	-	-	-	-	-	-	3	3	11	23	17	24	33	32	24	19	18	7	3	1	-	2	2	2
180, 181	Of urinary organs----	81	-	2	1	3	-	-	-	1	-	-	1	2	3	10	2	8	8	7	17	12	2	2	-	-	-	-
	White----M--	31	-	-	1	2	-	-	-	1	-	-	-	1	-	4	-	6	4	3	5	3	1	-	-	-	-	-
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	1	7	4	1	1	-	-	-	-
	Nonwhite--M--	22	-	2	-	1	-	-	-	-	-	-	-	1	2	4	1	-	1	3	3	3	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	2	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	282	1	-	1	2	3	3	8	3	3	6	9	8	18	24	19	27	29	25	24	28	22	11	6	1	1
	White----M--	110	-	-	-	-	1	-	2	1	2	3	4	3	7	8	7	10	10	13	14	8	8	5	3	1	-	-
	F--	89	1	-	-	1	2	-	1	1	1	2	3	1	7	7	5	5	12	6	3	16	9	4	2	-	-	-
	Nonwhite--M--	44	-	-	1	1	-	2	4	1	-	-	1	2	3	2	6	7	3	2	3	2	3	1	-	-	-	-
	F--	39	-	-	-	-	-	1	1	-	-	1	1	2	1	7	1	5	4	4	4	2	2	1	1	-	1	-
204	Leukemia and aleukemia----------	82	4	1	5	1	5	5	4	3	-	4	2	2	5	5	1	9	8	4	11	1	2	-	-	-	-	-
	White----M--	36	1	1	5	-	2	2	2	2	-	1	-	-	1	2	-	3	6	3	4	-	1	-	-	-	-	-
	F--	22	-	-	-	1	2	2	-	-	-	1	-	1	1	2	1	2	1	1	5	1	1	-	-	-	-	-
	Nonwhite--M--	17	1	-	-	1	1	1	1	1	-	1	1	1	2	1	-	4	1	-	1	-	-	-	-	-	-	-
	F--	7	2	-	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*----	50	1	1	-	1	-	1	3	-	1	2	4	4	4	2	3	3	7	4	6	2	-	1	-	-	-	-
	White----M--	19	-	-	-	1	-	1	1	-	-	1	2	2	2	1	2	3	3	1	1	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	1	2	3	3	-	-	1	-	-	-	-
	Nonwhite--M--	10	1	1	-	-	-	-	2	-	-	-	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	1	1	-	-	-	-	-	-
210-238	Benign and unspecified neoplasms--	85	3	1	-	1	-	1	1	1	3	6	10	11	8	11	6	6	6	2	3	3	1	1	-	-	-
	White----M--	15	-	-	-	-	-	-	-	-	-	-	5	2	-	-	4	1	2	1	-	-	-	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	1	2	-	-	3	1	3	1	2	1	-	-	3	-	-	-	-	-	-
	Nonwhite--M--	15	2	1	-	1	-	-	-	-	-	1	1	-	1	1	1	2	2	-	2	-	-	-	-	-	-	-
	F--	38	1	-	-	-	-	1	1	-	1	5	4	6	6	7	-	1	1	1	1	-	1	1	-	-	-	-
260	Diabetes mellitus----	234	-	1	-	-	-	1	2	2	2	9	4	5	7	11	19	26	23	33	46	27	14	1	-	-	-	1
	White----M--	50	-	-	-	-	-	1	-	1	-	1	-	-	1	-	2	7	4	10	8	10	5	-	-	-	-	-
	F--	68	-	-	-	-	-	-	-	-	-	-	2	-	1	2	8	4	8	9	18	10	5	1	-	-	-	-
	Nonwhite--M--	46	-	-	-	-	-	1	-	1	4	2	2	2	2	4	3	4	5	4	9	3	2	-	-	-	-	-
	F--	70	-	1	-	-	-	-	2	-	1	4	-	3	3	5	6	11	6	10	11	4	2	-	-	-	-	1
290-293	Anemias----------	67	4	-	-	-	-	1	1	4	3	2	-	4	5	8	3	3	4	3	5	6	5	3	3	-	-	-
	White----M--	12	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	3	2	1	1	1	-	-	-
	F--	16	-	-	-	-	-	-	2	-	-	-	-	1	-	4	1	-	2	2	1	1	1	1	-	-	-	-
	Nonwhite--M--	15	2	-	-	-	-	1	-	-	1	-	1	1	1	-	2	1	-	-	2	2	1	-	-	-	-	-
	F--	24	2	-	-	-	1	-	-	2	1	-	2	4	3	2	1	2	1	-	1	1	-	1	-	-	-	-
340	Nonmeningococcal meningitis-------	50	27	3	3	5	2	1	1	-	2	2	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White----M--	8	4	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	12	1	2	3	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	10	2	-	1	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	8,745	7	1	1	2	2	17	13	24	27	54	89	157	282	419	610	726	982	1,205	1,272	1,254	854	469	187	84	49
	White----M--	2,701	-	-	-	-	1	4	2	6	3	9	20	25	65	97	188	236	338	389	422	414	261	145	59	10	7
	F--	1,865	2	-	1	-	-	2	4	4	4	8	18	14	22	56	58	102	162	240	314	354	252	160	64	22	2
	Nonwhite--M--	2,021	4	-	-	2	-	4	3	4	12	16	17	44	77	111	146	201	227	295	296	265	163	79	22	11	22
	F--	2,158	1	1	-	-	1	7	4	10	8	21	34	74	118	185	218	187	235	279	240	221	178	85	42	21	18
330-334, 400-468	Diseases of cardiovascular system----	8,085	5	1	1	1	-	15	10	19	22	43	74	139	252	388	566	677	905	1,122	1,206	1,160	782	423	174	59	39
	White----M--	2,588	-	-	-	-	-	4	2	4	2	5	20	24	59	93	180	228	325	379	413	394	251	132	56	10	7
	F--	1,750	2	-	1	-	-	1	3	2	4	6	15	14	21	48	52	93	156	227	302	334	229	148	62	22	2
	Nonwhite--M--	1,781	2	-	-	1	-	4	2	4	10	15	15	38	68	102	133	182	206	263	267	227	138	65	17	8	16
	F--	1,964	1	1	-	-	-	6	3	9	6	17	24	63	106	145	201	168	218	253	224	205	164	78	39	19	14
330-334	Vascular lesions, etc.*----------	2,136	-	-	-	-	-	1	1	-	3	5	15	40	69	108	164	181	247	309	325	296	221	107	34	12	8
	White----M--	558	-	-	-	-	-	1	-	-	1	1	4	8	9	11	29	29	65	83	103	88	65	29	8	2	2
	F--	463	-	-	-	-	-	-	1	-	-	-	3	1	5	21	14	34	39	61	80	80	72	37	11	3	1
	Nonwhite--M--	477	-	-	-	-	-	-	-	-	1	1	2	9	20	26	38	53	62	75	67	66	55	15	2	1	4
	F--	658	-	-	-	-	-	-	-	-	1	3	6	22	35	50	73	65	81	90	75	62	49	26	13	6	1
400-402	Rheumatic fever----	29	-	-	1	-	-	5	4	5	-	-	-	5	3	2	-	1	1	-	-	-	1	-	1	-	-	-
	White----M--	6	-	-	-	-	-	2	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F--	5	-	-	1	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	6	-	-	-	-	-	1	1	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	12	-	-	-	-	-	2	1	3	-	-	-	1	3	1	-	-	-	-	-	-	-	-	1	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
410-443	Diseases of heart-	5,417	4	1	-	1	-	6	5	12	17	36	49	86	170	264	386	471	616	763	819	779	485	267	117	35	26
	White-----M--	1,860	-	-	-	-	-	1	2	4	1	4	13	13	45	76	145	193	247	278	281	275	161	83	37	4	5
	F--	1,158	1	-	-	-	-	1	-	1	2	5	9	12	15	24	35	62	109	161	201	232	134	95	44	14	1
	Nonwhite--M--	1,190	2	-	-	1	-	2	1	1	9	14	10	25	43	72	87	120	133	177	187	144	90	45	12	5	10
	F--	1,189	1	1	-	-	-	4	2	6	5	13	17	36	67	90	119	98	127	147	140	128	100	44	24	12	10
410-416	Chronic rheumatic heart disease----	272	...	-	-	1	-	3	2	6	7	6	6	7	13	11	15	19	23	33	32	30	23	18	5	3	3
	White-----M--	83	...	-	-	-	-	-	1	3	1	-	3	-	2	3	6	4	12	8	6	14	9	6	2	1	-
	F--	45	...	-	-	-	-	-	-	-	1	1	-	1	2	1	1	3	3	8	6	6	5	5	2	-	-
	Nonwhite--M--	72	...	-	-	1	-	2	-	1	4	3	3	3	4	3	5	6	10	7	10	5	3	1	-	-	1
	F--	72	...	-	-	-	-	1	1	2	1	2	-	3	5	4	3	6	4	10	10	5	6	4	1	2	2
420	Arteriosclerotic heart dis., etc.*	2,047	1	-	-	-	-	1	-	2	2	8	15	27	70	109	159	230	262	316	323	286	137	71	31	11	6
	White-----M--	1,047	-	-	-	-	-	1	-	-	-	1	8	11	33	51	106	132	160	164	158	122	58	28	11	1	2
	F--	516	-	-	-	-	-	-	-	1	-	1	3	4	6	10	14	39	51	81	108	97	50	29	14	8	-
	Nonwhite--M--	255	-	-	-	-	-	-	-	-	1	4	-	6	16	25	11	38	23	36	36	27	18	8	4	-	2
	F--	229	1	-	-	-	-	-	-	1	1	2	4	6	15	23	28	21	28	35	21	20	11	6	2	2	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	1,087	...	-	-	-	-	-	2	1	2	6	10	13	22	39	52	73	106	133	149	174	149	94	43	11	8
	White-----M--	281	...	-	-	-	-	-	1	1	-	-	1	-	1	7	10	16	27	32	45	48	47	26	16	-	3
	F--	230	...	-	-	-	-	-	-	-	-	2	4	-	2	1	-	6	16	28	24	50	42	35	14	5	1
	Nonwhite--M--	289	...	-	-	-	-	-	-	1	1	1	6	8	11	17	31	36	44	45	34	27	18	4	3	2
	F--	287	...	-	-	-	-	-	1	-	1	3	4	7	11	20	25	20	27	29	35	42	33	15	9	3	2
430-434	Other diseases of heart----------	488	3	1	-	-	-	4	1	2	4	12	5	10	19	26	38	42	65	67	57	67	39	12	8	3	3
	White-----M--	172	-	-	-	-	-	-	-	-	-	-	3	1	-	5	7	13	21	16	26	21	34	20	4	-	1	-
	F--	66	1	-	-	-	-	1	-	-	1	1	-	1	-	4	1	-	3	2	7	8	13	12	7	2	5	-
	Nonwhite--M--	128	2	-	-	-	-	-	1	-	2	5	1	4	7	11	9	9	25	15	13	11	2	4	1	1	3
	F--	122	-	1	-	-	-	3	-	2	1	3	3	2	6	8	13	10	17	18	10	10	10	2	2	1	-
440-443	Hypertension with heart dis.--	1,523	-	-	-	-	-	-	-	1	2	4	13	29	46	79	122	107	154	214	258	242	137	72	30	7	6
	White-----M--	297	-	-	-	-	-	-	-	-	-	-	-	2	4	10	10	20	32	48	61	57	27	17	8	1	-
	F--	299	-	-	-	-	-	-	-	-	-	-	2	3	4	12	17	12	32	36	50	67	30	24	9	1	-
	Nonwhite--M--	448	-	-	-	-	-	-	-	1	1	5	6	8	22	45	36	39	75	83	67	40	14	3	1	2
	F--	479	-	-	-	-	-	-	-	1	1	3	6	18	30	35	50	39	51	55	64	51	40	17	10	4	4
444-447	Hypertension without mention of heart----------	209	-	-	-	-	-	-	-	1	-	1	2	8	5	9	10	14	20	22	24	39	35	14	3	1	1
	White-----M--	64	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	3	7	7	10	13	11	7	1	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	2	1	-	8	11	9	2	1	1	-
	Nonwhite--M--	50	-	-	-	-	-	-	-	1	-	-	1	4	2	2	3	8	7	5	3	7	7	1	1	-	-
	F--	55	-	-	-	-	-	-	-	-	-	1	-	1	2	4	5	3	5	10	3	8	8	4	-	-	1
450	General arteriosclerosis---------	227	-	-	-	-	-	-	-	-	-	-	1	-	1	-	7	4	15	22	31	41	38	32	20	11	4
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	4	6	6	17	12	12	10	4	-
	F--	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	9	9	14	13	6	4	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	6	10	8	6	4	2	2	2
	F--	42	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	5	6	6	7	6	3	2	1	2
451-468	Other diseases of circulatory sys.-	85	1	-	-	-	-	1	-	1	2	1	2	2	5	7	8	6	7	6	7	4	3	2	-	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	1	2	5	3	1	2	1	-	-	-
	F--	21	1	-	-	-	-	-	-	-	2	1	1	-	1	2	-	1	4	1	4	2	-	1	-	-	-
	Nonwhite--M--	12	-	-	-	-	-	1	-	1	-	-	1	-	1	2	3	1	1	-	-	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	-	-	-	1	-	-	-	-
592-594	Chronic nephritis, etc.*----------	662	2	-	-	1	2	2	3	5	5	11	15	18	30	31	44	49	57	61	66	94	72	46	13	5	10
	White-----M--	113	-	-	-	-	1	-	-	2	1	4	-	1	6	4	8	8	13	10	9	20	10	15	3	-	-
	F--	115	-	-	-	-	-	1	1	2	-	2	3	-	1	8	6	3	6	13	12	20	23	12	2	-	-
	Nonwhite--M--	240	2	-	-	1	-	-	1	-	2	1	2	6	11	9	13	19	21	32	29	38	25	14	5	3	6
	F--	194	-	-	-	-	1	1	1	1	2	4	10	11	12	10	17	19	17	26	16	16	14	7	3	2	4
480-493	Influenza and pneumonia, etc.*-	859	264	41	16	12	5	17	10	10	15	6	8	12	12	24	31	31	37	44	68	52	64	44	20	11	5
	White-----M--	170	35	9	-	2	-	3	1	2	2	1	2	1	1	3	9	4	11	10	20	13	22	11	4	2	2
	F--	149	22	3	2	-	-	1	-	-	3	-	3	2	2	1	4	3	5	8	18	20	19	20	9	3	1
	Nonwhite--M--	291	122	13	7	5	5	9	5	2	2	1	2	5	6	13	7	13	14	11	16	10	10	8	2	2	1
	F--	249	95	16	7	5	-	4	4	6	6	4	1	4	3	7	11	11	7	15	14	9	13	5	5	4	1
480-483	Influenza----------	229	69	6	2	2	-	5	2	3	-	1	2	1	2	8	7	9	14	15	21	17	22	9	6	6	-
	White-----M--	32	6	1	-	-	-	-	-	-	-	-	-	-	-	2	1	3	2	2	4	4	5	1	1	-	-
	F--	44	5	1	-	-	-	1	-	-	-	-	-	-	-	1	1	-	3	3	5	7	7	3	4	3	-
	Nonwhite--M--	77	35	2	1	2	-	3	-	1	-	-	2	1	1	1	1	3	6	4	5	3	2	2	-	2	-
	F--	76	23	2	1	-	-	1	2	2	-	1	-	-	1	4	4	3	3	6	7	3	8	3	1	1	-
490-493	Pneumonia, etc.*--	630	195	35	14	10	5	12	8	7	15	5	6	11	10	16	24	22	23	29	47	35	42	35	14	5	5
	White-----M--	138	28	8	-	2	-	3	1	2	2	1	2	1	1	1	8	1	9	8	16	9	17	10	3	2	2
	F--	105	17	2	2	-	-	-	-	-	3	-	3	2	2	-	3	3	2	5	13	13	12	17	5	-	1
	Nonwhite--M--	214	97	11	6	3	5	6	5	1	2	1	-	4	5	12	6	10	8	7	11	7	8	6	2	-	1
	F--	173	62	14	6	5	-	3	2	4	8	3	1	4	2	3	7	8	4	9	7	6	5	2	4	3	1
500-502	Bronchitis---------	37	8	5	-	1	1	1	-	-	-	1	1	1	-	1	2	1	1	-	4	4	1	2	1	1	-
	White-----M--	9	2	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-
	F--	9	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-
	Nonwhite--M--	8	2	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	1	-
	F--	11	3	3	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	1	-	-	-
540, 541	Ulcer of stomach and duodenum-----	72	-	-	-	-	-	-	1	-	2	2	5	5	4	7	12	5	6	7	7	6	1	-	1	-	1
	White-----M--	27	-	-	-	-	-	-	-	-	-	1	1	1	1	4	6	2	2	2	2	4	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	2	3	-	-	-	-	-	-
	Nonwhite--M--	31	-	-	-	-	-	-	-	-	1	1	4	2	2	3	5	2	4	2	1	2	-	-	1	-	1
	F--	7	-	-	-	-	-	-	1	-	-	-	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-
550-553	Appendicitis-------	59	1	-	-	-	-	3	2	7	2	6	1	5	7	2	6	3	2	3	6	1	2	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	1	1	-	-	-	-	3	-	1	-	-	1	3	1	-	-	-	-	-
	F--	10	-	-	-	-	-	1	-	1	1	-	-	-	-	-	1	1	1	-	3	-	1	-	-	-	-
	Nonwhite--M--	22	-	-	-	-	-	1	1	3	1	4	-	2	3	1	2	2	-	1	-	-	1	-	-	-	-
	F--	16	1	-	-	-	-	1	-	2	-	2	1	3	1	1	2	-	1	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	132	16	4	-	1	-	2	-	1	1	6	2	10	7	3	9	8	9	15	14	8	8	2	5	1	-
	White-----M--	25	3	-	-	-	-	-	-	1	-	2	-	-	1	-	2	2	2	3	4	-	4	1	-	-	-
	F--	26	1	-	-	-	-	1	-	-	-	2	-	1	3	-	3	2	2	2	2	3	1	1	2	-	-
	Nonwhite--M--	42	10	4	-	-	-	-	-	-	-	1	1	1	-	1	4	1	1	4	6	3	3	-	2	-	-
	F--	39	2	-	-	1	-	1	-	-	1	1	1	8	3	2	-	3	4	6	2	2	-	-	1	1	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSISSIPPI—Continued																										
543, 571, 572	Gastritis, etc.*—	204	148	12	3	3	1	-	-	2	-	-	-	-	2	1	2	5	3	4	6	5	5	1	1	-	-
	White——M—	34	25	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	3	-	1	-	-
	F—	31	20	1	1	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	2	-	1	-	-	-
	Nonwhite—M—	89	70	8	-	2	1	-	-	-	-	-	-	-	1	1	2	1	-	2	1	-	2	-	-	-	-
	F—	50	33	5	2	-	-	-	-	1	-	-	-	-	-	-	-	2	2	2	2	1	-	-	-	-	-
581	Cirrhosis of liver	102	-	-	-	-	-	-	-	-	-	-	6	3	8	16	7	17	9	15	8	6	6	1	4	-	-
	White——M—	45	-	-	-	-	-	-	-	-	-	-	-	1	5	7	1	9	4	10	2	4	2	-	-	-	-
	F—	22	-	-	-	-	-	-	-	-	-	-	3	1	1	5	-	3	-	1	4	-	4	-	-	-	-
	Nonwhite—M—	21	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	3	4	2	2	2	-	-	-	-	-
	F—	14	-	-	-	-	-	-	-	-	-	-	3	-	-	2	3	2	1	2	-	-	-	1	-	-	-
590, 591	Acute nephritis, etc.*—	116	2	2	2	4	1	4	4	4	5	3	6	7	5	11	8	7	9	9	7	8	4	2	1	-	1
	White——M—	15	-	-	-	-	-	1	-	-	1	1	1	1	1	3	2	2	-	1	1	-	1	-	-	-	-
	F—	11	-	-	-	-	1	-	-	-	-	-	1	2	-	1	1	-	-	-	-	2	1	1	1	-	-
	Nonwhite—M—	47	2	1	2	2	-	1	2	2	2	1	3	3	2	4	2	1	5	5	3	3	1	-	-	-	-
	F—	43	-	1	-	2	-	2	2	2	2	1	1	2	2	3	3	4	4	3	3	3	1	1	-	-	1
610	Hyperplasia of prostate—	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	10	19	12	25	15	11	4	1	2
	White——M—	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	6	14	8	6	2	-	1
	Nonwhite—M—	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	6	12	6	11	7	5	2	1	1
640-689	Complications of pregnancy, etc.*—	149	...	...	...	...	...	...	1	28	34	25	21	29	8	2	-	-	...	...	...	...	...	...	...	...	1
	White——F—	34	...	...	...	...	...	...	-	4	9	8	6	6	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	115	...	...	...	...	...	...	1	24	25	17	15	23	7	2	-	-	...	...	...	...	...	...	...	...	1
650-652	Abortion—	12	...	...	...	...	...	...	-	2	6	-	1	1	-	1	-	-	...	...	...	...	...	...	...	...	1
	White——F—	5	...	...	...	...	...	...	-	-	4	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	7	...	...	...	...	...	...	-	2	2	1	-	-	-	1	-	-	...	...	...	...	...	...	...	...	1
640-649, 650-689	All other complications—	137	...	...	...	...	...	...	1	26	29	25	20	28	8	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	29	...	...	...	...	...	...	-	4	5	8	6	5	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	108	...	...	...	...	...	...	1	22	23	17	14	23	7	1	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	202	155	8	7	2	-	5	5	6	2	-	1	2	5	-	-	-	2	1	-	1	-	-	-	-	-
	White——M—	87	61	4	6	2	-	3	2	2	1	-	-	1	3	-	-	-	2	-	-	-	-	-	-	-	-
	F—	45	37	1	-	-	-	-	2	2	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	46	38	2	1	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	24	19	1	-	-	-	1	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	1,168	1,168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	340	340	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	227	227	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	264	264	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	394	394	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	154	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	93	93	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	84	84	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	697	697	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	171	171	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	222	222	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	2,568	583	27	18	4	1	18	22	14	18	32	34	53	73	97	115	118	164	231	231	198	211	143	64	46	54
	White——M—	270	40	-	1	-	-	2	2	3	2	3	3	5	14	18	16	15	19	19	25	27	23	16	6	7	2
	F—	205	32	4	1	-	1	2	3	-	-	3	4	2	3	2	3	13	8	29	17	18	24	20	10	5	1
	Nonwhite—M—	1,127	283	11	12	3	-	9	11	5	8	8	15	16	27	40	53	48	78	105	106	89	82	57	27	18	18
	F—	967	228	12	4	1	-	5	6	6	8	18	12	30	28	37	43	42	59	78	83	64	82	50	19	16	35
Residual	All other diseases	848	72	14	10	4	5	17	13	23	19	27	30	46	45	40	50	65	57	75	77	61	46	24	18	4	6
	White——M—	225	8	3	2	-	2	6	3	6	10	4	5	12	11	9	15	18	20	21	22	19	17	8	2	1	1
	F—	195	14	1	-	1	-	5	2	5	2	7	8	6	6	9	9	15	17	16	22	23	14	8	5	-	-
	Nonwhite—M—	235	29	6	6	3	1	3	4	7	6	9	9	13	12	10	12	22	10	19	22	12	6	5	4	2	3
	F—	193	21	4	2	1	2	3	4	5	1	7	8	15	16	12	14	10	10	19	11	7	9	3	7	1	2
E800-E962	Accidents—	1,248	64	37	25	19	21	62	60	102	116	84	60	89	71	51	51	62	42	57	37	48	37	26	14	5	8
	White——M—	435	14	10	5	2	5	15	11	36	53	44	31	30	24	20	15	30	19	18	17	12	9	10	3	1	1
	F—	168	8	2	7	1	3	7	6	7	7	6	3	5	8	5	8	6	8	8	8	19	13	13	5	1	2
	Nonwhite—M—	469	25	12	8	6	8	24	31	51	46	32	23	43	32	23	20	24	7	19	6	9	10	1	4	1	4
	F—	176	17	13	5	10	5	16	12	8	10	2	3	11	7	3	7	2	7	12	6	8	5	2	2	2	1
E810-E835	Motor-vehicle accidents—	436	2	8	6	6	6	20	13	42	58	37	31	26	37	25	23	23	16	22	13	11	5	3	1	-	2
	White——M—	184	-	3	3	1	2	7	3	20	29	20	16	13	13	7	8	7	7	10	6	6	-	2	-	-	1
	F—	61	1	-	3	1	2	6	2	3	6	4	1	1	3	5	5	4	4	4	4	2	-	-	-	-	-
	Nonwhite—M—	158	1	1	-	3	2	6	5	15	19	13	14	9	16	12	9	11	3	7	2	2	5	1	1	-	-
	F—	33	-	4	-	1	-	1	3	3	4	-	-	3	5	1	1	1	2	1	1	1	-	-	-	-	1
E800-E802, E840-E962	All ot. accidents—	812	62	29	19	13	15	42	47	60	58	47	29	63	34	26	28	39	26	35	24	37	32	23	13	5	6
	White——M—	251	14	7	2	1	3	8	8	16	24	24	15	17	11	13	7	23	12	8	11	6	9	8	3	1	-
	F—	107	7	2	4	-	1	1	4	4	1	2	2	4	5	-	4	2	5	4	4	17	13	13	5	1	2
	Nonwhite—M—	311	24	11	8	3	6	18	26	35	27	19	9	34	16	11	11	13	4	12	4	7	5	-	3	1	4
	F—	143	17	9	5	9	5	15	9	5	6	2	3	8	2	2	6	1	5	11	5	7	5	2	2	2	-
E983,	Suicide—	147	-	-	-	-	-	-	2	4	10	15	10	16	11	13	18	13	9	13	4	5	2	2	-	-	-
E970-E979	White——M—	106	-	-	-	-	-	-	1	2	6	9	5	9	8	10	16	11	6	11	3	5	2	2	-	-	-
	F—	20	-	-	-	-	-	-	-	1	4	2	1	3	1	2	2	1	-	2	1	-	-	-	-	-	-
	Nonwhite—M—	15	-	-	-	-	-	-	-	1	-	4	2	1	2	1	-	1	3	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	1	-	-	-	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	355	2	-	-	-	-	2	2	24	57	70	44	45	34	31	19	7	5	5	4	1	1	-	-	-	2
E980-E985	White——M—	43	-	-	-	-	-	1	-	2	5	8	6	5	3	6	3	1	1	2	-	-	-	-	-	-	-
	F—	17	-	-	-	-	-	-	-	2	4	1	-	3	5	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	243	1	-	-	-	-	1	2	17	43	41	30	35	25	19	12	6	3	3	2	1	1	-	-	-	1
	F—	52	1	-	-	-	-	-	-	5	7	17	7	5	3	1	3	-	-	-	2	-	-	-	-	-	1
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Birth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI																										
	ALL CAUSES	43,825	2,563	196	136	95	64	250	191	299	398	476	527	858	1,179	1,761	2,303	3,100	4,003	4,817	5,524	5,961	4,798	2,896	1,240	227	83
	White—M	22,319	1,270	105	76	44	51	136	101	178	213	231	257	399	576	869	1,234	1,630	2,274	2,595	2,925	3,010	2,283	1,303	475	91	35
	F	17,217	958	66	40	40	24	71	68	79	108	145	178	261	354	528	660	962	1,282	1,804	2,248	2,679	2,351	1,502	631	115	23
	Nonwhite—M	2,356	184	12	12	8	5	17	13	20	49	44	59	73	119	203	231	282	281	235	182	152	83	51	17	11	13
	F	1,933	151	13	8	3	4	6	9	22	28	56	53	105	130	161	178	196	186	183	159	120	81	40	19	10	12
001-019	Tuberculosis, all forms	1,059	5	7	3	1	3	4	7	19	38	71	57	80	97	101	94	105	91	122	64	39	37	11	1	1	1
	White—M	572	1	2	1	-	1	2	1	6	6	15	17	35	47	69	55	68	72	89	39	24	18	4	-	-	-
	F	254	2	4	-	1	1	1	5	2	16	28	17	25	21	11	16	13	10	23	23	13	15	6	-	-	-
	Nonwhite—M	159	-	1	1	-	1	1	1	2	9	9	10	8	20	15	17	20	9	6	1	1	3	1	-	1	1
	F	96	2	-	1	-	-	-	-	9	7	18	13	12	9	6	6	4	-	4	1	1	1	-	1	-	-
001-008	Tuberculosis of respiratory system	987	1	2	1	-	1	3	7	17	34	66	53	76	93	95	89	101	84	118	61	37	35	10	1	1	1
	White—M	548	1	1	-	-	-	1	1	5	6	13	16	35	46	67	52	67	66	86	37	23	17	4	-	-	-
	F	230	-	-	-	-	1	1	5	2	15	28	15	23	20	9	14	13	8	22	22	12	14	5	-	-	-
	Nonwhite—M	123	-	1	1	-	-	1	1	2	6	7	10	7	20	13	17	17	8	4	1	1	3	1	-	1	1
	F	86	-	-	-	-	-	-	-	8	7	17	12	11	7	6	6	4	-	4	1	1	1	-	1	-	-
010-019	Tuberculosis, other forms	72	4	5	2	1	2	1	-	2	4	5	4	4	4	6	5	4	7	4	3	2	2	1	-	-	-
	White—M	24	-	1	1	-	1	1	-	1	-	2	1	-	1	2	3	1	4	1	2	1	1	-	-	-	-
	F	24	2	4	-	1	-	-	-	-	1	-	2	2	1	2	2	-	2	1	1	1	1	1	-	-	-
	Nonwhite—M	15	-	-	-	-	1	-	-	-	3	2	-	1	-	2	-	3	1	2	-	-	-	-	-	-	-
	F	9	2	-	1	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	278	3	-	-	-	-	-	-	1	-	-	4	6	21	37	37	35	49	33	28	12	9	2	-	1	-
	White—M	142	1	-	-	-	-	-	-	-	-	-	1	-	11	10	17	22	33	20	17	3	6	1	-	-	-
	F	49	1	-	-	-	-	-	-	1	-	-	2	2	2	5	2	5	5	6	6	8	2	1	-	1	-
	Nonwhite—M	84	1	-	-	-	-	-	-	-	-	-	-	2	4	15	14	8	8	6	4	1	1	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	-	1	2	4	7	4	-	3	1	1	-	-	-	-	-	-
040	Typhoid fever	6	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	1	1	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	25	10	4	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	3	2	-	2	1	-	-	1
	White—M	7	-	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	1	-	-	-	-
	F	14	8	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	Nonwhite—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
050, 051	Scarlet fever, etc.*	22	2	1	-	1	3	3	1	1	1	2	-	-	2	-	-	1	1	1	-	2	-	-	-	-	-
	White—M	15	2	1	-	1	2	1	-	1	1	1	-	-	1	-	-	1	1	1	-	1	-	-	-	-	-
	F	6	-	-	-	-	1	2	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	22	1	1	2	8	2	7	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	-	1	2	4	-	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	25	15	6	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	9	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	22	3	5	1	4	-	3	3	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	White—M	11	1	4	-	1	-	3	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	2	1	1	2	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	128	9	5	8	8	8	22	18	16	9	7	8	8	2	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	65	5	4	2	5	5	15	9	6	4	5	3	4	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	59	3	1	5	3	3	8	8	9	5	2	5	4	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	27	7	4	4	1	3	6	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	10	3	2	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	13	2	1	1	-	2	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	86	16	2	4	-	2	3	5	1	2	2	3	7	4	4	3	5	5	6	4	4	6	-	-	-	-
	White—M	47	6	1	2	-	-	2	-	1	1	2	1	3	2	2	3	4	5	5	4	4	1	-	-	-	-
	F	32	8	1	1	-	2	1	2	-	-	-	-	2	4	1	-	1	2	1	-	-	5	-	-	-	-
	Nonwhite—M	5	2	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
140-205	Malignant neoplasms, etc.*	6,208	9	7	11	5	7	15	11	19	19	51	72	136	225	369	494	672	807	869	856	745	502	230	63	10	8
	White—M	2,905	5	4	8	2	4	11	4	11	10	21	30	40	71	134	199	298	397	456	435	384	261	102	22	4	2
	F	2,847	4	1	2	3	2	3	6	6	7	28	32	81	128	185	235	312	347	363	376	330	231	123	41	5	2
	Nonwhite—M	233	-	2	-	-	-	1	-	1	-	1	3	2	1	7	23	38	34	39	30	24	19	4	4	-	1	1
	F	223	-	-	1	-	1	1	1	2	2	1	5	8	14	17	27	32	28	24	20	21	12	6	1	-	-	1
140-148	Of buccal cavity and pharynx	168	-	-	-	-	-	-	-	-	-	1	2	-	5	7	17	16	22	20	25	19	14	10	1	-	1
	White—M	125	-	-	-	-	-	-	-	-	-	1	2	-	3	5	11	13	15	17	29	13	11	6	-	-	-
	F	29	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	2	2	6	3	4	1	-	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	3	-	2	-	-	-	-	-	-	1
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,533	-	1	-	-	-	1	-	4	4	13	8	38	48	106	157	256	338	392	400	378	254	118	32	3	2
	White—M	1,247	-	-	-	-	-	-	-	1	2	5	5	18	25	48	80	123	187	205	209	184	121	44	7	2	1
	F	1,105	-	-	-	-	-	-	-	2	2	3	2	15	19	38	70	106	130	162	170	180	109	70	25	1	1
	Nonwhite—M	109	-	1	-	-	-	-	-	-	-	3	-	-	-	12	14	20	17	14	13	10	2	3	-	-	-
	F	72	-	-	-	-	-	1	-	1	-	2	1	5	4	8	13	7	4	11	8	4	2	1	-	-	-
150-184	Of respiratory system	591	1	-	-	-	1	-	-	2	-	2	3	9	20	44	73	95	103	91	74	43	33	7	-	-	1
	White—M	445	1	-	-	-	-	-	-	1	-	1	3	7	15	32	58	77	81	68	51	35	13	3	-	-	1
	F	93	-	-	-	-	1	-	-	1	-	-	-	1	2	4	5	10	16	17	17	8	9	4	-	-	-
	Nonwhite—M	41	-	-	-	-	-	-	-	-	-	-	-	-	1	8	10	5	6	7	4	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	5	-	1	2	-	-	-	-	-	-	-
170	Of breast	531	-	-	-	-	-	-	-	-	1	4	7	20	47	43	68	60	74	59	51	47	36	11	3	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	1	-	-	-	-	-
	F	498	-	-	-	-	-	-	-	-	1	4	5	19	44	43	68	55	68	57	47	42	33	11	3	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	2	1	2	-	2	5	5	2	3	4	2	-	-	-	-	-	-
171-179	Of genital organs	1,074	-	-	-	-	-	2	2	2	7	21	37	49	89	82	119	112	130	145	132	95	58	12	-	-	-
	White—M	353	-	-	-	-	-	-	2	1	1	4	2	-	3	9	14	24	55	68	74	58	28	9	-	-	-
	F	612	-	-	-	-	-	2	-	-	6	13	30	41	70	60	90	72	68	69	48	33	9	3	-	-	-
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	-	-	1	-	5	4	6	5	3	7	2	1	-	-	-	-
	F	75	-	-	-	-	-	-	-	-	1	4	5	7	16	8	11	10	4	4	3	2	-	-	-	-	-	-
180, 181	Of urinary organs	277	2	2	3	1	1	-	-	-	-	-	4	5	13	25	23	50	47	39	29	23	8	2	-	-	-
	White—M	163	1	1	2	-	-	-	-	-	-	-	2	3	9	17	16	28	32	17	16	14	5	-	-	-	-
	F	97	1	-	1	1	1	-	-	-	-	-	1	-	4	5	6	16	13	21	13	9	3	2	-	-	-
	Nonwhite—M	10	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	4	2	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	2	-	1	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	623	1	-	3	1	2	5	3	5	6	11	15	15	25	37	49	59	64	62	74	67	69	30	11	7	2
	White—M	331	-	-	2	-	1	4	1	3	3	6	7	4	12	22	32	36	38	39	42	39	11	5	2	-	-
	F	266	1	-	-	1	-	1	2	2	2	5	6	11	12	14	24	24	23	22	34	22	30	19	6	4	1
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	2	3	2	1	2	-	-	-	1	-	-
	F	11	-	-	1	-	1	-	-	-	1	-	1	-	-	-	2	1	2	-	-	1	-	-	-	-	-	1
204	Leukemia and aleukemia	233	4	3	4	3	3	7	2	1	1	6	6	6	16	19	14	26	25	32	23	20	7	5	-	-	-
	White—M	138	2	2	3	2	3	6	1	1	1	5	4	4	8	9	7	12	13	22	12	14	4	3	-	-	-
	F	83	2	1	1	1	-	1	1	-	-	1	2	1	5	9	3	12	12	10	10	6	3	2	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	178	1	1	1	-	-	2	4	5	5	7	10	7	10	11	9	18	19	38	15	10	2	3	2	-	-
	White—M	96	1	1	1	-	-	1	2	3	3	5	3	4	6	5	9	12	21	8	5	-	2	1	-	-	-
	F	66	-	-	-	-	-	1	1	1	2	2	4	3	5	1	2	9	6	14	6	5	2	1	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	1	-	-	-	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	2	-	1	1	2	-	-	1	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	176	4	3	2	1	-	4	2	4	3	5	7	10	10	19	20	18	15	17	11	10	4	5	2	-	-
	White—M	52	1	-	-	-	-	1	2	1	2	2	3	3	3	11	5	8	5	3	-	1	1	-	-	-	-
	F	98	2	2	2	1	-	3	-	3	1	1	5	5	4	12	6	12	6	8	7	10	3	3	2	-	-
	Nonwhite—M	8	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	2	-	2	3	4	-	1	3	4	1	-	-	-	-	-	-	-
260	Diabetes mellitus	690	-	1	1	-	-	1	1	2	2	4	5	7	8	26	36	62	99	111	114	111	73	22	4	-	-
	White—M	258	-	1	-	-	-	1	1	-	1	1	2	4	5	8	13	15	34	38	41	39	30	3	1	-	-
	F	395	-	-	1	-	-	-	-	1	1	3	3	2	2	12	14	40	52	68	65	68	42	13	3	-	-
	Nonwhite—M	20	-	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	5	1	5	1	1	-	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	5	8	4	3	3	-	-	-	-	-	-
280-283	Anemias	163	-	1	-	1	-	-	1	-	1	-	2	2	2	3	3	6	14	18	30	42	25	7	5	-	-
	White—M	79	-	1	-	-	-	-	1	-	1	-	-	-	1	2	3	3	4	8	14	21	15	5	1	-	-
	F	60	-	-	-	-	-	-	-	1	-	-	2	2	-	-	-	3	9	10	16	21	10	2	4	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	57	18	3	3	2	-	1	-	-	-	2	-	2	3	4	3	4	2	6	1	2	1	-	-	-	-
	White—M	26	9	3	1	1	-	-	-	-	-	-	-	1	-	-	3	2	1	3	-	2	-	-	-	-	-
	F	14	5	-	1	1	-	1	-	-	-	-	-	-	1	-	-	-	1	2	1	-	1	-	-	-	-	-
	Nonwhite—M	6	1	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-
	F	11	3	-	-	-	-	-	-	-	-	2	-	1	1	2	-	1	-	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	23,466	6	3	2	4	2	21	25	24	43	61	98	233	416	727	1,101	1,616	2,218	2,859	3,800	4,035	3,309	2,070	786	158	51
	White—M	12,020	3	1	1	1	-	13	14	15	20	32	38	108	216	367	643	891	1,282	1,525	1,905	2,016	1,567	952	329	62	19
	F	9,350	3	1	1	2	2	6	8	6	13	14	32	67	99	199	259	429	668	1,064	1,455	1,625	1,614	1,048	434	84	17
	Nonwhite—M	1,085	-	1	-	1	-	2	1	2	7	3	9	22	42	83	97	169	144	146	129	100	63	40	11	6	7
	F	1,011	-	-	-	-	-	-	2	1	3	12	17	36	59	78	102	127	124	124	111	94	65	30	12	8	8
330-334, 400-468	Diseases of cardiovascular system	22,350	6	2	2	3	1	19	23	20	35	47	87	217	385	673	1,049	1,526	2,133	2,749	3,638	3,845	3,170	1,971	757	148	49
	White—M	11,525	3	1	1	1	-	11	12	12	15	24	31	101	209	348	621	850	1,247	1,479	1,833	1,927	1,503	906	316	57	18
	F	8,864	3	1	1	1	1	6	8	5	10	9	31	61	82	181	244	393	635	1,009	1,379	1,754	1,552	1,002	420	90	16
	Nonwhite—M	1,015	-	-	-	1	-	2	1	2	7	2	8	20	39	75	90	162	135	142	122	95	55	37	10	5	7
	F	946	-	-	-	-	-	-	2	1	3	12	17	35	56	69	94	121	116	119	101	89	60	26	11	6	8
330-334	Vascular lesions, etc.*	4,824	4	-	-	1	1	3	2	2	5	6	14	43	80	112	188	293	415	604	752	923	743	445	147	24	17
	White—M	2,274	2	-	-	-	-	2	2	-	3	2	5	19	31	41	72	125	202	266	394	451	365	205	64	14	6
	F	2,106	2	-	-	1	1	1	-	2	2	2	8	11	22	42	89	111	165	265	304	427	352	225	82	8	6
	Nonwhite—M	197	-	-	-	-	-	-	-	-	-	-	2	5	10	13	17	32	18	36	26	18	7	10	1	1	1
	F	247	-	-	-	-	-	-	-	-	-	2	1	8	17	16	30	25	30	37	28	27	19	4	-	1	2
400-402	Rheumatic fever	65	-	-	1	-	-	8	5	5	4	5	4	9	5	2	4	2	1	4	4	2	-	-	-	-	-
	White—M	36	-	-	1	-	-	5	4	3	2	5	-	4	2	1	3	2	-	1	3	-	-	-	-	-	-
	F	24	-	-	-	-	-	2	-	2	1	-	4	5	2	1	-	-	1	3	1	2	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
410-443	Diseases of heart-	15,857	2	2	1	2	-	8	14	11	20	31	62	150	272	526	813	1,175	1,644	2,011	2,504	2,651	2,152	1,283	495	103	25
	White-----M--	8,520	1	1	-	1	-	4	6	8	10	15	26	74	163	299	526	704	1,009	1,138	1,346	1,347	1,013	583	202	35	9
	F--	6,067	1	1	1	-	-	3	8	1	2	6	16	41	53	123	160	262	443	701	998	1,188	1,057	661	277	59	7
	Nonwhite--M--	758	-	-	-	1	-	1	1	1	6	2	5	15	25	55	65	119	106	98	92	64	44	23	6	4	3
	F--	652	-	-	-	-	-	-	1	1	2	8	15	20	31	49	62	90	96	74	68	52	38	16	10	5	4
410-416	Chronic rheumatic heart disease-----	711	...	1	-	-	-	4	8	3	6	14	14	32	30	37	50	68	78	70	77	79	63	49	22	5	-
	White-----M--	358	...	1	-	-	-	1	3	2	3	8	4	17	15	18	26	29	53	32	45	37	28	28	9	2	-
	F--	281	...	-	-	-	-	2	3	-	2	1	6	11	14	16	20	29	17	31	26	37	34	20	11	1	-
	Nonwhite--M--	32	...	-	-	-	-	1	1	-	-	1	1	2	-	1	3	6	4	3	4	2	2	-	1	-	-
	F--	40	...	-	-	-	-	-	1	1	1	4	3	2	1	2	1	4	5	4	2	3	2	1	1	2	-
420	Arteriosclerotic heart dis., etc.*	8,077	-	-	-	-	-	-	-	2	3	3	15	55	142	291	500	708	1,009	1,139	1,334	1,312	935	428	166	29	6
	White-----M--	4,934	-	-	-	-	-	-	-	1	-	3	8	34	113	212	374	502	683	722	776	724	462	213	75	10	2
	F--	2,650	-	-	-	-	-	-	-	-	-	-	3	14	17	48	80	132	257	342	494	538	422	200	86	16	1
	Nonwhite--M--	278	-	-	-	-	-	-	-	1	3	-	1	3	8	14	27	44	39	46	36	28	15	8	1	3	1
	F--	215	-	-	-	-	-	-	-	-	-	-	3	4	4	17	19	30	30	29	28	22	16	7	4	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,731	...	1	1	1	-	1	-	4	-	7	16	23	31	61	97	135	212	368	562	699	689	534	222	52	15
	White-----M--	1,776	...	-	-	-	-	1	-	4	-	1	7	9	10	26	50	72	115	199	282	347	311	229	88	19	6
	F--	1,709	...	1	1	-	-	-	-	-	-	4	7	8	8	20	21	38	67	143	245	330	357	294	128	31	6
	Nonwhite--M--	132	...	-	-	1	-	-	-	-	-	-	-	3	5	10	11	16	14	13	26	12	10	7	2	-	2
	F--	114	...	-	-	-	-	-	-	-	-	2	2	3	8	5	15	9	16	13	9	10	11	4	4	2	1
430-434	Other diseases of heart---------	853	2	-	-	1	-	3	6	2	10	5	10	18	29	34	41	59	89	100	110	134	95	66	32	4	3
	White-----M--	445	1	-	-	1	-	2	3	1	6	2	4	10	10	15	24	30	45	58	66	76	46	29	13	2	1
	F--	287	1	-	-	-	-	1	3	1	-	1	-	2	8	6	4	13	26	33	36	52	45	35	19	1	-
	Nonwhite--M--	72	-	-	-	-	-	-	-	-	3	1	2	3	7	8	6	11	12	5	6	6	2	1	-	-	1
	F--	49	-	-	-	-	-	-	-	-	1	1	4	3	4	7	7	5	6	4	2	-	2	1	-	1	1
440-443	Hypertension with heart dis.--	2,585	-	-	-	-	-	-	-	-	1	2	7	22	40	103	125	205	255	334	421	427	370	208	53	13	1
	White-----M--	1,007	-	-	-	-	-	-	-	-	1	1	3	4	15	28	52	71	113	127	177	163	149	84	17	2	-
	F--	1,140	-	-	-	-	-	-	-	-	-	-	-	8	6	33	35	50	76	152	197	231	199	112	35	10	-
	Nonwhite--M--	224	-	-	-	-	-	-	-	-	-	-	1	4	5	24	18	42	37	31	20	16	15	7	2	1	1
	F--	214	-	-	-	-	-	-	-	-	-	1	3	8	14	18	20	42	29	24	27	17	7	3	1	-	-
444-447	Hypertension without mention of heart----------	390	-	-	-	-	-	-	-	1	1	3	2	9	15	19	24	22	22	46	47	63	65	32	15	1	3
	White-----M--	162	-	-	-	-	-	-	-	-	-	1	-	1	5	3	11	7	11	29	22	27	24	15	6	-	-
	F--	189	-	-	-	-	-	-	-	1	-	-	1	3	3	7	8	8	5	10	22	27	38	16	8	1	1
	Nonwhite--M--	32	-	-	-	-	-	-	-	-	-	-	-	-	2	6	4	4	6	2	-	4	1	-	1	-	1
	F--	37	-	-	-	-	-	-	-	-	-	2	1	5	5	3	1	3	-	5	3	5	2	1	-	-	1
450	General arteriosclerosis---------	876	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	10	22	57	99	186	186	196	89	20	4
	White-----M--	428	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	11	28	55	92	90	98	36	8	1
	F--	403	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	9	21	41	82	92	90	50	12	2
	Nonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	6	2	7	3	4	2	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	1	4	1	-	1
451-468	Other diseases of circulatory sys.-	238	-	-	-	-	-	-	2	1	5	2	5	6	12	12	18	24	29	27	29	18	24	15	11	-	-
	White-----M--	105	-	-	-	-	-	-	-	1	-	1	-	3	6	4	5	7	14	17	13	10	11	4	8	-	-
	F--	105	-	-	-	-	-	-	2	-	4	1	4	1	2	6	7	10	12	8	13	8	13	10	3	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	1	-	1	-	1	2	1	5	4	3	-	2	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	3	-	1	1	-	-	1	-	-	-
582-594	Chronic nephritis, etc.*----------	1,116	-	1	-	1	1	2	2	4	8	14	9	16	31	54	52	90	85	110	165	192	139	99	39	10	2
	White-----M--	495	-	-	-	-	-	2	2	3	5	8	7	7	8	19	22	41	35	46	72	89	64	46	15	5	1
	F--	466	-	-	-	1	1	-	-	1	3	5	1	6	17	18	15	36	33	55	76	91	62	46	14	4	1
	Nonwhite--M--	70	-	1	-	-	-	-	-	-	-	1	1	2	3	8	7	7	9	4	7	7	8	3	1	1	-
	F--	65	-	-	-	-	-	-	-	-	-	-	-	1	5	9	8	6	8	5	10	5	5	4	1	-	-
480-493	Influenza and pneumonia, etc.*-	1,556	214	37	15	5	3	16	8	10	14	14	14	25	41	51	67	84	78	112	134	213	169	137	80	14	1
	White-----M--	743	87	18	9	2	1	9	5	5	4	4	8	10	17	23	34	45	45	68	67	113	78	52	32	8	1
	F--	610	88	12	4	2	1	3	3	2	6	6	2	7	12	9	13	23	16	32	60	92	87	62	43	5	-
	Nonwhite--M--	112	17	2	2	1	-	3	-	1	3	4	2	3	6	11	14	10	10	8	4	6	2	-	2	1	-
	F--	91	22	5	-	-	1	1	-	2	1	-	2	5	6	8	6	6	7	6	3	2	2	3	3	-	-
480-483	Influenza---------	175	9	3	-	1	-	2	1	3	1	1	1	1	5	4	6	5	8	11	17	37	23	20	14	2	-
	White-----M--	92	6	2	-	-	-	-	1	3	1	-	1	-	2	2	3	3	5	5	9	21	10	12	5	1	-
	F--	70	2	1	-	1	-	1	-	-	-	1	-	1	1	-	1	2	1	5	8	14	13	8	9	1	-
	Nonwhite--M--	10	1	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	1	1	-	2	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	1,381	205	34	15	4	3	14	7	7	13	13	13	24	38	47	61	79	70	101	117	176	146	117	66	12	1
	White-----M--	651	81	16	9	2	1	9	4	2	3	4	7	10	15	21	31	42	40	61	58	98	68	40	27	7	1
	F--	540	86	11	4	1	1	2	3	2	6	5	2	6	11	9	12	21	15	27	52	78	74	74	34	4	-
	Nonwhite--M--	102	16	2	2	1	-	2	-	1	3	4	2	3	5	10	12	10	9	7	4	4	2	-	2	1	-
	F--	88	22	5	-	-	1	1	-	2	1	-	2	5	5	7	6	6	6	6	3	2	2	3	3	-	-
500-502	Bronchitis---------	107	18	4	3	1	-	-	1	-	1	-	1	1	2	3	7	3	3	5	13	10	17	8	5	1	-
	White-----M--	51	7	2	2	-	-	-	1	-	-	-	1	-	1	1	5	2	1	3	8	6	7	1	2	1	-
	F--	46	7	1	1	1	-	-	-	-	1	-	-	-	1	2	2	1	2	2	4	2	10	6	3	-	-
	Nonwhite--M--	5	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-
	F--	5	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	189	1	-	-	-	-	-	-	-	2	-	1	6	7	16	21	19	22	19	26	25	15	7	1	1	-
	White-----M--	137	1	-	-	-	-	-	-	-	1	-	1	3	6	13	13	14	17	14	21	18	9	6	-	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	2	3	4	4	5	5	1	1	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	3	2	1	1	2	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-
550-553	Appendicitis-------	124	1	1	1	-	-	7	4	2	3	5	3	12	9	7	10	7	13	9	10	10	6	3	1	-	-
	White-----M--	69	-	1	1	-	-	7	2	2	1	2	3	4	5	2	5	2	9	5	6	6	5	1	-	-	-
	F--	38	1	-	-	-	-	-	-	-	2	1	-	7	3	3	2	4	1	4	3	3	1	2	1	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	2	-	-	-	-	-	-	1	2	-	2	-	1	1	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	2	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	321	26	-	1	1	-	1	1	1	3	3	5	12	11	12	17	19	29	47	30	47	28	19	5	1	1
	White-----M--	145	17	-	1	-	-	1	-	-	-	-	3	2	1	6	8	8	13	22	18	23	12	7	3	1	1
	F--	156	8	-	-	1	-	1	1	-	-	1	2	8	7	5	8	10	14	22	14	24	17	11	2	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	1	-	2	1	-	-	-	-	-	-
	F--	11	1	-	-	-	-	-	-	-	2	1	-	-	2	-	1	-	2	1	-	-	-	1	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MISSOURI—Con.																										
543,	Gastritis, etc.*—	220	102	15	1	2	4	3	1	1	1	1	2	3	2	1	7	7	11	16	7	9	12	9	3	-	-
571,	White——M—	94	41	8	-	3	3	3	-	1	-	1	1	1	2	-	1	2	6	8	3	6	6	2	1	-	-
572	F—	95	58	5	1	2	1	-	1	-	1	-	1	1	-	1	5	4	4	9	4	3	6	6	2	-	-
	Nonwhite—M—	13	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-
	F—	18	13	2	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-
581	Cirrhosis of liver	403	1	-	1	1	-	1	-	1	1	4	3	20	25	33	43	52	55	50	47	31	22	7	3	2	-
	White——M—	258	1	-	-	-	-	1	-	-	-	2	2	14	16	21	30	34	37	31	28	17	18	4	2	-	-
	F—	103	-	-	1	1	-	-	-	1	1	1	1	4	5	4	9	10	14	15	14	14	4	3	1	2	-
	Nonwhite—M—	24	-	-	-	-	-	-	-	-	-	-	-	-	5	4	3	6	1	2	3	-	-	-	-	-	-
	F—	18	-	-	-	-	-	-	-	-	-	1	-	2	1	4	1	2	3	2	2	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	146	1	1	1	-	1	4	3	2	5	2	6	4	4	12	8	14	8	11	22	17	13	5	3	-	1
	White——M—	74	-	-	1	-	1	2	3	1	4	-	3	1	2	6	4	10	5	5	13	7	3	2	1	-	-
	F—	52	-	-	-	-	-	2	-	-	1	-	2	2	1	3	1	3	2	5	7	8	10	3	2	-	-
	Nonwhite—M—	10	-	-	-	-	-	-	-	1	-	1	1	-	1	1	-	-	1	-	1	2	-	-	-	-	1
	F—	10	1	1	-	-	-	-	-	-	-	1	-	1	-	2	1	1	-	1	1	-	-	-	-	-	-
610	Hyperplasia of prostate—	198	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	14	16	36	53	36	29	11	-	-
	White——M—	182	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	13	11	32	50	38	28	10	-	-
	Nonwhite—M—	16	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	5	4	3	-	1	1	-	-
640-	Complications of																										
689	pregnancy, etc.*-	76	...	...	...	...	...	...	2	10	17	13	16	10	8	-	-	-	...	...	...	...	...	...	...	...	...	-
	White——F—	59	...	...	...	...	...	...	1	6	14	9	15	7	7	-	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	17	...	...	...	...	...	...	1	4	3	4	1	3	1	-	-	-	...	...	...	...	...	...	...	...	...	-
650-	Abortion—	8	...	...	...	...	...	...	-	1	2	2	1	1	1	-	-	-	...	...	...	...	...	...	...	...	...	-
652	White——F—	4	...	...	...	...	...	...	-	-	1	1	1	-	1	-	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	4	...	...	...	...	...	...	-	1	1	1	-	1	-	-	-	-	...	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	68	...	...	...	...	...	...	2	9	15	11	15	9	7	-	-	-	...	...	...	...	...	...	...	...	...	-
680-	White——F—	55	...	...	...	...	...	...	1	6	13	8	14	7	6	-	-	-	...	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	13	...	...	...	...	...	...	1	3	2	3	1	2	1	-	-	-	...	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	487	371	26	15	7	2	13	4	4	3	4	4	7	3	5	8	3	3	2	3	-	-	-	-	-	-
	White——M—	279	206	17	10	4	2	8	2	4	1	3	1	4	1	3	6	2	2	1	2	-	-	-	-	-	-
	F—	180	141	9	3	3	-	5	2	-	2	1	3	3	-	2	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite—M—	14	10	-	2	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,500	1,500	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	759	759	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	543	543	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	123	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	598	598	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	326	326	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	211	211	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	108	108	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	794	794	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	378	378	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	293	293	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	76	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	47	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	591	31	5	1	1	-	1	-	5	2	2	17	14	22	17	36	34	43	54	66	90	72	59	12	7
795	White——M—	301	15	1	-	1	-	-	1	-	3	-	1	7	6	13	13	22	24	25	25	37	40	23	34	6	4
	F—	228	12	3	1	-	-	-	-	-	-	1	1	5	3	2	2	6	7	13	22	24	50	46	24	4	2
	Nonwhite—M—	29	3	-	-	-	-	-	-	-	1	1	-	1	2	5	1	2	2	4	2	3	-	1	-	-	1
	F—	33	1	1	-	-	-	-	-	-	1	-	-	4	3	2	1	6	1	1	5	2	-	2	1	2	-
Re-	All other diseases	2,043	89	16	20	12	6	24	19	22	25	36	55	62	86	101	133	145	198	216	231	220	180	97	38	8	4
sid-	White——M—	981	44	7	10	5	2	18	6	10	8	13	22	31	42	48	54	67	102	116	116	121	75	47	16	3	-
ual	F—	835	32	7	4	5	4	4	8	10	12	16	18	19	25	37	52	55	74	84	106	93	98	48	19	3	2
	Nonwhite—M—	137	8	2	3	-	-	2	2	2	4	3	11	2	7	10	21	18	17	8	5	5	3	-	2	1	1
	F—	90	5	-	3	2	-	-	3	-	1	4	4	10	12	8	6	5	5	8	4	1	4	2	1	1	1
E800-	Accidents—	2,699	88	38	34	27	18	68	72	138	155	143	108	123	117	144	112	104	168	171	164	235	229	147	69	18	9
E962	White——M—	1,605	42	23	23	16	9	35	46	101	120	105	71	92	90	102	82	62	116	103	99	98	84	55	18	6	7
	F—	867	36	13	10	9	5	21	19	30	21	30	25	16	19	21	14	26	35	50	54	126	137	90	49	11	-
	Nonwhite—M—	160	3	2	-	1	2	9	5	5	12	7	12	12	7	15	10	10	14	13	6	6	5	1	1	1	1
	F—	67	7	-	1	1	2	3	2	2	2	1	-	3	1	5	6	6	3	5	5	5	3	1	1	-	1
E810-	Motor-vehicle																										
E835	accidents—	852	6	11	9	12	6	24	13	88	97	77	53	51	59	65	39	33	50	63	37	30	20	4	3	-	2
	White——M—	603	5	7	6	9	4	11	7	63	77	58	32	41	43	43	30	18	39	47	21	21	14	3	2	-	2
	F—	197	1	4	3	3	1	11	5	22	14	17	14	7	13	12	6	12	9	15	13	9	5	1	-	-	-
	Nonwhite—M—	44	-	-	-	-	1	2	1	3	5	1	7	2	3	7	2	2	2	1	3	-	1	-	1	-	-
	F—	8	-	-	-	-	-	-	-	-	1	1	-	1	-	3	1	1	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,847	82	27	25	15	12	44	59	50	58	66	55	72	58	79	73	71	118	108	127	205	209	143	66	18	7
E802,	White——M—	1,002	37	16	17	7	5	24	39	38	43	47	39	51	47	59	52	44	77	56	78	77	70	52	16	6	5
E840-	F—	670	35	9	7	8	4	10	14	8	7	13	11	9	6	9	8	14	26	35	41	117	132	89	49	11	-
E962	Nonwhite—M—	116	3	2	-	1	1	7	4	2	7	6	5	10	4	8	8	8	12	12	3	6	4	1	-	1	1
	F—	59	7	-	1	1	2	3	2	2	1	-	-	2	1	3	5	5	3	5	5	5	3	1	1	-	1
E983,	Suicide—	478	-	-	-	-	-	-	2	10	20	20	31	31	40	43	49	61	53	47	31	18	12	8	1	-	1
E970-	White——M—	352	-	-	-	-	-	2	2	8	17	16	25	21	24	32	38	42	44	31	25	10	10	7	1	-	1
E979	F—	109	-	-	-	-	-	-	-	1	2	4	6	7	14	11	10	17	7	14	5	8	2	1	-	-	-
	Nonwhite—M—	13	-	-	-	-	-	-	1	-	-	-	1	3	2	-	1	1	1	2	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
E964,	Homicide—	221	10	-	-	-	-	2	1	10	24	22	22	33	22	18	11	20	10	7	5	4	-	-	-	-	-
E980-	White——M—	74	6	-	-	-	-	1	1	4	8	6	3	10	5	6	2	7	5	4	3	3	-	-	-	-	-
E985	F—	23	3	-	-	-	-	-	-	-	2	1	2	1	-	1	2	5	1	3	1	1	-	-	-	-	-
	Nonwhite—M—	90	-	-	-	-	-	-	-	4	10	12	11	16	11	9	6	6	4	-	1	-	-	-	-	-	-
	F—	34	1	-	-	-	-	1	-	2	4	3	6	6	6	2	1	2	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E980-	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E989	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA																										
	ALL CAUSES	5,878	457	34	25	17	11	45	37	56	66	79	112	129	145	207	274	411	605	691	710	724	566	312	123	29	13
	White—M	3,671	236	11	11	5	8	30	20	33	41	37	67	84	87	146	200	291	404	451	468	448	348	163	57	15	10
	F	1,947	163	13	10	8	2	11	8	10	15	30	36	37	51	55	68	113	187	220	230	261	204	141	58	14	1
	Nonwhite—M	149	26	5	3	2	1	3	5	5	6	7	5	3	5	5	4	5	9	13	5	11	10	7	4	-	-
	F	111	32	5	1	2	-	1	3	8	4	5	4	5	2	1	2	2	5	7	7	4	4	1	4	-	2
001-019	Tuberculosis, all forms	109	4	5	1	-	1	-	1	8	5	8	6	4	1	3	8	10	19	9	8	5	3	-	-	-	-
	White—M	62	1	-	-	-	-	-	-	1	-	3	1	3	-	2	7	10	13	7	8	3	3	-	-	-	-
	F	13	-	1	-	-	-	-	-	-	2	1	2	-	1	1	-	-	2	1	-	2	-	-	-	-	-
	Nonwhite—M	16	2	2	1	-	1	-	1	2	2	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F	18	1	2	-	-	-	-	-	5	1	2	3	1	-	-	1	-	2	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	95	1	3	-	-	-	-	1	7	4	7	6	3	1	3	7	10	18	9	8	4	3	-	-	-	-
	White—M	56	-	-	-	-	-	-	-	1	-	2	1	2	-	2	6	10	13	7	8	3	3	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	1	2	-	1	1	-	-	2	1	-	1	-	-	-	-	-
	Nonwhite—M	10	-	1	-	-	-	-	1	1	2	2	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F	17	1	2	-	-	-	-	-	5	1	2	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	14	3	2	1	-	1	-	-	1	1	1	-	1	-	-	1	-	1	-	-	1	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	6	2	1	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	35	2	-	-	-	-	-	-	-	-	-	1	-	2	2	3	5	5	4	4	5	2	-	-	-	-
	White—M	23	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	3	2	5	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	2	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-
	F	3	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	-	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	3	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	13	3	-	-	-	-	5	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	2	2	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	17	1	1	-	1	-	-	-	1	-	1	4	2	-	-	-	1	2	1	1	-	1	-	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	1	1	1	-	-	-	-	-	-
	F	8	1	1	-	-	-	-	-	1	-	1	1	1	-	-	-	-	1	-	-	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
140-205	Malignant neoplasms, etc.*—	729	4	2	5	1	3	1	2	4	5	5	10	12	29	31	46	70	114	108	98	87	61	22	7	1	1
	White— M	428	3	1	3	-	2	1	-	2	4	-	3	6	13	17	24	43	68	61	64	57	35	14	5	1	1
	F	282	1	1	2	1	1	-	2	2	1	5	6	5	14	14	22	25	43	42	32	29	25	8	1	-	-
	Nonwhite— M	10	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	2	2	2	1	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	3	-	-	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx—	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	4	1	1	2	2	-	-	1	-
	White— M	14	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	4	1	1	2	2	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	300	-	-	1	-	1	-	1	-	-	1	-	1	9	14	14	26	53	42	45	45	31	14	2	-	-
	White— M	192	-	-	-	-	-	-	-	-	-	-	-	1	5	12	12	22	31	24	29	27	20	8	1	-	-
	F	102	-	-	1	-	1	-	1	-	-	1	-	-	3	2	2	3	20	16	16	18	11	6	1	-	-
	Nonwhite— M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-
160-164	Of respiratory system—	76	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	9	7	18	16	9	9	3	-	1	-	-
	White— M	57	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	7	5	14	14	7	4	3	-	-	-	-
	F	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	3	2	1	4	-	-	-	-	-
	Nonwhite— M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
170	Of breast—	57	-	-	-	-	-	-	-	-	-	-	1	3	2	1	4	8	7	9	9	5	3	4	1	-	-	-
	White— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	1	3	2	1	4	8	7	9	9	5	3	4	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs—	104	-	-	-	-	-	-	-	-	1	-	2	2	7	6	6	8	8	15	17	17	8	5	2	-	-
	White— M	52	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	9	12	16	3	4	2	-	-	-
	F	47	-	-	-	-	-	-	-	-	-	-	2	2	6	6	6	6	5	4	4	1	4	1	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-
180, 181	Of urinary organs—	40	-	-	-	-	1	-	-	-	1	-	-	-	3	-	2	7	5	8	4	2	6	-	-	-	1
	White— M	35	-	-	-	-	1	-	-	-	1	-	-	-	2	-	1	6	6	7	4	2	5	-	-	-	1
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	1	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	75	3	1	1	-	-	-	-	1	-	1	2	-	4	3	3	4	9	13	7	10	6	5	1	1	-	-
	White— M	39	2	-	1	-	-	-	-	-	-	1	-	-	3	1	2	1	4	8	2	7	5	1	1	1	-	-
	F	33	1	1	-	-	-	-	-	1	-	-	1	-	1	2	1	3	5	5	4	3	1	4	-	-	-	-
	Nonwhite— M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia—	36	1	1	3	1	1	1	1	2	1	-	1	1	3	1	1	2	3	4	4	2	-	1	1	-	-
	White— M	22	1	1	2	-	1	1	-	1	-	-	1	-	3	1	1	2	2	-	3	-	-	1	1	-	-
	F	14	-	-	1	1	-	-	1	1	1	-	-	1	-	-	-	-	1	4	1	2	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	27	-	-	-	-	-	-	-	1	1	2	2	1	2	1	1	3	1	6	3	1	2	-	-	-	-
	White— M	17	-	-	-	-	-	-	-	1	1	-	2	1	1	1	1	1	1	4	1	1	1	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	1	-	2	2	-	1	-	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	19	-	-	1	-	-	1	-	-	-	-	1	1	2	2	1	2	2	2	1	2	1	-	-	-	-
	White— M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	1	-	-	-	-	-
	F	13	-	-	1	-	-	1	-	-	-	-	1	1	1	1	1	2	-	2	-	2	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	102	-	-	-	-	1	2	1	1	1	2	3	2	3	1	2	4	18	14	22	13	7	4	1	-	-
	White— M	39	-	-	-	-	1	1	-	1	1	1	1	1	1	-	-	1	7	7	4	5	4	2	1	-	-
	F	63	-	-	-	-	-	1	1	-	-	1	2	1	2	1	2	3	11	7	18	8	3	2	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias—	14	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	3	3	1	-	-	-	-
	White— M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	1	-	-	-	-
	F	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis—	4	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-488, 592-594	Major cardiovascular-renal diseases—	2,958	4	1	-	-	-	-	-	2	10	12	24	31	44	96	130	221	338	414	440	474	383	226	81	21	6
	White— M	1,893	2	1	-	-	-	-	-	2	5	4	16	20	28	64	100	161	229	272	285	291	238	117	34	11	5
	F	1,004	1	-	-	-	-	-	-	-	4	7	8	9	14	29	28	59	103	133	137	174	140	105	42	10	1
	Nonwhite— M	42	-	-	-	-	-	-	-	-	1	1	-	1	2	2	2	1	4	7	2	6	7	4	2	-	-
	F	19	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	6	3	-	-	3	-	-
330-334, 400-468	Diseases of cardiovascular system—	2,854	2	1	-	-	-	-	-	2	8	9	22	28	42	92	127	215	322	404	426	456	374	220	77	21	6
	White— M	1,834	2	1	-	-	-	-	-	2	6	3	15	19	28	62	96	158	221	268	285	278	230	113	30	11	5
	F	963	-	-	-	-	-	-	-	-	2	5	7	7	12	28	27	56	95	127	134	170	137	103	42	10	1
	Nonwhite— M	41	1	-	-	-	-	-	-	-	1	1	-	1	2	1	2	1	4	7	2	6	7	4	2	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2	5	2	-	-	3	-	-
330-334	Vascular lesions, etc.*—	601	1	1	-	-	-	-	-	-	1	2	4	3	4	8	16	38	64	78	110	104	98	46	19	6	-
	White— M	319	1	1	-	-	-	-	-	-	1	1	2	3	1	3	7	21	34	39	66	57	55	22	2	3	-
	F	276	-	-	-	-	-	-	-	-	-	1	2	-	3	5	9	15	30	38	42	46	43	24	15	3	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	-	-
400-402	Rheumatic fever—	9	-	-	-	-	-	-	-	1	2	1	3	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	White— M	3	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
410-443	Diseases of heart	2,002	-	-	-	-	-	-	-	1	5	4	15	22	35	78	107	165	246	305	289	313	229	128	43	13	4
	White—M	1,363	-	-	-	-	-	-	-	1	3	2	12	14	25	56	88	126	180	219	203	194	144	65	21	8	4
	F	590	-	-	-	-	-	-	-	-	1	1	3	6	8	20	17	38	60	78	81	112	78	61	19	7	-
	Nonwhite—M	38	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	1	4	7	2	5	7	2	2	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	3	2	-	-	1	-	-
410-416	Chronic rheumatic heart disease	100	...	-	-	-	-	-	-	-	3	1	3	5	4	11	8	14	12	17	6	6	2	5	3	-	-
	White—M	57	...	-	-	-	-	-	-	-	2	-	3	2	2	2	7	8	7	12	4	3	-	3	2	-	-
	F	41	...	-	-	-	-	-	-	-	1	-	-	3	2	9	1	6	5	5	2	3	2	2	-	-	-
	Nonwhite—M	1	...	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	1,141	-	-	-	-	-	-	-	-	2	2	6	8	22	52	75	116	161	177	178	157	118	44	16	6	1
	White—M	636	-	-	-	-	-	-	-	-	1	2	5	8	19	45	68	89	123	132	129	102	76	27	9	2	1
	F	285	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	26	34	42	47	52	42	17	7	4	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	2	1	3	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	354	...	-	-	-	-	-	-	-	-	1	2	3	1	7	10	9	37	45	40	71	57	50	16	4	1
	White—M	227	...	-	-	-	-	-	-	-	-	-	2	1	1	4	5	9	28	33	30	44	35	25	6	3	1
	F	116	...	-	-	-	-	-	-	-	-	1	-	1	-	3	5	-	8	10	9	27	19	24	8	1	-
	Nonwhite—M	9	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	3	1	2	-	-
	F	2	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
430-434	Other diseases of heart	179	-	-	-	-	-	-	-	1	-	-	3	4	6	2	10	16	14	26	24	33	23	11	3	2	1
	White—M	130	-	-	-	-	-	-	-	1	-	-	2	2	2	1	6	15	12	24	20	22	15	6	-	1	1
	F	40	-	-	-	-	-	-	-	-	-	-	1	1	3	-	3	1	1	2	4	9	7	4	3	1	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	1	1	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.	228	-	-	-	-	-	-	-	-	-	-	2	2	2	6	4	10	22	40	40	46	29	18	5	1	1
	White—M	111	-	-	-	-	-	-	-	-	-	-	-	1	1	4	2	5	10	18	20	23	18	4	4	-	1
	F	108	-	-	-	-	-	-	-	-	-	-	2	1	1	2	2	5	12	19	19	21	8	14	1	1	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart	57	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	9	4	9	9	9	6	2	2	1	-
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	2	2	4	4	3	1	1	1	-
	F	30	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	2	7	5	5	3	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	154	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	4	9	12	26	41	41	13	1	2
	White—M	100	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	2	6	9	20	28	22	6	1	1
	F	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	6	13	17	7	-	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	31	1	-	-	-	-	-	-	-	-	2	-	2	2	2	1	1	4	3	6	4	-	3	-	-	-
	White—M	22	1	-	-	-	-	-	-	-	-	-	-	2	2	1	1	1	3	2	3	3	-	3	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	1	1	3	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	104	2	-	-	-	-	-	-	-	2	3	2	3	2	4	3	6	16	10	14	18	9	6	4	-	-
	White—M	59	-	-	-	-	-	-	-	-	-	1	1	1	-	2	2	3	8	4	10	15	6	4	4	-	-
	F	41	1	-	-	-	-	-	-	-	2	2	1	2	2	1	1	3	8	6	3	4	3	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	157	34	1	-	1	-	-	-	2	-	3	3	4	5	4	9	9	8	12	16	17	11	12	5	1	-
	White—M	88	10	-	-	1	-	-	-	-	-	-	2	4	3	4	6	7	5	5	11	12	9	8	1	-	-
	F	49	10	-	-	-	-	-	-	1	-	3	1	-	1	-	2	2	3	6	5	5	2	3	4	1	-
	Nonwhite—M	9	5	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	11	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
480-483	Influenza	13	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2	3	1	1	-	-	-	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	-	-	-	-
	F	6	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	144	31	1	-	1	-	-	-	2	-	2	3	4	5	4	9	7	6	9	15	16	11	12	5	1	-
	White—M	83	10	-	-	1	-	-	-	-	-	-	2	4	3	4	6	5	4	4	11	11	9	8	1	-	-
	F	43	9	-	-	-	-	-	-	1	-	2	1	-	1	-	2	2	2	4	4	5	2	3	4	1	-
	Nonwhite—M	8	4	1	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	10	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
500-502	Bronchitis	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	White—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	32	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	3	3	5	4	2	1	2	-	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	-	1	3	3	5	3	3	5	2	2	1	2	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	24	1	1	-	1	-	1	3	1	1	-	2	1	1	1	1	1	2	2	2	-	1	-	1	-	-
	White—M	15	1	-	-	-	-	1	1	-	-	-	2	1	1	1	1	-	2	2	2	-	-	-	1	-	-
	F	6	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	3	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	55	6	-	-	-	-	-	1	-	-	-	-	2	2	-	1	6	4	6	6	10	7	3	-	-	1
	White—M	31	4	-	-	-	-	-	-	-	-	-	-	2	1	-	1	3	1	3	4	5	4	2	-	-	1
	F	23	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3	3	2	5	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	MONTANA—Con.																										
543,	Gastritis, etc.*—	26	11	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	1	1	3	1	1	3	-	-	
571,	White——M—	14	4	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	3	-	1	1	-	-	
572	F—	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	
	Nonwhite—M—	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	
581	Cirrhosis of liver	40	-	1	-	-	-	-	-	-	-	1	1	2	5	4	6	2	5	6	2	1	4	-	-	-	
	White——M—	25	-	-	-	-	-	-	-	-	-	1	1	2	3	4	2	2	5	5	1	1	2	-	-	-	
	F—	15	-	1	-	-	-	-	-	-	-	-	-	2	2	-	4	-	2	1	1	-	2	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
580,	Acute nephritis,																										
591	etc.*———	27	-	-	1	1	-	2	1	3	1	2	-	-	1	1	-	2	2	3	1	1	4	1	-	-	
	White——M—	16	-	-	1	-	-	1	-	3	-	-	-	-	1	-	-	2	1	3	1	1	2	-	-	-	
	F—	8	-	-	-	1	-	-	-	-	-	2	-	-	-	1	-	-	1	-	-	-	2	1	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	3	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
610	Hyperplasia of																										
	prostate———	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	7	4	2	3	-	
	White——M—	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	4	7	4	1	3	-	
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	
640-	Complications of																										
689	pregnancy, etc.*—	14	...	...	...	...	...	...	-	1	1	4	2	3	3	-	-	-	...	...	...	...	...	...	...	...	
	White——F—	13	...	...	...	...	...	...	-	1	1	4	2	2	3	-	-	-	...	...	...	...	...	...	...	...	
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	
650-	Abortion———	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	
652	White——F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	
640-	All other com-																										
649,	plications———	14	...	...	...	...	...	...	-	1	1	4	2	3	3	-	-	-	...	...	...	...	...	...	...	...	
660-	White——F—	13	...	...	...	...	...	...	-	1	1	4	2	2	3	-	-	-	...	...	...	...	...	...	...	...	
689	Nonwhite—F—	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	
750-	Congenital mal-																										
759	formations———	88	68	4	1	1	-	2	-	1	2	1	-	2	2	-	-	-	-	2	-	2	-	-	-	-	
	White——M—	46	35	2	1	-	-	2	-	1	-	-	-	1	1	-	-	-	-	2	-	1	-	-	-	-	
	F—	36	30	-	-	1	-	-	-	-	1	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	4	1	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760-	Certain diseases																										
776	of early infancy—	255	255	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White——M—	142	142	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
760-	Birth injuries,																										
762	etc.*———	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White——M—	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
763-	Infections of																										
768	newborn———	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White——M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied———	152	152	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	White——M—	82	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
780-	Senility, etc.*—	140	7	1	1	-	-	1	-	1	-	-	3	2	2	3	8	9	12	15	14	16	23	8	9	3	2
795	White——M—	86	1	-	1	-	-	-	-	1	-	-	1	1	1	2	5	8	10	13	9	9	15	5	2	2	
	F—	34	3	1	-	-	-	1	-	-	-	-	2	-	1	1	1	1	2	1	3	5	5	2	5	1	
	Nonwhite—M—	11	1	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	1	2	1	1	1	2	-	
	F—	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	2	
Re-	All other diseases	309	22	3	2	2	1	2	-	4	3	3	8	10	9	13	24	28	28	42	40	34	18	10	4	-	
sid-	White——M—	190	13	2	1	-	1	1	-	2	3	1	3	3	2	11	18	16	24	27	22	22	13	3	2	-	
ual	F—	114	8	1	1	2	-	1	-	-	2	5	7	6	2	2	6	10	5	14	18	12	5	7	2	-	
	Nonwhite—M—	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	
	F—	3	1	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	
E800-	Accidents———	552	24	8	11	6	4	22	22	26	26	30	36	40	19	30	22	32	28	32	31	38	28	18	11	3	3
E962	White——M—	397	14	4	4	3	3	19	16	20	23	23	30	33	17	26	19	25	19	25	21	21	14	7	7	1	3
	F—	119	7	3	5	2	1	2	3	3	-	3	5	5	2	3	2	4	9	6	10	16	12	10	4	2	
	Nonwhite—M—	26	2	-	2	-	-	1	2	1	3	3	3	2	-	1	-	2	-	1	-	1	1	1	-	-	
	F—	10	1	1	-	1	-	-	1	2	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	
E810-	Motor-vehicle																										
E835	accidents———	152	1	2	1	1	2	2	5	10	9	18	20	16	5	10	4	11	8	10	8	5	2	1	1	-	
	White——M—	112	-	-	-	1	2	2	3	6	7	13	17	13	4	6	3	9	4	9	6	4	2	1	1	-	
	F—	25	1	1	-	-	-	-	1	2	-	3	-	2	1	3	1	2	4	1	2	1	-	-	-	-	
	Nonwhite—M—	11	-	-	1	-	-	-	1	2	2	1	3	1	-	1	-	1	-	-	-	-	-	-	-	-	
	F—	4	-	1	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E800-	All ot. accidents—	400	23	6	10	5	2	20	17	16	17	12	16	24	14	20	18	21	20	22	23	33	26	17	10	3	3
E802,	White——M—	285	14	4	4	2	1	17	13	14	16	10	13	20	13	20	16	17	15	16	15	17	12	6	6	1	3
E840-	F—	94	6	2	5	2	1	2	2	1	-	-	5	3	1	-	1	2	5	5	8	15	12	10	4	2	
E962	Nonwhite—M—	15	2	-	1	-	-	1	2	-	1	2	-	1	-	-	-	1	-	1	-	1	1	1	-	-	
	F—	6	1	-	-	1	-	-	1	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	
E963,	Suicide———	89	-	-	-	-	-	-	2	-	9	3	4	7	7	10	7	6	10	9	8	4	2	-	1	-	
E970-	White——M—	74	-	-	-	-	-	-	1	-	4	3	4	6	7	9	7	4	8	7	8	4	2	-	1	-	
E979	F—	11	-	-	-	-	-	-	1	-	4	-	-	1	-	-	-	2	1	2	-	-	-	-	-	-	
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	
	F—	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E964,	Homicide———	21	3	-	-	-	1	1	1	-	1	3	1	1	3	2	-	1	1	-	-	2	-	-	-	-	
E980-	White——M—	8	1	-	-	-	1	-	1	-	-	1	-	1	1	1	-	-	1	-	-	1	-	-	-	-	
E985	F—	9	2	-	-	-	-	1	-	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E965,	Operations of war-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
E990-	White——M—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA																										
	ALL CAUSES	12,644	761	57	25	22	22	69	89	116	118	118	157	181	289	419	535	906	1,100	1,368	1,602	1,708	1,544	946	406	74	22
	White—M	7,250	435	34	12	10	15	46	44	72	75	79	86	107	176	251	314	574	667	849	946	927	852	477	183	51	9
	F	5,072	297	21	12	11	5	17	22	36	35	34	58	65	103	146	194	306	399	485	630	762	700	452	219	43	12
	Nonwhite—M	184	15	1	1	1	2	4	2	3	3	4	5	5	14	12	11	17	26	21	11	12	7	5	2	-	-
	F	138	16	1	-	-	-	-	1	5	5	2	8	4	7	10	16	9	8	15	15	7	5	2	1	-	1
001-019	Tuberculosis, all forms	154	1	3	1	-	1	2	2	8	11	3	17	10	16	9	17	13	9	18	4	5	3	-	1	-	-
	White—M	83	1	-	1	-	-	1	1	2	2	2	6	4	10	6	10	7	7	14	4	3	2	-	-	-	-
	F	37	-	1	-	-	1	-	1	2	4	-	5	5	2	2	4	3	1	2	-	2	1	-	1	-	-
	Nonwhite—M	15	-	1	-	-	-	1	-	1	1	-	1	1	2	-	3	2	1	1	-	-	-	-	-	-	-
	F	19	-	1	-	-	-	-	-	3	4	1	5	-	2	1	-	1	-	1	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	136	1	-	-	-	-	2	1	8	10	3	17	10	13	8	14	13	7	16	4	5	2	-	1	-	-
	White—M	73	1	-	-	-	-	1	-	2	2	2	6	4	8	5	9	7	6	12	4	3	1	-	-	-	-
	F	33	-	-	-	-	-	-	1	2	4	-	5	5	2	2	3	3	-	2	-	2	1	-	1	-	-
	Nonwhite—M	13	-	-	-	-	-	1	-	1	1	-	1	1	2	-	2	2	1	1	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	-	-	3	3	1	5	-	1	1	-	1	-	1	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	19	-	3	1	-	1	-	1	-	1	-	-	-	3	1	3	-	2	2	-	-	1	-	-	-	-
	White—M	10	-	-	1	-	-	-	1	-	-	-	-	-	2	1	1	-	1	2	-	-	1	-	-	-	-
	F	4	-	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	48	-	-	-	-	-	-	-	-	1	-	-	-	2	1	3	9	7	10	4	10	1	-	-	-	-
	White—M	34	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	7	4	8	4	6	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	2	-	4	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	49	3	2	-	-	1	6	8	7	9	3	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	33	2	-	-	-	1	6	6	4	3	2	4	3	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	16	1	2	-	-	-	-	2	3	6	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	34	5	-	1	1	-	-	-	-	2	-	1	2	2	-	5	2	-	5	5	1	-	-	2	-	-
	White—M	22	3	-	-	-	-	-	-	-	2	-	1	2	1	-	3	1	-	4	3	1	-	-	1	-	-
	F	12	2	-	1	1	-	-	-	-	-	-	-	-	1	-	2	1	-	1	2	-	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
140-205	Malignant neoplasms, etc.*	1,972	1	4	-	1	3	12	6	8	11	10	22	37	59	105	154	193	236	255	278	266	181	68	37	2	5
	White	1,059	1	2	-	3	3	9	4	4	8	6	9	14	25	43	69	84	115	145	155	156	115	58	17	1	-
	M	901	-	2	-	1	-	3	2	3	2	4	12	23	35	59	85	104	115	107	120	107	65	32	19	1	2
	Nonwhite	18	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	3	4	2	1	3	-	-	1	-	-
	M	14	-	-	-	-	-	-	-	1	1	-	-	-	-	1	2	2	2	1	2	-	1	-	-	-	1
140-148	Of buccal cavity and pharynx	41	-	-	-	-	-	-	-	-	1	1	-	-	-	2	4	5	6	6	7	3	2	4	-	-	-
	White	36	-	-	-	-	-	-	-	-	1	-	-	-	-	2	4	4	5	5	6	3	2	4	-	-	-
	M	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	857	-	1	-	-	-	-	-	-	3	4	5	6	15	26	55	62	114	144	146	127	87	43	16	1	2
	White	482	-	-	-	-	-	-	-	-	2	2	3	2	8	13	27	29	60	85	81	73	62	28	6	1	-
	M	360	-	1	-	-	-	-	-	-	1	2	2	4	7	13	28	31	51	56	63	52	24	15	9	-	1
	Nonwhite	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	2	-	-	1	-	-	-
	M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1
160-164	Of respiratory system	141	-	-	-	-	-	-	-	-	1	-	1	5	7	11	14	24	17	17	17	18	5	3	1	-	-
	White	104	-	-	-	-	-	-	-	-	1	-	-	4	5	9	13	16	13	12	14	9	2	3	1	-	-
	M	34	-	-	-	-	-	-	-	-	-	-	1	1	2	1	1	7	1	5	3	9	3	-	-	-	-
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	175	-	-	-	-	-	-	-	-	-	-	5	7	7	20	26	24	23	12	15	14	12	5	4	1	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	M	170	-	-	-	-	-	-	-	-	-	-	5	7	7	19	25	21	23	12	15	14	12	5	4	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	326	-	-	-	-	-	1	-	2	1	-	3	5	16	17	23	31	56	32	40	46	49	17	7	-	-
	White	157	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	6	15	15	26	36	35	12	6	-	-
	M	164	-	-	-	-	-	1	-	2	-	-	2	4	15	16	20	25	19	17	13	10	14	5	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
180, 181	Of urinary organs	94	-	-	-	1	-	1	-	-	-	-	-	-	-	7	10	7	16	12	11	15	6	6	2	-	-
	White	65	-	-	-	-	-	1	-	-	-	-	-	-	-	6	8	2	10	10	8	11	5	3	1	-	-
	M	29	-	-	-	1	-	-	-	-	-	-	-	-	-	1	2	5	6	2	3	4	1	3	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	184	-	-	-	-	1	3	4	3	2	4	3	9	9	13	11	24	12	12	25	21	12	8	7	-	1
	White	95	-	-	-	-	1	2	2	1	1	3	2	4	6	5	8	16	4	7	12	8	5	5	3	-	-
	M	85	-	-	-	-	-	1	2	1	1	1	1	5	2	7	3	8	8	5	13	12	7	3	4	-	1
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	78	1	3	-	-	2	4	-	3	1	-	2	1	2	5	3	7	6	13	6	12	6	1	-	-	-
	White	48	1	2	-	-	2	3	-	3	1	-	1	1	1	5	1	3	2	8	2	9	3	-	-	-	-
	M	29	-	1	-	-	-	1	-	-	-	-	1	-	1	-	2	4	4	5	4	3	3	1	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	76	-	-	-	-	-	3	2	-	2	1	3	4	3	4	8	8	6	7	11	10	2	1	-	-	-
	White	51	-	-	-	-	-	3	2	-	2	1	2	2	2	2	6	7	4	3	6	7	1	1	-	-	-
	M	25	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	2	2	4	5	3	1	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	47	2	-	-	-	-	-	-	1	-	1	2	2	10	2	5	6	2	3	6	-	3	-	2	-	-
	White	15	2	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	1	2	3	-	1	-	1	-	-
	M	31	-	-	-	-	-	1	-	1	-	1	1	2	8	1	4	5	1	1	3	-	2	-	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	234	-	-	-	-	-	3	1	1	1	3	1	4	5	6	19	19	40	41	50	27	10	2	-	1	
	White	107	-	-	-	-	-	2	-	1	1	1	1	3	4	4	8	6	15	18	23	15	4	1	-	-	
	M	125	-	-	-	-	-	1	1	-	-	2	-	1	1	1	11	13	24	23	27	12	6	1	-	1	
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
280-293	Anemias	62	-	1	-	-	-	1	-	-	2	-	1	-	-	1	2	2	6	3	12	11	14	4	2	-	-
	White	38	-	-	-	-	-	1	-	-	2	-	1	-	-	1	2	2	3	1	9	8	7	2	-	-	-
	M	24	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	3	7	2	2	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	14	6	1	-	1	1	-	-	-	1	-	-	2	-	-	1	1	-	1	-	-	-	-	-	-	-
	White	8	5	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	M	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	6,573	3	1	2	1	-	5	9	11	4	16	32	48	99	178	203	459	605	810	1,017	1,092	1,041	839	246	42	10
	White	3,805	1	-	-	1	-	3	5	6	4	11	20	26	62	110	138	321	394	514	608	585	549	319	111	15	5
	M	2,613	2	1	2	1	-	2	4	-	-	4	11	17	28	54	53	122	190	271	393	495	482	315	134	27	8
	Nonwhite	91	-	-	-	-	-	2	1	1	-	1	-	2	6	8	3	12	15	14	7	7	6	5	1	-	-
	M	64	-	-	-	-	-	-	1	-	-	-	1	3	3	6	9	4	6	11	11	5	4	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	6,342	3	-	1	1	-	4	6	10	4	14	26	44	88	165	200	445	588	783	993	1,054	1,004	819	240	41	9
	White	3,686	1	-	-	-	-	2	3	6	4	10	15	26	59	105	136	312	386	496	598	572	522	310	107	15	4
	M	2,511	2	-	1	1	-	-	1	3	-	3	10	14	22	49	52	117	182	284	379	472	472	304	132	26	5
	Nonwhite	85	-	-	-	-	-	2	1	1	-	1	-	1	5	6	3	12	14	14	7	6	6	5	1	-	-
	M	60	-	-	-	-	-	1	-	-	-	-	1	3	3	5	9	4	6	9	11	4	4	-	-	-	-
330-334	Vascular lesions, etc.*	1,554	2	-	-	-	-	1	2	1	-	-	-	5	11	32	38	62	135	162	290	298	291	163	48	13	-
	White	785	1	-	-	-	-	1	-	1	-	-	-	3	6	10	19	36	65	88	150	151	145	82	22	6	-
	M	734	2	-	-	-	-	-	-	-	-	-	-	2	5	18	15	24	65	70	137	144	143	79	25	7	-
	Nonwhite	18	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	3	2	1	2	1	2	1	-	-
	M	17	-	-	-	-	-	-	1	-	-	-	-	-	1	3	2	1	2	2	2	1	2	-	-	-	-
400-402	Rheumatic fever	27	-	-	-	-	-	3	2	3	-	3	3	4	5	1	-	-	1	-	-	1	1	-	-	-	-
	White	16	-	-	-	-	-	1	2	2	-	2	2	3	4	-	-	-	-	-	-	-	1	-	-	-	-
	M	7	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite	3	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
410-443	Diseases of heart	4,278	-	-	-	1	-	-	2	8	4	11	23	31	65	125	153	367	440	588	647	678	598	360	156	20	3
	White	2,644	-	-	-	-	-	-	1	3	4	6	13	18	45	92	110	267	313	387	418	387	319	178	70	9	2
	F	1,558	-	-	-	1	-	-	1	3	-	2	9	10	14	29	36	86	113	183	215	284	273	181	86	11	1
	Nonwhite	58	-	-	-	-	-	-	-	-	-	1	-	1	4	4	1	11	11	11	5	4	5	1	-	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	1	2	2	-	6	3	3	7	9	3	1	-	-	-	-
410-416	Chronic rheumatic heart disease	179	...	-	-	-	-	-	2	2	1	-	5	7	9	16	13	15	11	26	23	13	28	7	1	-	-
	White	96	...	-	-	-	-	-	1	1	1	-	4	3	4	7	7	8	6	14	15	7	13	4	-	-	-
	F	82	...	-	-	-	-	-	1	1	-	-	1	4	5	9	6	6	5	11	8	6	15	3	1	-	-
	Nonwhite	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,256	-	-	-	-	-	-	-	1	2	6	13	10	42	74	93	247	274	366	341	344	256	140	41	6	-
	White	1,559	-	-	-	-	-	-	-	1	2	5	8	10	34	65	78	195	217	258	238	200	153	68	25	4	-
	F	659	-	-	-	-	-	-	-	-	-	1	4	-	5	6	12	42	55	105	99	140	101	71	18	2	-
	Nonwhite	28	-	-	-	-	-	-	-	-	-	-	-	-	3	3	1	8	2	4	1	3	2	1	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	-	1	3	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	960	...	-	-	-	-	-	-	-	-	3	3	4	7	13	17	39	81	92	145	164	188	130	66	7	1
	White	535	...	-	-	-	-	-	-	-	-	1	1	1	2	10	9	27	48	61	82	102	94	66	26	4	1
	F	393	...	-	-	-	-	-	-	-	-	1	2	2	3	2	6	10	26	26	57	59	92	64	40	3	-
	Nonwhite	20	...	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	6	4	2	1	2	-	-	-	-
	F	12	...	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	4	2	-	-	-	-	-
430-434	Other diseases of heart	298	-	-	-	1	-	-	-	3	1	1	1	4	4	5	13	30	23	29	47	57	36	20	19	3	1
	White	175	-	-	-	-	-	-	-	1	1	1	-	3	3	3	10	15	16	17	31	33	16	12	12	-	1
	F	118	-	-	-	1	-	-	-	2	-	-	1	1	1	2	3	14	7	10	15	24	19	8	7	3	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
440-443	Hypertension with heart dis.	585	-	-	-	-	-	-	-	-	-	1	1	6	3	17	17	36	51	75	91	100	90	63	29	4	1
	White	279	-	-	-	-	-	-	-	-	-	1	-	1	2	7	8	21	26	37	52	45	43	28	9	1	-
	F	286	-	-	-	-	-	-	-	-	-	-	1	3	-	10	9	14	20	33	36	55	46	35	20	3	1
	Nonwhite	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	-	1	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	-	2	2	2	-	-	-	-	-	-
444-447	Hypertension without mention of heart	108	-	-	-	-	-	-	-	-	-	-	-	2	1	6	4	5	5	13	12	22	23	12	2	-	1
	White	45	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	1	6	5	9	11	6	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	6	6	13	12	6	2	-	1
	Nonwhite	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-
450	General arteriosclerosis	308	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	14	35	50	85	79	33	7	3
	White	154	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10	18	22	44	41	15	-	2
	F	150	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	4	17	28	38	38	18	7	1
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-
451-468	Other diseases of circulatory sys.	67	1	-	1	-	-	-	-	-	-	-	-	2	5	1	4	10	6	6	9	5	8	5	1	1	2
	White	42	1	-	-	-	-	-	-	-	-	-	-	2	3	1	4	6	6	5	5	3	3	3	-	-	-
	F	25	-	-	1	-	-	-	-	-	-	-	-	-	2	-	-	4	-	1	4	2	5	2	1	1	2
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	231	-	1	1	-	-	1	3	1	-	2	6	4	11	13	3	14	17	27	24	38	37	20	6	1	1
	White	119	-	-	-	-	-	1	2	-	-	1	5	-	4	5	2	9	8	18	10	13	27	9	4	-	1
	F	102	-	1	1	-	-	-	1	1	-	1	1	3	6	5	1	5	8	7	14	23	10	11	2	1	-
	Nonwhite	6	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	1	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	1	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	370	45	6	2	1	-	1	-	4	1	1	7	8	6	7	12	14	19	22	33	55	54	39	22	11	1
	White	202	29	4	-	-	-	1	-	4	1	1	4	3	2	5	6	9	12	16	16	29	28	17	9	6	-
	F	154	15	2	1	1	-	-	-	-	-	-	3	3	2	2	3	8	5	5	1f	26	25	21	13	5	1
	Nonwhite	11	-	-	1	-	-	-	-	-	-	-	-	-	2	-	3	-	2	-		1	1	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1		-	-	1	-	-	-
480-483	Influenza	60	6	-	-	-	-	-	-	-	-	-	1	-	3	1	-	2	3	2		9	16	8	3	2	-
	White	31	5	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	2	2	5	9	1	1	2	-
	F	27	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	2	4	7	7	2	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	310	39	6	2	1	-	1	-	4	1	1	6	6	3	6	12	12	16	20	28	47	38	31	19	9	1
	White	171	24	4	-	-	-	1	-	4	1	1	3	3	2	5	6	8	10	14	14	24	19	16	8	4	-
	F	127	14	2	1	1	-	-	-	-	-	-	3	3	1	1	3	4	4	5	14	22	18	14	11	5	1
	Nonwhite	9	-	-	1	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	1	1	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-
500-502	Bronchitis	28	2	1	-	-	-	-	1	1	1	-	-	-	-	1	1	2	3	-	2	5	6	2	1	-	-
	White	18	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	3	-	2	2	3	1	1	-	-
	F	11	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	3	3	1	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	74	-	-	-	-	-	-	-	-	-	-	2	-	3	5	7	12	9	15	10	7	4	2	-	-	-
	White	64	-	-	-	-	-	-	-	-	-	-	1	-	3	5	5	10	7	13	8	6	4	2	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	1	1	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	35	-	-	-	-	-	2	4	1	-	2	-	-	2	4	3	6	3	3	3	1	1	-	-	-	-
	White	22	-	-	-	-	-	1	2	1	-	-	-	-	-	2	2	6	3	3	1	-	1	-	-	-	-
	F	13	-	-	-	-	-	1	2	-	-	2	-	-	2	2	1	-	-	-	2	1	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	108	11	-	-	-	-	1	1	1	1	1	1	1	-	5	5	14	13	9	6	14	13	9	4	1	-
	White	51	6	-	-	-	-	-	-	1	1	1	1	1	-	2	-	5	5	6	2	6	5	6	3	1	-
	F	57	5	-	-	-	-	1	1	-	-	-	-	-	-	3	5	9	8	3	4	8	8	3	1	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEBRASKA—Con.																										
543,	Gastritis, etc.*--	51	18	4	1	-	-	-	-	-	-	1	1	1	1	2	-	1	1	7	2	2	4	2	1	2	-
571,	White-----M--	26	6	4	-	-	-	-	-	-	-	1	1	-	-	1	-	-	1	4	1	2	2	1	-	2	-
572	F--	21	8	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	3	1	-	2	1	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	101	-	-	-	-	-	-	-	-	-	-	2	3	13	3	8	12	15	18	10	9	4	1	3	-	-
	White-----M--	63	-	-	-	-	-	-	-	-	-	-	1	2	8	2	5	9	11	9	6	6	2	1	1	-	-
	F--	33	-	-	-	-	-	-	-	-	-	-	1	1	3	1	3	3	4	8	4	3	2	-	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	20	-	-	-	1	-	-	-	-	-	2	-	2	1	-	1	2	-	2	4	2	1	1	1	-	-
	White-----M--	13	-	-	-	1	-	-	-	-	-	2	-	1	1	-	-	1	-	2	3	1	-	1	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	1	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	18	17	19	7	2	1	1
	White-----M--	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	18	16	19	7	2	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	24	...	...	...	...	...	...	-	1	5	9	5	2	2	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	24	...	...	...	...	...	...	-	1	5	9	5	2	2	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	6	...	...	...	...	...	...	-	-	3	-	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	6	...	...	...	...	...	...	-	-	3	-	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	18	...	...	...	...	...	...	-	1	2	9	3	1	2	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	18	...	...	...	...	...	...	-	1	2	9	3	1	2	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	170	136	6	-	2	1	2	2	4	2	-	-	4	-	2	1	3	1	1	1	1	1	1	-	-	-
	White-----M--	98	79	3	-	1	1	1	1	2	1	-	-	4	-	-	1	2	1	-	-	-	1	-	-	-	-
	F--	71	56	3	-	1	-	1	1	2	1	-	-	-	-	2	-	1	-	1	1	1	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	463	462	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	286	285	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	168	168	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	276	275	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	155	154	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	203	10	2	1	-	-	-	1	-	-	-	-	-	-	4	4	3	7	9	16	26	25	51	33	8	3
795	White-----M--	118	7	2	1	-	-	-	-	-	-	-	-	-	-	3	3	3	5	7	8	13	14	27	21	3	1
	F--	83	1	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	2	2	8	13	11	24	12	5	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-	All other diseases	637	25	3	4	5	2	8	4	10	12	9	13	14	23	28	43	44	74	65	61	63	75	55	14	3	-
sid-	White-----M--	320	14	3	3	1	-	6	2	6	5	3	5	10	12	16	23	35	35	36	33	31	37	13	1	-	-
ual	F--	304	9	-	1	3	2	2	2	4	7	6	8	4	11	11	19	18	37	28	26	31	38	22	12	3	-
	Nonwhite--M--	5	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
	F--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	-	-	1	-	-
E800-	Accidents----------	698	28	22	12	7	13	30	30	35	46	47	31	30	38	35	32	62	53	53	59	61	62	54	32	4	2
E962	White-----M--	582	9	15	7	6	10	19	21	41	41	40	24	26	29	33	22	50	37	33	35	28	23	18	14	2	1
	F--	292	17	7	5	1	2	10	8	12	5	4	4	3	7	1	8	12	16	18	23	34	39	35	18	2	1
	Nonwhite--M--	15	1	-	-	-	1	1	1	1	-	3	1	1	1	1	-	-	-	2	1	-	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	1	-	-	2	-	1	-	2	-	-	-	-	1	-	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents----------	271	-	5	5	2	3	13	14	27	21	18	15	6	21	10	15	21	22	20	13	12	5	3	-	-	-
	White-----M--	187	-	3	1	2	3	7	9	18	18	14	11	4	15	10	9	12	15	16	8	7	3	2	-	-	-
	F--	74	-	2	4	-	-	5	5	8	3	2	3	2	4	-	5	8	7	3	5	4	2	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	1	-	-	-	-	2	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	1	-	-	-	-	-
E800-	All ot. accidents-	627	28	17	7	5	10	17	16	28	25	29	16	24	17	25	17	41	31	33	46	49	57	51	32	4	2
E802,	White-----M--	395	9	12	6	4	7	12	12	23	23	26	13	22	14	23	15	38	22	17	27	19	20	16	14	2	1
E840-	F--	216	17	5	1	1	2	5	3	4	2	2	1	1	3	1	3	3	9	15	18	30	37	34	18	2	1
E982	Nonwhite--M--	10	1	-	-	-	1	-	1	1	-	1	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	1	-	-	-
E963;	Suicide----------	162	-	-	-	-	-	-	-	-	4	12	7	8	16	22	19	25	12	14	10	6	5	1	-	-	1
E970-	White-----M--	132	-	-	-	-	-	-	-	-	2	8	5	6	14	18	16	21	11	9	9	6	5	1	-	-	1
E979	F--	30	-	-	-	-	-	-	-	-	2	4	2	2	2	4	3	4	1	5	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	23	-	-	-	-	-	-	-	-	3	3	3	4	3	2	2	2	-	-	-	1	-	-	-	-	-
E980-	White-----M--	10	-	-	-	-	-	-	-	-	1	1	1	2	2	-	1	2	-	-	-	-	-	-	-	-	-
E995	F--	5	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA																										
	ALL CAUSES	1,610	118	12	4	5	2	15	5	15	24	30	38	54	66	93	118	155	165	204	158	142	98	56	26	3	8
	White—M	1,088	61	7	1	4	1	8	5	10	17	18	21	31	43	60	81	116	126	140	111	97	60	32	13	1	4
	F	422	44	1	2	1	1	4	-	3	4	9	14	13	14	27	28	35	32	56	37	38	28	20	8	1	1
	Nonwhite—M	62	7	2	-	-	-	1	-	1	2	3	2	7	5	3	4	3	3	5	8	2	4	1	-	-	1
	F	58	6	2	1	-	-	2	-	1	1	-	1	3	4	3	5	1	4	3	2	5	3	3	5	1	2
001-019	Tuberculosis, all forms	58	1	-	1	-	-	1	-	-	2	1	6	3	5	8	5	9	8	6	3	1	-	-	-	-	-
	White—M	38	-	-	-	-	-	-	-	-	1	1	2	1	1	5	3	9	8	4	3	-	-	-	-	-	-	-
	F	10	-	-	1	-	-	-	-	-	-	-	3	-	2	1	2	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	1	-	-	1	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	50	-	-	-	-	-	-	-	1	1	6	3	4	5	5	8	8	5	3	1	-	-	-	-	-	-
	White—M	35	-	-	-	-	-	-	-	-	1	2	1	1	4	3	8	8	4	3	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	3	-	2	1	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	8	1	-	1	-	-	1	-	-	1	-	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	12	1	-	-	-	-	-	-	-	-	-	2	-	-	1	-	2	1	3	1	1	-	-	-	-	-	-
	White—M	9	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	1	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
140-205	Malignant neoplasms, etc.*—	192	1	1	1	-	-	2	-	2	2	1	1	7	5	16	19	28	24	35	21	15	7	4	-	-	-
	White— M	112	-	-	1	-	-	1	-	1	2	1	1	4	-	8	11	17	14	20	15	11	4	1	-	-	-
	F	69	1	-	-	-	-	1	-	1	-	-	-	3	3	8	7	10	8	14	5	3	3	2	-	-	-
	Nonwhite— M	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	1	-	-	-
140-148	Of buccal cavity and pharynx—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	-	-	-	-	-	-
	White— M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	70	1	-	-	-	-	-	-	-	-	-	-	2	-	4	7	12	12	13	7	5	4	3	-	-	-
	White— M	48	-	-	-	-	-	-	-	-	-	-	-	1	-	3	5	9	9	8	6	4	2	1	-	-	-
	F	19	1	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	2	4	1	1	2	1	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
160-164	Of respiratory system—	28	-	-	-	-	-	-	-	-	-	1	-	-	1	2	5	6	3	4	3	2	1	-	-	-	-
	White— M	21	-	-	-	-	-	-	-	-	-	1	-	-	-	2	4	5	-	3	2	2	1	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	1	-	-	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast—	14	-	-	-	-	-	-	-	-	-	-	-	1	2	4	2	1	1	2	1	-	-	-	-	-	-
	White— M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	1	1	2	1	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs—	31	-	-	-	-	-	-	-	-	1	-	-	2	1	3	2	4	2	9	2	4	1	-	-	-	-
	White— M	8	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	3	-	2	1	-	-	-	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	3	2	6	1	1	-	-	-	-	-
	Nonwhite— M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs—	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	-	-
	White— M	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
158B, 165, 190-199	Of other sites, etc.*—	22	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	4	5	4	2	1	1	-	-	-
	White— M	15	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	3	3	4	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	1	1	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia—	8	-	1	-	-	-	1	-	-	1	-	-	2	-	-	-	1	-	1	-	1	-	-	-	-	-
	White— M	5	-	-	-	-	-	1	-	-	1	-	-	2	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite— M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	9	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-	3	-	-	2	-	-	-	-	-	-
	White— M	6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	3	-	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	6	-	-	-	-	-	-	-	-	2	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	White— M	2	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus—	23	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	3	7	2	3	1	1	1	-	-	-
	White— M	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3	-	2	1	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	2	1	-	1	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
280-293	Anemias—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	-	-	-	-	-
	White— M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis—	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	710	-	-	1	-	-	-	-	1	1	3	7	13	26	32	54	69	84	115	91	87	68	33	18	2	5
	White— M	492	-	-	-	-	-	-	-	1	1	3	4	8	19	22	42	51	66	83	63	55	41	21	9	1	2
	F	181	-	-	-	-	-	-	-	-	-	-	2	2	4	9	10	17	14	29	26	29	23	11	5	-	-
	Nonwhite— M	15	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	1	1	2	2	1	1	-	-	-	1
	F	22	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	3	1	-	2	3	1	4	1	2
330-334, 400-468	Diseases of cardiovascular system—	688	-	-	1	-	-	-	-	1	1	3	7	11	25	30	52	67	81	114	86	86	66	33	17	2	5
	White— M	480	-	-	-	-	-	-	-	1	1	3	4	7	19	21	40	50	65	82	60	54	40	21	9	1	2
	F	173	-	-	-	-	-	-	-	-	-	-	2	1	3	8	10	16	13	29	25	29	22	11	4	-	-
	Nonwhite— M	14	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	1	1	2	1	1	1	-	-	-	1
	F	21	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	2	1	-	2	3	1	4	1	2
330-334	Vascular lesions, etc.*—	126	-	-	-	-	-	-	-	-	-	1	1	2	2	4	3	9	18	16	19	20	19	9	1	-	-
	White— M	83	-	-	-	-	-	-	-	-	-	1	-	2	2	1	2	7	13	10	12	12	13	7	1	-	-
	F	37	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	2	3	7	7	8	4	1	-	-	-
	Nonwhite— M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-
400-402	Rheumatic fever—	4	-	-	-	-	-	-	-	-	1	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White— M	3	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
410-443	Diseases of heart	521	-	-	1	-	-	-	-	1	-	2	3	8	22	25	46	55	59	89	62	63	42	22	14	2	5
	White—M	371	-	-	-	-	-	-	-	1	-	2	2	5	16	19	37	40	48	67	45	40	24	14	8	1	2
	F	122	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	14	10	20	16	20	16	8	3	-	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	3	2	-	1	1	-	1	1	1	1	-	-	-	1
	F	16	-	-	1	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1	-	2	1	-	3	1	2
410-416	Chronic rheumatic heart disease	23	...	-	-	-	-	-	-	1	-	1	1	-	1	2	2	3	2	5	2	2	-	-	1	-	-
	White—M	17	...	-	-	-	-	-	-	1	-	1	1	-	-	1	2	2	1	4	2	1	-	-	1	-	-
	F	4	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	1	...	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	341	-	-	-	-	-	-	-	-	-	-	2	4	18	13	31	40	40	60	43	39	23	16	8	1	3
	White—M	249	-	-	-	-	-	-	-	-	-	-	1	3	14	10	27	28	35	47	31	24	12	10	5	-	2
	F	76	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	11	4	11	11	13	9	6	2	-	-
	Nonwhite—M	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	1	1	1	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	1	-	1	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	72	...	-	1	-	-	-	-	-	-	-	-	2	1	-	2	5	8	9	10	13	11	3	5	-	2
	White—M	45	...	-	-	-	-	-	-	-	-	-	-	1	1	-	2	3	6	7	7	9	5	2	2	-	-
	F	21	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	4	6	1	1	-	-
	Nonwhite—M	2	...	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
	F	4	...	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1
430-434	Other diseases of heart	43	-	-	-	-	-	-	-	-	-	1	-	-	2	6	5	5	5	8	4	3	2	1	-	1	-
	White—M	34	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	5	4	7	3	2	2	1	-	1	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	1	1	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	42	-	-	-	-	-	-	-	-	-	-	-	2	-	4	6	2	4	7	3	6	6	2	-	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	1	-	4	3	2	2	2	2	4	5	1	-	-	-
	F	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	5	1	2	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	4	2	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	2	5	2	2	-	-
	White—M	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	3	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
451-468	Other diseases of circulatory sys.	12	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	3	2	1	1	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	3	2	1	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	22	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	3	1	5	1	2	-	1	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	1	1	3	1	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	1	-	1	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	37	8	2	-	-	1	1	-	-	-	-	-	3	1	2	2	2	2	3	6	3	1	-	-	-	-
	White—M	24	3	1	-	-	1	-	-	-	-	-	-	1	1	2	1	2	2	2	6	2	-	-	-	-	-
	F	8	2	-	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	36	8	2	-	-	1	1	-	-	-	-	-	3	1	2	1	2	2	3	6	3	1	-	-	-	-
	White	24	3	1	-	-	1	-	-	-	-	-	-	1	1	2	1	2	2	2	6	2	-	-	-	-	-
	F	7	2	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	-	2	-	-	1	-	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	1	-	2	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	7	-	-	-	1	-	1	-	-	1	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	1	-	1	-	-	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	24	3	-	-	-	-	1	-	-	1	1	2	-	2	1	2	3	3	1	1	2	-	1	-	-	-
	White—M	15	2	-	-	-	-	1	-	-	-	1	1	-	2	1	1	1	3	1	-	1	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	-	-	1	1	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEVADA—Con.																										
543,	Gastritis, etc.*—	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
571,	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
572	F—	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	17	-	-	-	-	-	-	-	-	-	-	1	3	-	2	2	2	-	3	-	3	1	-	-	-	-
	White——M—	11	-	-	-	-	-	-	-	-	-	-	1	3	-	-	1	1	-	2	-	2	1	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	-	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	4	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-
	White——M—	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	5	5	-	1	-	-
	White——M—	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	5	-	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
640-	Complications of																										
689	pregnancy, etc.*—	6	...	...	...	...	...	...	-	-	-	2	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	6	...	...	...	...	...	...	-	-	-	2	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	6	...	...	...	...	...	...	-	-	-	2	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	6	...	...	...	...	...	...	-	-	-	2	2	2	-	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	17	12	1	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
	White——M—	8	6	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	9	6	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	28	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	50	2	-	-	-	-	-	-	-	-	-	1	1	1	5	3	2	6	7	3	5	5	5	3	1	-
795	White——M—	33	1	-	-	-	-	-	-	-	-	-	-	1	1	3	2	2	6	5	1	3	3	4	1	-	-
	F—	8	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	-	1	1	1	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	2	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-
Re-	All other diseases	95	2	1	-	1	-	1	-	1	-	4	2	4	3	8	11	12	6	15	9	6	4	3	1	-	1
sid-	White——M—	68	-	1	-	1	-	1	-	1	-	-	1	-	2	6	6	11	4	11	8	6	4	3	1	-	1
ual	F—	23	1	-	-	-	-	-	-	-	-	4	1	3	1	1	4	1	2	4	1	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E800-	Accidents—	167	5	5	1	1	1	4	4	8	12	8	10	9	14	7	13	10	17	8	8	6	4	7	3	-	1
E962	White——M—	115	3	4	-	-	-	2	4	5	6	5	8	6	10	6	10	9	14	6	4	5	2	3	1	-	-
	F—	32	2	-	1	1	1	2	-	1	2	1	2	1	3	1	2	-	2	2	1	-	1	3	2	-	1
	Nonwhite—M—	15	-	1	-	-	-	-	-	1	1	2	-	1	1	-	1	1	1	1	2	-	1	1	-	-	-
	F—	5	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents—	88	-	-	-	-	-	1	1	5	10	2	7	5	2	3	6	6	6	4	5	2	1	1	-	-	1
	White——M—	48	-	-	-	-	-	1	1	3	7	1	5	3	2	3	3	5	5	2	4	1	1	1	-	-	-
	F—	11	-	-	-	-	-	-	1	1	1	1	2	1	-	-	2	-	1	1	-	-	-	-	-	-	1
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	1	1	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
E800-	All ot. accidents—	99	5	5	1	1	1	3	3	3	2	6	3	4	12	4	7	4	11	5	3	4	3	6	3	-	-
E802,	White——M—	67	3	4	-	-	-	1	3	2	1	4	3	3	8	3	7	4	9	4	-	4	1	2	1	-	-
E840-	F—	21	2	-	1	1	1	2	-	-	1	-	-	-	3	1	-	-	1	1	1	-	1	3	2	-	-
E962	Nonwhite—M—	9	-	1	-	-	-	-	-	1	-	2	-	-	1	-	-	-	1	-	1	-	1	1	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
E963,	Suicide—	40	-	-	-	-	-	2	-	5	2	4	4	6	2	5	4	3	-	2	-	-	-	-	-	1	
E970-	White——M—	32	-	-	-	-	-	2	-	4	-	4	3	4	2	4	4	2	-	2	-	-	-	-	-	1	
E979	F—	8	-	-	-	-	-	-	-	1	2	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E964,	Homicide—	16	-	-	-	-	-	1	1	1	2	3	1	1	1	3	1	-	-	-	-	-	1	-	-	-	
E980-	White——M—	10	-	-	-	-	-	1	1	-	2	2	1	-	1	2	-	-	-	-	-	-	-	-	-	-	
E985	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	
E965,	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE																										
	ALL CAUSES	6,109	335	24	10	10	9	32	16	34	49	37	68	81	131	224	280	432	506	718	834	881	718	435	175	43	19
	White—M	3,398	197	14	4	7	6	17	10	25	34	20	40	55	79	147	167	254	328	431	479	463	351	187	83	8	12
	F	2,701	135	9	6	3	3	15	6	9	15	17	28	36	51	77	112	176	178	284	354	418	367	248	112	35	7
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	2	1	-	-	-	-	-	-	-
	F	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms	69	1	-	-	1	-	1	-	-	-	1	2	8	4	3	10	4	12	8	5	5	2	2	-	-	-
	White—M	50	1	-	-	1	-	-	-	-	-	1	-	5	3	1	8	2	10	6	4	5	2	1	-	-	-
	F	18	-	-	-	-	-	1	-	-	-	-	2	3	1	2	2	1	2	2	1	-	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	64	1	-	-	1	-	1	-	-	-	1	1	7	4	3	9	4	12	8	4	5	2	1	-	-	-
	White—M	47	1	-	-	1	-	-	-	-	-	1	-	4	3	1	8	2	10	6	3	5	2	-	-	-	-
	F	16	-	-	-	-	-	1	-	-	-	-	1	3	1	2	1	1	2	2	1	-	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	-	-	1	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	23	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	2	2	6	5	1	1	-	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	5	5	1	1	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	9	-	-	-	-	-	-	-	-	2	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	1	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	4	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	8	1	-	-	-	-	1	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	1	1	-	-
	White—M	5	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
140-205	Malignant neoplasms, etc.*——	953	-	4	-	1	1	2	1	-	5	5	6	15	25	48	78	98	94	139	175	116	90	42	9	2	1
	White——M——	466	-	4	-	-	-	2	1	-	2	2	2	8	10	20	34	39	52	73	90	58	50	15	3	-	1
	F——	486	-	-	-	1	1	-	-	-	3	1	4	5	15	28	44	58	42	66	85	58	40	27	6	2	-
	Nonwhite—M——	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx——	51	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	8	4	4	-	5	1	1	-
	White——M——	21	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	5	3	3	-	4	1	-	-
	F——	10	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	1	-	1	-	1	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	416	-	-	-	-	-	-	-	-	-	1	-	2	8	13	28	45	41	57	94	59	41	22	4	-	1
	White——M——	220	-	-	-	-	-	-	-	-	-	-	-	1	3	6	17	24	22	34	53	30	21	7	1	-	1
	F——	195	-	-	-	-	-	-	-	-	-	1	-	1	5	7	11	20	19	23	41	29	20	15	3	-	-
	Nonwhite—M——	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system——	69	-	-	-	-	-	-	-	-	-	-	-	1	2	5	12	8	12	13	8	4	3	1	-	-	-
	White——M——	56	-	-	-	-	-	-	-	-	-	-	-	1	2	5	10	7	10	10	5	3	3	-	-	-	-
	F——	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	3	1	-	1	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast——	93	-	-	-	-	-	-	-	-	-	-	-	1	3	9	12	12	5	15	13	13	4	5	2	1	-
	White——M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	93	-	-	-	-	-	-	-	-	-	-	-	1	3	9	12	12	5	15	13	13	4	5	2	1	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs——	158	-	-	-	-	-	-	-	-	1	-	3	5	5	6	15	15	10	27	25	15	26	5	2	-	-
	White——M——	64	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	2	14	12	13	16	2	1	-	-
	F——	94	-	-	-	-	-	-	-	-	1	-	2	3	5	6	14	15	8	13	13	2	10	1	1	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs——	41	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	4	5	5	9	9	3	1	-	-	-
	White——M——	26	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	8	4	2	-	-	-	-
	F——	15	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	-	1	5	1	1	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	85	-	2	-	-	1	-	1	-	-	1	2	-	3	6	5	8	11	7	13	10	10	5	-	-	-
	White——M——	41	-	2	-	-	1	-	1	-	-	1	-	-	2	4	2	3	8	2	4	4	6	2	-	-	-
	F——	44	-	-	-	-	1	-	-	-	-	-	2	-	1	2	3	5	3	5	9	6	4	3	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia——	33	-	2	-	1	-	2	-	-	2	-	-	-	2	4	-	2	6	5	5	1	1	-	-	-	-
	White——M——	18	-	2	-	-	-	2	-	-	1	-	-	-	1	4	-	2	4	-	2	-	-	-	-	-	-
	F——	15	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	2	5	3	1	1	-	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	27	-	-	-	-	-	-	-	-	2	1	1	4	1	1	2	2	4	4	1	2	-	-	-	-	-
	White——M——	20	-	-	-	-	-	-	-	-	1	1	1	4	1	-	1	1	1	3	1	2	-	-	-	-	-
	F——	7	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	30	2	-	-	-	-	-	-	-	1	-	4	1	2	3	2	2	-	4	4	2	2	1	-	-	-
	White——M——	15	1	-	-	-	-	-	-	-	1	-	2	-	1	1	1	1	-	2	2	1	2	1	-	-	-
	F——	15	1	-	-	-	-	-	-	-	-	-	2	1	2	2	1	1	-	2	2	1	-	-	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus——	122	-	-	-	-	-	-	-	-	-	1	-	3	5	3	4	11	18	26	20	15	8	7	-	1	-
	White——M——	55	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	4	9	13	11	7	4	4	-	1	-
	F——	67	-	-	-	-	-	-	-	-	-	1	-	2	4	3	4	7	9	13	9	8	4	3	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias——	19	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	2	1	7	4	3	-	-	-
	White——M——	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	4	2	2	-	-	-
	F——	10	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	1	1	3	2	1	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	6	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White——M——	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	3	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	3,482	2	-	-	-	2	2	1	5	5	9	15	28	52	109	125	222	291	437	530	527	528	314	132	31	15
	White——M——	1,940	1	-	-	-	2	-	1	3	1	5	9	16	35	82	86	145	204	268	310	330	246	132	49	8	9
	F——	1,538	1	-	-	-	-	2	-	2	4	4	6	12	17	27	38	77	87	167	219	297	282	182	83	25	6
	Nonwhite—M——	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F——	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system——	3,372	2	-	-	-	1	1	1	4	4	8	14	27	51	100	122	215	277	426	518	611	512	307	127	31	15
	White——M——	1,879	1	-	-	-	1	-	1	2	1	4	9	16	34	75	84	140	195	264	303	321	236	129	48	6	9
	F——	1,489	1	-	-	-	-	1	-	2	3	4	5	11	17	25	37	75	82	160	214	290	276	178	79	25	6
	Nonwhite—M——	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F——	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*——	653	1	-	-	-	-	-	-	-	1	2	1	4	9	13	15	29	55	83	105	135	114	60	18	7	1
	White——M——	312	1	-	-	-	-	-	-	-	-	-	-	1	4	7	8	9	32	48	54	68	45	26	6	2	1
	F——	350	-	-	-	-	-	-	-	-	1	2	1	3	5	6	7	20	23	44	51	67	69	34	12	5	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
400-402	Rheumatic fever——	7	1	-	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	White——M——	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F——	5	1	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
410-443	Diseases of heart	2,337	-	-	-	-	1	-	1	4	3	4	11	22	40	84	101	172	210	302	364	410	323	177	80	16	12
	White—M	1,583	-	-	-	-	1	-	1	2	1	2	9	15	29	66	71	124	156	200	220	218	150	78	32	1	7
	F	952	-	-	-	-	-	-	-	2	2	2	2	7	11	18	29	48	54	101	144	192	173	99	48	15	5
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease	80	...	-	-	-	-	-	1	-	2	-	3	3	1	11	2	3	14	11	9	12	5	3	-	-	-
	White—M	36	...	-	-	-	-	-	1	-	1	-	3	1	-	4	2	2	6	4	5	5	2	-	-	-	-
	F	44	...	-	-	-	-	-	-	-	1	-	-	2	1	7	-	1	8	7	4	7	3	3	-	-	-
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,511	-	-	-	-	-	-	-	3	-	1	3	11	29	57	74	128	150	199	245	244	207	105	37	9	8
	White—M	983	-	-	-	-	-	-	-	2	-	1	3	10	23	52	57	99	118	141	157	147	102	47	19	-	5
	F	528	-	-	-	-	-	-	-	1	-	-	-	1	6	5	17	30	32	58	88	97	105	58	18	9	3
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	329	...	-	-	-	-	-	-	-	-	2	2	5	3	5	4	14	11	35	36	72	62	41	30	5	2
	White—M	154	...	-	-	-	-	-	-	-	-	1	1	1	-	3	2	8	9	22	20	33	26	17	10	-	1
	F	175	...	-	-	-	-	-	-	-	-	1	1	4	3	2	2	6	2	13	16	39	36	24	20	5	1
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	80	-	-	-	-	1	-	-	1	1	1	2	2	3	1	5	6	14	12	7	14	4	2	2	-	2
	White—M	51	-	-	-	-	1	-	-	-	-	-	1	2	2	-	4	4	10	9	6	6	3	1	1	-	1
	F	28	-	-	-	-	-	-	-	1	1	1	1	-	1	1	1	2	4	2	1	8	1	1	1	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	337	-	-	-	-	-	-	-	-	-	-	1	1	4	10	16	20	21	45	67	68	45	26	11	2	-
	White—M	159	-	-	-	-	-	-	-	-	-	-	1	1	4	7	6	11	13	24	32	27	17	13	2	1	-
	F	177	-	-	-	-	-	-	-	-	-	-	-	-	-	3	9	9	8	21	35	41	28	15	9	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	44	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	6	4	3	6	9	3	6	2	1	-
	White—M	21	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	2	3	2	1	6	2	1	-	1	-
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	1	1	5	3	1	5	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	281	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	20	39	56	72	63	28	7	2
	White—M	144	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	11	25	29	39	24	10	2	1
	F	136	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	9	13	27	33	39	16	5	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	30	-	-	-	-	-	-	-	-	-	-	1	-	1	2	4	3	5	7	4	1	-	1	1	-	-
	White—M	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	3	3	3	-	-	-	-	-	-
	F	13	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	2	4	1	1	-	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	110	-	-	-	-	1	1	-	1	1	1	1	1	1	9	3	9	14	11	12	16	16	7	5	-	-
	White—M	61	-	-	-	-	1	-	-	1	-	1	-	-	1	7	2	5	9	4	7	9	10	3	1	-	-
	F	49	-	-	-	-	-	1	-	-	1	-	1	1	-	2	1	4	5	7	5	7	6	4	4	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	155	15	5	1	-	1	1	2	1	1	-	3	5	1	6	4	9	6	12	19	19	22	16	5	3	-
	White—M	84	11	3	-	-	-	-	2	-	1	-	1	3	1	3	1	6	4	7	12	9	9	10	1	-	-
	F	70	4	1	1	-	1	1	-	1	-	-	2	2	-	3	3	3	2	5	7	10	13	6	2	3	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	1	-	-
	White—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	146	15	5	1	-	1	1	2	1	1	-	3	5	1	6	4	9	6	12	16	17	21	14	2	3	-
	White—M	79	11	3	-	-	-	-	2	-	1	-	1	3	1	3	1	6	4	7	11	9	8	8	-	-	-
	F	66	4	1	1	-	1	1	-	1	-	-	2	2	-	3	3	3	2	5	5	8	13	6	2	3	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	20	4	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	2	-	3	2	2	3	-	-
	White—M	10	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	2	-	1	1	1	1	-	-
	F	10	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	1	1	2	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	32	-	-	-	-	-	1	-	-	1	-	-	1	1	1	3	5	6	5	2	2	3	1	-	-	-
	White—M	27	-	-	-	-	-	1	-	-	1	-	-	1	1	1	2	5	6	3	1	2	3	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	19	-	-	-	-	-	1	1	1	-	-	1	-	-	-	1	4	4	-	2	3	-	1	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	-	1	-	-	-	-	-
	F	12	-	-	-	-	-	1	1	1	-	-	1	-	-	-	-	1	2	-	2	2	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	54	6	-	-	-	-	-	-	-	-	-	-	1	-	3	2	3	4	5	9	10	5	3	2	1	-
	White—M	29	3	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	4	6	7	2	1	1	-	-
	F	25	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	1	3	3	3	2	1	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW HAMPSHIRE—Continued																										
543, 571, 572	Gastritis, etc.*—White—M—F—Nonwhite—M—F—	24	6	1	-	-	-	-	-	-	1	-	-	-	-	1	2	-	1	3	4	3	1	1	-	-	-
		12	4	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	3	1	-	-	-	-	-
		12	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	2	1	2	1	1	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	43	1	-	-	-	-	-	-	-	-	1	1	5	2	4	3	7	5	3	6	3	1	1	-	-	-
	White—M—	27	1	-	-	-	-	-	-	-	-	1	-	3	1	3	2	4	3	2	5	2	-	-	-	-	-
	F—	16	-	-	-	-	-	-	-	-	-	-	1	2	1	1	1	3	2	1	1	1	1	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*	12	-	1	-	-	-	1	-	-	-	-	1	-	-	-	-	2	1	1	3	1	1	-	-	-	-
	White—M—	7	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	-	-	1	1	1	-	-	-	-
	F—	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	5	5	5	6	-	-	-
	White—M—	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	5	5	5	6	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*	8	...	...	...	...	...	...	-	-	3	1	3	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	8	...	...	...	...	...	...	-	-	3	1	3	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-648, 660-689	All other complications	8	...	...	...	...	...	...	-	-	3	1	3	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	White—F—	8	...	...	...	...	...	...	-	-	3	1	3	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations	85	64	5	-	1	3	2	-	3	-	1	1	1	-	1	-	-	-	1	1	1	-	-	-	-	-
	White—M—	52	39	2	-	1	3	1	-	3	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	33	25	3	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	85	85	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	59	59	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	37	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*	43	4	-	1	-	-	-	1	-	-	1	2	1	-	3	1	4	2	4	2	4	2	2	7	1	1
	White—M—	27	1	-	1	-	-	-	-	-	-	-	2	1	-	2	1	3	2	3	2	2	2	1	3	-	1
	F—	15	2	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	1	-	2	-	1	4	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	269	5	2	1	2	1	7	1	4	5	7	8	8	10	16	19	29	40	24	26	29	15	8	3	1	-
	White—M—	133	3	2	-	1	1	2	1	2	3	1	5	6	3	11	8	16	19	11	12	15	8	4	1	-	-
	F—	135	2	-	1	1	-	5	-	2	2	6	1	2	6	5	11	13	21	13	14	14	9	4	2	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents	289	12	6	5	5	1	10	7	17	22	6	12	7	18	10	9	12	11	21	12	20	24	24	15	3	2
	White—M—	190	8	2	2	4	-	8	4	15	20	6	11	5	17	9	8	8	7	17	7	7	13	8	2	1	1
	F—	99	4	4	3	1	1	2	3	2	2	-	1	2	1	1	1	4	4	4	5	13	11	16	11	2	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents	76	-	3	2	2	-	3	2	8	12	2	6	1	8	4	1	5	4	4	5	2	-	1	-	-	1
	White—M—	55	-	-	-	2	-	1	-	7	11	2	5	1	7	3	1	5	3	3	3	-	-	-	-	-	1
	F—	21	-	3	2	-	-	2	2	1	1	-	1	-	1	1	-	-	1	1	2	2	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents	215	12	3	3	3	1	7	5	9	10	4	6	6	10	6	8	7	7	17	7	18	24	23	13	3	1
	White—M—	135	8	2	2	2	-	7	4	8	9	4	6	4	10	6	7	3	4	14	4	7	13	8	2	1	-
	F—	78	4	1	1	1	1	-	1	1	1	-	-	2	-	-	1	4	3	3	3	11	11	15	11	2	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide	85	-	-	-	-	-	-	-	1	3	2	6	6	6	10	11	12	5	11	3	5	2	-	2	-	-
	White—M—	69	-	-	-	-	-	-	-	-	3	2	3	4	5	9	9	9	5	9	3	4	2	-	2	-	-
	F—	15	-	-	-	-	-	-	-	1	-	-	3	2	1	1	2	3	-	1	-	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide	8	-	-	-	-	-	1	1	-	-	-	2	1	-	-	-	2	1	-	-	-	-	-	-	-	-
	White—M—	4	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY																										
	ALL CAUSES	47,880	2,534	164	118	77	65	197	156	268	428	502	640	853	1,515	2,234	3,252	4,470	5,364	5,949	6,021	5,528	4,092	2,340	819	174	30
	White—M	24,339	1,158	72	58	33	27	107	85	131	204	229	290	435	780	1,160	1,844	2,643	3,164	3,260	3,025	2,630	1,786	916	251	45	8
	F	19,889	923	69	42	35	18	63	48	76	125	167	254	349	514	765	1,076	1,500	1,880	2,363	2,736	2,686	2,180	1,351	540	114	15
	Nonwhite—M	2,020	256	16	11	6	6	18	18	40	54	57	51	82	126	170	188	201	186	177	148	114	66	34	10	2	2
	F	1,652	197	7	7	3	4	9	7	21	45	49	45	87	95	139	144	126	154	149	111	98	60	39	18	13	5
001-018	Tuberculosis, all forms	1,277	3	4	6	5	4	3	6	30	64	81	84	87	122	137	180	133	111	106	88	35	15	10	2	-	-
	White—M	670	-	1	2	2	-	2	3	6	10	15	30	32	59	72	114	91	78	70	43	21	10	7	2	-	-
	F	279	1	2	2	2	1	1	1	5	13	29	23	25	27	23	18	27	17	24	21	11	4	2	-	-	-
	Nonwhite—M	208	1	1	1	1	2	-	2	10	19	15	20	18	25	32	22	13	9	8	5	3	-	1	-	-	-
	F	120	1	-	1	-	1	-	-	9	22	22	11	12	11	10	6	2	7	4	-	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	1,188	2	-	1	-	2	-	4	26	58	78	78	84	116	134	151	123	104	100	68	35	14	10	2	-	-
	White—M	639	-	-	-	-	-	-	2	5	10	14	29	31	59	72	107	85	75	68	42	21	10	7	2	-	-
	F	257	-	-	-	-	1	-	1	4	13	28	23	25	23	20	16	25	16	23	21	11	3	2	-	-	-
	Nonwhite—M	190	1	-	1	-	1	-	1	9	15	15	19	18	24	32	20	12	7	6	5	3	-	1	-	-	-
	F	102	1	-	-	-	-	-	-	8	18	21	7	10	10	10	6	1	6	3	-	-	1	-	-	-	-
010-018	Tuberculosis, other forms	89	1	4	5	5	2	3	2	4	8	3	6	3	6	3	9	10	7	6	1	-	1	-	-	-	-
	White—M	31	-	1	2	2	-	2	1	1	-	1	1	1	-	-	7	6	3	2	1	-	-	-	-	-	-
	F	22	1	2	2	2	-	1	-	1	-	1	-	-	4	3	-	2	1	1	-	-	1	-	-	-	-
	Nonwhite—M	18	-	1	-	1	1	-	1	1	4	-	1	-	1	-	2	1	2	2	-	-	-	-	-	-	-
	F	18	-	-	1	-	1	-	-	1	4	1	4	2	1	-	-	1	1	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	243	3	-	-	-	-	-	-	-	1	3	3	5	19	22	29	25	44	39	27	10	8	4	-	1	-
	White—M	118	-	-	-	-	-	-	-	-	-	1	1	1	7	4	21	10	28	18	18	2	3	4	-	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	2	1	3	1	4	3	7	4	4	3	-	-	1	-
	Nonwhite—M	58	2	-	-	-	-	-	-	-	-	1	1	-	9	9	4	9	7	7	5	3	2	-	-	-	-
	F	33	1	-	-	-	-	-	-	-	1	1	1	2	2	6	3	2	6	7	-	1	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	14	1	3	-	1	1	-	1	1	-	-	1	1	-	1	-	1	1	-	-	1	-	-	-	-	-
	White—M	5	-	2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	-	1	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	6	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	21	4	-	4	1	1	5	-	-	2	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-
	White—M	13	3	-	4	1	1	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F	6	1	-	-	-	-	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	120	1	1	5	1	5	30	19	12	10	15	10	4	1	4	-	-	1	-	-	-	-	-	-	-	1
	White—M	80	1	1	4	1	4	20	13	9	4	9	6	3	1	4	-	-	-	-	-	-	-	-	-	-	-
	F	35	-	-	1	-	1	8	4	2	6	6	4	1	-	-	-	-	1	-	-	-	-	-	-	-	1
	Nonwhite—M	4	-	-	-	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	1	4	1	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-sid-ual	All other infective and parasitic diseases	108	9	2	4	-	4	2	3	3	2	3	5	8	9	8	14	7	3	10	6	4	1	-	1	-	-
	White—M	51	4	1	1	-	3	2	3	1	1	1	2	3	4	4	10	2	-	6	3	-	-	-	-	-	-
	F	45	1	1	2	-	1	-	-	2	1	1	3	4	4	3	4	5	3	2	2	4	1	-	1	-	-
	Nonwhite—M	7	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-
	F	5	2	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
140-205	Malignant neoplasms, etc.*	8,328	4	14	14	15	11	28	20	29	47	53	98	176	313	460	758	1,063	1,240	1,239	1,111	883	511	202	37	7	-
	White	4,059	3	10	4	5	5	10	11	16	23	22	32	51	106	165	339	545	697	667	569	433	241	88	16	1	-
	M	4,054	1	4	10	10	6	10	7	12	21	26	59	102	177	244	367	455	483	527	500	422	258	108	20	5	-
	Nonwhite	221	-	-	-	-	-	1	2	1	2	1	1	7	8	22	30	41	28	26	25	16	7	4	1	-	-
	M	214	-	-	-	-	-	2	-	-	1	4	6	16	22	29	22	22	32	19	19	12	5	2	-	1	-
140-148	Of buccal cavity and pharynx	217	-	-	-	-	-	-	-	-	1	-	-	1	7	9	21	33	40	34	30	25	9	7	-	-	-
	White	179	-	-	-	-	-	-	-	-	1	-	-	1	6	6	19	24	33	32	26	21	8	2	-	-	-
	M	29	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	6	5	2	3	4	-	5	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	1	-	1	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	3,565	-	1	-	-	-	2	-	2	5	9	37	48	86	132	294	421	545	579	538	452	284	115	18	5	-
	White	1,863	-	1	-	-	-	1	-	2	4	8	13	21	37	57	144	244	325	323	278	219	134	50	9	1	-
	M	1,526	-	-	-	-	-	1	-	-	3	4	12	24	43	80	124	147	195	237	238	220	144	62	9	3	-
	Nonwhite	111	-	-	-	-	-	-	-	-	1	-	1	2	4	10	20	17	11	14	15	10	4	2	-	-	-
	M	65	-	-	-	-	-	-	-	-	1	1	1	1	2	5	6	13	14	5	7	3	2	1	-	1	-
160-164	Of respiratory system	899	-	-	-	-	-	-	1	1	2	3	4	10	23	57	92	163	188	154	106	67	19	8	1	-	-
	White	722	-	-	-	-	-	-	1	-	2	2	4	4	18	41	72	142	154	127	85	49	14	6	1	-	-
	M	136	-	-	-	-	-	-	-	-	-	1	-	4	2	11	14	15	24	23	20	15	5	2	-	-	-
	Nonwhite	33	-	-	-	-	-	1	-	-	-	-	-	1	2	5	4	6	9	2	1	2	-	-	-	-	-
	M	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	2	-	1	-	-	-	-	-
170	Of breast	798	-	-	-	-	-	-	-	-	2	3	13	33	69	74	102	104	96	104	80	55	44	14	4	1	-
	White	14	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	3	3	2	2	-	-	-	-	-
	M	746	-	-	-	-	-	-	-	-	1	3	10	29	63	69	95	103	86	100	73	51	44	14	4	1	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	38	-	-	-	-	-	-	-	-	-	-	3	3	5	5	6	1	7	1	5	2	-	-	-	-	-
171-179	Of genital organs	1,179	-	-	-	-	1	-	1	-	8	8	17	34	58	80	99	143	145	170	160	144	78	24	9	-	-
	White	354	-	-	-	-	1	-	1	-	5	4	1	1	2	3	6	18	43	62	70	74	45	13	5	-	-
	M	725	-	-	-	-	-	-	-	-	3	3	14	28	44	62	86	112	96	95	81	63	29	8	3	-	-
	Nonwhite	24	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	7	2	3	3	2	2	2	1	-	-
	M	76	-	-	-	-	-	-	-	-	1	2	7	11	15	6	6	4	10	6	5	2	1	-	-	-	-
180, 181	Of urinary organs	458	-	1	1	3	3	4	1	-	1	-	1	8	9	19	32	55	61	64	80	59	22	12	1	1	-
	White	280	-	-	-	1	2	1	-	-	1	-	1	3	6	8	23	36	45	49	47	32	15	7	1	-	-
	M	157	-	1	1	2	1	1	-	-	-	-	-	2	1	10	7	14	12	14	32	26	8	5	-	1	-
	Nonwhite	11	-	-	-	-	-	1	-	-	-	-	-	2	1	-	-	3	1	1	1	1	-	-	-	-	-
	M	10	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	-	3	-	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	683	1	6	2	3	3	4	6	7	9	13	15	16	40	47	66	85	99	74	65	57	43	18	4	-	-
	White	343	1	5	-	1	1	3	3	2	4	6	5	6	22	27	36	45	57	36	34	23	18	8	-	-	-
	M	315	1	2	2	2	2	1	3	5	5	6	10	8	17	17	27	36	38	36	28	32	25	10	4	-	-
	Nonwhite	14	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	3	2	1	2	1	-	-	-	-	-	-
	M	11	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	2	1	1	1	-	-	-	-	-	-
204	Leukemia and aleukemia	274	3	5	11	8	5	12	6	12	9	10	9	11	11	16	15	26	27	29	24	17	6	2	-	-	-
	White	149	2	3	4	2	2	5	4	7	4	3	3	7	8	9	13	12	17	18	9	12	4	1	-	-	-
	M	114	1	2	7	6	3	6	1	5	4	5	6	4	3	5	1	13	10	9	15	5	2	1	-	-	-
	Nonwhite	7	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	1	-	2	-	-	-	-	-	-	-	-
	M	4	-	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
200-205, 205	Lymphomas, etc.*	277	-	1	-	-	-	1	5	7	10	7	12	15	10	26	37	33	39	31	28	7	6	2	-	-	-
	White	155	-	1	-	-	-	-	2	5	5	3	5	7	6	14	25	22	20	17	18	1	3	1	-	-	-
	M	106	-	-	-	-	-	1	2	2	5	4	7	5	3	9	11	9	17	11	10	6	3	1	-	-	-
	Nonwhite	13	-	-	-	-	-	-	1	-	-	-	-	2	-	3	1	1	2	3	-	-	-	-	-	-	-	-
	M	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	194	4	4	3	-	1	1	2	5	3	5	6	13	16	20	29	19	19	17	13	7	4	1	2	-	-
	White	72	1	1	2	-	1	1	1	3	1	4	1	5	6	3	10	10	6	7	4	2	3	-	-	-	-
	M	104	2	3	1	-	-	-	1	2	-	1	5	6	10	15	16	7	13	8	7	4	1	1	2	-	-
	Nonwhite	6	1	-	-	-	-	1	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-
	M	12	1	-	-	-	-	-	-	-	1	-	-	2	-	1	2	-	-	2	2	1	-	-	-	-	-	-
260	Diabetes mellitus	1,001	-	1	-	-	-	2	1	4	3	7	8	10	21	27	46	111	170	217	170	115	64	20	3	1	-
	White	301	-	1	-	-	-	-	1	2	2	5	4	6	8	11	12	34	45	63	45	36	20	8	-	-	-
	M	657	-	-	-	-	-	1	-	2	1	2	3	3	9	8	30	66	120	142	117	77	41	12	2	1	-
	Nonwhite	13	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	-	-	4	-	-	-	1	-	-
	M	50	-	-	-	-	-	1	-	-	1	1	1	1	1	7	3	8	5	12	6	2	3	-	-	-	-
290-295	Anemias	122	1	4	2	1	-	4	1	1	3	6	-	2	1	6	3	5	9	14	11	28	16	4	2	-	-
	White	46	1	-	1	-	-	-	-	-	1	4	-	2	-	-	2	-	3	9	6	11	3	3	-	-	-
	M	65	1	1	-	1	-	2	-	1	1	2	-	-	-	6	1	4	6	5	5	15	12	1	2	-	-
	Nonwhite	8	-	2	1	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	3	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	48	11	3	2	-	-	3	3	1	1	1	-	3	2	4	2	4	3	4	1	-	-	-	-	-	-
	White	25	8	2	1	-	-	2	2	1	1	1	-	1	1	2	1	2	1	2	1	-	-	-	-	-	-
	M	13	3	1	-	-	-	1	-	1	-	1	-	1	1	1	1	2	2	-	-	-	-	-	-	-	-
	Nonwhite	4	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	M	6	2	-	-	-	-	1	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	26,343	5	3	5	3	-	16	22	34	59	88	166	308	605	1,090	1,610	2,421	3,001	3,548	3,935	3,846	2,981	1,794	653	131	19
	White	13,479	2	3	2	-	-	9	6	11	24	43	84	176	366	639	968	1,504	1,790	1,936	1,946	1,807	1,269	672	168	32	2
	M	11,308	2	-	2	1	-	2	10	12	23	33	64	87	156	326	465	747	1,031	1,413	1,820	1,886	1,823	1,062	443	89	11
	Nonwhite	804	-	-	-	1	-	2	4	7	10	5	6	20	42	67	88	96	95	108	96	76	44	28	6	2	1
	M	752	1	-	1	1	-	3	2	4	2	7	12	25	41	58	89	74	85	91	73	77	45	32	16	8	5
330-334, 400-468	Diseases of cardiovascular system	25,625	5	3	2	2	-	15	20	31	46	72	149	289	570	1,047	1,565	2,356	2,934	3,471	3,833	3,769	2,913	1,748	639	127	18
	White	13,158	2	3	-	-	-	9	5	10	18	38	75	167	349	619	945	1,481	1,763	1,902	1,899	1,771	1,238	652	184	30	2
	M	10,978	2	1	-	-	-	2	9	12	19	25	59	81	143	305	451	717	997	1,377	1,771	1,848	1,591	1,036	435	87	10
	Nonwhite	771	-	-	1	1	-	2	4	6	10	5	5	18	41	65	85	91	91	104	92	74	42	28	4	2	1
	M	718	1	-	1	1	-	2	2	5	1	6	10	24	37	58	84	67	83	88	71	76	42	32	16	8	5
330-334	Vascular lesions, etc.*	4,649	4	3	-	1	-	3	1	1	6	13	11	31	65	153	231	345	544	627	759	760	594	347	107	19	4
	White	2,001	1	3	-	-	-	2	-	1	1	5	4	11	42	52	92	180	260	300	345	325	229	119	28	1	-
	M	2,311	2	-	-	-	-	1	1	-	2	6	5	13	30	71	99	136	235	280	370	403	353	214	72	17	1
	Nonwhite	168	-	-	-	1	-	-	-	-	3	1	1	4	5	16	21	14	25	24	23	20	8	1	1	-	1
	M	169	1	-	-	1	-	1	1	1	1	1	1	3	8	14	19	15	24	23	21	12	4	13	6	1	2
400-402	Rheumatic fever	72	-	-	1	1	-	6	8	10	5	5	5	9	8	3	5	3	1	1	1	-	1	1	-	-	-
	White	24	-	-	-	-	-	3	1	2	1	1	1	3	3	1	3	2	-	1	-	-	1	1	-	-	-
	M	35	-	-	-	-	-	1	2	2	4	3	4	4	5	1	2	1	1	-	-	-	-	-	-	-	-
	Nonwhite	7	-	-	-	1	-	-	2	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	-	-	1	-	-	2	1	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
410-443	Diseases of heart-	19,289	1	-	-	-	-	6	13	19	30	43	119	222	445	851	1,272	1,937	2,291	2,691	2,877	2,730	2,041	1,184	422	87	8
	White-----M--	10,401	1	-	-	-	-	4	4	7	13	26	62	141	289	552	822	1,264	1,442	1,519	1,456	1,308	876	461	130	23	1
	F--	7,858	-	-	-	-	-	-	6	7	11	10	45	56	100	221	327	550	734	1,039	1,316	1,313	1,097	682	280	56	6
	Nonwhite--M--	532	-	-	-	-	-	2	2	4	5	3	4	11	29	41	59	73	57	72	59	50	33	23	3	2	-
	F--	500	-	-	-	-	-	-	1	1	1	4	8	14	27	37	64	50	58	61	46	59	35	18	9	6	1
410-416	Chronic rheumatic heart disease-----	774	...	-	-	-	-	4	13	13	20	25	50	59	71	110	89	87	74	44	47	35	14	13	5	1	-
	White-----M--	341	...	-	-	-	-	3	4	5	10	13	18	29	31	51	34	46	31	18	20	19	4	3	2	-	-
	F--	386	...	-	-	-	-	-	6	5	6	7	30	25	33	55	50	38	41	25	26	16	10	9	3	1	-
	Nonwhite--M--	27	...	-	-	-	-	1	2	2	3	1	1	4	3	1	2	2	2	1	1	-	-	1	-	-	-
	F--	20	...	-	-	-	-	-	1	1	1	4	1	1	4	3	3	1	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	11,110	-	-	-	-	-	-	-	2	3	11	33	99	236	504	815	1,245	1,803	1,657	1,681	1,480	1,072	549	200	37	3
	White-----M--	6,697	-	-	-	-	-	-	-	1	1	10	25	78	180	384	590	903	1,017	1,045	902	764	481	237	70	9	-
	F--	3,988	-	-	-	-	-	-	-	1	1	-	6	15	38	85	165	285	438	558	720	673	554	295	126	25	3
	Nonwhite--M--	240	-	-	-	-	-	-	-	-	1	1	-	4	13	19	35	37	24	30	21	24	16	12	1	2	-
	F--	185	-	-	-	-	-	-	-	-	-	-	2	2	5	16	25	20	24	24	18	19	21	5	3	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	3,939	...	-	-	-	-	-	-	1	6	5	16	28	61	100	160	264	303	462	622	702	592	410	149	33	5
	White-----M--	1,822	...	-	-	-	-	-	-	1	2	2	11	19	45	65	100	160	183	248	307	332	255	148	35	9	1
	F--	1,789	...	-	-	-	-	-	-	-	-	3	2	3	6	11	26	38	92	91	207	281	335	319	242	110	20	3
	Nonwhite--M--	118	...	-	-	-	-	-	-	-	1	1	-	-	3	6	8	7	16	16	23	13	14	10	-	-	-
	F--	110	...	-	-	-	-	-	-	-	-	-	2	3	2	3	14	5	14	11	11	22	4	10	4	4	1
430-434	Other diseases of heart---------	490	1	-	-	-	-	2	-	3	-	-	7	11	19	27	40	54	53	66	62	56	47	29	10	3	-
	White-----M--	269	1	-	-	-	-	1	-	-	-	-	5	4	11	12	27	38	36	35	58	24	20	10	6	1	-
	F--	183	-	-	-	-	-	-	-	1	-	-	2	5	5	13	8	12	12	26	22	26	28	19	4	2	-
	Nonwhite--M--	22	-	-	-	-	-	1	-	2	-	-	-	1	2	-	3	3	2	3	1	3	1	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	3	2	1	3	-	-	-	-	-
440-443	Hypertension with heart dis.---	2,976	-	-	-	-	-	-	-	-	1	2	13	25	58	110	168	287	358	442	485	457	316	183	58	13	-
	White-----M--	1,172	-	-	-	-	-	-	-	-	-	1	3	11	22	40	71	117	176	173	189	169	116	63	17	4	-
	F--	1,510	-	-	-	-	-	-	-	-	1	1	4	5	13	42	66	123	152	223	267	263	188	117	37	8	-
	Nonwhite--M--	125	-	-	-	-	-	-	-	-	-	-	3	2	8	15	11	24	13	22	13	10	2	-	2	-	-
	F--	169	-	-	-	-	-	-	-	-	-	-	3	7	15	13	20	23	17	24	16	15	10	3	2	1	-
444-447	Hypertension without mention of heart----------	412	-	-	-	-	-	-	-	-	-	4	7	17	20	25	28	31	33	46	47	55	40	38	17	2	2
	White-----M--	177	-	-	-	-	-	-	-	-	-	2	6	6	9	7	13	14	19	22	23	21	17	15	2	1	-
	F--	191	-	-	-	-	-	-	-	-	-	2	1	6	4	8	11	13	12	21	22	32	21	22	15	-	1
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	-	-	-	5	6	3	2	2	2	1	2	-	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	5	2	4	1	2	-	1	1	-	2	-	-	1	1
450	General arteriosclerosis--------	985	-	-	-	-	-	-	-	-	-	-	-	3	1	2	8	15	32	68	128	213	225	176	93	17	4
	White-----M--	431	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	7	18	38	62	109	109	55	24	4	1
	F--	513	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	7	10	24	55	97	114	117	68	13	2
	Nonwhite--M--	26	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	4	9	2	1	3	-	-	-
	F--	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	5	1	1	1	-	1
451-468	Other diseases of circulatory sys.-	218	-	-	1	-	-	-	-	1	5	7	7	8	11	13	21	25	33	38	21	11	12	2	-	2	-
	White-----M--	124	-	-	-	-	-	-	-	-	1	2	2	4	6	7	13	14	24	22	13	8	6	1	-	1	-
	F--	74	-	-	1	-	-	-	-	1	3	3	4	2	3	4	7	10	5	13	7	3	6	1	-	1	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	-	1	1	-	1	2	1	1	1	4	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	1	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	718	-	-	3	1	-	1	2	3	13	16	17	18	35	43	45	65	67	77	102	77	68	46	14	4	1
	White-----M--	321	-	-	2	-	-	-	1	1	8	7	9	9	17	20	23	23	27	34	47	36	31	20	4	2	-
	F--	330	-	-	1	1	-	-	1	-	4	8	5	6	13	21	14	30	34	36	49	38	32	26	8	2	1
	Nonwhite--M--	33	-	-	-	-	-	-	-	1	-	-	1	2	1	2	3	5	4	4	4	2	2	-	2	-	-
	F--	34	-	-	-	-	-	1	-	1	1	1	2	1	4	-	6	7	2	3	2	1	3	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	1,069	135	27	11	8	3	9	3	8	12	12	17	23	31	36	56	70	79	104	86	110	122	71	25	9	2
	White-----M--	521	55	6	4	4	1	4	2	2	6	7	4	11	15	15	33	41	54	53	52	57	51	31	7	5	1
	F--	406	45	14	5	2	2	4	1	5	3	3	9	4	7	12	10	17	19	39	30	49	66	39	17	3	1
	Nonwhite--M--	85	19	5	1	1	-	-	-	1	1	2	2	5	5	5	8	8	3	8	3	3	2	-	1	-	-
	F--	58	16	2	1	1	-	1	-	-	2	-	2	3	4	4	5	4	3	4	1	1	3	1	-	1	-
480-483	Influenza----------	53	1	2	1	-	-	-	-	1	-	1	1	-	5	3	2	5	1	6	5	5	10	3	1	-	-
	White-----M--	19	-	1	-	-	-	-	-	-	-	1	-	-	1	-	2	4	-	3	2	2	2	1	-	-	-
	F--	24	-	1	1	-	-	-	-	1	-	-	1	-	2	-	-	1	1	3	1	3	6	2	1	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	-	1	-	2	-	-	-	-
490-493	Pneumonia, etc.*--	1,016	134	25	10	8	3	9	3	7	12	11	16	23	26	33	54	65	78	98	81	105	112	68	24	9	2
	White-----M--	502	55	5	4	4	1	4	2	2	6	6	4	11	14	15	31	37	54	50	50	55	49	30	7	5	1
	F--	382	45	13	4	2	2	4	1	4	3	3	8	4	5	12	10	16	18	36	29	48	60	37	16	3	1
	Nonwhite--M--	80	18	5	1	1	-	-	-	1	1	2	2	5	4	5	8	8	3	8	2	3	2	-	1	-	-
	F--	52	16	2	1	1	-	1	-	-	2	-	2	3	3	1	5	4	3	4	-	1	1	1	-	1	-
500-502	Bronchitis--------	96	12	9	2	1	2	1	-	-	-	-	-	3	3	4	2	5	8	11	7	11	4	6	4	1	-
	White-----M--	55	4	5	2	-	-	1	-	-	-	-	-	-	2	3	2	5	5	10	6	4	2	2	1	1	-
	F--	28	3	3	-	-	2	-	-	-	-	-	-	1	1	1	-	-	2	1	1	6	2	3	2	-	-
	Nonwhite--M--	7	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F--	6	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-
540, 541	Ulcer of stomach and duodenum------	303	1	-	-	-	-	-	-	-	-	-	7	4	16	20	22	38	49	36	41	33	24	9	3	-	-
	White-----M--	240	-	-	-	-	-	-	-	-	-	-	2	3	9	15	16	30	44	30	37	27	20	5	2	-	-
	F--	45	1	-	-	-	-	-	-	-	-	-	5	1	3	2	4	6	5	2	3	6	4	3	-	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	2	-	2	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	1	-	-	-	-
550-553	Appendicitis-------	145	2	-	5	2	-	1	7	4	4	5	7	4	7	7	16	14	18	14	11	13	2	-	1	1	-
	White-----M--	89	1	-	3	2	-	-	6	4	1	5	6	2	2	5	14	5	13	8	8	4	1	-	-	1	-
	F--	48	1	-	2	-	-	1	-	-	2	-	1	2	4	2	2	8	3	5	5	8	1	-	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	314	31	5	1	1	-	1	-	1	3	-	4	5	5	12	24	28	35	37	42	37	24	15	2	-	1
	White-----M--	150	16	2	1	1	-	1	-	1	1	-	1	1	3	3	12	21	16	19	19	17	7	7	1	-	-
	F--	140	12	2	-	-	-	-	-	-	1	-	3	3	2	5	9	7	15	16	21	18	16	8	1	-	1
	Nonwhite--M--	8	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	1	-	1	-	-	-	-
	F--	16	1	1	-	-	-	-	-	-	1	-	-	1	-	3	2	-	2	2	1	2	-	-	-	-	-

*For complete category title, refer to table XIII, Part 1.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW JERSEY—Con.																										
543,	Gastritis, etc.*--	194	64	7	2	-	1	2	2	3	5	2	2	7	1	11	4	12	15	17	9	17	7	2	2	-	-
571,	White-----M--	81	22	4	-	-	-	2	-	1	1	-	1	1	1	5	4	8	8	12	5	4	3	1	1	-	-
572	F--	73	16	1	1	-	-	-	2	-	4	2	1	5	-	5	-	3	7	5	4	12	3	1	1	-	-
	Nonwhite--M--	26	16	2	1	-	-	-	-	1	-	-	-	2	-	-	-	1	1	-	-	1	1	-	-	-	-
	F--	14	10	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	553	2	-	-	-	-	-	-	1	-	2	11	34	54	46	74	79	99	60	45	25	14	6	1	-	-
	White-----M--	346	1	-	-	-	-	-	-	-	-	1	6	17	25	27	39	59	74	43	25	20	7	2	-	-	-
	F--	186	-	-	-	-	-	-	-	1	-	1	5	14	25	18	32	17	23	15	19	4	7	4	1	-	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	3	-	1	-	1	-	-	-	-	-
	F--	9	1	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	2	1	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	86	3	1	1	2	1	3	1	1	3	6	1	7	4	1	6	12	3	5	12	4	4	3	2	-	-
	White-----M--	42	2	-	-	2	-	-	-	-	2	2	-	4	2	-	2	7	1	4	8	1	2	1	2	-	-
	F--	34	-	1	1	-	1	3	1	1	-	3	1	1	2	-	3	4	1	1	4	3	1	2	-	-	-
	Nonwhite--M--	8	1	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	1	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	181	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	22	28	36	36	35	14	4	-	-
	White-----M--	171	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	5	22	27	33	32	35	13	4	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	-	1	-	-	-
640-	Complications of																										
689	pregnancy, etc.*-	65	...	...	...	...	...	...	-	4	14	17	12	14	4	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	48	...	...	...	...	...	...	-	1	9	15	9	10	4	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	17	...	...	...	...	...	...	-	3	5	2	3	4	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	15	...	...	...	...	...	...	-	2	4	5	3	-	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	9	...	...	...	...	...	...	-	-	2	4	2	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	6	...	...	...	...	...	...	-	2	2	1	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications--------	50	...	...	...	...	...	...	-	2	10	12	9	14	3	-	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	39	...	...	...	...	...	...	-	1	7	11	7	10	3	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	11	...	...	...	...	...	...	-	1	3	1	2	4	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	507	386	18	9	7	6	9	1	13	10	5	5	4	8	5	7	7	5	-	2	-	-	-	-	-	-
	White-----M--	230	168	11	3	1	4	6	1	7	4	3	3	-	6	4	3	3	3	-	-	-	-	-	-	-	-
	F--	236	188	6	2	6	1	3	-	5	5	2	1	4	1	1	4	3	2	-	2	-	-	-	-	-	-
	Nonwhite--M--	24	18	1	2	-	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	17	12	-	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,635	1,635	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	772	772	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	576	576	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	162	162	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	725	725	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	361	361	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	261	261	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	43	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
769	newborn----------	86	86	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	824	824	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	375	375	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	298	298	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	159	17	-	1	-	-	-	-	1	1	1	3	2	6	2	4	1	8	9	10	14	30	20	19	7	3
795	White-----M--	73	8	-	-	-	-	-	-	-	1	1	-	1	3	1	4	-	4	8	6	4	11	10	9	2	2
	F--	71	4	-	1	-	-	-	-	-	-	-	2	1	3	-	-	1	3	3	2	9	18	9	10	4	1
	Nonwhite--M--	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	1	-	-	-	-
	F--	8	3	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	1	-
Re-	All other diseases	1,902	95	19	9	14	10	26	15	24	24	36	64	69	103	131	157	195	211	218	192	138	93	55	14	-	-
sid-	White-----M--	958	52	6	5	9	6	16	5	10	14	16	27	28	51	65	81	98	128	113	96	58	45	24	6	-	-
ual	F--	786	32	11	2	5	3	5	6	10	7	11	27	30	41	46	61	72	74	95	88	78	44	31	7	-	-
	Nonwhite--M--	90	7	1	1	-	-	4	2	4	2	5	7	3	6	9	10	9	5	5	4	2	3	-	1	-	-
	F--	68	4	1	1	-	1	1	2	-	1	4	3	8	5	11	5	6	4	5	5	-	1	-	-	-	-
E800-	Accidents----------	2,071	92	34	29	13	5	48	48	79	118	85	80	90	93	96	133	145	146	148	146	141	135	108	45	15	2
E962	White-----M--	1,204	32	15	17	3	2	29	28	52	67	64	53	53	60	63	88	102	97	98	74	72	60	38	14	2	1
	F--	641	32	14	9	7	-	11	15	13	15	8	16	21	16	14	31	27	36	42	68	67	71	67	30	11	-
	Nonwhite--M--	161	15	3	2	2	2	8	4	11	11	9	8	13	15	15	9	11	11	6	1	2	2	-	-	-	1
	F--	65	13	2	1	1	1	-	1	3	5	4	3	3	2	4	5	5	1	2	3	-	2	1	1	2	-
E810-	Motor-vehicle																										
E835	accidents---------	627	3	6	5	9	3	26	15	40	78	34	32	34	34	38	32	48	49	46	35	29	17	12	1	-	1
	White-----M--	427	2	2	4	1	1	17	11	30	57	25	19	19	23	22	20	39	33	35	22	19	13	11	1	-	1
	F--	123	1	4	1	6	-	5	4	4	9	4	7	3	7	5	10	4	12	11	12	10	3	1	-	-	-
	Nonwhite--M--	57	-	-	-	2	2	4	-	5	8	3	4	8	3	8	2	4	3	-	-	-	-	-	-	-	-
	F--	20	-	-	-	-	-	-	-	1	4	2	2	3	1	3	-	1	1	-	1	-	1	-	-	-	-
E800-	All ot. accidents-	1,444	89	28	24	4	2	22	33	39	40	51	48	56	59	58	101	97	98	102	111	112	118	94	44	15	1
E802,	White-----M--	777	30	15	13	2	1	12	17	22	30	39	34	34	37	41	68	63	84	83	52	53	47	27	13	2	-
E840-	F--	518	31	10	8	1	-	6	11	9	6	4	9	18	9	9	21	23	24	31	36	57	68	66	30	11	-
E962	Nonwhite--M--	104	15	3	2	-	-	4	4	8	5	6	4	4	12	7	7	7	8	6	1	2	2	-	-	-	1
	F--	45	13	2	1	1	1	-	1	2	1	2	1	-	1	1	5	4	-	2	2	-	1	1	1	2	-
E963,	Suicide----------	609	-	-	-	-	-	-	1	5	29	36	37	40	48	71	69	55	67	58	44	29	13	4	-	1	2
E970-	White-----M--	422	-	-	-	-	-	-	-	3	15	19	21	23	31	42	52	37	57	49	34	25	8	3	-	1	2
E979	F--	166	-	-	-	-	-	-	1	1	10	11	15	15	17	27	15	17	10	9	9	4	5	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	1	4	4	1	1	-	2	1	1	-	-	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	2	-	1	1	-	1	-	-	-	-	2	-	-	-	-	-
E964,	Homicide----------	148	6	1	1	2	-	2	1	4	10	26	11	16	18	9	11	12	10	4	2	2	-	-	-	-	-
E980-	White-----M--	59	2	-	1	1	-	1	1	2	5	5	4	4	6	6	3	8	6	2	2	1	-	-	-	-	-
E985	F--	27	1	1	-	1	-	1	-	-	2	5	2	3	5	1	-	1	3	1	-	-	-	-	-	-	-
	Nonwhite--M--	52	2	-	-	-	-	-	-	2	3	14	4	6	7	2	7	3	-	1	-	1	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	-	-	2	1	3	-	-	1	-	1	-	-	1	-	-	-	-	-
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO																										
	ALL CAUSES	5,576	1,408	117	58	27	18	77	65	96	117	144	136	162	208	214	223	332	361	394	423	391	298	197	68	15	29
	White—M	2,922	686	39	26	10	7	41	34	48	57	82	72	75	103	107	127	203	204	220	253	210	169	103	28	7	12
	F	2,147	542	47	21	14	7	30	23	28	36	47	47	68	90	87	81	113	138	155	149	168	115	67	35	7	12
	Nonwhite—M	302	115	15	5	3	3	5	5	12	14	8	7	10	11	10	12	10	11	13	8	10	7	3	3	-	3
	F	205	67	16	5	-	1	1	3	8	10	7	10	9	4	10	3	6	8	6	12	3	7	4	2	1	2
001-019	Tuberculosis, all forms	262	6	7	4	2	2	6	5	13	25	25	27	28	27	28	16	17	23	9	3	6	1	-	1	-	-
	White—M	124	3	-	1	2	1	3	1	2	4	10	12	9	12	15	10	11	17	6	3	2	-	-	-	-	-
	F	89	1	2	1	-	-	-	2	4	7	9	10	13	14	9	3	6	3	2	-	2	1	-	-	-	-
	Nonwhite—M	34	1	2	1	-	1	2	2	3	6	2	2	3	1	1	3	-	2	1	-	-	-	-	1	-	-
	F	35	1	3	1	-	-	1	-	4	8	4	3	3	-	4	-	-	1	-	-	2	-	-	-	-	-
001-008	Tuberculosis of respiratory system	248	4	4	3	1	2	3	4	12	22	22	25	25	23	28	15	16	20	9	2	6	1	-	1	-	-
	White—M	107	1	-	1	1	1	1	1	2	2	9	12	7	10	15	10	10	14	6	2	2	-	-	-	-	-
	F	79	1	-	-	-	-	-	1	4	6	7	10	13	12	8	3	6	3	2	-	2	1	-	-	-	-
	Nonwhite—M	28	1	1	1	-	1	1	2	2	6	2	1	2	1	1	2	-	2	1	-	-	-	-	1	-	-
	F	34	1	3	1	-	-	1	-	4	8	4	2	3	-	4	-	-	1	-	-	2	-	-	-	-	-
010-019	Tuberculosis, other forms	34	2	3	1	1	-	3	1	1	3	3	2	3	4	1	1	1	3	-	1	-	-	-	-	-	-
	White—M	17	2	-	-	1	-	2	-	-	2	1	-	2	2	-	-	1	3	-	1	-	-	-	-	-	-
	F	10	-	2	1	-	-	-	1	-	1	2	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	6	-	1	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	43	8	-	-	-	-	-	1	-	-	2	1	1	3	2	2	4	4	5	3	4	1	2	-	-	-
	White—M	24	2	-	-	-	-	-	-	-	-	1	-	1	2	1	2	4	3	2	1	2	1	2	-	-	-
	F	10	1	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	1	2	1	2	-	-	-	-	-
	Nonwhite—M	7	3	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	4	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	46	39	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
	White—M	17	16	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	24	19	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	12	7	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	3	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	19	-	2	2	1	1	9	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	1	-	-	-	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	1	2	1	1	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	16	8	4	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	4	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	20	3	1	1	-	1	1	1	-	-	2	-	2	-	2	1	1	1	2	-	1	-	-	-	-	-
	White—M	10	-	-	-	-	-	1	-	-	-	-	-	2	-	1	1	1	1	2	-	1	-	-	-	-	-
	F	4	-	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	1	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

NOTE.—The 64 selected causes include cholera (043) and plague (058). There were no deaths reported from cholera, and 1 death from plague was reported in New Mexico—a white male between 5 and 9 years of age—which is included in all totals.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
140-205	Malignant neoplasms, etc.*——	531	2	1	2	1	1	2	3	2	4	9	18	19	32	40	47	58	66	65	58	53	28	14	4	-	2
	White——M—	257	1	1	1	1	-	1	-	2	2	7	6	5	9	7	14	26	34	33	36	27	15	7	2	-	-
	F—	274	1	-	1	-	1	1	2	-	1	2	11	14	25	31	31	29	30	31	18	24	12	7	2	-	2
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	1	1	2	-	-	-	-	-
	F—	10	-	-	-	-	-	-	1	-	1	-	1	-	-	-	1	1	1	-	3	-	1	-	-	-	-
140-148	Of buccal cavity and pharynx——	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	2	-	2	1	-	-	-
	White——M—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	1	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	202	-	-	-	-	-	-	-	-	1	2	2	2	9	11	15	25	28	27	31	33	11	3	2	-	-
	White——M—	102	-	-	-	-	-	-	-	-	-	1	-	1	4	4	5	13	18	11	20	15	7	2	1	-	-
	F—	90	-	-	-	-	-	-	-	-	-	1	2	1	5	6	9	11	9	15	8	17	4	1	1	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-
160-164	Of respiratory system——	50	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	5	3	7	6	2	2	-	-	-	-
	White——M—	20	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	2	5	3	2	-	1	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	2	2	-	-	1	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast——	44	-	-	-	-	-	-	-	-	-	-	2	3	3	12	4	6	5	4	-	1	2	2	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	43	-	-	-	-	-	-	-	-	-	-	2	3	3	12	4	6	5	4	-	1	2	2	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs——	97	-	-	-	-	-	-	-	-	1	1	5	3	12	5	8	8	12	10	11	8	7	5	-	-	1
	White——M—	28	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	2	5	6	5	3	-	-	-	-
	F—	65	-	-	-	-	-	-	-	-	1	-	4	3	11	5	8	7	10	5	5	3	1	2	-	-	1
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
180, 181	Of urinary organs——	26	-	-	-	-	-	-	-	1	-	-	1	1	1	1	4	2	4	3	3	2	2	-	-	-	1
	White——M—	13	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	2	3	2	2	-	-	-	-	-	-
	F—	13	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	1	1	1	2	2	-	-	-	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*——	73	1	-	-	-	-	1	1	-	1	2	3	4	4	4	8	10	8	9	4	6	4	1	2	-	-
	White——M—	39	1	-	-	-	-	1	-	-	1	2	1	2	1	3	7	4	6	2	4	2	-	1	1	-	-
	F—	32	-	-	-	-	-	-	1	-	-	-	2	2	3	2	4	3	4	3	2	2	2	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia——	31	1	1	2	1	1	1	2	-	-	2	3	3	-	5	2	-	3	2	1	1	-	-	-	-	-
	White——M—	15	-	1	1	1	-	-	-	-	-	1	3	1	-	-	-	-	3	2	1	1	-	-	-	-	-
	F—	15	1	-	1	-	1	1	1	-	-	1	-	2	-	5	2	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	21	-	-	-	-	-	-	-	1	1	2	1	2	3	1	3	2	2	3	-	-	-	-	-	-	-
	White——M—	15	-	-	-	-	-	-	-	1	1	2	1	1	3	1	2	-	2	2	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	18	1	-	-	-	-	-	-	2	-	2	1	2	2	1	1	1	2	-	1	1	-	1	-	-	-
	White——M—	5	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F—	11	-	-	-	-	-	-	-	1	-	1	1	1	2	1	1	-	1	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus——	43	-	-	-	-	-	-	1	-	-	1	1	1	2	3	4	7	7	4	1	5	5	1	-	-	-
	White——M—	14	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	1	1	-	3	4	1	-	-	-
	F—	25	-	-	-	-	-	-	1	-	-	1	-	1	2	2	4	4	5	3	1	2	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-293	Anemias——	9	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White——M—	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	-	3	-	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	3	-	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	14	4	-	-	2	2	-	1	1	1	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White——M—	4	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F—	4	1	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	1,551	-	1	-	2	1	8	13	13	11	14	15	30	53	59	80	137	164	196	226	207	165	113	29	4	10
	White——M—	889	-	-	-	-	-	4	5	6	6	5	6	14	33	39	53	91	100	115	134	113	94	56	13	2	2
	F—	616	-	1	-	2	1	4	8	7	5	8	7	14	18	18	25	39	58	76	87	91	67	57	15	2	6
	Nonwhite—M—	26	-	-	-	-	-	-	2	-	-	-	1	-	1	2	1	6	4	3	1	3	1	-	1	-	-
	F—	20	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	2	2	4	-	3	-	-	-	2
330-334, 400-468	Diseases of cardiovascular system——	1,482	-	-	-	2	1	8	13	12	9	14	15	28	48	56	74	136	154	182	216	191	158	107	27	4	8
	White——M—	842	-	-	-	-	-	4	3	5	5	5	5	12	29	37	50	90	93	108	130	104	82	55	11	2	2
	F—	576	-	-	-	2	1	4	8	7	4	8	6	14	17	17	22	39	55	69	81	85	62	52	15	2	6
	Nonwhite—M—	26	-	-	-	-	-	-	2	-	-	-	1	-	1	2	1	6	4	3	1	2	1	-	1	-	-
	F—	19	-	-	-	-	-	-	-	-	-	1	1	2	1	-	1	1	2	2	4	-	3	-	-	-	1
330-334	Vascular lesions, etc.*——	285	-	-	-	-	-	-	-	1	1	1	1	1	9	4	14	18	30	39	45	56	33	23	7	-	2
	White——M—	143	-	-	-	-	-	-	-	-	1	-	1	1	3	1	7	8	16	26	20	26	21	10	3	-	-
	F—	137	-	-	-	-	-	-	-	1	-	1	-	1	6	3	5	9	14	13	25	30	11	13	3	-	2
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	1	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever——	24	-	-	-	2	-	4	9	4	1	-	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	White——M—	7	-	-	-	-	-	2	2	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	15	-	-	-	2	-	2	5	2	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO—Con.																										
410-443	Diseases of heart-	1,047	-	-	-	-	1	4	4	6	7	13	11	21	37	48	58	113	117	134	154	121	110	67	12	2	7
	White-----M--	638	-	-	-	-	-	2	1	3	4	5	4	10	25	34	41	77	74	77	101	73	64	34	6	1	2
	F--	375	-	-	-	-	1	2	3	3	3	7	5	9	11	12	17	30	38	52	49	46	43	33	6	1	4
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	5	3	3	1	2	-	-	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	1	2	2	3	-	3	-	-	-	1
410-416	Chronic rheumatic heart disease----	98	...	-	-	-	-	3	2	5	2	6	5	8	5	7	3	11	10	7	10	9	5	-	-	-	-
	White-----M--	57	...	-	-	-	-	2	1	2	1	2	2	3	3	6	1	8	7	3	7	5	4	-	-	-	-
	F--	39	...	-	-	-	-	1	1	3	1	4	3	5	2	1	2	3	2	4	2	4	1	-	-	-	-
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	491	-	-	-	-	-	-	-	-	1	1	3	7	19	25	41	57	58	68	78	53	52	22	4	-	2
	White-----M--	341	-	-	-	-	-	-	-	-	-	1	1	5	15	22	31	49	44	40	51	35	33	11	3	-	1
	F--	139	-	-	-	-	-	-	-	-	1	1	1	2	4	2	10	8	13	27	25	17	17	11	1	-	1
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	2	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	217	...	-	-	-	-	1	1	-	3	2	1	4	3	8	5	18	17	29	37	29	26	23	6	1	5
	White-----M--	113	...	-	-	-	-	-	-	-	2	1	1	2	2	3	2	8	6	16	23	18	13	12	2	1	1
	F--	100	...	-	-	-	-	1	1	-	1	1	-	2	1	4	3	8	11	11	14	11	13	11	4	-	3
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1
430-434	Other diseases of heart----------	97	-	-	-	-	1	-	1	1	1	2	1	2	5	3	5	14	14	13	8	13	5	6	2	-	-
	White-----M--	57	-	-	-	-	-	-	-	1	1	1	-	-	4	3	5	6	8	9	6	6	3	3	1	-	-
	F--	28	-	-	-	-	1	-	1	-	-	1	1	-	-	-	-	4	5	2	1	6	2	3	1	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	-	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	1	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	144	-	-	-	-	-	-	-	-	-	2	1	-	5	5	4	15	18	17	21	17	22	16	-	1	-
	White-----M--	70	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	6	9	9	14	9	11	8	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	-	-	4	5	2	9	7	8	7	8	10	8	-	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
444-447	Hypertension without mention of heart----------	29	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	4	3	7	2	3	1	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	-	1	5	-	1	1	-	-	-
	F--	13	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	3	2	2	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	64	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	5	9	8	12	16	7	2	-
	White-----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	3	3	2	6	10	2	1	-
	F--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	6	6	6	5	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	13	-	-	-	-	-	-	-	1	-	-	-	2	1	1	-	1	-	1	1	4	-	-	1	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	1	3	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	1	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	89	-	1	-	-	-	-	-	1	2	-	2	2	5	3	6	1	10	14	10	16	7	6	2	-	1
	White-----M--	47	-	-	-	-	-	-	-	1	1	-	1	2	4	2	3	1	7	7	4	9	2	1	2	-	-
	F--	40	-	1	-	-	-	-	-	-	1	-	1	-	1	1	3	-	3	7	6	6	5	5	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
480-493	Influenza and pneumonia, etc.*-	315	157	19	11	-	-	7	2	-	1	5	2	1	4	6	5	4	6	17	13	19	14	10	6	2	4
	White-----M--	145	74	4	5	-	-	2	1	-	1	2	-	1	2	-	3	2	1	7	5	12	10	9	1	2	1
	F--	133	82	12	3	-	-	5	1	-	-	2	2	-	2	5	1	2	5	6	6	7	4	1	4	-	3
	Nonwhite--M--	18	10	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	1	-	-
	F--	19	11	1	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
480-483	Influenza----------	24	13	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	1	1	2	3	-	1	-	-	-
	White-----M--	12	7	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-
	F--	9	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	2	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	291	144	19	10	-	-	6	2	-	1	5	2	1	4	5	5	4	5	16	11	16	14	9	6	2	4
	White-----M--	133	67	4	4	-	-	1	1	-	1	2	-	1	2	-	3	2	1	7	4	11	10	8	1	2	1
	F--	124	59	12	3	-	-	5	1	-	-	2	2	-	2	4	1	2	4	5	5	5	4	1	4	-	3
	Nonwhite--M--	18	10	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	-	-	1	-	-
	F--	16	8	1	2	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	2	-	-	-	-	-	-
500-502	Bronchitis--------	24	11	2	-	2	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	2	2	1	-	-	-
	White-----M--	11	6	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	12	4	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	2	1	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	13	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	1	1	-	1	-	-	-	-
	White-----M--	11	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	2	-	1	-	1	-	-	-	-
	F--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	30	1	1	-	-	-	2	4	2	1	2	2	2	2	-	-	1	4	-	5	1	-	-	-	-	-
	White-----M--	16	-	-	-	-	-	2	1	-	1	1	2	1	1	-	-	1	2	-	3	1	-	-	-	-	-
	F--	11	1	1	-	-	-	-	2	-	-	1	-	1	1	-	-	-	2	-	2	-	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	42	5	3	-	-	-	-	-	-	-	2	-	2	1	3	1	3	6	4	3	3	4	1	1	-	-
	White-----M--	15	3	2	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	1	1	-	-	-	-
	F--	22	-	1	-	-	-	-	-	-	-	2	-	2	-	1	-	1	5	3	1	2	2	1	1	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW MEXICO--Con.																										
543, 571, 572	Gastritis, etc.*--	224	197	10	5	1	1	2	-	-	-	-	1	1	3	1	-	2	1	-	-	1	-	-	-	-	-
	White-----M--	90	78	4	-	-	-	1	-	-	-	-	1	1	1	1	-	1	1	-	-	1	-	-	-	-	-
	F--	99	88	3	2	1	1	1	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	24	22	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	11	9	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	35	1	-	-	-	-	-	-	-	-	1	1	1	1	2	4	6	2	3	7	2	2	1	-	1	-
	White-----M--	24	1	-	-	-	-	-	-	-	-	1	-	1	1	2	4	4	1	3	4	2	-	1	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	2	1	-	3	-	2	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	12	1	-	1	-	-	1	-	-	-	-	1	1	-	-	1	1	-	2	2	-	1	-	-	-	-
	White-----M--	9	1	-	1	-	-	1	-	-	-	-	1	1	-	-	-	1	-	1	2	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate----------	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	6	5	2	2	2	2	1	-
	White-----M--	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	6	5	2	2	2	2	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*-	30	***	***	***	***	***	***	-	2	6	5	6	6	5	-	-	-	-	***	***	***	***	***	***	***	-
	White-----F--	27	***	***	***	***	***	***	-	2	6	5	5	4	5	-	-	-	-	***	***	***	***	***	***	***	-
	Nonwhite--F--	3	***	***	***	***	***	***	-	-	-	-	1	2	-	-	-	-	-	***	***	***	***	***	***	***	-
650-652	Abortion----------	4	***	***	***	***	***	***	-	1	1	1	1	-	-	-	-	-	-	***	***	***	***	***	***	***	-
	White-----F--	4	***	***	***	***	***	***	-	1	1	1	1	-	-	-	-	-	-	***	***	***	***	***	***	***	-
	Nonwhite--F--	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	-
640-649, 660-689	All other complications--------	26	***	***	***	***	***	***	-	1	5	4	5	6	5	-	-	-	-	***	***	***	***	***	***	***	-
	White-----F--	25	***	***	***	***	***	***	-	1	5	4	4	4	5	-	-	-	-	***	***	***	***	***	***	***	-
	Nonwhite--F--	3	***	***	***	***	***	***	-	-	-	-	1	2	-	-	-	-	-	***	***	***	***	***	***	***	-
750-759	Congenital malformations--------	117	100	5	3	2	1	2	-	1	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	White-----M--	55	48	2	2	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	52	43	2	1	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy-	571	571	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	317	317	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	215	215	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	167	167	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	56	56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	65	65	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	339	339	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	650	251	27	8	2	1	5	3	4	6	5	10	8	14	14	15	26	27	40	53	42	45	31	18	7	8
	White-----M--	305	103	9	4	1	-	2	3	1	1	1	5	3	5	8	10	13	13	19	30	21	24	13	8	2	6
	F--	222	78	5	3	1	1	2	-	1	4	4	3	2	5	2	3	10	11	16	15	16	16	11	8	4	1
	Nonwhite--M--	71	34	6	-	-	-	1	-	1	-	-	-	2	3	1	2	-	1	3	6	4	3	3	-	-	1
	F--	52	16	7	1	-	-	-	-	1	1	-	2	1	1	3	-	3	2	2	2	1	2	4	2	1	-
Residual	All other diseases	277	31	10	1	4	2	3	2	4	4	5	7	8	14	17	15	30	26	22	20	24	14	12	2	-	-
	White-----M--	132	12	4	-	2	1	2	-	1	1	3	3	3	6	6	8	17	13	9	14	11	8	8	-	-	-
	F--	128	16	4	1	2	-	1	1	3	3	2	4	5	5	10	6	13	11	12	5	13	5	4	2	-	-
	Nonwhite--M--	12	3	2	-	-	-	-	-	-	-	-	-	-	2	1	1	-	1	1	-	-	1	-	-	-	-
	F--	5	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-
E800-E962	Accidents----------	504	23	17	17	6	4	25	28	42	42	47	33	36	32	27	23	21	12	13	15	15	10	7	4	-	5
	White-----M--	349	12	8	9	3	4	14	24	32	28	40	27	24	22	20	18	16	8	10	8	9	5	3	2	-	3
	F--	107	7	8	6	1	-	10	4	7	6	4	2	7	5	4	4	4	3	3	7	5	4	4	2	-	-
	Nonwhite--M--	43	2	1	2	2	-	1	-	3	8	3	3	5	4	2	1	1	1	-	-	1	1	-	-	-	2
	F--	5	2	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents----------	223	3	6	5	2	1	12	12	20	23	21	20	21	20	10	9	11	5	6	4	4	3	1	1	-	3
	White-----M--	185	1	3	2	2	1	8	11	15	17	17	17	14	15	7	6	7	4	5	3	4	2	1	1	-	2
	F--	45	2	3	1	-	-	4	1	5	4	3	1	5	4	2	3	3	1	1	1	-	1	-	-	-	-
	Nonwhite--M--	12	-	-	2	-	-	-	-	-	2	1	2	2	1	-	-	1	-	-	-	-	-	-	-	-	1
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	281	20	11	12	4	3	13	16	22	19	26	13	15	12	17	14	10	7	7	11	11	7	8	3	-	2
	White-----M--	184	11	5	7	1	3	6	13	17	11	23	10	10	7	13	12	9	4	5	5	5	3	2	1	-	1
	F--	62	5	5	5	1	-	6	3	2	2	1	1	2	1	2	1	1	2	2	6	5	3	4	2	-	-
	Nonwhite--M--	31	2	1	-	2	-	1	-	3	6	2	1	3	3	2	1	-	1	-	-	1	1	-	-	-	1
	F--	4	2	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide----------	50	-	-	-	-	-	-	-	1	8	5	5	5	5	3	4	3	2	3	3	1	2	-	-	-	-
	White-----M--	38	-	-	-	-	-	-	-	1	7	4	4	4	2	2	1	3	2	3	2	1	2	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	1	1	-	1	3	1	3	-	-	-	1	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	45	-	2	-	-	-	-	-	6	7	10	2	4	6	2	1	2	1	-	1	1	-	-	-	-	-
	White-----M--	27	-	-	-	-	-	-	-	3	4	6	2	3	5	1	-	1	1	-	-	-	-	-	-	-	-
	F--	11	-	1	-	-	-	-	-	1	3	2	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	3	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK																										
	ALL CAUSES	155,020	7,878	568	382	203	182	648	508	837	1,309	1,587	2,002	3,251	4,877	7,305	10,645	14,078	17,642	19,145	19,969	17,769	13,500	7,476	2,658	513	100
	White—M	80,814	3,988	267	186	98	96	362	274	443	654	719	818	1,523	2,474	4,004	6,146	8,466	10,427	10,822	10,346	8,602	6,025	3,090	964	171	49
	F	64,995	2,876	226	140	82	59	231	182	263	396	530	771	1,147	1,694	2,417	3,572	4,709	6,442	7,779	9,101	8,809	7,262	4,280	1,655	329	45
	Nonwhite—M	4,995	575	32	18	11	17	33	31	70	122	175	220	319	392	503	528	510	404	408	278	195	86	45	15	8	2
	F	4,216	441	41	18	12	10	22	21	61	137	173	193	262	317	381	399	395	369	336	244	183	127	81	28	5	4
001-019	Tuberculosis, all forms	4,360	14	27	14	3	4	16	15	63	205	262	311	377	429	465	484	471	422	337	224	140	62	15	2	-	-
	White—M	2,386	6	4	2	-	-	6	3	8	51	56	96	144	208	265	326	356	316	248	155	88	40	7	-	-	-
	F	899	2	15	7	2	1	4	7	16	56	86	89	100	93	77	63	45	59	58	56	39	18	5	1	-	-
	Nonwhite—M	657	4	3	1	-	1	4	-	14	38	57	54	80	65	89	84	61	35	24	11	8	3	1	-	-	-
	F	418	2	5	4	1	2	2	5	25	60	65	72	53	42	34	11	9	12	7	2	5	1	-	1	-	-
001-008	Tuberculosis of respiratory system	4,058	3	10	3	1	-	4	9	57	187	247	287	354	398	433	465	450	407	331	209	133	56	12	2	-	-
	White—M	2,285	1	1	-	-	-	2	2	8	47	53	91	135	198	253	323	345	304	245	149	84	38	8	-	-	-
	F	810	-	6	3	1	-	-	3	14	53	85	85	97	87	70	52	40	56	55	47	36	16	5	1	-	-
	Nonwhite—M	599	1	2	-	-	-	1	-	12	32	52	46	76	80	80	79	57	35	24	11	8	2	1	-	-	-
	F	364	1	1	-	-	-	1	4	23	55	59	65	46	33	30	11	8	12	7	2	5	-	-	1	-	-
010-019	Tuberculosis, other forms	302	11	17	11	2	4	12	6	6	18	15	24	23	31	32	19	21	15	6	15	7	6	1	-	-	-
	White—M	101	5	3	2	-	-	4	1	-	4	3	5	9	11	12	3	11	12	3	6	4	2	1	-	-	-
	F	89	2	9	4	1	1	4	4	2	3	3	4	3	6	7	11	5	3	3	9	3	2	-	-	-	-
	Nonwhite—M	58	3	1	1	-	1	3	-	2	8	5	8	4	5	9	5	4	-	-	-	-	1	-	-	-	-
	F	54	1	4	4	1	2	1	1	2	5	4	7	7	9	4	-	1	-	-	-	-	1	-	-	-	-
020-029	Syphilis and its sequelae	757	8	-	-	-	-	-	-	1	4	3	7	29	40	63	98	118	134	90	74	59	21	7	1	-	-
	White—M	455	1	-	-	-	-	-	-	-	1	1	-	5	16	29	54	78	98	58	50	42	15	6	-	-	-
	F	114	2	-	-	-	-	-	-	-	-	-	1	4	4	4	17	10	22	14	18	10	6	1	1	-	-
	Nonwhite—M	130	2	-	-	-	-	-	-	1	3	1	3	9	14	21	21	23	9	12	4	7	-	-	-	-	-
	F	58	3	-	-	-	-	-	-	-	-	1	3	11	6	9	6	6	5	6	2	-	-	-	-	-	-
040	Typhoid fever	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	26	2	-	1	-	2	7	1	-	-	-	2	-	-	-	1	-	3	1	3	1	1	-	1	-	-
	White—M	16	-	-	-	-	2	6	-	-	-	-	2	-	-	-	1	-	1	1	2	1	-	-	-	-	-
	F	5	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	1	-	-
	Nonwhite—M	4	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	37	2	4	1	1	2	4	1	1	1	2	1	1	2	3	2	3	1	1	-	4	-	-	-	-	-
	White—M	18	2	2	1	-	-	3	1	1	1	2	1	1	-	-	-	-	-	-	-	3	-	-	-	-	-
	F	17	-	2	-	1	1	1	-	-	-	-	-	-	2	3	2	2	1	1	-	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	12	1	-	-	2	2	1	2	1	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	-	1	1	1	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	27	16	5	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	14	11	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	70	9	7	5	3	-	7	1	2	3	2	2	1	1	3	6	7	6	3	1	1	-	-	-	-	-
	White—M	30	5	1	2	3	-	-	-	1	1	1	1	-	1	-	5	4	3	1	1	-	-	-	-	-	-
	F	29	4	6	2	-	-	4	1	1	1	-	-	-	-	2	1	3	1	2	-	1	-	-	-	-	-
	Nonwhite—M	5	-	-	-	-	-	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	-	-	-	-	1	1	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	320	11	5	14	5	8	64	37	54	40	33	29	13	4	1	-	2	-	-	-	-	-	-	-	-	-
	White—M	181	7	1	8	1	4	42	22	28	24	19	12	8	3	1	-	1	-	-	-	-	-	-	-	-	-
	F	131	4	4	5	4	4	21	14	23	14	14	17	5	1	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	-	-	1	-	-	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	37	10	4	7	2	-	8	1	1	1	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-
	White—M	18	3	2	4	1	-	6	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	19	7	2	3	1	-	2	1	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	275	23	5	10	2	1	6	8	4	7	9	17	16	26	19	27	26	14	17	14	11	9	4	-	-	-
	White—M	135	7	4	6	2	-	1	5	3	4	3	9	5	15	6	15	10	8	11	8	7	4	2	-	-	-
	F	116	11	1	4	-	1	5	3	-	2	6	7	8	8	9	10	13	6	6	6	4	4	2	-	-	-
	Nonwhite—M	14	4	-	-	-	-	-	-	-	-	-	-	2	2	2	1	3	-	-	-	-	-	-	-	-	-
	F	10	1	-	-	-	-	-	-	1	1	-	1	1	1	2	1	-	-	-	-	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
140-205	Malignant neoplasms, etc.*	25,862	28	31	30	30	26	77	47	96	151	167	281	622	1,005	1,639	2,533	3,368	3,800	3,666	3,545	2,576	1,454	542	121	24	3
	White	12,815	16	20	28	14	16	37	29	53	67	67	98	218	326	657	1,156	1,729	2,035	2,006	1,905	1,325	709	255	59	6	1
	F	11,887	11	9	21	15	10	34	17	35	53	85	160	339	585	853	1,202	1,465	1,622	1,531	1,559	1,197	721	284	60	17	2
	Nonwhite	570	1	2	-	-	-	3	1	4	4	2	7	28	32	60	87	89	72	79	52	34	11	-	2	1	-
	F	592	-	-	-	1	-	3	-	4	7	15	16	37	62	69	109	86	71	50	29	20	13	3	-	-	-
140-148	Of buccal cavity and pharynx	665	-	-	-	-	-	-	1	1	2	-	2	9	21	37	52	90	103	63	105	84	55	17	2	1	-
	White	526	-	-	-	-	-	-	1	1	-	-	1	4	14	26	37	72	91	71	89	62	40	16	1	-	-
	F	109	-	-	-	-	-	-	-	-	1	-	1	3	3	4	11	12	9	10	15	22	15	1	1	1	-
	Nonwhite	25	-	-	-	-	-	-	-	-	-	-	-	1	3	7	3	6	2	2	1	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	10,721	6	3	1	-	1	3	3	4	14	20	52	147	271	484	945	1,295	1,588	1,719	1,767	1,312	740	272	63	9	2
	White	5,624	3	3	1	-	1	1	3	-	9	8	16	75	117	238	495	723	872	980	943	646	339	116	31	2	1
	F	4,618	3	-	-	-	-	2	-	4	5	9	30	59	120	204	371	507	641	666	777	639	388	155	31	6	1
	Nonwhite	282	-	-	-	-	-	-	-	-	-	1	3	10	17	32	43	37	39	45	29	17	7	-	1	1	-
	F	197	-	-	-	-	-	-	-	-	-	2	3	3	17	10	36	28	36	27	18	10	6	1	-	-	-
160-164	Of respiratory system	3,076	-	-	1	-	-	-	1	1	5	4	10	47	82	217	361	576	650	449	375	194	68	29	8	-	-
	White	2,494	-	-	-	-	-	-	-	-	4	2	5	32	61	175	282	479	539	381	307	141	64	17	5	-	-
	F	454	-	-	1	-	-	-	1	1	-	1	5	6	17	32	52	71	71	51	57	51	23	11	3	-	-
	Nonwhite	102	-	-	-	-	-	-	-	-	1	-	-	7	3	9	19	21	16	14	9	2	1	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	1	-	2	1	1	8	5	4	3	2	-	1	-	-	-	-
170	Of breast	2,498	-	-	-	-	-	-	-	1	14	47	116	202	257	312	334	318	285	240	202	105	49	14	4	-	-
	White	41	-	-	-	-	-	-	-	-	-	-	2	-	4	5	6	7	5	2	8	1	1	-	-	-	-
	F	2,374	-	-	-	-	-	-	-	-	-	15	47	106	192	245	293	309	305	273	236	190	102	47	14	4	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	83	-	-	-	-	-	-	-	-	1	1	-	8	10	10	14	19	6	5	2	4	2	1	-	-	-
171-179	Of genital organs	3,524	-	3	-	-	-	-	3	4	13	32	55	122	194	267	366	405	432	439	456	374	242	98	16	5	-
	White	1,059	-	3	-	-	-	-	-	1	5	11	13	6	9	17	29	49	96	157	219	221	151	61	10	3	-
	F	2,218	-	-	-	-	-	-	3	2	7	17	33	98	156	218	296	325	308	264	225	138	86	35	5	2	-
	Nonwhite	56	-	-	-	-	-	-	-	-	-	-	-	-	2	1	6	8	10	10	7	11	2	-	1	-	-
	F	189	-	-	-	-	-	-	-	1	1	4	9	18	27	31	38	24	18	8	5	4	3	-	-	-	-
180, 181	Of urinary organs	1,293	2	3	8	6	-	3	1	2	-	3	7	14	24	62	105	161	196	224	195	151	87	32	6	1	-
	White	685	2	2	6	2	-	1	-	2	-	1	4	6	17	43	71	115	145	156	130	102	52	19	4	1	-
	F	373	-	-	2	3	-	1	1	-	-	1	2	5	6	18	25	41	49	60	65	47	34	13	2	-	-
	Nonwhite	19	-	1	-	-	-	1	-	-	-	-	-	2	-	1	5	2	1	3	-	2	1	-	-	-	-
	F	18	-	-	-	1	-	-	-	-	-	1	1	1	2	4	3	1	3	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	2,165	6	11	14	10	8	26	11	31	30	54	42	78	109	176	219	280	309	247	227	151	98	33	11	4	-
	White	1,152	3	6	9	2	4	16	11	15	16	19	23	44	61	85	126	155	163	128	117	80	44	17	7	-	-
	F	934	3	4	5	8	4	9	-	12	13	15	16	28	45	80	79	112	140	113	104	67	51	18	4	4	-
	Nonwhite	43	-	1	-	-	-	-	-	1	-	-	1	5	1	6	8	10	3	3	4	2	-	-	-	-	-
	F	36	-	-	-	-	-	1	-	2	1	-	2	3	2	5	6	6	3	3	2	2	1	-	-	-	-
204	Leukemia and aleukemia	964	12	9	22	13	17	37	23	36	27	27	25	38	42	62	74	118	99	90	88	61	27	4	1	-	1
	White	511	6	4	11	10	11	15	11	23	13	9	12	19	20	26	40	67	59	53	47	39	12	3	1	-	-
	F	422	5	5	11	3	6	19	11	10	12	15	13	15	18	32	33	49	39	36	52	22	14	1	-	-	1
	Nonwhite	16	1	-	-	-	-	1	1	2	1	1	-	3	2	1	1	2	1	1	-	-	-	-	-	-	-
	F	15	-	-	-	-	-	2	-	1	1	2	-	1	2	3	-	-	-	-	-	1	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	954	2	2	4	1	-	8	4	17	39	33	41	51	60	77	99	109	125	132	81	47	14	8	-	-	-
	White	523	2	2	2	-	-	4	3	10	20	17	24	30	27	43	52	64	63	72	51	26	6	5	-	-	-
	F	385	-	-	2	1	-	3	1	6	15	14	13	19	28	24	42	39	60	58	28	21	8	3	-	-	-
	Nonwhite	23	-	-	-	-	-	1	-	1	2	-	3	2	4	3	2	2	-	1	2	-	-	-	-	-	-	-
	F	23	-	-	-	-	-	-	-	-	2	2	1	-	1	7	3	4	2	1	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	658	15	5	2	1	2	7	9	5	12	22	20	47	67	75	73	68	69	54	35	28	28	11	3	-	-
	White	247	6	-	1	1	-	2	4	1	5	8	4	13	18	24	30	28	36	27	19	10	8	1	2	-	-
	F	359	8	3	1	-	1	5	4	4	7	12	11	23	42	43	39	36	29	27	15	18	20	10	1	-	-
	Nonwhite	15	1	-	1	-	1	-	1	-	-	-	-	1	1	3	2	1	2	-	1	-	-	-	-	-	-
	F	37	-	2	-	-	-	-	-	-	-	2	5	10	6	5	2	3	2	-	-	-	-	-	-	-	-
260	Diabetes mellitus	2,920	-	-	2	-	-	3	5	8	15	16	22	33	56	80	171	288	466	580	524	371	211	62	7	-	-
	White	1,019	-	-	1	-	-	2	2	6	6	9	14	28	33	81	105	165	190	165	123	68	17	4	-	-	-
	F	1,761	-	-	1	-	-	2	3	6	8	5	9	13	18	30	63	161	284	364	349	238	140	44	3	-	-
	Nonwhite	37	-	-	-	-	-	-	-	-	-	3	1	1	2	6	-	8	3	8	2	1	-	-	-	-	-
	F	103	-	-	-	-	-	1	-	-	1	2	3	5	8	9	7	14	14	18	8	9	3	1	-	-	-
280-285	Anemias	370	3	5	1	2	-	10	-	6	4	5	2	8	2	12	7	20	31	45	71	64	42	28	3	1	-
	White	144	2	3	-	1	-	2	-	1	1	2	-	3	-	6	3	7	18	27	31	17	12	7	1	-	-
	F	207	-	2	-	-	-	7	-	1	-	1	1	4	2	6	4	12	13	18	38	47	30	19	2	-	-
	Nonwhite	6	-	-	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-
	F	13	1	-	-	1	-	1	-	2	2	2	1	1	-	-	-	1	-	-	1	-	-	-	-	-	-
340	Meningococcal meningitis	196	55	14	9	2	5	6	2	1	-	6	7	11	7	8	11	12	11	10	6	8	2	3	-	-	-
	White	95	29	7	4	2	1	3	2	-	-	3	2	4	3	3	6	8	5	3	5	5	-	2	-	-	-
	F	70	17	5	5	-	3	3	-	1	-	3	3	3	3	3	1	5	3	6	-	3	2	1	-	-	-
	Nonwhite	20	8	1	-	-	1	-	-	-	-	-	-	1	2	-	1	2	1	2	1	-	-	-	-	-	-
	F	11	1	1	-	-	-	-	-	-	-	-	-	1	2	1	1	2	-	1	-	1	-	-	-	-	-
330-334, 400-468, 582-594	Major cardiovascular-renal diseases	85,678	22	13	7	15	9	56	99	119	187	297	481	941	1,786	3,250	5,209	7,295	10,133	11,856	13,106	12,373	10,007	5,822	2,133	418	64
	White	44,461	13	8	4	6	7	23	45	59	82	136	197	500	1,045	1,977	3,205	4,539	6,074	6,508	6,623	5,812	4,341	2,357	760	143	27
	F	37,580	7	5	3	8	1	27	42	45	85	121	215	290	497	869	1,580	2,282	3,603	4,908	6,154	6,315	5,506	3,395	1,348	264	34
	Nonwhite	1,761	2	-	-	1	1	3	6	7	8	13	34	77	120	195	208	240	217	215	170	126	63	37	12	6	-
	F	1,876	-	-	-	-	1	3	6	8	12	27	35	74	124	189	216	234	239	225	179	122	97	55	23	5	3
330-334, 400-468	Diseases of cardiovascular system	83,752	22	12	4	7	4	40	82	97	149	248	425	866	1,703	3,109	5,032	7,112	9,922	11,632	12,902	12,203	9,860	5,735	2,110	417	62
	White	43,531	13	7	2	2	3	17	35	44	62	108	176	468	1,008	1,910	3,122	4,446	5,959	6,403	6,518	5,735	4,278	2,302	744	142	27
	F	36,702	7	5	2	4	-	18	36	39	74	104	185	260	459	832	1,501	2,207	3,514	4,797	6,044	6,221	5,425	3,341	1,331	264	33
	Nonwhite	1,702	2	-	-	1	1	2	5	7	6	10	35	69	116	188	202	231	214	209	164	125	82	57	12	6	-
	F	1,817	-	-	-	-	-	3	6	8	7	26	31	69	117	179	207	228	235	223	176	122	95	55	23	5	2
330-334	Vascular lesions, etc.*	13,469	13	3	2	1	-	5	5	9	17	18	47	100	210	361	647	955	1,388	1,823	2,287	2,304	1,844	1,022	351	47	10
	White	5,854	7	2	1	-	-	1	3	4	7	7	15	35	82	155	274	428	668	845	1,022	1,024	760	400	112	15	6
	F	7,022	4	1	1	1	-	4	2	4	8	7	26	41	75	172	315	443	635	902	1,212	1,236	1,059	607	232	32	3
	Nonwhite	263	2	-	-	-	-	-	-	-	2	1	3	15	15	25	23	38	37	37	25	22	10	5	3	-	-
	F	330	-	-	-	-	1	-	-	1	-	3	3	9	38	29	35	45	48	39	28	22	15	10	4	-	1
400-402	Rheumatic fever	281	1	1	2	1	19	38	19	23	25	29	37	46	13	5	14	4	-	2	1	1	-	-	-	-	-
	White	123	1	1	1	1	10	17	7	4	11	12	16	19	7	2	9	2	-	2	1	1	-	-	-	-	-
	F	151	-	-	1	1	-	7	18	5	17	18	15	17	25	3	3	5	2	-	-	-	-	-	-	-	-
	Nonwhite	11	-	-	-	-	-	1	1	4	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	1	2	3	1	1	1	3	1	3	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
410-443	Diseases of heart-	65,098	8	7	1	3	3	16	32	60	97	178	322	677	1,380	2,616	4,236	5,939	8,221	9,393	9,996	9,080	7,106	4,004	1,408	276	41
	White-----M--	35,305	3	3	1	1	2	6	14	29	50	82	141	403	884	1,706	2,777	3,893	5,131	5,328	5,186	4,334	3,104	1,604	506	101	16
	F--	27,147	3	4	-	1	-	7	11	25	39	71	132	188	342	626	1,134	1,689	2,750	3,729	4,545	4,562	3,884	2,331	881	169	24
	Nonwhite--M--	1,313	-	-	-	1	1	1	4	3	3	8	27	44	89	152	164	182	166	163	126	82	46	30	7	4	-
	F--	1,333	-	-	-	-	-	2	3	3	5	17	22	42	65	132	161	175	174	173	139	92	72	39	14	2	1
410-416	Chronic rheumatic heart disease----	2,551	...	-	-	-	2	11	26	49	63	118	161	220	261	319	336	269	247	179	114	96	46	23	5	3	3
	White-----M--	1,078	...	-	-	-	2	5	9	21	28	53	54	90	108	134	142	118	118	90	43	40	15	7	3	-	-
	F--	1,319	...	-	-	-	-	3	10	22	30	51	91	108	136	162	175	139	127	88	70	55	29	15	2	3	3
	Nonwhite--M--	74	...	-	-	-	-	1	4	3	3	3	8	12	8	12	9	5	2	1	-	1	1	-	-	-	-
	F--	80	...	-	-	-	-	2	3	3	2	11	7	10	9	11	10	7	2	-	1	-	1	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	44,594	-	-	-	1	-	-	-	1	8	22	85	306	827	1,718	2,966	4,352	6,010	6,858	7,179	6,174	4,627	2,478	803	157	24
	White-----M--	26,610	-	-	-	-	-	-	-	1	5	16	61	244	573	1,331	2,230	3,148	4,056	4,176	3,970	3,139	2,137	1,050	298	63	12
	F--	16,692	-	-	-	-	-	-	-	-	1	3	14	41	101	267	574	1,025	1,778	2,508	3,052	2,917	2,428	1,387	493	92	11
	Nonwhite--M--	707	-	-	-	1	-	-	-	-	-	2	4	12	35	75	96	102	97	90	78	62	26	19	6	2	-
	F--	585	-	-	-	-	-	-	-	-	-	1	6	9	18	45	66	77	79	84	79	56	36	22	6	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	8,538	...	3	-	2	1	2	4	4	13	18	29	58	83	163	249	394	666	966	1,209	1,546	1,551	1,040	457	89	11
	White-----M--	3,896	...	1	-	1	-	-	3	4	9	6	11	25	45	77	128	223	355	521	558	696	641	405	158	27	2
	F--	4,282	...	2	-	1	-	2	1	-	3	10	14	18	26	52	82	133	264	394	589	822	860	619	292	59	9
	Nonwhite--M--	196	...	-	-	-	1	-	-	-	-	1	3	9	8	25	21	17	24	29	24	14	13	7	-	2	-
	F--	184	...	-	-	-	-	-	-	-	1	1	1	6	4	11	18	21	23	22	28	14	17	9	7	1	-
430-434	Other diseases of heart---------	820	6	4	1	-	-	3	1	6	9	9	17	16	24	44	57	66	103	102	109	90	79	49	19	5	1
	White-----M--	459	3	2	1	-	-	1	1	3	4	3	8	13	13	29	38	45	65	55	61	40	40	24	6	3	1
	F--	331	3	2	-	-	-	2	-	3	4	3	6	2	9	11	15	18	35	44	47	49	38	25	13	2	-
	Nonwhite--M--	22	-	-	-	-	-	-	-	-	-	2	3	1	2	4	4	3	1	2	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	2	1	1	1	1	-	-	-	-
440-443	Hypertension with heart dis.---	8,595	-	-	-	-	-	-	1	-	6	11	30	77	185	372	628	858	1,195	1,288	1,385	1,174	823	414	124	22	2
	White-----M--	3,262	-	-	-	-	-	-	1	-	4	4	7	31	45	135	239	359	539	486	554	419	271	118	41	8	1
	F--	4,543	-	-	-	-	-	-	-	-	1	4	7	19	70	134	288	374	546	695	777	719	529	285	81	13	1
	Nonwhite--M--	314	-	-	-	-	-	-	-	-	-	-	8	10	36	38	34	55	42	41	24	15	6	4	1	-	-
	F--	476	-	-	-	-	-	-	-	-	1	3	8	17	34	65	67	70	68	66	30	21	17	7	1	1	-
444-447	Hypertension without mention of heart----------	1,169	-	-	-	-	-	-	-	-	4	14	8	30	38	64	71	86	120	124	143	164	142	120	36	4	1
	White-----M--	496	-	-	-	-	-	-	-	-	1	5	4	8	12	30	29	48	58	62	67	63	51	41	15	1	1
	F--	562	-	-	-	-	-	-	-	-	2	5	1	4	6	13	29	31	54	55	73	99	91	77	20	2	-
	Nonwhite--M--	46	-	-	-	-	-	-	-	-	-	-	1	6	9	8	7	5	3	2	1	2	-	-	1	1	-
	F--	65	-	-	-	-	-	-	-	-	1	4	2	12	11	13	6	2	5	5	2	-	2	-	-	-	-
450	General arteriosclerosis--------	3,098	-	-	-	-	-	-	-	-	-	-	-	2	1	8	26	49	111	215	389	584	728	574	311	89	9
	White-----M--	1,437	-	-	-	-	-	-	-	-	-	-	-	-	1	4	13	25	62	120	201	282	341	249	111	25	3
	F--	1,557	-	-	-	-	-	-	-	-	-	-	-	1	-	2	6	17	36	83	173	286	373	320	194	60	6
	Nonwhite--M--	50	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	6	7	8	9	6	1	1	1	-
	F--	52	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	2	7	5	7	7	8	4	5	3	-
451-468	Other diseases of circulatory sys.-	638	3	1	-	1	-	-	7	9	8	13	19	20	25	47	47	69	78	77	85	70	39	15	4	1	1
	White-----M--	316	3	1	-	-	-	-	1	4	-	3	4	6	10	28	27	42	38	48	40	31	21	8	-	-	1
	F--	293	-	-	-	1	-	-	5	4	8	9	11	9	11	16	14	22	37	28	41	38	18	6	4	1	-
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	1	2	-	4	-	-	1	-	-	-
	F--	21	-	-	-	-	-	1	1	-	1	3	3	2	2	1	4	1	1	-	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	1,926	-	1	3	8	5	16	17	22	38	49	55	75	86	121	177	183	211	224	204	170	147	87	23	1	2
	White-----M--	930	-	1	2	4	4	6	10	15	20	28	21	32	37	67	83	93	115	105	105	77	63	35	6	1	-
	F--	878	-	-	1	4	1	9	6	7	11	17	30	30	38	37	79	75	89	111	90	92	81	52	17	-	1
	Nonwhite--M--	59	-	-	-	-	-	1	1	-	2	3	1	8	4	7	6	9	3	6	6	1	1	-	-	-	-
	F--	59	-	-	-	-	-	-	-	-	5	1	4	5	7	10	9	6	4	2	3	-	2	-	-	-	1
480-493	Influenza and pneumonia, etc.*-	4,180	496	106	44	19	10	36	11	22	29	35	39	93	133	202	229	316	351	380	416	446	370	242	111	19	5
	White-----M--	2,179	220	49	27	10	3	20	6	12	10	17	20	42	65	106	149	219	218	216	216	225	179	102	39	5	4
	F--	1,565	164	37	14	7	6	11	4	8	10	8	17	23	33	56	45	68	115	140	180	214	184	136	72	14	1
	Nonwhite--M--	264	56	6	1	1	1	3	1	2	4	7	15	18	27	27	28	22	10	12	13	3	3	3	-	-	-
	F--	172	56	14	2	1	-	2	-	-	5	3	7	9	8	13	7	9	8	12	7	4	4	1	-	-	-
480-483	Influenza---------	157	10	3	5	-	-	3	2	-	1	-	3	4	4	6	8	6	7	11	27	19	17	10	8	1	2
	White-----M--	81	7	3	2	-	-	3	-	-	-	-	2	2	2	3	5	4	6	4	11	8	10	5	4	-	2
	F--	73	3	-	3	-	-	-	1	-	1	-	1	1	2	3	2	2	1	7	16	13	7	5	4	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	4,023	486	103	39	19	10	33	9	22	28	35	56	89	129	196	221	310	344	369	389	427	353	232	103	18	3
	White-----M--	2,098	213	48	25	10	3	17	6	12	10	17	18	40	63	103	144	215	212	212	205	219	169	97	35	5	2
	F--	1,492	161	37	11	7	6	11	3	8	9	8	16	22	31	53	43	64	114	133	164	201	177	131	68	13	1
	Nonwhite--M--	261	56	6	1	1	1	3	-	2	4	7	15	18	27	27	27	22	10	12	13	3	3	3	-	-	-
	F--	172	56	14	2	1	-	2	-	-	5	3	7	9	8	13	7	9	8	12	7	4	4	1	-	-	-
500-502	Bronchitis---------	293	51	20	10	7	2	7	1	2	2	2	4	1	1	4	20	18	21	25	24	27	26	10	6	2	-
	White-----M--	191	30	13	4	5	2	4	-	2	-	1	1	1	-	3	14	15	18	24	17	12	15	5	4	1	-
	F--	93	14	5	5	1	-	3	1	-	-	1	-	-	1	1	5	2	3	1	7	14	11	5	2	1	-
	Nonwhite--M--	12	5	1	1	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	F--	7	2	1	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	1,047	3	-	-	1	-	-	-	1	5	8	10	31	65	83	116	156	165	151	117	80	30	21	2	2	-
	White-----M--	788	1	-	-	-	-	-	-	-	4	7	5	20	50	81	94	124	138	105	87	54	21	15	1	1	-
	F--	192	-	-	-	-	-	-	1	-	-	2	4	7	13	8	23	22	44	28	24	9	5	1	1	-	-
	Nonwhite--M--	52	-	-	-	1	-	-	-	-	-	1	3	6	8	8	12	5	4	2	-	1	-	1	-	-	-
	F--	15	2	-	-	-	-	-	-	-	1	-	-	1	-	1	2	4	1	-	2	1	-	-	-	-	-
550-553	Appendicitis-------	392	1	3	6	5	6	14	11	11	6	10	10	18	20	30	42	42	39	38	37	23	14	6	-	-	-
	White-----M--	218	-	3	4	1	4	8	3	6	4	5	5	4	13	17	27	27	24	23	19	11	8	4	-	-	-
	F--	142	1	-	2	3	1	6	6	5	2	3	4	9	2	9	14	13	12	12	16	12	8	2	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	1	-	-	-	1	1	5	4	3	-	1	3	1	1	-	-	-	-	-	-
	F--	11	-	-	-	1	1	1	-	-	1	-	-	1	1	1	1	1	-	2	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	971	74	3	3	1	1	1	1	2	1	9	5	19	22	37	53	78	107	122	137	116	97	61	19	2	-
	White-----M--	472	39	1	2	-	1	1	-	1	-	1	2	5	7	21	27	35	51	73	71	53	48	26	6	1	-
	F--	449	23	1	-	1	-	-	1	-	1	7	2	12	9	12	23	37	53	43	65	63	48	34	13	1	-
	Nonwhite--M--	29	8	1	1	-	-	-	-	1	-	1	1	-	1	1	2	3	2	4	1	-	1	1	-	-	-
	F--	21	4	-	-	-	-	-	-	-	-	-	-	2	5	3	1	3	1	2	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Birth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NEW YORK—Con.																										
543, 571, 572	Gastritis, etc.*—	529	153	19	5	2	5	8	4	6	12	12	10	15	17	18	29	23	40	46	47	32	25	18	4	3	—
	White——M—	258	64	9	1	1	1	5	2	3	3	4	4	6	9	11	18	12	21	25	24	17	9	7	—	2	—
	F—	230	41	8	1	1	1	2	2	3	8	7	3	7	8	7	11	10	19	21	23	15	16	11	4	1	—
	Nonwhite—M—	27	21	1	1	—	1	1	—	—	—	—	2	—	—	—	—	—	—	—	—	1	—	—	—	—	—
	F—	14	7	1	—	—	—	—	—	1	1	1	2	—	—	—	—	1	—	—	—	—	—	—	—	—	—
581	Cirrhosis of liver	2,081	5	2	—	—	—	—	1	5	4	19	38	101	194	262	318	331	296	222	130	101	36	13	—	1	2
	White——M—	1,305	4	2	—	—	—	—	1	1	2	7	19	52	95	164	202	223	199	148	83	71	23	7	—	1	1
	F—	677	1	—	—	—	—	—	—	3	1	7	14	36	81	84	99	97	91	69	45	30	13	6	—	—	1
	Nonwhite—M—	61	—	—	—	—	—	—	—	—	—	3	2	6	11	9	12	7	6	5	—	—	—	—	—	—	—
	F—	38	—	—	—	—	—	—	—	1	1	2	3	7	7	5	5	4	—	1	2	—	—	—	—	—	—
590, 591	Acute nephritis, etc.*—	196	6	4	3	3	3	9	5	5	5	8	7	8	9	12	9	10	22	17	13	16	14	5	3	—	—
	White——M—	110	3	1	1	2	2	6	2	2	4	4	3	5	5	3	5	8	14	12	9	8	9	2	2	—	—
	F—	79	3	3	2	1	1	3	2	3	1	4	3	3	2	8	4	4	8	4	4	8	4	3	1	—	—
	Nonwhite—M—	1	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	6	—	—	—	—	—	1	—	—	—	—	—	—	2	1	—	—	—	1	—	—	1	—	—	—	—
610	Hyperplasia of prostate—	740	—	—	—	—	—	—	—	—	—	—	—	—	—	1	7	38	58	108	141	158	136	76	15	2	—
	White——M—	724	—	—	—	—	—	—	—	—	—	—	—	—	—	1	6	36	54	100	136	155	133	76	15	2	—
	Nonwhite—M—	26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	2	4	8	5	3	3	—	—	—	—
640-689	Complications of pregnancy, etc.*—	200	...	...	...	...	...	...	—	17	30	44	54	39	15	1	—	—	...	...	...	...	...	...	...	...	—
	White——F—	145	...	...	...	...	...	...	—	8	19	28	45	30	14	1	—	—	...	...	...	...	...	...	...	...	—
	Nonwhite—F—	55	...	...	...	...	...	...	—	9	11	16	9	9	1	—	—	—	...	...	...	...	...	...	...	...	—
650-652	Abortion—	32	...	...	...	...	...	...	—	6	4	8	5	8	1	—	—	—	...	...	...	...	...	...	...	...	—
	White——F—	12	...	...	...	...	...	...	—	2	—	2	3	4	1	—	—	—	...	...	...	...	...	...	...	...	—
	Nonwhite—F—	20	...	...	...	...	...	...	—	4	4	6	2	4	—	—	—	—	...	...	...	...	...	...	...	...	—
640-649, 660-689	All other complications—	168	...	...	...	...	...	...	—	11	26	36	49	31	14	1	—	—	...	...	...	...	...	...	...	...	—
	White——F—	133	...	...	...	...	...	...	—	6	19	25	42	26	13	1	—	—	...	...	...	...	...	...	...	...	—
	Nonwhite—F—	35	...	...	...	...	...	...	—	5	7	10	7	5	1	—	—	—	...	...	...	...	...	...	...	...	—
750-759	Congenital malformations—	1,790	1,299	98	31	21	15	21	24	22	33	24	19	27	36	30	29	20	20	16	9	4	1	2	—	—	—
	White——M—	874	657	43	9	10	8	13	12	12	17	10	8	15	17	18	12	12	9	4	5	2	—	1	—	—	—
	F—	802	588	47	19	10	6	4	11	9	12	12	9	12	13	10	14	6	10	2	4	2	1	1	—	—	—
	Nonwhite—M—	58	39	4	—	1	1	2	—	—	3	1	—	—	2	1	1	2	1	—	—	—	—	—	—	—	—
	F—	56	35	4	3	—	—	2	1	1	1	1	2	—	3	1	2	—	—	—	—	—	—	—	—	—	—
760-776	Certain diseases of early infancy—	5,008	5,006	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	2,582	2,580	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	1,746	1,746	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	385	385	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	287	287	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
760-762	Birth injuries, etc.*—	2,420	2,420	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	1,285	1,285	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	853	853	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	161	161	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	121	121	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
763-768	Infections of newborn—	326	326	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	184	184	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	86	86	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	28	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	28	28	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
769-776	Other diseases of infancy, and immaturity unqualified—	2,262	2,260	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	1,123	1,121	1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	807	807	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	194	194	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	138	138	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
780-795	Senility, etc.*—	697	64	12	11	3	2	3	3	6	32	28	36	42	54	56	51	51	34	31	32	32	35	29	31	10	3
	White——M—	359	37	4	7	—	2	5	2	4	20	15	13	19	23	30	26	37	19	23	19	14	21	8	7	1	3
	F—	252	19	3	2	2	—	3	1	2	4	4	8	19	20	18	21	13	11	7	12	16	13	21	24	9	—
	Nonwhite—M—	57	6	3	1	1	—	—	—	—	6	6	12	1	8	7	3	1	3	1	—	—	—	—	—	—	—
	F—	29	2	2	1	—	—	1	—	—	2	3	3	3	5	1	1	—	1	—	1	2	1	—	—	—	—
Residual	All other diseases	5,631	269	70	40	18	19	66	39	56	92	121	168	240	323	386	430	602	645	641	545	406	270	126	48	9	2
	White——M—	2,859	130	35	18	8	7	40	19	28	43	48	64	122	148	189	219	327	363	345	283	209	127	64	20	2	1
	F—	2,417	113	29	17	8	10	21	14	20	31	51	73	83	132	163	174	249	265	281	253	192	142	61	27	7	1
	Nonwhite—M—	195	12	3	4	1	1	1	3	4	8	9	22	18	21	16	23	18	10	9	6	5	—	1	—	—	—
	F—	160	14	3	1	1	1	4	3	4	10	13	9	17	22	18	14	8	7	6	3	—	1	—	1	—	—
E800-E962	Accidents—	7,541	253	102	82	54	59	197	172	270	330	287	255	329	367	397	467	475	548	540	589	638	580	359	144	20	18
	White——M—	4,499	120	51	50	28	34	123	108	189	247	218	167	218	264	268	340	345	374	334	317	296	213	127	51	6	11
	F—	2,513	79	36	22	17	12	61	44	59	56	32	47	63	63	79	102	107	149	178	267	338	360	230	91	14	5
	Nonwhite—M—	370	13	6	5	4	8	11	16	18	18	24	33	36	34	36	34	15	18	22	9	4	2	1	1	—	2
	F—	159	21	7	5	5	5	2	4	4	9	13	8	12	6	14	11	8	5	6	6	—	5	1	1	—	1
E810-E835	Motor-vehicle accidents—	2,067	5	17	21	21	25	87	63	144	183	136	118	108	117	107	143	151	157	145	130	99	60	23	2	—	5
	White——M—	1,449	1	11	15	12	16	53	37	100	146	110	88	69	72	74	97	104	108	104	90	79	40	19	2	—	2
	F—	492	4	6	6	6	2	27	20	41	32	17	17	28	32	24	32	38	45	35	38	19	18	4	—	—	1
	Nonwhite—M—	94	—	—	—	2	5	6	5	3	3	7	11	7	11	5	8	5	4	5	2	1	2	—	—	—	2
	F—	32	—	—	—	1	2	1	1	—	2	2	2	4	2	4	6	4	—	1	—	—	—	—	—	—	—
E800-E802, E840-E962	All ot. accidents—	5,474	228	85	61	33	34	110	109	126	147	151	137	221	250	290	344	324	389	395	469	539	520	336	142	20	14
	White——M—	3,050	119	40	33	16	18	70	71	89	101	108	78	143	192	194	243	241	268	230	227	217	173	108	49	8	9
	F—	2,021	75	32	16	11	10	34	24	18	24	15	30	35	31	55	70	69	104	143	229	319	342	226	91	14	4
	Nonwhite—M—	276	13	6	5	2	3	5	11	15	15	17	22	29	23	31	26	10	14	17	7	3	—	1	1	—	—
	F—	127	21	7	5	4	3	1	3	4	7	11	6	6	4	10	5	4	5	5	6	—	5	1	1	—	1
E963, E970-E979	Suicide—	1,672	—	—	—	—	—	—	5	27	69	90	93	130	155	161	160	220	197	144	110	47	24	16	4	—	—
	White——M—	1,190	—	—	—	—	—	—	4	18	48	60	60	76	97	98	132	173	160	102	89	37	22	11	3	—	—
	F—	439	—	—	—	—	—	—	1	8	19	26	26	51	51	51	47	45	36	40	21	9	2	5	1	—	—
	Nonwhite—M—	34	—	—	—	—	—	—	—	1	2	4	5	5	4	9	1	1	1	2	—	1	—	—	—	—	—
	F—	9	—	—	—	—	—	—	—	—	—	2	—	3	3	—	—	1	—	—	—	—	—	—	—	—	—
E964, E980-E985	Homicide—	439	17	1	2	1	—	8	2	23	48	75	51	58	40	27	23	18	10	13	8	6	4	2	—	—	2
	White——M—	160	5	1	1	1	—	5	—	7	8	17	15	23	15	13	13	9	5	8	6	4	2	1	—	—	1
	F—	59	6	—	1	—	—	2	2	1	5	7	5	5	3	6	3	2	3	2	1	1	2	1	—	—	1
	Nonwhite—M—	174	3	—	—	—	—	1	—	15	26	42	21	24	18	7	5	6	1	3	1	1	—	—	—	—	—
	F—	46	3	—	—	—	—	—	—	—	9	9	10	6	4	1	2	1	1	—	—	—	—	—	—	—	—
E965, E990-E999	Operations of war—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	White——M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	Nonwhite—M—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
	F—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA																										
	ALL CAUSES	31,009	4,113	282	175	104	83	279	229	400	648	706	785	1,059	1,266	1,561	1,874	2,298	2,756	3,257	3,072	2,629	1,771	1,054	419	120	89
	White	11,790	1,250	83	50	36	20	96	83	142	243	231	259	364	466	587	733	940	1,149	1,343	1,310	1,118	701	413	121	40	12
	M	8,411	935	78	51	19	22	66	54	75	100	102	133	196	222	279	348	500	659	919	1,059	1,063	784	466	217	47	11
	F	5,897	1,106	88	44	26	17	67	58	106	167	218	214	269	295	377	436	488	508	505	363	248	158	81	30	6	28
	Nonwhite	4,911	822	53	30	23	24	48	34	75	138	155	179	228	283	318	357	380	440	490	340	199	128	72	51	27	37
	M																										
	F																										
001-018	Tuberculosis, all forms	972	10	8	10	2	2	7	7	51	87	112	87	86	93	80	71	66	65	51	36	27	9	4	1	-	-
	White	263	1	2	2	-	1	1	2	2	8	12	20	18	31	28	26	22	27	29	15	11	3	2	-	-	-
	M	122	-	3	-	1	1	-	-	3	12	15	10	12	8	7	7	7	8	5	9	7	8	1	-	-	-
	F	331	4	1	4	-	-	3	3	21	30	35	30	32	33	32	27	27	17	14	10	7	-	1	-	-	-
	Nonwhite	256	8	2	4	1	-	3	2	25	37	50	27	24	21	13	11	10	13	3	2	2	-	-	1	-	-
	M																										
	F																										
001-008	Tuberculosis of respiratory system	889	7	-	2	-	-	3	5	48	80	105	85	83	87	77	65	60	59	49	36	25	8	4	1	-	-
	White	241	-	-	-	-	-	-	1	1	6	11	20	16	31	27	24	21	23	29	15	9	3	2	-	-	-
	M	110	-	-	-	-	-	-	-	3	9	14	10	12	7	7	7	6	8	5	9	7	5	1	-	-	-
	F	305	3	-	1	-	-	1	2	21	29	33	29	32	30	31	23	24	16	12	10	7	4	1	-	-	-
	Nonwhite	233	4	-	1	-	-	2	2	23	34	47	26	23	19	12	11	9	12	3	2	2	-	-	1	-	-
	M																										
	F																										
010-019	Tuberculosis, other forms	83	3	8	8	2	2	4	2	3	7	7	2	3	6	3	6	6	8	2	-	2	1	-	-	-	-
	White	22	1	2	2	-	1	1	1	1	-	1	-	2	-	1	2	1	4	-	-	2	-	-	-	-	-
	M	12	-	3	-	1	1	-	-	-	3	1	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-
	F	26	1	1	3	-	-	2	1	-	1	2	1	-	3	1	4	3	1	2	-	-	-	-	-	-	-
	Nonwhite	23	1	2	3	1	-	1	-	2	3	3	1	1	2	1	-	1	1	-	-	-	-	-	-	-	-
	M																										
	F																										
020-029	Syphilis and its sequelae	193	22	-	-	-	-	-	-	1	3	1	8	17	12	35	27	23	13	13	11	4	1	2	-	-	-
	White	49	2	-	-	-	-	-	-	-	-	-	1	1	2	9	4	9	3	7	8	1	-	2	-	-	-
	M	14	1	-	-	-	-	-	-	-	-	-	1	1	1	1	2	-	-	1	2	3	1	-	-	-	-
	F	101	10	-	-	-	-	-	-	1	1	1	5	14	6	21	17	12	10	4	1	-	-	-	-	-	-
	Nonwhite	29	9	-	-	-	-	-	-	-	2	-	5	1	3	4	4	2	-	1	-	-	-	-	-	-	-
	M																										
	F																										
040	Typhoid fever	4	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-
	White	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	38	16	6	2	-	-	-	-	-	-	-	-	1	2	1	-	1	3	-	1	2	1	-	-	-	-
	White	8	1	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	1	-	-	-	-
	M	6	1	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	-
	F	12	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-
	Nonwhite	10	7	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
050, 051	Scarlet fever, etc.*	15	3	2	-	-	1	2	2	1	1	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	White	3	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	7	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
055	Diphtheria	25	1	7	7	4	1	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	7	-	3	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	1	3	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	6	-	-	1	1	-	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
056	Whooping cough	34	24	4	2	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	9	5	2	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	11	8	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	10	8	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F																										
057	Meningococcal infections	32	9	3	5	1	-	3	3	2	-	-	-	1	3	-	-	-	1	-	-	1	-	-	-	-	-
	White	11	3	-	2	1	-	1	1	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-
	M	8	2	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	10	4	1	1	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	3	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
080	Acute poliomyelitis	12	2	-	-	-	-	3	2	-	2	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	White	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	1	-	-	-	-	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
085	Measles	91	28	22	7	2	3	11	4	2	-	-	2	2	-	-	1	1	1	-	3	1	-	-	1	-	-
	White	27	11	3	1	1	1	5	-	1	-	-	1	-	-	-	1	-	-	-	2	-	-	-	-	-	-
	M	30	7	9	2	-	-	1	4	-	-	-	-	2	-	-	-	1	1	-	1	1	-	-	1	-	-
	F	23	7	8	2	-	1	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	11	3	2	2	1	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
100-108	Typhus and other rickettsial dis.	8	-	-	-	-	1	2	1	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	White	5	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M																										
	F																										
Residual	All other infective and parasitic diseases	100	15	6	2	1	2	5	2	3	4	8	5	4	3	8	10	6	4	4	5	2	1	-	-	-	-
	White	29	4	1	1	-	1	2	1	1	1	-	1	-	-	2	4	2	1	3	2	1	1	-	-	-	-
	M	32	5	4	-	1	-	1	1	2	-	2	-	3	1	3	3	2	2	-	2	-	-	-	-	-	-
	F	17	3	-	-	-	1	1	-	-	-	3	1	1	1	-	2	1	1	1	1	-	-	-	-	-	-
	Nonwhite	22	3	1	1	-	-	1	-	-	3	3	3	-	1	3	1	1	-	-	1	-	-	-	-	-	-
	M																										
	F																										

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 48	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	3,261	8	7	9	6	8	24	21	26	37	49	81	144	169	232	300	362	410	431	381	295	150	77	24	6	4
	White----M--	1,158	2	4	5	3	2	14	8	11	17	17	18	38	50	59	91	109	148	162	151	127	72	35	13	4	-
	F--	1,352	4	2	3	2	5	7	7	9	14	18	37	61	67	87	124	161	159	180	163	133	60	37	9	2	1
	Nonwhite--M--	318	1	1	1	1	-	3	3	2	2	6	4	6	16	29	34	49	52	45	31	18	8	3	1	-	2
	F--	433	1	-	-	-	1	-	3	4	4	8	24	39	36	57	51	43	51	44	36	17	10	2	1	-	1
140-148	Of buccal cavity and pharynx------	81	-	-	-	-	-	-	-	1	1	1	1	1	3	6	9	6	5	14	13	9	9	2	-	-	-
	White----M--	41	-	-	-	-	-	-	-	-	-	-	1	1	2	4	2	3	2	7	6	7	5	1	-	-	-
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	2	5	3	1	3	1	-	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	1	1	1	-	-	1	2	4	-	-	1	1	1	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	3	1	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,102	-	-	-	-	-	-	3	2	6	7	12	20	36	70	82	153	153	183	151	145	55	34	7	1	2
	White----M--	424	-	-	-	-	-	-	1	1	4	2	2	7	12	20	37	51	83	66	64	63	24	12	4	1	-
	F--	410	-	-	-	-	-	-	-	1	2	3	4	9	12	11	24	46	50	74	59	66	26	19	3	-	1
	Nonwhite--M--	157	-	-	-	-	-	-	1	-	-	1	3	2	7	19	12	26	33	28	14	6	2	2	-	-	1
	F--	111	-	-	-	-	-	-	1	-	-	1	3	2	5	20	9	10	17	15	14	10	3	1	-	-	-
160-164	Of respiratory system----------	234	-	-	-	-	-	-	-	-	-	3	2	9	16	15	31	30	49	29	28	13	5	3	2	1	-
	White----M--	143	-	-	-	-	-	-	-	-	-	2	2	5	11	9	18	19	31	19	14	7	3	1	1	1	-
	F--	58	-	-	-	-	-	-	-	-	-	1	-	3	1	5	4	8	7	7	11	6	1	2	1	-	-
	eNonwhite--M--	30	-	-	-	-	-	-	-	-	-	-	-	1	4	1	9	2	9	2	1	-	1	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-	-
170	Of breast----------	272	-	-	-	-	-	-	-	-	2	5	15	20	28	23	32	37	36	27	19	11	9	4	4	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	208	-	-	-	-	-	-	-	-	1	5	8	15	16	17	24	26	33	20	16	11	9	4	3	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	63	-	-	-	-	-	-	-	-	1	-	7	5	12	8	8	11	3	6	3	-	-	-	1	-	-
171-179	Of genital organs----	720	-	1	-	-	-	-	1	1	4	13	28	51	41	61	84	70	69	90	84	60	43	14	4	1	-
	White----M--	149	-	1	-	-	-	-	-	-	1	3	3	2	-	1	5	5	12	20	30	29	23	10	3	1	-
	F--	335	-	-	-	-	-	-	-	1	1	4	15	19	23	35	48	45	35	41	34	21	10	3	-	-	-
	Nonwhite--M--	55	-	-	-	-	-	-	-	-	-	-	-	1	2	1	3	6	6	13	10	8	3	1	1	-	-
	F--	181	-	-	-	-	-	-	1	-	2	6	10	23	16	24	28	14	16	16	10	2	7	-	-	-	-
180, 181	Of urinary organs----	141	1	2	1	1	4	2	-	-	1	1	-	2	2	8	10	12	23	18	28	13	7	3	-	-	1
	White----M--	69	-	1	1	1	-	1	-	-	1	-	-	1	2	3	5	4	15	11	14	1	6	2	-	-	-
	F--	48	1	-	-	-	4	1	-	-	-	1	-	-	-	1	3	3	4	7	11	10	1	1	-	-	-
	Nonwhite--M--	12	-	1	-	-	-	-	-	-	-	-	-	-	-	2	-	3	1	-	2	2	-	-	-	-	1
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	3	-	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	450	-	1	3	2	1	3	5	11	11	9	12	22	31	30	36	46	53	48	45	35	16	16	6	2	-
	White----M--	198	-	1	2	1	-	5	2	3	6	5	2	11	14	16	15	17	18	28	17	15	8	8	4	-	-
	F--	181	-	-	1	-	-	3	3	6	5	1	6	10	12	10	14	18	24	16	20	14	7	7	2	2	-
	Nonwhite--M--	33	-	-	-	1	-	-	-	-	-	2	1	1	2	3	5	8	3	-	3	2	1	-	-	-	-
	F--	38	-	-	-	-	1	-	-	2	-	1	3	-	3	1	2	3	8	4	5	4	-	1	-	-	-
204	Leukemia and aleukemia----------	154	7	2	4	3	2	12	9	9	6	5	4	10	7	11	7	12	13	12	4	7	6	1	-	-	1
	White----M--	78	2	1	2	1	2	7	4	6	2	3	2	6	4	3	5	3	10	6	1	4	3	1	-	-	-
	F--	55	3	1	1	2	-	3	3	1	4	1	1	3	3	7	1	6	2	4	3	3	3	-	-	-	-
	Nonwhite--M--	10	1	-	1	-	-	2	1	1	-	-	1	1	-	1	1	1	-	1	-	-	-	-	-	-	-
	F--	11	1	-	-	-	-	-	1	1	-	-	-	1	-	1	-	2	1	1	-	-	-	-	-	-	1
200-203, 205	Lymphomas, etc.*--	107	-	1	1	-	1	1	3	2	6	3	7	9	5	7	9	16	9	10	11	2	-	-	1	1	-
	White----M--	55	-	-	1	-	1	1	1	1	3	2	4	5	5	3	4	7	7	4	5	1	-	-	1	1	-
	F--	37	-	1	1	-	1	-	1	-	1	2	3	2	-	1	4	5	2	6	6	1	-	-	-	-	-
	Nonwhite--M--	8	-	-	-	-	-	-	1	-	1	1	-	1	-	1	-	3	-	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	1	-	-	1	-	2	1	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	158	2	3	-	-	2	6	3	2	5	4	14	12	16	23	12	10	4	4	6	4	4	1	1	-	-
	White----M--	39	-	1	-	-	-	3	2	1	-	1	4	2	4	6	2	4	1	1	2	2	1	1	1	-	-
	F--	52	-	2	-	-	1	2	1	1	3	2	3	2	5	9	6	5	-	2	3	2	3	-	-	-	-
	Nonwhite--M--	7	1	-	-	-	-	1	-	-	-	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-	-
	F--	40	1	-	-	-	1	-	-	-	2	1	6	7	6	7	4	-	3	1	1	-	-	-	-	-	-
260	Diabetes mellitus----	402	-	1	1	-	-	1	2	6	5	4	11	7	14	24	28	33	67	70	52	40	21	11	1	1	1
	White----M--	141	-	-	-	-	-	1	1	1	1	2	4	3	3	7	9	14	26	20	22	13	10	4	-	-	-
	F--	145	-	-	1	-	-	-	-	2	2	1	-	1	4	3	4	9	24	35	20	23	8	6	1	1	-
	Nonwhite--M--	37	-	-	-	-	-	-	-	1	-	-	4	2	1	7	4	2	3	6	3	2	-	1	-	-	1
	F--	79	-	1	-	-	-	-	-	2	2	1	3	1	6	7	12	6	14	9	7	2	3	-	-	-	-
290-293	Anemias----------	75	3	5	-	1	-	2	1	2	4	1	4	1	1	2	4	5	9	8	11	6	1	2	-	-	-
	White----M--	28	-	2	-	-	-	-	-	-	1	-	-	-	-	2	1	2	3	5	7	4	1	-	-	-	-
	F--	21	3	1	-	1	-	1	-	1	-	-	1	-	-	-	1	1	3	2	4	1	-	1	-	-	-
	Nonwhite--M--	10	1	1	-	-	-	1	-	1	-	-	2	-	-	-	1	1	1	-	-	1	-	1	-	-	-
	F--	16	1	1	-	-	-	1	1	-	1	1	1	1	-	-	1	1	2	1	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	45	16	4	2	1	-	5	3	1	2	-	-	1	1	3	1	2	1	2	-	-	-	-	-	-	-
	White----M--	15	2	2	-	-	-	1	1	1	2	-	-	1	1	2	1	-	1	-	-	-	-	-	-	-	-
	F--	8	2	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	12	7	1	1	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	10	5	1	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	15,163	14	-	1	3	4	23	35	47	73	113	190	336	556	776	1,050	1,413	1,804	2,208	2,191	1,901	1,276	723	288	78	60
	White----M--	6,051	3	-	-	2	-	4	10	8	21	30	50	102	198	301	420	592	765	889	947	805	507	280	85	25	9
	F--	4,232	4	-	1	-	1	7	9	17	11	22	35	50	72	111	141	237	385	581	721	760	561	327	146	28	5
	Nonwhite--M--	2,522	5	-	-	-	2	7	7	12	18	28	54	86	133	185	256	327	343	368	269	187	118	60	24	6	17
	F--	2,358	2	-	-	1	1	5	9	10	23	33	51	98	153	169	233	257	311	370	254	149	90	56	33	21	29
330-334, 400-468	Diseases of cardiovascular system-	14,392	14	-	1	2	4	21	34	44	62	95	168	304	517	733	988	1,344	1,732	2,106	2,110	1,814	1,215	684	268	74	58
	White----M--	5,818	3	-	1	-	-	3	9	8	16	26	40	97	188	291	403	579	746	882	915	775	483	264	79	23	9
	F--	4,041	4	-	1	-	1	7	9	16	8	18	31	42	70	107	135	222	372	557	703	727	535	311	135	25	5
	Nonwhite--M--	2,353	5	-	-	-	2	6	7	12	18	24	49	78	128	182	240	301	323	339	256	172	110	57	22	5	16
	F--	2,180	2	-	-	1	1	5	9	8	20	27	48	86	131	153	210	242	291	348	238	140	87	52	32	21	28
330-334	Vascular lesions, etc.*----------	3,810	6	-	-	-	-	1	5	4	12	9	28	67	110	185	234	332	506	585	616	586	337	163	55	18	12
	White----M--	1,525	2	-	-	-	-	-	-	3	3	-	3	17	34	51	58	112	161	212	229	220	129	67	21	3	-
	F--	1,175	-	-	-	-	-	1	2	1	1	2	5	10	14	37	45	69	131	167	222	216	147	72	23	8	1
	Nonwhite--M--	647	2	-	-	-	-	-	1	-	5	5	10	20	32	45	56	78	109	99	82	45	33	13	6	1	5
	F--	663	2	-	-	-	-	-	2	-	3	2	10	20	30	52	74	73	104	107	83	45	28	11	5	6	6
400-402	Rheumatic fever----	107	1	-	-	1	3	15	14	16	11	10	10	10	10	1	2	-	2	1	-	-	-	-	-	-	-
	White----M--	23	-	-	-	-	-	1	2	2	4	5	2	3	3	1	-	-	-	-	-	-	-	-	-	-	-
	F--	36	-	-	-	-	-	5	5	7	4	1	5	4	3	-	-	-	1	1	-	-	-	-	-	-	-
	Nonwhite--M--	28	1	-	-	-	2	6	5	5	-	1	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	-	-	-	1	1	3	2	2	3	3	-	2	2	-	2	-	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
410-443	Diseases of heart	9,567	2	-	1	-	1	5	14	20	35	84	116	201	368	509	704	855	1,142	1,425	1,388	1,155	769	438	174	48	35
	White—M	4,160	-	-	-	-	-	2	7	8	7	18	33	70	145	226	331	449	549	817	649	501	309	170	51	17	7
	F	2,541	1	-	1	-	1	1	1	7	2	14	16	25	45	65	83	148	225	365	443	459	336	194	98	16	3
	Nonwhite—M	1,520	1	-	-	-	-	-	1	7	12	13	33	49	81	125	167	202	194	225	158	110	70	38	14	2	7
	F	1,346	-	-	-	-	-	2	5	4	14	19	32	57	87	93	123	156	174	218	138	85	54	35	21	11	18
410-416	Chronic rheumatic heart disease	326	...	-	-	-	-	1	8	7	5	13	12	16	22	29	22	38	33	33	22	26	20	11	5	3	-
	White—M	125	...	-	-	-	-	1	4	-	1	4	6	8	11	14	11	11	14	9	10	10	6	5	-	-	-
	F	108	...	-	-	-	-	-	-	2	1	5	6	4	7	6	4	9	12	18	8	12	11	4	3	1	-
	Nonwhite—M	63	...	-	-	-	-	-	1	4	3	1	-	3	3	7	5	11	5	6	6	4	2	-	1	1	-
	F	29	...	-	-	-	-	-	3	1	-	3	-	1	1	2	2	7	2	2	-	-	1	2	1	1	-
420	Arteriosclerotic heart dis., etc.*	4,290	1	-	-	-	-	-	-	-	9	16	39	81	171	258	350	480	572	668	641	526	271	137	48	12	9
	White—M	2,430	-	-	-	-	-	-	-	-	4	5	15	43	96	156	225	301	359	377	361	266	124	66	23	7	2
	F	1,070	-	-	-	-	-	-	-	-	1	2	6	8	14	29	40	75	119	172	196	213	113	60	19	3	1
	Nonwhite—M	465	1	-	-	-	-	-	-	-	2	6	13	18	33	45	57	61	54	61	52	28	20	7	4	1	2
	F	325	-	-	-	-	-	-	-	-	2	3	5	12	28	28	28	43	40	58	33	19	14	4	3	1	4
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,471	...	-	1	-	-	1	3	3	5	6	19	18	33	37	65	94	153	209	211	217	177	128	64	15	11
	White—M	510	...	-	-	-	-	1	1	1	-	1	6	3	7	6	15	31	50	72	86	88	64	50	18	7	3
	F	468	...	-	1	-	-	-	1	1	-	2	3	2	6	6	9	17	27	47	72	91	82	60	36	5	-
	Nonwhite—M	244	...	-	-	-	-	-	-	1	2	-	3	2	9	12	22	28	44	51	23	20	14	7	4	-	1
	F	249	...	-	-	-	-	-	1	-	3	3	7	11	11	13	19	17	32	39	30	18	17	12	6	3	7
430-434	Other diseases of heart	868	1	-	-	-	1	3	3	9	8	17	20	37	50	75	85	87	78	111	93	74	58	28	18	6	7
	White—M	353	-	-	-	-	-	-	2	1	2	6	5	11	16	27	39	44	30	52	42	35	29	6	3	2	1
	F	173	1	-	-	-	1	1	-	4	-	3	-	2	4	10	5	6	9	31	24	20	25	15	10	1	1
	Nonwhite—M	191	-	-	-	-	-	-	-	1	2	4	10	14	17	25	20	28	23	17	13	10	2	5	1	-	2
	F	151	-	-	-	-	-	2	1	3	4	4	5	10	13	13	21	12	18	11	14	9	3	-	4	3	3
440-443	Hypertension with heart dis.	2,812	-	-	-	-	-	-	-	1	8	12	26	49	92	110	182	256	306	404	421	312	242	135	38	10	8
	White—M	742	-	-	-	-	-	-	-	-	-	2	1	5	15	23	41	62	98	107	150	102	86	43	7	1	1
	F	721	-	-	-	-	-	-	-	-	-	2	3	9	14	14	25	41	58	99	146	123	105	55	20	6	1
	Nonwhite—M	557	-	-	-	-	-	-	-	1	3	2	7	12	29	36	63	76	68	90	64	48	32	20	4	-	2
	F	592	-	-	-	-	-	-	-	-	5	6	15	23	34	37	53	77	84	108	61	39	19	17	7	3	4
444-447	Hypertension without mention of heart	315	-	-	-	-	-	-	-	-	1	8	8	17	17	17	14	24	35	29	39	42	30	22	5	3	4
	White—M	98	-	-	-	-	-	-	-	-	-	1	1	4	3	7	4	6	14	7	13	18	12	6	1	1	-
	F	86	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	3	5	9	11	19	15	12	5	-	-
	Nonwhite—M	67	-	-	-	-	-	-	-	-	1	5	2	8	2	5	4	11	10	3	5	3	3	2	-	2	1
	F	64	-	-	-	-	-	-	-	-	-	1	4	5	9	3	4	4	6	10	10	2	-	2	1	-	3
450	General arteriosclerosis	440	-	-	-	-	-	-	-	-	-	-	-	1	2	9	21	18	29	49	53	84	71	59	29	7	7
	White—M	149	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	6	11	16	15	32	31	20	6	2	2
	F	155	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	5	11	23	30	31	32	18	1	1
	Nonwhite—M	69	-	-	-	-	-	-	-	-	-	-	-	1	-	3	8	6	7	11	9	14	4	3	-	-	3
	F	67	-	-	-	-	-	-	-	-	-	-	-	-	2	3	6	6	8	11	6	8	5	4	5	4	1
451-468	Other diseases of circulatory sys.	153	5	-	-	1	-	-	1	4	3	4	6	8	10	12	13	14	19	17	14	7	8	2	5	-	-
	White—M	63	1	-	-	1	-	-	-	1	2	2	1	3	3	3	5	6	11	10	7	4	2	1	-	-	-
	F	48	3	-	-	-	-	-	1	1	1	-	2	3	5	3	2	1	5	4	4	3	6	1	3	-	-
	Nonwhite—M	24	1	-	-	-	-	-	-	-	-	-	1	-	1	4	5	4	3	1	2	-	-	-	2	-	-
	F	18	-	-	-	-	-	-	-	2	-	2	2	2	1	2	1	3	-	2	1	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	771	-	-	-	1	-	2	1	3	11	18	22	32	39	43	62	69	72	102	81	67	61	39	20	4	2
	White—M	233	-	-	-	1	-	1	1	-	5	4	10	5	10	10	17	13	19	27	34	30	24	16	6	-	-
	F	191	-	-	-	-	-	-	-	1	3	4	4	8	2	4	6	15	13	24	18	33	26	16	11	3	-
	Nonwhite—M	169	-	-	-	-	-	1	-	-	-	4	5	7	5	13	16	26	20	29	13	15	8	3	2	1	1
	F	178	-	-	-	-	-	-	-	2	3	6	3	12	22	16	23	15	20	22	16	9	3	4	1	-	1
480-493	Influenza and pneumonia, etc.*	1,298	525	59	29	16	10	29	11	13	17	18	19	23	28	34	30	43	47	53	69	67	76	57	18	5	7
	White—M	357	114	14	7	3	2	9	3	2	5	5	5	7	3	4	10	13	14	22	30	32	24	24	4	1	-
	F	315	93	10	5	3	1	5	4	5	1	2	4	4	3	6	3	9	6	15	28	26	41	23	13	4	1
	Nonwhite—M	353	183	18	8	4	2	7	4	5	3	3	6	10	15	12	14	11	15	8	7	3	6	5	-	-	4
	F	271	135	17	9	6	5	8	-	1	8	3	4	2	5	12	3	10	12	8	4	6	5	5	1	-	2
480-483	Influenza	170	54	6	2	1	2	5	2	2	2	1	6	-	4	3	8	5	6	7	12	11	11	12	3	1	4
	White—M	45	12	-	-	1	1	2	-	-	-	-	2	-	-	-	1	1	3	2	7	4	3	5	1	-	-
	F	49	11	3	-	-	1	3	-	2	-	-	2	-	-	-	-	-	1	2	4	5	7	4	2	1	1
	Nonwhite—M	43	19	1	2	-	-	-	2	-	-	-	1	-	2	1	6	3	-	1	-	1	-	2	-	-	2
	F	33	12	2	-	-	-	-	-	-	2	1	1	-	2	2	1	1	2	2	1	1	1	1	-	-	1
490-493	Pneumonia, etc.*	1,126	471	53	27	15	8	24	9	11	15	12	13	23	22	31	22	38	41	46	57	56	65	45	15	4	3
	White—M	312	102	14	7	2	1	7	3	2	5	5	3	7	3	4	9	12	11	20	23	28	21	19	3	1	-
	F	268	82	7	5	3	-	2	4	3	1	2	2	4	3	6	3	9	5	13	24	21	34	19	11	3	-
	Nonwhite—M	310	164	17	6	4	2	7	2	5	3	3	5	10	13	11	8	8	15	7	7	2	6	3	-	-	2
	F	238	123	15	9	6	5	8	-	1	6	2	3	2	3	10	2	9	10	6	3	5	4	4	1	-	1
500-502	Bronchitis	76	26	4	2	1	-	-	1	-	2	2	-	1	1	-	4	4	3	5	4	4	4	4	2	2	-
	White—M	31	10	-	1	-	-	-	-	-	-	1	-	1	-	-	-	3	2	2	4	2	2	1	-	2	-
	F	21	2	1	1	1	-	-	1	-	2	-	-	-	-	-	2	-	-	3	-	1	2	3	2	-	-
	Nonwhite—M	13	7	2	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	11	7	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	108	-	-	-	-	-	-	-	-	2	4	3	7	14	13	9	15	14	8	14	4	1	-	-	-	-
	White—M	59	-	-	-	-	-	-	-	-	-	2	1	4	5	6	3	12	8	8	8	2	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	2	-	3	1	1	-	-	-	-
	Nonwhite—M	30	-	-	-	-	-	-	-	-	1	1	2	3	8	2	4	3	4	-	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	-	-	-	1	1	-	-	-	-	-
550-553	Appendicitis	79	-	1	1	3	1	3	7	-	5	3	4	6	5	10	2	1	9	5	7	4	2	-	-	-	-
	White—M	37	-	1	1	2	1	1	5	-	2	-	2	4	-	5	1	1	4	2	1	2	2	-	-	-	-
	F	19	-	-	-	-	-	-	1	-	2	1	1	-	3	1	-	-	2	1	5	2	-	-	-	-	-
	Nonwhite—M	12	-	-	-	1	-	1	-	-	1	-	1	1	1	3	-	-	2	1	-	-	-	-	-	-	-
	F	11	-	-	-	-	-	1	1	-	-	2	-	1	1	1	1	-	1	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	166	35	4	1	1	-	2	-	1	4	7	4	2	6	8	12	10	14	16	14	9	8	5	2	1	-
	White—M	51	10	-	-	-	-	1	-	-	-	2	-	1	2	4	1	3	6	7	3	4	4	2	1	-	-
	F	61	13	2	-	-	-	-	-	-	1	2	2	-	3	-	6	1	3	7	8	4	4	3	1	1	-
	Nonwhite—M	30	8	2	1	1	-	-	-	1	1	2	1	-	-	1	4	1	3	2	1	1	-	-	-	-	-
	F	24	4	-	-	-	-	1	-	-	2	1	1	1	1	3	1	5	2	-	2	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH CAROLINA—Continued																										
543, 571, 572	Gastritis, etc.*—	340	252	20	1	3	6	4	2	-	3	1	-	2	2	4	1	6	5	7	6	3	6	4	2	-	-
	White——M—	75	46	6	1	1	2	1	1	-	-	-	-	2	-	1	-	3	-	5	2	1	-	2	1	-	-
	F—	68	42	5	-	1	2	-	-	1	-	-	-	-	1	1	1	3	3	-	2	1	3	1	1	-	-
	Nonwhite—M—	100	84	4	-	2	-	1	1	-	2	1	-	-	-	1	-	-	-	-	-	1	2	1	-	-	-
	F—	97	80	5	-	-	3	-	-	-	-	-	-	-	1	1	-	-	2	2	2	-	1	-	-	-	-
581	Cirrhosis of liver	137	-	-	-	-	1	2	-	-	2	3	8	12	12	13	13	19	21	17	7	3	3	1	-	-	-
	White——M—	95	-	-	-	-	-	1	-	-	1	1	7	10	8	8	9	16	15	12	4	2	1	-	-	-	-
	F—	20	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	2	5	4	1	-	2	1	-	-	-	-
	Nonwhite—M—	11	-	-	-	-	1	-	-	-	-	1	1	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-
	F—	11	-	-	-	-	-	1	-	-	1	1	-	-	1	2	2	-	-	-	2	1	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	117	3	2	-	3	2	4	4	1	4	5	4	9	7	5	8	7	11	11	8	10	5	3	1	-	-
	White——M—	34	-	1	-	1	-	2	1	-	-	1	1	-	1	1	3	5	1	7	3	3	1	2	-	-	-
	F—	26	-	-	-	1	-	1	1	-	1	-	-	2	1	1	-	-	4	1	3	6	3	1	1	-	-	-
	Nonwhite—M—	35	3	1	-	1	1	1	1	-	1	1	1	5	3	1	3	1	6	2	1	1	1	-	-	-	-
	F—	22	-	-	-	-	1	-	1	1	2	3	2	2	3	2	2	1	-	1	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	140	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	4	13	21	20	37	17	17	4	1	-
	White——M—	95	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	5	12	15	31	11	15	3	1	-
	Nonwhite—M—	45	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	8	9	5	6	6	2	1	-	-
640-689	Complications of pregnancy, etc.*—	127	...	...	...	...	...	...	-	16	28	20	22	25	11	3	-	-	...	...	...	...	...	...	...	...	-
	White——F—	50	...	...	...	...	...	...	-	3	10	8	10	9	9	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	77	...	...	...	...	...	...	-	15	18	12	12	16	2	2	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	10	...	...	...	...	...	...	-	2	3	1	3	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	3	...	...	...	...	...	...	-	-	1	-	1	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	7	...	...	...	...	...	...	-	2	2	1	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	117	...	...	...	...	...	...	-	16	25	19	19	25	10	3	-	-	...	...	...	...	...	...	...	...	-
	White——F—	47	...	...	...	...	...	...	-	3	9	8	9	9	8	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	70	...	...	...	...	...	...	-	13	16	11	10	16	2	2	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	518	414	17	18	4	1	15	3	4	4	8	4	10	6	4	1	3	1	2	-	-	-	1	-	-	-
	White——M—	210	173	9	3	3	1	-	-	2	2	4	3	4	3	1	-	2	-	1	-	-	-	-	-	-	-
	F—	184	156	8	10	1	-	8	2	2	1	2	1	4	2	3	1	-	1	1	-	-	-	1	-	-	-
	Nonwhite—M—	77	69	-	4	-	-	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	47	37	-	1	-	-	3	-	-	1	2	-	1	1	-	-	1	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	2,177	2,176	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	744	743	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	511	511	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	522	522	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	400	400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	695	695	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	302	302	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	172	172	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	96	96	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	183	183	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	48	48	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	62	62	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	1,299	1,299	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	394	393	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	310	310	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	335	335	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	828	232	10	8	4	4	2	7	5	7	9	14	30	21	23	38	31	47	63	47	58	61	47	45	12	6
	White——M—	238	46	2	2	1	1	-	1	1	2	-	2	7	9	11	22	11	19	25	11	21	19	14	4	5	2
	F—	187	38	1	-	1	-	-	1	2	3	1	1	4	3	1	3	3	10	8	15	19	20	21	28	3	1
	Nonwhite—M—	213	87	4	5	2	-	2	-	2	2	2	5	13	3	7	11	13	7	13	12	5	8	5	3	-	1
	F—	191	61	3	1	-	3	-	5	-	-	6	6	6	6	4	2	4	11	17	9	11	13	7	10	4	2
Residual	All other diseases	1,388	111	28	21	7	6	22	20	35	43	50	55	88	78	88	87	109	93	157	110	81	51	28	13	4	2
	White——M—	478	26	9	7	1	-	7	6	9	9	11	21	32	25	25	35	45	42	65	49	25	17	10	3	1	-
	F—	455	29	7	10	1	4	7	2	9	12	12	10	21	18	28	23	43	27	51	45	42	27	18	6	3	-
	Nonwhite—M—	233	35	7	4	2	2	3	6	11	10	13	12	22	16	17	13	14	11	15	8	7	3	-	-	-	-
	F—	222	21	5	-	3	-	5	4	8	12	14	12	13	19	19	16	9	15	26	8	7	4	-	4	-	2
E800-E962	Accidents—	2,235	163	58	46	39	26	97	84	157	230	190	155	148	126	110	110	72	69	82	63	60	71	46	16	10	7
	White——M—	1,116	48	19	14	15	6	40	36	94	146	115	86	84	73	65	60	39	37	45	18	23	23	18	6	3	1
	F—	365	35	16	12	5	6	20	18	19	20	6	11	15	9	8	13	10	11	18	23	28	42	24	8	5	3
	Nonwhite—M—	551	49	13	10	10	6	25	24	37	56	64	45	41	36	30	29	18	16	13	12	8	4	2	1	-	2
	F—	183	31	10	10	9	8	12	6	7	6	5	13	8	8	7	8	5	5	6	10	1	2	2	1	2	1
E810-E835	Motor-vehicle accidents—	940	7	12	10	12	14	53	33	87	144	110	80	66	53	58	47	39	39	31	21	13	6	3	1	-	1
	White——M—	545	2	6	5	7	5	25	16	58	94	71	49	36	31	32	24	22	24	18	7	8	5	2	-	-	-
	F—	121	4	3	2	2	4	10	7	14	13	5	7	4	3	6	6	7	6	7	6	3	1	-	-	-	1
	Nonwhite—M—	235	1	1	1	2	3	14	9	14	34	32	20	24	17	19	12	9	8	5	6	2	-	1	1	-	-
	F—	39	-	2	2	1	2	4	1	3	3	2	4	2	2	1	5	1	1	1	2	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	1,295	156	46	36	27	12	44	51	70	86	80	75	82	73	52	63	33	30	51	42	47	65	43	15	10	6
	White——M—	571	46	13	9	8	1	15	20	38	54	44	37	48	42	33	36	17	13	27	11	15	18	16	6	3	1
	F—	264	31	13	10	3	2	10	11	5	7	1	4	11	6	2	7	3	5	11	17	25	41	24	8	5	2
	Nonwhite—M—	316	48	12	9	8	3	11	15	23	22	32	25	17	19	11	17	9	8	8	6	6	4	1	-	-	2
	F—	144	31	8	8	8	6	8	5	4	3	3	9	6	5	6	3	4	4	5	8	1	2	2	1	2	1
E963, E970-E979	Suicide—	290	-	-	-	-	-	-	-	2	18	18	29	35	40	34	38	29	21	14	5	5	1	1	-	-	-
	White——M—	227	-	-	-	-	-	-	-	2	11	10	22	30	33	30	28	23	18	11	4	4	-	1	-	-	-
	F—	33	-	-	-	-	-	-	-	-	3	5	3	3	5	1	5	5	1	1	1	-	-	-	-	-	-
	Nonwhite—M—	28	-	-	-	-	-	-	-	-	4	3	2	2	2	3	5	1	2	2	-	1	1	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	377	1	-	-	1	-	2	2	20	56	77	61	49	40	21	13	20	5	4	1	2	-	-	-	-	2
	White——M—	94	-	-	-	-	-	-	-	6	11	16	11	12	12	8	2	10	2	2	1	1	-	-	-	-	-
	F—	18	-	-	-	-	-	-	-	-	1	2	3	3	5	1	1	-	1	1	-	-	-	-	-	-	-
	Nonwhite—M—	220	1	-	-	1	-	2	2	12	35	52	38	28	18	10	7	8	2	1	-	1	-	-	-	-	2
	F—	45	-	-	-	-	-	-	-	2	9	7	9	6	5	2	3	2	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA																										
	ALL CAUSES	5,222	517	42	22	9	12	37	41	61	54	80	69	98	109	143	221	334	428	579	658	670	527	331	151	28	21
	White—M	3,189	304	18	9	4	5	15	28	47	42	58	52	69	64	88	134	221	272	370	407	407	314	175	61	11	14
	F	1,901	176	19	10	5	4	19	9	11	12	16	15	25	44	47	81	104	150	199	248	251	209	154	68	16	7
	Nonwhite—M	76	21	2	1	-	3	2	3	2	-	4	-	2	-	7	2	4	2	7	2	7	3	1	1	-	-
	F	56	14	3	2	-	-	1	1	1	-	2	2	2	1	1	4	5	4	3	1	5	1	1	1	1	-
001-019	Tuberculosis, all forms	67	1	1	-	-	1	-	2	4	1	7	4	3	5	2	6	8	7	5	4	3	3	-	-	-	-
	White—M	36	-	-	-	-	-	-	-	1	1	5	2	-	2	-	4	5	4	3	4	3	2	-	-	-	-
	F	19	1	-	-	-	-	-	-	1	-	-	2	2	3	1	1	2	3	2	-	1	-	-	-	-	-
	Nonwhite—M	10	-	1	-	-	1	-	1	2	-	1	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	55	-	1	-	-	1	-	1	1	1	6	3	3	4	2	6	8	5	5	4	3	3	-	-	-	-
	White—M	32	-	-	-	-	-	-	-	-	1	5	1	-	2	-	4	3	4	3	4	3	2	-	-	-	-
	F	15	-	-	-	-	-	-	-	1	-	-	2	2	2	1	1	2	1	2	-	-	1	-	-	-	-
	Nonwhite—M	6	-	1	-	-	1	-	-	-	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	12	1	-	-	-	-	-	1	3	-	1	1	-	1	-	-	2	2	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	14	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	5	1	1	-	1	-	-	-
	White—M	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	-	-	-	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	2	1	1	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	3	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	8	1	-	1	-	-	2	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	1	-	-	-	-	1	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	6	3	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	19	2	-	1	-	-	2	2	1	3	3	-	2	-	-	1	1	-	-	-	1	-	-	-	-	-	-
	White—M	13	2	-	1	-	-	-	2	1	3	2	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	6	-	-	-	-	-	2	-	-	-	1	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	7	1	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-sid-ual	All other infective and parasitic diseases	18	-	-	-	-	1	1	2	1	2	-	-	-	-	1	2	1	1	1	2	-	-	2	-	1	-
	White—M	9	-	-	-	-	1	1	1	1	-	-	-	-	-	1	1	-	1	-	-	-	-	2	-	-	-
	F	9	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	1	-	1	2	-	-	-	-	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*	704	1	-	2	-	-	5	3	5	2	11	10	16	19	33	49	74	79	103	99	102	60	25	5	1	2
	White—M	400	1	-	1	-	-	1	1	3	1	8	8	8	8	15	20	39	44	65	60	58	42	11	4	1	1
	F	294	-	-	1	-	-	3	2	2	1	3	2	8	11	17	29	33	34	35	38	43	18	12	1	-	1
	Nonwhite—M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	1	-	3	2	1	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	1	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	286	-	-	-	-	-	-	-	-	-	2	1	1	5	12	17	21	32	53	51	53	24	11	1	1	1
	White—M	167	-	-	-	-	-	-	-	-	-	2	1	-	3	8	9	9	18	36	33	27	14	4	1	1	1
	F	115	-	-	-	-	-	-	-	-	-	-	-	1	2	4	8	10	13	16	18	26	10	7	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
150-154	Of respiratory system	62	-	-	-	-	-	-	-	-	-	-	1	1	4	2	3	10	6	10	11	7	3	4	-	-	-
	White—M	44	-	-	-	-	-	-	-	-	-	-	1	1	3	1	2	8	5	5	8	4	3	3	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	3	3	-	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	57	-	-	-	-	-	-	-	-	-	2	-	2	5	4	10	9	9	1	4	4	5	2	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	2	-	2	5	4	10	9	9	1	4	4	5	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	97	-	-	-	-	-	-	-	-	1	2	-	2	2	4	4	10	8	16	14	17	14	2	-	-	1
	White—M	59	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	6	6	9	8	12	13	2	-	-	-
	F	36	-	-	-	-	-	-	-	-	-	-	-	2	2	4	4	4	2	6	5	5	1	-	-	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	50	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	6	7	8	7	5	7	-	2	-	-
	White—M	43	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	3	6	7	7	4	7	-	2	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	1	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	69	-	-	1	-	-	2	1	1	-	1	5	3	3	5	6	7	7	9	7	6	2	2	1	-	-
	White—M	38	-	-	-	-	-	1	-	-	-	1	4	2	2	2	3	4	3	4	3	5	1	1	-	-	-
	F	31	-	-	1	-	-	-	1	1	-	-	1	1	1	2	3	3	4	5	4	1	1	1	1	-	-
	Nonwhite—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	37	-	-	1	-	-	2	2	3	1	1	1	3	-	2	2	2	3	2	4	8	-	-	-	-	-
	White—M	17	-	-	1	-	-	-	1	2	-	1	1	2	-	1	-	2	-	1	1	4	-	-	-	-	-
	F	20	-	-	-	-	-	2	1	1	1	-	-	1	-	1	2	-	3	1	3	4	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	32	1	-	-	-	-	1	-	1	-	3	1	4	-	2	2	7	5	3	-	2	-	-	-	-	-
	White—M	23	1	-	-	-	-	-	-	1	-	2	1	3	-	1	1	5	4	2	-	2	-	-	-	-	-
	F	9	-	-	-	-	-	1	-	-	-	1	-	1	-	1	1	2	1	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	13	1	1	-	-	-	-	-	-	1	1	-	-	-	1	-	2	-	2	1	-	2	-	-	-	1
	White—M	8	1	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	-	-	-	-	-	1
	F	5	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	107	-	-	-	-	-	1	-	-	2	2	-	2	1	1	-	7	14	15	15	25	16	5	1	-	-
	White—M	47	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	4	2	7	6	12	8	3	-	-	-
	F	58	-	-	-	-	-	1	-	-	1	1	-	-	-	1	-	3	11	8	9	12	8	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
280-283	Anemias	19	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	3	2	6	5	3	2	-	-
	White—M	13	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	3	-	2	1	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	1	3	5	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	7	2	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	5	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,538	1	-	-	-	1	4	2	6	4	8	11	25	34	51	111	163	243	362	412	422	340	222	86	16	14
	White—M	1,571	1	-	-	-	-	1	1	4	4	4	6	18	22	32	70	116	163	233	255	264	200	121	40	7	8
	F	940	-	-	-	-	-	3	1	2	-	3	4	6	12	17	39	44	78	124	157	152	138	101	45	9	5
	Nonwhite—M	18	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	1	1	3	-	4	2	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	-	2	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,451	1	-	-	-	1	3	2	4	1	7	9	22	29	48	105	159	236	354	400	412	325	217	86	16	14
	White—M	1,519	1	-	-	-	-	1	1	3	1	3	5	16	20	30	67	115	159	228	248	257	192	118	40	7	9
	F	905	-	-	-	-	-	2	1	1	-	3	3	5	9	18	36	41	75	121	154	149	131	99	45	9	5
	Nonwhite—M	18	-	-	-	-	1	-	-	-	-	1	-	1	-	2	1	1	1	3	-	4	2	-	1	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	2	-	2	-	-	-	-	-
330-334	Vascular lesions, etc.*	591	1	-	-	-	-	-	-	-	-	-	-	2	5	12	21	33	48	83	99	120	85	60	19	2	3
	White—M	331	1	-	-	-	-	-	-	-	-	-	-	-	2	5	9	19	26	50	59	75	48	28	8	-	1
	F	255	-	-	-	-	-	-	-	-	-	-	-	1	3	7	11	12	22	32	40	45	35	32	11	2	2
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	12	-	-	-	-	1	1	1	1	-	1	1	1	1	1	-	1	1	1	-	-	-	-	-	-	-
	White—M	5	-	-	-	-	1	-	1	1	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
410-443	Diseases of heart-	1,642	-	-	-	-	-	-	1	2	1	5	8	19	20	34	76	121	177	253	273	262	202	122	50	8	8
	White-----M--	1,059	-	-	-	-	-	-	1	1	1	3	4	15	16	24	53	92	128	170	172	161	117	64	24	5	7
	F--	565	-	-	-	-	-	-	-	1	-	1	3	4	4	9	22	28	47	79	101	95	84	58	25	3	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	3	-	4	1	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	1	-	2	-	-	-	-	-
410-416	Chronic rheumatic heart disease-----	59	...	-	-	-	-	-	1	1	1	3	3	5	1	4	9	5	9	7	5	2	2	-	1	-	-
	White-----M--	31	...	-	-	-	-	-	1	-	1	1	2	1	1	4	5	4	5	2	2	1	-	-	1	-	-
	F--	25	...	-	-	-	-	-	-	1	-	1	1	4	-	-	3	1	3	5	3	1	2	-	-	-	-
	Nonwhite--M--	2	...	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	942	-	-	-	-	-	-	-	-	-	-	1	9	11	21	46	85	115	163	162	139	100	60	19	3	8
	White-----M--	672	-	-	-	-	-	-	-	-	-	-	1	9	10	18	36	69	98	115	109	96	67	34	12	1	7
	F--	264	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	16	26	47	53	41	32	26	6	2	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	298	...	-	-	-	-	-	-	-	-	1	-	1	1	2	5	6	21	34	45	57	62	36	25	2	-
	White-----M--	162	...	-	-	-	-	-	-	-	-	1	-	1	1	-	1	3	15	25	28	24	33	17	11	2	-
	F--	130	...	-	-	-	-	-	-	-	-	-	-	-	-	1	4	3	6	7	17	30	29	19	14	-	-
	Nonwhite--M--	4	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	2	-	-	-	-	-
	F--	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
430-434	Other diseases of heart----------	116	-	-	-	-	-	-	-	1	-	1	3	2	4	2	6	10	10	24	17	15	6	12	2	1	-
	White-----M--	75	-	-	-	-	-	-	-	1	-	1	1	2	3	2	6	7	8	15	9	13	3	4	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	2	9	8	2	3	8	2	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.--	227	-	-	-	-	-	-	-	-	-	-	1	2	3	5	10	15	22	25	44	49	32	14	3	2	-
	White-----M--	118	-	-	-	-	-	-	-	-	-	-	-	2	1	-	5	9	12	13	24	27	14	9	-	2	-
	F--	106	-	-	-	-	-	-	-	-	-	-	1	-	2	5	5	5	10	11	20	21	18	5	3	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	60	-	-	-	-	-	-	-	1	-	-	-	-	-	1	5	2	5	5	15	5	9	5	3	1	3
	White-----M--	39	-	-	-	-	-	-	-	1	-	-	-	-	-	1	4	2	3	2	7	5	6	4	3	-	1
	F--	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	8	-	3	1	-	1	2
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis--------	122	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	10	12	21	26	29	14	5	-
	White-----M--	76	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	5	8	13	20	21	5	2	-
	F--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	5	4	8	6	8	9	3	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	24	-	-	-	-	-	2	-	-	-	1	-	-	3	-	-	1	4	2	1	4	5	1	-	-	-
	White-----M--	10	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	3	1	1	-	-	-
	F--	13	-	-	-	-	2	-	-	-	-	1	-	-	1	-	-	1	2	1	1	1	3	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	87	-	-	-	-	-	1	-	2	3	1	2	3	5	3	6	4	7	8	12	10	15	5	-	-	-
	White-----M--	52	-	-	-	-	-	-	-	1	3	1	1	2	2	2	3	1	4	5	9	7	8	3	-	-	-
	F--	35	-	-	-	-	-	1	-	1	-	-	1	1	3	1	3	3	3	3	3	3	7	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	160	29	6	2	-	-	2	1	-	-	2	1	3	4	1	9	5	9	10	23	21	11	15	4	1	1
	White-----M--	91	15	3	1	-	-	1	1	-	-	2	1	2	1	-	6	5	7	6	12	10	7	9	1	-	1
	F--	54	7	2	-	-	-	1	-	-	-	-	-	1	3	-	1	-	2	4	9	10	4	6	3	1	-
	Nonwhite--M--	8	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
480-483	Influenza----------	10	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	3	-	2	-	-	-
	White-----M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	-	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	150	28	5	2	-	-	2	1	-	-	2	1	2	4	1	8	5	9	10	22	18	11	13	4	1	1
	White-----M--	87	14	2	1	-	-	1	1	-	-	2	1	2	1	-	5	5	7	6	12	9	7	9	1	-	1
	F--	48	7	2	-	-	-	1	-	-	-	-	-	-	3	-	1	-	2	4	8	8	4	4	3	1	-
	Nonwhite--M--	8	5	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F--	7	2	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
500-502	Bronchitis--------	19	7	1	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	4	3	-	-	1	-	-
	White-----M--	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-	-	-
	F--	9	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	21	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	3	5	1	2	1	-	1	-
	White-----M--	18	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	5	1	2	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	20	2	-	1	-	1	-	-	4	-	-	-	-	-	1	3	2	3	1	-	2	-	-	-	-	-
	White-----M--	12	1	-	1	-	-	-	-	3	-	-	-	-	-	-	2	2	1	-	-	2	-	-	-	-	-
	F--	7	1	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	2	1	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	39	8	-	-	-	-	-	-	-	1	1	-	-	1	1	-	6	5	3	5	3	5	-	-	-	-
	White-----M--	20	5	-	-	-	-	-	-	-	1	-	-	-	-	1	-	4	-	2	3	1	3	-	-	-	-
	F--	17	2	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	5	1	2	2	2	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	NORTH DAKOTA—Continued																										
543, 571, 572	Gastritis, etc.*—	27	15	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	3	1	2	-	-	-	1
	White— M—	11	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1
	F—	12	6	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-
	Nonwhite— M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	26	-	-	-	-	-	-	-	-	2	-	1	1	3	2	1	4	4	1	1	3	2	1	-	-	-
	White— M—	15	-	-	-	-	-	-	-	-	2	-	1	1	1	2	1	1	3	1	1	1	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	3	1	-	-	1	2	1	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	14	-	1	-	-	1	-	-	1	-	1	2	-	-	-	2	-	-	2	2	1	1	-	-	-	-
	White— M—	7	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	1	1	-	1	-	-	-	-
	F—	7	-	1	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	13	8	6	2	2	-
	White— M—	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	13	8	6	2	2	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	9	...	...	...	...	...	...	-	-	-	2	3	-	3	1	-	-	...	...	...	...	...	...	...	...	-
	White— F—	8	...	...	...	...	...	...	-	-	-	1	3	-	3	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	9	...	...	...	...	...	...	-	-	-	2	3	-	3	1	-	-	...	...	...	...	...	...	...	...	-
	White— F—	8	...	...	...	...	...	...	-	-	-	1	3	-	3	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	1	...	...	...	...	...	...	-	-	-	1	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	92	74	3	2	1	-	-	2	-	2	1	3	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	White— M—	56	42	2	1	1	-	-	2	-	2	-	2	-	-	-	1	2	-	1	-	-	-	-	-	-	-
	F—	35	31	1	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	322	322	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	200	200	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	78	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	34	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	186	186	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	69	69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	122	12	4	1	1	-	-	1	-	-	-	-	-	3	-	1	3	2	7	10	11	9	24	13	15	5	-
	White— M—	68	8	2	-	-	-	-	-	-	-	-	-	-	3	-	-	2	2	6	9	9	6	9	6	7	1	-
	F—	41	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	14	6	8	3	-	-
	Nonwhite— M—	9	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	1	-	2	1	-	-	-	-	-
	F—	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-
Residual	All other diseases	287	15	4	-	1	1	2	4	6	8	5	11	9	9	12	12	23	25	20	45	27	29	13	8	-	-
	White— M—	170	9	2	-	-	-	1	1	5	4	5	8	5	5	8	9	15	16	11	27	14	20	5	2	-	-
	F—	106	5	2	-	1	1	-	3	1	4	-	2	3	4	4	2	9	9	9	18	13	8	7	5	-	-
	Nonwhite— M—	4	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	1	-	1	-	-
E800-E962	Accidents—	427	16	13	9	6	5	13	17	32	23	30	21	27	23	24	17	20	18	23	17	20	16	25	9	1	2
	White— M—	310	7	7	4	3	3	7	14	29	20	26	20	24	19	18	14	16	15	17	12	12	10	8	4	-	1
	F—	107	8	5	5	3	2	5	2	3	3	3	1	2	4	4	3	3	2	6	5	8	6	17	5	1	1
	Nonwhite— M—	5	-	-	-	-	-	-	1	-	-	1	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-	-
	F—	5	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents—	146	-	2	3	4	1	3	6	14	14	19	11	12	9	8	7	11	7	6	1	4	3	1	-	-	-
	White— M—	118	-	2	1	2	1	3	5	12	12	16	10	10	7	5	6	8	6	4	1	3	3	1	-	-	-
	F—	25	-	-	2	2	-	-	1	2	2	2	1	2	2	2	1	2	1	2	-	1	-	-	-	-	-
	Nonwhite— M—	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
E800-E962, E840-E962	All ot. accidents—	281	16	11	6	2	4	10	11	18	9	11	10	15	14	16	10	9	11	17	16	16	13	24	9	1	2
	White— M—	192	7	5	3	1	2	4	9	17	8	10	10	14	12	13	8	8	9	13	11	9	7	7	4	-	1
	F—	82	8	5	3	1	2	5	1	1	1	1	-	-	2	2	2	1	1	4	5	7	6	17	5	1	1
	Nonwhite— M—	3	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F—	4	1	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicides—	51	-	-	-	-	-	-	1	-	1	4	-	5	5	9	-	7	6	4	2	6	1	-	-	-	-
	White— M—	44	-	-	-	-	-	-	1	-	1	4	-	5	4	8	-	7	5	1	2	5	1	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	-	1	-	-	-	-	-
	Nonwhite— M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E983	Homicide—	4	-	1	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	2	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	ARRA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO																										
	ALL CAUSES	60,366	5,315	383	257	141	105	390	334	544	835	950	1,112	1,565	2,235	3,286	4,628	6,373	7,849	9,074	9,896	10,159	8,009	4,716	1,813	321	78
	White—M	41,859	2,717	172	150	60	59	217	179	324	478	472	507	738	1,124	1,744	2,812	3,730	4,506	5,009	5,230	5,119	3,773	2,060	746	105	28
	F	32,536	2,009	168	84	63	36	142	112	155	214	282	395	520	691	1,018	1,436	2,084	2,813	3,562	4,233	4,717	4,009	2,547	1,022	198	30
	Nonwhite—M	3,329	321	24	13	7	5	17	24	38	78	104	104	158	236	280	333	334	345	296	240	173	113	54	16	6	10
	F	2,644	268	19	10	11	5	14	19	27	65	92	106	149	184	248	247	225	185	207	193	150	114	55	29	14	10
001-019	Tuberculosis, all forms	1,985	12	23	12	5	8	17	14	38	107	135	142	169	165	178	197	195	192	152	100	70	41	9	3	1	-
	White—M	1,006	3	10	3	2	7	4	2	9	28	38	50	71	77	88	120	121	137	101	63	48	19	3	1	1	-
	F	431	8	5	2	2	1	7	2	9	24	37	39	45	34	31	25	33	27	33	21	19	19	6	2	-	-
	Nonwhite—M	352	-	6	4	-	-	2	6	7	25	27	28	30	41	45	40	33	26	15	12	3	2	-	-	-	-
	F	196	1	2	3	1	-	4	4	13	30	33	25	23	13	14	12	6	2	3	4	-	1	-	-	-	-
001-008	Tuberculosis of respiratory system	1,776	7	8	5	3	2	5	9	29	96	127	129	151	150	169	184	187	174	137	92	64	36	9	3	-	-
	White—M	928	2	4	-	1	2	1	1	8	27	36	45	67	71	87	116	118	130	94	58	42	16	3	1	-	-
	F	375	4	2	1	1	-	1	1	8	21	35	36	42	32	27	22	30	21	27	20	19	17	6	2	-	-
	Nonwhite—M	300	-	2	3	-	-	1	3	3	20	24	25	23	38	41	37	31	21	13	10	3	2	-	-	-	-
	F	173	1	-	1	1	-	2	4	12	28	32	23	19	9	14	9	8	2	3	4	-	1	-	-	-	-
010-019	Tuberculosis, other forms	209	5	15	7	2	6	12	5	9	11	8	13	18	15	9	13	8	18	15	8	6	5	-	-	1	-
	White—M	78	1	6	3	1	5	3	1	3	1	2	5	4	6	1	4	3	7	7	5	6	3	-	-	1	-
	F	56	4	3	1	1	1	6	1	1	3	2	3	3	2	4	3	3	6	6	1	-	2	-	-	-	-
	Nonwhite—M	52	-	4	1	-	-	1	3	4	5	3	3	7	3	4	3	2	5	2	2	-	-	-	-	-	-
	F	23	-	2	2	-	-	2	-	1	2	1	2	4	4	-	3	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	556	10	-	-	1	-	-	-	3	-	2	2	16	35	46	55	87	100	91	49	38	14	8	1	-	-
	White—M	305	6	-	-	-	-	-	-	3	-	-	-	5	18	16	25	51	60	56	31	26	6	1	1	-	-
	F	119	1	-	-	-	-	-	-	-	-	-	1	6	5	9	7	15	21	22	13	7	7	5	-	-	-
	Nonwhite—M	91	2	-	-	1	-	-	-	-	-	1	-	4	10	15	17	14	13	6	2	4	1	1	-	-	-
	F	43	1	-	-	-	-	-	-	-	-	1	1	1	2	6	6	7	6	7	5	1	-	1	-	-	-
040	Typhoid fever	7	-	-	-	-	-	-	-	-	1	-	1	-	2	-	1	1	-	-	1	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	15	9	1	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	1	-	-	-	-	-	-	-
	White—M	11	6	-	-	-	-	-	-	-	-	1	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	21	2	1	-	-	-	2	-	2	-	-	-	-	2	-	1	2	3	1	2	-	2	-	1	-	-
	White—M	8	1	-	-	-	-	1	-	1	-	-	-	-	-	-	1	2	-	1	1	-	-	-	1	-	-
	F	10	-	1	-	-	-	-	-	1	-	-	-	-	2	-	-	-	3	-	1	-	1	-	1	-	-
	Nonwhite—M	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	12	-	2	-	3	2	2	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	-	1	-	3	-	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	29	22	3	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	10	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	13	8	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	57	15	11	6	-	3	4	4	-	-	-	-	1	-	5	2	-	3	-	1	2	-	-	-	-	-
	White—M	27	10	5	3	-	-	1	2	-	-	-	-	-	-	4	1	-	-	-	-	1	-	-	-	-	-
	F	24	3	6	3	-	2	2	2	-	-	-	-	-	-	1	1	-	3	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	1	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	102	7	2	8	2	3	17	19	14	5	11	5	6	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	63	4	-	6	1	2	11	8	10	4	7	4	5	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	37	2	2	2	-	1	6	11	4	1	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	19	8	5	2	1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	10	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	9	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	202	15	9	5	4	2	5	8	1	5	10	11	12	8	17	14	18	15	15	12	5	5	4	1	1	-
	White—M	87	2	4	3	1	2	3	3	-	2	5	4	4	3	7	7	10	8	7	4	2	4	1	1	-	-
	F	91	12	4	2	3	-	2	4	1	2	1	5	6	4	6	4	8	7	7	7	2	-	3	-	1	-
	Nonwhite—M	8	1	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	-	1	1	1	-	-	-	-
	F	16	-	1	-	-	-	-	1	-	1	4	2	1	1	2	2	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
140-205	Malignant neoplasms, etc.*——	11,793	19	20	37	26	15	39	26	35	70	95	156	264	421	624	960	1,353	1,597	1,705	1,581	1,404	857	380	96	9	4
	White——M——	5,802	12	8	21	15	10	21	15	19	40	40	51	73	151	216	405	632	793	887	817	741	422	168	42	2	2
	F——	5,559	6	12	14	9	4	17	11	15	26	48	83	180	223	330	471	641	719	751	711	628	416	205	52	5	2
	Nonwhite——M——	323	1	-	1	-	1	1	-	1	3	4	3	9	21	32	45	53	54	35	29	14	13	4	1	-	-
	F——	309	-	-	1	1	-	-	-	-	1	3	19	22	26	46	43	27	31	32	24	21	6	3	1	2	-
140-148	Of buccal cavity and pharynx——	277	-	-	-	-	1	-	1	-	-	-	3	2	8	15	32	33	43	39	30	31	21	15	1	2	-
	White——M——	203	-	-	-	-	1	-	1	-	-	-	1	2	6	5	21	27	29	33	26	25	15	10	1	-	-
	F——	62	-	-	-	-	-	-	-	-	-	-	1	-	2	8	7	6	10	6	4	6	5	5	-	2	-
	Nonwhite——M——	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	-	-	-	1	-	-	-	-
	F——	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	4,714	2	1	-	-	-	1	-	3	5	14	25	55	95	182	316	487	691	768	742	669	439	173	40	4	2
	White——M——	2,470	1	1	-	-	-	-	-	2	2	4	10	26	52	80	158	264	376	424	405	370	205	70	19	-	1
	F——	1,980	1	-	-	-	-	1	-	1	2	7	10	22	33	71	122	186	281	304	313	277	226	98	21	3	1
	Nonwhite——M——	168	-	-	-	-	-	-	-	-	-	3	1	5	9	20	23	27	21	24	17	8	7	3	-	-	-
	F——	96	-	-	-	-	-	-	-	-	1	-	4	2	1	11	13	10	15	16	7	14	1	2	-	1	-
160-164	Of respiratory system——	1,045	1	-	-	-	1	-	2	-	-	4	7	11	46	71	125	180	182	154	126	73	44	15	2	1	-
	White——M——	800	1	-	-	-	1	-	-	-	-	2	3	9	35	53	103	144	150	127	92	44	29	5	1	1	-
	F——	186	-	-	-	-	-	-	2	-	-	2	3	1	4	13	12	23	22	25	29	26	14	9	1	-	-
	Nonwhite——M——	53	-	-	-	-	-	-	-	-	-	-	1	1	6	4	10	12	9	1	4	3	1	1	-	-	-
	F——	6	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	1	1	1	-	-	-	-	-	-
170	Of breast——	1,093	-	-	-	-	-	-	-	-	-	6	25	49	82	89	120	147	135	117	112	108	61	34	8	-	-
	White——M——	14	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	1	2	1	2	3	1	-	-	-
	F——	1,018	-	-	-	-	-	-	-	-	-	6	19	42	76	76	114	141	127	112	105	103	57	32	8	-	-
	Nonwhite——M——	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F——	61	-	-	-	-	-	-	-	-	-	-	6	7	4	12	6	5	7	3	6	3	1	1	-	-	-
171-179	Of genital organs——	2,058	-	-	-	-	-	-	1	2	15	14	43	70	95	143	168	208	230	267	282	278	163	65	13	-	1
	White——M——	719	-	-	-	-	-	-	-	-	7	4	6	2	4	8	15	28	68	101	139	175	106	49	8	-	1
	F——	1,288	-	-	-	-	-	-	1	2	8	8	31	57	76	120	138	164	144	156	131	99	52	16	5	-	-
	Nonwhite——M——	30	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	10	4	4	1	2	-	-	-	-
	F——	101	-	-	-	-	-	-	-	-	-	2	6	11	14	14	15	11	8	6	8	3	3	-	-	-	-
180, 181	Of urinary organs——	565	-	2	4	1	1	2	1	-	1	2	1	5	6	14	48	67	76	105	85	80	33	24	6	1	-
	White——M——	333	-	1	1	1	1	1	-	-	1	-	1	3	2	9	33	40	42	69	47	51	17	11	2	-	-
	F——	217	-	1	3	-	-	1	1	-	-	1	-	2	3	4	14	25	31	33	37	28	18	13	3	-	-
	Nonwhite——M——	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	3	3	1	-	-	-	1	-	-	-
	F——	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-
156B, 165, 190-199	Of other sites, etc.*——	1,177	4	9	6	8	3	11	10	19	23	16	30	34	55	72	93	138	134	147	125	103	67	44	24	1	1
	White——M——	578	3	2	3	2	2	7	7	12	14	9	15	15	28	35	39	77	62	79	63	44	33	17	10	1	-
	F——	537	1	7	2	5	1	3	3	6	8	6	12	19	19	26	47	59	65	61	59	56	31	27	13	-	1
	Nonwhite——M——	31	-	-	-	-	-	1	-	1	1	1	1	1	2	6	3	2	5	2	1	2	2	-	-	-	-
	F——	31	-	-	1	1	-	-	-	-	-	-	2	1	5	5	4	-	2	5	2	1	1	-	1	-	-
204	Leukemia and aleukemia——	457	10	8	25	15	8	18	7	6	14	16	10	17	14	19	21	35	43	58	42	46	19	4	2	-	-
	White——M——	256	6	4	17	11	4	8	4	3	10	7	7	10	7	12	15	18	26	29	24	22	10	3	1	-	-
	F——	186	3	4	7	4	3	10	3	3	4	9	3	5	5	7	6	14	17	27	17	24	9	1	1	-	-
	Nonwhite——M——	11	1	-	1	-	1	-	-	-	-	-	-	1	1	-	1	3	-	1	1	-	-	-	-	-	-
	F——	4	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	407	2	-	2	2	1	7	4	5	12	23	12	21	20	19	37	58	63	50	37	16	10	6	-	-	-
	White——M——	229	1	-	-	2	1	5	3	2	6	14	8	8	14	13	23	33	39	23	20	8	4	2	-	-	-
	F——	165	1	-	2	-	-	2	1	3	4	9	4	12	5	5	11	23	22	27	16	8	6	4	-	-	-
	Nonwhite——M——	10	-	-	-	-	-	-	-	-	2	-	-	1	1	-	1	2	2	-	1	-	-	-	-	-	-	-
	F——	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	326	8	4	3	3	3	7	3	2	10	6	11	24	25	33	30	31	34	28	30	12	12	5	1	-	1
	White——M——	116	3	1	1	-	3	2	1	-	5	1	4	6	3	9	15	18	15	15	15	2	2	1	-	-	-
	F——	175	3	2	1	3	-	5	1	1	5	3	7	12	14	21	12	12	19	15	15	9	10	4	1	-	-
	Nonwhite——M——	9	1	1	1	-	-	-	-	-	-	-	-	2	3	1	-	-	-	-	-	-	-	-	-	-	-
	F——	26	1	-	-	-	-	-	1	1	-	2	-	4	5	2	3	3	2	-	-	1	-	-	-	-	1
260	Diabetes mellitus——	1,736	-	-	-	-	1	-	6	4	8	15	18	23	34	56	111	160	273	331	312	248	139	49	6	-	-
	White——M——	804	-	-	-	-	1	-	3	1	2	2	6	12	15	24	38	48	77	102	106	91	54	18	4	-	-
	F——	1,087	-	-	-	-	-	-	3	3	4	9	10	6	7	24	59	103	179	218	195	151	82	30	4	-	-
	Nonwhite——M——	26	-	-	-	-	-	-	-	-	2	2	-	2	1	1	4	4	3	1	3	2	1	-	-	-	-
	F——	79	-	-	-	-	-	-	-	-	-	2	2	3	11	7	10	5	14	10	8	4	2	1	-	-	-
290-293	Anemias——	283	4	4	1	-	-	-	1	3	2	1	3	1	5	5	12	10	31	32	50	54	41	17	6	-	-
	White——M——	123	3	2	1	-	-	-	-	1	1	1	3	1	2	1	6	4	17	12	22	22	17	3	4	-	-
	F——	152	-	2	-	-	-	-	1	2	1	-	-	-	-	2	3	5	5	13	18	28	32	24	14	2	-	-
	Nonwhite——M——	5	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-
	F——	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	79	21	8	4	1	-	4	2	2	3	1	2	2	3	6	8	-	4	1	1	3	2	1	-	-	-
	White——M——	40	11	4	3	1	-	1	2	1	-	1	-	-	1	2	5	-	2	1	1	2	1	1	-	-	-
	F——	23	8	4	1	-	-	2	-	1	-	-	2	1	-	1	1	-	-	-	-	1	1	-	-	-	-
	Nonwhite——M——	7	-	-	-	-	-	-	-	-	2	-	-	1	-	2	2	-	-	-	-	-	-	-	-	-	-
	F——	9	2	-	-	-	-	1	-	-	1	-	-	-	2	1	-	-	2	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	42,290	16	7	6	5	3	35	55	54	72	120	237	423	811	1,489	2,241	3,277	4,281	5,305	6,324	6,858	5,699	3,413	1,307	229	43
	White——M——	22,344	11	3	4	-	2	16	18	26	35	59	110	227	449	871	1,355	2,042	2,556	2,974	3,381	3,419	2,665	1,499	552	75	15
	F——	17,398	4	4	1	3	1	17	27	23	28	41	79	115	211	373	583	944	1,436	2,021	2,692	3,218	2,870	1,829	723	139	16
	Nonwhite——M——	1,352	1	-	1	2	-	2	3	4	4	8	19	34	67	102	164	157	187	185	148	118	82	43	12	4	5
	F——	1,196	-	-	-	-	-	-	7	1	5	12	29	47	84	123	139	134	102	125	125	103	82	42	20	11	7
330-334, 400-468	Diseases of cardiovascular system——	41,112	15	6	6	4	1	30	48	40	54	99	216	393	776	1,415	2,166	3,174	4,180	5,172	6,197	6,692	5 551	3,343	1,278	224	42
	White——M——	21,778	10	3	4	-	1	15	16	20	25	45	101	213	435	847	1,316	2,000	2,508	2,908	3,296	3,341	2,692	1,455	539	74	15
	F——	16,504	4	3	1	2	-	14	22	18	22	36	70	105	201	351	561	897	1,393	1,965	2,632	3,139	2,825	1,804	709	135	15
	Nonwhite——M——	1,298	1	-	1	2	-	1	3	2	3	6	18	33	62	101	159	150	165	181	142	113	75	42	12	4	5
	F——	1,132	-	-	-	-	-	1	7	-	4	12	27	42	78	116	131	127	98	117	117	99	79	42	18	11	7
330-334	Vascular lesions, etc.*——	9,345	9	3	3	-	-	5	7	5	9	11	34	57	152	243	409	613	767	1,160	1,493	1,740	1,458	814	282	41	9
	White——M——	4,330	6	3	1	-	-	2	4	2	8	5	12	25	55	84	178	322	371	573	743	832	645	331	112	12	4
	F——	4,456	2	-	1	-	-	3	1	2	1	3	14	16	57	108	160	222	349	528	687	861	780	466	167	26	2
	Nonwhite——M——	282	1	-	1	-	-	-	2	1	-	1	4	5	19	20	33	35	44	37	27	23	15	6	6	1	1
	F——	277	-	-	-	-	-	-	-	-	-	2	4	11	21	31	29	34	23	22	36	24	18	11	7	2	2
400-402	Rheumatic fever——	113	-	-	-	1	-	13	24	4	8	7	13	11	9	5	4	2	4	3	3	2	1	1	-	-	-
	White——M——	60	-	-	-	-	-	6	10	3	6	1	8	6	3	1	2	2	4	3	2	1	1	1	-	-	-
	F——	47	-	-	-	-	-	7	11	1	2	6	4	5	6	2	2	-	-	-	1	-	-	-	-	-	-
	Nonwhite——M——	3	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F——	3	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
410-443	Diseases of heart	28,369	4	2	2	3	-	11	15	30	33	63	148	306	572	1,108	1,682	2,417	3,215	3,738	4,309	4,427	3,407	2,025	704	124	24
	White	15,782	2	-	2	-	-	7	2	15	10	33	77	177	360	732	1,097	1,611	2,045	2,197	2,352	2,234	1,593	885	301	40	10
	M	10,917	2	2	-	2	-	3	8	14	17	20	41	77	125	223	374	619	977	1,319	1,784	2,045	1,711	1,080	392	75	7
	Nonwhite	898	-	-	-	1	-	1	1	1	2	4	10	23	37	74	118	104	126	131	97	78	49	32	5	2	4
	M	772	-	-	-	-	-	-	4	-	4	6	20	29	50	79	93	83	67	91	76	70	54	28	8	7	3
410-416	Chronic rheumatic heart disease	1,227	...	-	-	1	-	6	12	21	15	28	39	80	67	103	116	138	155	117	91	110	70	44	9	2	3
	White	574	...	-	-	-	-	5	2	11	3	11	15	36	30	48	56	73	77	64	40	51	25	25	1	-	1
	M	574	...	-	-	-	-	1	8	9	10	13	20	36	33	47	50	58	73	46	46	54	42	19	7	1	1
	Nonwhite	42	...	-	-	1	-	-	1	1	1	1	1	5	2	5	2	5	3	4	4	4	-	-	1	-	1
	M	37	...	-	-	-	-	-	1	-	1	3	3	3	2	3	8	2	2	3	1	1	3	-	-	1	-
420	Arteriosclerotic heart dis., etc.*	16,728	1	-	-	-	-	2	-	2	5	18	58	147	344	730	1,106	1,598	2,148	2,440	2,697	2,493	1,715	901	267	44	10
	White	10,494	-	-	-	-	-	1	-	-	3	14	42	117	273	563	845	1,205	1,509	1,549	1,585	1,365	858	428	119	13	5
	M	5,529	1	-	-	-	-	1	-	2	2	2	10	13	45	108	174	304	546	784	1,034	1,082	810	454	145	28	3
	Nonwhite	416	-	-	-	-	-	-	-	-	-	1	3	10	14	31	55	54	62	68	48	35	23	10	1	1	-
	M	288	-	-	-	-	-	-	-	-	-	1	3	7	12	28	32	35	31	39	30	31	24	9	2	2	2
421, 422	Nonrheumatic chronic endocarditis, etc.*	4,983	...	-	1	-	-	-	1	2	5	4	18	27	64	96	146	249	344	470	647	955	939	667	293	52	9
	White	2,419	...	-	1	-	-	-	-	2	1	2	11	11	22	57	70	135	201	260	335	457	434	279	120	17	4
	M	2,267	...	-	-	-	-	-	-	-	4	1	4	10	21	17	39	90	107	175	277	486	482	370	170	31	3
	Nonwhite	179	...	-	-	-	-	-	-	-	-	-	3	1	8	13	23	15	25	24	21	20	12	11	-	1	2
	M	124	...	-	-	-	-	-	1	-	-	1	-	5	13	9	14	9	11	11	14	12	11	7	3	3	-
430-434	Other diseases of heart	1,070	3	2	1	2	-	3	2	5	6	10	16	22	18	48	65	78	124	132	185	125	110	70	38	6	1
	White	558	2	-	1	-	-	1	-	2	3	3	7	9	9	26	38	52	62	76	100	73	51	28	14	1	-
	M	414	1	2	-	2	-	1	-	3	-	4	5	7	4	14	12	21	56	42	74	46	54	40	21	5	-
	Nonwhite	48	-	-	-	-	-	1	-	-	1	2	2	1	2	6	9	3	4	9	4	1	2	-	-	-	1
	M	50	-	-	-	-	-	2	-	-	2	1	2	5	3	2	6	2	2	5	7	5	3	2	1	-	-
440-443	Hypertension with heart dis.	4,357	-	-	-	-	-	-	-	-	2	3	17	30	79	131	249	354	444	579	689	744	573	343	99	20	1
	White	1,737	-	-	-	-	-	-	-	-	-	3	2	4	26	36	68	146	196	248	292	288	225	125	47	9	-
	M	2,134	-	-	-	-	-	-	-	-	1	-	2	11	22	37	99	146	195	272	353	417	323	197	49	10	-
	Nonwhite	213	-	-	-	-	-	-	-	-	-	-	1	6	11	19	29	27	32	26	20	18	12	11	1	-	-
	M	273	-	-	-	-	-	-	-	-	1	-	12	9	20	37	33	35	21	33	24	21	13	10	2	1	1
444-447	Hypertension without mention of heart	743	-	-	-	-	-	-	-	-	1	5	6	14	19	36	41	60	62	76	82	110	128	73	25	5	-
	White	322	-	-	-	-	-	-	-	-	-	2	2	4	6	17	19	27	25	29	38	52	65	26	10	-	-
	M	341	-	-	-	-	-	-	-	-	-	1	1	3	5	10	13	25	29	41	37	53	61	44	13	5	-
	Nonwhite	45	-	-	-	-	-	-	-	-	1	-	2	5	3	6	3	3	4	4	5	5	2	2	-	-	-
	M	35	-	-	-	-	-	-	-	-	-	2	1	2	5	3	6	5	4	2	2	-	-	1	2	-	-
450	General arteriosclerosis	2,104	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	31	60	136	246	373	523	415	250	51	8
	White	1,056	-	-	-	-	-	-	-	-	-	-	-	-	-	3	4	11	33	74	126	197	272	204	110	21	1
	M	980	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	11	21	56	109	166	238	207	136	28	6
	Nonwhite	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	7	4	4	9	6	7	2	3	-	-
	M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	6	2	1	2	1
451-468	Other diseases of circulatory sys.	438	2	1	1	-	1	1	2	1	3	13	15	5	24	21	32	51	52	59	54	40	34	15	7	3	1
	White	228	2	-	1	-	1	-	-	-	1	4	2	1	11	10	16	27	28	33	35	25	16	8	6	1	-
	M	163	-	1	-	-	-	1	2	1	2	6	10	4	8	7	11	20	17	21	14	14	15	7	1	1	-
	Nonwhite	26	-	-	-	-	-	-	-	-	-	1	1	-	3	1	2	1	5	5	4	-	2	-	-	1	-
	M	21	-	-	-	-	-	-	-	-	-	2	2	-	2	3	3	3	2	-	1	1	1	-	-	-	1
592-594	Chronic nephritis, etc.*	1,178	1	1	-	1	2	5	7	14	18	21	21	30	35	54	75	103	101	133	137	166	148	70	28	5	1
	White	566	1	-	-	-	1	1	2	6	10	14	9	14	14	24	39	42	50	65	65	78	73	44	13	1	-
	M	494	-	1	-	1	1	3	5	6	6	5	9	10	10	22	22	47	43	56	60	79	65	25	14	4	1
	Nonwhite	54	-	-	-	-	-	1	-	2	1	2	1	1	5	1	6	7	4	4	6	5	7	1	-	-	-
	M	64	-	-	-	-	-	-	-	1	1	-	2	5	6	7	8	7	4	8	6	4	3	-	2	-	-
480-493	Influenza and pneumonia, etc.*	2,122	370	49	23	8	4	24	9	10	17	23	16	44	49	76	77	104	132	175	222	233	200	151	87	14	5
	White	1,025	176	17	8	1	-	17	5	1	7	8	6	16	21	42	45	73	83	89	111	112	92	59	27	7	1
	M	826	121	25	11	5	1	5	3	6	6	9	4	13	11	11	18	25	33	64	91	111	99	89	58	5	3
	Nonwhite	157	38	4	1	1	2	1	-	3	1	1	4	8	12	19	9	4	10	17	11	4	3	1	-	1	1
	M	114	34	3	3	1	1	1	-	-	3	6	2	7	5	4	5	2	6	5	9	6	6	2	2	1	-
480-483	Influenza	226	29	4	3	-	-	5	2	-	2	-	1	6	3	7	11	10	10	24	26	30	24	17	12	-	-
	White	85	9	1	2	-	-	1	-	-	2	-	-	-	1	5	5	7	7	11	9	10	8	4	3	-	-
	M	116	13	3	-	-	-	3	2	-	-	-	1	3	-	1	3	3	2	12	14	20	15	13	9	-	-
	Nonwhite	8	1	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	3	-	-	-	-	-	-
	M	17	6	-	1	-	-	1	-	-	-	-	1	3	1	-	1	-	1	1	-	-	1	-	-	-	-
490-493	Pneumonia, etc.*	1,896	341	45	20	8	4	19	7	10	15	23	15	38	46	69	66	94	122	151	188	203	176	134	75	14	5
	White	940	167	16	6	1	-	16	6	1	5	8	6	16	20	37	40	66	76	78	102	102	84	55	24	7	1
	M	710	108	22	11	5	1	2	1	6	6	6	4	10	11	10	15	22	31	52	77	91	84	78	49	5	3
	Nonwhite	149	38	4	1	1	2	1	-	3	1	1	4	9	11	18	7	4	10	17	8	4	3	1	-	1	1
	M	87	28	3	2	1	1	-	-	-	3	6	1	4	4	4	4	2	5	4	9	6	5	2	2	1	-
500-502	Bronchitis	200	35	11	2	2	4	3	-	-	-	-	-	2	3	5	13	12	11	18	14	19	26	12	6	2	-
	White	112	13	7	1	1	3	2	-	-	-	-	-	-	2	3	9	8	10	9	10	9	16	6	3	-	-
	M	87	13	2	1	1	1	1	-	-	-	-	-	-	-	1	-	4	1	7	4	10	10	6	3	2	-
	Nonwhite	11	3	1	-	-	-	-	-	-	-	-	-	2	-	1	3	-	-	1	-	-	-	-	-	-	-
	M	10	6	1	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	422	3	-	-	-	-	1	-	1	1	2	7	17	20	34	42	65	45	57	42	55	20	8	2	-	-
	White	335	3	-	-	-	-	1	-	-	-	1	4	15	18	28	38	56	35	50	31	33	17	4	1	-	-
	M	66	-	-	-	-	-	-	-	1	-	-	1	-	-	6	2	4	9	6	11	19	2	4	1	-	-
	Nonwhite	16	-	-	-	-	-	-	-	-	1	1	2	2	2	-	2	2	1	-	-	2	1	-	-	-	-
	M	5	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	3	-	1	-	1	-	-	-	-	-
550-553	Appendicitis	189	1	6	3	1	1	7	6	3	5	9	8	5	11	11	16	15	20	24	13	11	6	4	-	-	1
	White	117	-	2	3	-	1	6	4	2	4	4	3	3	8	9	11	7	11	16	8	6	6	3	-	-	-
	M	53	1	3	-	-	-	1	1	1	1	4	3	1	2	1	5	4	6	7	4	5	2	1	-	-	-
	Nonwhite	13	-	1	-	-	-	-	1	-	-	-	2	1	-	1	-	3	3	-	1	-	-	-	-	-	-
	M	6	-	-	-	1	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-	-	1
560, 561, 570	Hernia, intestinal obstruction	566	48	-	1	3	1	2	-	-	6	8	3	11	14	15	37	44	68	78	74	69	52	21	9	2	2
	White	273	24	-	1	-	1	1	-	-	1	4	1	2	5	8	20	17	40	46	41	28	19	11	3	-	-
	M	280	18	-	-	3	-	1	-	-	3	1	2	6	8	4	16	21	25	30	31	39	33	10	6	2	1
	Nonwhite	16	4	-	-	-	-	-	-	-	2	-	-	1	-	1	1	4	2	-	1	2	-	-	-	-	-	-
	M	15	2	-	-	-	-	-	-	-	-	1	-	2	1	2	-	2	1	2	1	-	-	-	-	-	-	1

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OHIO—Continued																										
543,	Gastritis, etc.*--	455	233	23	3	-	-	1	3	2	3	5	8	11	9	6	7	11	14	17	29	34	21	10	5	-	-
571,	White-----M--	213	122	9	2	-	-	-	3	1	2	2	2	7	1	3	5	4	8	8	7	14	7	5	1	-	-
572	F--	199	79	12	1	-	-	1	-	1	1	3	5	1	6	3	2	6	6	9	22	19	14	5	3	-	-
	Nonwhite--M--	23	22	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	20	10	1	-	-	-	-	-	-	-	-	1	3	2	-	-	1	-	-	-	1	-	-	1	-	-
581	Cirrhosis of liver	826	3	2	-	-	-	1	2	-	2	12	18	46	52	101	98	110	99	102	85	51	31	10	1	-	-
	White-----M--	522	1	1	-	-	-	-	1	-	2	3	9	31	30	61	63	83	69	62	48	34	17	6	1	-	-
	F--	258	2	1	-	-	-	1	1	-	-	7	6	9	15	34	29	20	27	37	35	16	14	4	-	-	-
	Nonwhite--M--	24	-	-	-	-	-	-	-	-	-	2	1	5	2	3	4	2	3	1	1	-	-	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	2	1	5	3	2	5	-	2	1	1	-	-	-	-	-
590, 591	Acute nephritis, etc.*----------	175	3	2	-	1	2	3	1	4	5	5	8	16	3	9	10	9	11	20	21	16	13	11	2	-	-
	White-----M--	95	2	2	-	-	-	2	-	4	5	3	3	7	3	7	6	5	5	11	10	9	5	1	-	-	-
	F--	61	1	-	-	1	2	-	1	-	-	-	1	3	4	-	-	3	3	4	9	10	5	7	6	1	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	2	-	-	-	-	-	-
	F--	13	-	-	-	-	-	1	-	-	-	1	2	3	-	1	1	1	1	-	1	-	1	-	-	-	-
610	Hyperplasia of prostate----------	416	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	33	56	86	88	77	61	18	3	1
	White-----M--	397	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	7	30	54	81	85	76	60	17	3	1
	Nonwhite--M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	2	5	3	1	1	1	-	-
640-689	Complications of pregnancy, etc.*-	103	...	...	...	...	...	...	-	9	21	21	33	12	7	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	87	...	...	...	...	...	...	-	7	18	19	27	9	7	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	16	...	...	...	...	...	...	-	2	3	2	6	3	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion----------	13	...	...	...	...	...	...	-	1	2	4	3	2	1	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	10	...	...	...	...	...	...	-	-	1	4	2	2	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	3	...	...	...	...	...	...	-	1	1	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications--------	90	...	...	...	...	...	...	-	8	19	17	30	10	6	-	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	77	...	...	...	...	...	...	-	7	17	15	25	7	6	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	13	...	...	...	...	...	...	-	1	2	2	5	3	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations--------	1,099	847	50	22	15	3	19	7	10	12	11	16	17	12	11	5	15	12	3	1	8	3	-	-	-	-
	White-----M--	529	417	25	11	2	1	12	4	6	6	2	8	5	5	6	2	7	6	-	-	2	2	-	-	-	-
	F--	503	380	22	10	12	2	7	3	3	5	8	6	11	5	5	3	7	5	3	-	5	1	-	-	-	-
	Nonwhite--M--	36	27	1	1	-	-	-	-	1	1	2	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-
	F--	31	23	2	-	1	-	-	-	1	-	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-
760-776	Certain diseases of early infancy-	3,189	3,186	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	1,638	1,637	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1,200	1,198	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	187	187	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	164	164	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*----------	1,333	1,332	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	White-----M--	706	706	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	489	488	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
	Nonwhite--M--	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	58	58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn----------	235	235	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	125	125	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	72	72	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	18	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified----------	1,621	1,619	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	807	806	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	639	638	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	88	88	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*----	889	60	4	8	2	-	4	3	5	8	13	13	16	25	30	37	56	43	52	74	100	116	114	78	19	8
	White-----M--	441	34	1	6	2	-	3	-	1	4	6	8	6	10	17	25	37	28	26	33	48	54	55	28	5	4
	F--	323	16	2	-	-	-	1	2	1	3	2	3	7	6	3	4	9	7	13	25	44	52	56	50	13	4
	Nonwhite--M--	64	5	1	2	-	-	-	1	2	1	4	2	2	3	6	2	7	4	7	7	5	1	1	-	1	-
	F--	60	5	-	-	-	-	-	-	1	-	1	-	1	6	4	8	3	4	4	9	3	9	2	-	-	-
Re-sid-ual	All other diseases	3,945	178	47	37	20	18	41	43	50	64	83	97	113	183	208	272	368	428	453	414	381	244	132	58	11	2
	White-----M--	1,953	107	28	23	10	8	21	18	18	26	37	32	50	74	95	138	199	236	244	210	181	118	58	20	2	-
	F--	1,704	56	14	13	8	9	18	19	20	27	34	53	46	77	81	114	133	168	195	191	192	121	72	35	9	1
	Nonwhite--M--	148	9	1	-	1	-	-	4	6	3	3	3	4	24	14	13	18	17	8	9	6	1	1	2	-	1
	F--	140	6	4	1	1	1	2	2	6	8	9	9	13	8	18	7	18	7	8	4	2	4	1	1	-	-
E800-E962	Accidents----------	4,894	175	87	72	36	30	149	117	265	329	261	216	194	203	212	241	285	289	282	299	363	362	285	122	30	10
	White-----M--	3,013	91	37	49	22	15	91	87	205	268	203	158	132	144	153	173	198	189	186	169	170	135	84	39	10	5
	F--	1,535	62	38	20	8	11	44	18	30	42	36	37	37	26	39	51	60	63	78	117	182	219	198	78	20	2
	Nonwhite--M--	250	13	7	2	2	2	10	9	9	15	17	18	19	29	13	12	23	13	14	7	6	5	2	-	-	3
	F--	96	9	5	1	4	2	4	3	1	4	5	3	6	4	7	5	4	4	4	6	5	3	3	4	-	-
E810-E835	Motor-vehicle accidents----------	1,779	11	18	31	11	11	82	42	160	211	143	115	95	83	86	101	127	112	102	105	64	43	10	4	-	2
	White-----M--	1,266	5	7	24	7	4	50	33	119	173	112	83	59	56	69	70	85	76	71	77	47	30	5	2	-	2
	F--	407	6	10	7	3	5	23	4	37	29	23	24	28	15	22	24	31	30	25	25	16	13	5	2	-	-
	Nonwhite--M--	86	-	1	-	-	1	6	4	3	7	7	8	5	10	4	5	10	6	6	2	1	-	-	-	-	-
	F--	20	-	-	-	1	1	3	1	1	2	1	-	3	2	1	2	1	-	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents-	3,115	164	69	41	25	19	67	75	105	118	118	101	99	120	116	140	158	157	180	194	299	319	275	118	30	8
	White-----M--	1,747	86	30	25	15	11	41	54	86	95	91	75	73	88	84	103	113	113	115	92	123	105	79	37	10	3
	F--	1,128	58	28	13	5	6	21	14	13	13	13	13	9	11	17	27	29	33	53	92	166	206	191	77	20	2
	Nonwhite--M--	164	13	6	2	2	1	4	5	6	8	10	10	14	19	9	7	13	7	8	5	5	5	2	-	-	3
	F--	76	9	5	1	3	1	1	2	-	2	4	3	3	2	6	3	3	4	4	5	5	3	3	4	-	-
E963, E970-E979	Suicide----------	951	-	-	-	-	-	-	3	11	36	53	45	63	88	92	116	116	119	86	53	34	24	11	1	-	-
	White-----M--	724	-	-	-	-	-	-	1	8	25	34	31	45	67	67	94	92	87	68	46	31	19	9	-	-	-
	F--	203	-	-	-	-	-	-	2	2	9	13	13	16	20	19	20	23	31	17	7	3	5	2	1	-	-
	Nonwhite--M--	17	-	-	-	-	-	-	-	-	1	5	1	2	1	4	1	1	1	-	-	-	-	-	-	-	-
	F--	7	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-
E964, E980-E985	Homicide----------	350	5	-	1	-	1	1	1	16	43	50	34	56	39	36	23	14	14	7	4	5	-	-	-	-	-
	White-----M--	102	4	-	-	-	1	-	-	7	11	11	9	14	12	8	6	6	5	3	1	4	-	-	-	-	-
	F--	50	1	-	-	-	-	1	-	3	7	3	5	7	4	9	2	1	4	2	1	-	-	-	-	-	-
	Nonwhite--M--	158	-	-	-	-	-	-	-	6	17	28	18	27	18	16	14	7	3	2	2	1	-	-	-	-	-
	F--	39	-	-	1	-	-	-	1	-	8	8	2	8	5	3	1	-	2	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA																										
	ALL CAUSES	19,394	1,551	134	106	88	46	169	148	210	297	263	284	441	542	757	948	1,300	1,548	2,046	2,272	2,569	1,929	1,131	467	116	72
	White—M	10,581	752	68	50	24	23	92	80	123	175	138	162	211	275	383	554	744	948	1,142	1,278	1,350	1,020	545	195	48	21
	F	8,737	515	37	32	22	16	62	42	60	74	73	94	149	166	227	249	375	438	674	783	1,024	792	520	241	54	18
	Nonwhite—M	1,288	161	17	16	4	4	9	16	12	27	31	24	37	53	70	77	100	99	143	123	110	68	38	20	11	18
	F	988	123	12	6	8	3	6	10	15	21	21	24	44	48	77	68	81	63	87	78	85	49	28	11	3	15
001-019	Tuberculosis, all forms	530	5	9	7	4	1	1	7	12	27	32	35	43	52	58	43	61	38	36	21	19	11	4	1	-	2
	White—M	227	1	1	2	1	1	-	-	1	7	11	12	19	23	26	26	33	20	18	10	8	4	3	-	-	-
	F	131	3	4	-	1	-	-	-	4	8	8	12	9	9	15	6	11	8	10	9	8	6	1	-	-	1
	Nonwhite—M	98	1	1	1	1	-	-	4	3	5	8	5	7	12	12	11	9	5	6	1	4	1	-	-	-	1
	F	74	-	3	4	1	-	1	3	4	7	5	6	8	8	6	-	8	5	2	1	1	-	-	1	-	-
001-008	Tuberculosis of respiratory system	493	2	1	3	2	1	1	4	12	26	29	34	42	52	58	40	58	37	35	21	17	11	4	1	-	2
	White—M	216	-	-	1	1	1	-	-	1	6	10	11	18	23	26	26	32	19	17	10	7	4	3	-	-	-
	F	121	2	-	-	-	-	-	-	4	8	8	12	9	9	15	5	9	8	10	9	5	6	1	-	-	1
	Nonwhite—M	89	-	-	-	-	-	-	2	3	5	7	5	7	12	11	9	9	5	5	1	4	1	-	-	-	1
	F	68	-	1	2	1	-	1	2	4	7	4	6	8	8	6	-	8	5	2	1	1	-	-	1	-	-
010-019	Tuberculosis, other forms	37	3	8	4	2	-	-	3	-	1	3	1	1	-	1	3	3	1	1	-	2	-	-	-	-	-
	White—M	11	1	1	1	-	-	-	-	-	1	1	1	1	-	-	-	1	1	1	-	1	-	-	-	-	-
	F	10	1	4	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-
	Nonwhite—M	10	1	1	1	1	-	-	2	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-
	F	6	-	2	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	118	7	-	1	-	-	-	-	1	1	1	2	2	6	18	10	17	17	16	12	4	1	1	-	-	1
	White—M	68	-	-	1	-	-	-	-	-	1	-	-	1	4	12	6	15	12	10	6	1	1	-	-	-	-
	F	18	1	-	-	-	-	-	-	-	-	-	1	1	1	-	3	2	2	3	2	2	-	-	-	-	-
	Nonwhite—M	26	3	-	-	-	-	-	-	1	-	1	1	-	1	5	1	2	2	2	4	1	-	1	-	-	1
	F	6	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
040	Typhoid fever	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-046	Dysentery, all forms	28	13	2	2	1	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	1	4	-	-	-	-
	White—M	8	1	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	4	-	-	-	-
	F	8	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-
	Nonwhite—M	5	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	16	3	1	1	1	-	3	4	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-
	White—M	8	-	1	1	1	-	2	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	7	3	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	7	-	-	-	2	-	4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	10	1	1	2	1	-	1	1	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	White—M	3	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	5	-	-	1	1	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	109	8	4	5	6	5	25	20	8	7	11	5	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	White—M	66	2	2	4	3	4	16	9	5	5	9	2	1	-	2	1	-	-	-	-	-	-	-	-	-	-
	F	41	5	2	-	3	1	9	11	2	2	2	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	30	4	6	-	3	1	10	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	11	1	2	-	1	-	4	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	1	2	-	1	1	6	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	4	-	-	-	-	-	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	2	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	71	9	4	4	3	-	2	3	1	2	-	6	2	2	4	2	3	6	4	5	3	2	3	1	-	-
	White—M	40	4	3	2	2	-	1	1	1	2	-	2	1	1	2	1	1	6	2	4	1	1	2	-	-	-
	F	18	2	1	1	-	-	-	-	-	-	-	3	-	-	2	1	2	-	1	1	2	1	-	1	-	-
	Nonwhite—M	6	2	-	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F	7	1	-	-	1	-	1	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
140-205	Malignant neoplasms, etc.*——	2,578	1	8	9	5	5	8	5	10	5	20	43	69	106	136	204	257	300	346	345	345	219	92	30	7	3
	White——M—	1,228	1	3	5	3	2	3	3	7	3	4	18	22	37	43	83	125	145	174	180	188	116	43	17	5	-
	F—	1,164	-	5	4	2	3	4	2	2	1	14	20	43	58	78	98	111	134	148	138	142	86	44	13	2	2
	Nonwhite—M—	95	-	-	-	-	-	1	-	1	-	1	1	2	4	1	5	9	15	17	20	9	4	4	-	-	1
	F—	91	-	-	-	-	-	1	-	-	1	1	4	2	7	14	18	14	6	7	7	6	3	1	-	-	-
140-148	Of buccal cavity and pharynx——	62	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	4	5	8	11	11	8	7	2	-	-	-
	White——M—	45	-	-	-	-	-	-	-	-	-	-	-	1	2	3	3	3	4	9	7	8	5	-	-	-	-
	F—	15	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	2	3	-	2	2	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	959	-	-	-	-	-	1	1	-	-	4	7	17	21	28	51	75	108	146	154	182	109	40	14	-	1
	White——M—	487	-	-	-	-	-	1	1	-	-	1	6	9	9	13	31	39	55	73	80	95	51	17	6	-	-
	F—	396	-	-	-	-	-	-	-	-	-	3	1	6	8	9	15	26	43	59	66	76	54	22	8	-	-
	Nonwhite—M—	43	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	6	7	9	7	6	2	1	-	-	1
	F—	33	-	-	-	-	-	-	-	-	-	-	-	-	4	6	3	4	3	5	1	5	2	-	-	-	-
160-164	Of respiratory system——	225	-	-	-	-	-	-	-	-	-	1	5	6	4	15	25	38	34	31	27	23	7	6	2	1	-
	White——M—	176	-	-	-	-	-	-	-	-	-	1	4	5	3	13	21	33	29	25	20	14	3	2	2	1	-
	F—	40	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	3	3	5	5	9	3	4	-	-	-
	Nonwhite—M—	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	1	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
170	Of breast——	210	-	-	-	-	-	-	-	-	1	2	5	10	13	24	26	27	25	26	17	21	7	3	1	2	-
	White——M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	1	-	-	-	-	-
	F—	198	-	-	-	-	-	-	-	-	1	1	4	9	13	23	24	25	24	26	16	19	7	3	1	2	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	2	1	-	-	1	-	-	-	-	-
171-179	Of genital organs——	541	-	-	-	-	1	-	-	2	-	3	13	18	29	39	53	46	57	70	79	58	44	21	5	2	1
	White——M—	197	-	-	-	-	1	-	-	1	-	-	1	1	1	1	4	14	12	30	41	41	30	12	5	2	-
	F—	287	-	-	-	-	-	-	-	1	-	3	9	17	26	34	35	28	40	34	26	15	12	6	-	-	1
	Nonwhite—M—	23	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	4	4	8	2	1	2	-	-	-
	F—	34	-	-	-	-	-	-	-	-	-	-	3	-	2	4	12	4	1	2	4	-	1	1	-	-	-
180, 181	Of urinary organs——	98	-	-	1	-	-	1	-	-	-	1	1	1	4	1	6	15	9	11	11	14	14	5	2	1	-
	White——M—	56	-	-	1	-	-	-	-	-	-	1	1	1	3	-	2	7	5	8	5	7	10	3	2	1	-
	F—	34	-	-	-	-	-	1	-	-	-	-	1	-	1	-	2	7	3	3	4	7	4	1	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	-	-	-	-	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*——	301	-	3	1	-	1	2	-	4	3	5	7	13	17	16	17	31	43	29	30	29	27	15	6	1	1
	White——M—	158	-	-	1	-	-	2	-	3	2	2	4	4	10	8	9	13	26	16	15	17	14	9	2	1	-
	F—	127	-	3	-	-	1	-	-	1	-	2	3	8	3	6	7	15	16	12	14	12	13	6	4	-	1
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	1	-	-	3	-	-	1	1	1	-	-	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	2	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia——	101	1	3	7	5	3	3	4	3	1	2	1	3	7	5	5	10	8	15	4	7	4	-	-	-	-
	White——M—	59	1	2	3	3	1	-	2	3	1	-	-	1	4	3	3	7	7	9	3	3	3	-	-	-	-
	F—	38	-	1	4	2	2	3	2	-	-	2	-	2	3	2	2	2	1	6	-	3	1	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	81	-	2	-	-	-	1	-	1	-	2	3	-	8	5	17	10	10	7	12	3	-	-	-	-	-
	White——M—	46	-	1	-	-	-	-	-	-	-	2	2	-	5	2	8	7	7	4	8	2	-	-	-	-	-
	F—	29	-	1	-	-	-	-	-	-	-	2	1	-	3	3	8	3	2	1	4	1	-	-	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	104	1	5	1	1	-	1	1	1	5	1	5	9	9	11	16	9	7	7	6	2	5	1	-	-	-
	White——M—	41	1	2	1	1	-	-	1	-	3	-	2	3	2	4	8	5	4	2	2	-	-	-	-	-	-
	F—	45	-	3	-	-	-	1	-	1	1	1	2	3	5	4	3	4	2	5	4	-	5	1	-	-	-
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	1	-	-	2	-	-	-	-	-	-
	F—	11	-	-	-	-	-	-	-	-	-	-	1	3	1	2	3	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus——	301	-	-	-	1	-	1	2	6	3	1	1	3	2	11	10	20	31	58	60	52	24	14	-	1	-
	White——M—	120	-	-	-	1	-	1	-	1	2	1	-	1	-	3	2	8	9	22	26	23	13	6	-	1	-
	F—	142	-	-	-	-	-	-	2	4	-	-	1	1	2	3	7	5	19	29	28	25	9	7	-	-	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	1	3	3	2	-	1	-	-	-	-
	F—	25	-	-	-	-	-	-	-	1	1	-	-	1	-	4	-	5	2	4	3	2	2	-	-	-	-	-
290-295	Anemias——	66	1	1	-	-	-	2	-	2	-	1	1	1	1	1	1	3	4	6	11	16	9	2	1	1	1
	White——M—	32	-	1	-	-	-	1	-	1	-	-	-	1	-	-	1	2	3	3	6	7	6	-	-	-	-
	F—	26	-	-	-	-	-	1	-	1	-	-	-	-	1	-	-	1	1	2	3	9	2	2	1	1	1
	Nonwhite—M—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	2	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	35	9	3	1	-	2	2	1	2	-	1	2	1	1	-	3	3	1	1	2	-	-	-	-	-	-
	White——M—	15	3	1	-	-	1	1	-	1	-	1	1	-	-	-	2	2	-	2	-	-	-	-	-	-	-
	F—	7	1	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	10	5	1	1	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	9,224	5	-	1	1	1	7	12	19	30	29	38	108	158	285	428	655	881	1,227	1,410	1,640	1,215	729	266	50	29
	White——M—	5,175	3	-	-	1	1	4	7	9	11	14	24	43	80	159	272	408	584	723	801	867	648	377	111	20	10
	F—	3,127	1	-	1	-	-	2	4	7	14	10	9	38	48	73	89	153	202	362	490	654	497	314	132	23	4
	Nonwhite—M—	513	1	-	-	-	-	1	-	1	4	1	3	13	16	22	34	52	55	85	68	66	43	20	15	6	7
	F—	409	-	-	-	-	-	-	1	2	1	4	2	14	14	31	35	42	40	57	51	53	29	18	8	1	8
330-334, 400-468	Diseases of cardiovascular system——	8,767	4	-	1	-	1	7	11	18	26	27	34	100	139	270	413	630	838	1,166	1,345	1,559	1,165	699	250	49	25
	White——M—	4,986	3	-	-	-	1	4	7	8	10	13	23	41	74	154	268	401	560	682	775	832	625	358	107	20	10
	F—	2,957	1	-	1	-	-	2	3	7	11	10	8	34	42	70	85	144	192	344	462	617	477	300	125	22	2
	Nonwhite—M—	464	-	-	-	-	-	1	-	1	4	1	2	13	13	17	33	48	50	76	64	59	39	19	12	6	6
	F—	360	-	-	-	-	-	-	1	2	1	3	1	12	10	29	29	37	36	54	44	51	24	12	6	1	7
330-334	Vascular lesions, etc.*——	2,273	4	-	1	-	-	-	1	2	7	4	1	23	25	53	74	124	180	300	381	465	358	204	64	13	9
	White——M—	1,071	3	-	-	-	-	1	1	2	2	-	-	6	7	12	28	49	98	151	196	225	163	96	23	5	5
	F—	955	1	-	1	-	-	-	-	1	2	2	-	8	12	28	27	42	65	95	152	208	156	97	34	4	-
	Nonwhite—M—	135	-	-	-	-	-	-	-	-	3	-	-	3	3	6	6	17	10	27	19	17	7	6	5	3	3
	F—	132	-	-	-	-	-	-	-	-	-	-	1	6	3	7	13	18	9	27	14	15	12	5	2	1	1
400-402	Rheumatic fever——	26	-	-	-	-	-	2	4	3	2	4	1	3	3	-	1	1	-	-	-	2	-	-	-	-	-
	White——M—	15	-	-	-	-	-	2	3	2	1	3	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-
	F—	6	-	-	-	-	-	-	1	1	-	1	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	1	-	-	2	1	-	1	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
410-443	Diseases of heart-	5,816	-	-	-	-	1	5	5	12	15	14	31	69	102	201	325	481	625	786	889	965	708	393	140	26	13
	White-----M--	3,581	-	-	-	-	1	2	2	5	6	6	21	34	61	134	231	337	443	505	537	538	400	210	65	9	4
	F--	1,788	-	-	-	-	-	2	2	5	8	5	8	22	25	36	53	95	119	225	286	359	269	166	66	15	2
	Nonwhite--M--	290	-	-	-	-	-	1	-	1	-	1	2	7	9	9	25	28	38	42	41	37	29	11	5	2	2
	F--	207	-	-	-	-	-	-	1	1	1	2	-	6	7	22	16	21	25	24	25	31	10	6	4	-	5
410-416	Chronic rheumatic heart disease-----	207	...	-	-	-	-	3	3	6	7	4	7	13	9	14	10	15	25	27	12	22	24	3	2	1	-
	White-----M--	111	...	-	-	-	-	1	1	2	3	3	6	7	3	7	9	13	13	10	9	10	11	1	1	1	-
	F--	70	...	-	-	-	-	1	1	3	3	1	1	6	4	5	1	2	8	12	2	6	11	2	1	-	-
	Nonwhite--M--	18	...	-	-	-	-	1	-	1	-	-	-	-	1	1	-	-	3	4	1	4	2	-	-	-	-
	F--	8	...	-	-	-	-	-	1	-	1	-	-	-	1	1	-	-	1	1	-	2	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,360	-	-	-	-	-	-	-	1	3	4	11	33	58	134	224	334	423	511	535	500	354	172	48	11	4
	White-----M--	2,305	-	-	-	-	-	-	-	1	1	2	7	21	44	103	174	264	331	360	354	309	210	102	28	4	3
	F--	880	-	-	-	-	-	-	-	-	2	-	3	7	9	20	31	61	70	126	158	173	131	63	20	6	-
	Nonwhite--M--	111	-	-	-	-	-	-	-	-	-	1	1	3	4	4	14	10	14	16	16	10	11	4	2	1	-
	F--	64	-	-	-	-	-	-	-	-	-	1	-	2	1	7	5	9	8	9	7	8	2	3	1	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*--	791	...	-	-	-	1	-	1	1	1	1	3	8	13	6	19	40	57	85	108	151	125	111	45	9	6
	White-----M--	400	...	-	-	-	1	-	1	-	-	1	2	3	4	3	11	23	34	43	51	75	67	59	20	1	1
	F--	306	...	-	-	-	-	-	-	1	1	-	1	4	5	1	5	7	12	31	48	63	50	46	22	8	1
	Nonwhite--M--	50	...	-	-	-	-	-	-	-	-	-	-	1	3	-	1	6	8	8	4	7	5	4	2	-	1
	F--	35	...	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	3	3	5	6	3	2	1	-	3
430-434	Other diseases of heart---------	525	-	-	-	-	-	2	1	4	3	4	6	10	12	22	29	46	47	71	75	90	61	22	18	2	2
	White-----M--	314	-	-	-	-	-	1	-	2	2	-	4	2	9	13	19	29	29	46	42	58	40	13	4	1	-
	F--	157	-	-	-	-	-	1	1	1	1	4	2	3	1	3	3	9	9	13	25	25	16	7	12	-	1
	Nonwhite--M--	40	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	4	6	7	5	3	4	1	-	1	-
	F--	34	-	-	-	-	-	-	-	1	-	-	-	4	1	3	3	4	3	5	3	4	1	1	-	-	1
440-443	Hypertension with heart dis.--	933	-	-	-	-	-	-	-	-	1	1	4	5	10	25	43	46	73	102	159	202	144	85	28	3	1
	White-----M--	421	-	-	-	-	-	-	-	-	-	-	2	1	1	8	18	18	36	46	81	86	72	35	15	2	-
	F--	375	-	-	-	-	-	-	-	-	1	-	1	2	6	7	13	16	20	43	53	92	61	48	11	1	-
	Nonwhite--M--	71	-	-	-	-	-	-	-	-	-	-	-	2	-	1	6	8	7	7	15	13	7	2	1	-	1
	F--	66	-	-	-	-	-	-	-	-	-	1	-	-	3	9	6	4	10	6	10	11	4	-	2	-	-
444-447	Hypertension without mention of heart----------	215	-	-	-	-	-	-	-	-	2	1	1	3	4	6	12	13	27	33	38	40	22	9	3	1
	White-----M--	107	-	-	-	-	-	-	-	-	2	1	-	3	1	4	7	8	12	17	18	18	13	4	1	-
	F--	77	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	9	8	17	22	7	4	1	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	5	4	2	-	1	1	1	1
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	4	3	-	1	-	-	-
450	General arteriosclerosis---------	343	-	-	-	-	-	-	-	-	-	-	-	-	-	4	1	7	8	32	36	76	76	80	34	7	2
	White-----M--	190	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	4	4	18	21	44	43	34	14	5	1
	F--	136	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	12	14	28	28	25	19	2	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	-	3	3	1	1	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	-	-	-	1
451-468	Other diseases of circulatory sys.*	94	-	-	-	-	-	-	1	1	2	3	-	4	6	8	6	5	12	11	6	13	3	10	3	-	-
	White-----M--	52	-	-	-	-	-	-	1	-	1	-	-	1	2	5	5	3	9	6	4	8	1	5	1	-	-
	F--	35	-	-	-	-	-	-	-	-	1	2	-	3	4	3	-	1	3	3	2	4	2	5	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	457	1	-	-	1	-	-	1	1	4	2	4	8	19	15	15	25	43	61	65	81	50	40	16	1	4
	White-----M--	189	-	-	-	1	-	-	-	1	1	1	1	2	6	5	4	7	24	31	28	35	21	19	4	-	-
	F--	170	-	-	-	-	-	-	1	-	3	-	1	4	6	3	6	9	10	18	28	37	20	14	7	1	2
	Nonwhite--M--	49	1	-	-	-	-	-	-	-	-	-	1	-	3	5	1	4	5	9	4	7	4	1	3	-	1
	F--	49	-	-	-	-	-	-	-	-	-	1	1	2	4	2	4	5	4	3	7	2	5	6	2	-	1
480-483	Influenza and pneumonia, etc.*-	649	124	19	13	4	4	9	5	5	3	4	8	7	8	13	13	31	25	43	52	81	73	54	34	14	5
	White-----M--	302	44	8	3	2	1	7	4	3	3	2	3	3	4	4	6	18	13	24	31	34	42	23	13	6	1
	F--	229	32	4	5	2	2	1	1	1	-	1	4	3	2	4	1	8	6	15	17	40	27	28	18	6	3
	Nonwhite--M--	58	21	5	5	-	1	1	-	1	-	-	-	-	-	2	3	3	3	2	1	4	1	3	1	1	-
	F--	60	27	2	-	-	-	-	-	-	-	1	1	1	2	3	3	2	1	2	3	3	3	2	2	1	1
480-483	Influenza----------	89	12	1	-	-	1	-	-	2	-	1	2	1	1	3	2	5	4	9	6	12	11	7	6	3	-
	White-----M--	35	2	-	-	-	1	-	-	1	-	-	1	-	-	-	1	3	2	5	3	5	5	3	2	1	-
	F--	33	1	-	-	-	-	-	-	-	-	1	1	1	1	1	1	2	2	4	3	5	4	2	3	1	-
	Nonwhite--M--	12	4	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	2	-	2	1	-	-
	F--	9	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	-	1	-
490-493	Pneumonia, etc.*--	560	112	18	13	4	5	9	5	3	3	3	6	6	7	10	11	26	19	34	46	69	62	47	28	11	5
	White-----M--	267	42	8	3	2	-	7	4	2	3	2	2	3	4	4	5	15	11	19	28	29	37	20	11	5	1
	F--	196	31	4	5	2	2	1	1	1	-	-	3	2	1	3	-	6	4	11	14	35	23	24	15	5	3
	Nonwhite--M--	46	17	4	5	-	1	1	-	-	-	-	-	-	-	1	3	3	3	2	1	2	1	1	-	1	-
	F--	51	22	2	-	-	-	-	-	-	-	1	1	1	2	2	3	2	1	2	3	3	1	2	2	-	1
500-502	Bronchitis---------	42	8	1	2	1	1	-	1	1	-	-	-	-	-	-	2	2	2	2	5	6	6	2	-	-	-
	White-----M--	23	2	1	1	-	1	-	-	1	-	-	-	-	-	-	2	2	2	-	4	4	3	-	-	-	-
	F--	15	3	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	-	-	-
	Nonwhite--M--	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	67	-	-	-	-	-	-	-	1	1	1	-	6	11	6	11	9	10	10	13	6	2	-	-	-	-
	White-----M--	59	-	-	-	-	-	-	-	1	-	1	-	5	9	4	8	5	8	8	13	5	2	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	1	-	-	-	-	2	2	1	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
550-553	Appendicitis-------	74	-	-	2	-	-	5	8	7	3	3	3	2	4	3	5	4	7	6	7	3	-	2	-	-	-
	White-----M--	36	-	-	-	-	-	2	3	3	2	1	2	1	4	2	4	1	2	3	4	1	-	1	-	-	-
	F--	25	-	-	1	-	-	-	2	4	-	1	1	1	-	1	-	2	5	2	3	1	-	1	-	-	-
	Nonwhite--M--	6	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	7	-	-	-	-	-	2	1	-	1	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
560, 561, 570-	Hernia, intestinal obstruction--	151	20	2	2	1	1	-	-	1	1	-	-	4	2	6	12	9	6	18	26	12	14	9	4	-	1
	White-----M--	64	8	2	1	-	1	-	-	-	-	-	-	-	1	3	5	1	3	11	15	7	5	2	1	-	-
	F--	63	7	-	-	-	-	-	-	-	1	-	-	3	1	2	5	7	2	6	10	4	6	6	3	-	-
	Nonwhite--M--	17	3	-	1	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	1	3	1	-	-	-
	F--	7	2	-	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	1

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OKLAHOMA—Con.																										
543, 571, 572	Gastritis, etc.*—	117	50	6	1	1	2	3	-	4	1	-	-	2	2	-	2	4	5	10	7	7	3	3	3	1	-
	White——M—	45	17	3	-	-	1	1	-	2	-	-	-	-	1	-	1	2	2	4	1	5	2	3	-	-	-
	F—	47	18	-	1	-	1	2	-	2	1	-	-	1	1	-	-	2	3	5	5	2	1	-	3	1	-
	Nonwhite—M—	10	9	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	15	8	2	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	-	-	-	-	-	-
581	Cirrhosis of liver	112	1	-	-	-	-	1	-	-	-	1	2	3	7	10	10	16	9	19	13	13	4	-	2	-	1
	White——M—	81	-	-	-	-	-	1	-	-	-	-	1	2	5	8	8	10	5	13	13	10	2	-	2	-	1
	F—	23	1	-	-	-	-	-	-	-	-	1	-	1	1	2	-	5	2	6	-	3	2	-	-	-	-
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	2	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	58	3	3	1	-	1	2	-	3	-	2	-	4	4	5	-	2	1	4	2	7	8	3	2	-	1
	White——M—	25	1	1	1	-	-	1	-	3	-	1	-	2	3	1	-	1	-	1	1	3	2	1	2	-	-
	F—	19	2	1	-	-	1	1	-	-	-	1	-	-	-	1	-	-	1	2	1	2	4	2	-	-	-
	Nonwhite—M—	7	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	1	1	-	-	-	1
	F—	7	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	1	-	-	-	1	1	-	-	-	-
610	Hyperplasia of prostate—	121	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10	10	24	29	32	9	4	1	-
	White——M—	107	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	10	6	18	28	30	9	3	1	-
	Nonwhite—M—	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	6	1	2	-	1	-	-
640-689	Complications of pregnancy, etc.*—	63	...	...	...	...	...	...	-	9	12	10	7	15	9	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	46	...	...	...	...	...	...	-	5	8	7	5	13	6	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	17	...	...	...	...	...	...	-	4	3	3	2	2	3	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	8	...	...	...	...	...	...	-	2	3	-	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	7	...	...	...	...	...	...	-	1	3	-	2	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	55	...	...	...	...	...	...	-	7	9	10	5	14	9	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	39	...	...	...	...	...	...	-	4	6	7	3	12	6	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	16	...	...	...	...	...	...	-	3	3	3	2	2	3	-	-	-	...	...	...	...	...	...	...	...	-
750-758	Congenital malformations—	242	187	10	7	2	1	9	-	2	3	4	3	2	4	3	2	2	-	-	-	1	-	-	-	-	-
	White——M—	124	99	6	5	1	-	3	-	-	-	2	1	1	1	2	1	2	-	-	-	-	-	-	-	-	-
	F—	87	71	3	2	1	1	6	-	1	2	2	2	-	3	1	1	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M—	12	10	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	9	7	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	913	913	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	473	473	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	315	315	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	74	74	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	51	51	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	337	337	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	16	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	55	55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	10	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	521	521	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	276	276	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	180	180	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	587	45	3	1	2	4	1	1	2	1	3	6	10	12	17	28	21	33	44	56	76	89	56	46	20	15
	White——M—	295	17	1	-	-	-	1	1	2	1	1	4	4	7	10	13	12	20	24	31	42	51	19	20	9	5
	F—	173	9	-	-	1	1	-	-	-	-	1	-	2	1	3	4	4	4	12	15	18	31	31	24	9	3
	Nonwhite—M—	74	9	1	1	-	2	-	-	-	-	-	1	1	1	4	6	3	5	4	9	10	4	4	2	2	5
	F—	45	10	1	-	1	1	-	-	-	-	1	1	3	3	-	-	2	4	4	1	6	3	2	-	-	2
Residual	All other diseases	1,135	50	9	8	6	3	16	13	12	26	16	24	32	37	54	56	74	81	112	118	150	113	70	39	9	5
	White——M—	538	23	3	4	2	1	9	5	9	11	10	10	16	15	25	34	28	45	56	66	69	48	33	13	3	-
	F—	456	18	3	2	1	1	5	5	3	11	6	8	13	14	16	18	33	31	41	42	68	55	31	25	4	2
	Nonwhite—M—	65	6	2	1	-	-	2	2	-	-	1	2	-	3	5	1	8	3	8	4	6	3	3	1	1	1
	F—	78	3	1	1	3	1	-	1	-	4	1	4	3	5	8	3	5	2	7	6	7	7	3	-	1	2
E800-E962	Accidents—	1,499	56	37	35	12	14	54	59	91	144	88	83	88	65	80	60	70	54	52	57	90	84	74	34	12	7
	White——M—	949	30	25	17	4	9	31	41	69	114	65	68	71	51	54	47	45	38	26	31	40	34	22	13	3	3
	F—	418	18	9	13	8	4	19	13	19	18	12	9	11	7	13	8	20	12	18	21	43	44	50	21	8	2
	Nonwhite—M—	105	8	3	3	-	1	3	5	3	11	7	6	7	6	9	4	5	4	8	3	2	5	-	-	1	1
	F—	27	2	-	2	-	-	1	-	-	1	2	-	-	1	4	1	-	2	-	2	5	1	2	-	-	1
E810-E835	Motor-vehicle accidents—	551	4	8	15	5	8	23	16	55	81	38	49	42	25	33	33	35	20	19	14	15	8	3	2	1	1
	White——M—	382	3	4	5	1	5	15	9	38	67	21	42	34	19	22	23	24	11	10	8	11	4	2	2	1.	1
	F—	127	-	4	8	4	3	8	7	15	8	9	5	6	2	8	7	11	7	5	5	3	1	1	-	-	-
	Nonwhite—M—	33	1	-	1	-	-	-	-	2	5	6	2	2	3	2	2	-	1	4	-	1	1	-	-	-	-
	F—	9	-	-	1	-	-	-	-	-	1	2	-	-	1	1	1	-	1	-	1	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	948	52	29	20	7	6	31	43	36	63	48	34	47	40	47	27	35	34	33	43	75	78	71	32	11	6
	White——M—	567	27	21	12	3	4	16	32	51	47	44	26	37	32	32	24	21	25	16	23	29	30	20	11	2	2
	F—	291	16	5	5	4	1	11	6	4	10	3	4	5	5	5	1	9	5	13	16	40	43	49	21	8	2
	Nonwhite—M—	72	7	3	2	-	1	3	5	1	6	1	4	5	3	7	2	5	3	4	3	1	4	-	-	1	1
	F—	18	2	-	1	-	-	1	-	-	-	-	-	-	-	3	-	-	1	-	1	5	1	2	-	-	1
E963, E970-E979	Suicide—	178	-	-	-	-	-	-	1	4	10	13	9	15	19	15	19	20	19	10	14	4	4	2	-	-	-
	White——M—	137	-	-	-	-	-	-	1	2	5	6	11	14	15	16	17	17	9	12	4	4	4	1	-	-	-
	F—	32	-	-	-	-	-	-	-	1	3	5	3	3	5	1	2	3	2	1	2	-	-	1	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	1	2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	124	-	-	-	-	-	1	-	4	11	20	11	9	19	13	13	5	3	4	3	3	4	-	-	-	1
	White——M—	63	-	-	-	-	-	-	-	1	4	10	6	3	12	5	5	3	2	3	2	3	3	-	-	-	1
	F—	12	-	-	-	-	-	1	-	2	2	1	1	1	-	2	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M—	42	-	-	-	-	-	-	-	-	4	8	2	5	7	5	7	2	-	1	1	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	1	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-
E965, E990-E998	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON																										
	ALL CAUSES	13,691	869	72	51	27	15	92	76	128	175	196	216	315	382	556	714	1,005	1,333	1,655	1,696	1,689	1,417	782	334	61	35
	White—M	8,358	514	38	30	16	10	57	47	88	117	130	131	193	227	351	469	675	893	1,072	999	944	743	405	163	25	22
	F	5,275	317	27	18	10	4	33	26	35	46	56	77	108	142	191	228	314	419	565	680	727	663	371	168	34	12
	Nonwhite—M	156	21	3	-	-	1	1	1	1	7	8	5	8	9	7	13	11	13	11	10	10	7	4	3	2	-
	F	104	17	4	3	1	-	1	-	4	5	2	3	6	4	7	5	5	8	7	7	8	4	2	-	-	1
001-019	Tuberculosis, all forms	225	1	2	4	-	-	4	3	2	8	8	8	28	17	17	23	15	23	24	18	10	4	3	1	1	1
	White—M	145	-	1	3	-	-	-	1	-	1	2	3	19	7	13	16	13	18	21	13	6	3	2	1	1	1
	F	63	-	1	1	-	-	3	2	1	3	4	4	8	10	4	6	1	4	3	3	4	1	-	-	-	-
	Nonwhite—M	9	-	-	-	-	-	1	-	-	-	2	-	1	-	-	1	1	1	-	2	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
001-009	Tuberculosis of respiratory system	202	1	1	2	-	-	1	3	2	7	5	8	24	17	16	20	14	23	23	15	10	4	3	1	1	1
	White—M	133	-	-	2	-	-	-	1	-	-	1	3	17	7	13	14	12	18	20	11	6	3	2	1	1	1
	F	55	-	1	-	-	-	-	2	1	3	3	4	6	10	3	5	1	4	3	2	4	1	-	-	-	-
	Nonwhite—M	8	-	-	-	-	-	1	-	-	-	1	-	1	-	-	1	1	1	-	2	-	-	-	-	-	-
	F	8	1	-	-	-	-	-	-	1	4	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-
010-019	Tuberculosis, other forms	23	-	1	2	-	-	3	-	-	1	3	-	4	-	1	3	1	-	1	3	-	-	-	-	-	-
	White—M	12	-	1	1	-	-	-	-	-	1	1	-	2	-	-	2	1	-	1	2	-	-	-	-	-	-
	F	10	-	-	1	-	-	3	-	-	-	1	-	2	-	1	1	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	80	-	-	-	-	-	-	-	-	-	-	-	1	2	7	8	17	12	12	5	9	4	3	-	-	-
	White—M	58	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6	14	8	11	3	6	2	2	-	-	-
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	2	3	-	2	2	2	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-049	Dysentery, all forms	11	8	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	White—M	7	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	4	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	-	1	-	1	-	2	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	1	-	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	5	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	4	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	23	-	-	1	-	-	5	1	4	1	7	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	17	-	-	1	-	-	2	1	4	1	4	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	3	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	2	-	-	-	-	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	29	3	-	1	-	-	4	-	2	1	-	2	1	-	2	3	-	4	2	3	-	-	1	-	-	-
	White—M	17	1	-	1	-	-	4	-	1	-	-	1	1	-	-	2	-	2	2	2	-	-	-	-	-	-
	F	12	2	-	-	-	-	-	-	1	1	-	1	-	-	2	1	-	2	-	1	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Con.																										
140-205	Malignant neoplasms, etc.*----	2,009	-	4	4	3	5	9	5	4	17	14	26	61	68	112	140	226	267	293	289	213	147	88	29	4	1
	White-----M--	1,046	-	3	-	2	3	4	3	2	9	8	9	22	22	42	76	110	142	171	163	129	87	25	12	2	-
	F--	945	-	1	4	1	2	5	2	2	6	6	17	37	46	70	64	114	120	119	123	83	60	63	17	2	1
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	4	3	2	1	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx------	42	-	-	-	-	-	-	-	-	-	-	-	-	2	1	3	8	6	2	9	4	4	2	1	-	-
	White-----M--	33	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	4	2	8	3	4	1	-	-	-
	F--	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	739	-	-	-	-	1	-	-	-	1	-	6	12	13	23	40	77	103	120	118	107	69	38	11	-	-
	White-----M--	429	-	-	-	-	-	-	-	-	1	-	2	7	6	16	29	41	60	86	67	80	37	14	3	-	-
	F--	302	-	-	-	-	1	-	-	-	-	-	4	4	7	7	11	36	40	33	49	46	32	24	8	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	1	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system----------	180	-	-	-	-	-	1	-	-	-	-	1	4	4	12	27	23	37	24	33	14	8	1	-	1	-
	White-----M--	154	-	-	-	-	-	1	-	-	-	-	1	3	4	9	26	20	28	19	26	11	4	1	-	1	-
	F--	35	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	9	5	7	3	4	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	185	-	-	-	-	-	-	-	-	-	1	3	12	16	29	11	23	21	28	19	7	6	5	3	-	1
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	182	-	-	-	-	-	-	-	-	-	1	3	12	16	29	11	23	20	27	18	7	6	5	3	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
171-179	Of genital organs-	332	-	-	-	-	-	2	-	-	3	3	5	12	16	17	28	34	35	50	48	39	25	7	7	1	-
	White-----M--	134	-	-	-	-	-	-	-	-	1	2	1	-	1	-	3	4	14	23	28	28	21	3	7	-	-
	F--	195	-	-	-	-	-	2	-	-	1	1	4	11	15	17	25	30	21	26	22	11	4	4	-	1	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	106	-	-	1	-	-	3	-	-	1	-	-	2	1	4	2	15	16	20	15	17	10	1	1	1	-
	White-----M--	71	-	-	1	-	-	3	-	-	1	-	-	2	1	4	2	11	9	13	10	14	5	-	1	1	-
	F--	35	-	-	1	-	-	3	-	-	1	-	-	2	-	-	-	2	7	7	3	3	5	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*----------	243	-	1	1	1	2	1	3	-	8	7	4	7	10	19	17	28	27	29	26	15	19	11	6	1	-
	White-----M--	119	-	1	-	1	1	1	2	-	3	4	2	4	5	8	10	13	14	14	13	7	10	4	1	-	-
	F--	123	-	-	1	-	1	-	1	-	4	3	2	3	5	10	7	15	13	15	13	8	9	7	5	1	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	82	-	1	1	2	1	2	-	3	2	3	3	5	2	1	3	9	10	8	16	2	5	2	-	-	-
	White-----M--	48	-	1	-	1	1	2	-	2	2	2	1	3	1	-	1	6	7	4	8	-	5	2	-	-	-
	F--	32	-	-	1	1	-	-	-	1	-	1	2	2	1	1	3	2	3	4	8	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
200-205, 205	Lymphomas, etc.*---	90	-	2	1	-	1	-	2	1	2	-	4	7	4	6	9	11	12	11	7	8	1	1	-	-	-
	White-----M--	56	-	1	-	-	1	-	1	1	2	-	2	5	2	3	4	9	6	9	4	6	1	-	-	-	-
	F--	32	-	1	1	-	-	-	1	1	-	-	2	2	2	3	5	2	5	2	2	2	1	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	55	1	1	-	1	-	2	1	1	1	1	1	1	6	4	7	10	2	3	5	3	3	2	-	-	-
	White-----M--	30	1	1	-	1	-	2	-	-	-	1	1	1	1	3	2	7	1	1	2	1	3	2	-	-	-
	F--	23	-	-	-	-	-	-	1	1	-	-	-	-	4	1	5	3	1	2	3	2	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	187	-	-	-	1	-	-	-	1	1	4	4	3	5	9	16	21	28	28	28	22	6	5	1	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	1	1	2	2	1	2	6	7	7	10	9	14	7	2	3	1	-
	F--	109	-	-	-	1	-	-	-	-	-	3	2	2	2	3	2	9	14	17	19	14	15	4	2	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	37	1	-	-	-	-	1	-	1	1	2	-	-	1	1	3	5	5	7	3	4	2	-	-	-	-
	White-----M--	18	1	-	-	-	-	-	-	1	1	-	-	-	1	-	1	4	3	3	1	2	1	-	-	-	-
	F--	19	-	-	-	-	-	1	-	-	1	2	-	-	-	1	2	1	2	4	2	2	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	21	7	3	1	-	-	2	2	1	-	-	-	1	-	-	1	-	-	-	3	-	-	-	-	-	-	-
	White-----M--	15	5	3	1	-	-	1	1	1	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite--M--	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	7,315	3	3	1	-	1	4	7	13	19	22	32	64	127	230	343	547	776	1,029	1,104	1,177	1,017	534	206	39	17
	White-----M--	4,357	1	2	1	-	1	2	2	6	6	11	18	38	84	157	224	391	545	675	641	641	510	276	102	14	9
	F--	2,864	2	1	-	-	-	2	5	6	13	10	13	24	40	64	108	147	220	345	454	525	497	254	102	24	8
	Nonwhite--M--	51	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	7	5	5	4	5	6	3	2	1	-
	F--	43	-	-	-	-	-	-	-	1	-	1	1	1	2	6	3	2	6	4	5	6	4	1	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	7,126	3	3	1	-	1	4	5	10	14	17	28	56	120	219	331	530	755	1,007	1,088	1,157	1,000	518	202	38	17
	White-----M--	4,258	1	2	1	-	1	2	1	6	4	8	16	34	78	151	219	383	532	662	634	632	501	265	101	14	9
	F--	2,778	2	1	-	-	-	2	4	3	10	8	11	21	38	60	102	138	212	336	445	515	489	250	99	24	8
	Nonwhite--M--	49	-	-	-	-	-	-	-	-	-	-	-	-	1	3	7	7	5	5	4	5	6	3	2	1	-
	F--	41	-	-	-	-	-	1	-	1	1	1	1	2	3	5	3	2	6	4	5	5	4	1	-	-	-
330-334	Vascular lesions, etc.*----------	1,473	1	-	-	-	-	-	1	1	3	1	10	12	27	62	85	127	191	242	285	245	119	50	10	3	
	White-----M--	748	1	-	-	-	-	-	1	-	1	1	8	3	14	26	50	71	95	119	153	118	59	21	6	1	
	F--	701	-	-	-	-	-	-	-	1	2	-	2	8	13	31	32	51	93	121	129	125	58	29	4	2	
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	2	2	1	1	1	1	-	-	
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	1	-	1	1	-	-	
400-402	Rheumatic fever----	16	-	-	-	-	-	2	2	2	4	-	1	3	1	-	-	1	-	-	-	-	-	-	-	-	
	White-----M--	5	-	-	-	-	-	1	1	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	
	F--	11	-	-	-	-	-	1	2	1	3	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Con.																										
410-443	Diseases of heart	5,093	1	3	1	-	1	2	2	5	8	10	24	37	96	182	263	431	590	770	773	769	650	327	112	24	11
	White—M	3,207	-	2	1	-	1	1	-	4	3	6	15	23	69	132	190	325	434	538	472	417	327	173	60	8	8
	F	1,829	1	1	-	-	-	1	2	-	6	4	8	13	25	43	69	102	150	227	294	346	316	153	50	16	3
	Nonwhite—M	34	-	-	-	-	-	-	-	-	-	-	-	-	1	3	4	6	3	3	3	4	4	1	2	-	-
	F	23	-	-	-	-	-	-	-	1	-	-	1	1	1	4	1	-	3	2	4	2	3	-	-	-	-
410-416	Chronic rheumatic heart disease	223	...	-	-	-	1	2	2	3	5	5	8	6	19	24	22	17	22	37	18	18	8	5	1	-	-
	White—M	117	...	-	-	-	1	1	-	3	2	3	4	3	8	16	9	9	15	24	11	8	2	1	-	-	-
	F	105	...	-	-	-	-	1	2	-	3	2	4	2	11	7	13	9	8	13	7	10	6	4	1	-	-
	Nonwhite—M	1	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	...	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,086	1	-	-	-	-	-	-	-	1	3	10	17	58	117	177	324	419	515	477	427	332	147	55	10	6
	White—M	2,168	-	-	-	-	-	-	-	-	-	3	9	16	52	92	149	262	323	361	318	256	186	81	33	3	5
	F	899	1	-	-	-	-	-	-	-	1	-	1	1	5	22	25	57	95	132	155	166	144	66	20	7	1
	Nonwhite—M	24	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	1	2	3	4	2	-	2	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	528	...	1	1	-	-	-	-	1	1	1	2	5	6	7	6	23	21	47	77	108	115	64	32	8	2
	White—M	292	...	-	1	-	-	-	-	1	-	-	-	1	2	5	2	19	13	29	51	62	55	32	17	3	1
	F	229	...	1	-	-	-	-	-	-	1	1	1	4	4	1	3	4	7	18	26	46	60	31	15	5	1
	Nonwhite—M	5	...	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	2	1	-	-	-
	F	2	...	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	203	-	2	-	-	-	-	-	1	2	1	1	5	5	8	12	15	25	29	34	31	20	11	3	-	-
	White—M	134	-	2	-	-	-	-	-	-	1	-	1	3	3	5	11	7	22	21	19	20	13	6	1	-	-
	F	62	-	-	-	-	-	-	-	-	1	1	1	2	1	1	1	7	2	8	14	11	5	5	2	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-
440-443	Hypertension with heart dis.	1,043	-	-	-	-	-	-	-	-	-	-	3	4	8	28	46	52	103	142	167	185	175	100	21	6	3
	White—M	496	-	-	-	-	-	-	-	-	-	-	2	-	4	14	19	27	63	63	73	71	74	53	9	2	2
	F	536	-	-	-	-	-	-	-	-	-	-	1	4	4	12	26	25	38	58	92	113	101	47	12	4	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	2	2	2	1	-	-	-	-	-
444-447	Hypertension without mention of heart	98	-	-	-	-	-	-	-	-	-	1	1	2	4	7	3	5	10	9	16	17	13	7	2	-	1
	White—M	43	-	-	-	-	-	-	-	-	-	1	-	1	4	3	1	3	4	3	8	6	6	2	1	-	-
	F	54	-	-	-	-	-	-	-	-	-	-	1	1	-	3	2	2	6	6	10	11	5	5	1	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	360	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	15	28	46	77	84	63	35	5	2
	White—M	201	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	12	20	30	49	42	30	16	-	-
	F	153	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	3	7	16	26	41	32	19	4	2
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-
451-468	Other diseases of circulatory sys.	86	1	-	-	-	-	-	1	2	-	2	1	4	7	2	2	6	13	9	11	11	9	3	3	-	-
	White—M	54	-	-	-	-	-	-	1	-	-	-	-	1	3	1	2	5	11	6	7	7	6	1	3	-	-
	F	30	1	-	-	-	-	-	-	2	-	1	1	3	4	1	-	1	2	3	4	3	2	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
592-594	Chronic nephritis, etc.*	189	-	-	-	-	-	-	2	3	5	5	4	8	7	11	12	17	21	22	16	20	17	15	4	-	-
	White—M	99	-	-	-	-	-	-	1	-	2	3	2	4	5	6	5	8	13	13	7	9	9	11	1	-	-
	F	86	-	-	-	-	-	-	1	3	3	2	2	3	2	4	6	9	8	9	9	10	8	4	3	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	383	49	14	4	-	1	4	2	3	6	2	2	6	9	13	12	10	28	32	40	51	38	33	16	3	4
	White—M	233	24	8	1	-	-	1	-	1	5	1	1	2	8	12	10	6	22	20	31	30	26	17	5	1	3
	F	130	20	5	2	-	-	2	2	2	1	1	1	3	2	1	1	4	5	10	7	21	13	15	10	1	1
	Nonwhite—M	11	2	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	-	1	1	1	-
	F	9	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
480-483	Influenza	34	7	-	-	-	-	-	1	1	1	1	1	-	1	-	3	-	1	3	5	3	1	2	2	1	-
	White—M	15	3	-	-	-	-	-	-	1	-	1	-	-	1	-	2	-	1	2	5	-	-	-	-	-	-
	F	17	3	-	-	-	-	1	1	-	1	-	1	-	1	-	1	-	-	1	-	3	1	2	2	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	349	42	14	4	-	1	4	1	2	5	1	1	6	8	13	9	10	27	29	35	48	38	31	14	2	4
	White—M	218	21	8	1	-	-	1	-	1	4	1	-	2	6	12	8	6	21	18	26	30	26	17	5	1	3
	F	113	17	5	2	-	-	2	1	1	1	-	1	3	1	1	-	4	5	9	7	18	12	13	8	1	1
	Nonwhite—M	9	1	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	1	2	-	-	1	1	-	-
	F	9	3	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
500-502	Bronchitis	28	2	1	1	-	-	-	-	-	-	-	-	-	1	4	1	3	2	3	5	3	2	-	1	-	-
	White—M	18	-	1	-	-	-	-	-	-	-	-	-	-	1	2	-	3	2	2	3	1	2	-	1	-	-
	F	9	2	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	2	1	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	86	-	-	-	-	-	-	-	-	-	-	1	1	1	3	4	12	12	13	14	10	8	5	-	2	-	-
	White—M	73	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	11	10	11	12	9	5	5	-	1	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	2	-	-	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	32	-	-	1	1	-	2	3	-	-	-	1	1	1	3	1	4	1	4	4	2	3	-	-	-	-
	White—M	20	-	-	1	1	-	2	1	-	-	-	1	1	-	3	1	2	1	2	2	2	-	-	-	-	-
	F	11	-	-	-	-	-	-	2	-	-	-	-	-	1	-	-	2	-	1	2	-	3	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	72	9	-	2	-	-	1	-	-	-	-	3	4	1	3	2	5	15	7	6	8	3	3	-	-	-
	White—M	40	7	-	1	-	-	-	-	-	-	-	2	1	-	2	2	3	8	4	2	4	1	3	-	-	-
	F	31	2	-	1	-	-	1	-	-	-	-	1	3	1	-	-	2	7	3	4	4	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	OREGON—Con.																										
543,	Gastritis, etc.*—	45	17	2	2	-	1	-	-	-	3	2	-	-	2	1	-	1	1	3	4	3	2	-	2	-	-
571,	White——M—	22	9	-	-	-	-	-	-	-	1	2	-	-	1	-	-	1	-	1	3	2	-	-	2	-	-
572	F—	20	6	1	1	-	1	-	-	-	2	-	-	-	1	1	-	-	1	2	1	1	2	-	-	-	-
	Nonwhite—M—	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	88	-	-	-	-	-	-	-	-	-	2	2	3	10	14	6	12	14	10	5	6	4	-	-	-	-
	White——M—	50	-	-	-	-	-	-	-	-	-	-	2	3	6	6	3	7	9	4	2	5	3	-	-	-	-
	F—	35	-	-	-	-	-	-	-	-	-	2	-	-	3	8	3	5	4	5	3	1	1	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	30	1	-	-	1	-	-	1	1	-	2	-	3	2	1	5	1	1	-	5	2	3	1	-	-	-
	White——M—	16	-	-	-	1	-	-	-	-	-	2	-	3	1	-	2	1	-	-	2	2	2	-	-	-	-
	F—	13	1	-	-	-	-	-	1	1	-	-	-	-	-	1	3	-	1	-	3	-	1	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	70	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	10	10	14	14	12	2	-	-
	White——M—	69	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	5	10	10	13	14	12	2	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	19	...	...	...	...	...	...	-	2	2	4	5	5	-	1	-	-	...	...	...	...	...	...	...	...	...	-
	White——F—	17	...	...	...	...	...	...	-	2	2	4	4	4	-	1	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	...	-
650-652	Abortion—	3	...	...	...	...	...	...	-	-	-	1	1	1	-	-	-	-	...	...	...	...	...	...	...	...	...	-
	White——F—	3	...	...	...	...	...	...	-	-	-	1	1	1	-	-	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	16	...	...	...	...	...	...	-	2	2	3	4	4	-	1	-	-	...	...	...	...	...	...	...	...	...	-
	White——F—	14	...	...	...	...	...	...	-	2	2	3	3	3	-	1	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	192	127	5	5	5	-	6	-	3	2	3	5	2	5	8	2	3	4	5	1	1	-	-	-	-	-
	White——M—	112	79	2	1	3	-	5	-	1	1	1	3	-	2	3	1	3	2	4	1	-	-	-	-	-	-
	F—	71	41	3	4	1	-	1	-	2	1	2	2	2	3	4	1	-	2	1	-	1	-	-	-	-	-
	Nonwhite—M—	8	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	549	549	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	329	329	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	257	257	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	166	166	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	87	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	273	273	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	151	151	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	109	109	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	248	8	1	-	-	-	1	-	1	1	2	1	3	5	7	6	10	11	21	16	31	35	34	45	8	1
	White——M—	154	6	-	-	-	-	1	-	-	-	1	1	2	4	5	6	7	7	17	12	15	21	23	23	3	-
	F—	89	-	1	-	-	-	-	-	1	1	1	-	1	1	2	-	2	4	4	4	14	14	11	22	5	1
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
Residual	All other diseases	641	22	11	5	4	2	6	7	15	11	18	13	24	28	35	45	38	53	75	65	59	57	38	8	1	3
	White——M—	390	10	5	4	4	1	5	6	11	5	11	8	13	15	19	24	28	38	47	36	35	34	22	5	-	2
	F—	238	12	6	1	-	1	1	1	4	5	6	4	9	11	14	19	9	15	28	26	24	23	14	3	1	1
	Nonwhite—M—	10	-	-	-	-	-	-	-	-	1	1	1	-	2	2	2	1	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-E962	Accidents—	1,103	54	18	16	10	5	37	38	65	85	87	84	69	63	52	53	51	48	62	45	44	44	43	16	4	8
	White——M—	819	32	9	15	4	5	27	28	54	79	72	65	57	53	46	46	42	38	44	32	21	17	17	6	3	7
	F—	259	21	7	3	6	-	10	9	9	5	10	16	8	8	6	6	9	9	18	13	23	26	26	10	1	-
	Nonwhite—M—	20	-	2	-	-	-	-	1	1	1	4	3	3	2	-	1	-	1	-	-	-	1	-	-	-	-
	F—	5	1	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1
E810-E835	Motor-vehicle accidents—	391	1	3	6	3	1	4	10	30	43	50	41	29	22	16	20	20	22	24	21	14	6	5	-	-	-
	White——M—	296	1	1	6	1	1	4	4	25	38	37	29	21	14	15	18	15	17	16	16	8	5	4	-	-	-
	F—	81	-	1	-	2	-	-	6	4	4	9	12	5	6	1	1	5	4	8	5	6	1	1	-	-	-
	Nonwhite—M—	11	-	1	-	-	-	-	-	-	1	3	-	2	2	-	1	-	1	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E900-E802, E940-E962	All ot. accidents—	712	53	15	12	7	4	33	28	35	42	37	43	40	41	36	33	31	26	38	24	30	38	39	16	4	8
	White——M—	523	31	8	9	3	4	23	24	29	41	35	36	38	39	31	28	27	21	28	16	13	12	13	6	3	7
	F—	178	21	6	3	4	-	10	3	5	1	1	4	3	2	5	5	4	5	10	8	17	25	25	10	1	-
	Nonwhite—M—	9	-	1	-	-	-	-	1	1	-	1	3	1	-	-	-	-	-	-	-	-	1	-	-	-	-
	F—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1
E963, E970-E979	Suicide—	239	-	-	-	-	-	-	1	8	11	15	17	25	18	27	28	20	23	12	16	12	5	1	-	-	-
	White——M—	169	-	-	-	-	-	-	-	7	6	10	10	19	15	20	24	18	20	11	14	10	4	1	-	-	-
	F—	47	-	-	-	-	-	-	1	1	4	4	7	6	3	6	4	2	3	1	2	2	1	-	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	39	-	-	-	-	-	-	1	1	5	2	4	6	9	5	2	-	2	-	1	1	-	-	-	-	-
	White——M—	26	-	-	-	-	-	-	1	-	3	2	1	5	5	5	1	-	2	-	1	1	-	-	-	-	-
	F—	9	-	-	-	-	-	-	-	1	1	-	2	1	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA																										
	ALL CAUSES	108,565	6,567	380	284	194	147	581	441	681	1,057	1,220	1,512	2,119	3,248	4,682	6,868	9,056	11,660	13,197	13,910	13,121	8,719	5,420	1,928	359	74
	White	56,098	3,328	180	145	99	78	325	253	397	567	599	700	1,070	1,683	2,383	3,791	5,111	6,708	7,369	7,252	6,563	4,449	2,196	708	113	24
	M	44,983	2,443	153	116	68	58	203	150	198	308	436	578	718	1,076	1,539	2,324	3,181	4,255	5,183	6,180	6,208	5,069	3,106	1,189	228	34
	Nonwhite	3,949	440	26	16	12	4	30	22	48	82	92	127	175	239	362	462	421	383	362	262	186	104	49	12	5	8
	M	3,352	356	21	9	15	7	23	16	38	80	93	105	156	248	348	291	325	314	293	236	163	97	69	19	15	8
001-019	Tuberculosis, all forms	2,683	12	17	11	6	2	16	14	86	143	206	204	201	237	256	288	272	287	196	122	81	32	12	1	-	1
	White	1,445	5	7	2	2	-	4	2	12	35	61	73	94	124	141	187	196	213	147	75	43	17	4	1	-	-
	M	595	4	4	6	2	2	6	6	19	46	76	64	43	40	41	29	40	43	32	37	31	15	8	-	-	1
	Nonwhite	386	1	2	1	2	-	3	2	16	25	28	30	40	48	56	58	28	20	15	9	4	-	-	-	-	-
	M	255	2	4	2	-	-	3	4	19	37	41	37	24	25	18	14	8	11	2	1	3	-	-	-	-	-
001-008	Tuberculosis of respiratory system	2,459	2	5	2	1	-	6	7	55	132	190	188	186	218	244	276	281	267	180	118	79	30	10	1	-	1
	White	1,366	1	2	1	-	-	1	1	10	32	58	66	87	120	136	183	190	199	140	73	42	17	4	1	-	-
	M	533	-	1	-	-	-	1	4	14	46	71	59	42	38	39	26	37	42	27	35	31	13	6	-	-	1
	Nonwhite	350	1	-	1	1	-	2	-	15	23	24	28	38	39	55	53	27	18	12	9	4	-	-	-	-	-
	M	210	-	2	-	-	-	2	2	16	31	37	33	19	21	14	14	7	8	1	1	2	-	-	-	-	-
010-019	Tuberculosis, other forms	224	10	12	9	5	2	10	7	11	11	16	16	15	19	12	12	11	20	16	4	2	2	2	-	-	-
	White	79	4	5	1	2	-	3	1	2	3	3	5	7	4	5	4	6	14	7	2	1	-	-	-	-	-
	M	62	4	3	6	2	2	5	2	5	-	5	5	1	2	2	3	3	1	5	2	-	2	2	-	-	-
	Nonwhite	38	-	2	-	1	-	1	2	1	2	4	2	2	9	1	5	1	2	3	-	-	-	-	-	-	-
	M	45	2	2	2	-	-	1	2	3	6	4	4	5	4	4	-	1	3	1	-	1	-	-	-	-	-
020-029	Syphilis and its sequelae	487	14	-	-	-	-	-	-	2	1	3	5	24	36	53	71	66	83	57	42	26	2	1	-	1	-
	White	234	6	-	-	-	-	-	-	2	1	1	-	4	13	23	25	32	55	36	30	7	1	-	-	-	-
	M	100	-	-	-	-	-	-	-	-	-	1	2	10	8	11	14	11	12	12	5	12	1	1	-	-	-
	Nonwhite	106	5	-	-	-	-	-	-	-	-	1	1	4	9	16	23	15	12	9	5	6	-	-	-	-	-
	M	47	3	-	-	-	-	-	-	-	-	-	2	6	6	3	9	8	6	-	2	1	-	-	-	1	-
040	Typhoid fever	4	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	19	6	-	1	-	-	1	-	1	-	-	-	-	1	1	-	1	2	-	1	1	-	-	1	-	-
	White	6	2	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	M	12	6	-	1	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	1	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	18	1	-	1	1	-	-	-	1	1	-	2	1	3	1	3	-	-	1	-	1	-	1	-	-	-
	White	10	-	-	1	-	-	-	-	1	1	-	2	1	1	-	2	-	-	1	-	-	-	-	-	-	-
	M	7	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	-	-	-	1	-	1	-	-	-
	Nonwhite	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	14	1	-	2	3	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	White	4	-	-	-	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	9	1	-	2	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	44	29	9	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	13	8	3	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	25	17	4	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	65	18	9	6	2	4	4	4	2	1	1	1	1	1	3	5	1	1	2	1	-	-	-	-	-	-
	White	27	9	4	2	1	1	1	1	1	1	-	-	1	1	1	1	1	1	-	-	-	-	-	-	-	-
	M	31	6	5	4	-	3	3	3	1	-	1	1	-	-	2	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	-
	M	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	77	1	1	5	1	2	14	11	12	11	6	5	3	1	2	2	-	-	-	-	-	-	-	-	-	-
	White	44	-	-	2	1	2	12	4	8	6	2	2	2	1	1	1	-	-	-	-	-	-	-	-	-	-
	M	32	1	1	3	-	-	2	7	4	5	4	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	57	16	13	5	2	6	12	-	1	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	White	30	11	8	1	1	1	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	24	3	4	4	1	5	5	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other ricketsial dis.	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	3	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	255	33	9	2	1	2	11	4	8	4	8	11	10	16	20	17	18	13	23	13	12	6	4	-	-	2
	White	143	18	7	6	1	1	5	-	6	1	4	7	5	8	14	10	10	5	15	9	6	1	3	-	-	1
	M	93	13	1	5	-	1	5	3	2	1	2	1	5	7	4	6	6	8	7	4	6	5	1	-	-	1
	Nonwhite	12	2	-	-	-	-	1	1	-	2	-	3	-	1	1	-	2	-	1	-	-	-	-	-	-	-
	M	7	-	1	1	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
140-205	Malignant neoplasms, etc.*----	15,900	16	12	31	20	9	63	49	62	79	146	230	373	611	948	1,431	1,867	2,243	2,330	2,128	1,740	999	408	91	9	5
	White-----M--	7,504	8	6	19	8	5	35	29	39	44	68	81	125	200	349	597	848	1,122	1,224	1,091	909	477	182	31	4	2
	F--	7,589	5	5	11	10	4	25	17	20	31	65	137	218	341	496	722	896	1,017	1,003	986	791	508	217	57	4	3
	Nonwhite--M--	421	2	-	1	1	-	2	3	2	2	6	6	15	24	43	63	69	80	55	26	25	7	5	3	1	-
	F--	386	1	1	-	1	-	1	-	1	2	6	6	15	48	80	49	54	44	48	25	15	7	4	-	-	-
140-148	Of buccal cavity and pharynx----	360	-	-	1	-	-	-	-	-	-	3	3	2	10	15	27	46	43	67	61	45	21	15	1	-	-
	White-----M--	271	-	-	1	-	-	-	-	-	-	-	1	-	5	11	22	30	36	50	50	35	18	12	-	-	-
	F--	68	-	-	-	-	-	-	-	-	-	2	1	-	4	1	4	10	5	14	10	10	3	3	1	-	-
	Nonwhite--M--	15	-	-	-	-	-	-	-	-	-	-	1	2	-	3	1	4	2	2	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	-	1	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	6,878	2	4	-	-	-	2	4	3	6	33	53	85	152	317	520	739	1,023	1,189	1,059	911	551	201	37	5	2
	White-----M--	3,532	1	3	-	-	-	2	2	3	3	14	24	38	71	149	250	376	546	676	550	485	237	87	11	3	1
	F--	3,050	1	-	-	-	-	-	2	-	3	15	27	41	63	133	226	311	426	472	474	410	289	111	24	1	1
	Nonwhite--M--	198	-	-	-	-	-	-	-	-	-	3	2	2	10	20	33	34	30	25	21	10	3	2	2	1	-
	F--	118	-	1	-	-	-	-	-	-	-	1	-	4	8	15	11	18	21	16	14	6	2	1	-	-	-
160-164	Of respiratory system----------	1,506	-	-	-	-	-	2	2	3	4	8	8	26	59	106	202	265	280	231	147	99	48	9	7	-	-
	White-----M--	1,150	-	-	-	-	-	1	1	2	3	7	6	15	36	76	163	212	235	166	126	65	28	5	3	-	-
	F--	269	-	-	-	-	-	1	1	1	-	1	2	8	12	18	21	36	39	53	20	29	19	4	4	-	-
	Nonwhite--M--	75	-	-	-	-	-	-	-	-	1	-	-	3	9	10	16	14	6	10	-	5	1	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	3	-	2	1	-	-	-	-	-	-
170	Of breast----------	1,420	-	-	-	-	-	-	-	-	2	12	29	59	99	125	170	179	176	164	156	126	69	41	9	3	1
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	1	2	4	3	1	2	-	1	-	-
	F--	1,350	-	-	-	-	-	-	-	-	2	11	26	56	95	116	162	168	170	154	152	121	65	40	8	3	1
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-
	F--	48	-	-	-	-	-	-	-	-	-	2	3	2	8	6	10	4	6	1	4	2	-	-	-	-	-
171-179	Of genital organs-	2,512	-	-	1	-	-	2	2	3	13	31	57	87	131	183	238	278	317	315	326	269	166	75	16	-	2
	White-----M--	778	-	-	-	-	-	1	-	1	5	11	9	8	3	6	22	44	85	106	163	150	100	54	9	-	1
	F--	1,565	-	-	1	-	-	1	1	1	8	18	43	74	106	155	198	212	212	192	156	107	63	20	6	-	1
	Nonwhite--M--	40	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	3	7	11	3	7	2	-	1	-	-
	F--	129	-	-	-	-	-	-	-	1	-	2	4	5	22	21	17	17	13	16	4	5	1	1	-	-	-
180, 181	Of urinary organs-	722	2	-	6	-	5	3	-	1	-	2	5	11	14	24	50	77	92	120	123	89	65	27	6	-	-
	White-----M--	475	2	-	3	-	3	1	-	1	-	-	2	6	6	14	28	54	72	81	81	60	45	11	4	-	-
	F--	221	-	-	3	-	2	1	-	-	-	1	3	4	4	8	15	21	18	34	42	29	20	14	2	-	-
	Nonwhite--M--	14	-	-	-	-	-	1	-	-	-	-	-	1	1	1	2	2	1	4	-	-	-	1	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	1	-	-	3	1	4	-	1	1	-	-	-	1	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	1,453	6	1	6	2	2	14	12	26	18	21	36	55	81	106	129	185	178	145	170	136	76	34	13	1	-
	White-----M--	705	4	1	3	2	-	9	8	15	8	15	16	29	40	54	55	85	82	80	75	77	50	12	3	1	-
	F--	671	1	-	2	-	2	5	4	11	8	5	20	20	33	40	60	89	87	59	94	57	43	21	10	-	-
	Nonwhite--M--	40	-	-	1	-	-	-	-	-	1	-	-	5	3	3	8	9	5	1	1	2	1	-	-	-	-
	F--	37	1	-	-	-	-	-	-	-	1	-	-	1	5	9	6	2	4	5	-	-	2	1	-	-	-
204	Leukemia and aleukemia----------	330	3	7	17	16	2	31	18	17	16	18	17	21	25	32	39	47	62	42	44	35	15	4	2	-	-
	White-----M--	185	1	2	12	5	2	15	11	12	12	11	11	11	11	16	22	21	28	28	22	20	11	1	-	-	-
	F--	220	1	5	5	9	-	14	6	3	4	6	5	8	13	13	17	24	30	15	21	14	4	3	2	-	-
	Nonwhite--M--	17	1	-	-	1	-	1	1	2	-	-	1	2	-	2	-	1	3	1	-	1	-	-	-	-	-
	F--	8	-	-	-	1	-	1	-	-	-	1	-	-	1	1	-	1	1	-	1	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	519	3	-	-	2	-	9	11	9	20	18	22	27	40	40	56	51	72	57	42	30	8	2	-	-	-
	White-----M--	290	-	-	-	1	-	6	7	5	13	10	12	18	28	23	32	25	36	33	21	16	6	-	-	-	-
	F--	195	2	-	-	1	-	3	3	4	6	6	10	7	11	12	19	25	30	22	17	14	2	1	-	-	-
	Nonwhite--M--	18	1	-	-	-	-	-	1	-	-	2	-	-	1	2	2	-	6	1	1	-	-	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	1	-	-	2	2	3	3	1	-	1	3	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	443	6	3	1	4	1	8	9	10	9	16	18	30	40	56	49	45	48	28	24	15	15	5	1	1	-
	White-----M--	182	2	1	1	1	1	2	5	3	4	7	7	8	10	23	21	22	24	12	12	10	3	2	1	-	-
	F--	210	1	2	-	3	-	6	4	6	5	7	9	16	25	22	24	19	18	14	9	4	12	3	-	1	-
	Nonwhite--M--	23	1	-	-	-	-	-	-	1	-	1	1	3	1	2	1	4	5	-	3	-	-	-	-	-	-
	F--	28	2	-	-	-	-	-	-	-	-	1	1	3	4	9	3	1	1	2	-	1	-	-	-	-	-
260	Diabetes mellitus-	2,104	-	2	1	1	-	7	5	6	14	15	16	25	36	61	123	261	321	356	377	273	158	40	7	1	-
	White-----M--	598	-	1	1	1	-	2	1	2	7	6	9	14	11	22	40	84	85	88	99	89	45	10	2	1	-
	F--	1,406	-	1	-	-	-	4	4	4	6	7	6	8	15	29	70	174	227	257	266	181	113	29	5	-	-
	Nonwhite--M--	51	-	-	-	-	-	1	-	-	1	-	-	2	3	1	5	6	5	3	3	1	-	-	-	-	-
	F--	69	-	-	-	-	-	-	-	-	-	-	1	1	7	9	8	17	4	10	9	2	-	1	-	-	-
290-293	Anemias----------	293	9	3	3	1	1	2	2	3	6	4	3	3	7	2	12	20	25	36	59	44	31	9	8	-	-
	White-----M--	123	6	1	1	-	1	2	2	-	-	2	1	-	-	1	6	10	11	17	28	15	11	4	4	-	-
	F--	161	2	2	1	1	-	-	-	3	5	1	2	3	6	-	5	10	14	18	31	28	20	5	4	-	-
	Nonwhite--M--	4	-	-	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F--	5	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-
340	Nonmeningococcal meningitis-------	155	44	6	9	10	1	8	5	2	7	5	3	2	10	8	8	6	9	6	2	2	2	-	-	-	-
	White-----M--	89	25	3	7	6	1	4	1	2	3	3	2	2	7	4	3	3	5	5	-	2	1	-	-	-	-
	F--	47	12	2	2	2	-	4	3	-	2	2	1	-	1	3	4	2	3	1	2	-	1	-	-	-	-
	Nonwhite--M--	11	4	1	-	-	-	-	-	-	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-
	F--	8	3	-	-	2	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	60,134	34	7	9	8	11	55	75	110	154	243	338	663	1,352	2,186	3,530	4,825	6,772	8,195	9,298	9,188	7,191	4,093	1,479	269	49
	White-----M--	30,986	22	1	3	5	5	19	35	61	69	115	146	355	737	1,187	2,042	2,833	3,910	4,543	4,821	4,543	3,260	1,626	549	84	15
	F--	25,813	6	3	4	2	5	27	30	40	69	96	144	198	403	650	1,114	1,582	2,414	3,241	4,127	4,398	3,777	2,379	909	172	22
	Nonwhite--M--	1,665	2	1	2	-	1	3	1	5	7	14	28	46	101	157	209	214	223	222	178	126	79	34	4	3	5
	F--	1,670	4	2	-	1	-	6	9	4	9	18	20	64	111	192	165	196	225	189	172	120	75	54	17	10	7
330-334, 400-468	Diseases of cardiovascular system-	58,515	33	7	6	8	7	45	60	87	124	212	312	620	1,260	2,108	3,416	4,698	6,622	8,018	9,109	8,965	7,023	4,003	1,438	259	48
	White-----M--	30,232	22	1	1	5	3	14	28	52	55	102	136	337	707	1,156	1,990	2,774	3,825	4,458	4,730	4,430	3,187	1,594	530	82	15
	F--	25,088	5	3	3	2	3	22	23	36	55	83	130	184	376	624	1,067	1,524	2,364	3,165	4,040	4,298	3,686	2,321	885	166	22
	Nonwhite--M--	1,808	2	1	2	-	1	3	1	5	6	12	28	42	92	154	200	210	217	218	173	121	77	34	4	2	5
	F--	1,589	4	2	-	1	-	6	8	4	8	15	20	57	105	172	159	191	218	179	166	116	73	54	16	9	6
330-334	Vascular lesions, etc.*----------	10,816	16	2	1	3	-	1	5	10	9	22	32	83	186	312	543	769	1,173	1,447	1,854	1,794	1,387	718	214	27	8
	White-----M--	4,718	12	-	-	1	-	1	4	8	4	8	9	34	68	118	227	341	557	666	855	823	630	260	81	8	3
	F--	5,279	-	2	1	1	-	-	1	1	5	13	17	36	79	139	244	342	520	709	924	924	724	445	130	18	4
	Nonwhite--M--	259	1	-	-	-	-	-	-	-	-	-	3	4	17	23	30	39	40	37	29	15	18	3	-	-	-
	F--	360	3	-	-	1	-	-	-	1	-	1	3	9	22	32	42	47	56	55	48	32	15	10	3	1	1
400-402	Rheumatic fever---	221	4	1	1	1	5	23	34	23	19	28	17	26	22	3	2	4	3	3	-	1	3	-	-	-	-
	White-----M--	102	3	-	-	1	2	7	15	9	9	14	6	16	10	2	1	3	1	1	-	1	1	-	-	-	-
	F--	90	1	-	1	-	2	11	15	12	6	11	8	9	10	-	-	1	1	2	-	-	2	-	-	-	-
	Nonwhite--M--	15	-	1	-	-	1	2	-	2	2	1	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-
	F--	14	-	-	-	-	-	3	6	-	2	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
410-443	Diseases of heart	43,674	8	3	3	4	2	19	18	60	82	145	246	466	1,008	1,709	2,743	3,745	5,176	6,210	6,726	6,436	4,890	2,738	944	163	30
	White—M	23,493	3	1	1	3	1	6	7	35	38	74	115	274	613	1,008	1,704	2,332	3,127	3,610	3,603	3,243	2,191	1,107	336	53	10
	F	17,603	3	1	1	1	1	10	9	21	35	51	99	126	258	455	778	1,125	1,740	2,306	2,886	3,024	2,583	1,570	596	105	11
	Nonwhite—M	1,202	1	-	1	-	-	1	1	3	4	9	19	26	67	120	159	155	159	164	132	92	55	25	4	1	4
	F	1,076	1	1	-	-	-	2	1	5	5	11	13	40	70	126	102	133	150	130	105	77	51	36	8	6	5
410-416	Chronic rheumatic heart disease	1,659	...	-	-	1	1	11	12	26	49	66	87	117	138	169	200	160	156	135	118	89	74	35	14	1	-
	White—M	743	...	-	-	-	-	3	7	13	21	31	34	51	67	66	92	78	85	68	50	35	29	11	2	-	-
	F	818	...	-	-	1	1	7	4	11	25	27	48	56	60	90	91	77	63	63	62	51	45	24	11	1	-
	Nonwhite—M	53	...	-	-	-	-	1	-	1	2	3	5	4	6	5	10	5	4	2	4	1	-	-	-	-	-
	F	45	...	-	-	-	-	-	1	1	1	5	-	6	5	8	7	-	4	2	2	2	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	23,972	1	-	-	-	-	1	-	13	7	31	83	234	551	1,052	1,746	2,459	3,271	3,738	3,759	3,288	2,233	1,114	346	52	13
	White—M	14,589	-	-	-	-	-	-	-	8	4	23	53	182	424	741	1,255	1,719	2,161	2,370	2,153	1,813	1,052	470	137	22	2
	F	8,445	1	-	-	-	-	1	-	4	2	7	21	34	83	194	365	607	958	1,238	1,515	1,417	1,136	622	205	28	7
	Nonwhite—M	559	-	-	-	-	-	-	-	1	-	1	6	8	24	49	90	82	92	77	54	34	27	9	1	1	3
	F	379	-	-	-	-	-	-	-	-	1	-	3	10	20	48	36	51	60	53	37	24	18	13	3	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	8,854	...	2	-	1	1	2	4	9	5	20	25	38	92	145	241	345	491	1,026	1,381	1,663	1,592	1,056	421	82	12
	White—M	4,289	...	1	-	1	1	1	-	5	3	7	11	14	36	71	132	191	405	547	724	812	725	425	145	25	6
	F	4,195	...	-	-	-	-	1	3	2	2	10	11	16	34	45	87	129	245	423	601	806	842	609	275	54	2
	Nonwhite—M	194	...	-	-	-	-	-	1	1	-	1	1	3	8	15	15	15	23	31	31	25	14	8	2	-	-
	F	177	...	1	-	-	-	-	-	1	-	2	2	5	14	14	7	10	18	26	25	20	11	14	1	3	4
430-434	Other diseases of heart	1,930	7	1	3	2	-	3	1	11	12	13	27	22	63	90	110	166	227	258	294	265	196	112	38	7	2
	White—M	1,072	3	-	1	2	-	2	-	7	5	6	13	9	33	49	61	97	138	160	181	136	102	52	13	1	1
	F	742	2	1	1	-	-	1	1	3	3	5	10	10	24	26	40	51	77	87	107	120	86	58	23	6	-
	Nonwhite—M	68	1	-	1	-	-	-	-	-	2	-	3	2	3	11	5	13	4	6	5	5	4	2	-	-	1
	F	48	1	-	-	-	-	2	-	1	2	2	1	1	3	4	4	5	8	5	1	4	4	-	-	-	-
440-443	Hypertension with heart dis.	7,159	-	-	-	-	-	-	1	1	8	15	24	55	164	273	446	615	831	1,053	1,174	1,131	795	421	127	21	3
	White—M	2,801	-	-	-	-	-	-	-	-	5	7	4	18	53	81	164	247	338	465	495	447	285	149	39	5	1
	F	3,603	-	-	-	-	-	-	1	1	3	2	9	10	57	100	195	261	397	495	601	630	484	257	84	14	2
	Nonwhite—M	328	-	-	-	-	-	-	-	-	-	4	4	9	26	40	39	40	36	48	38	27	10	6	1	-	-
	F	427	-	-	-	-	-	-	-	-	1	2	7	18	28	52	48	67	60	45	40	27	18	9	3	2	-
444-447	Hypertension without mention of heart	833	-	-	1	-	-	-	1	-	2	6	11	26	33	50	55	56	70	98	87	132	109	69	23	3	1
	White—M	322	-	-	-	-	-	-	1	-	1	2	4	6	6	15	20	23	30	35	57	53	52	26	10	1	-
	F	406	-	-	-	-	-	-	-	-	1	1	3	9	12	19	21	25	33	52	45	75	56	38	13	2	1
	Nonwhite—M	48	-	-	1	-	-	-	-	-	-	1	-	6	6	7	6	4	5	5	1	3	1	2	-	-	-
	F	57	-	-	-	-	-	-	-	-	-	2	4	5	9	9	8	4	2	6	4	1	-	3	-	-	-
450	General arteriosclerosis	2,681	-	-	-	-	-	-	-	1	-	2	3	6	3	19	43	122	174	371	543	590	463	248	65	8	
	White—M	1,280	-	-	-	-	-	-	-	-	-	1	2	4	2	9	25	62	95	194	283	288	196	99	19	1	
	F	1,281	-	-	-	-	-	-	-	1	-	1	-	2	1	7	10	43	66	161	245	292	259	144	43	6	
	Nonwhite—M	53	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	9	8	10	9	3	4	-	1	1	
	F	47	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	5	6	6	7	4	5	2	-	
451-468	Other diseases of circulatory sys.	610	5	1	-	-	-	2	2	4	11	13	4	16	25	29	54	82	78	86	71	59	44	15	7	1	1
	White—M	317	4	-	-	-	-	-	1	2	3	4	1	5	6	11	29	50	46	51	41	27	25	5	4	1	1
	F	228	1	-	-	-	-	1	-	2	7	7	2	4	15	10	17	21	27	30	24	30	19	9	3	-	-
	Nonwhite—M	29	-	-	-	-	-	-	-	-	-	1	1	4	1	4	3	7	3	2	1	2	-	-	-	-	-
	F	35	-	1	-	-	-	1	1	-	1	1	-	3	3	4	5	4	2	3	5	-	-	1	-	-	-
592-594	Chronic nephritis, etc.*	1,619	1	-	3	-	4	10	15	13	30	31	26	43	72	80	114	126	150	177	189	223	168	90	43	10	1
	White—M	754	-	-	2	-	2	5	7	9	14	13	10	18	30	31	52	59	87	85	91	113	73	32	19	2	-
	F	725	1	-	1	-	2	5	7	4	14	13	14	14	27	26	47	58	50	76	87	101	91	58	23	6	-
	Nonwhite—M	59	-	-	-	-	-	-	-	-	1	2	2	4	9	3	9	4	6	6	5	5	2	-	-	1	-
	F	81	-	-	-	-	-	-	1	-	1	3	-	7	6	20	6	5	7	10	6	4	2	-	1	1	1
480-483	Influenza and pneumonia, etc.*	3,005	490	78	22	19	14	20	18	22	21	25	33	73	70	107	138	190	240	286	323	316	248	169	70	11	2
	White—M	1,582	265	35	10	8	9	13	8	11	9	12	12	39	34	47	70	126	139	166	180	153	130	76	26	3	1
	F	1,094	161	31	9	7	3	5	8	9	10	6	8	19	15	23	33	41	80	102	128	152	106	87	43	7	1
	Nonwhite—M	201	37	6	3	1	2	2	2	2	2	4	4	9	13	19	23	16	14	14	11	7	6	3	1	-	-
	F	128	27	6	-	3	-	-	-	-	-	3	9	8	8	18	12	7	7	4	4	4	6	3	-	1	-
480-483	Influenza	256	29	10	1	-	3	3	2	4	3	1	3	3	6	7	9	11	26	23	35	24	25	19	6	2	1
	White—M	129	17	5	1	-	2	2	2	3	2	1	1	3	2	6	2	7	15	11	14	9	12	8	2	1	1
	F	118	10	5	-	-	1	1	-	1	1	-	1	-	3	1	6	4	10	12	19	15	12	11	4	1	-
	Nonwhite—M	7	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	2	-	1	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	2,749	461	68	21	19	11	17	16	18	18	24	30	70	64	100	129	179	214	263	288	292	223	150	64	9	1
	White—M	1,453	248	30	9	8	7	11	6	8	7	11	11	38	32	41	68	119	124	155	186	144	118	68	24	2	-
	F	976	151	26	9	7	2	4	8	8	9	6	7	19	12	22	27	37	70	90	109	137	94	76	39	6	1
	Nonwhite—M	194	36	6	3	1	2	2	2	2	2	4	4	9	12	19	22	16	13	14	9	7	5	3	1	-	-
	F	128	26	6	-	3	-	-	-	-	-	3	8	6	8	18	12	7	7	4	4	4	6	3	-	1	-
500-502	Bronchitis	230	34	8	4	1	3	4	1	1	2	2	-	-	8	4	7	11	18	26	18	30	22	22	6	-	-
	White—M	117	16	1	3	1	1	3	1	1	2	2	-	-	2	1	3	6	13	20	11	15	8	6	1	-	-
	F	93	14	5	1	-	1	1	-	-	-	-	-	-	4	-	2	3	4	6	5	14	14	15	4	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-
	F	15	2	-	-	-	1	-	-	-	-	-	-	-	2	2	2	1	1	-	2	1	-	-	1	-	-
540, 541	Ulcer of stomach and duodenum	525	1	-	1	-	-	-	-	-	4	5	5	24	29	39	51	67	89	85	53	38	24	7	2	1	-
	White—M	419	1	-	-	-	-	-	-	-	-	4	3	15	23	30	42	56	80	65	43	32	18	2	2	1	-
	F	78	-	-	1	-	-	-	-	-	1	1	2	4	4	5	5	8	8	14	8	6	6	5	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	2	-	-	4	2	4	3	1	1	2	2	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	4	-	-	-	-	-	-	-
550-553	Appendicitis	265	1	2	5	3	4	18	11	10	7	7	9	13	17	19	21	30	33	25	13	7	-	-	1	-	
	White—M	148	-	2	2	2	3	10	7	6	4	4	4	2	8	8	13	9	16	21	16	8	3	-	-	-	
	F	102	1	-	2	1	1	6	3	2	3	3	5	6	5	7	5	10	13	11	9	4	4	-	-	1	
	Nonwhite—M	11	-	-	1	-	-	2	1	1	-	-	-	1	-	2	1	1	-	1	-	-	-	-	-	-	
	F	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	
560, 561, 570	Hernia, intestinal obstruction	819	74	7	6	-	1	4	1	1	2	8	12	16	24	37	46	63	83	98	115	91	68	49	7	6	-
	White—M	377	41	3	3	-	-	2	1	-	-	5	5	8	10	10	29	28	40	54	59	36	26	13	3	1	-
	F	398	27	2	2	-	1	2	-	1	1	3	6	2	11	18	14	34	39	43	54	54	41	35	3	5	-
	Nonwhite—M	24	4	2	1	-	-	-	-	-	-	-	-	3	1	6	1	1	3	-	-	1	1	-	1	-	-
	F	20	2	-	-	-	-	-	-	-	1	-	1	3	2	3	2	1	1	1	2	-	-	1	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	PENNSYLVANIA—Continued																										
545, 571, 572	Gastritis, etc.*—	452	167	19	6	1	2	8	1	2	7	10	7	11	10	17	13	23	21	28	30	34	20	10	4	1	-
	White——M—	193	78	12	2	-	1	4	1	1	4	3	2	5	4	6	7	9	13	9	13	10	8	5	2	-	-
	F—	198	58	7	3	1	1	3	-	-	2	4	5	4	5	7	5	12	7	17	15	24	10	5	2	1	-
	Nonwhite—M—	22	16	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	1	-	-	-	-	-	-	-
	F—	33	15	-	1	-	-	1	-	1	1	3	-	2	-	2	-	2	1	1	1	-	2	-	-	-	-	-
581	Cirrhosis of liver	998	5	-	-	-	-	3	2	2	1	11	29	47	68	98	123	149	139	116	86	64	34	17	2	-	-
	White——M—	626	2	-	-	-	-	1	1	-	-	6	12	33	36	59	82	96	95	81	54	41	16	9	2	-	-
	F—	323	3	-	-	-	-	2	1	2	1	4	14	11	21	32	37	46	41	31	30	22	18	7	-	-	-
	Nonwhite—M—	24	-	-	-	-	-	-	-	-	-	-	1	-	5	5	2	5	3	1	2	-	-	-	-	-	-
	F—	25	-	-	-	-	-	-	-	-	-	1	2	3	6	2	2	2	-	3	-	1	-	1	-	-	-
590, 591	Acute nephritis, etc.*—	258	6	1	3	1	4	6	9	7	11	10	9	10	19	23	13	23	17	18	15	21	21	10	2	-	-
	White——M—	118	2	-	1	1	2	3	6	2	3	5	-	6	7	12	8	10	11	10	3	7	13	6	-	-	-
	F—	120	3	1	2	-	2	3	2	4	6	2	6	2	11	9	5	9	6	7	12	14	8	4	2	-	-
	Nonwhite—M—	13	-	-	-	-	-	-	1	1	2	2	1	2	-	2	-	2	-	-	-	-	-	-	-	-	-
	F—	7	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	2	-	1	-	-	-	-	-	-	-
610	Hyperplasia of prostate	420	-	-	-	-	-	-	-	-	-	-	-	-	2	5	4	17	30	43	80	89	84	49	14	3	-
	White——M—	394	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	12	26	40	76	89	81	47	13	3	-
	Nonwhite—M—	26	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	4	3	4	-	3	2	1	-	-
640–689	Complications of pregnancy, etc.*—	151	...	...	...	...	...	...	-	16	26	49	27	22	9	2	-	-	...	...	...	...	...	...	...	...	-
	White——F—	124	...	...	...	...	...	...	-	9	20	42	24	20	7	2	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	27	...	...	...	...	...	...	-	7	6	7	3	2	2	-	-	-	...	...	...	...	...	...	...	...	-
650	Abortion	19	...	...	...	...	...	...	-	3	3	6	4	2	-	1	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	12	...	...	...	...	...	...	-	2	1	4	3	1	-	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	7	...	...	...	...	...	...	-	1	2	2	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640–649, 650–652, 689	All other complications	132	...	...	...	...	...	...	-	13	23	43	23	20	9	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	112	...	...	...	...	...	...	-	7	19	38	21	19	7	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	20	...	...	...	...	...	...	-	6	4	5	2	1	2	-	-	-	...	...	...	...	...	...	...	...	-
750–759	Congenital malformations	1,261	992	52	24	16	5	22	23	15	14	12	8	12	18	15	11	8	10	2	2	-	-	-	-	-	-
	White——M—	682	524	26	16	11	2	17	15	11	6	6	5	4	12	10	3	3	9	1	1	-	-	-	-	-	-
	F—	507	414	23	7	3	3	4	8	3	8	5	2	7	5	3	5	5	1	-	1	-	-	-	-	-	-
	Nonwhite—M—	39	32	1	1	1	-	-	-	1	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	F—	33	22	2	-	1	-	1	-	-	-	1	-	1	-	2	2	-	-	1	-	-	-	-	-	-	-
760–776	Certain diseases of early infancy	4,068	4,067	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	2,052	2,051	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1,501	1,501	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	297	297	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	238	238	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760–762	Birth injuries, etc.*—	1,430	1,430	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	792	792	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	494	494	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	80	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	64	64	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763–768	Infections of newborn	228	228	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	98	98	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	100	100	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769–776	Other diseases of infancy, and immaturity unqualified	2,410	2,409	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	1,142	1,141	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	907	907	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	163	163	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780–795	Senility, etc.*—	1,051	58	9	3	-	2	4	1	1	11	5	10	16	29	28	71	73	88	102	83	114	135	104	73	27	4
	White——M—	529	25	2	2	-	1	1	-	-	2	1	4	8	19	14	39	44	61	72	48	62	52	41	24	7	-
	F—	421	24	5	1	-	1	3	1	-	1	1	3	3	6	4	16	20	21	23	31	48	78	62	49	19	1
	Nonwhite—M—	65	4	2	-	-	-	-	-	1	5	3	2	4	3	6	9	8	5	4	2	1	3	1	-	-	2
	F—	36	5	-	-	-	-	-	-	-	3	-	1	1	1	4	7	1	1	3	2	3	2	-	-	1	1
Residual	All other diseases	5,089	223	52	31	25	19	66	35	45	71	105	150	184	224	301	363	528	603	642	523	456	239	147	39	12	6
	White——M—	2,813	115	29	18	13	9	30	18	21	32	49	66	87	120	163	209	320	398	398	288	245	104	64	11	4	2
	F—	1,949	95	17	11	6	8	27	14	17	26	45	67	75	77	103	128	175	183	213	218	200	127	82	27	7	3
	Nonwhite—M—	172	5	5	-	3	-	3	3	2	6	5	8	8	11	19	20	19	12	18	9	8	5	-	1	1	1
	F—	155	8	1	2	3	2	6	-	5	7	6	9	14	16	16	8	14	10	13	8	3	3	1	-	-	-
E800–E962	Accidents	5,632	201	57	77	65	51	212	148	241	335	252	261	246	252	253	305	348	370	381	423	423	363	251	116	16	5
	White——M—	3,653	103	26	38	34	31	140	107	183	279	187	190	186	204	183	228	256	282	258	244	200	160	84	32	5	3
	F—	1,644	60	24	32	25	16	55	34	47	39	31	46	34	33	39	50	56	77	112	167	211	201	160	82	11	2
	Nonwhite—M—	245	23	4	5	3	1	12	5	11	14	12	22	21	8	26	23	21	10	11	4	5	-	3	1	-	-
	F—	90	15	3	2	3	3	5	2	-	3	2	3	5	7	5	4	5	1	-	8	7	2	4	1	-	-
E810–E835	Motor-vehicle accidents	1,730	2	9	21	28	27	117	45	133	196	104	110	92	71	88	102	112	121	115	95	83	38	19	2	-	-
	White——M—	1,296	1	4	12	19	20	76	32	99	165	82	86	71	51	64	75	84	95	84	74	57	29	15	1	-	-
	F—	360	1	5	8	8	7	35	12	31	24	17	18	15	17	18	21	21	23	28	19	22	9	4	1	-	-
	Nonwhite—M—	61	-	-	1	1	-	3	1	3	6	4	7	5	1	8	6	5	3	3	1	3	-	-	-	-	-
	F—	13	-	-	-	-	-	3	-	-	1	1	1	1	2	-	-	2	-	-	1	1	-	-	-	-	-
E800–E962, E840–E962	All ot. accidents	3,902	199	48	56	37	24	95	103	108	139	128	151	154	181	165	203	236	249	266	328	340	325	232	114	16	5
	White——M—	2,357	102	22	26	15	11	84	75	84	114	105	104	115	153	119	153	182	187	174	170	143	131	69	31	5	3
	F—	1,284	59	19	24	17	9	20	22	16	16	14	30	19	16	23	29	35	54	64	148	169	192	156	81	11	2
E962	Nonwhite—M—	184	23	4	4	2	1	9	4	8	8	8	15	16	7	18	17	16	7	8	3	2	-	3	1	-	-
	F—	77	15	3	2	3	3	2	2	-	2	1	2	4	5	5	4	3	1	-	7	6	2	4	1	-	-
E963, E970–E979	Suicide	1,109	-	-	-	-	-	-	6	20	68	57	69	78	101	94	141	123	107	104	64	47	14	12	4	-	-
	White——M—	861	-	-	-	-	-	-	6	17	46	33	51	55	78	73	112	99	87	85	50	39	14	12	4	-	-
	F—	220	-	-	-	-	-	-	-	1	15	23	15	20	22	21	26	22	18	18	12	7	-	-	-	-	-
	Nonwhite—M—	24	-	-	-	-	-	-	-	2	5	1	3	2	1	-	3	1	2	1	2	1	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
E964, E980–E985	Homicide	273	9	5	2	1	2	7	4	12	26	33	46	33	18	24	22	9	11	2	3	2	2	-	-	-	-
	White——M—	105	5	2	1	-	1	5	1	5	7	12	15	10	11	7	7	6	8	2	1	1	-	-	-	-	-
	F—	55	5	3	-	1	-	1	-	4	5	4	6	8	1	6	4	-	1	-	2	-	2	-	-	-	-
	Nonwhite—M—	88	1	-	-	-	1	1	3	3	10	14	16	11	5	10	9	2	2	-	-	1	-	-	-	-	-
	F—	27	-	-	1	-	1	-	-	-	4	3	9	4	1	1	2	1	-	-	-	-	-	-	-	-	-
E965, E990–E999	Operations of war	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	White——M—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE, (By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND																										
	ALL CAUSES	8,071	385	29	15	19	7	28	18	33	64	71	78	130	215	311	453	665	884	1,016	1,111	1,096	820	424	161	24	4
	White	4,228	214	20	10	11	5	13	11	23	34	28	43	66	130	185	258	405	529	594	557	523	350	156	54	7	2
	M	3,640	182	8	5	7	1	13	5	8	20	38	32	57	77	110	181	243	340	405	533	547	462	264	104	16	2
	F	106	9	1	-	1	1	2	-	2	5	4	1	4	2	5	10	6	13	8	10	14	4	2	2	-	-
	Nonwhite	97	10	-	-	-	-	-	2	-	5	1	2	3	6	11	4	11	2	9	11	12	4	2	1	1	-
001-019	Tuberculosis, all forms	168	1	1	1	-	2	-	-	2	12	13	5	19	18	22	11	12	21	19	8	3	-	-	-	-	-
	White	102	-	1	-	-	2	-	-	-	-	2	2	9	11	18	7	9	18	15	6	2	-	-	-	-	-
	M	44	1	-	1	-	-	-	-	2	4	7	1	7	6	3	3	1	1	4	2	1	-	-	-	-	-
	Nonwhite	13	-	-	-	-	-	-	-	-	3	3	-	2	-	-	1	2	2	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	5	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	157	-	-	-	-	1	-	-	1	10	13	5	19	18	20	11	11	20	19	8	3	-	-	-	-	-
	White	97	-	-	-	-	1	-	-	-	-	2	2	9	11	17	7	8	17	15	6	2	-	-	-	-	-
	M	39	-	-	-	-	-	-	-	1	3	7	1	7	6	2	3	1	1	4	2	1	-	-	-	-	-
	Nonwhite	12	-	-	-	-	-	-	-	-	2	3	-	2	-	-	1	2	2	-	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	5	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	11	1	1	1	-	1	-	-	1	2	-	-	-	-	2	-	1	1	-	-	-	-	-	-	-	-
	White	5	-	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-
	M	5	1	-	1	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	50	-	-	-	-	-	-	-	-	-	1	1	-	4	2	8	7	10	5	6	6	-	-	-	-	-
	White	29	-	-	-	-	-	-	-	-	-	-	-	-	4	-	5	3	5	4	5	3	-	-	-	-	-
	M	15	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	2	3	1	1	3	-	-	-	-	-
	Nonwhite	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	M	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	2	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	17	-	1	-	-	-	-	1	-	2	1	1	2	-	4	1	1	1	1	1	-	-	-	-	-	-
	White	9	-	1	-	-	-	-	1	-	1	-	1	1	-	2	1	-	-	1	1	-	-	-	-	-	-
	M	6	-	1	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
140-205	Malignant neoplasms, etc.*----	1,405	1	2	1	2	3	3	4	6	6	8	18	29	53	75	107	182	192	219	211	171	85	37	11	1	2
	White----M--	700	-	1	1	1	2	2	2	4	2	5	8	14	22	27	44	80	107	127	104	94	53	15	4	-	1
	F--	681	1	-	-	1	1	1	2	1	4	2	8	14	29	44	63	79	81	92	103	75	32	21	7	1	1
	Nonwhite--M--	13	-	1	-	-	-	-	-	1	-	1	-	1	1	-	-	-	4	-	2	3	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	3	-	-	2	1	-	1	-	-	-
140-148	Of buccal cavity and pharynx------	39	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	5	3	5	6	7	5	3	-	-	-
	White----M--	32	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	5	2	3	6	5	5	2	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	2	-	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	600	-	-	-	-	-	-	-	1	-	-	2	11	9	23	31	64	87	115	116	81	37	17	5	-	1
	White----M--	322	-	-	-	-	-	-	-	1	-	-	2	7	5	12	15	29	53	71	61	45	14	6	1	-	-
	F--	272	-	-	-	-	-	-	-	-	-	-	-	4	4	11	16	34	33	44	52	35	23	11	4	-	1
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-
160-164	Of respiratory system----------	142	-	-	-	-	-	-	-	-	-	-	1	-	8	8	9	13	31	26	23	8	10	2	1	3	-	1
	White----M--	118	-	-	-	-	-	-	-	-	-	-	1	-	6	6	8	9	26	22	21	6	9	1	-	2	-	1
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	5	2	2	2	1	1	1	1	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	146	-	-	-	-	-	-	-	-	-	-	1	3	5	8	12	17	14	19	16	17	14	14	4	2	-	-
	White----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	141	-	-	-	-	-	-	-	-	-	-	1	3	4	8	11	17	13	19	16	17	12	14	4	2	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs----	165	-	-	-	-	-	-	-	-	-	-	-	3	4	11	12	10	16	21	18	26	23	13	7	1	-	-
	White----M--	55	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	3	6	8	11	10	7	4	1	-	-
	F--	108	-	-	-	-	-	-	-	-	-	-	-	2	4	10	10	9	13	15	9	14	12	6	2	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-
180, 181	Of urinary organs----	61	-	-	-	-	-	-	-	-	-	-	-	3	3	2	2	8	9	7	9	13	5	1	-	1	-	-
	White----M--	44	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	7	7	7	7	8	3	-	-	-	-	-
	F--	17	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	1	2	-	2	5	2	1	-	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	185	-	1	1	1	-	-	4	2	1	2	4	2	8	9	24	19	21	29	24	20	8	3	-	-	-
	White----M--	89	-	1	1	1	-	-	2	1	1	1	2	1	4	2	11	7	14	12	11	15	3	2	-	-	-
	F--	89	-	-	-	-	-	-	2	1	-	1	2	2	2	7	13	11	6	17	13	6	5	1	-	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia----------	30	1	1	-	-	1	2	3	-	2	2	-	2	-	1	2	3	2	2	2	1	2	-	1	-	-	-
	White----M--	15	-	-	-	-	2	2	-	-	1	-	-	1	-	1	1	1	1	2	-	-	2	-	1	2	-	-
	F--	13	1	-	-	1	-	1	-	-	1	2	-	1	-	-	1	2	1	-	2	1	-	-	-	-	-	-
	Nonwhite--M--	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*---	39	-	-	-	-	1	-	1	3	4	2	1	2	3	5	3	4	4	4	1	1	-	-	-	-	-	-
	White----M--	24	-	-	-	-	-	-	1	1	3	2	1	-	2	4	2	1	4	2	1	-	-	-	-	-	-	-
	F--	14	-	-	-	-	1	-	-	2	-	-	-	2	1	1	1	3	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	34	1	-	-	-	-	-	1	-	2	1	3	2	-	-	5	4	4	1	5	4	1	-	-	-	-
	White----M--	17	-	-	-	-	-	-	-	-	2	-	1	1	-	-	4	3	3	1	1	1	-	-	-	-	-	-
	F--	15	1	-	-	-	-	-	1	-	-	1	1	1	-	-	1	1	1	-	4	2	1	-	-	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus----	306	-	-	-	-	-	-	-	-	-	-	3	1	1	3	9	17	25	37	67	65	42	25	11	-	-	-
	White----M--	90	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	10	8	10	18	21	11	6	1	-	-	-
	F--	210	-	-	-	-	-	-	-	-	-	-	3	1	-	2	3	7	16	27	48	43	31	19	10	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	1	1	-	-	-	-	-	-	-
290-293	Anemias----------	42	1	-	-	1	-	-	1	-	1	-	-	1	2	1	1	2	4	5	7	4	6	5	1	-	-	-
	White----M--	15	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	2	2	3	2	2	-	-	-	-
	F--	27	1	-	-	1	-	-	1	-	-	-	-	1	1	1	-	1	2	3	5	1	4	3	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis-------	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	White----M--	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	4,401	2	1	-	2	-	-	2	3	5	15	14	38	85	141	232	349	483	584	681	727	594	318	127	18	2
	White----M--	2,348	-	1	-	1	-	-	1	2	4	9	10	22	61	92	144	227	293	354	354	342	260	119	45	6	1
	F--	1,962	1	-	-	1	-	-	1	1	6	4	15	22	41	79	117	163	216	316	368	326	194	79	11	1	
	Nonwhite--M--	47	-	-	-	-	-	-	-	-	-	-	1	1	3	7	1	5	8	6	7	4	2	2	-	-	-
	F--	44	1	-	-	1	-	-	-	-	-	-	-	1	5	2	4	2	6	5	10	4	1	1	1	-	-
330-334, 400-468	Diseases of cardiovascular system----	4,252	2	-	-	-	-	-	2	3	4	15	11	36	82	138	223	336	449	561	666	701	575	308	125	16	1
	White----M--	2,274	-	-	-	-	-	-	1	2	3	9	9	20	60	91	140	217	284	342	351	331	250	118	43	5	-
	F--	1,891	1	-	-	-	-	-	1	1	1	6	2	15	20	39	75	114	158	206	304	353	319	189	77	10	1
	Nonwhite--M--	44	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	1	5	7	6	7	3	2	2	-	-
	F--	43	1	-	-	-	1	-	-	-	-	-	-	-	1	5	2	4	2	8	5	10	3	1	1	1	-
330-334	Vascular lesions, etc.*----------	751	1	-	-	-	-	-	1	-	1	1	-	8	13	30	27	51	72	87	138	139	96	45	19	2	-
	White----M--	341	-	-	-	-	-	-	1	-	1	-	-	2	10	18	11	23	34	49	63	68	45	11	4	1	-
	F--	372	-	-	-	-	-	-	-	-	-	1	-	6	3	11	15	28	34	38	71	69	49	33	15	1	-
	Nonwhite--M--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	2	1	2	-	-	-	-
	F--	6	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	2	1	-	1	-	-	-
400-402	Rheumatic fever----	8	-	-	-	-	-	-	1	1	-	1	2	1	1	-	-	1	-	-	-	-	-	-	-	-	-
	White----M--	6	-	-	-	-	-	-	1	1	-	1	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
410-443	Diseases of heart-	3,261	1	-	-	-	-	-	-	2	3	12	9	27	66	105	190	272	359	455	499	520	427	216	89	10	1
	White-----M--	1,912	-	-	-	-	-	-	-	1	2	8	7	18	48	70	127	188	240	283	273	241	182	87	34	3	-
	F--	1,383	1	-	-	-	-	-	-	1	1	4	2	8	16	28	56	79	116	161	219	264	241	128	53	6	1
	Nonwhite--M--	52	-	-	-	-	-	-	-	-	-	-	-	1	1	3	5	1	2	8	4	6	1	1	1	-	-
	F--	34	-	-	-	-	-	-	-	-	-	-	-	-	1	4	2	4	1	5	3	9	3	-	1	1	-
410-416	Chronic rheumatic heart disease----	88	...	-	-	-	-	-	-	1	1	7	2	5	8	10	12	10	16	7	4	2	3	-	-	-	-
	White-----M--	45	...	-	-	-	-	-	-	1	-	4	1	3	4	5	6	6	9	3	1	-	2	-	-	-	-
	F--	41	...	-	-	-	-	-	-	-	1	3	1	2	4	4	6	4	7	4	3	1	1	-	-	-	-
	Nonwhite--M--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,217	1	-	-	-	-	-	-	-	2	7	17	46	67	131	198	282	329	348	340	250	152	57	9	1	
	White-----M--	1,327	-	-	-	-	-	-	-	-	1	6	13	39	52	96	152	188	216	201	176	102	59	24	2	-	
	F--	844	1	-	-	-	-	-	-	-	1	1	3	5	9	32	44	72	106	141	153	145	92	32	6	1	
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	-	-	1	1	3	3	-	2	3	3	3	1	1	-	-	-	
	F--	25	-	-	-	-	-	-	-	-	-	-	-	1	3	-	2	-	4	3	8	2	-	1	1	-	
421, 422	Nonrheumatic chronic endocarditis, etc.*--	400	...	-	-	-	-	-	-	1	1	1	-	1	3	6	14	14	25	37	56	84	93	41	23	-	-
	White-----M--	202	...	-	-	-	-	-	-	-	1	1	-	-	1	4	9	8	15	21	34	35	48	17	8	-	-
	F--	197	...	-	-	-	-	-	-	1	-	-	-	1	2	8	6	10	15	22	49	45	24	15	-	-	
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
430-434	Other diseases of heart----------	82	-	-	-	-	-	-	-	-	1	2	-	4	2	6	7	5	9	9	9	10	11	5	2	-	-
	White-----M--	52	-	-	-	-	-	-	-	-	1	2	-	2	1	4	6	4	8	6	5	3	6	3	1	-	-
	F--	26	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	1	1	1	3	7	5	2	1	-	-
	Nonwhite--M--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	474	-	-	-	-	-	-	-	-	-	-	-	-	7	14	26	45	47	73	82	84	70	18	7	1	-
	White-----M--	186	-	-	-	-	-	-	-	-	-	-	-	-	3	5	10	18	20	37	32	27	24	8	1	1	-
	F--	275	-	-	-	-	-	-	-	-	-	-	-	-	4	9	13	24	26	35	50	54	45	10	5	-	-
	Nonwhite--M--	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	2	-	-	1	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	-	1	1	-	-	-	-
444-447	Hypertension without mention of heart----------	58	-	-	-	-	-	-	-	-	-	1	-	-	-	3	3	4	10	6	9	7	6	8	1	-	-
	White-----M--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	6	2	3	3	1	-	-
	F--	35	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	7	5	3	5	3	4	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis----------	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	8	12	17	31	43	38	13	4	-
	White-----M--	79	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	5	8	8	19	18	15	3	1	-
	F--	89	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	4	9	12	25	23	9	3	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	25	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	2	1	3	4	3	1	1	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	2	1	1	1	2	-	1	-	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	2	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	149	-	1	-	2	-	-	-	-	1	-	3	2	3	3	9	13	14	23	15	26	19	8	4	2	1
	White-----M--	74	-	1	-	1	-	-	-	-	1	-	1	2	1	1	4	10	9	12	3	11	10	3	2	1	1
	F--	71	-	-	-	1	-	-	-	-	-	-	2	-	2	2	4	3	3	10	12	15	7	5	2	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	116	12	2	1	1	-	4	-	2	1	1	1	2	-	4	8	12	6	17	11	16	11	4	2	-	-
	White-----M--	66	5	-	1	1	-	3	-	1	-	-	1	1	-	4	4	6	4	8	7	10	9	-	1	-	-
	F--	46	6	2	-	-	-	1	-	-	1	1	-	1	-	-	3	5	2	8	4	5	2	4	1	-	-
	Nonwhite--M--	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
480-483	Influenza----------	5	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	113	12	2	1	1	-	3	-	2	1	1	1	2	-	4	8	11	6	16	11	15	11	3	2	-	-
	White-----M--	65	5	-	1	1	-	3	-	1	-	-	1	1	-	4	4	6	4	8	7	9	9	-	1	-	-
	F--	43	6	2	-	-	-	-	-	-	1	1	-	1	-	-	3	5	2	7	4	5	2	3	1	-	-
	Nonwhite--M--	3	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
500-502	Bronchitis----------	20	2	1	1	1	-	-	-	-	-	-	-	-	-	1	2	2	3	2	2	2	1	-	-	-	-
	White-----M--	15	1	1	-	1	-	-	-	-	-	-	-	-	-	1	2	2	1	2	2	2	-	-	-	-	-
	F--	5	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum-----	53	-	-	-	-	-	-	-	-	-	-	3	1	2	3	3	10	14	2	3	8	1	1	2	-	-
	White-----M--	39	-	-	-	-	-	-	-	-	-	-	2	1	2	3	2	9	12	2	1	3	1	-	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	2	-	2	5	-	1	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	26	-	-	-	1	-	2	-	-	-	1	-	-	4	2	4	2	4	1	2	-	1	2	-	-	-
	White-----M--	16	-	-	-	-	-	1	-	-	-	1	-	-	2	1	3	1	3	1	1	-	-	2	-	-	-
	F--	9	-	-	-	1	-	1	-	-	-	-	-	-	1	1	1	1	1	-	1	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	64	5	1	1	-	-	-	-	1	-	-	1	2	2	1	1	1	5	6	19	7	3	8	-	-	-
	White-----M--	28	5	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	4	4	8	3	-	1	-	-	-
	F--	35	-	1	-	-	-	-	-	-	-	-	1	2	2	1	-	1	1	2	10	4	3	7	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	RHODE ISLAND—Continued																										
543, 571, 572	Gastritis, etc.*—	25	2	-	-	-	-	-	-	-	-	-	1	1	1	2	1	4	3	-	4	3	2	-	1	-	-
	White——M—	13	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	3	2	-	4	1	-	-	-	-	-
	F—	11	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	2	2	-	1	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	92	1	-	-	-	-	-	-	-	1	1	2	2	8	9	6	12	20	10	8	7	3	2	-	-	-
	White——M—	60	-	-	-	-	-	-	-	-	1	-	1	2	6	6	3	9	11	8	6	4	2	1	-	-	-
	F—	32	1	-	-	-	-	-	-	-	-	1	1	-	2	3	3	3	9	2	2	3	1	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	16	-	-	-	-	-	2	-	-	1	-	1	2	-	1	1	1	2	2	1	1	1	-	-	-	-
	White——M—	8	-	-	-	-	-	1	-	-	-	-	1	1	-	-	1	1	1	-	1	1	1	-	-	-	-
	F—	8	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	1	2	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	6	6	5	6	3	1	-	-
	White——M—	34	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	6	6	4	6	3	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	12	...	...	...	...	...	...	-	1	1	3	5	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	10	...	...	...	...	...	...	-	1	1	3	4	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	-	-	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
640-643, 650-652, 689	All other complications—	11	...	...	...	...	...	...	-	1	1	3	5	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	10	...	...	...	...	...	...	-	1	1	3	4	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	-	-	1	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	91	72	4	2	1	-	2	-	1	-	2	1	-	2	2	-	-	2	-	-	-	-	-	-	-	-
	White——M—	48	37	3	1	1	-	1	-	1	-	-	1	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	F—	41	33	1	1	-	-	1	-	-	-	2	-	-	1	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	263	263	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	146	146	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	103	103	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	115	115	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	67	67	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	39	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	139	139	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	45	5	-	-	-	-	-	-	-	-	-	-	-	2	1	1	4	6	5	3	4	4	8	2	-	-
	White——M—	25	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	5	2	3	2	3	2	-	-	-
	F—	19	2	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	-	1	1	6	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Re-sid-ual	All other diseases	309	7	5	2	1	-	5	1	3	4	6	11	10	13	15	18	29	51	33	39	28	20	5	3	-	-
	White——M—	158	5	4	1	1	-	1	-	3	2	2	5	2	7	11	9	20	25	19	17	10	9	4	1	-	-
	F—	146	2	1	1	-	-	4	-	-	2	4	5	8	6	4	9	8	26	14	20	18	11	1	2	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-
E800-E962	Accidents—	389	18	8	6	8	2	9	8	13	22	10	8	10	10	11	13	13	23	27	28	55	55	22	11	5	-
	White——M—	201	10	6	5	5	1	3	7	11	20	6	7	7	7	9	8	10	10	17	7	22	15	6	1	1	-
	F—	173	8	2	1	2	-	4	1	2	-	4	1	2	2	1	3	2	13	9	18	30	38	16	10	4	-
	Nonwhite—M—	13	-	-	-	1	1	2	-	-	2	-	-	1	-	1	2	1	-	-	1	1	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents—	78	-	5	3	2	2	3	1	9	13	3	2	2	2	6	2	-	6	5	4	6	2	-	-	-	-
	White——M—	56	-	4	3	1	1	-	1	7	13	1	2	1	1	5	1	-	3	4	2	4	2	-	-	-	-
	F—	16	-	1	-	1	-	2	-	2	-	2	-	1	1	-	-	-	3	1	1	1	-	-	-	-	-
	Nonwhite—M—	6	-	-	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	311	18	3	3	6	-	6	7	4	9	7	6	8	8	5	11	13	17	22	22	47	51	22	11	5	-
	White——M—	145	10	2	2	4	-	3	6	4	7	5	5	6	6	4	7	10	7	13	5	18	13	6	1	1	-
	F—	157	8	1	1	1	-	2	1	-	-	2	1	1	1	1	3	2	10	8	17	29	38	16	10	4	-
	Nonwhite—M—	7	-	-	-	1	-	1	-	-	2	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
E963, E970-E979	Suicide—	73	-	-	-	-	-	-	-	1	4	3	5	7	8	4	12	9	7	4	3	5	3	-	-	-	-
	White——M—	50	-	-	-	-	-	-	-	-	1	2	2	4	5	1	10	7	5	4	1	5	3	-	-	-	-
	F—	22	-	-	-	-	-	-	-	1	3	1	3	3	1	3	2	2	2	-	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E964, E980-E985	Homicide—	4	-	-	-	-	-	-	-	-	1	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	White——M—	3	-	-	-	-	-	-	-	-	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA																										
	ALL CAUSES	17,494	2,285	168	105	69	46	194	152	255	382	453	515	707	826	1,073	1,307	1,522	1,648	1,690	1,464	1,189	750	397	185	70	44
	White—M	5,360	576	26	18	14	11	51	34	71	123	112	128	168	208	314	325	474	588	516	574	474	258	133	52	10	4
	F	3,822	359	30	20	14	6	41	32	34	39	61	58	110	121	135	180	213	282	425	443	463	295	158	75	23	5
	Nonwhite—M	4,513	758	67	35	24	17	54	51	81	114	143	173	238	254	305	422	453	410	342	235	143	100	44	26	18	8
	F	3,999	580	45	32	17	12	48	35	69	106	137	156	193	243	319	380	382	370	307	212	109	97	62	32	19	27
001-019	Tuberculosis, all forms	503	6	6	3	5	1	2	9	21	51	51	56	58	40	48	31	34	32	25	10	11	1	2	-	-	-
	White—M	102	1	1	1	-	-	-	1	-	2	2	6	6	10	21	6	12	9	15	6	4	-	-	-	-	-
	F	45	-	-	-	-	-	-	1	-	1	6	5	5	3	2	1	4	8	2	1	4	1	1	-	-	-
	Nonwhite—M	192	2	5	1	2	1	-	2	9	24	18	19	30	22	11	15	11	8	6	3	3	-	-	-	-	-
	F	164	3	-	2	3	-	2	5	12	24	25	26	17	5	14	9	7	7	2	-	-	-	1	-	-	-
001-008	Tuberculosis of respiratory system	463	4	1	-	2	1	1	6	19	48	49	52	57	38	46	30	32	31	23	10	10	1	2	-	-	-
	White—M	96	1	-	-	-	-	-	-	-	2	2	5	6	10	20	6	12	8	15	6	3	-	-	-	-	-
	F	42	-	-	-	-	-	-	-	-	-	5	5	5	3	2	1	4	8	2	1	4	1	1	-	-	-
	Nonwhite—M	177	2	1	-	1	1	-	2	8	23	18	18	30	21	11	14	9	8	4	3	3	-	-	-	-	-
	F	148	1	-	-	1	-	1	4	11	23	24	24	16	4	13	9	7	7	2	-	-	-	1	-	-	-
010-019	Tuberculosis, other forms	40	2	5	3	3	-	1	3	2	3	2	4	1	2	2	1	2	1	2	-	1	-	-	-	-	-
	White—M	6	-	1	-	-	-	-	1	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	15	-	4	1	1	-	-	-	1	1	-	1	-	1	-	1	2	-	2	-	-	-	-	-	-	-
	F	16	2	-	2	2	-	1	1	1	1	1	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	147	9	1	-	-	-	-	-	1	1	1	9	14	16	24	15	20	11	9	7	7	-	2	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	-	-	-	-	3	2	2	4	3	4	3	3	-	1	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	78	5	1	-	-	-	-	-	-	-	1	3	8	11	15	6	14	6	3	3	2	-	-	-	-	-
	F	42	3	-	-	-	-	-	-	1	1	-	6	6	2	7	7	2	2	2	1	2	-	-	-	-	-
040	Typhoid fever	6	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	14	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	2	-	-	-	-	-	-
	White—M	6	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	10	1	1	-	-	-	3	1	1	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	White—M	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	21	-	1	3	5	5	6	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	-	1	1	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	11	-	1	2	3	2	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	30	21	5	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	7	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	18	13	2	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	11	4	-	-	-	-	-	3	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	4	2	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	9	-	-	-	1	1	1	4	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	1	4	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	16	3	3	2	1	-	2	2	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	1	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	3	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	4	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	63	10	4	4	1	2	5	4	1	-	5	4	3	4	1	4	3	3	2	3	-	-	-	-	-	-
	White—M	11	4	-	-	-	-	1	1	-	-	-	-	1	-	-	1	1	-	1	2	-	-	-	-	-	-
	F	12	-	2	-	-	-	-	-	-	-	2	2	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	Nonwhite—M	23	5	1	3	1	1	3	3	-	-	-	1	-	2	1	-	-	2	-	-	-	-	-	-	-	-
	F	17	1	1	1	-	1	1	-	1	-	3	1	2	2	-	2	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
140-205	Malignant neoplasms, etc.*----	1,693	7	7	4	5	1	13	9	10	15	27	33	85	123	143	187	201	224	212	176	122	54	26	5	3	1
	White-----M--	550	4	5	3	2	-	6	-	4	7	6	11	15	28	38	44	55	78	74	71	55	15	8	2	1	-
	F--	569	-	1	1	2	-	2	5	2	3	8	7	29	42	35	60	60	65	78	70	54	29	15	1	1	1
	Nonwhite--M--	249	1	3	-	1	-	3	3	3	4	5	3	12	16	24	27	41	38	33	18	6	4	3	1	-	-
	F--	345	2	-	-	-	1	2	1	1	1	8	12	29	37	46	56	45	43	27	17	7	6	2	1	1	-
140-148	Of buccal cavity and pharynx------	56	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	5	7	11	5	9	8	4	-	-	1	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	3	8	2	6	7	1	-	-	1	-
	F--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	3	2	-	2	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	2	-	-	1	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	586	-	-	-	-	1	-	-	1	1	3	2	7	22	23	50	58	82	83	97	57	44	21	10	3	1	-
	White-----M--	171	-	-	-	-	-	-	-	1	1	1	-	2	6	5	16	18	18	25	37	17	17	4	3	1	-	-
	F--	176	-	-	-	-	-	-	1	-	-	1	-	1	5	8	8	18	15	26	33	24	19	11	6	1	1	-
	Nonwhite--M--	122	-	-	-	-	1	-	-	-	1	-	-	2	6	9	13	11	30	17	18	8	4	2	-	-	-	-
	F--	97	-	-	-	-	-	-	-	-	-	2	2	3	5	3	13	11	19	15	9	8	4	4	1	1	-	-
160-164	Of respiratory system----------	165	-	-	-	-	-	-	1	1	-	2	2	3	9	19	18	28	26	16	17	10	4	2	-	-	1
	White-----M--	99	-	-	-	-	-	-	-	-	-	1	1	4	7	11	10	20	18	10	11	5	-	1	-	-	-
	F--	36	-	-	-	-	-	-	-	-	-	-	-	1	3	1	3	3	2	4	6	5	4	1	-	-	1
	Nonwhite--M--	22	-	-	-	-	-	-	1	1	-	1	1	1	1	3	3	5	4	1	-	-	-	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	-	2	1	-	-	-	-	-	-	-	-
170	Of breast----------	114	-	-	-	-	-	-	-	-	-	3	4	12	14	8	21	13	10	12	7	9	1	-	-	-	-
	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F--	75	-	-	-	-	-	-	-	-	-	3	1	7	12	4	9	11	5	9	5	9	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	-	-	-	-	-	-	-	-	-	3	3	5	2	4	12	2	4	3	2	-	1	-	-	-	-	-
171-179	Of genital organs-	385	-	-	-	-	-	-	-	1	3	8	10	26	48	35	45	39	47	40	37	22	11	9	2	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	1	2	1	1	-	1	1	1	5	5	10	10	6	1	1	-	-	-
	F--	152	-	-	-	-	-	-	-	-	1	1	3	11	18	14	20	21	17	14	14	9	4	5	-	-	-	-
	Nonwhite--M--	42	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4	3	7	10	8	-	-	3	1	-	-	-
	F--	143	-	-	-	-	-	-	-	-	1	5	6	13	28	19	20	14	18	11	5	3	1	2	-	-	-	-
180, 181	Of urinary organs-	66	2	1	-	2	-	-	2	1	-	1	-	1	3	3	2	5	8	9	13	6	5	2	-	-	-	-
	White-----M--	28	1	1	-	1	-	-	-	-	-	-	-	-	1	-	1	2	5	6	5	4	-	1	-	-	-	-
	F--	27	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	3	3	2	7	2	5	1	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	2	-	-	1	-	-	1	2	-	-	-	-	1	-	-	-	-	-	-	-
	F--	4	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-
156B, 165, 180-199	Of other sites, etc.*----------	221	2	2	1	-	1	5	2	3	5	3	6	8	14	18	27	22	29	22	24	16	7	3	-	1	-
	White-----M--	92	2	1	1	-	-	2	-	1	3	-	5	1	8	7	9	9	9	8	13	9	3	2	-	-	-
	F--	65	-	1	-	-	-	1	2	1	1	2	1	2	3	2	6	5	9	11	9	6	3	-	-	-	-
	Nonwhite--M--	26	-	-	-	-	-	2	-	1	1	-	-	2	2	2	4	1	7	1	1	1	1	-	-	-	-
	F--	38	-	-	-	-	1	-	-	1	-	1	-	3	1	7	8	7	4	2	1	-	-	1	-	1	-
204	Leukemia and aleukemia----------	72	3	3	3	2	-	6	1	1	2	5	3	3	3	5	4	1	6	8	6	6	1	-	-	-	-
	White-----M--	37	1	1	2	1	-	3	-	1	1	2	1	1	2	2	2	-	4	4	5	3	1	-	-	-	-
	F--	18	-	-	1	1	-	1	1	-	-	2	1	1	1	1	1	-	2	1	1	3	-	-	-	-	-	-
	Nonwhite--M--	10	1	2	-	-	-	1	-	-	1	1	-	-	-	1	-	-	-	3	-	-	-	-	-	-	-	-
	F--	7	1	-	-	-	-	1	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	50	-	1	-	-	-	2	2	2	2	3	1	3	6	3	7	4	4	3	6	1	-	-	-	-	-	-
	White-----M--	25	-	-	-	-	-	1	-	2	1	1	1	2	3	1	2	2	3	2	4	-	-	-	-	-	-	-
	F--	9	-	1	-	-	-	-	1	-	-	-	-	-	1	1	1	1	-	1	2	1	-	-	-	-	-	-
	Nonwhite--M--	11	-	-	-	-	-	1	-	-	1	2	-	1	1	-	3	1	1	-	-	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	1	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	58	-	-	-	-	-	1	-	4	5	2	6	9	3	4	7	3	2	6	4	1	1	-	-	-	-
	White-----M--	12	-	-	-	-	-	-	-	1	1	-	1	1	-	1	3	2	1	-	1	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	2	-	1	1	2	-	1	1	-	1	2	2	1	1	-	-	-	-	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	1	1	-	-	-	-	-	-	-
	F--	24	-	-	-	-	-	1	-	1	3	1	4	6	2	1	2	-	-	3	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	249	-	-	-	-	-	3	1	2	2	8	6	4	7	15	29	18	36	38	34	26	13	3	4	-	-
	White-----M--	69	-	-	-	-	-	1	-	-	-	2	1	-	-	6	4	2	8	17	11	6	7	1	2	-	-
	F--	88	-	-	-	-	-	2	-	1	-	-	3	-	2	1	-	8	7	12	13	17	15	6	1	1	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	1	1	-	-	4	-	1	1	3	5	4	4	2	2	3	-	-	1	-	-
	F--	62	-	-	-	-	-	-	-	-	2	1	4	1	4	5	6	12	5	12	6	4	2	1	1	-	-	-
290-293	Anemias----------	52	6	-	-	-	-	5	1	2	2	1	1	3	4	3	2	2	7	4	4	1	2	2	-	-	-	-
	White-----M--	11	1	-	-	-	-	2	-	1	1	-	-	-	-	-	-	1	1	-	2	-	2	-	-	-	-	-
	F--	18	2	-	-	-	-	1	-	-	-	1	-	1	1	-	-	-	3	3	2	1	-	-	-	-	-	-
	Nonwhite--M--	12	2	-	-	-	-	1	-	-	-	-	-	-	2	1	1	-	2	1	-	-	-	-	-	-	-	-
	F--	11	1	-	-	-	-	1	1	1	1	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis----------	42	26	4	1	-	1	1	-	1	-	1	-	-	-	2	4	-	-	1	-	-	-	-	-	-	-	-
	White-----M--	4	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	7	3	2	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	8	2	-	-	-	1	-	1	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-
	F--	16	13	-	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	8,468	11	5	5	2	1	17	22	29	49	91	124	265	384	590	785	1,008	1,075	1,141	1,017	831	538	280	128	46	30
	White-----M--	2,752	2	1	1	1	-	1	2	5	13	10	19	63	91	159	195	325	394	405	396	330	201	96	32	6	3
	F--	1,777	4	-	-	-	-	5	5	5	6	9	14	34	49	82	67	119	150	258	300	310	204	108	55	12	1
	Nonwhite--M--	1,996	2	3	2	1	1	6	7	9	8	28	40	81	110	182	284	299	281	242	165	106	72	31	17	14	7
	F--	1,944	3	1	2	-	-	5	8	10	22	48	51	87	134	187	238	260	250	236	156	85	61	45	24	14	19
330-334, 400-468	Diseases of cardiovascular system-	8,055	11	5	4	2	1	16	21	27	39	79	113	252	353	554	740	971	1,055	1,095	981	796	508	262	121	42	27
	White-----M--	2,660	2	1	-	1	-	1	2	5	8	6	18	61	85	154	186	325	385	394	385	319	193	91	31	6	3
	F--	1,698	4	-	-	-	-	5	4	4	5	9	12	31	45	58	60	117	147	249	292	299	188	103	53	12	1
	Nonwhite--M--	1,881	2	3	2	1	1	5	7	8	5	23	35	78	102	173	268	287	266	230	154	98	69	29	17	13	7
	F--	1,816	3	1	2	-	-	5	8	10	21	41	48	82	121	189	228	244	237	222	150	80	58	38	20	11	16
330-334	Vascular lesions, etc.*----------	2,124	7	-	-	1	-	2	-	-	6	19	28	72	90	162	196	287	273	292	252	224	111	65	25	5	7
	White-----M--	593	1	-	-	1	-	1	-	-	2	2	3	13	15	23	36	57	93	82	92	89	42	21	8	1	1
	F--	424	2	-	-	-	-	1	-	-	-	3	2	14	13	22	8	47	30	58	83	75	37	20	9	-	-
	Nonwhite--M--	553	2	-	-	-	-	-	-	-	2	4	8	25	24	54	77	100	69	76	38	35	16	10	5	4	2
	F--	554	2	-	-	-	-	-	-	-	2	10	15	20	38	63	75	83	81	64	39	25	16	14	3	-	4
400-402	Rheumatic fever----	43	-	2	1	-	-	8	10	5	1	5	1	6	1	1	-	-	1	-	1	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	8	-	-	-	-	-	2	2	1	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	15	-	1	-	-	-	4	5	2	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	18	-	1	1	-	-	2	5	2	-	3	-	2	1	-	-	-	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

[By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
410-443	Diseases of heart-	5,291	3	3	3	1	1	6	11	20	29	46	72	158	234	372	500	633	721	724	642	487	332	170	79	27	17
	White-----M--	1,896	1	1	-	-	-	-	2	5	5	3	13	47	63	128	141	253	286	281	262	194	126	60	18	5	2
	F--	1,109	2	-	-	-	-	2	2	2	5	5	7	11	30	35	44	63	110	171	183	194	127	71	36	8	1
	Nonwhite--M--	1,170	-	2	2	1	1	1	4	5	1	14	22	49	68	111	174	171	181	126	102	54	46	16	10	6	4
	F--	1,116	-	-	1	-	-	3	3	8	18	24	30	51	73	98	141	146	144	147	95	45	33	23	15	8	10
410-416	Chronic rheumatic heart disease----	185	...	1	2	-	-	4	6	4	9	10	11	8	13	18	13	18	12	25	11	8	4	3	2	-	3
	White-----M--	43	...	-	-	-	-	-	-	2	1	-	2	1	4	8	2	7	2	8	4	2	2	-	-	-	-
	F--	34	...	-	-	-	-	1	1	-	1	1	3	-	5	1	1	2	2	6	2	2	2	2	2	-	-
	Nonwhite--M--	48	...	1	2	-	-	1	2	1	1	4	1	3	3	5	5	4	4	5	4	2	-	-	-	-	-
	F--	60	...	-	-	-	-	2	3	1	6	5	5	4	1	6	5	5	4	6	1	2	-	1	-	-	3
420	Arteriosclerotic heart dis., etc.*	2,341	-	-	-	-	1	1	1	3	5	14	24	58	99	177	230	299	349	326	300	223	138	57	23	7	6
	White-----M--	1,209	-	-	-	-	-	-	-	1	2	3	8	35	46	91	115	173	196	174	153	109	57	33	8	3	2
	F--	521	-	-	-	-	-	1	1	1	1	1	1	4	10	20	21	33	58	87	99	80	62	18	9	2	1
	Nonwhite--M--	346	-	-	-	-	1	-	-	1	-	4	7	7	20	39	57	51	61	33	29	13	15	3	2	2	1
	F--	265	-	-	-	-	-	-	-	-	2	6	8	12	23	27	37	42	34	32	19	11	4	2	4	-	2
421, 422	Nonrheumatic chronic endocarditis, etc.*--	399	...	1	1	1	-	-	2	2	4	6	7	31	26	44	64	92	103	123	118	104	76	49	29	12	4
	White-----M--	242	...	1	-	-	-	-	1	1	-	-	-	4	1	7	4	29	29	34	40	39	31	15	6	2	-
	F--	199	...	-	-	-	-	-	-	-	1	2	1	2	1	1	10	8	12	21	28	44	22	25	18	5	-
	Nonwhite--M--	228	...	-	-	1	-	-	1	1	-	1	3	11	13	17	29	35	35	28	24	10	9	5	3	1	1
	F--	229	...	-	1	-	-	-	-	-	3	3	3	14	11	19	21	20	27	40	26	11	13	6	4	4	3
430-434	Other diseases of heart---------	348	3	1	-	-	-	1	2	9	9	11	7	22	18	28	50	54	39	47	27	15	18	4	1	2	-
	White-----M--	83	1	-	-	-	-	-	1	1	2	-	2	4	4	5	7	11	12	15	8	3	7	-	-	-	-
	F--	52	2	-	-	-	-	-	-	1	1	-	-	4	2	5	-	-	7	11	5	5	7	1	1	-	-
	Nonwhite--M--	109	-	1	-	-	-	-	1	2	-	5	3	9	6	12	25	14	10	10	4	3	1	2	-	1	-
	F--	104	-	-	-	-	-	1	-	5	6	6	2	5	6	6	18	9	10	11	10	4	3	1	-	1	-
440-443	Hypertension with heart dis.--	1,519	-	-	-	-	-	-	-	2	2	5	23	39	78	105	143	190	218	203	186	137	97	57	24	6	4
	White-----M--	319	-	-	-	-	-	-	-	-	-	-	1	3	8	19	13	33	47	50	57	41	29	14	4	-	-
	F--	303	-	-	-	-	-	-	-	-	1	1	2	1	12	8	12	20	31	46	49	53	34	24	8	1	-
	Nonwhite--M--	439	-	-	-	-	-	-	-	-	-	-	8	19	26	38	58	67	71	49	41	26	21	6	5	2	2
	F--	458	-	-	-	-	-	-	-	2	1	4	12	16	32	40	60	70	69	58	39	17	13	13	7	3	2
444-447	Hypertension without mention of heart----------	207	-	-	-	-	-	-	-	1	1	8	7	11	18	9	18	21	15	24	28	19	15	6	2	3	1
	White-----M--	49	-	-	-	-	-	-	-	-	-	-	1	1	4	1	4	5	1	5	10	7	7	3	-	-	-
	F--	40	-	-	-	-	-	-	-	-	-	-	2	2	-	-	3	2	2	4	9	7	5	1	2	1	-
	Nonwhite--M--	65	-	-	-	-	-	-	-	1	-	4	3	1	9	5	6	6	9	11	5	1	1	2	-	1	-
	F--	53	-	-	-	-	-	-	1	-	1	4	1	7	5	3	5	8	3	4	4	4	2	-	-	1	1
450	General arteriosclerosis--------	321	-	-	-	-	-	-	-	-	1	-	1	1	2	6	20	24	19	48	49	59	47	21	14	7	2
	White-----M--	100	-	-	-	-	-	-	-	-	-	-	-	-	-	1	4	5	5	15	15	26	17	7	5	-	-
	F--	94	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	3	14	14	20	18	11	5	3	-
	Nonwhite--M--	64	-	-	-	-	-	-	-	-	1	-	-	1	-	1	8	8	5	14	8	7	5	1	2	2	1
	F--	63	-	-	-	-	-	-	-	-	-	-	1	-	2	4	7	6	6	5	12	6	7	2	2	2	1
451-468	Other diseases of circulatory sys.-	69	1	-	-	-	-	-	1	1	1	4	4	8	4	6	6	8	7	9	7	3	-	1	-	-	-
	White-----M--	18	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	3	-	1	5	3	1	-	-	-	-	-
	F--	23	-	-	-	-	-	-	-	1	-	1	1	1	2	1	4	-	2	2	3	3	1	-	1	-	-	-
	Nonwhite--M--	16	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	2	2	2	1	1	1	-	-	-	-	-
	F--	12	1	-	-	-	-	-	-	-	-	-	1	2	2	1	-	1	2	2	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	414	-	-	1	-	-	1	1	2	10	12	11	13	31	36	45	32	40	46	36	35	30	18	7	4	3
	White-----M--	92	-	-	1	-	-	-	-	-	5	4	1	2	6	5	10	2	9	11	11	11	8	5	1	-	-
	F--	79	-	-	-	-	-	-	1	1	1	-	2	3	4	4	7	2	3	9	8	11	16	5	2	-	-
	Nonwhite--M--	115	-	-	-	-	-	1	-	1	3	3	5	3	8	9	18	12	15	12	11	8	3	2	-	1	-
	F--	128	-	-	-	-	-	-	-	-	1	5	3	5	13	18	10	16	13	14	6	5	3	6	4	3	3
480-483	Influenza and pneumonia, etc.*-	762	259	42	18	12	3	9	7	10	10	10	17	20	26	28	31	37	38	38	40	36	32	19	11	5	6
	White-----M--	148	45	4	1	1	-	2	1	2	1	-	3	2	2	7	6	3	12	11	16	10	8	4	5	2	-
	F--	130	24	5	2	1	-	3	2	-	1	1	2	1	3	2	2	4	5	16	8	17	14	8	5	2	2
	Nonwhite--M--	240	100	19	7	5	1	2	2	4	1	2	6	14	7	9	11	14	11	6	9	5	3	2	-	-	1
	F--	244	90	14	8	5	2	2	2	4	7	7	7	3	14	8	12	18	10	5	7	4	7	5	1	1	3
480-483	Influenza----------	132	32	5	-	1	-	1	1	-	1	4	2	6	5	7	10	7	8	6	11	10	5	6	3	1	-
	White-----M--	26	6	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	2	2	4	4	1	1	2	1	-
	F--	25	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	1	-	5	4	2	1	-	-
	Nonwhite--M--	44	12	2	-	-	-	-	-	-	-	-	1	4	1	2	6	3	3	2	7	-	-	1	-	-	-
	F--	37	9	3	-	1	-	-	1	-	1	4	1	1	4	3	3	1	1	1	-	1	-	2	-	-	-
490-493	Pneumonia, etc.*--	630	227	37	18	11	3	8	6	10	9	5	15	14	21	19	21	30	30	32	29	26	27	13	8	4	6
	White-----M--	122	39	4	1	1	-	1	1	2	1	-	3	2	2	6	6	2	10	9	12	6	7	3	3	1	-
	F--	105	19	5	2	1	-	3	2	-	1	1	2	-	3	1	1	2	3	15	8	12	10	6	4	2	2
	Nonwhite--M--	196	88	17	7	5	1	2	2	4	1	2	4	10	6	7	5	11	8	4	2	5	3	1	-	-	1
	F--	207	81	11	8	4	2	2	1	4	6	3	6	2	10	5	9	15	9	4	7	3	7	3	1	1	3
500-502	Bronchitis---------	43	15	3	2	2	1	-	-	-	-	-	1	-	1	2	2	3	4	-	2	2	2	1	-	-	-
	White-----M--	12	5	-	-	1	-	-	-	-	-	-	1	-	1	-	-	1	2	-	-	1	-	-	-	-	-
	F--	9	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	1	-	-	-	-
	Nonwhite--M--	8	1	1	1	-	1	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-
	F--	14	8	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	2	-	-	-	-	-	-	-	-
540, 542	Ulcer of stomach and duodenum------	54	-	-	-	-	-	-	-	-	2	2	4	4	4	4	7	10	6	5	1	3	1	1	-	-	-
	White-----M--	28	-	-	-	-	-	-	-	-	-	1	2	3	-	1	3	5	3	5	1	2	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	21	-	-	-	-	-	-	-	-	2	1	2	1	4	1	4	4	-	-	-	-	1	1	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	-	-	-	-	-	-	-	-
550-553	Appendicitis-------	48	-	1	1	2	-	3	2	2	3	4	1	3	6	2	7	3	1	1	1	1	2	-	-	-	-
	White-----M--	17	-	1	-	-	-	1	-	-	1	2	1	2	-	1	4	1	-	1	-	1	1	-	-	-	-
	F--	4	-	-	1	1	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	14	-	-	-	1	-	1	-	1	2	-	-	1	3	-	2	1	1	-	-	1	-	-	-	-	-
	F--	11	-	-	-	-	-	2	1	-	-	2	-	-	3	1	-	1	-	-	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	94	17	2	1	1	-	3	-	1	1	2	5	6	7	4	3	8	7	8	6	6	4	2	-	-	-
	White-----M--	27	4	-	1	1	-	1	-	-	-	-	2	1	2	-	1	3	3	3	2	2	1	-	-	-	-
	F--	22	3	-	-	-	-	1	-	-	-	-	1	3	1	1	-	1	2	3	-	4	1	1	-	-	-
	Nonwhite--M--	26	8	1	-	-	-	1	-	1	1	1	1	2	1	2	-	2	1	1	3	-	-	-	-	-	-
	F--	19	2	1	-	-	-	-	-	-	-	1	1	-	3	1	2	2	1	1	1	-	2	1	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH CAROLINA—Continued																										
543;	Gastritis, etc.*--	195	136	14	5	2	3	-	-	-	1	2	3	2	3	-	2	1	1	5	6	3	3	-	3	-	-
571,	White-----M--	51	22	2	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	2	-	1	-	-
572	F--	38	24	2	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	3	3	2	1	-	1	-	-
	Nonwhite--M--	59	45	4	2	2	1	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-
	F--	66	45	6	2	-	2	-	-	-	1	-	-	1	2	-	1	-	2	2	1	-	-	1	-	-	-
581	Cirrhosis of liver	83	2	1	-	-	-	-	1	-	2	1	3	3	5	15	6	18	10	5	5	3	3	-	-	-	-
	White-----M--	40	-	1	-	-	-	-	1	-	-	-	-	1	3	8	4	10	5	2	1	2	2	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	4	3	2	3	1	1	-	-	-	-
	Nonwhite--M--	16	1	-	-	-	-	-	-	-	2	-	-	1	2	3	-	4	2	1	-	-	-	-	-	-	-
	F--	8	1	-	-	-	-	-	-	-	-	1	1	1	-	2	1	-	-	-	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*----------	74	1	-	-	1	-	2	3	4	3	4	7	8	6	4	4	7	8	7	2	-	-	-	2	-	-
	White-----M--	14	-	-	-	1	-	1	-	-	1	1	-	-	1	2	-	2	2	1	1	-	-	-	1	-	-
	F--	11	-	-	-	-	-	-	2	-	-	2	-	1	1	-	1	-	1	3	-	-	-	-	-	-	-
	Nonwhite--M--	19	-	-	-	-	-	1	1	-	1	-	4	4	2	1	-	1	2	1	-	-	-	-	1	-	-
	F--	30	1	-	-	-	-	-	-	4	1	1	3	4	2	1	3	4	3	2	1	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	68	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	3	11	11	20	5	7	4	-	-
	White-----M--	43	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	6	17	4	5	1	-	-
	Nonwhite--M--	25	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3	3	5	3	1	2	3	-	-
640-	Complications of																										
689	pregnancy, etc.*-	102	...	...	...	...	...	...	2	22	14	25	20	18	-	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	31	...	...	...	...	...	...	1	8	6	6	4	6	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	71	...	...	...	...	...	...	1	14	8	19	16	12	-	1	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	8	...	...	...	...	...	-	2	1	2	1	1	-	-	1	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	1	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	7	...	...	...	...	...	-	2	-	2	1	1	-	-	1	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications-------	94	...	...	...	...	...	...	2	20	13	23	19	17	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	White-----F--	30	...	...	...	...	...	...	1	8	5	6	4	6	-	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	64	...	...	...	...	...	...	1	12	8	17	15	11	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations-------	210	157	10	6	2	-	9	4	1	6	4	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	85	65	3	2	-	-	3	-	1	4	1	2	4	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	57	46	3	-	1	-	-	2	-	1	-	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	27	2	3	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	33	19	2	1	-	-	4	2	-	1	3	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,131	1,131	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	388	388	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	198	198	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	333	333	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	252	252	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*----------	328	328	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	130	130	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	71	71	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	77	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	50	50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765-	Infections of																										
768	newborn----------	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	23	23	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	712	712	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	219	219	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	118	118	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	216	216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	159	159	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*---	840	292	11	7	5	2	15	8	4	16	11	13	23	31	40	52	46	60	49	43	30	29	21	18	10	4
795	White-----M--	103	25	-	-	-	-	-	1	-	-	-	3	2	6	5	6	6	12	10	8	8	2	7	4	-	-
	F--	58	11	-	-	-	-	-	-	-	1	-	-	2	1	1	1	2	3	3	5	8	4	5	7	4	-
	Nonwhite--M--	374	155	5	4	3	-	8	2	-	4	6	5	13	16	18	27	21	24	21	13	7	11	4	4	3	-
	F--	305	103	6	3	2	2	7	5	4	11	5	5	6	8	15	18	17	21	15	17	7	12	5	3	3	4
Re-	All other diseases	733	72	10	13	5	8	17	10	16	27	31	41	39	48	40	58	47	61	59	43	41	25	14	6	1	1
sid-	White-----M--	212	15	3	-	1	2	3	3	1	7	5	8	15	13	10	13	16	22	27	20	17	3	8	2	-	-
ual	F--	207	17	2	6	2	-	5	2	3	3	6	7	6	10	13	20	5	17	25	16	20	12	7	3	-	-
	Nonwhite--M--	167	19	3	5	2	4	2	4	8	8	13	17	8	11	5	13	11	12	5	6	4	6	-	-	1	-
	F--	147	21	2	2	-	2	7	1	4	9	7	9	10	14	12	12	15	10	2	1	-	4	1	1	-	1
E800-	Accidents----------	1,280	87	37	28	16	14	77	54	106	121	118	99	78	60	68	51	28	44	51	39	44	32	17	4	5	2
E962	White-----M--	538	7	8	7	5	5	21	18	54	74	66	47	35	26	36	21	12	21	25	19	15	11	3	2	1	1
	F--	231	21	10	7	2	3	19	9	13	11	11	5	8	3	8	11	4	5	12	11	24	15	12	2	4	1
	Nonwhite--M--	380	33	12	7	3	5	21	21	31	31	37	44	33	25	18	17	6	12	12	6	4	1	1	-	-	-
	F--	131	26	9	7	6	1	16	6	8	5	4	3	2	6	6	2	6	6	2	3	1	5	1	-	-	-
E810-	Motor-vehicle																										
E835	accidents----------	323	4	8	7	6	6	36	24	53	70	65	44	36	20	34	25	17	20	22	12	7	6	1	1	-	1
	White-----M--	274	-	1	2	3	3	14	8	31	50	40	23	15	10	14	10	9	10	13	6	5	5	1	-	-	1
	F--	93	4	4	3	2	2	6	7	10	5	8	4	5	3	6	6	2	5	6	3	1	-	-	1	-	-
	Nonwhite--M--	122	-	2	-	-	-	10	5	11	13	14	16	15	5	11	8	3	3	2	3	1	-	-	-	-	-
	F--	34	-	1	2	1	1	6	4	1	2	1	1	1	2	3	1	3	2	1	-	-	1	-	-	-	-
E800-	All ot. accidents-	757	83	29	21	10	8	41	30	53	51	53	55	42	40	34	26	11	24	29	27	37	26	16	3	5	1
E802,	White-----M--	264	7	5	5	2	2	7	10	23	24	26	24	20	16	22	11	3	11	12	13	10	6	2	2	1	-
E840-	F--	138	17	6	4	-	1	13	2	3	6	3	1	3	-	2	5	2	-	6	8	23	15	12	1	4	1
E962	Nonwhite--M--	258	33	10	7	3	5	11	16	20	18	23	28	18	20	7	9	3	9	10	3	3	1	1	-	-	-
	F--	97	26	8	5	5	-	10	2	7	3	3	2	1	4	3	1	3	4	1	3	1	4	1	-	-	-
E963,	Suicide----------	132	-	-	-	-	-	-	-	1	12	11	11	15	15	18	11	12	13	7	4	1	1	-	-	-	-
E970-	White-----M--	85	-	-	-	-	-	-	-	-	6	7	6	8	12	11	7	8	9	5	4	1	1	-	-	-	-
E979	F--	33	-	-	-	-	-	-	-	-	4	3	3	6	3	4	4	1	4	1	-	-	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	-	1	1	1	1	1	-	2	-	3	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
E964,	Homicide----------	250	1	-	-	-	1	-	3	16	37	37	43	39	29	17	8	10	1	4	3	-	1	-	-	-	-
E980-	White-----M--	62	1	-	-	-	1	-	1	2	5	9	12	8	10	5	3	2	1	-	2	-	-	-	-	-	-
E985	F--	7	-	-	-	-	-	-	-	-	1	1	-	2	1	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	152	-	-	-	-	-	-	2	11	23	26	25	24	16	7	5	8	-	4	1	-	-	-	-	-	-
	F--	29	-	-	-	-	-	-	-	3	8	1	6	5	2	4	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA																										
	ALL CAUSES	5,687	448	40	23	13	7	37	29	98	85	61	77	95	119	162	252	346	538	630	739	704	582	410	151	37	4
	White—M	3,308	236	17	11	6	3	18	11	74	50	34	43	55	84	100	154	220	346	385	437	417	326	204	79	18	-
	F	2,094	161	12	8	3	2	17	11	16	19	15	23	24	46	54	92	110	169	227	284	273	244	196	68	17	3
	Nonwhite—M	149	24	6	1	2	-	1	4	3	7	6	8	9	4	4	5	10	11	12	8	10	6	5	1	2	-
	F	158	27	5	3	2	2	1	3	5	9	6	3	7	5	4	1	6	12	8	10	4	6	5	3	-	1
001-019	Tuberculosis, all forms	111	2	6	4	2	1	3	3	7	10	9	6	8	4	5	3	6	10	10	7	2	2	-	2	-	-
	White—M	30	-	-	1	-	-	1	-	1	-	1	1	2	3	1	1	3	5	4	5	-	-	-	1	-	-
	F	19	-	-	-	-	-	-	1	1	3	-	1	2	-	1	1	3	1	4	-	1	-	-	1	-	-
	Nonwhite—M	27	-	4	1	-	-	1	1	2	2	4	3	1	-	1	1	-	3	2	1	-	-	-	-	-	-
	F	35	2	1	2	2	1	1	2	3	5	4	1	3	1	2	-	-	1	-	1	1	2	-	-	-	-
001-008	Tuberculosis of respiratory system	92	1	2	1	-	1	1	1	7	9	9	6	7	4	5	3	6	8	8	7	2	2	-	2	-	-
	White—M	30	-	-	1	-	-	1	-	1	-	1	1	2	3	1	1	3	5	4	5	-	-	-	1	-	-
	F	16	-	-	-	-	-	-	-	1	2	-	1	2	-	1	1	3	1	2	-	1	-	-	1	-	-
	Nonwhite—M	20	-	2	-	-	-	-	-	2	2	4	3	1	-	1	1	-	1	2	1	-	-	-	-	-	-
	F	26	1	-	-	-	1	-	1	3	5	4	1	2	1	2	-	-	1	-	1	1	2	-	-	-	-
010-019	Tuberculosis, other forms	19	1	3	3	2	-	2	2	-	1	-	-	1	-	-	-	-	2	2	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
	Nonwhite—M	7	-	2	1	-	-	1	1	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	F	9	1	1	2	2	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	18	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	3	2	1	2	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	2	-	1	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	1	1	1	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	2	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	22	-	2	-	-	-	9	2	3	2	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	15	-	1	-	-	-	6	1	3	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	1	-	-	-	3	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	3	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	23	5	-	1	-	-	-	2	1	-	-	2	-	1	1	1	1	2	3	1	1	1	-	-	-	-
	White—M	7	2	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	1	-	-	-	-	-	-	-
	F	13	3	-	-	-	-	-	1	1	-	-	1	-	1	-	-	-	1	2	1	1	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
140-205	Malignant neoplasms, etc.*——	799	1	1	2	2	-	5	2	4	6	3	8	9	22	27	68	72	100	143	118	91	73	32	8	2	-
	White——M—	442	1	1	-	1	-	1	2	1	5	2	3	4	9	10	26	42	57	81	72	52	50	19	3	-	-
	F—	341	-	-	2	-	-	4	-	3	1	1	5	5	12	17	41	26	43	57	46	37	23	13	5	2	-
	Nonwhite—M—	11	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	2	-	4	-	2	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	-	1	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx——	20	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	1	2	3	5	3	-	2	-	-
	White——M—	13	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	1	2	5	1	-	1	-	-
	F—	7	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	2	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	384	-	-	-	-	-	1	-	-	-	-	3	1	4	5	27	36	48	78	62	37	35	15	1	1	-
	White——M—	201	-	-	-	-	-	-	-	-	-	-	3	-	3	3	12	19	26	47	36	21	22	10	-	-	-
	F—	145	-	-	-	-	-	1	-	-	-	-	3	1	1	2	14	13	22	29	24	15	13	5	1	1	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system——	79	-	-	-	-	-	-	-	-	-	1	-	-	1	6	6	11	16	14	7	10	5	2	-	-	-
	White——M—	56	-	-	-	-	-	-	-	-	-	1	-	-	1	4	3	11	14	7	5	5	4	1	-	-	-
	F—	22	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	-	2	6	2	5	1	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast——	50	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	7	3	6	4	7	7	3	4	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	50	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4	7	3	6	4	7	7	3	4	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs——	107	-	-	-	-	-	-	-	1	-	-	1	2	6	5	8	7	7	19	17	15	18	2	1	-	-
	White——M—	58	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	4	9	12	13	15	1	-	-	-
	F—	48	-	-	-	-	-	-	-	-	-	-	1	2	6	5	6	6	3	9	5	2	1	1	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs——	40	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	5	5	6	9	4	4	2	2	-	-
	White——M—	28	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	4	4	7	2	2	2	1	-	-
	F—	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	2	2	2	-	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-189	Of other sites, etc.*——	79	-	-	-	1	-	2	1	1	2	-	2	3	4	3	6	7	7	8	10	10	5	5	2	1	-
	White——M—	42	-	-	-	-	-	2	1	-	2	-	1	2	3	1	3	3	2	5	5	5	4	4	1	-	-
	F—	33	-	-	-	-	-	-	-	1	-	-	-	-	-	2	3	4	5	3	5	4	1	1	1	-	-
	Nonwhite—M—	3	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia——	39	1	1	1	1	-	2	1	1	1	1	-	-	1	3	7	1	2	9	2	2	1	1	-	-	-
	White——M—	21	1	1	-	1	-	1	1	-	-	-	-	-	1	2	2	1	-	6	2	-	1	1	-	-	-
	F—	18	-	-	1	-	-	1	-	1	1	1	-	-	-	1	5	-	2	3	-	2	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	31	-	-	1	-	-	-	-	2	2	-	2	2	1	1	5	-	6	3	1	1	1	-	-	-	-
	White——M—	23	-	-	-	-	-	-	-	1	2	-	2	2	1	-	3	-	7	2	1	1	1	-	-	-	-
	F—	8	-	-	1	-	-	-	-	1	-	-	-	-	1	1	2	-	1	1	-	-	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	31	-	1	-	-	-	-	2	1	2	1	1	1	2	3	-	3	3	1	3	3	2	-	2	-	-
	White——M—	15	-	1	-	-	-	-	2	1	2	-	1	1	1	1	-	1	1	-	2	1	1	-	-	-	-
	F—	15	-	-	-	-	-	-	-	1	1	1	-	-	1	2	-	2	2	1	-	2	1	-	2	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
260	Diabetes mellitus——	127	-	-	-	-	-	-	-	1	3	1	2	2	3	2	6	11	21	17	14	24	15	2	2	1	-
	White——M—	60	-	-	-	-	-	-	-	-	1	1	2	1	1	2	5	5	5	7	6	14	7	1	2	-	-
	F—	59	-	-	-	-	-	-	-	1	2	-	-	1	2	-	1	6	11	9	8	9	8	1	-	1	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	-	-	-	-	-
280-283	Anemias——	25	1	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	6	4	4	3	1	1	-	-	-
	White——M—	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	3	1	3	1	-	-	-	-
	F—	9	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	1	1	3	-	-	1	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	6	2	-	-	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-
	White——M—	2	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	2,824	1	1	1	1	-	2	5	8	5	7	17	20	39	60	114	179	305	360	457	467	379	282	88	22	4
	White——M—	1,702	-	1	-	1	-	1	1	5	1	4	10	11	24	41	77	120	215	234	265	286	214	135	47	11	-
	F—	1,072	1	-	1	-	-	1	4	3	3	2	7	7	12	19	36	54	83	120	184	177	163	143	40	9	3
	Nonwhite—M—	32	-	-	-	-	-	-	-	-	1	1	-	-	1	-	1	4	6	3	5	4	2	2	-	2	-
	F—	18	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	1	3	3	3	-	-	2	1	-	1
330-334, 400-468	Diseases of cardiovascular system——	2,747	1	1	1	-	-	2	4	6	5	5	15	17	38	56	108	176	294	356	448	457	374	273	87	19	4
	White——M—	1,662	-	1	-	-	-	1	1	3	1	3	9	8	24	39	75	118	208	233	258	285	212	130	45	9	-
	F—	1,041	1	-	1	-	-	1	3	3	3	2	6	7	11	17	32	54	78	118	183	170	160	138	40	9	3
	Nonwhite—M—	29	-	-	-	-	-	-	-	1	-	-	-	1	1	-	1	4	5	3	5	4	2	2	-	1	-
	F—	15	-	-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	3	2	2	-	-	2	1	-	1
330-334	Vascular lesions, etc.*——	729	-	-	-	-	-	-	-	-	-	1	2	3	5	10	21	35	76	86	155	132	108	76	16	3	2
	White——M—	390	-	-	-	-	-	-	-	-	-	1	2	1	2	5	12	18	40	52	78	78	50	39	9	2	-
	F—	331	-	-	-	-	-	-	-	-	-	-	-	2	1	5	9	16	36	34	73	54	56	36	7	1	1
	Nonwhite—M—	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1
400-402	Rheumatic fever——	12	-	-	-	-	-	1	-	2	1	-	-	4	1	2	-	1	-	-	-	-	-	-	-	-	-
	White——M—	6	-	-	-	-	-	1	-	1	-	-	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-
	F—	6	-	-	-	-	-	-	-	1	1	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
410-443	Diseases of heart	1,777	1	1	1	-	-	1	4	4	4	3	9	12	30	43	81	128	201	254	273	290	225	153	48	9	1
	White—M	1,142	-	1	-	-	-	-	1	2	1	1	5	6	21	33	59	96	157	171	168	184	136	70	24	6	-
	F	604	1	-	1	-	-	1	3	2	2	2	4	4	8	10	21	29	37	79	101	102	87	82	24	3	1
	Nonwhite—M	20	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	3	5	2	2	4	2	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	2	2	2	-	-	1	1	-	-
410-416	Chronic rheumatic heart disease	50	...	-	-	-	-	-	1	1	1	-	2	3	2	5	2	3	4	10	5	4	6	1	-	-	-
	White—M	23	...	-	-	-	-	-	-	1	-	-	1	2	1	1	-	-	1	6	2	3	4	1	-	-	-
	F	26	...	-	-	-	-	-	1	-	1	-	1	1	1	4	2	3	3	4	2	1	2	-	-	-	-
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	1,067	-	-	-	-	-	-	-	1	1	1	4	7	22	27	65	96	140	173	169	159	111	71	18	2	-
	White—M	735	-	-	-	-	-	-	-	-	1	-	4	4	17	24	51	78	116	116	108	105	71	28	11	1	-
	F	322	-	-	-	-	-	-	-	1	-	1	-	2	4	3	13	17	23	56	59	53	39	43	7	1	-
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	2	1	1	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	336	...	-	1	-	-	-	2	2	1	2	3	-	2	-	1	9	23	33	46	62	68	51	24	5	1
	White—M	202	...	-	-	-	-	-	1	1	-	1	-	-	1	-	-	4	16	24	30	42	41	29	9	3	-
	F	131	...	-	1	-	-	-	1	1	1	1	3	-	1	-	1	5	6	9	16	19	27	22	14	2	1
	Nonwhite—M	2	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
430-434	Other diseases of heart	117	1	1	-	-	-	1	1	-	1	-	-	-	3	5	3	9	16	16	13	19	12	12	3	1	-
	White—M	70	-	1	-	-	-	-	-	-	-	-	-	-	1	5	2	7	11	11	8	14	4	4	1	1	-
	F	35	1	-	-	-	-	1	1	-	-	-	-	-	2	-	1	-	1	4	4	4	7	7	2	-	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	3	1	-	1	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	-	-
440-443	Hypertension with heart dis.	207	-	-	-	-	-	-	-	-	-	-	-	2	1	6	10	11	18	22	40	46	28	18	4	1	-
	White—M	112	-	-	-	-	-	-	-	-	-	-	-	1	1	3	6	7	13	14	20	20	16	8	3	1	-
	F	90	-	-	-	-	-	-	-	-	-	-	-	1	-	3	4	4	4	8	20	25	12	10	1	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	61	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	6	8	7	3	10	10	8	3	2	-
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	4	1	4	5	2	3	-	-
	F	33	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	3	3	2	6	5	6	-	2	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	143	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	6	15	21	32	36	19	5	1
	White—M	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	10	13	21	19	10	1	-
	F	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	5	8	11	15	9	3	1
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	25	-	-	-	-	-	-	-	-	-	1	-	-	-	3	2	5	4	3	2	4	1	-	-	-	-
	White—M	14	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	1	4	2	-	4	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	-	-	2	-	1	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	77	-	-	-	1	-	-	1	2	-	2	2	3	1	4	6	3	11	4	9	10	5	9	1	3	-
	White—M	40	-	-	-	1	-	-	-	2	-	1	1	3	-	2	2	2	5	1	7	3	2	5	1	2	-
	F	31	-	-	-	-	-	-	1	-	-	-	1	-	1	2	4	-	5	2	1	7	3	4	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	1	1	-	-	-	1	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	168	28	6	3	1	-	1	3	2	4	-	4	2	1	-	5	4	10	7	19	18	17	22	6	3	-
	White—M	80	9	2	3	-	-	-	1	1	2	-	2	1	-	-	3	3	6	2	10	12	7	11	3	2	-
	F	69	9	3	-	1	-	1	2	1	1	-	2	-	1	-	2	-	3	4	9	6	9	11	3	1	-
	Nonwhite—M	10	5	1	-	-	-	-	-	-	1	-	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
490-493	Influenza	20	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	3	5	1	1	1	-
	White—M	9	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	1	1	-	1	-	1	1	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	3	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Pneumonia, etc.*	146	28	6	2	1	-	1	3	2	3	-	4	2	1	-	5	4	5	6	18	15	12	21	5	2	-
	White—M	71	9	2	2	-	-	-	1	1	1	-	2	1	-	-	3	3	4	1	9	12	6	11	2	1	-
	F	58	9	3	-	1	-	1	2	1	1	-	2	-	1	-	2	-	-	4	9	3	5	10	3	1	-
	Nonwhite—M	10	5	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	1	1	-	-	1	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	13	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	5	-	-	1	1	-	-
	White—M	7	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	3	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	30	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	2	7	7	2	1	-	1	-	-
	White—M	27	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	2	7	5	1	1	-	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	14	1	-	-	-	-	-	2	2	1	-	-	-	-	1	1	-	2	1	2	1	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	1	1	1	-	-	-	-	1	1	-	2	-	1	1	-	-	-	-	-	-
	F	6	1	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	40	2	-	2	-	-	-	-	1	-	-	-	1	-	4	1	2	4	6	4	3	5	5	-	-	-
	White—M	22	1	-	1	-	-	-	-	1	-	-	-	-	-	4	-	-	2	2	3	3	1	4	-	-	-
	F	18	1	-	1	-	-	-	-	-	-	-	-	1	-	-	1	2	2	4	1	-	4	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	SOUTH DAKOTA—Continued																										
543, 571, 572	Gastritis, etc.*—	51	13	1	-	-	1	-	1	-	-	-	-	-	2	-	1	-	1	2	1	3	2	3	-	-	-
	White——M—	12	3	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	1	1	1	1	1	-	-	-
	F—	11	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	-	-
	Nonwhite—M—	3	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	28	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2	4	-	4	4	6	4	1	1	-	-
	White——M—	23	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	4	-	4	4	3	3	1	1	-	-
	F—	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	9	-	-	-	-	-	-	-	2	1	-	-	-	1	-	-	1	-	2	-	-	-	2	-	-	-
	White——M—	6	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	1	-	-	-	2	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	7	8	4	5	9	-	-
	White——M—	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	7	7	4	5	9	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	9	***	***	***	***	***	***	-	-	2	2	1	2	2	-	-	-	***	***	***	***	***	***	***	***	-
	White——F—	8	***	***	***	***	***	***	-	-	2	1	1	2	2	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
650-652	Abortion—	2	***	***	***	***	***	***	-	-	-	1	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	White——F—	1	***	***	***	***	***	***	-	-	-	-	-	-	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	1	***	***	***	***	***	***	-	-	-	1	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
640-649, 660-689	All other complications—	7	***	***	***	***	***	***	-	-	2	1	1	2	1	-	-	-	***	***	***	***	***	***	***	***	-
	White——F—	7	***	***	***	***	***	***	-	-	2	1	1	2	1	-	-	-	***	***	***	***	***	***	***	***	-
	Nonwhite—F—	-	***	***	***	***	***	***	-	-	-	-	-	-	-	-	-	-	***	***	***	***	***	***	***	***	-
750-759	Congenital malformations—	73	59	5	1	-	1	2	-	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	35	25	3	1	-	1	1	-	2	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	32	29	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	3	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	272	271	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	158	158	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	100	99	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	60	60	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	41	41	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	151	150	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	91	91	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	52	51	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	117	9	3	-	1	-	-	1	2	3	-	1	1	-	1	2	4	5	6	13	15	20	14	11	5	-
	White——M—	46	2	-	-	1	-	-	-	1	-	-	-	-	-	1	2	3	2	6	7	9	7	2	3	-	-
	F—	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	6	7	2	-
	Nonwhite—M—	18	3	-	-	-	-	-	1	-	1	-	1	-	-	1	1	2	-	-	2	1	3	1	1	-	-
	F—	24	4	3	-	-	-	-	-	1	2	-	-	1	-	-	-	2	2	3	2	3	-	1	-	-	-
Residual	All other diseases	311	17	2	2	-	-	3	-	5	8	3	3	10	11	15	22	29	35	26	39	32	27	15	7	2	-
	White——M—	166	13	-	2	-	-	1	-	4	4	-	2	4	5	6	14	16	22	14	22	16	10	7	4	2	-
	F—	128	3	2	2	-	-	2	-	-	2	2	1	3	6	7	7	10	12	10	17	16	17	6	3	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	1	-	1	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	11	1	-	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	2	-	-	2	-	-	-	-	-
E800-E962	Accidents—	453	29	9	6	6	4	6	6	53	36	26	26	27	27	28	16	12	24	20	27	20	24	22	11	2	-
	White——M—	324	18	7	5	3	2	6	3	49	32	21	17	21	10	22	15	9	18	13	18	11	13	9	6	-	-
	F—	111	8	2	1	2	2	2	2	3	3	5	4	3	5	4	1	2	7	7	9	8	11	13	5	2	-
	Nonwhite—M—	16	2	-	-	1	-	-	1	-	2	-	4	3	1	-	-	1	-	-	-	1	-	-	-	-	-
	F—	8	1	-	-	-	-	-	-	1	1	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents—	155	6	-	2	2	-	3	2	31	21	13	13	10	4	10	6	4	8	7	5	6	1	1	-	-	-
	White——M—	121	6	-	2	2	-	2	1	27	18	10	8	7	4	8	6	3	5	3	5	3	1	-	-	-	-
	F—	27	-	-	-	-	-	1	1	3	2	3	2	1	-	2	-	1	3	4	-	3	-	1	-	-	-
	Nonwhite—M—	6	-	-	-	-	-	-	-	1	1	-	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	304	23	9	4	4	4	5	4	22	17	13	13	17	13	16	10	8	16	13	22	14	23	21	11	2	-
	White——M—	203	12	7	3	1	2	4	2	22	14	11	9	14	6	14	9	6	11	10	11	8	12	9	6	-	-
	F—	84	8	2	1	2	2	1	1	-	1	2	2	2	5	2	1	1	4	3	9	5	11	12	5	2	-
	Nonwhite—M—	10	2	-	-	1	-	-	1	-	1	-	1	1	1	-	-	1	-	-	1	1	-	-	-	-	-
	F—	7	1	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	1	-	2	-	-	-	-	-	-
E963, E970-E979	Suicide—	82	-	-	-	-	-	-	2	1	2	2	7	11	9	5	7	7	6	2	3	2	1	1	-	-	-
	White——M—	51	-	-	-	-	-	-	1	1	2	2	5	8	6	5	6	6	6	2	3	2	1	1	-	-	-
	F—	10	-	-	-	-	-	-	1	-	-	-	2	2	3	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	14	-	-	-	-	-	1	-	1	1	4	2	-	2	1	-	-	-	-	-	-	1	-	1	-	-
	White——M—	6	-	-	-	-	-	1	-	-	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE																										
	ALL CAUSES	28,993	3,331	219	112	84	58	220	195	344	444	485	638	826	1,051	1,331	1,585	2,027	2,274	2,995	3,224	3,280	2,343	1,251	464	144	50
	White	12,716	1,460	105	41	34	23	101	80	162	206	200	263	333	422	523	680	888	1,065	1,358	1,481	1,477	1,086	511	158	43	6
	M	9,541	1,097	64	46	28	25	86	64	86	101	121	168	215	247	315	366	483	629	971	1,158	1,328	993	627	249	86	9
	Nonwhite—M	3,531	457	21	11	10	3	21	20	50	75	83	111	128	176	231	292	338	309	351	331	250	135	61	34	15	18
	F	3,205	317	29	14	12	7	12	19	46	62	81	96	150	206	264	247	318	271	315	254	224	129	52	43	20	17
001-019	Tuberculosis, all forms	1,243	15	14	8	5	2	13	14	44	77	71	116	96	117	87	80	81	86	98	97	73	43	5	-	1	-
	White—M	453	4	4	2	2	2	7	-	5	13	19	33	32	48	28	32	39	47	42	45	28	18	3	-	-	-
	F	406	6	4	3	2	-	4	6	11	23	23	38	23	26	22	19	24	23	45	43	39	20	2	-	-	-
	Nonwhite—M	209	3	2	1	1	-	1	2	12	18	13	22	25	28	18	18	12	11	8	8	4	2	-	-	-	-
	F	175	2	4	2	-	-	1	6	16	23	16	23	16	15	19	11	6	5	3	1	2	3	-	-	1	-
001-008	Tuberculosis of respiratory system	1,125	6	2	1	2	-	3	10	35	72	69	113	90	110	80	72	76	79	95	95	71	41	2	-	1	-
	White—M	415	1	1	-	-	-	1	-	5	15	18	32	29	47	26	30	39	43	40	44	27	17	2	-	-	-
	F	369	1	1	1	1	-	1	2	11	21	23	36	23	25	19	15	23	21	45	43	38	19	-	-	-	-
	Nonwhite—M	188	2	-	-	1	-	-	2	8	17	13	22	25	25	18	16	9	10	7	7	4	2	-	-	-	-
	F	155	2	-	-	-	-	1	6	13	21	15	23	13	15	17	11	5	5	3	1	2	3	-	-	1	-
010-019	Tuberculosis, other forms	118	9	12	7	3	2	10	4	9	5	2	3	6	7	7	8	5	7	3	2	2	2	3	-	-	-
	White—M	40	3	3	2	2	2	6	-	2	-	1	1	3	1	2	2	-	4	2	1	1	1	1	-	-	-
	F	37	5	3	2	1	-	3	4	-	2	-	2	-	1	3	4	1	2	-	-	1	1	2	-	-	-
	Nonwhite—M	21	1	2	1	-	-	1	-	4	1	-	-	-	3	-	2	3	1	1	1	-	-	-	-	-	-
	F	20	-	4	2	-	-	-	-	3	2	1	-	3	2	2	-	1	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	153	7	-	-	-	-	-	-	2	-	2	5	5	12	12	23	24	15	19	12	12	1	2	-	-	-
	White—M	50	2	-	-	-	-	-	-	1	-	-	1	-	2	3	9	8	4	10	6	6	-	-	-	-	-
	F	20	1	-	-	-	-	-	-	-	-	1	-	1	1	2	3	3	3	1	1	1	1	1	-	-	-
	Nonwhite—M	60	2	-	-	-	-	-	-	1	-	-	2	1	6	6	9	12	6	4	5	5	-	1	-	-	-
	F	23	2	-	-	-	-	-	-	-	1	2	3	3	1	2	3	3	2	4	-	-	-	-	-	-	-
040	Typhoid fever	9	1	1	-	-	-	1	-	1	-	-	-	-	-	-	1	1	-	1	2	-	-	-	-	-	-
	White—M	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	68	47	4	-	2	1	-	-	-	-	-	-	1	1	-	3	1	2	1	1	2	2	-	-	-	-
	White—M	25	17	2	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-
	F	27	19	2	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	2	1	-	-	-	-
	Nonwhite—M	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-
	F	7	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	9	4	-	-	-	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	2	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	27	-	5	6	5	3	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	2	2	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	-	3	4	2	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	41	30	6	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	14	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	11	1	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	24	7	2	1	1	1	2	-	4	-	1	-	1	1	1	1	-	1	-	-	-	-	-	-	-	-
	White—M	13	2	1	1	1	1	2	-	3	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	8	5	1	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	33	3	2	1	2	2	7	2	5	3	3	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	19	2	1	-	1	-	4	1	4	1	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-
	F	12	1	1	1	1	1	3	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	50	9	8	3	1	1	14	2	2	-	-	3	2	1	-	-	-	-	1	-	1	2	-	-	-	-
	White—M	22	5	3	2	-	1	6	-	1	-	-	1	1	-	-	-	-	-	-	-	1	1	-	-	-	-
	F	23	4	2	1	1	-	7	2	1	-	-	2	-	1	-	-	-	-	1	-	-	1	-	-	-	-
	Nonwhite—M	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	4	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	3	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	123	31	1	1	2	2	6	5	1	2	3	2	13	8	7	3	7	7	8	6	4	3	1	-	-	-
	White—M	47	13	1	-	1	-	2	2	1	-	-	1	1	2	3	1	4	5	4	2	2	1	1	-	-	-
	F	39	8	-	1	1	1	2	3	-	-	2	-	4	4	-	2	1	-	2	4	2	2	-	-	-	-
	Nonwhite—M	15	5	-	-	-	-	-	-	-	-	-	1	2	1	3	-	1	1	1	-	-	-	-	-	-	-
	F	22	5	-	-	-	1	2	-	-	2	-	1	6	1	1	-	1	1	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
140-205	Malignant neoplasms, etc.*—	3,285	7	4	7	7	7	21	13	24	25	39	66	105	166	242	287	316	380	442	421	341	217	105	34	6	1
	White—M	1,295	5	3	3	6	2	10	5	10	14	17	23	39	44	69	91	113	153	172	189	156	117	58	14	2	-
	F	1,455	2	1	3	1	4	9	4	10	9	17	34	46	76	101	121	129	153	203	192	151	88	61	15	3	1
	Nonwhite—M	241	-	-	-	-	-	2	3	2	-	2	5	5	11	24	26	33	42	35	20	20	6	3	2	-	-
	F	312	-	-	1	-	1	-	1	2	2	3	4	15	35	48	49	41	32	32	20	14	5	3	3	1	-
140-148	Of buccal cavity and pharynx	84	-	-	-	1	-	-	-	-	-	2	-	-	6	8	9	4	7	15	13	8	6	3	2	-	-
	White	50	-	-	-	1	-	-	-	-	-	1	-	-	1	3	7	3	4	10	7	6	5	1	1	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	-	-	3	-	2	-	1	4	6	2	1	2	1	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	-	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	-	1	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	1,151	1	-	-	1	-	1	1	3	3	6	10	25	32	58	88	96	149	177	176	150	94	43	13	3	1
	White—M	454	1	-	-	1	-	1	-	2	2	4	4	17	10	23	27	34	60	65	82	62	43	13	2	1	-
	F	474	-	-	-	-	-	-	1	1	1	2	2	4	13	18	34	34	55	85	78	66	47	26	6	2	1
	Nonwhite—M	109	-	-	-	-	-	-	-	-	-	-	2	1	2	8	14	16	23	14	11	13	2	1	2	-	-
	F	94	-	-	-	-	-	-	-	-	-	-	2	3	7	9	13	12	15	13	5	9	2	3	3	-	-
160-164	Of respiratory system	285	-	-	-	-	-	-	1	-	1	-	4	7	19	30	28	41	47	42	29	22	6	5	3	-	-
	White—M	187	-	-	-	-	-	-	1	-	1	-	2	2	11	21	22	29	33	24	18	16	5	2	1	-	-
	F	64	-	-	-	-	-	-	-	-	-	-	2	3	1	5	3	10	9	13	7	5	1	3	2	-	-
	Nonwhite—M	27	-	-	-	-	-	-	-	-	-	-	-	2	4	4	2	3	4	4	3	1	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	3	-	1	-	1	1	1	-	-	-	-	-	-
170	Of breast	267	-	-	-	-	-	-	-	-	-	4	10	10	27	27	33	27	29	33	34	19	12	2	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F	219	-	-	-	-	-	-	-	-	-	4	9	8	21	17	23	23	25	30	29	17	11	2	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-
	F	44	-	-	-	-	-	-	-	-	-	-	1	2	6	9	10	4	4	2	4	1	1	-	-	-	-
171-179	Of genital organs	661	-	-	-	-	-	-	-	3	3	6	10	33	42	58	61	63	66	85	76	68	58	24	4	1	-
	White—M	184	-	-	-	-	-	-	-	1	2	2	-	2	3	1	5	6	15	24	34	33	41	12	3	-	-
	F	324	-	-	-	-	-	-	-	1	1	3	9	21	26	35	33	34	36	42	32	29	11	10	1	-	-
	Nonwhite—M	37	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	7	7	7	3	3	4	2	-	-	-
	F	116	-	-	-	-	-	-	-	1	-	1	1	10	13	22	19	16	8	12	7	3	2	-	-	1	-
180, 181	Of urinary organs	142	1	1	-	-	1	1	1	1	-	2	2	3	8	10	13	18	20	20	16	14	6	4	-	-	-
	White—M	73	1	-	-	-	-	1	-	-	-	-	1	1	2	4	3	12	13	10	11	10	2	2	-	-	-
	F	41	-	1	-	-	-	-	-	-	-	-	1	1	-	4	5	5	2	3	9	2	4	4	2	-	-
	Nonwhite—M	15	-	-	-	-	-	-	1	-	-	-	1	-	-	1	1	2	3	1	2	-	-	-	-	-	-
	F	13	-	-	-	-	1	-	-	1	-	-	-	-	2	1	2	3	1	1	-	1	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	430	2	-	3	1	-	10	4	5	8	10	9	17	28	34	36	39	36	43	52	41	21	21	8	2	-
	White—M	201	2	-	2	-	-	4	1	2	4	6	3	10	17	12	15	18	14	19	27	19	12	8	5	1	-
	F	186	-	-	-	1	-	5	1	3	3	3	5	6	6	15	16	15	19	18	22	22	9	13	3	1	-
	Nonwhite—M	24	-	-	-	-	-	1	1	-	-	1	1	1	2	4	4	3	1	5	-	-	-	-	-	-	-
	F	19	-	-	1	-	-	-	1	-	1	-	-	-	3	3	1	3	2	1	3	-	-	-	-	-	-
204	Leukemia and aleukemia	148	3	3	4	2	5	8	5	8	5	8	8	5	6	8	9	13	12	17	7	10	1	1	-	-	-
	White—M	68	1	3	1	2	2	4	2	3	-	3	5	2	1	3	4	8	6	10	5	3	-	-	-	-	-
	F	66	2	-	3	-	3	4	2	4	4	3	3	2	4	4	4	3	4	6	2	7	1	1	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	1	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	1	1	-	-	-	-	-	1	2	2	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	135	-	-	-	2	1	1	1	4	5	3	13	6	3	11	15	20	16	10	14	7	5	-	-	-	-
	White—M	76	-	-	-	2	-	-	1	2	5	1	9	5	-	4	7	13	9	6	6	5	1	-	-	-	-
	F	38	-	-	-	-	1	-	-	1	-	1	3	1	2	3	3	5	4	2	7	1	4	-	-	-	-
	Nonwhite—M	14	-	-	-	-	-	1	-	1	-	-	1	-	1	3	1	1	2	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	1	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	112	2	1	1	1	-	4	1	3	3	5	6	12	12	15	8	5	5	6	6	12	2	1	-	1	-
	White—M	26	1	-	-	1	-	2	-	2	-	2	2	4	1	2	1	2	3	-	3	3	-	-	-	-	-
	F	47	1	1	-	-	-	1	-	-	2	1	3	2	5	6	2	3	2	3	4	7	2	1	-	1	-
	Nonwhite—M	7	-	-	-	1	-	-	-	-	-	-	-	1	-	-	2	-	-	1	2	-	-	-	-	-	-
	F	32	-	-	1	-	-	-	1	1	1	2	1	5	6	7	3	-	-	2	-	2	-	-	-	-	-
260	Diabetes mellitus	294	1	-	-	1	-	3	1	1	5	6	6	8	7	16	15	30	36	49	36	43	19	11	-	-	-
	White—M	102	-	-	-	-	-	-	-	-	2	1	2	1	4	5	7	9	8	17	15	17	9	5	-	-	-
	F	120	1	-	-	1	-	3	1	1	2	4	1	2	1	1	4	10	17	22	14	21	9	5	-	-	-
	Nonwhite—M	26	-	-	-	-	-	-	-	-	1	2	1	1	3	2	3	4	5	1	2	-	1	-	-	-	-
	F	46	1	-	-	-	-	-	-	-	1	-	1	4	1	7	2	8	7	5	6	3	1	-	-	-	-
290-293	Anemias	72	1	-	-	1	-	-	-	1	1	1	2	1	2	1	5	4	12	11	14	8	2	1	-	-	-
	White—M	25	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	2	4	4	8	4	-	-	-	-	-
	F	35	1	-	-	-	-	-	-	1	-	1	-	-	1	-	3	2	6	7	6	4	2	1	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	F	8	-	-	-	1	-	-	-	2	-	1	-	1	-	-	2	-	1	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	64	23	5	1	3	-	5	2	1	2	1	1	1	3	4	4	1	3	1	3	-	-	-	-	-	-
	White—M	30	9	3	-	2	-	3	1	1	1	-	-	-	2	1	1	-	3	-	3	-	-	-	-	-	-
	F	17	7	2	-	1	-	2	1	-	-	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M	11	5	-	1	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-
	F	6	2	-	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	13,132	11	3	1	1	4	19	33	33	42	65	101	201	358	544	759	1,139	1,291	1,770	2,010	2,110	1,489	753	295	77	25
	White—M	5,951	5	3	-	1	1	4	16	10	20	27	36	73	143	222	359	535	626	851	940	957	706	315	96	20	5
	F	4,288	6	-	1	-	2	12	15	10	12	13	23	51	72	107	140	239	332	535	687	846	614	378	151	39	5
	Nonwhite—M	1,425	-	-	-	-	1	1	2	8	4	9	15	31	57	98	140	174	163	201	205	158	88	34	22	8	6
	F	1,470	-	-	-	-	-	2	2	7	6	16	27	46	84	117	120	191	170	203	178	149	81	26	26	10	9
330-334, 400-468	Diseases of cardiovascular system	12,448	11	3	1	1	3	14	28	27	29	61	90	176	338	519	728	1,079	1,228	1,680	1,926	2,014	1,389	715	282	73	22
	White—M	5,681	5	3	-	1	1	3	13	8	14	26	31	65	135	213	348	516	605	803	899	911	667	298	94	18	4
	F	4,068	6	-	1	-	1	8	12	9	8	11	20	43	67	103	132	223	316	509	664	808	576	365	143	38	5
	Nonwhite—M	1,328	-	-	-	-	1	1	2	4	3	9	13	30	55	92	133	181	148	192	195	151	75	29	21	7	8
	F	1,371	-	-	-	-	-	2	2	6	4	15	26	38	81	111	115	179	159	186	168	144	71	23	24	10	7
330-334	Vascular lesions, etc.*	3,397	3	3	1	-	-	-	1	5	6	9	18	41	78	123	182	268	340	463	577	580	416	187	70	18	8
	White—M	1,344	1	3	-	-	-	-	1	-	3	3	2	8	25	33	57	84	142	173	245	254	201	77	24	7	1
	F	1,209	2	-	1	-	-	-	-	2	3	2	5	13	10	34	42	74	103	156	210	230	176	102	35	8	1
	Nonwhite—M	388	-	-	-	-	-	-	-	2	-	-	4	8	14	25	38	50	44	62	61	47	20	4	7	1	1
	F	456	-	-	-	-	-	-	-	1	-	4	7	12	29	51	45	60	51	72	61	49	19	4	4	2	5
400-402	Rheumatic fever	57	-	-	-	-	1	2	6	13	7	5	4	4	5	6	1	1	-	-	-	1	1	-	-	-	-
	White—M	21	-	-	-	-	1	1	2	3	2	2	3	1	3	2	-	-	-	-	-	-	1	-	-	-	-
	F	22	-	-	-	-	-	-	3	7	1	1	1	1	1	4	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite—M	7	-	-	-	-	1	1	1	1	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	2	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
410-443	Diseases of heart-	8,259	7	-	-	-	1	7	15	13	18	41	58	111	234	370	511	760	844	1,148	1,237	1,339	870	451	171	42	10
	White-----M--	4,024	4	-	-	-	-	1	9	5	9	17	28	48	104	171	277	411	441	595	602	611	429	190	60	9	3
	F--	2,589	3	-	-	-	1	4	5	6	4	8	12	26	47	63	84	141	202	337	419	543	350	223	86	22	3
	Nonwhite--M--	850	-	-	-	-	-	-	1	-	2	8	6	17	36	63	89	101	98	118	124	98	48	21	11	5	3
	F--	796	-	-	-	-	-	2	-	2	3	8	13	20	47	73	61	107	103	98	92	87	42	17	14	6	1
410-416	Chronic rheumatic heart disease-----	373	...	-	-	-	1	4	12	7	6	10	18	12	14	28	26	34	39	42	32	38	25	17	6	2	-
	White-----M--	173	...	-	-	-	-	1	7	3	4	4	9	5	3	10	10	20	23	18	12	19	16	6	2	1	-
	F--	132	...	-	-	-	1	3	4	3	1	3	6	3	7	10	11	7	13	16	12	13	7	4	4	1	-
	Nonwhite--M--	39	...	-	-	-	-	-	1	-	-	2	1	3	1	3	3	5	2	5	5	3	2	3	-	-	-
	F--	29	...	-	-	-	-	-	-	1	1	1	2	1	3	5	2	2	1	3	3	3	-	1	-	-	-
420	Arteriosclerotic heart dis., etc.*	3,767	1	-	-	-	-	1	1	2	2	8	15	47	109	177	288	405	421	585	584	566	317	170	52	14	2
	White-----M--	2,194	1	-	-	-	-	-	-	1	2	5	12	35	74	116	199	264	273	341	326	279	163	79	20	4	-
	F--	1,134	-	-	-	-	-	1	1	1	-	1	1	7	13	24	38	77	101	176	210	237	128	63	27	7	1
	Nonwhite--M--	247	-	-	-	-	-	-	-	-	-	2	-	2	11	18	31	32	24	43	31	24	17	6	3	2	1
	F--	192	-	-	-	-	-	-	-	-	-	-	2	3	11	19	20	32	23	25	17	26	9	2	2	1	-
421, 422	Nonrheumatic chronic endo-carditis, etc.*--	1,518	...	-	-	-	-	-	1	-	2	5	5	13	29	44	49	83	122	179	224	295	234	141	70	18	4
	White-----M--	638	...	-	-	-	-	-	1	-	-	-	2	1	10	11	20	34	44	88	107	131	107	56	23	2	1
	F--	544	...	-	-	-	-	-	-	-	1	3	1	4	8	8	17	13	34	50	70	118	97	74	33	12	1
	Nonwhite--M--	166	...	-	-	-	-	-	-	-	1	-	1	4	4	12	6	16	23	21	27	25	16	4	4	1	1
	F--	170	...	-	-	-	-	-	-	-	-	2	1	4	7	13	6	20	21	20	20	21	14	7	10	3	1
430-434	Other diseases of heart----------	708	6	-	-	-	-	2	-	3	7	10	9	12	26	35	49	73	84	89	99	108	56	27	7	3	3
	White-----M--	329	3	-	-	-	-	-	-	1	3	6	3	4	8	18	15	32	41	47	43	54	35	10	3	1	2
	F--	155	3	-	-	-	-	-	-	2	2	1	1	5	5	5	10	11	11	15	21	31	16	12	3	-	1
	Nonwhite--M--	127	-	-	-	-	-	-	-	-	1	2	2	2	9	5	16	11	19	15	22	15	3	2	-	2	-
	F--	97	-	-	-	-	-	2	-	-	1	1	3	1	4	6	8	19	13	12	13	8	2	3	1	-	-
440-443	Hypertension with heart dis.--	1,893	-	-	-	-	-	-	1	1	1	8	12	27	56	88	99	165	178	253	298	332	238	96	38	5	1
	White-----M--	680	-	-	-	-	-	1	-	-	-	2	2	3	9	16	33	61	60	101	114	128	108	39	12	1	-
	F--	624	-	-	-	-	-	-	-	-	-	-	3	7	14	16	6	33	43	80	106	144	102	47	18	2	-
	Nonwhite--M--	271	-	-	-	-	-	-	-	-	-	2	2	6	11	24	33	37	30	34	39	31	11	6	4	-	1
	F--	308	-	-	-	-	-	-	-	1	1	4	5	11	22	30	25	34	45	38	39	29	17	4	1	2	-
444-447	Hypertension without mention of heart----------	309	-	-	-	-	-	1	-	-	-	3	6	13	13	14	20	30	23	39	51	35	31	18	8	4	-
	White-----M--	103	-	-	-	-	-	-	-	-	-	-	-	4	2	4	7	10	11	18	19	13	11	4	-	-	-
	F--	91	-	-	-	-	-	1	-	-	-	-	1	1	4	2	3	4	6	5	19	13	15	10	5	2	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	1	2	4	2	3	4	7	3	5	6	3	1	2	2	-	-
	F--	70	-	-	-	-	-	-	-	-	-	2	3	4	5	5	6	9	3	11	7	6	4	2	1	2	-
450	General arterio-sclerosis----------	316	-	-	-	-	-	-	-	-	-	-	-	2	-	-	7	11	13	27	50	53	58	54	30	7	4
	White-----M--	139	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	6	6	11	28	31	21	23	8	1	-
	F--	123	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	8	12	18	28	29	16	5	1
	Nonwhite--M--	27	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	2	4	4	2	5	2	1	1	2
	F--	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	4	6	2	4	-	4	-	1
451-468	Other diseases of circulatory sys.-	110	1	-	-	-	-	-	-	2	-	4	3	4	7	11	7	10	8	13	10	6	14	5	3	2	-
	White-----M--	50	-	-	-	-	-	-	-	1	-	3	-	1	2	5	5	5	5	6	5	1	5	4	1	1	-
	F--	34	1	-	-	-	-	-	-	-	-	-	1	2	2	3	1	2	2	3	3	4	7	1	1	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	3	1	-	2	1	3	-	1	-	-	-	-	-
	F--	15	-	-	-	-	-	-	-	1	-	1	2	1	-	2	1	1	-	1	2	-	2	-	1	-	-
592-594	Chronic nephritis, etc.*----------	684	-	-	-	-	1	5	4	6	13	4	11	25	18	25	31	60	63	80	84	96	100	38	13	4	3
	White-----M--	270	-	-	-	-	-	1	3	2	6	1	5	8	8	9	11	19	21	28	41	46	39	17	2	2	1
	F--	220	-	-	-	-	1	4	1	1	4	2	3	8	5	4	8	16	16	26	23	38	38	13	8	1	-
	Nonwhite--M--	95	-	-	-	-	-	-	-	2	1	-	2	1	2	6	7	13	15	9	10	7	13	5	1	1	-
	F--	99	-	-	-	-	-	-	-	1	2	1	1	8	3	8	5	12	11	17	10	5	10	3	2	-	2
480-493	Influenza and pneumonia, etc.*-	1,357	292	33	17	15	4	9	12	12	10	19	17	22	26	34	27	51	60	92	140	152	146	94	47	15	9
	White-----M--	496	107	12	6	6	1	4	2	7	4	4	5	7	8	9	9	19	17	30	48	65	62	45	13	6	-
	F--	469	96	11	5	2	3	2	8	4	1	4	3	4	2	10	4	7	17	33	59	67	70	40	30	5	2
	Nonwhite--M--	195	54	6	2	3	-	1	1	-	4	7	5	6	9	6	6	12	15	13	17	10	6	5	1	3	3
	F--	177	35	4	4	4	-	2	1	1	1	4	4	5	7	9	6	13	11	16	16	10	10	4	3	1	4
480-483	Influenza----------	263	36	3	2	1	-	3	2	1	3	4	7	4	5	5	6	13	9	18	35	30	34	21	16	3	2
	White-----M--	76	11	1	1	1	-	1	-	-	2	1	2	1	1	-	1	3	2	6	9	8	13	8	3	1	-
	F--	94	13	1	-	-	-	-	2	-	-	-	1	1	-	1	1	2	2	3	16	15	14	10	12	-	-
	Nonwhite--M--	44	7	1	1	-	-	1	-	-	1	1	1	-	1	2	2	4	4	2	6	3	2	2	1	1	1
	F--	49	5	-	-	-	-	1	-	1	-	2	3	2	3	2	2	4	1	7	4	4	5	1	-	1	1
490-493	Pneumonia, etc.*--	1,094	256	30	15	14	4	6	10	11	7	15	10	18	21	29	21	38	51	74	105	122	114	73	31	12	7
	White-----M--	420	96	11	5	5	1	3	2	7	2	3	3	6	7	9	8	16	15	24	39	57	49	37	10	5	-
	F--	395	83	10	5	2	3	2	6	4	1	4	2	3	2	9	3	5	15	30	43	52	56	30	18	5	2
	Nonwhite--M--	151	47	5	1	3	-	-	1	-	3	6	4	6	8	4	4	8	11	11	11	7	4	3	-	2	2
	F--	128	30	4	4	4	-	1	1	-	1	2	1	3	4	7	6	9	10	9	12	6	5	3	3	-	3
500-502	Bronchitis----------	78	18	5	3	1	1	-	-	-	-	-	1	2	-	1	5	1	1	5	7	11	10	6	-	-	-
	White-----M--	31	4	3	1	1	1	-	-	-	-	-	-	-	-	1	2	-	-	4	4	5	5	-	-	-	-
	F--	29	7	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	3	4	5	6	-	-	-
	Nonwhite--M--	10	4	-	2	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	F--	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	110	1	-	-	-	-	-	-	-	1	3	3	4	9	9	12	17	15	14	8	8	4	-	2	-	-
	White-----M--	69	-	-	-	-	-	-	-	-	-	-	-	3	6	6	8	13	13	8	5	5	1	-	1	-	-
	F--	15	-	-	-	-	-	-	-	-	-	1	2	-	2	-	1	1	1	2	1	3	1	-	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	2	1	-	1	3	3	3	1	1	2	-	1	-	1	-	-
	F--	6	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	3	-	-	1	-	-	-	-
550-553	Appendicitis-------	75	-	1	1	2	1	4	6	4	4	3	3	6	5	6	4	6	3	5	1	4	1	3	-	-	-
	White-----M--	41	-	-	1	1	1	3	5	2	2	1	1	2	4	3	1	3	2	3	-	2	1	3	-	-	-
	F--	15	-	1	-	-	-	-	3	-	2	2	1	1	1	-	-	-	-	1	1	2	-	-	-	-	-
	Nonwhite--M--	10	-	-	-	-	-	2	-	-	-	-	-	-	-	1	2	3	1	1	-	-	-	-	-	-	-
	F--	9	-	-	-	1	-	1	-	-	-	-	1	3	-	2	1	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intesti-nal obstruction--	140	15	4	-	-	-	-	2	-	-	5	3	10	6	5	4	11	10	18	7	16	14	8	1	1	-
	White-----M--	59	9	4	-	-	-	-	1	-	-	1	2	3	2	3	-	5	3	7	1	8	6	3	-	1	-
	F--	45	4	-	-	-	-	-	-	-	-	3	1	6	2	-	2	2	3	5	3	5	6	3	-	-	-
	Nonwhite--M--	20	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	3	5	2	2	-	2	1	-	-
	F--	16	1	-	-	-	-	-	1	-	-	1	-	1	2	1	1	2	1	1	1	1	2	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TENNESSEE—Con.																										
543, 571, 572	Gastritis, etc.*— White——M— F— Nonwhite—M— F—	397 150 138 65 44	288 114 94 30 30	31 15 9 1 6	8 5 3 — —	1 — 1 — —	1 — 1 — —	3 2 2 — —	2 1 1 — —	— — — — —	1 — 1 — —	— — — — —	1 — 1 — —	5 1 1 1 2	5 1 1 — 2	3 1 1 1 —	5 1 1 2 1	5 — 1 1 3	6 2 1 3 —	5 1 1 — 1	6 2 4 — —	7 3 3 1 —	6 3 4 1 —	2 — 2 — —	3 — 1 — —	1 — — — —	— — — — —
581	Cirrhosis of liver White——M— F— Nonwhite—M— F—	174 117 33 18 6	— — — — —	1 — 1 — —	— — — — —	— — — — —	— — — — —	— — — — —	1 1 — — —	3 1 2 — —	4 4 — — —	13 8 2 3 —	8 5 — 1 2	24 19 3 1 1	12 5 4 1 2	17 13 3 1 —	24 15 5 3 1	15 10 3 2 —	23 16 6 1 —	21 14 4 3 —	3 3 — — —	4 — 1 — —	— — — — —	— — — — —	— — — — —	— — — — —
590, 591	Acute nephritis, etc.*— White——M— F— Nonwhite—M— F—	104 24 34 20 26	3 1 1 — 1	— — — — —	3 — 1 2 —	2 — — — —	— — — — —	2 1 1 — —	5 — 5 — —	4 1 2 — 1	2 1 1 — —	3 2 1 — —	4 1 — 2 1	6 2 1 3 1	4 2 1 — 1	6 2 1 3 —	3 1 1 — 1	8 2 1 3 2	11 1 4 3 3	14 6 3 3 2	9 1 5 2 1	8 2 2 — 2	3 — 2 1 —	1 — — 1 —	2 — — 1 —	— — — 1 —	1 — — — —
610	Hyperplasia of prostate— White——M— Nonwhite—M—	163 122 41	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	— — —	1 1 —	5 — 5	4 — 4	13 7 6	21 12 9	38 31 7	33 29 4	29 25 4	14 14 —	2 2 —	2 1 1	1 — 1
640-689	Complications of pregnancy, etc.*— White——F— Nonwhite—F—	110 76 34	... ...	... ...	... ...	... ...	... ...	... ...	— — —	13 7 6	15 12 1	20 13 7	28 18 10	24 17 7	11 9 2	1 — 1	— — —	— — —	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	— — —
650-652	Abortion— White——F— Nonwhite—F—	3 3 —	... ...	... ...	... ...	... ...	... ...	... ...	— — —	— — —	2 2 —	1 1 —	— — —	— — —	— — —	— — —	— — —	— — —	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	— — —
640-649, 650-669	All other complications— White——F— Nonwhite—F—	107 73 34	... ...	... ...	... ...	... ...	... ...	... ...	— — —	13 7 6	11 10 1	19 12 7	28 18 10	24 17 7	11 9 2	1 — 1	— — —	— — —	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	— — —
750-759	Congenital malformations— White——M— F— Nonwhite—M— F—	405 204 165 20 18	326 165 131 16 14	19 9 8 1 1	10 4 6 — —	4 1 3 — —	1 1 — — —	4 4 1 — —	3 2 1 1 —	3 1 1 — —	4 3 1 — —	4 1 3 — —	3 1 2 — —	6 2 1 1 2	3 2 1 — —	3 2 1 — —	5 4 1 — 1	3 1 1 — —	2 — — — —	— — — — —	1 — 1 — —	1 1 — — —	— — — — —	— — — — —	— — — — —	— — — — —
760-776	Certain diseases of early infancy— White——M— F— Nonwhite—M— F—	1,704 791 536 221 156	1,702 790 536 221 155	1 1 — — —	— — — — —	— — — — —	— — — — —	1 — — — 1	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —
760-762	Birth injuries, etc.*— White——M— F— Nonwhite—M— F—	572 283 183 65 41	571 282 183 65 41	1 1 — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —
763-768	Infections of newborn— White——M— F— Nonwhite—M— F—	176 88 56 21 11	176 88 56 21 11	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —
769-778	Other diseases of infancy, and immaturity unqualified— White——M— F— Nonwhite—M— F—	956 420 297 135 104	955 420 297 135 103	— — — — —	— — — — —	— — — — —	— — — — 1	1 — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —
780-795	Senility, etc.*— White——M— F— Nonwhite—M— F—	1,713 606 482 335 290	324 115 99 65 47	13 7 1 4 1	9 1 3 3 2	5 — 1 3 1	3 — 1 — 1	10 3 5 1 1	4 2 2 1 2	8 5 3 1 5	17 3 3 5 6	12 3 3 2 4	17 2 6 2 7	39 13 4 11 11	62 18 11 15 18	76 26 12 17 21	92 38 9 28 17	101 30 18 33 20	105 46 18 23 18	158 61 26 29 22	150 53 45 32 20	163 61 55 22 25	165 60 72 19 14	117 39 55 10 13	49 17 23 3 6	23 6 10 2 5	11 1 1 6 3
Residual	All other diseases White——M— F— Nonwhite—M— F—	1,380 576 485 156 163	87 39 35 10 3	18 9 7 1 1	14 8 5 1 1	6 4 1 1 —	8 4 2 1 1	18 9 7 2 —	16 7 3 3 3	17 8 5 3 2	21 8 6 3 4	27 8 10 4 7	39 17 10 2 8	56 23 22 2 9	70 25 13 11 21	80 27 20 15 18	98 35 27 18 18	92 32 25 18 17	95 45 30 11 9	162 75 58 18 11	126 58 49 11 8	148 63 64 10 11	93 36 48 5 4	57 24 28 4 1	22 8 7 3 4	10 5 3 1 1	— — — — —
E800-E962	Accidents— White——M— F— Nonwhite—M— F—	1,733 1,009 407 219 98	75 55 20 12 8	36 18 7 4 7	15 4 8 2 1	15 3 7 1 4	13 5 4 1 3	63 33 20 8 2	61 45 8 7 1	135 92 29 11 3	156 112 17 22 5	124 88 15 14 9	134 98 12 20 4	114 80 13 17 4	86 59 11 14 3	91 56 12 19 4	75 42 15 14 4	64 38 10 11 5	62 38 13 5 6	70 36 12 14 8	86 42 29 12 3	88 38 43 5 4	74 24 41 3 6	63 17 41 1 4	26 7 18 1 —	7 2 4 — 1	2 — — — 1
E810-E835	Motor-vehicle accidents— White——M— F— Nonwhite—M— F—	703 454 129 69 31	6 2 3 1 —	4 3 1 — —	4 1 2 1 —	4 1 2 — 1	3 1 1 1 —	38 20 14 3 1	21 17 3 1 —	88 55 22 7 4	109 79 13 13 5	69 46 11 7 5	67 47 6 6 3	47 32 7 5 3	39 27 5 6 1	42 24 6 10 2	37 21 10 4 2	21 15 4 2 —	27 18 4 4 3	24 15 3 4 2	25 17 4 2 1	15 8 4 2 1	9 5 2 1 1	1 — 2 — —	2 — — — —	— — — 1 —	1 — — 1 —
E800-E802, E840-E962	All ot. accidents— White——M— F— Nonwhite—M— F—	1,030 555 278 130 67	69 33 17 11 8	32 15 6 4 7	11 3 8 1 1	11 2 5 1 3	10 4 5 1 —	25 13 6 5 1	40 28 5 1 1	45 37 7 1 —	47 35 4 7 1	55 42 2 9 2	67 51 6 7 1	67 48 6 9 3	47 31 6 8 2	49 32 6 9 2	38 21 5 10 2	43 23 6 9 5	35 20 9 3 3	46 21 9 10 6	61 25 25 8 3	73 28 39 3 3	65 19 39 2 5	62 17 41 — 4	24 7 16 1 1	7 2 4 — 1	1 — — — 1
E963, E970-E979	Suicide— White——M— F— Nonwhite—M— F—	285 213 55 13 4	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	7 6 1 — —	15 10 2 1 1	17 15 2 — —	29 19 9 1 —	25 17 8 — —	41 31 6 4 —	29 20 9 — —	29 22 6 1 —	21 16 2 3 —	26 17 4 3 2	25 22 3 — —	12 11 1 — —	7 6 1 — —	3 2 1 — —	1 1 — — —	— — — — —	— — — — —	— — — — —
E964, E980-E985	Homicide— White——M— F— Nonwhite—M— F—	321 114 22 151 34	1 1 — — —	— — — — —	1 1 — — —	— — — — —	— — — — —	— — — — —	4 1 2 1 —	18 11 3 2 2	39 9 2 29 7	47 13 3 29 6	44 21 — 16 2	46 12 5 12 4	28 12 1 13 3	31 9 3 9 3	24 8 3 4 3	15 6 1 4 2	11 2 — 3 1	3 3 1 1 —	6 2 — 3 1	1 1 — — —	1 — — — —	1 — — — 1	— — — — —	— — — — —
E965, E980-E999	Operations of war— White——M— F— Nonwhite—M— F—	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —	— — — — —

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS																										
	ALL CAUSES	63,337	8,638	794	355	208	190	527	459	862	1,230	1,317	1,351	1,808	2,343	3,110	3,681	4,541	5,118	6,018	6,472	6,114	4,258	2,561	1,015	265	139
	White	31,500	4,060	526	180	96	93	278	212	435	652	627	624	845	1,111	1,476	1,810	2,391	2,865	3,194	3,314	3,114	2,112	1,167	411	93	54
	M	21,243	3,217	353	145	78	75	164	143	241	328	380	413	550	614	805	904	1,150	1,383	1,908	2,266	2,346	1,818	1,248	554	144	42
	Nonwhite	5,843	776	66	31	15	13	42	48	108	164	178	148	227	299	445	551	572	685	804	475	390	187	88	19	15	19
	M	4,751	575	49	19	19	9	43	36	78	106	132	166	201	319	384	426	428	387	412	417	264	141	64	29	13	24
001-019	Tuberculosis, all forms	2,438	45	40	14	10	12	16	27	118	196	242	177	214	216	179	178	173	179	159	107	87	53	10	1	3	2
	White	1,208	25	17	7	6	7	5	10	51	54	82	65	95	114	88	103	113	120	108	74	52	21	6	1	2	2
	M	779	16	19	6	4	4	7	14	63	85	100	72	77	54	54	37	33	33	34	25	31	7	3	-	1	-
	Nonwhite	256	1	3	1	-	-	1	-	11	21	29	20	25	33	21	25	22	20	13	3	2	4	1	-	-	-
	M	195	3	1	-	-	1	3	3	13	36	31	20	17	15	16	13	5	6	4	5	2	1	-	-	-	-
001-008	Tuberculosis of respiratory system	2,232	18	10	4	6	3	8	18	112	178	226	175	202	208	169	176	166	171	151	99	85	32	10	1	3	1
	White	1,103	9	5	1	5	1	2	5	29	49	77	65	88	108	84	103	108	114	103	68	50	20	6	1	2	1
	M	718	8	5	3	1	1	4	11	82	79	90	72	75	54	51	37	33	31	34	23	31	7	3	-	1	-
	Nonwhite	231	-	-	-	-	-	1	-	9	17	28	20	22	32	19	23	20	20	10	3	2	4	1	-	-	-
	M	182	1	-	-	-	1	1	2	12	33	31	20	16	14	15	13	5	6	4	5	2	1	-	-	-	-
010-019	Tuberculosis, other forms	208	27	30	10	4	9	8	9	6	18	16	2	12	8	10	2	7	8	8	8	2	1	-	-	-	1
	White	105	16	12	6	1	6	3	5	2	5	5	2	6	6	4	-	5	6	5	6	2	1	-	-	-	1
	M	63	8	14	3	5	3	3	3	1	6	10	-	2	-	3	-	-	2	-	2	-	-	-	-	-	-
	Nonwhite	25	1	3	1	-	-	-	-	2	4	1	-	3	1	2	2	2	-	3	-	-	-	-	-	-	-
	M	13	2	1	-	-	-	2	1	1	3	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	460	31	1	-	1	-	-	-	1	2	4	11	23	27	59	67	62	47	49	42	18	12	2	-	-	1
	White	210	10	1	-	-	-	-	-	1	1	3	2	7	25	33	31	30	27	22	9	6	1	-	-	-	1
	M	59	6	-	-	1	-	-	-	-	1	-	5	3	3	6	5	5	10	8	4	2	-	-	-	-	-
	Nonwhite	140	8	-	-	-	-	-	-	2	7	12	10	26	23	20	10	7	6	4	4	1	-	-	-	-	-
	M	51	7	-	-	-	-	-	1	1	-	1	4	7	5	5	8	2	5	6	1	-	-	-	-	-	-
040	Typhoid fever	18	1	-	1	-	-	-	-	2	3	2	1	1	1	1	1	-	1	1	-	1	-	1	-	-	-
	White	10	1	-	1	-	-	-	-	1	2	1	1	1	-	-	1	-	-	1	-	1	-	-	-	-	-
	M	6	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	1	-	-	1	-	1	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	536	388	66	10	6	1	3	3	4	4	-	1	1	-	3	4	6	7	6	4	5	9	4	1	-	-
	White	268	206	29	3	5	1	3	-	2	1	-	-	1	-	1	1	2	4	1	-	1	6	1	-	-	-
	M	235	180	35	7	1	-	-	3	2	3	-	-	-	-	-	2	2	2	4	3	4	3	3	1	-	-
	Nonwhite	18	13	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	-	-	-	-	-	-
	M	15	9	2	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	28	4	2	-	1	3	4	2	2	1	1	-	1	1	2	1	-	-	-	2	-	-	-	1	-	-
	White	10	1	2	-	-	1	1	1	-	1	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-
	M	12	1	-	-	1	-	3	1	1	-	1	-	-	-	-	1	-	-	-	2	-	-	-	1	-	-
	Nonwhite	3	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	61	10	11	9	6	9	14	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White	26	5	3	5	4	2	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	21	2	2	4	1	7	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	7	2	2	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	M	7	1	4	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	46	39	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White	16	12	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	M	21	20	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	5	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	38	12	4	3	-	1	4	-	6	1	-	-	-	1	1	2	1	-	1	-	1	-	-	-	-	-
	White	13	4	2	2	-	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	M	15	5	2	1	-	-	3	-	-	1	-	-	-	1	-	2	1	-	1	-	-	-	-	-	-	-
	Nonwhite	6	3	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	2	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	183	15	10	17	6	12	35	27	9	10	19	9	7	1	4	-	1	-	-	1	-	-	-	-	-	-
	White	98	7	4	8	5	6	23	13	5	6	11	4	4	1	1	-	-	-	-	1	-	-	-	-	-	-
	M	72	6	4	7	1	6	10	14	3	4	8	5	1	-	3	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	8	1	-	1	-	-	2	-	1	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-
084	Smallpox	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	92	25	33	10	4	3	10	4	2	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	39	11	16	3	1	2	3	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	45	13	15	7	3	1	4	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	4	-	2	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	4	1	-	-	-	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	8	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	1	1	1	-	-	-	-	-	-
	White	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	1	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	20	5	-	-	-	-	-	-	3	-	-	-	-	-	-	1	1	2	-	5	2	-	1	-	-	-
	White	6	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	-	-	-	-
	M	7	3	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-
	Nonwhite	5	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
Residual	All other infective and parasitic diseases	281	103	9	10	3	2	12	9	8	6	5	8	9	16	18	10	7	11	12	8	10	2	2	-	1	-
	White	135	54	4	4	1	1	9	4	4	2	1	3	-	8	7	5	4	8	8	5	5	1	1	-	-	-
	M	86	33	4	2	2	1	2	3	2	1	2	3	5	6	3	1	2	2	2	3	4	1	1	-	1	-
	Nonwhite	39	11	1	3	-	-	-	2	1	2	2	2	1	1	7	1	1	2	1	-	1	-	-	-	-	-
	M	21	5	-	1	-	-	1	-	1	1	-	-	3	3	1	3	-	1	1	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Con.																										
140-205	Malignant neo. plasms, etc.*	7,700	23	14	28	20	15	45	33	40	55	80	130	240	394	606	707	920	869	980	982	791	458	220	61	17	10
	White—M	3,443	14	6	8	14	9	26	14	26	23	39	36	70	111	204	267	402	420	478	494	410	224	111	31	4	2
	F	3,319	7	7	9	6	5	16	11	10	23	32	67	119	202	277	329	376	353	412	380	336	196	104	27	10	5
	Nonwhite—M	427	1	-	3	-	1	2	4	3	6	3	3	12	25	42	49	75	53	50	49	29	13	2	1	1	2
	F	511	1	1	-	-	-	1	4	1	3	6	24	38	56	83	62	69	43	50	39	16	5	3	2	2	1
140-148	Of buccal cavity and pharynx	215	-	-	-	-	-	-	-	1	3	1	2	4	8	10	17	28	24	35	36	29	8	5	2	-	-
	White—M	154	-	-	-	-	-	-	-	1	3	-	1	1	5	5	12	23	20	25	28	20	6	3	1	-	-
	F	42	-	-	-	-	-	-	-	-	-	1	1	1	-	4	3	2	1	9	6	9	2	2	1	-	-
	Nonwhite—M	10	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	5	1	1	1	-	-	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	2	-	1	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	2,632	2	-	1	-	1	-	1	3	6	10	25	57	100	165	207	301	337	377	410	334	175	81	27	7	5
	White—M	1,235	2	-	1	-	-	-	1	2	1	6	7	25	35	77	99	138	161	187	197	167	75	37	12	3	2
	F	1,046	-	-	-	-	-	-	-	1	4	3	13	22	41	44	62	108	137	147	172	144	90	42	12	3	1
	Nonwhite—M	203	-	-	-	-	1	-	-	-	1	1	1	8	11	18	25	34	21	26	27	16	9	2	1	-	1
	F	148	-	-	-	-	-	-	-	-	-	-	4	2	13	26	21	21	18	17	14	7	1	-	2	1	1
160-164	Of respiratory system	724	-	-	1	-	-	-	-	3	3	6	6	11	20	37	35	127	100	108	93	54	24	11	2	3	-
	White—M	514	-	-	-	-	-	-	-	2	1	5	2	9	11	39	68	106	77	77	65	30	15	5	1	1	-
	F	146	-	-	1	-	-	-	-	1	2	1	3	1	4	6	16	10	16	26	23	21	8	5	1	1	-
	Nonwhite—M	45	-	-	-	-	-	-	-	-	-	-	1	-	3	10	7	9	6	3	4	1	-	-	-	1	-
	F	19	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	2	1	2	1	2	1	1	-	-	-
170	Of breast	592	-	-	-	-	-	-	-	-	2	6	14	27	55	87	68	78	55	65	47	44	27	14	2	-	1
	White—M	10	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	1	1	-	3	1	1	-	-	-
	F	507	-	-	-	-	-	-	-	-	1	5	10	21	45	70	61	65	51	57	43	38	24	13	2	-	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	74	-	-	-	-	-	-	-	1	1	4	6	9	15	6	13	3	7	4	3	2	-	-	-	-	-
171-179	Of genital organs	1,424	-	-	-	1	1	-	2	4	5	17	35	68	97	140	134	178	136	147	160	143	103	39	11	1	2
	White—M	436	-	-	-	-	1	-	-	3	2	6	6	6	7	2	8	25	35	57	80	86	73	30	9	-	-
	F	762	-	-	-	1	-	-	2	1	3	8	19	43	69	104	99	118	79	68	62	45	28	8	2	1	2
	Nonwhite—M	84	-	-	-	-	-	-	-	-	-	-	-	2	1	2	6	14	12	9	8	8	2	-	-	-	-
	F	162	-	-	-	-	-	-	-	-	-	3	10	17	20	32	21	21	10	13	10	4	-	1	-	-	-
180, 181	Of urinary organs	307	-	-	4	1	1	1	1	-	1	2	4	2	7	18	25	34	38	37	52	42	18	15	2	2	-
	White—M	187	-	-	3	1	1	-	-	1	2	1	-	5	12	13	24	29	19	34	27	8	6	1	-	-	-
	F	100	-	-	1	-	-	1	1	-	-	-	3	1	2	4	7	5	8	16	14	15	10	9	1	2	-
	Nonwhite—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	-	1	3	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	1	1	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	1,185	5	3	7	7	2	11	14	16	15	14	20	44	69	87	117	129	118	149	117	102	71	47	15	4	2
	White—M	560	4	2	2	5	1	8	4	11	6	5	7	20	28	40	41	65	57	75	59	51	39	25	7	-	-
	F	499	1	-	3	2	1	3	5	5	8	7	10	18	27	34	65	50	46	63	44	47	29	21	8	3	1
	Nonwhite—M	56	-	-	2	-	-	-	3	-	3	-	-	1	5	8	3	4	8	6	6	4	2	-	-	-	1
	F	70	-	1	-	-	-	-	2	-	-	2	3	5	9	5	8	10	7	7	8	-	1	1	-	1	-
204	Leukemia and aleukemia	342	13	8	5	10	10	29	12	9	9	10	17	13	18	15	15	24	30	36	20	25	7	7	-	-	-
	White—M	185	6	2	1	7	6	17	7	6	3	6	9	4	7	8	8	9	19	22	12	17	5	4	-	-	-
	F	126	5	6	3	3	4	10	3	1	4	4	6	5	8	6	7	10	7	13	8	8	2	3	-	-	-
	Nonwhite—M	17	1	-	1	-	-	1	-	1	1	-	1	1	1	-	-	4	4	1	-	-	-	-	-	-	-
	F	14	1	-	-	-	-	1	2	1	1	-	1	3	2	1	-	1	-	-	-	-	-	-	-	-	-
200-205, 205	Lymphomas, etc.*	281	5	3	2	1	-	4	5	4	11	14	7	14	20	27	28	21	31	36	27	18	5	1	-	-	-
	White—M	162	2	2	1	1	-	1	2	1	6	9	3	5	12	19	18	12	21	17	19	9	2	-	-	-	-
	F	91	1	1	1	-	-	2	-	1	3	3	2	7	6	5	9	8	8	13	8	9	3	1	-	-	-
	Nonwhite—M	19	-	-	-	-	-	1	1	2	1	2	-	-	2	3	2	1	1	3	-	-	-	-	-	-	-
	F	9	-	-	-	-	-	-	-	1	-	2	2	-	-	-	-	-	1	3	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms	345	10	4	3	1	-	6	8	4	9	15	17	30	38	40	35	25	26	20	22	15	13	3	2	-	-
	White—M	125	7	2	3	1	-	3	6	3	2	2	8	6	11	7	10	12	9	11	7	7	7	-	1	-	-
	F	158	3	2	-	-	-	2	1	1	4	5	5	12	15	22	15	6	13	5	9	8	6	3	1	-	-
	Nonwhite—M	19	-	-	-	-	-	-	2	-	2	-	-	1	1	5	1	4	1	1	1	-	-	-	-	-	-
	F	63	-	-	-	-	-	1	-	-	1	6	4	11	11	6	9	3	3	3	5	-	-	-	-	-	-
260	Diabetes mellitus	811	2	1	1	-	1	1	2	7	9	13	5	19	22	30	42	85	102	123	152	102	65	22	5	-	-
	White—M	309	1	1	-	-	1	-	1	3	5	3	5	8	12	12	30	35	38	57	47	29	14	5	-	-	-
	F	398	1	-	-	-	-	1	1	5	5	7	-	10	5	10	15	39	53	73	93	46	36	8	-	-	-
	Nonwhite—M	37	-	-	-	-	-	-	-	1	1	-	2	3	1	2	5	5	3	3	7	4	-	-	-	-	-
	F	67	-	-	1	-	-	-	-	-	-	-	-	1	8	6	10	11	11	9	5	5	-	-	-	-	-
290-293	Anemias	181	15	2	2	1	2	5	1	3	1	3	4	2	7	7	13	7	11	14	26	29	15	9	2	-	-
	White—M	64	7	-	1	-	1	1	1	-	-	-	1	-	-	1	5	3	2	9	12	10	4	5	1	-	-
	F	85	5	1	-	1	1	1	-	2	1	1	-	2	1	2	4	2	9	5	12	18	10	4	1	-	-
	Nonwhite—M	11	1	1	-	-	-	-	-	-	-	-	-	-	4	2	1	1	-	-	-	1	1	-	-	-	-
	F	23	3	-	1	-	-	3	-	1	-	2	3	-	2	2	3	1	-	-	2	-	-	-	-	-	-
340	Meningococcal meningitis	135	52	19	6	3	5	7	4	3	4	4	1	5	2	4	1	3	4	1	2	2	1	1	1	-	-
	White—M	50	23	5	3	1	3	1	2	-	4	-	-	1	1	2	-	-	2	1	-	-	-	1	-	-	-
	F	52	20	7	3	1	2	2	1	2	-	3	1	1	-	-	1	-	-	-	1	1	1	-	1	-	-
	Nonwhite—M	18	6	5	-	1	-	-	-	1	-	1	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-
	F	15	3	2	-	-	-	-	1	-	-	-	-	2	1	2	-	3	1	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	26,507	30	15	12	8	7	33	42	69	86	119	205	393	794	1,289	1,769	2,346	2,901	3,550	3,979	3,844	2,684	1,569	575	135	55
	White—M	13,595	12	6	7	1	5	14	19	29	32	41	74	184	411	669	928	1,280	1,672	1,910	2,048	1,953	1,317	704	226	45	18
	F	8,428	12	5	3	4	3	11	11	23	28	44	71	88	150	250	302	486	689	1,072	1,368	1,469	1,172	775	319	79	12
	Nonwhite—M	2,357	3	4	2	1	-	4	5	8	13	13	17	64	96	198	288	321	279	309	290	254	106	55	12	6	9
	F	2,151	3	-	2	1	4	7	9	13	21	43	57	137	202	251	259	261	259	273	168	69	35	18	5	14
330-334, 400-468	Diseases of cardiovascular system	25,210	26	15	5	8	5	24	34	53	72	106	183	359	748	1,232	1,701	2,253	2,772	3,401	3,804	3,851	2,551	1,489	550	124	50
	White—M	13,038	10	5	3	1	2	8	14	20	23	37	62	176	392	641	988	1,243	1,614	1,847	1,978	1,862	1,254	661	217	43	17
	F	8,039	11	5	1	3	2	9	9	19	24	38	67	76	136	213	288	460	659	1,030	1,317	1,404	1,150	747	306	71	12
	Nonwhite—M	2,171	2	3	1	-	-	3	5	6	13	12	16	55	91	189	274	308	252	282	264	234	90	49	10	5	7
	F	1,962	3	-	-	2	1	4	6	8	12	19	38	50	127	189	231	242	247	242	245	151	77	32	17	5	14
330-334	Vascular lesions, etc.*	5,665	9	7	1	1	1	6	5	9	10	15	33	66	130	240	352	433	573	763	919	923	658	335	131	33	12
	White—M	2,388	3	3	1	-	1	3	2	3	4	4	8	23	39	84	113	155	246	349	425	416	302	125	46	12	3
	F	2,186	4	3	-	1	-	3	1	2	5	9	12	22	39	67	90	124	183	272	345	402	316	191	76	18	1
	Nonwhite—M	502	-	1	-	-	-	-	2	3	1	1	3	10	13	35	74	73	57	69	69	59	18	12	2	-	2
	F	611	2	-	-	-	-	-	-	1	-	1	10	11	39	54	75	81	87	73	82	46	22	7	7	3	6
400-402	Rheumatic fever	85	2	-	-	1	2	9	11	9	9	9	6	9	8	-	1	3	1	2	-	2	-	1	-	-	-
	White—M	33	1	-	-	1	1	2	4	3	2	3	3	3	5	-	-	2	1	1	-	2	-	-	-	-	-
	F	30	1	-	-	-	1	4	4	3	4	3	2	2	3	-	-	1	-	1	-	-	-	1	-	-	-
	Nonwhite—M	8	-	-	-	-	-	1	1	-	2	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	14	-	-	-	-	1	2	2	3	1	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Con.																										
410-443	Diseases of heart	17,744	11	6	4	3	1	8	17	29	46	68	128	254	560	932	1,270	1,723	2,083	2,481	2,672	2,422	1,828	957	344	67	32
	White—M	9,867	5	2	2	-	-	2	7	13	13	26	48	140	333	536	760	1,050	1,311	1,418	1,452	1,307	825	445	143	18	11
	F	5,203	3	2	1	1	1	2	4	10	13	21	47	45	84	129	181	317	441	717	905	887	695	458	187	42	10
	Nonwhite—M	1,488	2	2	1	-	-	2	4	3	9	9	11	38	69	141	189	215	181	197	171	132	57	34	6	5	5
	F	1,186	1	-	-	2	-	2	2	3	11	12	22	33	74	126	140	141	150	149	144	89	49	20	8	2	6
410-416	Chronic rheumatic heart disease	457	...	1	1	2	-	3	8	8	14	12	19	32	38	32	41	53	36	39	40	30	25	17	5	1	-
	White—M	206	...	1	1	-	-	1	2	5	-	5	6	15	15	16	28	25	19	17	18	15	10	7	-	-	-
	F	173	...	-	-	-	-	1	3	3	5	7	10	12	12	12	11	22	9	17	17	10	10	9	4	1	-
	Nonwhite—M	39	...	-	-	-	-	-	2	-	4	-	1	2	7	3	2	4	2	4	3	2	-	3	-	-	-
	F	39	...	-	-	2	-	1	1	-	5	-	2	3	4	1	-	2	6	1	2	3	5	-	1	-	-
420	Arteriosclerotic heart dis., etc.*	10,104	3	-	-	-	-	1	2	7	14	24	50	145	334	561	812	1,105	1,318	1,510	1,584	1,303	755	400	144	25	7
	White—M	6,485	-	-	-	-	-	-	-	5	8	12	23	97	257	402	565	788	942	976	953	786	420	201	59	8	3
	F	2,653	1	-	-	-	-	1	1	2	2	8	12	20	39	56	95	178	259	419	529	445	307	183	80	14	2
	Nonwhite—M	577	1	-	-	-	-	-	1	-	2	3	5	18	30	62	90	87	70	68	56	52	18	10	1	2	1
	F	389	1	-	-	-	-	-	-	-	2	1	10	10	28	41	82	52	47	47	46	20	10	6	4	1	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,387	...	4	-	-	-	1	1	3	4	8	16	19	37	84	92	142	187	311	335	418	347	238	97	27	16
	White—M	1,100	...	1	-	-	-	-	1	-	2	-	4	5	18	27	30	59	102	136	172	208	167	111	41	9	5
	F	844	...	2	-	-	-	-	-	-	1	3	7	5	6	19	20	28	37	100	110	163	158	112	51	18	6
	Nonwhite—M	245	...	1	-	-	-	1	-	2	-	1	-	5	6	21	21	30	25	45	31	29	12	7	3	2	3
	F	198	...	-	-	-	-	-	-	1	1	4	5	4	7	17	21	25	23	28	22	18	10	8	2	-	2
430-434	Other diseases of heart	1,936	8	1	3	1	1	3	6	9	12	18	26	35	88	120	160	192	217	228	239	221	174	127	35	8	6
	White—M	946	5	-	1	-	-	1	4	2	3	3	11	15	49	59	75	84	126	124	125	106	83	54	15	1	2
	F	501	2	-	1	1	1	-	-	4	4	3	13	4	14	12	21	41	29	48	64	79	70	65	18	6	1
	Nonwhite—M	276	1	1	1	-	-	1	1	1	2	3	2	9	13	23	39	47	35	29	26	24	11	4	1	1	1
	F	213	-	-	-	-	-	1	1	2	3	7	-	7	13	26	25	20	27	27	24	13	10	4	1	-	2
440-443	Hypertension with heart dis.	2,860	-	-	-	-	-	-	-	2	2	8	17	23	63	135	165	231	325	393	474	450	325	175	63	8	3
	White—M	1,130	-	-	-	-	-	-	-	1	-	6	4	8	15	32	62	94	122	163	184	193	145	72	28	-	1
	F	1,032	-	-	-	-	-	-	-	1	1	-	5	4	13	30	34	48	107	133	185	190	150	91	34	5	1
	Nonwhite—M	351	-	-	-	-	-	-	-	-	1	2	3	2	13	32	37	47	49	51	55	32	16	10	1	-	-
	F	347	-	-	-	-	-	-	-	-	-	-	5	9	22	41	32	42	47	46	50	35	14	2	-	1	1
444-447	Hypertension without mention of heart	614	-	-	-	-	-	-	-	-	3	6	9	16	27	33	44	48	49	60	78	102	67	52	17	2	1
	White—M	242	-	-	-	-	-	-	-	-	2	3	3	7	6	10	20	12	21	31	33	45	27	17	5	-	-
	F	208	-	-	-	-	-	-	-	-	-	-	2	1	4	9	8	10	16	15	26	42	30	32	11	2	-
	Nonwhite—M	76	-	-	-	-	-	-	-	-	1	-	2	5	8	8	7	12	6	3	9	8	4	2	1	-	-
	F	88	-	-	-	-	-	-	-	-	-	3	2	3	9	6	9	14	6	11	10	7	6	1	-	-	1
450	General arteriosclerosis	804	-	-	-	-	-	-	-	-	-	-	-	1	4	4	8	20	38	65	107	174	173	135	52	20	4
	White—M	392	-	-	-	-	-	-	-	-	-	-	-	-	2	3	5	11	17	31	50	78	91	70	19	12	3
	F	310	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	12	19	35	65	75	61	30	8	1
	Nonwhite—M	70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	4	9	14	25	7	1	1	-	-
	F	32	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	6	8	6	-	3	2	-	-
451-468	Other diseases of circulatory sys.	298	4	-	-	1	1	1	1	6	4	8	7	13	17	23	25	26	30	30	28	28	27	9	6	2	1
	White—M	138	1	-	-	1	-	1	1	1	2	1	2	3	7	8	10	13	18	17	20	14	9	4	4	1	-
	F	102	3	-	-	-	1	-	-	4	2	5	4	8	4	8	8	7	7	6	6	8	14	4	2	1	-
	Nonwhite—M	27	-	-	-	-	-	-	-	-	-	-	-	2	1	5	1	2	4	4	1	3	4	-	-	-	-
	F	31	-	-	-	-	-	-	-	1	-	2	1	-	5	2	6	4	1	3	1	3	-	1	-	-	1
592-594	Chronic nephritis, etc.*	1,297	4	2	7	2	2	3	8	16	14	13	22	34	48	57	68	93	129	149	175	193	133	80	25	11	3
	White—M	555	2	1	4	-	1	6	5	9	9	4	12	8	19	18	20	37	56	63	70	91	63	43	9	2	1
	F	387	1	-	2	1	1	2	2	4	4	6	4	10	14	17	14	26	30	42	51	65	42	28	13	8	-
	Nonwhite—M	186	1	1	1	1	-	1	-	2	-	1	1	3	5	9	14	13	27	27	28	20	16	6	2	1	2
	F	169	-	-	-	-	-	-	1	1	1	2	5	7	10	13	20	17	14	17	28	17	12	3	1	-	-
480-493	Influenza and pneumonia, etc.*	2,398	770	125	43	16	15	26	13	28	22	23	28	41	45	69	54	82	103	143	165	205	153	125	74	17	13
	White—M	1,017	311	49	16	5	9	17	4	8	8	6	9	17	19	31	20	35	40	65	88	97	69	55	25	11	3
	F	878	295	48	24	9	4	5	7	12	8	8	6	11	2	13	12	12	28	46	43	87	79	61	47	5	8
	Nonwhite—M	279	88	14	3	-	1	3	-	6	4	6	9	7	14	16	9	18	26	17	19	10	2	4	-	1	2
	F	224	76	14	-	2	1	1	2	2	2	3	4	6	10	9	13	17	9	15	15	11	3	5	2	-	2
480-483	Influenza	350	77	12	3	3	2	1	1	11	4	3	3	5	8	9	10	14	16	29	32	42	28	24	9	3	1
	White—M	123	27	5	1	1	2	-	-	4	2	1	1	2	1	4	2	4	8	10	11	16	9	8	2	2	-
	F	142	37	4	2	-	-	-	1	3	-	1	1	2	-	-	3	1	6	8	11	20	19	15	7	1	-
	Nonwhite—M	46	7	2	-	-	-	1	-	4	2	-	-	1	3	4	2	5	1	7	5	1	-	1	-	-	-
	F	39	6	1	-	2	-	-	-	-	-	1	1	-	4	1	3	4	1	4	5	5	-	-	-	-	1
490-493	Pneumonia, etc.*	2,048	693	113	40	13	13	25	12	17	18	20	25	36	37	60	44	66	87	114	133	163	125	101	65	14	12
	White—M	894	284	44	15	4	7	17	4	4	6	5	8	15	18	27	18	31	32	55	77	81	60	47	23	9	5
	F	736	258	44	22	9	4	5	6	9	8	7	5	9	2	13	9	11	22	38	32	67	60	46	40	4	6
	Nonwhite—M	233	81	12	3	-	1	2	-	2	2	6	9	6	11	12	7	15	25	10	14	9	2	5	-	1	2
	F	185	70	13	-	-	1	1	2	2	2	3	6	6	8	10	13	8	11	10	6	3	5	2	-	1	1
500-502	Bronchitis	142	39	16	6	4	2	2	1	-	-	-	-	2	1	-	10	4	7	7	13	5	11	10	2	-	-
	White—M	65	15	9	3	2	1	2	-	-	-	-	-	-	-	-	3	2	3	3	7	4	6	5	-	-	-
	F	58	16	7	2	2	1	-	1	-	-	-	-	-	2	1	2	2	4	2	4	1	4	5	2	-	-
	Nonwhite—M	10	4	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	-	1	-	-	-	-	-	-
	F	9	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-
540, 541	Ulcer of stomach and duodenum	240	1	-	-	-	-	-	-	-	1	5	5	6	22	25	28	33	43	24	19	16	9	1	-	1	1
	White—M	185	-	-	-	-	-	-	-	-	1	3	4	5	16	19	19	25	38	19	16	10	9	1	-	-	-
	F	23	-	-	-	-	-	-	-	-	-	1	-	-	1	2	2	5	1	4	2	5	-	-	-	-	-
	Nonwhite—M	22	1	-	-	-	-	-	-	-	-	1	1	-	2	3	5	3	2	1	1	1	-	-	-	1	-
	F	10	-	-	-	-	-	-	-	-	-	-	-	1	3	1	2	-	2	-	-	-	-	-	-	-	1
550-553	Appendicitis	194	1	-	7	2	4	10	16	8	12	4	12	8	12	15	12	16	12	17	9	9	4	3	1	-	-
	White—M	92	1	-	3	1	2	8	7	2	4	1	8	3	6	4	4	10	6	7	5	6	3	2	1	-	-
	F	62	-	-	4	1	1	1	4	5	5	3	3	4	2	6	4	1	4	8	3	2	-	1	-	-	-
	Nonwhite—M	24	-	-	-	-	1	1	2	-	2	-	1	1	3	3	5	5	1	1	-	-	-	-	-	-	-
	F	16	-	-	-	-	-	3	1	1	-	2	-	1	2	1	-	1	1	1	1	1	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	416	56	5	3	-	-	1	3	6	4	9	14	10	25	27	25	22	36	38	42	41	31	20	-	-	-
	White—M	167	27	1	1	-	-	1	1	2	2	1	1	3	7	12	4	10	13	19	14	23	17	8	-	-	-
	F	174	22	3	2	-	-	-	1	1	1	7	5	4	9	10	11	6	17	14	23	15	12	11	-	-	-
	Nonwhite—M	34	6	-	-	-	-	-	1	1	-	-	1	2	1	2	4	2	4	3	3	1	2	1	-	-	-
	F	41	1	1	-	-	-	-	-	2	1	1	7	1	8	3	4	4	2	2	2	2	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	TEXAS—Con.																										
543,	Gastritis, etc.*—	1,475	1,117	133	16	8	3	15	2	4	6	3	7	4	5	9	11	12	19	20	17	18	20	9	10	6	1
571,	White——M—	654	523	48	9	1	-	5	2	1	3	2	1	2	2	6	4	7	8	6	5	7	5	4	1	1	1
572	F—	659	474	79	6	7	2	9	-	1	2	1	2	2	2	-	5	5	5	11	8	9	11	5	9	4	-
	Nonwhite—M—	92	75	1	1	-	1	1	-	1	-	-	1	-	-	1	1	-	4	-	3	1	1	-	-	-	-
	F—	70	45	5	-	-	-	-	-	1	1	-	3	-	1	2	1	-	2	3	1	1	3	-	-	1	-
581	Cirrhosis of liver	475	5	2	1	-	-	1	3	1	2	3	8	27	39	62	51	60	51	68	41	29	14	5	1	1	-
	White——M—	303	1	1	1	-	-	-	1	-	-	2	2	16	26	41	32	44	38	45	25	18	8	2	-	-	-
	F—	133	3	1	-	-	-	1	1	1	1	-	4	8	10	14	15	10	11	18	15	11	6	3	1	1	-
	Nonwhite—M—	22	-	-	-	-	-	-	-	-	-	1	-	2	1	6	2	5	2	3	-	-	-	-	-	-	-
	F—	15	1	-	-	-	-	-	1	-	1	-	2	1	2	1	2	1	-	2	1	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	204	4	3	5	1	4	13	5	9	13	9	3	7	22	11	14	12	10	14	14	18	9	5	1	-	-
	White——M—	86	2	2	3	-	2	6	1	4	6	1	2	3	8	3	6	4	4	6	5	10	5	2	1	-	-
	F—	55	2	1	1	-	1	3	3	4	3	4	1	1	3	2	4	3	1	4	3	4	4	3	-	-	-
	Nonwhite—M—	33	-	-	1	1	1	3	-	-	2	-	-	-	6	3	3	3	3	3	3	1	-	-	-	-	-
	F—	30	-	-	-	-	-	1	1	1	2	4	-	3	5	3	1	2	2	1	3	1	-	-	-	-	-
610	Hyperplasia of																										
	prostate—	352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	9	28	42	73	89	60	35	9	2	1
	White——M—	284	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	18	34	55	75	54	34	9	1	-
	Nonwhite—M—	68	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	6	10	8	18	14	6	1	-	1	1
640-	Complications of																										
689	pregnancy, etc.*—	240	...	...	...	...	...	...	-	29	53	54	41	40	22	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	168	...	...	...	...	...	...	-	13	39	37	29	31	18	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	72	...	...	...	...	...	...	-	16	14	17	12	9	4	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	31	...	...	...	...	...	...	-	4	6	9	3	4	4	1	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	22	...	...	...	...	...	...	-	3	4	5	2	4	3	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	9	...	...	...	...	...	...	-	1	2	4	1	-	1	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	209	...	...	...	...	...	...	-	25	47	45	38	36	18	-	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	146	...	...	...	...	...	...	-	10	35	32	27	27	15	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	63	...	...	...	...	...	...	-	15	12	13	11	9	3	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	890	705	34	13	9	12	21	12	9	8	7	10	13	8	7	9	6	3	4	1	1	-	-	-	-	-
	White——M—	433	340	14	7	5	5	11	7	5	4	4	5	4	6	4	3	5	2	1	1	-	-	-	-	-	-
	F—	385	310	16	5	2	4	9	4	4	4	-	5	8	1	2	5	1	1	3	-	1	-	-	-	-	-
	Nonwhite—M—	47	35	2	-	-	3	-	1	-	-	3	-	1	-	1	1	-	-	-	-	-	-	-	-	-	-
	F—	25	18	2	1	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy—	4,274	4,273	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	2,051	2,050	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1,510	1,510	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	412	412	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	301	301	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	1,216	1,216	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	628	628	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	420	420	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	105	105	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	408	408	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	173	173	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	157	157	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	42	42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	36	36	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	2,650	2,649	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	1,250	1,249	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	933	933	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	265	265	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	202	202	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	2,082	325	23	14	6	3	12	11	13	15	15	28	26	53	52	77	84	113	164	194	240	220	192	118	53	31
795	White——M—	934	147	7	4	3	2	7	4	4	5	7	9	15	27	24	35	49	64	68	80	111	98	77	51	23	15
	F—	617	95	8	6	1	1	3	5	3	6	3	9	5	7	11	12	12	18	34	49	73	73	89	60	24	10
	Nonwhite—M—	283	47	5	1	1	-	1	1	2	3	5	4	4	8	11	15	15	13	40	34	27	28	13	3	1	3
	F—	248	36	3	3	1	-	1	1	4	1	-	6	2	13	6	15	8	18	22	31	29	21	13	4	5	5
Re-	All other diseases	3,436	293	74	46	31	19	57	45	51	54	84	95	141	140	188	187	251	267	304	327	320	227	145	69	16	5
sid-	White——M—	1,588	144	30	15	15	9	23	18	24	20	36	27	65	49	78	80	116	137	162	149	150	118	66	30	5	2
ual	F—	1,278	94	37	23	11	8	19	18	18	21	28	43	42	54	71	56	81	88	98	144	127	85	68	34	8	2
	Nonwhite—M—	308	32	3	8	1	-	11	7	5	5	7	12	10	21	20	24	25	24	23	19	27	12	6	2	3	1
	F—	282	23	4	-	4	2	4	2	4	8	13	13	24	16	19	27	29	18	21	15	16	12	5	3	-	-
E800-	Accidents—	5,160	229	141	82	59	54	171	165	339	491	422	385	364	288	283	250	222	187	184	208	184	209	165	78	13	20
E962	White——M—	3,211	97	64	43	23	25	99	94	238	377	302	275	268	194	174	161	146	134	114	112	79	89	64	28	1	11
	F—	1,245	85	48	23	19	23	43	57	55	66	57	58	54	49	43	34	43	38	44	73	86	108	94	49	11	7
	Nonwhite—M—	497	23	19	7	9	3	12	23	35	43	47	23	33	36	38	43	27	20	17	14	10	8	4	1	1	1
	F—	207	25	10	9	8	3	17	9	11	5	18	9	9	9	8	12	6	5	9	9	9	5	3	-	-	1
E810-	Motor-vehicle																										
E835	accidents—	1,977	21	42	26	17	22	57	60	176	259	216	175	155	122	132	102	101	80	66	66	42	21	12	2	-	5
	White——M—	1,360	5	24	13	6	13	36	39	129	202	148	128	111	77	87	68	69	59	48	40	29	18	6	1	-	4
	F—	402	12	17	9	7	6	12	15	31	37	37	37	29	28	23	18	21	18	9	21	11	2	5	1	-	-
	Nonwhite—M—	158	2	-	1	2	-	5	4	11	17	21	8	13	15	19	13	9	4	6	4	2	-	1	-	-	1
	F—	57	2	1	3	2	3	4	2	5	3	10	2	2	4	3	3	2	1	3	1	-	1	-	-	-	-
E800-	All ot. accidents—	3,183	207	99	56	42	32	114	103	163	232	208	190	209	166	131	148	121	117	118	142	142	188	153	76	13	15
E802,	White——M—	1,851	92	40	30	17	12	63	55	109	175	154	147	157	117	87	93	77	75	66	72	50	70	58	27	1	7
E840-	F—	843	73	31	14	12	17	31	22	24	29	20	21	25	23	20	16	22	22	35	52	75	106	89	48	11	7
E862	Nonwhite—M—	338	21	19	6	7	3	7	19	24	26	26	15	20	21	19	30	18	16	11	10	6	8	3	1	1	-
	F—	150	23	9	6	6	-	13	7	6	2	8	7	7	5	5	8	4	4	6	8	9	4	3	-	-	1
E963,	Suicide—	700	-	-	-	-	-	-	1	18	32	50	65	72	68	73	82	59	52	51	29	30	16	2	-	-	-
E970-	White——M—	517	-	-	-	-	-	-	1	13	21	35	47	43	53	45	55	43	46	47	25	26	15	2	-	-	-
E979	F—	151	-	-	-	-	-	-	-	4	9	11	16	25	11	22	23	13	6	3	4	3	1	-	-	-	-
	Nonwhite—M—	26	-	-	-	-	-	-	-	1	2	3	1	3	4	3	2	2	-	1	-	1	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	1	1	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-
E964,	Homicide—	768	3	1	1	1	1	3	1	65	130	123	100	95	70	63	38	31	17	10	6	5	2	1	-	-	1
E980-	White——M—	303	-	-	-	1	1	2	-	28	50	42	38	30	27	26	17	14	12	5	4	3	2	-	-	-	1
E985	F—	69	2	1	-	-	-	1	-	4	8	15	7	12	5	4	4	3	1	-	1	-	-	1	-	-	-
	Nonwhite—M—	328	-	-	-	-	-	-	-	27	57	55	44	45	32	29	17	13	4	3	1	1	-	-	-	-	-
	F—	68	1	-	1	-	-	-	1	6	15	11	11	8	6	4	-	1	-	2	-	1	-	-	-	-	-
E985,	Operations of war—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH																										
	ALL CAUSES	4,929	535	69	33	17	19	54	40	66	72	97	84	111	163	202	227	346	400	461	497	553	458	278	116	17	14
	White—M	2,679	298	36	21	12	11	29	21	45	43	59	61	82	98	119	144	236	252	282	281	313	226	128	61	6	5
	F	1,918	219	26	9	4	8	22	18	17	27	33	21	26	58	79	74	105	138	163	193	233	229	144	55	11	7
	Nonwhite—M	89	11	3	2	-	-	2	1	1	1	4	1	2	4	3	5	4	8	14	12	4	2	4	-	-	1
	F	43	8	4	1	1	-	1	-	3	1	1	1	1	3	1	4	1	2	2	1	3	1	2	-	-	1
001-019	Tuberculosis, all forms	60	2	2	2	1	1	2	-	1	1	3	2	3	10	3	5	5	4	5	5	1	1	-	-	-	1
	White—M	31	-	-	-	-	-	1	-	-	-	-	2	1	5	2	5	4	3	3	1	1	1	-	-	-	-
	F	13	1	-	-	-	1	-	-	-	-	1	-	2	2	1	-	1	-	1	2	-	-	-	-	-	1
	Nonwhite—M	9	-	-	2	-	-	1	-	-	1	1	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
	F	7	1	2	-	1	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	46	1	2	1	-	1	1	-	1	1	3	1	1	8	2	4	4	4	4	4	1	1	-	-	-	1
	White—M	24	-	-	-	-	-	-	-	-	-	-	1	-	4	2	4	3	3	2	3	1	1	-	-	-	-
	F	8	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	1	-	1	1	-	-	-	-	-	1
	Nonwhite—M	8	-	-	1	-	-	1	-	-	1	1	-	-	2	-	-	-	1	1	-	-	-	-	-	-	-
	F	6	1	2	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	14	1	-	1	1	-	1	-	-	-	-	1	2	2	1	1	1	-	1	1	-	-	-	-	-	-
	White—M	7	-	-	-	-	-	1	-	-	-	-	1	1	1	-	1	1	-	1	-	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	11	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	3	2	1	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	1	1	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-049	Dysentery, all forms	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	5	1	-	1	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	7	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
060	Acute poliomyelitis	9	-	1	-	-	-	2	3	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	7	-	1	-	-	-	2	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	15	4	-	-	-	-	1	1	-	1	-	-	1	-	-	1	1	-	3	1	1	-	-	-	-	-
	White—M	9	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	3	1	1	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Con.																										
140-205	Malignant neoplasms, etc.*——	570	-	2	2	3	1	5	3	6	2	12	6	10	24	34	44	68	74	84	76	64	28	17	3	1	-
	White——M—	312	-	1	2	3	-	3	2	4	1	8	3	7	7	12	18	35	45	51	46	39	12	11	2	-	-
	F—	250	-	-	-	-	1	2	1	1	1	4	3	3	17	22	26	33	28	31	27	25	17	6	1	1	-
	Nonwhite—M—	5	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx——	13	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	3	4	2	1	-	1	-	-	-
	White——M—	10	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	1	1	-	1	-	-	-
	F—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum——	205	-	-	-	-	-	-	-	-	-	2	1	5	5	8	10	26	28	26	38	30	15	9	-	-	-
	White——M—	123	-	-	-	-	-	-	-	-	-	1	1	4	3	6	4	15	21	18	22	16	7	5	-	-	-
	F—	77	-	-	-	-	-	-	-	-	-	1	-	1	2	2	6	11	6	7	15	14	8	4	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
160-164	Of respiratory system——	57	-	-	-	-	-	-	-	1	-	-	1	-	1	2	6	6	12	14	5	6	2	-	1	-	-
	White——M—	48	-	-	-	-	-	-	-	1	-	-	1	-	1	2	5	6	9	13	4	5	-	-	1	-	-
	F—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	3	1	1	1	2	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast——	58	-	-	-	-	-	-	-	-	-	-	1	1	6	9	6	8	8	9	5	4	-	-	-	1	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	58	-	-	-	-	-	-	-	-	-	-	1	1	6	9	6	8	8	9	5	4	-	-	-	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs——	93	-	-	-	1	-	-	-	1	1	-	-	1	4	9	8	12	8	16	11	12	6	3	-	-	-
	White——M—	44	-	-	-	1	-	-	-	1	1	-	-	-	-	2	2	3	4	4	9	11	4	2	-	-	-
	F—	48	-	-	-	-	-	-	-	-	-	-	-	1	4	7	6	9	4	11	2	1	2	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
180, 181	Of urinary organs——	29	-	-	-	1	-	1	1	-	-	-	-	-	3	1	2	4	2	5	5	3	-	-	1	-	-
	White——M—	20	-	-	-	1	-	1	1	-	-	-	-	-	1	-	2	3	-	5	4	3	-	-	-	-	-
	F—	9	-	-	-	-	-	1	-	-	-	-	-	-	2	1	-	1	2	-	1	-	-	-	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 185, 190-199	Of other sites, etc.*——	76	-	-	-	-	-	2	2	-	1	7	1	1	3	3	9	8	9	8	5	8	6	4	1	-	-
	White——M—	40	-	-	-	-	-	2	1	-	-	4	-	1	1	-	3	6	6	6	2	3	1	3	1	-	-
	F—	35	-	-	-	-	-	-	1	-	1	3	1	-	2	3	6	-	3	2	2	5	5	1	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia——	26	-	2	2	1	1	2	-	2	-	2	1	1	1	-	2	3	2	1	3	-	-	-	-	-	-
	White——M—	17	-	1	2	1	-	1	-	1	-	2	-	1	-	-	1	1	2	1	3	-	-	-	-	-	-
	F—	7	-	-	-	-	1	1	-	-	-	-	1	-	1	-	1	2	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*——	15	-	-	-	-	-	-	-	2	-	1	-	1	1	1	1	3	2	1	2	-	-	-	-	-	-
	White——M—	10	-	-	-	-	-	-	-	1	-	1	-	1	1	1	1	1	1	1	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms——	30	-	-	-	-	-	2	-	2	-	2	2	2	2	5	3	2	1	2	3	-	2	-	-	-	-
	White——M—	12	-	-	-	-	-	1	-	2	-	-	2	2	2	1	1	-	2	-	-	-	1	-	-	-	-
	F—	15	-	-	-	-	-	1	-	-	-	2	-	-	-	3	2	1	1	-	2	-	1	-	-	-	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus——	70	-	-	-	-	-	-	-	1	2	1	1	-	1	4	1	5	11	6	8	15	8	5	1	-	-
	White——M—	27	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	2	6	2	3	5	5	1	1	-	-
	F—	43	-	-	-	-	-	-	-	-	2	1	1	-	1	4	-	3	5	4	5	10	3	4	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	Anemias——	17	-	1	-	-	-	-	1	-	-	1	-	-	1	-	-	1	2	2	5	2	1	-	-	-	-
	White——M—	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	2	1	1	1	-	-	-	-
	F—	8	-	1	-	-	-	-	1	-	-	-	-	-	1	-	-	-	1	-	4	1	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis——	11	5	-	2	-	-	2	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	White——M—	7	4	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	1	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases——	2,334	2	-	2	-	1	4	8	8	13	20	26	37	54	93	115	184	221	289	309	379	322	185	70	6	8
	White——M—	1,360	1	-	2	-	-	1	5	4	6	9	16	23	36	61	80	140	140	158	182	215	158	80	35	3	4
	F—	929	1	-	-	-	1	3	3	4	6	10	9	12	18	28	32	41	76	100	120	160	162	100	35	3	4
	Nonwhite—M—	37	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	2	4	10	7	3	1	3	-	-	-
	F—	8	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	-	-	1	1	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system——	2,259	2	-	2	-	1	4	6	7	8	15	26	33	49	91	112	173	217	283	305	371	316	177	67	6	8
	White——M—	1,321	1	-	2	-	-	1	4	4	6	16	20	31	60	78	136	138	156	178	209	157	78	34	3	4
	F—	894	1	-	-	-	1	3	2	3	3	8	9	11	18	28	31	35	74	97	119	158	157	96	33	3	4
	Nonwhite—M—	36	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	1	4	10	7	3	1	3	-	-	-
	F—	8	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	1	1	-	-	1	1	-	-	-	-
330-334	Vascular lesions, etc.*——	414	-	-	1	-	-	-	-	1	1	1	4	3	7	19	15	20	35	51	66	79	61	35	10	2	3
	White——M—	202	-	-	1	-	-	-	-	-	-	-	1	-	5	7	10	13	18	29	33	40	24	15	2	2	2
	F—	204	-	-	-	-	-	-	-	1	1	1	2	3	2	10	5	7	16	21	32	39	37	18	8	-	1
	Nonwhite—M—	7	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	1	-	-	2	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever——	25	-	-	-	-	-	4	4	2	-	1	4	5	3	-	1	-	1	-	-	-	-	-	-	-	-	-
	White——M—	12	-	-	-	-	-	1	3	1	-	-	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F—	12	-	-	-	-	-	3	1	1	-	1	1	3	2	4	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Con.																										
410-443	Diseases of heart	1,679	2	-	1	-	1	-	2	3	7	11	18	24	38	70	91	150	173	200	225	260	230	121	44	4	4
	White—M	1,041	1	-	1	-	-	-	1	3	4	6	12	18	25	51	62	121	113	122	139	154	122	57	26	1	2
	F	603	1	-	-	-	1	-	1	-	2	4	6	5	13	18	26	27	58	69	80	102	106	63	18	3	2
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	1	3	9	6	3	1	1	-	-	-
	F	7	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	1	1	-	-	1	1	-	-	-	-
410-416	Chronic rheumatic heart disease	117	...	-	1	-	1	-	1	2	4	6	7	8	8	14	13	10	11	11	10	4	6	1	1	-	-
	White—M	56	...	-	1	-	-	-	-	2	1	3	5	2	7	6	6	6	4	4	3	2	4	-	-	-	-
	F	57	...	-	-	-	1	-	1	-	2	3	2	4	1	7	7	4	7	6	6	2	2	1	1	-	-
	Nonwhite—M	3	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	F	1	...	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	950	-	-	-	-	-	-	-	-	1	4	4	7	20	45	64	111	120	125	128	131	109	58	19	3	3
	White—M	664	-	-	-	-	-	-	-	-	1	3	4	7	15	37	51	95	87	86	93	84	80	25	13	1	2
	F	270	-	-	-	-	-	-	-	-	-	1	-	-	5	8	13	14	31	34	32	45	48	30	6	2	1
	Nonwhite—M	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	5	3	2	1	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	300	...	-	-	-	-	-	-	1	-	1	2	6	3	2	7	9	16	28	41	70	61	38	15	-	-
	White—M	167	...	-	-	-	-	-	-	1	-	-	2	4	1	2	2	6	12	12	23	42	32	21	7	-	-
	F	126	...	-	-	-	-	-	-	-	-	-	-	1	2	-	4	3	2	15	18	28	26	17	8	-	-
	Nonwhite—M	4	...	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-
	F	3	...	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
430-434	Other diseases of heart	76	2	-	-	-	-	-	1	-	2	-	4	4	5	4	5	4	5	5	6	11	9	5	4	-	-
	White—M	43	1	-	-	-	-	-	1	-	2	-	1	4	1	2	3	3	4	4	2	5	5	3	2	-	-
	F	32	1	-	-	-	-	-	-	-	-	-	3	-	4	2	2	1	1	1	3	6	4	2	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	236	-	-	-	-	-	-	-	-	-	-	1	1	2	5	2	16	21	31	40	44	45	21	5	1	1
	White—M	111	-	-	-	-	-	-	-	-	-	-	-	1	1	4	-	11	6	16	18	21	21	8	4	-	-
	F	118	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	5	15	13	21	21	24	15	1	1	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-
444-447	Hypertension without mention of heart	32	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	7	3	8	5	3	1	-	-
	White—M	15	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	-	1	2	2	2	2	1	1	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	1	6	3	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	80	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	9	21	20	13	12	-	1
	White—M	33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	4	10	9	2	5	-	-
	F	47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	11	11	11	7	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	29	-	-	-	-	-	-	-	1	-	2	-	-	1	1	3	3	5	3	2	3	-	5	-	-	-
	White—M	18	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	3	2	1	3	-	3	-	-	-
	F	11	-	-	-	-	-	-	-	1	-	2	-	-	1	-	-	1	2	1	1	-	-	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	75	-	-	-	-	-	-	2	1	5	5	-	4	5	2	3	11	4	6	4	8	6	6	3	-	-
	White—M	39	-	-	-	-	-	-	1	-	2	3	-	3	5	1	2	4	2	3	3	6	1	2	1	-	-
	F	35	-	-	-	-	-	-	1	1	3	2	-	1	-	1	1	6	2	3	1	2	5	4	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	112	20	5	-	1	-	2	1	1	1	1	1	1	6	1	5	6	6	9	11	12	12	7	2	1	-
	White—M	59	5	2	-	1	-	1	-	1	1	1	1	-	4	1	4	6	3	2	6	7	6	5	1	1	-
	F	47	12	2	-	-	-	1	1	-	-	-	-	1	1	-	-	-	3	7	5	5	6	2	1	-	-
	Nonwhite—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	9	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	-	-
	White—M	2	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	103	18	5	-	1	-	2	1	-	1	1	1	1	6	1	5	6	5	9	9	12	11	5	2	1	-
	White—M	57	4	2	-	1	-	1	-	-	1	1	1	-	4	1	4	6	3	2	6	7	6	5	1	1	-
	F	40	11	2	-	-	-	1	1	-	-	-	-	1	1	-	-	-	2	7	3	5	5	-	1	-	-
	Nonwhite—M	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	17	5	1	1	-	-	-	-	-	-	-	-	-	2	1	-	1	-	-	-	2	3	1	-	-	-
	White—M	9	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	3	1	-	-	-
	F	8	3	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	47	-	-	-	-	-	-	-	1	-	-	-	1	9	1	1	6	7	7	6	3	2	2	1	-	-
	White—M	35	-	-	-	-	-	-	-	1	-	-	-	1	7	1	1	4	6	6	5	1	1	-	1	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	1	1	2	1	2	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	11	-	-	-	1	-	-	-	-	-	-	1	-	1	1	-	1	2	2	-	1	1	-	-	-	-
	White—M	6	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	1	-	1	1	-	-	-	-
	F	3	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	36	4	-	-	-	1	-	1	1	1	1	-	1	1	-	1	-	4	5	5	4	3	2	1	-	-
	White—M	21	3	-	-	-	1	-	1	-	1	-	-	1	1	-	1	-	2	3	3	2	1	1	-	-	-
	F	14	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	2	2	2	2	2	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	UTAH—Con.																										
543, 571, 572	Gastritis, etc.*— White——M— F— Nonwhite—M— F—	15 6 9 - -	6 2 3 - -	2 1 1 - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 1 - - -	1 - 1 - -	2 1 1 - -	1 1 - - -	- - - - -	2 - 2 - -	- - - - -	1 - 1 - -	- - - - -	- - - - -
581	Cirrhosis of liver White——M— F— Nonwhite—M— F—	36 19 16 1 -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - 1 - -	- - - - -	1 1 - - -	2 2 - - -	3 1 2 - -	6 3 3 - -	3 1 1 1 -	4 1 3 - -	3 3 - - -	2 2 - - -	1 - 1 - -	6 3 3 - -	2 1 1 - -	1 1 - - -	- - - - -	- - - - -	1 - 1 - -
590, 591	Acute nephritis, etc.*— White——M— F— Nonwhite—M— F—	16 10 6 - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	2 1 1 - -	1 1 - - -	1 1 - - -	- - - - -	1 1 - - -	5 3 2 - -	- - - - -	1 1 - - -	- - - - -	1 1 - - -	- - - - -	- - - - -	2 1 1 - -	1 1 - - -	1 - 1 - -	- - - - -	- - - - -
610	Hyperplasia of prostate— White——M— Nonwhite—M—	18 17 1	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	3 3 -	4 3 1	6 6 -	1 1 -	3 3 -	1 1 -	- - -
640-689	Complications of pregnancy, etc.*— White——F— Nonwhite—F—	5 5 -	... ...	... ...	... ...	... ...	... ...	- - -	- - -	- - -	2 2 -	2 2 -	1 1 -	- - -	- - -	- - -	- - -	- - -	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	- - -
650-652	Abortion— White——F— Nonwhite—F—	- - -	... ...	... ...	... ...	... ...	... ...	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	- - -
640-649, 650-689	All other complications— White——F— Nonwhite—F—	5 5 -	... ...	... ...	... ...	... ...	... ...	- - -	- - -	- - -	2 2 -	2 2 -	1 1 -	- - -	- - -	- - -	- - -	- - -	... ...	... ...	... ...	... ...	... ...	... ...	... ...	... ...	- - -
750-759	Congenital malformations— White——M— F— Nonwhite—M— F—	118 72 44 1 1	88 55 32 1 -	11 5 6 - -	1 - 1 - -	1 1 - - -	2 2 - - 1	5 3 1 - -	1 - 1 - -	- - - - -	2 1 1 - -	2 1 1 - -	2 1 1 - -	1 1 - - -	- - - - -	- - - - -	1 1 - - -	- - - - -	- - - - -	1 1 - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
760-776	Certain diseases of early infancy— White——M— F— Nonwhite—M— F—	353 202 141 5 5	353 202 141 5 5	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
760-762	Birth injuries, etc.*— White——M— F— Nonwhite—M— F—	170 105 59 3 3	170 105 59 3 3	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
763-768	Infections of newborn— White——M— F— Nonwhite—M— F—	15 9 4 1 1	15 9 4 1 1	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
769-776	Other diseases of infancy, and immaturity unqualified— White——M— F— Nonwhite—M— F—	168 88 78 1 1	168 88 78 1 1	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -
780-795	Senility, etc.*— White——M— F— Nonwhite—M— F—	187 103 72 8 4	13 7 4 2 -	2 - 1 1 -	2 1 - - 1	1 1 - - -	2 2 - - -	- - - - -	- - - - -	- - - - -	- - - - -	2 2 - - -	3 2 1 - -	1 - 1 - -	3 1 1 1 -	4 1 3 - -	6 3 3 - -	9 4 5 - -	4 2 1 1 -	9 6 2 1 -	20 13 7 - -	16 11 4 1 -	27 11 15 - -	30 18 12 - -	21 12 9 - -	9 2 7 - 1	3 1 1 - 1
Residual	All other diseases White——M— F— Nonwhite—M— F—	258 142 109 2 5	11 5 5 - 1	5 3 1 - 1	4 3 1 - -	3 3 - - -	2 1 1 - -	5 2 3 - -	1 - 1 - -	4 3 - 1 -	9 4 5 - -	11 7 4 - -	4 1 2 1 -	8 3 5 - -	10 6 4 - -	17 10 7 - -	15 9 5 1 -	14 7 7 - -	27 17 9 1 -	31 22 9 - -	22 11 11 - -	18 10 8 - -	21 14 7 - -	9 4 4 1 -	7 4 3 - -	- - - - -
E800-E962	Accidents— White——M— F— Nonwhite—M— F—	480 335 136 8 3	17 9 8 - -	33 20 13 - -	15 11 4 - -	5 3 2 - -	8 4 4 - -	21 13 7 1 -	18 10 8 - -	34 27 6 1 -	33 28 5 - -	33 28 4 1 -	31 29 2 - -	29 26 3 1 -	21 18 2 1 -	19 17 2 - -	18 14 4 - -	26 19 6 1 -	23 17 6 - -	14 10 4 - -	16 9 6 1 -	21 9 10 - 2	21 8 13 - -	16 3 12 - 1	8 3 5 - -	- - - - -
E810-E835	Motor-vehicle accidents— White——M— F— Nonwhite—M— F—	178 120 53 5 -	1 1 - - -	8 4 4 - -	4 3 1 - -	1 - 1 - -	3 1 2 - -	10 5 4 1 -	10 4 6 - -	17 12 4 1 -	17 15 2 - -	15 12 2 1 -	16 14 2 - -	10 9 - 1 -	12 9 3 - -	9 7 2 - -	10 7 3 - -	9 3 6 - -	6 4 2 - -	4 3 1 - -	7 4 2 1 -	1 - 1 - -	5 2 3 - -	2 - 2 - -	1 1 - - -	- - - - -
E800-E802, E840-E962	All ot. accidents White——M— F— Nonwhite—M— F—	302 215 85 1 3	16 8 8 - -	25 16 9 - -	11 8 3 - -	4 3 1 - -	5 3 2 - -	11 8 3 - -	8 6 2 - -	17 15 2 - -	16 13 3 - -	18 16 2 - -	15 15 - - -	19 17 2 - -	9 9 - - -	10 10 - - -	8 7 1 - -	17 16 - 1 -	17 13 4 - -	10 7 3 - -	9 5 4 - -	20 9 9 2 -	16 8 8 - -	14 3 10 1 -	7 2 5 - -	- - - - -
E863, E870-E879	Suicide— White——M— F— Nonwhite—M— F—	58 46 10 2 -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- 1 - - -	1 1 - - -	1 1 - - -	5 3 1 1 -	4 4 - - -	8 8 - - -	4 3 1 - -	11 7 4 - -	4 2 1 1 -	8 8 - - -	4 2 2 - -	4 3 1 - -	3 3 - - -	- - - - -	2 - 2 - -	- - - - -	1 1 - - -	- - - - -	- - - - -	- - - - -
E964, E980-E988	Homicide— White——M— F— Nonwhite—M— F—	15 10 4 1 -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	3 2 1 - -	1 1 - - -	- - - - -	- - - - -	2 2 - - -	5 3 2 - -	1 1 - - -	1 1 - - -	- - - - -	1 1 - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	1 - - - 1
E965, E980-E999	Operations of war— White——M— F— Nonwhite—M— F—	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -	- - - - -

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT																										
	ALL CAUSES	4,162	301	22	6	2	6	20	16	31	39	33	39	66	78	148	193	276	341	424	589	573	511	312	120	22	15
	White—M	2,305	185	11	2	1	1	10	10	20	32	16	25	41	47	100	116	167	204	259	312	299	246	147	57	8	9
	F	1,854	115	11	4	1	5	10	6	11	7	17	14	25	29	48	76	109	137	165	267	274	265	165	63	14	6
	Nonwhite—M	3	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-019	Tuberculosis, all forms	98	-	1	-	-	1	-	-	-	2	7	2	5	2	15	8	14	14	6	10	6	5	-	-	-	-
	White—M	69	-	1	-	-	-	-	-	-	1	2	-	2	1	11	7	9	14	4	8	6	3	-	-	-	-
	F	29	-	-	-	-	1	-	-	-	1	5	2	3	1	4	1	5	-	2	2	-	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	96	-	-	-	-	1	-	-	-	1	7	2	5	2	15	8	14	14	6	10	6	5	-	-	-	-
	White—M	67	-	-	-	-	-	-	-	-	-	2	-	2	1	11	7	9	14	4	8	6	3	-	-	-	-
	F	29	-	-	-	-	1	-	-	-	1	5	2	3	1	4	1	5	-	2	2	-	2	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-018	Tuberculosis, other forms	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	2	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	14	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	3	-	3	1	1	-	-	-	1
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	3	-	2	-	1	-	-	-	1
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-049	Dysentery, all forms	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	5	-	-	-	-	-	-	1	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	6	1	1	-	-	-	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	1	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	6	1	-	-	-	-	-	2	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
140-205	Malignant neoplasms, etc.*—	620	2	1	-	-	1	3	1	3	2	4	6	9	21	28	43	63	73	72	106	86	59	29	8	-	-
	White— M	279	-	1	-	-	-	-	1	3	1	-	3	1	7	10	15	26	29	42	49	48	26	16	2	-	-
	F	341	2	1	-	-	1	3	-	-	1	4	3	8	14	18	28	37	44	30	57	38	33	13	6	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
140-148	Of buccal cavity and pharynx	16	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	-	3	3	2	1	1	-	-
	White— M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	3	3	1	1	1	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	265	-	-	-	-	-	-	-	-	-	-	-	-	3	4	7	19	21	35	35	50	42	30	13	6	-	-
	White— M	125	-	-	-	-	-	-	-	-	-	-	-	-	2	6	6	12	11	21	22	23	13	8	1	-	-
	F	140	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	13	9	24	14	28	19	17	5	5	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
160-164	Of respiratory system	51	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	3	7	7	4	-	-	-	-	-	-
	White— M	25	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	4	2	5	5	3	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	62	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	12	7	5	8	7	7	5	-	-
	White— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	61	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	4	2	12	7	5	8	7	6	5	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs	111	-	-	-	-	-	-	-	-	-	-	2	2	7	7	8	6	8	13	21	15	13	7	-	-	-
	White— M	41	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	6	9	10	9	4	-	-	-	-
	F	70	-	-	-	-	-	-	-	-	-	-	2	1	6	7	8	6	7	7	12	5	4	3	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs	35	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	3	3	5	7	7	3	2	-	-	-	-
	White— M	23	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	2	4	4	5	1	2	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	3	2	2	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	48	-	1	-	-	-	1	-	-	1	-	2	1	2	5	3	9	6	3	6	3	4	1	-	-	-
	White— M	23	-	-	-	-	-	-	-	-	1	-	2	1	1	1	2	3	3	2	3	2	1	1	-	-	-	-
	F	25	-	1	-	-	-	1	-	-	-	-	-	-	1	4	1	6	3	1	3	1	3	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia	24	2	-	-	-	1	2	1	2	1	1	-	1	-	-	2	3	3	1	1	3	-	-	-	-	-	-
	White— M	12	2	-	-	-	1	1	1	2	-	-	-	-	-	-	1	2	3	1	-	2	-	-	-	-	-	-
	F	12	-	-	-	-	-	1	-	-	1	1	-	1	-	-	1	1	-	-	1	1	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*—	28	-	-	-	-	-	-	-	1	-	1	1	1	2	1	4	2	6	3	3	2	-	-	1	-	-	-
	White— M	16	-	-	-	-	-	-	-	1	-	-	1	1	1	-	2	1	5	3	3	-	-	-	-	-	-	-
	F	12	-	-	-	-	-	-	-	-	-	1	1	1	1	1	2	1	1	-	-	2	-	-	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	19	1	-	-	-	-	-	1	1	1	-	-	-	1	1	2	2	3	1	-	3	2	-	-	-	-	-
	White— M	8	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	2	1	-	1	-	-	-	-	-	-
	F	11	1	-	-	-	-	-	1	1	-	-	-	-	-	1	1	1	1	-	-	2	2	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	82	-	-	-	-	-	-	-	-	1	-	1	1	-	3	7	7	11	10	18	10	10	1	1	1	-	-
	White— M	35	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	1	7	7	6	1	1	1	-	-	-
	F	47	-	-	-	-	-	-	-	-	1	-	-	-	-	2	6	6	10	3	11	3	4	1	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
280-285	Anemias	12	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	1	3	-	-	-	-	-	-
	White— M	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	-	2	-	-	-	-	-	-
	F	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	1	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis	9	5	-	-	-	-	1	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White— M	4	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	5	3	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	2,302	1	-	-	-	-	-	-	3	3	3	10	18	24	65	98	136	187	278	352	397	371	232	96	16	12
	White— M	1,236	1	-	-	-	-	-	-	-	1	2	6	12	17	48	64	91	119	167	188	196	175	110	28	4	6
	F	1,065	-	-	-	-	-	-	-	3	2	1	4	6	7	17	33	45	68	111	163	201	196	122	68	12	6
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system	2,241	1	-	-	-	-	-	-	2	2	2	10	18	23	61	93	131	177	271	344	392	368	225	95	16	12
	White— M	1,206	1	-	-	-	-	-	-	-	1	2	5	12	17	45	62	88	115	164	185	192	172	106	28	4	6
	F	1,034	-	-	-	-	-	-	-	2	1	-	4	6	6	16	30	43	62	107	159	200	194	119	67	12	6
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334	Vascular lesions, etc.*—	475	1	-	-	-	-	-	-	-	1	-	1	1	4	9	17	11	27	56	73	98	97	53	21	1	2
	White— M	214	1	-	-	-	-	-	-	-	-	-	1	1	1	5	9	2	17	25	52	43	42	26	8	-	2
	F	259	-	-	-	-	-	-	-	-	1	-	1	-	3	4	8	9	10	31	41	55	55	27	13	1	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever	3	-	-	-	-	-	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
410-443	Diseases of heart	1,542	-	-	-	-	-	-	-	-	1	2	8	13	19	48	74	113	143	204	247	249	225	153	46	11	6
	White—M	884	-	-	-	-	-	-	-	-	1	2	5	8	16	38	53	83	94	133	141	126	109	59	11	3	2
	F	658	-	-	-	-	-	-	-	-	-	-	3	5	3	10	21	30	49	71	106	123	116	74	35	8	4
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
410-416	Chronic rheumatic heart disease	65	...	-	-	-	-	-	-	-	1	1	3	1	1	4	10	13	5	8	5	5	4	4	-	-	-
	White—M	39	...	-	-	-	-	-	-	-	1	1	1	-	-	4	6	7	3	6	4	3	1	2	-	-	-
	F	26	...	-	-	-	-	-	-	-	-	-	2	1	1	-	4	6	2	2	1	2	3	2	-	-	-
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	972	-	-	-	-	-	-	-	-	-	1	2	9	15	32	49	78	105	135	167	152	129	69	21	5	3
	White—M	593	-	-	-	-	-	-	-	-	-	1	2	6	14	27	39	63	78	93	100	72	61	32	4	1	-
	F	379	-	-	-	-	-	-	-	-	-	-	-	3	1	5	10	15	27	42	67	80	68	37	17	4	3
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	255	...	-	-	-	-	-	-	-	-	-	1	-	2	3	5	9	19	17	32	54	57	32	19	4	1
	White—M	132	...	-	-	-	-	-	-	-	-	-	1	-	2	2	3	5	8	12	17	34	27	14	6	1	-
	F	123	...	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	11	5	15	20	30	18	13	3	1
	Nonwhite—M	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart	57	-	-	-	-	-	-	-	-	-	-	1	1	-	1	4	4	3	11	5	5	9	6	3	2	2
	White—M	29	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	2	2	7	1	3	5	1	1	1	2
	F	28	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	2	1	4	4	2	4	5	2	1	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	193	-	-	-	-	-	-	-	-	-	-	1	2	1	8	8	9	11	33	38	33	26	22	3	-	-
	White—M	91	-	-	-	-	-	-	-	-	-	-	1	2	-	4	2	6	3	15	19	14	15	10	-	-	-
	F	102	-	-	-	-	-	-	-	-	-	-	-	-	1	4	4	3	8	18	19	19	11	12	3	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
444-447	Hypertension without mention of heart	32	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	2	1	6	7	6	5	1	-	-
	White—M	12	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	3	2	3	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	1	4	4	4	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	187	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	4	8	15	34	34	34	26	4	4
	White—M	84	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	7	18	18	18	9	1	2
	F	82	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	8	16	16	16	17	3	2
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	24	-	-	-	-	-	-	-	2	-	-	1	1	-	1	1	3	1	2	3	4	4	-	1	-	-
	White—M	10	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	1	3	2	1	-	-	-	-
	F	14	-	-	-	-	-	-	-	2	-	-	-	-	-	1	1	3	4	1	-	2	3	-	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	61	-	-	-	-	-	-	-	1	1	1	-	-	1	4	5	5	10	7	8	5	5	7	1	-	-
	White—M	30	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	4	3	4	4	3	4	-	-	-
	F	31	-	-	-	-	-	-	-	1	1	1	-	-	1	1	3	2	6	4	4	1	2	3	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*	121	16	5	2	-	-	1	-	-	-	2	-	-	2	-	3	6	3	4	9	19	12	19	13	3	1	1
	White—M	74	8	2	-	-	-	1	-	-	-	1	-	-	2	-	3	3	2	2	5	14	9	12	9	-	-	1
	F	46	7	3	2	-	-	-	-	-	-	1	-	-	-	-	-	3	1	2	4	5	3	7	4	3	1	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza	19	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	2	3	1	4	4	1	-	-
	White—M	15	1	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	3	1	4	2	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	102	15	4	2	-	-	1	-	-	-	2	-	1	-	3	5	3	4	7	18	11	15	9	2	1	1
	White—M	59	7	1	-	-	-	1	-	-	-	1	-	1	-	3	2	2	2	4	11	8	8	7	-	-	1
	F	42	7	3	2	-	-	-	-	-	-	1	-	-	-	-	3	1	2	3	5	3	7	2	2	1	-
	Nonwhite—M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis	13	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	3	-	4	-	-	1	-	-
	White—M	8	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	-	3	-	-	1	-	-
	F	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	32	-	-	-	-	1	-	-	-	-	-	-	1	2	2	2	5	3	2	7	3	2	1	1	-	-
	White—M	26	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	4	3	2	6	2	1	-	1	-	-
	F	6	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	6	-	-	-	-	1	-	1	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-
	White—M	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	35	3	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	5	3	6	2	5	3	3	-	1	-
	White—M	14	1	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	3	1	2	1	1	-	2	-	1	-
	F	21	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	1	4	3	1	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VERMONT—Con.																										
543, 571, 572	Gastritis, etc.*—	16	7	-	1	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	1	2	-	3	-	-	-
	White——M—	6	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F—	10	3	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	1	-	3	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	29	-	-	-	-	-	1	-	-	1	-	1	2	2	6	-	4	4	2	5	1	1	1	-	-	-
	White——M—	22	-	-	-	-	-	1	-	-	-	-	1	2	2	5	-	4	4	2	1	-	1	1	-	-	-
	F—	6	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	6	-	-	-	-	-	1	-	1	-	-	1	-	-	-	-	-	1	1	-	1	-	-	-	-	-
	White——M—	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-
	F—	3	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	6	5	2	1	-	-
	White——M—	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	3	3	6	5	2	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	8	...	...	...	...	...	...	-	-	-	2	-	3	1	-	-	...	...	...	...	...	...	...	...	...	-
	White——F—	6	...	...	...	...	...	...	-	-	-	2	-	3	1	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-
650-652	Abortion—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-
	White——F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-
640-649, 660-689	All other complications—	6	...	...	...	...	...	...	-	-	-	2	-	3	1	-	-	...	...	...	...	...	...	...	...	...	-
	White——F—	6	...	...	...	...	...	...	-	-	-	2	-	3	1	-	-	...	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	47	40	1	1	-	-	2	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	White——M—	27	24	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-	-	-
	F—	20	16	1	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	189	188	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	126	125	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	63	63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	81	81	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	99	98	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	69	68	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	30	30	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	36	7	-	-	-	-	-	-	-	2	1	1	2	-	-	4	-	3	1	5	-	3	6	-	1	-
	White——M—	25	3	-	-	-	-	-	-	-	2	1	-	2	-	-	4	-	2	1	4	-	3	2	-	1	-
	F—	11	4	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	1	-	-	4	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	171	10	4	1	-	1	-	2	2	2	4	7	3	9	10	7	15	17	17	26	16	13	3	1	1	-
	White——M—	104	7	2	1	-	-	-	1	1	1	3	5	2	5	6	5	8	12	10	18	9	6	1	-	1	-
	F—	87	3	2	-	-	1	-	1	1	1	1	2	1	4	4	2	7	5	7	8	7	7	2	1	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents—	215	14	8	1	2	-	7	7	17	23	8	7	12	6	7	8	7	11	6	11	14	14	15	8	1	1
	White——M—	148	7	5	1	1	-	5	6	13	23	7	7	11	5	7	7	5	9	5	7	4	6	3	3	-	1
	F—	67	7	3	-	1	-	2	1	4	-	1	-	1	1	-	1	2	2	1	4	10	8	12	5	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents—	63	-	2	-	1	-	1	1	10	14	4	4	2	2	3	2	2	3	4	2	4	-	1	-	-	1
	White——M—	52	-	2	-	-	-	1	1	9	14	3	4	2	1	3	1	1	2	3	2	2	-	1	-	-	1
	F—	11	-	-	-	1	-	-	-	1	-	1	-	-	1	-	1	1	1	1	-	2	-	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	152	14	6	1	1	-	6	6	7	9	4	3	10	4	4	6	5	8	2	9	10	14	14	8	1	-
	White——M—	96	7	3	1	1	-	4	5	4	9	4	3	9	4	4	6	4	7	2	5	2	6	3	3	-	-
	F—	56	7	3	-	-	-	2	1	3	-	-	-	1	-	-	-	1	1	-	4	8	8	11	5	1	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide—	41	-	-	-	-	-	-	-	1	-	-	2	4	4	5	4	9	2	3	1	4	-	2	-	-	-
	White——M—	37	-	-	-	-	-	-	-	1	-	-	2	3	4	4	3	9	1	3	1	4	-	2	-	-	-
	F—	4	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	2	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA																										
	ALL CAUSES	29,345	3,162	220	145	95	58	238	182	333	495	574	661	648	1,063	1,420	1,857	2,256	2,679	3,049	3,184	2,775	2,129	1,116	511	124	171
	White—M	11,805	1,190	85	56	35	18	63	78	133	207	197	218	288	387	518	710	900	1,106	1,288	1,392	1,269	914	454	199	29	51
	F	8,359	815	54	41	22	15	57	39	54	97	96	152	173	222	310	374	489	619	841	1,073	1,071	903	522	231	80	29
	Nonwhite—M	5,144	666	45	27	28	16	55	38	80	115	161	176	214	257	323	438	506	527	500	385	234	178	69	44	17	48
	F	4,037	491	36	21	10	9	43	29	66	76	120	115	173	197	269	335	362	427	420	334	201	134	71	37	18	43
001-019	Tuberculosis, all forms	976	7	10	3	3	1	6	7	37	64	93	95	90	75	70	83	77	66	69	52	37	19	6	2	-	4
	White—M	286	2	2	-	1	-	1	2	4	9	10	17	27	22	16	34	35	24	37	27	14	11	1	-	-	1
	F	179	-	1	1	-	-	1	-	3	9	10	21	15	9	9	13	13	13	19	13	17	5	4	2	-	1
	Nonwhite—M	304	3	4	2	2	-	3	2	15	23	32	31	25	31	34	30	24	20	9	8	5	1	-	-	-	-
	F	197	2	3	-	-	1	1	3	15	24	41	26	23	13	11	6	5	9	4	4	1	2	1	-	-	2
001-008	Tuberculosis of respiratory system	905	4	4	1	-	1	4	5	28	63	88	91	83	74	64	79	72	60	85	52	37	18	6	2	-	4
	White—M	279	1	2	-	-	-	-	1	2	8	9	17	25	22	16	31	33	22	36	27	14	11	1	-	-	1
	F	188	-	-	-	-	-	-	-	2	9	8	20	15	9	8	13	12	12	19	13	17	4	4	2	-	1
	Nonwhite—M	274	2	1	1	-	-	3	2	11	23	31	29	21	30	30	29	23	18	6	8	5	1	-	-	-	-
	F	164	1	1	-	-	1	1	2	13	23	40	25	22	13	10	6	4	8	4	4	1	2	1	-	-	2
010-019	Tuberculosis, other forms	71	3	6	2	3	-	2	2	9	1	5	4	7	1	6	4	5	6	4	-	-	1	-	-	-	-
	White—M	17	1	-	-	1	-	1	1	2	-	1	-	2	-	-	3	2	2	1	-	-	-	-	-	-	-
	F	11	-	1	1	-	-	1	-	1	-	2	1	-	-	1	-	1	1	-	-	-	1	-	-	-	-
	Nonwhite—M	30	1	3	1	2	-	-	-	4	-	1	2	4	1	4	1	1	2	3	-	-	-	-	-	-	-
	F	13	1	2	-	-	-	-	1	2	1	1	1	1	-	1	-	1	1	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	231	14	-	1	1	-	-	-	2	2	-	5	18	14	27	23	38	28	26	15	10	5	2	-	-	2
	White—M	60	3	-	-	-	-	-	-	-	-	-	-	1	7	6	7	7	8	10	4	4	2	1	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	5	3	-	1	5	-	-	-	-	-
	Nonwhite—M	109	5	-	1	1	-	-	-	1	1	-	4	9	4	13	12	21	10	13	7	1	2	1	-	-	2
	F	43	6	-	-	-	-	-	-	1	1	-	1	7	3	6	1	5	5	3	3	-	1	-	-	-	-
040	Typhoid fever	8	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	47	27	5	1	1	-	-	-	-	-	-	-	-	2	1	1	1	2	-	2	-	1	1	-	-	1
	White—M	13	8	3	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	6	-	-
	Nonwhite—M	20	9	1	-	1	-	-	-	-	-	-	1	-	2	-	1	-	2	-	2	-	-	1	-	-	1
	F	7	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
050, 051	Scarlet fever, etc.*	5	-	-	-	-	1	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	12	-	1	2	4	2	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	-	1	1	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	34	27	3	2	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	4	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	8	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	8	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	12	9	1	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	41	10	5	4	1	1	6	4	2	2	-	2	1	1	2	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	3	2	4	-	1	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	15	6	2	-	1	-	1	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	5	1	1	-	-	-	1	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	17	-	-	1	1	-	4	4	4	-	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	9	-	-	-	-	-	3	3	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	1	1	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	42	13	8	4	3	-	8	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	17	4	4	1	1	-	4	-	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	10	3	1	2	1	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	9	4	2	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	2	1	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	White—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	101	15	4	8	6	3	9	5	4	1	6	5	5	4	9	5	3	4	-	2	1	1	-	1	-	-
	White—M	40	9	2	2	3	1	5	3	2	-	1	2	1	1	1	2	2	-	-	2	1	-	-	-	-	-
	F	24	3	1	4	1	1	1	1	-	-	-	1	2	2	3	-	2	-	-	-	-	1	-	1	-	-
	Nonwhite—M	19	2	1	1	1	1	1	-	-	-	3	1	2	1	2	2	1	-	-	-	-	-	-	-	-	-
	F	18	1	-	1	1	-	2	1	2	1	2	1	-	-	3	1	-	2	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
140-205	Malignant neoplasms, etc.*----	3,328	8	8	8	7	6	23	12	11	28	42	58	106	154	228	326	358	442	429	433	318	190	86	26	7	14
	White-----M--	1,293	6	2	4	4	3	8	6	4	12	19	13	27	37	70	125	128	176	182	184	142	86	40	10	2	3
	F--	1,286	2	5	4	3	2	10	4	2	13	16	31	42	73	89	112	158	140	155	171	134	85	37	12	3	3
	Nonwhite--M--	354	-	1	-	-	1	1	2	3	2	2	4	9	15	28	41	55	68	45	37	21	14	3	3	-	3
	F--	395	-	-	-	-	-	4	-	2	1	5	10	28	31	41	48	37	58	49	41	21	5	6	1	2	5
140-148	Of buccal cavity and pharynx-------	69	-	-	-	-	-	-	-	-	-	1	1	2	2	11	7	3	11	4	8	8	7	3	-	1	-
	White-----M--	55	-	-	-	-	-	-	-	-	-	1	-	-	1	6	3	3	4	3	3	6	4	1	-	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	1	-	-	2	1	-	3	-	3	2	2	1	-	1	-
	Nonwhite--M--	11	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	-	3	-	1	-	1	-	-	-	-
	F--	7	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	1	1	1	-	-	1	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	1,179	-	1	-	-	1	2	2	1	2	2	12	21	41	71	90	111	176	196	192	136	76	27	10	4	5
	White-----M--	479	-	-	-	-	1	1	-	1	-	1	3	10	16	22	37	44	80	78	73	63	33	12	3	1	-
	F--	423	-	1	-	-	-	-	-	-	2	1	5	7	17	20	24	30	54	74	81	50	36	13	5	2	1
	Nonwhite--M--	167	-	-	-	-	-	-	2	-	-	-	1	2	6	16	18	31	28	26	18	9	7	-	1	-	2
	F--	110	-	-	-	-	-	1	-	-	-	-	3	2	2	13	11	6	14	18	20	14	-	2	1	1	2
160-164	Of respiratory system----------	332	1	-	1	-	-	-	-	-	-	2	2	9	20	29	49	53	46	41	40	25	9	4	1	-	-
	White-----M--	214	1	-	-	-	-	-	-	-	-	1	1	4	8	20	37	34	32	31	26	9	6	3	1	-	-
	F--	54	-	-	1	-	-	-	-	-	-	1	-	1	4	4	2	6	3	6	9	14	2	1	-	-	-
	Nonwhite--M--	45	-	-	-	-	-	-	-	-	-	-	1	3	3	4	9	12	9	1	2	1	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	1	5	1	1	1	2	3	3	1	1	-	-	-	-
170	Of breast----------	298	-	-	-	-	-	-	-	-	2	2	7	14	20	31	33	48	45	28	20	23	17	4	1	1	2
	White-----M--	9	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	2	3	-	-	-	-	-	-	-	1
	F--	227	-	-	-	-	-	-	-	-	2	-	5	9	16	23	26	36	31	21	17	22	14	3	1	-	1
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	62	-	-	-	-	-	-	-	-	-	2	2	4	4	6	7	10	11	7	3	1	3	1	-	1	-
171-179	Of genital organs----	635	-	-	-	-	-	-	-	2	2	11	19	35	41	47	58	57	74	71	76	62	39	22	5	1	3
	White-----M--	165	-	-	-	-	-	-	-	-	-	2	2	-	2	3	5	9	14	18	33	34	25	13	2	1	2
	F--	275	-	-	-	-	-	-	-	1	1	6	14	19	25	26	34	40	29	25	25	15	9	5	1	-	-
	Nonwhite--M--	60	-	-	-	-	-	-	-	-	-	-	-	1	3	1	4	13	12	8	8	5	3	2	-	-	-
	F--	135	-	-	-	-	-	-	-	1	1	3	3	16	13	15	18	14	18	16	10	5	-	1	-	-	1
180, 181	Of urinary organs----	147	-	1	2	1	-	2	-	-	-	2	-	1	2	6	17	20	23	23	17	15	9	4	2	-	-
	White-----M--	75	-	-	-	-	-	-	-	-	-	-	-	-	-	2	10	11	15	13	10	8	4	1	1	-	-
	F--	43	-	1	2	1	-	-	-	-	-	2	-	-	1	3	2	5	3	4	4	7	5	2	1	-	-
	Nonwhite--M--	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	3	3	2	-	-	-	-	-	-	-
	F--	16	-	-	-	-	-	2	-	-	-	-	-	1	1	1	2	2	2	3	1	-	1	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	596	3	3	1	1	1	7	6	3	4	8	7	12	17	18	44	35	45	44	47	31	28	21	6	-	4
	White-----M--	179	3	1	1	1	1	2	3	1	1	5	4	7	5	11	18	15	20	25	21	11	12	9	2	-	-
	F--	153	-	1	-	-	-	4	3	-	3	3	2	2	8	4	13	13	10	16	20	18	14	12	4	-	1
	Nonwhite--M--	34	-	1	-	-	-	1	-	1	-	-	1	-	3	-	7	4	7	-	5	2	1	-	-	-	1
	F--	30	-	-	-	-	-	-	-	1	-	-	-	3	1	3	6	3	8	1	1	-	1	-	-	-	2
204	Leukemia and aleukemia----------	129	5	3	2	3	3	10	3	2	10	8	1	5	2	9	13	14	4	8	12	9	4	-	1	-	-
	White-----M--	70	1	1	2	2	1	4	2	1	6	5	-	3	1	2	8	6	2	6	8	6	2	-	1	-	-
	F--	46	2	2	-	1	2	5	1	-	3	2	1	1	1	5	5	5	1	2	3	2	2	-	-	-	-
	Nonwhite--M--	9	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	2	1	-	1	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	143	1	-	2	2	1	2	1	3	8	6	9	7	9	6	15	7	18	14	21	9	1	1	-	-	-
	White-----M--	67	1	-	1	1	-	1	1	1	5	4	3	2	4	2	7	4	6	8	10	5	-	1	-	-	-
	F--	49	-	-	1	1	-	1	-	1	2	1	3	3	1	2	5	3	6	5	9	4	1	-	-	-	-
	Nonwhite--M--	15	-	-	-	-	1	-	-	1	1	1	1	2	-	1	1	-	4	1	1	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	-	-	-	2	-	4	1	2	-	2	-	1	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	128	6	-	-	1	-	5	4	3	3	6	6	8	13	13	11	13	15	5	5	3	5	3	-	-	-
	White-----M--	38	2	-	-	1	-	3	2	-	-	1	-	1	1	2	2	6	6	5	2	1	1	2	-	-	-
	F--	46	3	-	-	-	-	2	1	-	2	2	3	2	7	5	4	5	4	-	1	1	3	1	-	-	-
	Nonwhite--M--	14	-	-	-	-	-	-	-	1	1	2	1	1	2	3	1	-	2	-	-	-	1	-	-	-	-
	F--	30	1	-	-	-	-	1	1	2	-	2	1	4	4	3	4	2	3	-	2	1	-	-	-	-	-
280	Diabetes mellitus----	388	1	-	-	-	-	1	4	5	5	2	8	12	10	20	39	38	50	60	57	37	27	8	2	-	2
	White-----M--	125	1	-	-	-	-	-	1	1	4	-	3	6	3	4	9	10	11	16	25	15	9	5	2	-	-
	F--	143	-	-	-	-	-	1	-	2	-	-	1	-	2	7	11	12	26	27	20	18	14	2	-	-	-
	Nonwhite--M--	30	-	-	-	-	-	-	1	1	-	1	2	2	2	3	2	1	4	7	1	1	1	-	-	-	1
	F--	90	-	-	-	-	-	-	2	1	1	2	4	3	6	17	15	9	10	11	3	3	1	-	-	-	1
290-293	Anemias----------	82	2	3	1	2	-	4	2	1	3	2	1	3	2	4	4	9	7	7	7	11	4	2	-	-	-
	White-----M--	25	-	3	-	-	-	-	2	-	-	-	-	-	-	-	3	1	3	2	3	5	2	1	-	-	-
	F--	27	2	1	-	-	-	1	-	-	-	-	-	1	-	1	-	4	2	4	2	6	2	1	-	-	-
	Nonwhite--M--	19	-	1	1	2	-	2	-	1	-	1	-	1	1	3	-	3	2	-	1	-	-	-	-	-	-
	F--	11	-	-	-	-	-	1	-	-	2	2	-	1	1	-	1	1	-	1	1	-	-	-	-	-	-
340	Nonmeningococcal meningitis----------	52	16	5	4	1	2	1	1	2	1	1	2	3	-	2	4	1	3	2	-	1	-	-	-	-	-
	White-----M--	15	3	2	3	-	-	-	-	1	-	-	-	1	-	-	1	1	3	-	-	-	-	-	-	-	-	-
	F--	15	4	2	1	-	1	-	1	-	1	-	-	1	-	1	-	-	-	2	-	1	-	-	-	-	-	-
	Nonwhite--M--	13	4	-	-	-	-	1	-	1	-	-	2	1	-	1	3	-	-	-	-	-	-	-	-	-	-	-
	F--	9	5	1	-	1	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-488, 592-594	Major cardiovascular-renal diseases----------	14,818	7	7	6	3	3	18	19	37	48	73	137	233	439	688	984	1,360	1,660	2,004	2,187	1,957	1,573	824	373	79	99
	White-----M--	6,069	3	-	1	3	1	3	7	12	15	22	44	76	155	262	368	536	699	815	948	906	684	326	143	10	31
	F--	4,287	1	1	2	-	1	5	3	9	15	11	28	41	66	123	155	245	330	523	727	733	648	394	167	42	16
	Nonwhite--M--	2,389	2	1	1	-	1	6	6	6	8	21	38	59	113	149	253	323	340	360	275	168	134	51	34	15	27
	F--	2,073	1	5	2	-	-	4	3	10	10	19	27	58	105	154	208	256	291	306	239	150	106	53	29	12	25
330-334, 400-468	Diseases of cardiovascular system	14,138	7	6	4	1	1	15	17	28	45	58	124	209	409	646	950	1,304	1,592	1,919	2,108	1,876	1,501	792	355	74	94
	White-----M--	5,858	3	-	1	1	-	2	7	7	13	17	39	70	146	258	361	520	685	793	913	867	660	320	157	9	29
	F--	4,102	1	1	1	-	-	3	1	7	14	5	24	32	61	108	147	237	319	507	708	711	623	376	159	41	16
	Nonwhite--M--	2,253	2	1	-	-	1	6	6	6	8	19	37	57	103	137	246	308	312	341	265	156	125	47	31	15	24
	F--	1,922	1	4	2	-	-	4	3	8	10	17	24	50	99	143	196	239	276	278	222	142	93	49	28	9	25
330-334	Vascular lesions, etc.*----------	3,396	4	2	2	1	-	-	-	1	11	8	25	42	93	142	218	296	398	490	514	492	350	199	73	10	25
	White-----M--	1,153	2	-	1	1	-	-	-	-	3	1	8	11	15	31	45	77	132	157	196	222	141	74	26	3	7
	F--	1,100	1	-	-	-	-	-	-	1	4	-	4	6	20	32	48	66	84	141	189	194	163	101	41	3	2
	Nonwhite--M--	558	1	-	-	-	-	-	-	-	3	5	5	10	27	34	62	76	91	106	59	36	23	9	2	1	9
	F--	585	-	2	1	-	-	-	-	-	1	2	8	15	31	45	63	77	91	87	70	40	23	15	4	3	7
400-402	Rheumatic fever----	64	-	2	-	-	1	10	7	11	8	2	7	6	4	-	1	3	1	-	-	1	-	-	-	-	-
	White-----M--	18	-	-	-	-	-	2	2	2	3	1	4	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	15	-	-	-	-	-	2	-	3	2	-	1	1	2	-	1	1	1	-	-	1	-	-	-	-	-
	Nonwhite--M--	18	-	1	-	-	1	4	4	2	1	-	2	1	-	-	-	2	-	-	-	-	-	-	-	-	-
	F--	13	-	1	-	-	-	2	1	4	2	1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
410-443	Diseases of heart	9,674	1	2	2	-	-	5	9	13	24	41	83	142	283	474	682	940	1,118	1,315	1,457	1,255	998	495	219	51	65
	White——M	4,324	-	-	-	-	-	-	5	5	7	13	26	54	122	219	299	428	524	599	670	584	446	209	88	6	20
	F	2,693	-	1	1	-	-	1	1	2	7	5	18	24	35	70	91	161	215	336	475	473	407	252	95	30	13
	Nonwhite—M	1,497	-	-	-	-	-	2	2	3	4	12	27	41	68	98	167	209	206	212	179	109	86	28	21	9	15
	F	1,180	1	1	1	-	-	2	1	3	8	11	12	23	58	87	125	143	173	166	133	89	59	26	17	6	17
410-416	Chronic rheumatic heart disease	388	...	-	-	-	-	3	6	10	8	7	23	18	20	37	35	36	33	34	33	31	32	12	8	-	4
	White——M	146	...	-	-	-	-	-	4	4	5	2	7	3	11	14	8	16	13	13	14	14	11	3	4	-	-
	F	132	...	-	-	-	-	1	-	2	2	1	8	9	5	13	13	9	9	8	13	12	17	6	3	-	1
	Nonwhite—M	59	...	-	-	-	-	-	2	2	1	2	5	1	3	5	5	8	5	10	2	2	1	2	1	-	2
	F	51	...	-	-	-	-	2	-	2	-	2	3	5	1	5	7	3	6	3	4	3	3	1	-	-	1
420	Arteriosclerotic heart dis., etc.*	4,872	-	-	-	-	-	1	-	-	5	16	32	66	157	282	402	520	628	699	771	610	397	182	57	19	28
	White——M	2,702	-	-	-	-	-	-	-	-	1	7	16	41	92	171	234	313	385	385	425	318	193	81	29	1	12
	F	1,263	-	-	-	-	-	-	-	-	1	1	4	5	15	32	53	78	124	189	250	229	163	82	20	11	6
	Nonwhite—M	566	-	-	-	-	-	1	-	-	2	5	8	17	29	47	60	83	71	76	62	37	27	8	4	4	5
	F	341	-	-	-	-	-	-	-	-	1	3	4	3	21	32	35	46	50	49	34	26	14	11	4	3	5
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,950	...	1	-	-	-	1	2	2	4	5	7	19	29	47	81	134	169	237	304	287	233	177	98	22	11
	White——M	691	...	-	-	-	-	-	-	-	-	1	1	3	3	9	21	29	55	88	116	118	132	75	38	3	1
	F	565	...	-	-	-	-	-	1	-	1	1	1	5	4	4	4	28	33	46	83	109	102	80	43	15	5
	Nonwhite—M	381	...	-	-	-	-	1	-	1	1	3	3	9	10	18	32	41	50	52	54	34	41	13	13	3	2
	F	313	...	1	-	-	-	-	1	1	2	-	2	2	12	16	24	36	51	51	51	26	18	9	6	1	3
430-434	Other diseases of heart	434	1	1	2	-	-	-	1	1	6	3	5	7	15	20	32	50	42	51	53	52	38	29	17	4	4
	White——M	168	-	-	-	-	-	-	1	1	1	-	2	1	4	9	11	18	19	21	22	22	17	11	4	1	3
	F	125	-	1	1	-	-	-	-	-	3	1	1	1	4	3	2	10	4	12	20	21	17	16	8	-	-
	Nonwhite—M	71	-	-	-	-	-	-	-	-	-	1	1	2	2	4	9	12	14	10	8	6	-	-	1	1	-	-
	F	70	1	-	1	-	-	-	-	-	2	1	1	3	5	4	10	10	5	8	3	3	4	2	4	2	1
440-443	Hypertension with heart dis.	2,030	-	-	-	-	-	-	-	-	1	10	16	32	62	88	134	200	226	294	296	275	238	95	39	6	18
	White——M	617	-	-	-	-	-	-	-	-	-	3	-	6	12	18	25	52	54	92	93	112	93	39	15	1	4
	F	608	-	-	-	-	-	-	-	-	-	1	4	4	7	18	19	36	45	83	109	102	108	48	19	4	1
	Nonwhite—M	420	-	-	-	-	-	-	-	-	-	1	10	12	24	24	41	64	66	64	53	30	17	5	2	1	6
	F	385	-	-	-	-	-	-	-	-	1	5	2	10	19	30	49	48	61	55	41	31	20	3	3	-	7
444-447	Hypertension without mention of heart	289	-	-	-	-	-	-	-	1	-	4	5	12	19	15	30	25	27	33	34	29	29	16	8	2	-
	White——M	83	-	-	-	-	-	-	-	-	-	1	-	-	3	2	7	4	10	5	11	12	16	8	4	-	-
	F	72	-	-	-	-	-	-	-	-	-	-	1	-	1	5	5	2	7	10	11	10	10	6	3	1	-
	Nonwhite—M	60	-	-	-	-	-	-	-	1	-	1	2	3	6	3	11	10	7	6	5	2	1	1	-	1	-
	F	74	-	-	-	-	-	-	-	-	-	2	2	9	9	5	7	9	3	12	7	5	2	1	1	-	-
450	General arteriosclerosis	554	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	22	29	60	80	87	116	75	53	11	3
	White——M	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3	5	7	22	31	45	54	27	18	-	2
	F	175	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	14	27	25	38	33	21	7	1
	Nonwhite—M	98	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	8	8	15	20	9	15	8	8	4	-
	F	67	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	8	6	9	12	8	9	7	6	-	-
451-468	Other diseases of circulatory sys.	158	2	-	-	-	-	-	1	2	2	3	4	7	10	12	14	18	19	21	13	12	8	7	2	-	1
	White——M	68	1	-	-	-	-	-	-	-	-	1	1	2	5	6	7	6	12	10	5	4	3	2	1	-	-
	F	47	-	-	-	-	-	-	-	1	1	-	-	1	3	1	2	6	4	4	8	8	5	4	1	-	-
	Nonwhite—M	22	1	-	-	-	-	-	-	-	-	1	1	2	2	1	4	4	-	3	2	-	-	1	-	-	-
	F	23	-	-	-	-	-	-	1	1	1	1	2	2	-	4	1	2	3	4	-	-	-	-	-	-	1
582-594	Chronic nephritis, etc.*	663	-	1	2	2	2	3	2	9	3	15	13	24	30	42	34	56	68	85	79	81	72	32	18	5	5
	White——M	211	-	-	-	2	1	1	-	5	2	5	5	5	9	4	7	16	14	22	35	39	24	6	6	1	2
	F	185	-	-	1	-	1	2	2	2	1	6	4	9	5	15	8	8	11	16	19	22	26	18	8	1	-
	Nonwhite—M	136	-	-	1	-	-	-	-	-	-	2	1	2	10	12	7	15	28	19	8	12	9	4	3	-	3
	F	151	-	1	-	-	-	-	-	2	-	2	3	8	6	11	12	17	15	28	17	8	13	4	1	3	-
460-493	Influenza and pneumonia, etc.*	1,093	308	38	18	9	4	13	14	12	14	14	27	21	20	41	34	40	56	64	77	90	76	52	34	7	10
	White——M	334	80	13	-	1	1	-	3	4	1	1	5	5	6	10	11	15	15	30	22	42	31	17	13	4	4
	F	310	75	10	7	2	3	2	3	2	5	1	3	4	4	4	2	5	10	13	31	35	39	28	19	-	3
	Nonwhite—M	240	83	7	5	5	-	7	4	4	6	4	10	6	6	20	10	10	21	10	10	6	2	2	2	-	-
	F	209	70	8	6	1	-	4	4	2	2	8	9	6	4	7	11	10	10	11	14	7	4	5	-	3	3
480-483	Influenza	156	24	4	2	1	-	3	1	2	1	4	9	2	4	5	5	11	10	13	12	17	11	6	4	1	4
	White——M	37	4	2	-	-	-	-	-	1	-	1	1	-	-	1	1	2	2	5	3	6	4	1	2	1	-
	F	49	10	1	1	1	-	1	-	-	-	-	-	-	1	-	-	3	1	1	4	9	7	5	2	-	2
	Nonwhite—M	31	4	-	1	-	-	1	-	-	1	-	7	-	2	3	2	1	4	3	2	-	-	-	-	-	-
	F	39	6	1	-	-	-	1	1	1	-	3	1	2	1	1	2	5	3	4	3	2	-	-	-	-	2
490-493	Pneumonia, etc.*	937	284	34	16	8	4	10	13	10	13	10	18	19	16	36	29	29	46	51	65	73	65	46	30	6	6
	White——M	287	76	11	-	1	1	-	3	3	1	-	4	5	6	9	10	13	13	25	19	36	27	16	11	3	4
	F	261	65	9	6	1	3	1	3	2	5	1	3	4	3	4	2	2	9	12	27	26	32	25	17	-	1
	Nonwhite—M	209	79	7	4	5	-	6	4	4	5	4	3	6	4	17	8	9	17	7	8	6	2	2	2	-	-
	F	170	64	7	6	1	-	3	3	1	2	5	8	4	3	6	9	5	7	7	11	5	4	5	-	3	1
500-502	Bronchitis	85	21	4	1	2	-	1	-	-	-	-	-	1	-	-	5	4	8	3	7	11	8	3	3	2	1
	White——M	30	5	2	-	1	-	-	-	-	-	-	-	-	-	-	3	3	2	2	3	2	3	1	1	2	-
	F	26	3	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	3	1	3	7	4	1	1	-	-
	Nonwhite—M	15	7	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	2	-	-	-	-	1
	F	14	6	1	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	-	-	1	1	1	-	-	-
540, 541	Ulcer of stomach and duodenum	134	1	-	-	-	-	-	-	2	1	7	1	6	6	13	13	11	19	22	17	8	6	1	-	-	-
	White——M	85	1	-	-	-	-	-	-	1	-	2	1	5	4	7	10	7	10	15	12	5	4	1	-	-	-
	F	18	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	4	2	4	2	1	-	-	-	-
	Nonwhite—M	21	-	-	-	-	-	-	-	-	1	3	-	-	1	2	2	1	5	4	1	1	-	-	-	-	-
	F	10	-	-	-	-	-	-	-	1	-	2	-	1	-	3	-	1	-	1	-	-	1	-	-	-	-
550-553	Appendicitis	70	-	1	3	-	2	5	4	1	2	3	4	4	3	3	5	5	7	9	5	3	-	1	-	-	-
	White——M	27	-	-	2	-	-	1	1	1	-	-	1	3	1	1	3	1	4	5	2	-	-	1	-	-	-
	F	13	-	1	-	-	-	-	2	-	-	-	-	1	1	-	1	1	-	2	2	2	-	-	-	-	-
	Nonwhite—M	16	-	-	1	-	1	1	1	-	-	-	1	-	1	2	-	3	3	1	-	1	-	-	-	-	-
	F	14	-	-	-	-	1	3	-	-	2	3	2	-	-	-	1	-	-	1	1	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	202	30	5	1	1	-	-	-	4	3	3	5	5	7	12	19	12	15	19	21	16	12	9	2	-	1
	White——M	79	19	2	-	1	-	-	-	2	2	2	1	3	-	1	4	4	6	11	8	6	3	3	1	-	-
	F	57	3	-	-	-	-	-	-	-	-	-	2	1	3	4	5	5	5	4	5	8	7	4	-	-	1
	Nonwhite—M	34	5	1	-	-	-	-	-	1	-	1	-	1	2	4	4	2	-	2	5	1	2	2	1	-	-
	F	32	3	2	1	-	-	-	-	1	1	-	2	-	2	3	6	1	4	2	3	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	VIRGINIA—Con.																										
543,	Gastritis, etc.*--	269	174	22	5	1	-	1	1	-	-	-	4	1	5	4	3	7	2	5	12	13	4	2	2	1	-
571,	White-----M--	86	57	6	2	1	-	-	1	-	-	-	1	-	2	1	2	1	-	1	6	1	3	1	-	-	-
572	F--	79	40	7	-	-	-	1	-	-	-	-	1	-	2	1	1	4	2	2	6	10	-	1	-	1	-
	Nonwhite--M--	60	43	7	2	-	-	-	-	-	-	-	2	-	-	1	-	1	-	1	1	1	1	-	1	-	-
	F--	44	34	2	1	-	-	-	-	-	-	-	-	1	1	1	-	1	-	1	-	1	-	-	1	-	-
581	Cirrhosis of liver	169	1	1	-	-	-	2	2	1	1	3	13	20	22	21	18	19	18	12	6	7	2	-	-	-	-
	White-----M--	88	-	1	-	-	-	2	1	-	1	2	3	10	15	8	12	10	10	4	3	2	2	-	-	-	-
	F--	53	-	-	-	-	-	-	-	1	-	1	4	6	10	2	3	7	7	3	5	-	-	-	-	-	-
	Nonwhite--M--	20	-	-	-	-	-	-	-	-	-	-	5	5	1	3	2	2	1	1	-	-	-	-	-	-	-
	F--	10	1	-	-	-	-	-	-	1	-	-	-	1	1	-	-	2	4	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*-----------	86	1	1	2	3	2	4	-	1	2	4	5	7	7	2	5	13	5	1	10	6	3	-	-	1	1
	White-----M--	28	1	-	1	1	-	-	-	-	1	-	2	1	2	-	3	6	1	-	2	3	2	-	-	-	-
	F--	20	-	-	1	1	-	2	-	-	1	1	1	-	-	-	-	2	1	1	5	2	1	-	-	1	-
	Nonwhite--M--	24	-	1	-	1	1	2	-	-	-	1	-	5	2	2	1	3	2	-	1	1	-	-	-	-	1
	F--	16	-	-	-	-	1	-	-	1	-	2	2	1	3	-	1	2	1	-	2	-	-	-	-	-	-
610	Hyperplasia of																										
	prostate----------	116	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	4	8	17	18	27	19	9	7	1	1
	White-----M--	77	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	13	10	22	13	8	6	1	-
	Nonwhite--M--	39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	3	5	4	8	5	6	1	1	-	1
640-	Complications of																										
689	pregnancy, etc.*-	85	...	...	...	...	...	...	2	12	22	16	13	14	3	3	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	37	...	...	...	...	...	...	-	3	13	7	9	4	-	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	48	...	...	...	...	...	...	2	9	9	9	4	10	3	2	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	12	...	...	...	...	...	...	-	1	7	4	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	7	...	...	...	...	...	...	-	-	5	2	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	5	...	...	...	...	...	...	-	1	2	2	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications--------	73	...	...	...	...	...	...	2	11	15	12	13	14	3	3	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	30	...	...	...	...	...	...	-	3	8	5	9	4	-	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	43	...	...	...	...	...	...	2	8	7	7	4	10	3	2	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	411	314	18	15	8	4	6	4	4	4	6	4	7	3	5	3	2	2	2	-	-	-	-	-	-	-
	White-----M--	191	151	12	5	4	1	1	1	-	3	2	-	3	2	1	-	2	2	1	-	-	-	-	-	-	-
	F--	139	108	3	7	1	1	2	2	3	1	2	3	1	1	2	1	-	-	1	-	-	-	-	-	-	-
	Nonwhite--M--	52	35	1	1	3	2	2	1	1	-	2	-	3	-	1	-	-	-	-	-	-	-	-	-	-	-
	F--	29	20	2	2	-	-	1	-	-	-	-	1	-	-	1	2	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,833	1,833	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	719	719	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	469	469	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	368	368	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	277	277	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*-----------	670	670	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	300	300	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	111	111	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	75	75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn-----------	124	124	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	25	25	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	40	40	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	24	24	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied--------------	1,039	1,039	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	384	384	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	260	260	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	217	217	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	178	178	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	436	108	3	8	3	1	3	3	4	3	5	6	8	9	17	13	14	33	23	20	33	35	39	25	14	11
795	White-----M--	151	23	1	5	-	-	1	-	-	-	2	-	3	4	4	4	5	12	11	7	12	9	14	9	4	1
	F--	131	25	1	1	1	-	-	1	1	-	1	-	2	2	5	4	2	4	3	11	12	16	19	11	8	1
	Nonwhite--M--	100	34	1	1	2	-	1	2	2	1	1	3	1	3	6	4	5	8	4	2	3	6	4	1	1	4
	F--	74	21	-	1	-	1	1	-	1	2	1	3	2	-	2	1	2	9	5	-	6	4	2	4	1	5
Re-	All other diseases	1,385	82	20	16	13	10	26	25	18	30	43	53	58	93	85	103	99	117	146	132	104	53	31	13	4	11
sid-	White-----M--	531	35	9	9	7	3	6	8	4	10	9	19	19	31	27	30	46	50	57	67	41	20	12	5	1	6
ual	F--	447	23	4	1	4	4	11	9	4	10	10	19	13	20	22	28	22	43	55	42	46	32	15	6	2	2
	Nonwhite--M--	236	20	3	3	1	2	6	5	4	6	17	7	11	28	20	26	15	13	19	12	8	-	4	1	1	2
	F--	171	4	4	3	1	1	3	3	6	4	7	8	15	14	16	17	18	11	15	11	9	1	-	1	-	1
E800-	Accidents----------	1,980	158	45	31	19	16	80	54	137	192	173	130	129	98	106	90	84	76	86	78	69	76	35	21	7	10
E962	White-----M--	1,029	49	18	15	5	5	41	33	83	127	101	75	64	54	60	44	43	35	40	42	34	26	18	9	4	4
	F--	373	34	11	9	4	2	10	7	15	17	23	9	23	16	18	10	15	18	17	20	25	39	15	12	3	1
	Nonwhite--M--	434	32	12	5	5	6	18	8	34	41	41	35	38	23	20	29	20	15	18	14	9	8	-	-	-	5
	F--	144	23	4	2	5	3	11	6	5	7	8	11	4	5	8	7	6	8	11	2	1	5	2	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	714	5	2	9	3	4	37	15	69	117	78	65	58	29	34	33	29	35	29	29	20	9	4	-	1	2
	White-----M--	404	2	-	5	1	3	20	10	42	78	48	35	27	14	22	14	13	18	14	19	11	6	4	-	1	1
	F--	109	2	-	4	-	1	4	3	11	11	7	5	15	8	4	5	6	10	5	2	4	2	-	-	-	-
	Nonwhite--M--	160	-	-	-	-	-	10	-	15	23	21	17	14	6	7	13	8	6	6	6	5	-	-	-	-	1
	F--	41	1	2	-	2	-	3	2	1	5	2	8	2	1	1	1	2	3	4	-	-	1	-	-	-	-
E800-	All ot. accidents-	1,266	133	43	22	16	12	43	39	68	75	97	65	71	69	72	57	55	41	57	49	49	67	31	21	8	8
E802,	White-----M--	625	47	18	10	4	2	21	23	41	49	55	40	37	40	38	30	30	19	26	23	23	20	14	9	3	3
E840-	F--	264	32	11	8	4	1	6	4	4	6	16	4	8	8	14	5	9	8	12	16	21	37	15	12	3	1
E962	Nonwhite--M--	274	32	12	5	5	6	8	8	19	18	20	18	24	17	13	16	12	9	12	6	4	6	-	-	-	4
	F--	103	22	2	2	3	3	8	4	4	2	6	3	2	4	7	6	4	5	7	2	1	4	2	-	-	-
E963,	Suicide-----------	575	-	-	-	-	-	-	1	11	22	22	37	48	44	24	46	35	31	25	13	9	3	-	1	1	1
E970-	White-----M--	283	-	-	-	-	-	-	1	3	16	15	23	32	33	13	34	25	24	20	10	7	2	-	-	1	-
E979	F--	74	-	-	-	-	-	-	-	5	4	5	12	10	7	4	10	6	5	3	2	2	-	-	-	-	1
	Nonwhite--M--	31	-	-	-	-	-	-	-	1	1	3	2	6	4	1	2	4	3	2	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	2	1	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E964,	Homicide----------	302	3	1	-	1	-	9	6	17	41	50	45	43	29	19	11	9	5	6	1	3	1	-	-	-	2
E980-	White-----M--	73	2	-	-	-	-	1	-	6	7	9	8	6	11	10	2	2	1	4	1	2	-	-	-	-	1
E985	F--	35	-	-	-	-	-	4	2	2	4	7	4	2	2	2	3	-	2	-	-	1	-	-	-	-	-
	Nonwhite--M--	154	1	-	-	1	-	2	2	5	22	28	29	28	14	6	5	7	1	2	-	-	1	-	-	-	-
	F--	40	-	1	-	-	-	2	2	4	8	6	4	7	2	1	1	-	1	-	-	-	-	-	-	-	1
E965,	Operations of war-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
E989	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 98	100 & over & not stated
	WASHINGTON																										
	ALL CAUSES	22,491	1,530	95	85	48	36	122	90	158	208	289	378	433	625	822	1,165	1,601	2,191	2,788	2,823	2,738	2,312	1,373	462	108	30
	White——M	13,506	848	54	51	22	23	61	56	95	139	173	230	257	376	531	685	1,030	1,426	1,777	1,743	1,592	1,320	720	224	46	17
	F	8,344	571	34	29	23	12	56	21	51	51	97	119	148	207	255	427	538	722	923	1,037	1,111	970	641	232	58	10
	Nonwhite—M	412	66	4	3	2	1	2	3	6	8	12	14	18	27	28	36	23	27	57	25	24	11	7	4	3	1
	F	229	45	3	2	1	2	3	-	7	10	7	15	9	15	10	16	9	16	11	18	11	11	5	2	-	2
001-019	Tuberculosis, all forms	437	5	9	1	3	1	-	1	12	7	22	35	30	33	38	39	28	48	58	30	24	12	3	1	-	-
	White——M	277	1	4	-	2	-	-	1	1	2	8	14	17	19	23	28	21	42	40	19	21	11	3	-	-	-
	F	98	1	3	-	1	-	-	-	2	-	8	14	10	8	8	8	7	4	10	9	3	1	-	1	-	-
	Nonwhite—M	37	2	2	-	-	-	-	-	4	2	3	2	2	5	6	3	-	2	3	1	-	-	-	-	-	-
	F	25	1	-	1	-	1	-	-	5	3	3	5	1	1	1	-	-	-	2	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	394	1	2	1	2	-	-	1	10	6	19	32	27	30	36	35	28	45	53	27	23	12	3	1	-	-
	White——M	260	-	-	-	2	-	-	1	1	2	8	14	16	18	22	26	21	40	38	17	20	11	3	-	-	-
	F	83	-	-	-	-	-	-	-	1	-	7	12	9	7	7	6	7	3	10	9	3	1	-	1	-	-
	Nonwhite—M	32	1	2	-	-	-	-	-	3	2	2	1	2	4	6	3	-	2	3	1	-	-	-	-	-	-
	F	18	-	-	1	-	-	-	-	5	2	2	5	-	1	1	-	-	-	2	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	43	4	7	-	1	1	-	-	2	1	3	3	3	3	2	4	-	3	2	3	1	-	-	-	-	-
	White——M	17	1	4	-	-	-	-	-	-	-	-	-	1	1	1	2	-	2	2	2	1	-	-	-	-	-
	F	15	1	3	-	1	-	-	-	1	-	1	2	1	1	1	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	5	1	-	-	-	-	-	-	1	-	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	1	-	-	-	1	-	-	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	130	-	-	-	-	-	-	1	-	-	1	-	2	8	12	7	15	23	21	18	10	7	5	-	-	-
	White——M	97	-	-	-	-	-	-	-	-	-	1	-	-	3	7	3	15	20	18	13	9	4	4	-	-	-
	F	25	-	-	-	-	-	-	-	-	-	-	-	-	4	3	3	-	3	3	4	1	3	1	-	-	-
	Nonwhite—M	7	-	-	-	-	-	-	1	-	-	-	-	2	1	2	1	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	7	2	-	-	1	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	White——M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F	3	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	2	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White——M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	4	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	1	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	17	2	3	1	-	2	-	2	2	-	1	-	-	1	1	-	2	-	-	-	-	-	-	-	-	-
	White——M	8	-	2	1	-	1	-	1	1	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	7	2	1	-	-	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	35	1	-	-	3	-	11	6	4	2	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	White——M	26	1	-	-	2	-	5	6	3	1	3	3	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	9	-	-	-	1	-	6	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	10	5	1	-	1	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M	3	1	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	2	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White——M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White——M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	54	3	1	1	1	1	1	-	1	3	3	3	2	2	3	3	5	4	3	4	6	3	1	-	-	-
	White——M	31	1	1	-	-	1	-	-	-	2	1	1	2	1	2	3	3	4	2	2	2	2	1	-	-	-
	F	21	1	-	1	1	-	1	-	1	1	2	2	-	1	1	-	2	-	1	1	4	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
140-205	Malignant neoplasms, etc.*----	3,266	3	15	5	4	3	15	7	18	14	25	57	77	119	155	269	333	395	505	446	381	282	119	32	5	4
	White-----M--	1,745	1	10	1	3	2	9	6	10	9	12	30	23	48	66	108	168	217	295	255	216	184	69	18	1	3
	F--	1,471	2	5	4	1	1	6	1	8	5	12	26	54	68	83	150	158	175	202	187	142	115	50	14	4	1
	Nonwhite--M--	28	-	-	-	-	-	-	-	-	-	1	-	-	1	3	6	3	1	7	3	1	2	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	-	-	1	-	2	3	4	3	4	1	1	2	1	-	-	-	-
140-148	Of buccal cavity and pharynx------	66	-	-	-	-	-	-	-	-	-	1	-	3	1	3	8	4	7	12	7	9	6	4	1	-	-
	White-----M--	48	-	-	-	-	-	-	-	-	-	1	-	2	-	3	2	2	4	9	7	9	5	3	1	-	-
	F--	16	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	2	3	2	-	-	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum------	1,278	1	-	-	-	-	-	-	2	-	3	7	17	34	42	68	118	156	218	207	167	142	59	14	3	-
	White-----M--	750	1	-	-	-	-	-	-	1	-	1	5	5	20	20	39	72	100	143	124	97	79	36	6	1	-
	F--	502	-	-	-	-	-	-	-	1	-	2	2	12	13	19	43	41	56	68	81	69	62	23	8	2	-
	Nonwhite--M--	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	4	3	-	6	1	-	1	-	-	-	-
	F--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	1	1	-	-	-	-	-
160-164	Of respiratory system----------	304	-	1	-	-	-	-	1	1	-	-	3	3	7	17	34	47	50	53	38	25	15	7	2	-	-
	White-----M--	248	-	1	-	-	-	-	1	1	-	-	2	2	6	13	30	37	44	46	32	18	9	5	1	-	-
	F--	53	-	-	-	-	-	-	-	-	-	-	1	1	1	4	2	10	5	7	6	7	6	2	1	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	290	-	-	-	-	-	-	-	-	-	2	6	13	18	31	34	28	33	45	34	20	14	10	1	1	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-
	F--	284	-	-	-	-	-	-	-	-	-	2	6	13	18	29	33	28	31	45	33	20	14	10	1	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs----	524	-	1	-	-	-	-	1	1	3	6	8	21	27	16	38	50	60	65	66	70	62	17	9	-	3
	White-----M--	215	-	1	-	-	-	-	-	1	1	2	2	1	2	1	1	6	16	28	41	46	44	13	8	-	3
	F--	302	-	-	-	-	-	-	1	1	2	4	5	20	24	15	37	43	43	37	25	23	17	4	1	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	1	-	-	1	-	-	-	-	-
180, 181	Of urinary organs----	162	-	1	-	-	-	-	-	1	-	-	-	1	3	11	8	16	18	29	20	33	15	3	3	-	-
	White-----M--	111	-	1	-	-	-	-	-	-	-	-	-	1	2	8	3	12	12	22	14	23	8	3	2	-	-
	F--	50	-	-	-	-	-	-	-	1	-	-	-	-	1	3	5	4	6	7	5	10	7	-	1	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	359	-	2	3	2	2	5	3	4	5	6	16	11	15	20	28	49	36	41	47	30	24	16	2	1	1
	White-----M--	182	-	2	1	1	1	2	3	2	4	5	9	8	9	9	14	25	17	25	18	8	16	7	-	-	-
	F--	172	-	-	2	1	1	3	-	2	1	1	7	3	6	10	14	24	18	18	28	11	7	9	2	1	1
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
204	Leukemia and aleukemia----------	139	1	6	1	2	1	10	1	3	3	2	6	3	5	7	10	8	20	18	14	13	1	2	-	-	-
	White-----M--	97	-	4	-	2	1	7	1	1	2	1	5	3	3	6	7	5	14	12	8	12	1	2	-	-	-
	F--	42	1	2	1	-	-	3	-	2	1	1	3	-	2	1	3	3	6	6	6	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*----	144	1	2	1	-	-	-	1	7	2	5	9	5	9	8	21	13	16	24	13	4	3	1	-	-	-
	White-----M--	91	-	1	-	-	-	-	1	5	2	3	7	3	6	5	13	9	9	12	10	3	2	-	-	-	-
	F--	50	1	1	1	-	-	-	-	2	-	2	2	2	3	2	7	4	5	12	3	1	1	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms---	75	6	1	-	-	-	2	1	-	1	4	4	5	8	9	6	8	6	5	3	4	2	1	1	-	-
	White-----M--	28	2	1	-	-	-	1	-	-	1	2	1	2	1	4	-	4	4	3	2	1	1	-	1	-	-
	F--	45	4	-	-	-	-	1	1	-	1	3	2	3	5	5	6	4	2	2	1	3	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus----	339	1	-	-	-	-	-	-	3	1	4	7	5	3	6	19	28	41	60	65	47	32	16	3	-	-
	White-----M--	144	1	-	-	-	-	-	-	-	1	2	6	4	-	4	6	13	12	25	28	19	17	7	1	-	-
	F--	187	-	-	-	-	-	-	-	3	1	2	-	1	3	2	11	13	28	33	35	28	15	9	2	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	1	1	1	-	-	-	-	-	-	-
290-293	Anemias----------	82	3	-	-	-	1	-	-	2	1	-	-	1	1	2	3	1	4	11	13	18	14	7	-	-	-
	White-----M--	43	2	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	2	7	7	11	9	3	-	-	-
	F--	36	-	-	-	-	-	-	-	2	1	-	-	-	1	1	2	1	2	4	6	7	5	4	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis----------	30	13	1	-	-	1	2	-	1	1	1	1	-	2	1	2	2	1	1	-	-	-	-	-	-	-
	White-----M--	15	5	-	-	-	-	1	-	-	-	1	1	-	1	1	2	2	-	1	-	-	-	-	-	-	-
	F--	13	6	1	-	-	1	1	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	11,740	7	4	2	-	-	7	11	12	19	37	62	115	207	345	537	841	1,261	1,657	1,834	1,882	1,572	948	314	73	13
	White-----M--	7,116	5	1	1	-	-	1	7	5	10	20	33	76	128	242	349	568	838	1,085	1,118	1,068	684	488	152	31	5
	F--	4,411	1	3	-	-	-	4	4	7	9	16	24	33	66	90	168	261	398	538	689	770	674	453	158	41	6
	Nonwhite--M--	144	1	-	1	-	-	1	-	-	-	1	4	5	7	10	13	10	17	30	15	16	5	4	2	1	1
	F--	69	-	-	-	-	-	1	-	-	-	-	1	1	6	3	7	2	7	6	12	8	8	3	2	-	1
330-334, 400-468	Diseases of cardiovascular system----	11,454	7	4	2	-	-	6	9	8	13	29	49	106	198	326	516	823	1,230	1,620	1,799	1,831	1,552	933	308	72	13
	White-----M--	6,945	5	1	1	-	-	1	6	3	8	16	26	70	122	232	335	559	816	1,060	1,097	1,050	871	480	150	31	5
	F--	4,308	1	3	-	-	-	3	3	5	5	12	20	31	63	84	162	252	390	526	675	759	667	447	154	40	6
	Nonwhite--M--	135	1	-	1	-	-	1	-	-	-	1	3	4	7	8	12	10	17	28	15	15	5	3	2	1	1
	F--	66	-	-	-	-	-	1	-	-	-	-	-	1	6	2	7	2	7	6	12	7	9	3	2	-	1
330-334	Vascular lesions, etc.*----------	2,481	3	-	1	-	-	-	2	1	3	5	7	14	30	52	79	151	205	319	439	450	412	221	65	18	4
	White-----M--	1,258	2	-	1	-	-	-	2	1	2	3	2	8	11	28	30	68	100	171	243	222	222	105	29	8	-
	F--	1,170	-	-	-	-	-	-	-	-	1	2	5	6	16	21	45	81	100	138	185	224	184	114	35	10	3
	Nonwhite--M--	33	1	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	5	8	5	2	2	2	1	-	1
	F--	20	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	6	2	4	-	-	-	-
400-402	Rheumatic fever----	27	1	-	1	-	-	1	2	1	1	5	3	5	2	1	2	1	1	1	-	-	-	-	-	-	-
	White-----M--	11	-	-	-	-	-	1	1	1	-	3	2	2	1	-	-	1	-	1	-	-	-	-	-	-	-
	F--	14	1	-	-	-	-	-	1	-	1	2	1	3	1	1	2	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	2	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
410-445	Diseases of heart	8,153	-	4	-	-	-	5	5	6	8	18	33	81	158	263	422	639	965	1,235	1,268	1,224	995	583	187	46	8
	White—M	5,240	-	1	-	-	-	1	3	1	6	9	20	59	104	202	299	468	675	846	800	738	573	314	97	19	4
	F	2,780	-	3	-	-	-	2	2	5	2	8	11	18	44	54	110	161	272	366	454	472	414	266	87	26	3
	Nonwhite—M	92	-	-	-	-	-	1	-	-	-	1	2	3	6	6	9	9	10	19	9	11	3	1	1	1	-
	F	41	-	-	-	-	-	1	-	-	-	-	-	1	4	1	4	1	7	4	5	3	5	2	2	-	1
410-416	Chronic rheumatic heart disease	350	...	-	-	-	-	5	2	4	5	6	9	17	17	15	32	42	53	37	28	33	29	11	5	-	-
	White—M	181	...	-	-	-	-	1	1	1	3	2	4	7	9	7	15	28	31	16	17	19	15	3	2	-	-
	F	164	...	-	-	-	-	2	1	3	2	4	5	9	8	8	17	14	22	21	11	14	13	7	3	-	-
	Nonwhite—M	2	...	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	3	...	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	5,220	-	-	-	-	-	-	1	-	1	5	14	51	105	187	302	449	665	857	823	718	596	324	93	25	6
	White—M	3,659	-	-	-	-	-	-	-	-	1	3	13	44	78	164	246	358	499	639	550	458	354	184	56	11	3
	F	1,488	-	-	-	-	-	-	1	-	-	1	1	5	21	18	49	88	156	201	267	249	240	140	36	14	2
	Nonwhite—M	55	-	-	-	-	-	-	-	-	-	1	-	1	4	4	8	5	7	14	4	8	1	-	-	-	-
	F	17	-	-	-	-	-	-	-	-	-	-	-	1	2	1	1	-	3	3	2	1	1	-	1	-	1
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,168	...	1	-	-	-	-	-	1	-	2	3	4	13	17	33	47	96	142	193	230	182	134	56	14	-
	White—M	690	...	-	-	-	-	-	-	-	-	-	1	3	7	9	15	29	69	89	117	139	106	76	24	6	-
	F	457	...	1	-	-	-	-	-	1	-	2	1	1	3	8	15	17	26	51	73	90	74	58	31	7	-
	Nonwhite—M	13	...	-	-	-	-	-	-	-	-	-	1	-	2	-	3	-	1	2	2	-	-	-	1	1	-
	F	8	...	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	-	-	1	1	2	-	-	-	-
430-434	Other diseases of heart	400	-	3	-	-	-	2	-	2	4	4	6	9	16	17	31	44	54	55	61	43	30	15	3	1	
	White—M	248	-	1	-	-	-	2	-	2	3	2	4	6	9	10	22	25	38	36	38	28	14	7	1	-	
	F	140	-	2	-	-	-	-	-	-	1	1	2	3	7	6	7	18	14	18	21	14	15	8	2	1	
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	1	-	2	1	-	-	-	-	
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	1	-	-	-	
440-443	Hypertension with heart dis.	1,015	-	-	-	-	-	-	1	-	1	3	3	14	28	38	70	107	145	169	184	145	84	18	4	1	
	White—M	462	-	-	-	-	-	-	1	-	1	-	1	4	13	13	33	52	64	80	84	70	37	8	1	1	
	F	530	-	-	-	-	-	-	-	1	-	-	3	1	9	13	25	35	50	79	85	98	73	46	9	3	-	
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	2	1	2	3	1	1	1	-	-	-	
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4	-	1	1	1	-	1	-	-	
444-447	Hypertension without mention of heart	194	-	-	-	-	-	-	-	-	-	-	2	4	6	5	8	10	20	26	28	31	27	19	8	-	-
	White—M	104	-	-	-	-	-	-	-	-	-	-	1	1	4	-	2	7	13	15	15	20	14	10	2	-	-
	F	85	-	-	-	-	-	-	-	-	-	-	-	2	2	5	5	3	5	11	13	10	13	9	6	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis	468	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	5	20	24	52	102	102	105	45	8	1
	White—M	258	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	15	16	33	59	55	50	19	4	1
	F	205	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	5	8	17	41	47	54	26	4	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	-	-
451-468	Other diseases of circulatory sys.	131	3	-	-	-	-	-	-	-	1	1	4	2	2	4	3	17	19	15	12	24	16	5	3	-	-
	White—M	74	3	-	-	-	-	-	-	-	-	1	1	-	2	2	2	11	12	12	6	11	7	1	3	-	-
	F	54	-	-	-	-	-	-	-	-	1	-	3	2	-	2	-	6	7	2	6	12	9	4	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
582-584	Chronic nephritis, etc.*	286	-	-	-	-	-	1	2	4	6	8	13	9	9	19	21	18	31	37	35	31	20	15	6	1	-
	White—M	171	-	-	-	-	-	-	1	2	2	4	7	6	6	10	14	9	23	25	21	18	13	8	2	-	-
	F	103	-	-	-	-	-	1	1	2	4	4	4	2	3	6	6	9	8	10	14	11	7	6	4	1	-
	Nonwhite—M	9	-	-	-	-	-	-	-	-	-	-	1	1	-	2	1	-	-	2	-	1	-	1	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-
480-483	Influenza and pneumonia, etc.*	716	94	16	15	5	3	10	2	3	2	4	8	7	11	16	26	40	40	59	67	84	90	70	33	9	3
	White—M	430	44	10	8	2	1	3	1	1	2	2	4	5	8	10	18	28	31	36	49	50	49	41	17	7	2
	F	225	23	5	5	2	2	7	1	2	-	1	2	2	1	4	5	6	7	17	16	33	39	27	15	2	1
	Nonwhite—M	37	15	1	-	-	-	-	-	-	-	-	1	-	1	2	2	3	1	5	2	1	1	1	1	-	-
	F	24	12	-	1	1	-	-	-	-	-	1	1	-	1	-	1	3	1	-	-	-	1	1	-	-	-
480-483	Influenza	46	2	-	-	-	2	-	-	2	-	-	-	1	3	3	1	3	2	5	5	5	2	5	3	1	1
	White—M	26	-	-	-	-	-	-	-	1	-	-	-	1	3	1	1	3	2	2	4	3	1	2	2	-	-
	F	19	2	-	-	-	2	-	-	1	-	-	-	-	-	2	-	-	-	3	1	1	1	3	1	1	1
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	670	92	16	15	5	1	10	2	1	2	4	8	6	8	13	25	37	38	53	62	79	88	65	30	8	2
	White—M	404	44	10	9	2	1	3	1	-	2	2	4	4	5	9	17	26	28	34	45	47	48	38	15	7	2
	F	206	21	5	5	2	-	7	1	1	-	1	2	2	1	2	5	6	7	14	15	32	38	24	14	1	-
	Nonwhite—M	36	15	1	-	-	-	-	-	-	-	-	1	-	1	2	2	3	1	5	2	-	1	1	1	-	-
	F	24	12	-	1	1	-	-	-	-	-	1	1	-	1	-	1	3	1	-	-	-	1	1	-	-	-
500-502	Bronchitis	41	9	-	2	-	-	1	-	-	-	-	-	-	-	2	1	2	6	2	2	3	6	4	-	-	1
	White—M	26	5	-	2	-	-	-	-	-	-	-	-	-	-	2	1	2	5	1	1	-	5	2	-	-	-
	F	15	4	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	3	1	2	-	-	1
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	136	-	-	-	-	-	-	-	-	-	1	2	1	6	8	11	12	17	27	17	15	14	4	1	-	-
	White—M	105	-	-	-	-	-	-	-	-	-	1	2	-	4	7	10	11	12	21	14	10	9	3	1	-	-
	F	27	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	4	6	3	4	5	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	42	1	-	2	-	-	1	-	1	2	-	1	6	2	2	5	2	7	5	-	1	3	-	-	-	1
	White—M	29	-	-	1	-	-	-	-	1	1	-	-	4	2	-	4	-	6	5	-	1	3	-	-	-	1
	F	12	1	-	1	-	-	1	-	-	1	-	-	2	-	2	1	2	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	178	20	1	1	-	1	-	-	-	3	2	1	4	4	8	14	11	18	22	27	24	10	7	-	-	
	White—M	91	13	-	-	-	1	-	-	-	1	-	-	1	3	4	6	5	9	13	16	12	6	1	-	-	
	F	82	5	1	1	-	-	-	-	-	2	2	1	3	1	4	6	5	9	9	11	12	4	6	-	-	
	Nonwhite—M	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WASHINGTON—Con.																										
543,	Gastritis, etc.*—	70	23	1	1	-	1	1	1	2	-	1	1	2	1	5	5	3	4	3	6	6	1	2	-	-	-
571,	White——M—	25	5	-	1	-	1	-	-	1	-	1	-	-	-	5	2	-	4	-	1	3	-	1	-	-	-
572	F—	38	12	1	-	-	-	1	1	1	-	-	1	2	1	-	2	3	-	3	5	3	1	1	-	-	-
	Nonwhite—M—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	191	2	-	-	-	-	1	-	1	1	2	3	10	10	20	23	23	23	21	20	18	6	6	1	-	-
	White——M—	119	1	-	-	-	-	-	-	-	-	1	-	9	4	15	12	13	15	15	15	11	4	4*	-	-	-
	F—	69	1	-	-	-	-	1	-	1	1	1	3	1	4	5	10	10	8	6	5	7	2	2	1	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*—	41	-	-	1	-	-	1	2	1	4	1	1	-	1	4	-	2	4	7	2	4	4	2	-	-	-
	White——M—	18	-	-	1	-	-	-	1	-	1	1	1	-	-	1	-	1	2	4	-	3	1	1	-	-	-
	F—	22	-	-	-	-	-	1	1	1	2	-	-	-	1	3	-	1	2	3	2	1	3	1	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	90	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	17	16	15	15	15	4	1	-
	White——M—	87	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	8	17	16	15	14	12	4	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-
640-	Complications of																										
689	pregnancy, etc.*-	31	...	...	...	...	...	...	-	2	3	7	11	6	2	-	-	-	...	...	...	...	...	...	...	...	-
	White——F—	23	...	...	...	...	...	...	-	1	1	7	9	4	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	8	...	...	...	...	...	...	-	1	2	-	2	2	1	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	3	...	...	...	...	...	...	-	-	1	-	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	2	...	...	...	...	...	...	-	-	-	-	2	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications—	28	...	...	...	...	...	...	-	2	2	7	9	6	2	-	-	-	...	...	...	...	...	...	...	...	-
660-	White——F—	21	...	...	...	...	...	...	-	1	1	7	7	4	1	-	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	7	...	...	...	...	...	...	-	1	1	-	2	2	1	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations—	289	235	5	2	3	1	2	5	3	3	4	5	2	2	2	7	2	2	-	2	1	-	-	-	-	1
	White——M—	158	131	2	1	1	-	1	3	2	-	2	3	-	1	2	5	1	1	-	-	1	-	-	-	-	1
	F—	120	95	3	1	2	1	1	1	1	2	2	2	2	1	-	2	1	1	-	2	-	-	-	-	-	-
	Nonwhite—M—	8	7	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	945	945	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	540	540	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	358	358	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	20	20	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*—	428	428	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	160	160	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn—	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	14	14	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied—	486	486	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	279	279	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	184	184	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	12	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*—	334	15	-	-	2	-	-	1	-	-	2	4	-	6	12	14	19	30	34	25	41	49	39*	28	11	2
795	White——M—	201	8	-	-	-	-	-	1	-	-	1	3	-	4	9	11	14	23	21	19	22	30	17	15	4	1
	F—	117	3	-	-	2	-	-	-	-	-	1	-	-	2	3	3	4	5	10	6	18	18	21	14	7	-
	Nonwhite—M—	11	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	2	-	1	1	-	1	-	-
	F—	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1
Re-	All other diseases	1,030	40	7	14	5	5	16	6	9	10	13	28	38	50	44	62	88	112	133	123	89	68	53	12	4	1
sid-	White——M—	614	25	6	10	3	4	10	4	7	4	4	22	25	32	24	34	48	64	81	85	50	39	27	5	2	1
ual	F—	388	14	1	3	2	-	6	2	1	6	8	4	11	16	18	27	40	47	48	34	37	29	25	7	2	-
	Nonwhite—M—	20	-	-	1	-	1	-	-	-	-	1	1	3	1	1	-	-	-	4	3	2	-	1	-	-	-
	F—	8	1	-	-	-	-	-	-	1	-	-	1	1	1	1	-	-	1	-	1	-	-	-	-	-	-
E800-	Accidents—	1,692	90	31	35	19	18	48	43	74	115	114	101	82	106	91	72	94	97	85	88	91	99	68	25	5	3
E962	White——M—	1,217	56	17	21	9	11	28	34	59	96	92	77	66	93	77	50	84	71	62	88	52	53	29	11	1	2
	F—	418	31	11	13	9	5	18	8	15	12	18	20	12	9	12	15	8	23	19	22	36	45	39	14	3	1
	Nonwhite—M—	47	3	1	1	1	-	1	1	-	5	3	4	3	3	1	7	2	3	4	-	2	1	-	-	1	-
	F—	10	-	2	-	-	-	1	-	-	2	1	-	1	1	1	-	-	-	-	-	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents—	481	8	8	8	6	6	15	10	37	63	53	27	21	29	25	23	25	25	34	17	21	16	4	1	-	1
	White——M—	349	4	4	5	5	4	8	6	28	55	36	21	16	22	21	14	20	13	22	15	15	13	2	1	-	1
	F—	113	2	4	2	1	2	7	4	9	6	15	4	3	4	4	7	5	10	9	4	6	3	2	-	-	-
	Nonwhite—M—	15	-	-	1	-	-	-	-	-	-	1	2	2	2	-	2	-	2	3	-	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,211	84	23	27	13	10	33	33	37	52	61	74	61	77	66	49	69	72	51	71	70	83	64	24	5	2
E802,	White——M—	868	52	13	16	4	7	20	28	31	41	56	56	50	71	56	36	64	58	40	53	37	40	27	10	1	1
E840-	F—	305	29	7	11	8	3	11	4	6	6	3	16	9	5	8	8	3	13	10	16	30	42	37	14	3	1
E962	Nonwhite—M—	32	3	1	-	1	-	1	1	-	5	2	2	1	1	1	5	2	1	1	-	2	1	-	-	1	-
	F—	6	-	2	-	-	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	1	-	-	-	-	-
E963,	Suicide—	357	-	-	-	-	-	-	1	4	9	24	29	32	36	30	38	34	44	35	20	10	8	2	-	-	1
E970-	White——M—	268	-	-	-	-	-	-	1	3	6	14	22	21	25	21	29	24	36	25	20	10	8	2	-	-	1
E979	F—	79	-	-	-	-	-	-	-	1	3	9	7	9	10	7	9	8	7	9	-	-	-	-	-	-	-
	Nonwhite—M—	9	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	2	1	1	-	-	-	-	-	-	-
	F—	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	77	3	-	1	-	1	-	-	4	10	11	10	8	6	8	4	4	3	3	-	-	1	-	-	-	-
E980-	White——M—	38	1	-	1	-	1	-	-	1	5	3	6	4	2	4	2	2	3	2	-	-	1	-	-	-	-
E985	F—	19	2	-	-	-	-	-	-	2	3	4	1	2	-	3	-	1	-	1	-	-	-	-	-	-	-
	Nonwhite—M—	15	-	-	-	-	-	-	-	1	1	3	1	1	4	1	2	1	-	-	-	-	-	-	-	-	-
	F—	5	-	-	-	-	-	-	-	-	1	1	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E990-	White——M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA																										
	ALL CAUSES	17,305	2,082	143	91	63	38	137	108	187	350	333	372	441	624	696	922	1,181	1,442	1,694	1,872	1,847	1,434	809	291	62	86
	White—M	9,361	1,103	72	54	30	17	88	60	113	204	206	190	217	336	390	519	650	834	912	1,033	1,004	744	392	151	26	36
	F	6,579	837	59	34	28	17	41	41	59	112	97	149	162	200	194	292	411	496	638	724	766	643	387	148	27	27
	Nonwhite—M	832	71	10	2	2	3	2	5	7	13	25	19	34	52	73	70	83	90	93	75	45	32	19	3	3	15
	F	533	71	2	1	3	1	6	2	8	21	7	14	28	36	39	41	37	42	51	40	34	15	11	9	6	8
001-019	Tuberculosis, all forms	530	5	5	5	3	2	2	2	12	47	37	53	48	53	37	38	44	33	45	17	24	11	5	-	-	2
	White—M	261	1	1	4	1	1	1	1	2	14	8	21	23	29	27	30	22	17	28	6	15	6	3	-	-	-
	F	194	1	3	1	-	1	1	1	6	25	23	23	16	19	5	5	14	10	14	9	9	5	2	-	-	1
	Nonwhite—M	30	2	1	-	-	-	-	-	2	3	3	5	7	4	4	3	6	5	3	1	-	-	-	-	-	1
	F	25	1	-	-	2	-	-	-	2	5	3	4	2	1	1	-	2	1	-	1	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	490	-	3	1	1	-	-	2	12	46	34	30	43	49	36	38	42	33	43	17	22	11	5	-	-	2
	White—M	244	-	1	1	1	-	-	1	2	13	7	20	21	29	26	30	20	17	26	6	14	6	3	-	-	-
	F	180	-	1	-	-	-	-	1	6	25	21	22	14	17	5	5	14	10	14	9	8	5	2	-	-	1
	Nonwhite—M	45	-	1	-	-	-	-	-	2	3	3	4	7	2	4	3	6	5	3	1	-	-	-	-	-	1
	F	21	-	-	-	-	-	-	-	2	5	3	4	1	1	1	-	2	1	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	40	5	2	4	2	2	2	-	-	1	3	3	5	4	1	-	2	-	2	-	2	-	-	-	-	-
	White—M	17	1	-	3	-	1	1	-	-	1	1	1	2	-	1	-	2	-	2	-	1	-	-	-	-	-
	F	14	1	2	1	-	1	1	-	-	-	2	1	2	2	-	-	-	-	-	-	1	-	-	-	-	-
	Nonwhite—M	5	2	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	2	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	131	7	-	-	-	-	-	-	-	2	3	1	11	8	17	14	18	21	12	8	6	2	-	-	-	1
	White—M	71	4	-	-	-	-	-	-	-	1	1	-	-	5	8	7	11	17	8	5	4	2	-	-	-	-
	F	22	2	-	-	-	-	-	-	-	1	2	-	3	-	2	2	4	2	1	1	2	-	-	-	-	-
	Nonwhite—M	28	-	-	-	-	-	-	-	-	-	-	-	5	3	6	4	2	1	2	2	-	-	-	-	-	1
	F	10	1	-	-	-	-	-	-	-	-	-	-	3	-	1	1	1	1	1	-	-	-	-	-	-	-
040	Typhoid fever	5	1	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	White—M	4	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	31	25	2	-	-	-	1	-	-	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-
	White—M	13	9	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	F	14	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	3	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	-	-	3	-	1	2	1	2	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	5	-	-	2	-	-	1	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	6	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	8	-	1	-	1	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	3	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	36	33	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	18	17	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	20	16	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	31	7	4	6	2	2	5	1	2	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	White—M	22	6	3	4	2	1	4	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	1	1	2	-	1	1	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	15	2	1	-	2	-	5	1	1	1	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	12	2	-	-	2	-	4	1	1	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	8	5	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	White—M	5	2	1	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	60	8	3	4	2	2	2	1	1	2	2	6	-	3	3	3	5	-	6	1	3	1	2	-	-	-
	White—M	33	6	1	1	2	1	1	1	1	1	-	3	-	2	1	3	2	-	3	1	2	-	1	-	-	-
	F	23	2	2	3	-	1	1	-	-	-	2	3	-	1	1	-	1	-	3	-	1	1	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
140-205	Malignant neoplasms, etc.*	2,027	7	6	6	7	3	14	11	17	17	21	42	63	90	129	192	214	263	242	260	210	134	56	13	1	9
	White—M	951	4	2	2	2	1	9	5	13	11	9	11	20	31	62	74	92	147	116	129	110	67	24	7	-	3
	F	945	2	3	4	5	2	5	5	4	5	12	28	40	56	54	103	109	94	108	118	91	62	28	6	1	3
	Nonwhite—M	75	1	1	-	-	-	-	-	1	-	-	1	1	1	6	11	7	12	10	10	5	2	3	-	-	3
	F	56	-	-	-	-	-	-	1	-	-	-	2	2	2	7	4	6	10	8	6	4	3	1	-	-	-
140-148	Of buccal cavity and pharynx	30	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	2	7	5	5	3	2	1	-	-	-
	White—M	20	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	4	2	2	1	1	-	-	-
	F	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	2	1	1	-	-	-	-	-
	Nonwhite—M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	1	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum	760	1	-	-	-	-	1	-	-	2	3	6	12	23	38	58	79	105	100	131	112	59	20	3	-	7
	White—M	393	-	-	-	-	-	1	-	-	2	1	1	7	11	19	25	44	68	52	67	58	29	5	2	-	3
	F	305	1	-	-	-	-	-	-	-	-	2	4	4	11	13	25	32	31	40	52	48	27	12	1	-	2
	Nonwhite—M	39	-	-	-	-	-	-	-	-	-	-	1	1	1	3	6	2	4	4	7	5	1	2	-	-	2
	F	23	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	2	4	5	3	2	1	-	-	-
160-164	Of respiratory system	158	-	-	-	-	-	-	-	1	-	-	-	3	5	24	25	27	31	16	10	8	7	-	1	-	-
	White—M	117	-	-	-	-	-	-	-	1	-	-	-	3	4	21	17	19	26	11	6	5	4	-	-	-	-
	F	28	-	-	-	-	-	-	-	-	-	-	-	-	1	1	5	5	3	3	3	3	3	-	1	-	-
	Nonwhite—M	13	-	-	-	-	-	-	-	-	-	-	-	-	-	2	3	3	2	2	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast	165	-	-	-	-	-	-	-	-	-	1	10	9	9	14	19	18	18	22	13	14	10	7	1	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	156	-	-	-	-	-	-	-	-	-	1	8	9	9	13	18	16	15	22	13	14	10	7	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	8	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	2	2	-	-	-	-	-	-	-	-
171-179	Of genital organs	416	-	-	-	-	-	-	-	2	1	2	6	11	24	31	22	45	41	46	47	48	41	28	19	-	-	2
	White—M	127	-	-	-	-	-	-	-	-	1	2	1	1	4	3	5	2	13	13	23	28	17	14	-	-	-
	F	262	-	-	-	-	-	-	-	2	1	1	4	10	21	25	16	39	38	26	28	23	13	10	4	-	-	1
	Nonwhite—M	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	1	-	1	1	-	-	1
	F	16	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	-	4	3	1	-	-	-	-	-	-
180, 181	Of urinary organs	91	-	1	1	-	-	-	1	-	1	-	2	-	4	4	6	6	13	9	9	15	11	5	3	-	-	-
	White—M	56	-	-	-	-	-	-	1	-	1	-	1	-	3	2	3	5	8	7	7	6	9	2	1	-	-	-
	F	32	-	1	1	-	-	-	-	-	-	-	1	-	1	2	3	1	2	2	2	9	2	3	2	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*	221	-	3	2	1	1	2	4	4	6	3	8	6	11	11	18	15	28	27	27	14	18	4	7	1	-
	White—M	114	-	1	1	-	-	-	1	3	4	1	5	2	6	6	10	5	15	15	17	6	11	1	4	-	-
	F	100	-	1	1	1	1	2	3	1	2	2	3	4	5	5	7	9	11	11	10	7	7	3	3	1	-
	Nonwhite—M	3	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	-	1	-	-	-	-	-	-
204	Leukemia and aleukemia	102	5	2	3	6	1	8	3	8	6	3	4	2	3	3	2	10	7	11	7	5	2	1	-	-	-
	White—M	65	3	1	1	2	1	5	2	6	4	1	2	1	1	2	1	7	6	10	4	2	2	1	-	-	-
	F	34	1	1	2	4	-	3	-	2	1	2	2	1	2	1	1	3	1	1	3	3	-	-	-	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*	84	1	-	-	-	1	2	2	2	1	3	3	3	3	9	17	9	12	5	4	2	3	1	1	-	-
	White—M	58	1	-	-	-	-	2	2	2	-	3	2	3	2	7	10	5	6	4	4	2	1	1	1	-	-
	F	23	-	-	-	-	1	-	-	-	1	-	1	-	1	2	6	4	5	1	-	-	1	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
210-239	Benign and unspecified neoplasms	68	3	1	-	1	2	-	2	2	3	-	7	5	9	9	3	9	5	-	3	1	2	1	-	-	-
	White—M	25	2	1	-	-	-	-	1	-	2	-	4	-	3	3	-	6	2	-	-	1	-	-	-	-	-
	F	35	1	-	-	1	2	-	1	2	1	-	2	4	4	2	3	3	3	-	3	-	2	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
	F	6	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus	300	-	-	-	-	-	1	3	2	4	1	3	3	8	8	22	31	44	50	61	30	23	5	2	-	1
	White—M	104	-	-	-	-	-	1	1	-	-	-	2	1	6	2	10	9	9	16	24	10	9	2	2	-	-
	F	169	-	-	-	-	-	-	2	1	2	1	1	1	2	3	8	19	30	29	35	18	14	2	-	-	1
	Nonwhite—M	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	2	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	-	1	2	-	-	1	-	1	3	2	3	3	-	2	-	1	-	-	-	-
290-293	Anemias	67	3	3	-	1	-	1	1	1	3	-	-	1	-	2	3	2	5	9	6	12	9	3	2	-	-
	White—M	28	-	2	-	1	-	-	-	-	3	-	-	1	-	1	1	1	2	5	1	8	5	-	-	-	-
	F	34	2	1	-	-	-	1	1	1	2	-	-	-	-	-	2	-	3	4	5	4	4	3	1	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-
340	Nonmeningococcal meningitis	39	15	3	4	1	1	-	-	1	1	-	2	2	2	-	1	2	2	-	1	1	-	-	-	-	-
	White—M	18	7	2	2	-	-	-	-	1	-	-	1	-	-	-	-	1	2	-	1	1	-	-	-	-	-	-
	F	16	8	1	1	1	1	-	-	-	1	-	1	-	-	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	4	-	-	1	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases	7,816	4	3	-	3	1	4	11	15	39	39	71	103	197	283	440	586	777	1,030	1,212	1,253	977	532	177	35	44
	White—M	4,279	3	1	-	-	-	2	4	9	15	19	29	49	106	157	267	337	455	563	682	667	514	285	80	18	17
	F	2,936	1	2	-	3	1	1	5	6	20	18	37	39	57	80	120	179	258	375	456	509	430	225	88	12	14
	Nonwhite—M	354	-	-	-	-	-	-	1	-	-	1	3	4	16	27	28	49	39	60	46	32	23	14	3	1	7
	F	247	-	-	-	-	-	1	1	-	4	1	2	11	18	19	25	21	25	32	28	25	10	8	6	4	6
330-334, 400-468	Diseases of cardiovascular system	7,459	3	3	-	3	1	2	10	12	28	31	65	98	188	266	429	565	743	990	1,163	1,174	935	508	166	33	43
	White—M	4,105	3	1	-	-	-	1	4	8	8	14	27	47	103	150	261	326	441	544	660	632	492	273	75	18	17
	F	2,788	-	2	-	3	1	-	5	4	17	15	33	36	54	72	117	170	240	358	453	492	412	215	84	12	13
	Nonwhite—M	336	-	-	-	-	-	-	1	-	-	1	3	4	15	25	27	49	38	58	42	30	21	12	2	1	7
	F	232	-	-	-	-	-	1	-	-	3	1	2	11	16	19	24	20	24	30	28	20	10	8	5	4	6
330-334	Vascular lesions, etc.*	1,741	2	1	-	1	-	-	-	1	4	2	9	18	32	43	91	107	157	244	323	310	244	104	37	2	9
	White—M	847	2	-	-	-	-	-	-	1	1	1	2	5	11	17	38	47	78	113	175	152	123	63	14	1	3
	F	757	-	1	-	1	-	-	-	-	3	1	6	11	13	17	42	44	63	108	128	146	113	35	22	1	2
	Nonwhite—M	75	-	-	-	-	-	-	-	-	-	-	1	1	5	3	8	10	8	13	9	5	5	6	-	-	1
	F	62	-	-	-	-	-	-	-	-	-	-	-	1	3	6	3	6	8	10	11	7	3	-	1	-	3
400-402	Rheumatic fever	27	-	-	-	-	-	1	4	2	6	4	2	4	2	-	-	-	2	-	-	-	-	-	-	-	-
	White—M	6	-	-	-	-	-	-	1	-	1	2	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	19	-	-	-	-	-	-	3	2	4	2	2	2	2	-	-	-	2	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
410-443	Diseases of heart	5,188	-	2	-	2	1	1	6	9	15	22	48	69	145	211	321	441	553	710	774	783	593	331	102	21	29
	White—M	2,981	-	1	-	-	-	1	3	7	5	9	22	39	86	129	211	269	344	412	452	430	317	172	51	10	11
	F	1,805	-	1	-	2	1	-	2	2	8	11	23	19	37	49	72	120	165	235	278	316	254	147	45	8	10
	Nonwhite—M	248	-	-	-	-	-	-	1	-	-	1	1	3	10	22	18	38	28	43	30	24	15	6	2	1	5
	F	154	-	-	-	-	-	-	-	-	2	1	2	7	12	11	20	14	16	20	14	13	7	6	4	2	3
410-416	Chronic rheumatic heart disease	250	...	-	-	-	-	-	4	6	8	8	14	11	15	14	29	21	29	23	17	21	19	9	3	-	-
	White—M	121	...	-	-	-	-	-	2	4	1	3	5	6	8	9	15	9	12	13	6	12	11	4	1	-	-
	F	113	...	-	-	-	-	-	1	2	3	6	8	5	6	5	12	11	15	7	8	9	8	5	2	-	-
	Nonwhite—M	8	...	-	-	-	-	-	1	-	-	-	1	-	-	-	-	1	1	2	2	-	-	-	-	-	-
	F	8	...	-	-	-	-	-	-	-	2	-	-	-	1	-	2	-	1	1	1	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	2,627	-	1	-	-	-	-	-	1	3	6	17	40	84	135	207	272	328	371	419	357	241	99	29	4	13
	White—M	1,696	-	-	-	-	-	-	-	1	1	3	9	28	61	98	156	195	237	251	262	211	130	52	14	1	8
	F	773	-	1	-	-	-	-	-	-	2	1	7	6	15	26	38	53	76	124	138	127	98	44	12	1	4
	Nonwhite—M	102	-	-	-	-	-	-	-	-	-	1	-	2	6	8	6	18	10	9	14	13	10	-	1	1	3
	F	56	-	-	-	-	-	-	-	-	-	1	1	4	2	3	7	6	5	7	5	6	3	3	2	1	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	1,072	...	1	-	-	1	1	1	-	2	3	8	6	12	14	35	57	76	121	158	213	184	119	46	9	5
	White—M	574	...	1	-	-	-	1	-	-	1	1	5	2	5	8	18	29	39	69	88	115	99	63	25	6	1
	F	435	...	-	-	-	1	-	1	-	1	2	2	4	6	4	9	21	29	40	64	90	81	53	20	3	4
	Nonwhite—M	42	...	-	-	-	-	-	-	-	-	-	-	-	1	3	5	5	6	8	4	6	2	2	-	-	-
	F	21	...	-	-	-	-	-	-	-	-	-	1	-	-	1	3	2	2	4	2	2	2	1	1	-	-
430-434	Other diseases of heart	380	-	-	-	2	-	-	1	1	3	2	4	4	10	15	16	31	41	50	60	51	48	27	6	3	5
	White—M	219	-	-	-	-	-	-	1	1	1	-	2	2	5	8	8	14	23	28	43	32	26	15	5	2	3
	F	119	-	-	-	2	-	-	-	-	2	2	2	2	4	4	5	8	13	9	16	16	22	10	-	1	1
	Nonwhite—M	31	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	5	4	10	1	3	-	2	1	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	3	-	-	-	-	-	-	1
440-443	Hypertension with heart dis.	859	-	-	-	-	-	-	-	1	1	2	5	7	24	33	34	60	79	145	120	141	101	77	18	5	6
	White—M	371	-	-	-	-	-	-	-	1	1	2	1	1	7	8	14	22	33	71	53	60	51	38	8	1	1
	F	365	-	-	-	-	-	-	-	-	-	-	4	2	6	10	8	27	32	55	52	74	45	35	11	3	1
	Nonwhite—M	65	-	-	-	-	-	-	-	-	-	-	-	1	3	8	5	9	7	14	9	2	3	2	-	-	2
	F	58	-	-	-	-	-	-	-	-	-	-	-	3	8	7	7	2	7	5	6	5	2	2	1	1	2
444-447	Hypertension without mention of heart	140	-	-	-	-	-	-	-	-	-	2	2	2	7	6	8	8	11	16	20	18	18	12	7	2	1
	White—M	74	-	-	-	-	-	-	-	-	-	2	1	-	5	3	6	6	6	8	5	9	11	10	1	1	-
	F	55	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	2	4	8	11	9	7	2	6	-	-
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	2	-	-	-	-	-	1
	F	6	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	-	-	2	-	-	-	-	1	-
450	General arteriosclerosis	293	-	-	-	-	-	-	-	-	-	-	-	1	-	3	2	4	13	13	39	58	70	59	20	8	4
	White—M	160	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	8	8	23	37	38	26	9	4	3
	F	121	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	4	4	14	20	31	30	11	3	1
	Nonwhite—M	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	2	-	1	-
451-468	Other diseases of circulatory sys.	70	1	-	-	-	-	-	-	-	3	1	4	5	2	3	7	5	7	7	7	5	10	3	-	-	-
	White—M	35	1	-	-	-	-	-	-	-	1	-	2	1	1	-	5	2	5	3	5	4	3	2	-	-	-
	F	31	-	-	-	-	-	-	-	-	2	1	2	4	-	3	1	2	2	3	2	1	7	1	-	-	-
	Nonwhite—M	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	357	1	-	-	-	-	2	1	3	11	8	6	5	9	17	11	21	34	40	49	59	42	24	11	2	1
	White—M	176	-	-	-	-	-	1	-	1	7	5	2	2	3	7	6	11	14	19	22	35	22	12	5	2	-
	F	148	1	-	-	-	-	1	-	2	3	3	4	3	3	8	3	9	18	17	23	17	18	10	4	-	1
	Nonwhite—M	18	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	1	2	4	2	2	2	(1	-	-
	F	15	-	-	-	-	-	1	-	1	-	-	-	-	2	-	1	1	1	2	-	5	-	-	1	-	-
480-493	Influenza and pneumonia, etc.*	716	216	30	8	6	1	8	6	6	7	10	7	6	16	18	25	19	32	49	49	71	51	49	18	5	3
	White—M	334	91	14	4	-	1	6	2	3	4	7	2	3	7	10	15	10	16	21	27	39	25	18	6	3	-
	F	316	101	14	4	6	-	1	3	3	2	3	5	3	7	3	4	9	12	22	15	32	23	30	10	1	3
	Nonwhite—M	40	13	1	-	-	-	-	1	-	-	-	-	-	1	3	5	-	4	3	5	-	3	1	-	-	-
	F	26	11	1	-	-	-	1	-	-	1	-	-	-	1	2	1	-	-	3	2	-	-	-	2	1	-
480-483	Influenza	101	23	4	2	1	1	-	-	1	2	-	1	-	1	-	3	3	5	5	4	18	13	10	2	1	1
	White—M	43	8	4	-	-	1	-	-	1	1	-	-	-	-	-	3	1	3	1	3	7	7	1	1	1	-
	F	49	12	-	2	1	-	-	-	-	-	1	-	-	-	-	-	2	1	2	1	11	5	9	1	-	1
	Nonwhite—M	6	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	1	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	615	193	26	6	5	-	8	6	5	5	10	6	6	15	18	22	16	27	44	45	53	38	39	16	4	2
	White—M	291	83	10	4	-	-	6	2	2	3	7	2	3	7	10	12	9	13	20	24	32	18	17	5	2	-
	F	267	89	14	2	5	-	1	3	3	2	3	4	3	7	3	4	7	11	20	14	21	16	21	9	1	2
	Nonwhite—M	34	10	1	-	-	-	-	1	-	-	-	-	-	-	3	5	-	3	3	5	-	2	1	-	-	-
	F	23	11	1	-	-	-	1	-	-	-	-	-	-	1	2	1	-	-	1	2	-	-	-	2	1	-
500-502	Bronchitis	46	12	1	2	1	-	1	-	-	1	1	1	2	2	3	-	1	1	6	2	1	1	5	2	-	-
	White—M	23	1	1	1	1	-	1	-	-	1	1	1	1	1	2	-	-	1	5	1	1	1	2	-	-	-
	F	21	10	-	1	-	-	-	-	-	-	-	-	1	-	1	-	1	-	1	1	-	-	3	2	-	-
	Nonwhite—M	2	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	91	-	-	-	-	-	-	-	1	-	-	2	6	4	9	9	10	16	16	10	3	3	1	-	-	1
	White—M	64	-	-	-	-	-	-	-	1	-	-	2	3	2	7	7	8	13	12	6	1	1	-	-	-	1
	F	20	-	-	-	-	-	-	-	-	-	-	-	2	-	-	2	1	3	3	4	2	2	1	-	-	-
	Nonwhite—M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	2	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	42	-	-	1	-	-	4	2	1	3	2	2	2	3	3	3	2	3	5	3	2	1	-	-	-	-
	White—M	26	-	-	1	-	-	2	2	1	1	-	2	2	2	2	3	-	2	3	3	-	-	-	-	-	-
	F	11	-	-	-	-	-	-	-	-	1	1	-	-	1	1	-	1	1	2	-	2	1	-	-	-	-
	Nonwhite—M	3	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	134	11	2	-	-	-	-	2	-	1	4	3	7	4	5	11	8	9	12	11	19	16	6	2	-	1
	White—M	58	5	1	-	-	-	-	1	-	-	2	1	2	2	-	4	4	7	4	3	10	9	1	2	-	-
	F	60	5	-	-	-	-	1	-	-	1	2	2	4	2	5	5	2	-	5	6	8	7	4	-	-	1
	Nonwhite—M	12	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	2	2	3	2	-	-	1	-	-	-
	F	4	-	1	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas]

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WEST VIRGINIA—Continued																										
543,	Gastritis, etc.*—	235	169	17	3	1	-	-	1	1	-	2	2	1	2	-	4	4	2	1	4	8	6	5	-	1	1
571,	White-----M--	115	80	10	2	1	-	-	1	1	-	-	1	-	1	-	3	2	2	1	2	2	3	1	-	1	1
572	F--	107	79	7	1	-	-	-	-	-	-	2	1	1	1	-	1	2	-	-	2	4	2	4	-	-	-
	Nonwhite--M--	9	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	4	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
581	Cirrhosis of liver	142	2	-	-	1	-	-	-	-	1	2	6	12	14	11	8	22	15	13	13	13	6	1	1	-	1
	White-----M--	86	1	-	-	1	-	-	-	-	-	1	3	7	4	7	7	14	11	8	9	8	3	-	1	-	1
	F--	53	1	-	-	-	-	-	-	-	1	1	3	5	8	4	1	8	4	5	3	5	3	1	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-
590,	Acute nephritis,																										
591	etc.*-----------	60	1	-	1	2	-	3	1	-	2	2	4	-	4	3	4	4	5	5	8	6	3	1	-	1	-
	White-----M--	29	-	-	1	2	-	2	1	-	-	-	1	-	3	2	2	3	2	1	3	5	1	-	-	-	-
	F--	23	1	-	-	-	-	1	-	-	2	1	3	-	1	1	2	1	2	2	3	1	1	1	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-
610	Hyperplasia of prostate----------	83	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4	10	17	25	15	7	1	1	1
	White-----M--	78	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	10	17	24	15	7	1	-	-
	Nonwhite--M--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	1	1
640-	Complications of																										
689	pregnancy, etc.*-	32	...	...	...	...	...	...	-	6	11	5	9	12	8	1	-	-	...	...	...	...	...	...	...	...	-
	White-----F--	28	...	...	...	...	...	...	-	5	10	5	8	11	8	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	4	...	...	...	...	...	...	-	1	1	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion----------	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
652	White-----F--	2	...	...	...	...	...	...	-	-	-	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite--F--	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-	All other com-																										
649,	plications---------	50	...	...	...	...	...	...	-	6	11	5	8	11	8	1	-	-	...	...	...	...	...	...	...	...	-
660-	White-----F--	46	...	...	...	...	...	...	-	5	10	5	7	10	8	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite--F--	4	...	...	...	...	...	...	-	1	1	-	1	1	-	-	-	-	...	...	...	...	...	...	...	...	-
750-	Congenital mal-																										
759	formations--------	286	244	10	1	1	4	7	2	4	3	5	2	2	1	1	3	4	-	1	1	-	-	-	-	-	-
	White-----M--	169	144	4	1	-	2	2	3	2	1	5	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-
	F--	111	88	5	-	1	2	4	-	1	2	-	1	1	-	-	2	4	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	9	6	1	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	7	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
760-	Certain diseases																										
776	of early infancy-	1,093	1,085	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	611	611	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	412	412	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	35	35	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-	Birth injuries,																										
762	etc.*-----------	364	364	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	214	214	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	126	126	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-	Infections of																										
768	newborn----------	102	102	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	61	61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	38	38	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
768-	Other diseases of																										
776	infancy, and im-																										
	maturity unquali-																										
	fied----------	627	627	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	336	336	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	248	248	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	21	21	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	22	22	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-	Senility, etc.*----	496	101	4	2	1	1	2	-	-	3	4	7	8	8	14	11	27	28	33	37	38	52	55	40	13	7
795	White-----M--	259	55	3	2	-	1	1	-	-	3	2	2	4	5	8	4	13	14	25	26	15	26	24	18	3	5
	F--	196	39	1	-	1	-	1	-	-	-	2	3	1	3	4	3	10	10	4	9	21	23	30	22	9	-
	Nonwhite--M--	27	3	-	-	-	-	-	-	-	-	-	1	3	-	-	3	3	4	4	2	2	1	-	-	1	-
	F--	14	4	-	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-	2	1	-	-	-	2
Re-	All other diseases	905	63	17	11	6	6	19	12	19	27	28	22	31	52	42	53	67	96	83	88	63	58	28	11	3	2
sid-	White-----M--	477	31	9	8	2	4	10	7	11	13	18	8	17	25	22	29	38	55	41	49	33	29	15	4	1	1
ual	F--	366	27	6	3	3	1	7	5	5	12	6	13	12	20	13	17	26	34	40	36	29	29	13	7	2	-
	Nonwhite--M--	38	2	2	-	-	1	-	-	-	-	2	-	-	4	6	5	4	6	2	2	1	-	-	-	-	1
	F--	24	3	-	-	1	-	2	-	3	2	-	1	2	3	1	2	2	1	-	1	-	-	-	-	-	-
E800-	Accidents---------	1,404	44	24	33	18	9	50	45	80	143	130	89	81	95	80	45	77	60	48	48	66	59	47	22	2	9
E962	White-----M--	960	19	15	19	11	4	38	27	61	116	110	71	62	76	61	30	64	39	29	25	37	24	9	10	-	5
	F--	352	22	8	12	6	3	12	15	16	20	10	12	12	7	8	8	10	17	16	21	27	34	38	12	2	4
	Nonwhite--M--	75	-	3	1	1	2	-	3	2	7	9	6	3	10	10	6	3	4	2	1	1	1	-	-	-	-
	F--	17	3	-	1	-	-	-	1	-	1	-	1	4	2	1	1	-	-	1	1	1	-	-	-	-	-
E810-	Motor-vehicle																										
E835	accidents---------	394	3	4	6	3	5	21	12	31	71	48	30	28	28	16	10	17	18	11	10	11	6	1	3	-	1
	White-----M--	293	-	2	4	1	2	17	5	24	60	39	22	19	24	14	5	12	11	7	9	7	4	1	3	-	1
	F--	87	3	1	1	2	1	4	6	7	11	6	8	6	2	1	5	5	7	4	1	4	2	-	-	-	-
	Nonwhite--M--	12	-	1	1	-	2	-	1	-	-	3	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-
E800-	All ot. accidents-	1,010	41	20	27	15	4	29	33	49	72	82	59	53	67	64	35	60	42	37	38	55	53	46	19	2	8
E802,	White-----M--	667	19	11	15	10	2	21	22	37	56	71	49	43	52	47	25	52	28	22	16	30	20	8	7	-	4
E840-	F--	285	19	7	11	4	2	8	9	9	9	4	4	6	5	7	3	5	10	12	20	23	32	38	12	2	4
E962	Nonwhite--M--	85	-	2	-	1	-	-	2	2	7	6	6	1	9	9	6	3	4	2	1	1	1	-	-	-	-
	F--	15	3	-	1	-	-	-	-	1	-	1	-	3	1	1	1	-	-	1	1	1	-	-	-	-	-
E963,	Suicide----------	185	-	-	-	-	-	1	1	6	14	15	15	15	20	6	19	17	17	13	11	11	2	-	-	-	2
E970-	White-----M--	155	-	-	-	-	-	1	-	2	13	14	14	11	18	3	17	14	16	8	11	10	2	-	-	-	1
E979	F--	27	-	-	-	-	-	-	1	4	1	1	1	3	2	3	2	3	1	4	-	1	-	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	1
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide----------	137	1	1	1	2	-	-	1	6	13	21	15	19	21	13	8	4	3	4	1	1	1	-	-	-	-
E980-	White-----M--	64	1	-	-	1	-	1	2	7	9	9	9	9	7	5	2	1	2	4	1	1	1	-	-	-	1
E985	F--	22	-	-	1	-	-	-	3	2	4	2	3	1	3	1	1	1	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	40	-	1	-	1	-	-	1	2	6	3	7	9	4	4	2	-	-	-	-	-	-	-	-	-	-
	F--	11	-	-	-	-	-	-	-	2	2	1	-	4	1	1	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E980-	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E999	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN																										
	ALL CAUSES	32,993	2,232	152	103	67	49	190	168	234	308	320	371	534	736	1,184	1,729	2,319	3,113	3,748	4,125	4,544	3,641	2,301	849	183	22
	White	18,471	1,258	76	60	38	31	120	95	156	205	181	208	301	442	685	1,056	1,459	1,937	2,188	2,213	2,345	1,880	1,061	394	66	8
	M	14,078	858	71	42	25	18	65	71	71	87	111	155	212	294	475	842	828	1,143	1,525	1,683	1,963	1,746	1,232	454	94	15
	F	253	50	3	1	1	-	2	2	3	8	9	3	15	9	14	21	21	20	20	14	22	8	3	-	3	1
	Nonwhite	191	36	2	-	3	-	3	-	4	9	9	5	6	11	10	10	11	13	15	15	16	7	5	1	-	-
001-019	Tuberculosis, all forms	451	2	4	-	1	1	5	1	4	15	23	28	26	41	43	32	55	61	41	27	28	14	3	-	-	-
	White	281	1	2	-	1	1	3	-	1	3	11	11	10	24	28	23	43	47	27	16	22	5	2	-	-	-
	M	147	1	2	-	-	-	2	1	3	9	7	17	15	14	14	7	7	12	12	10	4	9	1	-	-	-
	F	15	-	-	-	-	-	-	-	-	1	3	-	1	1	1	1	3	2	2	-	-	-	-	-	-	-
	Nonwhite	8	-	-	-	-	-	-	-	-	2	2	-	-	2	-	1	-	-	-	1	-	-	-	-	-	-
	M																										
001-008	Tuberculosis of respiratory system	416	2	1	-	-	-	2	1	2	15	23	27	23	38	41	28	51	57	36	27	25	14	3	-	-	-
	White	266	1	-	-	-	-	1	-	-	3	11	11	10	23	28	21	41	45	26	16	22	5	2	-	-	-
	M	130	1	1	-	-	-	1	1	2	9	7	16	13	13	12	5	7	10	9	10	3	9	1	-	-	-
	Nonwhite	13	-	-	-	-	-	-	-	-	1	3	-	-	1	1	1	3	2	1	-	-	-	-	-	-	-
	M	7	-	-	-	-	-	-	-	-	2	2	-	-	1	-	1	-	-	-	1	-	-	-	-	-	-
010-019	Tuberculosis, other forms	35	-	3	-	1	1	3	-	2	-	-	1	3	3	2	4	2	4	5	-	1	-	-	-	-	-
	White	16	-	2	-	1	1	2	-	1	-	-	-	-	1	-	2	2	2	1	-	-	-	-	-	-	-
	M	17	-	1	-	-	-	1	-	1	-	-	1	2	1	2	2	-	2	3	-	1	-	-	-	-	-
	Nonwhite	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	118	2	-	-	-	-	-	-	2	-	1	1	3	2	11	12	13	27	17	16	9	2	-	-	-	-
	White	88	1	-	-	-	-	-	-	2	-	1	1	2	1	6	10	10	21	13	13	6	1	-	-	-	-
	M	24	-	-	-	-	-	-	-	-	-	-	-	1	1	4	1	3	6	4	2	1	1	-	-	-	-
	Nonwhite	5	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
040	Typhoid fever	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	8	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	White	3	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-
	M	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	11	3	1	2	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-	-
	White	5	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	M	6	1	1	1	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	15	4	3	1	2	-	-	2	-	-	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	-
	White	11	4	2	1	1	-	-	1	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-
	M	4	-	1	-	1	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	73	1	2	-	3	-	12	12	12	6	12	5	6	1	-	-	-	-	-	1	-	-	-	-	-	-
	White	38	1	2	-	2	-	9	4	8	2	5	1	3	1	-	-	-	-	-	-	-	-	-	-	-	-
	M	33	-	-	-	-	-	3	8	4	4	6	4	3	-	-	-	-	-	-	1	-	-	-	-	-	-
	Nonwhite	2	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	32	9	4	1	2	3	9	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	14	4	2	-	1	1	5	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	15	4	2	1	-	2	3	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	3	1	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	89	12	5	1	2	1	5	2	2	1	3	1	5	8	7	5	4	5	2	4	7	4	2	1	-	-
	White	43	3	-	-	-	1	2	2	1	-	1	1	2	3	4	5	3	2	2	3	5	2	1	-	-	-
	M	44	8	5	1	2	-	3	-	1	1	2	-	3	5	2	-	1	3	-	1	2	2	1	1	-	-
	Nonwhite	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
140-205	Malignant neoplasms, etc.*—	5,148	6	3	12	9	7	23	21	18	24	40	64	110	176	272	413	508	661	709	762	634	417	199	44	15	1
	White— M	2,626	5	2	4	4	5	13	10	9	16	17	25	37	70	95	190	241	342	391	425	356	248	91	23	8	1
	F	2,475	1	1	8	4	2	9	11	9	5	22	40	71	104	174	218	261	313	314	334	276	165	106	21	6	-
	Nonwhite— M	23	-	-	-	-	-	-	-	-	1	-	-	1	1	2	3	4	2	2	1	2	1	-	1	-	-	-
	F	24	-	-	-	1	-	1	-	-	2	1	1	1	1	1	2	2	4	2	1	1	2	1	-	-	-
140-148	Of buccal cavity and pharynx—	132	-	-	1	1	-	-	-	-	1	1	2	3	7	4	12	9	17	14	17	15	14	8	2	2	1
	White— M	94	-	-	-	-	-	-	-	-	-	-	2	2	5	2	9	7	14	11	12	13	6	6	2	2	1
	F	36	-	-	1	1	-	-	-	-	1	1	-	1	1	2	2	2	3	3	5	2	8	3	-	-	-
	Nonwhite— M	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum—	2,251	-	-	-	-	-	1	1	1	4	11	13	21	47	73	143	216	310	346	367	348	215	106	23	6	-
	White— M	1,253	-	-	-	-	-	-	-	1	3	5	3	10	25	28	85	117	185	220	201	187	131	38	11	3	-
	F	977	-	-	-	-	-	1	1	-	1	6	9	11	21	45	55	96	121	125	164	160	80	66	12	3	-
	Nonwhite— M	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	-	2	1	2	1	-	-	-
	F	11	-	-	-	-	-	-	-	-	-	-	1	-	1	-	2	-	3	1	-	-	2	1	-	-	-
160-164	Of respiratory system—	360	-	-	-	-	-	-	-	-	-	-	2	5	11	27	39	55	57	56	53	27	14	12	2	-	-
	White— M	276	-	-	-	-	-	-	-	-	-	-	-	4	9	21	30	45	44	42	42	19	11	7	2	-	-
	F	82	-	-	-	-	-	-	-	-	-	-	2	1	2	5	9	10	12	14	11	8	3	5	-	-	-
	Nonwhite— M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast—	485	-	-	-	-	-	-	-	-	1	1	7	17	37	52	62	55	70	59	52	35	22	7	5	3	-
	White— M	6	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	-	-	-	1	-	-	-	-	-	-
	F	479	-	-	-	-	-	-	-	-	1	1	7	17	35	51	60	55	70	59	51	35	22	7	5	3	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs—	803	-	-	-	-	-	-	-	-	4	7	15	28	32	40	63	74	88	106	122	108	77	27	8	4	-
	White— M	324	-	-	-	-	-	-	-	-	2	4	1	4	2	-	4	6	32	44	67	69	57	22	5	3	-
	F	466	-	-	-	-	-	-	-	-	-	2	14	23	30	39	58	64	55	59	55	38	20	5	3	-	-
	Nonwhite— M	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	1	-
	F	9	-	-	-	-	-	-	-	-	2	1	-	1	-	1	-	1	1	1	-	1	-	-	-	-	-
180, 181	Of urinary organs—	271	2	-	2	-	-	3	1	1	1	-	-	2	4	13	21	26	31	39	46	43	22	15	-	-	-
	White— M	199	2	-	1	-	-	1	1	1	1	-	-	2	4	9	13	18	23	30	38	33	15	8	-	-	-
	F	72	-	-	1	-	-	2	-	-	-	-	-	-	-	4	8	8	8	9	8	10	7	7	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*—	448	1	-	3	2	1	6	6	9	2	10	10	14	20	39	39	40	46	51	61	29	38	18	4	-	-
	White— M	243	-	-	2	-	1	2	3	5	2	3	4	7	15	18	25	28	24	24	40	13	20	8	3	-	-
	F	201	1	-	1	1	-	3	3	4	-	7	6	7	5	20	15	13	22	27	21	16	18	10	1	-	-
	Nonwhite— M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia—	214	3	3	6	5	6	11	6	5	4	4	8	10	5	9	18	18	14	25	23	17	11	3	-	-	-
	White— M	127	3	2	1	3	4	9	3	2	3	3	7	2	1	6	11	14	7	13	12	13	6	2	-	-	-
	F	87	-	1	5	2	2	2	3	3	1	1	1	8	4	3	7	4	7	12	11	4	5	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
200-205	Lymphomas, etc.*—	183	-	-	-	1	-	2	8	2	7	6	7	10	13	15	16	16	28	13	21	12	4	2	-	-	-
	White— M	104	-	-	-	1	-	1	4	2	5	2	6	6	7	10	13	8	13	7	12	9	2	-	-	-	-
	F	75	-	-	-	-	-	1	4	2	1	4	1	3	6	5	3	9	15	6	8	3	2	2	-	-	-
	Nonwhite— M	3	-	-	-	-	-	-	-	-	1	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms—	123	4	-	1	-	-	2	5	1	3	5	4	4	13	14	13	14	9	9	9	8	9	2	-	-	-
	White— M	53	3	-	1	-	-	1	1	1	3	5	1	1	3	5	2	5	6	5	6	2	3	-	-	-	-
	F	66	1	-	-	-	-	1	5	-	2	-	3	9	8	10	9	3	4	3	-	6	2	-	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	1	-	1	1	1	1	1	-	-	-	1	-	-	-	-	-	-	-
260	Diabetes mellitus—	627	-	-	-	-	-	3	2	2	6	3	6	12	11	18	35	59	88	105	111	90	51	26	4	1	-
	White— M	238	-	-	-	-	-	-	-	-	2	3	5	8	3	12	16	18	32	30	40	33	23	10	2	1	-
	F	385	-	-	-	-	-	3	2	1	4	-	1	3	8	6	19	41	55	74	71	57	28	10	2	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	-	-	-	-	-	-	-
280-285	Anemias—	123	3	1	-	-	-	1	1	1	-	-	-	1	2	3	5	6	8	20	25	19	14	9	4	-	-
	White— M	60	2	1	-	-	-	1	1	1	-	-	-	1	-	2	3	1	5	12	15	6	5	5	2	-	-
	F	63	1	-	-	-	-	-	1	-	1	-	-	-	2	1	2	5	3	8	10	13	9	4	2	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis—	50	15	6	4	4	-	7	1	3	-	-	-	-	-	-	1	2	-	1	2	1	2	1	-	-	-
	White— M	30	7	5	3	1	-	5	1	2	-	-	-	-	-	-	1	2	-	1	1	-	1	-	-	-	-
	F	19	8	1	1	2	-	2	-	1	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	-	-
	Nonwhite— M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases—	18,030	5	-	4	2	4	11	26	17	38	56	83	156	252	527	852	1,239	1,733	2,324	2,652	3,059	2,598	1,663	628	108	13
	White— M	10,047	5	-	3	1	2	8	13	11	21	27	49	96	165	336	568	853	1,139	1,357	1,385	1,606	1,295	761	294	39	5
	F	7,824	-	-	1	1	2	3	12	6	16	27	32	53	81	183	270	370	575	948	1,240	1,404	1,284	897	333	67	7
	Nonwhite— M	87	-	-	-	-	-	-	1	-	-	-	-	6	3	4	9	9	13	10	6	16	5	2	-	2	1
	F	72	-	-	-	-	-	-	-	-	1	2	2	1	3	4	5	7	8	9	11	13	4	3	1	-	-
330-334, 400-468	Diseases of cardiovascular system—	17,559	5	-	3	1	4	10	19	15	34	45	70	144	240	498	824	1,202	1,694	2,279	2,595	2,985	2,532	1,623	618	106	13
	White— M	9,797	5	-	2	-	2	6	8	10	17	20	40	91	159	324	555	851	1,119	1,328	1,371	1,580	1,259	739	287	39	5
	F	7,606	-	-	1	1	2	4	10	5	16	23	28	46	75	166	255	355	556	932	1,207	1,377	1,264	880	330	65	7
	Nonwhite— M	85	-	-	-	-	-	-	1	-	-	-	-	6	3	4	9	9	13	10	6	15	5	1	-	2	1
	F	71	-	-	-	-	-	-	-	-	1	2	1	1	3	4	5	7	6	9	11	13	4	3	1	-	-	-
330-334	Vascular lesions, etc.*—	3,911	2	-	1	-	1	1	3	2	6	4	13	30	39	103	150	223	328	534	648	733	841	335	105	11	-
	White— M	1,854	2	-	1	-	1	1	1	-	4	2	6	13	15	41	61	118	174	264	289	365	299	146	48	3	-
	F	2,023	-	-	-	-	-	-	2	2	2	2	6	15	22	61	87	104	153	263	349	361	342	187	57	8	-
	Nonwhite— M	14	-	-	-	-	-	-	-	-	-	-	-	2	1	1	1	-	-	2	2	5	-	-	-	-	-
	F	20	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	1	5	6	2	-	2	-	-	-
400-402	Rheumatic fever—	48	-	-	-	1	1	7	8	3	4	4	5	8	4	1	-	2	1	-	-	-	-	-	-	-	-
	White— M	21	-	-	-	-	-	3	2	2	4	2	3	3	2	-	-	1	-	-	-	-	-	-	-	-	-
	F	26	-	-	-	1	1	4	6	1	-	2	3	5	2	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
410-443	Diseases of heart	12,391	3	-	1	-	2	2	8	10	16	35	45	94	188	374	643	947	1,303	1,648	1,854	2,039	1,624	1,090	409	68	8
	White	7,332	3	-	-	-	1	2	5	8	8	16	28	66	135	278	474	696	908	1,010	1,026	1,101	840	503	197	26	3
	F	4,947	-	-	1	-	1	-	2	2	7	17	17	24	49	92	157	237	380	626	799	917	778	585	212	40	4
	Nonwhite—M	65	-	-	-	-	-	-	1	-	-	-	-	3	2	3	8	9	10	8	4	10	3	1	-	2	1
	F	47	-	-	-	-	-	-	-	-	1	2	-	1	2	3	4	5	5	4	5	11	3	1	-	-	-
410-416	Chronic rheumatic heart disease	525	...	-	1	-	1	-	6	5	7	15	14	28	33	54	54	56	53	58	46	43	29	18	2	2	-
	White	280	...	-	-	-	-	-	3	5	3	6	6	14	14	27	30	37	36	29	22	23	17	6	2	-	-
	F	237	...	-	1	-	1	-	2	-	3	7	8	12	19	27	24	19	16	29	24	19	12	12	-	2	-
	Nonwhite—M	4	...	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-	-
	F	4	...	-	-	-	-	-	-	-	1	2	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	7,369	-	-	-	-	1	-	-	1	7	6	20	47	116	245	441	659	921	1,101	1,128	1,184	819	490	153	26	4
	White	4,766	-	-	-	-	1	-	-	1	4	4	17	39	97	206	367	515	677	725	673	668	442	258	77	13	2
	F	2,546	-	-	-	-	-	-	-	-	3	2	3	7	15	37	67	138	238	368	449	503	374	252	76	12	2
	Nonwhite—M	37	-	-	-	-	-	-	-	-	-	-	-	1	2	1	5	4	5	5	3	8	2	-	-	1	-
	F	20	-	-	-	-	-	-	-	-	-	-	-	-	2	1	2	2	1	3	3	5	1	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*	2,849	...	-	-	-	-	-	-	1	2	5	6	5	12	25	53	98	135	244	365	506	529	437	196	29	3
	White	1,353	...	-	-	-	-	-	-	-	1	2	3	5	7	14	27	58	81	128	195	257	272	201	95	7	1
	F	1,274	...	-	-	-	-	-	-	-	1	1	3	3	5	8	26	35	51	116	168	245	255	234	101	21	1
	Nonwhite—M	9	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	1	-	1	-	1	-	1	1
	F	13	...	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	1	1	2	3	2	1	-	-	-
430-434	Other diseases of heart	342	3	-	-	-	-	2	1	3	-	6	3	5	7	12	14	26	27	48	53	52	45	22	12	1	-
	White	206	3	-	-	-	-	2	1	2	-	3	1	3	5	9	10	18	17	31	33	32	22	8	5	1	-
	F	134	-	-	-	-	-	-	-	1	-	3	2	2	2	3	4	8	8	17	20	20	23	14	7	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.	1,506	-	-	-	-	-	-	1	-	-	3	2	9	20	40	81	108	167	197	242	254	202	123	46	10	1
	White	727	-	-	-	-	-	-	1	-	-	1	1	5	12	20	40	67	97	99	103	121	87	80	18	5	-
	F	756	-	-	-	-	-	-	-	-	-	2	1	3	8	17	36	37	67	96	136	130	114	73	28	5	1
	Nonwhite—M	14	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	1	2	1	-	1	-	-	-	-
	F	9	-	-	-	-	-	-	-	-	-	-	-	-	1	2	1	2	-	-	3	-	-	-	-	-	-
444-447	Hypertension without mention of heart	270	-	-	-	-	-	-	-	-	2	-	2	4	7	12	11	16	24	51	40	47	44	20	7	2	1
	White	111	-	-	-	-	-	-	-	-	-	-	-	3	5	5	6	8	13	12	14	22	15	6	2	-	-
	F	154	-	-	-	-	-	-	-	-	2	-	2	-	2	6	5	8	10	19	26	25	28	14	4	2	1
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	1	-	-
450	General arteriosclerosis	784	-	-	-	-	-	-	-	-	-	-	-	-	-	1	5	7	20	48	53	147	209	170	95	25	4
	White	391	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4	12	30	31	79	99	80	40	10	2
	F	391	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	3	8	18	22	68	108	90	55	15	2
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.	154	-	-	1	-	-	-	-	-	6	2	5	8	2	7	15	7	18	18	22	19	14	8	2	-	-
	White	88	-	-	1	-	-	-	-	-	1	-	4	6	2	2	10	4	12	12	11	13	6	4	-	-	-
	F	65	-	-	-	-	-	-	-	-	5	2	1	2	-	5	5	3	5	6	11	6	8	4	2	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*	471	-	-	1	1	-	1	7	2	4	11	13	12	12	28	28	37	39	45	57	54	66	40	10	2	-
	White	250	-	-	1	1	-	-	5	1	4	7	9	5	6	12	13	22	20	29	24	26	36	22	7	-	-
	F	218	-	-	-	-	-	1	2	1	-	4	3	7	6	17	15	15	19	16	33	27	30	17	3	2	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza and pneumonia, etc.*	768	148	22	11	3	1	4	6	7	4	4	8	8	12	14	23	34	66	58	65	61	92	75	35	6	1
	White	466	85	12	6	1	1	3	5	5	2	4	4	7	6	11	17	20	51	41	40	39	53	50	20	4	-
	F	281	53	8	4	2	-	1	1	2	2	-	4	1	5	2	5	14	14	15	24	23	38	45	15	2	1
	Nonwhite—M	13	5	2	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-
	F	8	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	1	-	-	-	-
480-483	Influenza	106	17	4	-	3	-	1	1	4	1	-	1	2	1	3	1	3	7	11	7	7	18	8	3	3	-
	White	56	9	3	-	1	-	1	1	3	-	-	-	2	-	2	1	1	5	5	5	2	9	3	2	1	-
	F	48	8	-	-	2	-	-	-	1	1	-	1	-	1	1	-	2	2	5	2	5	9	5	1	2	-
	Nonwhite—M	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*	662	131	18	11	-	1	3	5	3	3	4	7	6	11	11	22	31	59	47	58	54	74	67	32	3	1
	White	410	76	9	6	-	1	2	4	2	2	4	4	5	6	9	16	19	46	36	35	36	44	27	18	3	-
	F	233	45	8	4	-	-	1	1	1	1	-	3	1	4	1	5	12	12	10	22	18	29	40	14	-	1
	Nonwhite—M	12	5	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	1	1	1	-	-	-	-	-	-
	F	7	5	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-
500-502	Bronchitis	58	12	5	1	1	1	2	1	-	1	1	-	-	1	-	2	1	3	2	3	4	6	7	2	-	-
	White	35	8	3	-	-	-	1	1	-	-	-	-	-	-	-	-	1	3	2	3	4	3	5	1	-	-
	F	20	4	2	1	1	1	1	-	-	1	-	-	-	1	-	2	-	-	-	-	-	3	2	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum	157	1	-	-	-	-	-	-	-	-	1	2	7	9	11	15	20	23	29	20	8	6	3	2	-	-
	White	127	-	-	-	-	-	-	-	-	-	1	1	7	8	10	11	16	17	27	17	5	4	2	1	-	-
	F	28	1	-	-	-	-	-	-	-	-	-	1	-	-	-	4	4	6	2	3	3	2	1	1	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis	76	1	-	2	4	3	1	4	2	3	3	2	3	5	3	9	4	14	5	4	2	-	2	-	-	-
	White	45	-	-	1	3	1	-	3	2	2	-	2	2	2	1	6	3	9	3	2	2	-	1	-	-	-
	F	29	1	-	1	1	2	1	-	-	1	3	-	-	3	2	2	1	5	2	2	-	-	1	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction	240	16	2	1	1	-	2	2	3	4	5	2	6	2	16	14	20	21	32	33	19	24	10	5	-	-
	White	122	12	1	1	1	-	-	1	1	2	3	1	2	2	8	7	10	8	18	17	13	9	4	1	-	-
	F	112	4	1	-	-	-	1	1	2	2	2	1	3	-	6	7	9	13	13	16	6	15	6	4	-	-
	Nonwhite—M	5	-	-	-	-	-	1	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WISCONSIN—Con.																										
543,	Gastritis, etc.*—	140	47	13	1	-	-	2	3	3	1	5	1	4	1	4	1	5	6	7	5	13	7	5	5	1	-
571,	White——M—	68	21	6	1	-	-	2	2	2	1	2	-	2	1	2	1	3	4	3	3	6	3	1	1	1	-
572	F—	58	15	5	-	-	-	-	1	1	-	3	1	1	-	2	-	2	2	4	2	7	4	4	4	-	-
	Nonwhite—M—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	5	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	250	1	-	-	-	-	-	2	2	-	4	4	11	17	26	20	32	45	33	26	14	8	5	-	-	-
	White——M—	158	1	-	-	-	-	-	1	1	-	2	2	6	14	18	9	21	30	20	18	10	3	2	-	-	-
	F—	91	-	-	-	-	-	-	1	1	-	2	2	5	3	8	11	10	15	11	10	4	5	3	-	-	-
	Nonwhite—M—	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	48	-	-	1	-	1	3	2	1	1	-	2	3	3	7	3	4	4	3	3	2	3	2	-	-	-
	White——M—	30	-	-	1	-	1	3	-	-	-	-	-	2	1	6	3	4	2	2	2	1	1	2	-	-	-
	F—	15	-	-	-	-	-	-	2	1	-	-	1	1	1	1	1	-	2	1	1	1	2	-	-	-	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	18	21	30	45	50	33	4	1	-
	White——M—	205	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	18	21	30	45	49	33	4	1	-
	Nonwhite—M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
640-689	Complications of pregnancy, etc.*—	49	...	...	...	...	...	...	-	2	6	10	14	10	8	1	-	-	...	...	...	...	...	...	...	...	-
	White——F—	43	...	...	...	...	...	...	-	1	4	8	14	9	6	1	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	6	...	...	...	...	...	...	-	1	2	2	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
650-	Abortion—	5	...	...	...	...	...	...	-	-	1	1	2	-	1	-	-	-	...	...	...	...	...	...	...	...	-
652	White——F—	4	...	...	...	...	...	...	-	-	-	1	2	-	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite—F—	1	...	...	...	...	...	...	-	-	1	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-649,	All other complications—	44	...	...	...	...	...	...	-	2	5	9	12	10	5	1	-	-	...	...	...	...	...	...	...	...	-
680-	White——F—	39	...	...	...	...	...	...	-	1	4	7	12	9	5	1	-	-	...	...	...	...	...	...	...	...	-
689	Nonwhite—F—	5	...	...	...	...	...	...	-	1	1	2	-	1	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	484	377	20	12	4	4	8	5	6	4	2	3	5	4	8	10	4	1	3	2	2	-	-	-	-	-
	White——M—	250	191	9	7	2	3	3	3	3	3	1	2	4	3	1	6	3	-	3	2	1	-	-	-	-	-
	F—	228	180	11	5	2	1	5	2	3	1	1	1	1	1	7	4	1	1	-	-	1	-	-	-	-	-
	Nonwhite—M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	1,357	1,357	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	804	804	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	507	507	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	29	29	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	17	17	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	544	544	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	324	324	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	203	203	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	9	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	8	8	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
763-768	Infections of newborn—	49	49	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	27	27	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	13	13	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	764	764	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White——M—	453	453	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	291	291	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	15	15	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	293	15	5	1	-	-	2	-	-	-	1	-	5	2	1	4	11	7	7	21	27	59	68	40	16	1
	White——M—	147	8	5	1	-	-	1	-	-	-	1	-	4	1	-	3	8	5	5	14	16	28	28	12	8	1
	F—	142	6	2	-	-	-	1	-	-	-	-	-	1	1	-	1	3	1	2	7	10	31	40	28	8	-
	Nonwhite—M—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-
	F—	2	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
Re-sid-ual	All other diseases	1,448	85	17	5	10	10	20	11	11	25	23	34	40	66	72	87	136	141	170	186	140	91	53	27	7	3
	White——M—	738	45	9	4	6	6	11	4	3	12	9	17	21	35	41	49	75	75	90	76	68	47	23	12	-	-
	F—	680	31	8	1	4	4	8	7	8	13	14	17	18	29	28	36	59	63	77	87	70	44	29	15	7	3
	Nonwhite—M—	15	3	-	-	-	-	1	-	-	-	-	-	-	1	2	2	-	2	1	2	1	-	-	-	-	-	-
	F—	15	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	2	1	2	1	1	-	1	-	-	-
E800-E962	Accidents—	2,054	70	38	40	18	12	67	54	124	144	96	75	72	76	85	120	98	115	113	117	157	174	132	47	8	2
	White——M—	1,390	43	18	23	14	9	51	40	96	125	81	67	58	63	71	87	79	79	80	80	80	88	54	20	4	-
	F—	628	26	19	17	4	3	15	14	24	14	12	8	9	10	13	30	16	36	32	54	75	86	78	27	4	2
	Nonwhite—M—	30	1	1	-	-	-	-	-	3	5	3	-	5	2	1	2	3	-	1	2	1	-	-	-	-	-
	F—	6	-	-	-	-	-	1	-	1	-	-	-	-	1	-	1	-	-	-	1	1	-	-	-	-	-
E810-E835	Motor-vehicle accidents—	734	4	8	14	8	7	28	23	76	97	52	40	34	32	27	56	39	50	41	33	30	28	6	1	-	-
	White——M—	552	2	7	8	6	5	23	17	58	84	45	33	27	24	18	37	34	34	28	22	18	18	4	1	-	-
	F—	165	2	1	5	2	2	5	6	16	10	9	7	5	5	9	16	3	16	13	10	11	10	2	-	-	-
	Nonwhite—M—	13	-	-	-	-	-	-	-	1	3	-	-	2	2	-	2	2	-	-	1	-	-	-	-	-	-
	F—	4	-	-	-	-	-	-	-	1	-	-	-	-	1	-	1	-	-	-	-	1	-	-	-	-	-
E800-	All ot. accidents—	1,320	66	30	26	10	5	39	31	48	47	44	35	38	44	58	64	59	65	72	84	127	146	128	46	8	2
E802,	White——M—	838	41	11	14	8	4	28	23	38	41	38	34	31	39	53	50	45	45	52	38	62	70	50	19	4	-
E840-	F—	463	24	18	12	2	1	10	8	8	4	3	1	4	5	4	14	13	20	19	44	54	76	76	27	4	2
E962	Nonwhite—M—	17	1	1	-	-	-	-	-	2	2	3	-	3	-	1	-	1	-	1	1	1	-	-	-	-	-
	F—	2	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
E963,	Suicide—	420	-	-	-	-	-	-	3	7	18	15	31	35	40	32	49	46	51	33	20	22	9	7	1	-	1
E970-	White——M—	324	-	-	-	-	-	-	3	6	11	13	20	25	32	24	37	34	39	31	16	17	9	6	1	-	1
E979	F—	92	-	-	-	-	-	-	-	1	7	1	9	10	8	8	11	12	13	2	4	5	-	1	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	-	-	1	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964,	Homicide—	44	1	-	2	-	-	1	1	2	3	6	1	2	5	8	2	2	4	2	-	1	1	-	-	-	-
E980-	White——M—	25	-	-	2	-	-	1	1	1	-	3	-	1	4	4	1	2	2	2	-	1	-	-	-	-	-
E985	F—	13	1	-	-	-	-	-	-	1	1	1	-	-	1	4	1	-	2	-	-	-	1	-	-	-	-
	Nonwhite—M—	4	-	-	-	-	-	-	-	1	1	1	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965,	Operations of war—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E990-	White——M—	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
E999	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	ARRA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING																										
	ALL CAUSES	2,385	280	14	12	2	8	25	27	38	46	45	58	57	69	108	126	179	195	242	278	224	187	101	46	11	9
	White—M	1,505	158	8	6	2	4	16	18	22	28	28	37	32	45	60	90	117	143	168	184	142	96	56	32	4	9
	F	810	103	5	6	-	4	8	8	13	18	14	15	22	22	44	33	59	50	89	88	78	87	43	14	7	-
	Nonwhite—M	43	11	1	-	-	-	1	1	-	-	2	2	2	1	1	2	1	1	4	4	4	3	2	-	-	-
	F	27	8	-	-	-	-	-	-	3	-	1	2	1	1	3	1	2	1	1	2	-	1	-	-	-	-
001-019	Tuberculosis, all forms	29	1	1	-	-	-	-	-	4	2	1	2	1	2	2	2	4	5	1	1	-	-	-	-	-	-
	White—M	17	-	1	-	-	-	-	-	-	-	-	1	1	2	2	-	3	5	1	1	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	1	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	2	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	3	-	-	-	-	-	-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
001-008	Tuberculosis of respiratory system	27	1	1	-	-	-	-	-	3	2	-	2	1	2	2	2	4	5	1	1	-	-	-	-	-	-
	White—M	17	-	1	-	-	-	-	-	-	-	-	1	1	2	2	-	3	5	1	1	-	-	-	-	-	-
	F	7	1	-	-	-	-	-	-	1	2	-	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
010-019	Tuberculosis, other forms	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
020-029	Syphilis and its sequelae	19	-	-	-	-	-	-	-	-	-	-	1	-	1	3	-	3	4	2	-	1	2	2	-	-	-
	White—M	11	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	1	1	-	1	1	2	-	-	-
	F	7	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	3	1	-	-	1	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
040	Typhoid fever	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
045-048	Dysentery, all forms	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
050, 051	Scarlet fever, etc.*	3	-	-	-	-	-	-	-	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
055	Diphtheria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
056	Whooping cough	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
057	Meningococcal infections	3	1	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
080	Acute poliomyelitis	10	-	-	-	-	-	2	4	-	1	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	8	-	-	-	-	-	2	3	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	2	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
084	Smallpox	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
085	Measles	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
100-108	Typhus and other rickettsial dis.	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
110-117	Malaria	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other infective and parasitic diseases	6	2	-	1	-	-	-	-	-	1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	White—M	2	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F	4	2	-	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite—M	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
140-205	Malignant neoplasms, etc.*----	281	-	-	-	-	1	3	2	-	1	3	1	8	9	26	28	32	24	42	37	28	25	9	2	-	-
	White-----M--	147	-	-	-	-	1	1	1	-	-	1	-	4	2	5	14	17	11	29	24	17	12	6	2	-	-
	F--	126	-	-	-	-	-	2	1	-	1	2	-	4	6	20	13	15	12	13	11	10	13	3	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	1	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	1	-	1	1	-	-	1	-	1	-	-	-	1	-	-
140-148	Of buccal cavity and pharynx-----	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	1	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	3	1	1	-	1	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
150-156A, 157-159	Of digestive organs and peritoneum-------	116	-	-	-	-	-	-	-	-	-	-	-	1	4	3	8	10	13	17	19	16	14	5	-	-	-
	White-----M--	60	-	-	-	-	-	-	-	-	-	-	-	1	1	-	4	8	7	9	11	9	6	4	-	-	-
	F--	45	-	-	-	-	-	-	-	-	-	-	-	-	2	2	4	2	6	8	6	6	8	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-
160-164	Of respiratory system----------	15	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	3	2	-	3	-	-	-	-	-
	White-----M--	14	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	3	2	2	-	3	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
170	Of breast----------	19	-	-	-	-	-	-	-	-	-	-	-	3	-	4	5	3	-	2	2	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	19	-	-	-	-	-	-	-	-	-	-	-	3	-	4	5	3	-	2	2	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
171-179	Of genital organs-	49	-	-	-	-	-	-	1	-	-	1	-	2	3	6	1	5	2	8	8	4	5	1	2	-	-
	White-----M--	24	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	2	6	6	3	4	1	2	-	-
	F--	25	-	-	-	-	-	-	1	-	-	-	-	1	3	6	1	5	2	2	2	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
180, 181	Of urinary organs-	11	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	1	1	1	1	-	-	-	-	-
	White-----M--	8	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	1	1	1	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
156B, 165, 190-199	Of other sites, etc.*----------	45	-	-	-	-	1	1	-	-	1	1	-	1	1	4	6	5	3	6	4	3	6	2	-	-	-
	White-----M--	23	-	-	-	-	1	1	-	-	-	1	-	1	1	2	3	2	1	5	3	1	2	-	-	-	-
	F--	22	-	-	-	-	-	-	-	-	1	1	-	-	-	2	3	3	2	1	1	2	4	2	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
204	Leukemia and aleukemia----------	11	-	-	-	-	-	2	1	-	-	1	-	1	-	1	1	1	2	1	-	-	-	-	-	-	-
	White-----M--	4	-	-	-	-	-	1	-	-	-	-	-	1	-	-	1	1	-	1	-	-	-	-	-	-	-
	F--	5	-	-	-	-	-	2	-	-	-	1	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-
	Nonwhite--M--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-
200-203, 205	Lymphomas, etc.*--	13	-	-	-	-	-	-	-	-	-	-	1	-	1	4	1	2	-	2	2	-	-	-	-	-	-
	White-----M--	7	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	1	-	2	2	-	-	-	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	1	3	-	1	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
210-239	Benign and unspecified neoplasms--	15	-	-	-	-	-	-	-	1	-	2	-	1	-	2	1	1	2	2	2	-	1	-	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	1	-	-	-	-	-	-	-
	F--	12	-	-	-	-	-	-	-	1	-	2	-	1	-	1	-	1	2	1	2	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
260	Diabetes mellitus-	31	-	-	-	-	-	-	2	1	-	-	-	-	-	3	-	3	4	2	5	6	2	2	-	1	-
	White-----M--	11	-	-	-	-	-	-	1	-	-	-	-	-	-	2	-	1	1	-	-	4	1	1	-	-	-
	F--	19	-	-	-	-	-	-	1	1	-	-	-	-	-	1	-	1	3	2	5	2	1	1	-	1	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-
290-293	Anemias----------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	2	1	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
340	Nonmeningococcal meningitis--------	3	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	3	-	1	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
330-334, 400-468, 592-594	Major cardiovascular-renal diseases----------	1,051	-	-	1	-	-	1	1	1	2	10	7	8	17	32	55	86	112	148	181	157	118	73	30	9	2
	White-----M--	690	-	-	1	-	-	-	1	1	1	5	4	5	11	22	44	57	89	108	117	102	89	40	20	3	2
	F--	344	-	-	1	-	-	1	1	-	1	5	3	3	6	9	11	28	22	37	60	53	56	31	10	6	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	2	-	-	-
	F--	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	-	-	-	-	-
330-334, 400-468	Diseases of cardiovascular system-	1,006	-	-	1	-	-	1	1	1	1	10	7	8	17	30	52	84	110	143	173	152	110	68	28	7	2
	White-----M--	668	-	-	-	-	-	-	-	1	-	5	4	5	11	21	43	57	87	105	114	100	58	37	19	1	2
	F--	322	-	-	1	-	-	1	1	-	1	5	3	3	6	8	9	26	22	36	55	50	51	29	9	6	-
	Nonwhite--M--	12	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	3	2	2	2	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
330-334	Vascular lesions, etc.*----------	213	-	-	1	-	-	-	-	-	-	1	1	1	2	4	7	13	20	31	37	44	25	19	6	1	-
	White-----M--	122	-	-	-	-	-	-	-	-	-	1	1	-	1	1	4	5	15	19	27	26	10	8	4	-	-
	F--	88	-	-	1	-	-	-	-	-	-	-	-	1	1	3	3	8	4	11	10	18	15	10	2	1	-
	Nonwhite--M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
400-402	Rheumatic fever---	6	-	-	-	-	-	1	-	1	1	1	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White-----M--	2	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	4	-	-	-	-	-	1	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 22.—DEATHS FROM 64 SELECTED CAUSES, BY AGE, RACE,

(By place of residence. Exclusive of fetal

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
410-443	Diseases of heart-	745	-	-	-	-	-	-	1	-	-	8	4	7	14	26	44	69	88	109	129	104	75	43	18	4	2
	White-----M--	518	-	-	-	-	-	-	-	-	-	3	3	5	9	20	38	50	71	84	81	73	42	24	12	1	2
	F--	216	-	-	-	-	-	-	1	-	-	5	1	2	5	5	6	18	17	24	44	30	31	18	6	3	-
	Nonwhite--M--	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3	1	1	1	-	-	-
	F--	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	-	-
410-416	Chronic rheumatic heart disease-----	39	...	-	-	-	-	-	1	-	-	4	2	-	3	2	2	4	3	5	7	4	1	-	-	-	1
	White-----M--	24	...	-	-	-	-	-	-	-	-	-	1	-	2	1	2	2	2	4	5	4	-	-	-	-	1
	F--	15	...	-	-	-	-	-	1	-	-	4	1	-	1	1	-	2	1	1	2	-	1	-	-	-	-
	Nonwhite--M--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
420	Arteriosclerotic heart dis., etc.*	399	-	-	-	-	-	-	-	-	-	3	2	4	9	15	34	45	62	64	63	46	32	14	6	-	-
	White-----M--	308	-	-	-	-	-	-	-	-	-	3	2	4	6	12	30	41	50	50	43	35	19	9	4	-	-
	F--	88	-	-	-	-	-	-	-	-	-	-	-	-	3	3	4	4	12	15	19	11	12	5	2	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-
421, 422	Nonrheumatic chronic endocarditis, etc.*--	168	...	-	-	-	-	-	-	-	-	-	-	-	2	2	4	8	11	21	32	31	22	19	11	4	1
	White-----M--	109	...	-	-	-	-	-	-	-	-	-	-	-	1	2	2	4	6	18	21	22	14	8	7	1	1
	F--	55	...	-	-	-	-	-	-	-	-	-	-	-	1	-	2	3	3	3	9	8	8	11	4	3	-
	Nonwhite--M--	3	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	-
	F--	1	...	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-
430-434	Other diseases of heart----------	49	-	-	-	-	-	-	-	-	-	1	-	1	-	3	2	4	4	6	9	6	6	5	1	-	-
	White-----M--	31	-	-	-	-	-	-	-	-	-	-	-	1	-	2	2	2	4	4	5	3	4	3	1	-	-
	F--	14	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	2	-	2	4	3	1	1	-	-	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
440-443	Hypertension with heart dis.---	91	-	-	-	-	-	-	-	-	-	-	-	2	-	4	2	8	8	13	18	17	14	5	-	-	-
	White-----M--	46	-	-	-	-	-	-	-	-	-	-	-	-	-	3	2	1	7	8	7	9	5	4	-	-	-
	F--	44	-	-	-	-	-	-	-	-	-	-	-	2	-	1	-	7	1	5	10	8	9	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-
444-447	Hypertension without mention of heart----------	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	3	1	-	-	-
	White-----M--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	-
	F--	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
450	General arteriosclerosis---------	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	2	2	6	3	6	4	4	2	-
	White-----M--	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	1	2	5	-	2	4	3	-	-
	F--	10	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	2	3	-	1	2	-
	Nonwhite--M--	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
451-468	Other diseases of circulatory sys.-	5	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	1	1	-	-	-
	White-----M--	4	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	1	-	-	1	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
592-594	Chronic nephritis, etc.*----------	45	-	-	-	-	-	-	-	-	1	-	-	-	-	2	3	2	2	5	8	5	8	5	2	2	-
	White-----M--	22	-	-	-	-	-	-	-	-	1	-	-	-	-	1	1	-	2	3	3	2	3	3	1	2	-
	F--	22	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	2	-	1	5	3	5	2	1	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
480-493	Influenza and pneumonia, etc.*-	68	15	3	-	-	1	2	-	1	-	-	2	1	2	5	2	3	6	5	3	5	8	2	2	-	-
	White-----M--	42	6	2	-	-	-	1	-	-	-	-	2	-	2	4	2	2	5	3	2	3	5	1	2	-	-
	F--	20	6	-	-	-	1	1	-	1	-	-	-	1	-	-	-	-	1	2	1	2	3	1	-	-	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
480-483	Influenza---------	7	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	1	-	-	2	1	1	-	-	-
	White-----M--	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-
	F--	4	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	1	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
490-493	Pneumonia, etc.*--	61	15	3	-	-	1	1	-	-	-	-	2	1	2	5	2	3	5	5	3	3	7	1	2	-	-
	White-----M--	39	6	2	-	-	-	-	-	-	-	-	2	-	2	4	2	2	5	3	2	2	5	-	2	-	-
	F--	16	6	-	-	-	1	1	-	-	-	-	-	1	-	-	-	-	-	2	1	1	2	1	-	-	-
	Nonwhite--M--	4	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
500-502	Bronchitis---------	9	4	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-
	White-----M--	7	2	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	1	1	-	-	1	-	-
	F--	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
540, 541	Ulcer of stomach and duodenum------	15	-	-	-	-	-	-	-	-	-	1	1	1	2	1	2	2	3	-	1	1	-	-	-	-	-
	White-----M--	13	-	-	-	-	-	-	-	-	-	1	1	-	2	1	1	2	3	-	1	1	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
550-553	Appendicitis------	9	-	-	-	-	-	-	1	1	2	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-
	White-----M--	6	-	-	-	-	-	-	-	1	-	-	-	-	-	-	2	2	1	-	-	-	-	-	-	-	-
	F--	3	-	-	-	-	-	-	1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite--M--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F--	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
560, 561, 570	Hernia, intestinal obstruction--	28	8	-	-	-	-	2	1	-	-	-	2	1	-	1	1	1	1	1	4	1	4	-	-	-	-
	White-----M--	13	6	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	3	1	2	-	-	-	-
	F--	10	2	-	-	-	-	1	-	-	-	-	1	1	-	-	-	1	1	-	1	-	2	-	-	-	-
	Nonwhite--M--	3	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	F--	2	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

deaths and of deaths among armed forces overseas)

Sixth Revision No.	AREA, CAUSE OF DEATH, RACE, AND SEX	Total	Under 1	1	2	3	4	5 to 9	10 to 14	15 to 19	20 to 24	25 to 29	30 to 34	35 to 39	40 to 44	45 to 49	50 to 54	55 to 59	60 to 64	65 to 69	70 to 74	75 to 79	80 to 84	85 to 89	90 to 94	95 to 99	100 & over & not stated
	WYOMING—Con.																										
543, 571, 572	Gastritis, etc.*—	19	11	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	2	1	-	-	-	1	-	-
	White— M—	13	6	1	-	-	-	-	-	-	-	-	1	2	-	-	-	-	-	1	1	-	-	-	1	-	-
	F—	3	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite— M—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
581	Cirrhosis of liver	19	-	-	-	-	-	-	-	-	-	-	1	2	3	2	2	2	1	3	1	2	-	-	-	-	-
	White— M—	11	-	-	-	-	-	-	-	-	-	-	-	1	1	-	2	2	1	2	1	1	-	-	-	-	-	-
	F—	8	-	-	-	-	-	-	-	-	-	-	1	1	2	2	-	-	-	1	-	1	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
590, 591	Acute nephritis, etc.*—	7	1	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
	White— M—	3	-	-	-	-	-	2	-	1	-	-	-	-	1	-	-	-	-	-	2	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-
	Nonwhite— M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
610	Hyperplasia of prostate—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	-	-	-	-
	White— M—	9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2	2	1	2	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
640-689	Complications of pregnancy, etc.*—	3	...	...	...	...	...	...	-	-	-	-	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	3	...	...	...	...	...	...	-	-	-	-	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
650-652	Abortion—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
640-643, 660-689	All other complications—	3	...	...	...	...	...	...	-	-	-	-	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	White— F—	3	...	...	...	...	...	...	-	-	-	-	1	1	1	-	-	-	...	...	...	...	...	...	...	...	-
	Nonwhite— F—	-	...	...	...	...	...	...	-	-	-	-	-	-	-	-	-	-	...	...	...	...	...	...	...	...	-
750-759	Congenital malformations—	46	37	2	-	-	2	1	-	-	-	-	1	-	-	-	-	2	-	1	-	-	-	-	-	-	-
	White— M—	27	24	-	-	-	1	-	-	-	-	-	-	-	-	-	-	2	-	-	-	-	-	-	-	-	-
	F—	19	13	2	-	-	1	1	-	-	-	-	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-776	Certain diseases of early infancy—	169	169	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	95	95	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	66	66	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	6	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
760-762	Birth injuries, etc.*—	54	54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	31	31	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	19	19	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	4	4	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
765-768	Infections of newborn—	11	11	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	7	7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
769-776	Other diseases of infancy, and immaturity unqualified—	104	104	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	57	57	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	44	44	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
780-795	Senility, etc.*—	37	2	-	-	-	-	-	1	-	-	-	-	-	-	1	2	3	4	3	5	2	6	4	3	-	1
	White— M—	31	2	-	-	-	-	-	1	-	-	-	-	-	-	1	2	3	3	1	5	2	6	2	2	-	1
	F—	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2	1	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
Residual	All other diseases	136	7	1	1	-	1	2	-	2	5	2	9	4	8	14	12	10	12	6	16	7	8	4	1	2	2
	White— M—	79	7	-	-	-	-	2	-	1	-	1	6	-	3	6	5	5	10	3	13	3	4	2	1	1	2
	F—	55	-	1	1	-	1	-	-	1	5	-	3	3	5	8	3	5	2	3	3	4	4	2	-	1	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E962	Accidents—	296	21	5	8	2	2	9	14	24	22	22	23	19	18	14	8	13	10	15	10	12	10	6	5	-	4
	White— M—	218	10	4	6	2	2	7	12	18	20	18	20	12	15	12	7	11	7	12	6	5	3	2	3	-	4
	F—	68	8	1	2	-	-	2	2	6	2	4	2	5	2	2	1	2	3	2	4	6	6	4	2	-	-
	Nonwhite— M—	8	1	-	-	-	-	-	-	-	-	-	1	2	1	-	-	-	-	1	-	1	1	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E810-E835	Motor-vehicle accidents—	123	3	1	2	-	1	4	5	17	16	12	12	6	5	5	3	6	5	8	3	6	2	-	-	-	1
	White— M—	82	1	1	1	-	1	4	4	12	14	9	9	4	4	3	3	5	3	7	2	3	1	-	-	-	1
	F—	30	2	1	1	-	-	-	1	5	2	3	2	2	1	2	-	1	2	1	1	3	1	-	-	-	-
	Nonwhite— M—	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E800-E802, E840-E962	All ot. accidents—	173	18	4	6	2	1	5	9	7	6	10	11	13	13	9	5	7	5	7	7	6	8	6	5	-	3
	White— M—	126	9	3	5	2	1	3	8	6	6	9	11	8	11	9	4	6	4	5	4	2	2	2	3	-	3
	F—	38	6	1	1	-	-	2	1	1	-	1	-	3	1	-	1	1	1	1	3	3	5	4	2	-	-
	Nonwhite— M—	7	1	-	-	-	-	-	-	-	-	-	-	2	1	-	-	-	-	1	-	1	1	-	-	-	-
	F—	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E963, E970-E979	Suicide—	45	-	-	-	-	-	-	1	4	1	1	5	2	3	4	10	5	1	2	2	1	1	-	-	-	-
	White— M—	36	-	-	-	-	-	-	1	3	1	-	4	2	2	3	9	4	1	2	2	1	1	-	-	-	-
	F—	7	-	-	-	-	-	-	-	1	-	1	1	-	1	1	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E964, E980-E985	Homicide—	13	-	-	-	-	-	-	-	4	1	2	1	1	1	1	1	1	-	-	1	-	-	-	-	-	-
	White— M—	8	-	-	-	-	-	-	-	3	-	1	1	1	1	1	1	1	-	-	1	-	-	-	-	-	-
	F—	3	-	-	-	-	-	-	-	1	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	2	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
E965, E990-E999	Operations of war—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	White— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	Nonwhite— M—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	F—	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	1,443,507	726,169	542,679	96,122	79,637	26,750	8,989	6,406	5,943	5,412
2	I.—Infective and parasitic diseases	59,779	28,770	14,557	9,824	6,628	1,396	353	258	407	378
3	Tuberculosis, all forms—001-019	39,100	18,884	8,834	6,654	4,728	925	246	171	257	251
4	Tuberculosis of respiratory system—001-008	35,988	17,773	7,977	6,017	4,221	857	230	161	238	230
5	Tuberculosis of meninges and central nervous system—010	1,098	362	342	202	192	24	8	3	7	6
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	267	74	78	58	56	10	1	3	2	4
7	Tuberculosis of vertebral column—012.0,013.0	233	83	64	57	29	4	-	-	2	2
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	85	41	24	12	8	1	-	1	-	-
9	Tuberculosis of genito-urinary system—016	288	170	85	17	16	3	1	-	1	1
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	185	59	60	28	18	1	1	-	-	-
11	Disseminated tuberculosis—019	976	322	205	263	188	25	5	3	9	8
12	Syphilis and its sequelae—020-029	8,581	4,221	1,342	2,080	938	193	34	15	90	54
13	Congenital syphilis—020	352	72	52	126	102	28	-	3	14	11
14	Early syphilis—021	7	3	1	1	2	-	-	-	-	-
15	Aneurysm of aorta—022	2,357	1,424	451	338	144	39	12	2	15	10
16	Other cardiovascular syphilis—023	2,576	1,204	350	736	286	52	11	4	28	9
17	Tabes dorsalis—024	206	138	35	26	9	4	1	-	3	-
18	General paralysis of insane—025	1,774	817	251	507	199	20	5	5	5	5
19	Other syphilis of central nervous system—026	941	421	135	255	130	37	4	-	21	12
20	Other syphilis—027-029	366	142	67	91	66	13	1	1	4	7
21	Gonococcal infection—030-035	66	10	9	21	26	5	-	-	-	5
22	Typhoid fever—040	161	66	49	28	20	3	3	-	-	-
23	Paratyphoid fever—041	15	7	6	1	1	-	-	-	-	-
24	Other Salmonella infections—042	22	6	6	6	4	-	-	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	68	41	20	4	3	-	-	-	-	-
27	Dysentery, all forms—045-048	1,440	611	531	168	130	34	11	13	5	5
28	Scarlet fever—050	39	18	18	3	2	-	-	-	-	-
29	Streptococcal sore throat—051	447	189	185	31	42	11	3	3	2	3
30	Erysipelas—052	65	29	33	1	2	1	-	-	-	1
31	Septicemia and pyemia—053	587	282	206	49	50	12	1	3	4	4
32	Diphtheria—055	574	248	217	56	53	22	6	7	2	7
33	Whooping cough—056	727	230	289	109	119	23	3	5	4	11
34	Meningococcal infections—057	917	459	331	79	48	16	6	1	6	3
35	Plague—058	1	1	-	-	-	-	-	-	-	-
36	Tularemia—059	18	7	3	4	4	-	-	-	-	-
37	Leprosy—060	4	3	-	-	1	-	-	-	-	-
38	Tetanus—061	388	169	60	100	59	19	3	-	9	7
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	2,720	1,627	1,004	46	43	12	7	4	-	1
41	Late effects of acute poliomyelitis—081	72	37	32	2	1	2	-	2	-	-
42	Acute infectious encephalitis—082	465	211	186	39	29	4	3	1	-	-
43	Late effects of acute infectious encephalitis—083	220	122	86	7	5	1	1	-	-	-
44	Smallpox—084	2	1	1	-	-	-	-	-	-	-
45	Measles—085	949	367	396	98	88	52	12	19	13	8
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	560	260	251	17	32	3	-	2	-	1
48	Rabies—094	10	6	3	1	-	-	-	-	-	-
49	Tick-borne typhus—104	36	24	9	3	-	-	-	-	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	37	15	8	8	6	3	-	-	1	2
51	Malaria—110-117	118	41	22	31	24	18	3	2	6	7
52	Schistosomiasis—123	3	2	1	-	-	-	-	-	-	-
53	Hydatid disease—125	8	4	4	-	-	-	-	-	-	-
54	Filariasis—127	1	-	-	-	1	-	-	-	-	-
55	Ankylostomiasis—129	11	5	2	2	2	2	-	-	2	-
56	Other diseases due to helminths—124,126,128,130	81	24	20	15	22	4	-	-	3	1
57	All other infective and parasitic diseases—Residual	1,256	545	413	163	135	31	11	10	3	7
58	II.—Neoplasms	212,186	98,563	96,663	7,807	9,153	2,984	1,043	1,086	367	508
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	206,325	96,459	93,827	7,573	8,466	2,884	1,009	1,026	355	474
60	Malignant neoplasm of buccal cavity and pharynx—140-148	5,074	3,792	940	240	102	63	36	15	9	3
61	Of lip—140	497	449	41	5	2	2	1	1	-	-
62	Of tongue—141	1,236	934	216	62	24	13	4	5	3	1
63	Of other and unspecified parts of buccal cavity—142-144	1,373	941	336	66	30	25	15	6	3	1
64	Of pharynx—145-148	1,968	1,468	347	107	46	23	16	3	3	1
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	82,281	41,616	34,533	3,664	2,468	949	349	325	163	112
66	Of esophagus—150	3,933	2,673	764	402	94	34	19	7	5	3
67	Of stomach—151	24,791	14,103	8,308	1,528	851	362	135	95	83	49
68	Of intestine, except rectum—152,153	22,949	9,930	11,835	539	645	216	68	108	25	20
69	Of rectum—154	10,309	5,472	4,233	341	263	66	25	23	8	10
70	Of biliary passages and of liver (stated to be primary site)—155	4,432	1,537	2,636	143	116	111	38	44	17	12
71	Of liver not specified whether primary or secondary—156A	5,570	2,486	2,627	263	194	54	18	22	8	6
72	Of pancreas—157	8,692	4,704	3,413	356	219	85	41	19	15	10
73	Of peritoneum and of unspecified digestive organs—158,159	1,605	711	717	91	86	21	5	12	2	2
74	Malignant neoplasm of respiratory system—160-164	19,518	14,844	3,454	978	242	249	161	51	30	7
75	Of larynx—161	1,884	1,580	187	104	23	33	24	2	6	1
76	Of trachea, and of bronchus and lung specified as primary—162	6,825	5,399	975	383	68	142	88	37	16	1
77	Of lung and bronchus, unspecified as primary or secondary—163	9,835	7,278	1,980	449	130	55	36	8	7	4
78	Of other parts of respiratory system—160,164	974	579	332	42	21	19	13	4	1	1
79	Malignant neoplasm of breast—170	18,553	217	17,137	16	1,183	227	3	150	-	74
80	Malignant neoplasm of genital organs—171-179	34,545	10,985	19,359	1,070	3,131	647	120	258	60	209
81	Of cervix uteri—171	8,219	...	6,730	...	1,489	205	...	107	...	98
82	Of other and unspecified parts of uterus—172-174	8,043	...	6,783	...	1,260	177	...	87	...	90
83	Of ovary, fallopian tube, and broad ligament—175	5,528	...	5,208	...	320	78	...	59	...	19
84	Of other and unspecified female genital organs—176	700	...	638	...	62	7	...	5	...	2
85	Of prostate—177	11,042	10,056	...	988	...	167	108	...	59	...
86	Of testis, and of other and unspecified male genital organs—178,179	1,013	929	...	84	...	15	12	...	1	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
6,397	3,438	1,946	587	426	15,680	6,690	4,682	2,307	2,001	100,354	55,506	39,592	3,253	2,003	12,415	7,120	5,004	161	130	1
693	350	134	112	97	985	336	248	230	171	4,121	2,452	1,022	456	189	433	253	156	17	7	2
524	271	103	80	70	640	227	171	142	108	2,605	1,686	676	304	139	241	145	77	13	6	3
474	261	93	63	57	612	213	162	133	104	2,590	1,592	603	274	121	223	130	76	12	5	4
33	5	8	10	10	13	4	5	3	1	82	32	33	11	6	5	3	1	1	-	5
3	2	-	1	-	5	-	1	2	2	5	-	4	-	1	-	-	-	-	-	6
2	-	-	1	1	3	1	1	1	-	15	6	4	5	-	1	1	-	-	-	7
1	-	-	1	-	2	1	-	1	-	3	2	1	-	-	3	3	-	-	-	8
4	2	-	-	2	1	1	-	-	-	24	15	6	2	1	1	1	-	-	-	9
2	-	1	1	-	-	-	-	-	-	7	3	4	-	-	2	2	-	-	-	10
5	1	1	3	-	12	7	2	2	1	79	36	21	12	10	6	5	-	-	1	11
49	25	3	12	9	91	17	7	43	24	691	444	130	94	23	57	39	15	2	1	12
16	1	1	6	8	5	-	1	2	2	14	6	5	-	3	1	-	1	-	-	13
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	1	1	-	-	-	14
8	8	-	-	-	11	5	2	2	2	255	177	53	20	5	28	15	10	1	-	15
13	10	-	3	-	32	6	1	14	11	247	153	40	48	6	12	11	1	-	-	16
1	1	-	-	-	1	-	-	1	-	12	8	3	-	1	1	1	-	-	-	17
4	1	1	1	1	19	2	1	12	4	79	46	12	16	5	5	4	1	-	-	18
4	2	1	1	-	16	3	2	8	3	69	44	13	10	2	11	7	2	1	1	19
3	2	-	1	-	6	-	-	4	2	15	10	4	-	1	-	-	-	-	-	20
-	-	-	-	-	1	-	-	1	-	4	-	1	3	-	1	-	1	-	-	21
2	-	-	1	1	3	2	-	-	1	3	-	2	-	1	1	-	1	-	-	22
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	24
2	1	1	-	-	5	3	1	-	1	3	2	1	-	-	2	-	2	-	-	26
28	11	7	6	4	40	10	13	8	9	35	11	18	5	1	9	5	4	-	-	27
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	28
5	4	1	-	-	13	2	6	2	3	15	8	7	-	-	5	3	2	-	-	29
-	-	-	-	-	-	-	-	-	-	4	2	2	-	-	-	-	-	-	-	30
3	2	1	-	-	7	3	2	-	2	30	15	12	2	1	7	4	3	-	-	31
12	3	3	3	3	18	7	5	3	3	54	36	17	1	-	2	1	1	-	-	32
5	1	2	1	1	13	2	6	2	3	30	13	13	4	-	2	-	2	-	-	33
10	3	4	3	-	7	4	2	1	-	62	38	21	3	-	12	9	3	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	36
3	2	-	-	1	10	2	-	4	4	15	9	3	2	1	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	38
15	11	4	-	-	50	31	14	3	2	136	82	49	4	1	36	19	17	-	-	39
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	1	-	1	-	-	40
6	1	2	2	1	8	5	1	1	1	22	11	6	1	4	21	9	11	1	-	41
-	-	-	-	-	2	1	1	-	-	10	6	4	-	-	4	2	2	-	-	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	43
9	5	-	1	3	26	9	10	3	4	31	12	17	-	2	14	9	4	1	-	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
4	1	2	-	1	2	-	1	1	-	43	24	16	1	2	7	2	5	-	-	46
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	22	4	5	10	3	2	2	-	-	-	1	1	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	56
16	9	1	3	3	18	7	2	6	3	115	44	23	34	14	9	4	5	-	-	57
730	377	307	26	20	1,885	732	774	145	234	15,271	7,281	7,346	342	302	1,698	843	827	11	17	58
696	370	285	23	18	1,819	717	746	143	213	14,905	7,134	7,151	336	284	1,634	816	792	10	16	59
19	16	2	1	-	53	38	9	4	2	348	280	54	11	3	27	17	9	1	-	60
2	2	-	-	-	12	10	2	-	-	30	29	-	-	1	6	6	-	-	-	61
3	3	-	-	-	8	6	2	-	-	98	79	16	3	-	6	5	1	-	-	62
5	5	1	-	-	15	12	2	1	-	91	68	21	1	1	9	5	4	-	-	63
8	6	1	1	-	18	10	3	3	2	129	104	17	7	1	6	1	4	1	-	64
257	145	97	12	3	653	268	271	66	48	5,686	2,985	2,436	178	89	682	361	308	5	8	65
5	4	1	-	-	24	11	6	6	1	260	188	55	15	2	10	8	2	-	-	66
88	55	26	7	-	209	94	71	30	14	1,736	1,049	582	82	23	232	131	93	4	4	67
56	30	26	1	1	155	57	75	9	14	1,481	640	806	16	19	153	81	70	-	2	68
22	12	8	2	-	44	14	22	3	5	766	395	337	21	13	87	42	45	-	-	69
29	12	14	2	1	74	26	37	6	5	331	135	179	9	8	67	22	44	-	1	70
21	14	7	-	-	51	20	21	4	6	269	130	120	13	6	32	15	17	-	-	71
26	14	12	-	-	87	38	37	8	3	733	395	303	20	15	82	53	27	1	1	72
8	4	3	-	1	9	7	2	-	-	110	51	54	2	3	19	9	10	-	-	73
96	78	12	3	3	122	88	20	7	7	1,559	1,208	301	40	10	141	108	32	1	-	74
11	9	1	-	1	13	10	1	1	1	121	107	12	1	1	8	7	1	-	-	75
33	28	4	1	-	58	46	6	4	2	719	578	116	20	5	52	45	7	-	-	76
42	35	4	2	1	43	28	10	2	3	645	479	148	17	3	75	53	21	1	-	77
10	6	3	-	1	8	4	3	-	1	74	44	27	2	1	6	3	3	-	-	78
43	-	42	-	1	137	2	114	-	21	1,480	13	1,423	1	43	140	1	138	-	1	79
114	37	65	2	10	411	100	173	34	104	2,381	747	1,514	31	89	295	125	163	1	6	80
27	...	21	...	6	94	...	62	...	32	621	...	573	...	48	55	...	52	...	3	81
25	...	21	...	2	151	...	82	...	69	469	...	444	...	25	59	...	57	...	2	82
24	...	22	...	2	29	...	27	...	2	467	...	453	...	14	52	...	51	...	1	83
1	...	1	...	-	3	...	2	...	1	46	...	44	...	2	3	...	3	...	-	84
36	35	...	1	...	127	96	...	31	...	699	671	...	28	...	117	116	...	1	...	85
3	2	...	1	...	7	4	...	3	...	79	76	...	3	...	9	9	...	-	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs----------160,181	9,859	6,098	3,204	320	239	136	69	31	19	17
2	Of kidney----------180	3,546	2,080	1,288	111	67	48	24	9	5	10
3	Of bladder and other urinary organs----------181	6,313	4,036	1,916	209	152	88	45	22	14	7
4	Malignant neoplasm of other and unspecified sites------156B,165,190-199	21,065	10,380	9,219	724	762	390	169	134	50	37
5	Of skin----------190,191	3,465	1,980	1,365	60	60	69	31	31	4	3
6	Of eye----------192	415	209	182	11	13	12	7	4	-	1
7	Of brain and other parts of nervous system----------193	3,932	2,283	1,470	108	71	76	43	21	8	4
8	Of thyroid gland----------194	814	222	552	26	34	8	2	4	1	1
9	Of bone (including jaw bone)----------196	2,335	1,275	888	97	75	50	24	17	7	2
10	Of connective tissue----------197	525	266	214	26	19	6	2	3	1	-
11	Of other specified sites, not stated to be secondary----195,198A,199A	3,693	1,719	1,844	144	187	80	30	26	12	12
12	Of unspecified sites----------156B,165,198B,199B-H	5,686	2,407	2,724	252	303	99	30	26	17	14
13	Leukemia and aleukemia----------204	8,102	4,453	3,226	252	171	115	60	39	9	7
14	Lymphosarcoma, etc.*----------200-203,205	7,328	4,096	2,755	309	168	88	42	23	15	8
15	Lymphosarcoma and reticulosarcoma----------200	3,135	1,797	1,155	121	62	54	16	9	5	4
16	Hodgkin's disease----------201	2,476	1,414	908	100	54	37	17	11	7	2
17	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	1,717	885	692	88	52	17	9	3	3	2
18	Benign neoplasms and neoplasms of unspecified nature----------210-239	5,861	2,104	2,836	234	687	120	34	40	12	34
19	Benign neoplasms of female genital organs----------214-217	1,450	...	1,000	...	450	38	...	16	...	22
20	Benign neoplasm of brain and other parts of nervous system--------223	903	409	430	27	37	12	8	3	-	1
21	Other benign neoplasms----------210-213,218-222,224-229	864	448	328	44	44	14	1	7	2	4
22	Neoplasm of unspecified nature of female genital organs-------233-235	40	...	35	...	5	2	...	2	...	-
23	Neoplasm of unspecified nature of brain, etc.*----------237	1,691	829	869	104	89	36	18	8	6	4
24	Other neoplasms of unspecified nature----------230-232,236,238,239	913	418	374	59	62	18	7	4	4	3
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases----------	34,726	12,944	18,352	1,247	2,183	558	171	179	82	126
26	Asthma----------241	4,547	2,547	1,524	276	200	83	36	23	12	12
27	Nontoxic goiter----------250,251	186	30	113	1	42	6	-	2	-	4
28	Thyrotoxicosis with or without goiter----------252	1,562	254	1,126	24	158	25	3	9	1	12
29	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	205	40	156	1	8	1	-	-	-	1
30	Diabetes mellitus----------260	25,099	8,717	14,158	714	1,500	330	100	104	52	74
31	Diseases of thymus gland----------273	827	449	256	64	58	21	8	4	7	2
32	Diseases of adrenal glands----------274	436	166	242	17	13	5	-	4	-	1
33	Pellagra----------281	321	63	150	27	81	40	7	18	5	10
34	All other avitaminoses and nutritional deficiency states----280,262-286	949	385	369	101	94	32	11	10	2	9
35	Other allergic, endocrine, and metabolic diseases----------Residual	602	293	258	22	29	15	6	5	3	1
36	IV.—Diseases of the blood and blood-forming organs----------	5,851	2,504	2,797	233	297	84	25	26	15	18
37	Anemias----------290-293	4,446	1,855	2,164	183	244	59	16	21	8	14
38	Pernicious and other hyperchromic anemias----------290	2,449	1,032	1,308	41	68	24	7	10	2	5
39	Anemias of other and unspecified type----------291-293	1,997	823	856	142	176	35	9	11	6	9
40	Purpura and other hemorrhagic conditions----------296	583	234	294	21	34	10	3	3	2	2
41	All other diseases of blood and blood-forming organs----294,295,297-299	802	415	339	29	19	15	6	2	5	2
42	V.—Mental, psychoneurotic, and personality disorders----------	5,602	3,179	1,642	466	315	139	47	51	25	16
43	Senile psychosis----------304	1,208	512	576	55	65	21	7	6	5	3
44	Alcoholic psychosis----------307	299	252	18	24	5	2	1	-	1	-
45	Other psychoses----------[illegible]00-30 ,305,306,308,309	1,075	358	498	87	134	67	7	38	10	12
46	Alcoholism----------322	2,466	1,790	313	278	85	34	24	2	8	-
47	Mental deficiency----------325	375	200	150	12	13	9	5	4	-	-
48	Psychoneuroses and other disorders of personality---310-321,323,324,326	179	67	89	10	13	6	3	1	1	1
49	VI.—Diseases of the nervous system and sense organs----------	164,620	71,668	72,382	9,863	10,707	3,302	950	818	726	808
50	Vascular lesions affecting central nervous system----------330-334	149,953	64,490	66,800	8,702	9,861	2,980	843	757	630	750
51	Subarachnoid hemorrhage----------330	2,804	1,186	1,220	196	202	37	11	12	10	4
52	Cerebral hemorrhage----------331	102,443	43,382	46,213	5,852	6,896	2,116	588	554	437	537
53	Cerebral embolism and thrombosis----------332	22,791	10,612	10,336	872	771	178	63	60	30	25
54	Other vascular lesions affecting central nervous system-------333,334	21,915	9,110	9,131	1,682	1,992	649	181	151	153	184
55	Meningitis, except meningococcal and tuberculous----------340	2,147	959	644	320	244	63	16	7	25	15
56	Multiple sclerosis----------345	1,379	649	684	24	22	7	1	5	1	-
57	Paralysis agitans----------350	2,179	1,203	916	31	29	24	16	7	1	-
58	Cerebral spastic infantile paralysis----------351	677	332	265	48	32	15	4	3	5	3
59	Epilepsy----------353	2,397	1,183	781	295	140	77	26	10	24	17
60	Inflammatory diseases of eye----------370-379	28	16	8	2	2	-	-	-	-	-
61	Cataract----------385	54	24	27	1	2	-	-	-	-	-
62	Glaucoma----------387	24	10	11	2	1	-	-	-	-	-
63	Otitis media and mastoiditis----------391-393	844	332	231	41	40	13	4	2	4	3
64	Other diseases of nervous system and sense organs----------Residual	5,138	2,490	1,915	399	334	123	40	27	36	20
65	VII.—Diseases of the circulatory system----------	570,546	305,599	212,314	27,937	24,696	8,368	3,140	2,034	1,643	1,549
66	Rheumatic fever----------400-402	2,304	965	904	196	239	55	14	10	13	18
67	Diseases of heart----------410-443	518,568	281,716	189,709	25,141	22,002	7,612	2,907	1,852	1,485	1,368
68	Chronic rheumatic heart disease----------410-416	20,434	9,326	9,104	1,044	960	259	83	67	56	53
69	Diseases of mitral valve----------410	9,109	4,127	3,950	512	520	156	51	36	34	37
70	Diseases of aortic valve specified as rheumatic----------411	702	505	158	30	9	4	2	-	2	-
71	Diseases of tricuspid valve----------412	24	15	8	1	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	1,231	565	596	36	34	20	6	8	2	4
73	Other diseases of heart specified as rheumatic----------415,416	9,368	4,114	4,392	465	397	77	24	23	18	12
74	Arteriosclerotic heart disease, including coronary disease----------420	299,109	185,324	97,482	9,542	6,761	3,392	1,693	852	486	361
75	Arteriosclerotic heart disease so described----------420.0	89,512	46,774	37,272	3,042	2,424	813	323	249	134	107
76	Heart disease specified as involving coronary arteries----------420.1	207,023	156,969	59,484	6,362	4,228	2,493	1,332	558	341	262
77	Angina pectoris without mention of coronary disease----------420.2	2,574	1,581	746	138	109	86	38	25	11	12

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948]

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
30	25	5	-	-	74	31	29	10	4	748	460	284	15	9	70	50	20	-	-	1
13	10	3	-	-	28	14	11	3	-	270	161	102	4	3	26	18	8	-	-	2
17	15	2	-	-	46	17	18	7	4	478	299	162	11	6	44	32	12	-	-	3
80	38	38	3	1	241	114	95	11	21	1,465	759	649	32	25	145	81	63	1	-	4
8	4	3	1	-	53	35	18	-	-	241	155	81	1	4	33	23	10	-	-	5
2	-	2	-	-	6	3	3	-	-	36	21	12	1	2	2	1	1	-	-	6
14	8	5	1	-	40	26	10	2	2	314	186	111	11	6	42	27	15	-	-	7
1	-	1	-	-	11	2	6	-	3	77	14	59	1	3	5	1	4	-	-	8
11	5	6	-	-	27	12	10	2	3	129	75	49	4	1	7	3	4	-	-	9
2	2	-	-	-	4	2	2	-	-	56	26	29	-	1	6	3	3	-	-	10
20	8	11	-	1	50	16	27	2	5	201	86	108	4	3	24	10	14	-	-	11
22	11	10	1	-	50	18	19	5	8	411	196	200	10	5	26	13	12	1	-	12
26	14	12	-	-	73	40	25	3	5	658	353	285	7	13	69	36	33	-	-	13
31	17	12	2	-	55	36	10	8	1	580	331	225	21	3	65	37	26	1	1	14
14	10	3	1	-	25	17	4	4	-	266	154	103	9	-	37	21	14	1	1	15
11	4	7	-	-	19	13	2	3	1	163	103	53	6	1	17	10	7	-	-	16
6	3	2	1	-	11	6	4	1	-	151	74	69	6	2	11	6	5	-	-	17
34	7	22	3	2	66	15	28	2	21	366	147	195	6	18	64	27	35	1	1	18
6	...	6	...	-	30	...	14	...	16	73	...	61	...	12	16	...	15	...	1	19
4	1	2	1	-	2	1	1	-	-	98	46	47	2	3	16	9	7	-	-	20
6	3	2	-	1	8	4	2	-	2	70	39	27	2	2	14	10	4	-	-	21
-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	1	...	1	...	-	22
11	3	7	1	-	15	6	7	1	2	80	36	42	1	1	15	6	8	1	-	23
7	-	5	1	1	10	4	4	1	1	43	26	16	1	-	2	2	-	-	-	24
172	91	67	8	6	306	102	120	38	46	1,589	727	783	34	45	274	134	135	1	4	25
84	53	29	1	1	57	27	18	8	4	345	225	104	12	4	73	46	26	-	1	26
-	-	-	-	-	3	-	2	-	1	10	1	9	-	-	5	1	4	-	-	27
7	4	2	1	-	17	2	9	-	6	81	14	62	1	4	13	4	9	-	-	28
1	1	-	-	-	1	-	1	-	-	10	1	9	-	-	1	-	1	-	-	29
64	22	33	5	4	194	68	79	24	23	936	384	501	19	32	158	74	80	1	3	30
8	5	2	-	1	4	1	2	1	-	62	38	23	1	-	7	2	5	-	-	31
1	1	-	-	-	3	-	1	2	-	33	18	15	-	-	5	3	2	-	-	32
-	-	-	-	-	11	-	3	2	6	10	5	3	1	1	-	-	-	-	-	33
3	2	-	1	-	11	3	2	1	5	50	19	28	-	3	9	4	5	-	-	34
4	3	1	-	-	5	1	3	-	1	52	22	29	-	1	3	-	3	-	-	35
17	9	7	1	-	49	17	21	4	7	351	163	168	10	10	46	22	23	-	1	36
10	5	5	-	-	38	14	13	4	7	237	104	125	5	3	27	10	16	-	1	37
4	2	2	-	-	19	7	7	3	2	100	37	62	1	-	19	6	12	-	1	38
6	3	3	-	-	19	7	6	1	5	137	67	63	4	3	8	4	4	-	-	39
3	2	1	-	-	8	1	7	-	-	53	23	19	5	6	5	3	2	-	-	40
4	2	1	1	-	3	2	1	-	-	61	36	24	-	1	14	9	5	-	-	41
32	20	7	2	3	63	39	13	5	6	417	261	133	15	8	59	34	22	3	-	42
4	3	1	-	-	12	7	3	-	2	83	32	48	1	2	18	6	12	-	-	43
1	1	-	-	-	1	1	-	-	-	15	13	-	2	-	1	-	1	-	-	44
3	1	1	-	1	21	9	8	1	3	58	23	29	2	4	6	4	2	-	-	45
22	14	4	2	2	25	20	1	3	1	227	180	38	8	1	33	24	6	3	-	46
1	1	-	-	-	3	2	-	1	-	19	9	10	-	-	-	-	-	-	-	47
1	-	1	-	-	1	-	1	-	-	15	4	8	2	1	1	-	1	-	-	48
490	258	184	26	22	1,783	691	595	231	266	10,835	4,915	5,435	253	232	1,230	556	640	13	21	49
413	220	163	17	13	1,596	619	533	200	244	9,968	4,464	5,070	221	213	1,109	484	592	12	21	50
11	3	6	1	1	16	12	3	-	1	214	82	116	9	7	17	9	7	-	1	51
291	158	114	10	9	1,128	440	377	146	165	6,233	2,709	3,233	139	152	777	327	424	10	16	52
54	30	17	5	2	101	48	39	7	7	2,431	1,179	1,156	57	39	185	90	91	2	2	53
57	29	26	1	1	351	119	114	47	71	1,090	494	565	16	15	130	58	70	-	2	54
19	7	5	3	4	31	9	8	8	6	138	73	48	13	4	14	8	6	-	-	55
6	2	3	1	-	6	3	3	-	-	102	50	49	2	1	14	8	6	-	-	56
5	2	3	-	-	16	9	6	1	-	153	84	68	-	1	15	13	2	-	-	57
-	-	-	-	-	8	3	3	-	2	31	15	15	-	1	7	1	6	-	-	58
9	5	2	1	1	30	15	6	7	2	111	60	44	4	3	24	13	11	-	-	59
1	1	-	-	-	1	-	-	1	-	1	1	-	-	-	1	1	-	-	-	60
-	-	-	-	-	1	-	-	-	1	4	2	2	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	62
7	3	1	2	1	11	4	5	2	-	48	26	20	1	1	11	9	2	-	-	63
30	18	7	2	3	63	29	31	12	11	278	139	119	12	8	35	19	15	1	-	64
1,643	1,009	531	63	40	5,068	2,469	1,377	650	572	41,817	24,183	16,174	914	546	4,666	2,798	1,771	59	38	65
14	5	9	-	-	25	12	6	4	3	103	49	42	3	9	30	16	13	-	1	66
1,442	907	444	58	33	4,564	2,255	1,221	581	507	37,723	22,256	14,171	828	468	4,186	2,528	1,570	54	34	67
90	40	44	3	3	186	79	61	21	25	1,519	708	735	42	34	227	120	104	2	1	68
25	10	12	1	2	111	46	32	16	17	681	325	332	15	19	110	56	52	1	1	69
1	1	-	-	-	9	6	3	-	-	130	98	28	4	-	12	9	2	1	-	70
-	-	-	-	-	1	1	-	-	-	3	2	1	-	-	1	-	1	-	-	71
7	4	3	-	-	4	-	4	-	-	102	41	55	4	2	17	10	7	-	-	72
57	25	29	2	1	61	26	22	5	8	593	242	319	19	13	87	45	42	-	-	73
813	572	205	28	8	2,230	1,366	533	181	150	25,421	16,381	8,354	470	216	2,534	1,691	795	33	15	74
201	126	68	5	2	464	250	136	39	39	8,327	4,776	3,300	167	84	818	502	288	19	9	75
611	445	137	23	6	1,723	1,069	367	140	107	17,008	11,549	5,028	302	129	1,698	1,174	504	14	6	76
1	1	-	-	-	43	27	10	2	4	86	56	26	1	3	18	15	3	-	-	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic----421	11,307	5,147	4,269	960	931	341	90	57	88	106
2	Of mitral valve, specified as nonrheumatic----421.0	277	119	115	26	17	4	1	-	3	-
3	Of aortic valve, not specified as rheumatic----421.1	2,056	1,045	562	257	192	46	11	4	14	17
4	Of other valves, not specified as rheumatic----421.2-421.4	9,974	3,983	3,592	677	722	291	78	53	70	89
5	Other myocardial degeneration----422	80,094	37,835	34,594	4,109	3,556	1,081	340	302	236	203
6	With arteriosclerosis----422.1	34,648	15,979	16,125	1,361	1,183	354	112	97	86	59
7	Without mention of arteriosclerosis----422.0,422.2	45,446	21,856	18,469	2,748	2,373	727	228	205	150	144
8	Other diseases of heart----430-434	25,816	12,172	7,516	2,287	1,841	495	206	93	104	92
9	Acute and subacute endocarditis----430	1,187	578	352	130	127	17	5	2	4	6
10	Acute myocarditis not specified as rheumatic----431	3,269	1,480	1,173	302	314	80	29	16	20	15
11	Acute pericarditis specified as nonrheumatic----432	42	28	7	2	5	-	-	-	-	-
12	Functional disease of heart----433	2,142	1,067	984	51	60	29	9	12	3	5
13	Other and unspecified diseases of heart----434	17,176	9,019	5,020	1,802	1,335	369	163	63	77	66
14	Hypertension with heart disease----440-443	83,808	31,912	36,744	7,199	7,953	2,044	485	501	515	533
15	Hypertensive heart disease with arteriolar nephrosclerosis----442	25,718	10,851	10,324	2,314	2,229	678	181	157	176	164
16	Essential hypertension with heart disease, etc.*----440,441,443	58,090	21,061	26,420	4,885	5,724	1,366	304	344	339	369
17	Hypertension without mention of heart----444-447	12,199	4,931	5,057	1,078	1,133	291	75	60	58	98
18	Hypertension with arteriolar nephrosclerosis, etc.*----446	5,628	2,605	2,122	463	438	98	29	20	17	32
19	Essential hypertension, other hypertensive disease, etc.*-444,445,447	6,571	2,326	2,935	615	695	193	46	40	41	66
20	Diseases of arteries----450-456	33,853	16,289	15,127	1,321	1,116	351	117	97	78	59
21	General arteriosclerosis----450	30,426	14,374	14,002	1,124	926	291	97	83	60	51
22	Aortic aneurysm specified as nonsyphilitic, etc.*----451	1,487	990	336	106	55	21	6	3	10	2
23	Gangrene of unspecified cause----455	329	171	101	28	29	6	1	2	2	1
24	Other arterial diseases----452-454,456	1,611	754	688	63	106	33	13	9	6	5
25	Diseases of veins and other diseases of circulatory system----460-468	3,622	1,698	1,517	201	206	57	27	15	9	6
26	VIII.—Diseases of the respiratory system----	58,259	28,616	19,301	5,788	4,554	1,437	401	342	380	314
27	Acute upper respiratory infections----470-475	812	379	323	121	89	18	3	5	4	6
28	Influenza----480-483	4,602	1,704	1,656	846	596	213	51	37	70	55
29	Pneumonia, except pneumonia of newborn----490-493	40,038	18,679	13,747	4,268	3,344	992	270	237	262	223
30	Lobar pneumonia----490	14,365	7,072	4,352	1,744	1,197	389	87	91	116	95
31	Bronchopneumonia----491	19,052	8,552	8,979	1,863	1,658	424	117	102	107	98
32	Primary atypical pneumonia----492	3,107	1,535	1,219	200	153	94	43	31	11	9
33	Pneumonia, other and unspecified----493	3,514	1,520	1,197	461	336	85	23	13	28	21
34	Acute bronchitis----500	991	457	367	80	87	15	4	4	3	4
35	Bronchitis, chronic and unqualified----501,502	2,293	1,274	773	119	127	48	11	16	10	11
36	Hypertrophy of tonsils and adenoids----510	377	179	136	33	29	14	5	5	2	2
37	Empyema and abscess of lung----518,521	920	570	178	117	55	19	8	4	6	1
38	Pleurisy----519	222	121	71	19	11	3	2	1	-	-
39	All other respiratory diseases----Residual	7,904	5,253	2,060	385	216	115	47	33	23	12
40	IX.—Diseases of the digestive system----	58,601	30,438	21,534	3,774	2,855	974	350	250	209	165
41	Diseases of teeth and supporting structures----530-535	276	142	71	32	31	15	4	2	6	3
42	Ulcer of stomach----540	4,416	3,184	763	376	113	61	25	6	21	9
43	Ulcer of duodenum----541	3,393	2,684	512	155	42	33	19	4	10	-
44	Gastritis and duodenitis----543	342	147	98	43	54	7	-	3	2	2
45	Appendicitis----550-553	3,744	2,002	1,191	323	228	91	28	20	26	17
46	Hernia and intestinal obstruction----560,561,570	9,854	4,496	4,211	614	533	184	63	48	40	33
47	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	9,628	3,929	3,748	1,071	880	236	69	66	58	43
48	Cirrhosis of liver----581	13,694	8,468	4,290	580	356	154	74	30	24	26
49	Without mention of alcoholism----581.0	10,516	6,310	3,468	442	296	142	63	30	23	28
50	With alcoholism----581.1	3,178	2,158	822	138	60	12	11	-	1	-
51	Cholelithiasis and cholecystitis----584,585	6,292	2,139	3,918	74	161	62	24	31	3	4
52	Other diseases of digestive system----Residual	6,962	3,267	2,732	506	457	131	44	40	19	28
53	X.—Diseases of the genito-urinary system----	44,145	22,445	14,027	4,308	3,365	1,137	323	239	331	244
54	Nephritis and nephrosis----590-594	29,532	12,780	11,099	2,865	2,808	847	209	201	222	215
55	Acute nephritis----590	2,279	950	758	299	272	78	20	18	23	17
56	Nephritis with edema, including nephrosis----591	1,318	596	457	140	125	25	2	4	8	11
57	Chronic and unspecified nephritis and other renal sclerosis---592-594	25,935	11,214	9,884	2,426	2,411	744	187	179	191	187
58	Infections of kidney----600	3,128	1,355	1,341	227	205	69	23	20	14	12
59	Calculi of urinary system----602,604	1,078	610	398	36	34	18	7	6	3	2
60	Other diseases of urinary system----601,603,605-609	1,600	843	430	257	70	25	8	1	13	3
61	Hyperplasia of prostate----610	6,860	6,097	...	763	...	123	62	...	61	...
62	Other diseases of male genital organs----611-617	937	777	...	160	...	32	14	...	18	...
63	Diseases of breast----620,621	19	3	10	-	6	1	-	-	-	1
64	Diseases of female genital organs----622-637	991	...	749	...	242	22	...	11	...	11
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium----	3,216	...	2,099	...	1,117	164	...	71	...	93
66	Sepsis of pregnancy, childbirth, and puerperium-----640,641,681,682,684	516	...	358	...	158	28	...	6	...	22
67	Toxemias of pregnancy and puerperium, etc.*----642,685,686	1,033	...	652	...	381	55	...	22	...	33
68	Hemorrhage of pregnancy and childbirth----643,644,670-672	545	...	371	...	174	29	...	16	...	13
69	Ectopic pregnancy----645	203	...	108	...	95	6	...	3	...	3
70	Abortion without mention of sepsis or toxemia----650	99	...	62	...	37	5	...	3	...	2
71	Abortion with sepsis----651	261	...	154	...	107	15	...	6	...	9
72	Abortion with toxemia, without mention of sepsis----652	34	...	20	...	14	2	...	1	...	1
73	Other complications of pregnancy, childbirth, and puerperium--- Residual	525	...	374	...	151	24	...	14	...	10
74	XII.—Diseases of the skin and cellular tissue----	1,421	587	583	121	130	25	6	3	6	10
75	Infections of skin and subcutaneous tissue----690-698	413	193	129	52	39	10	3	1	2	4
76	Other diseases of skin and subcutaneous tissue----700-716	1,008	394	454	69	91	15	3	2	4	6

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
21	8	8	3	2	154	60	29	36	29	427	254	173	14	6	89	44	45	-	-	1
-	-	-	-	-	2	1	-	1	-	18	6	12	-	-	2	-	2	-	-	2
4	1	-	2	1	27	10	6	7	4	150	102	41	5	2	18	10	8	-	-	3
17	7	8	1	1	125	49	23	28	25	259	126	120	9	4	69	34	35	-	-	4
237	138	76	13	10	521	217	169	79	56	4,632	2,289	2,181	111	51	537	293	237	4	3	5
117	76	30	6	5	119	59	40	10	10	2,393	1,140	1,197	36	20	199	104	94	1	-	6
120	62	46	7	5	402	158	129	69	46	2,239	1,149	984	75	31	338	189	143	3	3	7
91	57	30	2	2	482	203	116	94	69	761	451	274	24	12	164	100	62	2	-	8
5	2	2	-	1	28	6	6	7	9	109	74	27	6	2	15	9	5	1	-	9
14	11	3	-	-	30	12	9	5	4	88	49	34	1	4	11	8	2	1	-	10
1	-	-	1	-	1	-	-	1	-	5	5	-	-	-	1	1	-	-	-	11
7	2	4	-	1	24	10	9	4	1	125	61	62	-	2	26	20	6	-	-	12
64	42	21	1	-	399	175	92	77	55	434	262	151	17	4	111	62	49	-	-	13
190	92	81	9	8	991	330	313	170	178	4,963	2,193	2,454	167	149	635	280	327	13	15	14
47	25	19	1	2	255	101	63	47	44	1,150	560	516	36	38	304	151	145	4	4	15
143	67	62	8	6	736	229	250	123	134	3,813	1,633	1,938	131	111	331	129	182	9	11	16
47	31	12	1	3	194	64	69	29	32	691	298	349	22	22	93	54	34	3	2	17
25	18	5	-	2	43	17	12	9	5	394	205	162	15	12	58	35	19	3	1	18
22	13	7	1	1	151	47	57	20	27	297	93	187	7	10	35	19	15	-	1	19
125	60	60	2	3	256	125	70	34	27	3,037	1,430	1,511	57	39	309	177	129	2	1	20
103	50	50	2	1	232	112	62	34	24	2,688	1,204	1,403	49	32	270	148	119	2	1	21
10	7	3	-	-	6	5	1	-	-	256	167	60	6	3	23	16	7	-	-	22
1	-	-	-	1	6	3	1	-	2	10	6	3	1	-	3	2	1	-	-	23
11	3	7	-	1	12	5	6	-	1	103	53	45	1	4	13	11	2	-	-	24
15	6	6	2	1	39	13	11	2	3	263	150	101	4	8	48	23	25	-	-	25
425	227	94	63	41	950	335	293	180	142	3,824	2,207	1,353	171	93	824	474	336	5	9	26
6	-	2	3	1	12	5	1	5	1	43	23	18	1	1	7	1	5	-	1	27
15	7	7	1	-	127	44	29	21	33	85	41	38	4	2	43	21	22	-	-	28
258	104	65	55	34	683	222	222	144	95	2,775	1,517	1,044	136	78	622	347	262	5	8	29
77	33	22	18	4	271	93	82	59	37	814	503	241	52	18	187	98	64	2	3	30
131	51	33	25	22	299	86	105	60	48	1,683	856	704	74	49	411	224	180	3	4	31
20	8	7	3	2	62	27	24	10	1	218	132	73	8	5	37	20	17	-	-	32
30	12	3	9	6	51	16	11	15	9	60	26	28	2	6	7	5	1	-	1	33
8	5	2	-	1	10	2	5	-	3	61	35	23	2	1	10	5	5	-	-	34
28	20	7	-	1	32	18	9	3	2	140	83	55	-	2	26	19	7	-	-	35
3	3	-	-	-	4	2	2	-	-	27	12	11	3	1	8	3	5	-	-	36
4	4	-	-	-	14	6	4	2	2	68	54	8	4	2	8	5	3	-	-	37
2	1	-	-	1	1	-	-	-	1	11	9	1	1	-	-	-	-	-	-	38
101	83	11	4	3	67	36	21	5	5	614	433	155	20	6	100	73	27	-	-	39
424	175	137	65	47	667	272	220	96	79	4,722	2,732	1,746	164	80	592	369	208	7	8	40
1	1	-	-	-	6	1	-	1	4	22	14	6	1	1	4	4	-	-	-	41
24	18	5	1	-	47	29	7	8	3	389	288	80	17	4	51	37	13	1	-	42
15	15	-	-	-	20	15	3	2	-	338	276	52	10	-	53	41	10	2	-	43
1	-	-	1	-	9	4	2	1	2	19	15	4	-	-	3	3	-	-	-	44
11	7	2	1	1	59	26	18	9	6	212	115	88	6	3	43	33	7	2	1	45
42	20	15	4	3	103	32	38	17	16	619	306	277	19	17	109	58	50	-	1	46
196	56	51	55	34	179	58	62	32	27	508	259	209	18	23	114	62	51	1	-	47
52	34	17	-	1	104	58	26	16	4	1,775	1,062	621	72	20	86	59	24	1	2	48
47	32	14	-	1	91	54	19	14	4	942	533	360	41	8	67	43	21	1	2	49
5	2	3	-	-	13	4	7	2	-	833	529	261	31	12	19	16	3	-	-	50
44	8	29	1	6	64	20	38	2	4	373	135	232	3	3	77	40	34	-	3	51
38	16	18	2	2	76	29	26	8	13	467	263	177	18	9	52	32	19	-	1	52
166	92	54	12	8	755	309	191	166	89	2,354	1,385	822	90	57	395	225	156	4	10	53
101	50	37	7	7	553	203	158	118	74	1,430	733	610	51	36	247	123	118	-	6	54
11	5	5	1	-	59	29	12	11	7	98	48	41	6	3	16	8	8	-	-	55
12	4	6	-	2	15	6	5	3	1	90	45	43	2	-	14	7	6	-	1	56
78	41	26	6	5	479	168	141	104	66	1,242	640	526	43	33	217	108	104	-	5	57
15	4	8	2	1	44	20	12	7	5	252	124	112	5	11	31	11	17	-	3	58
3	1	2	-	-	12	5	5	1	1	72	45	21	6	-	4	3	1	-	-	59
8	4	4	-	-	23	8	2	10	3	100	61	33	5	1	19	8	9	2	-	60
31	28	...	3	...	80	57	...	23	...	407	384	...	23	...	75	74	...	1	...	61
5	5	...	-	...	23	16	...	7	...	58	58	...	-	...	7	6	...	1	...	62
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	63
3	...	3	...	-	19	...	13	...	6	55	...	46	...	9	12	...	11	...	1	64
29	...	17	...	12	80	...	35	...	45	158	...	130	...	28	30	...	29	...	1	65
4	...	3	...	1	18	...	14	...	4	21	...	16	...	5	7	...	6	...	1	66
7	...	4	...	3	29	...	11	...	18	51	...	46	...	5	7	...	7	...	-	67
4	...	1	...	3	11	...	3	...	8	19	...	18	...	1	5	...	5	...	-	68
6	...	5	...	1	7	...	4	...	3	10	...	5	...	5	-	...	-	...	-	69
2	...	-	...	2	1	...	-	...	1	8	...	5	...	3	2	...	2	...	-	70
2	...	2	...	-	3	...	1	...	2	20	...	17	...	3	2	...	2	...	-	71
-	...	-	...	-	2	...	1	...	1	-	...	-	...	-	1	...	1	...	-	72
4	...	2	...	2	9	...	1	...	8	29	...	23	...	6	6	...	6	...	-	73
6	-	2	2	2	17	4	8	2	3	83	43	32	5	3	22	11	10	-	1	74
3	-	1	1	1	7	2	1	2	2	24	16	7	1	-	6	3	3	-	-	75
3	-	1	1	1	10	2	7	-	1	59	27	25	4	3	16	8	7	-	1	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	2,964	1,157	1,517	129	161	73	23	29	9	12
2	Arthritis and spondylitis—720-725	1,771	545	1,054	64	108	50	14	22	7	7
3	Muscular rheumatism and rheumatism unspecified—726,727	97	43	41	3	10	5	3	1	-	1
4	Osteomyelitis and periostitis—730	219	123	54	27	15	10	3	2	2	3
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	77	37	26	9	5	-	-	-	-	-
6	All other diseases of musculoskeletal system—731-736,738-744	600	409	342	26	23	8	3	4	-	1
7	XIV.—Congenital malformations	18,864	9,438	7,742	939	745	351	146	109	48	48
8	Spina bifida and meningocele—751	1,960	837	1,036	52	35	36	12	20	4	-
9	Congenital hydrocephalus, etc.*—752,753	1,951	857	913	101	80	43	11	10	10	12
10	Congenital malformations of circulatory system—754	8,568	4,410	3,354	430	374	155	68	42	25	20
11	Other congenital malformations—750,755-759	6,385	3,334	2,439	356	256	117	55	37	9	16
12	XV.—Certain diseases of early infancy	64,179	31,115	21,460	6,545	5,059	1,798	633	386	421	356
13	Birth injuries—760,761	12,314	6,551	4,062	1,002	699	312	143	57	66	46
14	Postnatal asphyxia and atelectasis—762	13,239	6,789	4,424	1,156	870	309	121	78	54	56
15	Infections of newborn—763-768	4,471	1,938	1,350	674	509	142	35	23	47	37
16	Hemolytic disease of newborn (erythroblastosis)—770	2,519	1,391	944	110	74	49	27	13	8	1
17	All other defined diseases of early infancy—769,771,772	3,466	1,504	1,065	521	376	131	46	28	30	27
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	28,170	12,942	9,615	3,082	2,531	853	261	187	216	189
19	XVI.—Symptoms, senility, and ill-defined conditions	23,520	8,859	6,330	4,515	3,816	1,561	307	185	531	538
20	Senility without mention of psychosis—794	6,359	2,340	2,878	548	593	206	36	42	60	68
21	Symptoms, ill-defined and unknown causes—780-793,795	17,161	6,519	3,452	3,967	3,223	1,355	271	143	471	470
22	XVII.—Accidents, poisonings, and violence	115,148	70,287	29,379	11,626	3,856	2,403	1,071	360	743	229
23	Accidents—E800-E962	90,106	54,876	24,802	7,600	2,828	1,779	834	312	468	165
24	Railway accidents—E800-E802	2,119	1,561	191	342	25	76	42	1	31	2
25	Motor-vehicle accidents—E810-E835	31,701	21,642	6,700	2,650	709	716	400	103	170	43
26	Motor-vehicle traffic accidents—E810-E825	30,863	21,051	6,527	2,592	693	699	387	101	168	43
27	Motor-vehicle traffic accident with railway train*—E810	1,452	1,048	317	81	26	16	11	2	-	3
28	Motor-vehicle traffic accident to pedestrian—E812	8,288	5,453	1,731	848	256	146	62	23	41	20
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	9,064	6,142	2,149	609	164	186	114	24	43	5
30	Motor-vehicle noncollision traffic accidents—E820-E824	8,897	4,957	1,167	627	146	186	108	17	52	8
31	Motor-vehicle traffic accident of unspecified nature—E825	5,162	3,451	1,163	447	101	165	91	35	32	7
32	Motor-vehicle nontraffic accidents—E830-E835	838	591	173	58	16	17	13	2	2	-
33	Other road-vehicle accidents—E840-E845	599	396	97	88	18	16	6	3	7	-
34	Water-transport accidents—E830-E838	1,484	1,213	101	155	15	63	48	3	10	2
35	Aircraft accidents—E840-E866	1,549	1,407	132	8	2	16	14	1	1	-
36	Accidental poisoning by solid and liquid substances—E870-E888	1,634	812	540	180	102	43	13	8	15	7
37	Accidental poisoning by gases and vapors—E890-E895	1,617	1,028	468	95	26	10	6	3	1	-
38	Accidental falls—E900-E904	22,308	9,872	11,251	722	463	217	59	112	23	23
39	Fall from one level to another—E900-E902	7,456	4,260	2,636	386	174	77	27	27	10	13
40	Fall on same level—E903	4,300	1,725	2,430	79	66	64	16	35	6	7
41	Unspecified falls—E904	10,552	3,887	6,185	257	223	76	16	50	7	3
42	Blow from falling object—E910	1,604	1,327	69	202	6	53	33	-	18	2
43	Accident caused by machinery—E912	1,668	1,455	69	139	6	28	21	1	6	-
44	Accident caused by electric current—E914	1,046	919	65	57	5	22	17	2	3	-
45	Accident caused by fire and explosion, etc.*—E916	5,982	2,862	1,878	782	680	138	34	25	45	34
46	Accident caused by hot substance, etc.*—E917,E918	950	427	294	135	94	33	8	2	15	8
47	Accident caused by firearm—E919	2,326	1,704	201	339	82	73	37	4	27	5
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	1,341	702	416	128	95	19	3	4	6	6
49	Accidental drowning—E929	5,330	3,802	724	748	56	77	31	5	38	3
50	Excessive heat and insolation—E931	488	307	93	64	24	6	3	-	2	1
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	252	112	82	17	21	3	-	1	1	1
52	All other accidents—Residual	6,127	3,528	1,431	769	399	170	59	34	49	28
53	Suicide—E963,E970-E979	16,993	12,668	3,662	541	122	195	146	29	18	2
54	Suicide by poisoning—E970-E973	3,834	2,264	1,472	63	35	25	14	11	-	-
55	Suicide by hanging and strangulation—E974	3,641	2,751	785	88	19	15	10	1	4	-
56	Suicide by firearms and explosives—E976	7,215	6,154	741	287	33	140	109	15	14	2
57	Suicide by all other means—E963,E975,E977-E979	2,303	1,499	666	103	35	15	13	2	-	-
58	Homicide—E964,E980-E985	8,033	2,729	914	3,485	905	429	91	19	257	62
59	Assault by firearms and explosives—E981	4,235	1,460	541	1,788	446	235	62	14	126	33
60	Assault by cutting and piercing instruments—E982	1,869	388	98	1,083	290	125	7	3	93	22
61	Assault by other means—E964,E980,E983	1,534	703	275	389	167	43	15	2	20	6
62	Injury by intervention of police—E984	277	128	-	147	2	19	5	-	13	1
63	Execution—E985	118	50	-	68	-	7	2	-	5	-
64	Injury resulting from operations of war—E965,E990-E999	16	14	1	-	1	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
20	4	14	2	-	35	16	10	4	5	164	66	93	2	3	29	16	11	1	1	1
8	1	6	1	-	24	8	10	3	3	94	25	68	-	1	14	7	6	-	1	2
-	-	-	-	-	3	2	-	-	1	2	1	1	-	-	1	1	-	-	-	3
3	1	1	1	-	4	3	-	-	1	13	10	2	1	-	3	1	1	1	-	4
-	-	-	-	-	1	1	-	-	-	5	3	1	-	1	1	1	-	-	-	5
9	2	7	-	-	3	2	-	1	-	50	27	21	1	1	10	6	4	-	-	6
102	50	40	5	7	194	111	62	10	11	1,244	631	514	52	47	200	108	91	3	-	7
12	6	5	-	1	10	4	5	-	1	55	27	27	-	1	12	7	5	-	-	8
9	4	4	-	1	22	13	7	1	1	118	58	56	3	3	23	11	12	-	-	9
36	18	16	1	1	89	54	26	4	5	620	305	266	24	24	92	48	43	1	-	10
45	22	15	4	4	73	40	24	5	4	451	242	165	25	19	73	40	31	2	-	11
498	244	154	56	44	741	320	237	104	80	4,117	2,178	1,500	244	195	675	380	265	13	7	12
100	51	34	8	7	132	64	34	18	16	931	524	348	37	22	178	109	65	3	1	13
66	31	18	9	8	99	48	33	12	6	1,287	669	446	95	77	158	94	60	4	1	14
60	18	14	15	13	100	32	31	23	14	246	120	89	23	14	49	25	22	1	1	15
11	6	5	-	-	25	9	8	4	4	164	90	64	7	3	30	15	15	-	-	16
29	14	6	4	5	36	13	15	7	3	150	85	46	6	13	36	19	17	-	-	17
232	124	77	20	11	347	154	116	40	37	1,339	690	507	76	66	223	123	88	5	4	18
264	121	40	55	48	616	163	142	171	140	321	187	116	13	5	88	48	39	1	-	19
40	17	10	8	5	172	45	74	31	22	95	36	56	2	1	56	27	28	1	-	20
224	104	30	47	43	444	118	68	140	118	226	151	60	11	4	32	21	11	-	-	21
686	411	157	89	29	1,486	774	336	271	105	8,866	5,095	2,225	486	160	1,154	841	285	23	5	22
565	344	131	68	22	1,188	609	299	198	82	6,628	4,507	1,704	309	108	868	629	223	12	4	23
22	11	1	10	-	44	22	1	17	4	131	102	11	16	2	15	13	2	-	-	24
254	165	48	32	9	385	238	69	64	14	3,150	2,199	751	154	46	310	233	69	6	2	25
240	156	45	31	8	374	232	64	64	14	3,042	2,110	735	151	46	301	225	68	6	2	26
1	-	-	1	-	20	15	1	4	-	149	111	29	7	2	13	9	2	1	1	27
60	49	4	6	1	76	41	14	18	3	799	555	185	53	6	69	48	20	1	-	28
53	36	10	7	-	81	56	12	11	2	1,213	802	321	62	28	102	73	25	3	1	29
81	47	18	12	4	72	41	10	16	5	799	589	174	26	10	104	85	18	1	-	30
45	24	13	5	3	125	79	27	15	4	82	53	26	3	-	13	10	3	-	-	31
14	9	3	1	1	11	6	5	-	-	108	89	16	3	-	9	8	1	-	-	32
6	3	1	2	-	11	7	1	3	-	38	25	10	2	1	14	12	2	-	-	33
3	2	1	-	-	16	16	-	-	-	76	65	4	7	-	8	8	-	-	-	34
15	13	2	-	-	17	16	1	-	-	240	213	27	-	-	33	33	-	-	-	35
10	7	2	1	-	24	5	10	5	4	189	102	78	7	2	10	5	4	1	-	36
8	7	1	-	-	8	5	1	1	1	127	75	40	10	2	16	12	4	-	-	37
70	35	32	3	2	188	60	105	15	8	1,060	390	440	20	10	185	93	90	2	-	38
26	10	14	-	2	42	23	8	8	3	364	236	114	8	6	75	46	28	1	-	39
13	9	4	-	-	34	9	23	2	-	229	100	124	3	2	58	24	34	-	-	40
31	14	14	3	-	112	28	74	5	5	467	254	202	9	2	52	23	28	1	-	41
9	6	2	1	-	20	16	2	2	-	79	62	8	9	-	22	21	-	1	-	42
5	5	-	-	-	31	24	2	5	-	79	73	3	3	-	22	22	-	-	-	43
7	6	1	-	-	14	11	3	-	-	51	45	5	1	-	13	13	-	-	-	44
32	14	10	3	5	108	37	28	25	18	385	228	125	20	14	51	30	20	-	1	45
3	2	1	-	-	23	8	3	7	5	28	15	11	1	1	3	1	2	-	-	46
18	12	1	4	1	41	30	8	3	-	121	96	18	5	2	24	21	2	1	-	47
3	1	2	-	-	12	4	4	3	1	110	74	26	7	3	10	9	1	-	-	48
44	29	12	3	-	66	37	7	19	3	360	279	56	22	3	59	47	10	1	1	49
5	2	1	1	1	5	2	1	2	-	18	14	2	2	-	2	2	-	-	-	50
2	1	1	-	-	3	1	2	-	-	13	6	4	1	2	2	2	-	-	-	51
49	25	12	8	4	172	70	51	27	24	373	246	85	22	20	69	52	17	-	-	52
80	52	20	7	1	152	118	25	7	2	1,853	1,345	429	67	12	223	169	49	5	-	53
22	9	13	-	-	26	15	10	1	-	613	388	213	10	2	47	23	23	1	-	54
5	3	-	2	-	8	6	2	-	-	284	200	62	16	4	32	25	8	1	-	55
48	36	6	4	-	102	87	8	5	2	709	592	86	31	-	123	108	14	1	-	56
7	4	1	1	1	16	10	5	1	-	247	165	68	8	6	21	15	4	2	-	57
41	15	6	14	6	145	46	12	66	21	495	243	92	110	40	63	43	13	6	1	58
25	11	4	5	3	76	20	10	36	10	195	91	44	38	22	27	17	7	2	1	59
3	1	-	2	-	30	9	-	14	7	129	59	17	42	11	10	7	-	3	-	60
12	1	2	6	3	23	10	2	7	4	135	79	31	18	7	22	15	6	1	-	61
5	2	-	1	-	12	6	-	6	-	15	9	-	6	-	2	2	-	-	-	62
-	-	-	-	-	4	1	-	3	-	11	5	-	6	-	2	2	-	-	-	63
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	18,829	10,079	8,188	287	275	3,350	1,486	1,247	359	258
2	I.—Infective and parasitic diseases	597	373	153	45	26	161	57	33	38	33
3	Tuberculosis, all forms—001-019	418	259	104	33	22	113	43	23	26	21
4	Tuberculosis of respiratory system—001-008	391	248	95	29	19	104	41	20	23	20
5	Tuberculosis of meninges and central nervous system—010	6	3	2	-	1	6	2	1	2	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	3	-	2	1	-	-	-	-	-	-
7	Tuberculosis of vertebral column—012.0,013.0	-	-	-	-	-	1	-	-	1	-
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	2	2	-	-	-	-	-	-	-	-
9	Tuberculosis of genito-urinary system—016	6	2	3	-	1	1	-	1	-	-
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	1	1	-	-	-	-	-	-	-	-
11	Disseminated tuberculosis—019	9	3	2	3	1	1	-	1	-	-
12	Syphilis and its sequelae—020-029	78	53	12	11	2	27	6	2	10	9
13	Congenital syphilis—020	2	1	1	-	-	2	-	-	-	2
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	36	26	8	2	-	11	3	1	3	4
16	Other cardiovascular syphilis—023	21	15	2	3	1	6	2	-	3	1
17	Tabes dorsalis—024	-	-	-	-	-	-	-	-	-	-
18	General paralysis of insane—025	8	5	1	2	-	6	1	1	3	1
19	Other syphilis of central nervous system—026	6	4	-	2	-	1	-	-	1	-
20	Other syphilis—027-029	5	2	-	2	1	1	-	-	-	1
21	Gonococcal infection—030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever—040	1	-	1	-	-	-	-	-	-	-
23	Paratyphoid fever—041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections—042	-	-	-	-	-	-	-	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	-	-	-	-	-	-	-	-	-	-
27	Dysentery, all forms—045-048	3	2	1	-	-	1	-	-	1	-
28	Scarlet fever—050	1	1	-	-	-	-	-	-	-	-
29	Streptococcal sore throat—051	2	-	2	-	-	-	-	-	-	-
30	Erysipelas—052	2	-	2	-	-	-	-	-	-	-
31	Septicemia and pyemia—053	5	4	1	-	-	-	-	-	-	-
32	Diphtheria—055	3	3	-	-	-	2	1	-	1	-
33	Whooping cough—056	2	1	1	-	-	-	-	-	-	-
34	Meningococcal infections—057	11	7	3	-	1	5	3	2	-	-
35	Plague—058	-	-	-	-	-	-	-	-	-	-
36	Tularemia—059	-	-	-	-	-	-	-	-	-	-
37	Leprosy—060	-	-	-	-	-	-	-	-	-	-
38	Tetanus—061	-	-	-	-	-	-	-	-	-	-
39	Anthrax—062	-	-	-	-	-	2	1	-	-	1
40	Acute poliomyelitis—080	31	20	10	-	1	1	1	-	-	-
41	Late effects of acute poliomyelitis—081	1	-	1	-	-	-	-	-	-	-
42	Acute infectious encephalitis—082	3	-	2	1	-	2	-	2	-	-
43	Late effects of acute infectious encephalitis—083	7	5	2	-	-	1	-	1	-	-
44	Smallpox—084	-	-	-	-	-	-	-	-	-	-
45	Measles—085	6	2	4	-	-	-	-	-	-	-
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	9	5	4	-	-	4	1	3	-	-
48	Rabies—094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus—104	-	-	-	-	-	-	-	-	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	-	-	-	-	-	-	-	-	-	-
51	Malaria—110-117	-	-	-	-	-	-	-	-	-	-
52	Schistosomiasis—123	2	2	-	-	-	-	-	-	-	-
53	Hydatid disease—125	-	-	-	-	-	-	-	-	-	-
54	Filariasis—127	1	1	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	-	-	-	-	-	-	-	-	-	-
56	Other diseases due to helminths—124,126,128,130	-	-	-	-	-	-	-	-	-	-
57	All other infective and parasitic diseases—Residual	11	8	3	-	-	3	1	-	-	2
58	II.—Neoplasms	3,517	1,775	1,669	37	36	467	199	216	27	25
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	3,428	1,735	1,625	36	32	451	193	210	26	22
60	Malignant neoplasm of buccal cavity and pharynx—140-148	100	82	17	1	-	12	9	2	-	1
61	Of lip—140	9	8	1	-	-	4	4	-	-	-
62	Of tongue—141	27	22	5	-	-	4	2	2	-	-
63	Of other and unspecified parts of buccal cavity—142-144	34	25	8	1	-	2	1	-	-	1
64	Of pharynx—145-148	30	27	3	-	-	2	2	-	-	-
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	1,451	795	633	18	5	172	81	71	14	6
66	Of esophagus—150	85	78	13	3	1	15	9	2	4	-
67	Of stomach—151	411	245	160	6	-	52	32	15	5	2
68	Of intestine, except rectum—152,153	429	191	232	2	4	48	19	24	2	1
69	Of rectum—154	204	118	84	2	-	28	10	14	1	1
70	Of biliary passages and of liver (stated to be primary site)—155	65	26	39	-	-	11	1	9	1	-
71	Of liver not specified whether primary or secondary—156A	70	34	34	2	-	9	4	4	-	1
72	Of pancreas—157	155	90	63	2	-	12	6	4	1	1
73	Of peritoneum and of unspecified digestive organs—158,159	22	13	8	1	-	1	-	1	-	-
74	Malignant neoplasm of respiratory system—160-164	333	274	56	3	-	43	38	8	3	-
75	Of larynx—161	51	46	5	-	-	4	3	1	-	-
76	Of trachea, and of bronchus and lung specified as primary—162	72	62	9	1	-	30	24	5	1	-
77	Of lung and bronchus, unspecified as primary or secondary—163	197	160	35	2	-	14	10	2	2	-
78	Of other parts of respiratory system—160,164	13	6	7	-	-	1	1	-	-	-
79	Malignant neoplasm of breast—170	302	1	297	-	4	44	1	40	-	3
80	Malignant neoplasm of genital organs—171-179	515	174	320	4	17	78	16	45	5	12
81	Of cervix uteri—171	87	...	80	...	7	20	...	14	...	6
82	Of other and unspecified parts of uterus—172-174	101	...	94	...	7	17	...	12	...	5
83	Of ovary, fallopian tube, and broad ligament—175	140	...	137	...	3	18	...	17	...	1
84	Of other and unspecified female genital organs—176	9	...	9	...	-	2	...	2	...	-
85	Of prostate—177	162	159	...	3	...	20	15	...	5	...
86	Of testis, and of other and unspecified male genital organs—178,179	16	15	...	1	...	1	1	...	-	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,448	2,968	2,367	1,688	1,425	25,376	11,104	7,203	3,908	3,161	28,608	10,132	7,282	6,419	5,775	4,701	2,925	1,679	57	40	1
562	144	39	236	143	1,120	390	160	334	236	1,511	397	207	485	422	124	72	47	4	1	2
439	104	34	187	113	687	230	83	214	160	943	244	126	290	283	56	38	14	3	1	3
396	102	28	164	101	650	226	75	203	146	877	238	118	285	258	51	34	14	2	1	4
11	-	3	6	2	14	1	4	2	7	12	2	1	4	5	2	1	-	1	-	5
6	1	-	4	1	3	-	3	-	-	6	1	1	2	2	2	2	-	-	-	6
5	-	-	4	1	3	1	-	-	2	8	-	1	3	4	-	-	-	-	-	7
1	-	1	-	-	-	-	-	-	-	3	-	-	1	2	-	-	-	-	-	8
2	1	-	-	1	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	9
-	-	-	-	-	2	1	-	1	-	7	-	2	2	3	-	-	-	-	-	10
17	-	1	9	7	15	1	1	8	5	29	2	3	13	11	-	-	-	-	-	11
65	25	3	34	21	203	78	23	70	32	241	53	11	115	62	16	9	6	1	-	12
1	1	-	-	-	9	-	-	5	4	12	1	1	7	3	-	-	-	-	-	13
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	14
28	13	2	10	3	85	44	13	19	7	63	27	3	25	8	8	5	3	-	-	15
24	3	-	11	10	70	19	4	32	15	67	10	2	38	17	2	2	-	-	-	16
-	-	-	-	-	4	3	1	-	-	3	1	-	2	-	-	-	-	-	-	17
15	3	1	7	4	16	5	2	6	3	61	7	4	30	20	1	1	-	-	-	18
13	4	-	5	4	14	3	2	6	3	17	4	1	5	7	2	-	2	-	-	19
2	1	-	1	-	7	4	1	2	-	17	3	-	8	6	3	1	1	1	-	20
1	-	-	-	1	6	1	-	-	5	6	1	-	3	2	-	-	-	-	-	21
1	-	-	-	1	6	-	2	3	1	13	6	3	2	2	2	-	2	-	-	22
-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	1	-	1	-	-	23
1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	4	2	1	-	1	1	1	-	-	-	26
-	-	-	-	-	24	8	4	8	4	46	12	10	15	9	-	-	-	-	-	27
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	1	-	1	-	-	28
-	-	-	-	-	11	4	1	3	3	12	3	1	3	5	3	-	3	-	-	29
-	-	-	-	-	2	1	1	-	-	2	-	1	-	1	-	-	-	-	-	30
3	1	-	-	2	16	7	5	1	3	14	6	1	3	4	4	3	1	-	-	31
7	2	-	2	3	10	5	3	-	2	21	10	7	3	1	2	-	2	-	-	32
-	-	-	-	-	6	2	-	4	-	24	3	7	5	9	5	3	2	-	-	33
4	2	-	2	-	11	5	2	3	1	18	6	6	3	3	5	3	2	-	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	4	-	-	1	3	-	-	-	-	-	36
-	-	-	-	-	1	1	-	-	-	1	-	-	-	1	-	-	-	-	-	37
-	-	-	-	-	31	3	3	14	11	17	1	2	8	6	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
4	3	-	-	1	13	9	2	1	1	11	8	1	1	1	16	9	7	-	-	40
2	1	-	1	-	1	-	1	-	-	2	1	1	-	-	-	-	-	-	-	41
2	1	-	1	-	10	4	5	1	-	15	4	4	3	4	3	2	1	-	-	42
1	1	-	-	-	2	2	-	-	-	-	-	-	-	-	1	1	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	-	-	-	9	7	1	1	-	31	12	9	7	3	5	2	3	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
6	2	1	3	-	16	7	8	-	1	15	7	4	-	4	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	49
-	-	-	-	-	3	-	2	1	-	12	2	2	5	3	-	-	-	-	-	50
-	-	-	-	-	7	1	2	2	2	4	-	-	3	1	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	1	-	-	-	1	4	3	-	-	1	-	-	-	-	-	55
-	-	-	-	-	7	1	-	2	4	5	-	-	3	2	-	-	-	-	-	56
9	2	1	5	1	35	14	11	6	4	43	11	10	11	11	2	-	2	-	-	57
1,345	446	511	191	197	3,370	1,449	1,307	263	351	3,309	1,084	1,252	401	572	615	340	265	2	8	58
1,292	436	485	185	186	3,259	1,427	1,263	255	314	3,206	1,059	1,219	391	537	601	334	257	2	8	59
32	19	3	8	2	92	58	18	12	4	99	63	22	7	7	8	7	1	-	-	60
-	-	-	-	-	6	4	2	-	-	5	4	1	-	-	1	1	-	-	-	61
6	1	1	2	2	23	15	5	3	-	19	11	4	1	3	1	1	-	-	-	62
7	4	-	3	-	19	11	3	4	1	28	10	12	4	2	4	3	1	-	-	63
19	14	2	3	-	44	28	8	5	3	47	38	5	2	2	2	2	-	-	-	64
475	156	162	92	65	1,149	557	367	122	83	1,124	375	387	196	166	242	138	99	2	3	65
44	19	3	16	6	53	28	8	15	2	64	22	11	21	10	6	3	3	-	-	66
131	46	31	36	18	341	178	85	52	26	362	112	91	84	75	89	63	25	-	1	67
137	48	61	6	22	300	124	135	18	23	289	85	122	31	31	66	25	40	1	-	68
56	21	22	8	5	146	68	61	5	12	110	26	42	23	19	28	16	11	-	1	69
25	2	14	3	6	50	27	13	3	1	40	11	22	3	4	11	2	8	-	1	70
19	6	6	6	1	91	39	30	12	10	102	38	39	17	8	13	7	5	1	-	71
49	11	20	13	5	141	78	44	12	7	148	70	48	14	16	28	21	5	-	-	72
14	3	5	4	2	27	15	5	5	2	29	11	12	3	3	3	1	2	-	-	73
147	101	16	25	5	329	241	47	31	10	250	167	45	26	12	47	37	10	-	-	74
15	8	3	3	1	37	28	2	5	2	23	12	2	5	4	2	2	-	-	-	75
77	58	5	14	2	110	91	8	8	3	85	62	15	4	4	13	11	2	-	-	76
48	35	6	6	1	163	113	29	16	5	123	84	22	15	2	27	20	7	-	-	77
7	2	2	2	1	19	9	8	2	-	19	9	6	2	2	5	4	1	-	-	78
144	1	103	-	40	237	3	202	1	31	266	2	188	1	75	56	-	55	-	1	79
214	33	107	20	54	683	170	355	33	125	698	128	285	87	198	96	55	39	-	2	80
70	...	36	...	34	193	...	137	...	56	236	...	151	...	105	13	...	12	...	1	81
51	...	34	...	17	183	...	126	...	57	161	...	91	...	70	16	...	15	...	1	82
37	...	34	...	3	90	...	80	...	10	73	...	57	...	16	11	...	11	...	-	83
3	...	3	...	-	14	...	12	...	2	13	...	6	...	7	1	...	1	...	-	84
50	31	...	19	...	187	161	...	26	...	195	119	...	76	...	46	46	...	-	...	85
3	2	...	1	...	16	9	...	7	...	20	9	...	11	...	9	9	...	-	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs----180,181	185	110	69	2	2	24	13	10	1	-
2	Of kidney----180	71	36	33	1	1	5	1	4	-	-
3	Of bladder and other urinary organs----181	112	74	36	1	1	19	12	6	1	-
4	Malignant neoplasm of other and unspecified sites----156B,165,190-199	278	140	131	4	3	43	20	21	2	-
5	Of skin----190,191	39	23	15	1	-	6	2	4	-	-
6	Of eye----192	4	2	2	-	-	1	-	1	-	-
7	Of brain and other parts of nervous system----193	47	25	21	1	-	13	7	6	-	-
8	Of thyroid gland----194	13	2	11	-	-	2	1	1	-	-
9	Of bone (including jaw bone)----196	30	22	8	-	-	5	2	3	-	-
10	Of connective tissue----197	14	3	11	-	-	-	-	-	-	-
11	Of other specified sites, not stated to be secondary----195,198A,199A	41	21	19	-	1	4	2	2	-	-
12	Of unspecified sites----156B,165,198B,199B-M	90	42	44	2	2	12	6	4	2	-
13	Leukemia and aleukemia----204	124	74	48	2	-	16	10	5	1	-
14	Lymphosarcoma, etc.*----200-203,205	142	86	54	2	1	13	5	8	-	-
15	Lymphosarcoma and reticulosarcoma----200	58	28	28	1	1	7	3	4	-	-
16	Hodgkin's disease----201	44	31	13	-	-	4	1	3	-	-
17	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	40	28	13	1	-	2	1	1	-	-
18	Benign neoplasms and neoplasms of unspecified nature----210-239	89	40	44	1	4	16	6	6	1	3
19	Benign neoplasms of female genital organs----214-217	10	...	7	...	3	5	...	2	...	3
20	Benign neoplasm of brain and other parts of nervous system----223	12	5	7	-	-	4	3	-	1	-
21	Other benign neoplasms----210-213,218-222,224-229	14	8	6	-	-	1	-	1	-	-
22	Neoplasm of unspecified nature of female genital organs----233-235	-	...	-	...	-	-	...	-	...	-
23	Neoplasm of unspecified nature of brain, etc.*----237	38	17	19	1	1	4	2	2	-	-
24	Other neoplasms of unspecified nature----230-232,236,238,239	15	10	5	-	-	2	1	1	-	-
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases	474	164	298	2	10	107	28	55	8	16
26	Asthma----241	45	38	6	-	1	13	6	5	1	1
27	Nontoxic goiter----250,251	-	-	-	-	-	1	-	-	-	1
28	Thyrotoxicosis with or without goiter----252	13	-	11	-	2	2	-	2	-	-
29	Myxedema, cretinism, and other diseases of thyroid gland----253,254	3	-	3	-	-	-	-	-	-	-
30	Diabetes mellitus----260	389	117	262	2	7	83	18	46	6	13
31	Diseases of thymus gland----273	1	-	1	-	-	4	2	1	-	1
32	Diseases of adrenal glands----274	9	1	8	-	-	1	-	1	-	-
33	Pellagra----281	-	-	-	-	-	-	-	-	-	-
34	All other avitaminoses and nutritional deficiency states----280,282-286	4	3	1	-	-	2	1	-	1	-
35	Other allergic, endocrine, and metabolic diseases----Residual	11	5	6	-	-	1	1	-	-	-
36	IV.—Diseases of the blood and blood-forming organs	59	29	28	1	1	14	6	6	1	1
37	Anemias----290-293	43	21	21	1	-	12	5	6	1	-
38	Pernicious and other hyperchromic anemias----290	23	7	16	-	-	8	4	3	1	-
39	Anemias of other and unspecified type----291-293	20	14	5	1	-	4	1	3	-	-
40	Purpura and other hemorrhagic conditions----296	10	4	5	-	1	1	-	-	-	1
41	All other diseases of blood and blood-forming organs----294,295,297-299	6	4	2	-	-	1	1	-	-	-
42	V.—Mental, psychoneurotic, and personality disorders	73	47	24	1	1	16	9	2	4	1
43	Senile psychosis----304	10	3	7	-	-	-	-	-	-	-
44	Alcoholic psychosis----307	6	6	-	-	-	-	-	-	-	-
45	Other psychoses----300-302,305,306,308,309	9	3	6	-	-	1	1	-	-	-
46	Alcoholism----322	43	33	8	1	1	15	8	2	4	1
47	Mental deficiency----325	2	2	-	-	-	-	-	-	-	-
48	Psychoneuroses and other disorders of personality----310-321,323,324,326	3	-	3	-	-	-	-	-	-	-
49	VI.—Diseases of the nervous system and sense organs	1,993	905	1,041	24	23	308	120	140	16	32
50	Vascular lesions affecting central nervous system----330-334	1,854	829	983	22	20	276	108	126	14	28
51	Subarachnoid hemorrhage----330	50	19	29	2	-	4	2	2	-	-
52	Cerebral hemorrhage----331	1,249	544	679	14	12	169	74	67	12	16
53	Cerebral embolism and thrombosis----332	406	197	201	3	5	57	13	36	1	7
54	Other vascular lesions affecting central nervous system----333,334	149	69	74	3	3	46	19	21	1	5
55	Meningitis, except meningococcal and tuberculous----340	13	8	4	1	-	6	1	4	-	1
56	Multiple sclerosis----345	17	9	7	-	1	4	1	1	-	2
57	Paralysis agitans----350	28	13	15	-	-	7	3	3	1	-
58	Cerebral spastic infantile paralysis----351	6	5	1	-	-	2	1	1	-	-
59	Epilepsy----353	14	7	6	-	1	2	1	-	-	1
60	Inflammatory diseases of eye----370-379	-	-	-	-	-	-	-	-	-	-
61	Cataract----365	-	-	-	-	-	-	-	-	-	-
62	Glaucoma----367	-	-	-	-	-	-	-	-	-	-
63	Otitis media and mastoiditis----391-393	5	2	3	-	-	1	-	1	-	-
64	Other diseases of nervous system and sense organs----Residual	56	32	22	1	1	10	5	4	1	-
65	VII.—Diseases of the circulatory system	8,233	4,495	3,532	107	99	1,440	700	542	112	86
66	Rheumatic fever----400-402	23	13	10	-	-	8	2	4	1	1
67	Diseases of heart----410-443	7,564	4,199	3,200	100	85	1,324	658	492	99	75
68	Chronic rheumatic heart disease----410-416	277	126	140	5	5	45	23	21	-	1
69	Diseases of mitral valve----410	100	45	52	2	1	16	6	9	-	1
70	Diseases of aortic valve specified as rheumatic----411	9	7	1	1	-	-	-	-	-	-
71	Diseases of tricuspid valve----412	-	-	-	-	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	12	3	9	-	-	6	3	3	-	-
73	Other diseases of heart specified as rheumatic----415,416	156	71	78	3	4	23	14	9	-	-
74	Arteriosclerotic heart disease, including coronary disease----420	5,169	3,085	1,981	63	40	676	392	231	36	19
75	Arteriosclerotic heart disease so described----420.0	2,170	1,114	1,009	25	22	221	111	86	14	10
76	Heart disease specified as involving coronary arteries----420.1	2,986	1,963	987	38	18	450	275	144	22	9
77	Angina pectoris without mention of coronary disease----420.2	13	8	5	-	-	7	6	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Liste, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
64	34	14	13	3	161	90	47	14	10	126	59	41	16	10	39	32	7	-	-	1
22	10	5	6	1	49	27	17	3	2	42	17	17	3	5	16	13	3	-	-	2
42	24	9	7	2	112	63	30	11	8	84	42	24	13	5	23	19	4	-	-	3
129	53	49	14	13	405	185	148	29	43	399	155	154	35	55	63	33	28	-	2	4
18	10	6	1	1	91	44	37	6	4	70	30	32	2	6	13	6	7	-	-	5
1	1	-	-	-	7	2	3	1	1	13	8	3	-	2	1	-	1	-	-	6
21	10	8	2	1	58	31	23	1	3	56	29	22	1	4	13	9	4	-	-	7
5	-	1	2	2	5	1	4	-	-	10	-	6	2	2	5	1	4	-	-	8
14	6	4	1	3	39	20	12	6	1	55	21	22	6	6	3	3	-	-	-	9
3	3	-	-	-	11	7	3	-	1	7	-	4	3	-	2	2	-	-	-	10
51	15	12	1	3	91	38	32	5	16	83	31	32	5	15	7	4	3	-	-	11
36	8	18	7	3	103	42	34	10	17	105	36	33	16	20	19	8	9	-	2	12
39	23	14	1	1	114	66	36	8	4	142	61	60	12	9	34	23	11	-	-	13
48	16	17	12	3	89	57	23	5	4	102	49	37	11	5	16	9	7	-	-	14
20	10	5	5	-	35	24	7	3	1	38	20	15	2	1	10	5	5	-	-	15
16	4	6	5	1	40	26	10	2	2	44	18	16	7	3	3	2	1	-	-	16
12	2	6	2	2	14	7	6	-	1	20	11	6	2	1	3	2	1	-	-	17
53	10	26	6	11	111	22	44	8	37	103	25	33	10	35	14	6	8	-	-	18
11	...	6	...	5	39	...	17	...	22	40	...	15	...	25	4	...	4	...	-	19
6	3	2	1	-	16	6	7	-	3	12	5	3	2	2	1	-	1	-	-	20
7	1	2	2	2	17	6	6	2	3	7	5	-	-	2	2	2	-	-	-	21
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	-	-	...	-	22
16	2	9	2	3	21	4	9	4	4	29	10	10	7	2	4	3	1	-	-	23
13	4	7	1	1	18	6	5	2	5	15	5	5	1	4	3	1	2	-	-	24
156	49	57	19	31	552	201	210	49	92	592	165	205	78	144	97	47	48	1	1	25
11	5	3	3	-	100	47	27	10	16	88	32	28	12	16	13	7	6	-	-	26
3	-	2	-	1	2	-	-	-	2	5	-	2	-	3	1	-	1	-	-	27
5	1	2	1	1	18	5	9	-	4	19	1	8	1	9	9	2	7	-	-	28
-	-	-	-	-	2	-	2	-	-	5	-	3	-	2	1	1	-	-	-	29
119	37	44	12	26	356	122	151	28	55	370	109	124	45	92	67	34	31	1	1	30
4	1	-	1	2	18	8	3	3	4	11	4	1	5	1	4	2	2	-	-	31
6	3	3	-	-	4	2	1	-	1	5	1	3	-	1	1	-	1	-	-	32
-	-	-	-	-	10	1	5	1	3	42	4	20	6	12	-	-	-	-	-	33
2	1	-	1	-	29	9	9	5	6	39	11	13	8	7	-	-	-	-	-	34
6	1	3	1	1	13	7	3	2	1	8	3	3	1	1	1	1	-	-	-	35
26	7	11	4	4	103	39	38	12	14	94	35	26	15	18	12	7	5	-	-	36
18	6	7	3	2	79	25	29	12	13	72	27	18	10	17	12	7	5	-	-	37
7	3	3	-	1	25	4	15	2	4	17	7	4	2	4	6	4	2	-	-	38
11	3	4	3	1	54	21	14	10	9	55	20	14	8	13	6	3	3	-	-	39
4	1	2	-	1	9	4	4	-	1	10	2	5	3	-	-	-	-	-	-	40
4	-	2	1	1	15	10	5	-	-	12	6	3	2	1	-	-	-	-	-	41
16	5	1	5	5	85	50	19	7	9	142	57	21	35	29	29	19	8	1	1	42
-	-	-	-	-	9	7	2	-	-	18	3	7	4	4	7	3	4	-	-	43
5	1	1	2	1	6	5	-	1	-	1	1	-	-	-	-	-	-	-	-	44
1	-	-	1	-	9	4	-	-	5	44	9	5	13	17	2	-	1	-	1	45
10	4	-	2	4	48	29	11	6	2	72	39	8	18	7	18	14	3	1	-	46
-	-	-	-	-	8	3	4	-	1	4	3	1	-	-	2	2	-	-	-	47
-	-	-	-	-	5	2	2	-	1	3	2	-	-	1	-	-	-	-	-	48
801	230	284	140	147	3,036	1,032	989	537	478	4,253	1,169	1,061	973	1,050	536	276	254	6	-	49
715	209	258	124	124	2,793	925	929	491	448	3,896	1,063	992	870	971	479	247	226	6	-	50
27	9	6	6	6	47	13	21	8	5	91	29	27	18	17	9	3	6	-	-	51
419	116	153	73	77	1,954	623	644	354	333	2,724	715	679	638	692	347	183	160	4	-	52
217	70	74	38	35	394	175	151	37	31	432	166	141	65	60	59	32	26	1	-	53
52	14	25	7	6	398	114	113	92	79	649	153	145	149	202	64	29	34	1	-	54
21	4	5	6	6	51	16	8	15	12	76	19	8	24	25	10	6	4	-	-	55
3	-	3	-	-	15	5	10	-	-	14	5	3	5	1	6	4	2	-	-	56
12	4	5	-	3	24	14	9	1	-	21	10	8	2	1	2	2	-	-	-	57
3	2	-	-	1	11	6	4	1	-	19	10	3	2	4	1	-	1	-	-	58
13	3	4	5	1	51	6	8	11	6	87	21	16	35	15	16	7	9	-	-	59
-	-	-	-	-	-	-	-	-	-	2	-	1	-	1	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
-	-	-	-	-	11	6	3	1	1	11	3	4	1	3	-	-	-	-	-	63
34	8	9	5	12	100	54	18	17	11	126	37	26	34	29	22	10	12	-	-	64
3,420	1,316	959	596	549	9,095	4,633	2,621	1,006	835	9,577	3,729	2,379	1,841	1,628	1,740	1,144	575	12	9	65
9	3	5	1	2	35	10	10	7	8	52	13	9	9	21	18	10	8	-	-	66
3,118	1,227	852	550	489	8,206	4,283	2,311	891	721	8,633	3,437	2,107	1,649	1,440	1,601	1,063	518	11	9	67
99	33	33	19	14	305	120	120	32	33	284	75	67	65	77	87	38	48	-	1	68
42	15	15	7	5	136	54	48	17	17	167	43	35	40	49	39	16	22	-	1	69
6	2	2	2	-	11	8	3	-	-	6	3	1	1	1	2	-	2	-	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
5	3	1	-	1	25	13	11	1	-	13	2	3	6	2	5	3	2	-	-	72
46	13	15	10	8	133	45	58	14	16	98	27	28	18	25	41	19	22	-	-	73
1,484	755	417	174	138	4,697	2,930	1,215	327	225	3,878	2,073	974	488	343	894	673	211	8	2	74
451	156	158	66	71	1,154	631	383	86	54	668	291	190	109	78	166	100	62	2	2	75
1,029	597	258	107	67	3,485	2,271	818	235	161	3,123	1,731	767	370	255	717	565	146	6	-	76
4	2	1	1	-	56	28	14	6	10	87	51	17	9	10	11	8	3	-	-	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic----421	62	34	28	-	-	39	16	13	6	4
2	Of mitral valve, specified as nonrheumatic----421.0	4	2	2	-	-	1	-	-	1	-
3	Of aortic valve, not specified as rheumatic----421.1	14	9	5	-	-	1	-	1	-	-
4	Of other valves, not specified as rheumatic----421.2-421.4	44	23	21	-	-	37	16	12	5	4
5	Other myocardial degeneration----422	865	414	436	5	10	248	105	101	21	21
6	With arteriosclerosis----422.1	563	260	294	2	7	123	56	57	6	4
7	Without mention of arteriosclerosis----422.0,422.2	302	154	142	3	3	125	49	44	15	17
8	Other diseases of heart----430-434	123	71	48	2	2	34	16	11	5	2
9	Acute and subacute endocarditis----430	15	6	9	-	-	3	1	1	1	-
10	Acute myocarditis not specified as rheumatic----431	21	16	5	-	-	4	2	2	-	-
11	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	-	-	-	-	-
12	Functional disease of heart----433	13	4	9	-	-	5	2	3	-	-
13	Other and unspecified diseases of heart----434	74	45	25	2	2	22	11	5	4	2
14	Hypertension with heart disease----440-443	1,088	469	567	24	28	280	106	115	31	28
15	Hypertensive heart disease with arteriolar nephrosclerosis----442	267	126	128	4	9	122	50	51	12	9
16	Essential hypertension with heart disease, etc.*----440,441,443	821	343	439	20	19	158	56	64	19	19
17	Hypertension without mention of heart----444-447	154	66	81	-	7	18	8	6	3	1
18	Hypertension with arteriolar nephrosclerosis, etc.*----446	102	44	54	-	4	16	7	6	2	1
19	Essential hypertension, other hypertensive disease, etc.*-444,445,447	52	22	27	-	3	2	1	-	1	-
20	Diseases of arteries----450-456	421	192	216	7	6	83	30	37	9	7
21	General arteriosclerosis----450	364	158	194	6	6	78	27	36	8	7
22	Aortic aneurysm specified as nonsyphilitic, etc.*----451	27	18	9	-	-	1	-	-	1	-
23	Gangrene of unspecified cause----455	5	2	3	-	-	1	1	-	-	-
24	Other arterial diseases----452-454,456	25	14	10	1	-	3	2	1	-	-
25	Diseases of veins and other diseases of circulatory system----460-468	51	25	25	-	1	7	2	3	-	2
26	VIII.—Diseases of the respiratory system----	536	321	200	6	9	123	61	31	20	11
27	Acute upper respiratory infections----470-475	10	6	3	-	1	-	-	-	-	-
28	Influenza----480-483	19	12	6	-	1	8	3	3	2	-
29	Pneumonia, except pneumonia of newborn----490-493	362	203	150	4	5	84	40	21	15	8
30	Lobar pneumonia----490	141	89	50	1	1	41	21	7	6	7
31	Bronchopneumonia----491	144	75	64	3	2	28	12	9	7	1
32	Primary atypical pneumonia----492	39	22	17	-	-	6	3	3	-	-
33	Pneumonia, other and unspecified----493	38	17	19	-	2	8	4	2	2	-
34	Acute bronchitis----500	16	7	8	1	-	4	2	-	-	2
35	Bronchitis, chronic and unqualified----501,502	23	14	8	-	1	2	2	-	-	-
36	Hypertrophy of tonsils and adenoids----510	2	1	1	-	-	-	-	-	-	-
37	Empyema and abscess of lung----518,521	9	8	1	-	-	2	-	1	1	-
38	Pleurisy----519	5	4	1	-	-	1	-	1	-	-
39	All other respiratory diseases----Residual	90	66	22	1	1	22	14	5	2	1
40	IX.—Diseases of the digestive system----	768	440	306	10	12	119	51	47	11	10
41	Diseases of teeth and supporting structures----530-535	1	-	1	-	-	-	-	-	-	-
42	Ulcer of stomach----540	43	35	8	-	-	7	4	-	2	1
43	Ulcer of duodenum----541	56	42	12	1	1	5	4	1	-	-
44	Gastritis and duodenitis----543	1	1	-	-	-	3	-	1	1	1
45	Appendicitis----550-553	31	20	9	1	1	10	5	4	1	-
46	Hernia and intestinal obstruction----560,561,570	146	78	61	2	5	28	10	14	3	1
47	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	67	27	38	1	1	18	5	6	2	5
48	Cirrhosis of liver----581	241	150	86	2	3	23	15	8	-	-
49	Without mention of alcoholism----581.0	184	115	69	-	2	20	13	7	-	-
50	With alcoholism----581.1	57	37	17	2	1	3	2	1	-	-
51	Cholelithiasis and cholecystitis----584,585	82	37	44	1	-	11	4	7	-	-
52	Other diseases of digestive system----Residual	100	50	47	2	1	14	4	6	2	2
53	X.—Diseases of the genito-urinary system----	418	238	162	6	12	114	47	48	12	6
54	Nephritis and nephrosis----590-594	252	122	116	4	10	87	34	39	9	5
55	Acute nephritis----590	11	6	5	-	-	3	1	1	1	-
56	Nephritis with edema, including nephrosis----591	13	9	3	1	-	3	2	-	-	1
57	Chronic and unspecified nephritis and other renal sclerosis---592-594	228	107	108	3	10	81	31	38	8	4
58	Infections of kidney----600	45	18	26	-	1	4	1	2	-	1
59	Calculi of urinary system----602,604	19	11	8	-	-	4	-	4	-	-
60	Other diseases of urinary system----601,603,605-609	15	11	3	1	-	4	1	2	1	-
61	Hyperplasia of prostate----610	60	60	...	-	...	13	11	...	2	...
62	Other diseases of male genital organs----611-617	17	16	...	1	...	-	-	...	-	...
63	Diseases of breast----620,621	1	-	1	-	-	1	-	1	-	-
64	Diseases of female genital organs----622-637	9	...	8	...	1	1	...	1	...	-
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium----	26	...	21	...	5	4	...	3	...	1
66	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	1	...	1	...	-	1	...	1	...	-
67	Toxemias of pregnancy and puerperium, etc.*----642,685,686	8	...	8	...	-	1	...	1	...	-
68	Hemorrhage of pregnancy and childbirth----643,644,670-672	7	...	6	...	1	-	...	-	...	-
69	Ectopic pregnancy----645	3	...	2	...	1	1	...	-	...	1
70	Abortion without mention of sepsis or toxemia----650	-	...	-	...	-	1	...	1	...	-
71	Abortion with sepsis----651	3	...	1	...	2	-	...	-	...	-
72	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	-	...	-	...	-
73	Other complications of pregnancy, childbirth, and puerperium--- Residual	6	...	5	...	1	-	...	-	...	-
74	XII.—Diseases of the skin and cellular tissue----	24	11	12	1	-	2	-	2	-	-
75	Infections of skin and subcutaneous tissue----690-698	3	1	2	-	-	1	-	1	-	-
76	Other diseases of skin and subcutaneous tissue----700-716	21	10	10	1	-	1	-	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
34	6	14	9	5	227	66	60	52	49	259	59	53	92	65	41	25	18	-	-	1
1	-	-	1	-	4	-	3	-	1	9	2	1	5	1	-	-	-	-	-	2
10	5	3	2	-	32	13	8	6	5	61	14	11	19	17	11	8	3	-	-	3
23	1	11	6	5	191	53	49	46	43	189	43	41	58	47	30	17	13	-	-	4
546	164	125	151	106	953	398	311	127	117	1,073	323	290	230	230	261	154	103	1	3	5
173	61	55	35	22	374	173	132	33	36	379	120	95	89	75	100	59	40	-	1	6
373	103	70	116	84	579	225	179	94	81	694	203	195	141	155	161	95	63	1	2	7
130	52	24	34	20	699	335	176	118	70	844	275	137	219	213	94	69	22	1	2	8
15	6	2	2	5	15	4	7	3	1	35	3	4	16	12	3	2	1	-	-	9
13	3	6	2	2	97	28	25	29	16	110	22	12	29	47	5	4	1	-	-	10
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
6	3	3	-	-	31	13	14	2	2	36	17	7	4	8	9	4	4	1	-	12
95	40	13	30	12	556	292	129	84	51	663	233	114	170	146	77	59	16	-	2	13
825	217	259	163	206	1,325	434	429	235	227	2,295	632	586	565	512	224	104	118	1	1	14
350	112	113	71	54	479	178	161	77	63	774	227	207	182	158	70	38	31	-	-	15
475	105	126	92	152	846	256	268	158	164	1,521	405	379	383	354	154	65	87	1	1	16
77	25	14	18	20	254	94	79	41	40	357	85	94	100	78	28	15	13	-	-	17
32	15	7	3	7	106	49	34	13	10	162	51	40	37	34	4	2	2	-	-	18
45	10	7	15	13	148	45	45	28	30	195	34	54	63	44	24	13	11	-	-	19
179	54	78	21	26	515	216	188	56	55	473	173	152	74	74	86	52	33	1	-	20
153	41	73	18	21	444	179	170	50	45	408	152	141	59	56	73	42	30	1	-	21
14	11	1	1	1	27	15	6	4	2	33	13	6	9	5	3	3	-	-	-	22
-	-	-	-	-	4	2	1	1	-	8	-	1	2	5	-	-	-	-	-	23
12	2	4	2	4	40	20	11	1	8	24	8	4	4	8	10	7	3	-	-	24
37	7	12	6	12	85	30	35	11	11	62	21	17	9	15	7	4	3	-	-	25
300	100	55	92	53	1,008	371	226	219	192	1,486	403	311	407	347	196	120	60	9	7	26
1	-	-	1	-	15	6	2	4	3	37	9	4	12	12	4	-	2	1	1	27
2	-	1	-	1	129	26	19	43	41	180	35	26	73	56	15	7	4	1	3	28
221	62	40	71	48	637	219	155	140	123	1,021	255	224	286	256	116	64	42	7	3	29
91	26	16	31	18	237	67	49	65	56	393	100	95	105	103	38	27	10	1	-	30
108	27	19	36	26	278	101	68	59	50	430	110	100	107	113	44	20	19	4	1	31
12	5	4	2	1	64	32	18	7	7	79	22	24	20	13	13	5	6	1	1	32
10	4	1	2	3	58	19	20	9	10	119	23	15	54	27	21	12	7	1	1	33
4	2	-	2	-	12	7	3	2	-	18	5	3	6	4	4	1	3	-	-	34
11	4	5	1	1	36	20	8	3	5	61	25	17	8	11	5	5	-	-	-	35
-	-	-	-	-	6	2	-	3	1	8	5	-	-	3	9	8	1	-	-	36
19	7	4	8	-	19	8	3	3	5	10	4	1	3	2	1	1	-	-	-	37
2	1	-	1	-	5	1	1	2	1	2	1	-	1	-	5	2	3	-	-	38
40	24	5	8	3	149	62	35	19	13	121	64	36	18	3	37	32	5	-	-	39
362	143	109	55	55	1,016	448	276	158	134	1,135	424	270	247	194	169	101	61	5	2	40
1	1	-	-	-	8	4	-	1	3	12	7	-	3	2	1	1	-	-	-	41
28	7	9	7	5	82	51	7	19	5	84	41	14	26	3	22	18	1	2	-	42
22	12	4	3	3	52	37	7	7	1	44	24	7	10	3	14	13	1	-	-	43
-	-	-	-	-	15	2	1	8	4	18	5	2	2	9	1	1	-	-	-	44
17	6	5	3	3	74	30	10	16	18	92	32	18	28	14	13	8	5	-	-	45
59	15	20	10	14	169	53	58	36	22	212	70	56	46	40	39	22	16	1	-	46
35	5	16	3	11	151	36	44	26	45	252	73	55	59	65	15	7	5	2	1	47
133	77	30	13	13	252	151	68	17	16	182	98	35	30	19	18	14	4	-	-	48
115	65	27	11	12	218	128	62	14	14	112	49	29	19	15	16	12	4	-	-	49
18	12	3	2	1	34	23	6	3	2	70	49	6	11	4	2	2	-	-	-	50
25	10	12	2	1	74	32	39	1	2	88	30	49	2	7	21	4	17	-	-	51
42	10	13	14	5	139	52	42	27	18	151	44	34	41	32	25	12	12	-	1	52
225	81	57	46	41	985	368	222	229	166	1,490	469	309	379	333	161	107	54	-	-	53
139	41	38	33	27	661	203	182	146	130	1,118	323	245	270	280	110	64	46	-	-	54
8	3	1	2	2	60	20	8	12	20	147	39	24	45	39	8	4	4	-	-	55
8	2	2	3	1	18	4	5	6	2	44	10	9	14	11	1	1	-	-	-	56
123	36	35	28	24	583	179	168	128	108	927	274	212	211	230	101	59	42	-	-	57
22	6	11	2	3	55	20	19	5	11	96	29	30	16	21	11	9	2	-	-	58
6	4	1	-	1	36	22	11	2	1	37	18	15	1	3	4	1	3	-	-	59
14	4	2	6	2	44	13	2	23	6	61	19	12	24	6	4	3	1	-	-	60
29	24	...	5	...	139	95	...	44	...	131	74	...	57	...	28	28	...	-	...	61
2	2	...	-	...	24	15	...	9	...	17	6	...	11	...	1	1	...	-	...	62
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	1	1	-	-	-	63
13	...	5	...	8	25	...	8	...	17	30	...	7	...	23	2	...	2	...	-	64
11	...	4	...	7	107	...	44	...	63	170	...	65	...	105	12	...	12	...	-	65
2	...	2	...	-	18	...	7	...	11	23	...	6	...	17	3	...	3	...	-	66
3	...	1	...	2	35	...	13	...	22	63	...	25	...	38	3	...	3	...	-	67
-	...	-	...	-	16	...	5	...	11	31	...	14	...	17	2	...	2	...	-	68
2	...	-	...	2	12	...	6	...	6	7	...	3	...	4	1	...	1	...	-	69
1	...	-	...	1	3	...	1	...	2	5	...	1	...	4	-	...	-	...	-	70
3	...	1	...	2	9	...	6	...	3	13	...	4	...	9	1	...	1	...	-	71
-	...	-	...	-	1	...	-	...	1	5	...	1	...	4	-	...	-	...	-	72
-	...	-	...	-	13	...	6	...	7	23	...	11	...	12	2	...	2	...	-	73
15	5	5	1	4	25	6	7	4	8	39	10	12	10	7	5	2	3	-	-	74
6	3	2	1	-	8	-	4	2	2	11	5	2	3	1	1	1	-	-	-	75
9	2	3	-	4	17	6	3	2	6	28	5	10	7	6	4	1	3	-	-	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	57	16	21	-	-	6	1	3	-	2
2	Arthritis and spondylitis—720-725	24	8	16	-	-	4	-	3	-	1
3	Muscular rheumatism and rheumatism unspecified—726,727	-	-	-	-	-	1	1	-	-	-
4	Osteomyelitis and periostitis—730	4	2	2	-	-	-	-	-	-	-
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	1	1	-	-	-	1	-	-	-	1
6	All other diseases of musculoskeletal system—731-736,738-744	8	5	3	-	-	-	-	-	-	-
7	XIV.—Congenital malformations	244	137	98	7	2	41	18	15	3	5
8	Spina bifida and meningocele—751	23	9	13	1	-	4	1	3	-	-
9	Congenital hydrocephalus, etc.*—752,753	20	8	12	-	-	4	1	2	-	1
10	Congenital malformations of circulatory system—754	109	64	39	4	2	18	9	5	2	2
11	Other congenital malformations—750,755-759	92	56	34	2	-	15	7	5	1	2
12	XV.—Certain diseases of early infancy	610	338	233	16	23	132	58	41	21	12
13	Birth injuries—760,761	134	80	49	2	3	24	12	9	1	2
14	Postnatal asphyxia and atelectasis—762	177	104	64	4	5	37	18	9	7	3
15	Infections of newborn—763-768	30	11	17	-	2	-	-	-	-	-
16	Hemolytic disease of newborn (erythroblastosis)—770	27	20	6	-	1	3	1	1	1	-
17	All other defined diseases of early infancy—769,771,772	21	8	11	-	2	6	3	1	1	1
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	221	115	86	10	10	62	24	21	11	6
19	XVI.—Symptoms, senility, and ill-defined conditions	77	46	28	3	-	21	9	7	2	3
20	Senility without mention of psychosis—794	24	8	16	-	-	15	7	5	-	3
21	Symptoms, ill-defined and unknown causes—780-793,795	53	38	12	3	-	6	2	2	2	-
22	XVII.—Accidents, poisonings, and violence	1,143	744	362	21	16	255	122	55	64	14
23	Accidents—E800-E962	871	547	295	17	12	188	98	41	45	4
24	Railway accidents—E800-E802	8	8	-	-	-	3	2	-	1	-
25	Motor-vehicle accidents—E810-E835	224	161	57	3	3	76	52	9	15	-
26	Motor-vehicle traffic accidents—E810-E825	215	155	54	3	3	74	51	9	14	-
27	Motor-vehicle traffic accident with railway train*—E810	7	3	4	-	-	1	1	-	-	-
28	Motor-vehicle traffic accident to pedestrian—E812	84	61	21	-	2	24	16	3	5	-
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	50	31	16	2	1	23	16	3	4	-
30	Motor-vehicle noncollision traffic accidents—E820-E824	52	41	10	1	-	22	14	3	5	-
31	Motor-vehicle traffic accident of unspecified nature—E825	22	19	3	-	-	4	4	-	-	-
32	Motor-vehicle nontraffic accidents—E830-E835	9	6	3	-	-	2	1	-	1	-
33	Other road-vehicle accidents—E840-E845	3	2	1	-	-	1	-	-	1	-
34	Water-transport accidents—E850-E858	9	8	-	1	-	6	4	-	2	-
35	Aircraft accidents—E860-E866	20	13	7	-	-	3	3	-	-	-
36	Accidental poisoning by solid and liquid substances—E870-E898	20	10	8	2	-	2	2	-	-	-
37	Accidental poisoning by gases and vapors—E890-E895	46	29	16	1	-	4	3	1	-	-
38	Accidental falls—E900-E904	313	153	154	4	2	45	14	25	5	1
39	Fall from one level to another—E900-E902	119	73	42	3	1	24	7	13	4	-
40	Fall on same level—E903	58	28	30	-	-	8	2	5	1	-
41	Unspecified falls—E904	136	52	82	1	1	13	5	7	-	1
42	Blow from falling object—E910	3	3	-	-	-	1	-	-	1	-
43	Accident caused by machinery—E912	8	8	-	-	-	3	3	-	-	-
44	Accident caused by electric current—E914	5	5	-	-	-	1	1	-	-	-
45	Accident caused by fire and explosion, etc.*—E916	51	28	18	2	3	19	3	5	8	3
46	Accident caused by hot substance, etc.*—E917,E918	12	7	4	1	-	-	-	-	-	-
47	Accident caused by firearm—E919	7	5	2	-	-	3	-	1	2	-
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	9	4	4	1	-	1	-	-	1	-
49	Accidental drowning—E929	61	47	12	2	-	12	5	-	7	-
50	Excessive heat and insolation—E931	3	3	-	-	-	1	-	-	1	-
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	6	5	-	-	1	1	1	-	-	-
52	All other accidents—Residual	63	48	12	-	3	6	5	-	1	-
53	Suicide—E963,E970-E979	236	178	55	2	1	41	19	13	5	4
54	Suicide by poisoning—E970-E973	77	50	25	2	-	19	6	11	-	2
55	Suicide by hanging and strangulation—E974	82	64	17	-	1	6	2	2	2	-
56	Suicide by firearms and explosives—E976	44	40	4	-	-	11	8	-	2	1
57	Suicide by all other means—E963,E975,E977-E979	33	24	9	-	-	5	3	-	1	1
58	Homicide—E964,E980-E985	36	19	12	2	3	25	4	1	14	6
59	Assault by firearms and explosives—E981	14	9	5	-	-	18	3	1	10	4
60	Assault by cutting and piercing instruments—E982	8	4	-	2	2	4	1	-	2	1
61	Assault by other means—E964,E980,E983	13	5	7	-	1	3	-	-	2	1
62	Injury by intervention of police—E984	-	-	-	-	-	-	-	-	-	-
63	Execution—E985	1	1	-	-	-	-	-	-	-	-
64	Injury resulting from operations of war—E985,E990-E999	-	-	-	-	-	1	1	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12	5	4	1	2	48	14	23	5	6	75	24	34	7	10	14	5	8	-	1	1
5	3	2	-	-	30	7	17	1	5	50	15	26	3	6	11	3	7	-	1	2
-	-	-	-	-	1	-	1	-	-	6	2	2	-	2	1	1	-	-	-	3
-	-	-	-	-	3	1	-	2	-	7	1	3	2	1	-	-	-	-	-	4
1	1	-	-	-	-	-	-	-	-	5	2	1	2	-	-	-	-	-	-	5
6	1	2	1	2	14	6	5	2	1	7	4	2	-	1	2	1	1	-	-	6
103	45	30	15	13	301	148	92	32	29	379	161	123	56	39	79	48	29	-	2	7
8	2	5	1	-	36	17	16	1	2	36	10	19	3	4	4	3	1	-	-	8
6	1	4	1	-	28	12	9	4	3	44	19	16	6	3	6	5	1	-	-	9
52	22	13	10	7	141	68	49	12	12	169	74	50	23	21	36	17	17	-	2	10
37	20	8	3	6	96	51	18	15	12	131	58	38	24	11	33	23	10	-	-	11
403	138	97	82	86	1,248	465	316	259	208	1,749	604	425	408	312	256	152	105	1	-	12
85	32	16	19	16	228	90	61	43	34	305	125	64	71	45	57	34	22	1	-	13
145	52	35	27	29	199	94	56	31	18	269	115	83	46	25	46	26	20	-	-	14
9	1	2	2	4	66	15	8	22	21	147	46	19	41	41	10	7	3	-	-	15
14	5	6	-	3	45	20	15	5	5	48	20	17	5	6	9	8	1	-	-	16
19	6	2	8	3	75	19	10	25	21	152	35	30	47	40	17	5	12	-	-	17
135	42	36	26	31	635	227	166	133	109	828	263	212	198	155	119	72	47	-	-	18
30	12	7	8	3	924	297	176	275	176	978	210	145	328	295	111	62	36	8	5	19
10	2	4	2	2	212	65	86	35	26	214	29	60	60	65	45	19	19	5	2	20
20	10	3	6	1	712	232	90	240	150	764	181	85	288	230	66	43	17	3	3	21
661	242	137	197	85	2,353	1,193	477	519	164	2,647	1,191	437	749	270	543	423	109	8	3	22
468	161	110	133	64	1,685	870	370	350	95	1,923	895	382	469	197	470	363	97	8	2	23
5	1	-	3	1	33	16	3	12	2	45	21	3	20	1	9	9	-	-	-	24
127	43	21	43	20	656	373	122	139	22	725	431	104	152	38	166	117	41	7	1	25
125	41	21	43	20	637	364	118	133	22	707	418	102	150	37	157	110	39	7	1	26
-	-	-	-	-	23	15	7	1	-	18	13	4	1	-	10	7	3	-	-	27
46	15	3	22	6	142	76	29	30	7	146	66	20	42	18	21	14	4	3	-	28
44	15	5	15	9	208	129	39	35	5	127	83	16	23	5	37	26	8	3	-	29
21	4	9	4	4	178	94	24	53	7	149	86	18	40	5	42	31	10	-	1	30
14	7	4	2	1	86	50	19	14	3	267	170	44	44	9	47	32	14	1	-	31
2	2	-	-	-	19	9	4	6	-	18	13	2	2	1	9	7	2	-	-	32
6	2	1	2	1	7	3	2	2	-	13	9	-	3	1	6	5	-	1	-	33
13	8	2	3	-	72	56	5	11	-	46	30	4	12	-	9	9	-	-	-	34
14	10	3	1	-	44	44	-	-	-	33	31	2	-	-	18	17	1	-	-	35
10	2	2	5	1	43	21	13	7	2	61	21	11	19	10	6	3	3	-	-	36
7	3	1	3	-	18	10	5	2	1	12	8	1	3	-	4	4	-	-	-	37
135	48	49	26	12	262	94	133	18	17	312	111	140	33	28	66	38	28	-	-	38
64	28	13	18	5	87	37	31	11	8	111	54	26	22	9	35	24	11	-	-	39
13	3	4	4	2	47	12	30	1	4	36	11	19	1	5	16	7	9	-	-	40
58	17	32	4	5	128	45	72	6	5	165	46	95	10	14	15	7	8	-	-	41
4	1	-	3	-	26	14	2	10	-	42	21	2	19	-	18	18	-	-	-	42
4	3	-	1	-	17	10	-	7	-	28	15	3	10	-	15	15	-	-	-	43
4	2	1	1	-	34	27	1	6	-	27	19	-	7	1	14	14	-	-	-	44
34	5	13	7	9	89	28	17	27	17	172	35	41	45	51	18	13	5	-	-	45
6	2	3	-	1	14	5	3	4	2	22	4	3	7	8	4	4	-	-	-	46
5	2	-	3	-	57	35	8	10	4	98	48	8	32	10	21	20	1	-	-	47
14	4	3	2	5	33	15	6	4	8	31	10	9	8	4	7	2	5	-	-	48
33	10	5	17	1	157	77	27	51	2	101	33	14	46	8	37	31	6	-	-	49
8	2	-	6	-	1	-	-	-	1	8	3	-	3	2	1	1	-	-	-	50
-	-	-	-	-	4	2	-	1	1	1	-	-	1	-	2	1	-	-	1	51
39	13	6	7	13	118	42	25	39	14	146	45	17	49	35	49	42	7	-	-	52
104	64	22	14	4	353	255	82	10	6	297	211	59	22	5	61	52	8	-	1	53
24	11	12	-	1	98	52	39	2	3	44	21	20	2	1	7	5	2	-	-	54
19	8	5	4	2	31	21	9	-	1	16	10	2	4	-	8	6	2	-	-	55
34	28	1	5	-	178	154	19	5	-	212	161	32	16	3	40	37	3	-	-	56
27	17	4	5	1	48	28	15	3	2	25	19	5	-	1	6	4	1	-	1	57
89	17	5	50	17	315	68	25	159	63	427	85	16	258	68	12	8	4	-	-	58
54	9	1	16	8	147	35	14	67	31	262	59	14	147	42	6	4	2	-	-	59
30	1	1	24	4	98	13	3	61	21	92	5	2	68	17	1	1	-	-	-	60
21	7	3	6	5	57	13	8	25	11	52	19	-	24	9	5	3	2	-	-	61
-	-	-	-	-	11	6	-	5	-	14	2	-	12	-	-	-	-	-	-	62
4	-	-	4	-	2	1	-	1	-	7	-	-	7	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	92,568	48,575	36,290	4,243	3,460	40,026	21,541	16,346	1,204	935
2	I.—Infective and parasitic diseases	3,571	1,819	749	550	353	1,411	788	413	136	74
3	Tuberculosis, all forms—001-019	2,484	1,315	438	438	293	801	418	231	95	57
4	Tuberculosis of respiratory system—001-008	2,314	1,261	398	399	256	719	381	202	85	51
5	Tuberculosis of meninges and central nervous system—010	50	16	12	9	13	32	16	12	3	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	16	5	3	4	6	5	2	1	1	1
7	Tuberculosis of vertebral column—012.0,013.0	14	5	4	4	1	5	2	2	1	-
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	2	1	-	1	-	3	1	2	-	-
9	Tuberculosis of genito-urinary system—016	13	7	4	-	2	6	4	2	-	-
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	5	1	3	-	1	3	2	1	-	-
11	Disseminated tuberculosis—019	68	19	14	21	14	28	10	9	5	4
12	Syphilis and its sequelae—020-029	517	295	94	85	43	262	171	46	33	12
13	Congenital syphilis—020	3	1	2	-	-	3	1	1	-	1
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	140	88	27	13	12	65	49	7	3	6
16	Other cardiovascular syphilis—023	109	62	23	16	8	58	42	10	6	-
17	Tabes dorsalis—024	21	14	4	2	1	9	7	1	1	-
18	General paralysis of insane—025	174	93	23	44	14	77	49	11	15	2
19	Other syphilis of central nervous system—026	55	30	10	10	5	38	21	10	6	1
20	Other syphilis—027-029	15	7	5	-	3	12	2	6	2	2
21	Gonococcal infection—030-035	6	-	3	1	2	-	-	-	-	-
22	Typhoid fever—040	1	1	-	-	-	2	-	2	-	-
23	Paratyphoid fever—041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections—042	4	2	1	1	-	1	1	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	4	2	2	-	-	3	2	1	-	-
27	Dysentery, all forms—045-048	28	17	7	3	1	14	8	6	-	-
28	Scarlet fever—050	2	1	1	-	-	-	-	-	-	-
29	Streptococcal sore throat—051	26	11	12	2	1	24	9	14	1	-
30	Erysipelas—052	6	-	4	-	2	3	3	-	-	-
31	Septicemia and pyemia—053	17	6	9	-	2	23	16	4	2	1
32	Diphtheria—055	4	4	-	-	-	21	8	13	-	-
33	Whooping cough—056	28	6	18	2	2	25	14	9	1	1
34	Meningococcal infections—057	49	25	15	5	4	29	17	11	1	-
35	Plague—058	-	-	-	-	-	-	-	-	-	-
36	Tularemia—059	-	-	-	-	-	2	1	1	-	-
37	Leprosy—060	-	-	-	-	-	-	-	-	-	-
38	Tetanus—061	12	8	2	1	1	6	4	2	-	-
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	246	154	67	4	1	116	70	45	-	1
41	Late effects of acute poliomyelitis—081	4	3	1	-	-	3	3	-	-	-
42	Acute infectious encephalitis—082	23	10	10	3	-	18	12	6	-	-
43	Late effects of acute infectious encephalitis—083	9	2	6	-	1	7	4	3	-	-
44	Smallpox—084	-	-	-	-	-	-	-	-	-	-
45	Measles—085	6	4	2	-	-	9	4	5	-	-
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	38	21	14	2	1	6	4	2	-	-
48	Rabies—094	2	-	2	-	-	-	-	-	-	-
49	Tick-borne typhus—104	3	2	1	-	-	-	-	-	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	-	-	-	-	-	-	-	-	-	-
51	Malaria—110-117	1	1	-	-	-	1	1	-	-	-
52	Schistosomiasis—123	-	-	-	-	-	-	-	-	-	-
53	Hydatid disease—125	3	1	2	-	-	-	-	-	-	-
54	Filariasis—127	-	-	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	-	-	-	-	-	-	-	-	-	-
56	Other diseases due to helminths—124,126,128,130	1	1	-	-	-	1	1	-	-	-
57	All other infective and parasitic diseases—Residual	49	27	18	3	1	34	17	12	3	2
58	II.—Neoplasms	14,842	7,054	6,859	439	490	5,808	2,673	2,885	136	114
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	14,512	6,931	6,697	432	452	5,653	2,612	2,806	132	103
60	Malignant neoplasm of buccal cavity and pharynx—140-148	393	324	54	11	4	103	78	21	3	1
61	Of lip—140	29	28	1	-	-	15	14	1	-	-
62	Of tongue—141	110	97	8	3	2	25	20	5	-	-
63	Of other and unspecified parts of buccal cavity—142-144	95	74	18	3	-	25	16	7	-	-
64	Of pharynx—145-148	159	125	27	5	2	38	26	8	3	1
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	6,034	3,129	2,558	218	128	2,260	1,128	1,035	66	31
66	Of esophagus—150	364	253	51	51	9	77	51	16	10	-
67	Of stomach—151	1,712	1,037	583	56	36	607	352	227	19	9
68	Of intestine, except rectum—152,153	1,713	759	877	42	35	623	272	330	11	10
69	Of rectum—154	818	448	326	25	19	264	144	111	6	3
70	Of biliary passages and of liver (stated to be primary site)—155	316	94	206	10	6	108	33	70	3	-
71	Of liver not specified whether primary or secondary—156A	437	190	226	12	9	223	93	125	3	2
72	Of pancreas—157	588	309	248	19	12	307	163	124	13	7
73	Of peritoneum and of unspecified digestive organs—158,159	86	39	42	3	2	53	20	32	1	-
74	Malignant neoplasm of respiratory system—160-164	1,369	1,050	239	66	14	460	355	82	17	6
75	Of larynx—161	161	140	12	8	1	47	41	4	2	-
76	Of trachea, and of bronchus and lung specified as primary—162	487	400	56	26	5	136	113	15	7	1
77	Of lung and bronchus, unspecified as primary or secondary—163	668	478	155	30	7	250	180	53	7	5
78	Of other parts of respiratory system—160,164	53	34	18	2	1	27	21	5	1	-
79	Malignant neoplasm of breast—170	1,379	8	1,299	-	72	507	6	486	-	15
80	Malignant neoplasm of genital organs—171-179	2,309	784	1,324	45	156	1,019	332	636	19	32
81	Of cervix uteri—171	443	...	374	...	69	223	...	211	...	12
82	Of other and unspecified parts of uterus—172-174	608	...	548	...	60	296	...	279	...	17
83	Of ovary, fallopian tube, and broad ligament—175	373	...	349	...	24	131	...	128	...	3
84	Of other and unspecified female genital organs—176	56	...	53	...	3	18	...	18	...	-
85	Of prostate—177	755	712	...	43	...	329	310	...	19	...
86	Of testis, and of other and unspecified male genital organs—178,179	74	72	...	2	...	22	22	...	-	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
26,106	14,783	11,054	150	119	18,814	10,218	7,582	541	473	28,046	14,086	10,614	1,779	1,567	23,400	7,919	5,570	5,137	4,774	1
571	339	214	10	8	472	259	155	32	26	1,851	858	693	161	139	1,327	384	147	479	317	2
244	155	82	5	2	208	123	65	12	8	1,255	568	472	111	104	785	266	93	243	183	3
223	142	74	5	2	194	117	57	12	8	1,153	528	426	104	95	758	256	88	224	170	4
7	4	3	-	-	3	1	2	-	-	43	12	26	2	3	8	1	-	4	3	5
2	2	-	-	-	-	-	-	-	-	13	7	4	-	2	6	1	1	3	1	6
3	2	1	-	-	4	-	4	-	-	8	2	5	-	1	4	-	-	4	-	7
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	8
4	3	1	-	-	5	3	2	-	-	7	3	3	1	-	6	4	1	-	1	9
1	-	1	-	-	-	-	-	-	-	4	1	2	-	1	1	-	1	-	-	10
3	1	2	-	-	2	2	-	-	-	25	13	6	4	2	21	3	2	8	8	11
125	86	28	5	6	99	53	20	15	11	145	67	25	36	17	299	51	13	158	77	12
3	1	1	1	-	2	1	-	1	-	12	8	3	4	-	30	1	1	15	13	13
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	-	-	1	-	14
40	26	12	1	1	24	13	10	-	1	25	16	6	1	2	56	17	8	19	12	15
42	32	8	2	2	39	21	4	9	5	38	18	2	12	6	114	15	-	70	29	16
3	3	-	-	-	3	-	2	-	1	7	4	2	1	-	5	3	-	1	1	17
16	8	6	-	2	15	7	3	3	2	32	9	7	11	5	50	7	1	32	10	18
16	12	2	1	1	13	10	-	1	2	27	13	3	7	4	32	6	3	15	8	19
5	4	1	-	-	3	1	1	1	-	3	1	2	-	-	11	2	-	5	4	20
-	-	-	-	-	-	-	-	-	-	2	-	-	-	2	1	-	-	-	1	21
-	-	-	-	-	1	1	-	-	-	14	9	3	-	2	12	2	3	3	4	22
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	-	1	1	24
3	2	1	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	25
11	6	5	-	-	5	2	3	-	-	94	51	40	-	3	32	10	4	11	7	26
6	3	3	-	-	-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	27
18	7	11	-	-	10	7	3	-	-	8	4	4	-	-	2	-	1	-	1	28
3	3	-	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	29
6	5	1	-	-	6	2	3	1	-	13	4	7	1	1	12	7	2	2	1	30
1	-	1	-	-	1	1	-	-	-	26	15	11	-	-	14	7	-	5	2	31
4	1	3	-	-	-	-	-	-	-	68	27	30	6	5	16	1	1	9	5	32
15	7	8	-	-	10	8	1	1	-	43	25	18	-	-	20	5	11	3	1	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	34
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	3	-	-	3	-	35
6	3	3	-	-	4	4	-	-	-	6	1	-	4	-	33	4	3	14	12	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
86	47	39	-	-	62	29	31	-	2	54	28	25	-	1	6	3	1	2	-	38
1	-	1	-	-	1	-	1	-	-	5	3	2	-	-	-	-	-	-	-	39
8	5	3	-	-	15	7	7	-	1	7	1	6	-	-	8	4	1	1	2	40
2	2	-	-	-	2	1	-	1	-	2	2	-	-	-	2	1	1	-	-	41
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	42
5	1	4	-	-	18	7	11	-	-	36	15	18	1	2	16	3	4	4	5	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
11	5	6	-	-	5	3	2	-	-	9	4	5	-	-	7	3	2	-	2	45
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	46
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	47
1	-	1	-	-	2	-	1	-	1	1	1	-	-	-	2	1	-	-	1	48
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	-	1	1	1	49
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	52
14	3	11	-	-	20	8	7	2	3	50	26	20	2	2	41	13	5	15	8	57
3,935	1,960	1,942	18	15	2,702	1,219	1,360	56	67	3,237	1,388	1,556	133	160	3,184	1,138	1,020	476	550	58
3,836	1,902	1,902	18	14	2,639	1,201	1,326	54	58	3,156	1,355	1,515	130	156	3,080	1,109	989	464	518	59
78	63	15	-	-	70	56	13	1	-	82	61	11	7	3	93	49	17	21	6	60
21	21	-	-	-	16	16	-	-	-	11	11	-	-	-	2	1	1	-	-	61
11	9	2	-	-	11	6	5	-	-	14	13	-	1	-	23	14	3	4	2	62
25	14	11	-	-	24	19	5	-	-	25	15	3	5	2	24	12	6	5	1	63
21	19	2	-	-	19	15	3	1	-	32	22	8	1	1	44	22	7	12	3	64
1,657	913	732	7	5	1,019	498	471	31	19	1,209	550	563	62	34	1,033	385	295	205	148	65
61	46	14	1	-	29	19	7	3	-	35	18	10	5	2	49	19	8	12	10	66
512	331	175	3	3	310	171	118	12	9	374	198	142	24	10	386	148	83	104	61	67
502	227	273	-	2	294	137	150	4	3	330	127	182	8	13	214	63	97	21	33	68
182	112	68	2	-	116	57	52	4	3	102	49	46	5	2	84	34	26	22	12	69
87	24	62	1	-	58	19	34	2	3	64	15	48	1	-	32	14	13	2	3	70
109	55	54	-	-	84	30	52	2	-	162	67	84	8	3	114	47	40	16	11	71
176	102	74	-	-	107	56	46	4	1	124	68	44	9	3	106	54	23	18	11	72
28	16	12	-	-	21	9	12	-	-	18	8	7	2	1	28	6	5	10	7	73
275	208	65	2	-	191	139	40	10	2	271	185	57	22	7	345	224	47	61	13	74
36	31	5	-	-	15	13	2	-	-	27	22	4	-	1	29	14	2	12	1	75
76	58	18	-	-	49	34	12	2	1	80	53	13	12	2	98	74	7	12	5	76
149	112	35	2	-	113	80	24	8	1	147	101	33	9	4	206	128	34	37	7	77
14	7	7	-	-	14	12	2	-	-	17	9	7	1	-	12	8	4	-	-	78
362	1	360	-	1	262	3	248	-	11	260	7	228	-	25	228	1	156	1	70	79
659	267	360	6	6	470	169	276	7	18	618	188	348	16	66	619	122	235	74	188	80
120	...	118	...	2	100	...	89	...	11	162	...	133	...	29	208	...	112	...	96	81
136	...	134	...	2	110	...	104	...	6	163	...	134	...	29	153	...	77	...	76	82
98	...	96	...	2	78	...	77	...	1	74	...	68	...	6	56	...	44	...	12	83
12	...	12	...	-	6	...	6	...	-	15	...	13	...	2	6	...	2	...	4	84
255	249	...	6	...	165	158	...	7	...	186	170	...	16	...	183	111	...	72	...	85
18	18	...	-	...	11	11	...	-	...	18	18	...	-	...	13	11	...	2	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs----------180,181	750	456	264	14	16	240	153	76	7	4
2	Of kidney----------180	248	143	97	4	4	87	54	28	4	1
3	Of bladder and other urinary organs----------181	502	313	167	10	12	153	99	48	3	3
4	Malignant neoplasm of other and unspecified sites------156B,165,190-199	1,306	666	562	37	41	630	309	300	10	11
5	Of skin----------190,191	198	116	78	3	1	92	44	47	-	1
6	Of eye----------192	25	11	14	-	-	12	5	6	-	1
7	Of brain and other parts of nervous system----------193	247	133	103	7	4	79	47	31	1	-
8	Of thyroid gland----------194	61	15	40	3	3	18	5	13	-	-
9	Of bone (including jaw bone)----------196	172	88	74	7	3	87	54	31	1	1
10	Of connective tissue----------197	30	19	8	1	2	18	12	5	1	-
11	Of other specified sites, not stated to be secondary----195,198A,199A	222	130	81	5	6	146	66	74	3	3
12	Of unspecified sites----------156B,165,198B,199B-M	351	154	164	11	22	178	76	93	4	5
13	Leukemia and aleukemia----------204	512	265	215	20	12	230	137	87	5	1
14	Lymphosarcoma, etc.*----------200-203,205	460	249	181	21	9	204	114	83	5	2
15	Lymphosarcoma and reticulosarcoma----------200	221	120	89	9	3	82	45	36	1	-
16	Hodgkin's disease----------201	153	81	64	4	4	80	49	28	2	1
17	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	86	48	28	8	2	42	20	19	2	1
18	Benign neoplasms and neoplasms of unspecified nature----------210-238	330	123	162	7	38	155	61	79	4	11
19	Benign neoplasms of female genital organs----------214-217	109	...	78	...	31	34	...	29	...	5
20	Benign neoplasm of brain and other parts of nervous system--------223	89	40	44	2	3	18	9	7	1	1
21	Other benign neoplasms----------210-213,218-222,224-229	64	43	17	3	1	20	10	8	1	1
22	Neoplasm of unspecified nature of female genital organs-------233-235	3	...	3	...	-	-	...	-	...	-
23	Neoplasm of unspecified nature of brain, etc.*----------237	45	27	16	2	-	61	30	28	-	3
24	Other neoplasms of unspecified nature----------230-232,236,238,239	20	13	4	-	3	22	12	7	2	1
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases----------	2,787	1,025	1,621	43	98	972	396	531	16	29
26	Asthma----------241	218	127	83	7	1	123	73	40	6	4
27	Nontoxic goiter----------250,251	19	2	14	1	2	6	1	5	-	-
28	Thyrotoxicosis with or without goiter----------252	141	30	101	3	7	67	8	53	1	5
29	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	7	2	5	-	-	5	3	2	-	-
30	Diabetes mellitus----------260	2,275	802	1,360	28	85	711	279	405	8	19
31	Diseases of thymus gland----------273	43	25	16	-	2	10	6	4	-	-
32	Diseases of adrenal glands----------274	35	10	23	2	-	13	6	6	-	1
33	Pellagra----------281	2	1	-	-	1	2	-	1	1	-
34	All other avitaminoses and nutritional deficiency states----280,282-286	24	18	6	-	-	19	11	8	-	-
35	Other allergic, endocrine, and metabolic diseases----------Residual	23	8	13	2	-	16	9	7	-	-
36	IV.—Diseases of the blood and blood-forming organs----------	492	221	247	11	13	190	92	93	1	4
37	Anemias----------290-293	395	176	196	11	12	152	71	76	1	4
38	Pernicious and other hyperchromic anemias----------290	244	110	128	2	4	101	47	52	1	1
39	Anemias of other and unspecified type----------291-293	151	66	68	9	8	51	24	24	-	3
40	Purpura and other hemorrhagic conditions----------296	44	19	24	-	1	11	4	7	-	-
41	All other diseases of blood and blood-forming organs----294,295,297-299	53	26	27	-	-	27	17	10	-	-
42	V.—Mental, psychoneurotic, and personality disorders----------	191	113	59	11	8	126	61	57	5	3
43	Senile psychosis----------304	28	7	21	-	-	39	11	27	-	1
44	Alcoholic psychosis----------307	19	18	1	-	-	4	4	-	-	-
45	Other psychoses----------300-303,305,306,308,309	44	10	25	2	7	35	14	21	-	-
46	Alcoholism----------322	86	73	5	8	-	35	26	2	5	2
47	Mental deficiency----------325	9	3	6	-	-	10	5	5	-	-
48	Psychoneuroses and other disorders of personality---310-321,323,324,326	5	2	1	1	1	3	1	2	-	-
49	VI.—Diseases of the nervous system and sense organs----------	9,041	4,213	4,184	332	312	5,309	2,516	2,554	109	130
50	Vascular lesions affecting central nervous system----------330-334	8,170	3,782	3,819	278	291	4,855	2,289	2,343	100	123
51	Subarachnoid hemorrhage----------330	113	45	57	8	3	63	31	26	3	3
52	Cerebral hemorrhage----------331	5,606	2,542	2,688	159	217	3,600	1,673	1,767	70	90
53	Cerebral embolism and thrombosis----------332	1,170	571	498	68	33	544	281	233	13	17
54	Other vascular lesions affecting central nervous system-------333,334	1,281	624	576	43	38	648	304	317	14	13
55	Meningitis, except meningococcal and tuberculous----------340	98	51	30	13	4	49	23	20	4	2
56	Multiple sclerosis----------345	101	45	55	-	1	52	22	29	1	-
57	Paralysis agitans----------350	150	70	76	2	2	87	48	38	-	1
58	Cerebral spastic infantile paralysis----------351	49	27	19	3	-	14	8	6	-	-
59	Epilepsy----------353	115	67	38	9	1	57	29	27	1	-
60	Inflammatory diseases of eye----------370-379	-	-	-	-	-	-	-	-	-	-
61	Cataract----------385	8	1	6	-	1	1	1	-	-	-
62	Glaucoma----------387	1	-	1	-	-	3	1	2	-	-
63	Otitis media and mastoiditis----------391-393	31	16	11	2	2	22	11	11	-	-
64	Other diseases of nervous system and sense organs----------Residual	318	154	129	25	10	169	84	78	3	4
65	VII.—Diseases of the circulatory system----------	39,624	21,802	15,187	1,481	1,354	16,119	9,282	6,151	375	331
66	Rheumatic fever----------400-402	84	43	30	4	7	63	33	23	4	3
67	Diseases of heart----------410-443	36,971	20,379	13,953	1,383	1,256	14,349	8,382	5,335	359	293
68	Chronic rheumatic heart disease----------410-416	1,383	670	625	51	37	601	302	261	23	15
69	Diseases of mitral valve----------410	644	312	307	13	12	278	144	116	12	6
70	Diseases of aortic valve specified as rheumatic----------411	36	23	12	1	-	14	12	1	1	-
71	Diseases of tricuspid valve----------412	2	1	1	-	-	1	-	-	1	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	58	28	28	1	1	32	17	14	-	1
73	Other diseases of heart specified as rheumatic----------415,416	643	306	277	36	24	276	129	130	9	8
74	Arteriosclerotic heart disease, including coronary disease----------420	18,097	11,344	5,892	513	348	7,691	5,128	2,310	156	97
75	Arteriosclerotic heart disease so described----------420.0	5,464	2,828	2,208	238	190	1,658	940	624	50	44
76	Heart disease specified as involving coronary arteries----------420.1	12,493	8,427	3,639	271	156	5,950	4,129	1,662	106	53
77	Angina pectoris without mention of coronary disease----------420.2	140	89	45	4	2	83	59	24	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
181	103	74	3	1	128	83	39	3	3	116	60	48	6	4	141	79	31	15	16	1
74	37	36	1	-	48	29	15	3	1	46	24	18	4	-	60	34	14	3	9	2
107	66	38	2	1	80	54	24	-	2	70	36	28	2	4	81	45	17	12	7	3
330	169	161	-	-	303	152	145	1	5	340	158	158	12	12	393	147	147	47	52	4
65	44	21	-	-	76	47	29	-	-	87	45	42	-	-	86	48	31	4	3	5
7	5	2	-	-	5	3	2	-	-	7	4	3	-	-	4	2	1	-	1	6
56	34	22	-	-	53	30	23	-	-	51	30	18	3	-	53	24	20	4	5	7
9	3	6	-	-	6	2	4	-	-	17	4	9	1	3	12	1	5	3	3	8
48	27	21	-	-	38	22	14	1	1	45	22	20	1	2	27	6	9	5	7	9
9	5	4	-	-	4	1	3	-	-	8	4	4	-	-	8	2	1	1	4	10
63	24	39	-	-	53	26	26	-	1	60	24	32	2	2	83	23	36	14	10	11
73	27	46	-	-	68	21	44	-	3	65	25	30	5	5	120	41	44	16	19	12
164	96	67	-	1	115	80	55	-	-	146	84	58	1	3	125	53	40	16	14	13
150	82	68	-	-	81	41	39	1	-	114	62	46	4	2	103	49	21	22	11	14
59	29	30	-	-	31	17	14	-	-	59	33	24	2	-	45	25	9	10	1	15
52	30	22	-	-	38	21	17	-	-	38	20	17	1	-	26	12	5	4	5	16
39	23	16	-	-	12	3	8	1	-	17	9	5	1	2	32	12	7	8	5	17
99	58	40	-	1	63	18	34	2	9	81	33	41	3	4	104	29	31	12	32	18
13	...	12	...	1	15	...	9	...	6	23	...	20	...	3	28	...	10	...	18	19
9	4	5	-	-	18	9	8	-	1	12	5	6	1	-	10	3	4	1	2	20
12	10	2	-	-	5	3	1	1	-	14	10	3	-	1	13	6	3	2	2	21
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	1	...	1	...	-	22
41	27	14	-	-	12	3	7	-	2	22	11	9	2	-	34	14	6	7	7	23
23	17	6	-	-	12	3	8	1	-	10	7	3	-	-	18	6	7	2	3	24
584	251	332	1	-	489	198	264	10	17	544	209	278	19	38	492	111	178	76	127	25
74	48	26	-	-	57	36	16	3	2	100	51	37	5	7	56	22	14	11	9	26
2	-	2	-	-	1	-	-	-	1	-	-	-	-	-	3	-	-	-	3	27
42	6	36	-	-	14	1	12	-	1	32	7	22	1	2	19	1	8	2	8	28
2	1	1	-	-	4	1	3	-	-	5	-	5	-	-	1	-	-	-	1	29
417	175	242	-	-	356	138	201	6	11	349	123	187	12	27	350	74	150	45	81	30
13	9	4	-	-	19	11	7	1	-	6	3	3	-	-	20	7	1	8	4	31
15	3	12	-	-	5	1	3	-	1	4	3	1	-	-	4	1	-	1	2	32
-	-	-	-	-	3	1	2	-	-	9	4	5	-	-	6	-	-	1	5	33
10	5	4	1	-	22	7	14	-	1	30	14	13	1	2	29	5	3	8	13	34
9	4	5	-	-	8	2	6	-	-	9	4	5	-	-	4	1	2	-	1	35
172	74	96	-	2	91	52	38	1	-	114	57	43	6	8	81	23	19	18	21	36
141	62	78	-	1	79	45	33	1	-	88	42	34	4	8	62	14	14	16	18	37
94	41	53	-	-	53	31	21	1	-	42	15	21	2	4	13	3	8	-	2	38
47	21	25	-	1	26	14	12	-	-	46	27	13	2	4	49	11	6	16	16	39
12	6	6	-	-	3	1	2	-	-	11	8	3	-	-	8	3	3	1	1	40
19	6	12	-	1	9	6	3	-	-	15	7	6	2	-	11	6	2	1	2	41
117	73	44	-	-	73	36	32	2	3	121	62	36	15	8	57	22	10	16	9	42
55	26	29	-	-	36	15	19	1	1	29	11	12	2	4	12	6	-	3	3	43
5	5	-	-	-	3	3	-	-	-	4	2	1	1	-	1	1	-	-	-	44
21	12	9	-	-	11	4	5	-	2	15	3	10	-	2	12	2	6	4	-	45
25	22	1	-	-	14	12	1	1	-	58	39	6	11	2	27	13	3	7	4	46
8	5	3	-	-	3	-	3	-	-	9	3	5	1	-	2	-	1	-	1	47
5	3	2	-	-	6	2	4	-	-	6	4	2	-	-	3	-	-	2	1	48
3,798	1,946	1,815	18	19	2,644	1,291	1,207	61	85	3,400	1,553	1,377	223	247	2,424	634	580	512	698	49
3,488	1,765	1,689	17	17	2,428	1,185	1,118	51	76	3,043	1,358	1,251	204	230	2,164	541	535	442	646	50
38	21	17	-	-	32	15	16	1	-	39	21	14	-	4	24	6	8	7	3	51
2,572	1,258	1,288	13	13	1,779	857	825	40	57	2,122	917	900	140	165	1,706	404	395	372	535	52
398	226	168	3	1	310	168	129	3	10	285	151	101	22	11	175	65	74	14	22	53
480	260	216	1	3	307	143	148	7	9	597	269	236	42	50	259	66	58	49	86	54
17	11	6	-	-	29	12	12	3	2	50	23	25	1	1	71	16	7	24	24	55
47	24	23	-	-	19	8	8	1	2	14	9	5	-	-	11	8	2	1	-	56
72	44	28	-	-	37	21	16	-	-	43	20	17	3	3	19	11	4	3	1	57
13	8	5	-	-	11	7	3	1	-	12	7	5	-	-	15	3	2	8	2	58
54	27	26	-	1	38	16	18	3	1	57	32	12	11	2	34	12	4	13	5	59
-	-	-	-	-	1	1	-	-	-	1	-	1	-	-	1	-	-	1	-	60
3	2	1	-	-	-	-	-	-	-	1	-	1	-	-	2	1	-	1	-	61
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	62
13	10	2	1	-	7	3	4	-	-	23	14	7	-	2	11	2	1	3	5	63
91	55	35	-	1	73	39	28	2	4	156	90	53	4	9	96	40	25	16	15	64
10,613	6,288	4,231	56	38	7,339	4,261	2,738	184	156	9,790	5,082	3,461	655	572	8,508	3,155	2,133	1,629	1,591	65
27	13	14	-	-	27	12	13	1	1	57	22	31	2	2	29	5	3	9	12	66
9,514	5,729	3,698	54	33	6,522	3,841	2,371	170	140	8,746	4,607	3,053	578	508	7,865	2,973	1,970	1,474	1,448	67
353	191	158	2	2	249	135	101	8	5	381	177	163	17	24	189	42	46	56	45	68
188	93	93	1	1	144	74	63	2	5	188	83	77	11	17	98	20	18	35	25	69
11	8	2	1	-	10	8	2	-	-	5	3	2	-	-	2	1	1	-	-	70
2	1	1	-	-	2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	71
27	15	12	-	-	15	8	7	-	-	16	8	7	-	1	3	-	2	1	-	72
125	74	50	-	1	78	43	29	6	-	172	83	77	6	6	86	21	25	20	20	73
5,811	3,862	1,907	28	14	3,779	2,497	1,155	73	54	4,130	2,499	1,304	193	134	4,228	2,042	1,079	601	506	74
1,131	587	526	6	2	711	404	269	18	20	929	483	383	42	21	1,775	695	540	287	253	75
4,614	3,224	1,357	21	12	3,032	2,069	875	54	34	3,097	1,948	891	148	112	2,416	1,325	531	309	251	76
66	41	24	1	-	36	24	11	1	-	104	70	30	3	1	37	22	8	5	2	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic—421	579	284	252	18	25	324	174	132	9	9
2	Of mitral valve, specified as nonrheumatic—421.0	15	6	9	-	-	6	3	3	-	-
3	Of aortic valve, not specified as rheumatic—421.1	119	66	39	7	7	49	29	15	3	2
4	Of other valves, not specified as rheumatic—421.2-421.4	445	212	204	11	18	269	142	114	6	7
5	Other myocardial degeneration—422	9,932	5,106	4,008	430	388	2,382	1,188	1,112	43	39
6	With arteriosclerosis—422.1	3,232	1,529	1,612	44	47	927	459	439	15	14
7	Without mention of arteriosclerosis—422.0,422.2	6,700	3,577	2,396	386	341	1,455	729	673	28	25
8	Other diseases of heart—430-434	1,721	939	582	103	97	769	405	329	17	18
9	Acute and subacute endocarditis—430	92	49	28	9	6	29	14	11	3	1
10	Acute myocarditis not specified as rheumatic—431	304	158	132	5	9	129	73	49	3	4
11	Acute pericarditis specified as nonrheumatic—432	2	2	-	-	-	1	-	1	-	-
12	Functional disease of heart—433	103	53	50	-	-	99	38	57	2	2
13	Other and unspecified diseases of heart—434	1,220	677	372	89	82	511	280	211	9	11
14	Hypertension with heart disease—440-443	5,259	2,036	2,594	268	361	2,582	1,185	1,191	91	115
15	Hypertensive heart disease with arteriolar nephrosclerosis—442	1,244	554	577	47	66	1,450	750	818	41	43
16	Essential hypertension with heart disease, etc.*—440,441,443	4,015	1,482	2,017	221	295	1,132	435	575	50	72
17	Hypertension without mention of heart—444-447	657	288	285	36	47	347	154	159	15	19
18	Hypertension with arteriolar nephrosclerosis, etc.*—446	375	175	137	26	37	139	73	54	4	8
19	Essential hypertension, other hypertensive disease, etc.*-444,445,447	282	114	148	10	10	208	81	105	11	11
20	Diseases of arteries—450-456	1,931	1,001	841	53	36	1,279	671	577	17	14
21	General arteriosclerosis—450	1,740	886	781	47	26	1,201	650	543	15	13
22	Aortic aneurysm specified as nonsyphilitic, etc.*—451	93	62	24	4	3	23	16	5	1	1
23	Gangrene of unspecified cause—455	17	9	6	2	-	7	3	3	1	-
24	Other arterial diseases—452-454,456	81	44	30	-	7	48	22	26	-	-
25	Diseases of veins and other diseases of circulatory system—460-468	181	90	78	5	8	81	42	37	-	2
26	VIII.—Diseases of the respiratory system	2,890	1,645	853	243	149	1,445	749	561	82	53
27	Acute upper respiratory infections—470-475	36	16	18	2	-	25	15	8	1	1
28	Influenza—480-483	123	54	56	5	8	141	61	72	2	6
29	Pneumonia, except pneumonia of newborn—490-493	1,976	1,085	573	200	118	957	481	368	69	39
30	Lobar pneumonia—490	794	468	198	87	41	330	164	115	35	16
31	Bronchopneumonia—491	1,024	536	308	106	74	430	224	157	27	22
32	Primary atypical pneumonia—492	116	62	51	2	1	117	52	61	3	1
33	Pneumonia, other and unspecified—493	42	19	16	5	2	80	41	35	4	-
34	Acute bronchitis—500	73	31	27	7	8	18	10	6	2	-
35	Bronchitis, chronic and unqualified—501,502	195	120	67	4	4	55	30	19	4	2
36	Hypertrophy of tonsils and adenoids—510	25	15	6	2	-	11	3	5	-	1
37	Empyema and abscess of lung—518,521	78	58	11	6	3	27	17	10	-	-
38	Pleurisy—519	17	11	5	1	-	7	5	2	-	-
39	All other respiratory diseases—Residual	367	255	88	16	8	204	128	71	4	4
40	IX.—Diseases of the digestive system	3,804	2,085	1,476	153	90	1,607	815	607	49	36
41	Diseases of teeth and supporting structures—530-535	5	3	1	1	-	11	8	3	-	-
42	Ulcer of stomach—540	318	230	63	19	6	93	71	17	5	-
43	Ulcer of duodenum—541	259	211	36	9	3	97	72	21	4	-
44	Gastritis and duodenitis—543	11	9	2	-	-	9	4	4	1	-
45	Appendicitis—550-553	244	143	84	10	7	107	73	30	2	2
46	Hernia and intestinal obstruction—560,561,570	685	331	320	19	15	261	128	117	8	8
47	Gastro-enteritis and colitis, except diarrhea of newborn—571,572	404	167	180	34	23	263	138	96	13	16
48	Cirrhosis of liver—581	969	620	303	30	16	294	193	84	12	5
49	Without mention of alcoholism—581.0	694	435	232	17	10	252	164	75	9	4
50	With alcoholism—581.1	275	185	71	13	6	42	29	9	3	1
51	Cholelithiasis and cholecystitis—584,585	522	174	334	5	9	195	45	147	1	2
52	Other diseases of digestive system—Residual	387	197	153	26	11	177	83	88	3	3
53	X.—Diseases of the genito-urinary system	3,374	1,851	1,219	163	141	1,250	714	452	45	39
54	Nephritis and nephrosis—590-594	2,307	1,077	1,012	101	117	844	417	368	32	30
55	Acute nephritis—590	115	59	44	8	4	85	30	31	3	1
56	Nephritis with edema, including nephrosis—591	93	48	35	6	4	31	16	14	1	-
57	Chronic and unspecified nephritis and other renal sclerosis—592-594	2,099	970	933	87	109	748	371	320	28	29
58	Infections of kidney—600	237	116	94	20	7	70	31	32	3	4
59	Calculi of urinary system—602,604	73	44	26	1	2	33	19	13	1	-
60	Other diseases of urinary system—601,603,605-609	109	67	27	9	6	34	18	15	-	1
61	Hyperplasia of prostate—610	523	493	...	30	...	197	189	...	8	...
62	Other diseases of male genital organs—611-617	56	54	...	2	...	41	40	...	1	...
63	Diseases of breast—620,621	-	-	-	-	-	1	-	1	-	-
64	Diseases of female genital organs—622-637	69	...	60	...	9	30	...	26	...	4
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium	132	...	109	...	23	57	...	48	...	9
66	Sepsis of pregnancy, childbirth, and puerperium—640,641,681,682,684	31	...	26	...	5	10	...	10	...	-
67	Toxemias of pregnancy and puerperium, etc.*—642,685,686	39	...	33	...	6	14	...	11	...	3
68	Hemorrhage of pregnancy and childbirth—643,644,670-672	20	...	18	...	2	9	...	8	...	1
69	Ectopic pregnancy—645	8	...	4	...	4	6	...	4	...	2
70	Abortion without mention of sepsis or toxemia—650	2	...	2	...	-	3	...	2	...	1
71	Abortion with sepsis—651	13	...	10	...	3	5	...	5	...	-
72	Abortion with toxemia, without mention of sepsis—652	-	...	-	...	-	-	...	-	...	-
73	Other complications of pregnancy, childbirth, and puerperium—Residual	19	...	16	...	3	10	...	8	...	2
74	XII.—Diseases of the skin and cellular tissue	49	26	17	1	5	22	9	13	-	-
75	Infections of skin and subcutaneous tissue—690-698	16	12	2	-	2	7	4	3	-	-
76	Other diseases of skin and subcutaneous tissue—700-716	33	14	15	1	3	15	5	10	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
229	125	102	1	1	261	143	107	4	7	340	161	133	24	22	193	55	51	43	44	1
5	1	4	-	-	8	5	1	1	1	3	3	-	-	-	4	1	-	2	1	2
35	21	13	-	1	37	25	9	3	-	38	17	18	3	-	29	8	3	8	10	3
189	103	85	1	-	216	113	97	-	6	289	141	115	21	22	160	46	48	33	33	4
1,547	804	728	10	5	578	476	452	27	23	1,234	546	482	108	98	989	293	264	221	211	5
705	351	350	3	1	415	203	198	7	7	387	175	155	26	31	317	93	90	72	62	6
842	453	378	7	4	563	273	254	20	16	847	371	327	82	67	672	200	174	149	149	7
373	193	174	2	4	325	184	120	16	5	786	425	234	77	50	526	160	110	134	122	8
8	3	5	-	-	14	10	4	-	-	13	5	4	1	3	25	6	4	8	7	9
26	16	9	1	-	47	23	21	2	1	90	32	20	26	12	66	15	10	19	22	10
-	-	-	-	-	-	-	-	-	-	3	2	-	-	1	-	-	-	-	-	11
63	30	33	-	-	40	28	13	1	-	44	25	16	2	1	33	11	15	3	4	12
276	144	127	1	4	224	125	82	13	4	636	361	194	48	33	402	128	81	104	89	13
1,201	554	629	11	7	930	406	436	42	46	1,875	799	757	159	160	1,740	381	420	419	520	14
439	235	204	1	1	328	161	135	19	13	556	242	219	46	49	307	79	73	78	79	15
762	321	425	10	6	602	245	301	23	33	1,319	557	518	113	131	1,433	302	347	343	441	16
220	108	109	1	2	182	95	78	5	4	244	117	91	22	14	235	50	55	77	53	17
92	50	40	-	2	111	63	42	3	3	89	45	25	15	4	92	19	19	35	19	18
128	58	69	1	-	71	32	36	2	1	155	72	66	7	10	143	31	36	42	34	19
781	403	375	1	2	559	291	252	7	9	688	308	284	49	47	333	114	95	58	66	20
718	370	346	1	1	505	258	231	7	9	646	267	268	45	46	284	95	86	46	57	21
15	11	4	-	-	19	15	4	-	-	16	12	4	-	-	15	6	3	3	3	22
5	2	3	-	-	3	2	1	-	-	9	4	3	1	1	6	2	-	2	2	23
43	20	22	-	1	32	16	16	-	-	17	5	9	3	-	28	11	6	7	4	24
71	35	35	-	1	49	22	24	1	2	55	28	22	4	1	46	13	10	11	12	25
913	491	406	8	8	676	356	270	30	20	1,590	743	648	99	100	1,238	347	253	324	314	26
16	6	10	-	-	19	8	11	-	-	29	10	17	1	1	14	2	4	4	4	27
97	56	40	1	-	74	35	34	4	1	169	71	74	12	12	181	50	27	53	51	28
628	327	286	7	8	405	208	162	19	16	1,157	534	478	69	76	834	208	173	231	222	29
258	157	95	3	3	130	72	47	6	5	357	173	125	34	25	222	63	44	65	50	30
247	118	123	3	3	200	97	81	12	10	527	238	226	22	41	490	107	94	134	155	31
76	40	35	-	1	56	27	28	1	-	68	36	30	2	-	70	22	27	14	7	32
67	32	33	1	1	19	12	6	-	1	205	87	97	11	10	52	18	8	18	10	33
7	6	1	-	-	17	9	8	-	-	16	7	5	3	1	24	8	7	3	6	34
45	17	28	-	-	37	17	18	1	1	57	29	21	2	5	52	18	12	11	11	35
5	-	5	-	-	6	2	4	-	-	10	3	5	1	1	5	1	1	1	2	36
8	7	1	-	-	13	9	3	1	-	21	14	4	2	1	12	6	3	2	1	37
5	3	2	-	-	5	3	1	1	-	3	2	1	-	-	2	1	-	1	-	38
102	69	33	-	-	100	65	29	4	2	128	73	43	9	3	114	53	26	18	17	39
886	518	357	9	2	709	374	294	23	18	1,310	662	520	71	57	851	303	189	195	164	40
6	4	2	-	-	8	7	-	-	1	7	5	1	-	1	3	1	1	-	1	41
74	57	16	1	-	70	48	17	4	1	80	61	13	5	1	57	27	5	18	7	42
60	47	12	1	-	48	37	10	1	-	54	43	10	1	-	28	15	1	9	3	43
1	1	-	-	-	2	-	1	-	1	11	5	6	-	-	3	-	2	1	-	44
60	44	16	-	-	59	32	19	5	3	90	41	36	4	9	58	18	14	14	12	45
177	95	77	3	2	134	71	57	3	3	168	74	76	11	7	153	45	38	33	37	46
86	43	42	1	-	84	36	46	2	-	458	212	199	27	20	184	41	32	67	44	47
151	108	42	1	-	91	52	31	5	3	205	132	55	12	6	149	80	29	26	14	48
122	81	40	1	-	88	50	30	5	3	175	107	52	10	6	137	73	26	25	13	49
29	27	2	-	-	3	2	1	-	-	30	25	3	2	-	12	7	3	1	1	50
153	57	95	1	-	118	43	74	1	-	97	29	65	1	2	72	22	39	4	7	51
118	62	55	1	-	95	48	39	2	6	140	60	59	10	11	144	54	28	23	39	52
800	503	288	5	4	738	420	257	39	22	940	509	279	92	60	790	246	188	187	169	53
508	267	234	3	4	464	223	200	23	18	686	339	232	64	51	558	152	146	115	144	54
21	12	9	-	-	51	17	12	2	-	54	23	20	6	5	54	12	16	13	13	55
13	7	6	-	-	24	7	10	5	2	30	14	12	3	1	28	10	6	6	6	56
474	248	219	3	4	409	199	178	16	16	602	302	200	55	45	476	130	124	97	125	57
31	15	15	1	-	51	17	29	4	1	47	16	22	5	4	53	13	25	2	13	58
27	21	6	-	-	25	12	12	-	1	16	7	6	1	2	16	8	4	2	2	59
38	22	16	-	-	22	12	10	-	-	30	22	5	3	-	32	8	6	17	1	60
163	162	...	1	...	151	141	...	10	...	119	102	...	17	...	98	54	...	44	...	61
16	16	...	-	...	17	15	...	2	...	25	25	...	2	...	17	11	...	6	...	62
-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	63
17	...	17	...	-	8	...	6	...	2	16	...	14	...	2	16	...	7	...	9	64
31	...	31	...	-	23	...	20	...	3	93	...	81	...	12	93	...	29	...	64	65
7	...	7	...	-	2	...	2	...	-	13	...	10	...	3	12	...	4	...	8	66
8	...	8	...	-	7	...	6	...	1	38	...	32	...	6	30	...	12	...	18	67
7	...	7	...	-	4	...	3	...	1	24	...	22	...	2	18	...	3	...	15	68
3	...	3	...	-	1	...	-	...	1	2	...	2	...	-	4	...	3	...	1	69
2	...	2	...	-	-	...	-	...	-	1	...	1	...	-	6	...	1	...	5	70
1	...	1	...	-	5	...	5	...	-	6	...	5	...	1	7	...	1	...	6	71
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	72
3	...	3	...	-	4	...	4	...	-	9	...	9	...	-	16	...	5	...	11	73
21	9	12	-	-	28	15	9	3	1	30	15	11	2	2	28	9	8	7	4	74
3	1	2	-	-	11	8	1	1	1	18	8	6	1	1	11	5	2	3	1	75
18	8	10	-	-	17	7	8	2	-	14	7	5	1	1	17	4	6	4	3	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	138	61	69	4	2	93	40	50	2	1
2	Arthritis and spondylitis—720-725	72	25	43	3	1	54	19	34	-	1
3	Muscular rheumatism and rheumatism unspecified—726,727	3	1	2	-	-	6	3	2	1	-
4	Osteomyelitis and periostitis—730	10	7	2	-	1	5	3	2	-	-
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	2	1	1	-	-	3	2	1	-	-
6	All other diseases of musculoskeletal system—731-736,738-744	49	27	21	1	-	25	13	11	1	-
7	XIV.—Congenital malformations	1,113	559	475	45	34	533	278	239	10	6
8	Spina bifida and meningocele—751	114	48	60	4	2	65	31	32	1	1
9	Congenital hydrocephalus, etc.*—752,753	128	64	59	2	3	49	29	19	1	-
10	Congenital malformations of circulatory system—754	505	254	205	27	19	223	125	91	3	4
11	Other congenital malformations—750,755-759	366	193	151	12	10	196	93	97	5	1
12	XV.—Certain diseases of early infancy	3,227	1,601	1,155	255	216	1,566	852	574	85	55
13	Birth injuries—760,761	611	341	198	46	28	279	157	97	16	9
14	Postnatal asphyxia and atelectasis—762	1,170	561	382	126	101	343	202	111	18	12
15	Infections of newborn—763-768	203	91	67	23	22	92	41	35	11	5
16	Hemolytic disease of newborn (erythroblastosis)—770	147	78	63	-	6	67	43	23	1	-
17	All other defined diseases of early infancy—769,771,772	89	47	36	4	2	67	28	37	2	-
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	1,007	483	411	56	57	716	381	271	37	29
19	XVI.—Symptoms, senility, and ill-defined conditions	325	186	113	15	11	260	122	118	12	8
20	Senility without mention of psychosis—794	120	50	63	2	5	112	46	61	2	3
21	Symptoms, ill-defined and unknown causes—780-793,795	205	136	50	13	6	148	76	57	10	5
22	XVII.—Accidents, poisonings, and violence	6,770	4,214	1,898	497	161	3,358	2,154	1,020	141	43
23	Accidents—E800-E962	5,336	3,330	1,639	263	104	2,709	1,713	874	93	29
24	Railway accidents—E800-E802	156	124	19	12	1	72	62	6	3	1
25	Motor-vehicle accidents—E810-E835	1,826	1,270	438	93	25	1,098	796	257	35	10
26	Motor-vehicle traffic accidents—E810-E825	1,805	1,253	434	93	25	1,079	780	254	35	10
27	Motor-vehicle traffic accident with railway train*—E810	119	86	32	-	1	92	69	23	-	-
28	Motor-vehicle traffic accident to pedestrian—E812	589	409	121	47	12	245	175	60	9	1
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	688	464	187	31	6	452	321	112	14	5
30	Motor-vehicle noncollision traffic accidents—E820-E824	341	250	70	15	6	235	175	49	8	3
31	Motor-vehicle traffic accident of unspecified nature—E825	68	44	24	-	-	55	40	10	4	1
32	Motor-vehicle nontraffic accidents—E830-E835	21	17	4	-	-	19	16	3	-	-
33	Other road-vehicle accidents—E840-E845	59	34	14	8	3	14	11	2	-	1
34	Water-transport accidents—E850-E858	59	53	6	-	-	21	15	6	-	-
35	Aircraft accidents—E860-E866	61	56	5	-	-	22	19	3	-	-
36	Accidental poisoning by solid and liquid substances—E870-E888	96	46	36	6	8	41	23	15	2	1
37	Accidental poisoning by gases and vapors—E890-E895	73	49	16	7	1	25	20	2	3	-
38	Accidental falls—E900-E904	1,681	800	803	52	26	743	290	436	10	7
39	Fall from one level to another—E900-E902	546	316	197	24	9	183	95	82	5	1
40	Fall on same level—E903	385	200	170	13	2	110	39	68	2	1
41	Unspecified falls—E904	750	284	436	15	15	450	156	286	3	5
42	Blow from falling object—E910	80	74	2	4	-	36	33	1	2	-
43	Accident caused by machinery—E912	95	84	3	8	-	57	52	3	2	-
44	Accident caused by electric current—E914	53	46	6	1	-	39	38	1	-	-
45	Accident caused by fire and explosion, etc.*—E916	317	142	129	28	18	128	70	42	14	2
46	Accident caused by hot substance, etc.*—E917,E918	45	21	15	6	2	36	22	10	2	2
47	Accident caused by firearm—E919	109	92	5	11	1	42	35	4	3	-
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	53	30	19	2	2	33	19	9	4	1
49	Accidental drowning—E929	265	214	38	11	2	120	97	15	8	-
50	Excessive heat and insolation—E931	39	26	8	2	3	12	6	4	1	1
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E949	5	2	3	-	-	8	2	5	-	1
52	All other accidents—Residual	264	167	73	12	12	162	103	53	4	2
53	Suicide—E963,E970-E979	1,007	756	207	36	8	526	391	126	8	1
54	Suicide by poisoning—E970-E973	142	90	50	1	1	120	71	48	-	1
55	Suicide by hanging and strangulation—E974	326	254	63	8	1	110	65	25	-	-
56	Suicide by firearms and explosives—E976	382	330	32	18	2	242	205	33	4	-
57	Suicide by all other means—E963,E975,E977-E979	157	82	62	9	4	54	30	20	4	-
58	Homicide—E964,E980-E985	425	126	52	198	49	123	50	20	40	13
59	Assault by firearms and explosives—E981	216	63	32	98	23	67	31	8	22	6
60	Assault by cutting and piercing instruments—E982	99	18	4	65	12	25	4	6	11	4
61	Assault by other means—E964,E980,E983	90	35	16	25	14	26	12	6	5	3
62	Injury by intervention of police—E984	18	8	-	10	-	1	-	-	1	-
63	Execution—E985	2	2	-	-	-	4	3	-	1	-
64	Injury resulting from operations of war—E965,E990-E999	2	2	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
69	31	38	-	-	40	9	28	3	-	74	25	43	1	5	41	10	21	6	4	1
46	16	30	-	-	26	7	18	1	-	46	12	30	-	4	25	5	11	5	4	2
3	3	-	-	-	2	-	1	1	-	3	1	2	-	-	1	-	1	-	-	3
5	4	1	-	-	2	2	-	-	-	3	2	1	-	-	-	-	-	-	-	4
1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	2	-	1	1	-	5
14	7	7	-	-	10	-	9	1	-	21	10	9	1	1	13	5	8	-	-	6
361	193	164	1	3	215	118	86	3	8	403	219	154	15	15	349	125	95	76	53	7
38	15	23	-	-	16	6	10	-	-	36	19	15	1	1	20	9	7	2	2	8
28	17	12	-	-	24	12	10	1	1	26	8	17	1	-	42	11	10	15	6	9
171	92	77	1	1	101	59	39	1	2	207	117	77	5	8	165	57	46	33	29	10
123	69	52	-	2	74	41	27	1	5	134	75	45	8	6	122	48	32	26	16	11
1,006	537	395	6	8	724	406	282	26	10	1,532	805	582	82	63	1,584	454	317	435	378	12
246	156	87	2	1	171	97	67	2	5	243	139	90	7	7	311	101	59	91	60	13
203	119	83	-	1	166	94	60	8	4	287	155	105	16	13	237	83	62	49	43	14
70	44	22	2	2	49	32	14	3	-	175	91	69	10	5	134	21	11	55	47	15
50	33	17	-	-	34	18	14	2	-	40	23	15	1	1	58	24	17	8	9	16
48	26	22	-	-	31	21	10	-	-	117	56	44	13	4	109	22	14	45	30	17
389	219	164	2	4	273	144	117	11	1	670	343	259	35	33	755	203	154	189	189	18
216	106	109	-	1	203	113	79	6	5	506	248	205	28	25	415	97	58	139	124	19
167	76	90	-	1	106	54	46	3	3	238	99	115	10	14	106	31	21	22	32	20
49	30	19	-	-	97	59	33	3	2	268	149	90	18	11	309	66	34	117	92	21
2,013	1,404	580	18	11	1,648	1,091	463	62	32	2,511	1,651	627	177	56	1,938	861	328	562	187	22
1,648	1,103	522	14	9	1,357	879	402	48	28	1,977	1,289	538	122	48	1,524	683	290	399	152	23
27	23	4	-	-	27	22	4	1	-	70	54	10	6	-	37	16	2	19	-	24
575	447	126	1	1	496	349	124	17	6	717	528	138	43	8	508	273	86	117	32	25
550	426	122	1	1	490	338	119	17	6	700	514	135	43	8	491	268	83	111	29	26
55	43	12	-	-	42	31	10	1	-	30	22	7	1	-	19	9	4	4	2	27
72	45	26	1	-	61	47	13	-	1	164	110	37	12	5	117	58	18	29	12	28
229	176	52	-	1	203	132	63	7	1	170	123	38	8	1	163	100	23	34	6	29
140	121	19	-	-	105	77	19	6	3	137	111	18	8	-	105	57	17	25	6	30
54	41	13	-	-	69	51	14	3	1	199	148	35	14	2	87	44	21	19	3	31
25	21	4	-	-	16	11	5	-	-	17	14	3	-	-	17	5	3	6	3	32
13	13	-	-	-	4	3	1	-	-	11	10	1	-	-	10	4	-	5	1	33
20	20	-	-	-	8	7	1	-	-	33	31	-	2	-	72	45	4	21	2	34
27	26	1	-	-	50	48	2	-	-	10	9	1	-	-	19	16	-	2	1	35
17	7	8	-	2	18	11	4	1	2	34	23	9	1	1	37	12	12	5	8	36
16	12	4	-	-	24	16	6	2	-	15	9	3	2	1	11	8	2	1	-	37
518	216	301	-	1	335	141	184	5	5	403	166	213	13	11	240	84	104	28	24	38
156	88	68	-	-	92	48	41	3	-	115	73	30	7	5	71	33	20	12	6	39
145	51	93	-	1	107	41	63	2	1	82	22	56	3	1	36	17	14	2	3	40
217	77	140	-	-	136	52	80	-	4	206	71	127	3	5	133	34	70	14	15	41
24	22	1	1	-	20	20	-	-	-	66	62	-	4	-	41	25	2	14	-	42
52	49	3	-	-	52	48	2	1	1	42	35	5	2	-	28	21	1	6	-	43
28	27	1	-	-	27	25	1	1	-	22	19	1	2	-	31	24	1	5	1	44
115	73	31	7	4	93	41	34	7	11	160	60	69	17	14	122	30	22	30	40	45
9	7	2	-	-	4	3	1	-	-	21	9	9	2	1	24	1	8	9	8	46
40	39	1	-	-	32	27	2	3	-	78	61	9	5	3	66	28	9	25	4	47
17	14	2	1	-	17	12	5	-	-	16	9	4	2	1	39	9	8	13	9	48
60	45	14	1	-	71	57	7	6	1	87	73	8	5	1	120	48	14	53	5	49
8	4	1	-	1	5	3	1	1	-	10	6	4	-	-	4	2	1	1	-	50
2	1	1	-	-	3	2	-	1	-	4	2	1	1	-	3	1	1	-	1	51
82	58	21	3	-	71	44	23	2	2	178	103	53	15	7	112	38	15	45	18	52
342	287	54	1	-	245	186	54	3	2	284	217	62	5	-	173	120	27	25	1	53
49	34	15	-	-	41	24	16	-	1	54	31	22	1	-	17	8	8	1	-	54
115	95	20	-	-	35	23	10	1	1	35	25	9	1	-	16	12	4	-	-	55
146	137	8	1	-	135	117	16	2	-	152	135	15	2	-	115	85	12	17	1	56
32	21	11	-	-	34	22	12	-	-	43	26	16	1	-	25	15	3	7	-	57
23	14	4	3	2	46	26	7	11	2	250	165	27	50	8	241	58	11	138	34	58
15	9	2	2	2	32	17	6	8	1	172	120	16	32	4	130	37	6	72	15	59
3	2	1	-	-	5	1	-	3	1	29	14	3	9	3	68	5	-	45	18	60
3	1	1	1	-	7	6	1	-	-	37	22	8	6	1	34	13	5	15	1	61
1	1	-	-	-	2	2	-	-	-	9	7	-	2	-	7	3	-	4	-	62
1	1	-	-	-	-	-	-	-	-	3	2	-	1	-	2	-	-	2	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	10,099	5,572	4,485	21	21	22,110	9,610	7,843	2,596	2,061
2	I.—Infective and parasitic diseases	287	180	104	1	2	1,229	428	205	377	219
3	Tuberculosis, all forms—001-019	189	116	72	1	-	922	318	143	291	170
4	Tuberculosis of respiratory system—001-008	160	104	53	1	-	845	289	129	267	150
5	Tuberculosis of meninges and central nervous system—010	9	6	3	-	-	27	8	5	7	7
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	2	1	1	-	-	2	-	1	1	-
7	Tuberculosis of vertebral column—012.0,013.0	2	1	1	-	-	5	-	1	1	3
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	-	-	-	-	-	2	1	-	-	1
9	Tuberculosis of genito-urinary system—016	4	2	2	-	-	7	4	1	1	1
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	-	-	-	-	-	5	2	2	1	-
11	Disseminated tuberculosis—019	4	2	2	-	-	29	4	4	13	8
12	Syphilis and its sequelae—020-029	31	21	8	-	2	186	58	19	73	36
13	Congenital syphilis—020	1	-	-	-	1	10	-	1	6	3
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	12	9	3	-	-	56	24	8	15	9
16	Other cardiovascular syphilis—023	9	7	2	-	-	61	16	5	26	14
17	Tabes dorsalis—024	-	-	-	-	-	4	1	2	1	-
18	General paralysis of insane—025	3	2	1	-	-	36	11	1	18	6
19	Other syphilis of central nervous system—026	2	1	1	-	-	15	6	1	6	2
20	Other syphilis—027-029	4	2	1	-	1	4	-	1	1	2
21	Gonococcal infection—030-035	-	-	-	-	-	1	-	-	1	-
22	Typhoid fever—040	-	-	-	-	-	-	-	-	-	-
23	Paratyphoid fever—041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections—042	-	-	-	-	-	-	-	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	-	-	-	-	-	1	1	-	-	-
27	Dysentery, all forms—045-048	-	-	-	-	-	7	1	1	3	2
28	Scarlet fever—050	1	-	1	-	-	1	-	-	-	1
29	Streptococcal sore throat—051	4	4	-	-	-	3	1	1	-	1
30	Erysipelas—052	-	-	-	-	-	1	1	-	-	-
31	Septicemia and pyemia—053	4	3	1	-	-	16	5	3	5	3
32	Diphtheria—055	-	-	-	-	-	6	1	3	-	2
33	Whooping cough—056	9	6	3	-	-	5	1	3	1	-
34	Meningococcal infections—057	9	5	4	-	-	11	7	4	-	-
35	Plague—058	-	-	-	-	-	-	-	-	-	-
36	Tularemia—059	-	-	-	-	-	-	-	-	-	-
37	Leprosy—060	-	-	-	-	-	-	-	-	-	-
38	Tetanus—061	-	-	-	-	-	5	3	-	2	-
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	10	7	3	-	-	13	8	5	-	-
41	Late effects of acute poliomyelitis—081	-	-	-	-	-	4	-	4	-	-
42	Acute infectious encephalitis—082	3	1	2	-	-	5	2	2	-	1
43	Late effects of acute infectious encephalitis—083	1	-	1	-	-	4	2	2	-	-
44	Smallpox—084	-	-	-	-	-	-	-	-	-	-
45	Measles—085	12	7	5	-	-	17	7	8	1	1
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	5	3	2	-	-	7	4	2	-	1
48	Rabies—094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus—104	-	-	-	-	-	-	-	-	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	-	-	-	-	-	1	1	-	-	-
51	Malaria—110-117	2	1	1	-	-	-	-	-	-	-
52	Schistosomiasis—123	-	-	-	-	-	-	-	-	-	-
53	Hydatid disease—125	-	-	-	-	-	-	-	-	-	-
54	Filariasis—127	-	-	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	-	-	-	-	-	-	-	-	-	-
56	Other diseases due to helminths—124,126,128,130	-	-	-	-	-	1	1	-	-	-
57	All other infective and parasitic diseases—Residual	7	6	1	-	-	12	6	5	-	1
58	II.—Neoplasms	1,550	777	768	2	3	3,299	1,413	1,388	235	263
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	1,507	758	744	2	3	3,205	1,381	1,349	230	245
60	Malignant neoplasm of buccal cavity and pharynx—140-148	45	32	13	-	-	78	54	14	8	2
61	Of lip—140	9	8	1	-	-	7	7	-	-	-
62	Of tongue—141	11	9	2	-	-	17	14	3	-	-
63	Of other and unspecified parts of buccal cavity—142-144	13	10	3	-	-	29	18	7	4	-
64	Of pharynx—145-148	12	5	7	-	-	25	15	4	4	2
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	686	384	301	-	1	1,151	531	453	98	69
66	Of esophagus—150	30	20	10	-	-	51	34	7	9	1
67	Of stomach—151	202	136	66	-	-	325	174	91	42	18
68	Of intestine, except rectum—152,153	224	99	124	-	1	332	132	158	15	27
69	Of rectum—154	84	45	39	-	-	143	64	62	11	6
70	Of biliary passages and of liver (stated to be primary site)—155	33	14	19	-	-	63	18	37	3	5
71	Of liver not specified whether primary or secondary—156A	45	27	18	-	-	76	30	34	6	6
72	Of pancreas—157	61	36	25	-	-	137	73	51	10	3
73	Of peritoneum and of unspecified digestive organs—158,159	7	7	-	-	-	24	6	13	2	3
74	Malignant neoplasm of respiratory system—160-164	100	78	21	-	1	344	252	46	41	5
75	Of larynx—161	7	7	-	-	-	38	31	1	6	-
76	Of trachea, and of bronchus and lung specified as primary—162	33	28	5	-	-	98	74	13	11	-
77	Of lung and bronchus, unspecified as primary or secondary—163	59	43	15	-	1	192	138	27	24	3
78	Of other parts of respiratory system—160,164	1	-	1	-	-	16	9	5	-	2
79	Malignant neoplasm of breast—170	119	3	116	-	-	297	-	266	1	30
80	Malignant neoplasm of genital organs—171-179	281	113	167	-	1	572	165	277	35	95
81	Of cervix uteri—171	71	...	70	...	1	153	...	107	...	46
82	Of other and unspecified parts of uterus—172-174	57	...	57	...	-	139	...	104	...	35
83	Of ovary, fallopian tube, and broad ligament—175	33	...	33	...	-	76	...	64	...	12
84	Of other and unspecified female genital organs—176	7	...	7	...	-	4	...	2	...	2
85	Of prostate—177	108	108	...	-	...	178	146	...	32	...
86	Of testis, and of other and unspecified male genital organs—178,179	5	5	...	-	...	22	19	...	3	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
50,767	26,562	23,322	487	396	57,422	31,013	22,352	2,211	1,846	27,719	15,939	11,446	199	135	20,661	5,515	3,866	5,918	5,362	1
1,529	1,021	418	66	24	2,280	1,209	514	356	201	724	454	242	15	13	1,051	207	121	370	333	2
1,127	785	271	53	18	1,451	715	280	278	158	377	245	115	9	7	605	152	70	193	210	3
1,069	755	247	51	16	1,285	655	245	253	132	342	228	101	6	7	571	128	64	181	198	4
21	10	9	1	1	45	21	11	3	10	8	2	5	1	-	14	2	3	5	4	5
3	1	2	-	-	18	4	5	3	6	2	1	1	-	-	6	-	2	3	1	6
5	2	3	-	-	12	6	1	3	2	5	3	2	-	-	-	-	-	-	-	7
2	2	-	-	-	4	1	1	2	-	2	1	1	-	-	3	-	1	-	2	8
11	9	2	-	-	8	3	3	1	1	6	5	1	-	-	1	-	-	-	1	9
5	4	-	1	-	12	5	4	3	-	6	3	2	1	-	1	-	-	-	1	10
11	2	8	-	1	47	20	10	10	7	6	3	2	1	-	9	2	-	4	3	11
153	86	45	7	5	390	235	66	64	25	118	74	35	6	3	156	21	4	88	43	12
1	-	1	-	-	15	6	3	1	3	-	-	-	-	-	14	1	-	5	8	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
64	45	18	1	-	123	77	23	18	5	45	28	17	-	-	22	9	2	10	1	15
50	28	15	5	2	130	80	17	23	10	33	20	10	1	2	52	4	2	33	13	16
1	-	1	-	-	12	8	3	1	-	5	3	1	1	-	-	-	-	-	-	17
18	14	2	1	1	62	35	11	14	2	17	13	4	-	-	36	3	-	21	12	18
11	5	4	-	2	33	19	6	5	3	10	5	3	2	-	25	4	-	15	6	19
8	4	4	-	-	17	10	3	2	2	8	5	-	2	1	7	-	-	4	3	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	-	-	5	-	21
3	-	3	-	-	1	1	-	-	-	1	-	1	-	-	3	-	1	2	-	22
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	2	-	-	1	1	1	1	-	-	-	1	-	1	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	3	2	-	1	-	-	-	-	-	-	1	1	-	-	-	26
7	6	1	-	-	18	10	7	1	-	8	5	-	-	1	64	9	12	25	18	27
1	-	1	-	-	2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	28
10	4	5	1	-	13	5	7	-	1	7	3	4	-	-	15	3	3	3	6	29
2	-	1	1	-	4	3	1	-	-	3	2	1	-	-	-	-	-	-	-	30
25	17	8	-	-	20	8	11	-	1	14	9	4	-	1	8	2	2	1	3	31
44	29	14	1	-	10	1	8	-	1	11	6	5	-	-	32	7	6	9	10	32
6	2	4	-	-	21	9	4	5	3	6	2	4	-	-	32	3	6	10	13	33
18	13	5	-	-	33	17	10	3	3	20	12	8	-	-	8	4	2	2	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	7	5	2	-	-	7	5	2	-	-	15	3	-	6	6	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
53	33	19	1	-	210	139	69	1	1	114	70	43	-	1	10	5	-	2	3	40
2	-	2	-	-	4	2	2	-	-	3	2	1	-	-	-	-	-	-	-	41
8	5	3	-	-	17	11	5	1	-	8	3	5	-	-	6	1	1	2	2	42
7	3	4	-	-	10	4	6	-	-	2	1	1	-	-	3	2	-	-	1	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
12	3	9	-	-	31	14	15	1	1	2	1	1	-	-	26	2	6	10	8	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
18	9	9	-	-	14	6	8	-	-	9	5	4	-	-	7	2	2	2	1	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
3	3	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	50
1	-	-	1	-	1	1	-	-	-	-	-	-	-	-	5	3	-	1	1	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	55
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	1	1	-	1	56
26	11	13	1	1	36	19	12	-	5	13	5	8	-	-	23	4	4	8	7	57
8,599	4,141	4,326	72	60	8,834	4,288	4,019	242	285	4,438	2,344	2,056	20	18	2,162	647	617	365	533	58
8,405	4,075	4,203	71	56	8,620	4,205	3,919	235	261	4,340	2,298	1,996	19	17	2,077	632	600	350	495	59
210	174	35	-	1	208	162	40	4	2	82	66	14	2	-	49	27	10	3	9	60
20	20	-	-	-	33	29	3	1	-	5	5	-	-	-	7	5	-	1	1	61
52	43	9	-	-	51	38	11	2	-	16	11	3	2	-	7	3	2	-	2	62
48	35	12	-	1	48	36	11	-	1	23	16	7	-	-	15	7	6	1	1	63
90	76	14	-	-	76	59	15	1	1	36	34	4	-	-	20	12	2	1	5	64
3,648	1,880	1,705	44	19	3,447	1,822	1,441	109	75	1,887	1,112	757	11	7	741	223	215	167	136	65
214	157	45	11	1	169	120	39	10	-	67	50	13	3	1	31	10	6	12	3	66
1,022	599	401	12	10	1,123	704	350	45	24	673	443	225	4	1	248	80	51	74	43	67
1,138	495	636	4	3	888	375	473	20	20	492	249	241	1	1	186	50	75	21	40	68
532	289	235	7	1	419	228	171	12	8	227	140	85	-	2	52	14	15	15	8	69
147	56	90	1	-	186	60	115	6	5	114	38	74	1	1	28	8	13	3	4	70
173	76	95	2	-	254	118	128	5	3	68	38	30	-	-	102	29	23	24	26	71
388	188	171	6	3	351	193	135	10	13	214	137	74	2	1	68	24	25	11	8	72
54	20	32	1	1	57	24	30	1	2	32	17	15	-	-	28	8	7	7	4	73
735	584	141	9	1	826	641	144	38	3	288	219	67	2	-	166	106	20	28	12	74
68	58	10	-	-	79	71	6	1	1	25	23	2	-	-	12	8	2	2	-	75
184	143	35	5	1	254	205	28	20	1	106	90	15	1	-	50	36	4	10	-	76
447	358	86	3	-	448	334	96	17	1	139	95	43	1	-	96	61	13	13	9	77
36	25	10	1	-	45	31	14	-	-	18	11	7	-	-	8	1	1	3	3	78
781	7	767	-	7	754	11	715	1	29	390	4	383	-	3	148	3	83	1	58	79
1,254	462	765	6	21	1,401	469	793	32	107	626	302	320	1	3	481	77	124	58	222	80
219	...	206	...	13	334	...	273	...	61	106	...	103	...	3	141	...	56	...	85	81
300	...	294	...	6	290	...	260	...	30	108	...	108	...	-	170	...	44	...	126	82
240	...	238	...	2	241	...	229	...	12	96	...	96	...	-	29	...	22	...	7	83
27	...	27	...	-	35	...	31	...	4	13	...	13	...	-	6	...	2	...	4	84
432	427	...	5	...	486	436	...	30	...	283	282	...	1	...	128	76	...	52	...	85
36	35	...	1	...	33	31	...	2	...	20	20	...	-	...	7	1	...	6	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs----------180,181	79	50	29	-	-	184	103	64	10	7
2	Of kidney----------180	22	14	8	-	-	58	27	25	3	3
3	Of bladder and other urinary organs----------181	57	36	21	-	-	126	76	39	7	4
4	Malignant neoplasm of other and unspecified sites------156B,165,190-199	110	50	59	1	-	343	154	136	25	28
5	Of skin----------190,191	19	11	8	-	-	45	24	18	2	1
6	Of eye----------192	4	3	1	-	-	3	-	2	1	-
7	Of brain and other parts of nervous system----------193	21	14	7	-	-	64	33	21	3	7
8	Of thyroid gland----------194	5	3	2	-	-	8	3	4	-	1
9	Of bone (including jaw bone)----------196	14	5	8	1	-	32	17	11	-	4
10	Of connective tissue----------197	3	1	2	-	-	7	3	3	1	-
11	Of other specified sites, not stated to be secondary----195,198A,199A	22	7	15	-	-	71	27	31	8	5
12	Of unspecified sites----------156B,165,198B,199B-M	22	6	16	-	-	113	47	46	10	10
13	Leukemia and aleukemia----------204	46	25	20	1	-	119	61	46	6	6
14	Lymphosarcoma, etc.*----------200-203,205	41	23	18	-	-	117	61	47	6	3
15	Lymphosarcoma and reticulosarcoma----------200	11	6	5	-	-	60	36	21	2	1
16	Hodgkin's disease----------201	20	12	8	-	-	31	14	15	2	-
17	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	10	5	5	-	-	26	11	11	2	2
18	Benign neoplasms and neoplasms of unspecified nature----------210-239	43	19	24	-	-	94	32	39	5	18
19	Benign neoplasms of female genital organs----------214-217	11	...	11	...	-	20	...	11	...	9
20	Benign neoplasm of brain and other parts of nervous system--------223	7	3	4	-	-	15	7	8	-	-
21	Other benign neoplasms----------210-215,218-222,224-229	5	3	2	-	-	12	5	6	1	-
22	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	1	...	1	...	-
23	Neoplasm of unspecified nature of brain, etc.*----------237	11	10	1	-	-	32	13	11	2	6
24	Other neoplasms of unspecified nature----------230-232,236,238,239	8	3	5	-	-	16	7	4	2	3
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases----------	243	101	141	-	1	561	176	314	26	45
26	Asthma----------241	32	18	14	-	-	57	31	19	5	2
27	Nontoxic goiter----------250,251	2	-	2	-	-	2	-	2	-	-
28	Thyrotoxicosis with or without goiter----------252	7	2	5	-	-	26	4	20	-	2
29	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	2	-	2	-	-	3	1	2	-	-
30	Diabetes mellitus----------260	173	62	110	-	1	427	119	257	14	37
31	Diseases of thymus gland----------273	6	5	1	-	-	16	8	4	2	2
32	Diseases of adrenal glands----------274	3	1	2	-	-	8	6	2	-	-
33	Pellagra----------281	1	1	-	-	-	1	-	1	-	-
34	All other avitaminoses and nutritional deficiency states----280,282-286	8	5	3	-	-	15	5	4	4	2
35	Other allergic, endocrine, and metabolic diseases----------Residual	9	7	2	-	-	6	2	3	1	-
36	IV.—Diseases of the blood and blood-forming organs----------	44	28	16	-	-	66	23	35	3	5
37	Anemias----------290-293	33	20	13	-	-	44	12	27	2	3
38	Pernicious and other hyperchromic anemias----------290	20	13	7	-	-	17	5	10	-	2
39	Anemias of other and unspecified type----------291-293	13	7	6	-	-	27	7	17	2	1
40	Purpura and other hemorrhagic conditions----------296	3	3	-	-	-	7	4	2	-	1
41	All other diseases of blood and blood-forming organs----294,295,297-299	8	5	3	-	-	15	7	6	1	1
42	V.—Mental, psychoneurotic, and personality disorders----------	51	36	15	-	-	99	46	22	19	12
43	Senile psychosis----------304	5	4	1	-	-	8	5	3	-	-
44	Alcoholic psychosis----------307	4	4	-	-	-	6	6	-	-	-
45	Other psychoses----------00-30 ,305,308,308,309	13	8	5	-	-	16	2	6	2	6
46	Alcoholism----------322	23	16	7	-	-	62	30	10	16	6
47	Mental deficiency----------325	4	3	1	-	-	6	2	3	1	-
48	Psychoneuroses and other disorders of personality---310-321,323,324,326	2	1	1	-	-	1	1	-	-	-
49	VI.—Diseases of the nervous system and sense organs----------	1,340	620	714	2	4	2,149	752	932	227	238
50	Vascular lesions affecting central nervous system----------330-334	1,226	567	656	1	2	1,929	658	856	192	223
51	Subarachnoid hemorrhage----------330	12	4	8	-	-	67	23	22	12	10
52	Cerebral hemorrhage----------331	886	401	484	-	1	1,345	435	606	136	168
53	Cerebral embolism and thrombosis----------332	212	107	103	1	1	304	128	133	27	16
54	Other vascular lesions affecting central nervous system-------333,334	116	55	61	-	-	213	72	95	17	29
55	Meningitis, except meningococcal and tuberculous----------340	12	4	7	1	-	41	18	12	8	3
56	Multiple sclerosis----------345	22	8	14	-	-	14	5	8	1	-
57	Paralysis agitans----------350	18	9	9	-	-	27	15	12	-	-
58	Cerebral spastic infantile paralysis----------351	3	2	1	-	-	16	5	4	3	4
59	Epilepsy----------353	21	8	13	-	-	33	17	6	8	2
60	Inflammatory diseases of eye----------370-379	1	-	1	-	-	-	-	-	-	-
61	Cataract----------385	-	-	-	-	-	-	-	-	-	-
62	Glaucoma----------387	-	-	-	-	-	2	2	-	-	-
63	Otitis media and mastoiditis----------391-393	1	1	-	-	-	9	3	3	2	1
64	Other diseases of nervous system and sense organs----------Residual	36	21	13	-	2	78	29	31	13	5
65	VII.—Diseases of the circulatory system----------	4,086	2,315	1,759	7	5	9,453	4,379	3,440	855	779
66	Rheumatic fever----------400-402	13	10	3	-	-	32	11	9	5	7
67	Diseases of heart----------410-443	3,649	2,102	1,537	5	5	8,738	4,092	3,165	782	699
68	Chronic rheumatic heart disease----------410-416	135	65	70	-	-	295	115	139	20	21
69	Diseases of mitral valve----------410	56	30	28	-	-	113	39	59	8	7
70	Diseases of aortic valve specified as rheumatic----------411	7	7	-	-	-	10	9	1	-	-
71	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	8	4	4	-	-	12	6	5	1	-
73	Other diseases of heart specified as rheumatic----------415,416	62	24	38	-	-	160	61	74	11	14
74	Arteriosclerotic heart disease, including coronary disease----------420	2,196	1,401	789	3	3	3,881	2,384	1,204	241	172
75	Arteriosclerotic heart disease so described----------420.0	529	289	239	1	-	860	410	305	73	72
76	Heart disease specified as involving coronary arteries----------420.1	1,822	1,085	532	2	3	3,083	1,934	886	166	97
77	Angina pectoris without mention of coronary disease----------420.2	45	27	18	-	-	38	20	13	2	3

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
425	262	157	2	4	422	252	145	15	10	199	123	74	2	-	81	31	21	22	7	1
148	88	58	1	1	151	90	53	3	5	94	48	45	1	-	28	11	9	7	1	2
277	174	99	1	3	271	162	92	12	5	105	75	29	1	-	53	20	12	15	6	3
768	385	378	2	3	912	461	411	18	22	415	215	197	1	2	282	110	89	44	39	4
87	53	34	-	-	127	76	49	1	1	52	30	22	-	-	62	32	26	2	2	5
13	7	6	-	-	21	12	8	-	1	4	1	3	-	-	7	2	2	2	1	6
174	98	76	-	-	189	102	79	6	2	107	67	40	-	-	47	24	12	8	3	7
40	9	31	-	-	34	11	22	-	1	22	8	13	-	1	4	1	1	1	1	8
76	44	32	-	-	81	47	32	1	1	44	26	18	-	-	32	9	11	8	4	9
19	6	12	-	1	18	12	5	-	1	22	13	9	-	-	5	1	1	2	1	10
151	63	67	1	-	170	87	75	1	7	56	25	34	-	-	62	14	20	12	16	11
228	105	120	1	2	272	114	141	9	8	105	45	58	1	1	63	27	16	9	11	12
281	156	121	4	-	332	197	118	12	5	246	155	90	-	1	82	36	22	17	7	13
303	165	134	4	-	318	190	114	6	8	207	112	94	-	1	50	19	16	10	5	14
117	65	50	2	-	108	60	43	3	2	51	34	17	-	-	27	12	7	6	2	15
104	59	44	1	-	92	57	31	1	3	77	43	33	-	1	14	6	3	2	3	16
82	41	40	1	-	118	73	40	2	3	79	35	44	-	-	9	1	6	2	-	17
194	66	123	1	4	214	83	100	7	24	98	36	60	1	1	85	15	17	15	38	18
45	...	42	...	3	51	...	33	...	18	22	...	21	...	1	42	...	12	...	30	19
30	8	22	-	-	22	12	10	-	-	21	9	12	-	-	10	6	2	1	1	20
32	17	14	1	-	36	17	19	-	-	21	7	13	1	-	5	1	1	3	-	21
2	...	2	...	-	3	...	2	...	1	-	...	-	...	-	-	...	-	...	-	22
57	30	26	-	1	64	39	17	4	4	21	16	5	-	-	16	6	1	7	2	23
28	11	17	-	-	38	15	19	3	1	13	4	9	-	-	12	2	1	4	5	24
1,231	489	714	14	14	2,055	792	1,133	53	77	686	301	374	6	5	379	78	97	86	118	25
163	91	67	5	-	168	104	48	12	4	103	59	41	3	-	55	20	9	19	7	26
4	3	1	-	-	12	4	7	-	1	2	1	1	-	-	2	-	-	-	2	27
25	6	17	-	2	78	16	60	2	-	25	8	17	-	-	18	-	4	1	13	28
12	2	10	-	-	15	4	11	-	-	6	2	4	-	-	3	-	2	-	1	29
966	356	592	7	11	1,614	573	942	33	66	496	200	289	2	5	234	50	68	46	70	30
9	5	2	1	1	69	41	21	4	3	9	6	3	-	-	5	1	2	2	-	31
10	5	5	-	-	33	14	18	1	-	8	3	4	1	-	-	-	-	-	-	32
-	-	-	-	-	2	-	2	-	-	-	-	-	-	-	18	1	5	1	11	33
17	2	14	1	-	34	18	14	1	1	20	11	9	-	-	33	4	6	13	10	34
25	19	6	-	-	30	18	10	-	2	17	11	6	-	-	11	2	1	4	4	35
188	65	120	1	2	267	111	147	4	5	138	66	68	1	3	84	18	21	17	28	36
145	43	101	-	1	220	91	122	3	4	105	52	49	1	3	67	12	16	15	24	37
102	28	74	-	-	146	61	81	2	2	61	32	29	-	1	21	3	7	4	7	38
43	15	27	-	1	74	30	41	1	2	44	20	21	1	2	46	9	9	11	17	39
16	9	7	-	-	16	5	10	-	1	11	1	10	-	-	9	4	2	-	3	40
27	13	12	1	1	31	15	15	1	-	22	13	9	-	-	8	2	3	2	1	41
169	115	48	4	2	136	80	45	6	5	151	94	55	1	1	65	25	12	12	16	42
9	4	5	-	-	40	19	18	-	3	41	18	22	-	1	16	4	3	3	6	43
11	7	3	1	-	10	10	-	-	-	17	16	1	-	-	-	-	-	-	-	44
18	7	10	-	1	34	16	15	2	1	19	6	13	-	-	18	2	7	2	7	45
116	89	23	3	1	31	26	1	3	1	52	41	10	1	-	24	15	1	7	1	46
10	6	4	-	-	15	7	7	1	-	21	13	8	-	-	4	2	-	-	2	47
5	2	3	-	-	6	2	4	-	-	1	-	1	-	-	3	2	1	-	-	48
5,937	2,629	3,231	37	40	6,504	3,014	3,124	168	198	3,821	1,922	1,871	18	10	2,341	588	497	549	707	49
5,500	2,394	3,037	32	37	5,864	2,673	2,867	146	178	3,517	1,753	1,740	17	7	2,136	538	463	477	658	50
128	60	64	2	2	116	59	42	9	6	68	40	27	1	-	30	13	5	4	8	51
3,857	1,673	2,144	18	22	4,142	1,868	2,065	89	112	2,380	1,164	1,196	14	6	1,410	353	328	304	425	52
1,159	511	635	5	8	845	408	377	26	34	488	248	239	1	-	98	47	30	10	9	53
356	150	194	7	5	761	340	383	12	26	581	301	278	1	1	600	125	100	159	216	54
51	24	26	-	1	88	47	27	8	6	22	16	5	-	1	50	8	3	21	18	55
59	23	35	-	1	68	40	28	-	-	51	26	24	-	1	4	1	2	-	1	56
71	30	41	-	-	121	63	56	1	1	45	24	21	-	-	7	6	1	-	-	57
16	7	8	1	-	28	14	13	-	1	29	13	16	-	-	13	5	4	2	2	58
90	54	33	2	1	84	46	34	2	2	52	31	21	-	-	45	11	9	17	8	59
-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	-	-	-	-	-	60
2	2	-	-	-	1	1	-	-	-	1	-	1	-	-	-	-	-	-	-	61
1	-	1	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	62
24	18	6	-	-	27	10	11	3	3	7	4	2	-	1	9	2	3	3	1	63
123	77	44	2	-	219	118	87	7	7	97	55	41	1	-	77	17	12	29	19	64
22,736	12,142	10,288	148	158	21,919	12,766	8,041	572	540	11,068	6,700	4,280	52	36	5,947	2,090	1,287	1,304	1,306	65
61	33	27	1	-	73	37	28	1	7	47	27	19	-	1	29	6	5	6	12	66
20,797	11,278	9,237	134	148	19,978	11,811	7,163	515	489	9,735	5,985	3,671	46	33	5,417	1,880	1,158	1,190	1,189	67
843	362	475	3	3	857	427	365	24	21	414	234	171	5	4	272	83	45	72	72	68
310	124	180	3	3	389	195	178	8	8	252	134	113	2	3	200	60	36	50	54	69
29	23	6	-	-	26	20	4	1	1	27	22	4	1	-	3	1	1	-	1	70
1	1	-	-	-	2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	71
49	25	24	-	-	31	14	16	1	-	35	16	18	1	-	7	2	1	3	1	72
454	189	265	-	-	389	197	166	14	12	100	62	36	1	1	62	20	7	19	16	73
13,967	8,253	5,548	85	81	11,995	7,951	3,618	243	183	6,185	4,118	2,027	22	18	2,047	1,047	516	255	229	74
5,603	2,828	2,691	40	44	2,953	1,613	1,238	61	41	891	520	362	4	5	455	186	128	71	70	75
8,294	5,382	2,832	43	37	8,973	6,295	2,356	181	141	5,273	3,585	1,657	18	13	1,515	884	365	173	153	76
70	43	25	2	-	69	43	24	1	1	21	13	8	-	-	77	37	23	11	6	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic---421	146	72	73	1	-	178	52	65	37	24
2	Of mitral valve, specified as nonrheumatic---421.0	3	1	2	-	-	8	2	2	2	2
3	Of aortic valve, not specified as rheumatic---421.1	13	8	4	1	-	35	11	13	7	4
4	Of other valves, not specified as rheumatic---421.2-421.4	130	63	67	-	-	135	39	50	28	18
5	Other myocardial degeneration---422	594	305	289	-	-	1,949	792	817	182	158
6	With arteriosclerosis---422.1	297	140	157	-	-	1,385	582	600	106	97
7	Without mention of arteriosclerosis---422.0,422.2	297	165	132	-	-	564	210	217	76	61
8	Other diseases of heart---430-434	109	63	45	-	1	239	93	68	45	33
9	Acute and subacute endocarditis---430	4	1	3	-	-	17	5	2	6	4
10	Acute myocarditis not specified as rheumatic---431	25	14	11	-	-	54	25	15	5	9
11	Acute pericarditis specified as nonrheumatic---432	-	-	-	-	-	1	-	-	-	1
12	Functional disease of heart---433	14	8	6	-	-	18	7	10	1	-
13	Other and unspecified diseases of heart---434	66	40	25	-	1	149	56	41	33	19
14	Hypertension with heart disease---440-443	468	196	271	1	1	2,096	676	872	257	291
15	Hypertensive heart disease with arteriolar nephrosclerosis---442	141	65	75	1	-	711	239	247	104	121
16	Essential hypertension with heart disease, etc.*---440,441,443	328	131	196	-	1	1,385	437	625	153	170
17	Hypertension without mention of heart---444-447	87	45	42	-	-	174	68	55	25	26
18	Hypertension with arteriolar nephrosclerosis, etc.*---446	47	27	20	-	-	106	46	27	16	17
19	Essential hypertension, other hypertensive disease, etc.*-444,445,447	40	18	22	-	-	68	22	28	9	9
20	Diseases of arteries---450-456	308	140	167	2	-	459	187	192	38	42
21	General arteriosclerosis---450	287	132	153	2	-	412	163	183	34	32
22	Aortic aneurysm specified as nonsyphilitic, etc.*---451	8	2	6	-	-	23	17	3	1	2
23	Gangrene of unspecified cause---455	1	1	-	-	-	4	2	-	1	1
24	Other arterial diseases---452-454,456	13	5	8	-	-	20	5	6	2	7
25	Diseases of veins and other diseases of circulatory system---460-468	28	18	10	-	-	50	21	19	5	5
26	VIII.—Diseases of the respiratory system----	399	230	166	3	-	764	299	207	147	111
27	Acute upper respiratory infections---470-475	7	3	4	-	-	28	8	5	9	6
28	Influenza---480-483	33	17	16	-	-	32	12	8	7	5
29	Pneumonia, except pneumonia of newborn---490-493	275	150	123	2	-	526	191	147	102	86
30	Lobar pneumonia---480	106	62	43	1	-	224	74	57	53	40
31	Bronchopneumonia---491	131	68	62	1	-	220	85	63	37	35
32	Primary atypical pneumonia---492	22	12	10	-	-	50	21	20	2	7
33	Pneumonia, other and unspecified---493	16	8	8	-	-	32	11	7	10	4
34	Acute bronchitis---500	10	8	2	-	-	31	12	10	4	5
35	Bronchitis, chronic and unqualified---501,502	24	18	5	1	-	27	15	10	1	1
36	Hypertrophy of tonsils and adenoids---510	1	1	-	-	-	4	1	2	-	1
37	Empyema and abscess of lung---518,521	7	4	3	-	-	18	9	2	5	2
38	Pleurisy---519	4	2	2	-	-	3	1	1	1	-
39	All other respiratory diseases---Residual	38	27	11	-	-	96	50	22	18	5
40	IX.—Diseases of the digestive system----	337	200	136	1	-	793	368	270	99	56
41	Diseases of teeth and supporting structures---530-535	-	-	-	-	-	2	1	-	1	-
42	Ulcer of stomach---540	24	20	4	-	-	52	38	9	4	1
43	Ulcer of duodenum---541	24	19	5	-	-	40	31	4	4	1
44	Gastritis and duodenitis---543	-	-	-	-	-	4	-	2	1	1
45	Appendicitis---550-553	27	18	9	-	-	48	12	24	9	3
46	Hernia and intestinal obstruction---560,561,570	61	37	24	-	-	147	52	56	23	16
47	Gastro-enteritis and colitis, except diarrhea of newborn---571,572	49	27	22	-	-	116	39	37	28	12
48	Cirrhosis of liver---581	68	44	24	-	-	212	131	58	16	7
49	Without mention of alcoholism---581.0	54	35	19	-	-	174	105	49	14	6
50	With alcoholism---581.1	14	9	5	-	-	38	26	9	2	1
51	Cholelithiasis and cholecystitis---584,585	39	14	24	1	-	68	17	46	-	5
52	Other diseases of digestive system---Residual	45	21	24	-	-	104	47	34	13	10
53	X.—Diseases of the genito-urinary system----	307	174	131	1	1	610	269	162	101	78
54	Nephritis and nephrosis---580-594	208	102	105	1	1	412	143	126	70	73
55	Acute nephritis---580	18	8	10	-	-	27	7	7	5	8
56	Nephritis with edema, including nephrosis---591	6	6	-	-	-	30	10	7	9	4
57	Chronic and unspecified nephritis and other renal sclerosis---592-594	185	88	95	1	1	355	126	112	56	61
58	Infections of kidney---600	22	8	14	-	-	44	25	16	2	1
59	Calculi of urinary system---602,604	2	2	-	-	-	24	10	9	3	2
60	Other diseases of urinary system---601,603,605-609	13	11	2	-	-	24	11	4	9	-
61	Hyperplasia of prostate---610	45	45	...	-	...	85	70	...	15	...
62	Other diseases of male genital organs---611-617	6	6	...	-	...	12	10	...	2	...
63	Diseases of breast---620,621	-	-	-	-	-	-	-	-	-	-
64	Diseases of female genital organs---622-637	10	...	10	...	-	9	...	7	...	2
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium----	19	...	18	...	1	35	...	15	...	20
66	Sepsis of pregnancy, childbirth, and puerperium---640,641,681,682,684	6	...	6	...	-	3	...	2	...	1
67	Toxemias of pregnancy and puerperium, etc.*---642,685,686	6	...	5	...	1	12	...	6	...	6
68	Hemorrhage of pregnancy and childbirth---643,644,670-672	4	...	4	...	-	5	...	3	...	2
69	Ectopic pregnancy---645	-	...	-	...	-	1	...	-	...	1
70	Abortion without mention of sepsis or toxemia---650	-	...	-	...	-	2	...	-	...	2
71	Abortion with sepsis---651	-	...	-	...	-	3	...	-	...	3
72	Abortion with toxemia, without mention of sepsis---652	-	...	-	...	-	2	...	1	...	1
73	Other complications of pregnancy, childbirth, and puerperium--- Residual	3	...	3	...	-	7	...	3	...	4
74	XII.—Diseases of the skin and cellular tissue----	8	5	3	-	-	21	4	7	7	3
75	Infections of skin and subcutaneous tissue---690-698	6	5	1	-	-	6	2	1	3	-
76	Other diseases of skin and subcutaneous tissue---700-716	2	-	2	-	-	15	2	6	4	3

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
307	156	143	3	5	512	278	209	11	14	255	143	92	-	-	214	48	35	63	68	1
8	4	4	-	-	16	7	7	2	-	12	5	7	-	-	2	-	1	-	1	2
71	44	24	1	2	68	48	13	4	3	66	51	15	-	-	62	14	10	19	19	3
228	108	115	2	3	428	223	189	5	11	157	87	70	-	-	150	34	24	44	48	4
2,429	1,067	1,329	14	19	3,033	1,562	1,344	73	54	1,123	603	512	6	2	873	233	195	226	219	5
1,303	552	737	3	11	949	487	436	13	13	490	274	214	2	-	242	70	62	53	57	6
1,126	515	592	11	8	2,084	1,075	908	60	41	633	329	298	4	2	631	163	133	173	162	7
552	305	239	6	2	1,067	582	429	30	26	444	266	174	2	2	488	172	68	126	122	8
46	27	19	-	-	28	11	11	4	2	25	15	10	-	-	15	3	4	2	6	9
76	31	45	-	-	191	103	71	10	7	28	14	14	-	-	33	10	1	14	8	10
6	3	3	-	-	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	11
53	17	35	1	-	114	55	56	1	2	71	36	35	-	-	16	6	3	2	6	12
371	227	137	5	2	731	410	291	15	15	320	201	115	2	2	424	153	80	108	103	13
2,699	1,135	1,503	23	38	2,534	1,011	1,198	134	191	1,334	621	695	11	7	1,523	297	299	448	479	14
447	189	248	2	8	707	311	340	28	28	251	143	104	2	2	501	86	87	175	153	15
2,252	946	1,255	21	30	1,827	700	858	108	163	1,083	478	591	9	5	1,022	211	212	273	326	16
292	125	161	3	3	370	148	181	23	18	286	131	154	1	-	209	64	40	50	55	17
166	79	83	2	2	145	65	59	12	7	72	44	28	-	-	62	23	16	13	10	18
126	46	78	1	1	227	83	122	11	11	214	87	126	1	-	147	41	24	37	45	19
1,435	628	793	8	6	1,344	682	605	27	20	905	504	394	5	2	262	93	72	50	47	20
1,338	569	756	7	6	1,193	610	551	17	15	819	449	365	3	2	227	76	63	46	42	21
41	30	10	1	-	50	29	11	7	3	30	22	6	2	-	14	8	3	1	2	22
7	5	2	-	-	23	14	7	1	1	14	8	6	-	-	2	1	-	-	1	23
49	24	25	-	-	78	39	36	2	1	42	25	17	-	-	19	8	6	3	2	24
151	78	70	2	1	154	78	64	6	6	95	53	42	-	-	30	7	12	8	3	25
1,666	947	690	20	9	2,117	1,183	706	132	96	1,028	565	430	22	11	1,023	223	189	326	285	26
24	11	13	-	-	25	12	10	1	2	13	6	5	1	1	29	5	4	10	10	27
34	16	18	-	-	106	50	49	5	2	46	28	18	-	-	229	32	44	77	76	28
1,218	656	539	16	7	1,562	847	528	108	79	741	404	311	17	9	630	138	105	214	173	29
385	232	144	5	4	647	376	183	54	34	239	130	100	7	1	267	56	40	92	79	30
669	333	323	10	3	615	306	230	41	38	373	199	159	8	7	242	48	50	83	61	31
95	52	42	1	-	120	66	46	5	3	51	28	22	-	1	48	19	8	12	9	32
69	39	30	-	-	180	99	69	8	4	79	47	30	2	-	73	15	7	27	24	33
35	18	16	1	-	31	13	15	-	3	15	6	9	-	-	9	2	1	3	3	34
72	50	21	1	-	63	45	15	2	1	35	20	14	1	-	28	7	8	5	8	35
6	4	1	1	-	17	8	7	-	2	7	2	3	1	1	10	5	2	2	1	36
37	24	12	1	-	29	14	7	3	5	11	9	2	-	-	9	2	4	3	-	37
7	4	3	-	-	7	4	3	-	-	11	5	4	2	-	1	1	-	-	-	38
233	164	67	-	2	277	190	72	13	2	149	85	64	-	-	78	31	21	12	14	39
1,990	1,129	822	23	16	2,381	1,332	909	81	59	919	497	405	13	4	715	180	136	240	157	40
-	-	-	-	-	6	1	5	-	-	2	1	1	-	-	6	2	-	2	2	41
181	147	31	2	1	189	130	30	6	3	70	52	17	1	-	54	17	5	26	6	42
167	143	21	2	1	174	143	26	4	1	59	46	11	1	1	18	10	2	5	1	43
9	8	1	-	-	13	8	2	3	-	3	3	-	-	-	6	1	2	2	1	44
102	50	51	-	1	136	78	43	10	5	55	44	11	-	-	59	11	10	22	16	45
309	156	145	5	3	438	237	178	12	11	170	84	84	2	-	132	25	26	42	39	46
181	86	93	-	2	327	186	134	14	13	102	43	54	4	1	198	33	29	87	49	47
548	330	207	8	3	555	339	182	23	11	184	112	67	3	2	102	45	22	21	14	48
362	210	147	3	2	517	314	175	18	10	157	91	61	3	2	87	36	20	18	13	49
186	120	60	5	1	38	25	7	5	1	27	21	6	-	-	15	9	2	3	1	50
241	83	156	1	1	261	91	165	2	3	163	55	107	1	-	51	16	19	5	11	51
252	126	117	3	4	302	139	144	7	12	111	57	53	1	-	87	20	21	26	18	52
1,240	721	489	16	14	1,881	961	590	75	55	608	412	195	-	1	1,000	200	150	369	281	53
746	368	359	10	9	1,111	569	460	45	37	322	177	144	-	1	778	128	126	287	237	54
53	18	31	1	3	78	41	36	1	-	25	13	12	-	-	70	8	10	32	20	55
33	23	9	-	1	63	34	25	4	-	21	15	6	-	-	46	7	1	15	23	56
660	327	319	9	5	970	494	399	40	37	276	149	126	-	1	662	113	115	240	194	57
154	81	67	2	4	124	58	50	9	7	59	34	25	-	-	32	11	10	6	5	58
46	27	19	-	-	50	32	17	1	-	16	13	3	-	-	12	3	5	4	-	59
41	27	13	1	-	84	53	24	4	3	40	28	12	-	-	22	2	1	14	5	60
204	201	...	3	...	207	196	...	11	...	151	151	...	-	...	105	48	...	57	...	61
17	17	...	-	...	58	53	...	5	...	9	9	...	-	...	29	8	...	21	...	62
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	1	63
32	...	31	...	1	46	...	38	...	8	11	...	11	...	-	21	...	8	...	13	64
57	...	54	...	3	97	...	70	...	27	40	...	39	...	1	149	...	34	...	115	65
17	...	17	...	-	14	...	10	...	4	6	...	5	...	1	14	...	4	...	10	66
10	...	10	...	-	30	...	21	...	9	11	...	11	...	-	81	...	16	...	65	67
7	...	7	...	-	15	...	12	...	3	9	...	9	...	-	22	...	2	...	20	68
5	...	4	...	1	11	...	5	...	6	3	...	3	...	-	6	...	1	...	5	69
-	...	-	...	-	6	...	5	...	1	1	...	1	...	-	3	...	2	...	1	70
8	...	7	...	1	10	...	8	...	2	3	...	3	...	-	8	...	2	...	6	71
1	...	1	...	-	-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	72
9	...	8	...	1	11	...	9	...	2	7	...	7	...	-	14	...	6	...	8	73
84	37	26	1	-	56	25	26	3	2	35	17	18	-	-	23	-	5	9	9	74
16	11	5	-	-	12	3	4	-	-	5	3	2	-	-	14	-	1	6	7	75
48	26	21	1	-	44	17	22	3	2	30	14	16	-	-	9	-	4	3	2	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	22	13	9	-	-	45	14	20	5	6
2	Arthritis and spondylitis—720-725	14	8	6	-	-	24	1	15	3	5
3	Muscular rheumatism and rheumatism unspecified—726,727	1	-	1	-	-	-	-	-	-	-
4	Osteomyelitis and periostitis—730	2	1	1	-	-	3	3	-	-	-
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	-	-	-	-	-	3	1	2	-	-
6	All other diseases of musculoskeletal system—731-736,738-744	5	4	1	-	-	15	9	3	2	1
7	XIV.—Congenital malformations	141	68	72	-	1	322	142	126	34	20
8	Spina bifida and meningocele—751	16	8	10	-	-	41	17	19	3	2
9	Congenital hydrocephalus, etc.*—752,753	10	5	4	-	1	27	12	10	1	4
10	Congenital malformations of circulatory system—754	61	28	33	-	-	148	62	61	16	9
11	Other congenital malformations—750,755-759	54	29	25	-	-	106	51	36	14	5
12	XV.—Certain diseases of early infancy	418	251	166	-	1	901	370	252	166	113
13	Birth injuries—760,761	103	58	45	-	-	205	96	52	32	25
14	Postnatal asphyxia and atelectasis—762	89	57	32	-	-	195	81	57	35	22
15	Infections of newborn—763-768	18	12	6	-	-	56	19	11	16	10
16	Hemolytic disease of newborn (erythroblastosis)—770	23	16	7	-	-	47	14	21	7	5
17	All other defined diseases of early infancy—769,771,772	22	13	8	-	1	39	16	8	10	5
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	163	95	68	-	-	359	144	103	66	46
19	XVI.—Symptoms, senility, and ill-defined conditions	100	60	40	-	-	59	23	23	11	2
20	Senility without mention of psychosis—794	56	28	28	-	-	17	6	11	-	-
21	Symptoms, ill-defined and unknown causes—780-793,795	44	32	12	-	-	42	17	12	11	2
22	XVII.—Accidents, poisonings, and violence	747	514	227	4	2	1,704	904	425	284	91
23	Accidents—E800-E962	586	394	186	4	2	1,264	867	336	193	68
24	Railway accidents—E800-E802	4	4	-	-	-	18	12	1	4	1
25	Motor-vehicle accidents—E810-E835	158	116	40	1	2	409	255	61	68	25
26	Motor-vehicle traffic accidents—E810-E825	150	110	37	1	2	405	251	61	68	25
27	Motor-vehicle traffic accident with railway train*—E810	10	7	3	-	-	5	5	-	-	-
28	Motor-vehicle traffic accident to pedestrian—E812	47	33	13	-	1	170	102	23	32	13
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	44	26	16	1	1	97	61	15	17	4
30	Motor-vehicle noncollision traffic accidents—E820-E824	42	37	5	-	-	70	42	9	12	7
31	Motor-vehicle traffic accident of unspecified nature—E825	7	7	-	-	-	63	41	14	7	1
32	Motor-vehicle nontraffic accidents—E826-E835	9	6	3	-	-	4	4	-	-	-
33	Other road-vehicle accidents—E840-E845	3	3	-	-	-	12	6	5	1	-
34	Water-transport accidents—E850-E858	23	23	-	-	-	41	29	3	9	-
35	Aircraft accidents—E860-E866	11	8	3	-	-	19	17	2	-	-
36	Accidental poisoning by solid and liquid substances—E870-E888	9	6	2	1	-	28	13	6	4	5
37	Accidental poisoning by gases and vapors—E890-E895	10	5	5	-	-	31	20	7	4	-
38	Accidental falls—E900-E904	173	79	94	-	-	303	97	183	15	8
39	Fall from one level to another—E900-E902	59	33	26	-	-	137	55	67	11	4
40	Fall on same level—E903	62	21	41	-	-	81	20	56	2	3
41	Unspecified falls—E904	52	25	27	-	-	85	22	60	2	1
42	Blow from falling object—E910	14	14	-	-	-	10	5	1	4	-
43	Accident caused by machinery—E912	6	5	1	-	-	23	17	-	6	-
44	Accident caused by electric current—E914	11	11	-	-	-	15	13	1	1	-
45	Accident caused by fire and explosion, etc.*—E916	46	31	14	1	-	102	44	23	27	8
46	Accident caused by hot substance, etc.*—E917,E918	2	1	1	-	-	12	5	4	1	2
47	Accident caused by firearm—E919	17	15	2	-	-	23	17	2	3	1
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	21	11	10	-	-	41	18	8	8	7
49	Accidental drowning—E929	48	39	8	1	-	79	45	11	23	-
50	Excessive heat and insolation—E931	1	1	-	-	-	14	11	1	2	-
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	1	-	1	-	-	4	3	1	-	-
52	All other accidents—Residual	27	22	5	-	-	80	40	16	13	11
53	Suicides—E963,E970-E979	145	108	37	-	-	288	198	70	16	4
54	Suicide by poisoning—E970-E975	29	16	13	-	-	88	50	34	1	3
55	Suicide by hanging and strangulation—E974	32	27	5	-	-	66	47	17	2	-
56	Suicide by firearms and explosives—E976	61	50	11	-	-	91	78	6	7	-
57	Suicide by all other means—E963,E975,E977-E979	23	15	8	-	-	43	23	13	6	1
58	Homicide—E964,E980-E985	15	11	4	-	-	151	39	19	75	18
59	Assault by firearms and explosives—E981	5	5	-	-	-	65	12	11	35	7
60	Assault by cutting and piercing instruments—E982	1	1	-	-	-	33	6	-	21	6
61	Assault by other means—E964,E980,E983	8	4	4	-	-	47	18	8	16	5
62	Injury by intervention of police—E984	1	1	-	-	-	3	2	-	1	-
63	Execution—E985	-	-	-	-	-	3	1	-	2	-
64	Injury resulting from operations of war—E965,E990-E999	1	1	-	-	-	1	-	-	-	1

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
91	33	57	-	1	107	46	58	2	1	61	28	33	-	-	55	18	18	14	5	1
50	12	37	-	1	62	19	41	1	1	30	13	17	-	-	33	9	15	7	2	2
-	-	-	-	-	4	3	1	-	-	1	-	1	-	-	2	1	-	-	1	3
6	3	3	-	-	6	3	3	-	-	2	2	-	-	-	6	1	-	5	-	4
6	4	2	-	-	3	2	1	-	-	1	-	1	-	-	6	1	2	1	2	5
29	14	15	-	-	52	19	12	1	-	27	13	14	-	-	8	6	1	1	-	6
585	292	286	3	4	942	479	413	20	30	435	223	209	2	1	202	87	45	46	24	7
95	35	60	-	-	142	58	82	-	2	72	35	35	1	1	15	4	5	5	1	8
62	30	31	1	-	79	31	45	2	1	46	16	30	-	-	24	8	5	8	3	9
252	150	97	1	4	447	247	171	9	20	184	98	86	-	-	84	36	25	12	11	10
176	77	98	1	-	274	143	115	9	7	133	74	58	1	-	79	39	10	21	9	11
1,477	845	570	36	26	2,689	1,376	954	209	150	1,147	661	460	13	13	1,168	340	227	337	264	12
276	162	108	5	1	402	208	144	34	16	238	149	88	1	1	231	95	50	48	40	13
357	206	135	6	10	449	249	145	30	25	181	101	72	3	5	163	61	43	36	23	14
73	48	23	2	-	193	95	70	15	13	65	35	28	1	1	77	15	8	31	23	15
67	41	24	2	-	120	66	52	1	1	50	30	19	1	-	25	8	5	7	5	16
40	19	19	-	2	117	57	48	4	8	32	18	14	-	-	129	21	22	43	43	17
664	369	261	21	13	1,408	701	495	125	87	580	328	239	7	6	543	142	99	172	130	18
149	85	64	1	1	577	303	252	12	10	276	148	119	6	3	2,569	270	205	1,127	967	19
29	9	20	-	-	319	148	162	4	5	148	62	84	2	-	262	33	49	95	85	20
120	74	44	1	1	258	155	90	8	5	128	86	35	4	3	2,307	237	156	1,032	882	21
3,059	1,873	1,119	45	22	4,780	3,048	1,351	276	105	2,144	1,507	592	30	15	1,750	584	205	727	234	22
2,464	1,445	970	34	15	3,908	2,500	1,165	169	74	1,799	1,220	541	24	14	1,248	435	168	469	176	23
34	29	3	2	-	51	42	8	1	-	36	30	4	2	-	39	17	-	20	2	24
520	376	130	10	4	1,592	1,131	367	71	23	580	429	134	7	10	436	184	61	158	33	25
508	368	127	10	3	1,567	1,116	358	71	22	552	408	127	7	10	418	179	57	152	30	26
2	2	-	-	-	90	59	29	2	-	38	28	10	-	-	15	8	1	6	-	27
237	167	63	6	1	384	284	70	26	4	139	99	32	1	7	115	38	17	43	17	28
106	77	28	1	-	492	322	148	19	3	200	148	51	-	1	129	63	21	38	7	29
101	83	14	3	1	290	222	47	11	10	152	120	26	4	2	115	58	13	40	4	30
62	39	22	-	1	311	229	64	13	5	23	13	8	2	-	44	12	5	25	2	31
12	8	3	-	1	25	15	9	-	1	28	21	7	-	-	18	5	4	6	3	32
18	13	2	1	-	14	11	2	1	-	15	12	3	-	-	23	11	-	12	-	33
35	28	5	2	-	75	59	5	9	2	41	39	2	-	-	18	10	2	4	2	34
29	24	5	-	-	33	33	-	-	-	28	27	1	-	-	14	14	-	-	-	35
47	26	19	-	2	42	22	12	6	2	26	17	9	-	-	25	8	2	8	7	36
96	58	34	4	-	45	27	8	7	3	26	21	2	2	1	3	-	1	2	-	37
1,119	496	612	7	4	1,026	456	538	18	14	494	241	246	6	1	132	34	54	28	16	38
383	230	146	6	1	256	159	59	13	5	180	103	75	2	-	40	10	10	12	8	39
253	90	161	-	2	62	38	24	1	1	141	63	78	-	-	23	7	13	1	2	40
483	176	305	1	1	728	261	455	4	8	173	75	93	4	1	69	17	31	15	6	41
18	16	2	-	-	47	41	4	2	-	21	21	-	-	-	29	13	-	15	1	42
35	30	3	2	-	62	59	1	2	-	47	45	2	-	-	34	13	2	18	1	43
9	9	-	-	-	32	27	4	1	-	14	14	-	-	-	23	16	1	5	1	44
132	76	51	2	3	245	131	93	9	12	114	66	48	-	-	153	21	16	56	60	45
22	12	9	-	1	69	38	21	7	3	16	7	9	-	-	28	5	2	8	13	46
19	19	-	-	-	71	59	6	5	1	48	44	3	1	-	63	28	1	26	8	47
42	23	18	-	1	50	34	12	1	3	28	13	14	-	1	11	4	4	3	-	48
137	115	20	2	-	237	181	33	19	4	119	99	18	2	-	92	24	6	55	7	49
11	8	3	-	-	28	17	8	1	2	19	10	7	1	1	9	2	-	4	3	50
10	4	6	-	-	9	3	5	-	1	7	7	-	-	-	4	-	2	2	-	51
133	83	48	2	-	180	129	38	9	4	120	78	39	3	-	112	31	14	45	22	52
543	399	137	5	2	653	492	137	19	5	313	263	46	4	-	147	106	20	15	6	53
205	126	75	2	2	126	84	35	4	3	37	28	9	-	-	13	8	5	-	-	54
125	101	23	1	-	164	111	51	2	-	101	81	20	-	-	5	3	1	-	1	55
104	91	11	2	-	265	232	22	9	2	139	126	11	2	-	116	90	11	11	4	56
109	81	28	-	-	98	65	29	4	-	36	28	6	2	-	13	5	3	4	1	57
51	28	12	6	5	219	56	49	88	26	32	24	5	2	1	355	43	17	243	52	58
16	9	4	1	2	104	24	32	39	9	13	10	2	1	-	210	30	13	142	25	59
9	5	-	3	1	50	9	4	29	8	4	2	1	-	1	88	2	1	62	23	60
24	12	8	2	2	55	18	13	15	9	13	11	2	-	-	35	9	3	19	4	61
2	2	-	-	-	10	5	-	5	-	2	1	-	1	-	22	2	-	20	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	43,825	22,319	17,217	2,358	1,933	5,878	3,671	1,947	149	111
2	I.—Infective and parasitic diseases	1,705	894	455	224	132	193	104	39	23	27
3	Tuberculosis, all forms—001-019	1,059	572	254	138	95	109	62	13	16	18
4	Tuberculosis of respiratory system—001-008	987	548	230	123	86	95	58	10	10	17
5	Tuberculosis of meninges and central nervous system—010	24	8	8	4	4	6	1	1	4	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	5	1	3	1	-	-	-	-	-	-
7	Tuberculosis of vertebral column—012.0,013.0	8	4	3	1	-	-	-	-	-	-
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	1	1	-	-	-	1	-	1	-	-
9	Tuberculosis of genito-urinary system—016	5	2	2	1	-	3	3	-	-	-
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	4	1	2	1	-	2	-	-	2	-
11	Disseminated tuberculosis—019	25	7	6	7	5	2	-	1	-	1
12	Syphilis and its sequelae—020-029	278	142	49	64	23	35	23	7	2	3
13	Congenital syphilis—020	5	1	2	2	-	2	-	-	-	2
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	83	39	22	9	13	17	13	3	1	-
16	Other cardiovascular syphilis—023	90	46	11	29	4	8	5	3	-	-
17	Tabes dorsalis—024	9	6	-	1	-	1	-	1	-	-
18	General paralysis of insane—025	64	34	8	19	3	5	4	-	1	-
19	Other syphilis of central nervous system—026	19	11	3	3	2	2	1	-	-	1
20	Other syphilis—027-029	8	3	3	1	1	-	-	-	-	-
21	Gonococcal infection—030-035	-	-	-	-	-	2	-	1	1	-
22	Typhoid fever—040	6	2	3	-	1	1	-	-	1	-
23	Paratyphoid fever—041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections—042	1	-	1	-	-	-	-	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	2	1	1	-	-	-	-	-	-	-
27	Dysentery, all forms—045-048	25	7	14	3	1	3	1	1	-	1
28	Scarlet fever—050	2	1	1	-	-	-	-	-	-	-
29	Streptococcal sore throat—051	20	14	5	-	1	4	2	2	-	-
30	Erysipelas—052	2	1	1	-	-	-	-	-	-	-
31	Septicemia and pyemia—053	15	7	6	1	1	5	3	2	-	-
32	Diphtheria—055	22	12	6	4	-	3	1	2	-	-
33	Whooping cough—056	25	7	9	4	5	2	-	-	-	2
34	Meningococcal infections—057	22	11	8	2	-	3	1	2	-	-
35	Plague—058	-	-	-	-	-	-	-	-	-	-
36	Tularemia—059	3	2	1	-	-	-	-	-	-	-
37	Leprosy—060	-	-	-	-	-	-	-	-	-	-
38	Tetanus—061	9	2	4	3	-	-	-	-	-	-
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	129	66	59	2	2	13	7	3	1	2
41	Late effects of acute poliomyelitis—081	3	2	1	-	-	1	-	1	-	-
42	Acute infectious encephalitis—082	8	6	1	-	1	4	1	2	1	-
43	Late effects of acute infectious encephalitis—083	4	2	2	-	-	-	-	-	-	-
44	Smallpox—084	-	-	-	-	-	-	-	-	-	-
45	Measles—085	27	10	13	2	2	3	-	1	1	1
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	9	5	3	1	-	2	2	-	-	-
48	Rabies—094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus—104	3	2	1	-	-	-	-	-	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-109	-	-	-	-	-	-	-	-	-	-
51	Malaria—110-117	1	1	-	-	-	-	-	-	-	-
52	Schistosomiasis—123	-	-	-	-	-	-	-	-	-	-
53	Hydatid disease—125	-	-	-	-	-	-	-	-	-	-
54	Filariasis—127	-	-	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	-	-	-	-	-	-	-	-	-	-
56	Other diseases due to helminths—124,126,128,130	-	-	-	-	-	-	-	-	-	-
57	All other infective and parasitic diseases—Residual	30	19	11	-	-	3	1	2	-	-
58	II.—Neoplasms	6,384	2,957	2,945	239	243	748	434	295	10	9
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	6,208	2,905	2,847	233	223	728	428	282	10	9
60	Malignant neoplasm of buccal cavity and pharynx—140-148	168	125	29	10	4	14	14	-	-	-
61	Of lip—140	15	15	-	-	-	2	2	-	-	-
62	Of tongue—141	45	31	9	4	1	3	3	-	-	-
63	Of other and unspecified parts of buccal cavity—142-144	44	32	11	-	1	2	2	-	-	-
64	Of pharynx—145-148	64	47	9	6	2	7	7	-	-	-
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,533	1,247	1,105	109	72	300	192	102	3	3
66	Of esophagus—150	92	63	16	10	3	11	10	1	-	-
67	Of stomach—151	696	382	258	37	19	118	65	33	2	-
68	Of intestine, except rectum—152,153	749	324	391	15	19	57	34	23	-	-
69	Of rectum—154	306	164	122	11	9	35	23	11	-	1
70	Of biliary passages and of liver (stated to be primary site)—155	173	63	97	8	5	17	7	10	-	-
71	Of liver not specified whether primary or secondary—156A	214	96	103	8	7	24	11	12	-	1
72	Of pancreas—157	258	137	99	17	5	36	23	11	1	1
73	Of peritoneum and of unspecified digestive organs—158,159	45	18	19	3	5	2	1	1	-	-
74	Malignant neoplasm of respiratory system—160-164	591	445	93	41	12	76	57	15	3	1
75	Of larynx—161	46	41	3	2	-	4	4	-	-	-
76	Of trachea, and of bronchus and lung specified as primary—162	246	188	24	26	8	36	30	5	1	-
77	Of lung and bronchus, unspecified as primary or secondary—163	261	198	51	11	3	32	22	7	2	1
78	Of other parts of respiratory system—160,164	38	20	15	2	1	4	1	3	-	-
79	Malignant neoplasm of breast—170	531	6	496	1	28	57	-	57	-	-
80	Malignant neoplasm of genital organs—171-179	1,074	353	612	34	75	104	52	47	1	4
81	Of cervix uteri—171	245	...	202	...	43	22	...	22	...	-
82	Of other and unspecified parts of uterus—172-174	240	...	218	...	22	13	...	10	...	3
83	Of ovary, fallopian tube, and broad ligament—175	179	...	171	...	8	14	...	13	...	1
84	Of other and unspecified female genital organs—176	23	...	21	...	2	2	...	2	...	-
85	Of prostate—177	359	327	...	32	...	50	49	...	1	...
86	Of testis, and of other and unspecified male genital organs—178,179	28	26	...	2	...	3	3	...	-	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
12,644	7,250	5,072	184	138	1,610	1,068	422	62	58	8,109	3,398	2,701	6	4	47,880	24,339	19,889	2,020	1,632	1
298	178	82	17	21	79	50	14	6	9	119	85	33	1	-	1,806	943	417	283	163	2
154	83	37	15	19	58	38	10	5	5	89	50	18	1	-	1,277	670	279	208	120	3
135	73	33	13	16	50	35	8	3	4	64	47	16	1	-	1,188	639	257	190	102	4
7	2	2	2	1	4	1	1	1	1	-	-	-	-	-	26	8	8	7	3	5
2	1	1	-	-	1	-	-	1	-	3	2	1	-	-	9	2	2	2	3	6
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	11	6	1	2	2	7
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5	2	1	1	1	8
4	4	-	-	-	1	1	-	-	-	1	-	1	-	-	9	3	4	-	2	9
1	1	-	-	-	1	-	1	-	-	1	1	-	-	-	5	1	1	1	2	10
4	1	1	-	2	1	1	-	-	-	-	-	-	-	-	24	9	5	5	5	11
48	34	10	2	2	12	9	3	-	-	23	18	5	-	-	243	118	33	59	33	12
1	-	1	-	-	1	1	-	-	-	-	-	-	-	-	3	-	-	2	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
13	10	3	-	-	4	3	1	-	-	12	11	1	-	-	65	44	10	7	4	15
12	10	2	-	-	4	2	2	-	-	3	3	-	-	-	80	35	12	22	13	16
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	7	6	-	-	1	17
17	11	2	2	2	1	1	-	-	-	2	2	-	-	-	48	25	6	12	5	18
3	3	-	-	-	2	2	-	-	-	4	1	3	-	-	32	10	2	13	7	19
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	8	-	3	3	2	20
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	21
-	-	-	-	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	26
2	1	1	-	-	-	-	-	-	-	-	-	-	-	-	3	-	2	-	1	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	28
3	3	-	-	-	1	-	-	1	-	1	-	1	-	-	13	5	6	-	2	29
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	30
5	3	2	-	-	1	1	-	-	-	2	1	1	-	-	14	6	4	2	2	31
2	-	2	-	-	-	-	-	-	-	1	1	-	-	-	3	-	3	-	-	32
4	1	3	-	-	-	-	-	-	-	-	-	-	-	-	6	3	1	2	-	33
1	1	-	-	-	-	-	-	-	-	2	1	1	-	-	21	13	6	1	1	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	9	6	2	1	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
49	33	16	-	-	2	1	-	-	1	9	8	1	-	-	120	80	35	4	1	40
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	41
5	1	4	-	-	-	-	-	-	-	-	-	-	-	-	15	8	6	1	-	42
5	3	2	-	-	-	-	-	-	-	1	1	-	-	-	10	7	3	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
1	-	1	-	-	4	1	-	-	3	4	-	4	-	-	10	2	7	1	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
5	5	-	-	-	1	-	1	-	-	-	-	-	-	-	27	8	17	1	1	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	56
12	8	4	-	-	-	-	-	-	-	3	1	2	-	-	24	9	11	2	2	57
2,019	1,054	932	18	15	198	114	73	7	4	983	481	501	1	-	8,522	4,131	3,938	227	226	58
1,972	1,039	901	18	14	192	112	69	7	4	953	466	486	1	-	8,328	4,059	3,834	221	214	59
41	36	5	-	-	5	4	-	1	-	31	21	10	-	-	217	179	29	8	1	60
7	7	-	-	-	1	1	-	-	-	1	1	-	-	-	14	13	1	-	-	61
6	4	2	-	-	2	1	-	1	-	2	2	-	-	-	68	52	11	5	-	62
11	9	2	-	-	1	1	-	-	-	10	8	2	-	-	60	51	7	2	-	63
17	16	1	-	-	1	1	-	-	-	18	10	8	-	-	75	63	10	1	1	64
857	482	380	10	5	70	48	19	1	2	416	220	195	1	-	3,563	1,863	1,526	111	63	65
37	29	6	2	-	3	2	1	-	-	11	8	3	-	-	172	132	27	11	2	66
246	172	71	3	-	27	21	5	1	-	126	80	46	-	-	968	557	354	40	17	67
275	124	144	4	3	14	9	5	-	-	148	68	79	1	-	1,065	474	553	20	18	68
100	49	49	-	2	9	7	2	-	-	43	26	17	-	-	568	315	231	13	9	69
37	17	20	-	-	2	-	2	-	-	15	3	12	-	-	146	54	86	2	4	70
42	22	20	-	-	4	3	-	-	1	26	11	15	-	-	222	102	106	10	4	71
101	61	39	1	-	10	6	3	-	1	41	22	19	-	-	333	186	131	10	6	72
19	8	11	-	-	1	-	1	-	-	6	2	4	-	-	89	43	38	5	3	73
141	104	34	3	-	28	21	6	1	-	69	56	13	-	-	899	722	136	33	8	74
14	13	1	-	-	1	1	-	-	-	8	7	1	-	-	96	85	8	3	-	75
47	35	10	2	-	6	6	-	-	-	19	17	2	-	-	275	230	36	7	2	76
72	52	19	1	-	18	13	5	-	-	41	31	10	-	-	499	390	83	20	6	77
8	4	4	-	-	3	1	1	1	-	1	1	-	-	-	29	17	9	3	-	78
175	1	170	-	4	14	1	12	-	1	93	-	93	-	-	798	14	746	-	38	79
326	157	164	1	4	31	8	19	3	1	158	64	94	-	-	1,179	354	725	24	76	80
51	...	51	...	-	4	...	3	...	1	37	...	37	...	-	242	...	204	...	38	81
59	...	56	...	3	10	...	10	...	-	33	...	33	...	-	302	...	277	...	25	82
47	...	46	...	1	5	...	5	...	-	19	...	19	...	-	231	...	220	...	11	83
11	...	11	...	-	1	...	1	...	-	5	...	5	...	-	26	...	24	...	2	84
147	147	...	-	...	10	7	...	3	...	59	59	...	-	...	343	320	...	23	...	85
11	10	...	1	...	1	1	...	-	...	5	5	...	-	...	35	34	...	1	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs----------180,181	277	163	97	10	7	40	35	5	-	-
2	Of kidney----------180	111	58	46	6	1	14	13	1	-	-
3	Of bladder and other urinary organs----------181	166	105	51	4	6	26	22	4	-	-
4	Malignant neoplasm of other and unspecified sites------156B,165,190-199	623	331	286	15	11	75	39	33	2	1
5	Of skin----------190,191	128	78	45	3	2	11	6	4	-	1
6	Of eye----------192	10	6	3	-	1	2	2	-	-	-
7	Of brain and other parts of nervous system----------193	100	60	38	-	2	12	7	4	1	-
8	Of thyroid gland----------194	17	2	14	1	-	3	-	3	-	-
9	Of bone (including jaw bone)----------196	80	48	30	2	-	7	4	3	-	-
10	Of connective tissue----------197	14	9	5	-	-	1	1	-	-	-
11	Of other specified sites, not stated to be secondary----195,198A,199A	123	52	65	3	3	18	10	7	1	-
12	Of unspecified sites----------156B,165,198B,199B-H	151	76	66	6	3	21	9	12	-	-
13	Leukemia and aleukemia----------204	233	139	83	7	4	36	22	14	-	-
14	Lymphosarcoma, etc.*----------200-203,205	178	96	66	6	10	27	17	9	1	-
15	Lymphosarcoma and reticulosarcoma----------200	92	50	34	2	6	12	7	5	-	-
16	Hodgkin's disease----------201	55	29	19	3	4	11	8	2	1	-
17	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	31	17	13	1	-	4	2	2	-	-
18	Benign neoplasms and neoplasms of unspecified nature----------210-239	176	52	98	6	20	19	6	13	-	-
19	Benign neoplasms of female genital organs----------214-217	48	...	37	...	11	4	...	4	...	-
20	Benign neoplasm of brain and other parts of nervous system--------223	25	13	9	-	3	3	1	2	-	-
21	Other benign neoplasms----------210-213,218-222,224-229	18	3	9	2	4	3	1	2	-	-
22	Neoplasm of unspecified nature of female genital organs--------233-235	1	...	1	...	-	-	...	-	...	-
23	Neoplasm of unspecified nature of brain, etc.*----------237	55	27	26	2	-	8	3	5	-	-
24	Other neoplasms of unspecified nature----------230-232,236,238,239	29	9	16	2	2	1	1	-	-	-
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases----------	1,007	371	541	37	58	144	62	81	-	1
26	Asthma----------241	139	73	49	8	9	24	16	8	-	-
27	Nontoxic goiter----------250,251	7	-	5	-	2	-	-	-	-	-
28	Thyrotoxicosis with or without goiter----------252	50	8	37	2	3	6	-	6	-	-
29	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	8	1	7	-	-	-	-	-	-	-
30	Diabetes mellitus----------260	690	238	398	20	36	102	39	63	-	-
31	Diseases of thymus gland----------273	38	15	14	3	6	6	3	2	-	1
32	Diseases of adrenal glands----------274	19	8	10	-	1	1	-	1	-	-
33	Pellagra----------281	4	-	4	-	-	1	-	1	-	-
34	All other avitaminoses and nutritional deficiency states----280,282-286	40	18	17	4	1	1	1	-	-	-
35	Other allergic, endocrine, and metabolic diseases----------Residual	12	10	2	-	-	3	3	-	-	-
36	IV.—Diseases of the blood and blood-forming organs----------	199	101	93	2	3	20	10	10	-	-
37	Anemias----------290-293	163	79	80	2	2	14	8	6	-	-
38	Pernicious and other hyperchromic anemias----------290	101	44	54	1	2	9	5	4	-	-
39	Anemias of other and unspecified type----------291-293	62	35	26	1	-	5	3	2	-	-
40	Purpura and other hemorrhagic conditions----------295	11	6	5	-	-	3	-	3	-	-
41	All other diseases of blood and blood-forming organs----294,295,297-299	25	16	8	-	1	3	2	1	-	-
42	V.—Mental, psychoneurotic, and personality disorders----------	173	78	67	18	10	46	32	14	-	-
43	Senile psychosis----------304	67	25	37	2	3	18	15	3	-	-
44	Alcoholic psychosis----------307	8	4	-	2	-	2	2	-	-	-
45	Other psychoses---------- 300-30 ,305,306,308,309	27	7	13	5	2	3	-	3	-	-
46	Alcoholism----------322	51	35	3	9	4	17	14	3	-	-
47	Mental deficiency----------325	13	4	9	-	-	5	1	4	-	-
48	Psychoneuroses and other disorders of personality---310-321,323,324,326	9	3	5	-	1	1	-	1	-	-
49	VI.—Diseases of the nervous system and sense organs----------	5,250	2,496	2,264	224	266	656	353	294	2	7
50	Vascular lesions affecting central nervous system----------330-334	4,824	2,274	2,106	197	247	601	319	276	1	5
51	Subarachnoid hemorrhage----------330	58	24	26	3	5	7	3	4	-	-
52	Cerebral hemorrhage----------331	3,105	1,467	1,401	108	129	438	229	203	1	5
53	Cerebral embolism and thrombosis----------332	606	294	244	33	35	79	47	32	-	-
54	Other vascular lesions affecting central nervous system-------333,334	1,055	489	435	53	78	77	40	37	-	-
55	Meningitis, except meningococcal and tuberculous----------340	57	26	14	6	11	4	3	-	-	1
56	Multiple sclerosis----------345	40	19	19	1	1	7	4	3	-	-
57	Paralysis agitans----------350	77	49	26	-	2	8	2	6	-	-
58	Cerebral spastic infantile paralysis----------351	17	9	8	-	-	2	2	-	-	-
59	Epilepsy----------353	67	31	23	10	3	10	7	2	1	-
60	Inflammatory diseases of eye----------370-379	1	1	-	-	-	-	-	-	-	-
61	Cataract----------385	2	-	2	-	-	-	-	-	-	-
62	Glaucoma----------387	-	-	-	-	-	-	-	-	-	-
63	Otitis media and mastoiditis----------391-393	12	5	7	-	-	4	4	-	-	-
64	Other diseases of nervous system and sense organs----------Residual	153	82	59	10	2	20	12	7	-	1
65	VII.—Diseases of the circulatory system----------	17,526	9,251	6,758	818	699	2,253	1,515	687	40	11
66	Rheumatic fever----------400-402	65	36	24	1	4	9	3	6	-	-
67	Diseases of heart----------410-443	15,957	8,520	6,067	738	632	2,002	1,363	590	38	11
68	Chronic rheumatic heart disease----------410-416	711	358	281	32	40	100	57	41	1	1
69	Diseases of mitral valve----------410	446	221	186	17	24	62	36	24	1	1
70	Diseases of aortic valve specified as rheumatic----------411	25	17	6	2	-	2	2	-	-	-
71	Diseases of tricuspid valve----------412	3	2	1	-	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	22	13	9	-	-	9	5	4	-	-
73	Other diseases of heart specified as rheumatic----------415,416	213	105	79	13	16	27	14	13	-	-
74	Arteriosclerotic heart disease, including coronary disease----------420	8,077	4,934	2,650	278	215	1,141	838	285	12	6
75	Arteriosclerotic heart disease so described----------420.0	1,875	938	772	89	76	164	110	54	-	-
76	Heart disease specified as involving coronary arteries----------420.1	6,080	3,907	1,851	186	136	957	712	227	12	6
77	Angina pectoris without mention of coronary disease----------420.2	122	89	27	3	3	20	16	4	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
94	65	29	-	-	5	4	1	-	-	41	26	15	-	-	439	280	137	11	10	1
38	26	12	-	-	2	1	1	-	-	11	5	6	-	-	127	71	49	3	4	2
56	39	17	-	-	3	3	-	-	-	30	21	9	-	-	311	209	88	8	6	3
184	95	85	3	1	22	15	7	-	-	85	41	44	-	-	683	343	315	14	11	4
35	22	13	-	-	5	4	1	-	-	14	9	5	-	-	98	59	39	-	-	5
5	3	2	-	-	-	-	-	-	-	2	-	2	-	-	14	3	11	-	-	6
48	26	22	-	-	3	2	1	-	-	13	10	3	-	-	168	101	64	1	2	7
4	3	1	-	-	3	2	1	-	-	1	-	1	-	-	28	7	20	-	1	8
26	15	9	1	1	-	-	-	-	-	5	3	2	-	-	87	45	40	2	-	9
4	1	3	-	-	1	1	-	-	-	3	1	2	-	-	13	4	7	2	-	10
27	11	16	-	-	2	1	1	-	-	17	8	9	-	-	100	53	44	2	1	11
35	14	19	2	-	8	5	3	-	-	30	10	20	-	-	175	71	90	7	7	12
78	48	29	1	-	8	5	2	1	-	33	18	15	-	-	274	149	114	7	4	13
76	51	25	-	-	9	6	3	-	-	27	20	7	-	-	277	155	108	13	3	14
21	13	8	-	-	7	5	2	-	-	5	4	1	-	-	138	80	47	6	5	15
36	25	11	-	-	1	1	-	-	-	16	11	5	-	-	86	53	32	1	-	16
19	13	6	-	-	1	-	1	-	-	6	5	1	-	-	55	22	27	6	-	17
47	15	31	-	1	6	2	4	-	-	30	15	15	-	-	194	72	104	6	12	18
18	...	17	...	1	1	...	1	...	-	2	...	2	...	-	49	...	40	...	9	19
11	5	6	-	-	1	-	1	-	-	4	1	3	-	-	28	9	17	1	1	20
6	5	1	-	-	-	-	-	-	-	5	3	2	-	-	37	19	17	1	-	21
-	...	-	...	-	-	...	-	...	-	1	...	1	...	-	-	...	-	...	-	22
7	2	5	-	-	3	2	1	-	-	9	5	4	-	-	47	27	17	2	1	23
5	3	2	-	-	1	-	1	-	-	9	6	3	-	-	33	17	13	2	1	24
336	149	184	1	2	47	27	16	-	4	174	76	97	1	-	1,250	410	751	28	61	25
53	29	24	-	-	12	10	2	-	-	38	21	16	1	-	110	61	39	8	2	26
1	-	-	-	1	-	-	-	-	-	1	-	1	-	-	7	1	6	-	-	27
21	4	17	-	-	-	-	-	-	-	5	-	5	-	-	40	8	28	-	4	28
3	-	3	-	-	-	-	-	-	-	2	-	2	-	-	6	-	5	1	-	29
234	107	125	1	1	23	9	11	-	3	122	55	67	-	-	1,001	301	637	13	50	30
4	1	3	-	-	3	1	1	-	1	-	-	-	-	-	36	18	12	3	3	31
4	1	3	-	-	1	1	-	-	-	1	-	1	-	-	19	7	11	-	1	32
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	33
11	4	7	-	-	5	4	1	-	-	2	-	2	-	-	15	6	6	2	1	34
5	3	2	-	-	3	2	1	-	-	3	-	3	-	-	15	8	7	-	-	35
75	45	30	-	-	8	7	1	-	-	24	12	12	-	-	155	59	85	8	3	36
62	38	24	-	-	5	4	1	-	-	19	9	10	-	-	122	48	65	8	3	37
42	28	14	-	-	3	2	1	-	-	13	6	7	-	-	62	26	35	1	-	38
20	10	10	-	-	2	2	-	-	-	6	3	3	-	-	60	20	30	7	3	39
4	1	3	-	-	1	1	-	-	-	1	1	-	-	-	15	5	10	-	-	40
9	6	3	-	-	2	2	-	-	-	4	2	2	-	-	18	8	10	-	-	41
63	31	29	1	2	12	8	3	-	1	17	16	1	-	-	181	115	46	14	6	42
30	12	17	-	1	-	-	-	-	-	-	-	-	-	-	32	12	20	-	-	43
3	2	1	-	-	-	-	-	-	-	3	3	-	-	-	20	17	1	2	-	44
12	5	6	1	-	1	1	-	-	-	-	-	-	-	-	28	12	12	1	3	45
10	8	2	-	-	10	6	3	-	1	10	10	-	-	-	76	57	6	10	3	46
4	3	1	-	-	1	1	-	-	-	3	2	1	-	-	22	16	6	-	-	47
4	1	2	-	1	-	-	-	-	-	1	1	-	-	-	3	1	1	1	-	48
1,702	867	793	21	21	141	93	42	2	4	722	341	380	-	1	5,068	2,233	2,458	192	185	49
1,554	785	734	18	17	126	83	37	2	4	663	312	350	-	1	4,649	2,001	2,311	168	169	50
13	5	8	-	-	4	3	1	-	-	13	5	8	-	-	92	43	38	7	4	51
1,059	520	513	11	15	79	49	26	1	3	449	222	226	-	1	2,927	1,218	1,486	104	119	52
221	123	93	4	1	25	20	5	-	-	126	59	67	-	-	941	441	453	28	19	53
261	137	120	3	1	18	11	5	1	1	75	26	49	-	-	669	299	334	29	27	54
14	9	3	2	-	2	2	-	-	-	6	3	3	-	-	48	25	13	4	6	55
20	12	8	-	-	4	2	2	-	-	7	3	4	-	-	34	17	16	1	-	56
28	18	10	-	-	1	1	-	-	-	15	6	9	-	-	94	54	40	-	-	57
7	4	3	-	-	-	-	-	-	-	4	2	2	-	-	18	11	6	1	-	58
22	11	10	1	-	2	2	-	-	-	13	7	6	-	-	78	45	21	10	2	59
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
2	1	-	-	1	-	-	-	-	-	1	1	-	-	-	15	8	7	-	-	63
54	26	25	-	3	6	3	3	-	-	13	7	6	-	-	125	68	41	8	8	64
4,788	2,901	1,777	67	43	562	397	136	12	17	2,709	1,567	1,139	2	1	20,976	11,157	8,667	603	549	65
27	16	7	3	1	4	3	1	-	-	7	2	5	-	-	72	24	33	7	8	66
4,278	2,644	1,538	59	37	521	371	122	12	16	2,337	1,383	952	1	1	19,289	10,401	7,856	532	500	67
179	96	82	-	1	23	17	4	1	1	80	36	44	-	-	774	341	386	27	20	68
103	54	48	-	1	12	10	1	-	1	29	12	17	-	-	222	107	100	8	7	69
2	2	-	-	-	2	2	-	-	-	3	3	-	-	-	25	12	8	4	1	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	71
9	4	5	-	-	-	-	-	-	-	3	1	2	-	-	87	35	29	-	3	72
65	36	29	-	-	9	5	3	1	-	45	20	25	-	-	480	187	249	15	9	73
2,258	1,559	659	28	10	341	249	76	7	9	1,511	983	528	-	-	11,110	6,697	3,988	240	185	74
268	158	102	7	1	89	59	26	2	2	541	323	218	-	-	3,844	1,946	1,756	71	71	75
1,948	1,374	544	21	9	248	186	50	5	7	960	654	306	-	-	7,228	4,729	2,221	168	110	76
40	27	13	-	-	4	4	-	-	-	10	6	4	-	-	38	22	11	1	4	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic—421	520	239	231	26	24	58	41	16	1	-
2	Of mitral valve, specified as nonrheumatic—421.0	8	3	4	-	1	5	4	1	-	-
3	Of aortic valve, not specified as rheumatic—421.1	124	66	40	12	6	7	5	2	-	-
4	Of other valves, not specified as rheumatic—421.2-421.4	388	170	187	14	17	46	32	13	1	-
5	Other myocardial degeneration—422	3,211	1,537	1,478	106	90	296	186	100	8	2
6	With arteriosclerosis—422.1	1,169	559	562	26	22	104	63	40	1	-
7	Without mention of arteriosclerosis—422.0,422.2	2,042	978	916	80	68	192	123	60	7	2
8	Other diseases of heart—430-434	853	445	287	72	49	179	130	40	8	1
9	Acute and subacute endocarditis—430	56	29	16	3	8	8	5	1	-	-
10	Acute myocarditis not specified as rheumatic—431	188	81	76	13	18	12	7	5	-	-
11	Acute pericarditis specified as nonrheumatic—432	1	-	1	-	-	-	-	-	-	-
12	Functional disease of heart—433	107	57	48	2	-	8	5	3	-	-
13	Other and unspecified diseases of heart—434	501	278	146	54	23	153	113	31	8	1
14	Hypertension with heart disease—440-443	2,585	1,007	1,140	224	214	228	111	108	8	1
15	Hypertensive heart disease with arteriolar nephrosclerosis—442	899	408	407	47	37	84	43	36	5	-
16	Essential hypertension with heart disease, etc.*—440,441,443	1,686	599	733	177	177	144	68	72	3	1
17	Hypertension without mention of heart—444-447	390	162	159	32	37	57	27	30	-	-
18	Hypertension with arteriolar nephrosclerosis, etc.*—446	178	86	60	20	12	24	13	11	-	-
19	Essential hypertension, other hypertensive disease, etc.*—444,445,447	212	76	99	12	25	33	14	19	-	-
20	Diseases of arteries—450-456	991	478	449	41	23	165	109	54	2	-
21	General arteriosclerosis—450	876	428	403	30	15	154	100	52	2	-
22	Aortic aneurysm specified as nonsyphilitic, etc.*—451	40	21	8	8	3	4	4	-	-	-
23	Gangrene of unspecified cause—455	15	7	5	1	2	-	-	-	-	-
24	Other arterial diseases—452-454,456	60	22	33	2	3	7	5	2	-	-
25	Diseases of veins and other diseases of circulatory system—460-468	123	55	59	6	3	20	13	7	-	-
26	VIII.—Diseases of the respiratory system	1,961	953	750	147	111	252	154	58	9	11
27	Acute upper respiratory infections—470-475	19	7	6	4	2	2	1	1	-	-
28	Influenza—480-483	175	92	70	10	3	13	5	6	1	1
29	Pneumonia, except pneumonia of newborn—490-493	1,381	651	540	102	88	144	83	43	8	10
30	Lobar pneumonia—490	626	295	228	63	40	48	31	13	2	2
31	Bronchopneumonia—491	573	273	230	29	41	50	22	18	5	5
32	Primary atypical pneumonia—492	101	48	44	7	2	13	9	3	1	-
33	Pneumonia, other and unspecified—493	81	35	38	3	5	33	21	9	-	3
34	Acute bronchitis—500	28	13	10	3	2	2	2	-	-	-
35	Bronchitis, chronic and unqualified—501,502	79	38	36	2	3	2	1	1	-	-
36	Hypertrophy of tonsils and adenoids—510	5	3	2	-	-	1	1	-	-	-
37	Empyema and abscess of lung—518,521	30	12	6	6	6	1	1	-	-	-
38	Pleurisy—519	5	5	-	-	-	3	1	2	-	-
39	All other respiratory diseases—Residual	239	132	60	20	7	84	59	5	-	-
40	IX.—Diseases of the digestive system	1,718	913	644	89	72	237	137	87	9	4
41	Diseases of teeth and supporting structures—530-535	11	8	2	1	-	3	1	2	-	-
42	Ulcer of stomach—540	116	76	26	13	1	12	11	1	-	-
43	Ulcer of duodenum—541	73	61	7	3	2	20	18	1	-	-
44	Gastritis and duodenitis—543	15	8	7	-	-	2	2	-	-	-
45	Appendicitis—550-553	124	69	38	9	8	24	15	6	3	-
46	Hernia and intestinal obstruction—560,561,570	321	145	156	9	11	55	31	23	1	-
47	Gastro-enteritis and colitis, except diarrhea of newborn—571,572	205	86	88	13	18	24	12	5	4	3
48	Cirrhosis of liver—581	403	258	103	24	18	40	25	15	-	-
49	Without mention of alcoholism—581.0	350	217	93	22	18	33	21	12	-	-
50	With alcoholism—581.1	53	41	10	2	-	7	4	3	-	-
51	Cholelithiasis and cholecystitis—584,585	213	87	122	1	3	30	10	18	1	1
52	Other diseases of digestive system—Residual	237	115	95	16	11	27	11	16	-	-
53	X.—Diseases of the genito-urinary system	1,721	878	829	125	89	170	104	58	2	6
54	Nephritis and nephrosis—590-594	1,262	569	538	80	75	131	75	49	1	6
55	Acute nephritis—590	93	50	31	6	6	12	8	1	-	3
56	Nephritis with edema, including nephrosis—591	53	24	21	4	4	15	8	7	-	-
57	Chronic and unspecified nephritis and other renal sclerosis—592-594	1,116	495	486	70	65	104	59	41	1	3
58	Infections of kidney—600	111	47	48	11	5	3	-	3	-	-
59	Calculi of urinary system—602,604	28	20	5	2	1	1	-	1	-	-
60	Other diseases of urinary system—601,603,605-609	54	25	15	10	4	4	3	1	-	-
61	Hyperplasia of prostate—610	198	182	...	16	...	24	23	...	1	...
62	Other diseases of male genital organs—611-617	41	35	...	6	...	3	3	...	-	...
63	Diseases of breast—620,621	1	-	1	-	-	-	-	-	-	-
64	Diseases of female genital organs—622-637	26	...	22	...	4	4	...	4	...	-
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium	76	...	59	...	17	14	...	13	...	1
66	Sepsis of pregnancy, childbirth, and puerperium—640,641,681,682,684	10	...	7	...	3	4	...	4	...	-
67	Toxemias of pregnancy and puerperium, etc.*—642,685,686	28	...	21	...	5	4	...	4	...	-
68	Hemorrhage of pregnancy and childbirth—643,644,670-672	18	...	14	...	2	2	...	2	...	-
69	Ectopic pregnancy—645	8	...	6	...	2	2	...	1	...	1
70	Abortion without mention of sepsis or toxemia—650	2	...	1	...	1	-	...		...	-
71	Abortion with sepsis—651	6	...	3	...	3	-	...	-	...	-
72	Abortion with toxemia, without mention of sepsis—652	-	...	-	...	-	-	...	-	...	-
73	Other complications of pregnancy, childbirth, and puerperium—Residual	8	...	7	...	1	2	...	2	...	-
74	XII.—Diseases of the skin and cellular tissue	36	15	16	3	2	6	5	1	-	-
75	Infections of skin and subcutaneous tissue—690-698	11	4	4	3	-	-	-	-	-	-
76	Other diseases of skin and subcutaneous tissue—700-716	25	11	12	-	2	6	5	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
117	63	47	4	3	6	4	-	1	1	55	28	27	-	-	278	139	127	8	5	1
4	2	2	-	-	1	-	-	1	-	2	-	2	-	-	3	-	3	-	-	2
12	7	5	-	-	1	1	-	-	-	9	7	2	-	-	47	31	8	5	3	3
101	54	40	4	3	4	3	-	-	1	44	21	23	-	-	228	107	116	3	2	4
843	472	346	16	9	66	41	21	1	3	274	126	148	-	-	3,661	1,784	1,662	110	105	5
260	131	128	1	-	25	15	8	1	1	161	71	90	-	-	1,650	736	821	57	36	6
583	341	218	15	9	41	26	13	-	2	113	55	58	-	-	2,011	1,048	841	53	69	7
298	175	118	2	3	43	34	7	1	1	80	51	28	1	-	490	269	183	22	16	8
10	5	4	1	-	1	-	1	-	-	6	4	2	-	-	47	26	18	2	1	9
22	11	11	-	-	3	3	-	-	-	8	2	6	-	-	119	71	41	4	3	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	1	11
25	17	8	-	-	6	5	-	-	1	11	7	4	-	-	66	31	34	1	-	12
241	142	95	1	3	33	26	6	1	-	55	38	16	1	-	256	140	90	15	11	13
595	279	286	9	11	42	26	14	1	1	337	159	177	-	1	2,976	1,172	1,510	125	169	14
271	133	131	3	4	13	9	3	-	1	71	40	31	-	-	978	410	460	47	61	15
324	146	155	6	7	29	17	11	1	-	266	119	146	-	1	1,998	762	1,050	78	108	16
106	45	57	3	3	7	4	3	-	-	44	21	23	-	-	412	177	191	24	20	17
42	19	19	2	2	2	1	1	-	-	27	11	16	-	-	207	95	98	10	4	18
66	26	38	1	1	5	3	2	-	-	17	10	7	-	-	205	82	93	14	16	19
343	180	159	2	2	20	10	9	-	1	307	154	152	1	-	1,091	500	543	30	18	20
308	154	150	2	2	18	9	8	-	1	291	144	146	1	-	985	451	513	26	15	21
15	12	3	-	-	-	-	-	-	-	9	8	1	-	-	65	53	8	3	1	22
7	3	4	-	-	-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	23
13	11	2	-	-	2	1	1	-	-	5	1	4	-	-	40	15	22	1	2	24
32	16	16	-	-	10	9	1	-	-	14	7	7	-	-	112	55	44	10	3	25
484	269	199	13	3	60	45	9	3	3	211	120	90	-	1	1,470	770	520	108	72	26
8	5	2	-	-	1	1	-	-	-	3	1	2	-	-	17	10	7	-	-	27
60	31	27	2	-	1	-	1	-	-	9	5	4	-	-	53	19	24	3	7	28
310	171	127	9	3	36	24	7	2	3	146	79	66	-	1	1,016	502	362	80	52	29
76	43	28	5	-	17	12	4	1	-	67	37	30	-	-	381	203	132	30	16	30
145	75	64	4	2	14	9	1	1	3	50	24	25	-	1	536	247	210	48	31	31
39	23	16	-	-	1	-	1	-	-	19	11	8	-	-	89	47	36	2	4	32
50	30	19	-	1	4	3	1	-	-	10	7	3	-	-	10	5	4	-	1	33
8	4	4	-	-	-	-	-	-	-	7	4	3	-	-	24	8	10	3	3	34
21	14	7	-	-	2	2	-	-	-	13	6	7	-	-	72	47	18	4	3	35
4	1	1	2	-	-	-	-	-	-	4	2	2	-	-	5	3	2	-	-	36
7	5	1	-	-	2	2	-	-	-	3	3	-	-	-	28	19	3	5	1	37
1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	13	5	6	1	1	38
65	36	29	-	-	18	16	1	1	-	26	20	6	-	-	242	157	68	12	5	39
511	290	211	5	5	78	49	25	2	2	241	124	117	-	-	1,969	1,099	734	72	64	40
5	2	2	1	-	-	-	-	-	-	2	2	-	-	-	7	4	3	-	-	41
42	36	5	-	1	4	3	1	-	-	13	8	5	-	-	167	126	28	11	2	42
32	28	3	1	-	7	7	-	-	-	19	19	-	-	-	136	114	17	2	3	43
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	6	5	1	-	-	44
35	22	13	-	-	7	6	1	-	-	19	7	12	-	-	145	89	48	4	4	45
108	51	57	-	-	24	15	8	-	1	54	29	25	-	-	314	150	140	8	16	46
50	25	21	1	3	6	-	3	2	1	24	12	12	-	-	188	76	72	26	14	47
101	63	35	2	1	17	11	6	-	-	43	27	16	-	-	553	346	186	12	9	48
79	43	33	2	1	13	8	5	-	-	37	23	14	-	-	464	281	168	10	5	49
22	20	2	-	-	4	3	1	-	-	6	4	2	-	-	89	65	18	2	4	50
78	29	49	-	-	6	2	4	-	-	35	6	29	-	-	240	83	148	1	8	51
59	33	26	-	-	7	5	2	-	-	32	14	18	-	-	213	108	91	8	8	52
379	237	130	8	4	50	34	11	2	3	174	107	67	-	-	1,176	621	445	60	50	53
251	132	109	6	4	26	15	8	1	2	122	68	54	-	-	804	363	364	39	38	54
15	9	6	-	-	2	1	-	-	1	9	5	4	-	-	44	25	14	2	3	55
5	4	1	-	-	2	2	-	-	-	3	2	1	-	-	42	17	20	4	1	56
231	119	102	6	4	22	12	8	1	1	110	61	49	-	-	718	321	330	33	34	57
19	10	9	-	-	4	2	2	-	-	8	4	4	-	-	84	36	36	7	5	58
6	6	-	-	-	-	-	-	-	-	2	1	1	-	-	32	18	12	-	2	59
9	8	1	-	-	-	-	-	-	-	5	3	2	-	-	39	21	15	2	1	60
76	74	...	2	...	17	16	...	1	...	29	29	...	-	...	181	171	...	10	...	61
7	7	...	-	...	1	1	...	-	...	2	2	...	-	...	14	12	...	2	...	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
11	...	11	...	-	2	...	1	...	1	6	...	6	...	-	22	...	18	...	4	64
24	...	24	...	-	6	...	6	...	-	8	...	8	...	-	65	...	48	...	17	65
4	...	4	...	-	3	...	3	...	-	1	...	1	...	-	9	...	8	...	1	66
3	...	3	...	-	1	...	1	...	-	3	...	3	...	-	11	...	8	...	3	67
5	...	5	...	-	1	...	1	...	-	4	...	4	...	-	13	...	11	...	2	68
1	...	1	...	-	1	...	1	...	-	-	...	-	...	-	4	...	3	...	1	69
2	...	2	...	-	-	...	-	...	-	-	...	-	...	-	3	...	2	...	1	70
4	...	4	...	-	-	...	-	...	-	-	...	-	...	-	10	...	5	...	5	71
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	2	...	2	...	-	72
5	...	5	...	-	-	...	-	...	-	-	...	-	...	-	13	...	9	...	4	73
15	10	5	-	-	-	-	-	-	-	8	6	2	-	-	42	13	24	2	3	74
3	1	2	-	-	-	-	-	-	-	2	2	-	-	-	11	7	4	-	-	75
12	9	3	-	-	-	-	-	-	-	6	4	2	-	-	31	6	20	2	3	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	92	41	46	1	4	12	6	6	-	-
2	Arthritis and spondylitis—720-725	57	22	32	-	3	11	5	6	-	-
3	Muscular rheumatism and rheumatism unspecified—726,727	5	2	2	-	1	-	-	-	-	-
4	Osteomyelitis and periostitis—730	6	5	1	-	-	-	-	-	-	-
5	Ankylosis and acquired musculoskeletal deformities—757,745-749	3	3	-	-	-	1	1	-	-	-
6	All other diseases of musculoskeletal system—731-736,736-744	21	9	11	1	-	-	-	-	-	-
7	XIV.—Congenital malformations	487	279	180	14	14	88	46	36	2	4
8	Spina bifida and meningocele—751	37	17	18	-	2	8	5	3	-	-
9	Congenital hydrocephalus, etc.*—752,753	45	24	18	1	2	10	3	6	-	1
10	Congenital malformations of circulatory system—754	248	148	87	5	8	41	19	18	2	2
11	Other congenital malformations—750,755-759	157	90	57	8	2	29	19	9	-	1
12	XV.—Certain diseases of early infancy	1,500	759	543	123	75	255	142	95	10	8
13	Birth injuries—760,761	309	155	117	23	14	52	33	18	1	-
14	Postnatal asphyxia and atelectasis—762	289	171	94	17	7	43	25	17	1	-
15	Infections of newborn—763-768	108	55	39	7	7	8	2	5	-	1
16	Hemolytic disease of newborn (erythroblastosis)—770	84	36	25	1	2	16	12	4	-	-
17	All other defined diseases of early infancy—769,771,772	97	55	32	7	3	16	9	5	2	-
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	633	287	236	68	42	120	61	46	6	7
19	XVI.—Symptoms, senility, and ill-defined conditions	591	301	228	29	33	140	86	34	11	9
20	Senility without mention of psychosis—794	224	95	120	1	8	42	19	13	6	4
21	Symptoms, ill-defined and unknown causes—780-793,795	367	206	108	28	25	98	67	21	5	5
22	XVII.—Accidents, poisonings, and violence	3,399	2,032	999	263	105	664	481	139	31	13
23	Accidents—E800-E962	2,699	1,605	867	160	67	552	397	119	26	10
24	Railway accidents—E800-E802	54	40	2	12	-	17	15	-	2	-
25	Motor-vehicle accidents—E810-E835	852	603	197	44	8	152	112	25	11	4
26	Motor-vehicle traffic accidents—E810-E825	851	590	189	44	8	150	111	24	11	4
27	Motor-vehicle traffic accident with railway train*—E810	47	36	9	1	1	6	4	2	-	-
28	Motor-vehicle traffic accident to pedestrian—E812	186	120	41	21	4	21	17	2	1	1
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	276	188	74	12	2	37	32	5	-	-
30	Motor-vehicle noncollision traffic accidents—E820-E824	185	155	20	9	1	67	47	10	8	2
31	Motor-vehicle traffic accident of unspecified nature—E825	137	91	45	1	-	19	11	5	2	1
32	Motor-vehicle nontraffic accidents—E830-E835	21	13	8	-	-	2	1	1	-	-
33	Other road-vehicle accidents—E840-E845	24	22	1	-	1	4	4	-	-	-
34	Water-transport accidents—E850-E858	37	30	5	2	-	5	4	-	1	-
35	Aircraft accidents—E860-E866	31	27	3	1	-	10	9	1	-	-
36	Accidental poisoning by solid and liquid substances—E870-E888	37	22	10	3	2	9	4	4	-	1
37	Accidental poisoning by gases and vapors—E890-E895	27	20	7	-	-	15	11	4	-	-
38	Accidental falls—E900-E904	822	319	454	30	19	115	80	53	1	1
39	Fall from one level to another—E900-E902	237	125	90	16	6	30	25	4	-	1
40	Fall on same level—E903	165	56	99	5	5	22	8	13	1	-
41	Unspecified falls—E904	420	138	265	9	8	63	27	36	-	-
42	Blow from falling object—E910	26	24	1	1	-	18	18	-	-	-
43	Accident caused by machinery—E912	52	48	2	2	-	19	16	2	1	-
44	Accident caused by electric current—E914	28	24	4	-	-	6	6	-	-	-
45	Accident caused by fire and explosion, etc.*—E916	205	104	60	21	20	37	27	9	-	1
46	Accident caused by hot substance, etc.*—E917,E918	30	16	14	-	-	4	3	-	1	-
47	Accident caused by firearm—E919	84	66	6	9	3	18	14	2	1	1
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	22	11	10	1	-	9	6	2	-	1
49	Accidental drowning—E929	118	89	20	8	1	35	30	4	1	-
50	Excessive heat and insolation—E931	34	22	5	5	2	2	1	-	1	-
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	3	3	-	-	-	-	-	-	-	-
52	All other accidents—Residual	213	115	66	21	11	77	57	13	6	1
53	Suicide—E963,E970-E979	478	352	109	13	4	89	74	11	2	2
54	Suicide by poisoning—E970-E975	84	45	33	4	2	8	4	4	-	-
55	Suicide by hanging and strangulation—E974	90	58	31	1	-	5	3	2	-	-
56	Suicide by firearms and explosives—E976	238	207	24	7	-	63	56	3	2	2
57	Suicide by all other means—E963,E975,E977-E979	66	42	21	1	2	13	11	2	-	-
58	Homicide—E964,E980-E985	221	74	23	90	34	21	8	9	3	1
59	Assault by firearms and explosives—E981	116	37	10	51	18	10	5	5	-	-
60	Assault by cutting and piercing instruments—E982	34	6	1	19	8	3	-	2	1	-
61	Assault by other means—E964,E980,E983	57	24	12	13	8	7	3	2	1	1
62	Injury by intervention of police—E984	12	6	-	6	-	1	-	-	1	-
63	Execution—E985	2	1	-	1	-	-	-	-	-	-
64	Injury resulting from operations of war—E965,E990-E999	1	1	-	-	-	2	2	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31	13	17	-	1	2	2	-	-	-	6	3	3	-	-	70	27	39	1	3	1
20	6	13	-	1	1	1	-	-	-	1	-	1	-	-	37	15	20	-	2	2
2	1	1	-	-	-	-	-	-	-	1	-	1	-	-	2	-	2	-	-	3
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	9	2	5	1	1	4
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	5
9	6	3	-	-	-	-	-	-	-	3	2	1	-	-	22	10	12	-	-	6
170	98	71	1	-	17	8	9	-	-	85	52	33	-	-	507	230	236	24	17	7
19	9	10	-	-	1	-	1	-	-	5	3	2	-	-	54	26	26	2	-	8
10	4	6	-	-	2	-	2	-	-	11	7	4	-	-	71	23	40	7	1	9
70	39	31	1	-	10	6	4	-	-	39	24	15	-	-	200	92	92	8	8	10
71	47	24	-	-	4	2	2	-	-	30	18	12	-	-	182	89	78	7	8	11
463	266	178	12	7	77	44	28	4	1	203	118	85	-	-	1,635	772	576	162	125	12
105	62	40	2	1	15	9	4	-	-	61	34	27	-	-	303	158	104	20	21	13
63	36	24	3	-	23	9	11	2	1	35	25	10	-	-	422	203	157	40	22	14
19	13	5	-	1	4	2	-	2	-	11	5	6	-	-	86	36	29	14	7	15
30	18	9	1	2	2	2	-	-	-	8	5	3	-	-	86	48	34	3	1	16
15	9	5	1	-	3	2	1	-	-	3	2	1	-	-	65	33	18	8	6	17
231	128	95	5	3	32	20	12	-	-	85	47	38	-	-	673	294	234	77	68	18
203	118	83	-	2	50	33	8	5	4	43	27	15	-	1	159	73	71	7	8	19
119	60	59	-	-	17	8	5	2	2	10	4	6	-	-	86	34	47	2	3	20
84	58	24	-	2	33	25	3	3	2	33	23	9	-	1	73	39	24	5	5	21
1,083	724	327	20	12	223	157	41	19	6	382	263	118	1	-	2,829	1,686	834	229	80	22
898	582	292	15	9	167	115	32	15	5	289	190	99	-	-	2,071	1,204	641	161	65	23
13	12	1	-	-	12	9	-	3	-	2	2	-	-	-	40	34	3	3	-	24
271	187	74	5	5	68	48	11	6	3	76	55	21	-	-	627	427	123	57	20	25
264	181	73	5	5	65	46	11	5	3	73	54	19	-	-	617	422	119	56	20	26
22	17	5	-	-	1	1	-	-	-	5	4	1	-	-	12	11	-	-	1	27
47	30	13	3	1	6	5	-	1	-	16	10	6	-	-	258	182	47	23	6	28
70	45	21	1	3	17	12	4	1	-	18	12	6	-	-	193	129	42	13	9	29
52	43	8	-	1	26	17	4	2	3	24	19	5	-	-	106	65	20	18	3	30
73	46	26	1	-	15	11	3	1	-	10	9	1	-	-	48	35	10	2	1	31
7	6	1	-	-	3	2	-	1	-	3	1	2	-	-	10	5	4	1	-	32
7	5	1	1	-	3	2	-	1	-	-	-	-	-	-	6	4	2	-	-	33
3	3	-	-	-	1	-	-	1	-	4	4	-	-	-	24	20	2	2	-	34
21	21	-	-	-	7	7	-	-	-	6	5	1	-	-	35	31	4	-	-	35
9	6	2	-	1	1	1	-	-	-	3	3	-	-	-	41	20	17	4	-	36
11	8	3	-	-	2	2	-	-	-	6	6	-	-	-	100	41	53	4	2	37
271	113	154	4	-	16	8	7	1	-	97	44	53	-	-	675	322	323	18	12	38
78	43	35	-	-	3	2	-	1	-	33	22	11	-	-	294	169	108	11	6	39
82	30	52	-	-	6	2	4	-	-	29	7	22	-	-	157	57	75	2	3	40
111	40	67	4	-	7	4	3	-	-	35	15	20	-	-	244	96	140	5	3	41
18	17	1	-	-	4	3	1	-	-	3	3	-	-	-	14	12	-	2	-	42
37	37	-	-	-	5	5	-	-	-	8	7	1	-	-	23	17	-	6	-	43
13	10	3	-	-	-	-	-	-	-	1	1	-	-	-	19	18	1	-	-	44
49	25	22	1	1	16	9	5	1	1	23	13	10	-	-	120	59	30	17	14	45
5	3	2	-	-	2	1	1	-	-	4	1	3	-	-	12	4	5	1	2	46
30	27	1	2	-	5	2	3	-	-	9	9	-	-	-	23	21	2	-	-	47
4	2	2	-	-	4	3	1	-	-	8	6	2	-	-	36	9	21	4	2	48
46	37	8	1	-	7	6	-	1	-	25	21	4	-	-	138	87	20	29	2	49
7	7	-	-	-	1	1	-	-	-	-	-	-	-	-	18	14	3	-	1	50
2	1	1	-	-	1	1	-	-	-	-	-	-	-	-	3	-	2	-	1	51
81	61	17	1	2	12	7	3	1	1	14	10	4	-	-	117	64	30	14	9	52
162	132	30	-	-	40	32	8	-	-	85	69	15	1	-	609	422	166	16	5	53
19	16	3	-	-	8	4	4	-	-	20	12	8	-	-	239	134	101	4	-	54
42	32	10	-	-	4	3	1	-	-	16	12	4	-	-	171	127	36	6	2	55
85	74	11	-	-	24	21	3	-	-	39	38	1	-	-	115	99	9	5	2	56
16	10	6	-	-	4	4	-	-	-	10	7	2	1	-	84	62	20	1	1	57
23	10	5	5	3	16	10	1	4	1	8	4	4	-	-	148	59	27	52	10	58
9	4	2	2	1	9	6	1	2	-	5	1	4	-	-	80	21	13	23	3	59
9	3	2	2	2	1	1	-	-	-	2	2	-	-	-	35	9	2	19	5	60
3	2	1	-	-	3	-	-	2	1	1	1	-	-	-	50	27	12	9	2	61
2	1	-	1	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	-	62
-	-	-	-	-	2	2	-	-	-	-	-	-	-	-	2	2	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	5,576	2,922	2,147	302	205	155,020	80,814	64,985	4,995	4,216
2	I.—Infective and parasitic diseases	447	199	151	50	47	5,929	3,267	1,341	822	499
3	Tuberculosis, all forms—001-019	282	124	89	34	35	4,360	2,386	899	657	418
4	Tuberculosis of respiratory system—001-008	248	107	79	28	34	4,058	2,285	810	599	364
5	Tuberculosis of meninges and central nervous system—010	13	5	3	5	-	109	25	35	19	30
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	3	2	-	-	1	27	11	6	6	4
7	Tuberculosis of vertebral column—012.0,013.0	2	1	-	1	-	20	9	4	4	3
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	-	-	-	-	-	10	6	3	1	-
9	Tuberculosis of genito-urinary system—016	6	4	2	-	-	34	17	14	3	-
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	-	-	-	-	-	23	7	12	2	2
11	Disseminated tuberculosis—019	10	5	5	-	-	79	26	15	23	15
12	Syphilis and its sequelae—020-029	43	24	10	7	2	757	455	114	130	58
13	Congenital syphilis—020	9	2	2	3	2	10	2	2	3	3
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	10	6	3	1	-	215	142	44	25	4
16	Other cardiovascular syphilis—023	11	11	-	-	-	217	118	32	45	21
17	Tabes dorsalis—024	2	1	-	1	-	21	17	3	1	-
18	General paralysis of insane—025	4	-	3	1	-	181	113	21	31	16
19	Other syphilis of central nervous system—026	4	3	1	-	-	87	48	10	19	12
20	Other syphilis—027-029	3	1	1	1	-	26	16	2	6	2
21	Gonococcal infection—030-035	-	-	-	-	-	6	2	1	2	1
22	Typhoid fever—040	4	-	2	2	-	5	4	1	-	-
23	Paratyphoid fever—041	-	-	-	-	-	2	-	1	1	-
24	Other Salmonella infections—042	-	-	-	-	-	1	-	1	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	1	1	-	-	-	3	2	1	-	-
27	Dysentery, all forms—045-048	46	17	24	1	4	26	16	5	4	1
28	Scarlet fever—050	-	-	-	-	-	3	-	2	-	1
29	Streptococcal sore throat—051	1	1	-	-	-	34	18	15	1	-
30	Erysipelas—052	-	-	-	-	-	2	-	2	-	-
31	Septicemia and pyemia—053	5	1	1	2	1	43	21	19	2	1
32	Diphtheria—055	2	1	1	-	-	12	7	3	2	-
33	Whooping cough—056	12	4	7	1	-	27	14	7	4	2
34	Meningococcal infections—057	1	-	1	-	-	70	30	29	5	6
35	Plague—058	1	1	-	-	-	-	-	-	-	-
36	Tularemia—059	-	-	-	-	-	-	-	-	-	-
37	Leprosy—060	-	-	-	-	-	-	-	-	-	-
38	Tetanus—061	1	1	-	-	-	7	6	1	-	-
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	19	8	11	-	-	320	181	131	5	3
41	Late effects of acute poliomyelitis—081	-	-	-	-	-	2	2	-	-	-
42	Acute infectious encephalitis—082	6	3	1	2	-	36	18	17	2	1
43	Late effects of acute infectious encephalitis—083	-	-	-	-	-	32	16	15	1	-
44	Smallpox—084	-	-	-	-	-	-	-	-	-	-
45	Measles—085	16	9	2	1	4	37	18	19	-	-
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	2	1	1	-	-	69	38	28	3	-
48	Rabies—094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus—104	-	-	-	-	-	-	-	-	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	-	-	-	-	-	-	-	-	-	-
51	Malaria—110-117	-	-	-	-	-	3	3	-	-	-
52	Schistosomiasis—123	-	-	-	-	-	1	-	1	-	-
53	Hydatid disease—125	-	-	-	-	-	-	-	-	-	-
54	Filariasis—127	-	-	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	-	-	-	-	-	1	-	1	-	-
56	Other diseases due to helminths—124,126,128,130	-	-	-	-	-	3	3	-	-	-
57	All other infective and parasitic diseases—Residual	5	3	1	-	1	67	29	28	3	7
58	II.—Neoplasms	549	242	285	10	12	28,520	13,060	12,248	585	629
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	531	237	274	10	10	25,862	12,813	11,887	570	592
60	Malignant neoplasm of buccal cavity and pharynx—140-148	7	5	2	-	-	865	526	109	25	5
61	Of lip—140	3	3	-	-	-	49	45	4	-	-
62	Of tongue—141	-	-	-	-	-	210	175	26	8	1
63	Of other and unspecified parts of buccal cavity—142-144	3	1	2	-	-	169	124	39	5	1
64	Of pharynx—145-148	1	1	-	-	-	237	182	40	12	3
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	202	102	90	6	4	10,721	5,624	4,618	282	197
66	Of esophagus—150	9	8	-	1	-	639	446	134	46	11
67	Of stomach—151	78	46	28	2	2	3,038	1,767	1,097	106	68
68	Of intestine, except rectum—152,153	49	17	32	-	-	3,117	1,407	1,608	49	53
69	Of rectum—154	14	7	7	-	-	1,660	929	675	29	27
70	Of biliary passages and of liver (stated to be primary site)—155	10	1	8	1	-	549	180	350	11	8
71	Of liver not specified whether primary or secondary—156A	23	13	9	-	1	425	207	203	8	7
72	Of pancreas—157	17	10	4	2	1	1,068	586	447	21	14
73	Of peritoneum and of unspecified digestive organs—158,159	2	-	2	-	-	225	100	104	12	9
74	Malignant neoplasm of respiratory system—160-164	30	20	8	2	-	3,078	2,494	454	102	28
75	Of larynx—161	3	3	-	-	-	316	275	17	19	5
76	Of trachea, and of bronchus and lung specified as primary—162	12	10	1	1	-	1,093	916	132	38	7
77	Of lung and bronchus, unspecified as primary or secondary—163	11	5	6	-	-	1,557	1,231	271	40	15
78	Of other parts of respiratory system—160,164	4	2	1	1	-	112	72	34	5	1
79	Malignant neoplasm of breast—170	44	-	43	-	1	2,498	41	2,374	-	83
80	Malignant neoplasm of genital organs—171-179	97	28	65	1	3	3,524	1,059	2,218	58	189
81	Of cervix uteri—171	25	...	24	...	1	836	...	725	...	111
82	Of other and unspecified parts of uterus—172-174	29	...	27	...	2	671	...	636	...	35
83	Of ovary, fallopian tube, and broad ligament—175	13	...	13	...	-	806	...	768	...	38
84	Of other and unspecified female genital organs—176	1	...	1	...	-	94	...	89	...	5
85	Of prostate—177	27	26	...	1	...	1,006	955	...	51	...
86	Of testis, and of other and unspecified male genital organs—178,179	2	2	...	-	...	111	104	...	7	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
31,009	11,790	8,411	5,897	4,911	5,222	3,189	1,901	76	56	80,368	41,859	32,536	3,329	2,644	19,394	10,381	6,757	1,288	988	1
1,525	417	236	518	354	144	77	51	11	5	3,011	1,541	747	459	264	934	439	248	142	105	2
972	263	122	331	256	67	36	19	10	2	1,985	1,006	431	352	196	530	227	151	98	74	3
889	241	110	305	233	55	32	15	6	2	1,776	928	375	300	173	495	216	121	88	68	4
22	5	4	6	7	3	-	-	3	-	65	27	15	11	12	18	3	6	5	4	5
8	-	2	4	2	2	1	1	-	-	14	1	5	5	3	-	-	-	-	-	6
8	2	2	2	2	1	-	-	1	-	22	9	7	4	2	1	-	-	1	-	7
3	2	-	1	-	-	-	-	-	-	8	5	3	-	-	1	-	1	-	-	8
7	6	-	-	1	3	2	1	-	-	24	15	7	1	1	2	-	2	-	-	9
6	2	1	-	3	1	-	1	-	-	10	2	5	2	1	-	-	-	-	-	10
29	5	3	13	8	2	1	1	-	-	66	19	14	29	4	15	8	1	4	2	11
193	49	14	101	29	14	7	7	-	-	558	305	119	91	43	118	68	18	26	6	12
23	2	1	11	9	-	-	-	-	-	13	9	1	2	1	9	-	2	4	3	13
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	14
47	24	6	15	2	2	1	1	-	-	156	88	41	20	7	18	12	3	3	-	15
41	7	2	24	8	3	1	2	-	-	174	83	37	35	19	33	23	4	5	1	16
3	1	-	1	1	-	-	-	-	-	16	13	2	1	-	2	2	-	-	-	17
48	10	5	30	3	5	2	3	-	-	124	76	22	16	10	27	17	6	4	-	18
22	4	-	14	4	1	1	-	-	-	48	24	10	10	4	22	11	3	7	1	19
9	1	-	6	2	3	2	1	-	-	26	12	5	7	2	7	3	-	3	1	20
1	-	1	-	-	-	-	-	-	-	2	1	-	1	-	-	-	-	-	-	21
4	2	-	-	2	-	-	-	-	-	7	4	2	1	-	3	1	2	-	-	22
1	-	1	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	23
-	-	-	-	-	-	-	-	-	-	2	1	-	1	-	2	-	-	-	2	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
1	1	-	-	-	-	-	-	-	-	4	1	3	-	-	2	2	-	-	-	26
36	8	6	12	10	3	1	1	1	-	16	11	4	-	1	28	8	8	5	7	27
1	-	1	-	-	2	2	-	-	-	3	1	1	1	-	1	1	-	-	-	28
14	3	6	2	3	6	4	1	-	1	18	7	9	1	1	15	7	7	-	1	29
2	-	2	-	-	2	-	2	-	-	5	3	2	-	-	2	1	1	-	-	30
15	7	5	2	1	3	2	1	-	-	31	12	13	2	4	15	9	5	1	-	31
25	7	8	4	6	1	1	-	-	-	12	5	7	-	-	7	3	2	-	2	32
34	9	4	11	10	1	-	-	-	1	29	12	13	4	-	7	1	3	2	1	33
32	11	8	10	3	6	3	2	-	1	57	27	24	-	6	10	3	5	1	1	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
14	3	3	4	4	1	1	-	-	-	7	4	3	-	-	6	3	-	2	1	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
12	3	4	4	1	19	13	6	-	-	102	63	37	1	1	109	66	41	-	2	40
4	3	1	-	-	-	-	-	-	-	3	2	1	-	-	1	1	-	-	-	41
9	2	4	1	2	5	2	3	-	-	22	8	13	-	1	6	4	1	1	-	42
3	-	2	1	-	-	-	-	-	-	13	7	6	-	-	2	2	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
91	27	30	23	11	7	1	6	-	-	19	10	9	-	-	30	11	12	4	3	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
7	-	7	-	-	4	3	1	-	-	35	13	18	-	4	8	3	4	-	1	47
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	48
7	4	1	2	-	-	-	-	-	-	2	2	-	-	-	1	1	-	-	-	49
1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
3	1	-	1	1	-	-	-	-	-	1	1	-	-	-	4	2	1	-	1	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
5	1	1	-	3	-	-	-	-	-	2	1	1	-	-	2	-	-	-	2	56
38	12	5	9	12	3	1	2	-	-	73	32	30	4	7	24	14	7	2	1	57
3,399	1,197	1,404	325	473	717	408	299	5	5	12,119	5,718	5,734	332	335	2,682	1,269	1,209	102	102	58
3,261	1,158	1,352	316	433	704	400	294	5	5	11,793	5,602	5,559	323	309	2,578	1,228	1,164	95	91	59
81	41	20	13	7	14	11	3	-	-	277	203	62	9	3	62	45	15	2	-	60
14	10	3	1	-	3	3	-	-	-	10	8	2	-	-	8	8	-	-	-	61
9	6	2	-	1	2	2	-	-	-	67	50	15	2	-	9	9	-	-	-	62
28	11	7	9	1	6	4	2	-	-	80	60	18	2	-	15	9	6	-	-	63
30	14	8	3	5	3	2	1	-	-	120	85	27	5	3	30	19	9	2	-	64
1,102	424	410	157	111	286	167	115	1	3	4,714	2,470	1,980	168	98	959	487	396	43	33	65
44	14	15	10	5	9	5	4	-	-	235	179	40	12	4	23	11	8	4	-	66
392	162	103	82	45	122	77	44	1	-	1,313	785	440	64	24	307	177	97	25	8	67
288	98	136	21	31	62	38	23	-	1	1,375	628	689	27	31	239	96	131	6	6	68
105	43	45	8	9	24	11	13	-	-	586	317	257	21	11	75	40	30	1	4	69
85	31	42	7	5	20	8	11	-	1	273	99	162	7	5	55	25	27	2	1	70
49	17	22	9	1	12	6	5	-	1	384	169	192	16	7	117	61	50	2	4	71
114	47	40	18	9	33	19	14	-	-	461	258	183	12	8	122	68	46	2	6	72
27	12	7	2	6	4	3	1	-	-	87	35	37	9	6	21	9	7	1	4	73
234	143	58	30	3	62	44	17	1	-	1,045	800	186	53	6	225	176	40	8	1	74
14	8	3	3	-	6	5	1	-	-	110	95	6	9	-	24	19	2	3	-	75
152	99	30	20	3	21	13	7	1	-	336	269	50	17	-	60	51	8	-	1	76
49	28	14	7	-	34	26	8	-	-	543	402	111	26	4	129	101	23	5	-	77
19	8	11	-	-	1	-	1	-	-	56	34	19	1	2	12	5	7	-	-	78
272	1	208	-	63	57	-	57	-	-	1,093	14	1,018	-	61	210	4	198	-	8	79
720	149	335	55	181	97	59	36	1	1	2,058	719	1,208	30	101	541	197	287	23	34	80
224	...	140	...	84	11	...	11	...	-	479	...	426	...	53	115	...	106	...	9	81
207	...	127	...	80	15	...	15	...	-	473	...	441	...	32	152	...	132	...	20	82
70	...	58	...	12	10	...	9	...	1	313	...	300	...	13	50	...	46	...	4	83
15	...	10	...	5	1	...	1	...	-	44	...	41	...	3	4	...	3	...	1	84
191	137	...	54	...	51	50	...	1	...	683	656	...	27	...	208	185	...	23	...	85
13	12	...	1	...	9	9	...	-	...	66	63	...	3	...	12	12	...	-	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs----------180,181	26	13	13	-	-	1,293	883	373	19	18
2	Of kidney----------180	12	6	8	-	-	467	300	152	10	5
3	Of bladder and other urinary organs----------181	14	7	7	-	-	826	583	221	9	13
4	Malignant neoplasm of other and unspecified sites------156B,165,190-199	73	39	32	1	1	2,165	1,152	934	43	36
5	Of skin----------190,191	14	11	3	-	-	302	173	122	3	4
6	Of eye----------192	4	-	4	-	-	32	14	18	-	-
7	Of brain and other parts of nervous system----------193	8	4	4	-	-	514	313	185	7	9
8	Of thyroid gland----------194	3	1	2	-	-	118	41	70	4	3
9	Of bone (including jaw bone)----------196	9	5	3	1	-	217	131	75	7	4
10	Of connective tissue----------197	5	4	1	-	-	68	38	24	4	2
11	Of other specified sites, not stated to be secondary----195,198A,199A	7	3	4	-	-	292	152	134	5	1
12	Of unspecified sites----------156B,165,199B,199B-H	23	11	11	-	1	622	290	306	13	13
13	Leukemia and aleukemia----------204	31	15	15	-	1	964	511	422	18	13
14	Lymphosarcoma, etc.*----------200-203,205	21	15	6	-	-	954	523	385	23	23
15	Lymphosarcoma and reticulosarcoma----------200	10	7	3	-	-	411	223	169	8	11
16	Hodgkin's disease----------201	7	6	1	-	-	316	176	127	8	5
17	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	4	2	2	-	-	227	124	89	7	7
18	Benign neoplasms and neoplasms of unspecified nature----------210-239	18	5	11	-	2	658	247	359	15	37
19	Benign neoplasms of female genital organs----------214-217	7	...	5	...	2	155	...	129	...	26
20	Benign neoplasm of brain and other parts of nervous system----------223	4	3	1	-	-	109	54	49	4	2
21	Other benign neoplasms----------210-213,218-222,224-229	5	1	2	-	-	103	57	41	4	1
22	Neoplasm of unspecified nature of female genital organs-------233-235	-	...	-	...	-	2	...	2	...	-
23	Neoplasm of unspecified nature of brain, etc.*----------237	2	-	2	-	-	183	90	85	5	5
24	Other neoplasms of unspecified nature----------230-232,236,238,239	2	1	1	-	-	108	46	55	2	3
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases----------	103	39	60	1	3	3,681	1,358	2,119	60	124
26	Asthma----------241	29	17	12	-	-	365	204	133	17	11
27	Nontoxic goiter----------250,251	2	-	2	-	-	16	6	8	-	2
28	Thyrotoxicosis with or without goiter----------252	11	2	9	-	-	149	20	125	1	3
29	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	-	-	-	-	-	14	2	12	-	-
30	Diabetes mellitus----------260	43	14	25	1	3	2,920	1,019	1,761	37	103
31	Diseases of thymus gland----------273	9	3	6	-	-	72	43	26	1	2
32	Diseases of adrenal glands----------274	1	-	1	-	-	28	12	16	-	-
33	Pellagra----------281	3	1	2	-	-	4	1	3	-	-
34	All other avitaminoses and nutritional deficiency states----280,282-286	3	1	2	-	-	32	22	7	3	-
35	Other allergic, endocrine, and metabolic diseases----------Residual	2	1	1	-	-	61	29	28	1	3
36	IV.—Diseases of the blood and blood-forming organs----------	14	8	6	-	-	513	208	279	8	18
37	Anemias----------290-293	9	7	2	-	-	370	144	207	6	13
38	Pernicious and other hyperchromic anemias----------290	5	5	-	-	-	232	89	140	2	1
39	Anemias of other and unspecified type----------291-293	4	2	2	-	-	138	55	67	4	12
40	Purpura and other hemorrhagic conditions----------296	3	-	3	-	-	59	17	37	1	4
41	All other diseases of blood and blood-forming organs----294,295,297-299	2	1	1	-	-	84	47	35	1	1
42	V.—Mental, psychoneurotic, and personality disorders----------	30	14	12	3	1	533	317	151	36	29
43	Senile psychosis----------304	11	4	5	1	1	37	14	22	-	1
44	Alcoholic psychosis----------307	-	-	-	-	-	42	33	2	4	3
45	Other psychoses----------"00-30",305,306,308,309	1	-	1	-	-	125	41	68	4	12
46	Alcoholism----------322	13	9	2	2	-	277	203	40	24	10
47	Mental deficiency----------325	4	1	3	-	-	39	20	16	1	2
48	Psychoneuroses and other disorders of personality---310-321,323,324,326	1	-	1	-	-	13	6	3	3	1
49	VI.—Diseases of the nervous system and sense organs----------	344	173	154	14	3	14,666	8,476	7,498	324	367
50	Vascular lesions affecting central nervous system----------330-334	285	143	137	4	1	13,469	5,854	7,022	263	330
51	Subarachnoid hemorrhage----------330	6	2	4	-	-	363	139	182	11	31
52	Cerebral hemorrhage----------331	205	103	98	3	1	8,486	3,610	4,492	154	210
53	Cerebral embolism and thrombosis----------332	28	13	14	1	-	3,139	1,414	1,619	50	56
54	Other vascular lesions affecting central nervous system-------333,334	46	25	21	-	-	1,501	691	729	48	33
55	Meningitis, except meningococcal and tuberculous----------340	14	4	4	5	1	196	95	70	20	11
56	Multiple sclerosis----------345	1	1	-	-	-	140	70	68	2	-
57	Paralysis agitans----------350	6	5	1	-	-	204	115	87	2	-
58	Cerebral spastic infantile paralysis----------351	1	-	1	-	-	53	30	18	3	2
59	Epilepsy----------353	5	2	3	-	-	190	100	63	20	7
60	Inflammatory diseases of eye----------370-379	-	-	-	-	-	3	1	2	-	-
61	Cataract----------385	-	-	-	-	-	5	3	2	-	-
62	Glaucoma----------387	-	-	-	-	-	1	-	1	-	-
63	Otitis media and mastoiditis----------391-393	8	2	2	4	-	59	37	16	2	4
64	Other diseases of nervous system and sense organs----------Residual	24	16	6	1	1	346	171	150	12	13
65	VII.—Diseases of the circulatory system----------	1,177	699	439	21	18	70,283	37,677	29,680	1,439	1,487
66	Rheumatic fever----------400-402	24	7	15	2	-	281	123	131	11	16
67	Diseases of heart----------410-443	1,047	636	375	18	16	65,098	35,305	27,147	1,313	1,333
68	Chronic rheumatic heart disease----------410-416	98	57	39	-	2	2,551	1,078	1,319	74	80
69	Diseases of mitral valve----------410	44	31	13	-	-	744	329	386	13	16
70	Diseases of aortic valve specified as rheumatic----------411	4	3	1	-	-	73	58	13	1	1
71	Diseases of tricuspid valve----------412	1	-	1	-	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	7	4	3	-	-	188	80	101	3	4
73	Other diseases of heart specified as rheumatic----------415,416	42	19	21	-	2	1,546	611	819	57	59
74	Arteriosclerotic heart disease, including coronary disease----------420	491	341	139	7	4	44,594	26,610	16,692	707	585
75	Arteriosclerotic heart disease so described----------420.0	92	51	37	3	1	20,497	10,545	9,171	399	382
76	Heart disease specified as involving coronary arteries----------420.1	396	289	101	3	3	23,992	16,005	7,476	308	203
77	Angina pectoris without mention of coronary disease----------420.2	3	1	1	1	-	105	60	45	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
141	69	48	12	12	50	43	6	1	-	565	333	217	11	4	98	56	34	3	5	1
64	30	26	4	4	19	17	2	-	-	191	105	80	4	2	37	17	18	-	2	2
77	39	22	8	8	31	26	4	1	-	374	228	137	7	2	61	39	16	3	3	3
450	198	181	33	38	69	36	31	1	1	1,177	578	537	31	31	301	158	127	7	9	4
89	48	33	3	5	9	6	3	-	-	175	112	56	3	2	70	40	26	3	1	5
11	6	4	1	-	1	1	-	-	-	19	11	8	-	-	8	3	5	-	-	6
98	50	38	8	2	14	9	4	1	-	189	107	73	7	2	39	23	14	1	1	7
12	3	6	2	1	3	-	3	-	-	57	19	37	1	-	11	3	8	-	-	8
63	32	22	3	6	13	8	5	-	-	123	67	50	4	2	31	19	12	-	-	9
5	-	4	1	-	2	-	2	-	-	21	14	5	-	2	6	2	2	1	1	10
80	30	30	6	14	14	6	7	-	1	248	96	141	4	7	64	34	27	-	3	11
92	29	44	9	10	13	6	7	-	-	347	152	167	12	16	72	34	33	2	3	12
154	78	55	10	11	37	17	20	-	-	457	256	186	11	4	101	59	38	3	1	13
107	55	37	8	7	32	23	9	-	-	407	229	165	10	3	81	46	29	6	-	14
45	26	14	2	3	12	8	4	-	-	158	95	59	3	1	38	26	9	3	-	15
42	22	12	4	4	9	5	4	-	-	148	85	56	5	2	19	8	9	2	-	16
20	7	11	2	-	11	10	1	-	-	101	49	50	2	-	24	12	11	1	-	17
138	39	52	7	40	13	8	5	-	-	326	116	175	9	26	104	41	45	7	11	18
48	...	21	...	27	-	...	-	...	-	82	...	68	...	14	21	...	15	...	6	19
33	13	17	1	2	1	1	-	-	-	46	17	25	2	2	8	4	4	-	-	20
9	5	3	-	1	2	2	-	-	-	57	29	22	3	3	7	2	4	-	1	21
1	...	-	...	1	-	...	-	...	-	4	...	4	...	-	-	...	-	...	-	22
31	15	8	3	5	6	3	3	-	-	87	43	36	3	5	53	31	15	5	2	23
16	6	3	3	4	4	2	2	-	-	50	27	20	1	2	15	4	7	2	2	24
619	200	231	65	123	151	69	78	1	3	2,349	840	1,360	44	105	476	189	226	22	39	25
100	38	34	16	12	21	16	4	-	1	258	149	86	13	10	86	38	37	6	5	26
3	-	-	-	3	-	-	-	-	-	10	3	5	-	2	4	-	3	-	1	27
32	1	19	-	12	6	1	5	-	-	136	25	100	1	10	23	5	16	-	2	28
4	-	2	-	2	2	-	2	-	-	9	3	6	-	-	2	-	2	-	-	29
402	141	145	37	79	107	47	58	-	2	1,796	604	1,087	26	79	301	120	142	14	25	30
13	4	4	3	2	3	2	1	-	-	27	21	6	-	-	12	7	4	1	-	31
5	3	1	1	-	3	2	1	-	-	31	7	21	2	1	2	2	-	-	-	32
22	2	14	1	5	-	-	-	-	-	1	1	-	-	-	14	3	7	-	4	33
24	7	7	5	5	3	-	3	-	-	43	13	27	2	1	23	10	11	1	1	34
14	4	5	2	3	6	1	4	1	-	38	14	22	-	2	9	4	4	-	1	35
112	39	37	15	21	34	16	18	-	-	364	160	193	8	3	91	46	35	4	6	36
75	28	21	10	16	29	13	16	-	-	283	123	152	5	3	66	32	26	2	6	37
23	8	6	2	7	23	10	13	-	-	180	71	104	4	1	32	13	14	1	4	38
52	20	15	8	9	6	3	3	-	-	103	52	48	1	2	34	19	12	1	2	39
23	4	12	3	4	3	1	2	-	-	37	16	20	1	-	9	6	3	-	-	40
14	7	4	2	1	2	2	-	-	-	44	21	21	2	-	16	8	6	2	-	41
152	61	28	37	26	26	20	5	1	-	299	171	105	15	8	150	82	48	11	9	42
23	5	9	4	5	6	1	4	1	-	55	18	36	1	-	78	41	23	6	8	43
5	3	-	2	-	3	3	-	-	-	17	15	1	1	-	1	1	-	-	-	44
30	2	6	12	10	3	2	1	-	-	55	19	33	-	3	34	17	15	1	1	45
82	49	7	18	8	14	14	-	-	-	154	97	19	13	5	29	20	5	4	-	46
6	1	3	1	1	-	-	-	-	-	23	16	7	-	-	4	1	3	-	-	47
6	1	3	-	2	-	-	-	-	-	15	6	9	-	-	4	2	2	-	-	48
4,130	1,452	1,257	707	714	673	379	287	3	4	10,234	4,784	4,830	315	305	2,510	1,194	1,013	154	149	49
3,810	1,325	1,175	647	663	531	331	255	2	3	9,345	4,330	4,456	282	277	2,273	1,071	935	135	132	50
63	27	19	10	7	3	-	3	-	-	159	74	65	6	14	30	14	14	1	1	51
2,635	914	811	447	463	404	227	176	1	-	8,722	3,013	3,321	193	195	1,573	743	645	93	92	52
419	178	151	49	41	62	36	25	-	1	1,339	689	581	40	29	209	111	88	1	9	53
693	206	194	141	152	122	69	51	1	2	1,125	554	489	43	39	461	203	188	40	30	54
45	15	8	12	10	7	1	5	1	-	79	40	23	7	9	35	15	7	10	3	55
23	9	9	2	3	5	2	3	-	-	98	35	62	-	1	13	8	4	1	-	56
27	14	7	2	4	15	10	5	-	-	163	89	73	1	-	30	15	15	-	-	57
20	7	6	6	1	6	4	2	-	-	39	17	20	1	1	10	6	4	-	-	58
86	34	21	18	13	20	11	9	-	-	145	83	45	10	7	34	18	9	3	4	59
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	60
-	-	-	-	-	-	-	-	-	-	6	3	3	-	-	1	1	-	-	-	61
-	-	-	-	-	-	-	-	-	-	3	2	1	-	-	1	-	1	-	-	62
13	3	5	2	3	3	3	-	-	-	29	16	11	1	1	7	3	4	-	-	63
106	45	26	18	17	26	17	8	-	1	326	188	136	13	9	106	57	34	5	10	64
10,582	4,493	2,866	1,706	1,517	1,860	1,188	650	16	6	31,767	17,448	12,448	1,016	855	6,494	3,915	2,022	329	228	65
107	23	36	28	22	12	5	5	2	-	113	60	47	3	3	26	15	6	5	-	66
9,567	4,160	2,541	1,520	1,348	1,642	1,058	565	13	6	28,369	15,782	10,917	898	772	5,816	3,551	1,768	290	207	67
326	125	109	63	29	58	31	25	2	1	1,227	574	574	42	37	207	111	70	18	8	68
164	62	50	34	18	27	11	13	2	1	553	267	242	22	22	100	56	34	6	4	69
5	4	-	1	-	1	1	-	-	-	51	31	17	3	-	5	4	1	-	-	70
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	71
12	6	6	-	-	7	4	3	-	-	69	33	35	-	1	7	3	3	1	-	72
145	53	53	28	11	24	15	9	-	-	553	243	279	17	14	95	48	32	11	4	73
4,290	2,430	1,070	465	325	942	672	264	5	1	16,726	10,494	5,528	416	288	3,360	2,305	880	111	64	74
755	345	235	100	75	215	143	70	1	1	4,759	2,542	1,963	141	113	577	338	205	20	14	75
3,411	2,016	801	351	243	716	521	191	4	-	11,820	7,854	3,520	272	174	2,721	1,927	658	88	48	76
124	69	34	14	7	11	8	3	-	-	147	98	45	3	1	62	40	17	3	2	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic----421	55	27	26	1	1	868	413	441	18	16
2	Of mitral valve, specified as nonrheumatic----421.0	2	2	-	-	-	24	11	11	2	-
3	Of aortic valve, not specified as rheumatic----421.1	6	5	-	-	1	118	69	43	5	1
4	Of other valves, not specified as rheumatic----421.2-421.4	47	20	26	1	-	746	333	387	11	15
5	Other myocardial degeneration----422	162	86	74	-	2	7,650	3,483	3,821	178	168
6	With arteriosclerosis----422.1	39	20	18	-	1	5,042	2,198	2,570	142	132
7	Without mention of arteriosclerosis----422.0,422.2	123	66	56	-	1	2,609	1,285	1,251	36	36
8	Other diseases of heart----430-434	97	57	26	7	5	820	459	331	22	8
9	Acute and subacute endocarditis----430	8	4	4	-	-	79	43	29	6	1
10	Acute myocarditis not specified as rheumatic----431	4	4	-	-	-	237	123	111	2	1
11	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	5	4	1	-	-
12	Functional disease of heart----433	9	6	3	-	-	103	58	43	1	1
13	Other and unspecified diseases of heart----434	76	43	21	7	5	396	231	147	13	5
14	Hypertension with heart disease----440-443	144	70	69	3	2	8,595	3,262	4,543	314	476
15	Hypertensive heart disease with arteriolar nephrosclerosis----442	53	28	22	1	2	1,342	594	656	47	45
16	Essential hypertension with heart disease, etc.*----440,441,443	91	42	47	2	-	7,253	2,668	3,887	267	431
17	Hypertension without mention of heart----444-447	29	14	13	1	1	1,169	498	562	46	63
18	Hypertension with arteriolar nephrosclerosis, etc.*----446	16	9	7	-	-	762	354	347	25	36
19	Essential hypertension, other hypertensive disease, etc.*-444,445,447	13	5	6	1	1	407	142	215	21	29
20	Diseases of arteries----450-456	72	38	33	-	1	3,413	1,612	1,673	61	67
21	General arteriosclerosis----450	64	32	31	-	1	3,096	1,437	1,557	50	52
22	Aortic aneurysm specified as nonsyphilitic, etc.*----451	2	2	-	-	-	150	98	41	9	2
23	Gangrene of unspecified cause----455	2	2	-	-	-	16	10	5	-	1
24	Other arterial diseases----452-454,456	4	2	2	-	-	151	67	70	2	12
25	Diseases of veins and other diseases of circulatory system----460-468	5	2	3	-	-	322	141	167	8	6
26	VIII.—Diseases of the respiratory system----	385	180	165	21	19	5,344	2,974	1,880	302	188
27	Acute upper respiratory infections----470-475	8	2	6	-	-	84	43	39	1	1
28	Influenza----480-483	24	12	9	-	3	157	81	73	3	-
29	Pneumonia, except pneumonia of newborn----490-493	281	133	124	18	16	4,023	2,098	1,492	261	172
30	Lobar pneumonia----490	105	53	40	7	5	1,614	919	503	133	59
31	Bronchopneumonia----491	131	59	50	11	11	2,189	1,047	890	124	108
32	Primary atypical pneumonia----492	18	7	11	-	-	161	85	68	3	5
33	Pneumonia, other and unspecified----493	37	14	23	-	-	79	47	31	1	-
34	Acute bronchitis----500	11	7	3	1	-	90	51	29	5	5
35	Bronchitis, chronic and unqualified----501,502	13	4	9	-	-	203	140	54	7	2
36	Hypertrophy of tonsils and adenoids----510	2	1	1	-	-	25	10	13	-	2
37	Empyema and abscess of lung----518,521	4	3	1	-	-	83	60	15	4	4
38	Pleurisy----519	1	1	-	-	-	17	10	7	-	-
39	All other respiratory diseases----Residual	31	17	12	2	-	662	481	158	21	2
40	IX.—Diseases of the digestive system----	397	183	169	28	17	6,275	3,572	2,357	221	125
41	Diseases of teeth and supporting structures----530-535	1	1	-	-	-	11	5	5	-	1
42	Ulcer of stomach----540	9	7	2	-	-	598	433	116	36	13
43	Ulcer of duodenum----541	4	4	-	-	-	448	355	76	16	2
44	Gastritis and duodenitis----543	2	1	1	-	-	25	13	10	2	-
45	Appendicitis----550-553	30	16	11	3	-	392	218	142	21	11
46	Hernia and intestinal obstruction----560,561,570	42	15	22	1	4	971	472	449	29	21
47	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	222	89	98	24	11	504	245	220	25	14
48	Cirrhosis of liver----581	35	24	11	-	-	2,081	1,305	677	61	38
49	Without mention of alcoholism----581.0	27	18	9	-	-	1,457	897	491	41	28
50	With alcoholism----581.1	8	6	2	-	-	624	408	186	20	10
51	Cholelithiasis and cholecystitis----584,585	29	12	16	-	1	691	245	429	7	10
52	Other diseases of digestive system----Residual	23	14	8	-	1	553	281	233	24	15
53	X.—Diseases of the genito-urinary system----	148	90	51	4	3	3,587	2,086	1,293	112	96
54	Nephritis and nephrosis----590-594	101	56	41	2	2	2,122	1,040	957	60	65
55	Acute nephritis----580	5	3	-	1	1	113	63	48	-	2
56	Nephritis with edema, including nephrosis----591	7	6	1	-	-	83	47	31	1	4
57	Chronic and unspecified nephritis and other renal sclerosis---592-594	89	47	40	1	1	1,926	930	878	59	59
58	Infections of kidney----600	9	4	5	-	-	337	146	168	13	10
59	Calculi of urinary system----602,604	2	2	-	-	-	124	71	48	3	2
60	Other diseases of urinary system----601,603,605-609	6	3	2	1	-	124	65	49	7	3
61	Hyperplasia of prostate----610	24	23	...	1	...	740	714	...	26	...
62	Other diseases of male genital organs----611-617	2	2	...	-	...	51	48	...	3	...
63	Diseases of breast----620,621	-	-	-	-	-	3	2	1	-	-
64	Diseases of female genital organs----622-637	4	...	3	...	1	86	...	70	...	16
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium----	30	...	27	...	3	200	...	145	...	55
66	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	7	...	5	...	2	30	...	25	...	5
67	Toxemias of pregnancy and puerperium, etc.*----642,685,688	7	...	7	...	-	47	...	39	...	8
68	Hemorrhage of pregnancy and childbirth----643,644,670-672	6	...	5	...	1	31	...	22	...	9
69	Ectopic pregnancy----645	-	...	-	...	-	13	...	8	...	5
70	Abortion without mention of sepsis or toxemia----650	1	...	1	...	-	6	...	6	...	-
71	Abortion with sepsis----651	3	...	3	...	-	24	...	6	...	18
72	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	2	...	-	...	2
73	Other complications of pregnancy, childbirth, and puerperium--- Residual	6	...	6	...	-	47	...	39	...	8
74	XII.—Diseases of the skin and cellular tissue----	6	1	4	1	-	150	68	72	2	8
75	Infections of skin and subcutaneous tissue----690-698	3	-	2	1	-	28	17	8	-	3
76	Other diseases of skin and subcutaneous tissue----700-716	3	1	2	-	-	122	51	64	2	5

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
218	76	48	47	47	50	28	20	1	1	600	304	262	16	18	139	65	50	14	10	1
5	1	-	1	3	-	-	-	-	-	19	10	8	-	1	5	2	3	-	-	2
38	12	2	13	11	6	5	1	-	-	111	49	52	6	4	31	15	10	4	2	3
175	63	46	33	33	44	23	19	1	1	470	245	202	10	13	103	48	37	10	8	4
1,253	434	420	197	202	248	134	110	3	1	4,389	2,115	2,005	163	106	652	335	256	36	25	5
507	181	173	68	84	103	67	35	1	-	1,874	902	902	46	24	174	90	74	4	6	6
746	253	247	128	118	145	67	75	2	1	2,515	1,213	1,103	117	82	478	245	182	32	19	7
868	353	173	191	151	116	75	40	-	1	1,070	558	414	48	50	525	314	137	40	34	8
15	3	4	5	3	1	1	-	-	-	57	32	13	5	7	12	5	4	1	2	9
45	10	10	13	12	9	6	3	-	-	134	68	71	10	15	35	14	14	4	3	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	11
29	11	16	2	-	14	8	6	-	-	140	72	65	1	2	44	27	13	2	2	12
779	329	143	171	136	92	60	31	-	1	709	386	265	32	26	454	268	106	33	27	13
2,612	742	721	557	592	227	118	106	2	1	4,357	1,737	2,134	213	273	933	421	375	71	66	14
1,074	330	259	254	231	68	39	27	1	1	1,554	721	681	63	89	307	150	107	30	20	15
1,538	412	462	303	361	159	78	79	1	-	2,803	1,016	1,453	150	184	626	271	268	41	46	16
315	98	86	67	64	60	39	21	-	-	743	322	341	45	35	215	107	77	21	10	17
128	40	36	30	22	11	6	5	-	-	382	195	150	20	17	61	36	13	11	1	18
187	58	50	37	42	49	33	16	-	-	361	127	191	25	18	154	71	64	10	9	19
515	183	171	81	80	135	82	53	-	-	2,288	1,162	1,043	53	30	392	221	151	12	8	20
440	149	155	69	67	122	76	46	-	-	2,104	1,056	980	44	24	343	190	136	11	6	21
34	17	6	5	6	4	2	2	-	-	54	37	11	3	3	9	8	1	-	-	22
11	4	1	3	3	3	1	2	-	-	22	16	4	2	-	6	3	3	-	-	23
30	13	9	4	4	6	3	3	-	-	108	53	48	4	3	34	20	11	1	2	24
78	29	32	12	5	11	4	6	1	-	254	122	100	17	15	45	21	20	1	3	25
1,593	474	401	414	304	212	124	71	9	8	2,936	1,524	1,079	195	138	936	402	299	65	70	26
43	8	13	15	7	4	2	2	-	-	58	38	15	2	3	11	7	3	1	-	27
170	45	49	43	33	10	4	6	-	-	226	85	116	8	17	89	35	33	12	9	28
1,126	312	266	310	238	150	87	48	8	7	1,896	940	710	149	97	560	267	196	46	51	29
394	108	85	127	74	47	28	16	1	2	654	354	200	63	37	169	81	61	15	12	30
499	142	113	123	121	58	33	16	5	4	907	416	372	69	50	211	94	80	14	23	31
96	33	34	16	13	13	8	5	-	-	180	103	68	5	4	47	22	19	4	2	32
137	29	34	44	30	32	18	11	2	1	155	67	70	12	6	133	70	36	13	14	33
29	10	8	7	4	6	1	5	-	-	66	30	27	3	6	8	4	2	2	-	34
47	21	13	6	7	13	8	4	-	1	134	82	40	8	4	34	19	13	-	2	35
7	4	-	2	1	1	-	1	-	-	21	11	7	3	-	9	4	3	2	-	36
20	4	4	8	4	5	4	1	-	-	52	38	5	8	1	19	7	9	2	1	37
3	1	1	1	-	-	-	-	-	-	16	7	8	1	-	2	1	1	-	-	38
148	69	47	22	10	23	18	4	1	-	467	293	151	13	10	104	58	39	-	7	39
1,050	385	269	218	178	187	104	71	5	7	3,307	1,816	1,282	116	93	762	384	266	58	54	40
14	3	4	2	5	1	-	-	1	-	20	12	7	-	1	4	2	2	-	-	41
72	36	7	24	5	12	12	-	-	-	235	185	38	9	3	59	43	7	6	3	42
36	23	5	6	2	9	6	3	-	-	187	150	28	7	2	28	26	1	1	-	43
8	1	3	1	3	1	1	-	-	-	14	5	6	-	3	9	3	4	-	2	44
79	37	19	12	11	20	12	7	1	-	189	117	53	13	6	74	36	25	6	7	45
166	51	61	30	24	39	20	17	1	1	566	273	260	18	15	151	64	63	17	7	46
332	74	65	99	94	26	10	12	2	2	441	208	193	23	17	108	42	43	10	13	47
137	95	20	11	11	28	15	9	-	2	826	522	258	24	22	112	81	23	5	3	48
115	79	17	9	10	18	7	9	-	2	651	400	218	18	15	101	73	22	3	3	49
22	16	3	2	1	8	8	-	-	-	175	122	40	6	7	11	8	1	2	-	50
79	22	46	7	4	33	16	16	-	1	396	134	249	5	8	110	41	63	2	4	51
127	43	39	26	19	20	12	7	-	1	433	210	190	17	16	107	46	35	11	15	52
1,180	414	264	269	233	160	111	48	-	1	2,244	1,290	736	106	112	764	381	239	81	63	53
868	267	217	204	200	101	59	42	-	-	1,353	661	555	60	77	515	214	189	56	56	54
84	23	15	30	16	8	4	4	-	-	108	61	35	2	10	37	18	11	5	3	55
33	11	11	5	6	6	3	3	-	-	67	34	26	4	3	21	7	8	2	4	56
771	233	191	169	178	87	52	35	-	-	1,178	566	494	54	64	457	189	170	49	49	57
46	15	19	5	7	10	6	4	-	-	196	83	81	19	13	54	23	25	2	4	58
33	11	17	-	5	1	1	-	-	-	69	42	24	1	2	12	8	4	-	-	59
25	8	3	12	2	5	4	-	-	1	86	50	27	5	4	34	15	12	5	2	60
140	95	...	45	...	40	40	...	-	...	416	397	...	19	...	121	107	...	14	...	61
21	18	...	3	...	1	1	...	-	...	59	57	...	2	...	18	14	...	4	...	62
1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
26	...	8	...	18	2	...	2	...	-	65	...	49	...	16	10	...	9	...	1	64
127	...	50	...	77	9	...	8	...	1	103	...	87	...	16	63	...	46	...	17	65
22	...	17	...	5	2	...	2	...	-	13	...	11	...	2	10	...	8	...	2	66
44	...	14	...	30	6	...	5	...	1	33	...	30	...	3	20	...	13	...	7	67
18	...	4	...	14	-	...	-	...	-	22	...	20	...	2	9	...	7	...	2	68
10	...	1	...	9	-	...	-	...	-	4	...	2	...	2	5	...	3	...	2	69
3	...	1	...	2	-	...	-	...	-	4	...	2	...	2	4	...	4	...	-	70
6	...	2	...	4	-	...	-	...	-	8	...	7	...	1	3	...	2	...	1	71
1	...	-	...	1	-	...	-	...	-	1	...	1	...	-	1	...	1	...	-	72
23	...	11	...	12	1	...	1	...	-	18	...	14	...	4	11	...	8	...	3	73
33	5	11	5	12	7	2	5	-	-	77	42	29	1	5	15	5	6	2	2	74
14	2	4	4	4	3	2	1	-	-	17	8	8	-	1	4	2	1	1	-	75
19	3	7	1	8	4	-	4	-	-	60	34	21	1	4	11	3	5	1	2	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	9	3	6	-	-	212	77	122	8	5
2	Arthritis and spondylitis—720-725	7	3	4	-	-	95	21	70	1	3
3	Muscular rheumatism and rheumatism unspecified—726,727	-	-	-	-	-	4	1	3	-	-
4	Osteomyelitis and periostitis—730	1	-	1	-	-	14	6	4	3	1
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	-	-	-	-	-	10	3	5	2	-
6	All other diseases of musculoskeletal system—731-736,738-744	1	-	1	-	-	89	46	40	2	1
7	XIV.—Congenital malformations	117	55	52	4	6	1,790	874	802	58	56
8	Spina bifida and meningocele—751	10	3	7	-	-	210	93	111	3	3
9	Congenital hydrocephalus, etc.*—752,753	10	1	7	-	2	220	94	119	4	3
10	Congenital malformations of circulatory system—754	53	27	20	3	3	723	374	292	29	28
11	Other congenital malformations—750,755-759	44	24	18	1	1	637	313	280	22	22
12	XV.—Certain diseases of early infancy	571	317	215	27	12	5,008	2,592	1,748	383	287
13	Birth injuries—760,761	98	62	33	-	3	1,071	600	388	47	36
14	Postnatal asphyxia and atelectasis—762	69	41	23	3	2	1,349	685	465	114	85
15	Infections of newborn—763-768	65	34	20	10	1	326	184	86	28	28
16	Hemolytic disease of newborn (erythroblastosis)—770	17	12	5	-	-	206	117	83	3	3
17	All other defined diseases of early infancy—769,771,772	48	29	18	-	1	160	88	54	15	3
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	274	139	116	14	5	1,896	918	670	176	132
19	XVI.—Symptoms, senility, and ill-defined conditions	650	305	222	71	52	697	359	252	57	29
20	Senility without mention of psychosis—794	42	22	18	1	1	104	33	69	-	2
21	Symptoms, ill-defined and unknown causes—780-793,795	608	283	204	70	51	593	326	183	57	27
22	XVII.—Accidents, poisonings, and violence	599	414	128	47	9	9,652	5,849	3,011	578	214
23	Accidents—E800-E962	504	349	107	43	5	7,541	4,499	2,513	370	159
24	Railway accidents—E800-E802	12	9	1	2	-	174	141	18	13	2
25	Motor-vehicle accidents—E810-E835	223	165	45	12	1	2,067	1,449	492	94	32
26	Motor-vehicle traffic accidents—E810-E825	215	160	42	12	1	2,022	1,413	484	93	32
27	Motor-vehicle traffic accident with railway train*—E810	11	11	-	-	-	52	38	12	1	1
28	Motor-vehicle traffic accident to pedestrian—E812	53	37	12	4	-	884	601	214	54	15
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	63	47	13	3	-	415	287	116	8	6
30	Motor-vehicle noncollision traffic accidents—E820-E824	71	55	13	2	1	448	321	91	28	8
31	Motor-vehicle traffic accident of unspecified nature—E825	17	10	4	3	-	223	166	51	4	2
32	Motor-vehicle nontraffic accidents—E830-E835	8	5	3	-	-	45	36	8	1	-
33	Other road-vehicle accidents—E840-E845	8	2	3	3	-	35	28	6	1	-
34	Water-transport accidents—E850-E858	3	2	1	-	-	117	104	6	2	5
35	Aircraft accidents—E860-E866	10	10	-	-	-	85	71	11	2	1
36	Accidental poisoning by solid and liquid substances—E870-E888	7	4	2	1	-	107	63	40	2	2
37	Accidental poisoning by gases and vapors—E890-E895	9	4	5	-	-	320	189	119	8	4
38	Accidental falls—E900-E904	42	20	20	1	1	2,886	1,317	1,418	102	49
39	Fall from one level to another—E900-E902	15	12	1	1	1	1,112	609	414	60	29
40	Fall on same level—E903	7	1	6	-	-	495	222	267	4	2
41	Unspecified falls—E904	20	7	13	-	-	1,279	486	737	38	18
42	Blow from falling object—E910	18	16	-	2	-	60	49	7	3	1
43	Accident caused by machinery—E912	15	12	2	1	-	83	74	3	5	1
44	Accident caused by electric current—E914	4	4	-	-	-	42	39	2	-	1
45	Accident caused by fire and explosion, etc.*—E916	29	12	11	4	2	380	186	134	28	32
46	Accident caused by hot substance, etc.*—E917,E918	7	3	3	1	-	70	31	29	7	3
47	Accident caused by firearm—E919	23	18	1	3	1	69	62	6	1	-
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	9	6	2	1	-	107	62	34	6	5
49	Accidental drowning—E929	36	26	7	3	-	493	389	68	53	3
50	Excessive heat and insolation—E931	1	1	-	-	-	16	12	3	1	-
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	1	1	-	-	-	28	11	13	1	3
52	All other accidents—Residual	47	34	4	9	-	402	242	104	41	15
53	Suicide—E963,E970-E979	50	38	11	-	1	1,672	1,190	439	34	9
54	Suicide by poisoning—E970-E973	8	2	5	-	1	523	299	213	7	4
55	Suicide by hanging and strangulation—E974	4	4	-	-	-	517	412	93	10	2
56	Suicide by firearms and explosives—E976	35	29	6	-	-	334	303	26	5	-
57	Suicide by all other means—E963,E975,E977-E979	3	3	-	-	-	298	176	107	12	3
58	Homicide—E964,E980-E985	45	27	11	4	3	439	160	59	174	46
59	Assault by firearms and explosives—E981	26	17	5	2	2	110	48	23	28	11
60	Assault by cutting and piercing instruments—E982	7	4	2	1	-	164	34	15	96	19
61	Assault by other means—E964,E980,E983	11	5	4	1	1	125	81	21	27	16
62	Injury by intervention of police—E984	1	1	-	-	-	27	14	-	13	-
63	Execution—E985	-	-	-	-	-	13	3	-	10	-
64	Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
81	24	39	7	11	24	12	12	-	-	187	78	92	9	8	74	34	33	2	5	1
49	14	25	3	7	17	6	11	-	-	109	33	66	4	6	54	22	28	2	2	2
1	1	-	-	-	-	-	-	-	-	4	-	3	-	1	4	1	1	-	2	3
7	3	-	1	3	3	3	-	-	-	10	7	2	1	-	5	4	1	-	-	4
-	-	-	-	-	-	-	-	-	-	8	6	1	1	-	1	-	1	-	-	5
24	6	14	3	1	4	3	1	-	-	56	32	20	3	1	10	7	2	-	1	6
518	210	184	77	47	92	56	35	1	-	1,099	529	503	36	31	242	124	97	12	9	7
49	20	24	3	2	9	6	3	-	-	125	45	78	1	1	18	9	6	2	1	8
63	17	30	11	5	12	8	4	-	-	114	51	61	-	2	21	6	11	2	2	9
232	104	78	32	18	39	21	18	-	-	517	260	219	21	17	127	72	50	4	1	10
174	69	52	31	22	32	21	10	1	-	343	173	145	14	11	76	37	30	4	5	11
2,177	744	511	522	400	322	200	109	7	6	3,189	1,638	1,200	187	164	913	473	315	74	51	12
421	189	107	72	53	64	43	21	-	-	647	369	227	27	24	173	92	61	11	9	13
274	113	65	53	43	54	35	13	2	4	686	337	262	53	34	164	92	54	11	7	14
183	48	29	62	44	18	11	6	-	1	235	125	72	20	18	55	13	20	10	12	15
52	26	16	6	4	10	5	5	-	-	152	86	62	2	2	23	11	10	1	1	16
188	54	33	65	36	14	11	1	1	1	150	79	50	8	13	61	29	16	9	7	17
1,059	314	261	264	220	162	95	63	4	-	1,319	642	527	77	73	437	256	154	32	15	18
829	238	187	213	191	122	68	41	9	4	888	441	323	64	60	567	295	173	74	45	19
163	47	64	15	36	57	22	30	3	2	321	126	177	7	11	209	100	84	17	8	20
668	191	123	197	155	65	46	11	6	2	567	315	146	57	49	378	195	89	57	37	21
2,902	1,437	436	799	230	482	355	113	8	6	6,195	3,839	1,788	426	142	1,801	1,149	462	156	34	22
2,235	1,116	385	551	183	427	310	107	5	5	4,894	3,013	1,535	250	96	1,499	949	418	105	27	23
54	21	6	26	1	16	14	1	1	-	127	101	13	12	1	34	28	2	4	-	24
940	545	121	235	39	146	118	25	2	1	1,779	1,266	407	86	20	551	382	127	33	9	25
912	525	118	231	38	139	112	24	2	1	1,743	1,241	398	84	20	532	370	122	32	8	26
28	21	4	2	1	6	4	2	-	-	100	74	21	4	1	46	33	12	-	1	27
228	108	28	71	21	22	19	2	1	-	515	365	107	37	6	89	56	18	13	2	28
302	191	48	55	8	42	30	10	1	1	519	368	131	16	4	129	87	33	8	1	29
296	171	27	90	8	42	38	4	-	-	309	234	59	11	5	95	78	13	3	1	30
58	34	11	13	-	27	21	6	-	-	300	200	80	16	4	173	116	46	8	3	31
28	20	3	4	1	7	6	1	-	-	36	25	9	2	-	19	12	5	1	1	32
19	12	1	4	2	1	1	-	-	-	17	13	4	-	-	10	7	2	1	-	33
57	43	2	12	-	7	7	-	-	-	52	47	2	2	1	19	18	1	-	-	34
26	21	5	-	-	17	15	2	-	-	51	47	3	1	-	27	26	1	-	-	35
68	37	10	13	8	6	4	1	1	-	70	31	28	8	3	23	14	5	3	1	36
13	11	1	1	-	4	4	-	-	-	64	41	14	6	3	25	18	4	1	-	37
257	93	128	16	20	93	46	47	-	-	1,493	627	793	43	30	318	132	170	9	7	38
94	44	28	12	10	22	13	9	-	-	528	315	182	21	10	72	46	24	2	-	39
74	24	47	2	1	17	7	10	-	-	223	92	122	5	4	87	30	49	5	3	40
89	25	53	2	9	54	26	28	-	-	742	220	489	17	16	159	56	97	2	4	41
42	21	-	21	-	8	7	1	-	-	55	52	2	1	-	22	18	3	1	-	42
36	27	-	7	2	13	10	3	-	-	83	73	6	4	-	44	42	2	-	-	43
31	24	2	5	-	3	3	-	-	-	63	59	2	2	-	21	19	1	1	-	44
195	58	39	43	55	26	16	8	-	2	279	146	88	24	21	118	51	46	17	4	45
25	7	5	8	5	2	-	2	-	-	39	23	13	1	2	25	12	7	3	3	46
88	41	7	30	10	15	13	1	1	-	81	69	6	5	1	55	46	2	7	-	47
48	21	9	7	9	5	2	3	-	-	70	46	16	5	3	19	11	3	3	2	48
131	64	14	52	1	30	23	7	-	-	222	162	34	25	1	68	54	10	4	-	49
13	7	1	4	1	1	1	-	-	-	37	19	15	3	-	4	1	1	2	-	50
5	1	3	-	1	-	-	-	-	-	15	6	6	-	3	2	2	-	-	-	51
189	62	31	67	29	34	26	6	-	2	297	185	83	22	7	116	68	31	16	1	52
290	227	33	28	2	51	44	6	1	-	951	724	203	17	7	178	137	32	9	-	53
31	16	13	2	-	3	3	-	-	-	150	82	61	3	4	26	16	10	-	-	54
30	26	1	3	-	13	10	3	-	-	283	192	67	4	-	33	28	4	1	-	55
202	171	12	18	1	26	23	2	1	-	402	360	32	9	1	99	77	14	8	-	56
27	14	7	5	1	9	8	1	-	-	136	90	43	1	2	20	16	4	-	-	57
377	94	18	220	45	4	1	-	2	1	350	102	50	159	39	124	63	12	42	7	58
227	64	13	129	21	1	-	-	1	-	185	42	34	88	21	73	36	9	25	3	59
73	5	-	56	12	-	-	-	-	-	58	11	1	36	10	18	4	1	11	2	60
59	20	5	22	12	3	1	-	1	1	71	32	15	16	8	28	19	2	5	2	61
7	2	-	5	-	-	-	-	-	-	23	9	-	14	-	5	4	-	1	-	62
11	3	-	8	-	-	-	-	-	-	13	8	-	5	-	-	-	-	-	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	13,891	8,358	5,273	156	104	108,383	58,099	44,983	3,949	3,332
2	I.—Infective and parasitic diseases	401	257	116	16	12	3,728	1,961	931	517	319
3	Tuberculosis, all forms—001-019	225	145	63	9	8	2,683	1,445	585	388	255
4	Tuberculosis of respiratory system—001-008	202	133	53	8	8	2,459	1,366	533	350	210
5	Tuberculosis of meninges and central nervous system—010	5	2	3	-	-	73	21	26	11	15
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	4	1	3	-	-	18	7	5	2	4
7	Tuberculosis of vertebral column—012.0,013.0	2	-	1	1	-	18	7	5	5	1
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	-	-	-	-	-	5	2	2	1	-
9	Tuberculosis of genito-urinary system—016	6	5	1	-	-	18	11	6	1	-
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	-	-	-	-	-	7	4	2	1	-
11	Disseminated tuberculosis—019	6	4	2	-	-	85	27	16	17	25
12	Syphilis and its sequelae—020-029	80	58	16	6	-	487	234	100	106	47
13	Congenital syphilis—020	-	-	-	-	-	14	6	-	5	3
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	33	28	5	-	-	83	46	23	11	3
16	Other cardiovascular syphilis—023	24	17	3	4	-	161	69	31	47	14
17	Tabes dorsalis—024	1	1	-	-	-	14	10	1	3	-
18	General paralysis of insane—025	14	8	5	1	-	130	63	25	29	13
19	Other syphilis of central nervous system—026	6	3	2	1	-	55	30	9	7	9
20	Other syphilis—027-029	2	1	1	-	-	30	10	11	4	5
21	Gonococcal infection—030-035	-	-	-	-	-	4	3	-	1	-
22	Typhoid fever—040	1	-	-	1	-	4	1	2	1	-
23	Paratyphoid fever—041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections—042	1	1	-	-	-	-	-	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	-	-	-	-	-	5	4	1	-	-
27	Dysentery, all forms—045-048	11	7	3	-	1	19	6	12	1	-
28	Scarlet fever—050	-	-	-	-	-	1	1	-	-	-
29	Streptococcal sore throat—051	4	1	2	-	1	17	9	7	1	-
30	Erysipelas—052	1	-	1	-	-	2	1	1	-	-
31	Septicemia and pyemia—053	4	1	3	-	-	45	27	16	1	1
32	Diphtheria—055	8	2	6	-	-	14	4	9	1	-
33	Whooping cough—056	5	2	2	-	1	44	13	25	2	4
34	Meningococcal infections—057	7	4	3	-	-	65	27	31	4	3
35	Plague—058	-	-	-	-	-	-	-	-	-	-
36	Tularemia—059	-	-	-	-	-	1	1	-	-	-
37	Leprosy—060	-	-	-	-	-	1	1	-	-	-
38	Tetanus—061	3	3	-	-	-	13	8	2	3	-
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	23	17	6	-	-	77	44	32	-	1
41	Late effects of acute poliomyelitis—081	1	1	-	-	-	4	2	2	-	-
42	Acute infectious encephalitis—082	-	-	-	-	-	43	27	10	2	4
43	Late effects of acute infectious encephalitis—083	2	1	1	-	-	23	10	12	1	-
44	Smallpox—084	-	-	-	-	-	-	-	-	-	-
45	Measles—085	6	2	3	-	1	57	30	24	1	2
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	5	2	3	-	-	41	20	19	1	1
48	Rabies—094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus—104	1	1	-	-	-	2	1	1	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	1	1	-	-	-	-	-	-	-	-
51	Malaria—110-117	-	-	-	-	-	3	3	-	-	-
52	Schistosomiasis—123	-	-	-	-	-	-	-	-	-	-
53	Hydatid disease—126	-	-	-	-	-	1	-	1	-	-
54	Filariasis—127	-	-	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	-	-	-	-	-	-	-	-	-	-
56	Other diseases due to helminths—124,126,128,130	-	-	-	-	-	2	1	1	-	-
57	All other infective and parasitic diseases—Residual	12	8	4	-	-	70	38	28	3	1
58	II.—Neoplasms	2,064	1,076	968	14	6	16,343	7,686	7,799	444	414
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	2,009	1,046	945	13	5	15,900	7,504	7,589	421	386
60	Malignant neoplasm of buccal cavity and pharynx—140-148	42	33	9	-	-	360	271	68	15	6
61	Of lip—140	5	5	-	-	-	27	23	4	-	-
62	Of tongue—141	13	9	4	-	-	103	68	25	6	4
63	Of other and unspecified parts of buccal cavity—142-144	11	9	2	-	-	91	74	14	2	1
64	Of pharynx—145-148	13	10	3	-	-	139	106	25	7	1
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	739	429	302	7	1	6,878	3,532	3,030	198	116
66	Of esophagus—150	20	16	4	-	-	324	230	55	36	3
67	Of stomach—151	221	152	65	3	1	1,986	1,182	709	62	33
68	Of intestine, except rectum—152,153	195	91	103	1	-	2,041	889	1,076	33	43
69	Of rectum—154	101	67	34	-	-	931	508	381	23	19
70	Of biliary passages and of liver (stated to be primary site)—155	42	17	25	-	-	364	132	223	6	3
71	Of liver not specified whether primary or secondary—156A	48	19	29	-	-	458	189	242	14	4
72	Of pancreas—157	96	58	35	3	-	628	321	277	22	8
73	Of peritoneum and of unspecified digestive organs—158,159	16	9	7	-	-	145	71	67	2	5
74	Malignant neoplasm of respiratory system—160-164	190	154	35	1	-	1,506	1,150	269	75	12
75	Of larynx—161	7	6	1	-	-	152	131	15	5	1
76	Of trachea, and of bronchus and lung specified as primary—162	107	88	19	-	-	520	407	77	34	2
77	Of lung and bronchus, unspecified as primary or secondary—163	68	53	14	1	-	763	568	151	35	9
78	Of other parts of respiratory system—160,164	8	7	1	-	-	71	44	26	1	-
79	Malignant neoplasm of breast—170	185	2	182	-	1	1,420	18	1,350	4	48
80	Malignant neoplasm of genital organs—171-179	332	134	195	2	1	2,512	778	1,565	40	129
81	Of cervix uteri—171	65	...	64	...	1	584	...	536	...	48
82	Of other and unspecified parts of uterus—172-174	64	...	64	...	-	655	...	599	...	56
83	Of ovary, fallopian tube, and broad ligament—175	64	...	64	...	-	406	...	383	...	23
84	Of other and unspecified female genital organs—176	3	...	3	...	-	49	...	47	...	2
85	Of prostate—177	128	127	...	1	...	740	703	...	37	...
86	Of testis, and of other and unspecified male genital organs—178,179	8	7	...	1	...	78	75	...	3	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
8,071	4,228	3,840	106	97	17,494	5,360	3,622	4,513	3,999	5,887	3,306	2,094	149	138	28,993	12,716	9,541	3,551	3,205	1
245	146	69	17	15	854	171	88	325	250	189	63	55	33	40	1,787	665	575	305	242	2
168	102	44	13	9	503	102	45	192	164	111	30	19	27	35	1,243	453	408	209	175	3
157	97	38	12	9	463	96	42	177	148	92	30	16	20	26	1,125	413	369	186	155	4
6	3	2	1	-	13	1	1	5	6	12	-	-	5	7	53	18	22	7	6	5
-	-	-	-	-	5	1	1	1	2	2	-	-	-	2	9	4	2	1	2	6
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	8	2	3	2	1	7
-	-	-	-	-	2	-	-	1	1	-	-	-	-	-	1	-	-	1	-	8
1	1	-	-	-	2	-	-	2	-	-	-	-	-	-	10	7	3	-	-	9
1	-	1	-	-	1	-	-	1	-	3	2	1	-	-	6	1	-	3	2	10
3	1	2	-	-	15	4	1	4	6	2	-	1	1	-	31	8	7	7	9	11
50	29	15	4	2	147	25	2	78	42	18	6	8	4	-	153	50	20	80	23	12
2	-	2	-	-	9	-	1	6	2	-	-	-	-	-	7	2	1	2	2	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	14
14	10	4	-	-	32	11	1	13	7	8	3	2	1	-	32	18	4	6	4	15
11	5	4	1	1	43	5	-	26	12	3	1	2	-	-	50	14	6	25	5	16
1	1	-	-	-	1	-	-	-	1	2	1	1	-	-	3	2	-	1	-	17
11	8	1	1	1	41	7	-	22	12	5	1	2	2	-	34	7	5	19	3	18
10	4	4	2	-	14	2	-	8	4	2	-	1	1	-	16	5	4	4	3	19
1	1	-	-	-	7	-	-	3	4	-	-	-	-	-	10	2	-	3	5	20
-	-	-	-	-	3	-	1	-	2	-	-	-	-	-	4	1	-	-	3	21
-	-	-	-	-	6	1	1	3	1	2	1	1	-	-	9	4	4	1	-	22
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	23
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	26
-	-	-	-	-	14	6	3	3	2	2	1	-	-	1	68	25	27	9	7	27
-	-	-	-	-	10	3	3	3	1	2	1	1	-	-	1	-	1	-	-	28
1	1	-	-	-	6	2	-	2	2	3	2	1	-	-	8	4	2	-	2	29
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	30
-	-	-	-	-	21	7	11	3	-	2	-	2	-	-	16	7	5	-	4	31
2	2	-	-	-	30	2	3	7	18	2	1	-	1	-	27	8	15	3	1	32
4	2	2	-	-	11	3	3	4	1	2	1	1	-	-	41	17	15	3	6	33
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	24	13	8	1	2	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
1	1	-	-	-	7	-	-	6	1	2	1	1	-	-	16	4	2	6	4	38
1	1	-	-	-	9	6	1	2	-	-	-	-	-	-	-	-	-	-	-	39
-	-	-	-	-	-	-	-	-	-	22	15	6	-	1	33	19	12	1	1	40
2	1	1	-	-	-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	41
3	2	-	-	1	11	4	2	3	2	5	1	3	1	-	5	2	1	1	1	42
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	9	5	2	1	1	43
3	1	2	-	-	16	4	4	5	3	3	-	2	-	1	50	22	23	2	3	44
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	5	-	4	-	1	2	-	2	-	-	21	8	10	1	2	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	48
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	49
-	-	-	-	-	4	1	-	2	1	-	-	-	-	-	3	1	1	1	-	50
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	1	-	1	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	8	-	2	2	4	-	-	-	-	-	-	-	-	-	-	55
10	5	4	-	1	21	5	2	9	5	10	3	6	-	1	4	2	1	-	1	56
1,439	717	696	15	11	1,751	542	584	256	369	830	457	358	11	6	45	16	17	6	6	57
1,405	700	681	13	11	1,693	530	569	249	345	799	442	341	11	5	3,395	1,321	1,482	248	344	58
38	32	7	-	-	56	31	11	9	5	20	13	7	-	-	3,283	1,295	1,435	241	312	59
2	2	-	-	-	9	7	1	1	-	5	3	2	-	-	84	50	23	6	5	60
8	6	2	-	-	10	4	2	3	1	2	1	1	-	-	7	5	1	1	-	61
14	13	1	-	-	11	3	3	2	3	5	4	1	-	-	14	8	4	-	2	62
15	11	4	-	-	26	17	5	3	1	8	5	3	-	-	27	12	11	1	3	63
															38	25	7	4	-	64
600	322	272	3	3	566	171	176	122	97	354	201	145	6	2	1,131	454	474	109	94	65
29	26	3	-	-	47	15	8	19	5	15	11	3	-	1	35	17	14	4	-	66
160	97	62	1	-	193	54	42	53	44	128	89	38	1	-	365	159	111	54	41	67
204	88	115	1	-	128	35	58	18	17	96	45	50	1	-	297	99	157	13	28	68
90	48	41	-	1	36	8	18	6	6	28	15	13	-	-	107	35	50	12	10	69
23	10	13	-	-	18	3	5	6	4	19	4	12	2	1	54	16	35	1	2	70
30	18	11	-	1	69	26	23	10	10	16	8	7	1	-	112	47	49	11	5	71
58	31	25	1	1	66	29	20	8	9	46	25	20	1	-	134	71	45	12	6	72
6	4	2	-	-	9	1	4	2	2	6	4	2	-	-	27	10	13	2	2	73
142	118	22	2	-	165	99	36	22	8	79	56	22	1	-	285	187	64	27	7	74
10	8	2	-	-	15	12	1	1	1	5	5	-	-	-	20	15	3	2	-	75
48	39	7	2	-	49	32	7	8	2	22	17	5	-	-	104	68	18	14	4	76
75	64	11	-	-	85	50	20	11	4	50	33	16	1	-	145	95	38	10	2	77
9	7	2	-	-	16	5	8	2	1	2	1	1	-	-	16	9	5	1	1	78
146	1	141	1	3	114	1	75	-	38	50	-	50	-	-	267	2	219	2	44	79
165	55	106	1	3	383	48	152	42	143	107	58	48	-	1	661	184	324	37	116	80
30	...	30	...	-	136	...	65	...	71	14	...	13	...	1	169	...	121	...	48	81
37	...	34	...	3	120	...	56	...	64	12	...	12	...	-	179	...	128	...	51	82
32	...	32	...	-	34	...	27	...	7	21	...	21	...	-	73	...	61	...	12	83
10	...	10	...	-	5	...	4	...	1	2	...	2	...	-	19	...	14	...	5	84
53	52	...	1	...	74	38	...	36	...	55	55	...	-	...	197	164	...	33	...	85
3	3	...	-	...	14	8	...	6	...	3	3	...	-	...	24	20	...	4	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs—180,181	106	71	35	-	-	722	475	221	14	12
2	Of kidney—180	35	15	20	-	-	231	138	75	11	7
3	Of bladder and other urinary organs—181	71	56	15	-	-	491	337	146	3	5
4	Malignant neoplasm of other and unspecified sites—156B,165,190-199	243	119	123	1	-	1,453	705	671	40	37
5	Of skin—190,191	42	22	20	-	-	215	111	96	4	4
6	Of eye—192	5	3	2	-	-	22	14	8	-	-
7	Of brain and other parts of nervous system—193	49	29	19	1	-	245	138	99	7	1
8	Of thyroid gland—194	9	2	7	-	-	58	18	35	1	4
9	Of bone (including jaw bone)—196	19	8	11	-	-	187	111	67	5	4
10	Of connective tissue—197	4	2	2	-	-	39	19	18	2	-
11	Of other specified sites, not stated to be secondary—195,198A,199A	46	22	24	-	-	321	132	173	8	8
12	Of unspecified sites—156B,165,190B,199B-M	69	31	38	-	-	366	162	175	13	16
13	Leukemia and aleukemia—204	82	48	32	1	1	530	285	220	17	8
14	Lymphosarcoma, etc.*—200-203,205	90	56	32	1	1	519	290	195	18	16
15	Lymphosarcoma and reticulosarcoma—200	43	28	13	-	1	226	136	80	5	5
16	Hodgkin's disease—201	26	16	10	-	-	176	99	71	4	2
17	Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	21	11	9	1	-	117	55	44	9	9
18	Benign neoplasms and neoplasms of unspecified nature—210-239	55	30	23	1	1	443	182	210	23	28
19	Benign neoplasms of female genital organs—214-217	13	...	12	...	1	78	...	65	...	13
20	Benign neoplasm of brain and other parts of nervous system—223	11	8	3	-	-	61	25	27	3	6
21	Other benign neoplasms—210-213,218-222,224-229	11	8	3	-	-	51	27	17	5	2
22	Neoplasm of unspecified nature of female genital organs—233-235	-	...	-	...	-	2	...	2	...	-
23	Neoplasm of unspecified nature of brain, etc.*—237	15	10	5	-	-	176	95	65	10	6
24	Other neoplasms of unspecified nature—230-232,236,238,239	5	4	-	1	-	75	35	34	5	1
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases	280	136	141	-	3	2,780	911	1,730	55	84
26	Asthma—241	47	37	10	-	-	328	184	124	10	10
27	Nontoxic goiter—250,251	3	3	-	-	-	6	-	6	-	-
28	Thyrotoxicosis with or without goiter—252	12	1	11	-	-	114	19	88	-	7
29	Myxedema, cretinism, and other diseases of thyroid gland—253,254	1	-	1	-	-	19	4	15	-	-
30	Diabetes mellitus—260	187	75	109	-	3	2,104	598	1,406	31	69
31	Diseases of thymus gland—273	5	2	3	-	-	82	42	31	4	5
32	Diseases of adrenal glands—274	3	2	1	-	-	33	9	22	2	-
33	Pellagra—281	1	1	-	-	-	2	1	1	-	-
34	All other avitaminoses and nutritional deficiency states—280,282-285	13	10	3	-	-	69	36	22	7	2
35	Other allergic, endocrine, and metabolic diseases—Residual	8	5	3	-	-	33	16	15	1	1
36	IV.—Diseases of the blood and blood-forming organs	53	28	24	1	-	394	167	214	5	8
37	Anemias—290-293	37	18	19	-	-	293	123	161	4	5
38	Pernicious and other hyperchromic anemias—290	21	13	8	-	-	164	69	95	-	-
39	Anemias of other and unspecified type—291-293	16	5	11	-	-	129	54	66	4	5
40	Purpura and other hemorrhagic conditions—296	7	4	3	-	-	44	15	26	-	3
41	All other diseases of blood and blood-forming organs—294,295,297-299	9	6	2	1	-	57	29	27	1	-
42	V.—Mental, psychoneurotic, and personality disorders	84	62	17	5	-	325	201	94	16	14
43	Senile psychosis—304	25	21	4	-	-	73	31	37	2	3
44	Alcoholic psychosis—307	4	4	-	-	-	29	25	2	1	1
45	Other psychoses—290-30 ,305,308,308,309	6	2	4	-	-	68	27	33	1	7
46	Alcoholism—322	41	31	5	5	-	125	97	13	12	3
47	Mental deficiency—325	7	4	3	-	-	22	19	3	-	-
48	Psychoneuroses and other disorders of personality—310-321,323,324,326	1	-	1	-	-	8	2	6	-	-
49	VI.—Diseases of the nervous system and sense organs	1,620	835	758	14	13	11,668	5,249	5,727	296	396
50	Vascular lesions affecting central nervous system—330-334	1,473	748	701	12	12	10,616	4,718	5,279	259	360
51	Subarachnoid hemorrhage—330	31	16	15	-	-	200	84	82	15	19
52	Cerebral hemorrhage—331	1,019	524	478	7	10	7,022	3,121	3,514	158	229
53	Cerebral embolism and thrombosis—332	240	118	117	4	1	1,900	887	895	54	64
54	Other vascular lesions affecting central nervous system—333,334	183	90	91	1	1	1,494	626	788	32	48
55	Meningitis, except meningococcal and tuberculous—340	21	15	5	1	-	155	88	47	11	8
56	Multiple sclerosis—345	22	11	11	-	-	113	55	56	-	2
57	Paralysis agitans—350	19	13	6	-	-	168	93	72	2	1
58	Cerebral spastic infantile paralysis—351	7	5	2	-	-	59	22	13	2	2
59	Epilepsy—353	23	13	8	1	1	180	85	82	10	3
60	Inflammatory diseases of eye—370-379	-	-	-	-	-	1	-	-	-	1
61	Cataract—365	-	-	-	-	-	4	2	2	-	-
62	Glaucoma—367	-	-	-	-	-	1	-	1	-	-
63	Otitis media and mastoiditis—391-393	6	2	4	-	-	31	11	18	1	1
64	Other diseases of nervous system and sense organs—Residual	49	28	21	-	-	360	174	157	11	18
65	VII.—Diseases of the circulatory system	5,883	3,510	2,077	37	29	47,899	25,514	19,809	1,347	1,229
66	Rheumatic fever—400-402	16	5	11	-	-	221	102	90	15	14
67	Diseases of heart—410-443	5,093	3,207	1,829	34	23	43,574	23,483	17,803	1,202	1,076
68	Chronic rheumatic heart disease—410-416	223	117	103	1	2	1,659	743	818	53	45
69	Diseases of mitral valve—410	90	48	40	1	1	670	282	358	11	19
70	Diseases of aortic valve specified as rheumatic—411	20	14	6	-	-	32	21	11	-	-
71	Diseases of tricuspid valve—412	-	-	-	-	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic—413,414	17	9	8	-	-	118	50	63	4	1
73	Other diseases of heart specified as rheumatic—415,416	96	46	49	-	1	839	390	386	38	25
74	Arteriosclerotic heart disease, including coronary disease—420	3,096	2,168	899	24	5	23,972	14,589	8,445	559	379
75	Arteriosclerotic heart disease so described—420.0	757	473	278	6	-	6,693	3,365	3,037	164	127
76	Heart disease specified as involving coronary arteries—420.1	2,324	1,685	616	18	5	17,145	11,133	5,366	395	251
77	Angina pectoris without mention of coronary disease—420.2	15	10	5	-	-	134	91	42	-	1

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
61	44	17	-	-	66	28	27	7	4	40	28	10	1	1	142	73	41	15	13	1
19	13	6	-	-	26	12	9	3	2	15	11	4	-	-	53	29	14	5	5	2
42	31	11	-	-	40	16	18	4	2	25	17	6	1	1	89	44	27	10	8	3
185	89	88	3	2	221	92	65	26	38	79	42	33	3	1	430	201	186	24	19	4
21	12	8	-	1	44	22	16	4	2	11	9	2	-	-	93	41	48	3	1	5
2	-	1	1	-	12	7	3	1	1	5	3	1	1	-	8	3	5	-	-	6
23	15	8	-	-	35	21	10	3	1	13	9	4	-	-	75	47	24	2	2	7
6	3	3	-	-	7	2	4	-	1	3	-	3	-	-	11	4	7	-	-	8
13	9	4	-	-	30	9	6	6	9	7	3	4	-	-	60	36	18	4	2	9
5	3	2	-	-	2	1	1	-	-	1	-	1	-	-	5	-	2	2	1	10
49	24	24	1	-	52	20	14	6	12	19	7	11	1	-	101	46	42	6	7	11
64	23	38	1	1	39	10	11	6	12	20	11	7	1	1	77	24	40	7	6	12
30	15	13	2	-	72	37	18	10	7	39	21	18	-	-	148	68	66	7	7	13
39	24	14	1	-	50	25	9	11	5	31	23	8	-	-	135	76	38	14	7	14
20	11	8	1	-	21	11	2	6	2	8	6	2	-	-	68	37	22	5	4	15
12	8	4	-	-	24	12	6	4	2	16	12	4	-	-	42	23	13	5	1	16
7	5	2	-	-	5	2	1	1	1	7	5	2	-	-	25	16	3	4	2	17
34	17	15	2	-	58	12	15	7	24	31	15	15	-	1	112	26	47	7	32	18
4	...	4	...	-	16	...	4	...	12	3	...	3	...	-	44	...	18	...	26	19
1	-	1	-	-	9	2	1	3	3	5	4	1	-	-	16	9	7	-	-	20
3	2	1	-	-	11	5	4	-	2	5	3	1	-	1	18	5	8	3	2	21
-	...	-	...	-	-	...	-	...	-	-	...	-	...	-	3	...	3	...	-	22
12	7	4	1	-	18	4	4	3	7	14	7	7	-	-	17	8	5	3	1	23
14	8	5	1	-	4	1	2	1	-	4	1	3	-	-	14	4	6	1	3	24
347	110	230	-	7	370	91	132	51	96	174	90	72	4	8	517	181	214	42	80	25
18	8	9	-	1	49	11	17	9	12	23	19	4	-	-	109	46	41	11	11	26
1	1	-	-	-	4	-	2	-	2	2	-	1	-	1	3	-	-	-	3	27
4	1	3	-	-	13	-	7	1	5	4	-	3	-	1	28	4	13	-	11	28
5	2	3	-	-	1	-	1	-	-	2	-	2	-	-	4	-	3	-	1	29
306	90	210	-	6	249	69	88	30	62	127	60	59	4	4	294	102	120	26	46	30
1	1	-	-	-	14	2	4	3	5	4	4	-	-	-	5	3	-	1	1	31
3	1	2	-	-	1	-	1	-	-	5	3	2	-	-	11	4	5	1	1	32
2	1	1	-	-	16	5	5	-	6	-	-	-	-	-	26	6	17	-	3	33
5	3	2	-	-	15	1	4	6	4	6	4	-	-	2	23	11	8	3	1	34
2	2	-	-	-	8	3	3	2	-	1	-	1	-	-	14	5	7	-	2	35
48	16	32	-	-	70	15	27	14	14	30	18	11	1	-	90	36	40	5	9	36
42	15	27	-	-	52	11	18	12	11	25	15	9	1	-	72	25	35	4	8	37
24	8	16	-	-	10	4	2	1	3	16	9	7	-	-	31	15	16	-	-	38
18	7	11	-	-	42	7	16	11	8	9	6	2	1	-	41	10	19	4	8	39
3	1	2	-	-	10	3	5	1	1	3	2	1	-	-	10	6	2	1	1	40
3	-	3	-	-	8	1	4	1	2	2	1	1	-	-	8	5	3	-	-	41
17	11	6	-	-	67	25	6	22	14	28	11	14	2	1	170	86	45	21	18	42
-	-	-	-	-	1	-	1	-	-	8	1	6	-	1	60	22	20	11	7	43
2	1	1	-	-	4	3	-	1	-	3	3	-	-	-	4	2	-	2	-	44
2	2	-	-	-	28	6	4	7	11	7	1	6	-	-	38	19	13	-	6	45
9	7	2	-	-	31	15	-	14	2	8	5	1	2	-	50	34	3	8	5	46
1	1	-	-	-	2	-	1	-	1	1	1	-	-	-	11	6	5	-	-	47
3	-	3	-	-	1	1	-	-	-	1	-	1	-	-	7	3	4	-	-	48
784	377	388	10	9	2,289	638	459	601	591	794	425	357	8	4	3,690	1,479	1,307	425	479	49
731	341	372	10	8	2,124	593	424	553	554	729	390	331	5	3	3,397	1,344	1,209	388	456	50
16	8	8	-	-	52	17	17	11	7	5	3	2	-	-	63	24	19	11	9	51
453	198	240	9	6	1,489	426	297	371	395	501	268	228	3	2	2,399	985	867	257	310	52
181	89	92	-	-	264	88	61	59	56	84	41	42	1	-	349	169	131	31	18	53
81	46	32	1	2	319	62	49	112	96	139	78	59	1	1	586	186	192	89	119	54
3	2	1	-	-	42	4	7	15	16	6	2	3	-	1	64	30	17	11	6	55
9	3	5	-	1	5	3	2	-	-	11	6	5	-	-	15	7	5	1	2	56
6	4	2	-	-	11	8	2	1	-	15	9	6	-	-	34	15	12	3	4	57
2	2	-	-	-	5	-	1	3	1	1	1	-	-	-	14	6	8	-	-	58
13	11	2	-	-	30	7	3	13	7	7	5	2	-	-	47	23	14	7	3	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	60
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	61
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	62
1	-	1	-	-	5	-	4	-	1	3	2	-	1	-	17	12	5	-	-	63
19	14	5	-	-	67	25	16	16	12	22	10	10	2	-	101	41	37	15	8	64
3,521	1,933	1,519	34	35	5,951	2,067	1,274	1,328	1,282	2,018	1,272	710	24	12	9,051	4,337	2,859	940	915	65
8	6	1	-	1	43	4	8	13	18	12	6	6	-	-	57	21	22	7	7	66
3,261	1,812	1,383	32	34	5,291	1,898	1,109	1,170	1,116	1,777	1,142	604	20	11	8,259	4,024	2,599	850	796	67
88	45	41	1	1	185	43	34	48	60	50	23	26	-	1	373	173	132	39	29	68
28	18	10	-	-	116	30	20	27	39	28	15	13	-	-	206	93	70	25	18	69
-	-	-	-	-	3	1	1	1	-	-	-	-	-	-	8	5	2	1	-	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	71
5	2	3	-	-	7	1	1	3	2	4	1	3	-	-	22	10	10	2	-	72
55	25	28	1	1	59	11	12	17	19	18	7	10	-	1	136	64	50	11	11	73
2,217	1,327	844	21	25	2,341	1,209	521	346	265	1,067	735	322	8	2	3,767	2,194	1,134	247	192	74
969	475	474	8	12	376	155	99	71	51	148	84	63	1	-	772	385	275	61	53	75
1,235	843	366	13	13	1,866	1,005	401	257	203	906	642	255	7	2	2,918	1,766	852	182	136	76
13	9	4	-	-	99	49	21	18	11	13	9	4	-	-	79	45	27	4	3	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic----421	81	48	33	-	-	952	465	423	26	38
2	Of mitral valve, specified as nonrheumatic----421.0	7	4	3	-	-	20	10	9	-	1
3	Of aortic valve, not specified as rheumatic----421.1	27	19	8	-	-	123	68	31	11	13
4	Of other valves, not specified as rheumatic----421.2-421.4	47	25	22	-	-	809	387	383	15	24
5	Other myocardial degeneration----422	447	244	196	5	2	7,902	3,823	3,772	168	139
6	With arteriosclerosis----422.1	169	92	76	1	-	3,687	1,755	1,765	89	58
7	Without mention of arteriosclerosis----422.0,422.2	278	152	120	4	2	4,215	2,068	1,987	79	81
8	Other diseases of heart----430-434	203	134	62	3	4	1,930	1,072	742	68	48
9	Acute and subacute endocarditis----430	11	6	4	1	-	105	59	32	9	5
10	Acute myocarditis not specified as rheumatic----431	20	8	11	-	1	385	201	154	14	16
11	Acute pericarditis specified as nonrheumatic----432	-	-	-	-	-	-	-	-	-	-
12	Functional disease of heart----433	22	13	9	-	-	181	86	94	-	1
13	Other and unspecified diseases of heart----434	150	107	38	2	3	1,259	726	462	45	26
14	Hypertension with heart disease----440-443	1,043	496	536	1	10	7,159	2,801	3,803	328	427
15	Hypertensive heart disease with arteriolar nephrosclerosis----442	475	230	241	1	3	2,698	1,194	1,305	88	109
16	Essential hypertension with heart disease, etc.*----440,441,443	568	266	295	-	7	4,463	1,607	2,298	240	318
17	Hypertension without mention of heart----444-447	98	43	54	-	1	833	322	406	48	57
18	Hypertension with arteriolar nephrosclerosis, etc.*----446	33	18	14	-	1	408	181	173	29	25
19	Essential hypertension, other hypertensive disease, etc.*-444,445,447	65	25	40	-	-	425	141	233	19	32
20	Diseases of arteries----450-456	419	239	173	3	4	2,947	1,444	1,370	69	64
21	General arteriosclerosis----450	360	201	153	3	3	2,661	1,280	1,281	53	47
22	Aortic aneurysm specified as nonsyphilitic, etc.*----451	27	19	8	-	-	140	100	21	12	7
23	Gangrene of unspecified cause----455	4	4	-	-	-	27	12	12	1	2
24	Other arterial diseases----452-454,456	28	15	12	-	1	119	52	58	3	6
25	Diseases of veins and other diseases of circulatory system----460-468	27	16	10	-	1	324	153	140	13	18
26	VIII.—Diseases of the respiratory system----	509	322	162	14	10	4,579	2,761	1,403	244	171
27	Acute upper respiratory infections----470-475	2	1	1	-	-	44	20	18	3	3
28	Influenza----480-483	34	15	17	2	-	256	129	118	7	2
29	Pneumonia, except pneumonia of newborn----490-493	348	218	113	9	9	2,749	1,453	976	194	126
30	Lobar pneumonia----490	92	64	24	2	2	1,064	583	348	82	51
31	Bronchopneumonia----491	204	121	70	7	6	1,217	617	453	90	57
32	Primary atypical pneumonia----492	23	13	9	-	1	234	127	90	9	8
33	Pneumonia, other and unspecified----493	30	20	10	-	-	234	126	85	13	10
34	Acute bronchitis----500	11	6	4	-	1	66	41	39	3	3
35	Bronchitis, chronic and unqualified----501,502	18	12	5	1	-	144	76	54	2	12
36	Hypertrophy of tonsils and adenoids----510	3	3	-	-	-	23	7	12	2	2
37	Empyema and abscess of lung----518,521	8	7	1	-	-	70	35	20	11	4
38	Pleurisy----519	3	2	-	1	-	14	9	3	1	1
39	All other respiratory diseases----Residual	80	56	21	1	-	1,193	991	163	21	18
40	IX.—Diseases of the digestive system----	439	262	164	6	7	3,987	2,149	1,602	128	108
41	Diseases of teeth and supporting structures----530-535	1	-	1	-	-	15	10	5	-	-
42	Ulcer of stomach----540	44	36	7	-	1	311	253	43	12	3
43	Ulcer of duodenum----541	42	37	4	1	-	214	166	35	9	4
44	Gastritis and duodenitis----543	1	-	1	-	-	22	14	5	-	3
45	Appendicitis----550-553	32	20	11	-	1	265	148	102	11	4
46	Hernia and intestinal obstruction----560,561,570	72	40	31	-	1	819	377	398	24	20
47	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	45	22	19	3	1	430	185	193	22	30
48	Cirrhosis of liver----581	88	50	35	2	1	996	626	323	24	23
49	Without mention of alcoholism----581.0	67	34	31	1	1	890	546	302	21	21
50	With alcoholism----581.1	21	16	4	1	-	106	80	21	3	2
51	Cholelithiasis and cholecystitis----584,585	44	20	23	-	1	403	117	279	4	3
52	Other diseases of digestive system----Residual	70	37	32	-	1	512	253	219	22	18
53	X.—Diseases of the genito-urinary system----	358	220	132	4	2	2,775	1,501	1,041	123	110
54	Nephritis and nephrosis----590-594	219	115	99	3	2	1,877	872	845	72	88
55	Acute nephritis----590	20	12	8	-	-	161	76	73	9	3
56	Nephritis with edema, including nephrosis----591	10	4	5	1	-	97	42	47	4	4
57	Chronic and unspecified nephritis and other renal sclerosis---592-594	189	99	86	2	2	1,619	754	725	59	81
58	Infections of kidney----600	36	16	20	-	-	174	78	67	17	12
59	Calculi of urinary system----602,604	4	1	3	-	-	76	39	34	1	2
60	Other diseases of urinary system----601,603,605-609	15	9	6	-	-	116	74	37	5	-
61	Hyperplasia of prostate----610	70	69	...	1	...	420	394	...	26	...
62	Other diseases of male genital organs----611-617	10	10	...	-	...	46	44	...	2	...
63	Diseases of breast----620,621	-	-	-	-	-	2	-	2	-	-
64	Diseases of female genital organs----622-637	4	...	4	...	-	64	...	56	...	8
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium----	19	...	17	...	2	151	...	124	...	27
66	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	5	...	4	...	1	22	...	20	...	2
67	Toxemias of pregnancy and puerperium, etc.*----642,685,686	3	...	3	...	-	43	...	35	...	8
68	Hemorrhage of pregnancy and childbirth----643,644,670-672	1	...	1	...	-	31	...	27	...	4
69	Ectopic pregnancy----645	3	...	2	...	1	13	...	9	...	4
70	Abortion without mention of sepsis or toxemia----650	1	...	1	...	-	4	...	4	...	-
71	Abortion with sepsis----651	2	...	2	...	-	13	...	7	...	6
72	Abortion with toxemia, without mention of sepsis----652	-	...	-	...	-	2	...	1	...	1
75	Other complications of pregnancy, childbirth, and puerperium--- Residual	4	...	4	...	-	23	...	21	...	2
74	XII.—Diseases of the skin and cellular tissue----	10	4	5	1	-	110	50	47	8	5
75	Infections of skin and subcutaneous tissue----690-698	3	1	1	1	-	28	15	9	2	-
76	Other diseases of skin and subcutaneous tissue----700-716	7	3	4	-	-	84	35	38	6	5

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
55	24	31	-	-	219	41	33	69	76	36	18	17	1	-	270	96	67	58	49	1
1	1	-	-	-	2	-	-	1	1	2	2	-	-	-	4	3	-	1	-	2
9	6	3	-	-	55	11	4	21	19	2	1	1	-	-	71	21	16	24	10	3
45	17	28	-	-	162	30	29	47	56	32	15	16	1	-	195	72	51	33	39	4
345	178	166	-	1	679	201	166	159	153	300	184	114	1	1	1,248	542	477	108	121	5
167	85	82	-	-	265	88	76	60	61	96	54	41	-	1	382	171	148	29	34	6
178	93	84	-	1	394	113	90	99	92	204	130	73	1	-	866	371	329	79	87	7
82	52	26	4	-	348	83	52	109	104	117	70	35	9	3	708	329	155	127	97	8
6	4	2	-	-	22	5	1	8	8	4	2	2	-	-	27	9	6	5	7	9
24	9	13	2	-	33	2	3	14	14	10	8	2	-	-	74	22	10	16	26	10
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	11
6	3	3	-	-	21	4	11	1	5	10	6	4	-	-	33	14	12	1	6	12
46	36	8	2	-	272	72	37	86	77	93	54	27	9	3	573	283	127	105	58	13
474	186	275	6	7	1,519	319	303	439	458	207	112	90	1	4	1,893	690	624	271	308	14
116	56	58	1	1	603	115	108	186	194	74	51	22	-	1	550	213	171	88	78	15
358	130	217	5	6	916	204	195	253	264	133	61	68	1	3	1,343	477	453	183	230	16
58	22	35	1	-	207	49	40	65	53	61	27	33	-	1	309	103	91	45	70	17
44	16	27	1	-	86	25	16	22	23	18	10	8	-	-	126	40	33	22	31	18
14	6	8	-	-	121	24	24	43	30	43	17	25	-	1	183	63	58	23	39	19
181	86	94	1	-	354	111	104	72	67	151	89	59	3	-	364	168	134	30	32	20
169	79	89	1	-	321	100	94	64	63	143	83	57	3	-	316	139	125	27	27	21
1	1	-	-	-	14	3	4	5	2	1	1	-	-	-	16	12	1	3	-	22
2	2	-	-	-	3	2	-	1	-	1	-	1	-	-	7	3	3	-	1	23
9	4	5	-	-	16	6	6	2	2	6	5	1	-	-	25	14	7	-	4	24
13	7	6	-	-	36	7	13	8	8	17	8	8	1	-	62	21	25	8	10	25
178	109	63	4	2	907	196	168	267	276	219	115	85	10	9	1,635	627	578	225	205	26
3	2	1	-	-	16	2	2	6	6	3	1	2	-	-	35	14	11	7	3	27
5	1	3	1	-	132	26	25	44	37	20	9	11	-	-	263	76	94	44	49	28
113	65	43	3	2	630	122	105	196	207	146	71	58	10	7	1,094	420	395	151	128	29
58	34	21	1	2	248	49	45	76	76	59	29	25	4	1	432	168	137	72	55	30
39	24	14	1	-	290	55	50	83	102	42	15	18	4	5	552	203	214	70	65	31
10	4	6	-	-	53	12	9	16	16	12	6	5	1	-	56	23	26	3	4	32
6	3	2	1	-	39	6	1	19	13	33	21	10	1	1	54	26	18	6	4	33
3	2	1	-	-	14	4	1	3	6	3	2	1	-	-	15	4	6	2	3	34
17	13	4	-	-	29	8	8	5	8	10	5	3	-	2	63	27	23	8	5	35
2	-	2	-	-	9	3	1	2	3	1	1	-	-	-	9	4	5	-	-	36
3	3	-	-	-	10	4	1	3	2	5	5	-	-	-	17	11	2	-	4	37
-	-	-	-	-	2	1	-	-	1	1	-	1	-	-	6	1	2	1	2	38
32	23	9	-	-	65	26	25	8	6	30	21	9	-	-	133	70	40	12	11	39
355	191	161	1	2	612	184	140	154	134	220	125	85	3	9	1,154	530	347	159	118	40
1	-	1	-	-	4	1	1	-	2	-	-	-	-	-	8	2	2	2	2	41
20	12	8	-	-	34	12	3	18	1	17	15	2	-	-	62	36	8	14	4	42
33	27	6	-	-	20	14	1	3	2	13	12	1	-	-	48	33	7	6	2	43
2	2	-	-	-	11	1	3	1	6	1	1	-	-	-	17	4	1	8	4	44
26	16	9	-	1	46	17	4	14	11	14	8	6	-	-	75	41	15	10	9	45
64	28	35	-	1	94	27	22	26	19	40	22	18	-	-	140	59	45	20	16	46
23	11	11	1	-	184	30	36	58	60	30	11	11	3	5	380	146	137	57	40	47
92	60	32	-	-	83	40	19	16	8	28	23	5	-	-	174	117	33	18	6	48
74	44	30	-	-	76	37	17	14	8	22	17	5	-	-	145	96	31	13	5	49
18	16	2	-	-	7	3	2	2	-	6	6	-	-	-	29	21	2	5	1	50
58	16	42	-	-	43	5	29	-	9	48	16	29	-	3	89	33	42	2	12	51
36	19	17	-	-	93	37	22	18	16	29	17	11	-	1	161	59	67	22	23	52
244	140	97	5	2	650	177	113	189	171	149	99	41	5	4	1,118	475	303	192	148	53
165	82	79	3	1	488	106	90	134	158	86	46	34	3	3	788	294	254	115	125	54
8	4	4	-	-	52	9	9	14	20	6	4	2	-	-	69	15	23	13	18	55
8	4	4	-	-	22	5	2	5	10	3	2	1	-	-	35	9	11	7	8	56
149	74	71	3	1	414	92	79	115	128	77	40	31	3	3	684	270	220	95	99	57
14	5	8	-	1	28	11	8	6	4	7	3	3	-	1	62	21	24	12	5	58
7	3	4	-	-	14	8	3	2	1	3	2	1	-	-	13	8	4	-	1	59
7	5	2	-	-	19	4	1	12	2	6	6	-	-	-	42	11	10	18	3	60
35	34	...	1	...	68	43	...	25	...	38	36	...	2	...	163	122	...	41	...	61
12	11	...	1	...	15	5	...	10	...	6	6	...	-	...	25	19	...	6	...	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
4	...	4	...	-	17	...	11	...	6	3	...	3	...	-	25	...	11	...	14	64
12	...	10	...	2	102	...	31	...	71	9	...	8	...	1	110	...	76	...	34	65
6	...	5	...	1	17	...	4	...	13	1	...	1	...	-	13	...	9	...	4	66
3	...	3	...	-	39	...	13	...	26	2	...	2	...	-	47	...	34	...	13	67
-	...	-	...	-	20	...	9	...	11	4	...	4	...	-	16	...	10	...	6	68
-	...	-	...	-	4	...	-	...	4	-	...	-	...	-	6	...	3	...	3	69
1	...	-	...	1	2	...	-	...	2	1	...	1	...	-	1	...	1	...	-	70
-	...	-	...	-	5	...	1	...	4	1	...	-	...	1	2	...	2	...	-	71
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	72
2	...	2	...	-	14	...	4	...	10	-	...	-	...	-	25	...	17	...	8	73
5	3	2	-	-	27	4	1	15	7	10	3	7	-	-	37	14	11	5	7	74
1	1	-	-	-	11	-	1	7	3	4	1	3	-	-	13	4	5	1	3	75
4	2	2	-	-	18	4	-	8	4	6	2	4	-	-	24	10	6	4	4	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths, and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	32	17	15	-	-	218	86	115	8	9
2	Arthritis and spondylitis—720-725	19	10	9	-	-	129	40	84	1	4
3	Muscular rheumatism and rheumatism unspecified—726,727	4	1	3	-	-	3	1	2	-	-
4	Osteomyelitis and periostitis—730	4	3	1	-	-	26	17	3	5	1
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	-	-	-	-	-	1	-	-	1	-
6	All other diseases of musculoskeletal system—731-736,738-744	5	3	2	-	-	59	28	26	1	4
7	XIV.—Congenital malformations	192	112	71	6	3	1,261	682	507	39	33
8	Spina bifida and meningocele—751	13	3	9	1	-	147	65	78	3	1
9	Congenital hydrocephalus, etc.*—752,753	24	17	6	-	1	146	72	62	6	6
10	Congenital malformations of circulatory system—754	86	50	33	2	1	584	332	218	15	19
11	Other congenital malformations—750,755-759	69	42	23	3	1	384	213	149	15	7
12	XV.—Certain diseases of early infancy	549	329	202	11	7	4,068	2,032	1,501	297	238
13	Birth injuries—760,761	124	76	47	1	-	726	406	258	32	30
14	Postnatal asphyxia and atelectasis—762	133	90	40	2	1	704	386	236	48	34
15	Infections of newborn—763-768	19	12	6	-	1	228	98	100	19	11
16	Hemolytic disease of newborn (erythroblastosis)—770	31	19	11	-	1	162	91	64	5	2
17	All other defined diseases of early infancy—769,771,772	27	17	7	2	1	172	93	62	12	5
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	215	115	91	6	3	2,076	958	781	181	156
19	XVI.—Symptoms, senility, and ill-defined conditions	248	154	89	-	5	1,051	529	421	65	36
20	Senility without mention of psychosis—794	139	76	61	-	2	322	99	209	6	8
21	Symptoms, ill-defined and unknown causes—780-793,795	109	78	28	-	3	729	430	212	59	28
22	XVII.—Accidents, poisonings, and violence	1,381	1,034	315	27	5	7,016	4,620	1,918	357	121
23	Accidents—E800-E962	1,103	819	259	20	5	5,632	3,653	1,644	245	90
24	Railway accidents—E800-E802	17	16	1	-	-	160	135	19	5	1
25	Motor-vehicle accidents—E810-E835	391	298	81	11	3	1,730	1,296	360	61	13
26	Motor-vehicle traffic accidents—E810-E825	370	276	80	11	3	1,703	1,273	356	61	13
27	Motor-vehicle traffic accident with railway train*—E810	9	8	1	-	-	39	31	7	1	-
28	Motor-vehicle traffic accident to pedestrian—E812	60	39	20	1	-	607	434	142	25	6
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	108	81	22	3	2	372	280	72	18	2
30	Motor-vehicle noncollision traffic accidents—E820-E824	116	89	21	5	1	267	214	39	12	2
31	Motor-vehicle traffic accident of unspecified nature—E825	77	59	16	2	-	418	314	96	5	3
32	Motor-vehicle nontraffic accidents—E830-E835	21	20	1	-	-	27	23	4	-	-
33	Other road-vehicle accidents—E840-E845	3	2	-	1	-	58	33	15	6	4
34	Water-transport accidents—E850-E858	38	31	5	2	-	36	32	3	1	-
35	Aircraft accidents—E860-E866	20	20	-	-	-	68	64	4	-	-
36	Accidental poisoning by solid and liquid substances—E870-E888	11	7	4	-	-	80	36	34	7	3
37	Accidental poisoning by gases and vapors—E890-E895	19	14	5	-	-	142	90	36	11	5
38	Accidental falls—E900-E904	180	84	94	2	-	1,770	846	868	41	15
39	Fall from one level to another—E900-E902	66	37	27	2	-	658	397	235	22	4
40	Fall on same level—E903	37	16	21	-	-	250	92	150	4	4
41	Unspecified falls—E904	77	31	46	-	-	862	357	483	15	7
42	Blow from falling object—E910	70	67	3	-	-	163	151	5	7	-
43	Accident caused by machinery—E912	42	41	1	-	-	93	83	5	5	-
44	Accident caused by electric current—E914	16	16	-	-	-	44	42	2	-	-
45	Accident caused by fire and explosion, etc.*—E916	51	30	21	-	-	355	181	120	26	28
46	Accident caused by hot substance, etc.*—E917,E918	6	5	1	-	-	64	37	21	5	1
47	Accident caused by firearm—E919	44	40	4	-	-	98	83	9	5	1
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	34	17	16	1	-	83	50	25	1	7
49	Accidental drowning—E929	92	79	10	3	-	282	225	30	26	1
50	Excessive heat and insolation—E931	-	-	-	-	-	64	41	19	2	2
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	3	2	1	-	-	13	7	4	2	-
52	All other accidents—Residual	66	52	12	-	2	329	221	65	34	9
53	Suicide—E963,E970-E979	239	189	47	3	-	1,109	861	220	24	4
54	Suicide by poisoning—E970-E973	55	36	19	-	-	229	141	85	2	1
55	Suicide by hanging and strangulation—E974	32	26	6	-	-	300	241	55	3	1
56	Suicide by firearms and explosives—E976	128	110	15	3	-	437	386	38	12	1
57	Suicide by all other means—E963,E975,E977-E979	24	17	7	-	-	143	93	42	7	1
58	Homicide—E964,E980-E985	39	26	9	4	-	273	105	53	88	27
59	Assault by firearms and explosives—E981	23	15	5	3	-	123	41	29	39	14
60	Assault by cutting and piercing instruments—E982	4	2	1	1	-	66	16	10	32	8
61	Assault by other means—E964,E980,E983	11	8	3	-	-	78	42	14	15	5
62	Injury by intervention of police—E984	1	1	-	-	-	4	3	-	1	-
63	Execution—E985	-	-	-	-	-	4	3	-	1	-
64	Injury resulting from operations of war—E965,E990-E999	-	-	-	-	-	2	1	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are catagory numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11	2	8	-	1	41	9	15	7	10	20	8	10	1	1	78	28	39	5	6	1
5	1	3	-	1	29	5	10	5	9	15	5	9	-	1	57	18	28	5	6	2
-	-	-	-	-	2	1	-	1	-	1	1	-	-	-	4	2	2	-	-	3
-	-	-	-	-	2	-	2	-	-	1	-	-	-	-	4	1	3	-	-	4
-	-	-	-	-	-	-	-	-	-	1	-	-	1	-	2	-	2	-	-	5
6	1	5	-	-	8	3	3	1	1	3	2	1	-	-	11	7	4	-	-	6
91	48	41	1	1	210	86	57	35	33	73	35	32	2	4	405	204	163	20	18	7
20	11	9	-	-	17	10	5	2	-	11	5	6	-	-	43	15	23	2	3	8
8	4	4	-	-	16	5	6	2	3	11	4	7	-	-	47	18	26	2	1	9
34	20	13	-	1	99	37	30	12	20	36	15	15	2	4	192	98	76	9	9	10
29	13	15	1	-	78	33	16	19	10	15	11	4	-	-	123	73	38	7	5	11
263	146	103	6	8	1,131	368	198	333	232	272	158	100	9	5	1,704	791	536	221	156	12
68	42	23	3	-	162	61	38	38	25	48	29	18	1	-	279	141	93	31	14	13
47	25	16	2	4	166	69	33	39	25	56	31	23	2	-	293	142	90	34	27	14
9	4	3	1	1	91	19	9	40	23	17	7	7	1	2	176	68	56	21	11	15
14	10	4	-	-	37	14	10	12	1	23	13	10	-	-	50	29	18	2	1	16
9	3	4	-	2	101	28	11	40	22	14	4	5	3	2	121	59	39	16	7	17
116	62	53	-	1	574	177	97	164	136	114	74	37	2	1	785	332	240	117	96	18
45	25	19	-	1	840	103	58	374	305	117	45	29	18	24	1,713	606	482	335	290	19
11	5	6	-	-	63	11	19	20	13	61	26	25	3	7	216	71	93	21	31	20
34	20	13	-	1	777	92	39	354	292	56	20	4	15	17	1,497	535	389	314	259	21
468	254	196	13	3	1,862	685	271	542	164	535	381	126	18	10	2,339	1,336	484	383	136	22
389	201	173	13	2	1,280	538	231	380	131	459	324	111	16	8	1,733	1,009	407	219	98	23
2	2	-	-	-	23	12	1	10	-	3	2	1	-	-	57	37	4	15	1	24
78	56	16	6	-	523	274	93	122	34	155	121	27	6	1	703	454	129	89	31	25
74	52	16	6	-	500	267	84	115	34	150	117	27	5	1	685	442	124	88	31	26
1	-	-	1	-	17	10	2	3	2	10	7	3	-	-	38	25	6	7	-	27
32	20	8	4	-	96	39	15	28	14	13	10	3	-	-	165	92	31	31	11	28
9	6	2	1	-	45	21	7	16	1	51	37	11	2	1	247	161	45	25	16	29
16	15	1	-	-	58	36	10	8	4	36	29	7	-	-	155	114	25	14	2	30
16	11	5	-	-	284	161	50	60	13	40	34	3	3	-	80	50	17	11	2	31
4	4	-	-	-	23	7	9	7	-	5	4	-	1	-	18	12	5	1	-	32
-	-	-	-	-	15	3	1	9	2	5	2	2	-	1	12	10	1	1	-	33
-	-	-	-	-	56	23	1	12	-	6	6	-	-	-	45	40	4	1	-	34
2	2	-	-	-	10	10	-	-	-	11	8	3	-	-	15	15	-	-	-	35
5	3	2	-	-	27	6	4	13	4	9	5	4	-	-	35	20	11	2	2	36
13	5	8	-	-	7	4	2	1	-	4	2	2	-	-	3	2	1	-	-	37
201	75	124	2	-	153	60	65	19	9	97	51	45	1	-	310	116	160	12	22	38
50	35	14	1	-	33	19	5	5	4	30	23	7	-	-	77	44	22	8	3	39
41	12	29	-	-	10	8	1	1	-	19	7	12	-	-	48	16	31	-	1	40
110	28	81	1	-	110	33	59	13	5	48	21	26	1	-	185	56	107	4	18	41
1	1	-	-	-	27	12	-	15	-	14	14	-	-	-	35	24	4	6	1	42
2	2	-	-	-	17	8	-	8	1	22	20	1	1	-	27	25	-	2	-	43
4	4	-	-	-	20	15	-	5	-	5	5	-	-	-	24	21	-	3	-	44
15	7	5	1	2	150	27	26	51	46	32	14	8	4	6	158	57	44	30	27	45
2	2	-	-	-	15	3	5	5	2	7	5	2	-	-	17	6	4	4	3	46
3	2	-	1	-	52	23	5	18	6	14	14	-	-	-	59	35	10	14	-	47
9	3	6	-	-	15	2	3	6	4	5	4	1	-	-	15	6	3	5	1	48
30	24	4	2	-	80	33	5	41	1	26	24	2	-	-	79	57	10	12	-	49
-	-	-	-	-	3	3	-	-	-	2	1	1	-	-	5	4	-	1	-	50
2	1	1	-	-	6	2	2	1	1	3	1	1	1	-	4	2	-	1	1	51
20	12	7	1	-	101	18	18	44	21	39	25	11	3	-	130	78	22	21	9	52
73	50	22	-	1	132	85	33	10	4	62	51	10	1	-	285	213	55	13	4	53
30	17	13	-	-	13	2	11	-	-	6	1	5	-	-	35	19	15	1	-	54
16	12	4	-	-	7	6	-	1	-	22	16	5	1	-	33	24	8	1	-	55
12	10	2	-	-	102	75	17	8	2	29	29	-	-	-	191	152	27	10	2	56
15	11	3	-	1	10	2	5	1	2	5	5	-	-	-	26	18	5	1	2	57
4	3	1	-	-	250	62	7	152	29	14	6	5	1	2	321	114	22	151	34	58
2	1	1	-	-	165	48	5	93	13	7	4	3	-	-	198	77	15	87	19	59
-	-	-	-	-	54	4	-	37	13	1	-	-	-	1	78	11	3	53	11	60
2	2	-	-	-	28	9	2	14	3	4	-	2	1	1	38	24	4	6	4	61
-	-	-	-	-	1	1	-	-	-	2	2	-	-	-	4	2	-	2	-	62
-	-	-	-	-	2	-	-	2	-	-	-	-	-	-	3	-	-	3	-	63
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	63,337	31,500	21,243	5,843	4,751	4,929	2,879	1,918	89	43
2	I.—Infective and parasitic diseases	4,211	2,045	1,360	489	317	115	61	33	12	9
3	Tuberculosis, all forms—001-019	2,438	1,208	779	256	195	60	31	13	9	7
4	Tuberculosis of respiratory system—001-008	2,232	1,103	716	231	182	46	24	8	8	6
5	Tuberculosis of meninges and central nervous system—010	93	47	33	8	5	5	2	1	1	1
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	16	6	4	5	1	1	-	1	-	-
7	Tuberculosis of vertebral column—012.0,013.0	9	5	3	1	-	1	1	-	-	-
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	4	2	2	-	-	1	-	1	-	-
9	Tuberculosis of genito-urinary system—016	12	9	2	1	-	2	1	1	-	-
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	8	3	2	1	2	1	1	-	-	-
11	Disseminated tuberculosis—019	64	33	17	9	5	3	2	1	-	-
12	Syphilis and its sequelae—020-029	480	210	59	140	51	11	8	2	-	1
13	Congenital syphilis—020	34	11	8	9	6	-	-	-	-	-
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	114	66	9	31	8	4	4	-	-	-
16	Other cardiovascular syphilis—023	109	45	13	40	11	5	4	-	-	1
17	Tabes dorsalis—024	8	5	1	1	1	-	-	-	-	-
18	General paralysis of insane—025	116	50	15	39	12	1	-	1	-	-
19	Other syphilis of central nervous system—026	54	21	9	13	11	-	-	-	-	-
20	Other syphilis—027-029	25	12	4	7	2	1	-	1	-	-
21	Gonococcal infection—030-035	3	-	-	2	1	-	-	-	-	-
22	Typhoid fever—040	19	10	8	2	1	-	-	-	-	-
23	Paratyphoid fever—041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections—042	-	-	-	-	-	-	-	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	3	-	1	2	-	-	-	-	-	-
27	Dysentery, all forms—045-048	536	268	235	18	15	2	1	-	-	1
28	Scarlet fever—050	-	-	-	-	-	-	-	-	-	-
29	Streptococcal sore throat—051	28	10	12	3	3	2	-	2	-	-
30	Erysipelas—052	3	-	3	-	-	-	-	-	-	-
31	Septicemia and pyemia—053	38	14	17	5	2	4	1	3	-	-
32	Diphtheria—055	61	26	21	7	7	5	1	3	1	-
33	Whooping cough—056	46	16	21	5	4	1	1	-	-	-
34	Meningococcal infections—057	38	13	15	6	4	7	3	3	1	-
35	Plague—058	-	-	-	-	-	-	-	-	-	-
36	Tularemia—059	1	-	-	-	1	1	1	-	-	-
37	Leprosy—060	-	-	-	-	-	-	-	-	-	-
38	Tetanus—061	84	51	18	7	8	-	-	-	-	-
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	183	93	72	4	8	9	7	2	-	-
41	Late effects of acute poliomyelitis—081	2	1	1	-	-	-	-	-	-	-
42	Acute infectious encephalitis—082	25	8	14	2	1	2	1	-	1	-
43	Late effects of acute infectious encephalitis—083	7	5	-	2	-	1	1	-	-	-
44	Smallpox—084	1	-	1	-	-	-	-	-	-	-
45	Measles—085	92	39	45	4	4	2	-	2	-	-
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	15	10	4	-	1	2	2	-	-	-
48	Rabies—094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus—104	1	-	-	1	-	1	-	1	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	7	5	1	1	-	-	-	-	-	-
51	Malaria—110-117	20	6	7	3	4	-	-	-	-	-
52	Schistosomiasis—123	-	-	-	-	-	-	-	-	-	-
53	Hydatid disease—125	-	-	-	-	-	-	-	-	-	-
54	Filariasis—127	-	-	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	1	1	-	-	-	-	-	-	-	-
56	Other diseases due to helminths—124,126,128,130	4	-	3	1	-	-	-	-	-	-
57	All other infective and parasitic diseases—Residual	95	45	25	18	7	5	3	2	-	-
58	II.—Neoplasms	8,045	3,568	3,457	446	574	600	324	265	7	4
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	7,700	3,443	3,319	427	511	570	312	250	5	3
60	Malignant neoplasm of buccal cavity and pharynx—140-148	213	154	42	10	7	13	10	3	-	-
61	Of lip—140	18	16	2	-	-	4	4	-	-	-
62	Of tongue—141	38	28	6	3	1	2	2	-	-	-
63	Of other and unspecified parts of buccal cavity—142-144	60	39	18	1	2	3	2	1	-	-
64	Of pharynx—145-148	97	71	16	6	4	4	2	2	-	-
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,632	1,235	1,046	203	148	203	123	77	2	1
66	Of esophagus—150	128	75	36	14	3	3	3	-	-	-
67	Of stomach—151	836	409	282	93	52	71	48	23	-	-
68	Of intestine, except rectum—152,153	868	284	321	31	32	56	27	28	-	1
69	Of rectum—154	206	91	83	13	19	15	13	2	-	-
70	Of biliary passages and of liver (stated to be primary site)—155	128	48	71	4	5	16	7	9	-	-
71	Of liver not specified whether primary or secondary—156A	308	141	127	20	20	13	6	6	1	-
72	Of pancreas—157	304	165	103	24	12	26	17	9	-	-
73	Of peritoneum and of unspecified digestive organs—158,159	54	22	23	4	5	3	2	-	1	-
74	Malignant neoplasm of respiratory system—160-164	724	514	146	45	19	57	48	9	-	-
75	Of larynx—161	62	50	10	2	-	3	3	-	-	-
76	Of trachea, and of bronchus and lung specified as primary—162	183	134	27	17	5	21	19	2	-	-
77	Of lung and bronchus, unspecified as primary or secondary—163	438	306	96	23	13	27	22	5	-	-
78	Of other parts of respiratory system—160,164	41	24	13	3	1	6	4	2	-	-
79	Malignant neoplasm of breast—170	592	10	507	1	74	58	-	58	-	-
80	Malignant neoplasm of genital organs—171-179	1,424	438	762	64	162	93	44	48	-	1
81	Of cervix uteri—171	378	...	306	...	72	17	...	17	...	-
82	Of other and unspecified parts of uterus—172-174	319	...	252	...	67	18	...	17	...	1
83	Of ovary, fallopian tube, and broad ligament—175	204	...	183	...	21	12	...	12	...	-
84	Of other and unspecified female genital organs—176	23	...	21	...	2	2	...	2	...	-
85	Of prostate—177	446	386	...	60	...	38	38	...	-	...
86	Of testis, and of other and unspecified male genital organs—178,179	54	50	...	4	...	6	6	...	-	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
4,162	2,305	1,854	3	-	29,345	11,805	8,359	5,144	4,037	22,491	13,506	9,344	412	229	17,305	9,361	6,579	832	533	1
131	90	41	-	-	1,519	472	274	481	292	699	449	169	48	33	871	448	299	80	44	2
98	69	29	-	-	976	296	179	304	197	437	277	98	37	25	530	261	184	50	25	3
96	67	29	-	-	905	279	168	274	184	384	260	83	32	19	490	244	180	45	21	4
1	1	-	-	-	24	5	3	11	5	15	3	8	2	2	17	8	5	2	2	5
-	-	-	-	-	9	2	3	2	2	4	-	-	1	3	4	1	3	-	-	6
-	-	-	-	-	2	-	2	-	-	3	1	1	1	-	-	-	-	-	-	7
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	-	1	-	-	8
-	-	-	-	-	3	2	-	1	-	2	-	2	-	-	3	2	1	-	-	9
-	-	-	-	-	3	-	-	3	-	9	6	3	-	-	1	1	-	-	-	10
1	1	-	-	-	29	7	3	13	6	9	6	1	1	1	14	5	4	3	2	11
14	11	3	-	-	251	60	20	108	43	130	97	25	7	1	131	71	22	28	10	12
-	-	-	-	-	16	3	-	8	5	1	-	-	1	-	7	4	2	-	1	13
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	14
7	5	2	-	-	44	24	5	11	4	35	25	9	1	-	28	18	5	3	-	15
6	5	1	-	-	71	14	5	41	11	54	44	7	2	1	32	17	7	6	2	16
-	-	-	-	-	7	4	1	1	1	9	6	2	1	-	-	-	-	-	-	17
-	-	-	-	-	54	7	7	26	14	11	9	2	-	-	42	21	6	10	5	18
-	-	-	-	-	27	4	2	17	4	14	9	3	2	-	18	8	2	6	2	19
1	1	-	-	-	12	4	-	4	4	6	4	2	-	-	6	3	-	3	-	20
-	-	-	-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	-	-	21
-	-	-	-	-	8	4	1	3	-	-	-	-	-	-	5	4	-	-	1	22
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	23
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	-	-	-	-	-	24
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	25
-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	2	1	-	-	1	26
1	-	1	-	-	47	13	7	20	7	7	3	3	-	1	31	13	14	-	4	27
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	-	2	-	-	28
-	-	-	-	-	5	1	-	2	2	1	-	1	-	-	9	5	4	-	-	29
1	-	1	-	-	2	2	-	-	-	1	1	-	-	-	2	1	1	-	-	30
1	-	1	-	-	16	6	3	6	1	12	7	4	-	1	9	7	2	-	-	31
-	-	-	-	-	12	5	4	1	2	2	1	1	-	-	8	3	4	-	1	32
-	-	-	-	-	34	5	8	9	12	4	1	3	-	-	38	18	20	-	-	33
1	1	-	-	-	41	18	15	5	3	17	8	7	2	-	31	22	8	1	-	34
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	35
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	36
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	37
1	1	-	-	-	10	5	-	4	1	1	1	-	-	-	4	3	1	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
5	4	1	-	-	17	9	6	1	1	35	26	9	-	-	15	12	3	-	-	40
-	-	-	-	-	3	1	1	1	-	2	1	1	-	-	3	1	2	-	-	41
-	-	-	-	-	12	6	3	3	-	4	3	1	-	-	6	5	1	-	-	42
-	-	-	-	-	3	1	1	-	1	4	3	1	-	-	3	3	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
6	3	3	-	-	42	17	10	9	6	10	3	1	2	4	8	5	3	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
2	-	2	-	-	15	2	7	1	5	15	10	5	-	-	10	4	4	-	2	47
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	1	1	-	-	-	48
-	-	-	-	-	4	4	-	-	-	1	1	-	-	-	3	1	2	-	-	49
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	50
-	-	-	-	-	1	-	-	-	1	1	1	-	-	-	-	-	-	-	-	51
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	52
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	53
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	54
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	55
-	-	-	-	-	10	6	3	-	1	-	-	-	-	-	2	-	2	-	-	56
1	1	-	-	-	25	9	5	3	8	14	5	8	-	1	18	7	10	1	-	57
639	287	352	-	-	3,456	1,331	1,332	368	425	3,341	1,773	1,516	28	24	2,095	976	980	77	62	58
620	279	341	-	-	3,326	1,293	1,286	354	395	3,268	1,745	1,471	28	22	2,027	951	945	75	56	59
16	13	3	-	-	69	35	16	11	7	66	48	16	1	1	30	20	5	4	1	60
2	2	-	-	-	7	5	2	-	-	10	10	-	-	-	2	1	1	-	-	61
5	4	1	-	-	14	6	3	4	1	14	12	2	-	-	8	5	1	2	-	62
2	1	1	-	-	28	8	10	5	5	19	11	8	-	-	10	5	3	1	1	63
7	6	1	-	-	20	16	1	2	1	23	15	6	1	1	10	9	-	1	-	64
265	125	140	-	-	1,179	479	423	167	110	1,278	750	502	18	8	760	393	305	39	23	65
8	6	2	-	-	71	38	12	19	2	46	32	14	-	-	24	16	4	2	2	66
58	26	32	-	-	377	149	100	80	48	418	287	120	9	2	256	154	78	17	7	67
97	39	48	-	-	286	113	130	28	25	345	160	160	3	2	193	80	101	7	5	68
41	23	18	-	-	112	49	44	16	3	176	106	68	3	1	87	35	29	3	-	69
19	7	12	-	-	52	11	34	5	2	58	26	31	1	-	76	27	44	2	3	70
19	6	13	-	-	124	47	50	9	18	68	37	29	-	2	50	27	18	3	2	71
28	15	13	-	-	116	60	43	6	7	144	92	48	2	1	78	46	24	5	3	72
5	3	2	-	-	31	12	10	4	5	23	10	13	-	-	16	8	7	-	1	73
31	25	6	-	-	332	214	54	45	19	304	248	53	3	-	158	117	28	13	-	74
3	3	-	-	-	25	16	4	2	1	26	24	2	-	-	12	9	3	-	-	75
12	9	3	-	-	83	54	17	11	1	128	109	18	1	-	85	64	14	7	-	76
14	13	1	-	-	198	130	25	27	16	131	104	25	2	-	56	40	10	6	-	77
2	-	2	-	-	28	14	8	5	1	19	11	8	-	-	5	4	1	-	-	78
62	1	61	-	-	298	9	227	-	62	290	3	284	-	3	165	1	156	-	8	79
111	41	70	-	-	635	165	275	60	135	524	215	302	2	5	416	127	262	11	16	80
28	...	28	...	-	199	...	127	...	72	99	...	95	...	4	117	...	111	...	6	81
19	...	19	...	-	140	...	89	...	51	97	...	97	...	-	103	...	93	...	10	82
17	...	17	...	-	64	...	52	...	12	101	...	100	...	1	53	...	53	...	-	83
6	...	6	...	-	7	...	7	...	-	10	...	10	...	-	5	...	5	...	-	84
37	37	...	-	...	209	155	...	54	...	202	201	...	1	...	127	116	...	11	...	85
4	4	...	-	...	18	10	...	6	...	15	14	...	1	...	11	11	...	-	...	86

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs----------180,181	307	187	100	12	8	29	20	9	-	-
2	Of kidney----------180	126	80	41	3	2	8	6	2	-	-
3	Of bladder and other urinary organs----------181	181	107	59	9	6	21	14	7	-	-
4	Malignant neoplasm of other and unspecified sites------156B,165,190-199	1,185	560	499	56	70	76	40	35	1	-
5	Of skin----------190,191	227	138	80	3	6	13	8	5	-	-
6	Of eye----------192	14	6	6	2	-	-	-	-	-	-
7	Of brain and other parts of nervous system----------193	138	83	50	2	3	17	13	4	-	-
8	Of thyroid gland----------194	25	7	17	1	-	5	2	3	-	-
9	Of bone (including jaw bone)----------196	97	49	36	8	4	3	1	2	-	-
10	Of connective tissue----------197	20	11	5	3	1	4	1	2	1	-
11	Of other specified sites, not stated to be secondary----195,198A,199A	226	101	96	15	14	8	5	3	-	-
12	Of unspecified sites----------156B,165,198B,199B-H	438	165	208	22	42	26	10	16	-	-
13	Leukemia and aleukemia----------204	342	185	126	17	14	26	17	7	1	1
14	Lymphosarcoma, etc.*----------200-203,205	281	162	91	19	9	15	10	4	1	-
15	Lymphosarcoma and reticulosarcoma----------200	126	80	39	4	3	9	5	3	1	-
16	Hodgkin's disease----------201	98	55	30	9	4	3	3	-	-	-
17	Other neoplasms of lymphatic and hematopoietic tissues----202,203,205	57	27	22	6	2	3	2	1	-	-
18	Benign neoplasms and neoplasms of unspecified nature----------210-239	345	125	138	19	63	30	12	15	2	1
19	Benign neoplasms of female genital organs----------214-217	70	...	33	...	37	5	...	5	...	-
20	Benign neoplasm of brain and other parts of nervous system--------223	20	8	12	-	-	3	2	1	-	-
21	Other benign neoplasms----------210-213,218-222,224-229	41	21	15	2	3	7	3	2	1	1
22	Neoplasm of unspecified nature of female genital organs--------233-235	5	...	3	...	2	1	...	1	...	-
23	Neoplasm of unspecified nature of brain, etc.*----------237	127	58	50	8	11	12	6	5	1	-
24	Other neoplasms of unspecified nature----------230-232,236,238,239	82	38	25	9	10	2	1	1	-	-
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases----------	1,323	535	591	76	121	112	49	61	-	2
26	Asthma----------241	195	118	57	14	6	25	17	8	-	-
27	Nontoxic goiter----------250,251	6	-	4	-	2	1	-	1	-	-
28	Thyrotoxicosis with or without goiter----------252	55	5	31	2	17	7	1	6	-	-
29	Myxedema, cretinism, and other diseases of thyroid gland--------253,254	9	2	7	-	-	-	-	-	-	-
30	Diabetes mellitus----------260	811	309	398	37	67	70	27	43	-	-
31	Diseases of thymus gland----------273	40	25	9	3	3	-	-	-	-	-
32	Diseases of adrenal glands----------274	18	7	7	3	1	4	2	1	-	1
33	Pellagra----------281	52	12	28	6	12	-	-	-	-	-
34	All other avitaminoses and nutritional deficiency states----280,282-286	111	41	48	11	11	1	-	-	-	1
35	Other allergic, endocrine, and metabolic diseases----------Residual	26	16	8	-	2	4	2	2	-	-
36	IV.—Diseases of the blood and blood-forming organs----------	247	90	118	14	25	24	13	10	-	1
37	Anemias----------290-293	181	64	83	11	23	17	8	8	-	1
38	Pernicious and other hyperchromic anemias----------290	71	27	36	3	5	4	2	2	-	-
39	Anemias of other and unspecified type----------291-293	110	37	47	8	18	13	6	6	-	1
40	Purpura and other hemorrhagic conditions----------296	26	9	14	2	1	4	3	1	-	-
41	All other diseases of blood and blood-forming organs----294,295,297-299	40	17	21	1	1	3	2	1	-	-
42	V.—Mental, psychoneurotic, and personality disorders----------	263	148	80	23	12	16	12	4	-	-
43	Senile psychosis----------304	92	58	25	6	3	4	1	3	-	-
44	Alcoholic psychosis----------307	4	4	-	-	-	-	-	-	-	-
45	Other psychoses---------- 300-30 ,305,306,308,309	64	18	28	11	7	2	1	1	-	-
46	Alcoholism----------322	82	60	15	6	1	7	7	-	-	-
47	Mental deficiency----------325	13	5	7	-	1	3	3	-	-	-
48	Psychoneuroses and other disorders of personality---310-321,323,324,326	8	3	5	-	-	-	-	-	-	-
49	VI.—Diseases of the nervous system and sense organs----------	6,483	2,742	2,476	578	687	467	232	226	8	1
50	Vascular lesions affecting central nervous system----------330-334	5,665	2,366	2,186	502	611	414	202	204	7	1
51	Subarachnoid hemorrhage----------330	107	40	48	7	12	14	10	4	-	-
52	Cerebral hemorrhage----------331	3,840	1,637	1,474	333	396	286	136	143	7	-
53	Cerebral embolism and thrombosis----------332	587	269	230	38	30	62	34	28	-	-
54	Other vascular lesions affecting central nervous system-------333,334	1,131	420	414	124	173	52	22	29	-	1
55	Meningitis, except meningococcal and tuberculous----------340	135	50	52	18	15	11	7	4	-	-
56	Multiple sclerosis----------345	33	21	11	1	-	7	2	5	-	-
57	Paralysis agitans----------350	83	50	29	2	2	4	4	-	-	-
58	Cerebral spastic infantile paralysis----------351	48	18	23	4	3	1	1	-	-	-
59	Epilepsy----------353	97	53	26	10	8	11	8	3	-	-
60	Inflammatory diseases of eye----------370-379	3	2	1	-	-	-	-	-	-	-
61	Cataract----------385	2	1	1	-	-	-	-	-	-	-
62	Glaucoma----------387	4	1	1	1	1	-	-	-	-	-
63	Otitis media and mastoiditis----------391-393	58	30	22	3	3	4	3	1	-	-
64	Other diseases of nervous system and sense organs----------Residual	355	150	124	37	44	15	5	9	1	-
65	VII.—Diseases of the circulatory system----------	19,545	10,672	5,853	1,669	1,351	1,845	1,119	690	29	7
66	Rheumatic fever----------400-402	85	33	30	8	14	25	12	12	1	-
67	Diseases of heart----------410-443	17,744	9,867	5,203	1,488	1,186	1,679	1,041	603	28	7
68	Chronic rheumatic heart disease----------410-416	457	206	173	39	39	117	56	57	3	1
69	Diseases of mitral valve----------410	216	97	73	22	24	27	11	15	1	-
70	Diseases of aortic valve specified as rheumatic----------411	17	11	5	-	1	2	2	-	-	-
71	Diseases of tricuspid valve----------412	-	-	-	-	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic----413,414	20	9	8	-	3	10	5	5	-	-
73	Other diseases of heart specified as rheumatic----------415,416	204	89	87	17	11	78	38	37	2	1
74	Arteriosclerotic heart disease, including coronary disease----------420	10,104	6,485	2,853	577	389	950	664	270	15	1
75	Arteriosclerotic heart disease so described----------420.0	1,744	962	589	108	74	231	134	92	5	-
76	Heart disease specified as involving coronary arteries----------420.1	8,220	5,440	2,030	448	301	712	524	177	10	1
77	Angina pectoris without mention of coronary disease----------420.2	140	83	24	19	14	7	6	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
35	23	12	-	-	147	75	43	13	16	162	111	50	1	-	91	56	32	1	2	1
12	6	6	-	-	66	33	25	2	6	58	40	18	-	-	38	25	12	1	-	2
23	17	6	-	-	81	42	18	11	10	104	71	32	1	-	53	31	20	-	2	3
48	23	25	-	-	386	179	153	34	30	358	182	172	2	3	221	114	100	3	4	4
10	6	4	-	-	56	31	21	2	2	45	27	16	1	1	37	19	17	-	1	5
1	-	1	-	-	14	5	9	-	-	11	6	5	-	-	5	4	1	-	-	6
8	5	3	-	-	66	37	18	6	4	69	46	23	-	-	31	16	14	1	-	7
4	2	2	-	-	4	-	2	2	-	17	7	10	-	-	5	-	5	-	-	8
6	3	3	-	-	47	18	24	3	2	34	21	13	-	-	40	25	13	-	2	9
2	2	-	-	-	7	5	1	-	1	12	8	4	-	-	6	4	2	-	-	10
6	3	3	-	-	88	39	41	10	9	82	20	42	-	-	47	23	24	-	-	11
11	2	9	-	-	103	44	36	11	12	109	47	59	1	2	50	25	24	2	1	12
24	12	12	-	-	129	70	46	9	4	139	97	42	-	-	102	65	34	2	1	13
28	16	12	-	-	143	67	49	15	12	144	91	50	1	2	84	58	23	2	1	14
12	6	6	-	-	63	33	20	5	5	52	34	17	1	-	42	28	11	2	1	15
9	5	4	-	-	45	20	18	5	2	59	39	20	-	-	24	17	7	-	-	16
7	5	2	-	-	35	14	11	5	5	33	18	13	-	2	18	13	5	-	-	17
19	8	11	-	-	128	38	46	14	30	75	28	45	-	2	68	25	35	2	6	18
4	...	4	...	-	34	...	14	...	20	15	...	13	...	2	12	...	7	...	5	19
4	3	1	-	-	10	2	8	-	-	16	6	10	-	-	6	3	2	-	1	20
3	1	2	-	-	15	6	6	1	2	11	6	5	-	-	12	8	3	1	-	21
-	...	-	...	-	1	...	-	...	1	-	...	-	...	-	-	...	-	...	-	22
3	1	2	-	-	42	16	13	9	4	19	10	9	-	-	29	11	17	1	-	23
5	3	2	-	-	26	14	5	4	3	14	6	8	-	-	9	3	6	-	-	24
105	45	60	-	-	622	214	224	65	119	500	236	253	4	7	459	179	240	17	23	25
10	6	4	-	-	126	59	31	21	15	80	59	21	-	-	85	48	30	5	2	26
-	-	-	-	-	5	-	4	-	1	5	2	3	-	-	3	1	1	-	1	27
6	1	5	-	-	28	2	20	2	4	29	6	23	-	-	24	1	23	-	-	28
1	1	-	-	-	5	2	3	-	-	8	2	6	-	-	3	1	2	-	-	29
82	35	47	-	-	388	125	143	30	90	339	144	187	3	5	300	104	169	8	19	30
1	-	1	-	-	15	8	2	4	1	19	14	3	-	2	11	8	1	1	1	31
2	-	2	-	-	5	2	3	-	-	3	2	1	-	-	9	4	4	1	-	32
1	-	1	-	-	11	2	6	1	2	-	-	-	-	-	2	2	-	-	-	33
1	1	-	-	-	28	9	9	6	4	7	3	3	1	-	15	5	8	2	-	34
1	1	-	-	-	11	5	3	1	2	10	4	6	-	-	7	5	2	-	-	35
17	12	5	-	-	109	39	38	20	12	100	49	46	1	4	85	38	41	1	5	36
12	7	5	-	-	82	25	27	19	11	82	43	36	-	3	67	28	34	1	4	37
7	4	3	-	-	28	12	11	2	3	55	28	26	-	1	33	12	19	1	1	38
5	3	2	-	-	54	13	16	17	8	27	15	10	-	2	34	16	15	-	3	39
2	2	-	-	-	9	5	4	-	-	7	2	4	1	-	9	5	3	-	1	40
3	3	-	-	-	18	9	7	1	1	11	4	6	-	1	9	5	4	-	-	41
10	9	1	-	-	150	67	30	39	14	141	109	27	5	-	100	70	26	2	2	42
1	-	1	-	-	14	3	8	1	2	14	4	10	-	-	30	14	16	-	-	43
-	-	-	-	-	5	3	1	1	-	8	7	1	-	-	3	3	-	-	-	44
-	-	-	-	-	21	6	10	4	1	7	5	2	-	-	11	8	1	1	1	45
7	7	-	-	-	86	48	5	27	6	108	90	13	5	-	44	38	5	1	-	46
2	2	-	-	-	19	4	5	6	4	4	3	1	-	-	8	5	3	-	-	47
-	-	-	-	-	5	3	1	-	1	-	-	-	-	-	4	2	1	-	1	48
525	239	286	-	-	3,751	1,280	1,227	620	624	2,696	1,383	1,254	39	20	1,966	967	847	85	67	49
473	214	259	-	-	3,396	1,153	1,100	558	585	2,481	1,258	1,170	33	20	1,741	847	757	75	62	50
8	3	5	-	-	93	40	30	11	12	65	33	32	-	-	29	11	17	1	-	51
325	143	182	-	-	2,361	785	766	392	418	1,693	850	806	24	13	1,297	621	565	61	50	52
80	40	40	-	-	311	134	120	30	27	400	221	170	6	3	155	82	65	4	4	53
60	28	32	-	-	631	194	184	125	128	323	154	162	3	4	260	133	110	9	8	54
9	4	5	-	-	52	15	15	13	9	30	15	13	2	-	39	18	16	4	1	55
4	2	2	-	-	19	8	8	2	1	14	7	7	-	-	15	4	11	-	-	56
11	8	3	-	-	29	15	10	3	1	33	15	18	-	-	20	13	6	-	1	57
2	-	2	-	-	18	10	5	2	1	3	2	1	-	-	14	7	6	-	1	58
7	5	2	-	-	91	26	29	25	11	36	25	11	-	-	30	20	9	1	-	59
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	1	1	-	-	60
-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	1	-	1	-	-	61
1	-	1	-	-	1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	62
4	2	2	-	-	18	7	7	2	2	10	8	2	-	-	17	12	5	-	-	63
14	4	10	-	-	127	45	53	15	14	87	52	31	4	-	87	45	35	5	2	64
1,768	992	775	1	-	10,739	4,705	3,002	1,695	1,337	8,973	5,687	3,139	102	46	5,718	3,256	2,031	261	170	65
3	2	1	-	-	64	18	15	18	13	27	11	14	2	-	27	8	19	-	2	66
1,542	884	658	-	-	9,674	4,324	2,693	1,497	1,160	8,153	5,240	2,780	92	41	5,188	2,981	1,805	248	154	67
65	39	26	-	-	388	146	132	59	51	350	181	164	2	3	250	121	113	8	8	68
34	21	13	-	-	210	77	67	37	29	184	90	92	1	1	115	56	51	5	3	69
5	5	-	-	-	13	9	2	1	1	16	13	3	-	-	3	1	1	-	1	70
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	71
2	1	1	-	-	17	8	7	2	2	26	16	9	-	1	13	8	4	-	1	72
24	12	12	-	-	148	54	56	19	19	124	62	60	1	1	118	55	57	3	3	73
972	593	379	-	-	4,872	2,702	1,263	566	341	5,220	3,659	1,489	55	17	2,627	1,696	773	102	56	74
304	160	144	-	-	1,332	626	440	165	101	1,192	723	459	5	5	659	362	249	35	13	75
650	419	231	-	-	3,457	2,039	797	390	231	3,996	2,913	1,021	50	12	1,936	1,515	514	66	43	76
18	14	4	-	-	83	37	26	11	9	32	23	9	-	-	30	19	10	1	-	77

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic----421	328	141	89	43	53	31	18	11	1	1
2	Of mitral valve, specified as nonrheumatic----421.0	5	2	1	-	2	-	-	-	-	-
3	Of aortic valve, not specified as rheumatic----421.1	87	35	24	16	12	1	-	1	-	-
4	Of other valves, not specified as rheumatic----421.2-421.4	234	104	64	27	39	30	18	10	1	1
5	Other myocardial degeneration----422	2,061	959	755	202	145	269	149	115	3	2
6	With arteriosclerosis----422.1	524	252	202	46	24	77	41	33	1	2
7	Without mention of arteriosclerosis----422.0,422.2	1,537	707	553	156	121	192	108	82	2	-
8	Other diseases of heart----430-434	1,956	946	501	276	213	76	43	32	1	-
9	Acute and subacute endocarditis----430	61	24	15	10	12	6	4	2	-	-
10	Acute myocarditis not specified as rheumatic----431	149	45	41	32	31	15	7	8	-	-
11	Acute pericarditis specified as nonrheumatic----432	3	2	-	-	1	-	-	-	-	-
12	Functional disease of heart----433	144	85	46	8	5	9	3	6	-	-
13	Other and unspecified diseases of heart----434	1,579	790	399	226	164	46	29	16	1	-
14	Hypertension with heart disease----440-443	2,860	1,130	1,032	351	347	236	111	118	5	2
15	Hypertensive heart disease with arteriolar nephrosclerosis----442	772	345	238	102	87	87	50	34	2	1
16	Essential hypertension with heart disease, etc.*----440,441,443	2,088	785	794	249	260	149	61	84	3	1
17	Hypertension without mention of heart----444-447	614	242	208	76	88	32	15	17	-	-
18	Hypertension with arteriolar nephrosclerosis, etc.*----446	166	88	43	19	16	10	6	4	-	-
19	Essential hypertension, other hypertensive disease, etc.*-444,445,447	448	154	165	57	72	22	9	13	-	-
20	Diseases of arteries----450-456	946	466	353	82	45	93	41	52	-	-
21	General arteriosclerosis----450	804	392	310	70	32	80	33	47	-	-
22	Aortic aneurysm specified as nonsyphilitic, etc.*----451	39	24	9	4	2	5	5	-	-	-
23	Gangrene of unspecified cause----455	24	11	4	5	4	2	-	2	-	-
24	Other arterial diseases----452-454,456	79	39	30	3	7	6	3	3	-	-
25	Diseases of veins and other diseases of circulatory system----460-468	156	64	59	15	18	16	10	6	-	-
26	VIII.—Diseases of the respiratory system----	3,048	1,342	1,106	334	266	177	105	66	4	2
27	Acute upper respiratory infections----470-475	61	22	23	8	8	6	5	1	-	-
28	Influenza----480-483	350	123	142	46	39	9	2	7	-	-
29	Pneumonia, except pneumonia of newborn----490-493	2,048	894	736	233	185	103	57	40	4	2
30	Lobar pneumonia----490	558	260	181	70	47	33	20	11	1	1
31	Bronchopneumonia----491	702	297	283	86	56	44	27	15	1	1
32	Primary atypical pneumonia----492	157	89	57	14	17	9	5	3	1	-
33	Pneumonia, other and unspecified----493	631	268	215	83	65	17	5	11	1	-
34	Acute bronchitis----500	44	17	17	4	6	11	7	4	-	-
35	Bronchitis, chronic and unqualified----501,502	98	48	41	6	3	6	2	4	-	-
36	Hypertrophy of tonsils and adenoids----510	23	12	4	4	3	6	3	3	-	-
37	Empyema and abscess of lung----518,521	54	36	9	7	2	2	2	-	-	-
38	Pleurisy----519	7	3	3	1	-	-	-	-	-	-
39	All other respiratory diseases----Residual	363	187	131	25	20	34	27	7	-	-
40	IX.—Diseases of the digestive system----	3,584	1,723	1,384	256	221	210	108	94	4	4
41	Diseases of teeth and supporting structures----530-535	19	7	4	6	2	1	1	-	-	-
42	Ulcer of stomach----540	151	114	13	15	9	25	18	7	-	-
43	Ulcer of duodenum----541	89	71	10	7	1	22	17	5	-	-
44	Gastritis and duodenitis----543	32	6	12	5	9	-	-	-	-	-
45	Appendicitis----550-553	194	92	62	24	16	11	6	3	2	-
46	Hernia and intestinal obstruction----560,561,570	416	167	174	34	41	36	21	14	-	1
47	Gastro-enteritis and colitis, except diarrhea of newborn----571,572	1,443	648	647	87	61	15	6	9	-	-
48	Cirrhosis of liver----581	475	303	135	22	15	36	19	16	1	-
49	Without mention of alcoholism----581.0	418	281	125	18	14	31	15	15	1	-
50	With alcoholism----581.1	57	42	10	4	1	5	4	1	-	-
51	Cholelithiasis and cholecystitis----584,585	250	77	156	3	12	37	8	29	-	-
52	Other diseases of digestive system----Residual	515	238	169	53	55	27	12	11	1	3
53	X.—Diseases of the genito-urinary system----	2,253	1,100	570	352	231	136	80	54	2	-
54	Nephritis and nephrosis----590-594	1,501	641	442	219	199	91	49	41	1	-
55	Acute nephritis----590	154	62	44	24	24	7	5	2	-	-
56	Nephritis with edema, including nephrosis----591	50	24	11	9	6	9	5	4	-	-
57	Chronic and unspecified nephritis and other renal sclerosis---582-584	1,297	555	387	186	169	75	39	35	1	-
58	Infections of kidney----600	127	46	53	17	11	12	9	3	-	-
59	Calculi of urinary system----602,604	40	23	17	-	-	5	2	3	-	-
60	Other diseases of urinary system----601,603,605-609	100	49	19	25	7	3	3	-	-	-
61	Hyperplasia of prostate----610	352	284	...	68	...	18	17	...	1	...
62	Other diseases of male genital organs----611-617	80	57	...	23	...	-	-	...	-	...
63	Diseases of breast----620,621	1	-	1	-	-	-	-	-	-	-
64	Diseases of female genital organs----622-637	52	...	38	...	14	7	...	7	...	-
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium----	240	...	168	...	72	5	...	5	...	-
66	Sepsis of pregnancy, childbirth, and puerperium----640,641,681,682,684	42	...	28	...	14	1	...	1	...	-
67	Toxemias of pregnancy and puerperium, etc.*----642,685,686	69	...	45	...	24	3	...	3	...	-
68	Hemorrhage of pregnancy and childbirth----643,644,670-672	39	...	30	...	9	1	...	1	...	-
69	Ectopic pregnancy----645	10	...	3	...	7	-	...	-	...	-
70	Abortion without mention of sepsis or toxemia----650	5	...	3	...	2	-	...	-	...	-
71	Abortion with sepsis----651	22	...	15	...	7	-	...	-	...	-
72	Abortion with toxemia, without mention of sepsis----652	4	...	4	...	-	-	...	-	...	-
73	Other complications of pregnancy, childbirth, and puerperium--- Residual	49	...	40	...	9	-	...	-	...	-
74	XII.—Diseases of the skin and cellular tissue----	79	31	32	9	7	4	3	1	-	-
75	Infections of skin and subcutaneous tissue----690-698	27	11	10	4	2	1	1	-	-	-
76	Other diseases of skin and subcutaneous tissue----700-716	52	20	22	5	5	3	2	1	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
44	26	18	-	-	357	91	66	105	95	265	164	91	8	2	189	105	73	6	5	1
3	1	2	-	-	8	2	4	1	1	6	5	-	1	-	3	2	1	-	-	2
5	3	2	-	-	75	21	11	26	15	33	24	9	-	-	32	18	11	3	-	3
36	22	14	-	-	276	68	51	78	79	226	135	82	7	2	154	85	61	3	5	4
211	106	105	-	-	1,593	600	499	276	218	903	526	366	5	6	883	469	362	36	16	5
114	58	56	-	-	691	264	195	124	108	330	204	123	3	-	298	165	118	9	6	6
97	48	49	-	-	902	336	304	152	110	573	322	243	2	6	585	304	244	27	10	7
57	29	28	-	-	434	168	125	71	70	400	248	140	8	4	380	219	119	31	11	8
4	3	1	-	-	12	3	2	-	7	15	10	4	-	1	8	5	3	-	-	9
8	4	4	-	-	47	16	12	5	14	21	13	7	1	-	34	17	17	-	-	10
1	1	-	-	-	-	-	-	-	-	3	2	1	-	-	-	-	-	-	-	11
4	1	3	-	-	41	17	16	5	3	53	29	23	-	1	20	12	8	-	-	12
40	20	20	-	-	334	132	95	61	46	308	194	105	7	2	318	185	91	31	11	13
193	91	102	-	-	2,030	617	608	420	385	1,015	462	530	14	9	859	371	365	65	58	14
57	31	26	-	-	794	256	243	162	133	371	186	178	5	2	294	140	111	26	17	15
136	60	76	-	-	1,236	361	365	258	252	644	276	352	9	7	565	231	254	39	41	16
32	12	20	-	-	289	83	72	60	74	194	104	85	4	1	140	74	55	5	6	17
17	9	8	-	-	107	42	18	21	26	78	48	27	3	-	67	35	28	1	3	18
15	3	12	-	-	182	41	54	39	48	116	56	58	1	1	73	39	27	4	3	19
177	89	87	1	-	618	243	193	108	74	542	301	235	2	4	320	172	133	7	8	20
167	84	82	1	-	554	214	175	98	67	468	258	205	1	4	293	160	121	5	7	21
3	2	1	-	-	24	17	3	2	2	39	23	16	-	-	13	9	3	1	-	22
1	1	-	-	-	10	5	3	1	1	5	4	1	-	-	3	-	3	-	-	23
6	2	4	-	-	30	7	12	7	4	30	16	13	1	-	11	3	6	1	1	24
14	5	9	-	-	94	37	29	12	16	57	31	24	2	-	43	23	19	1	-	25
167	111	55	1	-	1,375	461	377	294	243	894	557	272	39	26	917	452	378	57	30	26
-	-	-	-	-	24	9	3	10	2	8	4	4	-	-	14	8	3	2	1	27
19	15	4	-	-	156	37	49	31	39	46	26	19	1	-	101	43	49	6	3	28
102	59	42	1	-	937	297	261	209	170	670	404	206	36	24	615	291	267	34	23	29
38	21	17	-	-	282	99	69	57	57	210	140	53	10	7	228	113	92	16	7	30
44	30	13	1	-	412	131	112	95	74	385	221	127	23	14	292	132	137	13	10	31
13	5	8	-	-	71	29	28	10	4	45	27	14	2	2	38	18	17	1	2	32
7	3	4	-	-	172	38	52	47	35	30	16	12	1	1	57	28	21	4	4	33
5	2	3	-	-	22	7	5	4	6	11	6	5	-	-	10	3	6	1	-	34
8	6	2	-	-	63	23	21	11	8	30	20	10	-	-	38	20	15	1	-	35
-	-	-	-	-	3	1	1	-	1	13	9	4	-	-	7	3	3	-	1	36
4	4	-	-	-	24	5	5	12	2	11	10	1	-	-	10	7	3	-	-	37
1	1	-	-	-	8	4	1	-	3	3	3	-	-	-	5	3	1	1	-	38
28	24	4	-	-	138	78	31	17	12	102	75	23	2	2	119	74	31	12	2	39
144	83	60	1	-	1,063	434	301	185	143	831	471	337	13	10	793	414	329	34	16	40
-	-	-	-	-	6	2	1	3	-	5	2	3	-	-	2	1	1	-	-	41
15	12	3	-	-	86	51	11	16	8	78	58	17	2	1	60	42	12	5	1	42
17	14	3	-	-	48	34	7	5	2	58	47	10	1	-	31	22	8	1	-	43
-	-	-	-	-	16	7	4	3	2	2	-	1	-	1	4	1	3	-	-	44
6	3	3	-	-	70	27	13	16	14	42	29	12	-	1	42	26	11	3	2	45
35	14	21	-	-	202	79	57	34	32	178	91	82	3	2	134	58	60	12	4	46
16	6	10	-	-	253	79	75	57	42	68	25	37	3	3	231	114	104	9	4	47
29	22	6	1	-	169	86	53	20	10	191	119	69	1	2	142	86	53	1	2	48
27	20	6	1	-	135	63	46	17	9	184	98	83	1	2	125	75	48	1	1	49
2	2	-	-	-	34	23	7	3	1	27	21	6	-	-	17	11	5	-	1	50
13	5	8	-	-	60	22	28	1	9	113	44	68	1	-	69	20	48	1	-	51
13	7	6	-	-	155	47	52	30	24	96	56	38	2	-	78	44	29	2	3	52
102	64	38	-	-	1,028	359	253	229	187	521	335	164	15	7	572	317	203	28	24	53
67	33	34	-	-	769	237	205	160	167	327	189	125	9	4	417	205	171	21	20	54
2	1	1	-	-	57	16	12	17	12	29	13	15	-	1	43	16	19	3	5	55
4	2	2	-	-	29	10	8	7	4	12	5	7	-	-	17	13	4	-	-	56
61	30	31	-	-	683	211	185	136	151	286	171	103	9	3	357	176	148	18	15	57
5	5	-	-	-	52	15	19	9	9	61	34	23	2	2	22	9	13	-	-	58
2	2	-	-	-	14	8	5	1	-	5	4	1	-	-	7	2	5	-	-	59
1	1	-	-	-	29	11	6	11	1	19	13	6	-	-	21	12	5	2	2	60
22	22	...	-	...	116	77	...	39	...	90	87	...	3	...	83	78	...	5	...	61
1	1	...	-	...	20	11	...	9	...	9	8	...	1	...	11	11	...	-	...	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	63
4	...	4	...	-	28	...	18	...	10	10	...	9	...	1	11	...	9	...	2	64
6	...	6	...	-	85	...	37	...	48	31	...	23	...	8	52	...	48	...	4	65
-	...	-	...	-	8	...	3	...	5	5	...	2	...	3	10	...	8	...	2	66
2	...	2	...	-	29	...	17	...	12	7	...	6	...	1	23	...	21	...	2	67
1	...	1	...	-	13	...	4	...	9	4	...	2	...	2	8	...	8	...	-	68
-	...	-	...	-	8	...	-	...	6	4	...	3	...	1	2	...	2	...	-	69
-	...	-	...	-	2	...	2	...	-	2	...	1	...	1	1	...	1	...	-	70
-	...	-	...	-	7	...	3	...	4	1	...	1	...	-	1	...	1	...	-	71
-	...	-	...	-	3	...	2	...	1	-	...	-	...	-	-	...	-	...	-	72
3	...	3	...	-	17	...	6	...	11	8	...	8	...	-	7	...	7	...	-	73
7	3	4	-	-	30	7	14	2	7	17	8	9	-	-	18	6	10	1	1	74
1	1	-	-	-	11	4	4	2	1	5	2	3	-	-	6	3	3	-	-	75
6	2	4	-	-	19	3	10	-	6	12	6	6	-	-	12	3	7	1	1	76

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	TEXAS					UTAH				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	141	54	71	4	12	7	5	2	-	-
2	Arthritis and spondylitis—720-725	91	24	58	2	7	-	-	-	-	-
3	Muscular rheumatism and rheumatism unspecified—726,727	11	7	4	-	-	-	-	-	-	-
4	Osteomyelitis and periostitis—730	11	7	1	1	2	-	-	-	-	-
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	1	1	-	-	-	1	1	-	-	-
6	All other diseases of musculoskeletal system—731-736,738-744	27	15	9	1	3	6	4	2	-	-
7	XIV.—Congenital malformations	890	433	385	47	25	118	72	44	1	1
8	Spina bifida and meningocele—751	96	43	47	5	1	3	1	2	-	-
9	Congenital hydrocephalus, etc.*—752,753	67	33	30	3	1	17	9	6	1	1
10	Congenital malformations of circulatory system—754	408	197	174	23	14	63	38	25	-	-
11	Other congenital malformations—750,755-759	319	160	134	16	9	35	24	11	-	-
12	XV.—Certain diseases of early infancy	4,274	2,051	1,510	412	301	353	202	141	5	5
13	Birth injuries—760,761	647	330	221	64	32	97	61	33	2	1
14	Postnatal asphyxia and atelectasis—762	569	298	199	41	31	73	44	26	1	2
15	Infections of newborn—763-768	408	173	157	42	36	15	8	4	1	1
16	Hemolytic disease of newborn (erythroblastosis)—770	127	67	51	6	3	29	14	15	-	-
17	All other defined diseases of early infancy—769,771,772	335	156	123	33	23	16	9	7	-	-
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	2,188	1,027	759	226	176	123	65	56	1	1
19	XVI.—Symptoms, senility, and ill-defined conditions	2,082	934	617	283	248	187	103	72	8	4
20	Senility without mention of psychosis—794	697	259	277	77	84	98	50	45	2	1
21	Symptoms, ill-defined and unknown causes—780-793,795	1,385	675	340	206	164	89	53	27	6	3
22	XVII.—Accidents, poisonings, and violence	6,629	4,032	1,465	851	281	553	391	150	9	3
23	Accidents—E800-E962	5,160	3,211	1,245	497	207	480	335	136	6	3
24	Railway accidents—E800-E802	136	91	12	32	1	10	9	1	-	-
25	Motor-vehicle accidents—E810-E835	1,977	1,360	402	158	57	178	120	53	5	-
26	Motor-vehicle traffic accidents—E810-E825	1,934	1,333	392	155	54	170	115	50	5	-
27	Motor-vehicle traffic accident with railway train*—E810	95	58	23	7	7	9	7	2	-	-
28	Motor-vehicle traffic accident to pedestrian—E812	387	266	66	41	14	39	25	13	1	-
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	468	328	107	24	9	45	32	12	1	-
30	Motor-vehicle noncollision traffic accidents—E820-E824	354	252	67	27	8	46	34	12	-	-
31	Motor-vehicle traffic accident of unspecified nature—E825	630	429	129	56	16	31	17	11	3	-
32	Motor-vehicle nontraffic accidents—E830-E835	43	27	10	3	3	8	5	3	-	-
33	Other road-vehicle accidents—E840-E845	18	11	3	4	-	4	3	1	-	-
34	Water-transport accidents—E850-E858	56	46	4	5	1	4	3	1	-	-
35	Aircraft accidents—E860-E866	150	135	15	-	-	19	18	1	-	-
36	Accidental poisoning by solid and liquid substances—E870-E888	97	41	38	11	7	4	2	2	-	-
37	Accidental poisoning by gases and vapors—E890-E895	53	36	10	5	2	3	3	-	-	-
38	Accidental falls—E900-E904	791	342	395	22	32	90	45	42	-	3
39	Fall from one level to another—E900-E902	180	107	56	10	7	38	23	15	-	-
40	Fall on same level—E903	101	36	58	4	3	25	14	10	-	1
41	Unspecified falls—E904	510	199	281	8	22	27	8	17	-	2
42	Blow from falling object—E910	59	45	5	8	1	18	15	2	1	-
43	Accident caused by machinery—E912	98	87	2	9	-	15	15	-	-	-
44	Accident caused by electric current—E914	104	86	11	4	1	3	3	-	-	-
45	Accident caused by fire and explosion, etc.*—E916	393	144	132	57	50	19	9	10	-	-
46	Accident caused by hot substance, etc.*—E917,E918	85	37	16	25	7	1	1	-	-	-
47	Accident caused by firearm—E919	207	140	19	41	7	19	17	2	-	-
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	65	31	23	6	5	9	2	7	-	-
49	Accidental drowning*—E929	403	311	45	44	3	37	30	7	-	-
50	Excessive heat and insolation—E931	34	27	-	7	-	-	-	-	-	-
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	26	14	7	3	2	3	3	-	-	-
52	All other accidents—Residual	418	225	106	58	31	44	37	7	-	-
53	Suicide—E963,E970-E979	700	517	151	28	6	58	46	10	2	-
54	Suicide by poisoning—E970-E973	130	74	53	3	-	11	4	6	1	-
55	Suicide by hanging and strangulation—E974	91	59	26	3	3	7	6	1	-	-
56	Suicide by firearms and explosives—E976	394	323	54	15	2	38	34	3	1	-
57	Suicide by all other means—E963,E975,E977-E979	85	61	18	5	1	2	2	-	-	-
58	Homicide—E964,E980-E985	768	303	89	328	68	15	10	4	1	-
59	Assault by firearms and explosives—E981	445	173	50	187	35	9	6	3	-	-
60	Assault by cutting and piercing instruments—E982	212	73	7	107	25	1	1	-	-	-
61	Assault by other means—E964,E980,E983	86	47	12	20	7	5	3	1	1	-
62	Injury by intervention of police—E984	17	7	-	9	1	-	-	-	-	-
63	Execution—E985	8	3	-	5	-	-	-	-	-	-
64	Injury resulting from operations of war—E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		Total	White		Nonwhite		
	Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female		Male	Female	Male	Female	
11	6	5	-	-	82	29	29	7	17	53	27	25	1	-	48	20	27	-	1	1
5	3	2	-	-	58	17	22	5	12	38	17	20	1	-	30	10	20	-	-	2
-	-	-	-	-	2	1	-	-	1	-	-	-	-	-	1	-	1	-	-	3
2	1	1	-	-	5	1	2	1	1	1	1	-	-	-	5	3	2	-	-	4
-	-	-	-	-	3	-	2	-	1	-	-	-	-	-	1	1	-	-	-	5
4	2	2	-	-	16	10	3	1	2	14	9	5	-	-	11	6	4	-	1	6
47	27	20	-	-	411	191	159	52	29	289	158	120	8	3	296	169	111	9	7	7
3	1	2	-	-	46	18	27	1	-	16	5	11	-	-	37	19	18	-	-	8
3	1	2	-	-	49	25	17	4	3	26	10	14	1	1	23	12	9	-	2	9
20	12	8	-	-	193	83	60	34	16	145	77	64	4	-	131	80	42	7	2	10
21	13	8	-	-	123	65	35	13	10	102	66	31	3	2	105	58	42	2	3	11
189	126	63	-	-	1,833	719	469	368	277	945	540	358	27	20	1,093	611	412	35	35	12
39	27	12	-	-	306	133	78	54	41	195	112	75	5	3	185	108	65	7	5	13
42	27	15	-	-	364	167	106	57	34	233	136	85	6	6	179	106	61	4	8	14
9	3	6	-	-	124	35	25	40	24	51	13	14	4	-	102	61	38	3	-	15
8	5	3	-	-	60	36	17	7	-	47	31	15	-	1	35	17	17	1	-	16
13	10	3	-	-	146	32	39	44	31	36	15	19	2	-	65	42	22	1	-	17
78	54	24	-	-	853	316	204	166	147	403	233	150	10	10	527	277	209	19	22	18
36	25	11	-	-	436	131	131	100	74	334	201	117	11	5	496	259	196	27	14	19
6	2	4	-	-	120	34	50	14	22	128	59	64	3	2	124	50	69	2	3	20
30	23	7	-	-	316	97	81	86	52	206	142	53	8	3	372	209	127	25	11	21
258	186	72	-	-	2,656	1,366	482	619	189	2,126	1,523	516	71	16	1,726	1,179	401	118	28	22
215	148	67	-	-	1,980	1,029	373	434	144	1,682	1,217	418	47	10	1,404	960	352	75	17	23
4	4	-	-	-	47	31	3	12	1	46	38	5	3	-	61	45	10	6	-	24
63	52	11	-	-	714	404	109	160	41	481	349	113	15	4	394	293	87	12	2	25
61	50	11	-	-	695	394	107	154	40	458	332	108	14	4	386	286	86	12	2	26
1	1	-	-	-	28	17	4	5	2	14	12	2	-	-	11	10	1	-	-	27
17	13	4	-	-	170	87	19	48	16	124	84	33	6	1	104	72	27	5	-	28
13	11	2	-	-	129	73	29	23	4	99	73	24	1	1	86	63	22	1	-	29
19	16	3	-	-	146	91	18	32	5	104	80	18	4	2	125	99	20	4	2	30
11	9	2	-	-	222	126	37	46	13	117	83	31	3	-	60	42	16	2	-	31
2	2	-	-	-	19	10	2	6	1	23	17	5	1	-	8	7	1	-	-	32
-	-	-	-	-	11	6	-	5	-	8	7	1	-	-	4	3	1	-	-	33
3	3	-	-	-	51	35	1	15	-	50	47	3	-	-	22	17	1	4	-	34
5	5	-	-	-	31	27	4	-	-	74	70	4	-	-	12	10	2	-	-	35
3	2	1	-	-	62	27	19	13	3	29	15	14	-	-	25	17	6	1	1	36
1	-	1	-	-	30	19	10	1	-	43	39	3	1	-	19	14	4	1	-	37
58	21	37	-	-	293	116	120	40	17	348	192	143	10	3	266	122	130	12	2	38
20	13	7	-	-	87	40	25	18	4	131	87	35	6	3	95	50	37	8	-	39
7	2	5	-	-	47	17	27	1	2	64	32	32	-	-	56	21	35	-	-	40
31	6	25	-	-	159	59	68	21	11	153	73	76	4	-	115	51	58	4	2	41
6	6	-	-	-	53	42	-	11	-	49	45	3	1	-	97	86	-	11	-	42
3	2	1	-	-	25	18	-	7	-	48	46	1	1	-	26	25	1	-	-	43
-	-	-	-	-	31	27	1	3	-	18	18	-	-	-	19	18	1	-	-	44
11	7	4	-	-	153	52	27	41	33	118	62	48	7	1	120	60	46	9	5	45
2	-	2	-	-	30	11	7	4	8	16	5	11	-	-	26	14	11	-	1	46
12	10	2	-	-	82	41	6	25	10	52	47	2	3	-	68	58	4	4	2	47
4	3	1	-	-	43	16	10	14	3	56	34	20	1	1	14	6	8	-	-	48
19	18	1	-	-	126	73	12	40	1	135	110	22	3	-	96	76	16	4	-	49
-	-	-	-	-	18	8	2	6	2	2	2	-	-	-	1	-	-	1	-	50
1	1	-	-	-	2	1	1	-	-	3	1	2	-	-	3	1	2	-	-	51
20	14	6	-	-	178	75	41	37	25	116	90	23	2	1	131	93	22	10	4	52
41	37	4	-	-	373	263	74	31	5	357	268	79	9	1	185	155	27	3	-	53
10	8	2	-	-	82	45	31	4	2	89	57	29	2	1	17	11	5	1	-	54
6	5	1	-	-	47	35	10	2	-	75	56	17	2	-	23	18	5	-	-	55
20	19	1	-	-	196	157	18	18	3	141	114	23	4	-	112	101	8	2	-	56
5	5	-	-	-	48	26	15	7	-	52	41	10	1	-	33	25	8	-	-	57
2	1	1	-	-	302	73	35	154	40	77	38	19	15	5	137	64	22	40	11	58
2	1	1	-	-	191	51	26	89	25	43	20	11	8	4	87	41	16	23	7	59
-	-	-	-	-	63	10	1	44	8	9	3	1	4	1	23	6	2	13	2	60
-	-	-	-	-	40	9	8	16	7	21	12	7	2	-	23	14	4	3	2	61
-	-	-	-	-	8	3	-	5	-	1	-	-	1	-	2	2	-	-	-	62
-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	2	1	-	1	-	63
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	64

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	ALL CAUSES	32,993	18,471	14,078	253	191	2,385	1,505	810	43	27
2	I.—Infective and parasitic diseases	801	484	279	24	14	72	41	24	2	5
3	Tuberculosis, all forms—001-019	451	281	147	15	8	29	17	7	2	3
4	Tuberculosis of respiratory system—001-008	416	266	130	13	7	27	17	7	1	2
5	Tuberculosis of meninges and central nervous system—010	9	6	3	-	-	-	-	-	-	-
6	Tuberculosis of intestines, peritoneum, and mesenteric glands—011	1	-	1	-	-	-	-	-	-	-
7	Tuberculosis of vertebral column—012.0,013.0	5	3	2	-	-	-	-	-	-	-
8	Tuberculosis of other bones and joints—012.1-012.3,013.1-013.3	1	-	1	-	-	1	-	-	-	1
9	Tuberculosis of genito-urinary system—016	8	3	4	1	-	-	-	-	-	-
10	Tuberculosis of lymphatic system and other organs—014,015,017,018	6	2	4	-	-	-	-	-	-	-
11	Disseminated tuberculosis—019	5	1	2	1	1	1	-	-	1	-
12	Syphilis and its sequelae—020-029	118	88	24	5	1	19	11	7	-	1
13	Congenital syphilis—020	4	2	1	1	-	-	-	-	-	-
14	Early syphilis—021	-	-	-	-	-	-	-	-	-	-
15	Aneurysm of aorta—022	34	29	3	2	-	11	8	3	-	-
16	Other cardiovascular syphilis—023	47	33	12	1	1	3	1	2	-	-
17	Tabes dorsalis—024	4	2	2	-	-	-	-	-	-	-
18	General paralysis of insane—025	15	9	5	1	-	4	1	2	-	1
19	Other syphilis of central nervous system—026	11	10	1	-	-	1	1	-	-	-
20	Other syphilis—027-029	3	3	-	-	-	-	-	-	-	-
21	Gonococcal infection—030-035	-	-	-	-	-	-	-	-	-	-
22	Typhoid fever—040	1	-	-	-	1	-	-	-	-	-
23	Paratyphoid fever—041	-	-	-	-	-	-	-	-	-	-
24	Other Salmonella infections—042	-	-	-	-	-	-	-	-	-	-
25	Cholera—043	-	-	-	-	-	-	-	-	-	-
26	Brucellosis (undulant fever)—044	2	2	-	-	-	1	1	-	-	-
27	Dysentery, all forms—045-048	8	3	4	-	1	-	-	-	-	-
28	Scarlet fever—050	-	-	-	-	-	-	-	-	-	-
29	Streptococcal sore throat—051	11	5	6	-	-	3	1	2	-	-
30	Erysipelas—052	3	1	2	-	-	-	-	-	-	-
31	Septicemia and pyemia—053	13	5	7	1	-	-	-	-	-	-
32	Diphtheria—055	1	-	1	-	-	-	-	-	-	-
33	Whooping cough—056	2	1	1	-	-	1	-	1	-	-
34	Meningococcal infections—057	15	11	4	-	-	3	1	1	-	1
35	Plague—058	-	-	-	-	-	-	-	-	-	-
36	Tularemia—059	-	-	-	-	-	-	-	-	-	-
37	Leprosy—060	-	-	-	-	-	-	-	-	-	-
38	Tetanus—061	4	3	1	-	-	-	-	-	-	-
39	Anthrax—062	-	-	-	-	-	-	-	-	-	-
40	Acute poliomyelitis—080	73	38	33	2	-	10	8	2	-	-
41	Late effects of acute poliomyelitis—081	-	-	-	-	-	-	-	-	-	-
42	Acute infectious encephalitis—082	10	2	8	-	-	2	-	2	-	-
43	Late effects of acute infectious encephalitis—083	15	10	5	-	-	-	-	-	-	-
44	Smallpox—084	-	-	-	-	-	-	-	-	-	-
45	Measles—085	32	14	15	-	3	-	-	-	-	-
46	Yellow fever—091	-	-	-	-	-	-	-	-	-	-
47	Infectious hepatitis—092	13	6	7	-	-	-	-	-	-	-
48	Rabies—094	-	-	-	-	-	-	-	-	-	-
49	Tick-borne typhus—104	-	-	-	-	-	1	1	-	-	-
50	Typhus, etc.,* and other rickettsial diseases—100-103,105-108	-	-	-	-	-	-	-	-	-	-
51	Malaria—110-117	-	-	-	-	-	-	-	-	-	-
52	Schistosomiasis—123	-	-	-	-	-	-	-	-	-	-
53	Hydatid disease—125	-	-	-	-	-	-	-	-	-	-
54	Filariasis—127	-	-	-	-	-	-	-	-	-	-
55	Ankylostomiasis—129	-	-	-	-	-	-	-	-	-	-
56	Other diseases due to helminths—124,126,128,130	1	-	1	-	-	-	-	-	-	-
57	All other infective and parasitic diseases—Residual	28	14	13	1	-	3	1	2	-	-
58	II.—Neoplasms	5,271	2,679	2,541	23	28	296	150	138	3	5
59	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—140-205	5,148	2,626	2,475	23	24	281	147	126	3	5
60	Malignant neoplasm of buccal cavity and pharynx—140-148	132	94	36	2	-	8	7	1	-	-
61	Of lip—140	18	15	3	-	-	2	1	1	-	-
62	Of tongue—141	26	20	6	-	-	-	-	-	-	-
63	Of other and unspecified parts of buccal cavity—142-144	28	14	13	1	-	1	1	-	-	-
64	Of pharynx—145-148	60	45	14	1	-	5	5	-	-	-
65	Malignant neoplasm of digestive organs and peritoneum—150-156A,157-159	2,251	1,253	977	10	11	110	60	45	2	3
66	Of esophagus—150	108	91	16	-	1	3	2	1	-	-
67	Of stomach—151	735	452	272	7	4	39	23	14	2	-
68	Of intestine, except rectum—152,153	625	298	324	2	3	36	14	20	-	2
69	Of rectum—154	282	169	111	-	2	4	3	1	-	-
70	Of biliary passages and of liver (stated to be primary site)—155	126	42	84	1	1	5	4	1	-	-
71	Of liver not specified whether primary or secondary—156A	121	54	67	-	-	13	8	5	-	-
72	Of pancreas—157	214	124	90	-	-	9	6	2	-	1
73	Of peritoneum and of unspecified digestive organs—158,159	38	25	13	-	-	1	-	1	-	-
74	Malignant neoplasm of respiratory system—160-164	360	276	82	2	-	15	14	1	-	-
75	Of larynx—161	41	36	4	1	-	1	1	-	-	-
76	Of trachea, and of bronchus and lung specified as primary—162	111	89	21	1	-	7	7	-	-	-
77	Of lung and bronchus, unspecified as primary or secondary—163	186	136	50	-	-	7	6	1	-	-
78	Of other parts of respiratory system—160,164	22	15	7	-	-	-	-	-	-	-
79	Malignant neoplasm of breast—170	485	6	479	-	-	19	-	19	-	-
80	Malignant neoplasm of genital organs—171-179	803	324	466	4	9	49	24	25	-	-
81	Of cervix uteri—171	183	...	181	...	2	8	...	8	...	-
82	Of other and unspecified parts of uterus—172-174	130	...	127	...	3	8	...	8	...	-
83	Of ovary, fallopian tube, and broad ligament—175	138	...	135	...	3	8	...	8	...	-
84	Of other and unspecified female genital organs—176	24	...	23	...	1	1	...	1	...	-
85	Of prostate—177	305	301	...	4	...	21	21	...	-	...
86	Of testis, and of other and unspecified male genital organs—178,179	23	23	...	-	...	3	3	...	-	...

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	II.—Neoplasms—Continued										
	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues—Continued										
1	Malignant neoplasm of urinary organs—180,181	271	199	72	-	-	11	8	3	-	-
2	Of kidney—180	106	68	37	-	-	6	4	2	-	-
3	Of bladder and other urinary organs—181	165	130	35	-	-	5	4	1	-	-
4	Malignant neoplasm of other and unspecified sites—156B,165,190-199	449	243	201	2	3	45	23	22	-	-
5	Of skin—190,191	60	30	30	-	-	6	3	3	-	-
6	Of eye—192	10	9	-	-	1	1	-	1	-	-
7	Of brain and other parts of nervous system—193	116	71	43	1	1	6	4	2	-	-
8	Of thyroid gland—194	21	4	17	-	-	1	1	-	-	-
9	Of bone (including jaw bone)—196	59	42	17	-	-	6	3	3	-	-
10	Of connective tissue—197	13	6	7	-	-	-	-	-	-	-
11	Of other specified sites, not stated to be secondary—195,198A,199A	78	37	39	1	1	13	6	7	-	-
12	Of unspecified sites—156B,165,198B,199B-H	92	44	48	-	-	12	6	6	-	-
13	Leukemia and aleukemia—204	214	127	87	-	-	11	4	5	1	1
14	Lymphosarcoma, etc.*—200-203,205	183	104	75	3	1	13	7	5	-	1
15	Lymphosarcoma and reticulosarcoma—200	77	43	33	1	-	6	4	2	-	-
16	Hodgkin's disease—201	68	41	25	2	-	5	2	2	-	1
17	Other neoplasms of lymphatic and hematopoietic tissues—202,203,205	38	20	17	-	1	2	1	1	-	-
18	Benign neoplasms and neoplasms of unspecified nature—210-239	123	53	66	-	4	15	3	12	-	-
19	Benign neoplasms of female genital organs—214-217	28	...	24	...	4	4	...	4	...	-
20	Benign neoplasm of brain and other parts of nervous system—223	23	12	11	-	-	3	2	1	-	-
21	Other benign neoplasms—210-213,218-222,224-229	25	15	10	-	-	2	-	2	-	-
22	Neoplasm of unspecified nature of female genital organs—233-235	1	...	1	...	-	-	...	-	...	-
23	Neoplasm of unspecified nature of brain, etc.*—237	25	14	11	-	-	5	1	4	-	-
24	Other neoplasms of unspecified nature—230-232,236,238,239	21	12	9	-	-	1	-	1	-	-
25	III.—Allergic, endocrine system, metabolic, and nutritional diseases	852	344	496	3	9	58	27	30	-	1
26	Asthma—241	86	54	31	2	1	11	7	4	-	-
27	Nontoxic goiter—250,251	4	-	4	-	-	1	-	1	-	-
28	Thyrotoxicosis with or without goiter—252	55	14	40	-	1	1	-	1	-	-
29	Myxedema, cretinism, and other diseases of thyroid gland—253,254	6	1	5	-	-	1	-	1	-	-
30	Diabetes mellitus—260	627	238	385	-	4	31	11	19	-	1
31	Diseases of thymus gland—273	31	18	10	1	2	7	6	1	-	-
32	Diseases of adrenal glands—274	13	3	10	-	-	2	2	-	-	-
33	Pellagra—281	1	-	1	-	-	-	-	-	-	-
34	All other avitaminoses and nutritional deficiency states—280,282-286	7	3	3	-	1	4	1	3	-	-
35	Other allergic, endocrine, and metabolic diseases—Residual	20	13	7	-	-	-	-	-	-	-
36	IV.—Diseases of the blood and blood-forming organs	164	81	83	-	-	9	2	7	-	-
37	Anemias—290-293	123	60	63	-	-	6	2	4	-	-
38	Pernicious and other hyperchromic anemias—290	92	44	48	-	-	2	1	1	-	-
39	Anemias of other and unspecified type—291-293	31	16	15	-	-	4	1	3	-	-
40	Purpura and other hemorrhagic conditions—296	15	9	6	-	-	1	-	1	-	-
41	All other diseases of blood and blood-forming organs—294,295,297-299	26	12	14	-	-	2	-	2	-	-
42	V.—Mental, psychoneurotic, and personality disorders	104	62	40	1	1	18	10	7	-	1
43	Senile psychosis—304	26	8	17	1	-	3	1	2	-	-
44	Alcoholic psychosis—307	8	8	-	-	-	1	1	-	-	-
45	Other psychoses—300-303,305,306,308,309	24	10	13	-	1	1	-	1	-	-
46	Alcoholism—322	34	30	4	-	-	13	8	4	-	1
47	Mental deficiency—325	9	5	4	-	-	-	-	-	-	-
48	Psychoneuroses and other disorders of personality—310-321,323,324,326	3	1	2	-	-	-	-	-	-	-
49	VI.—Diseases of the nervous system and sense organs	4,276	2,063	2,174	17	22	240	138	98	3	1
50	Vascular lesions affecting central nervous system—330-334	3,911	1,854	2,023	14	20	213	122	88	3	-
51	Subarachnoid hemorrhage—330	56	27	28	1	-	1	1	-	-	-
52	Cerebral hemorrhage—331	2,736	1,291	1,422	9	14	148	82	63	3	-
53	Cerebral embolism and thrombosis—332	454	224	228	-	2	30	17	13	-	-
54	Other vascular lesions affecting central nervous system—333,334	665	312	345	4	4	34	22	12	-	-
55	Meningitis, except meningococcal and tuberculous—340	50	30	19	-	1	3	-	3	-	-
56	Multiple sclerosis—345	62	29	33	-	-	2	2	-	-	-
57	Paralysis agitans—350	73	47	25	-	1	1	-	1	-	-
58	Cerebral spastic infantile paralysis—351	23	12	11	-	-	1	1	-	-	-
59	Epilepsy—353	48	29	19	-	-	11	8	2	-	1
60	Inflammatory diseases of eye—370-379	1	1	-	-	-	-	-	-	-	-
61	Cataract—385	1	-	1	-	-	-	-	-	-	-
62	Glaucoma—387	1	-	1	-	-	-	-	-	-	-
63	Otitis media and mastoiditis—391-393	14	9	5	-	-	1	-	1	-	-
64	Other diseases of nervous system and sense organs—Residual	92	52	37	3	-	8	5	3	-	-
65	VII.—Diseases of the circulatory system	15,648	7,943	5,563	71	51	785	546	234	9	4
66	Rheumatic fever—400-402	49	21	26	1	1	6	2	4	-	-
67	Diseases of heart—410-443	12,391	7,332	4,947	85	47	745	518	216	7	4
68	Chronic rheumatic heart disease—410-416	525	280	237	4	4	39	24	15	-	-
69	Diseases of mitral valve—410	198	104	93	1	-	22	14	8	-	-
70	Diseases of aortic valve specified as rheumatic—411	12	8	3	-	1	3	3	-	-	-
71	Diseases of tricuspid valve—412	2	2	-	-	-	-	-	-	-	-
72	Diseases of pulmonary valve, etc.,* specified as rheumatic—413,414	60	28	29	-	3	1	-	1	-	-
73	Other diseases of heart specified as rheumatic—415,416	253	138	112	3	-	13	7	6	-	-
74	Arteriosclerotic heart disease, including coronary disease—420	7,369	4,766	2,546	37	20	399	308	88	2	1
75	Arteriosclerotic heart disease as described—420.0	2,194	1,170	992	21	11	53	31	20	1	1
76	Heart disease specified as involving coronary arteries—420.1	5,154	3,581	1,548	16	9	342	274	67	1	-
77	Angina pectoris without mention of coronary disease—420.2	21	15	6	-	-	4	3	1	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 23.—DEATHS FROM 254 SELECTED CAUSES, BY RACE

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
	VII.—Diseases of the circulatory system—Continued										
	Diseases of heart—Continued										
1	Chronic endocarditis not specified as rheumatic—421	269	141	125	2	1	17	10	7	-	-
2	Of mitral valve, specified as nonrheumatic—421.0	3	2	1	-	-	-	-	-	-	-
3	Of aortic valve, not specified as rheumatic—421.1	31	20	10	-	1	1	1	-	-	-
4	Of other valves, not specified as rheumatic—421.2-421.4	235	119	114	2	-	16	9	7	-	-
5	Other myocardial degeneration—422	2,380	1,212	1,149	7	12	151	99	48	3	1
6	With arteriosclerosis—422.1	1,139	562	571	2	4	38	20	17	1	-
7	Without mention of arteriosclerosis—422.0,422.2	1,241	650	578	5	8	113	79	31	2	1
8	Other diseases of heart—430-434	342	206	134	1	1	48	31	14	2	1
9	Acute and subacute endocarditis—430	28	17	10	1	-	4	3	1	-	-
10	Acute myocarditis not specified as rheumatic—431	59	31	28	-	-	2	1	1	-	-
11	Acute pericarditis specified as nonrheumatic—432	1	1	-	-	-	-	-	-	-	-
12	Functional disease of heart—433	54	31	23	-	-	3	2	1	-	-
13	Other and unspecified diseases of heart—434	200	126	73	-	1	39	25	11	2	1
14	Hypertension with heart disease—440-443	1,506	727	756	14	9	91	46	44	-	1
15	Hypertensive heart disease with arteriolar nephrosclerosis—442	492	252	234	3	3	45	25	19	-	1
16	Essential hypertension with heart disease, etc.*—440,441,443	1,014	475	522	11	6	46	21	25	-	-
17	Hypertension without mention of heart—444-447	270	111	154	2	3	6	3	3	-	-
18	Hypertension with arteriolar nephrosclerosis, etc.*—446	92	40	48	2	2	2	1	1	-	-
19	Essential hypertension, other hypertensive disease, etc.*—444,445,447	178	71	106	-	1	4	2	2	-	-
20	Diseases of arteries—450-456	856	432	422	2	-	33	21	10	2	-
21	General arteriosclerosis—450	784	391	391	2	-	31	19	10	2	-
22	Aortic aneurysm specified as nonsyphilitic, etc.*—451	30	20	10	-	-	1	1	-	-	-
23	Gangrene of unspecified cause—455	12	8	4	-	-	1	1	-	-	-
24	Other arterial diseases—452-454,456	30	13	17	-	-	-	-	-	-	-
25	Diseases of veins and other diseases of circulatory system—460-468	82	47	34	1	-	3	2	1	-	-
26	VIII.—Diseases of the respiratory system	997	608	362	17	10	94	63	25	4	2
27	Acute upper respiratory infections—470-475	19	9	7	2	1	1	1	-	-	-
28	Influenza—480-483	106	56	48	1	1	7	3	4	-	-
29	Pneumonia, except pneumonia of newborn—490-493	662	410	233	12	7	61	39	16	4	2
30	Lobar pneumonia—490	243	161	74	5	3	28	16	7	1	1
31	Bronchopneumonia—491	317	187	119	7	4	20	13	6	-	1
32	Primary atypical pneumonia—492	69	40	28	-	-	7	5	1	1	-
33	Pneumonia, other and unspecified—493	33	22	11	-	-	9	5	2	2	-
34	Acute bronchitis—500	27	16	10	-	1	2	1	1	-	-
35	Bronchitis, chronic and unqualified—501,502	29	19	10	-	-	7	6	1	-	-
36	Hypertrophy of tonsils and adenoids—510	6	5	1	-	-	-	-	-	-	-
37	Empyema and abscess of lung—518,521	4	3	-	1	-	1	1	-	-	-
38	Pleurisy—519	2	-	2	-	-	-	-	-	-	-
39	All other respiratory diseases—Residual	142	90	51	1	-	15	12	3	-	-
40	IX.—Diseases of the digestive system	1,212	672	508	18	14	117	68	41	5	3
41	Diseases of teeth and supporting structures—530-535	6	4	2	-	-	2	2	-	-	-
42	Ulcer of stomach—540	84	68	15	-	1	10	9	1	-	-
43	Ulcer of duodenum—541	73	59	13	-	1	5	4	1	-	-
44	Gastritis and duodenitis—543	2	1	1	-	-	-	-	-	-	-
45	Appendicitis—550-553	76	45	29	2	-	9	6	3	-	-
46	Hernia and intestinal obstruction—560,561,570	240	122	112	5	1	28	13	10	3	2
47	Gastro-enteritis and colitis, except diarrhea of newborn—571,572	138	67	57	6	8	19	13	3	2	1
48	Cirrhosis of liver—581	250	156	91	3	-	19	11	8	-	-
49	Without mention of alcoholism—581.0	208	122	83	3	-	16	9	7	-	-
50	With alcoholism—581.1	42	34	8	-	-	3	2	1	-	-
51	Cholelithiasis and cholecystitis—584,585	211	75	134	-	2	13	4	9	-	-
52	Other diseases of digestive system—Residual	132	75	54	2	1	12	6	6	-	-
53	X.—Diseases of the genito-urinary system	870	559	298	6	7	78	42	34	1	1
54	Nephritis and nephrosis—590-594	519	280	233	3	3	52	25	25	1	1
55	Acute nephritis—590	27	15	10	-	2	4	1	2	1	-
56	Nephritis with edema, including nephrosis—591	21	15	5	1	-	3	2	1	-	-
57	Chronic and unspecified nephritis and other renal sclerosis—592-594	471	250	218	2	1	45	22	22	-	1
58	Infections of kidney—600	72	35	34	2	1	6	2	4	-	-
59	Calculi of urinary system—602,604	22	12	9	-	1	1	1	-	-	-
60	Other diseases of urinary system—601,603,605-609	24	18	5	-	1	1	1	-	-	-
61	Hyperplasia of prostate—610	206	205	...	1	...	9	9	...	-	...
62	Other diseases of male genital organs—611-617	9	9	...	-	...	4	4	...	-	...
63	Diseases of breast—620,621	1	-	-	-	1	-	-	-	-	-
64	Diseases of female genital organs—622-637	17	...	17	...	-	5	...	5	...	-
65	XI.—Deliveries and complications of pregnancy, childbirth, and the puerperium	49	...	43	...	6	3	...	3	...	-
66	Sepsis of pregnancy, childbirth, and puerperium—640,641,681,682,684	9	...	9	...	-	1	...	1	...	-
67	Toxemias of pregnancy and puerperium, etc.*—642,685,686	12	...	10	...	2	-	...	-	...	-
68	Hemorrhage of pregnancy and childbirth—643,644,670-672	12	...	11	...	1	-	...	-	...	-
69	Ectopic pregnancy—645	1	...	1	...	-	1	...	1	...	-
70	Abortion without mention of sepsis or toxemia—650	-	...	-	...	-	-	...	-	...	-
71	Abortion with sepsis—651	3	...	2	...	1	-	...	-	...	-
72	Abortion with toxemia, without mention of sepsis—652	2	...	2	...	-	-	...	-	...	-
73	Other complications of pregnancy, childbirth, and puerperium—Residual	10	...	8	...	2	1	...	1	...	-
74	XII.—Diseases of the skin and cellular tissue	24	10	14	-	-	-	-	-	-	-
75	Infections of skin and subcutaneous tissue—690-698	5	3	2	-	-	-	-	-	-	-
76	Other diseases of skin and subcutaneous tissue—700-716	19	7	12	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total	White		Nonwhite		Total	White		Nonwhite	
			Male	Female	Male	Female		Male	Female	Male	Female
1	XIII.—Diseases of the bones and organs of movement	72	25	47	-	-	3	3	-	-	-
2	Arthritis and spondylitis—720-725	41	8	33	-	-	2	2	-	-	-
3	Muscular rheumatism and rheumatism unspecified—726,727	-	-	-	-	-	-	-	-	-	-
4	Osteomyelitis and periostitis—730	5	4	1	-	-	-	-	-	-	-
5	Ankylosis and acquired musculoskeletal deformities—737,745-749	1	-	1	-	-	-	-	-	-	-
6	All other diseases of musculoskeletal system—731-736,738-744	25	13	12	-	-	1	1	-	-	-
7	XIV.—Congenital malformations	484	250	228	4	2	46	27	19	-	-
8	Spina bifida and meningocele—751	53	21	32	-	-	4	3	1	-	-
9	Congenital hydrocephalus, etc.*—752,753	53	24	29	-	-	3	1	2	-	-
10	Congenital malformations of circulatory system—754	197	103	91	3	-	17	10	7	-	-
11	Other congenital malformations—750,755-759	181	102	76	1	2	22	13	9	-	-
12	XV.—Certain diseases of early infancy	1,357	804	507	29	17	189	95	66	6	2
13	Birth injuries—760,761	293	181	105	5	2	27	17	7	3	-
14	Postnatal asphyxia and atelectasis—762	251	145	98	4	6	27	14	12	1	-
15	Infections of newborn—763-768	49	27	13	5	4	11	7	3	1	-
16	Hemolytic disease of newborn (erythroblastosis)—770	70	46	22	-	-	7	4	3	-	-
17	All other defined diseases of early infancy—769,771,772	69	34	29	4	2	8	5	1	1	1
18	Ill-defined diseases peculiar to early infancy, and immaturity unqualified—773-776	625	371	240	11	3	89	48	40	-	1
19	XVI.—Symptoms, senility, and ill-defined conditions	293	147	142	2	2	37	31	6	-	-
20	Senility without mention of psychosis—794	200	87	111	1	1	11	8	3	-	-
21	Symptoms, ill-defined and unknown causes—780-793,795	93	60	31	1	1	26	23	3	-	-
22	XVII.—Accidents, poisonings, and violence	2,519	1,740	733	38	8	352	262	78	10	2
23	Accidents—E800-E962	2,054	1,390	628	30	6	296	218	68	8	2
24	Railway accidents—E800-E802	31	26	4	1	-	5	5	-	-	-
25	Motor-vehicle accidents—E810-E835	734	552	165	13	4	123	92	30	1	-
26	Motor-vehicle traffic accidents—E810-E825	717	539	163	11	4	121	90	30	1	-
27	Motor-vehicle traffic accident with railway train*—E810	60	48	12	-	-	9	6	3	-	-
28	Motor-vehicle traffic accident to pedestrian—E812	185	141	41	2	1	11	11	-	-	-
29	Other motor-vehicle traffic accidents, etc.*—E811,E813-E819	173	127	44	-	2	41	27	14	-	-
30	Motor-vehicle noncollision traffic accidents—E820-E824	150	115	26	8	1	45	36	9	-	-
31	Motor-vehicle traffic accident of unspecified nature—E825	149	108	40	1	-	15	10	4	1	-
32	Motor-vehicle nontraffic accidents—E830-E835	17	13	2	2	-	2	2	-	-	-
33	Other road-vehicle accidents—E840-E845	11	10	1	-	-	1	1	-	-	-
34	Water-transport accidents—E850-E858	39	33	6	-	-	2	2	-	-	-
35	Aircraft accidents—E860-E866	20	20	-	-	-	10	9	1	-	-
36	Accidental poisoning by solid and liquid substances—E870-E888	24	15	7	2	-	4	2	2	-	-
37	Accidental poisoning by gases and vapors—E890-E895	46	35	11	-	-	5	3	2	-	-
38	Accidental falls—E900-E904	612	294	313	4	1	34	14	19	1	-
39	Fall from one level to another—E900-E902	239	146	91	2	-	12	6	6	-	-
40	Fall on same level—E903	193	96	95	1	-	8	2	4	-	-
41	Unspecified falls—E904	191	62	127	1	1	16	6	9	1	-
42	Blow from falling object—E910	30	28	2	-	-	11	10	-	1	-
43	Accident caused by machinery—E912	56	54	1	1	-	4	4	-	-	-
44	Accident caused by electric current—E914	25	20	5	-	-	6	6	-	-	-
45	Accident caused by fire and explosion, etc.*—E916	103	60	43	-	-	13	10	3	-	-
46	Accident caused by hot substance, etc.*—E917,E918	16	8	8	-	-	2	2	-	-	-
47	Accident caused by firearm—E919	32	28	4	-	-	8	8	-	-	-
48	Inhalation and ingestion of food or other object, etc.*—E921,E922	25	16	8	1	-	8	5	3	-	-
49	Accidental drowning—E929	117	94	18	4	1	17	17	-	-	-
50	Excessive heat and insolation—E931	9	7	1	1	-	-	-	-	-	-
51	Complications due to nontherapeutic medical and surgical procedures, therapeutic misadventure, etc.*—E940-E959	5	4	1	-	-	1	-	1	-	-
52	All other accidents—Residual	119	86	30	3	-	42	28	7	5	2
53	Suicide—E963,E970-E979	420	324	92	4	-	43	36	7	-	-
54	Suicide by poisoning—E970-E973	82	49	32	1	-	5	3	2	-	-
55	Suicide by hanging and strangulation—E974	156	121	35	-	-	2	2	-	-	-
56	Suicide by firearms and explosives—E975	133	121	11	1	-	33	29	4	-	-
57	Suicide by all other means—E963,E975,E977-E979	49	33	14	2	-	3	2	1	-	-
58	Homicide—E964,E980-E985	44	25	13	4	2	13	8	3	2	-
59	Assault by firearms and explosives—E981	20	10	7	2	1	7	4	2	1	-
60	Assault by cutting and piercing instruments—E982	7	4	1	1	1	3	2	-	1	-
61	Assault by other means—E964,E980,E983	15	9	5	1	-	2	1	1	-	-
62	Injury by intervention of police—E984	2	2	-	-	-	1	1	-	-	-
63	Execution—E985	-	-	-	-	-	-	-	-	-	-
64	Injury resulting from operations of war—E965,E990-E999	1	1	-	-	-	-	-	-	-	-

*For complete category title, refer to table XIII, Part I.

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1	UNITED STATES	1,443,607	39,100	8,581	161	1,440	574	727	917	2,720	949	4,610	206,325	25,089	2,147	746,434	720,499
2	ALABAMA	26,750	925	193	3	34	22	23	16	12	52	116	2,864	330	63	12,090	11,346
3	Autauga	187	2	1	-	-	-	-	-	-	1	1	24	2	1	84	74
4	Baldwin	522	10	4	-	1	-	1	-	-	1	1	39	4	1	148	142
5	Barbour	325	3	1	-	1	2	-	-	-	1	2	27	1	3	146	136
6	Bibb	171	8	1	-	-	-	1	-	-	-	1	19	1	-	72	71
7	Blount	207	5	-	-	1	-	-	-	1	-	-	28	1	-	105	100
8	Bullock	206	4	1	-	1	-	-	-	-	-	-	19	4	-	95	90
9	Butler	260	8	-	-	1	-	1	-	-	3	1	29	1	1	112	106
10	Calhoun	628	21	3	-	1	-	-	-	-	1	1	79	11	2	255	242
11	Anniston	309	13	1	-	-	-	-	-	-	1	-	42	8	1	122	115
12	Balance of county	319	8	2	-	1	-	-	-	-	-	1	37	3	1	133	127
13	Chambers	326	4	-	-	-	2	1	-	-	-	-	23	4	1	164	153
14	Cherokee	125	5	-	-	-	-	-	-	-	-	-	14	2	-	56	53
15	Chilton	216	5	2	-	-	1	-	1	-	1	-	26	2	-	104	100
16	Choctaw	138	4	1	-	-	-	-	-	-	2	1	7	4	2	62	56
17	Clarke	238	8	2	-	1	-	-	-	-	2	1	20	2	1	117	113
18	Clay	142	3	1	-	-	-	-	-	-	1	-	25	2	-	56	53
19	Cleburne	102	4	-	-	1	-	-	-	-	1	-	15	6	-	37	36
20	Coffee	221	3	-	-	1	-	-	1	1	-	1	29	2	-	96	86
21	Colbert	344	14	2	-	-	-	1	-	-	1	2	37	7	-	148	138
22	Conecuh	211	8	2	-	-	3	-	-	-	1	3	25	2	-	77	69
23	Coosa	109	3	2	-	-	-	-	-	-	-	-	12	2	-	48	45
24	Covington	326	5	-	-	-	-	-	-	-	1	4	32	4	-	162	155
25	Crenshaw	171	5	3	-	-	-	1	-	-	-	-	13	-	-	78	76
26	Cullman	331	7	2	-	-	-	-	-	-	1	-	37	4	-	166	146
27	Dale	158	3	1	-	-	-	-	-	-	-	1	14	2	-	81	72
28	Dallas	360	23	8	-	2	-	1	-	-	-	9	49	6	2	282	249
29	Selma	310	11	5	-	1	-	1	-	-	-	2	34	4	1	139	133
30	Balance of county	350	12	4	-	1	-	-	-	-	-	7	15	2	1	143	116
31	De Kalb	282	10	-	-	-	-	-	-	-	2	2	21	3	-	129	127
32	Elmore	308	7	1	-	-	1	-	-	-	-	2	36	8	-	143	135
33	Escambia	294	6	3	-	-	-	-	-	-	3	3	29	3	-	137	128
34	Etowah	706	25	5	-	1	-	1	-	-	1	4	74	9	-	313	300
35	Gadsden	381	13	4	-	-	-	-	-	-	1	1	45	6	-	162	153
36	Balance of county	324	12	1	-	1	-	1	-	-	-	3	29	3	-	151	147
37	Fayette	146	4	-	-	-	1	-	-	-	-	1	18	1	-	65	65
38	Franklin	200	8	1	-	-	-	-	-	2	-	1	16	4	-	85	85
39	Geneva	184	4	3	-	-	-	-	-	-	-	1	16	1	2	79	78
40	Greene	232	7	2	-	-	-	-	-	-	-	-	15	1	-	82	80
41	Hale	219	10	1	-	-	-	-	-	-	2	-	10	5	-	120	115
42	Henry	160	7	2	-	-	-	-	1	-	-	2	12	1	2	69	64
43	Houston	387	5	3	-	1	1	1	-	2	1	1	40	5	1	176	160
44	Dothan	191	2	2	-	1	-	-	-	1	-	-	21	2	-	94	85
45	Balance of county	196	3	1	-	-	1	1	-	1	1	1	19	3	1	82	76
46	Jackson	302	15	2	2	1	-	-	-	1	-	3	19	5	1	116	110
47	Jefferson	5,164	252	57	-	-	-	-	5	-	6	18	655	58	14	2,365	2,284
48	Birmingham	3,167	164	40	-	-	-	-	4	-	2	11	405	32	9	1,513	1,473
49	Bessemer	336	17	-	-	-	-	-	-	-	1	2	34	10	1	154	146
50	Fairfield	128	9	3	-	-	-	-	-	-	-	1	16	1	1	46	45
51	Balance of county	1,533	62	14	-	-	-	-	1	-	3	5	200	15	3	652	620
52	Lamar	132	3	-	-	-	-	-	-	-	1	-	14	2	-	74	66
53	Lauderdale	405	25	2	-	1	-	-	-	-	1	-	39	4	2	173	162
54	Florence	211	11	2	-	-	-	-	-	-	1	-	20	2	-	106	98
55	Balance of county	194	14	-	-	1	-	-	-	-	-	-	19	2	2	67	64
56	Lawrence	180	5	-	-	1	-	1	-	-	-	2	24	3	-	62	61
57	Lee	336	9	4	-	-	-	-	-	-	-	1	32	8	1	15	139
58	Limestone	313	24	4	-	-	-	2	-	-	-	-	26	1	2	13	130
59	Lowndes	196	5	2	-	-	-	-	-	-	1	-	8	4	-	68	67
60	Macon	281	6	3	-	-	-	-	-	-	-	-	26	2	-	128	120
61	Madison	605	33	2	-	-	1	1	-	-	1	3	78	10	1	256	242
62	Huntsville	254	11	2	-	-	-	-	-	-	-	1	36	7	1	105	100
63	Balance of county	351	22	-	-	-	1	1	-	-	1	2	42	3	-	151	142
64	Marengo	374	6	2	-	1	-	-	-	-	1	2	31	7	3	195	169
65	Marion	181	5	-	-	2	3	-	-	-	-	-	16	1	1	75	72
66	Marshall	321	9	-	-	-	1	-	-	-	2	-	37	4	1	142	130
67	Mobile	1,990	85	15	-	7	2	1	1	-	1	11	232	18	5	864	837
68	Mobile	1,209	45	6	-	5	2	-	-	-	1	2	154	13	3	608	563
69	Balance of county	781	40	9	-	2	-	1	1	-	-	9	78	5	2	256	334
70	Monroe	251	3	-	-	-	1	-	-	-	1	1	19	5	-	112	102
71	Montgomery	1,290	43	14	-	-	-	-	1	1	1	3	133	19	-	661	622
72	Montgomery	1,023	37	9	-	-	-	-	-	-	1	2	112	17	-	532	501
73	Balance of county	267	6	5	-	-	-	-	1	1	-	1	21	2	-	129	121
74	Morgan	420	21	2	-	1	-	-	-	-	-	1	44	8	-	176	168
75	Decatur	169	7	1	-	-	-	-	-	-	-	-	15	1	-	83	81
76	Balance of county	251	14	1	-	1	-	-	-	-	-	1	29	7	-	93	87
77	Perry	235	5	3	-	-	-	-	-	-	-	2	18	1	1	101	94
78	Pickens	224	11	1	-	-	-	2	-	-	-	2	32	-	1	105	103
79	Pike	305	3	2	-	-	1	2	-	-	-	3	32	4	-	159	152
80	Randolph	194	2	-	-	1	-	-	-	-	-	1	13	2	1	102	95
81	Russell	429	10	2	-	-	-	1	1	1	-	4	31	5	1	206	193
82	Phenix City	185	7	1	-	-	-	1	-	1	-	1	20	2	-	92	83
83	Balance of county	244	3	1	-	-	-	-	1	-	-	3	11	3	1	114	110
84	St. Clair	210	9	-	-	1	-	-	-	-	2	-	26	3	1	92	86
85	Shelby	279	1	4	-	-	-	-	-	-	-	1	26	5	-	123	119
86	Sumter	249	7	1	1	-	-	-	-	-	-	2	19	2	2	92	83
87	Talladega	552	7	3	-	-	1	1	-	-	2	3	69	9	-	209	188
88	Tallapoosa	308	8	2	-	1	-	-	-	-	2	1	38	7	-	140	127
89	Tuscaloosa	706	23	2	-	1	1	2	3	1	3	1	82	5	2	346	322
90	Tuscaloosa	325	7	-	-	-	1	1	2	1	1	1	43	3	-	158	150
91	Balance of county	381	16	2	-	1	-	1	1	-	2	-	39	2	2	188	172

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
148,953	2,304	518,568	42,625	7,049	25,935	44,640	7,809	9,970	13,694	3,597	3,216	18,864	23,520	31,701	58,405	16,993	8,033	163,391	1
2,980	55	7,612	582	117	744	1,205	94	243	154	103	164	351	1,561	716	1,063	195	429	3,729	2
22	-	46	6	-	10	10	1	1	1	-	3	4	20	2	6	-	4	19	3
38	-	93	11	-	6	8	-	4	4	-	2	2	15	7	12	2	2	54	4
30	-	98	8	-	10	18	2	2	1	-	5	1	42	8	10	1	5	43	5
7	1	42	-	1	1	11	-	2	-	-1	-	2	10	2	10	1	3	26	6
46	1	45	7	1	5	9	-	2	-	1	1	1	8	4	12	-	1	29	7
25	-	62	2	1	5	7	-	2	-	1	2	2	32	3	10	1	1	21	8
38	-	61	6	1	8	12	3	-	1	2	2	4	25	5	8	2	4	35	9
62	4	169	5	2	13	16	-	7	2	3	3	12	29	27	21	7	12	115	10
28	-	86	-	1	7	7	-	2	1	1	2	8	16	10	8	2	7	57	11
34	4	83	5	1	6	9	-	5	1	2	1	4	13	17	13	5	5	58	12
44	-	103	3	3	11	12	1	2	3	1	2	1	15	17	15	4	5	49	13
12	-	39	1	1	3	10	1	-	2	1	1	-	5	6	1	3	2	16	14
20	-	76	3	1	4	13	-	1	-	1	1	2	7	5	7	-	4	33	15
14	-	42	-	-	6	1	1	2	-	-	2	1	16	3	2	-	6	21	16
24	1	84	3	1	4	7	1	2	1	1	-	3	22	9	9	-	5	24	17
17	-	31	5	-	3	2	1	-	1	1	2	4	5	2	14	1	-	21	18
9	-	26	1	-	1	2	-	1	1	-	2	3	3	7	4	-	1	14	19
34	-	44	8	-	10	7	-	4	-	3	3	5	15	6	11	1	1	31	20
29	-	100	7	2	10	14	1	3	3	3	3	2	16	13	16	3	4	51	21
12	-	50	6	1	8	9	1	-	-	1	3	2	24	4	15	1	6	24	22
8	-	34	3	-	3	6	2	1	-	1	-	2	6	6	4	-	1	13	23
46	-	101	8	-	7	9	2	1	-	1	6	3	13	7	14	4	6	52	24
20	1	49	3	3	2	5	1	1	-	1	5	2	9	4	12	2	4	23	25
35	3	95	11	2	20	12	-	2	1	3	1	7	12	7	19	3	3	44	26
17	-	51	4	-	9	7	1	-	-	-	2	2	7	6	6	1	1	23	27
65	1	160	17	6	33	34	1	8	4	-	8	2	88	12	30	2	10	78	28
26	1	101	3	2	6	18	1	6	3	-	2	2	20	6	13	1	1	39	29
39	-	59	14	4	27	16	-	2	1	-	6	-	68	6	17	1	9	39	30
24	-	96	6	1	2	13	-	5	2	1	3	4	17	8	12	2	2	46	31
50	-	78	7	-	8	10	2	-	2	1	3	3	29	5	8	1	6	40	32
18	-	105	4	1	9	14	-	2	1	1	3	7	5	9	20	2	3	42	33
63	-	217	18	2	13	37	3	6	2	3	-	12	36	24	20	9	7	113	34
31	-	111	10	1	9	16	2	2	2	3	-	5	17	13	10	6	2	71	35
32	-	106	8	1	4	21	1	4	-	-	-	7	19	11	10	3	5	42	36
22	-	43	-	-	-	11	1	2	-	-	2	-	9	6	6	3	1	15	37
19	-	54	10	2	-	18	-	2	1	-	1	2	10	4	9	2	2	32	38
24	-	45	9	-	1	13	1	2	3	-	1	2	8	11	7	2	3	25	39
23	2	48	7	-	2	17	-	2	3	-	3	-	51	4	7	2	4	32	40
26	3	84	2	-	5	8	-	1	1	-	-	-	23	3	10	3	-	22	41
18	-	44	2	-	5	15	1	3	1	-	2	-	9	1	9	2	2	18	42
43	1	111	5	-	16	16	1	3	-	2	5	2	20	16	15	5	10	55	43
17	-	67	1	-	9	4	-	2	-	-	2	-	6	6	7	2	7	32	44
26	1	44	4	-	7	12	1	1	-	2	3	2	14	10	8	3	3	23	45
34	1	70	2	3	6	31	1	8	1	-	2	7	11	10	16	3	2	45	46
546	10	1,583	112	33	61	200	23	24	40	10	19	88	170	116	181	43	113	706	47
371	7	1,018	58	19	40	124	14	10	25	8	9	45	100	61	102	32	66	391	48
36	1	92	11	6	8	7	2	3	2	-	1	4	12	4	12	3	4	63	49
5	-	37	1	2	1	4	1	-	1	-	1	5	3	4	3	-	2	27	50
134	2	436	42	6	32	65	6	11	12	2	8	34	55	47	64	8	41	225	51
13	-	49	4	-	8	5	2	1	-	-	-	1	7	1	5	-	-	16	52
42	2	107	10	1	11	32	1	7	1	2	1	7	22	5	23	7	2	48	53
16	1	73	7	1	8	8	1	2	-	1	-	5	10	3	11	2	2	23	54
28	1	34	3	-	3	25	-	5	1	1	1	2	12	2	12	5	-	25	55
17	1	41	1	1	1	3	1	5	-	-	-	4	20	4	9	-	3	33	56
53	-	81	5	-	19	14	-	4	5	4	2	5	11	14	8	2	4	50	57
28	4	93	3	2	5	13	-	8	3	2	3	4	18	11	10	-	3	44	58
21	-	40	6	-	1	9	1	1	1	-	3	2	60	3	4	-	1	23	59
38	1	74	6	1	8	11	3	4	1	-	1	5	26	10	9	1	-	45	60
46	1	177	16	2	14	19	-	6	4	5	6	13	47	13	23	3	4	78	61
22	1	67	9	1	5	6	-	2	2	3	3	5	16	5	8	2	1	38	62
24	-	110	7	1	9	13	-	4	2	2	3	8	31	8	15	1	3	38	63
64	1	90	14	-	26	15	-	4	2	5	1	3	23	10	17	3	4	39	64
19	1	48	4	-	3	10	1	2	-	-	-	1	8	18	6	3	2	27	65
29	-	88	10	3	12	10	1	7	1	2	3	4	8	15	11	5	-	58	66
175	2	672	39	9	67	65	9	15	17	13	11	33	23	44	64	11	33	310	67
109	1	418	27	8	45	27	7	6	13	11	7	16	12	24	29	7	24	187	68
88	1	254	12	1	22	38	2	9	4	2	4	17	11	20	35	4	9	123	69
41	2	55	2	2	10	17	-	4	1	3	2	5	23	10	5	1	5	33	70
186	5	366	59	6	39	55	6	7	6	4	1	20	39	23	48	9	34	162	71
146	5	302	43	5	31	41	4	7	5	2	1	17	26	15	33	7	29	126	72
40	-	64	16	1	8	14	2	-	1	2	-	3	13	8	15	2	5	38	73
63	-	95	9	1	8	17	1	4	5	1	4	6	34	8	20	6	4	57	74
34	-	41	6	-	2	5	-	1	2	-	3	1	11	1	9	1	3	25	75
29	-	54	3	1	6	12	1	3	3	1	1	5	23	7	11	5	1	32	76
31	-	62	-	1	7	19	-	2	1	-	-	-	44	7	5	2	2	22	77
28	-	64	10	1	2	6	1	1	-	-	-	1	22	3	9	-	8	18	78
49	-	92	10	1	7	13	3	-	-	-	2	5	19	10	9	2	5	31	79
25	-	64	5	1	7	9	1	2	1	-	1	2	14	3	7	1	3	28	80
76	1	104	8	4	13	36	2	7	3	1	4	2	23	5	17	2	7	58	81
35	1	42	3	2	9	7	-	2	2	-	2	1	5	2	6	-	3	30	82
41	-	62	5	2	4	29	2	5	1	1	2	1	18	3	11	2	4	28	83
21	-	63	2	-	6	9	-	2	1	-	1	1	8	11	12	2	2	27	84
27	-	86	4	2	4	7	1	5	1	3	-	2	25	14	12	-	9	40	85
22	-	50	9	2	9	11	1	3	-	1	2	1	47	2	12	1	4	38	86
55	-	125	7	1	21	50	2	7	4	5	4	7	16	17	29	5	8	94	87
33	-	91	3	-	13	12	-	3	2	-	1	2	8	13	24	3	3	38	88
68	2	237	9	6	24	28	1	9	6	-	4	7	15	22	28	2	15	97	89
35	-	110	3	2	8	14	1	5	5	-	2	3	6	6	8	1	5	51	90
33	2	127	6	4	16	14	-	4	1	-	2	4	9	16	20	1	10	46	91

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ALABAMA—Continued																
92	Walker	514	19	3	-	-	-	-	2	2	-	2	65	5	-	181	168
93	Washington	120	4	1	-	1	-	-	-	-	-	1	10	1	-	58	48
94	Wilcox	301	7	1	-	-	-	1	-	-	-	1	31	3	-	117	86
95	Winston	142	2	-	-	2	-	-	-	-	-	-	12	2	1	50	45
96	ARIZONA	6,397	524	49	2	28	12	5	10	15	9	39	696	64	19	2,134	2,056
97	Apache	228	36	3	-	-	4	1	-	1	-	1	9	1	3	26	24
98	Cochise	341	9	1	-	2	1	1	1	-	-	-	39	5	1	137	133
99	Coconino	207	32	1	-	4	1	-	2	-	-	1	14	2	4	42	40
100	Gila	222	10	3	-	1	-	-	-	1	-	2	30	5	-	73	67
101	Graham	103	9	1	-	-	-	-	-	-	-	-	15	1	1	34	34
102	Greenlee	92	3	-	-	-	-	-	-	-	2	1	12	1	1	30	29
103	Maricopa	3,732	206	19	1	8	1	-	3	8	1	17	325	25	6	1,011	981
104	Phoenix	1,514	117	11	1	4	1	-	-	2	-	10	184	11	3	572	551
105	Balance of county	1,218	89	8	-	4	-	-	3	6	1	7	141	14	3	439	430
106	Mohave	107	9	1	-	-	-	-	-	-	-	2	9	-	-	32	32
107	Navajo	251	27	7	1	1	-	-	-	-	1	2	15	-	-	50	48
108	Pima	1,084	107	5	-	1	2	-	-	1	2	10	132	16	1	386	373
109	Tucson	393	34	2	-	-	-	-	-	-	-	1	53	10	-	158	153
110	Balance of county	691	73	3	-	1	2	-	-	1	2	9	79	6	1	228	220
111	Pinal	415	37	2	-	11	3	1	2	1	3	2	29	1	-	89	85
112	Santa Cruz	76	4	2	-	-	-	-	-	-	-	-	3	-	-	31	31
113	Yavapai	295	19	2	-	-	-	2	1	2	-	-	28	2	1	111	104
114	Yuma	244	16	2	-	-	-	-	1	1	-	1	36	5	1	82	75
115	ARKANSAS	15,880	648	91	3	40	18	13	7	50	26	89	1,819	194	31	7,143	6,664
116	Arkansas	171	3	1	-	-	-	-	-	-	-	3	25	5	-	72	71
117	Ashley	200	3	4	-	1	-	-	-	-	1	-	22	3	-	94	84
118	Baxter	90	2	-	-	-	-	-	-	2	-	-	12	3	-	41	35
119	Benton	357	11	-	-	1	-	1	-	-	-	-	46	6	-	184	174
120	Boone	130	-	-	-	-	-	-	-	1	-	-	19	2	-	84	64
121	Bradley	153	4	-	-	-	-	-	-	-	1	-	15	-	1	37	35
122	Calhoun	85	6	1	-	-	-	-	-	-	-	-	12	2	-	34	32
123	Carroll	126	6	1	-	-	-	-	-	-	-	-	15	2	-	68	67
124	Chicot	206	4	-	-	1	-	-	-	-	-	4	21	4	1	92	86
125	Clark	200	9	2	-	-	-	-	-	-	-	1	21	-	-	103	101
126	Clay	218	11	-	-	-	-	-	-	-	1	-	28	2	1	102	87
127	Cleburne	99	2	-	-	-	-	1	-	-	-	1	14	-	-	49	40
128	Cleveland	78	3	2	-	-	-	-	-	1	1	2	14	2	-	32	30
129	Columbia	180	7	2	-	-	2	-	-	-	1	2	20	4	-	68	66
130	Conway	167	6	1	-	1	1	-	-	-	2	1	24	7	2	70	61
131	Craighead	393	11	2	-	1	1	1	1	-	-	2	44	2	1	199	191
132	Jonesboro	162	4	2	-	-	-	-	-	-	-	1	18	1	-	93	90
133	Balance of county	231	7	-	-	1	1	1	1	-	-	1	26	1	1	106	101
134	Crawford	208	7	2	-	-	-	-	-	1	-	1	28	4	1	105	97
135	Crittenden	444	24	4	-	1	3	-	-	-	-	8	35	4	-	166	150
136	Cross	153	8	1	-	3	2	-	-	-	-	-	13	-	-	70	68
137	Dallas	109	5	1	-	-	-	-	-	-	-	-	14	4	-	53	47
138	Desha	212	8	1	-	2	-	-	1	-	-	1	24	2	2	82	73
139	Drew	170	10	1	-	1	-	-	-	1	1	1	18	1	-	79	72
140	Faulkner	173	2	-	-	1	-	-	-	1	-	-	25	2	-	88	80
141	Franklin	90	2	-	-	-	-	-	1	-	1	1	17	2	-	34	34
142	Fulton	63	2	-	-	-	-	-	-	-	-	-	8	-	-	26	20
143	Garland	554	22	1	1	1	-	-	-	3	-	4	89	6	-	247	237
144	Hot Springs	449	21	1	-	-	-	-	-	2	-	1	75	5	-	199	192
145	Balance of county	105	1	-	1	1	-	-	-	1	-	3	14	1	-	48	45
146	Grant	61	3	-	-	-	-	-	-	-	-	-	6	-	-	33	31
147	Greene	221	12	-	-	-	-	1	-	3	-	-	19	3	-	98	94
148	Hempstead	241	12	1	-	-	-	1	-	3	-	1	22	2	1	102	94
149	Hot Spring	133	3	1	-	-	-	-	-	1	1	-	14	2	-	76	76
150	Howard	99	2	-	-	-	-	-	-	-	-	2	13	3	-	50	47
151	Independence	190	6	-	-	-	-	-	-	3	-	1	19	-	-	106	95
152	Izard	69	5	-	-	2	-	-	-	1	-	1	4	-	-	30	25
153	Jackson	225	12	-	-	-	1	-	-	1	1	-	28	2	1	99	91
154	Jefferson	636	28	8	-	-	-	-	-	1	3	9	66	8	2	303	278
155	Pine Bluff	362	11	7	-	-	-	-	-	-	1	4	40	5	-	186	170
156	Balance of county	274	17	1	-	-	-	-	-	1	2	5	26	3	2	117	108
157	Johnson	144	6	-	-	-	-	-	-	1	1	-	19	3	-	67	65
158	Lafayette	100	12	-	-	-	-	-	-	-	1	-	14	-	1	45	44
159	Lawrence	182	10	-	-	-	-	-	-	1	-	1	12	3	-	91	87
160	Lee	204	17	2	-	-	1	1	-	1	-	-	9	3	1	78	76
161	Lincoln	120	7	3	-	-	-	-	-	-	-	3	8	-	-	57	55
162	Little River	92	7	-	-	-	-	-	-	-	-	-	12	1	-	43	41
163	Logan	159	8	-	-	-	1	-	-	-	-	-	17	2	-	70	69
164	Lonoke	231	13	2	-	1	-	-	-	-	-	5	19	4	1	98	88
165	Madison	96	1	-	-	-	-	-	-	-	-	-	8	3	-	54	50
166	Marion	62	4	-	-	-	-	-	-	3	-	-	10	1	-	19	18
167	Miller	286	8	1	-	-	-	-	-	1	1	2	31	4	2	121	116
168	Texarkana[1]	168	2	1	-	-	-	-	-	1	-	2	16	3	1	74	72
169	Balance of county	118	4	-	-	-	-	-	-	-	1	-	15	1	1	47	44
170	Mississippi	609	32	3	1	10	1	1	1	6	-	6	58	4	3	196	185
171	Blytheville	142	8	-	1	-	-	-	-	2	-	1	17	-	1	56	54
172	Balance of county	467	24	3	-	10	1	1	1	4	-	5	41	4	2	140	131
173	Monroe	170	9	4	-	1	-	1	-	-	-	1	10	1	-	72	67
174	Montgomery	80	1	-	-	-	-	-	-	-	-	-	9	1	-	29	29
175	Nevada	130	5	-	-	-	-	-	-	-	-	2	18	2	-	60	55
176	Newton	39	2	1	-	-	-	-	-	-	-	1	5	2	-	16	16
177	Ouachita	263	10	1	1	-	-	-	-	-	-	3	36	5	-	107	98
178	Perry	36	-	-	-	-	-	-	-	-	-	-	8	-	1	16	15
179	Phillips	483	29	6	-	3	-	2	-	1	-	1	41	5	-	214	182

[1] Includes data for Texarkana, Ark., only.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
51	-	110	6	1	13	24	2	8	4	5	3	5	34	18	30	1	10	91	92
12	-	29	4	1	12	10	1	2	-	-	-	2	10	2	3	-	2	12	93
34	3	48	3	-	31	14	-	5	2	1	1	3	51	7	12	1	5	38	94
9	-	34	2	-	5	18	-	-	-	1	-	2	14	4	4	4	1	25	95
413	14	1,442	150	37	78	273	39	197	52	23	29	102	264	254	311	80	41	1,126	96
7	-	15	1	1	2	25	-	32	-	-	2	7	24	8	6	-	3	36	97
19	-	94	16	4	4	18	1	2	8	5	2	5	6	10	19	7	1	60	98
7	-	27	5	1	2	19	-	15	1	-	2	2	9	9	11	1	1	36	99
17	-	47	3	-	6	15	1	5	2	-	2	5	13	7	13	3	-	31	100
11	-	18	4	1	-	6	1	1	2	1	-	1	5	5	3	-	1	16	101
4	1	20	3	1	1	8	-	-	-	-	-	1	1	1	8	1	-	22	102
201	8	689	68	15	30	87	19	60	18	6	16	42	86	112	115	39	18	483	103
115	2	377	45	12	21	47	13	26	14	5	8	23	40	60	53	21	8	280	104
86	6	312	23	3	9	40	6	34	4	1	8	19	46	52	62	18	10	203	105
12	-	19	-	1	-	6	1	5	2	-	-	-	-	1	8	3	1	27	106
12	-	34	2	-	2	16	-	18	2	2	1	3	20	11	11	4	5	54	107
54	3	280	26	10	13	35	6	24	8	6	4	18	31	31	40	15	2	201	108
28	1	116	3	5	5	14	4	1	4	3	1	4	4	15	19	10	2	54	109
26	2	164	23	5	8	21	2	23	4	3	3	14	27	16	21	5	-	147	110
19	1	56	8	1	4	17	1	18	5	1	2	6	38	32	34	2	6	72	111
6	-	23	2	-	-	2	-	2	-	-	-	3	2	5	6	-	-	16	112
25	1	69	8	1	7	8	6	2	3	1	-	5	26	11	12	5	3	45	113
19	-	51	4	1	7	11	3	13	1	1	-	4	3	11	25	-	-	27	114
1,598	25	4,564	426	53	479	810	67	188	104	74	80	194	616	385	803	152	145	1,890	115
17	-	49	4	1	1	4	-	-	1	1	1	3	11	8	12	-	2	19	116
18	-	59	7	-	10	13	-	1	-	1	1	1	8	7	12	1	2	25	117
13	-	18	3	1	6	1	1	-	2	1	-	3	3	3	4	3	-	9	118
42	-	119	11	2	10	20	1	-	4	1	-	7	12	5	13	8	2	36	119
23	-	41	-	-	-	8	2	1	1	1	-	2	-	3	11	3	-	12	120
10	-	21	4	-	2	6	-	-	-	1	-	1	-	2	4	1	-	18	121
10	-	22	-	-	2	1	-	-	-	1	-	1	1	2	1	1	1	3	122
19	-	42	4	2	1	6	2	-	1	2	-	1	6	1	4	2	-	9	123
17	-	65	3	1	6	6	3	1	-	-	1	-	28	3	10	-	4	25	124
22	-	71	7	1	2	7	-	2	1	1	-	4	7	6	9	4	1	22	125
14	-	63	10	-	15	16	1	4	2	1	-	5	4	7	12	1	-	21	126
5	-	32	3	-	3	3	1	-	-	1	-	1	1	2	4	1	2	16	127
6	-	20	3	1	2	1	-	-	-	-	-	1	4	5	4	-	1	6	128
20	-	35	9	2	2	12	-	-	-	1	-	3	4	6	14	9	1	23	129
10	-	50	-	1	2	8	-	-	1	-	-	2	1	5	6	6	4	19	130
52	-	123	14	2	8	21	2	4	2	2	-	2	1	6	11	15	5	50	131
27	-	58	5	2	3	5	-	1	2	1	-	1	2	7	4	4	1	21	132
25	-	67	9	-	5	16	2	3	-	1	-	1	1	5	4	7	2	29	133
18	-	73	4	2	8	5	1	3	1	-	-	1	3	6	6	6	1	27	134
44	2	88	17	1	16	28	1	14	3	1	-	2	-	57	8	25	2	3	135
13	-	54	1	-	2	6	-	5	1	2	-	1	1	9	6	7	-	1	136
11	1	32	3	-	6	6	-	1	1	-	-	1	2	3	2	5	-	1	137
14	1	49	9	-	9	16	-	1	1	2	-	2	2	12	5	14	1	1	138
16	1	49	6	-	7	7	1	-	2	3	-	3	13	4	4	4	1	32	139
20	-	55	4	1	8	7	-	-	2	1	-	1	7	4	6	1	-	18	140
9	-	23	2	-	-	1	1	-	-	1	-	-	3	5	3	1	1	21	141
4	-	16	-	-	-	8	-	-	-	-	-	1	4	-	4	-	-	15	142
55	-	166	12	4	10	33	1	2	10	2	-	6	6	11	24	3	2	10	143
45	-	133	11	3	7	28	1	1	8	1	-	4	5	6	19	2	2	80	144
10	-	33	1	1	3	5	-	1	2	1	-	2	1	5	5	1	-	12	145
7	-	22	2	-	2	5	-	-	-	1	-	-	1	4	1	-	1	7	146
15	2	71	6	-	4	17	2	6	3	1	-	3	2	4	7	6	5	27	147
22	-	62	9	1	8	15	2	-	1	5	1	1	2	12	6	15	2	4	31	148
27	-	45	4	-	-	9	1	1	-	1	-	1	1	4	1	5	2	2	7	149
10	-	35	3	1	-	3	-	1	-	-	-	6	3	2	3	-	1	10	150
27	-	61	7	-	11	10	1	1	-	-	-	2	1	2	9	2	1	22	151
10	-	11	4	-	5	4	1	1	-	-	-	-	3	2	4	2	2	7	152
17	-	65	9	-	8	15	2	1	2	-	-	3	4	3	17	4	1	23	153
67	1	200	8	2	25	25	2	8	5	2	-	5	22	16	30	3	8	79	154
44	-	119	6	1	16	8	2	3	4	2	-	2	9	7	17	2	2	50	155
23	1	81	2	1	9	17	-	5	1	2	-	3	13	9	13	1	6	29	156
17	1	41	5	1	2	6	3	-	-	2	1	-	1	2	7	9	1	15	157
6	-	36	2	-	1	2	-	-	1	2	1	-	-	3	5	6	1	9	158
21	1	52	10	3	4	7	1	2	-	1	-	1	4	2	9	4	2	25	159
18	-	57	1	-	2	19	-	7	1	-	-	4	2	13	5	11	1	25	160
10	1	40	4	-	2	6	-	1	-	1	-	1	2	6	1	5	-	14	161
7	-	31	3	-	2	1	1	3	1	-	-	1	2	5	4	5	-	8	162
19	-	45	5	-	1	6	-	2	1	1	-	1	3	9	9	13	1	15	163
24	-	62	2	-	10	15	-	1	2	-	-	1	5	7	6	19	5	25	164
11	-	35	4	-	4	6	1	2	-	1	-	-	-	6	2	2	1	9	165
7	-	10	1	-	1	6	-	-	-	1	-	1	1	2	2	3	1	7	166
39	-	75	1	1	5	10	1	1	1	1	-	1	4	21	10	17	2	44	167
26	-	46	-	-	2	5	-	1	1	-	-	4	11	6	10	1	4	25	168
13	-	29	1	1	3	5	1	-	-	1	-	-	10	4	7	1	1	19	169
58	1	119	7	-	11	43	-	33	8	2	-	2	33	17	33	6	13	87	170
15	-	35	4	-	2	7	-	3	2	-	-	1	3	3	5	4	1	21	171
43	1	84	3	-	9	36	-	30	6	2	-	1	7	30	12	29	5	66	172
19	-	42	5	1	5	21	3	1	3	2	-	1	1	3	4	7	-	25	173
8	-	21	2	-	-	3	-	-	-	-	-	1	1	1	1	7	-	7	174
20	1	33	1	-	5	13	-	3	-	3	-	3	2	2	1	1	1	13	175
2	-	13	1	-	-	2	-	-	-	-	-	-	-	2	3	-	3	2	176
25	1	67	3	2	9	16	2	3	2	-	-	2	5	8	10	17	2	4	29	177
5	-	10	-	-	1	-	-	1	-	-	-	-	-	1	3	-	1	-	5	178
48	-	127	3	4	32	24	3	13	3	3	6	5	57	6	6	3	6	46	179

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ARKANSAS—Continued																
180	Pike	66	4	-	-	-	-	-	-	-	-	-	5	1	-	33	28
181	Poinsett	264	16	3	-	1	1	1	-	1	-	-	30	5	1	97	90
182	Polk	125	5	-	-	-	-	-	-	-	-	2	13	1	-	70	67
183	Pope	170	3	-	-	-	1	-	-	1	2	-	31	3	-	75	64
184	Prairie	76	4	1	-	-	-	-	-	1	-	-	11	1	-	36	34
185	Pulaski	1,785	66	12	-	2	1	-	2	3	3	8	217	25	5	905	887
186	Little Rock	1,031	39	8	-	1	-	-	-	1	-	6	124	9	2	566	547
187	North Little Rock	353	13	1	-	1	-	-	2	1	-	1	39	9	1	167	158
188	Balance of county	401	14	3	-	-	1	-	-	1	3	1	54	7	2	172	162
189	Randolph	129	4	-	-	-	-	-	-	3	-	1	21	-	-	48	42
190	St. Francis	304	16	-	-	2	-	-	-	-	-	1	30	2	1	115	112
191	Saline	153	8	1	-	-	-	-	-	-	-	-	26	-	-	67	61
192	Scott	72	3	-	-	-	-	-	-	-	-	-	15	1	-	32	29
193	Searcy	63	3	-	-	1	-	-	-	1	-	-	4	1	-	33	31
194	Sebastian	543	10	1	-	2	-	-	1	-	1	3	79	3	1	270	259
195	Fort Smith	424	8	1	-	-	-	-	1	-	1	3	58	3	1	215	210
196	Balance of county	119	2	-	-	2	-	-	-	-	-	-	21	-	-	55	49
197	Sevier	125	7	-	-	1	-	-	-	-	-	-	20	2	-	60	59
198	Sharp	51	3	-	-	-	-	-	-	1	-	-	8	1	-	17	16
199	Stone	55	-	-	-	-	-	-	-	-	1	-	2	2	-	26	26
200	Union	315	14	4	-	1	-	-	-	-	-	2	38	2	-	122	108
201	El Dorado	157	8	3	-	-	-	-	-	-	-	-	21	1	-	65	61
202	Balance of county	158	6	1	-	1	-	-	-	-	-	2	17	1	-	57	47
203	Van Buren	68	3	-	-	-	-	-	-	-	-	-	10	2	-	23	17
204	Washington	453	14	4	-	-	-	2	-	1	1	-	29	6	1	250	235
205	White	271	13	2	-	-	-	-	-	1	-	-	37	-	-	130	120
206	Woodruff	146	6	3	-	-	1	-	-	-	1	1	10	1	-	64	58
207	Yell	118	6	-	-	-	-	-	-	-	-	-	25	2	-	59	52
208	CALIFORNIA	100,354	2,805	891	3	35	54	30	62	136	31	274	14,905	936	138	53,027	51,785
209	Alameda	7,277	177	61	-	4	1	3	4	15	2	15	1,112	81	7	4,016	3,938
210	Oakland	4,296	116	40	-	2	1	1	-	5	-	11	652	39	3	2,382	2,330
211	Alameda	560	5	2	-	1	-	-	1	2	-	-	87	6	1	305	303
212	Berkeley	1,057	22	10	-	-	-	-	1	2	1	2	157	11	2	619	608
213	Albany	117	2	-	-	-	-	-	-	-	-	-	28	1	-	58	56
214	San Leandro	271	3	-	-	-	-	1	1	1	1	1	50	3	1	139	137
215	Balance of county	986	29	9	-	1	-	1	1	5	-	1	138	21	-	513	504
216	Alpine	5	-	1	-	-	-	-	-	-	-	-	-	-	-	3	3
217	Amador	136	7	-	-	-	-	-	-	-	-	-	13	1	-	71	70
218	Butte	762	8	2	-	-	4	-	-	-	-	3	99	9	1	412	401
219	Calaveras	119	4	-	-	-	-	-	-	-	-	-	11	1	-	61	59
220	Colusa	158	3	1	-	-	-	-	-	-	-	2	16	-	-	83	81
221	Contra Costa	1,670	45	15	-	-	-	2	5	7	-	5	258	9	-	754	714
222	Richmond	588	20	5	-	-	-	-	2	3	-	3	82	4	-	235	221
223	Balance of county	1,082	25	10	-	-	-	2	3	4	-	2	176	5	-	519	493
224	Del Norte	78	4	1	-	-	-	-	-	-	1	1	10	1	-	40	39
225	El Dorado	213	4	2	-	-	-	-	-	-	1	1	28	5	-	119	113
226	Fresno	2,470	100	16	-	5	3	-	-	5	2	16	322	31	4	1,088	1,044
227	Fresno	1,153	40	12	-	1	-	-	-	1	-	10	165	13	2	574	555
228	Balance of county	1,317	60	6	-	4	3	-	-	4	2	6	157	18	2	514	489
229	Glenn	151	5	1	-	-	-	-	-	1	-	-	20	-	1	77	77
230	Humboldt	770	22	2	-	1	-	1	2	4	3	3	104	7	-	422	418
231	Eureka	370	9	-	-	-	-	-	2	-	2	1	54	3	-	221	220
232	Balance of county	400	13	2	-	1	-	1	-	4	1	2	50	4	-	201	198
233	Imperial	522	25	5	-	1	1	4	-	-	-	3	48	2	3	167	161
234	Brawley	123	7	1	-	1	-	1	-	-	-	1	10	-	1	32	32
235	El Centro	111	4	1	-	-	-	-	-	-	-	1	14	-	1	45	44
236	Balance of county	288	12	3	-	-	1	3	-	-	-	1	24	2	1	90	85
237	Inyo	112	4	3	-	1	-	-	-	-	-	-	17	-	-	45	45
238	Kern	1,695	68	17	-	-	-	-	3	2	2	30	224	16	3	662	653
239	Bakersfield	672	24	8	-	-	-	-	-	-	-	13	83	7	1	272	269
240	Balance of county	1,023	44	9	-	-	-	-	3	2	2	17	141	9	2	390	384
241	Kings	418	16	5	-	2	1	1	-	2	-	4	40	5	-	177	172
242	Lake	184	3	1	-	1	-	-	-	-	-	-	24	-	-	94	92
243	Lassen	121	3	3	-	1	-	-	-	-	-	-	15	1	-	60	60
244	Los Angeles	40,017	974	249	2	5	12	6	17	45	6	94	6,351	370	58	22,285	21,817
245	Long Beach	2,551	34	16	-	-	1	-	-	2	1	1	398	22	1	1,496	1,488
246	Los Angeles	21,070	616	156	1	2	9	4	9	15	2	57	3,400	208	38	11,454	11,203
247	Alhambra	487	8	1	-	-	-	-	-	-	-	1	82	5	-	317	316
248	Belvedere (twp.)[2]	173	9	-	-	-	-	-	1	1	-	-	41	2	1	72	69
249	Beverly Hills	205	1	-	-	-	-	-	-	-	-	1	30	-	-	143	141
250	Burbank	542	9	5	-	-	-	-	-	2	-	-	98	2	3	283	280
251	Glendale	970	11	1	-	-	-	-	-	1	-	-	170	4	1	579	575
252	Huntington Park	304	3	1	-	-	-	-	-	2	-	1	56	5	-	165	162
253	Inglewood	474	7	1	-	-	-	-	-	1	-	-	74	4	-	256	252
254	Pasadena	1,381	19	6	-	-	-	1	1	1	-	2	243	9	2	872	857
255	Santa Monica	795	12	2	-	1	-	-	-	-	-	2	136	6	1	461	453
256	South Gate	339	5	2	-	-	-	-	-	-	-	-	61	3	-	189	186
257	Bell	153	2	-	-	-	-	-	-	-	-	1	30	-	1	83	80
258	Compton	334	7	1	-	-	-	-	1	-	-	1	40	2	1	171	168
259	Lynwood	165	3	-	-	-	-	-	-	1	-	-	28	1	-	98	94
260	Maywood	118	1	1	-	-	-	-	-	-	-	1	19	-	-	66	65
261	Monrovia	240	9	1	-	-	-	-	-	-	-	-	49	-	-	132	130
262	Pomona	374	4	-	-	-	-	-	-	-	-	1	60	2	-	203	201
263	Redondo Beach	223	5	-	-	-	-	-	-	-	-	1	33	4	-	123	119
264	San Gabriel	203	5	-	1	1	-	-	-	2	-	-	33	4	-	106	102
265	South Pasadena	217	3	-	-	-	-	-	-	-	-	-	37	-	-	139	137
266	Whittier	254	2	-	-	-	-	-	-	-	-	-	40	5	-	154	147
267	Balance of county	8,445	199	55	-	1	2	1	5	17	3	24	1,193	82	9	4,721	4,614
268	Madera	341	14	1	-	-	-	-	1	-	-	2	37	1	-	131	129
269	Marin	692	12	3	-	-	-	-	-	2	-	-	111	4	3	362	350

[2] Since this area is difficult to indentify from the information given on the transcripts, data may be understated or overstated.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 580,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-669	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
6	-	22	-	-	5	5	-	-	-	1	-	1	2	7	2	-	1	4	180
23	-	64	3	-	7	10	1	-	-	-	1	8	11	6	16	3	2	41	181
8	-	59	-	-	3	4	2	-	-	-	1	-	2	1	6	-	-	16	182
10	-	49	5	-	11	9	-	-	2	-	1	3	7	2	7	2	1	20	183
5	-	27	1	1	2	10	-	-	-	-	-	1	2	2	2	2	-	3	184
174	3	602	84	4	38	71	4	14	14	4	7	20	15	33	77	23	21	233	185
103	1	385	57	1	19	43	3	9	8	3	4	9	6	17	31	13	12	117	186
34	1	108	12	3	9	12	-	2	5	-	1	3	2	8	22	6	4	53	187
37	1	109	15	-	10	16	1	3	1	1	2	8	7	8	24	4	5	63	188
12	-	28	-	2	6	14	1	1	-	1	-	2	9	-	9	1	1	13	189
29	2	76	4	1	3	24	1	13	2	2	5	1	23	7	23	3	3	30	190
19	-	39	2	1	6	5	-	3	1	-	-	1	4	4	4	1	-	28	191
7	-	18	4	-	3	2	-	1	-	1	-	1	2	-	2	-	-	13	192
8	-	22	1	-	2	6	-	-	-	-	-	1	2	-	2	3	1	5	193
79	-	155	23	2	11	17	5	6	2	2	-	5	18	9	24	4	2	78	194
68	-	119	21	2	5	10	4	4	2	1	-	4	13	6	19	4	2	64	195
11	-	36	2	-	8	7	1	2	-	1	-	1	5	3	5	-	-	14	196
16	-	33	10	-	1	3	-	1	1	-	-	-	2	5	11	-	2	10	197
4	-	11	1	-	1	4	-	-	-	-	1	3	1	2	3	-	-	7	198
5	-	16	2	-	2	-	-	-	-	2	-	1	9	-	4	-	-	6	199
23	1	79	5	-	14	15	1	1	2	1	6	3	13	10	25	4	7	44	200
13	-	45	3	-	4	5	-	1	2	-	3	3	1	2	13	2	4	23	201
10	1	34	2	-	10	10	1	-	-	1	3	-	12	8	12	2	3	21	202
3	-	13	-	1	6	4	1	1	-	-	1	1	2	-	5	-	1	14	203
51	4	166	14	-	15	17	4	4	5	2	1	8	6	7	15	7	1	48	204
28	1	86	5	2	10	12	3	3	1	1	-	3	17	4	13	-	1	30	205
12	-	41	5	-	6	16	-	2	-	-	-	3	7	2	9	1	1	15	206
10	-	37	4	1	7	3	-	-	2	2	1	1	5	1	1	-	1	9	207
9,968	103	37,723	3,379	612	1,242	2,860	727	527	1,775	188	158	1,244	321	3,150	3,478	1,853	485	10,461	208
688	6	3,005	191	48	78	242	42	29	118	14	11	80	15	195	209	116	40	668	209
397	2	1,798	105	28	52	131	25	15	86	10	6	39	9	111	122	88	30	382	210
43	-	238	16	6	2	12	3	1	5	-	-	12	3	13	21	14	1	65	211
124	3	437	37	7	11	40	8	6	11	2	3	11	-	22	25	13	4	85	212
8	-	43	5	-	2	5	1	-	2	-	-	1	-	7	4	3	-	5	213
25	-	104	7	1	2	12	-	1	4	1	-	7	-	9	4	3	2	27	214
91	1	385	21	6	9	42	5	6	10	1	-	10	3	33	35	17	3	104	215
1	-	2	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	216
12	-	52	6	-	1	7	-	-	2	-	-	1	-	7	6	5	1	15	217
87	-	294	16	4	11	28	5	1	3	3	1	16	2	27	41	12	2	83	218
14	-	40	2	3	2	6	1	1	1	1	-	2	-	4	9	3	-	14	219
18	-	59	4	-	2	9	2	-	5	-	-	1	1	2	11	2	1	19	220
125	5	542	34	8	40	37	11	7	25	4	5	29	4	83	87	30	11	257	221
47	2	161	9	2	14	16	3	4	14	1	1	14	2	20	38	12	3	106	222
78	3	381	25	6	26	21	8	3	11	3	4	15	2	43	49	18	8	151	223
4	1	33	1	-	1	-	-	-	-	-	-	-	-	3	4	-	-	13	224
29	-	72	11	1	6	5	-	1	2	-	-	3	4	9	11	3	1	14	225
207	3	729	89	16	44	113	20	47	30	4	6	27	7	142	107	38	17	318	226
111	1	381	55	7	19	40	13	5	18	1	2	10	4	41	46	17	5	133	227
96	2	348	34	9	25	73	7	42	12	3	4	17	3	101	61	21	12	165	228
20	1	49	6	1	-	5	1	-	2	-	-	2	3	8	12	4	-	9	229
72	1	291	51	3	4	10	7	2	13	1	-	5	4	22	60	14	3	58	230
37	-	152	30	1	1	5	7	1	11	-	-	-	3	7	17	5	-	22	231
35	1	139	21	2	3	5	-	1	2	1	-	5	1	15	43	9	3	36	232
23	-	131	5	2	6	19	5	30	10	1	1	10	5	32	35	18	9	90	233
4	-	26	-	2	-	7	1	14	2	-	-	5	-	8	5	3	3	21	234
6	-	36	2	-	1	4	1	2	1	-	-	1	1	4	2	4	1	24	235
13	-	69	3	-	5	8	3	14	7	1	1	4	4	20	28	11	5	45	236
5	1	36	2	1	-	3	1	-	1	-	-	2	1	9	8	3	-	14	237
107	-	516	19	11	9	62	3	34	16	2	9	34	5	125	78	29	19	252	238
49	-	211	7	2	3	27	1	14	7	-	3	10	3	46	24	11	8	110	239
58	-	305	13	9	6	35	2	20	9	2	6	24	2	79	54	18	11	142	240
35	1	116	19	1	5	18	1	16	2	3	-	5	6	23	20	10	1	63	241
15	-	64	13	-	2	3	-	1	2	-	-	2	1	2	10	1	-	19	242
13	-	43	3	1	-	3	1	-	3	-	-	2	-	6	4	2	1	16	243
4,430	38	15,484	1,628	237	468	952	306	118	717	78	60	492	57	916	1,005	702	159	3,981	244
281	1	1,040	130	14	30	40	21	8	39	4	1	36	2	58	82	46	11	231	245
2,268	24	7,918	868	125	251	536	154	64	423	41	33	236	44	439	543	394	105	2,088	246
69	-	211	32	4	1	7	5	4	3	3	-	3	-	5	6	2	-	35	247
11	-	52	6	-	3	6	1	-	2	1	1	4	-	3	4	1	1	22	248
30	-	103	7	1	2	4	1	-	2	-	-	1	-	1	5	7	-	9	249
59	2	199	17	3	3	9	5	4	10	3	-	6	1	12	10	13	2	65	250
110	-	421	36	8	4	16	4	4	12	2	1	8	-	22	22	15	-	97	251
37	-	112	12	1	3	4	6	-	9	-	-	3	-	6	12	7	-	24	252
67	-	160	25	-	6	12	6	1	9	1	1	7	-	19	8	15	2	48	253
217	1	565	70	4	15	30	10	4	19	2	-	10	3	18	20	13	1	95	254
97	1	307	39	9	8	22	9	2	15	-	1	13	1	13	16	14	4	64	255
34	-	143	6	3	3	7	2	-	3	-	2	5	-	4	11	7	1	37	256
17	1	56	5	1	3	2	1	-	2	1	-	2	-	6	3	4	1	14	257
26	1	123	17	1	3	5	6	-	8	-	-	11	1	14	21	6	3	33	258
28	-	59	6	1	4	3	-	-	2	-	-	3	-	5	5	2	1	13	259
16	-	44	3	2	1	6	-	-	1	-	-	2	-	5	2	5	-	9	260
34	-	87	7	2	2	3	4	1	3	2	-	2	-	6	5	3	-	20	261
48	1	130	16	4	2	13	2	-	3	3	1	3	-	20	15	5	-	33	262
21	-	91	5	2	4	3	4	2	6	1	-	1	-	4	5	1	-	30	263
22	-	74	5	1	4	6	-	-	5	-	-	4	-	2	7	3	-	24	264
22	-	102	9	4	2	2	-	1	2	-	-	3	-	4	4	2	1	19	265
41	-	96	10	-	7	7	1	-	2	1	-	-	-	7	5	3	-	27	266
875	6	3,391	295	47	107	210	64	23	157	15	19	129	5	243	194	132	26	938	267
29	-	93	7	-	2	22	4	7	5	-	2	8	1	21	20	5	4	58	268
85	-	248	13	4	12	17	3	1	13	-	3	8	3	19	36	15	7	70	269

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 330-334, 400-468, 592-594	Major cardiovascular renal diseases 330-334, 400-468	Diseases of cardiovascular system
	CALIFORNIA—Continued																
270	Mariposa	57	4	-	-	-	-	-	-	-	-	-	5	-	-	33	33
271	Mendocino	413	10	2	-	-	1	-	-	-	-	-	51	5	-	218	212
272	Merced	574	18	5	-	-	-	-	2	-	1	4	69	5	2	271	265
273	Merced	161	5	2	-	-	-	-	1	-	-	2	18	-	1	86	85
274	Balance of county	413	11	3	-	-	-	-	1	-	1	2	51	5	1	185	180
275	Modoc	91	-	1	-	-	-	-	-	-	-	-	12	1	-	45	44
276	Mono	18	-	-	-	-	-	-	-	-	-	-	2	-	-	11	11
277	Monterey	1,000	20	9	-	-	1	-	3	2	-	5	127	9	2	473	456
278	Monterey	142	2	1	-	-	-	-	1	1	-	-	19	1	-	79	76
279	Salinas	180	4	-	-	-	-	-	1	-	-	-	22	1	1	81	77
280	Balance of county	678	14	8	-	-	1	-	1	1	-	5	86	7	1	313	308
281	Napa	434	11	1	-	-	-	-	-	-	-	-	57	5	1	254	245
282	Nevada	272	5	2	-	1	-	-	-	-	1	-	33	2	-	156	156
283	Orange	1,965	45	13	-	2	-	-	1	3	-	3	308	14	2	1,043	1,011
284	Santa Ana	505	13	2	-	-	-	-	-	-	-	2	78	3	-	268	263
285	Anaheim	135	5	2	-	-	-	-	-	1	-	-	27	-	-	77	74
286	Fullerton	137	4	-	-	-	-	-	-	1	-	1	29	3	-	71	68
287	Balance of county	1,188	23	9	-	2	-	-	1	1	-	-	174	8	2	627	606
288	Placer	475	24	3	-	-	-	-	1	-	-	-	53	3	-	256	249
289	Plumas	140	3	1	-	-	-	1	-	-	-	-	11	4	-	61	59
290	Riverside	1,743	67	9	-	-	1	2	3	3	2	6	221	17	5	817	797
291	Riverside	587	16	5	-	-	-	-	1	-	-	2	81	6	1	313	309
292	Balance of county	1,156	51	4	-	-	1	2	2	3	2	4	140	11	4	504	488
293	Sacramento	2,843	150	20	-	1	6	2	-	-	-	3	398	18	3	1,499	1,464
294	Sacramento	1,889	122	14	-	1	3	1	-	-	-	2	252	13	2	1,051	1,028
295	Balance of county	954	28	6	-	-	3	1	-	-	-	1	146	5	1	448	436
296	San Benito	151	2	1	-	-	-	-	-	-	2	-	17	-	1	74	74
297	San Bernardino	2,435	66	12	-	-	1	-	1	4	2	8	372	23	4	1,119	1,084
298	San Bernardino	768	25	5	-	-	1	-	-	1	-	1	120	11	1	355	345
299	Ontario	205	3	1	-	-	-	-	-	-	-	-	36	3	-	94	91
300	Redlands	209	1	-	-	-	-	-	-	1	-	1	30	1	1	105	102
301	Balance of county	1,253	37	6	-	-	-	-	1	2	2	6	186	8	2	585	546
302	San Diego	4,682	117	31	-	-	1	5	11	-	-	11	719	39	3	2,390	2,328
303	San Diego	2,981	79	21	-	-	-	4	4	-	-	4	444	28	3	1,571	1,550
304	National City	202	4	2	-	-	-	-	4	-	-	1	28	-	-	99	96
305	Balance of county	1,498	34	8	-	-	-	1	1	3	-	6	247	11	-	720	702
306	San Francisco, coextensive with San Francisco (city)	9,559	349	91	-	4	14	-	3	10	3	12	1,389	97	17	5,145	5,032
307	San Joaquin	2,027	98	13	-	2	-	1	4	1	-	9	269	22	3	980	961
308	Stockton	1,018	61	7	-	1	-	-	3	1	-	7	132	9	1	498	485
309	Lodi	150	4	2	-	-	-	-	-	-	-	1	24	1	-	79	79
310	Balance of county	859	33	4	-	1	-	1	1	-	-	1	113	12	2	405	397
311	San Luis Obispo	503	11	4	-	1	-	-	-	-	-	1	64	4	-	262	260
312	San Mateo	1,581	26	8	-	1	-	-	-	5	-	2	253	16	1	867	847
313	Burlingame	174	1	1	-	-	-	-	-	-	-	-	26	1	-	109	105
314	Redwood City	239	7	3	-	-	-	-	-	-	-	-	40	1	-	132	129
315	San Mateo	301	7	1	-	-	-	-	-	-	-	-	52	4	-	174	168
316	Balance of county	867	11	3	-	1	-	-	-	5	-	2	135	10	1	452	445
317	Santa Barbara	968	33	3	-	1	-	-	-	2	-	3	160	10	2	500	490
318	Santa Barbara	564	19	3	-	1	-	-	-	2	-	1	103	7	-	308	300
319	Balance of county	404	14	-	-	-	-	-	-	-	-	2	57	3	2	192	190
320	Santa Clara	2,570	60	20	-	-	1	3	5	3	-	9	356	20	5	1,443	1,413
321	San Jose	1,066	24	11	-	-	1	-	1	2	-	5	145	11	2	630	617
322	Palo Alto	239	1	3	-	-	-	-	-	1	-	1	38	-	-	132	129
323	Balance of county	1,265	35	6	-	-	-	3	4	-	-	3	173	9	3	681	667
324	Santa Cruz	925	12	4	-	-	-	-	1	-	-	-	143	14	-	561	552
325	Santa Cruz	446	7	3	-	-	-	-	-	-	-	-	68	10	-	275	271
326	Balance of county	479	5	1	-	-	-	-	1	-	-	-	75	4	-	286	281
327	Shasta	389	6	1	-	-	1	1	-	-	-	-	49	6	-	189	182
328	Sierra	24	2	-	-	-	-	-	-	-	-	-	2	1	-	13	13
329	Siskiyou	329	5	4	-	-	1	-	-	-	-	1	37	4	1	173	166
330	Solano	772	12	4	-	1	-	-	-	-	-	1	125	4	1	385	373
331	Vallejo	345	5	2	-	-	-	-	-	-	-	1	57	2	1	168	164
332	Balance of county	427	7	2	-	1	-	-	-	-	-	-	68	2	-	217	209
333	Sonoma	1,120	20	8	-	-	-	-	1	1	-	2	179	8	-	612	595
334	Santa Rosa	288	7	1	-	-	-	-	1	-	-	1	58	3	-	154	153
335	Balance of county	832	13	7	-	-	-	-	-	1	-	1	121	5	-	458	442
336	Stanislaus	1,063	28	3	-	-	-	-	-	1	-	1	148	10	-	553	539
337	Modesto	280	8	2	-	-	-	-	-	-	-	-	50	3	-	157	154
338	Balance of county	803	20	1	-	-	-	-	-	1	-	1	98	7	-	396	385
339	Sutter	241	5	3	-	-	1	-	-	-	-	1	26	1	-	128	125
340	Tehama	230	2	-	-	-	-	-	-	-	-	-	32	4	-	120	117
341	Trinity	59	-	-	-	-	-	-	-	-	-	-	5	1	-	33	31
342	Tulare	1,134	35	7	-	-	-	1	-	3	1	6	134	13	2	489	463
343	Tuolumne	153	3	-	-	-	-	-	-	-	-	-	24	1	-	74	72
344	Ventura	792	33	8	-	-	-	-	-	3	2	1	105	5	2	339	331
345	San Buenaventura	162	4	2	-	-	-	-	-	-	1	-	25	2	-	77	76
346	Balance of county	630	29	6	-	-	-	-	-	3	1	1	80	3	2	262	255
347	Yolo	421	16	8	1	-	1	-	-	1	-	3	59	2	-	179	172
348	Yuba	291	13	1	-	-	3	1	-	-	-	3	31	4	1	133	127
349	COLORADO	12,415	241	57	1	9	2	2	12	36	14	59	1,634	158	14	5,992	5,775
350	Adams	228	7	1	-	-	-	-	-	-	-	3	46	1	-	94	91
351	Alamosa	84	-	1	-	-	-	-	-	1	3	-	6	1	1	37	37
352	Arapahoe	373	10	1	-	-	-	-	-	2	-	1	47	6	-	175	170
353	Archuleta	39	2	-	-	-	-	-	-	-	-	-	1	-	-	18	18
354	Baca	50	1	-	-	-	-	-	-	-	-	1	6	-	-	23	22
355	Bent	68	1	-	-	-	-	-	-	1	-	2	7	2	-	34	31
356	Boulder	444	6	1	-	-	-	-	2	1	-	1	62	7	-	231	226
357	Boulder	203	2	-	-	-	-	-	2	-	-	-	27	6	-	103	100
358	Balance of county	241	4	1	-	-	-	-	-	1	-	1	35	1	-	128	126

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
7	-	24	1	1	-	-	-	-	1	-	-	-	-	1	3	1	-	9	270
55	1	130	25	1	6	12	2	2	4	1	-	10	1	23	33	10	1	26	271
40	2	205	15	3	6	15	4	9	8	2	2	5	4	32	37	13	7	61	272
9	-	69	5	2	1	7	2	1	3	1	1	1	2	3	6	3	2	14	273
31	2	136	10	1	5	8	2	8	5	1	1	4	2	29	31	10	5	47	274
7	-	34	3	-	1	3	-	-	1	1	1	-	-	7	9	1	-	10	275
1	-	9	1	-	-	1	-	-	-	-	-	-	-	-	2	-	-	2	276
100	1	331	18	6	17	30	9	4	14	2	2	28	3	41	50	24	9	133	277
12	-	80	2	2	3	3	1	-	3	1	-	3	1	5	8	2	1	10	278
20	-	50	5	2	4	1	4	-	4	1	-	7	-	10	12	8	2	21	279
68	1	221	11	2	10	26	4	4	7	1	2	18	2	26	30	14	6	102	280
53	1	168	21	2	9	11	3	1	4	1	-	7	2	8	19	8	-	41	281
22	-	129	4	1	-	7	-	2	2	1	-	2	-	12	18	4	-	24	282
200	2	741	50	18	32	46	6	10	25	3	4	25	-	72	78	41	6	215	283
57	-	187	14	5	5	14	-	4	6	1	1	6	-	15	19	12	2	59	284
22	-	48	3	1	3	4	-	-	2	-	-	1	-	3	2	-	1	10	285
11	1	52	3	1	3	2	-	1	-	-	-	2	-	4	5	5	-	9	286
110	1	454	30	11	21	26	6	5	17	2	3	16	-	50	52	24	3	137	287
39	-	202	7	1	7	19	5	5	6	1	4	4	1	17	20	16	2	35	288
10	1	43	3	2	2	4	-	-	-	-	1	1	-	15	12	4	2	20	289
163	4	587	31	12	20	52	23	17	22	3	3	20	7	105	71	36	14	217	290
73	1	219	12	4	4	13	8	4	6	1	-	9	1	23	17	9	1	70	291
90	3	368	19	8	16	39	15	13	16	2	3	11	6	82	54	27	13	147	292
277	3	1,099	79	6	35	79	22	16	48	4	3	47	8	89	98	48	15	266	293
206	2	760	55	3	25	56	14	7	40	2	1	20	3	52	52	26	10	145	294
71	1	339	24	3	10	23	8	9	8	2	2	27	5	37	46	22	5	121	295
11	-	55	6	2	-	4	-	1	2	1	-	3	1	18	3	2	-	19	296
181	3	802	81	17	35	120	16	27	36	1	6	30	7	109	89	49	17	316	297
59	1	246	31	8	10	31	6	10	17	1	2	11	2	27	18	15	3	105	298
24	-	59	8	-	3	12	2	1	3	-	-	3	-	8	11	4	-	24	299
14	-	79	7	2	3	12	2	3	2	-	1	1	1	7	7	1	-	32	300
84	2	418	35	7	19	65	6	13	14	-	3	15	4	67	53	29	14	155	301
441	5	1,728	133	21	62	134	29	17	89	9	7	60	18	163	179	93	15	542	302
297	1	1,126	93	13	41	79	18	12	61	6	6	35	6	93	107	58	11	331	303
16	-	77	3	-	3	8	2	-	3	-	-	3	1	6	8	2	-	31	304
128	4	525	37	8	18	47	9	5	25	3	1	22	11	64	64	33	4	180	305
803	7	3,855	277	90	113	311	98	17	337	15	5	80	42	136	359	179	47	801	306
169	6	700	76	10	19	58	15	13	38	3	3	19	6	101	106	49	13	201	307
81	3	355	40	6	11	26	8	4	18	-	-	12	4	41	55	18	6	107	308
14	-	56	8	1	-	2	3	-	-	-	-	-	2	8	4	6	1	13	309
74	3	289	28	3	8	30	4	9	19	3	3	7	-	52	47	25	6	81	310
54	1	193	11	1	2	12	7	3	8	-	-	3	5	27	16	10	1	64	311
171	1	619	46	10	20	44	13	4	28	5	-	23	13	36	51	37	3	145	312
25	-	73	6	1	4	6	3	-	2	2	-	2	1	-	6	3	-	11	313
28	-	93	5	3	3	3	1	1	6	-	-	3	1	6	5	6	-	24	314
37	-	115	12	4	6	9	3	-	7	-	-	5	1	4	6	8	-	20	315
81	1	338	23	2	7	26	6	3	13	3	-	13	10	26	34	20	3	90	316
94	1	362	28	5	10	27	6	4	10	1	-	9	2	33	25	16	5	116	317
61	1	215	22	1	8	16	4	1	6	-	-	5	1	10	13	12	2	50	318
33	-	147	6	4	2	11	2	3	4	1	-	4	1	23	12	4	3	66	319
255	4	1,015	119	20	30	72	15	26	20	6	1	32	2	100	67	49	11	244	320
114	3	439	53	8	13	22	3	8	10	2	1	14	-	29	26	18	4	97	321
32	-	89	6	2	3	6	2	-	-	-	-	3	-	11	8	10	1	22	322
109	1	487	60	10	14	44	10	18	10	4	-	15	2	60	33	21	6	125	323
128	1	371	45	6	9	20	5	2	2	2	-	6	2	14	41	14	2	80	324
61	-	181	24	5	4	11	4	1	-	-	-	3	1	7	15	5	1	35	325
68	1	190	21	1	5	9	1	1	2	2	-	3	1	7	26	9	1	45	326
25	1	147	8	1	7	11	2	-	6	1	-	5	4	20	28	14	2	43	327
1	-	12	-	-	-	-	-	-	-	-	-	-	-	1	3	-	-	2	328
30	-	113	22	1	7	11	2	-	7	-	2	2	3	11	25	8	1	31	329
87	-	261	19	6	12	17	2	5	12	2	1	10	1	41	32	14	4	98	330
33	-	123	7	1	4	9	2	2	2	1	-	7	1	14	11	5	2	53	331
54	-	138	12	5	8	8	-	3	10	1	1	3	-	27	21	9	2	45	332
122	-	430	34	9	17	28	6	5	17	4	-	15	30	29	24	19	7	105	333
31	-	110	8	4	1	7	-	1	4	1	-	7	4	6	5	4	1	23	334
91	-	320	26	5	16	21	6	4	13	3	-	8	26	23	19	15	6	82	335
111	-	390	36	2	14	33	3	9	14	1	2	20	5	51	46	16	5	134	336
27	-	115	11	1	3	4	-	-	6	1	-	3	1	5	10	4	1	25	337
84	-	275	25	1	11	29	3	9	8	-	2	17	4	46	36	12	4	109	338
29	-	90	5	1	3	5	1	2	1	-	2	1	7	12	15	5	1	24	339
19	-	93	4	1	3	11	-	1	-	-	1	4	2	15	12	7	1	18	340
6	-	24	1	-	2	4	-	-	1	-	2	2	-	2	2	3	1	3	341
103	1	329	24	6	26	46	5	23	9	4	3	18	7	72	54	15	6	181	342
9	-	62	1	-	2	8	3	-	4	-	-	1	-	1	8	6	1	19	343
71	-	242	13	5	8	28	7	4	19	1	4	14	2	51	33	20	3	108	344
18	-	56	1	1	1	2	-	-	6	-	-	2	-	5	8	7	1	20	345
53	-	186	12	4	7	26	7	4	13	1	4	12	2	46	25	13	2	88	346
34	-	128	9	1	7	10	3	1	7	1	1	4	17	29	21	4	4	49	347
20	-	101	3	3	6	9	4	2	3	1	-	8	-	20	17	6	3	28	348
1,109	30	4,186	363	97	217	665	104	117	86	30	30	200	88	310	558	223	63	1,710	349
18	-	65	7	1	3	7	-	2	2	-	-	7	2	8	6	6	3	33	350
12	-	25	-	-	-	4	1	3	1	-	-	1	-	3	3	-	-	18	351
37	-	119	10	4	5	15	6	2	1	-	1	6	5	7	14	12	2	60	352
3	-	15	-	-	1	3	-	1	-	-	-	-	1	-	1	-	-	11	353
4	2	16	-	-	1	-	1	-	1	-	-	4	-	3	6	1	-	3	354
5	-	24	2	-	3	3	-	-	-	2	-	2	1	1	4	1	-	7	355
40	3	166	15	2	5	15	4	1	1	-	1	11	1	4	14	7	1	73	356
21	1	71	6	1	3	6	2	1	-	-	-	3	1	1	8	3	1	37	357
19	2	95	9	1	2	9	2	-	1	-	1	8	-	3	6	4	-	36	358

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	COLORADO—Continued																
359	Chaffee	82	-	1	-	-	-	-	-	-	-	1	9	1	-	50	46
360	Cheyenne	36	-	-	-	-	-	-	-	-	-	-	2	-	-	21	19
361	Clear Creek	42	2	-	-	-	-	-	-	-	-	1	6	1	-	14	13
362	Conejos	77	-	-	-	-	-	-	-	-	-	-	3	-	-	37	37
363	Costilla	44	1	1	-	-	-	-	-	-	-	-	1	-	-	20	20
364	Crowley	52	1	1	-	-	-	-	-	2	-	-	7	-	1	17	17
365	Custer	13	-	-	-	-	-	-	-	-	-	-	-	1	-	10	10
366	Delta	200	2	-	-	1	-	1	-	-	-	1	18	3	-	110	105
367	Denver, coextensive with Denver (city)	4,297	114	28	-	1	1	-	3	9	-	20	600	53	5	2,155	2,094
368	Dolores	13	-	-	-	-	-	-	-	-	-	-	3	-	-	4	4
369	Douglas	29	-	-	-	-	-	-	-	-	-	1	5	1	-	11	11
370	Eagle	39	-	-	-	-	-	-	1	-	-	-	3	1	-	17	16
371	Elbert	24	-	-	-	-	-	-	-	-	-	-	4	-	-	12	12
372	El Paso	744	15	2	-	-	-	-	-	3	-	1	115	10	1	399	390
373	Colorado Springs	610	13	1	-	-	-	-	-	2	-	1	98	9	1	332	323
374	Balance of county	134	2	1	-	-	-	-	-	1	-	-	17	1	-	67	67
375	Fremont	246	-	2	-	1	-	-	-	-	-	-	44	5	-	113	112
376	Garfield	123	1	1	-	1	-	-	-	-	-	-	15	3	-	70	66
377	Gilpin	11	-	-	-	-	-	-	-	1	-	-	-	-	-	7	7
378	Grand	30	-	-	-	1	-	-	-	-	-	1	4	-	-	14	14
379	Gunnison	41	-	-	-	-	-	-	-	-	-	-	8	-	-	13	13
380	Hinsdale	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
381	Huerfano	121	3	1	-	-	-	-	-	-	-	-	12	3	-	55	49
382	Jackson	11	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
383	Jefferson	362	6	2	-	-	-	-	2	2	-	-	64	2	-	166	160
384	Kiowa	22	-	-	-	-	-	-	-	-	-	1	2	-	-	11	10
385	Kit Carson	65	-	1	-	-	-	-	-	-	-	-	9	1	-	32	31
386	Lake	102	2	-	-	-	-	-	-	-	2	1	8	2	-	33	32
387	La Plata	139	8	-	-	-	-	-	1	-	1	-	10	2	-	74	69
388	Larimer	369	3	2	-	-	-	-	-	3	-	4	50	6	-	186	181
389	Fort Collins	157	-	1	-	-	-	-	-	2	-	2	24	3	-	80	79
390	Balance of county	212	3	1	-	-	-	-	-	1	-	2	26	3	-	106	102
391	Las Animas	266	7	-	-	-	-	-	-	1	1	-	29	4	-	107	102
392	Trinidad	166	6	-	-	-	-	-	-	-	-	-	18	2	-	73	69
393	Balance of county	100	1	-	-	-	-	-	-	1	1	-	11	2	-	34	33
394	Lincoln	53	-	-	-	-	-	-	-	1	-	-	8	1	-	27	25
395	Logan	141	2	-	-	-	-	-	-	1	-	3	21	-	-	65	64
396	Mesa	410	5	-	-	-	-	-	-	2	1	-	53	4	-	203	193
397	Grand Junction	174	3	-	-	-	-	-	-	-	-	-	23	1	-	82	78
398	Balance of county	236	2	-	-	-	-	-	-	2	1	-	30	3	-	121	115
399	Mineral	7	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3
400	Moffat	43	-	-	-	-	-	-	-	-	-	1	7	-	-	17	16
401	Montezuma	98	4	-	-	-	-	-	-	-	-	1	6	1	-	35	35
402	Montrose	171	4	-	-	-	-	-	-	-	-	-	23	1	-	76	71
403	Morgan	172	1	1	-	-	-	-	-	-	1	-	26	6	-	78	73
404	Otero	240	6	3	-	2	-	-	-	-	1	-	27	3	2	99	93
405	Ouray	21	-	-	-	-	-	-	-	-	-	-	1	1	-	12	11
406	Park	22	-	-	-	-	-	-	-	-	-	-	2	-	-	9	9
407	Phillips	54	-	-	-	-	-	-	1	-	-	2	10	-	-	28	27
408	Pitkin	18	-	-	-	-	-	-	-	-	-	-	2	1	-	13	12
409	Prowers	139	2	-	-	-	-	-	-	-	-	1	13	1	-	67	57
410	Pueblo	814	17	2	-	1	1	1	-	3	1	6	104	12	1	361	345
411	Pueblo	667	14	2	-	1	-	-	-	3	1	5	91	9	1	312	299
412	Balance of county	147	3	-	-	-	1	1	-	-	-	1	13	3	-	49	46
413	Rio Blanco	35	-	-	-	-	-	-	-	-	-	-	2	1	-	17	17
414	Rio Grande	142	1	-	-	-	-	-	1	-	1	1	13	3	1	46	44
415	Routt	78	-	-	-	-	-	-	-	-	-	-	9	-	-	32	32
416	Saguache	65	2	-	-	1	-	-	1	-	-	-	7	-	-	28	27
417	San Juan	10	-	-	-	-	-	-	-	-	-	-	1	-	-	6	5
418	San Miguel	35	-	1	1	-	-	-	-	-	-	-	2	1	-	14	12
419	Sedgwick	48	-	-	-	-	-	-	-	-	-	-	7	-	-	24	24
420	Summit	14	-	-	-	-	-	-	-	-	-	-	1	-	-	4	4
421	Teller	36	1	-	-	-	-	-	-	-	-	1	5	-	-	13	13
422	Washington	65	1	-	-	-	-	-	-	-	-	-	7	1	1	33	31
423	Weld	504	3	4	-	-	-	-	-	3	2	3	58	5	1	244	235
424	Greeley	179	-	2	-	-	-	-	-	1	2	3	17	2	-	103	103
425	Balance of county	325	3	2	-	-	-	-	-	2	-	-	41	3	1	141	132
426	Yuma	93	-	-	-	-	-	-	-	-	-	-	12	-	-	59	57
427	CONNECTICUT	18,829	418	78	1	3	3	2	11	31	6	44	3,428	388	13	10,315	10,087
428	Fairfield	4,596	112	19	-	-	3	-	1	8	-	7	859	93	3	2,496	2,450
429	Bridgeport	1,602	41	6	-	-	3	-	-	1	-	3	278	24	1	906	880
430	Norwalk	437	11	2	-	-	-	-	1	2	-	-	89	13	-	232	226
431	Stamford	620	22	5	-	-	-	-	-	1	-	2	107	15	2	323	311
432	Danbury	321	12	1	-	-	-	-	-	-	-	1	65	10	-	167	162
433	Shelton	114	2	-	-	-	-	-	-	-	-	-	24	6	-	59	58
434	Stratford (town)	225	3	1	-	-	-	-	-	1	-	-	54	3	-	118	117
435	Balance of county	1,277	21	4	-	-	-	-	-	3	-	1	242	22	-	691	676
436	Hartford	4,734	118	22	1	2	-	-	4	12	3	10	856	121	5	2,541	2,495
437	Hartford	1,769	61	9	1	-	-	-	2	2	2	3	304	51	2	953	937
438	Bristol	264	6	1	-	-	-	-	-	-	-	-	47	4	-	134	128
439	New Britain	671	24	5	-	-	-	-	1	1	-	2	141	20	-	320	313
440	West Hartford (town)	378	1	2	-	1	-	-	1	3	-	1	79	8	1	201	198
441	East Hartford (town)	199	3	-	-	-	-	-	-	2	-	-	30	2	-	116	115
442	Balance of county	1,454	23	5	-	1	-	-	-	4	1	4	255	36	2	817	804
443	Litchfield	978	13	5	-	-	-	-	2	1	1	4	148	11	1	550	534
444	Torrington	237	6	-	-	-	-	-	-	-	-	1	42	4	-	132	127
445	Balance of county	741	7	5	-	-	-	-	2	1	1	3	106	7	1	418	407
446	Middlesex	624	8	2	-	-	-	-	-	-	-	2	101	17	-	368	362
447	Middletown	240	5	1	-	-	-	-	-	-	-	2	36	10	-	136	136
448	Balance of county	384	3	1	-	-	-	-	-	-	-	-	65	7	-	232	226

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E300-E302, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
7	-	38	-	1	4	1	-	-	-	-	-	-	1	1	6	1	-	10	359
6	-	11	1	1	2	1	1	-	-	-	1	-	-	3	1	-	-	6	360
1	1	10	-	1	1	2	-	-	-	-	-	1	-	2	2	1	-	10	361
7	-	25	5	-	-	8	1	4	-	1	-	1	3	2	3	-	1	13	362
8	-	11	1	-	-	-	-	-	-	1	-	1	3	2	3	-	-	11	363
4	-	11	2	-	-	5	-	-	-	-	-	-	1	1	6	4	-	6	364
1	-	9	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	365
13	3	78	8	3	5	7	1	2	-	-	-	6	3	3	7	8	2	25	366
397	8	1,544	115	30	61	224	43	27	36	13	3	49	20	83	140	86	25	559	367
2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	4	368
5	-	5	1	-	-	1	-	-	-	-	-	1	-	2	1	2	1	3	369
1	-	13	2	-	1	1	-	1	1	-	-	1	-	2	4	-	1	6	370
5	-	5	2	-	-	-	1	-	-	-	-	-	-	-	-	-	1	6	371
59	1	285	34	11	9	16	3	2	4	-	2	10	8	17	35	6	2	92	372
46	1	233	30	11	9	14	3	2	3	-	2	9	9	10	27	4	1	69	373
11	-	52	4	-	-	2	-	-	1	-	-	1	-	7	8	2	1	23	374
23	-	83	5	1	1	20	-	2	3	3	1	2	-	5	11	4	3	27	375
16	-	47	2	1	4	7	2	-	1	-	-	3	1	1	5	1	-	11	376
1	-	6	-	-	-	1	-	-	-	-	1	-	-	-	-	1	-	-	377
2	-	11	1	-	-	5	-	-	-	-	-	1	-	1	2	-	-	1	378
1	-	9	2	1	-	1	1	-	-	-	-	1	1	1	6	1	-	8	379
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	380
8	1	33	7	-	6	21	1	1	-	-	-	-	1	3	5	2	-	13	381
2	-	2	-	-	-	1	-	-	-	-	-	-	-	-	2	-	1	3	382
27	-	118	10	5	8	17	3	2	2	-	2	14	-	8	15	8	-	47	383
3	-	5	2	-	1	-	-	-	-	-	-	-	-	1	2	-	-	5	384
2	-	24	5	-	1	1	-	1	1	1	-	-	-	1	2	3	-	12	385
7	-	21	2	2	1	9	1	1	-	-	-	3	1	5	6	2	3	23	386
16	1	46	6	-	5	3	-	3	3	-	2	4	-	5	6	2	-	15	387
33	-	128	17	3	7	16	5	4	1	2	-	8	3	4	18	7	1	44	388
20	-	53	6	-	1	7	1	2	1	1	-	3	-	-	6	3	-	21	389
13	-	75	11	3	6	9	4	2	-	1	-	5	3	4	12	4	1	23	390
30	1	60	10	1	5	30	1	5	2	-	2	3	3	9	16	3	3	40	391
19	-	42	7	1	4	23	1	3	1	-	1	3	1	4	7	1	1	21	392
11	1	18	3	-	1	7	-	2	1	-	1	-	2	5	9	2	2	19	393
6	-	19	-	-	2	1	-	1	1	-	-	-	-	2	6	-	-	5	394
18	2	43	1	-	1	6	1	1	1	-	1	1	-	2	9	1	-	26	395
39	3	136	11	4	10	20	3	3	1	1	1	7	3	9	19	7	2	66	396
15	1	57	5	-	4	9	1	2	-	1	-	1	2	3	5	2	2	37	397
24	2	79	6	4	6	11	2	1	1	-	1	6	1	6	14	5	-	29	398
-	-	3	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2	399
6	-	10	-	-	1	1	2	1	-	1	1	-	1	2	2	-	-	7	400
8	-	24	2	1	-	9	1	2	1	-	1	5	1	10	4	5	-	12	401
12	-	53	6	-	5	8	2	3	-	1	1	6	-	6	8	2	1	29	402
11	-	57	5	-	5	9	1	1	-	-	-	4	-	6	8	1	-	29	403
15	-	78	1	1	6	12	1	6	1	-	2	2	2	10	17	3	2	39	404
3	1	7	-	-	1	-	-	-	2	-	-	-	-	-	1	1	-	3	405
2	-	5	2	-	-	1	-	-	1	-	-	-	-	1	5	1	-	2	406
5	-	20	2	-	2	1	2	-	-	-	-	-	-	1	1	-	-	7	407
3	-	9	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	408
8	1	45	3	-	10	4	2	2	-	-	3	2	1	8	10	2	1	20	409
65	1	251	21	7	16	78	7	12	10	1	1	12	5	18	39	14	5	102	410
58	1	215	18	7	13	58	7	4	9	1	-	10	5	13	26	12	4	79	411
7	-	36	3	-	3	20	-	8	1	-	1	2	-	5	13	2	1	23	412
6	-	11	-	-	-	2	-	-	-	-	-	1	2	1	4	-	-	5	413
6	1	35	1	1	2	16	-	13	-	1	1	3	2	7	7	1	-	24	414
8	-	20	4	-	-	6	-	-	1	2	-	3	2	4	6	2	-	11	415
7	-	20	-	-	1	5	-	2	1	-	-	1	-	3	3	1	-	10	416
-	-	5	-	-	1	1	-	-	-	-	-	-	-	-	1	-	-	1	417
1	-	11	-	-	2	4	-	-	-	-	-	-	1	2	1	-	-	8	418
5	-	16	2	1	-	2	1	-	-	-	-	1	-	1	5	1	-	8	419
-	-	3	1	-	-	1	-	-	-	-	-	1	-	-	1	-	-	6	420
2	-	11	-	-	-	2	1	1	-	-	-	-	1	-	2	4	-	5	421
6	-	20	5	-	2	2	-	-	-	-	-	1	-	-	7	1	-	11	422
51	-	160	20	4	9	26	4	5	5	-	2	9	5	26	31	8	2	58	423
20	-	70	13	-	-	10	2	-	-	-	-	4	1	6	3	3	-	20	424
31	-	90	7	4	9	16	2	5	5	-	2	5	4	20	28	5	2	38	425
10	-	45	2	-	2	-	-	-	1	-	-	1	1	1	7	2	-	9	426
1,854	25	7,584	518	106	228	581	99	68	241	24	26	244	77	224	647	236	36	1,785	427
430	5	1,822	137	36	66	93	26	22	63	11	8	51	9	54	161	56	10	431	428
161	1	675	34	11	26	41	8	10	19	-	4	18	3	16	48	17	4	151	429
40	1	163	19	3	6	8	1	1	7	2	1	5	-	4	17	1	-	40	430
56	1	226	19	9	12	14	-	2	9	3	1	5	1	4	28	9	2	65	431
21	-	128	12	1	5	3	2	1	3	-	1	4	1	6	8	3	-	33	432
9	-	46	3	-	1	4	1	-	-	-	-	2	1	1	4	2	1	7	433
22	-	89	5	1	1	4	-	2	4	-	-	5	-	2	5	3	-	20	434
121	2	497	45	11	15	19	14	6	21	6	1	12	3	21	51	21	3	115	435
439	4	1,912	109	31	46	84	26	23	70	8	5	77	14	52	164	61	8	447	436
139	-	745	42	11	16	34	12	8	32	1	3	32	4	16	51	21	3	161	437
23	-	99	5	1	6	4	5	2	4	-	-	5	-	3	10	1	-	38	438
74	1	226	9	3	7	14	2	1	8	2	-	13	2	9	24	11	2	69	439
55	-	149	8	6	3	7	1	1	8	1	-	6	-	1	16	5	-	34	440
11	-	96	7	1	1	6	-	1	-	1	-	1	-	3	9	2	-	23	441
157	3	597	38	9	13	19	6	10	18	3	2	20	8	20	54	21	3	122	442
103	-	399	30	2	16	17	4	1	13	-	2	17	7	20	27	22	3	109	443
20	-	99	8	-	5	6	1	-	6	-	1	2	1	1	8	5	-	21	444
85	-	300	22	2	11	11	3	1	7	-	1	15	6	19	19	17	3	88	445
78	2	247	30	5	6	13	7	4	4	-	-	12	1	3	26	7	1	48	446
37	1	89	9	-	-	8	2	-	2	-	-	8	1	3	8	4	-	14	447
41	1	158	21	5	6	5	5	4	2	-	-	4	-	-	18	3	1	34	448

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	CONNECTICUT—Con.																
449	New Haven	5,470	131	21	-	1	-	1	2	7	2	15	1,024	110	3	2,974	2,914
450	New Haven	1,848	46	8	-	-	-	1	1	2	-	4	327	36	-	1,027	1,003
451	Meriden	425	11	-	-	-	-	-	-	1	-	2	85	6	-	233	231
452	Waterbury	1,034	28	5	-	-	-	-	1	1	2	5	196	22	-	560	553
453	West Haven (town)	354	7	1	-	-	-	-	-	1	-	-	67	6	-	202	199
454	Ansonia	209	5	-	-	-	-	-	-	-	-	2	41	7	1	109	105
455	Derby	111	3	-	-	-	-	-	-	-	-	-	19	4	-	58	57
456	Naugatuck	171	2	-	-	-	-	-	-	-	-	-	35	2	-	86	82
457	Wallingford	174	3	1	-	-	-	-	-	-	-	-	36	3	-	92	89
458	Balance of county	1,144	26	6	-	1	-	-	-	2	-	2	220	22	2	606	595
459	New London	1,426	25	4	-	-	-	-	1	2	-	5	264	16	1	805	782
460	New London	325	8	1	-	-	-	-	-	-	-	1	61	1	-	178	175
461	Norwich	336	4	-	-	-	-	-	-	2	-	-	61	6	1	189	188
462	Balance of county	765	13	3	-	-	-	-	1	-	-	4	142	9	-	428	419
463	Tolland	358	5	2	-	-	-	-	1	1	-	-	55	5	-	215	212
464	Windham	643	6	3	-	-	-	1	-	-	-	1	121	15	-	366	358
465	Willimantic	126	1	-	-	-	-	-	-	-	-	-	28	1	-	61	60
466	Balance of county	517	5	3	-	-	-	1	-	-	-	1	93	14	-	305	298
467	DELAWARE	3,330	113	27	-	1	2	-	5	1	-	12	451	83	6	1,797	1,716
468	Kent	426	12	4	-	-	-	-	1	-	-	2	63	12	1	244	243
469	New Castle	2,181	62	14	-	1	1	-	3	1	-	8	311	51	2	1,191	1,128
470	Wilmington	1,396	42	11	-	-	-	-	2	-	-	7	200	37	2	749	706
471	Balance of county	785	20	3	-	1	1	-	1	1	-	1	111	14	-	442	423
472	Sussex	723	39	9	-	-	1	-	1	-	-	2	77	20	3	362	345
473	DISTRICT of COLUMBIA	8,448	438	83	1	-	7	-	4	4	-	25	1,292	119	21	4,258	4,135
474	FLORIDA	25,376	687	203	6	24	10	6	11	13	9	151	3,259	356	51	12,471	11,888
475	Alachua	418	10	5	1	-	-	-	-	-	-	3	36	8	1	213	204
476	Gainesville	168	6	3	1	-	-	-	-	-	-	1	17	4	1	82	81
477	Balance of county	250	4	2	-	-	-	-	-	-	-	2	19	4	-	131	123
478	Baker	48	2	-	-	-	-	-	-	-	-	2	6	-	-	24	22
479	Bay	245	9	-	1	-	-	-	-	1	-	-	22	4	-	99	95
480	Panama City	173	4	-	-	-	-	-	-	1	-	-	14	3	-	69	68
481	Balance of county	72	5	-	1	-	-	-	-	-	-	-	8	1	-	30	27
482	Bradford	106	1	-	-	-	-	-	-	-	-	-	14	1	1	52	49
483	Brevard	229	4	2	-	1	-	-	-	-	-	1	29	4	-	118	115
484	Broward	685	15	6	1	2	-	-	-	-	-	5	101	10	1	312	293
485	Fort Lauderdale	355	8	4	1	-	-	-	-	-	-	3	65	5	-	169	157
486	Balance of county	330	7	2	-	2	-	-	-	-	-	2	36	5	1	143	136
487	Calhoun	46	2	1	-	-	1	-	-	-	-	1	3	-	-	19	18
488	Charlotte	55	-	-	-	-	-	-	-	-	-	-	14	-	-	27	27
489	Citrus	84	3	-	-	-	-	-	-	-	-	-	15	1	-	46	44
490	Clay	83	-	1	-	1	-	-	-	-	-	2	8	1	-	34	33
491	Collier	60	2	2	-	-	-	-	-	-	-	-	7	2	1	19	17
492	Columbia	191	2	2	-	-	1	-	1	1	1	1	21	7	1	96	91
493	Dade	3,948	115	35	-	1	-	-	-	2	-	17	623	55	10	1,888	1,832
494	Miami	2,450	80	23	-	-	-	-	-	-	-	9	393	25	7	1,174	1,131
495	Miami Beach	341	1	2	-	-	-	-	-	-	-	2	57	13	-	199	196
496	Balance of county	1,157	34	10	-	1	-	-	-	2	-	6	173	17	3	515	505
497	De Soto	107	-	-	-	-	-	-	-	-	-	-	8	1	1	67	61
498	Dixie	44	1	-	-	-	-	-	-	-	-	-	3	1	1	23	23
499	Duval	2,785	134	27	1	3	-	1	3	1	1	12	332	38	6	1,215	1,151
500	Jacksonville	2,324	128	24	1	3	-	1	1	-	1	11	280	29	5	1,004	949
501	Balance of county	461	6	3	-	-	-	-	2	1	-	1	52	9	1	211	202
502	Escambia	866	24	5	-	1	2	-	-	3	-	4	104	8	3	397	383
503	Pensacola	458	17	1	-	-	-	-	-	2	-	1	50	4	1	221	216
504	Balance of county	408	7	4	-	1	2	-	-	1	-	3	54	4	2	176	167
505	Flagler	40	-	-	-	-	-	-	-	1	-	1	2	2	-	20	18
506	Franklin	48	4	2	-	1	-	-	-	-	-	-	7	1	1	19	19
507	Gadsden	318	7	3	-	-	-	-	1	-	-	2	30	5	-	145	137
508	Gilchrist	23	1	-	-	-	-	-	-	-	-	-	2	-	-	10	10
509	Glades	18	-	-	-	-	-	-	-	-	-	-	2	-	-	8	7
510	Gulf	59	1	-	-	-	-	-	-	-	-	-	5	-	-	27	25
511	Hamilton	91	5	-	-	-	-	-	-	-	-	-	10	-	-	48	46
512	Hardee	117	3	-	-	-	-	-	-	-	-	-	16	1	-	59	58
513	Hendry	49	1	1	-	-	-	-	-	-	-	2	1	-	-	22	22
514	Hernando	54	-	-	-	-	-	-	-	-	-	-	5	1	-	35	33
515	Highlands	151	3	-	-	-	-	-	-	-	-	2	15	3	-	79	73
516	Hillsborough	2,365	72	15	-	3	1	1	1	1	-	15	308	44	2	1,141	1,032
517	Tampa	1,659	59	8	-	3	-	-	1	1	-	8	213	39	-	801	738
518	Balance of county	706	13	7	-	-	1	1	-	-	-	7	95	5	2	340	294
519	Holmes	89	2	-	-	-	-	-	-	-	-	-	12	1	-	48	46
520	Indian River	113	3	-	-	-	-	-	-	-	-	1	15	1	-	42	38
521	Jackson	303	7	5	-	-	-	-	1	-	1	1	23	5	-	166	161
522	Jefferson	134	3	1	-	-	-	-	-	-	-	1	10	-	-	76	65
523	Lafayette	33	2	-	-	-	-	-	-	-	-	1	3	1	-	14	13
524	Lake	372	8	4	-	-	1	1	-	-	-	-	49	4	-	190	188
525	Lee	242	7	3	-	1	-	-	-	-	-	2	34	3	-	128	122
526	Fort Myers	171	6	2	-	1	-	-	-	-	-	2	20	2	-	91	88
527	Balance of county	71	1	1	-	-	-	-	-	-	-	-	14	1	-	37	34
528	Leon	319	10	-	-	-	-	-	2	-	-	4	32	-	-	135	129
529	Tallahassee	186	4	-	-	-	-	-	-	-	-	2	20	-	-	87	85
530	Balance of county	133	6	-	-	-	-	-	2	-	-	2	12	-	-	48	44
531	Levy	117	4	1	-	1	-	-	-	-	-	1	12	3	1	53	53
532	Liberty	30	-	1	-	-	-	-	-	-	-	-	3	-	-	15	15
533	Madison	173	2	1	-	1	-	-	-	-	-	2	12	2	1	89	85
534	Manatee	360	7	2	-	-	-	-	-	-	-	3	51	8	1	205	195
535	Marion	450	10	4	-	-	-	-	-	-	-	3	40	6	-	227	217

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
556	8	2,188	139	23	60	151	25	13	75	4	9	59	36	55	199	60	8	505	449
191	2	755	45	10	24	40	13	1	24	1	4	12	15	20	76	17	4	169	450
32	-	187	9	3	2	16	2	2	5	1	1	3	-	2	16	2	-	37	451
108	-	421	20	4	7	20	2	5	19	1	1	15	5	6	32	9	1	98	452
39	1	152	7	-	3	6	2	1	4	-	-	4	1	5	18	6	2	23	453
24	-	73	6	2	4	8	-	-	2	-	-	2	1	1	8	4	-	18	454
13	-	43	1	-	2	4	-	1	3	-	-	4	1	1	2	1	-	9	455
13	1	59	9	-	4	4	-	-	1	-	1	2	1	1	13	3	-	20	456
20	-	66	3	-	3	5	-	1	4	-	-	1	3	1	8	3	-	15	457
116	4	432	39	4	11	28	6	2	13	1	2	16	9	18	28	15	1	118	458
143	4	581	48	6	23	23	4	4	7	-	1	16	4	24	40	20	4	156	459
33	-	129	13	-	3	7	1	-	-	-	-	4	3	7	10	6	2	35	460
39	1	138	8	2	11	5	-	2	2	-	-	4	-	3	11	3	-	33	461
71	3	314	27	4	9	11	3	2	5	-	1	8	1	14	19	11	2	88	462
36	-	160	13	3	3	4	1	-	1	-	1	8	2	7	12	4	-	34	463
89	-	275	12	2	8	16	6	1	8	1	-	4	4	9	16	6	2	55	464
7	-	47	5	1	1	3	2	-	4	1	-	1	-	3	3	2	-	16	465
62	-	228	7	1	7	13	4	1	4	-	-	3	4	6	15	4	2	39	466
276	8	1,324	96	12	81	92	12	21	23	6	4	41	21	76	112	41	25	359	467
35	2	189	17	-	1	9	1	2	3	-	2	2	4	12	16	6	3	27	468
185	5	867	62	9	63	60	10	12	15	6	1	29	7	39	71	27	10	249	469
116	1	541	42	5	44	44	7	9	11	3	1	23	4	19	52	17	6	150	470
69	4	326	20	4	19	16	3	3	4	3	-	6	3	20	19	10	4	99	471
56	1	268	17	3	17	23	1	7	5	-	1	10	10	25	25	8	12	62	472
715	9	3,118	230	63	123	223	50	35	133	16	11	103	30	127	341	104	89	934	473
2,793	35	8,206	698	156	583	766	134	166	252	78	107	301	924	656	1,029	353	315	3,038	474
76	-	124	4	-	9	16	1	2	3	1	4	6	13	12	24	3	7	49	475
32	-	48	1	-	1	1	1	-	2	1	2	4	3	4	6	1	4	24	476
44	-	76	3	-	8	15	-	2	1	-	2	2	10	8	18	2	3	25	477
1	-	20	1	-	2	2	1	-	-	-	-	-	1	-	5	-	1	4	478
24	1	68	2	-	4	9	2	3	4	1	3	3	14	12	15	2	4	37	479
19	-	47	2	-	1	7	1	3	3	-	3	2	10	9	9	1	4	30	480
5	1	21	-	-	3	2	1	-	1	1	-	1	4	3	6	1	-	7	481
11	-	38	-	-	3	9	-	-	3	-	1	-	2	1	2	2	2	15	482
26	1	78	8	2	3	7	4	2	-	2	1	2	5	8	10	1	2	26	483
62	2	195	25	9	19	18	2	5	6	6	1	11	12	23	22	9	13	104	484
27	1	112	12	5	12	10	-	1	3	-	-	3	3	12	9	4	7	48	485
35	1	83	13	4	7	8	2	4	3	6	1	8	8	11	13	5	6	56	486
4	-	11	1	2	1	2	-	-	3	-	-	1	1	-	1	2	-	9*	487
8	-	18	1	-	-	1	-	-	-	-	-	-	1	1	2	-	-	9	488
12	-	25	5	2	2	2	1	-	1	-	-	-	2	2	6	-	-	5	489
10	-	21	2	-	1	4	2	1	-	-	-	2	1	3	7	1	2	15	490
5	-	11	1	-	2	1	2	-	1	-	-	2	1	8	3	1	3	5	491
36	1	51	3	-	5	10	1	-	3	1	2	-	2	7	5	2	3	21	492
526	7	1,370	96	33	58	77	28	24	51	4	18	54	108	101	126	81	65	465	493
210	3	841	57	20	43	43	18	12	32	3	8	28	81	81	70	49	43	291	494
19	2	169	5	1	3	2	5	3	4	-	-	3	-	10	10	6	-	24	495
97	2	360	34	12	10	32	5	9	15	1	10	23	27	30	46	26	22	150	496
18	-	42	1	-	6	4	1	1	1	1	-	1	-	2	5	3	1	10	497
9	-	12	1	1	-	4	-	-	1	-	-	1	3	-	1	-	2	4	498
312	1	756	69	13	64	96	14	16	28	9	7	31	214	63	126	39	40	328	499
263	1	618	55	12	55	83	10	15	24	8	7	18	176	43	102	30	37	281	500
49	-	138	14	1	9	13	4	1	4	1	-	13	36	20	24	9	3	47	501
96	1	263	17	6	14	26	5	11	11	4	4	10	26	30	41	9	15	123	502
49	-	153	11	3	5	15	2	4	6	3	3	5	16	14	16	6	7	64	503
47	1	110	6	3	9	11	3	7	5	1	1	5	10	16	25	3	8	59	504
4	-	13	1	-	2	1	-	-	1	1	1	-	3	1	2	-	1	3	505
2	-	16	1	-	-	-	-	2	-	-	2	-	2	-	1	-	1	5	506
45	1	83	6	2	8	20	1	1	3	1	3	1	17	8	14	2	3	51	507
1	-	9	-	-	-	1	-	-	-	-	-	-	1	-	1	-	1	6	508
2	-	3	2	-	1	2	-	-	-	-	1	-	1	1	1	-	1	1	509
8	-	17	-	-	2	2	-	-	-	-	1	-	6	1	5	1	1	9	510
12	-	30	4	-	2	2	1	1	1	1	-	1	1	3	2	1	4	10	511
23	-	29	4	2	1	6	1	-	-	-	1	3	6	1	6	-	2	12	512
3	-	17	2	-	-	1	-	1	-	-	-	1	2	3	3	-	-	11	513
15	-	18	-	-	2	2	1	-	-	-	-	1	3	1	3	-	-	12	514
16	-	49	8	-	6	4	-	-	1	1	-	2	8	3	7	1	1	21	515
205	2	756	61	8	109	56	9	14	16	6	9	36	108	50	93	30	24	310	516
146	2	556	48	6	63	57	6	8	15	5	5	22	84	33	58	18	18	217	517
59	-	220	13	2	46	19	3	6	1	1	4	14	24	17	35	12	6	93	518
16	-	27	3	-	2	6	1	1	-	-	-	-	-	2	6	2	-	8	519
6	-	30	2	-	4	3	-	1	1	-	-	5	6	4	12	2	2	15	520
61	1	92	6	1	5	16	2	1	-	2	2	4	11	11	10	2	1	32	521
20	-	44	1	-	11	6	-	-	-	1	2	1	3	2	4	2	-	22	522
1	-	10	2	-	1	3	-	-	-	-	-	1	2	1	1	1	-	3	523
35	1	135	16	1	2	9	1	3	2	-	1	2	4	16	21	5	5	46	524
37	-	74	8	3	8	7	4	-	-	-	2	1	2	8	12	2	4	22	525
27	-	50	8	3	3	6	3	-	-	-	2	-	1	4	9	2	4	16	526
10	-	24	-	-	3	1	1	-	-	-	-	1	1	4	3	-	-	6	527
37	-	81	8	3	6	10	-	3	2	5	4	5	16	16	17	4	3	51	528
25	-	54	6	2	2	6	-	3	2	4	2	-	9	7	11	3	3	23	529
14	-	27	2	1	4	4	-	-	-	1	2	5	7	9	6	1	-	28	530
12	-	36	5	-	-	5	-	2	-	1	-	1	7	1	9	1	-	14	531
5	-	10	-	-	-	1	1	-	-	-	-	-	-	2	1	-	-	6	532
24	-	57	2	2	4	11	-	-	2	-	-	3	10	2	7	2	2	24	533
46	2	133	14	-	10	7	3	1	5	1	-	2	9	5	10	4	3	33	534
53	3	138	20	3	10	19	1	2	1	1	5	7	37	12	19	3	5	48	535

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	FLORIDA—Continued																
536	Martin	90	2	1	-	-	-	-	-	-	-	-	8	1	1	48	46
537	Monroe	186	8	-	-	1	-	-	-	-	-	1	30	5	-	74	72
538	Key West	171	7	-	-	1	-	-	-	-	-	1	30	4	-	66	64
539	Balance of county	15	1	-	-	-	-	-	-	-	-	-	-	1	-	8	8
540	Nassau	126	3	2	-	-	-	-	-	-	-	2	11	2	-	59	58
541	Okaloosa	160	3	-	-	-	-	-	-	1	-	-	10	2	-	67	61
542	Okeechobee	33	-	-	-	-	-	-	-	-	-	-	7	1	-	9	9
543	Orange	1,032	25	6	-	-	-	-	-	1	-	8	138	14	3	562	555
544	Orlando	646	13	5	-	-	-	-	-	1	-	4	88	7	1	367	362
545	Balance of county	386	12	1	-	-	-	-	-	-	-	4	50	7	2	195	193
546	Osceola	179	3	-	-	-	-	-	-	-	-	1	28	2	1	101	98
547	Palm Beach	1,120	21	18	1	2	1	2	-	-	-	11	141	18	5	543	519
548	West Palm Beach	466	10	7	1	1	-	-	-	-	-	3	59	10	3	260	248
549	Balance of county	654	11	11	-	1	1	2	-	-	-	8	82	8	2	283	271
550	Pasco	217	6	2	-	-	-	-	-	-	-	3	30	1	-	121	119
551	Pinellas	1,971	37	15	-	-	-	-	-	-	1	11	291	27	2	1,151	1,108
552	St. Petersburg	1,367	24	6	-	-	-	-	-	-	-	9	199	22	-	827	782
553	Clearwater	186	8	4	-	-	-	-	-	-	-	1	32	1	1	84	81
554	Balance of county	418	7	5	-	-	-	-	-	-	1	1	60	4	1	240	235
555	Polk	1,118	20	6	-	1	1	1	-	1	-	5	157	11	3	538	519
556	Lakeland	340	8	1	-	-	-	-	-	-	-	1	53	3	-	184	180
557	Balance of county	778	12	5	-	1	1	1	-	1	-	4	104	8	3	354	339
558	Putnam	265	8	1	-	1	-	-	-	-	-	3	30	5	-	130	116
559	St. Johns	268	10	4	-	-	-	-	-	-	-	-	28	4	-	145	142
560	St. Augustine	199	8	4	-	-	-	-	-	-	-	-	18	2	-	105	104
561	Balance of county	89	2	-	-	-	-	-	-	-	-	-	10	2	-	40	38
562	St. Lucie	204	4	-	-	-	1	-	1	-	1	-	23	2	2	88	80
563	Santa Rosa	161	3	-	-	-	-	-	-	-	1	3	18	3	-	65	61
564	Sarasota	293	8	2	-	-	-	-	-	-	-	1	35	8	-	163	155
565	Sarasota	202	5	2	-	-	-	-	-	-	-	-	24	4	-	121	114
566	Balance of county	91	3	-	-	-	-	-	-	-	-	1	11	2	-	42	41
567	Seminole	261	9	3	-	-	1	-	-	-	-	2	40	5	1	113	102
568	Sanford	128	7	1	-	-	-	-	-	-	-	1	21	1	-	56	51
569	Balance of county	133	2	2	-	-	1	-	-	-	-	1	19	4	1	57	51
570	Sumter	82	3	-	-	-	-	-	-	-	-	2	5	-	-	39	36
571	Suwannee	175	4	3	-	-	-	-	-	-	-	1	24	3	-	80	78
572	Taylor	102	3	2	-	-	-	-	-	-	-	-	10	-	1	61	56
573	Union	56	-	-	-	-	-	-	-	-	1	-	6	1	-	31	29
574	Volusia	909	20	8	1	3	-	-	1	-	2	8	121	11	-	490	475
575	Daytona Beach	396	11	3	1	1	-	-	-	-	2	1	58	3	-	209	202
576	Balance of county	513	9	5	-	2	-	-	1	-	-	7	63	8	-	281	273
577	Wakulla	44	-	-	-	-	-	-	-	-	-	-	5	1	-	18	16
578	Walton	136	-	-	-	-	-	-	-	-	-	-	18	-	-	74	69
579	Washington	90	1	1	-	-	-	-	-	-	-	-	4	-	-	51	44
580	GEORGIA	29,608	943	241	13	46	21	24	18	11	31	163	3,206	370	76	14,400	13,473
581	Appling	83	2	-	-	1	-	-	-	-	-	2	7	2	-	41	39
582	Atkinson	54	1	-	-	-	-	-	-	-	-	-	2	3	-	29	28
583	Bacon	62	1	1	-	-	-	-	-	-	-	-	6	1	-	32	32
584	Baker	29	1	1	-	-	-	-	-	-	-	1	3	1	1	12	12
585	Baldwin	165	2	1	1	-	-	1	-	-	-	1	15	1	-	86	82
586	Banks	33	-	-	-	-	-	-	-	-	-	-	1	-	-	19	17
587	Barrow	114	3	2	-	1	-	1	-	-	-	-	14	1	-	63	59
588	Bartow	212	2	-	-	1	-	-	-	-	2	2	22	2	-	87	73
589	Ben Hill	117	4	1	-	2	-	-	-	-	-	1	12	1	1	53	50
590	Berrien	124	5	-	-	-	-	-	-	-	-	-	9	2	1	58	57
591	Bibb	1,105	45	10	-	-	-	3	-	-	-	3	118	17	-	544	511
592	Macon	964	42	10	-	-	-	2	-	-	-	3	106	16	-	477	448
593	Balance of county	141	3	-	-	-	-	1	-	-	-	-	12	1	-	67	63
594	Bleckley	77	2	1	-	-	-	-	-	-	-	-	8	1	-	38	31
595	Brantley	61	3	-	-	-	-	-	-	-	-	-	8	2	-	28	21
596	Brooks	177	1	2	-	1	-	-	-	-	-	3	21	2	2	85	73
597	Bryan	68	1	1	-	-	-	-	-	1	-	-	3	1	-	41	38
598	Bulloch	138	4	-	1	-	-	-	-	-	-	2	10	1	-	63	59
599	Burke	263	11	5	-	-	-	-	-	-	-	1	15	4	-	123	112
600	Butts	97	3	-	-	-	-	-	-	-	-	-	8	3	-	47	42
601	Calhoun	102	2	-	-	-	-	-	-	-	-	-	16	1	-	61	57
602	Camden	51	2	-	-	-	-	-	-	-	-	-	4	-	-	27	26
603	Candler	51	-	-	-	1	-	-	-	-	-	-	3	-	-	27	27
604	Carroll	281	9	3	1	-	-	-	-	-	1	2	33	4	-	150	139
605	Catoosa	87	3	1	-	-	2	-	-	-	-	1	11	-	-	43	38
606	Charlton	41	2	-	-	-	-	-	-	-	-	4	4	-	-	17	16
607	Chatham	1,590	72	11	-	-	-	-	1	-	-	10	167	21	5	833	795
608	Savannah	1,339	66	9	-	-	-	-	1	-	-	7	149	20	4	698	665
609	Balance of county	251	6	2	-	-	-	-	-	-	-	3	18	1	1	135	130
610	Chattahoochee	31	-	-	-	-	-	-	-	-	-	-	4	-	-	9	8
611	Chattooga	147	13	1	-	-	-	-	-	-	-	1	11	2	1	86	59
612	Cherokee	161	2	-	1	1	1	-	1	-	1	1	29	7	-	87	81
613	Clarke	351	11	3	-	-	-	-	1	-	1	1	41	4	1	190	164
614	Athens	268	6	3	-	-	-	-	-	-	1	1	34	4	1	141	128
615	Balance of county	83	5	-	-	-	-	-	1	-	-	-	7	-	-	39	36
616	Clay	63	2	2	-	-	-	-	-	-	1	-	7	-	-	28	27
617	Clayton	122	3	1	-	1	-	-	1	-	-	-	16	1	-	52	48
618	Clinch	43	-	-	-	-	-	-	-	-	-	-	3	-	-	20	20
619	Cobb	445	3	2	-	1	1	-	-	-	-	3	51	3	-	230	221
620	Coffee	181	1	-	-	1	-	-	-	-	1	2	14	4	-	81	74
621	Colquitt	256	6	1	-	1	1	-	-	-	-	4	29	2	1	114	106
622	Moultrie	133	3	-	-	-	-	-	-	-	-	2	12	-	1	62	56
623	Balance of county	123	3	1	-	1	1	-	-	-	-	2	17	2	-	52	50
624	Columbia	74	3	1	-	-	-	-	-	-	-	-	8	-	1	32	32
625	Cook	107	3	-	-	-	-	-	-	-	-	1	14	2	-	43	42

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
9	-	37	-	-	2	2	-	1	2	-	-	1	7	-	5	2	1	8	536
16	-	48	6	2	2	5	-	1	5	-	-	6	4	2	7	3	3	31	537
16	-	41	5	2	2	4	-	1	5	-	-	6	3	1	7	3	3	29	538
-	-	7	1	-	-	1	-	-	-	-	-	-	1	1	-	-	-	2	539
17	-	39	-	2	1	2	1	-	-	-	-	1	2	5	6	1	2	22	540
17	-	39	4	1	3	8	-	2	3	-	-	1	3	8	6	14	3	2	27	541
1	-	8	-	-	-	1	-	-	-	-	-	-	-	4	3	3	-	-	5	542
144	3	382	24	2	7	19	5	9	9	2	-	4	20	10	23	38	25	12	99	543
89	3	254	16	-	5	10	4	5	6	1	-	1	11	8	15	19	20	8	52	544
55	-	128	8	2	2	9	1	4	3	1	-	3	9	2	8	19	5	4	47	545
20	-	70	7	1	3	4	2	1	1	-	-	-	1	6	6	7	-	1	14	546
111	-	365	32	11	24	30	2	11	13	2	-	4	16	49	33	52	16	10	119	547
51	-	176	19	2	12	11	-	4	9	2	-	-	6	8	10	11	3	2	45	548
60	-	189	13	9	12	19	2	7	4	-	-	4	10	41	23	41	13	8	73	549
29	-	82	7	1	2	3	-	1	1	-	-	2	2	3	4	7	1	2	28	550
257	2	748	87	14	43	50	17	7	17	4	-	2	14	28	26	44	42	7	178	551
187	2	527	66	10	35	36	12	3	8	4	-	-	10	21	13	33	25	5	110	552
16	-	61	3	1	3	4	-	1	5	-	-	1	2	3	5	2	5	-	29	553
54	-	160	18	3	5	10	5	3	4	-	-	1	2	4	8	9	12	2	39	554
119	-	363	31	6	19	33	4	14	17	4	-	5	7	45	32	50	9	16	138	555
34	-	135	9	2	4	10	1	5	5	-	-	-	9	7	13	2	2	2	36	556
85	-	228	22	4	15	23	3	9	12	4	-	5	7	36	25	37	7	14	102	557
18	-	92	5	1	14	8	-	5	-	3	-	-	3	6	12	10	-	1	39	558
32	2	99	7	2	3	10	1	2	1	2	-	4	1	11	5	15	3	3	38	559
28	1	68	5	2	1	6	1	1	-	1	-	3	-	5	4	11	2	1	27	560
4	1	31	2	-	2	4	-	1	1	1	-	1	1	6	1	4	1	2	12	561
18	2	57	1	2	8	13	-	4	4	2	-	-	2	4	9	7	4	4	29	562
15	-	38	8	-	4	6	-	-	1	-	-	-	3	8	10	10	1	2	29	563
34	-	111	7	3	8	8	2	1	3	-	-	-	5	4	12	11	-	1	31	564
27	-	79	5	3	7	5	1	-	2	-	-	-	3	2	4	7	-	1	21	565
7	-	32	2	-	1	3	1	1	1	-	-	-	2	2	8	4	-	-	10	566
26	-	68	6	2	11	13	3	2	5	2	-	3	2	8	13	10	-	3	23	567
14	-	34	2	1	5	6	2	2	3	-	-	1	-	1	8	5	-	2	11	568
12	-	34	4	1	6	7	1	-	2	2	-	2	2	7	5	5	-	1	12	569
6	-	26	3	1	3	-	-	2	2	-	-	-	-	4	2	3	1	2	17	570
13	-	61	3	1	2	7	-	1	3	-	-	2	3	8	3	7	-	1	25	571
22	-	26	6	2	5	3	1	-	-	2	-	-	1	3	1	-	1	1	12	572
11	-	16	2	-	2	2	-	-	1	-	-	1	-	1	3	5	-	2	2	573
103	1	334	32	5	15	30	5	3	9	5	-	3	5	14	14	37	18	14	87	574
41	1	147	13	-	7	20	2	2	4	3	-	1	2	5	4	15	5	8	36	575
62	-	187	19	5	8	10	3	1	5	2	-	2	3	9	10	22	13	6	51	576
6	-	9	-	1	2	4	-	-	1	-	-	-	-	3	-	3	-	-	9	577
17	-	47	4	1	5	10	-	-	3	-	-	-	2	8	4	3	3	1	10	578
7	1	31	3	2	7	7	1	1	-	-	-	-	1	2	1	7	-	-	13	579
3,898	52	8,633	785	127	927	1,211	128	270	182	191	170	379	978	725	1,198	297	427	3,889	580
15	-	23	1	-	2	5	-	-	-	1	1	1	1	3	2	-	-	14	581
10	-	17	-	1	1	3	-	-	2	-	1	-	2	1	1	-	-	9	582
6	-	23	3	-	-	1	-	-	1	-	-	1	2	-	5	1	1	9	583
3	-	7	2	-	-	2	-	-	-	-	-	-	2	1	-	-	-	3	584
25	1	48	8	-	4	11	2	1	-	2	1	2	2	7	5	4	5	15	585
6	-	11	-	-	2	-	-	1	-	-	1	-	1	-	2	1	1	6	586
20	-	31	7	1	4	6	-	2	-	1	-	1	2	2	2	2	2	9	587
22	-	46	4	1	14	11	-	3	-	1	-	5	15	4	10	-	5	40	588
13	-	32	5	-	3	4	-	3	-	1	1	2	1	3	3	2	3	19	589
17	-	37	2	1	1	4	1	-	1	1	-	3	3	5	8	1	2	20	590
141	2	343	22	3	33	35	6	4	5	2	2	11	75	37	40	11	13	124	591
127	1	297	20	3	29	28	3	4	4	2	1	10	63	28	35	8	11	111	592
14	1	46	2	-	4	7	3	-	1	-	1	1	12	9	5	3	2	13	593
9	-	16	6	-	7	7	1	-	-	-	-	-	6	-	3	-	2	8	594
9	-	12	-	-	7	2	-	-	-	-	1	3	1	2	3	-	-	8	595
27	-	43	2	1	12	8	-	5	2	5	-	2	9	2	8	2	2	17	596
12	-	23	3	-	3	1	-	1	1	1	-	2	1	2	4	-	1	7	597
20	1	35	3	-	4	10	1	2	-	-	-	3	6	3	3	1	3	26	598
30	1	70	11	-	11	11	1	4	1	1	-	3	1	36	2	12	-	5	27	599
21	-	20	1	-	5	3	1	3	1	1	-	-	3	3	11	1	-	9	600
16	-	38	3	-	4	-	-	-	-	-	-	1	3	3	5	1	-	9	601
7	-	16	2	1	1	2	1	-	-	1	-	-	4	1	2	1	-	6	602
6	-	20	-	1	-	3	1	-	-	-	-	1	1	2	6	1	2	3	603
31	-	100	7	1	11	10	2	3	1	2	-	1	2	5	9	3	3	35	604
11	-	26	1	-	5	2	-	2	-	-	-	2	2	5	3	2	-	9	605
4	-	12	-	-	1	1	-	-	-	-	-	-	-	1	2	-	1	6	606
232	1	522	35	5	38	74	7	5	10	14	6	16	9	28	62	12	28	201	607
192	1	433	34	5	33	57	4	3	9	12	5	12	8	18	47	10	23	177	608
40	-	89	1	-	5	17	3	2	1	2	1	4	1	10	15	2	3	24	609
1	-	7	-	-	1	-	1	1	-	-	1	1	-	2	1	3	2	6	610
19	-	56	3	1	7	6	-	-	3	-	2	4	6	4	6	2	1	18	611
24	1	35	1	-	6	8	-	1	-	-	-	2	5	2	11	1	-	20	612
45	-	112	6	1	16	11	-	5	3	3	-	6	3	10	15	2	2	48	613
35	-	87	6	-	13	9	-	5	1	3	-	4	3	3	9	2	1	38	614
10	-	25	-	1	3	2	-	-	2	-	-	2	-	7	7	-	1	10	615
13	-	14	-	-	1	2	-	-	-	1	1	1	5	-	3	-	-	10	616
14	-	29	4	1	4	5	-	3	-	1	-	1	3	3	6	1	-	24	617
6	-	13	1	-	-	-	-	2	-	1	-	2	4	2	1	-	-	8	618
60	4	148	7	2	9	27	4	6	2	2	-	7	5	16	20	4	1	57	619
20	-	50	4	-	7	7	2	2	2	1	3	2	17	2	6	1	4	38	620
34	-	65	6	1	8	16	3	6	1	3	-	2	7	10	13	3	1	32	621
17	-	37	1	1	6	8	3	4	-	1	-	1	4	3	10	1	1	17	622
17	-	28	5	-	2	8	-	2	1	2	-	1	3	7	3	2	-	15	623
10	-	21	1	-	-	8	-	2	-	2	-	1	1	1	2	-	1	10	624
9	-	30	2	1	1	4	-	1	2	-	-	3	4	3	6	2	3	18	625

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	GEORGIA—Continued																
626	Coweta	231	6	-	-	-	-	-	-	-	-	-	30	4	1	104	99
627	Crawford	53	-	-	-	-	-	-	-	-	-	-	8	1	-	26	24
628	Crisp	181	5	3	-	-	-	-	-	-	-	2	17	1	-	90	84
629	Dade	51	3	2	-	-	-	1	-	-	-	-	7	-	-	19	18
630	Dawson	29	1	-	-	-	-	-	-	-	-	-	4	-	-	17	17
631	Decatur	214	6	4	-	-	1	-	-	-	1	2	22	4	-	89	82
632	De Kalb	824	21	7	-	-	-	-	-	2	-	1	138	6	3	385	365
633	Atlanta (part)	270	5	2	-	-	-	-	-	1	-	-	50	1	-	118	112
634	Decatur	183	6	1	-	-	-	-	-	-	-	1	25	1	3	92	90
635	Balance of county	371	10	4	-	-	-	-	-	1	-	-	63	4	-	175	163
636	Dodge	124	3	-	1	-	-	-	1	-	1	-	7	1	1	69	64
637	Dooly	110	2	1	-	-	-	-	-	-	-	-	10	3	-	50	39
638	Dougherty	371	13	3	-	2	-	-	-	-	-	1	41	3	1	172	162
639	Albany	317	11	2	-	1	-	-	-	-	-	1	35	3	1	153	143
640	Balance of county	54	2	1	-	1	-	-	-	-	-	-	6	-	-	19	19
641	Douglas	74	4	-	-	-	-	-	-	-	-	-	12	-	1	36	34
642	Early	179	3	1	-	-	-	-	-	-	-	-	13	2	-	84	82
643	Echols	15	1	-	-	-	-	-	-	-	-	-	1	-	-	4	3
644	Effingham	91	3	1	-	-	-	-	-	-	-	-	4	2	-	52	51
645	Elbert	192	9	2	-	2	-	-	-	-	-	-	16	1	-	87	74
646	Emanuel	171	-	3	-	-	-	-	-	-	-	1	15	-	-	80	72
647	Evans	40	-	-	-	-	-	-	-	-	-	-	3	-	-	16	15
648	Fannin	104	4	-	-	-	-	-	-	-	2	-	11	1	-	45	40
649	Fayette	60	1	-	-	-	-	-	-	-	1	-	8	1	-	31	29
650	Floyd	507	23	1	-	-	1	1	1	-	-	1	70	1	2	240	208
651	Rome	270	11	1	-	-	-	-	1	-	-	1	34	1	-	130	109
652	Balance of county	237	12	-	-	-	1	1	-	-	-	-	36	-	2	110	99
653	Forsyth	72	1	-	-	-	-	-	1	-	-	-	8	2	1	31	30
654	Franklin	108	2	-	-	-	1	-	-	1	-	-	15	1	1	49	45
655	Fulton	4,687	214	56	-	4	-	1	5	1	2	17	610	71	14	2,309	2,195
656	Atlanta (part)[3]	3,745	178	49	-	3	-	1	5	1	1	13	473	53	12	1,847	1,743
657	Atlanta (total)[3]	4,015	185	51	-	3	-	1	5	2	1	13	523	54	12	1,965	1,855
658	Dist. 1511, Center Hill[3]	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---
659	East Point	127	3	1	-	-	-	-	-	-	1	1	13	4	-	71	67
660	Balance of county	815	33	6	-	1	-	-	-	-	-	3	124	14	2	391	383
661	Gilmer	75	3	-	-	-	-	-	-	-	1	-	9	-	-	32	32
662	Glascock	28	1	1	-	-	-	1	-	-	-	-	2	1	-	12	12
663	Glynn	298	6	4	-	-	-	-	-	-	-	-	24	4	3	141	131
664	Brunswick	216	4	3	-	-	-	-	-	-	-	-	17	1	3	100	93
665	Balance of county	82	2	1	-	-	-	-	-	-	-	-	7	3	-	41	38
666	Gordon	140	2	1	1	-	-	-	-	-	-	1	18	1	-	55	55
667	Grady	161	2	-	-	-	-	-	-	-	-	-	12	1	-	79	75
668	Greene	118	-	-	-	-	-	-	-	-	1	-	10	2	-	64	61
669	Gwinnett	242	8	1	-	2	1	-	-	1	1	1	25	5	1	109	101
670	Habersham	119	3	-	-	-	-	-	-	-	1	1	12	3	-	50	45
671	Hall	250	5	-	1	2	-	-	-	-	1	-	26	2	1	122	115
672	Gainesville	118	2	-	-	1	-	-	-	-	-	-	8	-	1	63	61
673	Balance of county	132	3	-	1	1	-	-	-	-	1	-	18	2	-	59	54
674	Hancock	93	2	2	-	-	-	-	-	-	-	1	8	-	1	49	43
675	Haralson	104	1	-	-	1	2	-	-	-	-	-	20	1	-	48	46
676	Harris	94	2	-	-	-	-	-	-	-	-	-	11	3	-	49	47
677	Hart	104	2	-	-	-	1	-	-	-	-	1	12	2	-	44	40
678	Heard	59	1	-	-	-	-	-	-	-	-	-	5	1	1	29	27
679	Henry	147	7	1	-	-	-	-	1	-	-	2	9	2	2	61	53
680	Houston	156	2	1	-	1	-	-	-	-	-	-	12	1	1	80	77
681	Irwin	91	-	-	-	1	-	-	-	-	-	1	13	-	-	33	30
682	Jackson	163	2	-	-	1	-	-	-	-	-	1	14	1	2	81	75
683	Jasper	72	1	1	-	-	-	-	-	-	-	-	8	1	1	33	30
684	Jeff Davis	66	-	-	-	-	-	-	-	-	1	1	10	-	-	23	22
685	Jefferson	151	3	1	-	-	-	-	-	-	-	-	17	2	-	78	74
686	Jenkins	121	7	1	-	1	-	-	-	-	-	1	7	-	-	57	52
687	Johnson	70	3	1	-	-	-	-	-	-	-	-	7	1	-	34	30
688	Jones	66	-	-	-	-	-	-	-	-	-	-	8	1	-	39	34
689	Lamar	96	5	2	-	-	-	-	1	1	-	-	5	-	-	49	43
690	Lanier	38	2	1	-	-	-	-	-	-	-	1	4	2	-	17	17
691	Laurens	360	7	3	-	1	-	-	-	-	-	4	31	1	1	175	159
692	Lee	65	2	-	-	-	-	-	-	-	-	-	6	1	1	31	28
693	Liberty	86	-	-	-	-	-	-	-	-	-	-	5	-	-	50	50
694	Lincoln	34	1	-	-	-	-	-	-	-	-	-	4	1	-	17	14
695	Long	37	3	1	-	-	-	-	-	-	-	-	4	-	-	21	19
696	Lowndes	274	9	2	1	-	-	-	-	-	-	4	27	4	1	127	119
697	Valdosta	177	5	1	1	-	-	-	-	-	-	4	20	2	-	71	66
698	Balance of county	97	4	1	-	-	-	-	-	-	-	-	7	2	1	56	53
699	Lumpkin	50	1	-	-	-	-	-	-	-	-	1	4	1	-	26	23
700	McDuffie	101	4	1	-	1	-	1	-	1	-	-	12	2	-	45	44
701	McIntosh	66	1	-	-	-	-	1	-	-	-	-	3	1	-	28	28
702	Macon	139	5	2	-	-	-	1	-	-	-	2	9	1	-	75	70
703	Madison	108	2	-	-	-	-	1	-	-	-	1	7	1	-	63	60
704	Marion	77	2	1	-	-	-	-	-	-	-	-	9	1	-	34	31
705	Meriwether	179	6	3	-	1	-	-	-	-	1	-	15	1	1	88	81
706	Miller	65	1	-	-	-	-	-	-	-	-	-	4	-	2	29	27
707	Mitchell	228	11	-	-	1	-	-	-	-	-	2	22	1	2	111	106
708	Monroe	88	1	2	-	1	-	-	-	-	-	-	11	1	-	38	38
709	Montgomery	44	1	-	-	-	-	-	-	-	-	-	5	-	-	24	20
710	Morgan	122	4	-	-	1	-	-	-	-	-	1	16	2	-	56	56
711	Murray	63	4	-	-	-	1	-	-	-	-	1	9	-	-	27	27
712	Muscogee	898	37	6	-	1	1	-	1	1	-	3	80	9	2	438	416
713	Columbus	770	29	6	-	1	1	-	1	1	-	3	67	8	1	373	354
714	Balance of county	128	8	-	-	-	-	-	-	-	-	-	13	1	1	65	62
715	Newton	197	4	2	-	1	-	1	-	-	-	-	17	1	-	98	91
716	Oconee	61	-	1	-	-	-	-	-	-	-	-	6	-	-	33	30
717	Oglethorpe	89	2	2	-	-	1	-	-	-	-	-	6	1	-	44	44

[3]Figures for District 1511, Center Hill, are included in those for Atlanta.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
26	-	54	17	2	5	9	-	1	-	3	1	6	14	12	8	1	1	30	626
6	1	17	-	-	2	4	-	-	1	-	-	1	1	1	3	2	-	5	627
23	1	52	6	2	6	4	-	1	1	1	3	3	10	3	9	2	2	24	628
4	1	12	1	-	1	1	-	1	-	-	-	2	2	2	4	-	-	8	629
7	1	9	-	-	-	1	-	-	-	-	1	-	-	1	-	-	1	-	3	630
29	-	48	3	2	7	10	2	2	4	1	2	5	8	3	11	-	5	32	631
96	1	238	27	3	20	24	6	4	4	2	1	10	36	21	29	16	4	104	632
29	1	77	4	1	6	5	3	3	2	-	-	5	10	5	10	8	1	41	633
22	-	61	5	2	2	4	-	-	2	1	1	2	6	3	7	5	1	22	634
45	-	100	18	-	12	15	3	1	-	1	-	3	20	13	12	3	2	41	635
22	-	37	4	1	5	3	1	1	-	-	1	3	8	2	5	1	1	14	636
19	-	16	2	2	11	4	-	4	3	1	2	-	7	3	7	-	1	12	637
50	1	95	15	1	10	12	1	4	5	3	3	6	10	13	14	6	3	53	638
42	1	87	12	1	10	10	1	3	5	2	-	5	9	13	11	6	5	40	639
8	-	8	3	-	-	2	-	1	-	1	3	1	1	-	3	-	-	13	640
7	-	23	2	2	2	5	-	1	-	-	-	-	2	5	1	-	1	6	641
15	1	62	4	-	2	9	-	2	4	-	1	2	3	7	8	-	5	35	642
1	-	2	-	-	1	1	-	-	-	-	-	-	1	-	1	-	1	5	643
17	-	34	-	-	1	2	-	-	-	1	1	2	4	2	4	-	2	11	644
24	-	48	2	-	13	12	-	5	-	8	1	4	5	5	5	1	-	29	645
20	-	52	-	-	8	5	1	2	-	4	1	3	19	4	10	1	3	19	646
4	-	10	1	-	1	1	-	-	1	-	-	-	-	6	-	-	3	10	647
10	-	24	6	-	5	4	1	-	-	1	1	1	8	4	8	1	-	12	648
9	-	19	1	-	2	1	-	-	1	-	2	-	3	2	1	1	2	5	649
46	1	148	11	2	32	20	4	2	3	1	3	5	14	9	24	7	7	57	650
29	1	71	6	2	21	7	2	2	3	1	3	3	9	5	13	3	5	35	651
17	-	77	5	-	11	13	2	-	-	-	-	2	5	4	11	4	2	32	652
6	-	22	2	-	1	3	1	-	-	-	-	1	9	2	5	1	-	6	653
12	-	31	1	1	4	7	-	1	2	-	3	1	1	4	5	-	-	14	654
577	5	1,459	124	28	116	118	21	23	44	22	9	61	33	103	188	39	105	617	655
472	5	1,144	99	23	104	93	18	14	38	19	9	47	26	76	134	22	101	512	656
501	6	1,221	103	24	110	98	21	17	40	19	9	52	36	81	144	30	102	553	657
---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	---	658
7	-	55	4	1	4	4	-	-	1	-	-	5	-	1	6	4	-	12	659
98	-	260	21	4	8	21	3	9	5	3	-	9	7	26	48	13	4	93	660
13	-	17	2	-	-	3	1	3	2	-	-	-	1	4	4	-	1	11	661
2	-	10	-	-	-	1	1	-	-	-	-	-	1	1	1	-	1	4	662
26	-	96	8	1	10	9	-	1	-	1	3	6	6	5	11	1	5	68	663
18	-	69	5	1	7	6	-	-	-	1	2	6	6	4	8	1	4	50	664
8	-	27	3	-	3	3	-	1	-	-	1	-	-	1	3	-	1	18	665
8	-	42	5	-	-	9	2	2	1	-	-	3	9	4	7	1	1	21	666
19	-	52	2	-	6	8	1	3	4	5	-	-	9	4	8	2	-	23	667
20	-	39	2	-	3	8	3	-	-	-	1	2	3	3	6	-	1	14	668
29	-	63	8	1	8	7	1	-	-	-	-	7	8	9	8	4	4	39	669
8	1	34	2	-	5	4	-	-	1	1	1	1	4	4	5	2	1	25	670
25	-	76	10	4	7	7	-	2	1	1	2	4	12	7	6	3	-	45	671
14	-	38	6	3	2	3	-	1	-	1	-	2	4	4	2	2	-	24	672
11	-	38	4	1	5	4	-	1	1	-	2	2	8	3	4	1	-	21	673
19	-	21	3	-	6	2	1	-	-	-	-	-	7	6	4	-	2	8	674
13	-	31	2	-	2	7	2	-	1	-	1	1	-	4	1	-	1	13	675
19	-	25	3	-	2	3	-	1	-	-	-	1	3	2	5	-	2	12	676
14	-	24	2	-	4	19	-	-	1	2	2	1	1	-	3	-	-	13	677
17	-	9	1	-	2	3	-	-	2	-	-	1	3	1	1	-	2	9	678
16	1	28	7	1	8	9	1	1	2	2	1	2	9	5	7	2	1	20	679
20	2	53	1	1	3	10	-	2	-	3	2	2	1	5	8	4	1	20	680
7	-	22	1	-	3	2	2	-	-	-	1	1	5	7	3	2	-	20	681
25	-	39	10	1	6	8	2	4	-	1	1	4	3	7	1	4	1	25	682
10	-	16	4	-	3	2	2	1	-	2	-	2	5	2	1	-	2	8	683
6	-	14	2	-	1	10	-	1	-	-	3	-	2	1	3	1	-	10	684
25	-	40	8	1	4	4	-	3	1	-	3	2	10	4	5	2	1	15	685
17	-	31	3	1	5	9	-	2	-	2	1	-	6	5	10	1	-	11	686
13	-	14	3	-	4	1	1	2	-	1	-	2	2	3	3	-	-	9	687
12	-	21	1	-	5	4	-	2	-	-	1	1	1	1	3	1	2	2	688
10	-	31	2	-	6	3	-	-	-	1	1	1	5	3	1	2	1	15	689
5	-	10	1	1	-	-	1	1	-	1	-	-	1	-	2	1	-	4	690
38	-	111	10	-	16	20	2	5	-	2	4	6	18	7	17	1	5	50	691
8	-	19	1	-	3	2	-	2	1	-	-	-	8	1	-	1	-	9	692
12	-	34	3	1	-	4	-	-	-	2	2	2	6	3	4	-	1	7	693
2	-	9	2	1	3	2	-	-	-	1	-	-	3	1	1	-	-	3	694
4	-	15	-	-	2	1	-	1	-	-	-	1	1	-	-	-	1	3	695
51	2	81	5	-	8	11	-	5	1	2	1	2	20	4	20	2	3	28	696
14	1	49	2	-	5	8	-	5	-	1	1	1	18	4	14	2	2	19	697
17	1	32	3	-	3	5	-	-	1	1	-	1	2	-	6	-	1	9	698
7	-	14	1	1	3	4	-	-	-	1	-	-	1	1	1	1	1	7	699
14	-	25	5	-	1	4	-	2	-	-	-	1	4	3	4	1	1	14	700
3	1	24	-	-	-	2	-	-	1	-	1	1	2	2	8	-	2	13	701
27	-	36	6	1	5	14	-	1	-	-	2	-	5	1	6	1	-	14	702
24	-	30	6	-	3	2	-	2	-	-	-	1	3	1	-	3	-	21	703
22	-	8	-	1	3	5	-	1	1	4	1	-	7	1	2	1	1	6	704
28	-	48	5	-	7	5	2	3	-	1	-	3	10	3	13	-	4	19	705
6	-	19	1	1	2	4	1	-	-	-	4	1	2	2	4	3	-	9	706
38	-	61	4	3	5	12	-	2	-	2	2	2	8	1	12	-	1	36	707
10	-	27	1	-	-	7	-	3	-	-	-	1	3	4	3	-	2	11	708
8	-	12	-	-	4	-	-	3	-	-	-	-	2	-	3	1	-	5	709
20	-	30	4	2	-	8	2	2	3	1	2	-	5	2	1	-	2	14	710
4	-	20	2	1	-	4	-	1	-	1	1	1	4	-	2	1	-	6	711
112	2	277	23	2	22	34	5	9	10	7	6	10	17	16	32	18	9	146	712
98	1	232	21	2	19	27	5	9	8	6	5	10	17	12	27	14	8	131	713
14	1	45	2	-	3	7	-	-	2	1	1	-	-	4	5	4	1	15	714
27	-	56	5	3	7	15	-	2	2	2	2	4	3	6	7	1	2	27	715
9	-	18	3	-	3	6	-	-	1	-	-	-	1	1	2	1	-	9	716
9	-	35	-	-	-	3	-	2	-	1	-	2	8	3	6	-	1	7	717

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	GEORGIA—Continued																
718	Paulding	112	5	-	-	-	-	-	-	-	1	-	11	3	-	52	48
719	Peach	108	5	1	-	-	-	1	-	-	-	1	15	1	-	56	51
720	Pickens	60	1	1	-	-	-	-	-	-	-	1	12	3	-	35	35
721	Pierce	104	4	-	-	-	-	-	-	-	-	2	7	2	-	53	49
722	Pike	87	-	-	-	-	-	-	-	-	1	1	7	-	-	48	43
723	Polk	230	4	1	-	-	-	-	-	-	3	1	25	5	-	106	100
724	Pulaski	87	1	4	-	-	-	-	-	-	1	2	7	-	-	36	36
725	Putnam	94	-	1	-	-	1	-	-	-	-	-	10	2	-	33	29
726	Quitman	31	1	-	-	-	-	-	-	-	-	-	8	-	-	11	10
727	Rabun	36	-	-	-	-	-	-	-	-	-	1	4	3	-	19	16
728	Randolph	143	5	4	-	1	-	-	-	-	-	2	9	2	-	77	75
729	Richmond	1,033	33	15	-	-	-	1	-	-	-	3	113	18	4	595	570
730	Augusta	887	28	15	-	-	-	1	-	-	-	3	102	15	4	509	488
731	Balance of county	146	5	-	-	-	-	-	-	-	-	-	11	3	-	86	82
732	Rockdale	75	3	-	-	1	-	-	-	-	-	-	9	2	-	41	40
733	Schley	32	2	1	-	-	-	1	-	-	-	1	1	1	-	16	15
734	Screven	112	6	1	-	-	-	-	-	-	-	-	7	3	-	61	59
735	Seminole	79	-	-	-	-	-	-	-	-	-	-	7	2	-	40	39
736	Spalding	274	5	2	-	2	-	-	-	-	-	2	32	2	1	120	112
737	Griffin	171	5	1	-	1	-	-	-	-	-	2	19	1	1	71	69
738	Balance of county	103	-	1	-	1	-	-	-	-	-	-	13	1	-	49	43
739	Stephens	98	3	3	-	-	-	1	-	-	-	-	9	-	-	50	48
740	Stewart	86	3	1	-	-	-	-	-	-	-	1	8	-	-	38	39
741	Sumter	243	5	-	1	1	-	-	-	-	-	3	24	2	-	127	122
742	Talbot	94	-	-	-	-	-	3	-	-	-	1	12	2	-	49	40
743	Taliaferro	59	3	1	-	-	-	-	-	-	-	1	5	1	-	30	28
744	Tattnall	87	-	-	1	-	-	-	-	-	-	1	11	4	-	41	37
745	Taylor	85	3	-	1	-	1	-	-	-	-	-	14	1	-	40	37
746	Telfair	118	2	2	-	1	-	-	-	-	-	2	14	-	-	60	58
747	Terrell	183	8	1	-	-	-	-	-	-	-	2	17	1	-	85	81
748	Thomas	315	13	3	-	-	-	-	1	-	-	4	38	5	1	142	125
749	Thomasville	185	11	2	-	-	-	-	-	-	-	3	24	3	1	80	73
750	Balance of county	128	2	1	-	-	-	-	1	-	-	1	14	2	-	62	52
751	Tift	214	4	2	1	-	-	-	-	-	-	2	24	1	2	84	76
752	Toombs	161	1	2	-	-	-	-	-	-	-	3	14	3	-	81	75
753	Towns	31	1	-	-	-	-	-	-	-	-	-	1	-	-	18	17
754	Treutlen	43	1	-	-	-	-	-	-	-	-	-	3	-	-	19	13
755	Troup	421	14	2	-	-	1	1	-	-	-	5	44	-	-	205	185
756	La Grange	212	6	2	-	-	-	1	-	-	-	2	21	-	-	103	94
757	Balance of county	209	8	-	-	-	1	-	-	-	-	3	23	-	-	102	91
758	Turner	77	2	2	-	-	-	-	-	-	-	-	10	1	-	30	29
759	Twiggs	83	2	1	-	-	1	-	-	-	1	1	4	-	1	35	34
760	Union	40	-	-	-	-	-	-	-	-	-	-	6	1	-	19	19
761	Upson	211	3	3	-	1	-	-	-	1	-	2	23	3	1	87	84
762	Walker	236	17	1	-	-	-	-	-	1	-	-	43	2	-	101	97
763	Walton	208	1	-	-	-	-	-	-	-	-	1	20	2	1	108	106
764	Ware	302	8	-	-	-	-	-	-	-	3	1	31	6	-	155	148
765	Waycross	218	7	-	-	-	-	-	-	-	-	-	25	4	-	118	108
766	Balance of county	84	1	-	-	-	-	-	-	-	3	1	6	2	-	42	40
767	Warren	83	2	1	-	1	-	-	-	-	-	-	6	1	-	42	31
768	Washington	221	4	4	-	-	-	-	-	-	-	4	19	4	1	109	104
769	Wayne	131	5	-	-	-	1	-	1	-	-	2	7	3	1	65	64
770	Webster	24	2	-	-	-	-	-	-	-	-	1	2	-	-	10	10
771	Wheeler	60	1	-	-	1	-	1	-	-	-	-	4	4	-	34	32
772	White	48	1	-	-	-	-	-	-	-	-	-	2	-	-	27	18
773	Whitfield	265	16	1	-	-	1	1	-	-	-	2	29	7	-	109	100
774	Dalton	144	7	1	-	-	-	-	-	-	-	2	16	2	-	61	58
775	Balance of county	121	9	-	-	-	1	1	-	-	-	-	13	5	-	48	42
776	Wilcox	87	2	1	-	-	-	-	-	-	-	-	8	-	-	49	49
777	Wilkes	116	5	-	-	-	-	-	-	-	-	1	12	1	-	63	55
778	Wilkinson	100	1	1	-	-	-	-	-	-	-	-	5	1	1	46	42
779	Worth	169	4	-	1	-	-	-	-	-	-	3	16	1	-	82	73
780	IDAHO	4,701	56	18	2	-	2	5	5	18	5	17	601	67	10	2,320	2,219
781	Ada	545	7	4	-	-	-	-	-	1	1	2	75	6	1	280	272
782	Boise City	356	7	4	-	-	-	-	-	1	-	1	55	1	1	180	177
783	Balance of county	189	-	-	-	-	-	-	-	-	1	1	20	5	-	100	95
784	Adams	25	-	-	-	-	-	-	-	-	-	-	2	-	-	15	13
785	Bannock	272	4	-	-	-	-	-	1	1	-	-	34	5	1	116	113
786	Pocatello	198	2	-	-	-	-	-	1	1	-	-	25	3	1	88	85
787	Balance of county	74	2	-	-	-	-	-	-	-	-	-	9	2	-	28	28
788	Bear Lake	49	-	-	-	-	-	-	1	-	-	-	5	1	-	22	19
789	Benewah	67	2	1	-	-	-	-	-	-	-	-	8	2	-	24	23
790	Bingham	171	2	-	1	-	-	-	-	-	-	-	22	4	-	65	61
791	Blaine	48	-	-	-	-	-	-	-	1	-	-	4	2	-	22	17
792	Boise	14	-	-	-	-	-	-	-	-	-	1	4	-	-	3	3
793	Bonner	145	2	-	-	-	-	1	-	1	-	1	19	2	-	86	84
794	Bonneville	197	-	2	-	-	-	-	-	2	-	-	28	2	1	84	80
795	Idaho Falls	136	-	2	-	-	-	-	-	1	-	-	20	2	-	61	58
796	Balance of county	61	-	-	-	-	-	-	-	1	-	-	8	-	1	23	22
797	Boundary	77	-	-	-	-	-	-	1	-	-	1	9	3	-	44	44
798	Butte	10	-	-	-	-	-	-	-	-	-	-	-	-	-	8	8
799	Camas	7	-	-	-	-	-	-	-	-	-	-	1	-	-	1	1
800	Canyon	455	4	1	-	-	1	2	-	1	-	3	55	6	-	248	238
801	Nampa	158	-	-	-	-	-	-	-	-	-	1	20	3	-	81	77
802	Balance of county	297	4	1	-	-	1	2	-	1	-	2	35	3	-	167	161
803	Caribou	35	-	-	-	-	-	-	-	-	-	-	3	2	1	16	16
804	Cassia	92	2	-	-	-	1	-	-	1	-	1	9	1	-	52	50
805	Clark	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	2
806	Clearwater	71	2	1	-	-	-	-	-	-	-	-	9	2	-	20	19
807	Custer	29	2	-	-	-	-	-	-	-	-	-	2	-	-	15	15

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
14	-	28	6	-	4	6	1	2	1	-	1	-	-	5	4	5	1	14	718
18	-	31	2	-	5	4	-	-	-	1	-	-	4	1	6	-	2	11	719
12	2	20	1	-	-	3	-	1	2	-	-	2	1	5	1	-	1	11	720
19	-	29	1	-	4	8	-	1	-	1	3	-	3	-	5	-	2	15	721
18	-	25	-	-	5	4	-	-	-	-	1	-	5	-	5	-	4	11	722
31	1	62	3	3	6	13	-	8	2	2	2	1	5	5	8	3	-	38	723
11	-	23	2	-	2	4	-	-	1	1	-	1	5	1	6	1	1	13	724
8	-	18	1	2	4	7	-	3	-	1	-	3	8	3	2	3	2	15	725
2	-	8	-	-	1	1	-	-	1	1	2	-	1	-	-	-	-	5	726
4	-	11	1	-	3	1	-	-	-	-	-	2	1	1	1	-	1	2	727
23	-	51	1	-	2	3	1	1	-	4	1	2	7	1	5	2	2	14	728
162	4	369	27	8	25	28	3	7	6	3	3	13	6	23	36	13	21	89	729
136	4	323	20	5	21	27	3	7	4	2	3	12	5	15	25	12	16	79	730
26	-	46	7	3	4	1	-	-	2	1	-	1	1	8	11	1	5	10	731
5	-	33	2	-	1	3	-	-	-	1	2	-	3	-	1	1	-	8	732
6	-	7	2	-	1	2	-	-	-	-	1	-	-	2	-	-	-	4	733
18	-	36	5	-	2	1	1	-	1	1	-	-	8	2	5	1	-	14	734
8	1	25	3	2	1	3	-	1	-	-	2	1	2	2	3	-	-	16	735
34	-	69	8	1	8	13	1	1	-	2	3	4	13	9	13	7	3	39	736
19	-	44	5	1	2	10	1	1	-	2	2	3	3	5	9	6	2	26	737
15	-	25	3	-	6	3	-	-	-	-	1	1	10	4	4	1	1	13	738
8	1	35	2	-	4	2	-	1	-	-	1	-	4	2	3	2	-	15	739
8	1	28	2	-	-	6	-	-	-	-	1	-	2	1	6	3	2	12	740
37	1	77	7	-	5	9	1	3	1	1	1	-	4	8	4	10	2	33	741
16	-	20	3	1	9	1	1	-	-	1	2	-	4	4	5	-	2	7	742
8	-	18	2	-	2	4	-	2	-	-	1	-	-	4	1	3	-	1	2	743
10	-	24	3	-	4	4	-	1	-	-	-	-	1	2	3	-	2	16	744
13	-	20	4	-	3	4	1	1	1	-	-	-	1	9	1	2	-	-	3	745
19	-	34	5	-	2	3	-	2	2	1	1	-	3	3	6	2	1	1	10	746
28	-	47	5	1	4	5	-	2	1	2	2	-	-	18	2	3	1	2	11	747
54	-	67	1	3	17	23	1	4	-	-	-	-	1	6	6	15	3	7	40	748
35	-	35	1	2	7	11	1	4	-	-	-	-	-	3	1	12	2	6	21	749
19	-	32	-	1	10	12	-	-	-	-	-	-	1	3	5	3	1	1	19	750
21	-	52	3	-	8	11	1	7	-	1	3	3	13	4	9	3	4	35	751
22	-	51	2	-	5	5	-	2	1	2	3	6	4	3	9	-	2	20	752
8	-	8	1	-	1	1	-	-	-	-	-	-	1	3	-	1	-	5	753
5	-	5	2	1	6	5	-	-	-	-	-	-	1	1	2	2	-	9	754
56	1	114	14	-	20	21	2	1	1	1	4	6	5	11	16	3	10	68	755
28	-	62	4	-	9	12	2	-	-	1	2	1	3	2	7	-	6	41	756
28	1	52	10	-	11	9	-	1	1	-	2	5	2	9	9	3	4	27	757
9	1	16	3	-	1	6	-	-	1	-	1	1	4	2	5	1	-	11	758
10	-	21	3	-	1	6	-	1	-	1	-	1	6	2	5	-	4	11	759
6	-	12	1	-	-	3	-	1	-	-	-	-	2	2	1	-	-	5	760
18	-	59	7	-	3	14	-	3	1	1	2	6	11	6	8	4	2	29	761
23	2	65	6	1	4	9	-	-	2	-	1	6	7	3	13	2	2	26	762
35	-	68	3	-	-	8	2	2	1	-	1	1	5	8	8	6	1	34	763
48	1	91	8	-	7	21	4	3	1	1	1	3	7	7	15	2	3	30	764
33	1	66	8	-	5	18	3	2	1	1	1	1	3	5	11	2	2	21	765
15	-	25	-	-	2	5	1	1	-	-	-	2	4	2	4	-	1	9	766
14	-	11	6	-	11	6	-	1	2	-	-	-	5	3	4	1	1	7	767
38	2	49	12	3	5	9	-	3	-	1	3	3	14	4	9	-	3	27	768
20	1	41	2	-	1	8	-	-	-	1	-	5	3	5	4	2	7	13	769
3	-	6	-	1	-	3	-	-	-	-	-	1	1	-	2	-	-	2	770
13	-	18	1	-	2	4	-	-	-	3	1	-	3	1	1	1	1	4	771
4	-	12	2	-	9	2	-	2	-	-	-	1	2	2	-	-	-	9	772
24	-	73	3	-	9	3	-	5	2	-	1	3	14	7	7	3	2	52	773
12	-	44	2	-	3	2	-	3	1	-	1	2	7	3	3	1	1	31	774
12	-	29	1	-	6	1	-	2	1	-	-	1	7	4	4	2	1	21	775
10	-	32	6	1	-	2	1	-	1	-	-	-	3	4	1	-	2	13	776
16	-	35	3	1	8	1	-	1	-	-	3	1	10	1	5	1	-	8	777
15	-	23	4	-	4	4	2	-	-	1	-	1	3	2	7	4	15	8	778
25	-	46	2	-	9	5	-	-	3	2	1	1	12	5	7	2	2	22	779
479	18	1,601	101	20	101	151	36	16	18	9	12	79	111	166	304	61	12	624	780
45	1	212	12	2	8	14	4	4	3	2	2	14	14	14	31	4	1	61	781
30	-	141	5	1	3	6	3	3	3	2	1	10	10	8	19	1	1	39	782
15	1	71	7	1	5	8	1	1	-	-	1	4	4	6	12	3	-	22	783
-	-	13	-	-	2	-	-	1	-	-	-	-	-	-	2	1	-	4	784
24	-	84	2	3	3	6	5	3	-	-	1	4	12	10	20	6	-	43	785
20	-	60	2	3	3	4	4	1	-	-	-	2	8	7	13	5	-	33	786
4	-	24	-	-	-	2	1	2	-	-	1	2	4	3	7	1	-	10	787
3	-	16	-	-	3	2	-	-	-	-	-	-	1	-	3	1	-	13	788
5	-	15	3	-	1	2	1	-	-	-	-	-	4	6	10	-	-	7	789
9	1	48	3	2	4	4	1	3	3	-	1	2	7	11	9	4	-	32	790
5	-	12	-	-	5	-	-	-	-	-	1	-	2	3	8	-	-	5	791
-	-	3	-	-	-	-	-	-	-	-	-	-	1	1	3	1	-	-	792
18	-	60	5	1	2	5	-	-	-	-	-	2	-	1	7	1	1	16	793
24	1	48	7	-	4	6	3	-	2	-	2	5	6	10	13	2	-	29	794
17	-	34	7	-	3	3	-	-	1	-	2	3	5	7	8	1	-	20	795
7	1	14	-	-	1	3	3	-	1	-	-	-	2	1	3	5	1	-	9	796
11	1	31	1	-	-	3	-	2	-	-	-	-	1	-	-	6	-	-	7	797
3	1	4	-	-	-	-	1	-	-	-	-	-	-	-	1	-	-	-	798
1	-	-	-	-	-	2	-	-	-	1	-	-	-	-	-	-	-	2	799
58	4	163	9	4	10	10	3	1	5	1	-	-	9	6	19	20	1	49	800
25	-	51	-	1	4	4	3	1	1	-	-	-	3	2	8	8	4	20	801
33	4	112	9	3	6	6	-	1	4	1	-	-	6	4	11	12	6	1	29	802
6	-	9	1	-	-	1	1	-	-	-	-	-	-	-	3	2	-	-	6	803
13	-	34	3	-	2	-	1	-	-	-	-	1	3	-	3	4	-	1	12	804
-	-	2	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	-	-	805
6	-	11	2	-	1	-	1	-	-	-	-	-	-	3	3	13	1	-	16	806
2	-	12	-	1	-	-	-	-	-	-	-	-	1	2	1	2	-	-	4	807

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	IDAHO—Continued																
808	Elmore	61	-	-	-	-	-	-	-	-	-	-	10	2	1	24	23
809	Franklin	60	-	-	-	-	-	-	-	-	-	1	6	1	-	36	36
810	Fremont	84	1	-	-	-	-	-	-	1	-	-	12	1	-	35	35
811	Gem	75	-	-	-	-	-	-	1	-	-	-	11	-	-	45	43
812	Gooding	77	2	-	-	-	-	-	-	-	-	1	8	1	-	34	34
813	Idaho	106	-	1	-	-	-	-	-	-	-	-	17	1	-	47	41
814	Jefferson	84	1	1	-	-	-	-	-	-	-	-	10	1	-	41	38
815	Jerome	80	2	-	-	-	-	-	-	1	1	-	9	2	-	32	32
816	Kootenai	271	3	-	1	-	-	-	-	1	1	1	38	4	1	152	148
817	Coeur d' Alene	160	1	-	1	-	-	-	-	1	-	1	24	3	1	90	87
818	Balance of county	111	2	-	-	-	-	-	-	-	1	-	14	1	-	62	61
819	Latah	183	-	1	-	-	-	-	-	1	1	-	29	3	-	93	90
820	Lemhi	55	1	-	-	-	-	-	-	-	-	-	8	1	1	25	24
821	Lewis	38	-	-	-	-	-	-	-	-	-	-	5	1	-	21	18
822	Lincoln	30	-	-	-	-	-	-	-	-	-	-	5	-	-	13	12
823	Madison	63	-	1	-	-	-	1	-	-	-	1	7	-	-	33	31
824	Minidoka	66	1	1	-	-	-	-	-	-	-	1	10	-	-	28	28
825	Nez Perce	207	4	-	-	-	-	-	-	1	-	-	25	4	2	113	109
826	Lewiston	144	1	-	-	-	-	-	-	-	-	-	17	4	2	84	83
827	Balance of county	63	3	-	-	-	-	-	-	1	-	-	8	-	-	29	26
828	Oneida	22	-	-	-	-	-	-	-	-	-	-	5	-	-	11	11
829	Owyhee	52	1	1	-	-	-	-	-	1	-	-	9	-	-	29	26
830	Payette	93	-	-	-	-	-	-	-	-	-	-	15	-	1	51	49
831	Power	36	-	-	-	-	-	-	-	1	-	1	3	1	-	11	10
832	Shoshone	215	7	1	-	-	-	-	-	1	1	-	21	1	-	67	64
833	Teton	14	-	-	-	-	-	-	-	-	-	-	2	-	-	8	8
834	Twin Falls	301	5	-	-	-	-	1	1	-	-	2	33	5	-	158	153
835	Twin Falls	156	1	-	-	-	-	1	-	-	-	1	11	4	-	89	85
836	Balance of county	145	4	-	-	-	-	-	1	-	-	1	22	1	-	69	69
837	Valley	31	-	-	-	-	-	-	-	-	-	-	3	-	-	20	19
838	Washington	83	1	-	-	-	-	-	-	-	-	-	10	-	-	47	39
839	Yellowstone Nat. Park (pt.)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
840	ILLINOIS	92,568	2,484	517	1	28	4	28	49	246	6	208	14,512	2,275	98	50,093	47,994
841	Adams	915	18	7	-	-	-	-	-	-	-	4	126	16	-	591	561
842	Quincy	622	13	4	-	-	-	-	-	-	-	4	94	11	-	387	367
843	Balance of county	293	5	3	-	-	-	-	-	-	-	-	32	5	-	204	194
844	Alexander	263	8	6	-	-	-	-	-	-	-	-	25	4	-	159	135
845	Cairo	176	7	5	-	-	-	-	-	-	-	-	17	2	-	108	92
846	Balance of county	87	1	1	-	-	-	-	-	-	-	-	8	2	-	51	43
847	Bond	163	2	1	-	-	-	-	-	1	-	1	27	2	-	97	88
848	Boone	210	3	-	-	-	-	-	-	1	-	-	35	4	-	116	112
849	Brown	99	1	-	-	-	-	-	-	-	-	1	11	1	-	63	59
850	Bureau	474	6	2	-	-	-	-	-	2	-	1	62	13	1	263	250
851	Calhoun	74	-	-	-	-	-	-	-	-	-	-	9	1	-	44	43
852	Carroll	226	-	3	-	-	-	-	-	1	-	-	32	2	-	137	132
853	Cass	193	3	1	-	-	-	-	-	-	-	-	24	3	-	121	116
854	Champaign	760	8	6	-	1	-	-	2	5	-	1	114	16	-	373	360
855	Champaign	294	4	3	-	1	-	-	-	1	-	-	52	8	-	133	130
856	Urbana	155	1	2	-	-	-	-	-	-	-	-	23	3	-	83	79
857	Balance of county	311	3	1	-	-	-	-	2	4	-	1	39	5	-	157	151
858	Christian	419	5	1	-	-	-	-	-	1	-	1	63	15	1	228	220
859	Clark	237	2	-	-	-	-	-	-	-	1	3	26	2	1	145	139
860	Clay	159	3	-	-	-	-	-	-	1	-	-	24	6	-	81	74
861	Clinton	252	4	1	-	-	-	-	-	5	-	-	46	2	-	125	115
862	Centralia (part)	3	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3
863	Balance of county	249	4	1	-	-	-	-	-	5	-	-	46	2	-	122	112
864	Coles	490	8	7	-	1	-	-	-	-	-	2	68	12	-	273	244
865	Mattoon	230	3	4	-	1	-	-	-	-	-	-	30	3	-	133	125
866	Balance of county	260	5	3	-	-	-	-	-	-	-	2	38	9	-	140	119
867	Cook	48,773	1,776	276	-	19	-	17	27	58	2	95	8,054	1,271	63	26,288	25,277
868	Chicago	41,418	1,672	240	-	19	-	15	25	37	1	82	6,742	1,087	55	22,252	21,392
869	Berwyn	483	5	2	-	-	-	-	-	2	-	-	107	13	1	256	240
870	Cicero	611	14	1	-	-	-	-	-	-	-	1	127	22	1	326	310
871	Elgin (part)	11	-	-	-	-	-	-	-	-	-	-	3	-	-	4	4
872	Evanston	761	12	9	-	-	-	-	-	1	-	1	142	15	-	419	410
873	Maywood	300	4	2	-	-	-	-	-	-	-	1	57	4	1	168	161
874	Oak Park	750	3	3	-	-	-	-	-	2	-	1	143	20	-	454	438
875	Blue Island	192	3	2	-	-	-	-	-	-	-	-	29	4	-	102	97
876	Brookfield	107	-	-	-	-	-	-	-	1	-	-	25	4	-	56	55
877	Calumet City	107	4	-	-	-	-	1	-	-	-	1	15	5	-	59	55
878	Chicago Heights	229	10	2	-	-	-	-	-	-	-	-	35	9	1	113	107
879	Elmwood Park	113	1	1	-	-	-	-	-	1	-	-	16	3	-	71	70
880	Forest Park	195	4	1	-	-	-	-	-	-	-	1	33	13	1	109	102
881	Harvey	193	2	-	-	-	-	-	-	-	-	-	37	2	-	97	95
882	La Grange	147	-	1	-	-	-	-	-	1	-	-	44	2	-	70	70
883	Melrose Park	122	3	1	-	-	-	-	-	-	-	-	15	4	-	74	70
884	Park Ridge	145	1	-	-	-	-	-	-	1	-	-	33	2	-	81	76
885	Wilmette	156	1	-	-	-	-	-	-	1	-	-	27	3	-	97	97
886	Winnetka	110	1	-	-	-	-	-	-	-	-	-	23	3	-	66	65
887	Balance of county	2,623	36	11	-	-	-	1	2	11	1	7	401	56	3	1,414	1,363
888	Crawford	259	5	2	-	-	-	-	-	3	-	1	34	9	-	121	108
889	Cumberland	133	6	1	-	-	-	-	-	-	-	1	27	2	-	67	57
890	De Kalb	409	4	-	-	-	-	-	-	1	-	1	58	9	-	246	219
891	De Witt	228	1	-	-	-	-	-	-	-	-	-	25	1	-	155	145
892	Douglas	169	2	-	-	-	-	-	-	1	-	1	24	6	-	91	81
893	Du Page	1,165	12	3	-	-	-	1	1	3	-	2	206	24	1	630	601
894	Elmhurst	136	1	1	-	-	-	-	-	1	-	-	28	1	-	74	70
895	Balance of county	1,029	11	2	-	-	-	1	1	2	-	2	180	23	1	556	531
896	Edgar	309	6	3	-	-	-	-	-	2	1	1	38	7	1	175	167

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
5	-	17	1	-	1	1	-	-	1	-	-	1	-	3	6	1	-	11	808
7	-	28	1	-	2	3	-	-	1	-	-	1	3	2	2	-	-	2	809
8	2	22	2	1	-	3	1	-	-	-	1	2	-	3	9	-	-	15	810
12	-	30	1	-	2	-	1	-	-	-	-	-	1	3	1	1	-	11	811
7	-	24	2	1	-	3	-	-	-	-	1	1	2	1	5	1	-	17	812
8	-	25	8	-	6	1	2	-	-	-	-	-	8	4	6	1	1	17	813
9	-	29	-	-	3	-	2	-	-	-	-	2	3	2	7	1	-	13	814
5	1	24	2	-	-	1	-	-	-	-	1	2	2	6	6	1	-	14	815
40	1	103	4	-	4	8	1	1	-	-	2	1	4	2	9	14	1	25	816
30	1	54	2	-	3	4	1	1	-	-	-	1	3	1	2	9	-	16	817
10	-	49	2	-	1	4	-	-	-	2	-	-	1	1	7	5	1	9	818
16	1	67	6	-	3	4	2	-	1	-	-	-	4	2	5	9	1	27	819
5	-	18	1	-	1	3	-	-	1	-	-	-	2	2	2	2	-	9	820
4	-	11	3	-	3	4	1	-	-	-	-	-	-	1	2	2	1	-	821
6	-	6	-	-	1	2	1	-	-	-	-	-	1	1	-	3	1	3	822
5	-	26	-	-	2	5	-	1	-	-	-	-	4	-	1	3	-	6	823
7	-	21	-	-	-	1	1	-	-	-	-	-	-	1	1	5	-	15	824
16	-	66	6	1	4	8	1	-	-	-	-	-	1	1	3	5	10	3	4	22	825
13	-	67	3	-	1	3	-	-	-	-	-	-	1	1	1	2	5	2	2	19	826
3	-	19	3	1	3	5	1	-	-	-	-	-	2	2	3	5	1	2	3	827
2	-	8	1	-	-	-	-	-	-	-	1	-	-	-	1	-	-	-	4	828
6	-	19	1	-	3	-	-	-	-	-	-	-	-	-	1	1	1	1	7	829
11	-	36	2	-	2	3	-	-	-	-	-	-	4	7	2	1	-	-	9	830
3	-	7	-	-	1	2	-	-	-	-	-	-	1	2	6	4	1	-	3	831
18	1	61	3	1	3	10	-	-	-	-	-	-	4	6	8	24	3	-	41	832
-	-	7	1	-	-	1	-	-	-	-	-	-	-	-	-	1	-	-	2	833
31	2	113	5	2	5	11	2	-	1	-	-	1	2	4	11	24	8	-	32	834
17	1	64	2	1	4	6	1	-	1	-	-	1	1	3	6	9	2	-	19	835
14	1	49	3	1	1	5	1	-	-	-	-	-	1	1	5	15	6	-	13	836
5	-	11	2	1	1	-	-	-	-	-	-	-	1	-	1	3	-	-	3	837
10	1	27	1	-	8	2	-	-	-	-	-	-	2	4	1	4	2	-	10	838
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	839
8,170	84	36,971	2,387	372	2,099	2,089	577	415	969	208	132	1,113	325	1,826	3,510	1,007	425	9,413	840
114	1	400	45	1	30	16	1	7	3	1	-	6	1	17	15	11	1	74	841
78	1	259	29	-	20	11	1	4	3	1	-	3	1	12	10	8	1	54	842
36	-	141	16	1	10	5	-	3	-	-	-	3	-	5	5	3	-	20	843
25	-	90	18	2	24	3	2	3	2	2	1	5	2	6	10	1	1	23	844
17	-	60	13	2	16	3	1	2	1	1	1	2	1	3	7	1	1	13	845
8	-	30	5	-	8	-	1	1	1	-	-	3	1	3	3	-	-	10	846
20	-	65	4	-	8	1	-	-	2	-	-	2	1	4	5	2	-	15	847
23	-	82	7	-	4	2	-	-	1	-	-	3	1	13	6	1	-	24	848
14	-	43	2	-	4	2	-	-	-	-	-	4	1	1	4	1	-	9	849
54	1	189	5	1	13	11	1	1	6	6	-	7	1	14	18	3	1	54	850
7	-	31	5	-	1	-	-	-	-	-	-	1	1	-	6	-	-	13	851
25	-	102	5	-	5	3	1	2	-	1	-	1	3	4	11	3	-	22	852
30	-	74	10	2	5	2	-	2	1	-	-	2	1	6	5	6	-	16	853
78	-	271	10	1	13	16	3	3	7	4	3	15	1	26	39	4	-	113	854
28	-	99	3	-	3	2	1	-	3	3	1	5	-	11	13	3	-	50	855
18	-	57	3	1	4	3	1	-	2	-	-	3	1	3	4	-	-	26	856
32	-	115	4	-	6	11	1	3	2	1	2	7	-	12	22	1	-	37	857
40	-	165	13	2	8	4	1	-	1	1	-	4	4	18	17	5	1	48	858
30	2	88	18	1	6	7	1	-	1	-	-	4	-	7	12	1	-	24	859
15	-	58	1	-	7	5	2	-	-	-	-	-	-	2	9	3	-	23	860
21	1	83	8	2	10	7	1	-	3	2	-	1	-	2	9	3	-	41	861
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	862
20	1	82	7	2	10	7	1	-	3	2	-	1	-	2	9	3	-	41	863
47	1	186	8	2	28	9	-	2	3	-	-	6	-	11	18	7	1	62	864
28	-	92	4	1	8	4	-	1	1	-	-	5	-	6	7	5	-	27	865
19	1	94	4	1	21	5	-	1	2	-	-	1	-	5	11	2	1	35	866
3,613	46	20,401	1,033	184	1,011	1,185	332	221	670	91	60	597	53	754	1,593	482	323	4,466	867
2,971	41	17,364	857	159	860	1,032	281	189	597	74	54	483	38	601	1,344	416	306	3,776	869
45	2	184	8	1	16	6	2	1	7	3	-	7	-	7	23	5	1	35	869
34	-	257	15	4	16	13	4	1	8	1	-	10	-	7	9	10	2	54	870
-	-	3	1	-	-	1	-	-	-	-	-	-	-	1	2	-	-	-	871
71	-	319	15	5	9	16	1	5	7	4	1	16	2	12	23	8	1	68	872
22	-	133	6	-	7	4	2	3	3	-	1	7	-	4	12	3	1	23	873
77	-	339	18	4	16	10	8	4	7	1	1	7	3	8	13	1	-	61	874
13	-	78	4	2	5	3	2	-	3	-	-	3	-	2	10	1	1	27	875
10	1	42	1	1	1	2	-	2	-	-	-	1	-	3	5	-	-	8	876
9	-	42	3	1	4	1	-	-	2	-	-	2	-	1	3	1	-	12	877
25	-	75	6	1	6	8	2	2	3	1	-	1	1	7	6	-	3	25	878
10	-	60	-	-	1	1	-	-	-	-	-	1	-	1	2	2	-	13	879
12	-	87	3	-	7	3	1	-	2	1	-	3	-	1	6	3	-	14	880
15	1	75	4	-	2	5	2	3	1	1	1	2	-	3	6	3	1	27	881
11	-	56	2	1	-	1	4	1	-	1	-	2	1	2	3	2	1	11	882
8	-	60	2	-	4	1	1	1	2	-	1	2	-	5	4	1	-	7	883
14	-	55	7	-	5	1	1	-	3	-	-	3	-	4	3	1	-	11	884
22	-	67	7	1	-	1	-	-	1	-	-	5	-	-	6	-	-	14	885
20	-	43	2	-	1	5	-	-	-	-	-	-	-	2	1	3	-	6	886
224	1	1,062	72	4	51	71	21	9	24	5	1	42	8	83	112	22	6	276	887
23	-	80	5	-	13	5	2	4	2	1	2	2	5	3	15	6	1	36	888
17	-	34	5	1	10	6	-	-	1	1	-	1	-	2	5	2	-	11	889
39	-	162	18	-	27	5	1	4	4	1	1	4	1	13	13	5	-	38	890
28	2	105	9	1	10	8	-	-	-	-	-	-	1	5	7	-	1	26	891
12	-	64	5	-	10	5	2	-	-	-	-	3	1	3	8	5	-	17	892
90	2	470	35	4	29	18	7	5	7	2	2	13	9	31	39	15	-	132	893
9	-	54	6	1	4	2	1	-	2	-	1	3	1	2	5	2	-	11	894
81	2	416	29	3	25	16	6	5	5	2	1	10	8	29	34	13	-	121	895
45	1	109	8	4	8	9	-	-	-	-	-	3	2	8	16	6	1	30	896

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ILLINOIS—Continued																
897	Edwards	104	5	-	-	-	-	-	-	-	-	-	15	1	-	50	47
898	Effingham	252	2	1	-	-	-	-	1	4	-	1	29	5	-	118	101
899	Fayette	246	4	1	-	-	-	1	1	1	-	3	30	6	-	127	114
900	Ford	161	2	-	-	-	-	-	-	2	-	-	24	2	-	88	83
901	Franklin	518	15	-	-	-	-	-	-	1	-	-	74	5	1	287	271
902	West Frankfort	139	6	-	-	-	-	-	-	1	-	-	21	2	-	80	76
903	Balance of county	379	9	-	-	-	-	-	-	-	-	-	53	3	1	207	195
904	Fulton	506	2	3	-	-	-	-	-	2	-	1	61	11	-	288	279
905	Canton	159	-	1	-	-	-	-	-	1	-	-	24	4	-	85	84
906	Balance of county	348	2	2	-	-	-	-	-	1	-	1	37	7	-	213	195
907	Gallatin	129	3	4	-	-	-	-	-	-	-	-	17	2	-	77	73
908	Greene	245	1	1	-	-	-	-	-	1	-	-	29	6	-	146	138
909	Grundy	187	2	-	-	-	-	-	-	1	-	-	18	8	-	110	99
910	Hamilton	134	4	-	-	-	-	-	1	-	-	-	21	1	-	81	80
911	Hancock	345	2	1	-	-	-	-	-	-	-	3	59	9	-	186	188
912	Hardin	70	6	-	-	-	-	-	-	1	-	1	9	1	1	29	26
913	Henderson	101	1	-	-	-	-	-	-	-	-	-	17	1	-	52	51
914	Henry	548	4	3	-	-	-	-	-	1	-	1	95	17	-	294	284
915	Kewanee	206	3	1	-	-	-	-	-	1	-	-	32	10	-	100	95
916	Balance of county	339	1	2	-	-	-	-	-	-	-	1	63	7	-	194	189
917	Iroquois	342	4	2	-	-	-	-	1	-	-	1	50	11	-	160	172
918	Jackson	403	12	7	-	-	-	-	-	-	-	-	47	10	-	209	199
919	Jasper	130	1	1	-	-	-	-	-	7	-	-	18	5	-	65	59
920	Jefferson	421	8	4	-	-	-	1	-	3	-	1	50	10	-	216	196
921	Mount Vernon	240	5	3	-	-	-	-	-	-	-	-	25	4	-	124	117
922	Balance of county	181	3	1	-	-	-	1	-	3	-	1	25	6	-	92	79
923	Jersey	153	2	-	-	-	-	-	-	-	-	-	24	5	-	82	75
924	Jo Daviess	256	3	-	-	-	-	-	-	-	-	-	45	11	-	146	143
925	Johnson	106	2	-	-	-	-	-	1	-	-	3	17	4	-	54	53
926	Kane	1,502	19	2	-	-	-	-	1	17	-	6	251	34	1	794	764
927	Aurora	558	7	-	-	-	-	-	-	2	-	1	101	16	1	310	299
928	Elgin (part)	440	4	2	-	-	-	-	-	7	-	2	77	6	-	222	216
929	Elgin (total)	451	4	2	-	-	-	-	-	7	-	2	80	5	-	228	220
930	Balance of county	504	8	-	-	-	-	-	1	8	-	3	73	11	-	262	249
931	Kankakee	627	11	3	-	-	-	-	-	-	-	1	99	16	-	345	334
932	Kankakee	307	8	2	-	-	-	-	-	-	-	-	57	10	-	167	160
933	Balance of county	320	3	1	-	-	-	-	-	-	-	1	42	6	-	178	174
934	Kendall	109	1	-	-	-	-	-	-	-	-	-	12	1	-	65	60
935	Knox	630	8	4	-	-	-	-	-	11	-	-	90	13	-	360	349
936	Galesburg	399	6	3	-	-	-	-	-	8	-	-	54	7	-	240	234
937	Balance of county	231	2	1	-	-	-	-	-	3	-	-	36	6	-	120	115
938	Lake	1,376	22	8	-	-	-	-	1	6	-	2	220	37	-	697	673
939	Waukegan	378	6	6	-	-	-	-	-	1	-	-	57	5	-	191	183
940	Highland Park	133	2	-	-	-	-	-	-	2	-	-	32	4	-	75	74
941	Balance of county	865	14	3	-	-	-	-	1	3	-	2	131	28	-	431	416
942	La Salle	1,117	19	2	-	-	-	1	1	2	-	1	196	26	-	599	579
943	La Salle	145	5	1	-	-	-	-	-	-	-	-	25	3	-	82	81
944	Ottawa	202	4	-	-	-	-	-	-	-	-	-	30	2	-	117	112
945	Streator	208	4	-	-	-	-	-	-	2	-	-	42	8	-	104	102
946	Balance of county	562	6	1	-	-	-	1	1	-	-	1	99	13	-	296	284
947	Lawrence	189	3	-	-	-	-	-	-	-	1	-	31	4	-	100	95
948	Lee	436	16	1	-	-	-	-	-	2	-	5	52	3	-	210	192
949	Dixon	148	1	1	-	-	-	-	-	-	-	1	15	1	-	84	76
950	Balance of county	288	15	-	-	-	-	-	-	2	-	4	37	2	-	126	116
951	Livingston	434	14	3	-	-	1	-	-	1	-	1	76	7	-	233	226
952	Logan	307	4	-	-	-	-	-	-	-	-	-	53	8	1	162	160
953	Lincoln	142	3	-	-	-	-	-	-	-	-	-	32	2	1	73	72
954	Balance of county	165	1	-	-	-	-	-	-	-	-	-	21	6	-	89	88
955	McDonough	349	5	2	-	-	-	-	-	1	-	-	47	8	-	184	180
956	McHenry	563	10	-	-	-	-	-	-	4	-	-	100	19	2	290	284
957	McLean	941	9	7	-	-	-	-	-	3	-	3	146	22	-	524	506
958	Bloomington	511	5	6	-	-	-	-	-	2	-	2	85	16	-	285	276
959	Balance of county	430	4	1	-	-	-	-	-	1	-	1	61	6	-	239	230
960	Macon	977	14	6	-	-	-	-	-	3	-	3	130	25	-	495	483
961	Decatur	741	12	4	-	-	-	-	-	2	-	2	102	19	-	374	367
962	Balance of county	236	2	2	-	-	-	-	-	1	-	1	28	6	-	121	116
963	Macoupin	566	4	3	-	1	-	1	-	-	-	1	99	16	1	342	327
964	Madison	1,573	29	11	-	-	-	-	1	5	-	3	214	35	5	847	815
965	Alton	362	9	3	-	-	-	-	-	1	-	1	50	10	1	189	183
966	Granite City	224	5	-	-	-	-	-	-	-	-	2	26	5	-	119	110
967	Balance of county	987	15	8	-	-	-	-	1	4	-	-	138	20	4	539	522
968	Marion	498	10	5	-	1	-	2	1	5	-	1	67	8	2	278	268
969	Centralia (part)	208	3	2	-	1	-	-	-	2	-	-	29	3	1	120	116
970	Centralia (total)	211	3	2	-	1	-	-	-	2	-	-	29	3	1	123	119
971	Balance of county	290	7	3	-	-	-	2	1	3	-	1	38	5	1	158	150
972	Marshall	158	1	2	-	-	-	-	1	-	-	-	22	5	-	91	90
973	Mason	181	2	1	-	-	-	-	-	-	-	-	29	5	-	107	104
974	Massac	189	8	-	-	1	-	-	-	1	-	2	25	4	-	96	93
975	Menard	119	2	-	-	-	-	-	-	-	-	-	14	1	-	89	88
976	Mercer	185	-	2	-	-	-	-	-	2	-	-	26	4	-	104	101
977	Monroe	150	-	1	-	-	-	-	-	-	-	-	15	3	-	98	95
978	Montgomery	432	6	1	-	-	-	-	-	1	-	-	58	10	1	255	239
979	Morgan	416	8	1	-	-	-	-	-	2	-	1	74	2	1	223	216
980	Jacksonville	237	2	1	-	-	-	-	-	-	-	1	43	2	1	131	129
981	Balance of county	179	6	-	-	-	-	-	-	2	-	-	31	-	-	92	87
982	Moultrie	160	2	1	-	-	-	-	-	2	-	-	27	3	1	85	81
983	Ogle	347	3	3	-	-	-	-	1	2	-	1	49	10	1	196	188
984	Peoria	1,638	31	16	-	-	-	-	-	8	-	5	261	38	-	848	827
985	Peoria	1,224	24	14	-	-	-	-	-	3	-	4	208	30	-	622	608
986	Balance of county	414	7	2	-	-	-	-	-	5	-	1	53	8	-	226	219
987	Perry	237	2	2	-	-	-	1	-	1	-	-	34	3	-	126	119
988	Piatt	118	-	-	-	-	-	-	-	1	-	1	12	4	-	73	68

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
13	-	31	2	1	3	4	-	1	-	-	-	1	5	2	5	1	-	14	897
20	-	73	6	2	17	7	-	-	2	-	-	1	1	1	5	3	-	18	898
37	-	69	8	-	13	5	5	1	-	-	2	2	1	8	14	2	1	31	899
10	-	59	15	1	5	3	1	-	-	1	1	1	-	10	7	3	-	16	900
55	-	192	22	2	16	14	2	5	3	-	1	8	2	14	22	6	-	58	901
16	-	55	5	-	4	1	1	-	2	-	-	2	1	4	5	1	-	12	902
39	-	137	17	2	12	13	1	5	1	-	1	6	1	10	17	5	-	46	903
67	-	196	14	2	19	11	4	1	2	1	1	5	4	11	26	7	-	55	904
21	-	61	2	-	1	3	3	1	1	-	1	2	2	3	8	1	-	20	905
46	-	135	12	2	18	8	1	-	1	1	-	3	2	8	20	6	-	35	906
23	1	45	3	1	4	1	1	1	-	-	-	1	1	1	4	1	-	15	907
30	-	103	5	-	8	7	1	2	2	-	-	1	3	4	10	3	-	28	908
16	-	72	10	1	11	4	2	-	1	-	-	4	1	3	11	1	-	21	909
15	-	61	4	-	1	4	-	2	1	-	-	1	1	1	3	-	-	13	910
48	-	121	18	1	8	11	1	-	2	-	-	6	1	6	14	2	-	30	911
7	-	16	2	1	3	4	-	-	-	-	1	2	-	-	2	-	1	11	912
11	-	38	2	-	1	3	1	-	-	-	-	1	1	4	8	4	-	10	913
73	-	198	10	3	10	13	4	1	4	1	1	8	2	13	23	6	-	54	914
24	-	68	3	-	5	6	4	1	3	1	-	3	-	4	6	3	-	28	915
49	-	130	7	3	5	7	-	-	1	-	1	5	2	9	17	3	-	26	916
36	-	129	6	1	8	5	3	1	1	-	1	2	2	14	10	5	1	48	917
40	-	145	10	4	10	14	2	3	2	2	1	1	3	5	25	5	2	53	918
13	-	42	4	-	6	5	-	-	-	1	-	-	-	2	10	-	-	15	919
39	-	143	13	1	20	6	-	4	3	-	1	7	18	10	15	10	4	50	920
22	-	86	9	-	7	4	-	3	2	-	-	2	8	5	10	7	4	34	921
17	-	57	4	1	13	2	-	1	1	-	1	5	10	5	5	3	-	16	922
14	-	54	6	1	7	7	1	-	-	1	-	-	-	2	12	3	2	12	923
32	-	105	6	-	3	1	2	1	2	-	-	1	2	4	11	3	-	24	924
12	-	37	4	-	1	2	1	1	-	-	2	-	-	1	1	-	-	17	925
170	1	537	46	10	30	30	9	9	8	4	2	27	7	35	59	19	2	166	926
68	-	212	16	3	11	7	2	3	2	1	-	11	3	10	16	5	-	58	927
48	1	151	11	8	6	13	3	4	3	2	1	4	1	13	25	6	1	43	928
48	1	154	12	5	6	14	3	4	3	2	1	4	1	14	27	6	1	45	929
54	-	174	19	2	13	10	4	2	3	1	1	12	3	12	18	8	1	63	930
56	-	260	15	3	11	25	3	5	1	3	1	8	2	16	19	9	1	59	931
24	-	127	7	2	7	15	-	3	-	2	1	3	-	4	7	4	1	23	932
32	-	133	8	1	4	10	3	2	1	1	-	5	2	12	12	5	-	36	933
11	-	43	6	-	5	2	2	-	-	-	-	3	-	5	5	-	-	13	934
65	-	262	17	5	11	8	4	4	4	-	3	12	2	14	26	9	-	56	935
47	-	172	11	4	6	5	1	3	3	-	2	6	1	6	18	3	-	33	938
18	-	90	6	1	5	3	3	1	1	-	1	6	1	8	8	6	-	25	937
102	-	527	37	7	24	34	13	5	10	2	3	15	7	39	55	14	4	181	938
23	-	146	12	2	8	12	4	3	4	1	-	4	1	15	11	4	4	49	939
13	-	54	5	2	1	1	2	-	-	-	-	1	1	1	-	1	-	11	940
66	-	327	20	3	15	21	7	2	6	1	3	10	5	23	44	9	-	121	941
109	-	435	29	6	20	13	7	2	16	-	3	9	5	26	44	17	-	128	942
15	-	64	2	-	1	2	1	-	3	-	1	3	-	3	2	2	-	12	943
23	-	86	2	1	5	2	-	-	3	-	-	1	2	4	9	3	-	25	944
23	-	65	12	2	2	2	-	-	4	-	1	-	-	4	6	-	-	31	945
48	-	220	13	3	12	7	6	2	6	-	1	5	3	15	27	12	-	60	946
14	-	72	8	1	5	5	2	2	-	2	-	2	1	4	8	3	-	21	947
36	1	145	9	1	18	10	2	4	4	-	-	10	5	7	22	5	-	78	948
17	1	54	3	1	2	-	1	1	2	-	-	4	1	1	9	2	-	24	949
19	-	91	6	-	10	10	1	3	2	-	-	6	4	6	13	3	-	54	950
49	-	163	14	-	7	5	3	1	3	1	-	3	1	7	16	6	1	51	951
32	-	123	4	1	2	2	1	1	2	-	-	3	-	10	16	4	1	39	952
17	-	53	2	-	1	1	1	-	1	-	-	3	-	3	7	1	-	14	953
15	-	70	2	1	1	1	-	1	1	-	-	-	-	7	9	3	1	25	954
46	-	124	9	1	4	1	1	-	3	-	-	4	3	9	27	3	-	51	955
61	-	193	27	3	6	8	5	2	3	1	-	7	1	18	20	8	-	85	956
129	-	344	31	2	18	15	10	3	5	6	1	14	7	20	45	10	-	81	957
59	-	139	17	1	9	9	7	-	5	2	1	7	2	6	26	6	-	39	958
70	-	145	14	1	9	6	3	3	-	4	-	7	5	14	19	4	-	52	959
97	-	365	18	2	12	29	8	3	4	3	-	15	16	31	56	14	3	119	960
78	-	271	17	1	7	24	6	2	3	2	-	10	11	20	42	11	3	92	961
19	-	94	2	1	5	5	2	1	1	1	-	5	5	11	14	3	-	27	962
53	-	254	18	2	15	9	1	1	8	-	2	4	1	11	15	5	-	51	963
153	4	611	42	5	32	27	8	5	15	2	2	23	16	48	81	14	9	167	964
32	1	144	5	1	6	6	2	2	2	1	-	4	4	11	17	4	4	41	965
18	-	84	7	1	9	3	1	-	4	-	-	5	1	5	14	3	-	31	966
103	3	383	30	3	17	18	5	3	9	1	2	20	11	32	50	7	5	95	967
57	-	192	16	1	12	8	4	2	5	1	-	7	4	15	21	5	1	45	968
25	-	85	6	-	4	4	1	1	3	-	-	4	-	8	7	1	-	20	969
28	-	86	7	-	4	4	1	1	3	-	-	4	-	6	7	1	-	20	970
32	-	107	10	1	8	4	3	1	2	1	-	3	4	9	14	4	1	25	971
19	-	63	6	2	1	3	1	-	1	-	-	2	1	4	8	2	-	14	972
14	-	85	5	-	3	2	1	-	-	-	-	-	1	3	11	2	-	17	973
24	1	64	2	2	3	10	1	-	-	3	-	1	5	2	8	2	2	18	974
15	-	51	2	-	1	-	1	-	3	-	-	-	2	2	9	2	-	14	975
21	-	66	11	3	3	3	1	-	2	-	1	4	1	5	11	1	-	20	976
23	-	66	6	-	3	2	-	-	-	-	-	4	2	3	8	1	-	11	977
55	-	170	11	3	16	8	-	-	4	2	2	5	5	10	14	5	-	45	978
58	-	145	10	2	7	13	2	3	2	2	-	1	2	10	17	6	3	43	979
40	-	83	6	-	2	8	-	3	2	1	-	1	2	7	12	1	2	17	980
18	-	63	4	2	5	5	2	-	-	1	-	-	-	3	5	5	1	26	981
14	-	52	13	2	4	2	3	1	-	1	1	3	1	3	3	1	-	20	982
34	1	139	10	4	8	4	-	-	1	1	2	10	4	3	16	8	-	32	983
127	1	638	55	8	21	51	13	5	14	1	3	16	7	45	72	23	9	174	984
69	1	476	38	4	14	42	11	2	13	1	1	13	6	28	53	14	9	126	985
38	-	162	17	2	7	9	2	3	1	-	2	3	1	15	19	9	-	48	986
26	1	80	11	1	7	8	-	1	2	1	-	-	3	4	13	5	2	29	987
14	-	51	3	-	5	1	-	1	-	-	-	1	-	-	8	2	-	14	988

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular-renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	ILLINOIS—Continued																
988	Pike	308	1	2	-	-	-	-	-	-	-	1	42	8	-	186	184
990	Pope	88	5	-	-	-	-	-	-	-	-	-	7	1	-	54	47
991	Pulaski	207	6	-	-	-	-	-	-	1	1	1	18	2	-	122	112
992	Putnam	66	1	1	-	-	-	-	-	-	-	-	12	1	-	41	39
993	Randolph	298	5	2	-	-	-	-	-	3	-	1	33	5	1	164	156
994	Richland	160	6	-	-	1	-	-	-	1	-	-	14	6	-	91	90
995	Rock Island	1,257	23	12	-	-	2	-	-	1	-	3	187	27	1	670	656
996	Moline	407	6	4	-	-	-	-	-	-	-	-	63	9	1	225	220
997	Rock Island	523	12	3	-	-	1	-	-	1	-	1	76	13	-	275	272
998	East Moline	124	4	3	-	-	1	-	-	-	-	1	14	2	-	67	64
999	Balance of county	203	1	2	-	-	-	-	-	-	-	1	34	3	-	103	100
1000	St. Clair	2,116	58	13	-	1	-	1	1	3	-	3	294	52	1	1,104	1,050
1001	Belleville	401	8	1	-	-	-	-	-	1	-	1	59	18	-	210	209
1002	East St. Louis	1,023	40	9	-	1	-	-	1	2	-	1	120	20	1	535	498
1003	Balance of county	692	10	3	-	-	-	1	-	-	-	1	115	14	-	359	343
1004	Saline	439	13	1	-	-	-	-	-	3	-	1	70	8	-	220	199
1005	Harrisburg	158	1	1	-	-	-	-	-	-	-	1	28	5	-	84	75
1006	Balance of county	281	12	-	-	-	-	-	-	3	-	-	42	3	-	136	124
1007	Sangamon	1,470	18	8	-	-	-	-	1	11	-	2	233	36	1	773	736
1008	Springfield	1,101	17	8	-	-	-	-	-	10	-	2	175	28	-	585	561
1009	Balance of county	369	1	-	-	-	-	-	1	1	-	-	58	8	1	188	175
1010	Schuyler	127	-	-	-	-	-	-	-	-	-	1	17	-	-	72	70
1011	Scott	82	3	1	-	-	-	-	-	1	-	-	12	2	-	44	44
1012	Shelby	286	4	-	-	-	-	-	-	1	-	1	39	9	-	164	158
1013	Stark	60	2	-	-	-	-	-	-	-	-	-	17	4	-	41	39
1014	Stephenson	479	2	1	-	-	-	-	-	-	-	2	72	7	-	276	264
1015	Freeport	289	1	1	-	-	-	-	-	-	-	-	45	4	-	164	155
1016	Balance of county	190	1	-	-	-	-	-	-	-	-	2	27	3	-	112	109
1017	Tazewell	624	13	4	-	-	-	-	-	3	-	3	85	16	1	305	294
1018	Pekin	237	5	-	-	-	-	-	-	2	-	-	32	8	1	125	120
1019	Balance of county	387	8	4	-	-	-	-	-	1	-	3	53	8	-	180	174
1020	Union	217	4	3	1	2	-	-	-	2	-	2	19	5	-	113	108
1021	Vermilion	1,013	11	9	-	-	-	-	-	8	-	3	167	21	-	573	546
1022	Danville	547	9	5	-	-	-	-	-	2	-	-	98	10	-	305	288
1023	Balance of county	466	2	4	-	-	-	-	-	6	-	3	69	11	-	268	258
1024	Wabash	161	3	-	-	-	-	-	-	1	-	2	22	2	1	98	93
1025	Warren	255	2	1	-	-	-	1	-	3	-	1	40	6	-	141	139
1026	Washington	138	2	-	-	-	-	-	-	-	-	1	20	3	-	77	74
1027	Wayne	229	3	-	-	-	-	-	2	-	-	1	44	8	-	129	126
1028	White	217	5	2	-	-	-	1	-	1	-	-	27	7	1	114	104
1029	Whiteside	492	2	1	-	-	-	-	-	4	-	3	90	13	1	264	261
1030	Sterling	154	-	-	-	-	-	-	-	2	-	2	23	6	1	88	86
1031	Balance of county	338	2	1	-	-	-	-	-	2	-	1	67	7	-	176	175
1032	Will	1,304	26	6	-	-	-	-	-	1	-	1	196	36	-	666	639
1033	Joliet	708	14	4	-	-	-	-	-	1	-	-	105	20	-	359	344
1034	Balance of county	596	12	2	-	-	-	-	-	-	-	1	91	16	-	307	295
1035	Williamson	568	14	1	-	-	-	-	-	2	-	1	71	13	-	351	325
1036	Winnebago	1,408	19	13	-	-	1	-	3	6	-	5	203	38	4	738	715
1037	Rockford	997	15	9	-	-	1	-	1	3	-	4	153	29	1	528	509
1038	Balance of county	408	4	4	-	-	-	-	2	3	-	1	50	9	3	210	206
1039	Woodford	208	2	-	-	-	-	-	-	1	-	1	33	6	-	112	109
1040	INDIANA	40,026	801	262	2	14	21	25	29	116	9	132	5,653	711	49	21,722	20,974
1041	Adams	215	4	-	-	1	-	-	-	4	-	2	31	1	1	107	102
1042	Allen	1,711	48	11	-	-	-	-	-	9	-	2	257	31	1	892	860
1043	Fort Wayne	1,356	36	9	-	-	-	-	-	5	-	-	214	25	1	705	684
1044	Balance of county	355	12	2	-	-	-	-	-	4	-	2	43	6	-	187	176
1045	Bartholomew	365	3	2	-	-	1	-	-	-	-	1	54	10	-	202	200
1046	Columbus	181	2	1	-	-	1	-	-	-	-	1	25	5	-	96	95
1047	Balance of county	184	1	1	-	-	-	-	-	-	-	-	29	5	-	106	105
1048	Benton	116	3	-	-	-	-	-	-	-	-	-	15	2	-	64	63
1049	Blackford	159	3	-	-	-	1	-	-	2	-	-	22	2	-	92	91
1050	Boone	281	1	1	-	-	-	-	-	1	-	-	38	5	-	168	160
1051	Brown	84	1	-	-	-	-	-	-	-	-	-	9	-	-	37	37
1052	Carroll	194	2	-	-	-	-	-	-	-	-	-	23	4	1	122	119
1053	Cass	466	9	4	-	-	-	2	-	-	-	3	62	8	-	274	266
1054	Logansport	288	4	4	-	-	-	1	-	-	-	2	41	3	-	173	170
1055	Balance of county	178	5	-	-	-	-	1	-	-	-	1	21	5	-	101	96
1056	Clark	416	8	3	1	-	-	-	-	-	2	5	52	4	-	222	215
1057	Jeffersonville	176	4	-	-	-	-	-	-	-	2	-	23	3	-	95	93
1058	Balance of county	240	4	3	1	-	-	-	-	-	-	5	29	1	-	127	122
1059	Clay	288	6	1	-	-	-	1	-	1	-	-	38	5	-	175	169
1060	Clinton	339	4	2	-	-	1	-	-	-	-	-	39	3	-	193	192
1061	Frankfort	187	3	1	-	-	-	-	-	-	-	-	25	1	-	107	107
1062	Balance of county	152	1	1	-	-	1	-	-	-	-	-	14	2	-	86	85
1063	Crawford	116	5	-	-	-	-	1	-	-	-	-	7	2	-	64	59
1064	Daviess	311	5	-	-	-	-	-	-	-	-	2	41	6	1	172	166
1065	Dearborn	281	-	4	-	-	-	1	-	1	-	2	34	3	-	181	154
1066	Decatur	240	4	1	-	-	-	-	-	-	-	-	41	-	-	135	132
1067	De Kalb	298	2	-	-	-	-	1	-	4	-	-	38	14	-	161	151
1068	Delaware	898	12	7	-	-	-	-	1	9	-	2	127	15	2	460	450
1069	Muncie	601	9	5	-	-	-	-	-	5	-	2	87	13	1	289	284
1070	Balance of county	297	3	2	-	-	-	-	1	4	-	-	40	2	1	171	166
1071	Dubois	218	3	-	-	-	-	-	1	1	-	2	28	2	-	112	112
1072	Elkhart	813	8	7	-	1	-	-	-	4	-	2	125	22	-	454	442
1073	Elkhart	349	6	5	-	1	-	-	-	2	-	1	52	9	-	179	174
1074	Goshen	163	1	2	-	-	-	-	-	-	-	-	29	4	-	94	92
1075	Balance of county	301	1	-	-	-	-	-	-	2	-	1	44	9	-	181	176
1076	Fayette	220	8	2	-	-	-	-	-	-	-	1	33	1	-	107	101
1077	Connersville	165	8	2	-	-	-	-	-	-	-	1	27	-	-	80	75
1078	Balance of county	55	-	-	-	-	-	-	-	-	-	-	6	1	-	27	26

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
47	-	125	9	3	2	6	-	-	-	3	-	2	2	13	7	5	-	28	989
8	-	36	3	-	7	2	-	1	2	-	-	-	3	2	5	1	-	6	990
30	-	76	5	1	10	11	1	3	1	2	2	2	-	9	7	2	-	16	991
4	1	27	6	1	2	1	-	-	-	1	-	-	-	1	-	2	-	5	992
34	1	108	13	-	8	3	3	-	-	-	1	2	2	12	15	3	2	41	993
19	-	61	9	1	1	4	1	1	1	-	1	1	2	6	4	2	-	18	994
141	-	487	43	5	14	28	8	6	18	5	3	15	2	21	57	14	5	151	995
43	-	164	13	-	5	5	4	2	7	2	1	2	1	8	14	4	1	48	996
55	-	195	19	3	3	13	4	2	8	3	1	6	1	5	23	7	4	64	997
18	-	42	3	1	3	2	-	1	1	-	-	3	-	3	7	1	-	14	998
25	-	66	8	1	3	6	-	1	2	-	1	4	-	5	13	2	-	25	999
209	2	785	43	11	54	47	11	15	24	11	5	22	16	43	92	19	20	260	1000
40	1	156	9	3	1	9	1	2	6	1	2	5	5	10	14	2	1	45	1001
99	-	378	18	3	37	30	5	8	14	4	1	10	7	15	49	10	13	127	1002
70	1	251	16	5	16	8	5	5	4	6	2	7	4	18	29	7	6	88	1003
28	-	146	23	2	21	16	3	2	1	1	-	4	3	12	27	2	4	48	1004
12	-	54	7	2	9	7	1	1	-	-	-	1	-	6	8	-	1	13	1005
16	-	92	16	-	12	9	2	1	1	1	-	3	3	6	19	2	3	35	1006
140	2	561	24	9	37	18	8	6	14	4	1	13	18	42	67	22	2	172	1007
104	1	433	18	5	24	11	6	4	8	1	-	9	15	28	48	9	2	135	1008
36	1	128	6	4	13	7	2	2	6	3	1	4	3	14	19	13	-	37	1009
9	-	56	5	-	2	4	-	-	-	1	1	1	1	5	5	-	-	19	1010
4	-	36	4	-	-	3	-	-	-	-	-	1	-	3	1	-	-	11	1011
27	-	122	7	2	6	2	-	1	3	4	-	3	-	3	16	3	-	33	1012
6	-	33	-	-	2	3	-	1	-	-	-	1	-	2	4	-	-	5	1013
59	-	189	15	1	12	15	6	4	2	1	-	2	1	5	17	5	1	60	1014
35	-	109	11	-	9	11	3	3	2	1	-	2	1	1	10	1	1	38	1015
24	-	80	4	1	3	4	3	1	-	-	-	-	-	4	7	4	-	22	1016
58	3	214	11	8	11	18	3	3	5	1	2	7	4	22	38	11	-	80	1017
16	2	97	1	4	5	8	2	1	1	-	1	4	2	4	8	3	-	30	1018
42	1	117	10	4	6	10	1	2	4	1	1	3	2	18	30	8	-	50	1019
20	1	75	12	-	5	4	3	3	1	1	2	-	3	9	13	1	-	26	1020
98	-	401	45	2	27	18	9	7	4	1	-	9	3	18	42	11	2	97	1021
49	-	218	20	1	17	12	6	1	4	-	-	5	2	5	25	6	2	50	1022
49	-	183	25	1	10	6	3	6	-	1	-	4	1	13	17	5	-	47	1023
21	-	67	4	1	5	2	2	1	2	-	-	3	-	5	3	-	-	14	1024
31	-	100	7	1	2	8	-	-	2	-	1	7	1	1	12	4	-	24	1025
20	-	47	7	-	3	3	1	2	1	-	1	1	-	4	6	-	-	16	1026
24	-	90	11	1	3	5	-	-	-	-	-	-	1	7	9	1	-	19	1027
24	-	71	9	-	10	12	2	1	-	1	-	-	-	8	9	3	-	23	1028
50	-	187	20	4	3	5	-	4	1	-	1	8	1	9	21	3	-	61	1029
15	-	62	7	2	2	2	-	1	1	-	-	2	-	4	6	-	-	16	1030
35	-	125	13	2	1	3	-	3	-	-	1	6	1	5	15	3	-	45	1031
115	3	468	50	5	27	28	10	7	10	10	1	21	4	32	54	19	4	171	1032
59	-	253	31	1	15	18	8	6	7	6	-	7	2	20	24	6	3	98	1033
54	3	215	19	4	12	11	2	1	3	4	1	14	2	12	30	13	1	73	1034
64	-	236	24	1	26	7	3	6	1	1	1	5	4	11	21	7	3	65	1035
154	2	512	40	7	23	27	9	3	15	3	1	26	5	40	53	19	1	173	1036
107	2	369	26	5	19	21	7	1	11	1	-	15	3	20	35	12	1	126	1037
47	-	143	14	2	4	6	2	2	4	2	1	11	2	20	18	7	-	47	1038
23	1	73	11	1	3	4	-	-	2	-	1	2	-	4	6	6	1	27	1039
4,855	63	14,349	1,548	159	748	1,098	190	272	294	96	57	533	260	1,098	1,611	526	123	4,322	1040
38	-	57	9	-	5	12	-	-	-	-	-	1	2	6	12	2	-	29	1041
191	3	585	81	-	32	40	10	9	18	3	6	37	3	51	49	21	3	210	1042
148	3	475	58	-	21	33	10	7	15	2	5	28	3	43	37	16	2	160	1043
43	-	110	23	-	11	7	-	2	3	1	1	9	-	8	12	5	1	50	1044
49	-	128	20	3	2	11	1	5	2	1	2	1	3	14	11	9	-	32	1045
23	-	61	9	2	1	4	1	4	2	-	2	-	3	5	4	7	-	18	1046
26	-	67	11	1	1	7	-	1	-	1	-	1	-	9	7	2	-	14	1047
14	-	45	3	1	1	3	2	-	2	-	-	3	2	7	3	-	-	10	1048
22	1	61	7	-	1	5	-	-	1	-	-	2	6	2	2	2	2	15	1049
26	1	113	20	-	8	8	1	1	1	1	1	2	1	9	6	8	-	28	1050
7	-	24	5	1	-	4	-	1	-	-	-	-	1	1	4	1	-	5	1051
30	-	70	15	4	3	4	1	-	-	-	-	-	1	6	6	4	-	20	1052
59	1	191	12	3	8	21	1	2	1	-	-	9	2	11	13	3	-	41	1053
42	-	118	7	3	3	14	-	1	1	-	-	6	-	4	7	3	-	24	1054
17	1	73	5	-	5	7	1	1	-	-	-	3	2	7	6	-	-	17	1055
35	2	157	19	2	7	11	1	2	2	-	-	7	1	9	22	7	1	56	1056
15	-	71	7	-	2	6	-	1	1	-	-	-	1	1	9	3	1	26	1057
20	2	86	12	2	5	5	1	1	1	-	-	7	-	8	13	4	-	30	1058
39	-	121	6	3	6	6	2	1	-	1	-	-	1	4	17	4	-	25	1059
47	1	122	20	2	1	10	-	2	-	2	-	4	2	9	17	9	-	42	1060
23	-	72	11	1	-	4	-	1	-	1	-	2	2	5	6	3	-	26	1061
24	1	50	9	1	1	6	-	1	-	1	-	2	-	4	11	6	-	16	1062
16	1	33	9	-	5	5	-	-	1	-	1	5	1	4	5	2	-	13	1063
32	-	119	14	1	6	12	3	3	2	-	-	3	2	6	9	9	1	34	1064
32	-	104	17	1	7	10	1	2	-	-	-	4	2	7	12	2	-	35	1065
35	-	84	13	-	3	6	-	1	1	-	-	5	1	6	4	3	-	31	1066
34	-	96	19	2	10	15	-	-	2	1	-	3	2	15	15	1	-	28	1067
123	7	296	15	8	10	31	5	1	6	2	1	15	4	31	35	16	6	110	1068
72	6	192	10	4	5	26	4	-	3	1	1	10	4	16	22	11	5	87	1069
51	1	104	5	5	5	5	1	1	3	1	-	5	-	15	13	5	1	23	1070
37	-	62	13	-	-	1	-	1	3	-	-	4	6	4	14	-	-	36	1071
119	1	286	36	-	12	12	4	4	3	-	-	2	5	21	33	9	-	97	1072
44	-	115	15	-	5	6	1	1	1	-	-	2	2	8	14	4	-	55	1073
23	-	63	6	-	2	2	1	1	1	-	-	-	3	2	6	3	-	14	1074
52	1	108	15	-	5	4	2	2	1	-	-	-	-	11	13	2	-	28	1075
21	-	69	8	3	6	6	1	2	-	1	-	5	3	4	10	7	1	28	1076
14	-	50	8	3	5	5	-	-	-	-	-	4	2	4	6	3	1	22	1077
7	-	19	-	-	1	1	1	2	-	1	-	1	1	-	4	4	-	6	1078

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	INDIANA—Continued																
1079	Floyd	466	15	1	-	-	-	1	-	-	1	3	87	11	-	258	247
1080	New Albany	355	14	1	-	-	-	-	-	-	1	2	54	9	-	190	184
1081	Balance of county	111	1	-	-	-	-	1	-	-	-	1	13	2	-	68	63
1082	Fountain	218	5	3	-	-	-	-	-	4	-	2	29	5	-	122	112
1083	Franklin	155	2	-	-	-	-	-	-	-	-	-	27	1	-	84	83
1084	Fulton	211	2	-	-	-	-	-	-	1	-	2	28	4	-	125	121
1085	Gibson	370	7	2	-	-	-	-	-	1	-	1	48	7	-	225	213
1086	Grant	621	17	6	-	-	-	-	-	-	-	1	87	13	-	362	356
1087	Marion	340	14	4	-	-	-	-	-	-	-	-	43	5	-	198	193
1088	Balance of county	281	3	2	-	-	-	-	-	-	-	1	44	8	-	164	163
1089	Greene	385	5	2	-	-	1	1	-	-	-	-	48	7	-	216	198
1090	Hamilton	303	7	2	-	-	2	-	1	3	-	4	29	5	-	183	178
1091	Hancock	253	4	1	-	-	-	-	-	1	-	1	29	3	-	154	147
1092	Harrison	218	5	-	-	-	-	-	-	-	-	-	36	4	1	106	89
1093	Hendricks	259	4	-	-	-	-	-	-	-	-	-	34	9	1	161	157
1094	Henry	472	11	5	-	-	-	1	-	-	-	-	63	12	-	256	251
1095	New Castle	200	10	2	-	-	-	1	-	-	-	-	22	5	-	104	100
1096	Balance of county	272	1	3	-	-	-	-	-	-	-	-	41	7	-	152	151
1097	Howard	568	8	4	-	-	-	-	-	5	-	2	90	8	1	302	285
1098	Kokomo	422	6	3	-	-	-	-	-	1	-	2	89	5	-	217	206
1099	Balance of county	146	2	1	-	-	-	-	-	4	-	-	21	3	1	85	79
1100	Huntington	323	4	1	-	-	1	-	-	1	-	-	41	7	1	190	185
1101	Huntington	182	2	-	-	-	1	-	-	1	-	-	24	4	1	109	105
1102	Balance of county	141	2	1	-	-	-	-	-	-	-	-	17	3	-	81	80
1103	Jackson	314	6	-	-	-	-	1	-	1	-	-	48	3	1	182	174
1104	Jasper	157	-	-	-	-	-	-	-	-	-	-	23	5	1	83	81
1105	Jay	238	5	-	-	-	-	-	1	5	-	1	49	6	-	123	120
1106	Jefferson	251	5	3	-	-	-	-	-	-	-	2	36	2	-	142	140
1107	Jennings	155	2	1	-	1	3	-	-	-	-	-	20	3	-	87	84
1108	Johnson	301	5	1	-	-	-	1	-	-	-	-	36	6	-	182	178
1109	Knox	470	7	1	-	-	-	-	-	-	1	-	59	6	-	249	239
1110	Vincennes	213	3	1	-	-	-	-	-	-	-	-	27	4	-	104	100
1111	Balance of county	257	4	-	-	-	-	-	-	-	1	-	32	2	-	145	139
1112	Kosciusko	383	2	1	-	-	-	-	-	2	-	3	56	10	-	214	201
1113	Lagrange	175	2	2	-	-	-	-	-	1	-	-	12	3	-	108	103
1114	Lake	2,959	101	20	-	1	-	4	6	9	-	8	437	63	8	1,555	1,302
1115	Gary	1,186	61	10	-	1	-	2	1	6	-	3	161	26	4	491	464
1116	East Chicago	500	19	2	-	-	-	1	2	-	-	3	83	13	-	209	198
1117	Hammond	683	9	3	-	-	-	-	-	-	-	2	98	9	3	371	360
1118	Whiting	81	5	-	-	-	-	-	-	-	-	-	14	5	1	35	35
1119	Balance of county	509	7	5	-	-	-	1	3	3	-	-	81	10	-	249	245
1120	La Porte	711	4	6	-	-	-	-	2	2	-	2	106	12	1	367	354
1121	Michigan City	254	1	2	-	-	-	-	1	-	-	-	46	7	-	135	129
1122	La Porte	225	-	1	-	-	-	-	-	1	-	2	27	4	-	125	123
1123	Balance of county	232	3	3	-	-	-	-	1	1	-	-	33	1	1	107	102
1124	Lawrence	352	7	1	-	-	1	-	-	-	-	2	55	5	-	192	183
1125	Bedford	139	4	-	-	-	-	-	-	-	-	1	26	1	-	77	73
1126	Balance of county	213	3	1	-	-	1	-	-	-	-	1	29	4	-	115	110
1127	Madison	939	20	3	-	-	-	-	1	3	-	3	113	18	1	527	504
1128	Anderson	472	14	2	-	-	-	-	-	2	-	2	54	11	1	260	247
1129	Elwood	134	1	1	-	-	-	-	-	-	-	-	15	1	-	84	82
1130	Balance of county	333	5	-	-	-	-	-	1	1	-	1	44	6	-	183	175
1131	Marion	5,804	173	63	-	1	2	5	4	10	1	20	856	83	11	3,173	3,095
1132	Indianapolis	5,179	162	61	-	1	2	5	3	9	-	20	756	76	10	2,817	2,751
1133	Balance of county	625	11	2	-	-	-	-	1	1	1	-	100	7	1	356	344
1134	Marshall	340	6	-	-	-	-	-	-	1	-	1	50	7	-	195	191
1135	Martin	90	1	1	-	-	-	-	-	-	-	1	11	-	-	44	43
1136	Miami	370	6	1	-	-	-	2	-	1	-	-	54	7	-	232	229
1137	Peru	202	2	1	-	-	-	2	-	-	-	-	28	3	-	130	130
1138	Balance of county	168	4	-	-	-	-	-	-	1	-	-	26	4	-	102	99
1139	Monroe	393	4	5	-	-	2	-	-	-	-	-	55	9	1	203	197
1140	Bloomington	215	2	3	-	-	-	-	-	-	-	-	39	3	-	109	108
1141	Balance of county	168	2	2	-	-	2	-	-	-	-	-	16	6	1	94	89
1142	Montgomery	366	2	5	-	2	-	-	-	2	-	1	59	9	-	199	192
1143	Crawfordsville	157	-	3	-	-	-	-	-	2	-	-	16	6	-	84	80
1144	Balance of county	209	2	2	-	2	-	-	-	-	-	1	23	3	-	115	112
1145	Morgan	247	2	3	-	1	-	-	1	-	-	-	34	4	2	140	136
1146	Newton	114	2	-	-	-	-	-	-	-	-	-	11	4	-	63	63
1147	Noble	303	4	1	-	-	-	-	-	-	-	3	37	3	-	186	181
1148	Ohio	51	-	-	-	-	-	-	-	-	-	-	6	1	-	30	27
1149	Orange	193	5	-	1	-	-	1	-	-	-	2	29	2	-	102	98
1150	Owen	135	3	-	-	-	-	-	-	-	-	-	23	2	-	78	72
1151	Parke	200	4	4	-	-	-	-	-	1	-	1	22	2	-	114	104
1152	Perry	171	3	-	-	-	-	-	-	-	-	-	31	2	1	73	64
1153	Pike	152	1	-	-	-	-	-	-	-	-	-	24	-	-	91	90
1154	Porter	336	2	1	-	-	-	-	-	-	-	-	52	4	1	157	146
1155	Posey	212	7	1	-	-	-	-	-	-	-	-	27	5	-	117	114
1156	Pulaski	116	1	1	-	1	-	-	-	-	-	-	14	3	1	62	57
1157	Putnam	210	3	2	-	-	-	-	-	-	-	1	25	6	-	127	125
1158	Randolph	316	2	2	-	-	1	-	-	6	-	1	33	6	-	177	172
1159	Ripley	211	4	2	-	-	-	-	-	-	-	-	23	5	-	117	114
1160	Rush	203	3	1	-	-	-	-	-	-	-	-	25	3	-	121	119
1161	St. Joseph	1,697	35	10	-	-	-	1	1	3	-	3	267	34	-	859	805
1162	South Bend	1,048	29	9	-	-	-	-	1	2	-	1	166	18	-	525	501
1163	Mishawaka	281	2	-	-	-	-	-	-	-	-	1	45	9	-	139	137
1164	Balance of county	368	4	1	-	-	-	1	-	1	-	1	56	7	-	175	167
1165	Scott	105	3	-	-	-	-	-	-	-	-	-	14	-	-	62	61
1166	Shelby	314	6	-	-	-	-	-	-	-	-	1	40	2	1	198	193
1167	Shelbyville	148	2	-	-	-	-	-	-	-	-	-	21	-	1	90	88
1168	Balance of county	166	4	-	-	-	-	-	-	-	-	1	19	2	-	108	105
1169	Spencer	178	3	1	-	1	-	-	-	-	-	1	28	2	-	103	97
1170	Starke	174	2	-	-	-	-	1	1	-	1	-	22	-	-	95	95

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
49	-	186	11	1	11	9	1	3	7	3	2	5	-	8	18	4	-	49	1079
38	-	138	7	1	6	7	1	2	4	1	1	5	-	8	15	2	-	38	1080
11	-	48	4	-	5	2	-	1	3	2	1	-	-	-	3	2	-	11	1081
31	-	70	10	1	10	9	-	-	-	-	-	1	1	3	8	4	-	22	1082
15	-	82	6	-	1	8	-	2	-	-	-	2	-	4	10	3	-	12	1083
25	-	90	5	1	4	4	-	1	-	-	-	3	1	4	11	3	-	22	1084
58	-	143	10	2	12	8	1	2	2	2	1	4	1	8	15	3	-	32	1085
98	-	241	17	2	6	11	4	2	1	-	-	12	2	18	26	6	-	53	1086
51	-	129	11	2	5	5	4	2	1	-	-	7	-	14	16	4	-	23	1087
45	-	112	6	-	1	6	-	-	-	-	-	5	2	4	10	2	-	30	1088
41	-	150	6	1	18	9	2	1	2	-	2	5	3	14	15	6	-	48	1089
44	-	121	12	1	5	7	1	1	1	-	-	5	-	8	14	5	1	24	1090
34	-	104	9	-	7	3	1	2	3	-	-	7	2	7	13	3	-	19	1091
14	-	64	11	-	17	8	1	2	1	-	-	1	6	5	11	5	1	25	1092
31	2	115	9	-	4	6	1	2	-	1	-	1	-	8	10	3	-	18	1093
54	2	180	11	4	5	11	1	3	2	7	1	7	2	13	26	11	4	36	1094
17	1	77	4	1	4	6	1	1	1	5	-	2	1	4	11	4	3	17	1095
37	1	103	7	3	1	5	-	2	1	2	1	5	1	9	15	7	1	19	1096
57	2	214	11	1	17	15	2	6	1	2	2	9	2	18	16	5	-	70	1097
39	2	154	10	1	11	11	1	6	-	2	2	8	2	12	12	5	-	58	1098
18	-	60	1	-	6	4	1	-	1	-	-	1	-	6	4	-	-	12	1099
44	1	119	21	-	5	5	2	2	2	-	-	2	5	11	8	4	-	36	1100
22	-	75	8	-	4	3	-	1	2	-	-	-	1	9	4	2	-	18	1101
22	1	44	13	-	1	2	2	1	-	-	-	2	4	2	4	2	-	18	1102
45	2	107	20	-	8	7	-	-	1	-	-	2	2	7	17	2	-	34	1103
20	-	55	3	3	2	8	2	1	1	-	-	5	-	6	5	1	-	16	1104
33	1	79	7	-	3	7	-	-	1	-	-	2	1	7	12	-	-	18	1105
32	1	87	20	-	2	5	2	6	2	-	-	3	1	4	9	2	-	27	1106
30	-	45	9	-	3	6	1	1	-	-	-	1	1	3	3	1	-	19	1107
54	2	108	11	3	4	11	1	2	1	1	-	3	1	8	12	1	-	29	1108
54	-	163	20	2	10	16	3	5	1	3	2	5	2	16	25	8	-	61	1109
19	-	71	8	2	4	7	1	3	1	1	2	2	1	7	8	4	-	37	1110
35	-	92	12	-	6	9	2	2	-	2	-	3	1	9	17	4	-	24	1111
40	-	148	12	1	13	11	3	-	2	-	1	2	-	16	18	7	2	33	1112
25	1	68	9	-	3	7	-	1	-	1	-	3	-	4	5	4	-	24	1113
269	5	965	56	7	53	117	16	31	38	11	3	50	36	94	119	38	28	366	1114
107	3	339	13	2	27	47	8	14	21	4	2	14	25	35	54	15	21	160	1115
26	1	164	7	-	11	28	5	9	9	5	-	11	5	20	21	5	5	45	1116
77	-	266	14	3	11	24	1	6	6	2	-	14	3	14	23	10	2	83	1117
10	-	24	1	-	-	3	-	-	-	-	-	1	-	2	1	4	-	10	1118
49	1	172	21	2	4	15	2	2	2	-	1	10	3	23	20	4	-	68	1119
77	-	265	10	2	13	17	1	6	4	4	1	12	8	30	32	7	-	87	1120
27	-	99	3	-	6	4	1	3	1	1	1	4	2	6	10	1	-	28	1121
28	-	89	4	2	2	4	-	2	1	2	-	3	3	7	14	2	-	27	1122
22	-	77	3	-	5	9	-	1	2	1	-	5	3	17	8	4	-	32	1123
42	-	134	7	-	9	6	2	3	2	1	1	2	5	9	14	2	-	42	1124
18	-	53	2	-	4	2	-	-	1	-	1	2	2	5	5	1	-	11	1125
24	-	81	5	-	5	4	2	3	1	1	-	-	3	4	9	1	-	31	1126
110	2	353	36	3	23	27	3	9	4	4	4	16	14	26	38	9	2	94	1127
52	1	173	18	3	13	14	1	5	4	1	2	5	7	15	14	4	2	52	1128
22	1	54	5	-	2	1	1	2	-	-	-	6	4	-	11	1	-	7	1129
36	-	126	13	-	8	12	1	2	-	3	2	6	3	11	13	4	-	35	1130
655	9	2,134	268	29	78	131	40	49	67	7	6	69	7	130	214	80	34	568	1131
581	8	1,898	237	27	66	118	37	45	62	7	5	58	7	108	190	70	33	517	1132
74	1	236	31	2	12	13	3	4	5	-	1	11	-	22	24	10	1	51	1133
42	-	130	17	2	4	7	3	2	4	-	-	4	-	7	20	2	-	31	1134
8	-	27	8	-	1	8	-	1	1	1	1	3	1	4	1	1	-	10	1135
55	-	157	18	1	3	9	-	4	2	1	-	4	1	3	3	2	-	38	1136
30	-	94	6	-	-	4	-	3	2	-	-	3	-	2	2	1	-	19	1137
25	-	63	10	1	3	5	-	1	-	1	-	1	1	1	1	1	-	19	1138
45	-	140	11	1	6	8	-	4	3	-	2	5	4	15	23	3	1	36	1139
24	-	76	7	1	1	4	-	1	1	-	-	4	3	5	13	3	-	25	1140
21	-	64	4	-	5	4	-	3	2	-	2	1	1	10	10	-	1	11	1141
38	-	139	14	1	7	10	4	1	2	1	-	3	1	19	19	5	-	42	1142
15	-	59	5	1	4	7	2	1	2	-	-	2	-	7	4	3	-	18	1143
23	-	80	9	-	3	3	2	-	-	1	-	1	1	12	15	2	-	24	1144
36	-	89	9	1	5	10	2	-	-	-	-	4	2	11	8	3	-	20	1145
16	-	42	5	-	-	6	-	1	1	-	-	2	1	2	7	1	-	13	1146
45	-	114	22	-	7	6	2	1	3	2	1	4	-	8	11	4	-	25	1147
7	-	18	2	-	3	1	1	1	-	-	-	-	3	2	1	1	-	4	1148
28	-	61	9	1	4	6	1	-	2	1	-	-	-	4	8	6	2	21	1149
22	-	38	12	-	6	3	-	1	2	1	-	-	4	2	6	1	-	9	1150
26	2	70	6	-	10	5	1	1	1	-	-	2	1	4	16	2	-	19	1151
14	1	36	12	1	8	3	2	1	2	1	-	-	7	6	8	-	-	32	1152
26	-	61	2	1	1	3	2	1	1	1	-	1	-	7	8	1	-	11	1153
32	1	102	11	-	11	22	1	2	6	2	1	8	6	12	14	3	-	42	1154
33	-	73	6	2	3	3	1	-	-	-	-	5	3	5	11	1	-	26	1155
8	-	44	5	-	5	4	-	-	-	-	-	2	-	6	5	2	-	16	1156
32	-	83	8	-	4	4	2	1	-	-	1	-	-	3	8	3	-	24	1157
36	-	127	8	1	5	9	5	1	-	2	-	3	2	14	10	3	-	39	1158
27	-	74	12	1	3	8	1	2	-	-	-	1	-	2	12	4	1	29	1159
34	-	81	4	-	2	1	-	1	-	-	2	2	1	5	10	4	-	24	1160
169	1	576	53	6	34	49	8	8	19	6	3	30	10	61	61	26	10	213	1161
105	1	349	43	3	24	25	5	6	15	4	2	17	7	37	30	15	6	128	1162
32	-	99	4	2	2	7	2	1	3	1	-	6	1	9	12	4	1	38	1163
32	-	128	6	1	8	17	1	1	1	1	1	7	2	15	19	7	3	47	1164
12	-	45	2	2	1	4	-	3	-	-	-	2	-	1	5	1	1	9	1165
49	-	132	12	-	5	7	-	3	1	1	-	3	1	8	10	4	-	28	1166
17	-	62	9	-	2	4	-	2	-	-	-	1	1	4	6	2	-	14	1167
32	-	70	3	-	3	3	-	1	1	1	-	2	-	4	4	2	-	14	1168
15	-	78	4	-	6	7	1	1	2	1	-	-	5	7	5	2	-	9	1169
27	-	61	5	2	-	10	-	-	-	-	-	3	1	13	6	3	-	16	1170

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	INDIANA—Continued																
1171	Steuben	191	-	-	-	-	-	-	-	-	-	-	33	3	-	117	114
1172	Sullivan	344	7	2	-	-	-	-	1	-	-	2	51	6	-	184	174
1173	Switzerland	121	2	-	-	-	-	-	-	-	-	1	13	2	-	76	74
1174	Tippecanoe	612	9	3	-	1	1	-	-	1	-	4	101	15	-	320	316
1175	Lafayette	395	2	1	-	-	-	-	-	-	-	4	67	10	-	208	206
1176	Balance of county	217	7	2	-	1	1	-	-	1	-	-	34	5	-	112	110
1177	Tipton	153	3	-	-	-	-	-	-	-	-	-	28	3	-	93	88
1178	Union	73	1	-	-	-	-	-	-	2	-	1	5	1	1	40	38
1179	Vanderburgh	1,588	35	19	-	1	-	-	6	7	1	3	213	27	1	836	815
1180	Evansville	1,360	26	18	-	1	-	-	5	7	1	3	186	25	1	722	705
1181	Balance of county	228	9	1	-	-	-	-	1	-	-	-	27	2	-	114	110
1182	Vermillion	244	3	3	-	-	-	-	-	-	-	3	39	6	-	147	142
1183	Vigo	1,296	25	13	-	1	1	-	1	1	1	9	181	28	2	678	650
1184	Terre Haute	918	18	12	-	1	-	-	1	1	1	7	129	20	-	477	456
1185	Balance of county	378	7	1	-	-	1	-	-	-	-	2	52	6	2	201	194
1186	Wabash	298	1	1	-	-	2	-	-	1	-	2	45	6	-	168	158
1187	Warren	86	-	-	-	-	-	-	-	-	-	-	12	-	-	49	49
1188	Warrick	230	5	-	-	1	-	-	-	1	-	-	36	6	1	127	120
1189	Washington	197	5	-	-	-	-	-	-	1	-	1	27	2	-	116	110
1190	Wayne	752	8	5	-	-	1	-	1	1	1	5	112	16	2	391	381
1191	Richmond	456	5	4	-	-	1	-	1	-	-	2	69	12	2	228	223
1192	Balance of county	296	3	1	-	-	-	-	-	1	1	3	43	4	-	163	158
1193	Wells	211	2	1	-	-	-	-	-	2	-	-	32	1	-	126	120
1194	White	181	2	-	-	-	-	-	-	-	-	2	23	8	1	102	98
1195	Whitley	209	5	-	-	-	-	-	-	-	-	2	32	-	1	126	124
1196	IOWA	26,106	244	125	-	11	1	4	15	86	5	80	3,836	417	17	14,575	14,101
1197	Adair	122	-	1	-	-	-	-	-	-	-	1	17	5	-	56	55
1198	Adams	96	1	1	-	-	-	-	-	-	-	-	12	-	-	59	57
1199	Allamakee	192	-	-	-	1	-	-	-	1	-	1	30	5	-	109	103
1200	Appanoose	254	3	2	-	-	-	-	-	-	-	-	39	6	-	137	136
1201	Audubon	113	2	1	-	-	-	-	-	1	-	-	17	3	-	60	59
1202	Benton	245	-	1	-	-	-	-	1	2	-	1	26	5	-	156	149
1203	Black Hawk	869	8	8	-	-	-	-	-	5	1	-	114	19	1	490	472
1204	Waterloo	560	8	6	-	-	-	-	-	3	1	-	67	16	1	318	303
1205	Balance of county	309	-	2	-	-	-	-	-	2	-	-	47	3	-	172	169
1206	Boone	311	-	2	-	-	-	-	-	-	-	-	38	7	-	184	179
1207	Boone	180	-	2	-	-	-	-	-	-	-	-	23	4	-	116	113
1208	Balance of county	131	-	-	-	-	-	-	-	-	-	-	15	3	-	68	66
1209	Bremer	182	-	-	-	-	-	-	-	-	-	1	21	4	-	90	89
1210	Buchanan	203	1	1	-	-	-	-	-	-	-	1	32	1	-	124	119
1211	Buena Vista	168	1	1	-	-	-	-	-	-	-	-	21	4	-	88	81
1212	Butler	188	1	-	-	-	-	-	-	-	-	1	30	2	-	91	90
1213	Calhoun	176	2	-	-	-	-	-	-	2	-	1	22	1	-	102	99
1214	Carroll	190	-	-	-	-	-	-	1	-	-	-	34	1	-	92	92
1215	Cass	179	2	-	-	-	-	-	-	-	-	1	28	4	-	103	101
1216	Cedar	178	1	1	-	-	-	-	1	1	-	-	33	4	-	89	88
1217	Cerro Gordo	421	1	1	-	-	1	-	-	1	-	2	41	3	1	243	236
1218	Mason City	250	-	-	-	-	-	-	-	1	-	1	27	2	-	145	142
1219	Balance of county	171	1	1	-	-	1	-	-	-	-	1	14	1	1	98	94
1220	Cherokee	165	2	1	-	-	-	-	-	1	-	-	25	1	-	94	92
1221	Chickasaw	139	-	-	-	-	-	-	-	-	-	-	18	3	-	83	80
1222	Clarke	124	1	1	-	-	-	-	-	-	-	1	21	1	-	70	65
1223	Clay	174	1	1	-	-	-	-	-	1	-	-	24	2	-	101	101
1224	Clayton	238	3	-	-	1	-	-	-	4	-	2	45	5	-	119	105
1225	Clinton	586	7	3	-	1	-	-	-	2	-	1	98	7	-	334	322
1226	Clinton	381	5	2	-	-	-	-	-	2	-	-	63	5	-	219	212
1227	Balance of county	205	2	1	-	1	-	-	-	-	-	1	35	2	-	115	110
1228	Crawford	189	3	-	-	-	-	-	-	2	-	1	36	3	-	93	88
1229	Dallas	257	2	2	-	-	-	-	-	-	-	-	38	11	1	140	136
1230	Davis	115	-	-	-	-	-	-	1	-	-	-	10	1	1	59	57
1231	Decatur	159	1	-	-	-	-	-	-	-	1	-	20	1	-	96	92
1232	Delaware	190	1	-	-	2	-	-	-	1	-	1	19	2	1	105	99
1233	Des Moines	488	4	-	-	-	-	1	-	1	-	1	68	12	-	297	282
1234	Burlington	368	3	-	-	-	-	-	-	1	-	-	48	10	-	229	215
1235	Balance of county	120	1	-	-	-	-	1	-	-	-	1	20	2	-	68	67
1236	Dickinson	130	-	2	-	-	-	-	-	-	-	-	13	3	-	86	84
1237	Dubuque	767	12	4	-	-	-	-	-	8	-	5	108	8	-	434	414
1238	Dubuque	577	11	4	-	-	-	-	-	6	-	4	78	7	-	356	321
1239	Balance of county	190	1	-	-	-	-	-	-	2	-	1	30	1	-	98	93
1240	Emmet	119	1	-	-	-	-	-	-	2	-	2	20	1	-	60	54
1241	Fayette	299	1	2	-	1	-	-	-	-	-	1	40	3	1	166	154
1242	Floyd	202	3	-	-	-	-	-	-	-	-	3	29	1	-	124	124
1243	Franklin	152	-	-	-	-	-	-	-	4	-	2	23	3	-	82	81
1244	Fremont	150	-	1	-	-	-	-	-	-	-	1	13	4	-	93	87
1245	Greene	172	-	2	-	-	-	-	-	-	-	1	29	2	-	90	87
1246	Grundy	112	1	-	-	-	-	-	-	-	-	-	18	-	-	72	71
1247	Guthrie	174	1	1	-	-	-	-	-	3	-	1	33	4	-	88	87
1248	Hamilton	165	-	-	-	-	-	-	-	-	-	-	25	3	-	99	97
1249	Hancock	125	-	-	-	-	-	-	-	1	-	-	15	2	1	69	66
1250	Hardin	239	3	1	-	-	-	-	-	5	-	-	43	2	-	137	134
1251	Harrison	190	2	1	-	-	-	-	-	2	-	1	30	3	-	96	92
1252	Henry	215	1	-	-	-	-	-	-	-	-	1	29	4	-	121	116
1253	Howard	119	2	1	-	-	-	-	-	-	-	1	27	1	-	55	53
1254	Humboldt	118	-	1	-	-	-	-	-	2	-	2	19	-	1	62	62
1255	Ida	99	2	1	-	-	-	-	-	1	-	-	12	2	1	57	55
1256	Iowa	170	1	1	-	-	-	-	-	-	-	1	33	3	-	91	86
1257	Jackson	223	-	1	-	-	-	-	-	1	-	-	25	3	-	131	129
1258	Jasper	295	5	1	-	-	-	-	-	-	-	1	29	4	-	168	165
1259	Newton	120	2	-	-	-	-	-	-	-	-	1	11	1	-	70	70
1260	Balance of county	175	3	1	-	-	-	-	-	-	-	-	18	3	-	98	95

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
33	1	88	9	3	3	5	-	1	-	-	-	2	-	6	6	3	-	15	1171
33	1	130	8	2	10	10	3	-	2	-	-	2	3	9	23	3	-	38	1172
17	-	49	7	1	2	2	1	1	-	-	1	1	2	2	2	-	-	13	1173
92	-	196	25	3	4	12	3	1	8	-	-	7	4	14	22	11	1	74	1174
59	-	127	17	3	2	8	3	-	5	-	-	5	4	10	12	7	1	48	1175
33	-	89	8	-	2	4	-	1	3	-	-	2	-	4	10	4	-	26	1176
23	-	55	6	4	5	8	-	2	2	-	-	1	-	8	2	-	-	13	1177
8	-	26	4	-	2	2	1	-	-	-	-	2	-	1	6	3	-	7	1178
190	4	539	72	10	21	39	6	17	18	4	2	21	16	47	64	11	12	182	1179
156	2	473	65	9	17	31	5	12	16	3	1	16	13	41	50	10	11	156	1180
34	2	66	7	1	4	8	1	5	2	1	1	5	3	6	14	1	1	26	1181
36	-	101	5	-	5	5	1	1	1	1	1	1	-	2	10	1	-	19	1182
150	3	430	62	5	28	32	4	15	11	5	1	17	13	30	58	23	5	142	1183
109	2	300	42	3	21	25	2	9	8	2	1	12	9	18	40	14	5	106	1184
41	1	130	20	2	7	7	2	6	3	3	-	5	4	12	19	9	-	36	1185
53	-	88	15	2	10	2	1	1	1	2	-	5	5	8	17	5	-	25	1186
7	1	34	6	1	-	1	1	1	-	1	1	1	1	2	4	2	-	10	1187
32	-	80	7	1	7	5	1	3	2	1	-	2	2	2	12	1	-	22	1188
35	-	69	5	1	6	9	-	1	1	-	-	3	-	4	6	3	-	18	1189
92	-	257	28	4	10	17	6	2	4	2	-	18	5	13	34	14	3	92	1190
57	-	148	15	3	5	11	4	2	2	2	-	11	2	7	21	11	3	57	1191
35	-	109	13	1	5	6	2	-	2	-	-	7	3	6	13	3	-	35	1192
28	-	88	6	-	6	10	1	1	-	1	-	1	-	4	8	2	-	19	1193
26	-	85	7	-	4	3	-	1	-	-	1	2	-	5	6	3	1	21	1194
35	-	85	4	-	2	1	-	3	1	-	1	5	1	4	5	3	-	19	1195
3,488	27	9,514	938	134	474	725	134	87	151	34	31	361	216	575	1,073	342	23	2,938	1196
16	-	38	1	-	1	3	-	1	-	-	-	2	5	2	7	4	-	18	1197
16	-	36	5	-	2	3	-	1	-	-	-	-	1	1	4	1	-	12	1198
25	-	68	10	-	6	7	-	2	-	-	-	3	-	2	12	3	-	18	1199
47	-	82	6	1	1	5	-	1	-	2	-	3	5	7	12	2	-	30	1200
13	-	39	7	-	1	4	-	1	-	-	-	3	-	3	4	-	-	13	1201
33	-	105	10	1	7	3	-	1	-	-	-	4	-	4	14	3	-	24	1202
121	-	324	20	7	18	25	7	1	3	3	-	15	7	13	33	15	2	101	1203
86	-	199	14	4	15	17	5	1	-	1	-	12	1	8	15	11	1	68	1204
35	-	125	6	3	3	8	2	1	3	2	-	3	6	5	18	2	1	33	1205
53	-	114	11	1	5	9	3	1	-	1	-	3	-	11	10	5	-	37	1206
32	-	71	9	1	3	2	1	1	-	1	-	2	-	5	7	1	-	16	1207
21	-	43	2	-	2	7	2	-	-	-	-	2	-	6	3	4	-	21	1208
21	-	59	8	1	1	3	1	-	-	-	1	3	1	5	7	-	-	24	1209
25	-	85	8	1	5	2	-	-	1	-	-	6	1	5	7	2	-	19	1210
24	-	52	5	-	7	4	1	-	-	-	1	2	2	3	12	1	-	26	1211
25	-	61	2	2	1	4	1	-	1	-	-	4	-	3	8	2	-	20	1212
24	1	67	7	-	3	4	1	-	1	-	-	3	-	2	4	2	1	25	1213
25	1	58	6	2	-	8	1	-	-	-	-	1	3	7	11	2	-	27	1214
21	-	74	6	-	2	1	3	1	1	-	-	2	4	5	2	2	-	20	1215
27	-	50	11	-	1	4	1	1	-	-	-	11	2	13	11	8	2	54	1217
57	-	163	16	-	7	15	3	4	3	-	-	1	-	8	6	5	2	32	1218
42	-	88	12	-	3	9	2	2	2	-	-	6	2	5	5	3	-	22	1219
25	-	75	4	-	4	6	1	2	1	-	-	5	1	8	6	3	-	15	1220
28	-	51	11	2	2	5	1	-	-	-	-	2	-	-	8	-	-	20	1221
23	-	55	4	-	3	4	-	1	-	-	-	2	-	4	6	2	-	11	1222
19	-	36	9	1	5	4	-	-	1	-	-	1	2	8	8	3	-	16	1223
26	1	67	6	1	-	4	1	-	-	-	-	4	2	10	10	4	-	14	1224
24	-	73	8	-	14	11	-	3	-	-	-	3	2	8	8	3	-	16	1223
73	-	227	20	2	12	13	3	-	4	-	-	5	7	6	27	8	-	60	1225
48	-	152	10	2	7	11	3	-	4	-	-	3	5	2	16	5	-	36	1226
25	-	75	10	-	5	2	-	-	-	-	-	2	2	4	11	3	-	24	1227
27	-	50	8	3	5	4	2	-	2	-	-	3	5	5	9	3	-	17	1228
32	1	90	12	1	4	7	-	-	3	-	-	1	2	6	11	3	1	31	1229
18	-	39	-	-	2	5	-	-	-	-	-	2	5	3	3	5	-	18	1230
17	-	68	6	1	4	11	-	1	-	-	-	3	3	4	4	-	-	17	1231
23	-	68	8	-	6	7	2	1	1	-	-	3	5	4	7	2	-	25	1232
81	-	172	28	1	15	13	3	-	6	1	-	7	1	6	19	2	2	41	1233
65	-	126	25	1	14	7	2	-	6	3	-	1	-	4	13	2	2	30	1234
18	-	46	3	-	1	6	1	-	-	-	-	-	1	2	6	-	-	11	1235
12	-	63	8	1	2	4	1	-	-	-	-	-	1	-	2	1	-	17	1236
94	1	292	23	4	20	14	3	3	5	1	2	10	6	15	35	4	1	89	1237
70	-	230	18	3	15	11	3	3	3	-	1	7	4	12	25	3	1	58	1238
24	1	62	5	1	5	3	-	-	2	-	1	3	2	3	10	1	-	31	1239
11	1	38	4	-	6	1	-	-	2	-	-	1	3	4	2	2	-	18	1240
30	-	111	11	2	12	12	1	1	2	-	-	4	5	7	11	4	-	37	1241
32	-	82	10	1	-	-	1	1	2	-	-	2	4	2	6	-	-	25	1242
18	-	58	4	-	1	5	1	2	2	-	-	2	1	8	4	2	-	11	1243
17	-	65	5	-	6	4	-	-	2	-	-	1	4	2	8	3	-	14	1244
22	-	55	9	1	3	5	1	1	2	-	-	3	5	7	5	3	-	19	1245
21	1	48	3	-	1	4	-	-	-	-	-	-	-	2	2	1	1	10	1246
27	-	53	5	2	1	9	1	-	-	-	-	1	1	2	6	2	-	20	1247
26	-	66	5	-	2	6	1	1	2	-	-	-	-	1	11	3	-	13	1248
21	-	36	9	-	3	3	1	-	1	1	-	1	2	5	2	1	-	19	1249
30	-	99	5	-	3	3	1	-	1	-	-	3	-	2	10	4	-	23	1250
21	1	60	8	2	4	3	1	2	1	1	1	2	-	5	10	2	-	27	1251
25	1	83	6	1	5	3	2	1	2	2	1	2	1	5	10	3	-	27	1252
14	-	35	4	-	2	1	1	-	1	-	-	5	2	-	6	3	-	13	1253
14	1	42	5	-	-	3	1	-	-	-	-	3	-	4	9	1	-	10	1254
11	-	38	5	1	2	4	-	-	-	-	-	1	1	3	5	3	-	7	1255
28	-	48	8	2	5	6	2	-	-	-	-	1	1	2	6	2	-	17	1256
20	-	100	7	2	2	2	-	-	2	-	-	-	-	2	12	16	5	23	1257
35	-	114	14	2	3	8	3	1	-	-	-	1	-	8	9	13	6	34	1258
15	-	50	5	-	-	3	-	-	-	-	-	1	-	4	6	6	1	13	1259
20	-	64	9	2	3	5	3	1	-	-	-	4	2	3	7	5	1	21	1260

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	IOWA—Continued																
1261	Jefferson	194	4	1	-	-	-	-	-	-	-	-	34	1	-	118	116
1262	Johnson	333	3	1	-	1	-	-	1	3	-	-	85	6	1	180	177
1263	Iowa City	198	-	-	-	1	-	-	-	2	-	-	38	4	-	106	104
1264	Balance of county	135	3	1	-	-	-	-	1	1	-	-	27	2	1	74	73
1265	Jones	200	5	-	-	-	-	-	1	-	-	-	33	2	-	118	115
1266	Keokuk	168	1	-	-	-	-	-	-	-	-	2	32	2	-	113	113
1267	Kossuth	235	3	-	-	-	-	-	-	-	-	-	27	5	-	140	137
1268	Lee	487	5	3	-	-	-	-	-	3	-	3	62	8	-	286	280
1269	Fort Madison	153	1	-	-	-	-	-	-	-	-	2	21	1	-	98	97
1270	Keokuk	207	3	2	-	-	-	-	-	1	-	-	31	5	-	113	111
1271	Balance of county	137	1	1	-	-	-	-	-	2	-	1	10	2	-	75	72
1272	Linn	1,014	11	4	-	-	-	-	-	2	-	2	161	14	1	584	562
1273	Cedar Rapids	721	9	3	-	-	-	-	-	2	-	1	109	11	-	417	397
1274	Balance of county	293	2	1	-	-	-	-	-	-	-	1	52	3	1	167	165
1275	Louisa	99	-	1	-	-	-	-	-	-	-	-	16	1	-	60	54
1276	Lucas	155	2	-	-	-	-	-	-	-	-	-	26	4	-	89	85
1277	Lyon	105	-	-	-	-	-	-	-	-	-	1	22	-	-	56	57
1278	Madison	131	3	-	-	-	-	-	-	-	-	-	15	1	-	80	78
1279	Mahaska	285	2	2	-	-	-	-	-	1	-	-	24	7	-	170	167
1280	Oskaloosa	155	1	1	-	-	-	-	-	-	-	-	18	2	-	89	86
1281	Balance of county	130	1	1	-	-	-	-	-	1	-	-	6	5	-	81	81
1282	Marion	259	3	-	-	-	-	-	-	-	-	-	31	4	-	152	142
1283	Marshall	382	5	1	-	-	-	-	-	-	-	-	61	4	-	225	216
1284	Marshalltown	231	4	-	-	-	-	-	-	-	-	-	37	3	-	134	127
1285	Balance of county	151	1	1	-	-	-	-	-	-	-	-	24	1	-	91	89
1286	Mills	124	1	-	-	-	-	-	-	1	-	1	21	2	-	70	70
1287	Mitchell	159	2	1	-	-	-	-	-	-	-	-	26	3	-	84	81
1288	Monona	159	2	1	-	-	-	-	-	-	-	1	18	4	-	79	78
1289	Monroe	145	1	1	-	-	-	-	-	3	-	-	20	4	-	67	61
1290	Montgomery	161	1	-	-	-	-	-	-	-	-	-	26	2	-	91	89
1291	Muscatine	373	5	2	-	-	-	-	-	-	-	1	53	4	-	217	210
1292	Muscatine	247	3	2	-	-	-	-	-	-	-	1	36	3	-	143	138
1293	Balance of county	126	2	-	-	-	-	-	-	-	-	-	17	1	-	74	72
1294	O'Brien	205	2	2	-	1	-	-	-	-	-	2	34	2	1	105	103
1295	Osceola	61	-	-	-	-	-	-	-	-	-	-	6	-	-	32	32
1296	Page	223	2	2	-	-	-	-	-	-	-	-	32	3	-	135	131
1297	Palo Alto	128	2	1	-	-	-	1	-	2	-	-	11	1	-	73	70
1298	Plymouth	197	2	-	-	-	-	-	-	-	-	-	31	7	-	100	98
1299	Pocahontas	144	-	-	-	-	-	-	-	-	-	-	21	3	-	76	75
1300	Polk	2,105	32	15	-	-	-	1	1	4	1	3	342	30	-	1,082	1,053
1301	Des Moines	1,812	28	13	-	-	-	-	1	3	1	2	294	26	-	924	903
1302	Balance of county	293	4	2	-	-	-	1	-	1	-	1	48	4	-	158	150
1303	Pottawattamie	701	6	3	-	-	-	-	-	-	-	4	112	12	-	380	367
1304	Council Bluffs	511	6	3	-	-	-	-	-	-	-	4	78	9	-	289	278
1305	Balance of county	190	-	-	-	-	-	-	-	-	-	-	34	3	-	91	89
1306	Poweshiek	227	3	1	-	-	-	-	-	1	-	-	35	5	-	122	116
1307	Ringgold	102	-	1	-	-	-	-	1	-	-	-	22	-	-	52	52
1308	Sac	165	1	2	-	-	-	-	-	-	-	1	19	2	1	114	111
1309	Scott	974	15	4	-	1	-	-	2	2	-	2	138	12	1	555	533
1310	Davenport	778	12	3	-	1	-	-	2	2	-	2	117	9	1	442	426
1311	Balance of county	196	3	1	-	-	-	-	-	-	-	-	21	3	-	113	107
1312	Shelby	144	2	1	-	-	-	-	-	-	-	1	26	4	-	74	73
1313	Sioux	189	1	1	-	-	-	-	-	-	-	2	31	5	-	105	103
1314	Story	328	3	-	-	-	-	-	1	2	-	2	41	2	-	191	188
1315	Ames	133	1	-	-	-	-	-	1	1	-	1	20	-	-	73	70
1316	Balance of county	195	2	-	-	-	-	-	-	1	-	1	21	2	-	118	118
1317	Tama	239	2	1	-	-	-	-	-	-	-	-	26	3	-	149	144
1318	Taylor	154	-	-	-	-	-	-	-	-	-	-	22	1	-	97	96
1319	Union	190	2	1	-	-	-	1	-	-	1	-	33	5	-	106	105
1320	Van Buren	148	1	1	-	-	-	-	-	-	-	-	25	1	-	87	84
1321	Wapello	503	-	3	-	-	-	-	-	1	-	3	57	10	1	305	296
1322	Ottumwa	369	-	1	-	-	-	-	-	-	-	2	48	7	1	226	218
1323	Balance of county	134	-	2	-	-	-	-	-	1	-	1	9	3	-	79	78
1324	Warren	184	-	2	-	-	-	-	-	1	-	-	28	4	-	99	91
1325	Washington	191	2	-	-	-	-	-	1	-	-	-	30	5	-	99	97
1326	Wayne	153	-	-	-	-	-	-	-	-	-	-	28	-	-	93	85
1327	Webster	410	4	3	-	-	-	-	1	2	-	-	60	10	-	211	205
1328	Fort Dodge	239	3	2	-	-	-	-	1	1	-	-	33	5	-	120	116
1329	Balance of county	171	1	1	-	-	-	-	-	1	-	-	27	5	-	91	89
1330	Winnebago	120	2	-	-	-	-	-	-	1	-	-	17	1	-	61	61
1331	Winneshiek	239	2	-	-	-	-	-	1	-	-	4	36	7	-	141	133
1332	Woodbury	1,099	16	13	-	2	-	-	1	1	-	2	169	24	2	561	546
1333	Sioux City	894	15	13	-	1	-	-	-	1	-	1	140	18	2	461	452
1334	Balance of county	205	1	-	-	1	-	-	1	-	-	1	29	6	-	100	94
1335	Worth	97	-	2	-	-	-	-	-	2	-	-	17	-	-	48	46
1336	Wright	184	-	-	-	-	-	-	-	-	-	4	28	3	-	98	97
1337	KANSAS	18,814	208	99	1	5	1	-	10	62	18	68	2,838	356	29	10,176	9,767
1338	Allen	252	1	4	-	-	-	-	-	1	-	-	37	1	1	152	150
1339	Anderson	142	2	-	-	-	-	-	-	1	-	-	19	4	-	90	87
1340	Atchison	267	3	5	-	-	-	-	-	-	-	1	28	4	-	158	154
1341	Atchison	187	2	5	-	-	-	-	-	-	-	1	20	2	-	111	107
1342	Balance of county	80	1	-	-	-	-	-	-	-	-	-	8	2	-	47	47
1343	Barber	80	1	-	-	-	-	-	-	1	-	1	8	-	-	45	41
1344	Barton	223	1	1	-	-	-	-	-	1	-	1	39	2	-	105	100
1345	Bourbon	254	3	3	-	-	-	-	-	-	-	-	38	2	1	150	146
1346	Fort Scott	174	3	3	-	-	-	-	-	-	-	-	29	1	-	106	103
1347	Balance of county	80	-	-	-	-	-	-	-	-	-	-	9	1	1	44	43
1348	Brown	187	5	-	-	-	-	-	-	-	-	-	27	1	-	118	116
1349	Butler	285	2	2	-	-	-	-	1	2	1	-	35	3	1	155	143
1350	El Dorado	109	1	1	-	-	-	-	-	-	-	-	15	2	-	62	59
1351	Balance of county	176	1	1	-	-	-	-	1	2	1	-	20	1	1	93	84
1352	Chase	64	-	-	-	-	-	-	1	-	-	-	7	-	-	46	45
1353	Chautauqua	86	2	2	-	-	-	-	-	-	-	-	14	4	-	42	37

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
34	-	78	2	2	2	8	1	-	-	-	-	2	-	4	3	3	-	15	1261
53	-	108	14	2	3	10	2	-	-	-	-	5	1	4	7	7	-	36	1262
31	-	61	10	2	2	4	2	-	-	-	-	5	1	1	6	4	-	24	1263
22	-	47	4	-	1	6	-	-	-	-	-	-	-	3	1	3	-	12	1264
25	1	76	12	1	3	2	-	-	1	-	-	2	-	5	6	7	-	18	1265
23	-	81	8	1	-	3	1	-	-	-	-	-	-	2	6	2	-	24	1266
35	1	87	12	2	3	5	2	1	3	-	-	8	3	11	7	-	-	20	1267
74	-	188	16	2	6	15	3	1	4	1	1	11	4	8	22	6	1	50	1268
30	-	59	8	-	1	3	1	1	-	-	-	3	1	3	4	2	-	12	1269
36	-	71	4	-	2	5	1	-	2	1	1	4	1	3	9	3	1	21	1270
8	-	58	4	2	3	7	1	-	2	-	-	4	2	2	9	1	-	17	1271
143	-	376	36	7	22	17	8	2	11	-	-	13	9	25	33	12	1	104	1272
105	-	263	24	5	20	12	7	2	10	-	-	10	4	20	24	8	1	71	1273
38	-	113	12	2	2	5	1	-	1	-	-	3	5	5	9	4	-	33	1274
17	-	33	3	1	6	4	-	1	-	-	-	1	-	-	4	1	-	10	1275
23	-	60	2	-	4	2	-	-	2	-	-	2	-	3	4	5	-	14	1276
11	-	44	1	1	1	3	1	-	2	-	-	4	-	3	2	-	-	9	1277
15	-	61	2	-	2	5	-	1	-	-	-	1	-	2	8	1	-	14	1278
43	1	104	17	2	3	7	1	3	1	-	-	2	11	5	10	2	-	37	1279
21	-	59	6	-	3	3	1	2	-	-	-	1	6	4	8	1	-	18	1280
22	1	45	11	2	-	4	-	1	1	-	-	1	5	1	2	1	-	19	1281
42	-	87	11	2	10	8	2	2	1	-	1	5	3	2	9	2	1	33	1282
69	2	124	20	1	9	11	3	1	2	1	-	2	2	4	12	4	1	43	1283
35	2	82	8	-	7	7	1	1	2	1	-	1	2	1	6	4	1	26	1284
34	-	42	12	1	2	4	2	-	-	-	-	1	-	3	6	-	-	17	1285
13	-	54	3	-	-	2	-	2	-	-	-	-	1	1	5	2	-	15	1286
25	-	48	7	1	3	7	-	-	1	-	-	2	2	8	10	1	-	12	1287
26	-	42	10	-	1	6	-	1	2	-	-	4	-	9	11	4	-	17	1288
13	-	41	6	1	6	7	1	-	1	-	-	1	10	1	10	2	-	16	1289
26	1	54	8	-	2	4	1	1	1	-	-	-	2	4	7	4	-	17	1290
44	-	148	16	2	7	10	1	3	1	1	1	4	1	8	19	7	1	34	1291
28	-	98	11	1	5	9	1	2	-	-	1	2	1	5	15	2	1	20	1292
16	-	50	5	1	2	1	-	1	1	1	-	2	-	3	4	5	-	14	1293
22	-	68	10	3	2	7	-	1	2	-	1	2	6	5	6	3	-	22	1294
6	-	23	4	-	-	4	1	-	-	-	1	2	-	3	3	-	-	9	1295
31	-	93	6	1	4	3	1	-	1	-	-	-	1	4	10	1	-	28	1296
16	-	44	6	4	3	6	1	-	-	1	-	3	3	2	4	-	-	17	1297
20	1	72	5	-	2	6	1	-	1	-	-	4	-	5	10	2	-	28	1298
16	-	53	3	3	1	4	1	-	1	-	1	2	2	5	7	2	-	19	1299
216	3	771	54	9	29	74	17	10	13	2	1	31	7	49	85	25	3	277	1300
175	2	668	50	8	21	70	16	8	12	2	1	28	6	40	69	21	1	246	1301
41	1	103	4	1	8	4	1	2	1	-	-	3	1	9	16	4	2	31	1302
98	-	238	24	7	13	14	5	2	7	1	3	16	4	12	32	6	2	80	1303
71	-	185	16	6	11	10	2	1	6	1	1	9	2	6	20	5	1	57	1304
27	-	53	8	1	2	4	3	1	1	-	1	7	2	6	12	1	1	23	1305
36	-	89	10	1	6	5	-	1	-	1	-	4	3	6	11	6	-	23	1306
11	-	34	7	-	-	3	-	-	2	-	-	2	3	1	4	1	-	10	1307
25	1	82	1	2	3	2	-	-	-	-	-	-	1	4	8	1	-	11	1308
113	2	392	21	5	22	27	7	1	5	2	2	9	-	21	44	13	-	111	1309
89	2	312	18	5	16	18	6	1	4	2	1	7	-	14	34	9	-	91	1310
24	-	80	3	-	6	9	1	-	1	-	1	2	-	7	10	4	-	20	1311
18	-	50	5	-	1	7	-	-	-	-	-	2	2	1	4	3	-	17	1312
27	-	82	11	3	2	10	-	2	-	1	1	-	1	5	10	3	-	11	1313
52	-	117	18	1	3	8	1	3	1	-	-	4	3	10	11	2	-	43	1314
16	-	48	5	1	3	4	-	1	-	-	-	1	2	2	6	1	-	19	1315
36	-	69	13	-	-	4	1	2	1	-	-	3	1	8	5	1	-	24	1316
26	-	109	7	2	5	6	1	1	2	-	-	3	2	7	11	8	-	17	1317
19	-	73	2	2	1	2	1	-	-	-	-	2	-	1	6	1	-	21	1318
29	-	71	5	-	1	3	-	1	-	-	-	2	1	6	9	1	-	18	1319
29	-	52	3	-	3	3	1	1	1	2	1	1	1	-	4	4	-	14	1320
69	2	216	10	-	9	17	-	3	3	1	1	7	5	6	19	5	-	56	1321
56	2	156	4	-	8	9	-	1	2	1	1	6	1	5	14	4	-	40	1322
12	-	60	6	-	1	8	-	2	1	-	-	1	4	1	5	1	-	16	1323
29	-	53	7	2	8	4	-	-	2	-	-	3	1	4	11	2	-	23	1324
35	-	50	11	1	2	12	-	1	1	-	-	3	2	4	8	2	-	21	1325
23	-	55	5	2	8	9	1	1	-	-	-	5	2	2	6	-	-	8	1326
46	-	137	20	2	6	15	1	-	4	-	1	11	1	13	18	2	-	53	1327
21	-	86	7	2	4	7	1	-	3	-	-	9	-	6	7	1	-	40	1328
25	-	51	13	-	2	8	-	-	1	-	1	2	1	7	11	1	-	13	1329
19	-	36	6	-	-	1	-	-	2	-	-	-	-	1	11	2	-	21	1330
29	-	83	19	2	8	3	-	1	1	-	-	3	1	4	4	3	-	28	1331
145	2	371	23	5	15	30	10	5	10	2	2	15	8	21	41	16	2	146	1332
121	2	304	21	4	9	25	8	1	10	1	1	10	7	16	36	10	2	115	1333
24	-	67	2	1	6	5	2	4	-	1	1	5	1	5	5	6	-	32	1334
11	-	30	5	-	-	7	-	-	1	-	-	1	1	7	6	1	-	6	1335
28	-	62	7	-	1	5	1	-	1	-	-	3	1	6	9	4	-	23	1336
2,428	27	8,522	687	103	409	479	118	86	91	55	23	215	203	496	861	245	46	2,224	1337
43	-	97	8	2	2	6	2	-	1	-	-	1	1	3	16	2	1	32	1338
24	-	89	3	1	3	4	-	-	1	1	-	-	1	4	6	1	-	9	1339
31	-	113	7	3	4	3	3	1	-	3	-	1	4	8	12	5	-	27	1340
22	-	78	4	3	4	2	2	1	-	2	-	1	1	7	9	3	-	18	1341
9	-	35	3	-	-	1	1	-	-	1	-	-	3	1	3	2	-	9	1342
8	-	28	5	-	4	2	-	-	-	-	-	-	1	2	2	1	-	16	1343
19	-	74	6	1	5	4	2	2	-	-	3	3	1	9	18	4	-	27	1344
28	-	109	7	2	4	7	2	-	-	1	-	1	2	2	8	4	1	29	1345
22	-	75	5	1	3	4	2	-	-	1	-	1	2	2	1	1	-	18	1346
6	-	34	2	1	1	3	-	-	-	-	-	-	-	-	7	3	1	11	1347
33	-	79	4	-	2	3	1	-	-	-	-	1	1	3	7	3	-	17	1348
49	-	88	5	1	12	8	2	1	3	-	-	3	2	6	8	7	2	41	1349
18	-	39	1	1	3	3	-	1	2	-	-	1	-	2	2	1	-	16	1350
31	-	49	4	-	9	5	2	-	1	-	-	2	2	4	6	8	2	25	1351
10	-	33	2	-	1	4	-	-	-	-	-	1	1	-	-	-	-	4	1352
7	-	29	1	-	5	1	1	-	-	-	-	2	-	1	3	2	-	12	1353

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	KANSAS—Continued																
1354	Cherokee	271	11	3	-	-	-	-	-	1	-	1	43	4	-	140	132
1355	Cheyenne	54	-	-	-	-	-	-	-	-	-	-	5	-	-	15	15
1356	Clark	36	-	-	-	-	-	-	-	-	-	-	4	-	-	21	19
1357	Clay	159	3	-	-	-	-	-	-	-	-	-	16	1	1	93	91
1358	Cloud	180	-	-	-	-	-	-	-	-	-	-	18	3	-	108	104
1359	Coffey	136	1	-	-	-	-	-	-	-	-	-	20	3	1	68	64
1360	Comanche	35	-	1	-	-	-	-	-	-	-	-	8	2	-	18	17
1361	Cowley	413	8	6	-	-	-	-	-	-	1	-	55	5	1	230	223
1362	Arkansas City	147	4	4	-	-	-	-	-	-	-	-	17	2	-	79	75
1363	Balance of county	266	4	2	-	-	-	-	-	-	1	-	38	3	1	151	148
1364	Crawford	527	5	2	-	-	-	-	-	-	-	2	68	11	-	307	297
1365	Pittsburg	222	3	1	-	-	-	-	-	-	-	2	27	5	-	144	140
1366	Balance of county	305	2	1	-	-	-	-	-	-	-	-	41	6	-	163	157
1367	Decatur	71	-	-	-	-	-	-	-	1	-	-	11	4	-	34	34
1368	Dickinson	247	4	3	-	-	-	-	-	-	-	1	38	5	1	146	144
1369	Doniphan	145	1	-	-	-	-	-	-	-	-	-	15	2	-	95	88
1370	Douglas	315	3	2	-	-	-	-	-	1	-	-	55	9	-	182	175
1371	Lawrence	210	2	2	-	-	-	-	-	-	-	-	42	6	-	117	113
1372	Balance of county	105	1	-	-	-	-	-	-	1	-	-	13	3	-	65	62
1373	Edwards	52	-	-	-	-	-	-	-	-	-	-	9	1	-	21	19
1374	Elk	73	1	-	-	-	-	-	-	-	1	-	7	1	-	42	39
1375	Ellis	118	1	1	-	-	-	-	-	-	-	-	17	3	-	39	38
1376	Ellsworth	84	-	-	-	-	-	-	-	-	-	-	12	2	-	46	45
1377	Finney	125	1	1	-	-	-	-	-	-	1	1	15	3	-	53	48
1378	Ford	160	-	-	-	-	-	-	-	3	-	-	17	3	-	68	66
1379	Franklin	233	2	1	-	-	-	-	-	-	-	1	41	6	-	123	116
1380	Ottawa	120	-	1	-	-	-	-	-	-	-	-	24	2	-	60	54
1381	Balance of county	113	2	-	-	-	-	-	-	-	-	1	17	4	-	63	62
1382	Geary	175	1	1	-	-	-	-	1	2	-	2	17	6	-	72	70
1383	Gove	26	-	-	-	-	-	-	-	-	-	-	3	1	-	11	10
1384	Graham	33	1	-	-	-	-	-	-	-	-	-	6	-	-	12	11
1385	Grant	25	-	-	-	-	-	-	-	-	-	-	5	1	-	9	9
1386	Gray	34	1	-	-	-	-	-	-	-	-	1	4	1	-	15	14
1387	Greeley	19	-	-	-	-	-	-	-	1	-	-	2	-	-	6	5
1388	Greenwood	154	-	2	-	-	-	-	-	1	-	-	22	5	-	79	79
1389	Hamilton	22	-	-	-	-	-	-	-	-	-	-	6	1	-	8	8
1390	Harper	124	1	2	-	-	-	-	-	-	-	-	20	1	-	79	71
1391	Harvey	219	4	2	-	-	-	-	-	-	-	-	34	5	-	112	109
1392	Newton	134	2	2	-	-	-	-	-	-	-	-	22	3	-	66	64
1393	Balance of county	85	2	-	-	-	-	-	-	-	-	-	12	2	-	46	45
1394	Haskell	15	-	1	-	-	-	-	-	1	-	-	2	-	-	3	3
1395	Hodgeman	36	-	-	-	-	-	-	-	-	-	1	2	-	-	19	18
1396	Jackson	143	-	-	-	-	-	-	-	1	-	1	25	-	1	90	85
1397	Jefferson	130	1	-	-	-	-	-	-	-	-	-	15	2	-	83	81
1398	Jewell	106	1	-	-	-	-	-	-	-	-	-	16	3	1	57	56
1399	Johnson	407	5	-	-	-	-	-	1	1	-	-	71	8	-	197	186
1400	Kearny	19	2	-	-	-	-	-	-	-	-	-	6	-	-	5	4
1401	Kingman	78	-	2	-	-	-	-	-	-	-	-	11	-	-	47	46
1402	Kiowa	44	1	-	-	-	-	-	-	-	-	1	6	-	2	21	20
1403	Labette	320	5	1	-	-	-	-	-	-	-	1	41	5	1	192	186
1404	Parsons	172	3	1	-	-	-	-	-	-	-	-	22	4	1	113	111
1405	Balance of county	148	2	-	-	-	-	-	-	-	-	1	19	1	-	79	75
1406	Lane	30	-	-	-	-	-	-	-	-	-	-	4	1	-	17	16
1407	Leavenworth	417	8	2	-	-	-	-	1	2	-	1	59	7	-	245	241
1408	Leavenworth	281	8	2	-	-	-	-	-	-	-	1	39	6	-	168	164
1409	Balance of county	136	-	-	-	-	-	-	1	2	-	-	20	1	-	77	77
1410	Lincoln	69	-	-	-	-	-	-	-	-	-	-	17	2	-	35	31
1411	Linn	140	2	1	-	-	1	-	-	-	-	-	18	2	-	79	74
1412	Logan	32	-	-	-	-	-	-	-	-	-	1	3	1	-	15	15
1413	Lyon	287	4	1	-	-	-	-	-	-	2	3	43	4	-	137	127
1414	Emporia	181	3	1	-	-	-	-	-	-	1	2	29	2	-	84	79
1415	Balance of county	106	1	-	-	-	-	-	-	-	1	1	14	2	-	53	48
1416	McPherson	245	2	1	-	-	-	-	-	1	-	2	37	5	-	138	134
1417	Marion	158	-	-	-	-	-	-	-	1	1	1	12	4	1	95	91
1418	Marshall	217	3	-	-	-	-	-	-	-	1	2	30	6	-	115	111
1419	Meade	51	1	-	-	-	-	-	-	1	-	-	10	1	-	26	25
1420	Miami	195	4	-	-	-	-	-	-	-	-	1	25	5	-	111	102
1421	Mitchell	126	1	1	-	-	-	-	-	2	-	-	17	1	-	82	78
1422	Montgomery	574	7	2	-	-	-	-	-	1	2	3	70	7	1	314	307
1423	Coffeyville	233	4	2	-	-	-	-	-	-	2	1	27	2	-	120	116
1424	Independence	142	1	-	-	-	-	-	-	1	-	1	19	3	-	88	85
1425	Balance of county	199	2	-	-	-	-	-	-	-	-	1	24	2	1	106	106
1426	Morris	113	2	-	-	-	-	-	-	-	-	-	17	2	-	72	70
1427	Morton	23	-	-	-	-	-	-	-	-	-	-	3	1	-	9	9
1428	Nemaha	137	-	-	-	-	-	-	-	-	-	2	19	2	-	83	79
1429	Neosho	231	1	2	-	-	-	-	-	2	1	-	38	3	-	123	121
1430	Chanute	133	1	1	-	-	-	-	-	2	1	-	25	1	-	88	86
1431	Balance of county	98	-	1	-	-	-	-	-	-	-	-	13	2	-	55	55
1432	Ness	49	-	-	-	-	-	-	-	-	-	-	9	-	-	19	19
1433	Norton	95	4	-	-	-	-	-	-	-	-	-	11	1	-	51	47
1434	Osage	167	1	-	-	-	-	-	-	-	-	-	27	2	1	105	104
1435	Osborne	96	-	-	-	-	-	-	-	-	-	-	15	1	1	45	38
1436	Ottawa	85	-	-	-	1	-	-	-	-	-	-	10	3	-	48	47
1437	Pawnee	72	-	-	-	-	-	-	-	1	-	-	12	3	1	32	31
1438	Phillips	94	-	-	-	-	-	-	-	-	-	1	14	4	-	45	43
1439	Pottawatomie	145	1	-	-	-	-	-	-	-	-	-	21	2	-	80	78
1440	Pratt	103	1	-	-	-	-	-	-	2	-	-	19	8	-	42	42
1441	Rawlins	49	1	-	-	-	-	-	1	2	-	1	8	3	-	17	17
1442	Reno	559	5	2	-	1	-	-	2	2	2	4	78	10	1	312	303
1443	Hutchinson	366	3	2	-	1	-	-	1	2	2	3	50	8	1	198	191
1444	Balance of county	193	2	-	-	-	-	-	1	-	-	1	28	2	-	114	112
1445	Republic	134	2	-	-	-	-	-	-	-	-	1	14	1	-	79	77

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E983, E970-E979	Homicide E964, E980-E985	All other causes Residual	
36	1	90	4	1	8	11	1	-	3	2	-	1	3	5	14	2	-	26	1354
1	-	12	2	-	-	1	-	-	-	-	-	-	-	1	4	2	-	6	1355
2	-	14	3	-	2	-	-	1	-	-	1	-	-	1	3	-	-	5	1356
23	-	63	5	-	2	6	1	-	2	-	1	-	6	-	3	2	-	24	1357
17	-	79	6	2	4	3	1	-	1	1	1	3	1	10	8	4	-	18	1358
29	1	26	8	-	4	5	-	-	-	2	-	1	4	4	7	2	-	18	1359
3	-	12	2	-	1	1	-	-	-	-	-	-	1	-	-	-	-	4	1360
40	-	157	24	2	7	4	3	2	2	-	-	6	3	12	26	8	-	41	1361
15	-	52	7	1	4	2	-	1	2	-	-	3	-	6	9	3	-	16	1362
25	-	105	17	1	3	2	3	1	-	-	-	3	3	6	17	6	-	25	1363
97	-	189	7	4	10	16	1	2	5	3	-	7	7	13	19	7	-	50	1364
48	-	88	5	1	4	5	1	1	1	1	-	2	1	5	4	-	-	19	1365
49	-	101	4	3	6	15	-	1	4	2	-	5	6	8	15	7	-	31	1366
10	-	21	3	-	-	2	-	-	-	-	-	1	1	-	4	2	-	11	1367
34	-	101	9	-	2	4	2	1	-	1	-	1	1	5	5	3	2	24	1368
19	-	57	12	-	7	4	1	-	-	-	-	2	-	4	4	2	4	11	1369
47	-	110	16	2	7	4	1	1	-	-	-	4	-	9	11	4	-	29	1370
27	-	74	11	1	4	2	1	1	-	-	-	3	-	5	8	2	-	19	1371
20	-	36	5	1	3	2	-	-	-	-	-	1	-	4	3	2	-	10	1372
6	-	13	-	-	2	5	-	1	-	1	-	-	1	2	2	1	-	8	1373
4	1	29	4	1	3	4	-	-	-	-	-	1	-	1	2	1	-	12	1374
6	-	27	5	1	-	3	-	-	1	-	-	7	2	6	10	1	-	27	1375
9	-	26	8	2	1	2	2	-	2	-	-	2	-	2	4	-	-	10	1376
7	-	40	-	1	5	7	1	2	1	-	-	1	2	9	5	2	-	20	1377
15	-	47	3	1	2	6	-	-	-	1	-	8	2	8	12	1	-	31	1378
38	-	72	5	1	7	3	1	2	1	1	-	1	-	7	8	5	-	30	1379
17	-	36	1	-	6	1	-	1	-	1	-	-	-	6	3	3	-	18	1380
21	-	36	4	1	1	2	1	1	1	-	-	1	-	1	5	2	-	12	1381
16	-	50	3	1	2	6	3	-	-	-	-	1	3	8	16	1	-	35	1382
1	-	9	-	-	1	1	-	-	-	1	-	-	-	1	2	-	-	6	1383
2	-	7	2	-	1	1	1	1	1	-	-	-	1	1	2	-	-	6	1384
3	-	6	-	-	-	1	-	-	-	-	-	-	-	3	2	1	1	2	1385
3	-	11	-	-	1	-	-	-	-	1	-	1	-	4	3	-	-	3	1386
2	-	3	-	-	1	-	2	-	-	-	-	1	1	2	1	-	-	3	1387
13	-	59	7	-	-	-	1	1	-	-	-	-	3	5	9	2	-	23	1388
3	-	5	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	5	1389
20	-	41	10	-	8	1	-	1	1	-	-	2	-	4	3	1	-	8	1390
20	1	83	2	3	3	8	-	3	2	1	1	1	-	4	11	3	-	28	1391
14	-	47	2	1	2	6	-	2	-	-	1	1	-	2	8	2	-	17	1392
6	1	36	-	2	1	2	-	1	2	1	-	-	-	2	3	1	-	11	1393
2	-	1	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	1	1394
4	-	13	1	-	1	1	-	1	-	1	-	-	-	2	1	-	-	8	1395
19	1	57	8	-	5	-	1	1	-	-	-	-	-	1	12	1	-	9	1396
24	-	53	4	-	2	4	-	-	-	-	-	-	-	2	12	2	-	9	1397
16	-	35	4	1	1	4	-	-	-	-	-	-	1	4	3	2	-	14	1398
45	2	125	10	4	11	13	2	-	3	-	1	6	13	18	18	7	1	42	1399
-	-	4	-	-	1	-	-	-	-	1	-	-	-	-	2	-	-	3	1400
10	-	35	-	1	1	2	1	-	1	-	-	-	-	1	6	2	1	4	1401
8	-	11	1	-	1	-	1	-	-	-	1	-	-	-	4	-	-	7	1402
48	-	125	12	1	6	8	3	1	3	2	-	4	1	7	10	2	1	32	1403
27	-	78	7	1	2	2	1	1	1	-	-	2	-	4	3	1	-	13	1404
21	-	48	5	-	4	6	2	-	2	2	-	2	1	3	7	1	1	19	1405
6	-	7	3	-	1	-	-	-	1	1	-	-	2	1	1	-	-	2	1408
61	-	170	8	2	4	7	3	2	1	-	1	5	3	7	19	2	1	41	1407
37	-	122	3	2	4	4	2	2	1	-	1	3	1	5	13	-	1	24	1408
24	-	48	5	-	-	3	1	-	-	-	-	2	2	2	6	2	-	17	1409
9	-	22	-	-	4	-	-	1	-	-	-	-	-	2	1	-	-	11	1410
15	-	56	2	1	5	3	2	-	-	2	-	1	-	2	5	5	-	17	1411
5	-	8	2	-	-	-	-	-	-	-	-	3	1	4	2	-	-	2	1412
31	-	81	13	2	10	9	2	2	-	1	-	2	10	5	15	2	-	43	1413
17	-	56	5	1	5	3	2	2	-	1	-	-	7	3	7	1	-	33	1414
14	-	25	8	1	5	6	-	-	-	-	-	2	3	2	8	1	-	12	1415
34	1	84	15	-	4	7	-	-	2	-	-	4	6	4	8	5	-	23	1416
25	1	60	5	-	4	9	1	-	-	1	-	2	1	6	5	3	1	14	1417
41	1	61	7	1	4	5	3	1	2	-	-	1	2	4	6	2	-	34	1418
11	-	13	1	-	1	1	-	1	-	-	-	-	-	4	3	-	-	3	1419
37	-	58	6	1	9	3	2	2	1	-	1	3	3	3	8	2	1	20	1420
22	-	49	7	-	4	1	-	-	1	-	-	1	2	3	4	2	-	8	1421
83	2	192	28	2	7	17	6	-	3	4	-	6	2	12	33	7	1	76	1422
36	1	66	12	1	4	11	3	-	1	2	-	3	1	4	15	3	1	31	1423
27	1	48	8	1	3	1	2	-	-	1	-	2	-	1	3	1	-	16	1424
20	-	78	8	-	-	5	1	-	2	1	-	1	1	7	13	3	-	29	1425
12	-	51	6	1	2	-	-	-	-	-	-	1	2	1	3	3	-	10	1426
2	-	5	2	-	-	2	-	-	-	-	-	-	-	2	-	1	-	5	1427
18	-	44	15	2	4	2	-	1	1	-	-	-	1	-	9	3	-	14	1428
39	-	73	7	2	2	7	4	-	-	-	-	3	5	2	9	4	-	27	1429
23	-	37	4	2	2	6	2	-	-	-	-	1	2	-	6	-	-	17	1430
16	-	36	3	-	-	1	2	-	-	-	-	2	3	2	3	4	-	10	1431
8	-	10	-	1	-	5	-	-	-	1	-	-	-	-	3	1	-	10	1432
16	-	28	3	-	4	3	1	-	-	-	-	-	1	3	5	2	-	13	1433
28	-	62	13	1	1	3	1	-	-	1	-	1	1	6	3	3	-	12	1434
11	-	25	2	-	7	3	-	2	-	-	-	4	2	5	5	3	-	10	1435
15	-	30	2	-	1	6	1	-	-	-	-	-	1	1	7	-	-	7	1436
8	-	20	3	-	1	3	-	-	-	-	1	1	1	1	6	2	1	7	1437
13	-	23	6	1	2	3	-	1	-	-	-	-	1	1	3	2	-	15	1438
16	-	57	4	1	2	3	2	1	-	-	-	5	-	1	3	2	-	12	1439
14	-	28	2	-	-	1	-	3	-	-	-	3	4	6	7	3	-	12	1439
4	-	11	1	1	-	2	2	-	-	-	-	1	1	6	3	2	2	17	1440
83	-	189	29	2	9	7	1	4	2	2	-	-	-	1	4	-	-	7	1441
56	-	117	16	2	7	4	1	4	1	1	-	5	6	13	30	8	-	62	1442
27	-	72	13	-	2	3	-	-	1	1	-	3	4	8	20	4	-	45	1443
22	-	51	3	1	2	3	-	1	-	-	-	2	2	5	10	4	-	17	1444
																		17	1445

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	KANSAS—Continued																
1446	Rice	132	1	-	-	-	-	-	-	1	-	1	19	3	-	69	66
1447	Riley	223	3	2	-	-	-	-	-	-	-	2	39	2	-	113	108
1448	Manhattan	129	2	2	-	-	-	-	-	-	-	-	25	-	-	61	58
1449	Balance of county	94	1	-	-	-	-	-	-	-	-	2	14	2	-	52	50
1450	Rooks	68	-	-	-	-	-	-	-	-	-	-	10	2	-	33	31
1451	Rush	76	-	-	-	-	-	-	-	-	-	-	10	-	-	39	38
1452	Russell	116	1	-	-	-	-	-	-	-	-	1	14	5	-	55	53
1453	Saline	344	-	2	-	-	-	-	1	4	1	-	55	11	1	168	155
1454	Salina	264	-	2	-	-	-	-	-	3	1	-	45	9	1	124	112
1455	Balance of county	80	-	-	-	-	-	-	1	1	-	-	10	2	-	44	43
1456	Scott	41	-	-	-	-	-	-	-	1	-	1	4	-	-	27	27
1457	Sedgwick	1,784	23	10	1	-	-	-	-	9	2	6	247	30	6	815	878
1458	Wichita	1,558	21	10	1	-	-	-	-	9	2	5	216	24	6	802	768
1459	Balance of county	226	2	-	-	-	-	-	-	-	-	1	31	6	-	113	110
1460	Seward	91	-	-	-	-	-	-	-	-	-	2	12	3	1	41	41
1461	Shawnee	1,045	16	6	-	-	-	-	-	4	-	4	137	16	-	622	596
1462	Topeka	846	12	6	-	-	-	-	-	4	-	4	118	12	-	505	481
1463	Balance of county	199	4	-	-	-	-	-	-	-	-	-	19	4	-	117	115
1464	Sheridan	42	-	-	-	-	-	-	-	-	-	-	8	2	-	23	23
1465	Sherman	54	-	-	-	-	-	-	-	-	-	1	7	2	-	27	27
1466	Smith	112	-	-	-	-	-	-	-	1	-	-	14	2	-	66	64
1467	Stafford	67	1	-	-	-	-	-	-	1	1	-	9	1	-	30	28
1468	Stanton	10	-	-	-	-	-	-	1	-	-	-	2	-	-	5	4
1469	Stevens	28	-	-	-	-	-	-	-	-	-	-	3	-	-	8	8
1470	Sumner	264	3	2	-	1	-	-	-	-	1	1	35	9	-	138	132
1471	Thomas	63	-	-	-	-	-	-	-	-	-	-	10	1	-	31	31
1472	Trego	37	-	-	-	-	-	-	-	-	-	-	7	-	-	22	21
1473	Wabaunsee	90	-	-	-	-	-	-	-	-	-	-	15	2	-	49	47
1474	Wallace	18	-	-	-	-	-	-	-	-	-	-	4	-	-	4	4
1475	Washington	153	-	-	-	-	-	-	-	-	-	-	18	5	-	87	85
1476	Wichita	18	1	-	-	-	-	-	-	-	-	-	4	-	-	9	8
1477	Wilson	196	3	-	-	1	-	-	-	2	-	-	27	3	-	110	100
1478	Woodson	90	-	-	-	-	-	-	-	2	-	-	11	1	-	58	55
1479	Wyandotte	1,572	22	17	-	1	-	-	-	1	-	10	227	36	3	829	785
1480	Kansas City	1,385	19	17	-	1	-	-	-	1	-	10	200	35	3	720	690
1481	Balance of county	187	3	-	-	-	-	-	-	-	-	-	27	1	-	109	105
1482	KENTUCKY	26,046	1,255	145	14	94	26	68	43	54	36	116	3,156	349	50	13,435	12,833
1483	Adair	162	13	-	-	1	-	2	-	1	1	1	21	2	-	69	65
1484	Allen	141	10	1	-	-	-	-	-	-	-	1	13	1	-	68	65
1485	Anderson	97	7	-	-	-	-	-	-	-	1	-	10	2	-	51	50
1486	Ballard	105	4	1	-	-	-	-	-	-	-	1	11	1	-	57	56
1487	Barren	301	15	3	1	3	1	-	1	-	1	-	32	4	-	142	130
1488	Bath	104	11	-	-	-	-	-	-	-	-	-	10	1	1	52	50
1489	Bell	404	23	2	-	3	-	-	1	-	-	5	32	5	1	130	123
1490	Middlesborough	116	9	2	-	-	-	-	-	-	-	2	17	1	-	45	42
1491	Balance of county	288	14	-	-	3	-	-	1	-	-	3	15	4	1	85	81
1492	Boone	151	3	1	-	-	-	-	-	-	-	-	24	2	1	89	87
1493	Bourbon	202	8	-	1	-	-	-	-	-	-	-	22	3	-	100	98
1494	Boyd	442	18	1	-	1	1	1	1	1	1	2	60	5	3	195	188
1495	Ashland	293	9	1	-	-	-	-	1	1	-	2	44	2	3	125	122
1496	Balance of county	149	9	-	-	-	1	1	-	-	1	-	16	3	-	70	66
1497	Boyle	204	4	-	-	3	-	4	-	-	-	-	22	3	-	99	98
1498	Bracken	99	2	-	-	-	-	-	-	-	1	1	12	-	-	58	53
1499	Breathitt	101	7	-	2	1	-	2	1	2	3	-	12	4	2	23	22
1500	Breckinridge	180	8	-	-	-	-	-	-	-	-	-	23	3	1	96	92
1501	Bullitt	112	3	-	-	-	-	-	-	-	-	-	19	-	-	54	48
1502	Butler	105	8	1	-	-	-	1	-	-	1	-	16	1	-	46	45
1503	Caldwell	153	8	1	-	-	-	-	-	-	-	1	22	1	-	86	83
1504	Calloway	181	8	1	-	-	-	-	-	-	-	3	14	4	-	101	99
1505	Campbell	839	25	5	-	-	-	1	2	6	2	2	114	19	2	428	416
1506	Newport	371	12	5	-	-	-	1	1	1	-	1	48	6	-	169	166
1507	Fort Thomas	103	5	-	-	-	-	-	-	-	1	-	16	1	1	53	50
1508	Balance of county	365	8	-	-	-	-	-	1	5	1	1	50	12	1	206	200
1509	Carlisle	76	7	-	-	-	-	-	-	-	-	-	10	1	-	50	49
1510	Carroll	122	6	1	-	-	-	1	-	-	1	-	17	-	-	57	52
1511	Carter	173	8	-	-	1	-	-	-	-	2	1	15	2	-	65	61
1512	Casey	124	7	-	-	1	-	-	1	-	1	-	8	1	-	69	66
1513	Christian	483	19	3	-	1	-	1	1	1	-	2	42	4	-	241	225
1514	Hopkinsville	219	10	1	-	1	-	-	-	-	-	2	23	2	-	112	107
1515	Balance of county	264	9	2	-	-	-	1	1	1	-	-	19	2	-	129	118
1516	Clark	215	13	-	-	1	2	1	-	-	1	1	22	2	-	100	96
1517	Clay	121	10	-	1	1	-	-	2	1	-	-	8	1	2	44	44
1518	Clinton	70	5	1	-	2	-	-	-	-	-	1	5	1	-	34	33
1519	Crittenden	119	9	-	-	-	-	-	-	-	-	1	16	1	1	58	55
1520	Cumberland	81	5	2	-	3	-	-	-	1	-	-	8	-	-	37	36
1521	Daviess	589	5	2	-	-	1	1	4	3	1	2	55	8	-	323	314
1522	Owensboro	392	3	2	-	-	1	-	3	2	-	1	32	4	-	230	225
1523	Balance of county	197	2	-	-	-	-	1	1	1	1	1	23	4	-	93	89
1524	Edmonson	70	5	-	-	1	-	-	-	-	-	-	11	-	-	32	31
1525	Elliott	42	8	-	-	-	-	-	-	-	-	-	4	-	-	14	14
1526	Estill	121	8	-	-	1	-	-	-	1	-	2	21	1	-	53	47
1527	Fayette	990	47	11	1	-	-	-	1	-	-	4	132	8	1	531	510
1528	Lexington	699	34	10	1	-	-	-	-	-	-	4	89	6	1	370	358
1529	Balance of county	291	13	1	-	-	-	-	1	-	-	-	43	2	-	161	152
1530	Fleming	160	9	-	-	1	-	-	-	1	1	2	13	2	-	94	82
1531	Floyd	344	26	2	-	9	-	1	-	-	-	2	25	5	1	121	116
1532	Franklin	263	12	4	-	-	-	-	-	-	1	-	35	3	-	126	116
1533	Frankfort	151	8	1	-	-	-	-	-	-	-	-	19	2	-	75	70
1534	Balance of county	112	4	3	-	-	-	-	-	-	1	-	16	1	-	51	46
1535	Fulton	144	6	2	-	-	-	2	-	2	1	-	14	-	-	71	70

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
20	-	42	3	1	3	2	1	1	1	-	-	1	3	4	9	3	3	10	1446
33	-	63	9	3	5	7	2	-	-	-	-	4	9	1	9	4	1	25	1447
17	-	35	5	1	3	5	2	-	-	-	-	3	4	-	4	-	1	20	1448
16	-	28	4	2	2	2	-	-	-	-	-	1	5	1	5	4	-	5	1449
4	-	18	9	-	2	1	1	1	1	-	-	2	1	7	3	1	-	5	1450
6	-	29	2	1	1	2	1	3	1	-	-	1	1	6	2	-	-	10	1451
13	1	32	6	1	2	1	1	-	1	-	-	-	-	12	10	1	-	14	1452
36	3	102	11	3	15	7	2	1	2	1	-	7	1	3	23	4	1	49	1453
26	3	72	9	2	12	7	-	1	2	1	-	7	-	1	20	3	1	36	1454
10	-	30	2	1	1	-	2	-	-	-	-	-	1	2	3	1	-	13	1455
8	-	16	2	1	-	-	-	-	1	1	-	-	1	-	2	1	-	2	1456
203	6	598	60	11	37	63	12	9	8	4	4	25	9	51	61	27	6	256	1457
177	6	522	53	10	34	54	10	9	6	3	4	22	7	41	48	24	6	228	1458
26	-	76	7	1	3	9	2	-	2	1	-	3	2	10	13	3	-	28	1459
9	-	28	3	-	-	1	-	2	-	1	-	2	-	4	7	1	1	13	1460
149	-	392	49	6	26	20	3	6	6	1	1	8	15	18	38	14	4	106	1461
125	-	314	37	5	24	13	3	6	5	1	1	6	12	11	28	10	3	86	1462
24	-	78	12	1	2	7	-	-	1	-	-	2	3	7	10	4	1	20	1463
6	-	17	-	-	-	1	-	-	-	-	-	-	1	2	2	1	-	2	1464
3	-	22	2	-	-	-	-	-	1	1	1	-	-	2	4	-	-	8	1465
21	1	34	6	2	2	3	-	-	-	1	-	2	1	6	10	1	-	5	1466
4	-	19	4	1	2	1	-	1	-	-	2	1	3	1	3	-	-	12	1467
1	1	1	1	-	1	-	-	-	-	-	-	-	-	-	1	1	-	-	1468
-	-	8	-	-	-	2	1	-	1	-	1	-	-	1	3	1	-	7	1469
29	-	88	15	-	6	7	3	1	2	-	-	3	2	10	14	2	-	30	1470
7	-	20	4	-	-	-	1	-	-	-	-	1	1	4	4	-	-	10	1471
8	-	10	2	1	1	1	-	-	1	-	-	-	-	3	1	-	-	2	1472
15	-	24	8	-	2	2	-	1	2	-	-	-	1	1	4	-	-	13	1473
2	-	2	-	-	-	-	-	-	-	-	-	-	1	2	-	1	-	6	1474
12	-	69	3	1	2	3	1	1	-	2	-	-	3	3	8	1	-	21	1475
1	-	6	1	-	1	1	-	-	-	-	-	1	-	-	2	-	-	-	1476
22	-	67	11	-	10	8	2	-	-	-	-	4	-	7	13	-	-	18	1477
16	-	35	4	-	3	4	2	-	-	-	-	-	2	-	3	-	-	7	1478
157	3	586	39	10	34	44	11	12	15	6	1	24	14	30	66	9	9	185	1479
141	3	504	32	10	30	38	10	11	12	5	1	19	14	26	55	8	7	172	1480
16	-	82	7	-	4	5	1	1	3	1	-	5	-	4	11	1	2	13	1481
3,043	57	8,746	890	97	602	1,326	134	469	205	84	93	403	506	717	1,260	284	250	3,474	1482
14	-	48	3	-	4	12	-	-	-	1	-	5	4	1	7	2	-	19	1483
14	-	45	6	-	3	11	2	3	-	1	-	2	4	2	4	-	-	18	1484
14	-	32	4	-	1	6	1	-	1	1	1	2	2	2	2	-	1	7	1485
18	-	26	12	-	1	-	1	1	1	-	-	1	11	3	4	3	1	4	1486
34	1	86	7	2	12	14	-	8	-	1	-	4	5	13	7	2	1	43	1487
15	-	33	2	-	2	7	1	2	1	-	-	-	1	2	3	-	-	12	1488
32	3	80	7	1	7	37	1	16	-	1	4	4	28	14	23	-	6	68	1489
9	1	32	-	-	3	5	1	-	-	-	-	-	7	5	2	-	3	17	1490
23	2	48	7	1	4	32	-	16	-	1	4	4	21	9	21	-	3	51	1491
16	-	63	7	1	2	6	1	2	2	1	-	-	1	4	5	1	-	8	1492
20	-	58	8	2	12	10	1	4	2	-	-	1	3	4	12	4	3	24	1493
46	1	128	11	2	7	19	2	7	4	1	-	8	8	11	27	4	-	62	1494
31	-	84	7	-	3	15	2	3	4	-	-	6	6	6	16	3	-	44	1495
15	1	44	4	2	4	4	-	4	-	1	-	2	2	5	11	1	-	18	1496
17	-	79	2	-	1	7	-	4	-	1	1	3	4	4	8	4	2	31	1497
14	-	38	1	-	5	7	-	1	-	-	-	1	-	-	5	2	-	9	1498
7	-	12	3	-	1	4	-	4	-	-	-	1	8	7	3	1	2	12	1499
16	-	62	14	-	4	9	1	5	-	-	-	1	1	6	9	2	-	15	1500
13	-	31	4	-	6	6	-	1	1	3	-	1	-	3	5	2	1	13	1501
7	-	33	5	-	1	4	-	1	-	1	1	1	3	2	1	2	-	15	1502
24	-	49	10	-	3	3	-	2	-	-	1	1	5	1	4	2	2	13	1503
33	-	51	15	-	2	12	1	1	-	-	-	1	1	5	7	1	1	20	1504
86	2	295	29	4	12	29	6	19	13	-	3	9	3	14	30	7	5	95	1505
32	1	122	11	-	3	13	3	15	7	-	-	8	2	6	15	3	4	53	1506
8	-	38	4	-	3	4	3	1	1	-	-	1	-	3	1	1	-	11	1507
46	1	135	14	-	6	12	-	3	5	-	3	2	1	5	14	3	1	31	1508
13	-	33	3	-	1	3	-	-	-	-	-	-	-	-	4	-	-	1	1509
14	-	34	4	-	5	1	1	2	-	-	-	3	2	3	7	2	2	16	1510
13	-	46	1	1	4	25	1	2	-	-	-	-	6	6	9	-	-	30	1511
15	-	47	4	-	3	3	2	1	2	-	1	1	2	1	2	1	1	19	1512
56	2	140	26	1	16	15	1	4	2	3	1	4	8	31	19	4	9	67	1513
26	-	72	9	-	5	7	-	1	1	3	-	1	6	12	7	1	2	27	1514
30	2	68	17	1	11	8	1	3	1	-	1	3	2	19	12	3	7	40	1515
34	-	60	2	-	4	20	2	4	1	1	-	3	3	3	7	4	1	23	1516
4	1	37	1	1	-	5	1	6	-	-	2	-	-	5	3	6	-	1	22	1517
7	-	25	1	-	1	4	1	-	1	-	-	-	4	1	4	1	2	5	1518
20	-	32	3	-	3	6	-	1	-	-	-	-	8	4	2	1	1	10	1519
8	-	25	3	2	1	4	-	2	-	-	1	1	-	2	5	-	-	10	1520
68	1	216	27	2	9	33	6	7	2	1	-	13	5	17	28	6	1	65	1521
43	1	159	20	2	5	20	3	5	1	1	-	8	2	10	19	3	1	41	1522
28	-	57	7	-	4	13	3	2	1	-	-	5	3	7	9	3	-	24	1523
8	-	24	-	1	1	1	-	2	1	-	2	2	1	2	2	1	-	7	1524
2	-	10	2	-	-	3	-	-	-	-	-	-	7	1	1	-	-	4	1525
15	-	29	2	1	6	3	-	3	1	-	-	4	5	3	5	-	2	8	1526
128	3	341	30	8	21	27	4	20	12	5	1	14	7	21	42	7	11	83	1527
87	1	247	20	3	12	23	2	17	11	2	1	6	5	13	28	4	11	61	1528
41	2	94	10	5	9	4	2	3	1	3	-	8	2	8	14	3	-	22	1529
22	1	53	4	2	12	6	2	3	-	-	1	-	1	6	4	1	2	11	1530
30	2	79	5	-	5	24	-	12	1	1	2	7	10	11	18	-	10	56	1531
39	-	89	7	1	10	11	1	4	4	1	1	3	1	3	14	3	3	33	1532
22	-	42	8	-	5	4	-	3	3	1	1	1	2	8	1	1	2	20	1533
17	-	27	1	1	5	7	1	1	1	-	-	2	-	1	6	2	2	13	1534
19	-	49	1	1	1	10	1	2	-	-	-	2	3	4	3	-	-	21	1535

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-038, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 582-594	Diseases of cardiovascular system 330-334, 400-468
	KENTUCKY—Continued																
1536	Gallatin	58	3	-	-	-	-	-	-	1	-	-	9	-	-	35	34
1537	Garrard	117	9	1	-	-	-	1	-	-	-	1	11	1	-	53	49
1538	Grant	103	1	-	-	-	-	-	-	-	1	-	9	2	-	62	62
1539	Graves	317	17	-	1	1	-	-	-	1	1	1	40	6	-	163	159
1540	Grayson	174	9	-	-	-	-	-	-	-	-	-	19	5	-	87	84
1541	Green	105	11	-	-	-	-	-	-	-	-	-	11	-	-	56	53
1542	Greenup	202	8	-	-	-	1	-	-	-	-	-	25	4	-	80	78
1543	Hancock	72	1	1	-	-	-	-	-	-	-	-	11	2	-	38	35
1544	Hardin	295	14	1	-	1	1	-	-	-	1	2	40	5	-	118	114
1545	Harlan	553	24	5	-	2	-	-	6	1	-	2	60	6	2	186	179
1546	Harrison	191	12	-	-	-	-	-	-	-	-	-	17	3	-	106	103
1547	Hart	155	10	1	-	2	-	-	-	-	-	1	19	2	-	64	61
1548	Henderson	337	12	5	-	-	-	1	-	-	-	1	27	4	-	209	200
1549	Henderson	208	8	3	-	-	-	1	-	-	-	1	11	3	-	134	128
1550	Balance of county	129	4	2	-	-	-	-	-	-	-	-	16	1	-	75	72
1551	Henry	124	3	-	-	1	-	1	-	-	-	-	15	1	1	55	53
1552	Hickman	91	3	-	-	-	-	-	-	-	-	-	5	-	-	46	46
1553	Hopkins	367	9	3	-	-	-	4	-	-	-	2	38	8	-	188	179
1554	Jackson	91	9	1	-	1	-	-	-	-	-	-	7	2	-	33	32
1555	Jefferson	4,981	201	31	-	2	2	6	3	9	2	14	636	67	8	2,554	2,470
1556	Louisville	4,355	184	26	-	1	2	6	3	8	2	14	544	65	8	2,231	2,155
1557	Balance of county	626	17	5	-	1	-	-	-	1	-	-	92	2	3	325	315
1558	Jessamine	120	6	-	1	1	-	1	-	-	-	1	14	3	-	61	58
1559	Johnson	182	14	1	-	3	1	-	1	-	-	1	13	2	-	74	71
1560	Kenton	1,155	37	2	-	-	-	2	2	1	1	5	172	15	2	630	626
1561	Covington	797	29	2	-	-	-	2	2	1	1	4	121	11	1	426	422
1562	Balance of county	358	8	-	-	-	-	-	-	-	-	1	51	4	1	204	204
1563	Knott	118	3	-	-	1	1	1	-	1	-	-	8	-	2	37	35
1564	Knox	270	15	-	-	7	2	-	1	3	2	7	22	5	1	93	90
1565	Larue	114	7	1	-	-	-	-	-	1	-	-	20	1	-	52	49
1566	Laurel	189	10	-	2	1	-	-	-	-	1	1	19	2	-	91	84
1567	Lawrence	148	13	-	-	-	-	2	-	-	-	2	22	2	-	66	60
1568	Lee	90	8	-	-	-	-	-	1	2	1	-	11	1	-	34	34
1569	Leslie	85	1	-	-	-	1	3	-	-	-	-	6	-	-	13	13
1570	Letcher	299	15	4	-	-	1	3	-	-	-	2	20	2	-	98	93
1571	Lewis	140	7	-	-	-	3	-	-	-	-	-	7	3	-	56	50
1572	Lincoln	155	11	3	-	-	-	1	-	1	-	2	11	2	-	74	71
1573	Livingston	98	3	1	-	-	-	-	-	-	1	-	13	2	1	51	43
1574	Logan	265	10	3	-	-	-	-	1	1	1	1	30	5	1	137	134
1575	Lyon	70	4	1	-	-	-	-	-	-	-	-	4	1	-	32	31
1576	McCracken	628	20	7	-	-	-	-	-	2	-	2	62	5	1	354	346
1577	Paducah	463	17	5	-	-	-	-	-	2	-	1	44	4	1	267	262
1578	Balance of county	165	3	2	-	-	-	-	-	-	-	1	18	1	-	87	84
1579	McCreary	126	6	1	-	1	1	-	-	-	-	3	13	-	1	57	56
1580	McLean	98	5	-	-	-	-	1	-	-	-	-	14	1	-	48	45
1581	Madison	306	15	2	-	4	-	1	-	1	1	2	30	2	1	147	138
1582	Magoffin	81	3	-	-	1	-	-	-	-	-	1	6	4	-	34	33
1583	Marion	191	8	1	-	-	-	2	-	-	-	-	24	3	-	69	68
1584	Marshall	140	3	1	-	-	-	-	-	-	-	-	26	2	-	77	72
1585	Martin	72	3	1	-	-	-	-	-	-	-	-	6	1	-	26	24
1586	Mason	224	8	2	-	-	-	3	-	-	-	2	25	6	-	122	115
1587	Meade	73	-	-	-	-	-	-	-	-	-	-	8	1	-	38	38
1588	Menifee	34	-	-	-	-	-	-	-	-	-	-	1	1	-	7	7
1589	Mercer	164	4	-	-	-	-	-	-	-	-	2	21	1	-	86	82
1590	Metcalfe	80	5	1	-	-	-	-	-	-	-	-	9	1	1	39	32
1591	Monroe	136	11	1	-	2	-	-	-	-	-	-	17	1	-	63	60
1592	Montgomery	145	3	-	-	-	1	-	-	-	1	-	21	1	-	66	57
1593	Morgan	116	5	-	-	-	-	1	-	-	-	-	14	1	-	51	50
1594	Muhlenberg	302	12	1	-	-	-	1	-	-	-	2	32	3	-	145	134
1595	Nelson	186	9	-	-	-	-	1	-	-	-	1	20	-	-	89	87
1596	Nicholas	93	2	1	-	-	1	-	-	-	-	-	13	1	-	46	45
1597	Ohio	200	10	1	-	-	-	2	-	1	-	-	19	1	1	93	87
1598	Oldham	91	1	-	-	-	-	-	-	-	-	-	7	-	-	58	55
1599	Owen	93	4	-	-	-	-	-	-	-	-	-	5	4	-	50	47
1600	Owsley	41	3	-	-	2	1	-	-	-	-	1	3	1	-	20	20
1601	Pendleton	109	3	-	-	-	-	-	-	-	-	1	12	-	-	55	55
1602	Perry	308	17	-	-	1	-	-	4	-	-	1	27	-	1	79	75
1603	Pike	580	27	4	-	19	2	5	-	-	-	3	50	5	1	156	147
1604	Powell	63	3	-	-	-	-	-	-	-	-	-	10	-	-	19	16
1605	Pulaski	299	23	1	-	-	1	-	-	1	-	1	31	2	1	149	136
1606	Robertson	36	2	-	-	-	-	-	-	-	-	-	6	1	-	21	21
1607	Rockcastle	102	10	-	-	1	-	-	2	-	-	2	9	3	-	35	34
1608	Rowan	80	1	-	1	-	-	-	-	-	-	1	3	2	-	38	38
1609	Russell	100	7	-	-	1	1	-	-	-	-	2	5	-	1	50	47
1610	Scott	151	2	1	-	-	-	1	-	-	1	-	17	1	-	101	95
1611	Shelby	180	8	1	-	1	-	3	-	-	-	-	18	2	-	93	87
1612	Simpson	133	6	-	-	-	-	-	1	-	-	-	15	2	-	57	51
1613	Spencer	62	3	1	-	1	-	-	-	-	-	1	9	-	-	19	19
1614	Taylor	137	8	-	-	-	-	-	1	-	-	2	13	2	-	58	53
1615	Todd	160	7	1	-	-	-	-	-	1	-	1	16	1	1	83	79
1616	Trigg	95	7	-	-	1	-	-	-	-	-	1	7	2	-	51	49
1617	Trimble	50	2	-	-	-	-	-	-	-	-	-	8	-	-	21	19
1618	Union	182	4	1	-	-	-	1	-	-	-	-	22	4	1	100	93
1619	Warren	415	20	1	1	-	-	-	1	-	-	-	38	7	1	227	211
1620	Bowling Green	214	9	1	1	-	-	-	-	-	-	-	17	5	1	116	108
1621	Balance of county	201	11	-	-	-	-	-	1	-	-	-	21	2	-	111	103
1622	Washington	112	5	-	-	1	-	1	-	-	-	1	18	3	-	50	47
1623	Wayne	125	8	-	1	-	-	-	1	-	-	-	12	2	-	56	54
1624	Webster	204	3	1	-	-	-	-	1	1	-	1	20	2	2	110	85
1625	Whitley	316	10	1	1	1	-	-	1	3	-	1	39	2	1	127	119
1626	Wolfe	80	3	-	-	1	-	1	1	2	-	-	4	-	-	29	29
1627	Woodford	131	8	2	-	-	-	-	-	-	1	-	12	-	-	70	68

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
13	-	17	4	-	1	2	-	-	-	-	1	-	1	2	-	1	-	4	1536
14	-	29	6	-	4	10	2	2	1	-	-	2	-	1	2	3	-	17	1537
12	-	45	5	-	-	4	1	-	1	-	-	2	-	1	4	5	-	10	1538
58	-	92	8	1	4	22	1	1	3	1	2	3	4	4	12	3	2	28	1539
18	-	59	8	-	3	9	1	1	-	2	-	3	4	4	8	2	1	19	1540
10	-	41	2	-	3	2	1	1	-	-	-	3	2	4	5	-	1	8	1541
22	1	53	2	-	2	11	-	5	-	2	3	6	4	4	9	-	4	36	1542
6	-	25	4	-	3	4	-	-	1	-	-	-	-	2	6	-	-	6	1543
24	-	75	13	2	4	11	1	1	1	2	1	9	8	11	5	3	1	58	1544
38	1	127	11	2	7	22	1	25	7	3	3	13	8	11	47	5	10	104	1545
33	-	65	5	-	3	12	-	-	-	-	2	2	-	3	12	7	1	14	1546
12	-	43	3	3	3	6	1	1	1	-	-	1	7	3	6	2	2	26	1547
45	2	138	14	1	9	8	-	-	1	1	-	7	4	6	18	2	1	30	1548
31	2	84	10	1	6	5	-	-	1	1	-	8	2	2	10	-	1	19	1549
14	-	54	4	-	3	3	-	-	-	-	-	1	2	4	8	2	-	11	1550
10	-	42	1	-	2	9	1	2	-	-	1	2	5	5	4	1	1	16	1551
17	-	26	3	-	-	8	-	-	1	-	-	-	8	2	4	2	-	12	1552
43	1	119	14	2	9	24	1	6	-	1	1	4	5	11	25	4	3	50	1553
5	-	23	4	-	1	7	-	-	1	1	2	1	3	3	5	-	-	15	1554
495	6	1,777	174	18	84	171	29	54	64	17	10	72	30	103	176	50	36	633	1555
434	3	1,554	149	15	76	148	26	48	56	16	7	60	27	85	151	44	32	563	1556
61	3	223	25	3	8	23	3	6	8	1	3	12	3	18	25	6	4	70	1557
14	-	40	3	1	3	3	-	-	1	-	-	2	3	9	3	-	-	11	1558
16	-	49	6	-	3	9	-	3	-	-	1	2	12	4	13	-	3	25	1559
136	3	452	32	3	4	27	8	13	19	2	2	19	7	16	41	15	2	115	1560
91	2	308	19	2	4	16	5	11	16	-	2	12	6	11	29	11	2	76	1561
45	1	144	13	1	-	11	3	2	3	2	-	7	1	5	12	4	-	39	1562
9	-	23	3	-	2	12	1	2	-	1	-	2	11	9	7	3	6	10	1563
22	1	60	7	-	3	27	2	6	-	1	1	7	8	9	13	-	3	35	1564
13	1	33	2	-	3	1	1	2	1	-	-	-	1	5	8	-	-	13	1565
19	-	61	2	2	7	11	1	3	-	-	-	1	4	5	9	1	1	18	1566
12	-	47	1	-	6	5	-	2	1	-	-	4	3	1	4	-	-	19	1567
8	-	25	1	-	-	6	-	3	-	1	-	-	4	2	5	1	2	8	1568
1	1	10	-	1	-	4	-	8	1	1	2	3	1	6	5	1	6	21	1569
20	-	70	3	-	5	18	-	9	3	1	3	6	13	7	15	3	10	66	1570
12	1	31	5	1	6	6	1	4	1	1	1	1	8	5	9	2	2	23	1571
19	-	48	3	1	3	10	-	2	1	-	-	-	3	3	6	5	2	18	1572
4	-	36	3	-	8	9	1	-	-	2	-	2	2	-	3	-	-	7	1573
29	-	86	18	1	3	8	-	3	2	1	1	1	3	11	13	1	1	30	1574
4	-	22	4	1	1	1	-	-	1	-	1	-	1	3	10	-	-	12	1575
78	1	231	34	2	8	23	1	2	7	-	2	3	12	18	27	6	6	68	1576
57	1	173	29	2	5	12	1	2	5	-	2	2	7	10	21	4	3	53	1577
21	-	58	5	-	3	11	-	-	2	-	-	1	5	8	6	2	3	15	1578
18	1	33	4	-	1	9	2	7	-	-	1	-	2	3	3	-	1	15	1579
10	-	31	4	-	3	6	1	-	1	-	1	4	1	3	3	-	-	10	1580
31	1	99	7	-	9	14	2	5	-	1	1	5	6	10	13	7	2	34	1581
13	-	18	2	-	1	7	-	1	-	-	-	-	4	3	1	-	6	10	1582
26	-	35	7	-	1	10	2	1	-	1	3	3	5	7	9	1	-	42	1583
19	-	49	3	1	5	4	2	-	1	-	1	-	1	8	3	2	1	8	1584
9	1	13	1	-	2	6	-	1	1	1	1	1	1	1	5	-	1	16	1585
30	1	73	9	2	7	15	1	3	3	2	-	2	1	2	8	4	1	16	1586
9	-	28	1	-	-	3	1	1	-	-	1	1	-	2	4	3	-	10	1587
3	-	3	1	-	-	2	-	2	1	1	-	-	3	1	5	-	-	10	1588
18	-	60	3	1	4	10	-	-	1	-	-	1	2	7	6	3	-	20	1589
11	-	20	1	-	7	4	2	-	-	-	-	1	1	1	1	-	-	14	1590
18	-	41	1	-	3	7	-	5	1	-	2	2	4	-	6	-	2	12	1591
16	-	33	7	1	9	4	1	2	3	-	1	1	4	6	8	-	2	20	1592
4	3	42	1	-	1	5	1	3	-	1	1	1	6	9	1	3	-	13	1593
29	-	93	8	4	11	18	1	5	1	1	1	5	5	4	11	3	-	51	1594
21	2	60	3	1	2	6	-	2	-	-	1	-	5	2	8	2	1	19	1595
14	-	27	4	-	1	3	-	6	1	-	-	3	-	1	5	4	-	6	1596
21	-	60	6	-	6	14	3	2	-	1	1	1	4	1	11	3	1	30	1597
18	-	35	2	-	3	3	-	-	-	-	-	2	2	3	2	1	2	10	1598
9	-	28	10	-	3	3	-	-	-	1	-	1	1	5	6	1	1	11	1599
9	1	8	2	-	-	-	-	2	-	-	-	-	1	-	2	-	1	4	1600
4	-	49	2	-	-	3	1	-	3	-	-	1	-	2	13	2	-	13	1601
23	1	48	2	1	4	15	2	19	2	1	1	9	8	16	26	6	18	53	1602
44	1	95	7	-	9	69	3	25	4	1	4	19	16	17	46	4	11	89	1603
7	-	7	2	-	3	2	-	1	-	1	-	1	5	3	4	1	-	13	1604
22	4	101	9	-	13	14	1	3	-	1	-	3	7	12	13	-	3	32	1605
2	-	17	2	-	-	-	-	-	-	-	1	2	-	-	2	-	-	1	1606
13	1	20	-	-	1	4	1	2	-	-	1	5	4	7	7	1	1	9	1607
8	-	28	2	-	-	8	-	2	2	-	-	1	-	4	3	1	-	13	1608
11	1	30	4	1	3	7	1	2	-	-	1	1	1	2	5	2	-	11	1609
30	1	57	7	-	6	5	-	3	2	1	-	-	-	1	4	4	-	9	1610
26	-	47	12	2	6	6	1	2	2	-	-	4	2	5	7	1	-	24	1611
12	1	31	7	-	6	7	-	1	-	-	1	4	5	-	6	3	1	24	1612
3	-	15	1	-	-	4	-	1	1	1	-	1	2	1	5	1	1	10	1613
17	-	32	5	1	5	2	2	4	-	-	-	2	1	5	13	1	1	21	1614
15	-	55	6	1	4	11	-	2	-	-	-	2	5	6	6	2	-	15	1615
15	-	32	2	-	2	4	-	-	-	-	2	-	1	2	6	2	-	9	1616
8	-	9	2	-	2	6	-	1	-	1	-	1	1	-	4	-	-	5	1617
29	-	54	10	-	7	3	-	1	-	-	-	3	4	4	10	1	-	23	1618
51	-	146	13	1	16	20	-	8	3	-	3	8	4	6	20	6	4	37	1619
26	-	75	6	1	8	10	-	7	3	-	-	4	1	3	9	2	3	22	1620
25	-	71	7	-	8	10	-	1	-	-	3	4	3	3	11	4	1	15	1621
11	-	29	7	-	3	4	-	1	-	-	1	-	4	2	5	4	1	11	1622
7	-	46	-	1	2	4	-	4	-	-	-	3	3	6	10	1	2	12	1623
22	-	54	7	2	25	8	1	3	1	1	-	1	2	9	8	3	2	24	1624
33	-	81	3	2	8	24	2	8	1	-	-	6	8	11	20	1	4	44	1625
6	1	19	3	-	-	8	1	8	-	-	-	-	5	2	4	-	1	12	1626
24	-	40	4	-	2	6	2	3	-	-	-	3	-	2	5	2	-	15	1627

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
1628	LOUISIANA	23,400	785	299	12	32	14	16	20	6	16	127	3,080	350	71	11,148	10,672
1629	Acadia	411	9	2	1	-	-	4	-	-	-	6	45	4	1	191	180
1630	Allen	149	2	-	-	-	-	-	-	-	-	-	25	2	-	71	63
1631	Ascension	206	7	1	-	-	-	-	-	-	-	3	39	3	1	89	89
1632	Assumption	186	5	2	-	1	1	-	-	-	-	2	28	3	2	80	78
1633	Avoyelles	275	3	1	1	1	-	-	-	-	-	2	32	2	1	143	140
1634	Beauregard	166	4	2	-	-	-	-	-	-	-	-	12	3	1	85	80
1635	Bienville	149	5	2	-	-	-	-	-	-	-	1	17	2	-	78	67
1636	Bossier	249	4	6	-	-	-	-	-	-	-	3	38	4	-	101	90
1637	Caddo	1,544	40	25	1	2	1	1	2	-	3	9	206	18	2	717	667
1638	Shreveport	1,175	29	19	-	2	1	-	1	-	2	8	158	13	2	548	504
1639	Balance of parish	369	11	6	1	-	-	1	1	-	1	1	50	5	-	171	163
1640	Calcasieu	652	16	6	-	-	1	1	-	-	-	4	91	9	2	256	238
1641	Lake Charles	338	10	4	-	-	-	-	-	-	-	4	50	5	1	141	139
1642	Balance of parish	314	6	2	-	-	1	1	-	-	-	-	41	4	1	115	99
1643	Caldwell	96	4	-	-	1	-	-	-	-	-	-	15	1	-	49	46
1644	Cameron	37	-	-	-	-	-	-	-	-	-	-	8	-	-	16	15
1645	Catahoula	89	2	1	-	-	1	-	-	-	-	-	13	-	-	47	46
1646	Claiborne	186	7	1	-	-	-	-	-	-	-	1	27	4	3	74	74
1647	Concordia	167	1	7	-	-	-	-	-	-	-	2	17	1	1	76	73
1648	De Soto	256	5	3	-	-	1	-	-	-	-	2	37	-	1	103	101
1649	East Baton Rouge	1,119	39	22	-	1	-	-	-	1	-	3	116	11	5	563	536
1650	Baton Rouge	870	27	16	-	1	-	-	-	-	-	2	96	9	3	438	419
1651	Balance of parish	249	12	6	-	-	-	-	-	1	-	1	20	2	2	125	117
1652	East Carroll	195	5	3	1	-	-	-	-	-	1	-	22	2	1	96	95
1653	East Feliciana	153	3	3	-	-	1	1	-	-	-	1	14	1	-	83	77
1654	Evangeline	249	15	-	-	2	1	-	-	-	-	-	37	3	2	91	88
1655	Franklin	229	5	2	-	-	-	-	-	-	2	1	26	5	1	99	96
1656	Grant	130	4	1	-	-	-	-	-	-	-	2	19	1	1	68	67
1657	Iberia	320	7	3	1	1	1	-	-	-	-	3	43	3	2	142	130
1658	New Iberia	162	5	-	-	1	-	-	-	-	-	3	24	1	2	74	63
1659	Balance of parish	158	2	3	1	-	1	-	-	-	-	-	19	2	-	68	67
1660	Iberville	307	6	7	-	-	-	-	-	-	1	-	30	2	-	180	178
1661	Jackson	127	-	-	-	1	1	-	-	-	-	1	19	2	-	39	35
1662	Jefferson	603	23	6	-	1	-	-	2	-	1	3	81	9	2	299	294
1663	Gretna	115	7	-	-	-	-	-	-	-	1	-	15	1	-	64	63
1664	Balance of parish	488	16	6	-	1	-	-	2	-	-	3	68	8	2	235	231
1665	Jefferson Davis	221	4	-	1	-	-	-	-	-	-	2	33	3	2	100	99
1666	Lafayette	453	20	2	-	-	1	-	1	-	-	3	53	8	1	202	193
1667	Lafayette	280	13	2	-	-	-	-	1	-	-	2	33	2	1	126	120
1668	Balance of parish	173	7	-	-	-	1	-	-	-	-	1	20	6	-	76	73
1669	Lafourche	304	5	3	-	-	-	-	-	-	-	2	40	3	1	138	132
1670	La Salle	68	2	-	-	-	-	-	-	-	-	-	11	-	-	36	35
1671	Lincoln	233	5	1	-	1	-	-	-	-	-	2	30	4	-	126	117
1672	Livingston	138	7	3	-	-	-	-	-	-	-	1	16	3	-	54	50
1673	Madison	200	9	1	-	-	-	-	1	-	-	2	18	4	1	86	83
1674	Morehouse	282	9	5	-	-	-	-	-	2	2	-	33	5	1	131	123
1675	Natchitoches	331	10	2	-	1	1	-	1	-	-	2	32	7	1	166	158
1676	Orleans, coextensive with New Orleans	6,156	273	110	2	5	-	2	4	1	2	19	918	126	17	3,221	3,114
1677	Ouachita	679	15	4	-	-	-	2	-	-	1	5	84	12	-	319	303
1678	Monroe	401	12	3	-	-	-	2	-	-	-	2	47	9	-	196	187
1679	Balance of parish	278	1	1	-	-	-	-	-	-	1	3	37	3	-	123	116
1680	Plaquemines	89	1	2	-	-	1	-	1	1	-	1	16	1	-	39	38
1681	Pointe Coupee	215	3	5	-	1	-	-	-	-	-	3	37	4	-	97	94
1682	Rapides	766	29	4	-	1	-	-	1	-	1	4	82	14	2	309	292
1683	Alexandria	341	15	2	-	-	-	-	1	-	1	2	37	5	2	128	124
1684	Balance of parish	425	14	2	-	1	-	-	-	-	-	2	45	9	-	180	168
1685	Red River	104	2	1	-	-	-	1	-	-	-	-	14	-	-	29	28
1686	Richland	257	6	2	-	-	-	-	-	-	-	4	23	5	-	120	116
1687	Sabine	161	1	1	-	2	-	-	-	-	-	1	23	2	2	78	76
1688	St. Bernard	67	-	-	-	-	-	-	-	-	-	2	8	1	-	38	38
1689	St. Charles	104	3	-	-	-	-	-	-	-	-	1	19	1	-	47	46
1690	St. Helena	62	5	1	-	-	-	-	-	-	1	-	8	-	-	34	33
1691	St. James	170	7	1	-	-	-	-	-	-	-	1	22	-	-	89	83
1692	St. John the Baptist	141	2	1	-	-	-	1	1	-	1	1	22	1	1	58	57
1693	St. Landry	686	32	8	-	7	-	1	1	-	-	9	70	6	3	278	262
1694	St. Martin	207	7	1	-	-	1	-	-	-	-	5	33	4	-	75	71
1695	St. Mary	336	7	4	-	-	-	-	2	-	-	-	30	6	-	163	157
1696	St. Tammany	256	12	1	-	-	-	-	1	-	-	2	29	3	-	132	128
1697	Tangipahoa	450	15	9	-	-	-	2	1	-	-	-	62	5	2	222	213
1698	Tensas	126	4	2	-	1	-	-	-	-	-	-	9	3	-	82	79
1699	Terrebonne	325	12	2	-	-	-	-	-	-	-	-	32	2	1	135	129
1700	Union	168	7	2	-	-	-	-	-	-	-	-	23	5	-	80	76
1701	Vermilion	258	8	-	-	-	-	-	1	-	-	-	45	7	1	106	105
1702	Vernon	151	5	3	-	-	1	-	-	-	-	1	22	1	2	62	61
1703	Washington	323	15	2	-	1	-	-	-	-	-	1	40	2	2	148	138
1704	Bogalusa	176	8	1	-	-	-	-	-	-	-	1	23	2	2	78	75
1705	Balance of parish	147	7	1	-	1	-	-	-	-	-	-	17	-	-	69	63
1706	Webster	277	9	2	2	1	-	-	-	-	-	1	40	5	1	116	115
1707	West Baton Rouge	103	1	-	1	-	-	-	-	-	-	3	15	-	-	48	48
1709	West Carroll	125	8	2	-	-	-	-	-	-	-	-	16	2	1	54	50
1709	West Feliciana	80	2	5	-	-	-	-	-	1	-	-	8	-	-	40	39
1710	Winn	114	4	1	1	-	-	-	-	-	-	-	17	1	-	56	53
1711	MAINE	10,099	189	31	-	-	-	9	9	10	12	27	1,507	173	12	5,497	5,312
1712	Androscoggin	946	18	3	-	-	-	1	-	-	-	7	152	16	1	519	497
1713	Lewiston	430	11	1	-	-	-	-	-	-	-	5	76	7	1	212	204
1714	Auburn	191	3	1	-	-	-	-	-	-	-	1	24	3	-	126	118
1715	Balance of county	325	4	1	-	-	-	1	-	-	-	1	52	6	-	181	175
1716	Aroostook	830	27	5	-	-	-	3	2	1	2	4	93	10	3	376	347

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2,164	29	7,865	519	95	476	1,015	85	187	149	82	93	349	415	508	1,016	173	241	3,111	1628
26	-	145	8	1	11	24	-	7	1	3	4	6	14	12	12	4	3	58	1629
17	-	43	2	1	8	3	-	2	-	1	-	2	3	8	8	-	3	19	1630
18	-	69	1	1	-	8	2	2	-	-	-	5	14	8	7	-	2	28	1631
15	-	58	4	1	2	16	1	3	-	-	2	2	9	1	6	-	-	22	1632
27	-	102	11	-	3	14	-	6	-	3	1	5	10	5	21	2	3	19	1633
16	-	61	3	-	5	9	-	-	-	-	-	5	7	5	8	1	2	22	1634
14	1	49	2	1	9	6	-	-	-	-	1	5	6	3	5	-	-	20	1635
34	1	52	3	-	11	11	2	1	1	1	2	3	1	5	19	3	2	42	1636
169	1	452	33	12	50	54	7	13	15	3	3	18	13	38	72	9	23	249	1637
121	-	351	22	10	42	37	5	11	15	3	1	14	9	25	61	7	16	192	1638
48	1	101	11	2	8	17	2	2	-	-	2	4	4	13	11	2	7	57	1639
41	1	185	11	-	18	30	5	5	5	4	5	15	26	22	36	4	5	104	1640
22	-	109	9	-	2	11	2	3	3	-	2	7	10	5	20	1	3	56	1641
19	1	77	2	-	16	19	3	2	2	4	3	8	16	17	16	3	2	48	1642
9	-	33	3	1	3	2	-	-	-	-	2	-	2	-	6	3	-	11	1643
2	-	13	-	-	1	2	-	-	1	-	-	-	-	-	4	1	-	5	1644
16	-	29	1	-	1	2	2	-	1	2	-	-	1	1	3	-	2	11	1645
12	1	58	3	-	-	11	2	1	2	1	3	3	2	8	9	-	4	23	1646
16	-	52	4	1	3	11	-	2	-	1	1	1	3	5	12	-	1	25	1647
22	-	69	10	-	2	9	-	2	-	2	2	2	7	7	11	1	5	38	1648
115	1	374	40	6	27	49	5	6	7	6	4	20	10	32	44	15	18	142	1648.
94	1	295	23	8	19	35	5	5	6	5	2	13	8	24	40	11	15	109	1650
21	-	79	17	-	8	14	-	1	1	1	2	7	2	8	4	4	3	33	1651
32	-	57	4	2	1	8	-	1	1	2	2	2	8	6	10	-	1	25	1652
14	-	58	3	2	6	11	-	2	-	-	2	2	1	4	6	2	1	15	1653
12	-	64	12	-	3	19	3	3	2	-	1	4	10	6	12	1	-	37	1654
20	-	72	1	3	3	14	1	-	-	1	1	5	6	5	10	2	4	39	1655
14	-	51	2	-	1	4	-	1	1	2	1	3	2	1	6	2	1	10	1656
19	4	100	5	2	12	12	4	7	4	1	1	5	7	7	15	4	1	46	1657
9	3	49	1	1	11	5	-	1	3	1	-	3	3	5	7	2	1	21	1658
10	1	51	4	1	1	7	4	6	1	-	1	2	4	2	8	2	-	25	1659
45	1	125	4	-	5	13	-	-	1	2	1	4	5	1	11	3	2	38	1660
12	-	20	3	-	4	7	1	1	1	-	1	2	29	2	2	-	2	16	1661
40	-	236	15	3	5	24	3	4	7	1	-	9	1	10	31	4	5	77	1662
6	-	48	9	-	1	3	1	1	1	-	-	1	-	-	4	2	-	16	1663
34	-	188	6	3	4	21	2	3	6	1	-	8	1	10	27	2	5	61	1664
16	-	78	3	2	1	12	-	2	1	-	-	7	2	8	11	3	1	29	1665
38	1	143	11	-	9	25	-	9	2	2	3	6	8	11	16	5	-	75	1666
21	1	90	8	-	6	16	-	7	2	1	3	3	3	8	7	3	-	47	1667
17	-	53	3	-	3	9	-	2	-	1	-	3	5	3	9	2	-	28	1668
19	1	103	6	3	6	15	1	1	-	2	1	7	1	9	18	8	2	49	1669
4	-	30	1	-	1	2	1	-	1	-	-	1	1	1	5	-	-	7	1670
26	1	81	8	1	8	10	1	3	-	1	1	4	2	8	6	1	3	24	1671
9	1	38	2	-	4	9	-	1	2	1	-	2	4	8	8	1	1	17	1672
19	-	55	9	-	3	7	-	2	2	1	-	3	20	7	8	1	2	25	1673
17	-	100	5	1	8	13	1	2	-	1	3	3	4	4	12	1	3	47	1674
38	-	107	12	1	8	12	1	3	-	1	-	5	12	6	9	5	5	49	1675
571	8	2,384	125	26	107	183	29	25	56	16	4	71	15	57	239	40	52	669	1676
70	-	216	15	2	16	36	2	3	8	5	8	14	5	22	28	7	11	92	1677
39	-	139	8	1	9	24	-	1	5	5	3	3	1	12	9	4	9	54	1678
31	-	77	7	1	7	12	2	2	1	-	5	11	4	10	19	3	2	38	1679
7	-	30	1	-	1	3	-	1	-	-	-	-	-	2	7	2	-	11	1680
25	-	64	5	-	3	12	-	3	-	2	1	3	7	2	9	2	1	23	1681
56	2	219	14	1	16	27	2	6	4	3	4	10	73	21	42	8	12	108	1682
23	-	96	5	-	4	13	1	4	3	2	1	3	39	7	22	3	6	44	1683
33	2	123	9	1	12	14	1	2	1	1	3	7	34	14	20	5	6	64	1684
11	-	16	1	-	1	6	-	1	-	-	2	1	8	6	4	-	3	26	1685
28	-	85	5	2	4	15	-	6	1	1	-	5	3	10	10	2	3	41	1686
15	-	55	3	3	2	10	1	-	1	-	-	4	4	4	8	-	1	18	1687
2	-	36	-	-	-	5	-	-	1	-	-	1	-	1	2	-	-	6	1688
10	-	34	2	-	1	2	-	-	-	-	2	1	-	2	8	-	1	17	1689
9	-	23	1	-	1	1	-	-	-	-	-	1	1	3	2	-	-	5	1690
21	-	60	2	-	6	6	-	5	4	1	-	2	-	1	11	1	3	16	1691
13	1	41	2	-	1	9	1	2	-	-	1	3	3	2	6	1	3	21	1692
46	-	200	16	-	16	60	3	10	6	2	6	14	5	18	14	4	6	103	1693
12	1	51	6	1	4	19	-	6	-	-	4	4	3	4	4	2	1	34	1694
27	-	119	9	2	6	14	1	4	-	3	2	4	3	10	18	-	1	64	1695
24	-	94	10	-	4	16	-	2	2	1	-	7	3	5	10	-	1	29	1696
39	-	160	10	4	9	17	1	4	5	-	-	6	5	9	19	2	7	57	1697
19	-	51	9	-	3	4	1	-	-	-	-	-	2	1	6	-	2	9	1698
19	-	102	6	2	6	15	1	4	1	1	2	8	7	8	25	2	1	88	1699
26	-	46	4	-	4	7	-	2	-	-	1	3	1	8	7	1	1	20	1700
32	-	69	4	-	1	11	-	5	-	1	-	3	3	6	9	7	1	44	1701
13	-	46	2	-	1	10	-	1	-	-	2	-	5	6	7	-	6	17	1702
26	1	107	3	1	10	15	-	2	1	-	4	6	-	16	11	2	3	52	1703
12	1	61	1	-	4	6	-	-	1	-	2	3	-	7	7	-	3	31	1704
14	-	48	2	1	6	9	-	2	-	-	2	3	-	9	4	2	-	21	1705
40	1	61	11	2	1	12	-	2	3	1	2	7	1	10	16	2	5	39	1706
11	-	34	3	-	1	7	-	-	-	-	-	1	1	3	4	2	-	16	1707
13	-	31	4	2	4	9	-	-	-	-	-	2	2	2	6	2	4	15	1708
7	-	31	1	-	1	2	-	-	-	-	-	1	2	3	2	-	3	11	1709
11	-	40	-	2	3	8	-	1	-	-	-	1	2	4	3	-	2	15	1710
1,226	13	3,849	374	50	185	308	48	49	68	24	19	141	100	159	427	145	15	1,120	1711
120	-	350	22	5	22	23	4	7	10	-	2	11	3	16	37	20	2	94	1712
49	-	146	8	1	8	6	3	3	6	-	1	7	-	7	21	11	1	51	1713
35	-	76	5	2	8	7	-	-	1	-	-	-	-	2	3	2	1	17	1714
36	-	128	9	2	6	10	1	4	3	-	1	4	3	7	13	7	-	26	1715
78	1	233	31	4	29	32	6	9	4	1	5	20	13	22	42	10	3	138	1716

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MAINE—Continued																
1717	Cumberland	1,851	32	4	-	-	-	2	-	2	2	6	289	32	1	1,047	1,025
1718	Portland	937	21	2	-	-	-	2	-	1	-	3	154	16	-	520	511
1719	South Portland	199	1	1	-	-	-	-	-	-	1	-	51	4	-	99	97
1720	Westbrook	104	1	-	-	-	-	-	-	-	-	-	12	3	-	66	63
1721	Balance of county	621	9	1	-	-	-	-	-	1	1	3	92	9	1	362	354
1722	Franklin	237	2	-	-	-	-	-	-	1	2	-	41	2	1	119	118
1723	Hancock	423	6	1	-	-	-	2	-	-	-	2	67	10	-	240	229
1724	Kennebec	879	11	2	-	-	-	-	-	1	1	2	140	15	-	477	456
1725	Augusta	174	2	-	-	-	-	-	-	-	-	1	33	3	-	89	82
1726	Waterville	180	1	-	-	-	-	-	-	-	-	-	28	3	-	101	98
1727	Balance of county	525	8	2	-	-	-	-	-	1	1	1	79	9	-	287	276
1728	Knox	398	5	3	-	-	-	-	-	1	-	1	63	6	1	233	230
1729	Lincoln	277	6	-	-	-	-	-	-	-	-	-	43	9	-	156	152
1730	Oxford	463	7	-	-	-	-	-	1	-	2	-	68	5	-	257	252
1731	Penobscot	1,183	30	3	-	-	-	2	1	1	-	2	186	24	2	603	587
1732	Bangor	410	15	-	-	-	-	-	-	1	-	-	67	9	-	229	227
1733	Balance of county	773	15	3	-	-	-	2	1	-	-	2	119	15	2	374	360
1734	Piscataquis	218	4	1	-	-	-	-	-	1	-	1	27	3	1	122	118
1735	Sagadahoc	271	7	4	-	-	-	-	1	-	-	-	35	5	-	163	159
1736	Bath	144	3	1	-	-	-	-	1	-	-	-	18	2	-	88	86
1737	Balance of county	127	4	3	-	-	-	-	-	-	-	-	17	3	-	75	71
1738	Somerset	410	5	-	-	-	-	-	-	-	1	-	57	6	-	241	234
1739	Waldo	291	5	-	-	-	-	-	-	1	1	-	42	7	-	163	160
1740	Washington	404	9	-	-	-	-	-	2	-	-	-	53	5	-	224	208
1741	York	1,020	15	5	-	-	-	-	2	1	1	2	151	18	2	557	540
1742	Biddeford	181	7	2	-	-	-	-	-	-	-	-	26	3	1	95	89
1743	Balance of county	839	8	3	-	-	-	-	2	1	1	2	125	15	1	462	451
1744	MARYLAND	22,110	922	186	-	7	6	5	11	13	17	62	3,205	427	41	11,737	11,382
1745	Allegany	907	13	4	-	-	2	-	1	-	1	2	136	38	2	478	461
1746	Cumberland	441	8	3	-	-	1	-	1	-	-	-	65	18	-	252	242
1747	Balance of county	466	5	1	-	-	1	-	-	-	1	2	71	20	2	226	219
1748	Anne Arundel	801	18	10	-	-	-	1	-	1	-	3	117	16	1	424	416
1749	Annapolis	150	7	3	-	-	-	-	-	-	-	1	21	-	-	83	82
1750	Balance of county	651	11	7	-	-	-	1	-	1	-	2	96	16	1	341	334
1751	Baltimore	1,879	53	9	-	-	-	-	2	1	2	9	303	29	3	995	974
1752	District 12[2]	188	9	1	-	-	-	-	1	-	-	2	29	1	-	77	74
1753	District 13[2]	125	4	1	-	-	-	-	-	-	-	-	23	1	-	60	78
1754	Balance of county	1,566	40	7	-	-	-	-	1	1	2	7	251	27	3	836	822
1755	Baltimore (city)	10,852	596	107	-	3	2	-	2	6	6	25	1,580	192	22	5,818	5,638
1756	Calvert	127	5	-	-	2	-	-	-	-	-	-	19	1	-	59	56
1757	Caroline	194	6	-	-	-	-	-	-	-	-	-	28	7	1	100	96
1758	Carroll	427	15	2	-	-	-	-	-	-	1	1	69	7	1	236	227
1759	Cecil	326	9	2	-	-	-	-	-	-	1	2	37	9	1	165	163
1760	Charles	195	11	3	-	-	-	-	-	1	-	2	27	3	1	91	90
1761	Dorchester	315	15	1	-	-	-	2	-	-	1	1	39	6	-	173	169
1762	Cambridge	139	4	-	-	-	-	-	-	-	-	1	18	3	-	68	66
1763	Balance of county	185	11	1	-	-	-	2	-	-	1	-	21	3	-	105	103
1764	Frederick	678	14	5	-	-	1	-	1	-	1	1	87	17	1	386	374
1765	Frederick	224	8	3	-	-	-	-	-	-	-	-	31	4	-	127	124
1766	Balance of county	454	6	2	-	-	1	-	1	-	1	1	56	13	1	259	250
1767	Garrett	173	5	-	-	-	-	-	-	-	1	3	16	3	-	91	89
1768	Harford	422	14	4	-	-	-	-	1	-	-	1	61	5	1	211	208
1769	Howard	193	2	-	-	-	-	-	-	-	-	-	21	3	-	112	108
1770	Kent	172	2	1	-	-	-	-	-	-	-	1	23	1	1	108	103
1771	Montgomery	1,060	18	9	-	1	-	-	-	1	-	2	188	12	3	546	534
1772	Prince Georges	990	35	5	-	-	1	1	1	3	1	3	141	24	2	450	437
1773	Queen Annes	147	4	4	-	-	-	-	-	-	-	1	14	9	-	79	74
1774	St. Marys	198	6	1	-	-	-	-	2	-	-	-	19	2	1	98	97
1775	Somerset	303	11	3	-	1	-	-	-	-	-	1	39	7	-	154	134
1776	Talbot	257	15	4	-	-	-	-	-	-	-	1	31	6	-	143	141
1777	Washington	785	25	6	-	-	-	1	1	-	2	1	107	16	-	446	440
1778	Hagerstown	422	12	3	-	-	-	-	-	-	2	-	52	11	-	236	233
1779	Balance of county	363	13	3	-	-	-	1	1	-	-	1	55	5	-	210	207
1780	Wicomico	456	16	5	-	-	-	-	-	-	-	-	70	6	-	258	248
1781	Salisbury	186	6	3	-	-	-	-	-	-	-	-	25	2	-	109	103
1782	Balance of county	270	10	2	-	-	-	-	-	-	-	-	45	4	-	149	145
1783	Worcester	253	14	1	-	-	-	-	-	-	-	2	33	8	-	120	105
1784	MASSACHUSETTS	50,767	1,127	153	3	7	44	6	18	53	12	106	8,405	966	51	28,896	28,236
1785	Barnstable	603	5	3	-	-	-	-	-	1	-	-	87	11	-	336	329
1786	Berkshire	1,470	13	2	-	-	-	2	-	3	2	3	249	35	2	837	809
1787	Pittsfield	598	7	1	-	-	-	2	-	1	-	-	90	15	2	344	335
1788	Adams (town)	121	1	-	-	-	-	-	-	1	-	-	17	4	-	78	76
1789	North Adams	266	3	-	-	-	-	-	-	-	1	-	50	8	-	140	130
1790	Balance of county	485	2	1	-	-	-	-	-	1	1	3	92	8	-	275	268
1791	Bristol	4,288	123	14	-	2	-	-	1	2	1	3	705	117	2	2,436	2,375
1792	Fall River	1,360	57	3	-	-	-	-	1	-	-	-	218	49	-	747	731
1793	New Bedford	1,325	29	7	-	1	-	-	-	-	1	3	228	32	-	764	751
1794	Taunton	436	14	1	-	-	-	-	-	-	-	-	74	7	1	243	234
1795	Attleboro	255	9	1	-	-	-	-	-	-	-	-	34	7	-	149	148
1796	Fairhaven (town)	133	-	-	-	-	-	-	-	-	-	-	16	-	-	86	80
1797	North Attleborough (town)	126	1	-	-	-	-	-	-	1	-	-	21	6	-	77	74
1798	Balance of county	653	13	2	-	1	-	-	-	1	-	-	114	17	1	370	357
1799	Dukes	77	2	-	-	-	-	-	-	-	-	-	11	1	1	44	44
1800	Essex	5,897	92	15	-	-	5	-	5	7	-	14	984	96	6	3,495	3,401
1801	Beverly	296	1	1	-	-	-	-	-	1	-	-	49	4	1	176	173
1802	Haverhill	600	9	5	-	-	1	-	-	-	-	1	87	8	-	349	331
1803	Lawrence	1,017	17	2	-	-	-	-	2	-	-	2	165	24	3	608	582
1804	Lynn	1,196	22	2	-	-	-	-	1	3	-	4	205	18	1	728	700

[2]Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
219	3	739	52	12	22	54	14	9	15	4	-	18	23	22	60	33	6	176	1717
108	1	377	18	7	9	31	8	4	12	2	-	7	11	7	31	14	3	88	1718
25	2	64	4	2	2	6	-	2	-	1	-	4	4	4	5	4	2	20	1719
17	-	40	6	-	3	3	-	1	-	-	-	-	2	1	4	2	-	9	1720
69	-	258	24	3	8	14	6	2	3	1	-	7	6	10	20	13	1	59	1721
38	1	69	9	1	1	10	3	-	4	2	-	1	3	-	11	5	-	30	1722
53	-	150	22	4	11	15	3	-	-	2	1	5	4	11	10	8	-	36	1723
121	2	294	35	4	21	31	4	4	7	2	2	11	4	16	53	13	1	82	1724
20	1	51	9	1	7	6	2	1	3	-	-	1	-	4	13	2	-	14	1725
22	1	69	4	2	3	7	-	2	2	-	1	2	1	6	6	3	1	16	1726
79	-	174	22	1	11	18	2	1	2	2	1	8	3	6	34	8	-	52	1727
49	-	162	19	-	3	6	1	3	2	1	-	6	1	7	17	2	-	37	1728
30	-	100	18	4	4	10	-	-	2	1	1	3	-	4	8	6	-	28	1729
71	-	161	17	3	5	12	2	3	1	-	1	9	2	6	26	3	-	58	1730
127	1	399	51	9	16	34	3	4	8	2	1	18	26	16	47	11	-	159	1731
40	1	163	19	4	2	6	2	2	2	1	1	3	8	2	18	1	-	43	1732
87	-	236	32	5	14	28	1	2	6	1	-	15	18	14	29	10	-	116	1733
25	-	83	10	-	4	10	-	-	1	-	-	5	5	2	11	3	-	21	1734
33	2	112	12	-	4	7	-	1	2	1	2	3	1	1	12	1	-	25	1735
19	1	60	8	-	-	6	-	-	2	-	2	2	-	-	6	-	-	13	1736
14	1	52	4	-	4	1	-	1	-	1	-	1	1	1	6	1	-	12	1737
56	1	167	10	-	7	11	1	1	2	-	-	7	1	8	17	4	-	48	1738
37	-	108	15	-	3	13	1	1	-	-	1	4	1	7	8	6	1	29	1739
42	-	157	9	-	16	11	1	4	3	3	-	4	7	7	19	10	-	42	1740
127	2	365	42	4	12	29	5	3	7	5	3	15	6	14	49	10	2	117	1741
19	-	61	7	2	6	4	-	-	1	2	2	4	1	-	10	1	2	20	1742
108	2	304	35	2	11	25	5	3	6	3	1	12	5	14	39	9	-	97	1743
1,929	32	8,738	586	97	355	558	92	120	212	57	35	322	59	409	855	398	161	2,313	1744
98	2	327	29	5	17	21	7	6	6	2	3	11	3	19	41	6	4	101	1745
49	1	170	17	5	10	7	3	2	4	1	2	5	2	11	17	-	1	38	1746
49	1	157	12	-	7	14	4	4	2	1	1	6	1	8	24	6	3	63	1747
70	-	326	16	4	8	18	1	10	4	2	-	14	1	20	38	10	6	86	1748
17	-	63	1	1	1	4	-	-	-	1	-	3	-	1	7	1	2	16	1749
53	-	263	15	3	7	14	1	10	4	1	-	11	1	19	31	9	4	70	1750
131	2	782	39	10	19	35	9	5	12	7	4	42	8	40	77	37	10	189	1751
9	1	64	-	-	3	5	2	1	-	1	2	7	2	4	6	5	1	32	1752
10	-	66	2	-	2	1	-	1	1	-	-	3	1	-	1	1	-	7	1753
112	1	662	37	10	14	29	7	3	11	6	2	32	5	36	70	31	9	150	1754
814	23	4,472	280	49	180	278	46	54	132	24	10	130	27	130	373	132	90	1,067	1755
17	-	34	5	-	3	9	-	1	-	-	1	3	1	7	4	1	3	11	1756
25	-	61	10	-	4	3	-	1	2	1	-	2	-	6	6	-	-	31	1757
48	-	167	10	2	9	11	2	2	4	1	1	2	3	7	12	7	-	43	1758
35	1	117	9	1	2	9	-	4	4	4	2	4	1	9	21	4	4	34	1759
17	-	69	1	3	1	4	-	1	3	1	-	5	2	7	8	5	-	20	1760
39	-	117	13	-	4	11	1	5	-	1	2	4	1	5	9	4	3	31	1761
16	-	45	5	-	2	5	-	2	-	-	-	1	-	3	4	1	-	20	1762
25	-	72	8	-	2	6	1	3	-	1	2	3	1	2	5	3	3	11	1763
109	1	243	16	5	12	16	4	7	1	4	-	10	2	18	22	5	1	74	1764
41	-	77	4	2	3	2	2	1	-	1	-	3	1	10	7	2	-	22	1765
68	1	166	12	3	9	14	2	6	1	3	-	7	1	8	15	3	1	52	1766
16	-	64	9	-	2	13	-	2	-	1	2	4	-	4	8	1	1	18	1767
38	-	163	6	1	3	13	5	1	2	-	-	14	2	11	11	8	3	54	1768
13	-	88	5	-	4	6	-	-	2	-	-	3	-	5	12	3	1	23	1769
16	-	82	4	1	3	1	-	-	2	-	-	1	-	3	8	-	-	22	1770
93	2	391	42	6	12	15	2	1	7	2	1	15	1	33	39	18	4	142	1771
69	-	342	23	3	13	27	6	8	15	1	5	27	1	30	53	17	14	119	1772
9	-	60	4	1	5	3	-	1	-	-	-	1	-	3	15	1	-	12	1773
28	-	59	8	2	1	10	-	1	2	2	-	4	-	10	9	6	1	24	1774
38	-	91	5	-	20	13	-	1	1	1	1	4	-	11	14	2	3	36	1775
34	-	92	15	-	2	8	1	-	2	-	1	4	-	5	9	3	-	24	1776
82	1	336	18	3	6	19	6	4	4	-	-	11	2	11	33	9	2	79	1777
42	-	181	8	1	3	14	4	-	3	-	-	5	-	4	19	7	2	48	1778
40	1	155	8	2	3	5	2	4	1	-	-	6	2	7	14	2	-	31	1779
68	-	163	16	1	10	8	2	1	3	2	1	5	-	7	19	8	-	45	1780
26	-	72	4	1	6	3	-	1	2	1	-	3	-	1	8	4	-	18	1781
42	-	91	12	-	4	5	2	-	1	1	1	2	-	6	11	4	-	27	1782
20	-	82	3	-	15	7	-	4	4	1	1	2	4	8	14	1	1	28	1783
5,500	61	20,797	1,630	248	660	1,252	348	190	548	86	57	585	149	520	1,944	543	51	4,647	1784
81	1	210	31	6	7	17	2	5	7	1	-	8	1	6	43	8	-	62	1785
145	2	612	44	6	29	37	14	7	10	7	-	12	11	20	51	16	1	134	1786
54	2	257	18	4	9	21	3	2	6	3	-	8	7	9	18	6	-	53	1787
16	-	56	3	1	2	1	-	1	1	2	-	1	1	-	2	3	-	8	1788
17	-	104	8	1	10	5	6	1	2	-	-	-	1	4	9	5	1	30	1789
58	-	195	15	-	7	10	5	3	1	2	-	3	2	7	22	4	-	43	1790
441	10	1,760	140	24	61	72	29	16	37	7	8	47	11	42	149	41	2	421	1791
154	3	547	25	2	16	26	13	11	17	3	1	21	1	8	46	10	-	129	1792
144	3	550	44	10	13	22	7	1	9	2	3	7	8	6	49	15	2	129	1793
26	1	181	22	4	9	6	2	2	3	-	-	6	2	3	16	3	-	53	1794
23	1	112	10	2	1	4	2	-	-	-	1	1	-	8	9	1	-	29	1795
16	-	56	7	1	6	2	1	1	-	-	-	3	-	1	9	2	-	12	1796
12	-	57	4	1	3	1	2	-	-	-	-	3	-	2	4	2	-	6	1797
66	2	257	28	4	13	11	2	1	8	2	3	6	-	14	16	8	-	63	1798
10	-	26	7	1	-	1	-	-	1	-	-	-	1	1	2	3	-	9	1799
747	2	2,421	203	28	94	131	56	14	58	6	9	58	18	48	252	68	5	455	1800
36	-	130	6	1	3	10	2	2	1	1	-	7	-	4	10	3	-	23	1801
93	-	225	13	-	18	13	10	1	4	-	1	5	3	4	40	8	-	53	1802
124	1	424	36	7	14	18	8	1	16	1	3	14	2	5	25	8	1	94	1803
158	1	498	38	5	28	30	10	4	12	2	-	4	4	5	58	10	4	69	1804

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 056-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MASSACHUSETTS—Con.																
	Essex—Continued																
1805	Salem	521	9	-	-	-	-	-	1	3	-	1	99	9	-	287	285
1806	Amesbury (town)	114	-	-	-	-	-	-	-	-	-	-	21	4	-	76	71
1807	Andover (town)	124	4	-	-	-	1	-	-	-	-	-	26	3	-	61	61
1808	Danvers (town)	132	2	-	-	-	-	-	-	-	-	1	24	4	-	76	76
1809	Gloucester	300	3	3	-	-	2	-	-	-	-	1	45	2	-	193	191
1810	Marblehead (town)	124	2	-	-	-	-	-	-	-	-	1	16	-	-	86	86
1811	Methuen (town)	232	1	-	-	-	-	-	-	-	-	-	36	3	1	144	139
1812	Newburyport	165	2	-	-	-	-	-	-	-	-	-	25	2	-	91	88
1813	Peabody	219	4	-	-	-	-	-	-	-	-	2	35	5	-	121	118
1814	Saugus (town)	144	1	-	-	-	-	-	-	-	-	-	33	2	-	81	80
1815	Swampscott (town)	117	1	-	-	-	-	-	-	-	-	-	13	2	-	78	76
1816	Balance of county	596	14	2	-	-	1	-	1	-	-	1	105	8	-	344	334
1817	Franklin	640	8	4	-	-	-	1	-	1	-	2	107	14	-	347	340
1818	Greenfield (town)	204	-	1	-	-	-	-	-	1	-	-	34	4	-	116	114
1819	Balance of county	436	8	3	-	-	-	1	-	-	-	2	73	10	-	251	236
1820	Hampden	3,773	69	10	-	-	1	-	2	3	5	12	602	58	4	2,187	2,136
1821	Springfield	1,826	37	8	-	-	-	-	2	2	3	8	298	29	1	1,063	1,045
1822	Chicopee	396	14	-	-	-	-	-	-	-	-	-	63	6	-	215	209
1823	Holyoke	678	11	1	-	-	1	-	-	-	1	2	98	10	-	414	397
1824	Westfield	208	3	-	-	-	-	-	-	-	-	-	42	4	1	117	113
1825	West Springfield (town)	179	1	-	-	-	-	-	-	-	1	1	31	3	-	107	106
1826	Balance of county	486	3	1	-	-	-	-	-	1	-	1	70	6	2	271	266
1827	Hampshire	812	17	2	-	-	-	-	-	-	-	3	117	10	2	480	485
1828	Easthampton (town)	89	1	-	-	-	-	-	-	-	-	1	14	-	-	52	51
1829	Northampton	295	7	-	-	-	-	-	-	-	-	1	48	6	1	158	154
1830	Balance of county	428	9	2	-	-	-	-	-	-	-	1	55	4	1	270	260
1831	Middlesex	10,789	161	27	-	2	6	-	4	18	1	23	1,884	211	12	6,163	6,034
1832	Cambridge	1,311	35	6	-	-	-	-	-	1	-	2	222	29	1	716	705
1833	Lowell	1,273	27	8	-	-	-	-	1	-	1	4	183	23	1	762	741
1834	Somerville	1,094	27	1	-	-	2	-	-	1	-	-	176	26	1	649	635
1835	Arlington (town)	419	4	1	-	-	-	-	-	-	-	2	83	8	-	233	228
1836	Belmont (town)	261	1	-	-	-	1	-	-	-	-	-	53	3	-	164	160
1837	Everett	402	5	-	-	-	-	-	-	-	-	3	76	8	-	224	217
1838	Malden	648	13	1	-	-	-	-	1	1	-	2	119	15	1	356	351
1839	Medford	593	7	1	-	2	1	-	-	3	-	-	116	7	2	333	327
1840	Melrose	301	5	-	-	-	-	-	-	2	-	1	82	7	-	177	175
1841	Newton	792	8	-	-	-	-	-	1	2	-	-	145	13	-	455	449
1842	Waltham	436	6	-	-	-	-	-	-	1	-	-	85	10	-	247	243
1843	Watertown (town)	320	4	1	-	-	-	-	-	2	-	1	74	6	-	177	170
1844	Framingham (town)	291	4	1	-	-	-	-	-	-	-	1	51	8	-	160	158
1845	Lexington (town)	133	3	-	-	-	-	-	-	-	-	-	20	1	1	69	67
1846	Marlborough	198	1	-	-	-	-	-	-	1	-	-	31	3	1	126	124
1847	Natick (town)	180	5	-	-	-	-	-	-	-	-	-	27	3	1	101	99
1848	Reading (town)	156	2	-	-	-	-	-	-	-	-	-	25	2	-	87	85
1849	Stoneham (town)	119	-	1	-	-	-	-	-	-	-	1	17	3	-	64	63
1850	Wakefield (town)	152	-	1	-	-	1	-	-	2	-	-	30	3	1	88	86
1851	Winchester (town)	167	3	1	-	-	-	-	-	-	-	-	30	2	-	94	91
1852	Woburn	215	1	1	-	-	-	-	-	-	-	2	38	6	-	115	114
1853	Balance of county	1,328	20	3	-	-	1	-	1	2	-	4	221	25	2	766	743
1854	Nantucket	53	1	1	-	-	-	-	-	-	-	-	8	2	-	32	29
1855	Norfolk	3,699	81	12	-	1	1	-	1	4	-	12	687	61	2	2,268	2,215
1856	Brookline (town)	721	14	2	-	-	1	-	-	-	-	-	133	12	-	422	415
1857	Quincy	654	21	5	-	-	-	-	-	-	-	4	160	10	-	462	447
1858	Braintree (town)	180	3	-	-	-	-	-	-	1	-	-	36	4	-	94	91
1859	Bedham (town)	179	3	1	-	-	-	-	-	1	-	2	26	2	-	111	109
1860	Milton (town)	238	4	-	-	-	-	-	-	1	-	-	34	4	-	157	154
1861	Needham (town)	138	4	-	-	-	-	-	-	-	-	-	30	1	-	81	80
1862	Norwood (town)	165	5	1	-	-	-	-	-	-	-	2	32	2	-	84	80
1863	Wellesley (town)	146	1	-	-	-	-	-	-	-	-	1	29	-	-	89	87
1864	Weymouth (town)	277	10	3	-	1	-	-	-	1	-	-	37	5	1	158	156
1865	Balance of county	1,021	16	2	-	-	-	-	1	-	-	3	170	21	1	610	596
1866	Plymouth	2,124	26	5	-	2	-	-	-	2	1	3	339	35	-	1,271	1,249
1867	Brockton	781	10	2	-	1	-	-	-	1	1	2	120	15	-	476	467
1868	Plymouth (town)	158	2	-	-	-	-	-	-	-	-	-	26	-	-	103	102
1869	Balance of county	1,185	14	3	-	1	-	-	-	1	-	1	193	20	-	692	680
1870	Suffolk	10,608	419	58	1	-	31	-	2	7	1	20	1,728	216	10	5,657	5,534
1871	Boston	9,521	407	37	1	-	31	-	2	6	1	20	1,575	193	9	5,073	4,975
1872	Chelsea	432	6	-	-	-	-	-	-	-	-	-	68	9	-	258	247
1873	Revere	365	5	1	-	-	-	-	-	1	-	-	44	8	1	219	214
1874	Winthrop (town)	190	1	-	-	-	-	-	-	-	-	-	41	6	-	107	98
1875	Worcester	5,734	90	20	2	-	-	-	3	3	5	1	11	899	93	10	3,343	3,278
1876	Worcester	2,244	37	10	1	-	-	-	1	2	2	1	7	360	39	4	1,322	1,300
1877	Fitchburg	469	4	3	-	-	-	-	-	-	1	-	-	84	6	-	262	256
1878	Athol (town)	140	-	-	-	-	-	-	-	-	-	-	1	17	4	-	74	69
1879	Clinton (town)	170	-	-	-	-	-	-	-	-	-	-	-	26	1	-	105	104
1880	Gardner	185	1	2	-	-	-	-	-	-	-	-	-	23	2	2	108	101
1881	Leominster	254	2	1	1	-	-	-	1	-	-	1	44	2	-	144	140
1882	Milford (town)	170	7	2	-	-	-	-	-	-	-	-	19	2	1	102	98
1883	Northbridge (town)	107	3	1	-	-	-	-	-	-	-	-	21	2	-	58	58
1884	Southbridge (town)	160	1	-	-	-	-	-	-	-	-	-	33	-	1	95	91
1885	Webster (town)	127	5	-	-	-	-	-	-	-	-	-	18	4	-	71	71
1886	Balance of county	1,708	30	1	-	-	-	1	1	2	-	2	252	37	2	1,004	990
1887	MICHIGAN	57,422	1,431	390	1	18	10	21	33	210	31	135	8,620	1,614	88	28,753	27,783
1888	Alcona	62	-	-	-	-	-	-	-	1	-	-	9	-	-	33	33
1889	Alger	109	3	1	-	1	-	-	-	1	-	-	18	2	1	41	40
1890	Allegan	494	2	1	-	-	-	1	-	3	-	1	81	11	-	257	253
1891	Alpena	208	2	2	-	-	-	-	-	-	-	2	31	5	-	111	111
1892	Alpena	136	2	1	-	-	-	-	-	-	-	2	19	3	-	73	73
1893	Balance of county	73	-	1	-	-	-	-	-	-	-	-	12	2	-	38	38

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of livor 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
46	-	208	26	5	2	9	7	1	5	-	1	3	2	8	24	6	-	46	1805
19	-	47	5	-	5	2	1	-	1	-	-	-	-	1	2	-	-	6	1806
15	-	45	3	-	-	4	1	-	1	-	-	2	-	1	5	1	-	14	1807
13	-	58	4	1	-	1	-	-	1	-	-	1	-	4	6	1	-	11	1808
31	-	144	15	1	2	7	2	-	1	1	-	2	1	3	12	8	-	14	1809
18	-	59	8	1	-	-	-	-	2	-	-	2	-	-	9	2	-	4	1810
39	-	88	10	2	5	3	2	1	4	-	1	3	-	1	7	3	-	22	1811
18	-	64	5	1	3	4	1	1	1	1	1	4	-	3	9	2	-	18	1812
21	-	88	8	1	3	3	6	-	2	-	-	5	2	1	12	1	-	20	1813
19	-	51	10	-	1	8	2	-	-	-	-	1	-	2	4	1	-	9	1814
25	-	50	1	-	-	2	2	-	3	-	1	1	-	1	6	2	-	7	1815
74	-	242	15	3	10	17	2	3	4	-	1	4	4	5	25	12	-	45	1816
68	2	245	22	3	7	25	4	3	5	1	-	8	3	7	32	7	-	81	1817
17	-	85	10	2	2	8	1	1	1	1	-	2	-	2	8	2	-	22	1818
51	2	160	12	1	5	17	3	2	4	-	-	6	3	5	24	5	-	39	1819
383	7	1,600	132	14	51	84	20	17	35	10	5	51	21	59	121	36	2	359	1820
178	1	792	66	8	18	34	9	7	18	5	3	23	15	24	49	14	2	172	1821
27	-	171	9	2	6	13	1	2	4	3	1	6	-	5	21	6	-	36	1822
84	3	282	26	2	17	16	3	4	10	-	1	7	3	8	26	5	-	57	1823
18	-	90	5	-	4	3	2	1	1	1	-	3	-	4	8	1	-	17	1824
20	1	76	9	-	1	6	2	1	-	-	-	1	1	2	4	2	-	16	1825
56	2	189	17	2	5	12	3	2	2	1	-	11	2	16	15	8	-	61	1826
87	-	350	26	2	15	19	3	5	10	1	1	11	1	9	26	11	-	84	1827
11	-	39	1	-	1	3	1	-	2	1	-	2	-	1	2	2	-	7	1828
29	-	114	10	1	4	4	1	2	5	-	-	3	-	2	6	4	-	37	1829
47	-	187	15	1	10	12	1	3	3	-	1	6	1	6	18	5	-	40	1830
1,206	13	4,410	357	48	129	271	65	40	101	16	15	136	19	102	412	103	15	962	1831
149	1	510	42	3	11	31	6	9	18	1	2	21	-	9	61	11	6	124	1832
151	2	513	67	8	21	39	5	2	16	3	-	16	7	12	35	7	1	120	1833
110	5	475	41	4	14	17	5	6	15	3	1	12	-	11	40	7	2	92	1834
42	1	175	9	2	4	10	2	-	1	-	1	6	-	2	19	7	1	39	1835
23	-	131	5	1	4	1	-	-	2	-	-	2	-	1	10	1	-	22	1836
48	-	158	10	1	7	5	5	2	3	-	3	5	-	3	20	3	-	37	1837
66	1	258	22	4	5	17	7	-	8	2	-	8	1	9	19	8	-	60	1838
60	-	250	16	1	6	12	3	1	5	-	2	9	3	5	22	2	1	56	1839
36	1	128	10	-	2	8	-	1	1	1	1	2	-	4	13	3	-	13	1840
108	-	316	19	6	6	19	2	4	9	-	1	9	-	9	36	13	1	85	1841
51	-	179	9	4	4	12	7	2	4	-	1	7	1	1	12	7	-	33	1842
32	-	130	8	-	7	7	3	-	4	-	-	4	-	2	11	-	-	24	1843
27	-	120	10	1	2	10	4	-	-	1	-	1	1	7	13	4	-	25	1844
16	-	49	1	1	2	5	1	-	4	-	-	5	-	3	6	1	1	13	1845
18	-	97	9	-	2	8	1	3	1	-	-	1	-	-	2	2	-	17	1846
21	-	71	6	1	2	3	1	1	-	-	-	3	-	4	9	1	-	21	1847
19	-	57	7	2	2	4	-	-	2	-	2	1	1	1	11	4	-	14	1848
18	1	41	3	-	1	6	-	-	1	-	-	2	-	-	7	3	1	13	1849
14	-	62	12	-	-	7	1	-	-	-	-	3	-	-	1	2	-	12	1850
20	-	70	-	1	3	3	-	1	1	-	-	2	1	-	12	-	1	16	1851
29	-	78	6	1	1	8	2	-	1	1	-	4	1	1	4	-	-	30	1852
148	1	542	45	7	25	39	10	8	5	4	1	13	3	18	49	17	-	116	1853
3	-	25	1	-	3	-	1	-	1	-	-	-	1	-	4	1	-	3	1854
441	5	1,617	138	14	53	82	18	11	33	8	4	47	11	37	143	41	-	334	1855
76	1	309	28	1	7	16	4	2	5	1	-	8	-	3	34	12	-	52	1856
82	3	330	27	5	15	21	4	-	10	-	2	10	2	8	26	4	-	67	1857
23	-	64	4	-	3	2	-	-	1	1	-	3	1	-	6	4	-	22	1858
23	-	77	8	1	2	2	1	-	1	-	-	1	-	4	4	1	-	19	1859
37	-	107	8	2	3	9	1	-	1	-	-	1	3	1	7	1	-	14	1860
14	-	58	7	1	1	-	1	1	-	-	-	1	-	2	6	2	-	9	1861
16	-	60	2	2	4	4	4	1	3	-	-	1	-	2	7	4	-	13	1862
18	-	64	4	1	2	3	-	-	1	-	-	6	-	1	4	1	-	10	1863
30	-	113	13	-	2	4	-	2	5	-	2	5	-	2	10	1	-	30	1864
122	1	455	37	1	14	21	3	5	6	6	-	11	5	14	37	11	-	78	1865
280	-	876	78	15	22	56	17	3	22	2	2	21	9	27	87	21	2	171	1866
115	-	326	22	4	9	19	3	1	7	2	1	6	4	13	27	3	-	67	1867
21	-	74	4	3	1	7	-	-	-	-	-	2	2	-	5	3	-	8	1868
144	-	476	52	8	12	30	14	2	15	-	1	13	3	14	55	15	2	96	1869
976	14	4,181	301	62	123	286	79	45	169	22	6	119	25	69	426	116	19	1,077	1870
879	12	3,759	269	56	98	280	75	41	153	19	6	106	23	85	397	110	17	978	1871
43	1	184	16	3	11	13	3	2	11	1	-	5	-	1	14	1	1	39	1872
35	1	165	11	2	5	12	2	1	4	1	-	6	2	3	7	3	-	45	1873
19	-	73	5	1	9	1	1	1	1	1	-	2	-	2	8	2	1	15	1874
632	5	2,464	150	25	67	171	40	24	58	5	7	67	17	73	196	69	5	515	1875
250	-	982	56	12	22	81	20	8	23	2	2	20	2	24	66	20	3	187	1876
35	1	201	14	5	6	12	3	3	6	-	1	6	2	4	20	11	-	41	1877
10	-	54	5	-	5	7	2	3	2	-	-	4	-	4	7	4	-	11	1878
20	1	78	5	-	1	2	-	-	3	-	-	2	-	-	7	2	-	20	1879
19	-	78	4	-	5	5	1	1	1	-	1	4	1	5	8	2	-	20	1880
28	1	103	7	1	4	4	-	2	6	-	-	3	1	2	10	3	1	26	1881
29	-	65	4	-	6	3	2	-	2	-	-	2	-	2	7	1	-	18	1882
10	-	46	1	1	-	2	-	1	1	-	-	1	1	6	3	2	-	5	1883
18	1	68	4	-	4	3	2	1	3	-	-	4	-	-	6	1	-	10	1884
13	-	55	3	-	-	2	3	2	-	-	-	2	2	2	5	-	-	11	1885
200	1	736	47	6	14	50	7	3	12	3	3	19	8	24	57	23	1	168	1886
5,864	73	19,978	1,563	305	970	1,668	343	340	555	141	97	942	577	1,592	2,316	653	219	6,824	1887
7	-	25	1	-	-	2	1	-	-	-	-	-	1	-	4	-	-	11	1888
8	-	30	2	-	1	1	1	2	1	-	1	2	8	3	7	1	-	14	1889
59	1	170	20	3	4	12	-	6	6	2	-	5	13	13	17	4	-	59	1890
31	2	71	7	-	-	8	1	1	1	2	-	3	3	7	6	2	-	21	1891
20	1	47	6	-	-	6	1	1	1	2	-	2	3	2	6	2	-	10	1892
11	2	24	1	-	-	2	-	-	-	-	-	1	-	5	-	-	-	11	1893

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-038, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MICHIGAN—Continued																
1894	Antrim	149	2	-	-	-	-	-	-	-	-	-	19	4	-	82	80
1895	Arenac	113	1	-	-	-	-	-	-	-	-	-	14	3	-	61	59
1896	Baraga	99	-	-	-	-	-	-	-	-	-	1	14	2	-	43	41
1897	Barry	318	2	1	-	-	-	-	-	2	-	1	34	10	-	190	188
1898	Bay	877	18	8	-	-	2	-	-	-	-	4	145	18	1	448	433
1899	Bay City	602	13	7	-	-	2	-	-	-	-	4	103	9	1	303	296
1900	Balance of county	275	5	1	-	-	-	-	-	-	-	-	42	9	-	142	137
1901	Benzie	97	3	-	-	-	-	-	-	-	-	1	19	4	-	50	47
1902	Berrien	1,078	23	8	-	-	-	1	1	13	-	4	133	37	1	531	502
1903	Benton Harbor	244	6	3	-	-	-	1	-	2	-	2	29	9	-	114	109
1904	Niles	121	2	-	-	-	-	-	-	-	-	-	17	4	-	58	54
1905	Balance of county	713	15	5	-	-	-	-	1	11	-	2	87	24	1	359	339
1906	Branch	361	11	-	-	-	-	-	-	-	-	1	40	9	-	208	197
1907	Calhoun	1,130	20	3	-	-	-	-	1	7	-	7	146	32	-	596	578
1908	Battle Creek	544	8	1	-	-	-	-	1	3	-	5	89	18	-	287	278
1909	Balance of county	586	12	2	-	-	-	-	-	4	-	2	77	14	-	309	300
1910	Cass	343	2	2	-	-	-	-	-	1	-	-	47	7	1	179	175
1911	Charlevoix	170	1	-	-	-	-	-	-	-	-	-	24	2	-	109	104
1912	Cheboygan	164	4	3	-	1	-	-	-	1	-	-	26	5	-	103	101
1913	Chippewa	271	4	2	-	-	-	-	-	1	-	-	34	8	-	149	146
1914	Sault Ste. Marie	164	4	2	-	-	-	-	-	-	-	-	22	5	-	103	101
1915	Balance of county	87	-	-	-	-	-	-	-	1	-	-	12	3	-	46	45
1916	Clare	108	-	1	-	-	-	-	-	-	-	-	23	4	-	52	52
1917	Clinton	323	2	-	-	-	-	-	-	1	-	-	40	12	-	185	178
1918	Crawford	54	1	-	-	-	-	-	-	-	-	-	8	-	1	24	24
1919	Delta	368	9	1	-	-	-	-	-	2	1	1	39	8	-	195	191
1920	Escanaba	178	5	-	-	-	-	-	-	1	1	1	19	4	-	96	93
1921	Balance of county	190	4	1	-	-	-	-	-	1	-	-	20	4	-	99	98
1922	Dickinson	269	4	1	-	-	-	-	-	-	-	-	53	5	-	137	129
1923	Iron Mountain	118	2	-	-	-	-	-	-	-	-	-	31	2	-	52	50
1924	Balance of county	153	2	1	-	-	-	-	-	-	-	-	22	3	-	85	79
1925	Eaton	432	-	-	-	-	-	-	-	3	-	2	68	7	1	235	231
1926	Emmet	219	4	-	-	-	-	-	-	-	-	3	25	6	2	132	128
1927	Genesee	2,174	34	18	-	1	-	4	1	8	7	3	339	47	5	1,018	986
1928	Flint	1,416	27	12	-	1	-	3	-	3	2	2	229	30	3	657	633
1929	Balance of county	758	7	6	-	-	-	1	1	5	5	1	110	17	2	361	353
1930	Gladwin	84	-	-	-	-	-	-	-	-	-	-	13	1	-	40	38
1931	Gogebic	304	15	1	-	-	-	-	-	-	-	-	42	7	-	154	151
1932	Ironwood	129	5	-	-	-	-	-	-	-	-	-	15	3	-	78	77
1933	Balance of county	175	10	1	-	-	-	-	-	-	-	-	27	4	-	76	74
1934	Grand Traverse	255	1	1	-	-	-	-	-	1	-	-	38	10	-	145	135
1935	Traverse City	153	1	-	-	-	-	-	-	1	-	-	23	4	-	86	78
1936	Balance of county	102	-	1	-	-	-	-	-	-	-	-	15	6	-	59	57
1937	Gratiot	383	3	1	-	-	-	-	-	4	-	-	47	13	1	185	176
1938	Hillsdale	406	1	1	-	-	-	-	-	3	-	2	64	5	1	225	219
1939	Houghton	651	15	-	-	-	-	-	-	-	-	1	104	20	1	342	328
1940	Huron	366	3	-	-	-	-	-	-	-	-	1	67	12	1	194	184
1941	Ingham	1,356	17	15	-	-	-	-	2	18	1	7	179	26	1	732	711
1942	Lansing	809	13	10	-	-	-	-	-	13	1	4	109	18	-	441	430
1943	Balance of county	547	4	5	-	-	-	-	2	5	-	3	70	8	1	291	281
1944	Ionia	392	5	1	-	-	-	-	1	4	-	1	56	15	-	186	181
1945	Iosco	111	2	1	-	-	-	-	-	1	-	2	10	2	-	68	67
1946	Iron	235	9	2	-	-	-	-	-	-	1	-	30	7	-	115	111
1947	Isabella	318	3	1	-	-	-	-	-	3	-	-	34	6	1	181	172
1948	Jackson	1,134	9	10	-	-	-	-	2	1	-	5	163	35	-	596	577
1949	Jackson	660	8	6	-	-	-	-	2	1	-	3	91	23	-	341	328
1950	Balance of county	474	3	4	-	-	-	-	-	-	-	2	72	12	-	255	249
1951	Kalamazoo	1,162	13	6	-	-	-	-	2	5	-	3	159	24	1	645	628
1952	Kalamazoo	680	7	5	-	-	-	-	-	4	-	1	78	18	-	385	373
1953	Balance of county	482	6	1	-	-	-	-	2	1	-	2	81	6	1	260	255
1954	Kalkaska	52	-	-	-	-	-	-	-	-	-	-	5	1	-	31	30
1955	Kent	2,755	40	26	-	-	-	-	1	6	-	3	465	108	5	1,476	1,438
1956	Grand Rapids	1,958	35	20	-	-	-	-	-	6	-	3	349	80	2	1,041	1,012
1957	Balance of county	797	5	6	-	-	-	-	1	-	-	-	116	28	3	435	423
1958	Keweenaw	44	-	-	-	-	-	-	-	-	-	-	8	-	-	22	21
1959	Lake	75	-	1	-	-	-	-	-	-	-	-	12	3	-	37	34
1960	Lapeer	361	3	3	-	-	-	-	-	-	-	1	54	8	2	180	171
1961	Leelanau	92	-	1	-	-	-	-	-	-	-	1	12	2	-	55	54
1962	Lenawee	670	10	2	-	1	-	-	-	1	-	2	75	16	1	358	347
1963	Adrian	170	4	1	-	1	-	-	-	-	-	1	20	3	-	83	79
1964	Balance of county	500	6	1	-	-	-	-	-	1	-	1	55	13	1	275	268
1965	Livingston	288	4	-	-	-	-	-	-	-	1	-	33	13	-	175	174
1966	Luce	65	1	-	-	-	1	-	-	-	1	1	7	2	-	31	31
1967	Mackinac	94	1	-	-	-	-	-	-	-	-	-	12	4	-	49	47
1968	Macomb	1,252	16	2	-	1	-	-	1	11	1	7	173	42	2	601	573
1969	Mount Clemens	196	5	-	-	-	-	-	-	1	-	2	21	9	-	90	85
1970	St. Clair Shores	86	1	-	-	-	-	-	-	-	-	-	16	4	1	38	37
1971	Balance of county	970	10	2	-	1	-	-	1	10	1	5	136	29	1	473	451
1972	Manistee	246	4	-	-	1	-	-	-	1	-	2	40	6	-	146	144
1973	Marquette	566	14	3	-	-	-	-	2	-	-	1	87	14	2	318	306
1974	Marquette	189	3	2	-	-	-	-	1	-	-	-	28	4	-	109	103
1975	Balance of county	377	11	1	-	-	-	-	1	-	-	1	59	10	2	209	203
1976	Mason	261	2	4	-	1	-	1	-	3	-	-	26	5	-	148	143
1977	Mecosta	222	2	-	-	-	-	-	-	-	-	-	39	3	-	116	113
1978	Menominee	250	2	4	-	-	-	-	-	1	1	-	40	9	-	144	142
1979	Menominee	122	1	3	-	-	-	-	-	-	-	-	17	3	-	74	74
1980	Balance of county	128	1	1	-	-	-	-	-	1	1	-	23	6	-	70	68
1981	Midland	252	6	-	-	-	-	-	-	4	3	1	26	12	2	126	119
1982	Midland	98	4	-	-	-	-	-	-	4	1	-	9	7	1	46	45
1983	Balance of county	154	2	-	-	-	-	-	-	-	2	1	17	5	1	80	74
1984	Missaukee	68	-	2	-	1	-	-	-	-	-	-	7	2	-	38	34

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes. Residual	
22	1	56	1	-	2	3	2	1	-	-	-	2	2	5	8	3	-	16	1894
14	-	40	4	1	2	5	-	1	-	-	1	2	5	3	2	1	-	14	1895
8	-	32	1	-	2	2	1	-	-	1	-	-	3	1	12	2	-	12	1896
36	2	130	12	5	5	2	-	2	-	-	-	7	1	16	11	2	-	32	1897
80	1	327	15	10	12	23	4	3	9	3	2	18	11	34	33	13	2	81	1898
56	1	218	15	6	7	14	4	2	7	1	1	17	8	16	27	5	1	57	1899
24	-	109	-	4	5	9	-	1	2	2	1	1	3	18	6	8	1	24	1900
11	-	33	3	-	3	-	-	1	1	-	-	-	1	2	2	1	-	12	1901
125	-	348	25	4	29	32	6	8	9	2	2	16	14	38	44	16	8	131	1902
20	-	84	4	1	5	6	1	2	3	1	-	5	3	12	11	3	3	28	1903
12	-	40	2	-	4	4	2	-	-	-	-	-	3	3	7	1	-	20	1904
93	-	224	19	3	20	22	3	6	6	1	2	11	8	23	26	12	5	83	1905
47	1	130	17	2	11	9	1	1	3	-	-	4	4	15	22	3	-	30	1906
142	2	391	44	9	18	21	6	12	11	2	2	9	30	42	42	14	3	124	1907
71	1	182	19	5	9	7	2	5	5	-	1	4	9	18	21	6	1	73	1908
71	1	199	25	4	9	14	4	7	6	2	1	5	21	24	21	8	2	51	1909
35	-	131	8	1	4	18	4	5	2	1	1	5	10	11	17	2	-	28	1910
27	1	69	7	-	5	3	1	-	-	-	-	3	-	3	5	-	-	19	1911
15	1	77	7	1	2	4	-	-	-	-	-	4	-	3	12	3	1	14	1912
24	-	108	12	2	3	3	3	1	2	-	-	8	2	6	12	3	-	33	1913
16	-	74	11	-	2	2	1	-	2	-	-	6	1	3	7	2	-	24	1914
8	-	34	1	2	1	1	2	1	-	-	-	2	1	3	5	1	-	9	1915
12	-	39	1	-	-	2	-	-	-	-	1	1	3	4	7	2	-	8	1916
44	2	120	12	-	5	2	-	3	3	1	-	8	1	8	21	3	-	35	1917
6	-	16	2	-	-	-	-	-	1	-	-	-	-	2	4	3	-	10	1918
48	-	134	8	1	4	20	1	-	3	-	1	8	-	6	17	5	-	51	1919
29	-	83	1	-	3	12	-	-	2	-	-	7	-	-	7	3	-	20	1920
19	-	71	7	1	1	8	1	-	1	-	1	1	-	6	10	2	-	31	1921
32	-	84	15	-	8	4	2	1	2	-	-	4	9	8	16	6	-	17	1922
10	-	32	8	-	2	3	2	-	-	-	-	3	2	-	7	3	-	9	1923
22	-	52	5	-	6	1	-	1	2	-	-	1	7	8	9	3	-	8	1924
49	1	159	21	1	4	3	-	7	2	2	-	4	14	15	20	3	2	46	1925
15	-	108	4	1	4	5	-	1	-	2	-	4	1	3	9	-	-	22	1926
197	-	662	117	10	32	70	13	11	22	4	6	45	22	76	88	34	11	287	1927
137	-	423	65	9	24	52	6	7	20	4	5	21	10	47	58	21	8	188	1928
60	-	239	52	2	8	18	7	4	2	-	1	24	12	29	30	13	3	99	1929
5	-	30	3	-	2	7	-	-	1	-	-	-	3	3	4	1	-	11	1930
31	-	114	5	1	3	8	2	-	-	1	-	4	8	5	19	1	1	36	1931
15	-	60	2	-	1	2	1	-	-	1	-	1	1	2	8	-	1	11	1932
16	-	54	5	1	2	6	1	-	-	-	-	3	7	3	11	1	-	25	1933
22	2	97	11	3	10	2	1	1	1	-	-	5	1	3	7	3	-	35	1934
12	1	56	8	2	8	1	1	1	1	-	-	3	-	3	3	3	-	22	1935
10	1	42	3	1	2	1	-	-	-	-	-	2	1	-	4	-	-	13	1936
29	-	127	18	2	9	10	1	-	3	-	-	5	8	10	29	6	-	57	1937
53	-	153	12	1	6	7	2	2	2	-	-	1	4	14	16	9	-	47	1938
91	-	228	10	-	13	12	3	3	5	1	-	6	14	10	29	9	2	74	1939
45	-	129	8	2	10	9	1	5	4	-	-	5	2	11	8	3	-	40	1940
130	4	527	43	7	21	20	7	8	14	3	2	23	17	34	58	24	3	145	1941
76	3	316	31	4	11	8	4	5	10	2	2	14	8	15	29	12	2	89	1942
54	1	211	12	3	10	12	3	1	4	3	-	9	9	19	29	12	1	56	1943
41	1	123	14	2	5	16	3	1	-	-	1	8	6	14	19	5	-	50	1944
12	-	51	4	-	1	2	1	-	-	-	-	2	3	3	5	2	-	7	1945
24	4	77	5	1	4	11	2	1	1	-	-	3	10	5	10	5	1	22	1946
51	-	125	13	3	9	5	3	-	-	1	-	2	6	21	9	3	-	39	1947
130	-	400	43	4	19	22	11	8	9	2	2	16	12	33	50	13	-	135	1948
78	-	221	27	2	13	17	7	5	6	-	-	8	10	15	34	9	-	76	1949
52	-	179	16	2	6	5	4	3	3	2	2	8	2	18	16	4	-	59	1950
142	1	445	36	4	17	26	8	8	8	2	3	11	9	36	54	18	7	114	1951
79	-	267	25	2	12	17	7	6	4	1	1	6	6	18	40	8	4	64	1952
63	1	178	11	2	5	9	1	2	4	1	2	5	3	18	14	10	3	50	1953
9	-	19	2	-	1	2	-	1	1	-	-	1	3	1	2	1	-	3	1954
284	4	1,033	101	13	41	45	18	7	16	6	6	40	32	59	102	24	9	261	1955
194	3	733	75	7	29	31	13	7	14	4	6	30	19	36	71	14	5	172	1956
90	1	300	26	8	12	14	5	-	2	2	-	10	13	23	31	10	4	89	1957
6	-	14	1	-	1	-	-	-	-	-	-	1	5	-	2	1	-	5	1958
7	-	27	-	-	3	1	-	-	-	-	-	1	1	8	4	2	-	5	1959
48	1	110	9	3	9	14	2	1	2	2	1	4	4	18	21	6	1	34	1960
13	-	39	2	-	1	1	1	-	1	-	-	-	-	1	6	1	-	10	1961
96	-	206	41	4	11	14	4	8	4	1	2	7	19	24	30	13	1	77	1962
18	-	52	9	-	4	1	2	3	1	-	-	1	4	8	10	4	-	23	1963
78	-	154	32	4	7	13	2	5	3	1	2	6	15	16	20	9	1	54	1964
36	-	130	7	1	1	6	3	-	2	2	-	2	1	11	17	1	1	17	1965
7	-	22	2	-	-	7	-	1	-	-	-	-	3	-	4	1	-	5	1966
15	-	31	1	-	2	6	-	-	-	-	1	1	1	3	6	1	-	9	1967
126	1	421	22	3	28	43	14	5	16	5	2	31	7	39	61	14	3	155	1968
19	-	62	3	1	5	6	2	2	3	-	-	7	1	6	11	3	1	26	1969
7	-	29	1	-	1	6	1	1	2	-	-	-	-	2	3	3	-	8	1970
100	1	330	18	2	22	31	11	2	11	5	2	24	6	31	47	8	2	121	1971
30	-	107	6	1	2	6	-	-	-	1	-	5	-	3	13	2	-	16	1972
73	-	215	16	2	12	9	2	3	3	1	-	5	9	12	29	8	-	44	1973
25	-	75	3	-	6	1	1	2	1	-	-	4	-	3	12	3	-	15	1974
48	-	140	13	2	6	8	1	1	2	1	-	1	9	9	17	5	-	29	1975
29	-	107	6	1	5	9	3	-	1	-	-	5	1	7	11	1	1	31	1976
26	-	78	8	1	3	1	1	2	1	-	-	1	5	6	10	2	-	33	1977
31	-	110	1	-	2	7	-	-	2	-	-	6	-	7	6	1	1	19	1978
10	-	63	1	-	-	3	-	-	1	-	-	5	-	2	4	1	1	7	1979
21	-	47	-	-	2	4	-	-	1	-	-	1	-	5	2	-	-	12	1980
34	-	77	6	2	7	11	2	-	2	-	-	5	1	8	13	2	-	28	1981
13	-	29	1	2	1	4	2	-	2	-	-	3	-	3	2	1	-	9	1982
21	-	48	5	-	6	7	-	-	-	-	-	2	1	5	11	1	-	13	1983
12	-	21	1	-	2	5	1	-	-	-	1	2	3	1	-	-	-	7	1984

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-038, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MICHIGAN—Continued																
1985	Monroe	656	10	2	-	-	-	-	-	2	-	6	77	18	1	316	307
1986	Monroe	235	6	1	-	-	-	-	-	-	-	3	20	6	-	115	110
1987	Balance of county	423	4	1	-	-	-	-	-	2	-	3	57	12	1	201	197
1988	Montcalm	351	1	-	-	-	-	1	-	3	-	-	53	11	-	177	162
1989	Montmorency	27	-	-	-	-	-	-	-	-	-	-	2	-	-	17	17
1990	Muskegon	1,048	24	5	-	1	-	-	-	12	-	-	137	26	6	481	457
1991	Muskegon	506	18	3	-	-	-	-	-	5	-	-	71	14	1	235	225
1992	Muskegon Heights	155	6	-	-	-	-	-	-	4	-	-	23	3	1	68	63
1993	Balance of county	387	-	2	-	1	-	-	-	3	-	-	43	9	4	178	169
1994	Newaygo	219	2	1	-	1	-	-	-	-	-	-	33	8	-	114	105
1995	Oakland	2,604	42	14	1	-	1	-	2	11	3	10	392	68	6	1,321	1,272
1996	Pontiac	577	12	2	-	-	1	-	-	-	-	-	91	17	-	288	277
1997	Royal Oak	258	6	1	-	-	-	-	-	1	-	1	43	7	1	136	134
1998	Birmingham	135	-	2	-	-	-	-	-	1	1	1	22	4	-	67	66
1999	Ferndale	224	11	2	-	-	-	-	-	-	-	1	22	4	2	121	115
2000	Balance of county	1,410	13	7	1	-	-	-	2	9	2	7	214	36	5	709	680
2001	Oceana	194	-	-	-	-	-	-	-	1	-	1	31	4	1	93	91
2002	Ogemaw	93	2	-	-	-	-	-	-	-	-	-	14	1	-	51	50
2003	Ontonagon	146	3	1	-	-	1	-	-	-	1	-	25	3	-	64	57
2004	Osceola	157	-	-	-	-	-	-	-	1	-	2	23	6	-	78	68
2005	Oscoda	26	-	-	-	-	-	-	-	-	-	-	7	-	-	14	13
2006	Otsego	46	1	-	-	-	-	-	-	-	-	-	6	3	-	26	25
2007	Ottawa	631	4	1	-	-	1	1	5	-	-	3	98	12	1	321	311
2008	Holland	175	1	1	-	-	-	-	-	-	-	2	29	4	-	92	92
2009	Balance of county	456	3	-	-	-	1	1	5	-	-	1	69	8	1	229	219
2010	Presque Isle	120	1	-	-	-	-	-	-	-	-	-	10	3	-	72	71
2011	Roscommon	52	2	-	-	-	-	-	-	-	-	-	7	3	-	26	26
2012	Saginaw	1,344	29	6	-	-	-	-	1	7	2	1	218	34	1	669	652
2013	Saginaw	875	20	4	-	-	-	-	1	6	1	1	138	18	-	455	440
2014	Balance of county	469	9	2	-	-	-	-	-	1	1	-	80	16	1	214	212
2015	St. Clair	1,025	12	2	-	3	-	1	-	6	2	3	125	39	3	491	472
2016	Port Huron	423	6	2	-	1	-	-	-	5	2	1	54	15	1	189	180
2017	Balance of county	602	6	-	-	2	-	1	-	1	-	2	71	24	2	302	292
2018	St. Joseph	430	3	2	-	-	-	-	-	-	-	-	76	12	-	233	223
2019	Sanilac	368	3	2	-	-	-	1	1	1	-	-	40	12	2	214	209
2020	Schoolcraft	118	2	-	-	-	-	-	-	2	-	-	11	5	-	60	57
2021	Shiawassee	479	6	9	-	-	-	-	-	3	-	1	68	15	-	256	250
2022	Owosso	171	2	-	-	-	-	-	-	1	-	-	28	4	-	95	92
2023	Balance of county	308	4	9	-	-	-	-	-	2	-	1	40	11	-	161	158
2024	Tuscola	386	4	3	-	-	2	-	-	-	-	1	45	12	-	230	219
2025	Van Buren	513	5	4	-	-	-	-	-	-	-	1	79	12	2	285	275
2026	Washtenaw	947	11	5	-	1	-	-	-	4	-	4	163	20	1	456	440
2027	Ann Arbor	330	2	1	-	-	-	-	-	-	-	4	60	6	-	176	170
2028	Ypsilanti	176	5	3	-	1	-	-	-	2	-	-	25	8	-	72	70
2029	Balance of county	441	4	1	-	-	-	-	-	2	-	-	78	6	1	208	200
2030	Wayne	20,435	913	192	-	4	3	9	14	41	6	30	3,292	600	30	9,557	9,245
2031	Detroit	16,535	813	169	-	4	2	9	12	31	6	23	2,667	489	25	7,837	7,581
2032	Dearborn	599	14	3	-	-	-	-	1	1	-	1	94	21	-	275	268
2033	Hamtramck	399	25	3	-	-	-	-	-	1	-	-	74	10	1	172	165
2034	Highland Park	475	12	2	-	-	-	-	-	-	-	-	93	13	-	236	230
2035	Wyandotte	286	4	2	-	-	-	-	-	1	-	1	51	5	-	133	131
2036	Ecorse	142	4	4	-	-	-	-	-	1	-	-	16	3	1	61	58
2037	Grosse Pointe Park	92	-	-	-	-	-	-	-	-	-	1	14	6	-	53	53
2038	Lincoln Park	115	1	1	-	-	-	-	-	-	-	-	21	3	1	53	52
2039	River Rouge	158	8	1	-	-	-	-	-	-	-	1	24	7	1	62	62
2040	Balance of county	1,534	32	7	-	-	1	-	1	6	-	3	238	43	1	675	645
2041	Wexford	218	-	1	-	-	-	1	-	-	1	-	34	5	-	111	110
2042	MINNESOTA	27,719	377	118	1	6	11	6	20	114	2	69	4,340	498	22	14,861	14,585
2043	Aitkin	159	1	1	-	-	1	-	-	-	-	2	22	2	-	94	94
2044	Anoka	223	4	3	-	-	-	-	-	1	-	-	31	4	-	105	101
2045	Becker	227	4	-	-	-	-	1	1	6	-	1	30	5	-	131	129
2046	Beltrami	243	6	3	-	-	-	-	-	-	-	1	30	5	1	126	124
2047	Benton	125	2	1	-	-	-	-	-	2	-	-	14	2	-	65	64
2048	St. Cloud (part)	21	1	-	-	-	-	-	-	-	-	-	4	-	-	13	13
2049	Balance of county	104	1	1	-	-	-	-	-	2	-	-	10	2	-	52	51
2050	Big Stone	71	1	-	-	-	-	-	-	-	-	1	4	3	-	48	48
2051	Blue Earth	403	1	2	-	-	-	-	-	3	-	-	56	9	2	225	220
2052	Mankato	206	-	2	-	-	-	-	-	1	-	-	28	6	-	111	109
2053	Balance of county	197	1	-	-	-	-	-	-	2	-	-	28	3	2	114	111
2054	Brown	238	1	2	-	-	-	-	1	1	-	-	37	9	-	113	110
2055	Carlton	249	4	2	-	-	-	-	1	-	-	-	39	2	-	134	133
2056	Carver	157	1	-	-	-	-	-	-	1	-	-	26	2	-	90	89
2057	Cass	161	5	-	-	-	-	-	1	2	-	-	11	3	-	107	103
2058	Chippewa	148	2	-	-	-	-	-	-	-	-	1	25	2	-	81	77
2059	Chisago	145	1	-	-	-	-	-	-	-	-	-	19	3	-	83	82
2060	Clay	232	8	4	-	-	-	-	-	-	-	2	31	5	-	98	98
2061	Clearwater	90	3	1	-	-	-	-	-	1	-	1	5	2	-	37	37
2062	Cook	30	1	-	-	-	-	-	-	-	-	-	3	-	-	14	14
2063	Cottonwood	132	1	1	-	-	-	-	-	1	-	-	22	2	-	71	66
2064	Crow Wing	300	3	-	-	-	-	-	-	-	-	1	32	7	-	165	162
2065	Brainerd	118	1	-	-	-	-	-	-	-	-	-	13	1	-	70	68
2066	Balance of county	182	2	-	-	-	-	-	-	-	-	1	19	6	-	95	94
2067	Dakota	359	3	-	-	-	-	-	-	4	-	1	53	8	-	192	182
2068	South St. Paul	100	2	-	-	-	-	-	-	2	-	-	17	3	-	49	47
2069	Balance of county	259	1	-	-	-	-	-	-	2	-	1	36	5	-	143	135
2070	Dodge	118	-	-	-	-	-	-	-	-	-	1	17	1	-	65	65
2071	Douglas	229	2	1	-	-	-	-	-	3	-	1	34	5	-	130	128
2072	Faribault	186	-	1	-	-	-	-	-	2	-	-	30	1	1	112	112
2073	Fillmore	252	1	-	-	-	-	-	-	7	1	-	43	4	-	150	147

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
67	-	216	18	6	9	27	4	5	3	-	-	16	6	18	37	9	-	99	1985
25	-	79	4	2	5	11	1	1	2	-	-	4	3	11	9	2	-	38	1986
42	-	137	14	4	4	16	3	4	1	-	-	12	3	7	28	7	-	61	1987
58	-	103	17	4	15	15	1	-	3	3	-	6	6	9	18	9	-	35	1988
3	-	14	-	-	-	-	-	-	-	-	-	1	-	1	1	1	-	4	1989
84	3	330	31	9	24	31	4	10	7	2	4	28	25	28	50	14	6	147	1990
39	1	161	20	4	10	17	2	6	4	1	2	14	9	10	17	9	4	64	1991
12	2	42	6	1	5	4	-	-	1	1	-	4	2	3	2	4	2	27	1992
33	-	127	5	4	9	10	2	4	2	-	2	10	14	15	31	1	-	58	1993
30	1	71	1	2	9	5	3	1	1	2	-	4	3	6	13	-	-	22	1994
292	7	867	70	16	49	54	14	15	24	8	8	43	21	96	87	30	8	325	1995
67	1	184	18	7	11	16	4	3	7	1	5	5	8	21	19	7	3	67	1996
30	-	92	11	1	2	1	2	1	3	1	-	7	-	9	7	4	-	27	1997
18	-	45	3	-	1	4	-	2	1	1	-	3	-	5	6	-	-	15	1998
22	2	87	3	1	6	4	2	2	3	-	-	1	-	2	5	6	2	34	1999
155	4	479	35	7	29	29	6	7	10	3	3	27	13	59	50	13	3	182	2000
22	-	59	8	2	2	7	2	-	2	-	-	4	7	2	11	1	1	26	2001
22	-	27	1	-	1	3	1	-	-	-	-	1	1	7	5	2	-	5	2002
16	-	34	7	-	7	4	1	1	1	1	1	3	1	1	15	1	-	18	2003
17	-	46	4	1	10	5	-	-	2	1	-	2	2	2	8	2	-	25	2004
6	-	7	-	-	1	1	-	-	-	-	-	-	1	1	2	-	-	2	2005
2	-	22	1	-	-	-	-	-	-	-	-	-	-	1	1	5	1	5	2006
64	-	219	26	2	10	11	3	2	3	1	3	13	9	26	28	5	-	80	2007
24	-	58	9	1	-	3	2	1	-	-	-	2	4	6	8	-	-	20	2008
40	-	161	17	1	10	8	1	1	3	1	3	11	5	20	20	5	-	60	2009
16	-	50	4	1	1	4	-	1	-	1	-	2	-	2	9	-	-	15	2010
3	-	22	1	-	-	-	-	-	-	1	-	2	1	1	3	1	-	5	2011
169	2	421	50	10	17	26	5	7	10	4	-	32	22	46	59	10	6	148	2012
108	-	289	35	8	15	14	3	3	8	2	-	18	15	25	33	7	4	99	2013
61	2	132	15	2	2	12	2	4	2	2	-	14	7	21	26	3	2	50	2014
102	2	339	25	4	19	27	4	16	6	6	-	20	4	26	65	10	3	149	2015
45	1	124	9	1	9	13	2	10	1	3	-	11	3	3	25	4	-	72	2016
57	1	215	16	3	10	14	2	8	5	3	-	9	1	23	40	6	3	77	2017
64	-	139	17	3	10	8	3	2	8	2	-	8	5	16	11	3	1	39	2018
54	-	149	5	1	5	19	1	-	3	3	-	2	2	10	12	3	-	37	2019
8	-	45	4	-	3	3	-	-	-	1	1	-	2	2	2	6	2	21	2020
40	-	187	21	2	6	12	1	3	3	2	2	5	12	11	18	5	1	49	2021
12	-	69	9	2	3	7	1	1	2	1	-	2	4	5	-	-	-	18	2022
28	-	118	12	-	3	5	-	2	1	1	2	3	10	7	13	5	1	30	2023
62	-	145	10	2	11	8	-	4	4	-	1	3	7	14	17	1	-	40	2024
58	1	195	16	3	12	10	1	2	3	4	1	5	10	14	28	3	-	45	2025
135	-	269	31	5	16	31	9	6	4	-	1	17	12	23	32	9	3	135	2026
49	-	107	12	2	6	6	2	1	3	-	-	6	4	7	10	4	-	38	2027
26	-	37	6	1	2	9	2	1	1	-	-	7	2	4	7	3	1	23	2028
60	-	125	13	2	8	16	5	4	-	-	1	4	6	12	15	2	2	74	2029
1,706	23	7,027	371	118	312	752	143	132	289	45	38	355	55	490	576	218	131	2,420	2030
1,387	18	5,770	309	97	256	627	117	99	235	35	30	265	35	349	545	167	117	1,927	2031
58	-	197	7	5	7	15	2	3	8	1	1	19	2	17	16	15	2	68	2032
26	1	127	10	1	7	14	1	1	10	-	-	7	-	11	7	2	3	57	2033
56	2	184	6	2	6	14	5	2	7	1	-	6	3	11	20	3	2	45	2034
21	-	103	4	3	2	9	2	2	6	-	-	8	3	14	10	4	-	31	2035
10	1	44	2	1	3	6	-	2	3	1	-	4	2	5	4	1	3	21	2036
14	-	35	3	1	-	1	2	-	1	1	-	-	-	3	1	-	-	9	2037
5	-	44	3	-	1	6	-	2	1	1	-	5	-	6	7	1	-	8	2038
11	-	49	-	2	-	9	3	4	2	-	2	3	-	1	6	3	2	19	2039
117	1	494	27	6	30	51	11	17	16	5	5	38	10	73	60	22	2	217	2040
22	1	82	3	2	1	9	-	1	2	1	-	2	2	5	13	-	-	30	2041
3,517	47	9,735	1,105	181	276	787	129	105	184	46	40	435	276	580	1,219	313	32	3,130	2042
26	-	64	4	-	-	4	-	-	-	1	-	2	1	3	8	-	-	17	2043
27	-	66	7	1	4	6	1	-	4	-	-	5	5	10	13	2	-	29	2044
27	1	93	8	-	2	6	-	3	-	-	1	4	6	5	7	1	1	14	2045
23	1	85	11	4	2	7	1	1	-	-	-	6	10	4	17	1	-	24	2046
13	-	46	3	2	1	10	1	1	-	-	-	2	-	6	8	-	-	11	2047
5	-	7	-	1	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2048
8	-	39	3	1	1	10	1	1	-	-	-	2	-	5	6	-	-	11	2049
17	-	30	1	-	-	2	-	-	-	1	-	1	2	3	1	-	-	4	2050
53	1	143	22	1	5	10	2	3	1	-	-	4	3	9	20	1	-	52	2051
28	-	75	6	-	2	5	-	3	1	-	-	4	1	3	10	-	-	31	2052
25	1	68	16	1	3	5	2	-	-	-	-	2	2	6	10	1	-	21	2053
14	1	83	12	-	3	1	2	1	3	-	-	8	1	9	6	10	-	33	2054
28	1	96	10	-	1	3	-	-	2	2	2	3	4	12	8	4	-	27	2055
17	-	65	6	1	1	8	-	-	-	2	2	2	-	3	8	1	-	15	2056
28	-	68	5	2	4	12	-	-	2	-	1	-	-	5	11	3	-	19	2057
18	-	50	7	2	4	5	-	2	-	1	1	3	3	5	5	1	-	11	2058
25	1	44	11	1	1	3	2	1	-	-	-	3	3	2	10	1	-	17	2059
27	-	64	6	1	-	9	1	-	1	-	1	3	4	13	10	2	-	42	2060
7	1	27	2	-	-	5	2	-	-	-	-	5	4	4	8	2	2	8	2061
2	-	12	-	-	-	1	-	-	-	-	1	2	1	-	2	-	-	5	2062
12	-	50	4	-	5	6	-	-	-	-	-	1	3	3	3	-	-	18	2063
41	-	110	9	2	3	15	3	2	1	-	1	7	3	6	13	7	-	34	2064
15	-	48	4	1	2	7	1	-	-	-	1	2	-	3	5	1	-	13	2065
26	-	82	5	1	1	8	2	2	1	-	-	5	3	3	8	6	-	21	2066
49	1	112	19	1	10	9	1	2	1	-	-	4	3	9	13	6	-	48	2067
12	1	32	2	-	2	1	1	1	-	-	1	-	1	1	3	2	-	18	2068
37	-	80	17	1	8	8	-	1	1	-	1	4	2	8	10	4	-	32	2069
9	-	44	10	2	-	3	1	-	-	1	-	2	1	7	4	2	-	13	2070
32	2	75	16	3	2	2	-	-	1	-	-	4	3	2	8	3	-	30	2071
27	1	69	14	1	-	7	2	2	2	-	1	3	-	1	4	1	3	13	2072
44	-	80	22	1	3	7	1	-	-	-	2	1	1	5	8	2	1	18	2073

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-046	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MINNESOTA—Continued																
2074	Freeborn	312	3	-	-	-	-	-	1	6	-	-	45	2	-	185	182
2075	Albert Lea	141	2	-	-	-	-	-	-	5	-	-	20	2	-	84	83
2076	Balance of county	171	1	-	-	-	-	-	1	1	-	-	25	-	-	101	99
2077	Goodhue	358	10	-	-	-	-	-	-	1	-	1	66	9	-	173	170
2078	Grant	107	2	-	-	-	-	-	-	-	-	-	17	3	-	54	51
2079	Hennepin	6,155	114	36	1	1	2	-	4	26	-	13	1,000	103	3	3,368	3,321
2080	Minneapolis	5,301	104	33	-	1	2	-	4	21	-	10	880	91	3	2,887	2,850
2081	Balance of county	854	10	3	1	-	-	-	-	5	-	3	120	12	-	481	471
2082	Houston	166	-	-	-	-	-	2	-	-	-	1	16	3	1	96	93
2083	Hubbard	124	-	-	-	-	-	-	-	1	-	2	17	5	-	63	61
2084	Isanti	117	1	-	-	-	-	-	-	-	-	-	22	4	-	58	58
2085	Itasca	294	6	-	1	-	-	-	1	1	-	-	40	4	1	148	148
2086	Jackson	132	2	1	-	-	-	-	-	-	-	-	27	2	-	61	59
2087	Kanabec	74	1	-	-	-	-	-	-	-	-	-	10	-	-	34	33
2088	Kandiyohi	226	1	-	-	-	-	-	-	1	-	-	33	1	-	126	121
2089	Kittson	101	-	-	-	-	-	1	-	-	-	-	13	3	-	53	51
2090	Koochiching	175	3	2	-	-	-	-	-	1	-	2	18	-	-	95	93
2091	Lac qui Parle	129	2	-	-	-	-	-	-	-	-	-	17	3	-	67	62
2092	Lake	85	1	-	-	-	-	-	-	4	-	-	17	1	-	43	43
2093	Lake of the Woods	49	-	2	-	-	-	-	-	-	-	1	8	-	-	24	24
2094	Le Sueur	192	-	1	-	1	-	-	-	-	-	3	38	4	1	109	109
2095	Lincoln	101	-	-	-	-	-	-	-	-	-	-	21	1	-	43	41
2096	Lyon	174	-	1	-	-	-	-	-	-	-	-	34	4	-	81	79
2097	McLeod	219	3	-	-	-	-	-	-	-	-	-	43	11	-	108	108
2098	Mahnomen	46	-	-	-	-	-	-	-	-	-	-	4	1	-	30	30
2099	Marshall	136	7	-	-	-	-	-	-	-	-	-	19	-	1	68	66
2100	Martin	246	-	-	-	-	-	-	-	-	-	2	36	7	-	129	126
2101	Meeker	175	1	-	-	-	-	-	-	2	-	2	27	1	-	96	89
2102	Mille Lacs	165	1	-	-	-	-	-	-	-	-	-	24	2	-	109	109
2103	Morrison	233	1	-	-	-	-	-	-	2	-	2	41	2	-	128	122
2104	Mower	335	-	-	-	-	-	-	3	2	-	-	63	6	-	165	165
2105	Austin	187	-	-	-	-	-	-	3	1	-	-	34	4	-	87	87
2106	Balance of county	148	-	-	-	-	-	-	-	1	-	-	29	2	-	78	78
2107	Murray	105	2	1	-	-	-	-	-	-	-	-	17	1	-	62	62
2108	Nicollet	160	1	1	-	-	-	-	-	-	-	-	24	7	-	86	86
2109	Nobles	189	4	1	-	-	-	-	-	1	-	-	27	4	-	91	89
2110	Norman	126	1	-	-	-	-	-	1	-	-	-	19	1	1	89	88
2111	Olmsted	453	4	1	-	-	-	-	-	3	-	2	90	6	-	228	227
2112	Rochester	315	2	-	-	-	-	-	-	-	-	1	69	4	-	156	155
2113	Balance of county	138	2	1	-	-	-	-	-	3	-	1	21	2	-	72	72
2114	Otter Tail	475	4	2	-	-	-	-	1	-	-	2	66	7	-	263	255
2115	Fergus Falls	134	1	1	-	-	-	-	-	-	-	-	23	1	-	78	76
2116	Balance of county	341	3	1	-	-	-	-	1	-	-	2	43	6	-	185	179
2117	Pennington	119	-	1	-	-	-	-	-	-	-	-	25	1	-	61	61
2118	Pine	202	3	-	-	-	-	-	-	1	-	1	24	4	-	112	110
2119	Pipestone	125	4	-	-	-	-	-	-	1	-	-	17	1	-	67	66
2120	Polk	367	4	1	-	-	-	-	-	1	-	-	48	9	-	210	207
2121	Pope	123	1	-	-	-	-	-	-	-	-	-	17	5	-	57	56
2122	Ramsey	3,563	63	21	-	-	3	2	3	9	-	8	618	54	6	1,847	1,822
2123	St. Paul	3,268	56	20	-	-	3	2	3	7	-	8	570	49	6	1,719	1,695
2124	Balance of county	295	7	1	-	-	-	-	-	2	-	-	48	5	-	128	127
2125	Red Lake	67	-	-	-	-	-	-	1	-	-	1	9	1	-	33	33
2126	Redwood	171	1	-	-	-	-	-	-	-	-	-	27	3	-	90	89
2127	Renville	192	2	-	-	-	-	-	-	-	-	-	28	4	-	103	99
2128	Rice	302	2	2	-	-	2	-	-	1	-	1	57	5	-	167	164
2129	Faribault	138	1	-	-	-	2	-	-	-	-	-	24	1	-	80	80
2130	Balance of county	164	1	2	-	-	-	-	-	1	-	1	33	4	-	87	84
2131	Rock	93	-	-	-	-	-	-	-	3	-	-	19	2	-	47	46
2132	Roseau	124	-	-	-	-	-	-	-	-	-	1	19	1	2	65	64
2133	St. Louis	2,182	35	10	-	2	1	-	1	4	-	2	347	39	-	1,212	1,190
2134	Duluth	1,155	21	5	-	1	-	-	-	2	-	-	182	18	-	645	637
2135	Hibbing	163	1	1	-	-	-	-	-	2	-	1	29	5	-	82	82
2136	Virginia	134	2	1	-	-	-	-	-	-	-	-	23	5	-	71	69
2137	Balance of county	730	11	3	-	1	1	-	1	-	-	1	113	11	-	414	402
2138	Scott	158	1	-	-	-	-	-	-	-	-	1	20	4	-	97	97
2139	Sherburne	102	3	-	-	-	-	-	-	-	-	-	15	-	-	55	53
2140	St. Cloud (part)	11	-	-	-	-	-	-	-	-	-	-	2	-	-	6	6
2141	Balance of county	91	3	-	-	-	-	-	-	-	-	-	13	-	-	49	47
2142	Sibley	148	-	-	-	-	-	-	-	-	-	1	22	5	-	80	77
2143	Stearns	617	5	4	-	-	-	-	-	2	1	5	86	21	1	285	274
2144	St. Cloud (part)	235	4	-	-	-	-	-	-	1	1	2	38	8	1	93	91
2145	St. Cloud (total)	267	5	-	-	-	-	-	-	1	1	2	44	8	1	112	110
2146	Balance of county	382	1	4	-	-	-	-	-	1	-	3	58	15	-	192	183
2147	Steele	171	3	-	-	-	-	-	-	2	-	-	27	5	-	67	65
2148	Stevens	62	-	-	-	-	-	-	-	-	-	-	8	2	-	37	37
2149	Swift	129	2	-	-	-	-	-	-	-	-	-	20	3	-	63	59
2150	Todd	239	1	-	-	-	1	-	-	-	-	-	37	5	-	134	130
2151	Traverse	56	-	-	-	-	-	-	-	-	-	-	12	-	-	33	33
2152	Wabasha	160	1	-	-	-	-	-	-	1	-	-	24	2	-	95	94
2153	Wadena	129	3	-	-	-	1	-	-	-	-	-	13	1	-	71	70
2154	Waseca	161	2	-	-	-	-	-	-	1	-	-	17	4	-	105	104
2155	Washington	269	3	2	-	-	-	-	-	1	-	-	46	6	1	147	143
2156	Watonwan	141	4	-	-	-	-	-	-	-	-	1	16	3	-	65	61
2157	Wilkin	90	1	-	-	-	-	-	-	-	-	-	12	1	-	44	43
2158	Winona	361	2	5	-	1	-	-	-	2	-	1	66	6	-	183	179
2159	Winona	228	-	4	-	1	-	-	-	1	-	1	43	4	-	120	117
2160	Balance of county	133	2	1	-	-	-	-	-	1	-	-	23	2	-	63	62
2161	Wright	267	3	1	-	-	-	-	-	-	-	-	37	2	-	153	149
2162	Yellow Medicine	158	-	-	-	-	-	-	-	-	-	-	24	3	-	88	88

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
51	1	120	10	-	3	6	1	2	3	-	1	1	2	10	17	2	-	25	2074
24	-	57	2	-	1	2	1	2	2	-	-	-	-	2	6	-	-	13	2075
27	1	63	8	-	2	4	-	-	1	-	1	1	2	8	11	2	-	12	2076
39	-	109	19	3	3	14	3	1	1	-	1	9	4	8	14	3	-	40	2077
12	1	37	1	-	3	1	1	2	-	-	-	1	3	2	4	3	-	14	2078
815	8	2,239	201	58	47	194	29	21	50	9	5	86	28	98	241	71	9	653	2079
711	7	1,907	173	52	37	161	25	19	44	8	5	72	25	78	211	52	7	558	2080
104	1	332	28	6	10	23	4	2	6	1	-	14	3	20	30	19	2	96	2091
27	1	56	8	1	3	8	-	2	1	-	-	3	4	2	5	2	-	20	2082
17	-	41	2	1	2	5	-	-	-	-	1	-	3	2	10	-	-	15	2083
20	-	34	3	1	-	3	-	1	-	-	-	2	-	6	5	-	-	15	2084
30	-	108	9	3	-	10	1	1	1	1	1	4	6	11	11	7	-	38	2085
18	-	35	6	-	2	7	2	-	4	-	-	1	-	2	8	2	-	13	2086
7	-	23	3	-	1	2	-	-	3	-	-	4	2	-	3	2	-	13	2087
31	1	76	10	3	5	6	4	1	2	1	-	3	4	2	7	2	-	32	2088
8	-	36	6	1	2	6	-	-	-	1	-	2	2	2	8	-	-	10	2089
20	1	61	11	-	2	5	1	-	1	2	-	3	1	2	16	4	-	19	2090
15	-	44	3	-	5	5	-	-	1	3	-	1	7	6	6	-	-	11	2091
7	-	32	3	1	-	3	-	1	-	-	-	-	-	5	4	1	-	5	2092
9	-	14	1	-	-	2	-	-	-	-	-	1	2	1	2	1	-	5	2093
19	1	72	17	-	-	1	2	1	2	-	-	4	2	-	6	2	-	15	2094
13	-	25	3	-	2	3	-	1	1	-	-	-	2	1	3	4	-	21	2095
23	2	42	12	-	2	6	1	1	-	-	-	7	-	6	7	3	-	23	2096
25	-	74	9	-	-	5	-	1	1	-	-	5	2	4	11	2	-	23	2097
8	-	21	1	-	-	1	-	-	-	-	-	-	-	1	2	-	-	7	2098
19	-	43	4	-	2	4	-	-	-	-	-	-	5	4	12	1	-	15	2099
35	1	83	7	-	3	8	1	1	1	-	-	1	6	11	13	2	-	27	2100
27	1	50	10	1	7	5	1	-	-	-	-	3	4	3	10	1	-	19	2101
23	-	76	9	1	-	5	1	1	2	-	1	1	5	6	7	4	-	16	2102
23	1	80	15	3	6	7	2	1	5	-	-	5	-	3	5	2	-	27	2103
40	1	104	17	1	2	10	1	2	2	-	-	8	9	11	18	5	-	32	2104
18	1	56	11	1	-	7	1	2	-	-	-	3	6	6	11	2	-	20	2105
22	-	48	8	-	2	3	-	-	2	-	-	3	3	5	7	3	-	12	2106
20	-	36	6	-	-	2	-	-	2	-	-	2	-	4	1	-	-	11	2107
22	-	58	6	-	-	5	-	-	2	-	-	2	3	3	7	1	-	18	2108
28	-	53	6	2	2	3	3	-	-	-	-	3	3	6	7	4	1	29	2109
24	-	38	3	1	3	5	1	-	-	-	-	1	2	2	5	-	-	18	2110
60	-	135	24	8	1	9	8	1	5	1	-	6	5	4	18	4	-	59	2111
43	-	91	15	6	1	4	8	1	5	1	-	4	3	2	13	2	-	40	2112
17	-	44	9	2	-	5	-	-	-	-	-	2	2	2	5	2	-	18	2113
78	-	149	24	4	8	16	1	1	1	2	1	10	6	5	28	8	1	52	2114
26	-	45	5	-	2	3	-	-	-	-	-	4	1	1	7	1	-	13	2115
52	-	104	19	4	6	13	1	1	1	2	1	6	5	4	21	5	1	39	2116
18	-	33	10	-	-	3	-	-	-	-	-	4	1	2	6	2	-	13	2117
31	1	69	9	-	2	5	1	1	3	1	1	4	4	2	9	2	2	22	2118
11	-	49	6	-	1	4	-	-	2	-	1	1	4	4	5	-	-	14	2119
56	-	131	17	3	3	13	2	-	4	-	-	5	3	10	17	5	1	34	2120
18	-	36	2	-	1	3	1	1	-	1	1	2	7	4	4	1	-	18	2121
381	5	1,301	116	19	25	97	21	16	32	4	2	56	21	58	154	36	6	424	2122
355	4	1,212	106	18	24	85	20	14	29	4	2	53	20	50	131	31	6	380	2123
26	1	89	10	1	1	12	1	2	3	-	-	5	1	8	23	5	-	44	2124
5	-	21	7	-	-	2	-	-	-	-	-	-	-	2	2	-	-	16	2125
24	1	49	11	4	1	3	-	-	-	-	-	4	-	6	9	1	-	27	2126
29	1	62	5	2	4	7	1	-	1	1	-	5	2	6	12	2	-	18	2127
43	-	108	11	2	3	8	-	1	-	-	-	6	7	3	10	1	1	28	2128
21	-	54	4	1	-	5	-	-	-	-	-	3	1	-	2	-	-	15	2129
22	-	54	7	1	3	3	-	1	-	-	-	3	6	3	8	1	1	9	2130
19	-	20	7	-	1	-	-	-	-	-	-	3	2	2	6	-	-	8	2131
11	-	49	4	-	1	2	-	1	1	-	2	3	-	2	9	1	-	15	2132
223	4	876	73	14	22	43	8	12	10	2	3	28	8	48	96	31	3	237	2133
123	3	457	48	6	8	21	4	5	5	1	2	11	2	27	53	15	2	133	2134
14	1	61	5	1	-	1	1	1	1	-	-	4	1	2	9	3	-	19	2135
13	-	50	5	1	2	4	1	-	-	-	-	2	1	2	6	4	-	12	2136
73	-	308	15	6	12	17	2	6	4	1	1	11	4	17	28	9	1	73	2137
31	-	51	13	2	-	3	1	-	2	-	-	1	1	2	7	2	-	16	2138
10	1	36	6	-	2	2	-	-	-	1	-	1	-	6	10	2	-	7	2139
1	-	4	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	-	2140
9	1	32	5	-	2	2	-	-	-	1	-	1	-	5	8	2	-	7	2141
17	1	50	9	-	3	4	1	2	-	2	-	1	2	3	6	5	-	14	2142
61	1	189	22	1	11	30	3	1	2	-	-	15	9	10	26	2	-	99	2143
18	1	64	8	-	2	11	1	1	1	-	-	7	1	5	12	2	-	48	2144
24	1	75	9	1	2	11	1	1	1	-	-	7	1	7	16	2	-	48	2145
43	-	125	14	1	9	19	2	-	1	-	-	8	8	5	14	-	-	51	2146
22	-	55	8	-	2	1	-	1	3	-	-	3	3	6	8	3	-	19	2147
11	-	23	1	2	-	3	-	1	3	-	-	2	5	2	8	1	-	10	2148
19	1	33	5	1	4	6	-	1	-	-	-	1	2	6	7	2	-	16	2149
30	-	85	12	3	4	3	2	-	-	1	-	5	1	7	12	3	-	27	2150
9	-	22	2	-	1	1	-	-	-	-	-	1	-	3	3	1	-	5	2151
32	-	52	9	1	1	3	-	-	1	-	-	4	-	3	6	1	-	19	2152
22	-	42	6	-	1	3	1	-	2	2	-	4	2	1	6	1	-	18	2153
13	-	76	12	3	1	2	-	-	1	-	-	1	-	6	7	1	-	12	2154
41	-	93	8	1	4	6	2	1	2	-	-	8	1	3	8	3	1	28	2155
21	-	46	11	3	2	3	-	-	-	-	-	-	3	3	7	1	-	17	2156
9	-	33	1	-	1	-	-	1	1	-	-	2	1	1	4	2	-	20	2157
58	-	109	13	-	4	11	1	-	4	1	-	9	4	3	22	6	-	33	2158
39	-	72	6	-	3	9	1	-	4	1	-	1	1	1	10	1	-	21	2159
19	-	36	7	-	1	2	-	-	-	-	-	5	3	2	12	5	-	12	2160
43	-	96	9	1	4	8	-	-	1	1	-	1	5	-	5	12	4	-	34	2161
22	-	63	2	1	1	5	-	2	-	1	-	1	-	-	5	7	-	-	21	2162

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-046	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
2163	MISSISSIPPI	20,861	605	156	3	64	32	32	8	10	26	95	2,077	234	50	8,745	8,083
2164	Adams	340	10	3	-	-	-	-	-	-	1	2	23	7	-	177	169
2165	Natchez	235	10	3	-	-	-	-	-	-	-	2	18	6	-	132	125
2166	Balance of county	105	-	-	-	-	-	-	-	-	1	-	5	1	-	45	44
2167	Alcorn	247	9	2	-	1	-	-	1	-	-	1	32	3	1	121	112
2168	Amite	144	2	1	-	-	-	-	1	-	-	1	12	1	-	63	60
2169	Attala	288	5	1	-	1	1	1	-	-	2	1	26	5	-	131	127
2170	Benton	66	2	-	-	-	-	-	-	1	-	2	7	-	-	32	31
2171	Bolivar	760	31	15	-	5	8	4	-	1	-	2	59	5	1	285	255
2172	Calhoun	157	5	-	-	1	-	-	-	1	1	-	15	1	1	71	65
2173	Carroll	142	5	1	-	-	-	-	-	-	-	-	14	-	-	62	59
2174	Chickasaw	191	9	-	-	-	-	-	-	-	-	2	18	3	-	93	87
2175	Choctaw	94	3	-	-	-	-	-	-	-	-	-	9	1	-	44	37
2176	Claiborne	136	1	2	-	-	-	-	-	-	-	1	10	1	-	50	48
2177	Clarke	195	6	1	-	-	-	-	-	1	-	1	18	4	-	91	90
2178	Clay	202	3	-	-	-	-	-	-	1	-	2	31	2	-	82	78
2179	Coahoma	554	17	7	-	2	5	1	-	-	-	3	43	7	2	214	198
2180	Clarksdale	191	5	4	-	-	3	-	-	-	-	-	19	2	2	93	88
2181	Balance of county	363	12	3	-	2	2	1	-	-	-	3	24	5	-	121	110
2182	Copiah	310	10	2	-	-	-	-	-	-	1	-	34	4	-	148	139
2183	Covington	141	4	-	-	-	-	-	-	1	-	1	18	-	1	68	63
2184	De Soto	249	11	1	-	2	-	1	-	-	-	3	25	2	2	92	87
2185	Forrest	424	13	4	-	1	-	-	-	-	1	2	48	5	1	186	180
2186	Hattiesburg	283	9	4	-	-	-	-	-	-	1	1	30	4	-	129	126
2187	Balance of county	141	4	-	-	1	-	-	-	-	-	1	18	1	1	57	54
2188	Franklin	106	2	1	-	-	-	1	-	-	-	-	7	-	-	55	50
2189	George	71	3	-	-	-	-	-	-	-	-	-	6	-	-	39	35
2190	Greene	79	2	-	-	-	-	-	-	-	-	-	9	1	-	34	30
2191	Grenada	205	5	2	-	-	-	1	1	-	-	4	17	2	-	71	65
2192	Hancock	104	4	1	-	1	-	-	-	-	-	-	10	1	-	66	62
2193	Harrison	588	19	4	1	2	-	-	1	-	-	5	73	6	2	261	250
2194	Biloxi	189	6	2	-	-	-	-	-	-	-	-	24	1	1	80	77
2195	Gulfport	207	8	2	-	1	-	-	-	-	-	3	27	5	-	91	89
2196	Balance of county	192	5	-	1	1	-	-	1	-	-	2	22	-	1	90	84
2197	Hinds	1,207	36	9	-	6	1	-	-	-	-	8	108	22	-	535	496
2198	Jackson	792	25	7	-	4	1	-	-	-	-	6	76	12	-	350	325
2199	Balance of county	415	11	2	-	2	-	-	-	-	-	2	32	10	-	185	171
2200	Holmes	395	9	5	-	-	-	3	-	-	3	3	29	7	-	157	149
2201	Humphreys	250	5	2	-	1	-	2	-	-	-	-	22	1	1	84	77
2202	Issaquena	64	1	1	-	-	-	-	-	-	-	1	5	1	-	25	21
2203	Itawamba	112	5	1	-	-	-	1	-	-	-	-	22	4	1	37	37
2204	Jackson	229	3	2	-	-	-	-	-	-	-	-	25	2	1	104	103
2205	Jasper	191	4	1	-	-	-	2	-	-	1	-	18	1	1	81	75
2206	Jefferson	126	-	2	-	-	-	-	-	-	-	1	13	1	1	73	64
2207	Jefferson Davis	123	7	-	-	-	1	-	-	-	1	-	13	4	-	39	37
2208	Jones	443	12	4	-	1	1	1	-	-	2	-	46	3	-	188	175
2209	Laurel	238	8	4	-	-	-	-	-	-	1	-	23	1	-	105	97
2210	Balance of county	205	4	-	-	1	1	1	-	-	1	-	23	2	-	83	78
2211	Kemper	138	4	2	-	-	-	-	-	-	1	-	19	1	1	59	56
2212	Lafayette	173	3	-	-	-	-	-	-	-	-	-	24	3	-	67	61
2213	Lamar	102	3	-	-	1	-	-	1	-	-	-	10	-	1	43	40
2214	Lauderdale	867	25	3	-	1	1	-	1	-	1	1	72	6	-	299	281
2215	Meridian	451	17	3	-	1	1	-	1	-	-	-	52	5	-	209	195
2216	Balance of county	216	8	-	-	-	-	-	-	-	1	1	20	1	-	90	86
2217	Lawrence	125	6	1	-	-	-	-	-	-	-	-	16	2	-	53	47
2218	Leake	175	11	1	-	-	-	-	-	-	1	1	20	4	-	63	61
2219	Lee	347	11	-	-	3	2	-	-	-	-	2	42	1	1	163	144
2220	Leflore	541	19	7	-	1	-	-	1	-	-	2	41	6	3	191	173
2221	Greenwood	178	7	1	-	-	-	-	-	-	-	1	20	2	1	82	80
2222	Balance of county	363	12	6	-	1	-	-	1	-	-	1	21	4	2	109	93
2223	Lincoln	295	2	1	-	1	-	1	-	-	1	-	35	4	-	143	130
2224	Lowndes	374	9	3	-	-	-	2	-	-	1	1	43	3	1	153	143
2225	Columbus	211	6	3	-	-	-	-	-	-	-	1	25	2	1	95	88
2226	Balance of county	163	3	-	-	-	-	2	-	-	1	-	18	1	-	58	55
2227	Madison	338	9	4	-	-	-	-	-	-	1	-	37	1	1	138	122
2228	Marion	190	4	1	-	1	-	-	-	1	-	-	20	4	-	84	74
2229	Marshall	209	10	-	-	1	-	1	-	-	-	1	21	1	2	98	85
2230	Monroe	333	13	1	-	1	-	1	-	-	-	2	30	5	2	131	108
2231	Montgomery	161	3	2	-	-	1	-	-	-	-	-	23	3	-	65	60
2232	Neshoba	214	7	1	-	1	1	1	-	-	-	2	23	1	-	91	88
2233	Newton	201	5	3	-	-	1	-	-	-	1	2	18	-	-	81	78
2234	Noxubee	240	9	4	-	-	-	-	-	-	-	-	25	3	2	103	99
2235	Oktibbeha	187	8	-	-	1	-	-	-	-	-	-	29	2	1	76	71
2236	Panola	305	7	3	-	-	-	1	-	-	-	1	20	3	1	152	137
2237	Pearl River	172	3	-	-	-	1	-	-	-	-	2	28	-	1	68	64
2238	Perry	72	1	1	-	-	-	1	-	-	-	-	10	3	-	32	29
2239	Pike	391	8	6	-	-	1	-	-	-	-	2	37	7	-	189	173
2240	Pontotoc	146	3	-	-	1	-	1	-	-	1	-	15	3	-	65	60
2241	Prentiss	190	10	-	-	-	1	-	-	-	-	-	18	3	-	80	77
2242	Quitman	229	6	-	-	-	1	1	-	-	1	1	23	1	1	72	60
2243	Rankin	205	6	2	-	1	-	-	-	-	-	-	11	4	1	94	90
2244	Scott	177	4	-	-	1	-	-	-	1	1	1	25	2	-	71	67
2245	Sharkey	153	3	1	-	-	-	-	-	-	-	2	11	-	-	65	58
2246	Simpson	163	4	-	-	1	-	-	-	-	-	1	19	2	1	67	65
2247	Smith	129	3	-	-	1	-	-	-	-	-	2	18	3	-	52	60
2248	Stone	52	-	-	-	-	-	-	-	-	-	1	5	1	-	20	19
2249	Sunflower	512	17	6	-	7	1	1	-	-	2	3	43	1	7	187	167
2250	Tallahatchie	231	7	2	-	2	2	-	-	-	-	3	25	4	2	91	86
2251	Tate	164	10	-	-	-	-	-	-	-	-	1	22	-	-	71	64
2252	Tippah	141	2	-	-	-	1	1	-	-	-	-	22	2	-	71	64
2253	Tishomingo	137	7	-	-	1	1	-	-	-	-	-	14	2	-	59	56
2254	Tunica	243	13	3	-	1	-	-	-	-	1	-	15	3	1	97	71
2255	Union	178	1	2	-	-	-	-	-	-	-	1	21	1	-	90	85

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(Figures under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
2,136	29	5,417	436	65	662	859	72	204	102	116	149	202	2,569	436	812	147	355	2,501	2163
21	1	141	5	1	8	11	-	2	2	-	-	5	33	8	10	-	1	45	2164
17	1	103	4	-	7	8	-	2	2	-	-	2	12	3	6	-	1	28	2165
4	-	38	1	1	1	3	-	-	-	-	-	3	21	5	4	-	-	17	2166
32	-	66	13	1	9	14	1	-	2	1	-	6	3	2	10	2	2	33	2167
12	-	42	6	-	3	13	1	-	-	1	1	2	22	4	4	1	2	12	2168
43	1	78	4	1	4	15	2	2	-	2	-	2	37	8	9	1	6	30	2169
9	-	20	2	-	1	6	1	-	1	-	-	-	5	-	1	-	1	5	2170
70	-	173	10	2	30	29	3	12	3	3	6	5	127	13	31	2	20	90	2171
19	-	42	4	-	6	13	-	-	1	-	-	2	18	2	2	2	3	18	2172
7	-	47	4	1	3	10	-	1	-	-	1	1	25	1	6	2	2	11	2173
19	-	67	1	-	6	6	1	1	1	1	2	1	14	3	13	3	3	17	2174
7	-	28	2	-	7	2	2	2	-	-	2	1	11	2	5	1	-	9	2175
7	1	34	6	-	2	6	-	1	1	1	-	-	40	3	5	1	-	13	2176
25	-	63	2	-	1	7	-	2	-	-	1	1	20	6	10	2	2	22	2177
20	-	50	7	1	4	7	-	1	1	1	2	2	28	2	14	2	1	20	2178
53	-	132	12	1	16	20	3	14	5	5	2	5	89	12	20	4	17	57	2179
21	-	81	6	-	5	5	1	7	1	2	-	2	10	4	2	3	2	24	2180
32	-	71	6	1	11	15	2	7	4	3	2	3	79	8	18	1	15	33	2181
26	2	93	16	2	9	23	1	3	3	1	1	-	20	1	10	2	8	38	2182
16	-	41	5	1	5	6	1	-	-	1	-	2	10	3	9	1	1	14	2183
44	1	39	3	-	5	9	4	2	-	4	4	3	37	7	9	2	4	25	2184
50	1	115	10	4	6	21	2	3	1	1	1	8	24	18	14	7	6	57	2185
35	1	78	9	3	3	10	2	2	1	1	-	5	18	13	9	6	4	34	2186
15	-	37	1	1	3	11	-	1	-	-	1	3	6	5	5	1	2	23	2187
5	-	41	4	-	5	6	1	-	-	-	-	3	6	3	5	1	3	12	2188
7	-	27	-	1	4	6	-	-	2	-	1	-	4	3	1	-	-	6	2189
9	-	19	2	-	4	2	-	1	1	-	-	-	12	-	4	1	-	12	2190
21	-	39	5	-	6	11	-	2	-	7	3	1	35	9	9	-	2	23	2191
17	-	43	2	-	4	-	-	-	-	-	1	1	6	1	-	2	1	9	2192
62	1	169	13	5	11	18	2	2	7	-	3	9	28	12	28	5	3	97	2193
15	-	55	5	2	3	7	1	1	3	-	-	3	11	6	10	-	-	33	2194
25	1	57	4	2	2	8	-	-	2	-	1	4	7	1	10	-	-	37	2195
22	-	57	4	1	6	3	1	1	2	-	2	2	10	5	8	5	3	27	2196
127	2	339	22	6	39	47	4	17	11	9	6	12	120	34	54	8	23	137	2197
77	1	231	10	6	25	34	3	9	10	9	3	9	60	21	31	7	18	98	2198
50	1	108	12	-	14	13	1	8	1	1	3	3	60	13	23	1	5	39	2199
50	1	85	11	4	8	13	1	1	3	2	2	3	81	8	16	3	8	38	2200
20	2	51	4	-	7	10	-	2	1	3	3	3	66	6	6	1	9	22	2201
9	-	8	4	-	4	2	1	-	-	-	-	-	18	1	1	-	-	7	2202
4	-	27	6	-	-	4	-	2	-	1	-	-	7	3	7	2	-	15	2203
23	1	77	2	-	1	7	-	-	2	2	2	3	16	11	13	2	4	30	2204
25	1	48	3	-	6	11	1	-	2	2	3	2	19	4	8	1	5	24	2205
17	-	41	6	-	9	6	-	1	-	1	-	-	12	1	4	-	2	8	2206
7	-	29	1	-	2	5	-	3	1	1	1	-	19	2	7	-	-	21	2207
49	2	109	10	5	13	21	3	4	-	4	8	3	14	11	20	7	6	84	2208
27	1	61	4	4	8	10	1	2	-	3	4	2	6	5	9	2	1	51	2209
22	1	48	6	1	5	11	2	2	-	1	4	1	8	6	11	5	5	33	2210
19	1	35	1	-	3	4	-	3	-	2	1	1	22	2	4	-	2	10	2211
13	-	43	4	1	6	6	1	1	-	2	-	3	17	4	9	1	4	28	2212
10	-	26	4	-	3	7	-	1	-	-	-	2	10	3	8	1	-	11	2213
60	1	204	14	2	18	17	-	4	6	3	5	10	56	17	23	4	11	101	2214
42	1	144	8	-	14	13	-	2	5	2	2	7	28	8	10	4	9	72	2215
18	-	60	6	2	4	4	-	2	1	1	3	3	28	9	13	-	2	29	2216
8	-	35	4	-	6	12	1	2	-	-	-	-	5	3	4	3	3	14	2217
21	-	38	2	-	2	10	2	5	-	-	3	2	9	5	4	1	3	30	2218
43	1	88	11	1	19	15	-	7	1	1	2	5	29	3	11	1	3	44	2219
66	-	91	14	2	18	21	2	8	5	5	3	5	105	12	20	3	16	65	2220
34	-	58	7	1	2	5	1	-	1	1	-	3	21	5	3	1	3	20	2221
32	-	53	7	1	16	16	1	8	4	4	3	2	84	7	17	2	13	45	2222
28	-	92	9	1	13	17	2	3	-	2	4	1	17	7	11	1	3	39	2223
35	1	99	7	1	10	14	1	5	-	2	-	1	71	7	20	2	3	32	2224
24	-	60	3	1	7	7	1	3	-	1	-	-	32	4	7	1	1	21	2225
11	1	39	4	-	3	7	-	2	-	1	-	1	39	3	13	1	2	11	2226
35	-	78	8	1	16	14	-	4	-	4	2	1	57	4	9	3	7	42	2227
18	-	53	3	-	10	10	1	2	3	1	2	1	13	4	8	1	4	25	2228
30	-	58	6	1	3	9	1	6	-	-	1	2	28	3	7	2	4	11	2229
30	-	65	8	5	23	16	2	1	4	-	2	7	47	7	15	1	1	44	2230
19	-	37	4	-	5	3	-	1	-	1	2	1	19	8	9	2	1	17	2231
27	-	53	6	2	3	5	1	4	-	3	4	1	26	4	6	1	3	28	2232
17	-	58	2	1	3	4	-	2	1	-	-	2	29	2	10	2	3	35	2233
25	-	74	2	-	4	6	-	3	1	3	-	-	41	1	11	-	3	25	2234
22	-	48	1	-	5	3	1	3	1	-	4	2	18	2	7	-	2	27	2235
37	-	90	9	1	15	13	1	2	1	-	9	5	26	9	8	-	6	37	2236
19	-	44	1	-	4	7	1	2	-	1	1	3	15	1	12	1	3	22	2237
7	-	19	3	-	3	3	-	1	-	1	-	1	5	2	3	-	1	7	2238
37	-	120	15	1	16	21	1	6	1	2	2	3	22	8	8	3	8	56	2239
18	-	35	7	-	5	6	-	1	-	1	1	3	15	4	7	-	1	18	2240
19	-	56	2	-	3	14	-	1	1	-	-	-	33	2	5	1	-	21	2241
18	-	41	1	-	12	10	1	4	-	1	2	1	54	3	10	-	4	32	2242
27	-	54	9	-	4	5	-	-	1	2	1	1	28	6	9	2	12	19	2243
24	-	39	4	-	4	4	3	-	1	-	3	2	25	6	5	1	4	17	2244
17	-	39	2	-	8	7	-	1	-	-	-	2	23	4	6	2	3	22	2245
15	-	46	3	1	2	4	-	1	1	1	2	1	11	2	9	3	-	33	2246
24	-	34	2	-	2	4	2	-	1	1	1	1	7	3	3	1	1	15	2247
3	-	15	-	1	1	1	-	-	-	-	-	-	8	2	2	-	2	10	2248
46	1	112	7	1	20	27	2	18	4	1	1	3	85	8	22	3	8	55	2249
17	4	59	6	-	5	12	1	5	2	2	7	6	37	5	10	1	12	43	2250
22	-	42	-	-	7	9	-	1	2	1	-	1	14	3	9	-	2	18	2251
10	-	52	2	-	7	4	-	-	-	-	-	1	4	5	4	1	1	18	2252
15	-	39	2	-	3	8	-	-	2	-	2	4	10	5	3	1	-	18	2253
23	-	41	6	1	26	8	-	2	2	2	3	1	39	7	8	2	8	27	2254
21	-	61	3	-	5	7	1	-	-	2	-	4	27	3	5	3	2	8	2255

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-038, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MISSISSIPPI—Con.																
2256	Walthall	160	2	1	-	-	-	2	-	-	-	-	11	3	-	78	71
2257	Warren	531	14	6	-	-	-	-	-	-	-	1	55	4	1	243	229
2258	Vicksburg	393	10	4	-	-	-	-	-	-	-	1	37	4	1	198	190
2259	Balance of county	138	4	2	-	-	-	-	-	-	-	-	18	-	-	45	39
2260	Washington	856	26	6	-	9	-	-	-	-	1	6	83	3	1	291	260
2261	Greenville	356	10	3	-	3	-	-	-	-	-	-	32	3	-	156	138
2262	Balance of county	480	16	3	-	6	-	-	-	-	1	6	51	6	1	135	122
2263	Wayne	149	2	-	-	1	1	-	-	-	1	1	11	3	-	64	55
2264	Webster	94	3	1	-	1	-	-	-	-	-	-	14	1	-	38	36
2265	Wilkinson	151	4	1	-	-	-	-	-	-	-	-	11	1	-	68	65
2266	Winston	197	2	-	2	1	-	-	1	-	-	2	30	4	1	76	70
2267	Yalobusha	161	5	3	-	-	-	-	-	-	-	2	17	2	1	70	62
2268	Yazoo	399	8	3	-	-	-	-	-	-	-	2	30	5	-	153	141
2269	MISSOURI	43,825	1,059	278	6	25	22	25	22	129	27	112	6,208	690	57	23,466	22,350
2270	Adair	251	4	3	-	-	-	-	-	2	-	2	33	5	-	125	118
2271	Kirksville	160	2	1	-	-	-	-	-	1	-	1	22	3	-	80	78
2272	Balance of county	91	2	2	-	-	-	-	-	1	-	1	11	2	-	45	40
2273	Andrew	123	-	-	-	-	-	-	-	-	-	1	21	1	-	74	71
2274	Atchison	127	-	-	-	-	-	-	-	-	-	-	23	4	-	56	53
2275	Audrain	272	2	1	-	-	-	-	-	-	-	1	40	4	-	154	150
2276	Barry	207	6	-	-	-	-	-	-	-	-	2	25	3	-	117	107
2277	Barton	150	3	-	-	-	-	-	-	-	-	1	26	3	-	87	85
2278	Bates	203	6	-	-	-	-	-	-	-	-	-	31	2	-	108	89
2279	Benton	124	2	-	-	-	-	-	-	1	-	-	13	4	-	62	58
2280	Bollinger	114	3	1	-	-	-	-	-	1	-	1	15	3	-	64	59
2281	Boone	397	8	2	-	1	-	-	-	-	-	-	47	3	1	216	197
2282	Columbia	218	6	2	-	1	-	-	-	-	-	-	25	2	1	110	97
2283	Balance of county	179	2	-	-	-	-	-	-	-	-	-	22	1	-	106	100
2284	Buchanan	1,134	15	9	-	-	-	-	1	4	2	2	185	16	-	645	621
2285	St. Joseph	962	12	7	-	-	-	-	1	4	1	2	143	14	-	547	526
2286	Balance of county	172	3	2	-	-	-	-	-	-	1	-	22	2	-	98	95
2287	Butler	368	11	5	1	2	1	1	1	-	2	3	34	2	-	178	172
2288	Poplar Bluff	149	4	2	1	1	-	1	-	-	-	1	10	-	-	78	74
2289	Balance of county	219	7	3	-	1	1	-	1	-	2	2	24	3	-	100	98
2290	Caldwell	153	-	2	-	-	-	-	-	-	-	-	19	1	2	93	84
2291	Callaway	270	3	-	-	-	-	-	-	-	2	1	33	3	-	155	147
2292	Camden	88	3	-	-	-	-	-	-	-	-	-	6	1	-	60	53
2293	Cape Girardeau	377	11	3	1	-	-	-	-	4	-	-	44	4	-	194	185
2294	Cape Girardeau	210	6	2	-	-	-	-	-	2	-	-	23	1	-	104	98
2295	Balance of county	167	5	1	1	-	-	-	-	2	-	-	21	3	-	90	87
2296	Carroll	188	1	1	-	-	-	-	-	-	-	-	31	6	-	94	92
2297	Carter	60	1	-	-	-	-	-	-	-	-	-	9	1	1	34	31
2298	Cass	249	4	1	-	-	-	-	-	-	-	1	37	6	1	130	124
2299	Cedar	141	1	-	-	-	-	-	-	-	-	1	15	1	-	88	86
2300	Chariton	190	4	-	-	-	-	-	-	-	-	-	27	6	-	112	108
2301	Christian	142	6	2	-	-	-	-	-	1	-	-	17	1	-	87	85
2302	Clark	109	-	-	-	-	-	-	-	-	-	-	17	-	-	59	57
2303	Clay	420	3	1	-	-	-	-	-	3	1	1	48	5	-	225	216
2304	Clinton	180	1	1	-	-	-	-	-	-	-	-	24	-	-	101	97
2305	Cole	274	7	1	-	-	-	-	-	-	-	-	36	4	-	165	160
2306	Jefferson City	189	6	1	-	-	-	-	-	-	-	-	25	4	-	110	107
2307	Balance of county	85	1	-	-	-	-	-	-	-	-	-	11	-	-	55	53
2308	Cooper	209	5	2	-	1	-	-	-	-	1	-	20	2	-	115	108
2309	Crawford	128	4	1	-	-	-	-	-	-	-	-	14	2	1	69	68
2310	Dade	125	-	1	-	-	-	-	-	-	-	-	24	3	2	54	50
2311	Dallas	119	3	3	-	-	-	-	-	-	-	-	15	-	-	67	66
2312	Daviess	160	3	-	-	-	-	-	-	-	-	-	22	2	-	84	80
2313	De Kalb	88	1	1	-	-	-	-	-	-	-	-	12	1	1	50	48
2314	Dent	123	2	-	-	-	-	-	-	-	1	1	16	3	-	72	66
2315	Douglas	98	4	-	-	-	-	-	-	1	-	-	15	-	-	51	46
2316	Dunklin	410	17	3	-	2	2	1	1	2	3	5	47	3	2	176	158
2317	Franklin	384	3	2	-	1	-	-	-	2	-	-	39	8	-	223	216
2318	Gasconade	146	1	-	-	-	-	-	-	-	-	-	14	4	-	84	78
2319	Gentry	163	1	-	-	-	-	-	-	-	-	-	15	2	-	105	100
2320	Greene	1,120	23	3	-	-	-	-	-	1	1	3	161	14	1	616	586
2321	Springfield	777	17	2	-	-	-	-	-	1	-	1	113	10	-	427	413
2322	Balance of county	343	6	1	-	-	-	-	-	-	1	2	48	4	1	189	175
2323	Grundy	224	5	2	-	-	-	-	-	1	-	1	28	4	-	136	129
2324	Harrison	168	5	-	-	-	-	-	-	-	-	-	24	1	-	100	89
2325	Henry	298	3	-	-	-	-	-	-	-	-	-	38	7	-	177	168
2326	Hickory	84	1	-	-	-	-	-	-	-	-	-	8	3	-	38	35
2327	Holt	125	3	1	-	-	-	-	-	-	-	-	24	-	-	67	63
2328	Howard	154	4	-	-	-	-	-	-	-	-	-	24	6	-	83	76
2329	Howell	238	8	-	-	-	-	-	-	2	1	1	25	3	-	131	117
2330	Iron	111	3	-	-	-	-	2	-	-	-	-	14	3	-	40	39
2331	Jackson	6,155	166	48	-	1	-	2	2	16	1	12	911	98	8	3,168	3,082
2332	Kansas City	5,346	153	46	-	1	-	2	2	15	-	8	791	82	7	2,755	2,672
2333	Independence	305	8	1	-	-	-	-	-	-	-	2	44	6	-	162	152
2334	Balance of county	484	5	1	-	-	-	-	-	1	1	2	76	8	1	251	238
2335	Jasper	972	40	7	2	-	-	-	1	-	-	1	154	16	-	504	476
2336	Joplin (part)	459	22	7	-	-	-	-	1	-	-	1	78	5	-	239	231
2337	Joplin (total)	464	22	7	-	-	-	-	1	-	-	1	77	5	-	242	234
2338	Carthage	142	3	-	1	-	-	-	-	-	-	-	24	4	-	73	69
2339	Balance of county	371	15	-	1	-	-	-	-	-	-	-	54	7	-	192	178
2340	Jefferson	348	11	5	-	1	-	-	-	-	-	1	46	4	1	191	184
2341	Johnson	243	3	-	-	-	-	1	-	-	-	-	34	5	-	149	144
2342	Knox	93	1	-	-	1	-	-	-	-	-	-	8	2	-	53	48
2343	Laclede	194	8	-	-	-	-	1	1	-	-	-	27	-	1	88	85
2344	Lafayette	321	4	2	-	-	-	-	-	1	-	3	45	5	-	185	178
2345	Lawrence	248	7	-	1	-	1	1	-	-	-	-	34	7	-	130	124

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
14	-	56	1	-	7	4	-	1	-	-	1	2	14	2	7	2	1	29	2256
70	2	142	11	4	14	11	3	3	5	6	-	2	71	6	17	3	8	72	2257
63	1	116	7	3	8	7	1	2	5	4	-	2	38	5	11	2	6	55	2258
7	1	26	4	1	6	4	2	1	-	2	-	-	33	1	6	1	2	17	2259
76	-	181	3	-	31	33	3	2	1	3	9	6	192	13	37	5	18	82	2260
35	-	100	3	-	18	14	3	2	1	3	2	2	56	5	14	4	8	35	2261
41	-	81	-	-	13	19	-	-	-	-	7	4	136	8	23	1	10	47	2262
13	-	40	2	-	9	7	1	1	-	-	2	4	15	7	4	-	2	23	2263
5	-	28	3	-	2	3	1	-	-	-	-	3	5	2	4	3	3	12	2264
11	-	50	4	-	3	8	1	2	1	2	1	-	29	3	3	2	3	11	2265
19	-	47	3	1	6	14	-	1	2	1	1	2	13	3	5	2	2	32	2266
13	1	45	3	-	8	9	-	2	-	1	2	-	19	-	8	4	-	16	2267
42	-	94	5	-	12	16	1	1	1	2	4	4	78	11	18	4	19	39	2268
4,824	65	15,957	1,266	238	1,116	1,556	189	220	403	146	76	487	591	852	1,847	478	221	4,833	2269
28	1	77	9	3	7	8	-	-	3	1	1	2	2	2	7	4	1	46	2270
19	1	49	7	2	2	5	-	-	2	1	1	1	1	1	5	1	1	31	2271
9	-	28	2	1	5	3	-	-	1	-	-	1	1	1	2	3	-	15	2272
12	-	55	4	-	3	3	-	-	-	1	-	1	1	5	5	2	1	7	2273
14	-	33	4	2	3	6	-	2	1	1	-	-	4	3	7	-	-	20	2274
27	-	118	6	1	4	6	-	1	-	-	-	3	4	7	18	3	1	27	2275
28	-	70	9	-	10	7	2	1	-	2	-	2	3	7	7	4	-	19	2276
15	1	65	4	-	2	4	-	1	-	-	-	5	5	-	5	-	-	10	2277
19	1	63	5	1	19	6	1	-	1	-	-	4	4	5	12	3	-	20	2278
21	-	34	2	1	4	3	-	-	-	2	-	2	8	3	5	3	-	16	2279
19	-	36	3	1	5	4	-	2	2	-	1	2	2	2	3	-	-	8	2280
55	2	120	17	3	19	11	3	1	2	3	-	5	1	7	17	3	2	64	2281
33	2	53	6	3	13	8	2	-	1	2	-	5	1	3	6	3	2	38	2282
22	-	67	11	-	6	3	1	1	1	1	-	-	-	4	11	-	-	26	2283
161	-	432	23	5	24	56	5	4	6	5	-	21	5	16	41	10	-	106	2284
132	-	373	17	4	21	50	5	4	6	4	-	15	5	14	34	7	-	87	2285
29	-	59	6	1	3	6	-	-	-	1	-	6	-	2	7	3	-	19	2286
54	-	111	5	2	6	18	1	5	2	2	3	8	3	6	26	3	2	48	2287
29	-	45	-	-	4	8	1	2	2	-	1	5	3	1	6	2	-	20	2288
25	-	66	5	2	2	10	-	3	-	2	2	3	-	5	20	1	2	28	2289
28	1	50	5	-	9	4	1	1	-	-	-	2	2	2	3	1	-	20	2290
30	1	110	5	1	8	11	1	5	2	-	-	1	2	9	11	4	1	28	2291
9	1	40	2	1	7	3	-	-	-	-	-	1	-	1	8	-	-	4	2292
42	-	137	6	1	8	13	-	2	4	1	-	7	7	7	36	4	3	32	2293
25	-	69	4	-	5	6	-	1	2	1	-	4	2	2	29	3	2	20	2294
16	-	68	2	1	3	7	-	1	2	-	-	3	5	5	7	1	1	12	2295
33	1	49	9	-	2	7	2	-	1	-	-	1	3	7	5	10	1	-	19	2296
9	-	16	5	1	3	1	-	-	-	-	-	-	-	4	1	4	-	-	4	2297
38	-	71	11	3	6	5	2	1	1	2	1	4	3	7	7	3	3	30	2298
26	-	56	4	-	2	3	-	1	1	1	-	1	2	3	8	2	-	15	2299
36	-	68	4	-	4	8	2	1	-	1	-	1	5	5	7	2	-	9	2300
19	2	56	8	-	2	5	1	-	1	-	-	1	1	3	5	2	-	9	2301
18	-	36	3	-	2	10	-	-	-	-	-	-	2	3	4	-	-	14	2302
56	1	135	24	-	9	12	5	-	3	-	-	2	5	12	32	5	4	53	2303
23	1	65	7	1	4	5	2	1	2	1	-	1	1	5	12	1	-	22	2304
35	2	109	13	1	5	3	1	1	3	-	-	1	-	5	15	2	-	30	2305
27	1	71	7	1	3	1	1	1	3	-	-	-	-	2	11	1	-	23	2306
8	1	38	6	-	2	2	-	-	-	-	-	1	-	3	4	1	-	7	2307
27	-	68	11	2	7	5	1	-	1	2	1	2	3	4	13	3	2	26	2308
15	-	47	4	2	1	4	1	1	1	-	-	3	1	2	7	-	-	17	2309
13	-	31	6	-	4	5	1	-	1	1	-	1	5	4	6	-	-	17	2310
15	-	50	1	-	1	6	-	-	1	-	1	1	3	2	4	2	-	11	2311
19	-	55	6	-	4	10	-	1	1	-	-	3	2	2	13	2	-	15	2312
12	-	34	2	-	2	6	-	1	-	-	-	-	4	4	2	1	-	4	2313
15	1	45	5	-	6	5	1	1	-	-	-	2	-	4	2	2	1	10	2314
9	1	33	3	-	5	6	-	-	1	1	-	-	3	3	2	-	-	11	2315
26	1	124	6	1	18	33	-	9	-	-	3	9	6	11	20	3	5	47	2316
40	-	155	19	2	7	13	1	1	1	-	1	5	4	7	15	5	-	53	2317
23	-	50	4	1	6	7	1	-	4	1	-	4	1	2	3	-	-	20	2318
30	-	65	5	-	5	5	-	1	-	1	-	2	-	5	7	1	-	18	2319
124	4	423	35	2	28	34	6	2	8	2	4	12	10	22	42	11	2	142	2320
81	3	302	25	2	14	23	3	1	7	1	3	8	8	16	34	9	2	91	2321
43	1	121	10	-	14	11	3	1	1	1	1	4	2	6	8	2	-	51	2322
23	-	86	20	-	7	6	1	-	1	-	1	-	-	5	7	4	-	22	2323
28	1	54	4	2	11	4	1	-	-	-	-	-	-	3	6	5	-	19	2324
54	-	105	8	1	9	15	3	2	-	1	-	3	3	5	12	3	-	28	2325
10	-	24	1	-	3	1	-	-	1	-	-	1	1	1	6	-	-	3	2326
19	-	37	6	1	4	5	-	-	2	-	-	2	1	4	4	-	-	12	2327
18	-	51	7	-	7	3	1	2	-	-	-	2	-	2	8	2	-	17	2328
26	1	84	4	-	14	10	1	1	1	-	1	4	6	4	7	3	1	28	2329
13	-	23	3	-	1	14	1	-	1	1	-	2	1	2	3	1	1	22	2330
576	9	2,287	139	51	106	250	41	21	90	12	11	68	102	90	261	70	45	643	2331
482	7	2,004	131	48	83	225	36	17	83	11	8	56	87	71	211	83	44	572	2332
34	-	114	4	-	10	14	4	2	3	1	1	2	7	7	12	2	-	27	2333
60	2	169	4	3	13	11	1	2	4	-	2	10	8	12	38	5	1	44	2334
102	2	351	20	3	26	28	3	3	3	2	2	11	5	21	49	9	-	111	2335
55	-	167	8	1	8	13	1	2	-	1	1	4	1	10	20	2	-	53	2336
55	-	170	8	1	8	13	1	3	-	1	1	4	1	10	20	2	-	53	2337
12	-	51	6	-	4	4	-	-	1	-	-	-	-	2	11	2	-	17	2338
35	2	133	6	2	14	11	2	1	2	1	1	7	4	9	18	5	-	41	2339
31	2	141	8	2	7	6	2	2	7	1	1	2	4	10	16	9	1	27	2340
42	-	91	11	-	5	5	1	1	-	-	-	3	-	7	11	6	1	16	2341
9	-	38	1	-	5	4	1	-	2	-	-	-	2	2	5	2	1	9	2342
18	-	61	2	2	5	12	1	2	3	1	1	3	4	6	10	1	-	24	2343
37	-	130	10	1	7	6	1	1	1	1	1	4	3	8	17	4	-	29	2344
24	-	92	8	-	6	9	1	3	3	2	-	-	3	5	15	-	-	26	2345

TABLE 24.—DEATHS FROM 82 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-038, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	MISSOURI—Continued																
2346	Lewis	159	3	-	-	-	-	-	-	-	-	3	26	3	-	86	82
2347	Lincoln	154	5	-	-	-	-	-	-	-	-	1	21	2	-	98	92
2348	Linn	261	2	1	-	-	-	-	-	-	-	-	23	6	-	162	149
2349	Livingston	207	5	-	-	-	-	-	-	-	-	1	26	3	-	122	118
2350	McDonald	150	3	-	-	-	1	-	-	-	-	-	20	1	-	86	79
2351	Macon	258	2	1	-	-	-	-	-	1	-	2	30	3	1	133	129
2352	Madison	96	1	-	-	-	-	-	-	-	-	4	10	1	1	52	49
2353	Maries	55	-	-	-	-	-	1	-	-	-	-	8	1	-	25	22
2354	Marion	428	5	3	-	-	-	-	-	1	-	-	54	9	1	254	241
2355	Hannibal	299	3	2	-	-	-	-	-	1	-	-	37	7	1	178	170
2356	Balance of county	129	2	1	-	-	-	-	-	-	-	-	17	2	-	76	71
2357	Mercer	79	1	-	-	-	-	-	-	-	-	-	13	1	-	48	45
2358	Miller	122	1	-	-	-	-	1	-	-	-	-	15	6	-	66	63
2359	Mississippi	256	14	-	-	-	2	-	1	-	2	2	22	2	1	118	107
2360	Moniteau	149	2	-	-	-	-	-	-	1	-	1	21	2	-	91	88
2361	Monroe	157	1	-	-	-	-	-	-	1	-	-	26	3	-	90	87
2362	Montgomery	161	2	2	-	-	-	-	-	-	1	1	18	1	-	98	89
2363	Morgan	128	3	1	-	-	-	-	-	-	-	-	9	1	-	84	83
2364	New Madrid	350	15	2	-	5	3	7	1	3	2	4	31	6	1	121	111
2365	Newton	305	13	1	-	-	-	-	-	-	-	-	36	3	-	173	160
2366	Joplin (part)	5	-	-	-	-	-	-	-	-	-	-	1	-	-	3	3
2367	Balance of county	300	13	1	-	-	-	-	-	-	-	-	35	3	-	170	157
2368	Nodaway	258	1	1	-	-	-	-	-	-	1	2	38	1	-	148	140
2369	Oregon	109	10	1	-	-	-	-	-	1	-	3	18	1	-	48	45
2370	Osage	111	2	1	-	-	-	-	-	2	1	1	12	2	-	61	61
2371	Ozark	66	2	-	-	-	-	-	-	-	-	1	8	-	-	30	27
2372	Pemiscot	441	13	4	-	-	4	2	-	5	1	-	35	6	3	149	138
2373	Perry	125	2	-	-	-	-	-	-	-	-	1	11	2	-	70	68
2374	Pettis	447	7	4	-	-	-	-	1	-	-	2	56	6	-	249	236
2375	Sedalia	308	7	4	-	-	-	-	1	-	-	2	42	3	-	160	151
2376	Balance of county	139	-	-	-	-	-	-	-	-	-	-	14	3	-	89	85
2377	Phelps	212	3	1	-	-	-	-	-	1	-	-	39	-	-	102	91
2378	Pike	253	7	2	-	-	-	-	-	-	-	-	33	3	-	129	124
2379	Platte	140	1	1	-	-	-	-	-	-	-	-	11	2	-	81	80
2380	Polk	198	5	-	-	-	-	-	-	-	-	1	18	4	-	130	127
2381	Pulaski	113	1	1	-	-	-	-	-	1	-	-	13	1	-	58	57
2382	Putnam	126	2	-	-	-	-	-	-	-	-	-	18	2	-	73	64
2383	Ralls	112	2	-	-	-	-	-	-	-	-	1	17	-	1	64	61
2384	Randolph	303	3	1	-	-	-	-	-	2	-	-	40	-	1	182	171
2385	Moberly	173	1	1	-	-	-	-	-	1	-	-	30	-	1	96	91
2386	Balance of county	130	2	-	-	-	-	-	-	1	-	-	10	-	-	86	80
2387	Ray	201	1	1	-	-	-	-	-	-	-	-	41	6	-	110	105
2388	Reynolds	61	2	-	-	-	-	-	-	1	-	-	10	3	-	28	25
2389	Ripley	109	3	1	-	-	-	-	-	-	-	1	17	1	-	48	46
2390	St. Charles	289	-	-	-	-	-	-	-	2	-	1	40	4	-	194	187
2391	St. Charles	154	-	-	-	-	-	-	-	1	-	1	22	1	-	104	101
2392	Balance of county	145	-	-	-	-	-	-	-	1	-	-	18	3	-	90	86
2393	St. Clair	108	2	-	-	-	-	-	-	-	-	-	17	2	-	65	62
2394	St. Francois	387	5	4	-	2	-	1	-	4	-	2	60	3	-	207	197
2395	St. Louis	3,047	47	16	-	1	2	1	5	16	-	11	521	51	2	1,592	1,524
2396	University City	347	2	-	-	-	-	-	-	1	-	-	76	6	-	199	195
2397	Clayton	175	2	-	-	-	-	-	-	-	-	-	35	1	-	98	96
2398	Kirkwood	183	3	-	-	-	-	-	1	2	-	2	29	3	-	101	101
2399	Maplewood	137	4	-	-	-	-	-	-	-	-	1	25	2	-	80	77
2400	Richmond Heights	109	3	-	-	-	-	-	-	1	-	-	22	4	-	51	49
2401	Webster Groves	216	3	4	-	-	1	-	1	-	-	1	38	4	-	127	126
2402	Balance of county	1,870	30	12	-	1	1	1	3	12	-	7	300	31	2	936	880
2403	St. Louis (city)	10,534	340	102	1	2	3	-	6	39	-	12	1,853	197	20	5,587	5,364
2404	Ste. Genevieve	99	2	-	-	-	-	-	-	-	-	-	15	1	-	55	54
2405	Saline	339	6	1	-	-	-	-	-	-	-	1	50	9	-	185	172
2406	Schuyler	76	1	-	-	-	-	-	-	-	-	-	10	-	1	45	43
2407	Scotland	131	3	-	-	-	-	-	-	-	-	-	21	-	-	74	72
2408	Scott	289	15	3	-	-	-	-	-	1	-	2	32	4	-	139	133
2409	Shannon	62	2	-	-	-	-	-	-	-	-	-	6	4	-	31	29
2410	Shelby	144	1	2	-	-	-	-	-	-	-	-	20	4	-	88	77
2411	Stoddard	333	9	-	-	4	1	2	-	-	-	2	37	6	1	149	141
2412	Stone	82	3	1	-	-	-	-	-	-	-	1	8	-	-	40	40
2413	Sullivan	167	2	-	-	1	-	-	-	-	-	-	24	1	-	97	86
2414	Taney	99	3	-	-	-	-	-	-	1	-	-	16	1	-	54	53
2415	Texas	228	7	2	-	-	-	-	1	-	2	-	32	3	1	123	115
2416	Vernon	268	2	1	-	-	1	-	-	1	-	-	32	3	-	185	176
2417	Warren	86	-	-	-	-	-	-	-	-	-	-	7	-	-	59	57
2418	Washington	157	8	-	-	-	-	-	-	2	-	1	18	5	-	80	76
2419	Wayne	88	4	1	-	-	-	1	-	-	-	-	5	1	-	45	41
2420	Webster	182	5	-	-	-	1	-	-	-	1	-	15	1	-	96	88
2421	Worth	69	-	1	-	-	-	-	-	-	-	-	10	-	-	32	28
2422	Wright	172	3	-	-	-	-	-	-	1	-	2	22	1	-	90	84
2423	MONTANA	5,878	109	35	1	3	3	2	3	13	3	21	729	102	4	2,958	2,854
2424	Beaverhead	101	1	2	-	1	-	-	-	-	-	-	18	-	-	51	48
2425	Big Horn	83	9	-	-	-	-	-	-	3	-	2	4	2	1	30	29
2426	Blaine	85	3	2	-	-	-	1	-	-	-	2	10	-	-	35	34
2427	Broadwater	36	-	-	-	-	-	-	-	-	-	-	8	-	-	11	10
2428	Carbon	107	1	2	-	-	-	-	-	-	-	-	14	1	-	60	58
2429	Carter	21	-	-	-	-	-	-	-	-	-	-	2	-	-	6	6
2430	Cascade	535	5	3	-	2	-	-	1	-	-	1	79	8	1	271	264
2431	Great Falls	427	4	2	-	1	-	-	1	-	-	1	69	6	1	209	202
2432	Balance of county	108	1	1	-	1	-	-	-	-	-	-	10	2	-	82	82
2433	Chouteau	55	-	-	-	-	-	-	-	-	-	-	4	1	-	35	35
2434	Custer	117	1	-	-	-	-	-	-	2	-	-	17	3	-	66	61
2435	Daniels	28	-	-	-	-	-	-	-	-	-	-	3	2	-	15	15

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E986	All other causes Residual	
18	-	57	6	1	4	3	-	1	-	-	-	1	1	2	6	3	1	18	2346
21	-	65	5	1	6	3	-	-	-	-	-	-	2	2	5	4	1	10	2347
29	-	104	15	1	13	4	1	-	-	2	7	-	7	8	5	10	2	-	23	2348
35	-	75	8	-	4	11	-	-	-	1	1	-	3	2	2	6	2	-	20	2349
28	1	44	5	-	7	10	-	-	-	2	1	-	2	1	1	8	4	1	9	2350
30	-	89	8	2	4	10	2	1	1	-	-	1	1	7	6	14	4	-	38	2351
11	-	36	1	1	3	8	-	-	1	-	-	-	-	-	4	4	2	-	8	2352
5	-	14	3	-	3	4	1	-	1	-	-	1	-	1	1	3	2	-	6	2353
48	1	173	20	1	13	13	1	-	1	5	1	5	8	11	17	6	-	-	33	2354
33	1	123	12	1	8	9	1	-	1	4	1	3	6	7	8	4	-	-	26	2355
13	-	50	8	-	5	4	-	-	-	1	-	2	2	4	9	2	-	-	7	2356
10	-	33	2	-	3	2	-	-	-	-	-	-	1	1	3	1	1	1	7	2357
22	-	37	3	1	3	5	-	1	1	1	-	1	1	1	3	4	-	-	15	2358
34	-	72	1	-	11	16	2	5	1	-	4	2	7	5	9	3	2	-	36	2359
17	-	53	17	1	3	5	1	-	1	-	-	4	1	1	6	1	-	-	11	2360
19	-	63	4	1	3	5	-	1	1	1	1	3	2	3	5	3	-	-	11	2361
15	-	69	3	2	7	5	-	-	1	3	-	2	1	7	7	2	2	-	10	2362
25	-	45	11	1	1	2	-	-	1	-	-	1	4	3	8	-	-	-	11	2363
28	-	71	12	-	10	23	2	17	1	-	-	3	6	8	13	16	2	4	54	2364
37	-	115	6	2	13	12	3	6	-	2	-	-	7	3	2	16	3	-	25	2365
-	-	3	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	2366
37	-	112	6	2	13	12	3	5	-	2	-	-	7	3	2	16	3	-	25	2367
30	-	103	8	1	8	7	-	-	4	1	-	1	3	5	13	3	2	-	27	2368
9	-	33	2	1	3	6	-	1	-	-	-	1	-	2	1	5	-	-	11	2369
11	-	45	4	1	-	2	1	-	2	1	-	-	-	2	2	5	2	-	12	2370
4	1	20	2	-	3	2	1	-	-	-	-	-	-	1	2	4	-	-	15	2371
36	-	94	7	1	11	34	4	20	3	1	3	2	29	13	16	4	11	72	2372
18	-	46	4	-	2	3	1	1	1	-	1	2	4	5	6	-	-	15	2373
49	-	178	8	1	13	25	2	1	-	1	2	2	2	15	17	4	1	50	2374
30	-	115	6	-	9	18	2	1	-	1	2	2	2	10	13	2	1	35	2375
19	-	63	2	1	4	7	-	-	-	-	-	-	-	5	4	2	-	15	2376
20	1	67	2	1	11	5	-	1	3	2	-	5	-	7	9	2	-	32	2377
25	-	89	9	1	5	13	1	3	2	1	-	5	5	5	13	1	-	30	2378
20	1	56	3	-	1	7	3	-	-	1	-	-	1	1	7	3	-	21	2379
28	1	91	7	-	3	5	1	-	-	1	-	1	3	4	6	-	-	17	2380
12	1	35	6	3	1	6	1	1	-	-	-	1	4	4	7	-	-	14	2381
15	1	43	5	-	9	2	-	1	-	1	-	-	2	2	7	1	1	14	2382
13	-	43	3	2	3	3	-	1	1	1	1	1	4	-	5	1	1	8	2383
37	-	115	19	2	11	9	1	2	-	1	-	-	8	4	10	7	1	31	2384
14	-	63	14	-	5	6	1	1	-	1	-	-	5	1	7	5	1	15	2385
23	-	50	5	2	6	3	-	1	-	-	-	-	3	3	3	2	-	16	2386
35	-	64	6	-	5	3	-	1	1	-	-	3	2	4	4	2	-	16	2387
9	-	14	2	-	3	2	-	1	-	-	-	-	2	6	-	1	1	4	2388
16	-	28	1	1	2	11	-	-	-	-	-	1	1	2	1	3	-	-	19	2389
33	-	128	25	1	7	6	-	-	1	-	-	1	7	2	7	9	-	-	25	2390
19	-	65	17	-	3	-	-	-	1	-	-	-	4	1	4	2	-	-	13	2391
14	-	63	8	1	4	6	-	-	-	-	-	1	3	1	3	7	-	-	13	2392
13	-	42	3	-	7	2	-	-	-	2	-	-	-	2	2	5	2	1	8	2393
38	-	147	10	2	10	19	2	-	2	-	-	1	4	4	4	11	2	2	48	2394
271	3	1,162	69	19	68	72	12	12	34	7	3	40	94	73	85	37	10	293	2395
43	-	141	10	1	4	6	1	-	5	1	-	3	10	4	7	2	1	23	2396
14	-	75	5	2	2	3	-	-	1	2	-	-	7	7	3	3	-	13	2397
16	-	81	4	-	-	6	-	1	2	-	2	1	5	4	7	2	-	22	2398
14	-	58	3	2	3	2	-	-	2	-	-	1	4	1	3	2	1	11	2399
10	-	33	5	1	2	2	-	-	1	-	-	1	2	6	3	-	-	13	2400
24	-	90	9	3	1	3	-	1	1	1	-	2	4	1	5	4	-	17	2401
150	3	684	33	10	56	50	11	10	22	3	1	32	62	50	67	24	8	194	2402
1,024	14	3,970	287	69	223	281	37	37	153	31	10	100	51	166	430	104	91	1,081	2403
7	-	43	4	-	1	5	-	-	1	1	-	1	-	3	2	2	-	11	2404
40	-	115	14	3	13	13	2	1	-	6	-	5	2	6	9	8	-	34	2405
11	-	31	1	-	2	2	-	-	1	-	-	-	-	1	-	2	-	1	12	2406
15	1	51	2	3	2	6	-	-	-	-	-	-	-	-	5	10	1	-	11	2407
18	-	111	4	-	6	11	-	4	-	-	-	2	3	3	4	18	4	2	42	2408
5	1	20	2	1	2	8	-	1	-	-	-	-	-	2	-	3	1	-	4	2409
20	-	53	4	-	11	5	1	1	-	2	-	1	-	2	2	3	2	1	9	2410
44	-	92	3	2	8	23	-	6	1	1	-	5	15	11	23	6	-	-	31	2411
12	-	27	1	-	-	4	-	-	1	-	-	2	-	3	4	-	-	-	14	2412
19	-	57	8	2	11	5	-	-	2	1	-	-	2	-	6	4	1	2	21	2413
10	-	38	3	2	1	5	2	-	-	-	-	2	1	-	1	-	2	-	11	2414
23	-	82	8	2	8	9	-	-	-	1	1	3	1	7	8	3	-	-	24	2415
49	-	115	11	1	9	4	1	2	-	-	-	2	6	2	5	1	-	-	20	2416
8	-	48	1	-	2	2	-	-	1	-	-	1	-	1	4	2	-	-	9	2417
26	-	46	4	-	4	14	2	2	1	-	2	-	1	-	5	-	1	-	15	2418
8	-	29	4	-	4	6	-	1	2	2	-	2	1	8	3	-	-	-	6	2419
19	-	60	9	-	8	12	-	1	-	3	-	2	6	7	9	2	-	-	21	2420
9	-	18	1	-	4	4	1	-	1	-	-	-	-	9	2	-	-	-	9	2421
27	1	50	6	-	6	7	-	2	-	2	-	3	4	4	9	3	1	-	18	2422
601	9	2,002	211	51	104	157	32	26	40	27	14	88	140	152	400	89	21	-	706	2423
7	-	36	2	1	5	2	-	-	-	2	-	-	-	5	4	6	1	1	7	2424
5	1	23	-	-	1	3	-	-	-	-	-	-	-	5	4	9	5	-	6	2425
9	-	22	3	-	1	3	-	1	-	-	-	-	3	1	5	8	-	-	11	2426
-	-	8	2	-	1	4	1	-	-	-	-	1	1	2	-	-	-	-	8	2427
8	-	40	8	2	2	4	-	-	-	-	-	1	1	3	2	7	1	-	10	2428
1	-	5	-	-	-	1	1	-	-	-	-	-	-	1	-	4	-	-	5	2429
47	2	201	11	3	7	15	3	-	9	3	-	9	8	5	22	10	3	-	78	2430
34	1	155	9	3	7	12	3	-	9	1	-	5	7	4	18	7	1	-	66	2431
13	1	46	2	-	-	3	-	-	-	2	-	4	1	1	4	3	1	-	12	2432
5	-	28	1	1	-	1	-	-	-	-	-	-	1	1	3	2	-	-	7	2433
12	-	48	1	-	5	2	2	-	-	1	1	-	1	1	3	6	1	2	8	2434
5	-	9	1	-	-	-	1	-	-	-	-	2	-	2	1	-	-	-	2	2435

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatis and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 582-594	Diseases of cardiovascular system 330-334, 400-468
	MONTANA—Continued																
2436	Dawson	75	1	-	-	-	-	-	-	-	-	-	11	-	-	38	38
2437	Deer Lodge	176	3	-	-	-	-	-	-	-	-	-	29	7	-	90	89
2438	Anaconda	158	3	-	-	-	-	-	-	-	-	-	26	7	-	79	78
2439	Balance of county	18	-	-	-	-	-	-	-	-	-	-	3	-	-	11	11
2440	Fallon	33	-	-	-	-	-	-	-	-	-	1	6	-	-	19	16
2441	Fergus	150	1	2	-	-	2	-	-	-	-	-	14	3	-	67	64
2442	Flathead	268	1	-	-	-	-	-	1	-	-	-	34	2	-	140	136
2443	Gallatin	202	2	-	-	-	-	-	-	1	-	-	29	3	-	108	103
2444	Garfield	14	-	-	-	-	-	-	-	-	-	-	1	1	-	5	5
2445	Glacier	74	6	1	1	-	-	-	-	-	2	-	6	2	-	19	19
2446	Golden Valley	13	-	-	-	-	-	-	-	-	-	-	1	2	-	5	5
2447	Granite	30	1	-	-	-	-	-	-	-	-	-	6	-	-	14	13
2448	Hill	136	5	1	-	-	-	-	-	-	-	1	21	1	-	60	58
2449	Jefferson	42	1	-	-	-	-	-	-	-	-	1	2	1	-	26	24
2450	Judith Basin	33	-	-	-	-	-	-	-	-	-	-	2	-	-	16	15
2451	Lake	138	2	-	-	-	-	-	-	-	-	-	11	2	-	75	72
2452	Lewis and Clark	267	3	1	-	-	-	-	-	-	-	-	37	4	-	155	147
2453	Helena	208	3	-	-	-	-	-	-	-	-	-	32	2	-	119	115
2454	Balance of county	59	-	1	-	-	-	-	-	-	-	-	5	2	-	36	32
2455	Liberty	12	-	1	-	-	-	-	-	-	-	-	-	-	-	2	2
2456	Lincoln	80	1	1	-	-	-	-	-	-	-	-	9	-	-	50	49
2457	McCone	29	-	1	-	-	-	-	-	-	-	-	4	-	-	10	10
2458	Madison	76	2	-	-	-	-	-	-	-	-	-	8	3	-	41	41
2459	Meagher	26	2	1	-	-	-	-	-	-	-	-	2	-	-	15	15
2460	Mineral	33	-	-	-	-	-	-	-	-	-	-	2	-	-	19	18
2461	Missoula	303	4	3	-	-	-	-	-	-	-	3	37	9	1	148	146
2462	Missoula	247	4	3	-	-	-	-	-	-	-	2	31	9	1	119	118
2463	Balance of county	56	-	-	-	-	-	-	-	-	-	1	6	-	-	29	28
2464	Musselshell	49	-	-	-	-	-	-	-	-	-	1	9	-	-	28	27
2465	Park	127	2	-	-	-	-	-	-	-	-	1	11	2	-	79	76
2466	Petroleum	12	-	-	-	-	-	-	-	-	-	-	2	-	-	5	5
2467	Phillips	71	-	-	-	-	-	-	-	-	-	1	12	1	-	38	38
2468	Pondera	68	1	-	-	-	-	1	-	-	1	-	8	1	-	25	25
2469	Powder River	20	-	-	-	-	-	-	-	-	-	-	1	-	-	11	11
2470	Powell	72	2	-	-	-	-	-	-	1	-	-	5	-	-	38	38
2471	Prairie	22	-	-	-	-	-	-	-	-	-	-	3	2	-	12	12
2472	Ravalli	113	1	-	-	-	-	-	-	-	-	-	11	2	-	58	58
2473	Richland	86	1	-	-	-	-	-	-	1	-	1	8	2	-	42	38
2474	Roosevelt	109	7	-	-	-	1	-	-	-	-	-	14	1	-	47	47
2475	Rosebud	66	4	1	-	-	-	-	-	-	-	-	6	-	-	29	28
2476	Sanders	80	2	-	-	-	-	-	-	-	-	2	6	3	-	44	42
2477	Sheridan	66	-	-	-	-	-	-	-	-	-	-	13	1	-	31	31
2478	Silver Bow	704	27	5	-	-	-	-	-	3	-	-	88	9	-	368	354
2479	Butte	644	26	4	-	-	-	-	-	3	-	-	79	8	-	339	325
2480	Balance of county	60	1	1	-	-	-	-	-	-	-	-	9	1	-	29	29
2481	Stillwater	61	-	-	-	-	-	-	-	-	-	1	7	3	-	31	30
2482	Sweet Grass	29	-	-	-	-	-	-	-	-	-	-	3	1	-	20	19
2483	Teton	54	-	-	-	-	-	-	-	-	-	-	11	1	-	29	28
2484	Toole	55	1	1	-	-	-	-	-	-	-	1	1	-	-	26	23
2485	Treasure	7	-	1	-	-	-	-	-	-	-	-	2	-	-	2	1
2486	Valley	100	-	1	-	-	-	-	-	-	-	-	14	2	1	48	48
2487	Wheatland	34	1	1	-	-	-	-	1	-	-	-	4	2	-	15	15
2488	Wibaux	23	-	-	-	-	-	-	-	-	-	-	1	-	-	17	17
2489	Yellowstone	460	5	4	-	-	-	-	-	2	-	2	58	12	-	213	202
2490	Billings	341	5	2	-	-	-	-	-	1	-	2	39	9	-	169	162
2491	Balance of county	119	-	2	-	-	-	-	-	1	-	-	19	3	-	44	40
2492	Yellowstone Nat. Park (part)	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
2493	NEBRASKA	12,644	154	48	-	2	2	4	1	49	1	37	1,972	234	14	6,573	6,342
2494	Adams	245	8	1	-	-	-	-	-	1	-	1	33	4	3	128	123
2495	Hastings	179	6	1	-	-	-	-	-	1	-	-	23	2	1	100	100
2496	Balance of county	66	2	-	-	-	-	-	-	-	-	1	10	2	2	28	23
2497	Antelope	99	1	-	-	-	-	-	-	-	-	1	9	1	-	59	55
2498	Arthur	5	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
2499	Banner	2	1	-	-	-	-	-	-	-	-	-	-	-	-	1	1
2500	Blaine	6	-	1	-	-	-	-	-	-	-	-	-	-	-	3	3
2501	Boone	95	-	-	-	-	-	-	-	-	-	-	18	2	-	40	40
2502	Box Butte	111	-	-	-	-	-	-	-	-	-	-	20	1	-	42	40
2503	Boyd	62	1	-	-	-	-	-	-	-	-	-	16	2	-	25	23
2504	Brown	60	-	-	-	-	-	-	-	-	-	-	7	4	-	39	39
2505	Buffalo	268	2	-	-	-	-	-	-	-	1	1	42	5	1	134	128
2506	Burt	113	1	1	-	-	-	-	-	2	-	-	20	2	-	68	67
2507	Butler	103	-	1	-	-	-	-	-	1	-	1	19	2	-	47	46
2508	Cass	171	1	1	-	-	-	-	-	1	-	1	28	5	-	99	98
2509	Cedar	118	2	1	-	-	-	-	-	-	-	-	21	-	1	60	58
2510	Chase	55	-	-	-	-	-	-	-	-	-	-	9	-	-	26	23
2511	Cherry	61	1	-	-	-	-	-	-	-	-	-	12	-	-	25	23
2512	Cheyenne	88	-	-	-	-	-	-	-	-	-	3	11	-	-	36	35
2513	Clay	123	-	-	-	-	-	-	-	-	-	1	19	4	-	75	72
2514	Colfax	90	-	-	-	-	-	-	-	1	-	-	22	2	-	40	39
2515	Cuming	120	1	-	-	-	-	-	-	-	-	1	26	5	-	56	55
2516	Custer	188	-	1	-	-	-	-	-	1	-	-	23	4	-	88	85
2517	Dakota	93	1	-	-	-	-	-	-	-	-	-	16	1	-	49	47
2518	Dawes	107	1	-	-	-	-	-	-	-	-	-	11	1	-	69	61
2519	Dawson	154	2	-	-	-	-	-	-	1	-	1	24	3	-	67	65
2520	Deuel	39	-	1	-	-	-	-	-	-	-	1	3	-	-	20	20
2521	Dixon	97	1	-	-	-	-	-	-	1	-	-	18	3	-	45	45
2522	Dodge	242	5	-	-	-	-	-	-	2	-	1	25	4	-	138	130
2523	Fremont	156	4	-	-	-	-	-	-	-	-	1	13	2	-	89	86
2524	Balance of county	86	1	-	-	-	-	-	-	2	-	-	12	2	-	49	44

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-445	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia, except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 580,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
10	-	23	5	-	-	1	1	1	1	-	1	1	3	-	6	3	-	7	2436
24	-	57	6	2	1	2	1	-	2	-	-	2	4	2	11	3	-	20	2437
21	-	49	6	2	1	2	1	-	2	-	-	2	3	2	10	3	-	18	2438
3	-	8	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	2439
2	-	12	2	-	3	-	-	-	-	-	-	-	2	-	2	-	-	3	2440
11	-	50	3	-	3	2	2	1	1	-	-	3	2	6	22	4	-	18	2441
35	-	95	5	1	4	8	-	-	3	-	1	3	1	5	28	-	1	42	2442
19	-	75	8	1	5	6	1	-	1	-	1	5	2	8	10	2	-	23	2443
1	-	4	-	-	-	1	-	-	1	-	1	-	-	-	-	-	-	4	2444
4	-	14	1	-	-	8	-	1	1	-	-	3	2	3	10	1	1	9	2445
2	-	3	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	2446
1	-	11	1	-	1	-	1	-	-	-	1	-	1	-	2	-	-	4	2447
8	-	47	3	-	2	6	-	1	1	1	1	5	6	3	6	3	-	16	2448
3	-	19	2	-	2	-	-	-	1	-	-	-	-	3	4	-	1	2	2449
3	-	11	1	-	1	2	1	-	-	-	-	1	1	2	3	1	-	4	2450
15	1	50	3	3	3	2	1	1	1	1	-	6	10	-	9	2	-	15	2451
24	-	111	11	1	8	4	-	1	2	-	1	5	5	4	16	2	1	28	2452
20	-	85	9	1	4	2	-	1	2	-	1	4	3	3	13	2	-	21	2453
4	-	26	2	-	4	2	-	-	-	-	-	1	2	1	3	-	1	5	2454
1	-	1	-	-	-	-	-	-	1	-	-	-	-	-	2	-	-	6	2455
9	1	34	5	-	1	5	-	-	-	-	-	-	6	1	8	3	1	5	2456
6	-	2	2	-	-	1	-	-	-	-	-	-	1	3	4	-	-	5	2457
6	1	31	3	-	-	1	1	-	-	-	-	-	3	1	8	2	-	6	2458
5	-	8	1	1	-	-	1	-	-	-	-	-	2	-	1	-	-	2	2459
4	-	13	-	1	1	-	-	-	-	-	-	-	-	2	6	-	-	4	2460
32	-	97	17	-	2	4	1	2	-	-	1	-	6	8	9	27	7	1	32	2461
26	-	78	14	-	1	4	1	1	-	-	1	-	6	7	8	18	4	1	27	2462
6	-	19	3	-	1	-	-	1	-	-	-	-	-	1	1	9	3	-	5	2463
10	-	16	-	1	1	-	-	-	-	-	-	-	-	1	1	-	1	-	8	2464
13	-	51	11	1	3	1	-	1	1	1	-	2	2	4	5	1	-	14	2465
1	-	4	-	-	-	-	-	-	-	2	-	-	-	2	-	-	-	3	2466
16	-	21	-	1	-	2	-	-	-	1	-	-	-	-	4	2	-	9	2467
8	-	16	1	-	-	3	-	1	-	-	-	-	2	5	5	2	-	12	2468
3	-	7	1	-	-	1	-	-	-	-	-	1	-	1	2	1	-	2	2469
12	-	21	3	-	2	7	1	1	-	-	-	2	-	5	4	1	-	5	2470
5	-	7	-	-	-	1	-	-	-	-	1	-	1	1	-	-	-	1	2471
12	-	28	19	-	-	4	2	-	-	3	-	2	10	-	6	4	-	10	2472
11	-	24	3	-	4	5	-	-	-	-	-	4	1	-	8	2	-	11	2473
11	-	31	5	-	-	3	1	2	2	2	1	1	1	10	1	1	1	13	2474
4	-	19	5	-	1	5	-	1	1	-	1	1	4	3	3	-	1	6	2475
11	-	24	5	2	2	1	-	-	1	-	2	1	4	3	5	1	-	5	2476
4	-	21	5	1	-	3	1	-	-	1	-	-	-	2	3	1	-	10	2477
70	-	255	22	7	14	12	3	1	8	-	1	4	11	13	39	8	7	37	2478
86	-	253	20	6	14	12	3	1	7	-	1	-	11	13	35	6	2	90	2479
4	-	22	2	1	-	-	-	-	1	-	-	-	-	-	4	2	5	7	2480
9	-	19	2	-	1	3	2	-	1	-	-	2	1	2	3	1	-	4	2481
2	1	12	4	-	1	-	-	-	-	-	-	-	-	-	2	1	-	2	2482
5	-	23	-	-	1	-	-	-	-	-	-	1	1	1	3	1	-	8	2483
5	-	16	2	-	3	1	-	2	-	1	-	2	2	2	10	1	-	4	2484
-	-	1	-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	2485
10	1	34	3	-	-	2	1	2	1	1	-	3	-	4	4	2	-	14	2486
4	-	10	1	-	-	-	-	-	-	-	-	-	2	1	5	-	-	2	2487
6	-	11	-	-	-	-	-	1	-	-	-	1	-	-	2	-	-	1	2488
45	1	143	12	1	11	18	2	3	1	4	-	5	11	13	33	5	1	68	2489
36	1	118	9	-	7	12	2	2	1	4	-	4	10	6	23	4	1	45	2490
9	-	27	3	1	4	6	-	1	-	-	-	1	1	7	10	1	-	23	2491
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2492
1,554	27	4,278	418	67	231	370	74	51	101	20	24	170	203	271	627	162	23	1,457	2493
35	1	79	7	1	5	7	-	1	1	1	1	3	6	6	12	2	-	26	2494
25	1	66	7	1	-	5	-	1	-	1	1	1	4	3	8	2	-	19	2495
10	-	13	-	-	5	2	-	-	1	-	-	2	2	3	4	-	-	7	2496
11	-	41	2	1	4	1	-	-	-	-	-	1	1	-	8	-	-	17	2497
-	-	1	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	2	2498
-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2499
1	-	2	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	1	2500
9	-	29	2	-	-	7	-	-	2	-	-	1	2	1	7	1	-	14	2501
8	1	30	1	-	2	3	1	5	1	-	-	2	1	4	12	2	-	17	2502
5	-	16	1	1	2	2	-	1	-	-	-	-	-	1	3	4	-	7	2503
10	-	34	6	-	-	1	-	2	-	-	-	2	-	-	-	2	-	3	2504
32	-	87	7	2	6	9	3	-	1	-	2	2	10	9	9	5	1	31	2505
16	-	47	4	-	1	2	2	-	-	-	-	3	-	1	3	-	-	8	2506
11	-	31	3	1	1	3	-	-	-	-	-	-	5	3	3	1	-	17	2507
23	-	65	9	1	1	3	-	-	2	-	-	1	1	2	13	1	-	14	2508
18	-	33	5	2	2	1	1	-	-	-	-	5	3	1	6	1	-	15	2509
10	-	12	1	-	3	3	-	-	-	-	-	1	1	-	8	-	-	10	2510
3	-	18	1	1	2	2	1	-	-	-	-	1	1	3	3	2	-	10	2511
5	-	25	5	-	1	2	2	-	-	1	1	1	-	3	5	2	1	17	2512
18	-	47	7	-	3	1	1	-	-	1	-	3	1	1	9	-	-	7	2513
9	-	27	3	-	1	4	1	-	-	1	-	1	3	1	5	2	-	7	2514
11	-	43	1	-	1	4	1	-	-	1	-	1	5	1	6	4	-	8	2515
19	-	60	5	1	3	6	1	1	2	1	2	2	9	3	11	3	-	30	2516
12	-	28	5	2	1	2	1	-	-	-	-	2	-	2	10	-	-	11	2517
8	1	45	7	-	8	1	1	-	-	-	1	1	3	1	10	-	-	7	2518
27	-	33	3	-	4	2	1	-	-	-	-	4	3	17	9	1	-	19	2519
2	1	16	-	1	-	1	-	-	-	-	-	1	-	1	3	1	-	7	2520
11	-	27	7	-	-	4	-	-	2	-	-	-	2	-	6	2	-	13	2521
40	-	86	4	-	8	6	2	-	1	1	1	5	7	7	13	4	-	20	2522
25	-	57	4	-	3	5	2	-	-	-	1	2	6	3	9	4	-	13	2523
15	-	29	-	-	5	1	-	-	1	1	-	3	1	4	4	-	-	5	2524

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEBRASKA—Continued																
2525	Douglas	2,777	69	17	-	1	2	1	1	15	-	8	414	48	1	1,476	1,449
2526	Omaha	2,536	62	15	-	1	2	-	1	11	-	8	378	44	1	1,352	1,325
2527	Balance of county	241	7	2	-	-	-	1	-	4	-	-	36	4	-	124	124
2528	Dundy	41	-	-	-	-	-	-	-	-	-	-	5	1	-	27	25
2529	Fillmore	104	2	-	-	-	-	-	-	-	-	1	15	5	-	58	58
2530	Franklin	81	-	1	-	-	-	-	-	-	-	1	16	2	-	39	38
2531	Frontier	45	-	1	-	-	-	-	-	-	-	-	15	2	-	18	18
2532	Furnas	120	1	-	-	-	-	-	-	2	-	-	19	1	-	58	57
2533	Gage	272	2	1	-	-	-	-	-	-	-	1	40	5	-	143	137
2534	Beatrice	124	1	1	-	-	-	-	-	-	-	1	18	2	-	70	68
2535	Balance of county	148	1	-	-	-	-	-	-	-	-	-	22	3	-	73	69
2536	Garden	37	1	-	-	-	-	-	-	-	-	-	5	1	-	13	13
2537	Garfield	28	-	-	-	-	-	-	-	-	-	-	5	-	-	16	15
2538	Gosper	25	-	-	-	-	-	-	-	-	-	-	4	-	-	10	9
2539	Grant	12	-	-	-	-	-	-	-	-	-	-	3	-	-	8	8
2540	Greeley	44	-	-	-	-	-	1	-	-	-	-	9	-	-	21	19
2541	Hall	343	3	1	-	-	-	-	-	1	-	-	50	9	1	180	174
2542	Grand Island	267	3	1	-	-	-	-	-	1	-	-	39	5	1	138	135
2543	Balance of county	76	-	-	-	-	-	-	-	-	-	-	11	4	-	42	39
2544	Hamilton	106	1	1	-	-	-	-	-	-	-	-	12	1	-	63	63
2545	Harlan	53	-	-	-	-	-	-	-	-	-	1	13	-	-	27	27
2546	Hayes	16	-	-	-	-	-	-	-	-	-	-	1	-	-	11	11
2547	Hitchcock	42	-	-	-	-	-	-	-	1	-	-	6	1	-	24	23
2548	Holt	135	-	-	-	-	-	-	-	-	-	-	20	6	-	72	71
2549	Hooker	5	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2
2550	Howard	75	-	-	-	-	-	-	-	-	-	-	13	2	-	35	35
2551	Jefferson	136	-	1	-	-	-	-	-	1	-	-	15	1	1	77	76
2552	Johnson	76	1	-	-	-	-	-	-	-	-	1	10	1	-	43	39
2553	Kearney	78	-	-	-	-	-	-	-	1	-	-	14	3	-	39	38
2554	Keith	73	-	-	-	-	-	-	-	-	-	-	8	1	-	37	35
2555	Keya Paha	12	-	-	-	-	-	-	-	-	-	-	2	-	-	7	7
2556	Kimball	34	1	-	-	-	-	-	-	-	-	-	3	2	-	14	14
2557	Knox	152	2	-	-	-	-	-	-	1	-	-	23	1	-	74	74
2558	Lancaster	1,019	4	5	-	-	-	-	-	4	-	2	193	18	1	531	511
2559	Lincoln	898	3	5	-	-	-	-	-	3	-	2	171	16	-	471	455
2560	Balance of county	121	1	-	-	-	-	-	-	1	-	-	22	2	1	60	58
2561	Lincoln	250	3	-	-	-	-	-	-	-	-	1	42	9	1	120	110
2562	North Platte	172	1	-	-	-	-	-	-	-	-	1	32	4	1	80	71
2563	Balance of county	78	2	-	-	-	-	-	-	-	-	-	10	5	-	40	39
2564	Logan	8	-	-	-	-	-	-	-	-	-	-	2	-	1	3	3
2565	Loup	9	-	-	-	-	-	-	-	1	-	-	-	-	-	5	5
2566	McPherson	6	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3
2567	Madison	240	1	-	-	-	-	-	-	-	-	-	45	-	1	121	116
2568	Norfolk	126	-	-	-	-	-	-	-	-	-	-	21	-	1	60	55
2569	Balance of county	114	1	-	-	-	-	-	-	-	-	-	24	-	-	61	61
2570	Merrick	113	-	-	-	-	-	-	-	-	-	-	18	3	-	68	66
2571	Morrill	72	-	-	-	-	-	-	-	-	-	-	14	2	-	29	27
2572	Nance	74	-	1	-	-	-	-	-	1	-	-	10	-	-	37	35
2573	Nemaha	123	-	-	-	-	-	-	-	-	-	-	10	1	-	82	77
2574	Nuckolls	88	-	-	-	-	-	-	-	-	-	1	10	-	-	47	46
2575	Otoe	163	2	2	-	-	-	-	-	1	-	-	20	2	-	87	84
2576	Pawnee	88	-	-	-	-	-	-	-	-	-	-	9	2	-	60	57
2577	Perkins	41	-	2	-	-	-	-	-	-	-	-	5	-	-	22	20
2578	Phelps	91	1	-	-	-	-	-	-	-	-	-	11	1	-	59	59
2579	Pierce	97	1	-	-	-	-	-	-	-	-	-	13	2	-	59	56
2580	Platte	158	3	-	-	-	-	-	-	1	-	1	28	3	-	75	71
2581	Polk	95	-	-	-	-	-	-	-	-	-	-	15	2	-	46	45
2582	Red Willow	124	2	-	-	-	-	-	-	-	-	1	24	2	-	71	69
2583	Richardson	166	1	2	-	-	-	-	-	1	-	-	28	2	-	93	92
2584	Rock	33	1	-	-	-	-	-	-	-	-	-	7	1	-	16	15
2585	Saline	143	-	2	-	-	-	-	-	-	-	3	21	2	-	86	79
2586	Sarpy	104	1	-	-	-	-	-	-	1	-	-	10	1	-	47	44
2587	Saunders	169	1	-	-	-	-	-	-	1	-	-	34	3	-	86	83
2588	Scotts Bluff	258	3	-	-	1	-	1	-	1	-	-	33	6	1	110	103
2589	Scottsbluff	120	-	-	-	-	-	-	-	-	-	-	16	4	-	47	46
2590	Balance of county	138	3	-	-	1	-	1	-	1	-	-	17	2	1	63	62
2591	Seward	139	-	1	-	-	-	-	-	2	-	-	20	4	-	77	75
2592	Sheridan	93	-	-	-	-	-	-	-	-	-	-	15	2	-	46	43
2593	Sherman	58	-	-	-	-	-	-	-	-	-	-	13	-	-	32	31
2594	Sioux	14	-	1	-	-	-	-	-	-	-	-	-	1	-	7	7
2595	Stanton	50	-	-	-	-	-	-	-	-	-	-	12	1	-	23	23
2596	Thayer	108	-	1	-	-	-	-	-	-	-	-	18	6	-	51	50
2597	Thomas	11	-	-	-	-	-	-	-	-	-	-	-	-	-	6	6
2598	Thurston	96	15	-	-	-	-	-	-	-	-	-	14	1	1	30	28
2599	Valley	62	1	-	-	-	-	-	-	-	-	-	13	1	-	31	26
2600	Washington	92	-	-	-	-	-	1	-	1	-	-	16	3	-	47	46
2601	Wayne	81	-	-	-	-	-	-	-	1	-	-	10	1	-	47	46
2602	Webster	85	-	-	-	-	-	-	-	1	-	1	9	1	-	45	42
2603	Wheeler	12	-	-	-	-	-	-	-	-	-	-	2	1	-	5	5
2604	York	174	2	-	-	-	-	-	-	-	-	1	37	2	-	92	88
2605	NEVADA	1,610	58	12	-	-	-	-	-	2	4	3	192	23	2	710	688
2606	Churchill	88	5	-	-	-	-	-	-	1	-	-	6	1	-	37	36
2607	Clark	321	13	3	-	-	-	-	-	-	-	-	32	5	-	145	139
2608	Douglas	25	-	-	-	-	-	-	-	-	-	-	1	-	-	15	14
2609	Elko	133	1	1	-	-	-	-	-	-	-	1	14	6	-	58	59
2610	Esmeralda	7	-	-	-	-	-	-	-	-	-	-	1	-	-	4	3
2611	Eureka	12	-	-	-	-	-	-	-	-	-	-	2	-	-	5	5
2612	Humboldt	79	1	-	-	-	-	-	-	-	1	1	5	2	-	31	31
2613	Lander	19	2	-	-	-	-	-	-	-	-	-	6	-	-	5	4
2614	Lincoln	36	3	-	-	-	-	-	-	-	-	-	5	-	-	4	4

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
292	11	1,034	98	16	27	75	17	9	44	5	3	41	14	49	102	37	15	313	2525
269	10	950	82	14	27	66	13	9	42	5	3	38	13	45	89	33	15	290	2526
23	1	84	14	2	-	9	4	-	2	-	-	3	1	4	13	4	-	23	2527
6	-	19	-	-	2	-	-	-	-	-	-	-	1	-	4	2	-	1	2528
10	-	42	6	-	-	4	-	-	1	-	-	-	2	4	2	2	-	8	2529
18	-	19	1	-	1	1	3	-	-	-	1	-	-	3	6	-	-	8	2530
3	-	15	-	-	-	-	-	-	-	-	-	-	-	2	1	-	-	6	2531
18	-	34	4	1	1	5	3	-	1	-	-	3	2	3	9	1	-	12	2532
27	-	98	7	5	6	12	-	1	5	-	1	1	4	7	14	1	-	34	2533
10	-	51	4	3	2	7	-	1	2	-	1	1	2	-	7	1	-	9	2534
17	-	47	3	2	4	8	-	-	3	-	-	-	2	7	7	-	-	25	2535
4	-	9	-	-	-	-	-	-	-	-	1	-	2	2	2	1	-	9	2536
2	-	12	1	-	1	2	-	-	-	-	1	-	-	1	2	-	-	1	2537
1	-	8	-	-	1	-	-	-	-	-	-	-	2	-	4	-	-	5	2538
2	-	6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	2539
8	-	10	1	-	2	2	-	-	-	-	-	1	3	2	-	1	-	4	2540
40	2	122	9	1	6	13	3	1	1	-	1	7	2	6	16	3	-	45	2541
30	2	97	5	1	3	10	3	1	-	-	1	6	2	3	12	3	-	38	2542
10	-	25	4	-	3	3	-	-	1	-	-	1	-	3	4	-	-	7	2543
16	-	35	1	1	10	5	1	1	-	-	-	-	1	5	8	2	-	5	2544
7	-	15	5	-	-	2	-	-	-	-	-	-	-	1	3	-	-	6	2545
1	-	7	3	-	-	-	1	-	-	-	-	-	-	1	2	-	-	-	2546
8	-	15	-	-	1	1	-	-	-	-	-	-	1	-	4	1	-	3	2547
17	-	48	5	1	1	2	-	-	2	1	-	1	4	7	8	1	-	11	2548
1	-	1	-	-	-	-	-	-	-	-	-	-	1	-	-	-	-	1	2549
6	-	25	3	1	-	1	1	1	-	-	-	-	5	-	1	1	-	15	2550
21	-	49	6	-	1	10	-	1	1	-	-	1	1	1	7	-	1	17	2551
14	-	24	1	-	4	2	-	-	-	-	-	1	-	-	5	3	2	7	2552
5	-	31	2	-	1	3	-	-	-	-	-	2	1	3	2	1	-	9	2553
8	-	24	3	-	2	2	-	-	-	1	2	2	1	12	1	-	-	6	2554
3	-	3	-	1	-	-	1	-	-	-	-	2	-	-	-	-	-	-	2555
2	-	11	1	-	-	1	-	-	1	-	-	-	-	1	5	-	-	6	2556
21	1	51	-	1	-	6	1	2	1	-	2	-	5	4	6	2	-	22	2557
150	-	318	38	5	20	19	5	5	7	5	-	15	8	16	54	7	1	119	2558
136	-	279	35	5	16	18	5	4	5	5	-	14	8	13	40	4	1	110	2559
14	-	39	3	-	4	1	-	1	2	-	-	1	-	3	14	3	-	9	2560
28	-	73	7	2	10	6	3	-	1	-	1	2	3	4	7	-	-	47	2561
17	-	51	3	-	9	6	3	-	1	-	1	-	3	2	4	-	-	33	2562
11	-	22	4	2	1	-	-	-	-	-	-	2	-	2	3	-	-	14	2563
1	-	1	-	1	-	-	-	-	-	-	-	1	-	-	-	-	-	1	2564
1	-	3	1	-	-	-	-	-	1	-	-	-	-	-	-	-	-	2	2565
1	-	1	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2566
31	-	80	5	-	5	9	2	2	1	-	1	8	7	3	16	2	-	21	2567
13	-	40	2	-	5	5	1	-	1	-	-	8	5	1	8	-	-	15	2568
18	-	40	3	-	-	4	1	2	-	-	1	-	2	2	8	2	-	6	2569
20	-	41	4	1	2	2	2	-	-	-1	-	1	2	1	6	1	-	8	2570
5	-	21	1	-	2	3	1	-	-	-	-	3	2	-	7	-	-	11	2571
11	-	23	1	-	2	2	1	-	-	-	-	-	4	-	5	3	-	10	2572
11	-	60	2	4	5	6	-	1	1	1	-	-	2	2	7	1	-	9	2573
18	-	26	1	1	1	7	-	1	-	-	-	-	-	-	8	3	-	11	2574
27	-	52	4	1	3	5	1	-	2	-	-	1	3	2	9	4	1	21	2575
18	-	39	-	-	3	3	-	1	-	-	-	-	2	2	2	1	-	6	2576
5	-	14	1	-	2	-	-	1	-	-	-	1	1	2	4	2	-	1	2577
14	-	41	3	1	-	1	-	-	1	-	1	1	3	2	2	-	-	8	2578
10	-	44	1	1	3	1	-	1	-	-	-	2	-	2	4	-	-	12	2579
19	1	43	7	1	4	5	-	-	-	1	-	5	3	1	10	2	-	20	2580
11	-	26	8	-	1	1	-	-	-	-	-	2	2	-	9	5	-	13	2581
14	-	52	3	-	2	2	1	-	2	-	-	1	2	2	2	-	-	12	2582
27	1	56	7	1	1	6	-	-	3	-	-	1	5	5	5	1	-	13	2583
1	1	10	3	-	1	-	1	-	-	-	-	-	-	-	2	2	-	3	2584
20	-	53	5	1	7	4	-	1	-	-	-	2	1	1	4	-	-	16	2585
11	-	31	2	-	3	5	-	1	2	-	-	-	2	3	6	8	1	16	2586
26	1	44	11	1	3	3	1	-	-	-	-	2	6	7	5	3	-	17	2587
24	4	70	8	2	2	7	2	5	3	-	-	4	5	10	18	2	-	46	2588
13	3	25	4	1	1	1	1	1	2	-	-	2	3	6	9	1	-	27	2589
11	1	45	4	1	1	6	1	4	1	-	-	2	2	4	9	1	-	19	2590
17	-	53	4	1	2	7	-	1	-	-	-	1	1	5	8	-	-	12	2591
11	-	29	3	-	3	-	1	1	2	-	1	1	1	3	7	4	-	9	2592
10	-	20	-	1	1	3	-	1	-	-	-	-	-	-	2	-	-	7	2593
2	-	3	2	-	-	-	-	-	-	-	-	-	2	-	1	-	-	2	2594
6	-	16	1	-	-	-	-	1	-	-	-	2	2	2	2	-	-	5	2595
20	-	27	3	-	1	7	2	-	1	-	-	4	1	2	4	-	-	11	2596
1	-	3	2	-	-	2	-	-	1	-	-	-	-	1	-	-	-	1	2597
6	-	19	3	-	2	6	2	-	-	1	-	-	4	2	2	2	-	16	2598
8	-	17	1	-	5	2	-	-	-	-	-	1	2	1	1	2	-	7	2599
6	-	36	4	-	1	4	-	-	-	-	-	-	-	3	6	1	-	10	2600
12	1	24	9	-	1	2	-	1	-	-	-	1	3	1	4	1	-	10	2601
10	-	29	3	-	3	5	-	-	1	-	-	-	4	1	3	3	-	11	2602
1	-	4	-	-	-	1	-	-	-	-	-	-	2	-	-	-	-	1	2603
25	-	56	7	-	4	7	-	-	-	-	-	1	2	3	7	3	-	17	2604
126	4	521	25	12	22	37	11	6	17	4	6	17	50	68	99	40	16	233	2605
15	-	21	1	1	1	-	1	-	-	-	-	2	4	10	4	-	1	16	2606
24	1	107	4	3	6	7	2	1	4	-	1	3	12	19	14	8	4	50	2607
4	-	10	-	-	1	2	-	-	-	-	-	-	-	1	2	-	-	4	2608
9	-	42	3	4	-	1	-	-	1	-	-	1	3	4	14	1	-	27	2609
1	-	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	-	1	2610
-	-	5	-	-	-	-	-	-	-	-	1	-	1	-	1	-	-	2	2611
2	-	26	3	-	-	2	1	-	1	-	-	-	7	1	9	2	3	12	2612
2	-	2	-	-	1	-	-	-	-	-	-	-	1	-	1	-	-	4	2613
1	-	3	-	-	-	4	-	-	-	1	-	-	3	-	7	-	1	8	2614

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEVADA—Continued																
2615	Lyon	49	2	1	-	-	-	-	-	-	2	-	5	-	-	27	26
2616	Mineral	46	3	-	-	-	-	-	-	-	-	-	3	1	-	13	13
2617	Nye	60	6	-	-	-	-	-	-	-	-	-	7	-	-	26	25
2618	Ormsby	46	-	-	-	-	-	-	-	-	-	-	6	2	-	26	25
2619	Pershing	33	2	2	-	-	-	-	-	-	-	-	2	1	-	10	10
2620	Storey	15	1	-	-	-	-	-	-	-	-	-	1	1	-	10	10
2621	Washoe	525	16	5	-	-	-	-	-	1	1	1	75	6	2	247	238
2622	Reno	379	13	2	-	-	-	-	-	1	-	1	55	3	2	190	175
2623	Balance of county	146	3	3	-	-	-	-	-	-	1	-	20	3	-	67	63
2624	White Pine	116	3	-	-	-	-	-	-	-	-	-	21	-	-	47	47
2625	NEW HAMPSHIRE	6,109	89	23	2	-	1	-	2	9	4	9	953	122	6	3,482	3,372
2626	Belknap	340	6	1	-	-	-	-	-	-	-	-	49	2	1	204	202
2627	Laconia	164	3	1	-	-	-	-	-	-	-	-	23	-	-	102	102
2628	Balance of county	176	3	-	-	-	-	-	-	-	-	-	26	2	1	102	100
2629	Carroll	215	1	-	-	-	-	-	-	-	1	-	32	4	-	137	135
2630	Cheshire	467	7	1	-	-	-	-	-	-	1	-	71	8	-	255	242
2631	Keene	182	2	1	-	-	-	-	-	-	-	-	30	4	-	107	99
2632	Balance of county	285	5	-	-	-	-	-	-	-	1	-	41	4	-	148	143
2633	Coos	369	2	2	-	-	-	-	1	3	-	2	56	9	-	179	170
2634	Berlin	149	-	-	-	-	-	-	-	2	-	-	23	5	-	71	70
2635	Balance of county	220	2	2	-	-	-	-	1	1	-	2	33	4	-	108	100
2636	Grafton	497	1	2	-	-	-	-	-	2	-	2	80	13	-	261	247
2637	Hillsborough	1,829	26	7	-	-	-	-	1	1	1	2	291	32	4	1,063	1,032
2638	Manchester	1,003	14	6	-	-	-	-	1	-	-	1	165	18	3	576	555
2639	Nashua	395	6	-	-	-	-	-	-	1	1	-	57	6	-	238	232
2640	Balance of county	431	6	1	-	-	-	-	-	-	-	1	69	8	1	249	245
2641	Merrimack	697	10	1	-	-	-	-	-	1	1	2	96	18	1	394	379
2642	Concord	302	4	1	-	-	-	-	-	-	-	1	39	11	-	177	169
2643	Balance of county	395	6	-	-	-	-	-	-	1	1	1	57	7	1	217	210
2644	Rockingham	852	5	5	2	-	1	-	-	2	-	-	151	15	-	495	482
2645	Portsmouth	223	-	3	1	-	-	-	-	-	-	-	40	3	-	120	117
2646	Balance of county	629	5	2	1	-	1	-	-	2	-	-	111	12	-	375	365
2647	Strafford	552	7	3	-	-	-	-	-	-	-	-	87	14	-	329	321
2648	Dover	174	2	3	-	-	-	-	-	-	-	-	32	4	-	99	96
2649	Rochester	168	2	-	-	-	-	-	-	-	-	-	29	6	-	97	95
2650	Balance of county	210	3	-	-	-	-	-	-	-	-	-	26	4	-	133	130
2651	Sullivan	301	4	1	-	-	-	-	-	-	-	1	40	7	-	165	162
2652	Claremont (town)	138	1	1	-	-	-	-	-	-	-	-	19	3	-	80	78
2653	Balance of county	163	3	-	-	-	-	-	-	-	-	1	21	4	-	85	84
2654	NEW JERSEY	47,880	1,277	243	1	3	3	6	21	120	10	122	8,528	1,001	48	26,343	25,625
2655	Atlantic	1,814	43	21	-	-	-	-	1	1	1	5	294	48	3	1,035	1,002
2656	Atlantic City	974	29	15	-	-	-	-	1	1	-	2	148	24	-	556	539
2657	Pleasantville	149	2	1	-	-	-	-	-	-	1	-	27	5	2	86	82
2658	Balance of county	691	12	5	-	-	-	-	-	-	-	3	119	19	1	393	381
2659	Bergen	4,320	71	23	-	-	-	2	1	19	-	8	820	82	3	2,419	2,347
2660	Garfield	192	5	1	-	-	-	-	-	1	-	-	34	4	-	105	103
2661	Hackensack	272	8	3	-	-	-	-	-	-	-	-	55	4	-	159	153
2662	Teaneck (twp.)[2]	249	1	-	-	-	-	-	-	2	-	1	52	7	-	140	138
2663	Bergenfield	129	3	-	-	-	-	-	-	1	-	1	27	1	-	69	68
2664	Cliffside Park	132	4	-	-	-	-	-	-	1	-	-	29	4	-	74	73
2665	Englewood	216	6	1	-	-	-	1	-	2	-	1	42	7	-	121	117
2666	Lodi	115	1	1	-	-	-	1	-	-	-	-	21	5	-	60	58
2667	Lyndhurst (twp.)[2]	156	3	-	-	-	-	-	1	-	-	-	30	3	1	82	80
2668	Ridgefield Park	121	2	2	-	-	-	-	-	-	-	-	24	2	1	74	73
2669	Ridgewood	164	-	1	-	-	-	-	-	1	-	-	37	2	-	94	91
2670	Rutherford	203	3	-	-	-	-	-	-	1	-	1	37	2	-	125	124
2671	Balance of county	2,371	33	14	-	-	-	-	-	10	-	4	432	41	1	1,338	1,289
2672	Burlington	1,198	29	9	-	-	1	-	1	-	-	2	184	21	1	685	682
2673	Burlington	143	6	2	-	-	-	-	-	-	-	-	24	3	-	77	75
2674	Balance of county	1,055	23	7	-	-	1	-	1	-	-	2	160	18	1	608	587
2675	Camden	3,127	82	15	-	-	-	1	1	1	-	8	537	66	7	1,734	1,671
2676	Camden	1,395	56	9	-	-	-	-	1	-	-	5	239	37	4	720	696
2677	Collingswood	155	1	-	-	-	-	-	-	1	-	-	28	3	1	98	96
2678	Gloucester City	164	4	-	-	-	-	-	-	-	-	-	36	2	-	94	90
2679	Pennsauken (twp.)[2]	170	3	-	-	-	-	-	-	-	-	1	31	3	-	93	89
2680	Balance of county	1,243	18	4	-	-	-	1	-	-	-	2	205	21	2	729	700
2681	Cape May	513	11	6	-	-	-	-	-	-	-	-	84	10	-	303	298
2682	Cumberland	978	21	5	-	-	-	1	1	-	3	3	146	29	1	536	515
2683	Bridgeton	249	2	-	-	-	-	-	1	-	2	-	30	5	1	136	134
2684	Millville	190	5	2	-	-	-	-	-	-	-	1	33	6	-	101	94
2685	Balance of county	539	14	3	-	-	-	1	-	-	1	2	83	18	-	299	287
2686	Essex	9,420	313	53	-	1	-	-	5	19	1	34	1,669	193	5	5,118	4,998
2687	Newark	4,984	249	30	-	-	-	-	3	7	-	16	815	116	3	2,626	2,571
2688	Belleville	257	2	1	-	-	-	-	-	-	-	2	52	-	-	138	135
2689	Bloomfield	422	10	3	-	-	-	-	-	-	-	3	78	11	1	220	213
2690	East Orange	908	11	5	-	-	-	-	1	3	-	1	166	10	1	507	496
2691	Irvington	548	5	4	-	1	-	-	1	2	-	4	97	11	-	323	319
2692	Montclair	486	8	2	-	-	-	-	-	-	-	3	92	16	-	276	269
2693	Orange	405	12	4	-	-	-	-	-	1	-	-	70	5	-	227	219
2694	West Orange	255	2	1	-	-	-	-	-	1	-	-	59	5	-	138	135
2695	Maplewood (twp.)[2]	235	2	1	-	-	-	-	-	1	-	2	65	3	-	120	115
2696	Millburn (twp.)[2]	115	-	-	-	-	-	-	-	-	-	3	25	-	-	67	66
2697	Nutley	217	3	1	-	-	-	-	-	-	-	-	45	3	-	123	120
2698	South Orange	149	1	-	-	-	-	-	-	-	-	-	24	4	-	90	86
2699	Balance of county	459	8	1	-	-	-	-	-	4	1	-	80	9	-	263	254
2700	Gloucester	922	19	4	-	-	-	-	3	-	-	2	130	25	-	539	504

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-498	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E995	All other causes Residual	
10	-	15	-	1	1	-	-	1	-	-	-	1	1	1	4	1	-	3	2615
-	-	13	-	-	2	-	-	-	3	1	-	2	3	5	3	-	1	6	2616
5	-	19	-	1	1	2	-	-	-	-	-	-	5	5	2	-	-	7	2617
3	-	21	-	1	1	-	1	-	-	-	-	-	-	1	1	1	2	6	2618
1	-	9	-	-	-	1	-	-	2	-	-	-	-	1	5	2	1	4	2619
1	-	9	-	-	-	1	-	-	-	-	-	1	-	-	-	-	-	-	2620
41	2	182	12	1	9	13	5	4	4	-	-	2	4	6	19	28	20	64	2621
38	2	136	4	1	5	11	6	2	4	-	-	2	4	5	16	17	9	47	2622
8	-	46	8	-	4	2	-	2	-	-	-	-	-	1	3	11	11	17	2623
9	1	35	2	-	-	2	1	-	2	2	-	1	4	3	1	4	5	19	2624
663	7	2,337	335	30	110	155	32	24	43	12	8	85	43	76	213	85	8	643	2625
35	-	153	12	2	2	5	4	1	2	1	-	5	1	5	12	1	-	40	2626
17	-	79	5	1	-	3	3	1	-	-	-	4	-	2	2	-	-	20	2627
18	-	74	7	1	2	2	1	-	2	1	-	1	1	3	10	1	-	20	2628
28	-	93	14	-	2	7	-	2	3	1	-	-	-	2	7	2	-	16	2629
64	1	152	23	2	13	11	3	3	4	2	-	4	1	6	15	14	-	61	2630
25	-	67	7	-	8	4	1	-	-	-	-	2	-	1	3	5	-	22	2631
39	1	85	16	2	5	7	2	3	4	2	-	2	1	5	12	9	-	39	2632
28	-	123	17	2	9	16	1	1	3	-	-	1	7	4	5	25	3	49	2633
12	-	47	11	-	1	8	-	1	-	-	-	2	1	2	14	-	-	20	2634
16	-	76	6	2	8	8	1	-	3	-	-	1	5	3	3	11	3	29	2635
61	-	157	26	3	14	10	2	1	1	-	-	1	3	18	5	20	5	59	2636
200	1	712	111	8	31	45	8	11	17	6	3	26	6	22	52	23	4	178	2637
91	1	400	58	5	21	25	5	6	13	4	3	17	2	10	25	12	1	96	2638
48	-	161	22	-	6	6	2	1	2	1	-	5	2	7	15	1	-	44	2639
60	-	151	31	3	4	14	1	4	2	1	-	4	2	5	12	10	3	38	2640
74	2	259	39	5	15	23	5	1	6	2	1	11	5	9	17	16	-	77	2641
36	2	114	15	2	8	13	3	-	1	-	-	5	3	1	3	10	-	30	2642
38	-	145	24	3	7	10	2	1	5	2	1	6	2	8	14	6	-	47	2643
87	1	335	56	3	13	20	3	2	4	-	2	18	2	12	37	8	3	65	2644
20	-	85	12	-	3	5	-	-	3	-	1	7	1	3	9	6	1	20	2645
67	1	250	44	3	10	15	3	2	1	-	1	11	1	9	28	3	2	45	2646
64	2	231	21	3	8	11	3	1	1	-	-	7	4	7	18	7	-	53	2647
16	-	68	10	2	3	3	1	-	-	-	-	-	1	-	4	2	-	23	2648
18	-	72	4	1	2	2	-	-	-	-	-	5	3	3	7	1	-	13	2649
30	2	91	7	-	3	6	2	1	1	-	-	2	-	4	7	4	-	17	2650
22	-	122	16	2	3	7	3	1	2	-	-	4	2	3	10	6	-	45	2651
11	-	57	9	1	2	1	2	-	1	-	-	2	-	1	4	2	-	21	2652
11	-	65	7	1	1	6	1	1	1	-	-	2	2	2	6	4	-	24	2653
4,649	72	19,289	1,387	218	718	1,069	303	194	553	86	65	507	159	627	1,444	609	148	4,590	2654
161	-	782	54	5	33	34	15	3	17	5	2	19	5	20	52	22	4	164	2655
87	-	411	38	3	17	20	9	2	10	4	1	12	1	7	24	11	3	94	2656
10	-	70	1	1	4	1	1	-	2	1	-	1	1	1	4	1	1	11	2657
64	-	301	15	1	12	13	5	1	5	-	1	6	3	12	24	10	-	59	2658
468	7	1,715	135	22	72	80	28	9	69	6	1	59	15	34	111	56	5	401	2659
21	1	74	6	1	2	5	1	-	4	1	-	2	1	1	5	2	-	20	2660
26	-	97	9	1	6	5	3	2	6	-	-	4	-	5	8	3	1	26	2661
25	-	102	9	2	2	6	1	-	4	-	-	2	-	3	7	3	-	20	2662
9	-	55	3	1	1	1	-	-	3	1	-	4	-	3	3	5	-	7	2663
18	1	47	6	1	1	3	2	1	1	-	-	1	-	2	2	-	-	8	2664
19	-	88	10	1	4	-	1	-	1	-	-	3	-	2	6	-	-	20	2665
13	-	40	4	1	2	5	1	-	2	1	-	2	3	2	2	1	-	7	2666
19	-	56	4	1	2	3	-	1	4	-	-	2	-	1	4	1	1	19	2667
16	-	49	7	1	1	1	1	-	2	-	-	1	-	-	1	1	-	9	2668
21	-	65	5	-	3	4	-	1	2	-	-	2	-	1	5	2	-	12	2669
33	1	83	7	-	1	4	1	-	-	-	-	2	-	2	8	4	-	13	2670
249	4	959	65	12	47	43	15	4	40	3	1	34	11	12	60	34	3	240	2671
127	2	483	40	10	23	25	5	8	8	4	3	16	4	28	39	15	2	108	2672
19	1	46	7	2	2	3	-	2	1	2	-	4	-	-	5	1	-	13	2673
108	1	437	33	8	21	22	5	6	7	2	3	12	4	28	34	14	2	95	2674
302	8	1,250	90	21	63	92	18	8	28	6	4	35	7	58	85	37	24	275	2675
136	5	517	30	8	24	43	11	3	17	3	3	14	5	25	47	16	15	122	2676
10	-	82	2	2	2	6	-	2	-	-	1	-	1	1	5	2	-	5	2677
15	-	71	3	1	4	8	1	-	-	-	-	2	-	4	2	-	-	11	2678
16	-	65	7	1	4	3	1	1	-	2	-	2	-	5	6	1	5	13	2679
125	3	515	48	9	29	32	5	2	11	1	-	17	1	23	25	18	4	124	2680
48	1	234	12	3	5	8	1	2	2	-	2	-	6	7	14	5	-	52	2681
83	1	401	26	4	21	29	8	7	6	6	1	11	8	25	25	10	3	93	2682
17	-	111	6	-	2	9	1	4	1	1	-	4	1	3	12	4	1	31	2683
19	-	68	7	-	7	5	7	-	2	1	-	3	5	2	2	1	-	14	2684
47	1	222	15	4	12	15	-	3	3	4	1	4	2	20	11	5	2	48	2685
854	12	3,823	274	35	120	179	80	42	124	17	16	86	16	88	278	119	34	933	2686
426	10	1,975	143	17	55	83	37	30	70	12	11	41	9	46	155	56	30	519	2687
14	-	115	6	-	3	8	-	1	5	-	-	3	-	1	6	4	-	34	2688
36	-	162	14	1	7	9	4	4	4	2	-	5	1	4	12	5	1	45	2689
100	-	361	28	7	11	16	13	3	17	1	-	6	5	14	30	15	2	81	2690
46	-	259	13	1	4	10	3	-	2	1	-	9	-	4	17	9	-	45	2691
65	-	184	17	3	7	11	8	-	3	-	-	4	-	3	12	4	-	47	2692
37	-	174	7	1	8	6	3	-	4	-	1	3	-	2	15	5	1	44	2693
20	-	107	8	-	3	4	3	3	5	-	1	1	-	3	6	3	-	20	2694
18	-	89	6	2	5	3	3	-	3	-	-	3	1	2	5	6	-	15	2695
11	-	48	5	1	1	1	3	-	-	-	1	3	-	1	2	1	-	8	2696
20	1	88	8	2	3	9	1	-	1	1	1	1	-	1	1	3	-	23	2697
12	-	88	5	-	4	2	1	1	4	-	-	2	-	-	4	1	-	15	2698
49	1	190	14	-	9	15	4	-	6	-	1	5	-	5	13	7	-	37	2699
82	2	385	30	5	35	24	6	7	2	-	3	5	-	26	33	12	2	80	2700

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-049	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEW JERSEY—Continued																
2701	Hudson	6,955	221	26	1	1	-	-	1	27	3	10	1,274	124	9	3,820	3,733
2702	Jersey City	3,385	126	15	1	1	-	-	-	18	3	7	605	53	9	1,780	1,736
2703	Bayonne	707	18	2	-	-	-	-	1	-	-	1	139	17	-	380	374
2704	Hoboken	624	22	5	-	-	-	-	-	-	-	-	100	7	-	365	359
2705	Kearny	376	11	2	-	-	-	-	-	-	-	-	78	6	-	207	200
2706	North Bergen (twp.)[2]	401	6	-	-	-	-	-	-	2	-	-	73	9	-	236	234
2707	Union City	605	13	1	-	-	-	-	-	3	-	2	120	11	-	350	339
2708	West New York	414	11	-	-	-	-	-	-	3	-	-	77	9	-	248	243
2709	Harrison	127	5	1	-	-	-	-	-	-	-	-	22	4	-	64	60
2710	Weehawken (twp.)[2]	155	3	-	-	-	-	-	-	-	-	-	33	4	-	95	93
2711	Balance of county	161	6	-	-	-	-	-	-	1	-	-	27	4	-	97	95
2712	Hunterdon	497	6	2	-	-	-	-	-	-	-	1	81	10	-	292	286
2713	Mercer	2,313	98	10	-	-	2	1	-	7	1	5	350	49	4	1,253	1,209
2714	Trenton	1,449	70	6	-	-	2	1	-	3	1	5	225	32	4	771	740
2715	Balance of county	864	28	4	-	-	-	-	-	4	-	-	125	17	-	482	469
2716	Middlesex	2,289	46	6	-	-	-	-	1	12	-	7	369	50	1	1,236	1,207
2717	New Brunswick	412	13	2	-	-	-	-	-	1	-	1	76	10	-	228	221
2718	Perth Amboy	364	11	1	-	-	-	-	-	2	-	3	71	10	-	192	185
2719	Woodbridge (twp.)[2]	269	3	-	-	-	-	-	-	1	-	-	51	5	-	142	141
2720	Carteret	98	3	-	-	-	-	-	1	-	-	-	15	3	-	45	41
2721	South River	80	-	-	-	-	-	-	-	-	-	-	14	1	-	50	49
2722	Balance of county	1,048	16	3	-	-	-	-	-	8	-	3	142	21	1	579	571
2723	Monmouth	2,418	60	19	-	1	-	-	-	4	-	5	428	40	-	1,321	1,293
2724	Asbury Park	248	11	3	-	1	-	-	-	-	-	-	43	3	-	134	131
2725	Long Branch	244	3	-	-	-	-	-	-	-	-	2	37	3	-	138	134
2726	Neptune (twp.)[2]	141	1	1	-	-	-	-	-	-	-	-	25	2	-	85	84
2727	Red Bank	168	4	2	-	-	-	-	-	-	-	-	32	6	-	100	99
2728	Balance of county	1,595	41	13	-	-	-	-	-	4	-	3	291	28	-	864	845
2729	Morris	1,478	22	3	-	-	-	-	1	-	-	6	233	23	3	856	835
2730	Dover	119	2	-	-	-	-	-	-	-	-	1	19	2	1	67	65
2731	Morristown	233	3	-	-	-	-	-	1	-	-	1	36	4	1	135	131
2732	Balance of county	1,126	17	3	-	-	-	-	-	-	-	4	178	17	1	654	639
2733	Ocean	680	21	3	-	-	-	-	1	-	-	-	123	16	-	375	367
2734	Passaic	3,204	97	18	-	-	-	1	2	5	-	13	598	70	3	1,717	1,673
2735	Paterson	1,606	57	10	-	-	-	-	-	1	-	4	301	38	3	880	862
2736	Clifton	449	8	2	-	-	-	1	1	1	-	4	94	10	-	213	207
2737	Passaic	554	21	4	-	-	-	-	1	1	-	3	105	13	-	287	277
2738	Hawthorne	123	2	-	-	-	-	-	-	-	-	-	20	1	-	75	74
2739	Balance of county	472	9	2	-	-	-	-	-	2	-	2	79	8	-	262	253
2740	Salem	495	9	6	-	-	-	-	-	-	1	1	96	18	1	247	240
2741	Somerset	835	20	2	-	-	-	-	-	7	-	2	141	17	2	432	413
2742	North Plainfield	115	1	-	-	-	-	-	-	-	-	1	16	2	-	60	59
2743	Balance of county	720	19	2	-	-	-	-	-	7	-	1	125	15	2	372	354
2744	Sussex	374	5	-	-	-	-	-	-	1	-	1	68	6	-	206	200
2745	Union	3,445	76	13	-	-	-	-	2	14	-	6	822	83	4	1,859	1,804
2746	Elizabeth	1,143	31	7	-	-	-	-	-	4	-	1	195	28	4	622	607
2747	Plainfield	439	13	-	-	-	-	-	-	-	-	-	78	10	-	236	229
2748	Cranford (twp.)[2]	120	3	-	-	-	-	-	-	1	-	-	17	2	-	61	60
2749	Hillside (twp.)[2]	157	-	-	-	-	-	-	-	-	-	-	27	2	-	93	92
2750	Linden	205	2	-	-	-	-	-	-	1	-	1	44	4	-	100	99
2751	Rahway	208	4	2	-	-	-	-	-	1	-	1	35	7	-	108	108
2752	Roselle	140	4	1	-	-	-	-	-	1	-	-	19	7	-	62	58
2753	Summit	173	3	-	-	-	-	-	-	-	-	2	35	2	-	107	107
2754	Union (twp.)[2]	255	7	2	-	-	-	-	-	1	-	-	48	2	-	147	147
2755	Westfield	218	1	-	-	-	-	-	2	3	-	-	37	4	-	114	112
2756	Balance of county	387	8	1	-	-	-	-	-	2	-	1	87	15	-	189	185
2757	Warren	607	7	1	-	-	-	-	-	3	-	3	82	21	1	390	368
2758	Phillipsburg	220	2	-	-	-	-	-	-	3	-	-	39	6	1	126	124
2759	Balance of county	387	5	1	-	-	-	-	-	-	-	3	42	15	-	252	244
2760	NEW MEXICO	5,576	282	43	4	46	2	12	1	19	16	22	531	43	14	1,551	1,462
2761	Bernalillo	1,039	65	9	-	6	-	-	1	3	2	3	110	6	2	335	314
2762	Albuquerque	661	46	5	-	2	-	-	-	1	-	3	78	3	2	233	221
2763	Balance of county	378	19	4	-	4	-	-	1	2	2	-	32	3	-	102	93
2764	Catron	35	1	-	-	-	-	-	-	-	-	-	1	-	-	15	15
2765	Chaves	270	8	4	-	1	-	-	-	1	3	-	35	3	-	85	83
2766	Roswell	200	7	1	-	-	-	-	-	1	2	-	25	2	-	71	69
2767	Balance of county	70	1	3	-	1	-	-	-	-	1	-	10	1	-	14	14
2768	Colfax	170	5	1	-	2	-	1	-	-	1	-	15	2	-	69	67
2769	Curry	187	5	-	-	2	-	-	-	5	1	1	30	1	-	74	70
2770	Clovis	152	5	-	-	2	-	-	-	5	1	1	26	1	-	62	58
2771	Balance of county	35	-	-	-	-	-	-	-	-	-	-	4	-	-	12	12
2772	De Baca	26	3	-	-	-	-	-	-	-	-	-	2	-	-	7	6
2773	Dona Ana	329	14	2	-	5	1	2	-	2	-	1	25	3	1	82	79
2774	Eddy	306	16	-	-	7	-	7	-	-	-	-	28	2	-	78	71
2775	Grant	179	10	1	-	-	-	-	-	-	-	-	19	3	1	44	39
2776	Guadalupe	72	4	-	1	1	-	-	-	-	-	-	5	-	-	24	22
2777	Harding	24	1	-	-	-	-	-	-	-	-	-	3	1	-	6	6
2778	Hidalgo	42	2	-	-	1	-	1	-	-	-	1	1	1	-	14	12
2779	Lea	183	6	2	-	1	-	-	-	2	-	2	17	2	-	47	47
2780	Hobbs	92	3	2	-	-	-	-	-	1	-	2	3	-	-	20	20
2781	Balance of county	91	3	-	-	1	-	-	-	1	-	-	14	2	-	27	27
2782	Lincoln	78	6	-	-	-	-	-	-	-	1	2	7	-	-	32	29
2783	Los Alamos[4]	17	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
2784	Luna	82	7	2	-	1	-	-	-	-	1	-	11	1	-	23	22
2785	McKinley	267	30	5	1	1	-	-	-	1	-	6	14	1	2	28	28
2786	Mora	90	3	-	1	1	-	-	-	-	-	-	11	-	-	13	11
2787	Otero	111	4	2	-	2	-	-	-	-	-	-	7	2	2	29	28
2788	Quay	120	5	-	-	1	-	-	-	3	-	-	18	1	-	45	44
2789	Rio Arriba	225	11	-	-	2	-	1	-	-	1	-	14	2	1	41	36
2790	Roosevelt	103	1	-	-	-	-	-	-	1	-	1	18	1	-	39	37

[2]Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
636	17	2,930	133	17	87	188	47	36	99	8	8	61	14	60	184	67	23	643	2701
330	7	1,336	57	6	44	108	20	20	57	1	2	35	7	38	97	27	19	338	2702
57	3	301	12	1	6	21	4	1	10	2	1	8	2	10	20	8	2	62	2703
45	2	296	14	2	6	12	6	6	7	-	2	4	3	2	18	4	-	61	2704
24	-	164	12	-	7	9	2	1	2	1	1	2	-	2	9	6	-	37	2705
46	1	175	8	4	2	9	3	2	2	1	1	3	-	1	12	4	1	36	2706
56	1	267	13	2	11	14	7	3	5	1	-	3	1	7	16	8	1	39	2707
38	-	196	8	1	3	9	2	-	8	1	1	3	-	1	2	8	-	33	2708
7	-	50	3	-	4	3	2	1	2	-	-	1	1	1	4	-	-	16	2709
17	-	73	2	1	2	1	-	1	3	1	-	1	-	-	3	1	-	9	2710
16	3	72	4	-	2	2	1	1	3	-	-	1	-	-	3	3	-	12	2711
52	-	207	22	5	6	22	1	-	1	2	-	5	5	6	17	4	-	42	2712
267	4	867	65	6	44	61	10	14	25	5	5	28	5	36	64	24	8	250	2713
178	3	511	43	5	31	41	7	10	21	3	2	12	1	23	34	10	3	162	2714
89	1	356	22	1	13	20	3	4	4	2	3	14	4	15	30	14	5	88	2715
240	3	908	46	10	29	47	11	3	28	5	4	28	3	43	90	31	10	260	2716
44	2	168	6	1	7	7	2	1	2	-	1	1	-	4	17	6	2	38	2717
29	-	148	5	3	7	8	2	-	7	1	-	3	-	2	19	4	-	48	2718
31	-	105	4	1	1	8	2	-	3	2	1	2	1	5	5	3	-	35	2719
6	-	34	-	1	4	1	-	-	1	-	1	1	-	3	8	-	2	14	2720
13	-	32	2	1	2	-	1	-	2	-	-	1	-	-	2	-	-	9	2721
117	1	421	29	3	8	23	4	2	13	2	1	18	2	29	39	18	6	116	2722
222	-	974	83	14	28	40	20	14	29	4	3	29	12	40	82	33	7	225	2723
17	-	108	4	2	3	5	2	-	5	-	-	4	3	2	8	5	1	18	2724
25	-	101	6	2	4	4	3	3	4	-	-	1	1	2	7	3	-	33	2725
22	-	60	2	-	1	4	1	1	1	1	-	2	-	1	3	1	1	11	2726
18	-	73	7	1	1	4	2	1	2	-	-	6	1	3	8	2	1	14	2727
140	-	632	64	9	19	23	12	9	17	3	3	16	7	32	56	22	4	149	2728
160	-	611	58	6	21	29	7	6	10	2	2	17	4	16	46	27	5	160	2729
8	-	50	6	1	2	2	1	1	-	-	-	2	-	2	2	2	-	15	2730
23	-	98	8	2	4	4	-	3	3	1	1	2	-	3	7	6	1	21	2731
129	-	463	44	3	15	23	6	2	7	1	1	13	4	11	37	19	4	124	2732
64	-	283	17	3	8	12	5	2	6	2	-	5	3	18	24	7	1	56	2733
329	5	1,207	114	18	44	72	15	9	41	6	2	44	8	37	81	67	4	293	2734
168	2	625	58	9	18	34	10	3	16	3	-	18	2	18	44	34	2	128	2735
42	1	147	14	3	6	14	3	1	6	2	1	10	3	4	13	8	-	50	2736
55	1	209	11	1	10	12	1	3	9	1	-	8	2	3	9	13	1	57	2737
12	-	54	8	-	1	2	-	2	1	-	1	-	-	4	3	2	-	10	2738
52	1	172	23	5	9	10	1	-	9	-	-	8	1	8	12	10	1	48	2739
47	2	177	12	2	7	11	1	3	3	1	1	3	1	12	34	6	2	38	2740
78	1	294	32	8	19	23	6	7	9	-	4	12	6	16	28	12	1	88	2741
13	-	40	4	2	1	2	2	-	-	-	-	1	1	2	2	2	-	23	2742
65	1	254	28	6	18	21	4	7	9	-	4	11	5	14	26	10	1	65	2743
37	-	144	14	5	6	8	2	2	3	-	-	2	3	3	14	4	4	42	2744
333	7	1,340	105	19	35	66	16	10	40	7	3	40	34	48	118	49	8	347	2745
123	2	428	50	4	15	23	6	3	10	4	-	13	8	12	47	13	2	110	2746
36	1	174	18	-	7	5	1	-	7	-	-	6	7	8	11	2	3	52	2747
12	1	43	2	2	1	4	-	-	4	-	-	1	2	5	4	3	-	13	2748
11	-	79	2	-	1	3	2	1	-	-	-	3	1	3	4	2	-	16	2749
24	-	71	3	1	1	5	1	-	4	-	-	6	4	-	3	4	2	24	2750
19	1	81	6	1	-	1	1	2	1	-	-	1	2	6	13	5	-	18	2751
8	1	46	1	2	4	3	-	-	2	-	-	3	3	4	7	2	-	22	2752
25	-	76	5	1	-	1	1	1	2	-	-	-	2	-	2	1	-	14	2753
22	-	120	3	2	-	4	-	1	1	-	-	3	1	3	6	6	-	23	2754
18	-	89	4	1	2	7	3	1	4	1	-	1	2	1	8	5	-	24	2755
35	1	133	11	5	4	10	1	1	5	2	3	3	2	6	13	6	1	31	2756
59	-	274	35	-	12	19	3	2	3	-	1	6	-	8	25	2	1	40	2757
15	-	99	10	-	4	9	3	-	-	-	-	1	-	3	9	1	-	15	2758
44	-	175	25	-	8	10	-	2	3	-	1	5	-	5	16	1	1	25	2759
285	24	1,047	93	13	89	315	13	224	35	12	30	117	650	223	281	50	45	995	2760
63	4	236	9	2	21	46	1	34	6	3	4	27	63	38	39	8	7	220	2761
47	2	164	6	2	12	26	1	16	5	2	2	17	30	30	23	4	2	130	2762
16	2	72	3	-	9	20	-	18	1	1	2	10	33	9	16	4	5	90	2763
2	-	11	1	1	-	4	-	1	-	-	-	-	3	2	2	-	-	6	2764
15	-	62	6	-	2	16	-	9	2	1	-	6	8	4	19	2	3	62	2765
12	-	51	6	-	2	12	-	3	2	1	-	3	3	1	9	2	3	52	2766
3	-	11	-	-	-	4	-	6	-	-	-	3	3	3	10	-	-	10	2767
15	1	45	6	-	2	12	-	3	-	-	-	-	5	8	9	7	2	28	2768
15	-	53	2	-	4	10	-	6	-	-	1	4	1	7	11	-	-	28	2769
13	-	44	1	-	4	6	-	6	-	-	1	3	1	4	6	-	-	22	2770
2	-	9	1	-	-	4	-	-	-	-	-	1	-	3	5	-	-	6	2771
1	-	4	1	-	1	2	1	2	-	-	-	-	-	2	1	-	-	6	2772
15	2	57	4	1	3	25	-	12	2	2	2	8	29	23	11	5	4	68	2773
13	1	46	11	-	5	25	1	29	6	1	2	10	7	8	9	5	4	63	2774
6	-	30	2	1	5	13	1	4	3	-	-	3	11	11	17	4	1	33	2775
6	-	14	2	-	2	5	-	2	-	-	1	2	12	3	1	-	3	8	2776
1	-	4	1	-	-	-	-	1	-	-	1	1	4	-	2	-	-	4	2777
2	-	9	1	-	2	1	-	1	-	-	1	-	6	1	2	1	-	8	2778
5	1	35	5	1	-	3	-	4	1	1	-	9	15	19	14	5	2	31	2779
1	-	17	2	-	-	2	-	-	1	1	-	6	7	9	7	3	2	23	2780
4	1	18	3	1	-	1	-	4	-	-	-	3	8	10	7	2	-	8	2781
4	-	21	4	-	3	5	-	1	1	-	-	2	5	3	2	1	-	10	2782
-	-	2	-	-	-	-	-	-	-	-	1	1	-	3	2	1	1	6	2783
5	-	15	2	-	1	4	2	1	-	-	-	3	5	2	4	1	-	15	2784
8	2	20	-	-	-	23	-	25	2	-	1	4	42	12	22	1	2	44	2785
1	-	10	-	-	2	8	2	1	-	1	1	1	33	2	1	-	-	11	2786
6	1	19	2	-	1	7	1	5	-	-	-	3	10	5	9	4	2	17	2787
7	-	33	3	1	1	6	1	5	-	-	1	1	3	8	5	-	1	16	2788
5	1	28	2	-	5	12	-	11	-	-	1	5	67	6	13	-	3	34	2789
8	-	27	4	-	2	4	-	-	-	-	-	3	3	6	2	-	-	24	2790

[4]This county was established by the New Mexico Legislature, effective June 10, 1949.

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEW MEXICO—Continued																
2791	Sandoval	148	11	2	1	2	-	-	-	-	1	-	8	-	-	13	13
2792	San Juan	156	25	2	-	-	-	-	-	-	1	-	7	1	3	47	46
2793	San Miguel	319	8	4	-	1	-	-	-	-	-	2	26	3	-	84	79
2794	Santa Fe	286	9	1	-	3	-	-	-	1	1	-	27	1	2	94	89
2795	Santa Fe	212	7	1	-	3	-	-	-	1	1	-	21	-	2	68	64
2796	Balance of county	84	2	-	-	-	-	-	-	-	-	-	6	1	-	26	25
2797	Sierra	89	2	-	-	-	-	-	-	-	-	1	11	1	-	31	29
2798	Socorro	116	9	-	-	2	-	-	-	-	-	-	5	-	-	33	30
2799	Taos	134	1	-	-	1	1	-	-	-	1	-	17	2	-	25	25
2800	Torrance	78	1	3	-	1	-	-	-	-	-	1	10	-	-	28	27
2801	Union	78	2	-	-	-	-	-	-	-	-	1	14	2	-	24	19
2802	Valencia	207	7	3	-	3	-	-	-	-	2	-	15	1	-	41	37
2803	NEW YORK	155,020	4,380	757	5	26	12	27	70	320	37	315	25,862	2,920	196	85,678	83,752
2804	Albany	3,083	92	26	-	1	1	-	1	1	1	5	465	39	2	1,869	1,819
2805	Albany	1,928	67	13	-	1	1	-	-	1	1	1	287	27	1	1,164	1,140
2806	Cohoes	293	11	5	-	-	-	-	-	-	-	-	38	4	-	190	181
2807	Watervliet	198	3	4	-	-	-	-	-	-	-	2	34	5	-	119	118
2808	Balance of county	664	11	4	-	-	-	1	-	-	-	2	106	3	1	396	380
2809	Allegany	516	8	2	-	-	-	-	1	2	-	4	65	13	-	288	278
2810	Broome	1,831	34	10	-	2	-	-	-	-	1	5	277	42	3	992	959
2811	Binghamton	916	24	6	-	1	-	-	-	-	1	3	146	23	1	490	468
2812	Endicott	211	2	1	-	1	-	-	-	-	-	2	31	8	-	98	97
2813	Johnson City	192	1	-	-	-	-	-	-	-	-	-	36	1	-	121	116
2814	Balance of county	512	7	3	-	-	-	-	-	-	-	-	64	12	2	283	278
2815	Cattaraugus	837	8	6	-	-	-	-	-	5	-	2	102	8	2	481	472
2816	Olean	217	1	1	-	-	-	-	-	2	-	1	33	1	-	121	118
2817	Balance of county	620	7	5	-	-	-	-	-	3	-	1	69	7	2	360	354
2818	Cayuga	855	8	5	-	-	-	-	-	1	1	2	106	13	-	531	519
2819	Auburn	437	3	3	-	-	-	-	-	1	-	1	58	5	-	275	272
2820	Balance of county	418	5	2	-	-	-	-	-	-	1	1	48	7	-	256	246
2821	Chautauqua	1,495	23	7	-	-	-	1	-	1	1	2	213	39	3	853	832
2822	Jamestown	488	7	2	-	-	-	-	-	-	-	-	69	14	2	291	280
2823	Dunkirk	192	7	-	-	-	-	-	-	-	-	-	39	5	-	102	102
2824	Balance of county	815	9	5	-	-	-	1	-	1	1	2	105	20	1	460	450
2825	Chemung	976	21	4	-	-	-	1	1	-	3	3	173	11	1	530	516
2826	Elmira	627	11	3	-	-	-	1	1	-	3	2	108	6	1	347	338
2827	Balance of county	349	10	1	-	-	-	-	-	-	-	1	65	5	-	183	178
2828	Chenango	500	2	1	-	-	-	-	-	1	-	2	61	9	1	313	283
2829	Clinton	545	13	1	-	-	-	-	-	-	-	-	80	19	-	290	286
2830	Plattsburgh	188	4	-	-	-	-	-	-	-	-	-	23	7	-	102	100
2831	Balance of county	357	9	1	-	-	-	-	-	-	-	-	57	12	-	188	186
2832	Columbia	581	4	1	-	-	-	-	-	2	-	1	103	12	3	329	324
2833	Hudson	155	2	-	-	-	-	-	-	1	-	1	29	5	1	82	81
2834	Balance of county	426	2	1	-	-	-	-	-	1	-	-	74	7	2	247	243
2835	Cortland	447	5	2	-	-	-	-	-	-	2	-	59	8	-	261	248
2836	Cortland	221	3	2	-	-	-	-	-	-	-	-	33	6	-	136	130
2837	Balance of county	226	2	-	-	-	-	-	-	-	2	-	26	2	-	125	118
2838	Delaware	504	8	1	-	-	-	-	-	3	-	2	52	7	1	309	300
2839	Dutchess	1,422	31	9	-	-	-	-	-	3	-	4	239	20	1	858	832
2840	Poughkeepsie	541	9	4	-	-	-	-	-	-	-	3	103	3	-	326	318
2841	Beacon	150	8	-	-	-	-	-	-	-	-	-	14	4	-	97	94
2842	Balance of county	731	14	5	-	-	-	-	-	3	-	1	122	13	1	433	420
2843	Erie	9,327	310	54	2	2	3	1	3	26	1	19	1,482	202	14	5,082	4,955
2844	Buffalo	6,667	249	45	-	2	3	-	3	16	1	15	1,051	144	9	3,663	3,572
2845	Kenmore	207	2	-	1	-	-	-	-	-	-	-	41	3	-	123	123
2846	Lackawanna	234	17	-	-	-	-	-	-	-	-	-	36	6	-	99	98
2847	Tonawanda	174	2	-	-	-	-	-	-	-	-	-	29	6	-	103	101
2848	Balance of county	2,045	40	9	1	-	-	1	-	10	-	4	325	43	5	1,094	1,083
2849	Essex	483	16	2	-	-	-	1	1	-	-	-	70	5	-	251	239
2850	Franklin	529	16	1	-	-	-	-	-	-	-	1	60	5	-	315	311
2851	Fulton	683	11	2	-	-	-	-	-	1	-	1	95	17	1	402	396
2852	Gloversville	327	6	1	-	-	-	-	-	-	-	-	41	7	-	194	192
2853	Johnstown	158	2	-	-	-	-	-	-	-	-	-	24	4	-	99	97
2854	Balance of county	198	3	1	-	-	-	-	-	1	-	1	30	6	1	109	107
2855	Genesee	477	4	4	-	1	-	2	-	2	-	1	63	9	-	273	269
2856	Batavia	176	1	-	-	1	-	-	-	-	-	-	23	2	-	104	103
2857	Balance of county	301	3	4	-	-	-	2	-	2	-	1	40	7	-	169	166
2858	Greene	430	9	1	-	-	-	-	-	-	-	-	55	6	1	278	267
2859	Hamilton	54	1	-	-	-	-	-	-	-	-	-	5	1	-	34	33
2860	Herkimer	748	11	4	1	-	2	-	-	-	-	1	103	12	-	422	412
2861	Little Falls	136	1	1	-	-	-	-	-	-	-	-	25	1	-	73	73
2862	Balance of county	612	10	3	1	-	2	-	-	-	-	1	78	11	-	349	339
2863	Jefferson	1,075	14	8	-	-	-	1	-	-	1	1	158	26	1	617	606
2864	Watertown	436	9	3	-	-	-	-	-	-	-	-	65	12	1	247	243
2865	Balance of county	639	5	5	-	-	-	1	-	-	1	1	94	14	-	370	365
2866	Lewis	309	6	1	-	-	-	-	-	-	-	1	39	6	-	196	184
2867	Livingston	439	9	2	-	-	-	-	-	-	-	1	47	9	-	279	272
2868	Madison	506	7	1	-	-	-	-	-	1	-	1	56	8	-	316	307
2869	Oneida	120	4	-	-	-	-	-	-	-	-	-	17	2	-	70	66
2870	Balance of county	385	3	1	-	-	-	-	-	1	-	1	39	4	-	248	241
2871	Monroe	5,121	123	28	-	1	-	-	5	4	1	8	809	74	5	2,994	2,937
2872	Rochester	3,865	104	23	-	1	-	-	5	4	-	7	615	52	5	2,272	2,234
2873	Irondequoit (town)	162	-	-	-	-	-	-	-	-	-	-	37	4	-	89	89
2874	Balance of county	1,094	19	3	-	-	-	-	-	-	1	1	157	18	-	533	514
2875	Montgomery	802	15	7	-	1	-	-	-	-	-	4	108	17	-	454	439
2876	Amsterdam	438	12	6	-	1	-	-	-	-	-	-	55	7	-	242	232
2877	Balance of county	364	3	1	-	-	-	-	-	-	-	4	51	10	-	212	207
2878	Nassau	5,037	98	4	-	-	-	-	1	35	-	15	912	90	4	2,716	2,669
2879	Floral Park	144	5	-	-	-	-	-	-	-	-	1	32	1	-	77	76
2880	Freeport	278	6	-	-	-	-	-	-	1	-	-	45	-	-	178	176

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	-	10	1	-	-	9	-	6	2	2	2	2	63	3	3	-	-	18	2791
10	2	32	1	1	1	9	1	8	2	-	2	2	5	6	13	-	-	22	2792
16	3	56	4	-	5	20	1	21	3	-	2	3	78	4	15	1	3	40	2793
17	-	65	4	3	5	12	1	17	2	-	-	7	35	13	20	2	2	46	2794
11	-	46	4	3	4	7	-	12	2	-	-	5	14	11	16	2	1	38	2795
6	-	19	-	-	1	5	1	5	-	-	-	2	21	2	4	-	1	8	2796
5	1	22	1	-	2	-	-	-	1	-	-	2	5	3	8	2	2	20	2797
11	-	18	1	-	-	3	-	3	-	-	1	-	27	3	2	-	-	24	2798
10	1	14	-	-	3	7	-	2	1	-	1	2	44	3	8	-	-	16	2799
4	2	15	5	1	2	9	-	1	-	-	-	1	12	3	2	-	-	9	2800
2	-	16	1	-	5	4	-	-	1	-	2	1	2	4	4	-	3	16	2801
9	2	18	7	1	4	3	-	9	-	-	3	4	49	7	9	-	-	42	2802
13,469	281	65,098	4,265	639	1,926	4,180	1,047	529	2,081	186	200	1,790	697	2,067	5,474	1,672	439	14,063	2803
305	9	1,386	103	16	50	60	25	8	29	4	3	40	7	31	76	32	3	262	2804
174	7	882	65	12	24	41	17	4	23	2	2	24	4	17	48	16	2	164	2805
35	-	138	8	-	9	9	1	2	1	1	-	3	-	-	6	1	-	22	2806
21	-	92	5	-	1	1	2	-	2	1	1	3	-	3	7	-	-	11	2807
75	2	274	25	4	16	9	5	3	3	-	-	10	3	11	21	15	1	65	2808
72	1	167	30	8	10	14	3	4	5	-	-	6	8	11	21	5	-	56	2809
167	3	743	32	14	35	55	14	6	30	2	-	35	3	32	62	37	3	186	2810
86	2	364	9	7	22	24	9	2	17	-	-	19	1	12	35	17	1	84	2811
16	-	80	1	-	1	7	2	-	9	-	-	6	-	5	7	3	1	30	2812
18	-	90	5	3	5	2	1	-	3	-	-	3	-	1	2	5	-	16	2813
47	1	209	17	4	5	22	2	4	1	2	-	7	2	14	18	12	1	56	2814
106	2	333	27	4	9	27	5	2	2	4	4	12	-	21	35	8	1	102	2815
30	1	83	2	2	3	10	2	1	-	1	1	5	-	5	7	-	1	24	2816
76	1	250	25	2	6	17	3	1	2	3	3	7	-	16	28	8	-	78	2817
110	2	347	53	6	13	18	3	6	6	2	-	10	3	16	35	11	1	77	2818
59	2	178	27	6	3	8	1	2	5	2	-	7	2	6	14	5	-	38	2819
51	-	169	26	-	10	10	2	4	1	-	-	3	1	10	21	6	1	39	2820
155	5	607	57	8	21	40	7	8	10	2	1	26	1	40	51	19	3	144	2821
53	3	202	21	1	11	16	2	2	3	1	1	10	1	13	18	3	1	52	2822
21	1	74	4	2	-	3	2	2	1	1	-	1	-	2	6	4	-	17	2823
81	1	331	32	5	10	21	3	4	6	-	-	15	-	25	27	12	2	95	2824
132	4	333	41	6	14	21	5	3	9	1	1	12	1	25	44	13	-	93	2825
75	3	222	33	5	9	15	4	2	7	2	1	4	1	14	27	8	-	61	2826
57	1	111	8	1	5	6	1	1	2	1	-	8	-	11	17	5	-	32	2827
34	2	223	20	4	30	16	2	-	2	1	3	7	1	6	17	5	-	51	2828
51	-	224	11	-	4	12	3	2	1	-	-	9	4	16	26	8	-	58	2829
19	-	75	6	-	2	5	2	-	1	3	1	1	2	5	10	3	-	22	2830
32	-	149	5	-	2	7	2	2	-	1	2	8	2	11	16	5	-	36	2831
50	-	255	16	3	5	8	1	1	3	2	1	3	2	12	34	7	1	53	2832
12	-	59	8	2	1	1	2	-	2	1	1	2	-	5	8	-	-	15	2833
38	-	196	8	1	4	4	-	1	2	1	-	1	2	7	26	7	1	38	2834
70	1	163	11	3	13	14	5	1	5	1	-	7	1	7	17	9	-	44	2835
45	1	76	5	3	6	4	3	1	4	-	-	7	-	-	8	2	-	17	2836
25	-	87	6	-	7	10	2	-	1	-	-	2	-	7	9	7	-	27	2837
59	-	209	30	2	9	19	1	2	6	2	-	5	1	7	9	7	-	55	2838
166	1	586	74	5	26	28	6	3	5	5	-	5	2	7	15	7	-	112	2839
61	-	221	34	2	10	10	3	1	1	1	-	12	6	19	47	15	1	57	2840
22	-	86	6	-	3	2	1	1	-	4	-	8	1	6	14	9	-	16	2841
85	1	298	34	3	13	14	2	1	4	4	-	4	1	1	5	-	-	16	2841
898	16	3,708	281	52	127	238	44	48	143	21	8	110	4	12	28	6	1	59	2842
660	11	2,683	171	47	91	172	29	33	110	18	3	65	20	150	292	80	17	955	2843
25	-	90	7	1	-	3	-	1	2	-	-	4	18	87	213	44	11	665	2844
14	-	75	7	-	3	12	1	3	5	1	2	3	-	2	3	1	-	21	2845
13	-	79	9	-	2	3	2	-	1	-	-	3	-	7	5	2	-	35	2846
186	5	781	87	4	51	48	12	11	25	2	3	35	-	2	4	1	-	18	2847
44	1	172	19	3	12	10	3	1	7	-	4	8	4	52	67	32	6	216	2848
84	-	201	26	-	4	6	2	1	1	2	1	11	4	12	22	9	-	57	2849
75	2	290	23	8	6	17	3	1	3	2	1	8	1	12	22	12	1	57	2850
32	1	144	9	8	2	7	-	-	2	1	-	5	-	14	23	11	-	70	2851
18	-	69	10	-	2	4	2	-	1	-	1	3	-	5	15	6	-	38	2852
25	1	77	4	-	2	6	1	1	-	1	1	5	-	3	4	3	-	12	2853
67	-	178	23	1	4	10	4	5	4	1	1	5	-	6	4	3	-	20	2854
19	-	71	13	1	1	2	2	-	3	1	1	4	-	7	16	6	-	57	2855
48	-	107	10	1	3	8	2	5	1	-	1	4	-	-	6	2	-	26	2856
57	-	181	24	5	11	5	2	2	-	1	1	1	-	7	10	6	-	31	2857
7	-	24	2	-	1	-	-	-	2	1	-	3	1	7	9	8	-	38	2858
79	-	302	28	3	10	18	9	4	5	2	1	-	-	-	3	-	-	8	2859
19	-	45	7	2	-	3	2	-	2	-	-	15	2	17	26	9	3	81	2860
80	-	257	21	1	10	15	7	4	3	2	1	2	1	1	6	4	-	16	2861
133	3	434	38	-	9	17	4	3	6	2	1	13	1	16	20	5	3	65	2862
53	1	177	12	-	4	6	3	1	3	-	-	11	7	26	43	19	-	109	2863
80	2	257	26	-	5	11	2	2	3	-	-	4	3	5	15	6	-	53	2864
37	2	136	9	-	12	2	2	-	1	-	-	7	4	21	28	13	-	86	2865
71	1	172	24	4	7	8	4	3	3	1	-	4	1	5	24	3	-	18	2866
60	-	218	27	2	9	12	1	6	-	1	2	4	3	10	10	4	1	41	2867
12	-	46	7	1	4	2	1	-	-	1	1	9	2	12	18	8	1	48	2868
48	-	172	20	1	5	10	-	4	-	-	-	2	1	3	5	1	1	10	2869
533	4	2,138	238	24	57	100	29	14	55	4	1	7	1	9	13	7	-	38	2870
386	2	1,863	166	17	39	80	22	11	45	2	7	75	11	82	156	46	4	497	2871
12	1	66	8	2	-	2	1	1	2	-	6	44	8	52	118	34	3	351	2872
135	1	409	64	5	19	18	6	2	8	2	-	4	-	1	3	1	-	17	2873
107	-	298	32	2	15	34	6	2	8	2	1	27	3	29	35	11	1	119	2874
57	-	157	17	1	10	17	4	1	3	1	1	14	-	14	26	12	1	73	2875
50	-	141	15	1	5	17	2	1	5	1	1	10	-	4	21	6	-	43	2876
424	13	2,086	123	23	47	93	34	20	80	2	1	4	-	10	4	6	1	30	2877
12	1	62	1	-	1	4	1	1	2	-	6	65	80	61	173	75	8	482	2878
22	1	141	11	1	2	5	1	-	1	-	1	1	3	2	6	-	-	7	2879
												3	4	-	9	5	-	20	2880

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 088-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NEW YORK—Continued																
	Nassau—Continued																
2881	Garden City	123	-	-	-	-	-	-	-	1	-	-	21	1	-	66	66
2882	Glen Cove	128	4	-	-	-	-	-	-	2	-	-	25	5	1	55	53
2883	Hempstead	295	11	-	-	-	-	-	-	1	-	1	52	8	-	169	166
2884	Lynbrook	174	3	-	-	-	-	-	-	2	-	-	40	3	-	94	92
2885	Mineola	112	1	-	-	-	-	-	-	1	-	-	26	2	-	56	56
2886	Rockville Centre	226	1	-	-	-	-	-	-	2	-	1	42	6	-	128	126
2887	Valley Stream	221	3	-	-	-	-	-	-	2	-	1	36	1	1	128	127
2888	Balance of county	3,336	64	4	-	-	-	-	1	23	-	11	591	63	2	1,765	1,731
2889	New York City[5]	81,527	2,853	415	1	5	3	14	43	166	7	153	14,713	1,653	113	43,464	43,858
2890	Niagara	1,798	35	4	-	-	-	-	1	-	2	2	285	39	2	958	925
2891	Niagara Falls	768	21	2	-	-	-	-	-	-	1	1	127	15	1	366	352
2892	Lockport	296	2	1	-	-	-	-	-	-	-	-	46	7	-	172	165
2893	North Tonawanda	264	5	1	-	-	-	-	-	-	1	-	44	8	-	147	145
2894	Balance of county	470	7	-	-	-	-	-	1	-	-	1	66	9	1	273	263
2895	Oneida	2,515	52	11	-	-	-	-	-	-	-	9	322	30	3	1,494	1,457
2896	Utica	1,231	29	8	-	-	-	-	-	-	-	3	166	19	3	741	723
2897	Rome	357	6	-	-	-	-	-	-	-	-	3	52	1	-	206	196
2898	Balance of county	927	17	3	-	-	-	-	-	-	-	3	104	10	-	547	538
2899	Onondaga	3,621	114	14	-	1	-	-	-	2	3	9	526	64	2	2,111	2,068
2900	Syracuse	2,586	88	10	-	1	-	-	-	1	2	5	384	50	2	1,493	1,464
2901	Balance of county	1,035	26	4	-	-	-	-	-	1	1	4	142	14	-	618	604
2902	Ontario	719	6	4	-	1	-	-	-	-	-	4	68	9	2	455	436
2903	Geneva	209	3	-	-	-	-	-	-	-	-	-	27	2	-	136	132
2904	Balance of county	510	3	4	-	1	-	-	-	-	-	4	61	7	2	319	304
2905	Orange	1,813	22	12	-	-	-	-	2	2	3	1	3	259	24	3	1,123	1,087
2906	Newburgh	441	8	4	-	-	-	-	1	2	-	1	-	57	4	1	284	278
2907	Middletown	280	3	1	-	-	-	-	-	7	-	-	-	42	3	1	191	187
2908	Balance of county	1,092	11	7	-	-	-	-	1	3	-	-	3	160	17	1	648	622
2909	Orleans	383	8	4	-	-	-	-	-	-	-	-	3	53	8	-	223	219
2910	Oswego	902	14	5	1	-	-	-	-	-	-	2	-	116	11	-	547	525
2911	Fulton	150	1	2	-	-	-	-	-	-	-	-	-	25	3	-	83	77
2912	Oswego	268	4	2	-	-	-	-	-	-	-	1	-	42	2	-	162	156
2913	Balance of county	484	9	1	1	-	-	-	-	-	-	1	-	49	6	-	302	290
2914	Otsego	637	5	1	-	-	-	-	1	-	-	1	-	109	8	-	382	375
2915	Oneonta	177	3	-	-	-	-	-	1	-	-	-	-	34	2	-	108	107
2916	Balance of county	460	2	1	-	-	-	-	-	-	-	1	-	75	6	-	274	268
2917	Putnam	237	6	1	-	-	-	-	-	-	-	1	1	40	5	-	126	115
2918	Rensselaer	1,811	34	11	-	1	1	-	1	2	1	6	217	35	2	1,156	1,095
2919	Troy	1,086	24	7	-	-	-	-	-	1	1	4	122	24	-	686	661
2920	Rensselaer	155	6	1	-	1	-	-	-	-	-	-	-	24	4	2	84	82
2921	Balance of county	570	4	3	-	-	1	-	1	1	-	2	71	7	-	366	352
2922	Rockland	792	8	2	-	-	-	-	-	2	-	1	137	6	1	475	459
2923	St. Lawrence	1,170	11	10	-	-	-	2	2	2	-	2	142	20	5	689	658
2924	Massena	120	-	2	-	-	-	-	-	-	-	-	17	4	-	63	61
2925	Ogdensburg	192	1	4	-	-	-	-	-	-	-	-	26	4	2	113	111
2926	Balance of county	858	10	4	-	-	-	2	2	2	-	2	99	12	3	483	484
2927	Saratoga	874	8	4	-	-	-	-	-	-	-	1	129	22	1	517	497
2928	Saratoga Springs	183	3	-	-	-	-	-	-	-	-	-	25	7	-	101	98
2929	Balance of county	691	5	4	-	-	-	-	-	-	-	1	104	15	1	416	399
2930	Schenectady	1,451	24	10	-	3	-	-	1	-	2	4	250	18	3	837	815
2931	Schenectady	1,079	16	4	-	3	-	-	1	-	2	3	194	18	3	619	603
2932	Balance of county	372	8	6	-	-	-	-	-	-	-	1	66	-	-	218	212
2933	Schoharie	308	3	-	-	-	-	-	-	2	-	2	42	3	1	171	168
2934	Schuyler	189	2	1	-	-	-	-	-	-	-	2	15	8	-	112	101
2935	Seneca	324	4	1	-	-	-	-	-	-	-	-	46	8	-	194	185
2936	Steuben	887	15	5	-	1	-	1	-	-	2	1	141	18	1	543	528
2937	Corning	185	2	1	-	-	-	-	-	-	-	-	26	4	-	99	97
2938	Hornell	150	2	-	-	-	-	-	-	-	-	-	31	3	-	79	76
2939	Balance of county	652	11	4	-	1	-	1	-	-	2	1	82	9	1	365	356
2940	Suffolk	2,479	41	6	-	1	-	-	1	10	-	9	399	38	4	1,448	1,409
2941	Sullivan	465	12	-	-	-	-	-	1	-	-	1	69	10	-	276	268
2942	Tioga	376	1	2	-	-	-	-	-	-	2	1	51	5	-	231	219
2943	Tompkins	519	8	3	-	-	-	-	1	-	-	-	79	9	-	301	291
2944	Ithaca	260	3	1	-	-	-	-	1	-	-	-	45	1	-	157	153
2945	Balance of county	259	5	2	-	-	-	-	-	-	-	-	34	8	-	144	138
2946	Ulster	1,239	21	3	-	-	-	-	1	3	1	-	176	30	1	717	693
2947	Kingston	394	9	1	-	-	-	-	1	-	-	-	56	8	1	233	231
2948	Balance of county	845	12	2	-	-	-	-	-	3	1	-	120	22	-	484	462
2949	Warren	549	11	1	-	1	-	1	-	2	-	2	74	1	2	313	304
2950	Glens Falls	295	7	-	-	1	-	-	-	-	-	1	42	-	2	168	165
2951	Balance of county	254	4	1	-	-	-	1	-	2	-	1	32	1	-	145	139
2952	Washington	602	8	3	-	1	-	-	1	3	1	-	78	8	-	351	342
2953	Wayne	651	13	3	-	-	-	-	1	1	-	2	72	5	-	383	375
2954	Westchester	5,869	131	28	-	3	2	-	-	14	-	10	1,094	94	6	3,217	3,153
2955	Yonkers	1,487	40	5	-	-	-	-	-	1	-	4	277	25	-	603	787
2956	Mount Vernon	668	21	3	-	-	-	-	-	1	-	1	136	11	1	366	360
2957	New Rochelle	556	11	-	-	-	-	-	-	2	-	-	106	8	2	316	311
2958	White Plains	442	8	5	-	1	-	-	-	1	-	2	73	4	-	244	236
2959	Mamaroneck	133	2	3	-	-	-	-	-	-	-	-	22	1	-	72	71
2960	Ossining	172	2	-	-	-	-	-	-	-	-	-	28	6	-	102	99
2961	Peekskill	207	6	1	-	-	-	-	-	-	-	1	36	7	-	115	110
2962	Port Chester	235	7	2	-	-	-	-	-	-	-	-	42	5	-	125	122
2963	Scarsdale	143	3	1	-	-	-	-	-	3	-	-	32	-	-	71	69
2964	Balance of county	1,826	31	6	-	2	2	-	-	6	-	2	342	27	3	1,003	986
2965	Wyoming	369	3	2	-	-	-	-	-	-	-	1	53	4	-	228	226
2966	Yates	233	-	1	-	-	-	-	-	-	-	1	31	4	-	143	139
2967	NORTH CAROLINA	31,009	972	193	4	36	25	34	32	12	91	126	3,261	402	45	15,163	14,382
2968	Alamance	456	9	3	-	1	-	-	1	-	1	4	55	10	1	222	211
2969	Burlington	172	4	-	-	-	-	-	-	-	1	-	26	2	1	81	77
2970	Balance of county	284	5	3	-	1	-	-	1	-	-	4	29	8	-	141	134

[5] Comprising Bronx, Kings, New York, Queens, and Richmond Counties, treated as a unit.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-483	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571, 572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 580, 591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
10	-	51	4	1	-	1	2	-	2	-	-	2	1	3	9	2	-	12	2881
17	-	34	2	-	2	2	1	-	3	-	-	1	4	1	5	1	-	18	2882
29	-	129	7	1	3	6	-	-	3	-	-	3	2	2	11	-	-	26	2883
9	-	72	11	-	2	5	1	-	1	-	-	-	1	2	6	-	1	15	2884
11	-	40	5	-	-	3	-	1	1	-	-	1	3	1	2	1	1	12	2885
21	1	98	6	2	2	3	3	2	1	-	1	1	1	5	4	5	1	19	2886
11	1	111	4	-	1	4	1	3	3	-	-	4	2	3	8	2	-	17	2887
282	9	1,350	72	18	34	60	24	13	43	5	4	49	59	42	113	59	5	336	2888
5,501	160	35,135	1,578	284	808	2,542	606	252	1,313	56	120	835	403	782	2,975	797	349	6,894	2889
194	3	659	65	5	33	37	13	7	19	3	2	20	9	36	72	19	2	231	2890
71	2	252	25	2	14	16	6	3	13	1	2	12	2	18	31	12	2	116	2891
39	-	114	11	1	7	6	2	1	2	1	-	1	-	4	13	-	-	36	2892
22	1	112	10	-	2	7	2	1	2	1	-	4	1	5	7	2	-	26	2893
62	-	180	19	2	10	8	3	2	2	-	-	3	6	9	21	5	-	53	2894
245	5	1,119	80	8	37	91	15	7	35	6	6	39	8	53	81	27	2	224	2895
116	4	560	39	4	18	36	5	3	24	3	2	18	5	17	30	10	1	108	2896
22	1	164	9	-	10	19	5	1	4	1	-	8	1	6	7	2	-	35	2897
107	-	395	32	4	9	36	5	3	7	2	4	13	2	30	44	15	1	81	2898
435	5	1,486	127	15	43	63	25	15	48	8	2	60	8	46	95	43	5	357	2899
296	4	1,074	82	8	29	43	20	15	40	6	1	38	6	24	62	29	3	243	2900
139	1	412	45	7	14	20	5	-	8	2	1	22	2	22	33	14	2	114	2901
108	1	282	36	9	19	17	5	-	2	-	-	9	4	17	22	7	1	66	2902
36	-	82	12	2	4	7	2	-	1	-	-	3	2	5	5	1	1	14	2903
72	1	200	24	7	15	10	3	-	1	-	-	6	2	12	17	6	-	52	2904
225	3	754	98	7	36	44	7	9	19	6	2	12	8	33	55	19	3	142	2905
45	1	187	43	2	6	6	4	1	6	3	1	5	2	5	10	6	-	30	2906
57	1	115	12	2	4	9	-	1	1	1	-	-	3	3	3	2	1	15	2907
123	1	452	43	3	26	29	3	7	12	2	1	7	3	25	42	11	2	97	2908
55	1	145	13	4	4	4	3	2	2	1	-	5	-	12	20	6	3	26	2909
117	1	374	29	4	22	21	7	6	8	2	-	10	1	15	33	14	2	87	2910
22	-	51	4	-	6	4	4	2	1	1	-	2	-	1	4	2	-	15	2911
32	1	109	14	3	4	8	1	1	4	-	-	3	1	4	10	1	-	22	2912
63	-	215	11	1	12	9	2	3	3	1	-	5	-	10	19	11	2	50	2913
92	-	251	29	3	7	17	1	4	6	-	-	8	8	11	23	5	-	47	2914
30	-	69	9	-	1	7	1	1	1	-	-	3	1	1	2	-	-	12	2915
62	-	183	20	3	8	10	-	3	5	-	-	5	7	10	21	5	-	35	2916
25	-	77	11	2	11	8	4	1	1	1	-	2	-	5	6	2	-	28	2917
215	2	801	70	7	41	25	10	10	24	7	4	18	4	25	68	16	1	154	2918
127	-	493	37	4	25	16	8	5	17	3	2	12	3	12	41	6	-	92	2919
20	-	58	4	-	2	3	2	1	2	1	-	2	-	1	6	3	1	11	2920
68	2	250	29	3	14	6	-	4	5	3	2	4	1	12	19	7	-	51	2921
63	2	367	25	2	16	15	7	1	5	-	1	10	4	12	22	11	1	71	2922
131	2	473	48	2	13	39	6	3	10	3	-	19	3	31	37	9	-	145	2923
11	-	45	5	-	2	7	-	-	2	-	-	5	-	2	5	-	-	13	2924
21	-	81	8	1	2	2	2	1	1	-	-	1	1	5	5	1	-	23	2925
98	2	347	35	1	9	30	4	2	7	3	-	13	2	24	27	8	-	109	2926
84	-	377	30	6	20	23	6	5	5	1	1	9	5	9	37	10	2	79	2927
11	-	80	4	3	3	4	2	2	1	1	-	4	2	2	9	2	1	17	2928
73	-	297	26	3	17	19	4	3	4	-	1	5	3	7	28	8	1	62	2929
181	4	571	54	5	22	31	12	3	17	3	2	22	2	19	50	17	-	121	2930
139	4	417	39	4	18	21	10	3	14	1	1	19	2	16	30	16	-	93	2931
42	-	154	15	1	6	10	2	-	3	2	1	3	-	3	20	1	-	26	2932
31	-	123	14	-	3	13	2	-	3	2	-	3	-	12	13	4	-	32	2933
29	1	84	6	1	11	6	1	-	2	-	-	2	2	7	7	2	-	20	2934
36	-	130	18	1	9	2	2	2	4	-	-	4	-	6	20	1	1	29	2935
102	-	385	38	4	14	19	5	2	8	2	1	12	2	22	45	15	2	126	2936
19	-	72	5	1	2	1	-	-	4	-	-	3	-	4	15	-	-	24	2937
12	-	56	7	1	3	7	-	-	1	-	-	2	2	1	5	1	1	15	2938
71	-	257	26	2	9	11	5	2	3	2	1	7	-	17	25	14	1	87	2939
271	8	1,033	85	12	39	53	18	6	21	1	2	26	9	58	91	41	3	195	2940
44	-	210	10	4	8	3	1	-	2	2	2	4	1	11	12	4	-	54	2941
62	-	139	18	-	12	8	3	2	1	-	-	3	-	11	8	4	-	44	2942
55	2	212	20	2	10	12	-	1	6	-	-	8	1	9	23	10	1	47	2943
25	-	116	11	1	4	5	-	-	5	-	-	1	-	3	9	6	-	23	2944
30	2	96	9	1	6	7	-	1	1	-	-	7	1	6	14	4	1	24	2945
149	3	491	46	4	24	21	12	5	10	2	3	15	9	26	46	14	1	122	2946
54	2	166	8	1	2	10	4	2	5	1	1	5	1	5	13	2	-	36	2947
95	1	325	38	3	22	11	8	3	5	1	2	10	3	21	33	12	1	86	2948
43	-	236	23	2	9	12	3	2	3	1	2	10	4	14	17	2	1	70	2949
24	-	131	9	1	3	7	3	-	3	-	2	5	3	9	12	1	1	28	2950
19	-	105	14	1	6	5	-	2	-	1	-	5	1	5	5	1	-	42	2951
60	2	250	27	3	9	14	6	-	4	3	-	8	5	11	22	10	-	65	2952
86	-	258	27	4	8	15	2	4	4	1	-	5	2	17	33	10	1	77	2953
576	4	2,351	190	32	64	121	36	20	85	10	3	81	23	73	176	67	9	568	2954
125	1	609	44	8	16	39	9	5	22	1	-	24	8	17	48	13	2	144	2955
60	1	275	19	5	6	23	2	1	8	1	1	9	1	3	28	5	2	44	2956
75	-	215	18	3	5	11	6	2	9	1	2	7	-	5	13	5	1	49	2957
36	1	164	15	2	6	1	2	1	9	2	-	8	1	5	11	6	2	56	2958
13	-	56	2	-	1	1	3	-	3	-	-	1	-	-	5	3	-	17	2959
17	-	76	5	1	3	1	1	-	4	1	-	3	1	1	7	3	-	12	2960
27	-	75	8	-	5	6	1	3	2	-	-	3	-	1	2	2	-	21	2961
24	1	84	13	-	3	1	1	1	2	1	-	3	2	3	10	2	-	28	2962
11	-	53	3	2	2	3	1	-	2	-	-	2	-	3	6	2	-	14	2963
188	-	724	65	11	17	35	10	7	24	3	-	21	10	35	46	28	2	183	2964
61	-	141	22	2	2	1	1	2	-	-	-	3	1	9	11	4	-	46	2965
40	-	90	8	1	4	6	-	-	3	-	-	2	-	5	13	2	-	24	2966
3,810	107	9,567	755	153	771	1,296	108	340	137	117	127	518	329	940	1,295	290	377	4,239	2967
54	2	141	11	3	11	13	2	4	4	1	-	8	2	20	21	6	2	66	2968
17	-	51	7	2	4	4	-	2	1	-	-	4	-	8	6	3	1	28	2969
37	2	90	4	1	7	9	2	2	3	1	-	4	2	12	15	3	1	38	2970

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NORTH CAROLINA—Con.																
2971	Alexander	127	5	-	1	1	-	-	-	-	-	-	19	3	1	53	48
2972	Alleghany	80	-	-	-	-	-	-	-	-	-	-	12	2	-	45	42
2973	Anson	212	9	1	-	-	1	-	-	-	-	-	25	2	-	93	85
2974	Ashe	171	2	-	-	-	-	-	-	-	-	-	23	-	-	64	59
2975	Avery	111	2	1	-	1	-	-	-	-	2	1	11	1	-	42	40
2976	Beaufort	362	13	1	-	1	1	-	-	-	1	-	26	5	1	168	155
2977	Bertie	244	7	3	-	1	-	-	-	-	1	-	15	2	1	114	108
2978	Bladen	221	4	1	-	-	-	2	-	-	1	4 2	12	3	-	103	99
2979	Brunswick	138	-	1	-	-	-	-	-	-	-	-	7	2	-	70	69
2980	Buncombe	1,008	34	9	-	1	-	-	1	1	5	2	135	12	-	519	505
2981	Asheville	551	23	8	-	-	-	-	1	1	1	-	78	8	-	284	272
2982	Balance of county	452	11	1	-	1	-	-	1	-	4	2	57	4	-	235	233
2983	Burke	271	12	1	-	-	-	-	2	-	-	1	27	2	-	133	130
2984	Cabarrus	444	7	2	-	-	1	-	-	-	1	2	51	6	1	211	203
2985	Concord	173	2	-	-	-	1	-	-	-	-	1	17	2	-	93	91
2986	Balance of county	271	5	2	-	-	-	-	-	-	1	1	34	4	1	118	112
2987	Caldwell	287	11	1	-	1	-	-	-	-	2	2	25	4	-	127	125
2988	Camden	45	2	-	-	-	-	-	-	-	-	-	5	1	-	16	12
2989	Carteret	172	4	2	-	1	-	-	-	-	-	2	25	3	-	87	75
2990	Caswell	153	4	-	-	-	-	-	-	-	3	-	19	-	-	75	74
2991	Catawba	403	6	1	-	1	1	-	-	-	-	3	52	4	1	205	200
2992	Hickory	122	2	1	-	-	-	-	-	-	-	1	15	1	-	60	59
2993	Balance of county	281	4	-	-	1	1	-	-	-	-	2	37	3	1	145	141
2994	Chatham	217	7	1	-	-	-	-	-	-	-	4	17	1	1	124	122
2995	Cherokee	148	4	1	1	-	-	-	-	-	-	1	21	1	-	62	58
2996	Chowan	141	5	-	-	-	-	-	1	-	-	-	14	1	1	69	66
2997	Clay	30	-	-	-	-	-	-	-	-	-	1	4	1	-	10	9
2998	Cleveland	390	4	1	-	-	1	-	-	-	1	1	41	3	1	185	179
2999	Shelby	97	3	1	-	-	-	-	-	-	-	-	13	2	-	45	43
3000	Balance of county	293	1	-	-	-	1	-	-	-	1	1	28	1	1	140	136
3001	Columbus	419	9	3	-	-	-	3	1	-	-	2	27	4	1	169	159
3002	Craven	422	18	2	-	-	-	1	1	1	-	6	46	5	-	205	192
3003	New Bern	189	9	2	-	-	-	1	-	-	-	4	27	2	-	97	90
3004	Balance of county	233	9	-	-	-	-	-	1	1	-	2	19	3	-	108	102
3005	Cumberland	659	22	2	-	-	-	-	2	-	-	4	46	8	1	290	274
3006	Fayetteville	299	12	2	-	-	-	-	-	-	-	3	17	8	1	131	121
3007	Balance of county	340	10	-	-	-	-	-	2	-	-	1	29	-	-	159	153
3008	Currituck	63	3	-	-	-	-	-	-	-	-	-	5	-	-	40	37
3009	Dare	45	1	1	-	-	-	-	-	-	1	-	7	2	-	24	23
3010	Davidson	398	7	4	-	-	-	4	-	-	-	1	55	7	-	198	189
3011	Lexington	91	3	2	-	-	-	1	-	-	-	-	11	2	-	39	38
3012	Thomasville	80	2	1	-	-	-	-	-	-	-	1	9	-	-	44	42
3013	Balance of county	227	2	1	-	-	-	3	-	-	-	-	35	5	-	113	109
3014	Davie	121	-	1	-	-	-	1	-	-	1	1	11	7	-	63	58
3015	Duplin	330	6	3	-	-	-	-	-	-	-	1	26	4	3	188	177
3016	Durham	796	36	4	-	-	-	1	1	-	1	2	95	14	-	384	369
3017	Durham	608	26	3	-	-	-	1	1	-	-	1	80	11	-	292	278
3018	Balance of county	188	10	1	-	-	-	-	-	-	1	1	15	3	-	92	91
3019	Edgecombe	470	20	1	-	1	3	-	2	-	3	1	48	8	2	220	202
3020	Rocky Mount (part)	105	3	1	-	-	-	-	1	-	-	-	13	5	-	56	51
3021	Balance of county	365	17	-	-	1	3	-	1	-	3	1	35	3	2	164	151
3022	Forsyth	1,157	43	14	1	1	1	-	-	-	2	3	149	14	3	595	561
3023	Winston-Salem	857	35	12	1	1	-	-	-	-	-	2	107	11	2	441	410
3024	Balance of county	300	8	2	-	-	1	-	-	-	2	1	42	3	1	154	151
3025	Franklin	232	3	3	-	-	-	-	-	-	1	1	22	2	-	128	127
3026	Gaston	679	11	5	1	-	1	1	-	-	-	6	77	10	1	326	317
3027	Gastonia	196	7	3	-	-	-	-	-	-	-	-	20	5	1	85	83
3028	Balance of county	483	4	2	1	-	1	1	-	-	-	6	57	5	-	241	234
3029	Gates	90	3	-	-	-	-	-	-	-	-	1	5	-	-	51	50
3030	Graham	31	1	-	-	-	-	1	-	-	-	1	4	-	-	10	8
3031	Granville	287	8	2	-	-	1	-	1	-	1	1	26	6	-	147	134
3032	Greene	122	7	1	-	-	-	-	-	-	-	-	4	1	-	64	58
3033	Guilford	1,348	36	7	-	-	1	-	-	2	1	4	164	16	-	725	689
3034	Greensboro	575	24	4	-	-	-	-	-	1	-	3	67	4	-	304	284
3035	High Point	301	6	2	-	-	1	-	-	-	1	1	39	6	-	167	163
3036	Balance of county	472	8	1	-	-	-	-	-	1	-	-	58	6	-	254	242
3037	Halifax	532	21	7	-	4	1	-	1	-	3	1	50	4	1	268	257
3038	Harnett	344	15	2	-	-	-	-	-	-	1	2	35	6	-	184	177
3039	Haywood	289	5	2	-	1	1	-	-	-	3	1	29	6	-	132	131
3040	Henderson	300	3	-	-	-	-	-	-	-	3	3	49	5	-	156	151
3041	Hertford	182	6	1	-	-	-	-	-	-	-	-	21	3	-	75	70
3042	Hoke	132	15	1	-	1	-	-	-	-	-	-	11	-	-	50	49
3043	Hyde	80	2	-	-	-	-	-	-	-	-	-	8	3	-	27	26
3044	Iredell	423	6	3	-	1	-	-	2	-	-	4	44	5	-	225	212
3045	Statesville	144	3	1	-	-	-	-	1	-	-	1	15	3	-	74	70
3046	Balance of county	279	3	2	-	1	1	-	1	-	-	3	29	2	-	151	142
3047	Jackson	122	7	1	-	-	1	-	-	-	4	1	11	1	-	51	37
3048	Johnston	484	18	5	-	1	-	-	-	-	3	2	43	6	3	235	225
3049	Jones	91	4	-	-	-	-	-	-	-	-	-	8	-	1	46	41
3050	Lee	174	4	3	-	-	-	-	-	-	-	-	14	3	-	88	85
3051	Lenoir	418	20	7	-	3	-	-	2	1	-	1	34	10	1	179	166
3052	Kinston	196	8	6	-	1	-	-	1	-	-	-	21	4	-	86	82
3053	Balance of county	222	12	1	-	2	-	-	1	1	-	1	13	6	1	93	84
3054	Lincoln	177	1	3	-	-	1	-	-	-	-	3	15	2	2	91	85
3055	McDowell	168	8	-	-	-	-	-	2	-	-	1	11	2	-	76	71
3056	Macon	112	2	2	-	-	2	-	-	-	1	1	14	-	-	53	49
3057	Madison	156	6	1	-	1	1	-	-	1	5	1	16	3	1	73	68
3058	Martin	228	11	2	-	1	-	1	-	-	-	2	27	-	-	110	106
3059	Mecklenburg	1,452	40	10	-	1	-	-	1	2	1	7	183	20	2	709	680
3060	Charlotte	1,096	29	9	-	1	-	-	1	2	1	5	151	15	1	523	508
3061	Balance of county	356	11	1	-	-	-	-	-	-	-	2	32	5	1	186	172
3062	Mitchell	95	3	1	-	-	-	1	-	-	-	-	12	2	-	37	37

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
15	-	29	4	-	5	4	1	3	-	-	1	2	13	3	4	1	-	12	2971
13	-	27	-	2	3	3	-	-	1	1	-	-	1	1	3	1	1	9	2972
32	-	48	3	2	8	8	2	2	2	2	2	2	12	3	11	3	2	30	2973
13	1	41	4	-	5	14	1	3	1	-	-	1	17	6	10	3	1	25	2974
10	-	28	2	-	2	5	-	-	-	-	2	2	14	4	3	1	-	19	2975
55	-	86	12	2	13	37	2	6	1	-	-	4	8	12	15	4	3	53	2976
35	2	69	2	-	6	16	-	2	1	1	1	3	11	7	15	1	3	39	2977
23	1	66	6	1	4	14	-	4	-	-	1	9	10	6	10	1	4	34	2978
12	1	53	2	1	1	4	1	1	1	-	3	2	6	9	8	1	3	20	2979
136	4	339	21	5	14	28	3	3	3	1	4	19	15	21	35	10	11	151	2980
84	2	174	10	2	12	12	1	1	3	1	2	9	7	8	18	6	7	73	2981
52	2	165	11	3	2	16	2	2	-	-	2	10	3	13	17	4	4	58	2982
43	2	76	8	1	3	11	-	1	1	-	-	8	5	17	15	2	6	27	2983
50	2	137	10	4	8	13	2	3	3	-	1	13	37	10	13	6	11	50	2984
21	-	65	5	-	2	6	-	-	1	-	-	4	9	6	4	4	3	20	2985
29	2	72	5	4	8	7	2	3	2	-	1	9	28	4	9	2	8	30	2986
30	2	82	7	4	2	20	2	1	2	1	4	12	8	8	15	2	1	38	2987
5	-	7	-	-	4	1	1	-	-	2	1	3	5	2	5	-	-	1	2988
30	-	44	1	-	12	3	1	1	1	1	1	-	2	9	9	1	1	18	2989
24	-	38	12	-	1	10	-	2	1	2	-	2	5	3	5	1	1	20	2990
41	-	147	9	3	5	8	1	2	1	-	1	9	11	11	18	5	3	59	2991
11	-	45	1	2	1	2	-	-	-	-	-	4	6	6	2	1	-	21	2992
30	-	102	8	1	4	6	1	2	1	-	1	5	5	5	16	4	3	38	2993
25	-	90	6	1	2	9	1	1	-	1	-	1	4	8	9	-	-	30	2994
12	-	43	3	-	4	9	-	1	-	-	-	4	8	8	3	-	1	23	2995
20	-	40	6	-	3	5	-	2	-	-	1	2	3	1	7	-	2	27	2996
7	-	1	1	-	1	3	-	-	-	1	-	2	4	2	1	-	-	1	2997
56	1	107	14	1	6	19	2	4	-	2	5	8	8	10	22	4	6	64	2998
11	-	28	4	-	2	-	2	2	-	-	2	3	1	3	2	3	3	12	2999
45	1	79	10	1	4	19	-	2	-	2	3	5	5	7	20	1	3	52	3000
46	1	107	5	-	10	22	1	8	3	3	4	7	48	18	15	3	6	62	3001
50	-	127	14	1	13	15	2	6	2	5	2	6	7	18	18	3	4	51	3002
25	-	59	5	1	7	5	2	3	1	3	-	2	2	4	3	2	1	19	3003
35	-	68	9	-	6	10	-	3	1	2	2	4	5	14	13	1	3	32	3004
82	2	192	17	1	16	31	3	9	5	3	3	7	17	23	31	5	14	113	3005
19	1	92	8	1	10	15	-	3	2	1	2	4	10	12	9	2	8	57	3006
43	1	100	9	-	6	16	3	6	3	2	1	3	7	11	22	3	6	56	3007
7	-	28	2	-	3	1	-	1	-	-	-	1	1	1	3	1	-	8	3008
6	-	15	1	1	1	-	-	-	-	-	-	1	3	-	2	-	-	3	3009
61	-	118	9	1	7	11	1	4	1	-	-	8	4	7	22	5	4	57	3010
9	-	27	2	-	1	3	-	1	-	-	-	2	1	1	5	-	-	20	3011
11	-	30	-	1	2	1	1	-	-	-	-	2	1	3	2	3	1	9	3012
41	-	81	7	-	4	7	-	3	-	1	-	4	2	3	15	2	3	28	3013
17	-	31	10	-	5	4	-	1	-	-	-	4	-	2	7	-	1	17	3014
74	2	92	8	1	12	11	1	6	3	1	2	2	10	8	13	4	2	35	3015
85	3	251	27	3	15	33	4	6	5	6	2	10	7	28	44	4	11	98	3016
73	2	181	19	3	14	24	2	4	4	4	1	7	7	18	32	2	10	78	3017
12	1	70	8	-	1	9	2	2	1	2	1	3	-	10	12	2	1	20	3018
54	1	138	9	-	18	20	-	8	1	3	3	9	14	10	17	7	3	66	5019
14	-	36	1	-	5	2	-	-	1	-	-	2	2	1	3	2	-	13	3020
40	1	102	8	-	13	18	-	8	-	3	3	7	12	9	14	5	3	53	3021
142	4	387	25	3	34	46	5	11	8	5	3	10	9	26	31	8	14	157	3022
102	3	287	16	2	31	30	3	10	5	1	3	5	7	17	22	5	14	123	3023
40	1	100	9	1	3	16	2	1	1	4	-	5	2	9	9	3	-	34	3024
35	-	85	9	-	1	10	-	1	1	4	3	1	1	7	8	2	7	27	3025
67	3	231	10	6	9	23	3	6	6	2	4	16	25	23	38	8	1	85	3028
21	1	56	2	3	2	5	1	1	4	1	1	7	5	8	14	1	-	27	3027
46	2	175	8	3	7	18	2	5	2	1	3	9	20	15	24	7	1	58	3028
21	-	26	2	1	1	7	1	-	-	-	-	1	2	3	2	-	1	13	3029
1	-	7	-	-	2	-	-	-	1	-	-	2	2	1	-	-	-	8	3030
52	-	95	6	1	15	7	2	5	1	1	-	1	12	8	10	4	7	36	3031
8	-	45	3	2	6	5	-	3	1	-	2	4	3	3	4	-	1	19	3032
159	6	485	29	10	36	45	7	10	7	-	1	24	12	26	56	11	22	169	3033
66	1	203	10	4	20	18	3	4	3	-	-	9	8	11	23	3	10	76	3034
37	2	114	9	1	4	8	1	1	2	-	-	6	-	4	12	3	6	35	3035
56	3	168	10	5	12	19	3	5	2	-	1	9	4	11	21	5	6	58	3036
95	-	148	14	-	11	22	1	10	2	2	8	2	13	19	25	2	4	65	3037
49	1	116	8	3	7	20	-	2	1	3	-	8	4	9	11	3	5	33	3038
31	4	88	6	2	1	11	-	3	-	-	-	3	2	10	10	3	-	47	3039
46	1	95	8	1	5	8	2	3	1	2	-	3	3	6	10	1	2	40	3040
21	-	49	-	-	5	6	-	1	1	-	-	4	-	7	6	-	-	31	3041
18	-	26	5	1	1	8	-	3	1	1	-	2	6	4	4	-	2	23	3042
4	1	21	-	-	1	3	-	-	-	-	-	-	7	3	2	-	-	5	3043
53	-	139	21	-	13	16	-	1	2	-	-	7	3	12	16	4	6	66	3044
20	-	47	3	-	4	6	-	-	2	-	-	-	2	7	5	1	3	20	3045
33	-	91	18	-	9	10	-	1	-	-	-	7	1	5	11	3	3	46	3046
7	-	27	2	1	14	7	1	-	-	1	-	2	3	7	7	2	1	14	3047
82	-	131	11	1	10	16	1	9	1	3	4	12	5	15	15	10	4	73	3048
18	-	20	2	1	5	3	1	-	-	1	1	2	4	3	2	1	-	15	3049
15	-	65	4	1	3	2	-	1	-	1	1	4	3	5	9	4	3	29	3050
46	3	109	4	4	13	11	4	9	6	1	3	5	4	8	32	2	5	70	3051
21	1	57	1	2	4	4	3	4	4	-	2	-	-	2	14	1	3	32	3052
25	2	52	3	2	2	7	1	5	2	1	1	5	4	6	18	1	2	38	3053
24	1	55	4	1	8	3	3	2	-	2	-	3	7	3	5	-	2	29	3054
14	-	53	4	-	5	9	1	1	6	-	-	2	15	5	9	3	-	17	3055
13	-	32	4	-	4	6	-	4	-	-	-	4	6	2	3	-	-	12	3056
18	-	46	3	1	5	4	-	-	1	-	-	1	10	4	3	1	2	21	3057
23	1	76	6	-	4	8	-	5	1	1	1	3	4	10	6	-	3	32	3058
134	6	496	37	7	23	75	7	14	5	10	1	21	10	34	57	10	24	208	3059
97	5	369	32	5	15	51	4	14	4	7	1	16	7	24	47	10	20	154	3060
37	1	127	5	2	14	24	3	-	1	3	-	5	3	10	10	-	4	54	3061
11	-	21	2	3	-	5	1	-	-	-	-	2	11	2	4	-	1	13	3062

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-079, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NORTH CAROLINA—Con.																
3063	Montgomery	145	5	1	-	-	-	-	1	-	-	1	20	1	-	81	80
3064	Moore	241	5	3	-	-	-	-	-	-	-	1	31	3	-	130	126
3065	Nash	510	28	-	-	-	-	-	3	-	2	2	55	4	-	222	207
3066	Rocky Mount (part)	137	5	-	-	-	-	-	1	-	-	1	18	1	-	75	73
3067	Rocky Mount (total)	242	8	1	-	-	-	-	2	-	-	1	31	6	-	131	124
3068	Balance of county	373	23	-	-	-	-	-	2	-	2	1	37	3	-	147	134
3069	New Hanover	604	18	8	-	-	2	-	1	-	1	1	55	9	-	313	305
3070	Wilmington	473	16	8	-	-	2	-	1	-	1	1	47	5	-	242	235
3071	Balance of county	131	2	-	-	-	-	-	-	-	-	-	8	4	-	71	70
3072	Northampton	234	14	-	-	-	-	-	-	1	2	-	17	2	-	124	116
3073	Onslow	194	12	-	-	1	-	-	-	1	1	-	19	2	-	82	76
3074	Orange	187	8	2	-	-	-	1	-	1	-	1	18	5	1	99	99
3075	Pamlico	96	4	-	-	-	-	1	-	-	-	-	7	1	-	49	46
3076	Pasquotank	247	9	3	-	-	-	-	-	-	-	1	29	3	-	136	130
3077	Elizabeth City	167	8	3	-	-	-	-	-	-	-	-	17	2	-	93	89
3078	Balance of county	80	1	-	-	-	-	-	-	-	-	1	12	1	-	43	41
3079	Pender	169	3	2	-	-	-	-	-	-	-	-	11	2	1	73	70
3080	Perquimans	100	4	-	-	-	-	-	-	-	-	1	5	4	-	63	62
3081	Person	159	8	-	-	-	-	-	-	-	-	-	23	2	-	77	74
3082	Pitt	497	31	2	-	3	-	-	-	-	-	1	44	-	-	234	230
3083	Greenville	133	6	1	-	2	-	-	-	-	-	-	14	-	-	63	61
3084	Balance of county	364	25	1	-	1	-	-	-	-	-	1	30	-	-	171	169
3085	Polk	89	1	1	-	-	-	-	-	-	-	1	2	1	1	42	39
3086	Randolph	322	5	-	-	-	-	-	-	-	-	2	1	38	6	165	157
3087	Richmond	300	11	-	-	-	-	-	1	-	-	-	2	26	4	151	140
3088	Robeson	797	20	2	-	3	-	1	-	-	-	3	73	4	2	348	319
3089	Rockingham	512	14	4	-	1	-	1	1	-	-	1	51	5	1	286	280
3090	Reidsville	113	4	-	-	-	-	-	-	-	-	-	8	-	-	64	59
3091	Balance of county	399	10	4	-	1	-	1	1	-	-	1	43	5	1	232	221
3092	Rowan	591	3	2	-	-	-	-	1	-	-	1	70	13	2	315	297
3093	Salisbury	207	1	2	-	-	-	-	1	-	-	-	33	6	1	101	100
3094	Balance of county	384	2	-	-	-	-	-	-	-	-	1	37	7	1	214	197
3095	Rutherford	295	7	1	-	-	-	-	1	-	2	2	41	5	-	147	138
3096	Sampson	408	8	2	-	-	1	-	-	-	-	3	33	8	-	215	202
3097	Scotland	245	13	1	-	-	-	-	-	-	-	-	15	3	-	115	108
3098	Stanly	259	4	1	-	-	-	2	-	-	1	3	31	2	-	119	118
3099	Stokes	165	1	-	-	-	-	-	-	-	-	-	21	1	-	87	83
3100	Surry	320	10	-	-	-	-	-	-	-	1	1	47	-	-	143	138
3101	Swain	81	2	-	-	-	-	1	-	-	2	1	10	1	-	32	29
3102	Transylvania	101	-	-	-	-	-	-	-	-	-	1	6	2	-	58	56
3103	Tyrrell	67	1	-	-	-	-	-	-	-	2	1	2	1	-	30	30
3104	Union	320	7	1	-	1	-	-	-	-	-	-	27	5	-	166	152
3105	Vance	308	11	4	-	-	-	1	-	-	2	1	22	3	-	168	160
3106	Wake	1,041	39	5	-	-	2	2	1	-	2	2	118	10	5	491	467
3107	Raleigh	527	25	4	-	-	1	-	1	-	-	1	62	5	4	254	241
3108	Balance of county	514	14	1	-	-	1	2	-	-	2	1	56	5	1	237	226
3109	Warren	237	8	2	-	2	-	-	-	-	6	1	26	4	1	92	89
3110	Washington	130	6	1	-	-	-	-	-	-	1	-	3	2	-	60	56
3111	Watauga	111	1	-	-	-	-	-	-	-	-	-	17	1	-	58	55
3112	Wayne	484	20	5	-	-	-	6	-	1	1	1	49	8	-	205	190
3113	Goldsboro	214	12	3	-	-	-	2	-	-	1	-	22	5	-	93	88
3114	Balance of county	270	8	2	-	-	-	4	-	1	-	1	27	3	-	112	102
3115	Wilkes	312	9	-	-	-	-	-	-	-	2	1	56	5	-	139	133
3116	Wilson	526	35	5	-	-	1	2	-	-	1	-	38	10	-	242	209
3117	Wilson	251	22	3	-	-	1	-	-	-	-	-	18	6	-	117	92
3118	Balance of county	275	13	2	-	-	-	2	-	-	1	-	20	4	-	125	117
3119	Yadkin	132	1	-	-	-	-	-	1	-	-	-	17	2	-	72	71
3120	Yancey	98	2	1	-	-	-	-	-	-	3	-	12	-	-	36	34
3121	NORTH DAKOTA	5,222	67	14	-	3	1	1	6	19	7	26	704	107	7	2,538	2,451
3122	Adams	36	-	-	-	-	-	-	-	-	-	-	-	2	-	17	16
3123	Barnes	165	3	1	-	-	-	-	-	2	-	2	21	6	-	86	86
3124	Benson	80	1	-	-	-	-	-	-	-	-	-	13	1	-	34	32
3125	Billings	12	-	-	-	-	-	-	-	-	-	-	1	-	-	7	7
3126	Bottineau	130	2	-	-	-	-	-	-	-	-	-	16	2	1	60	55
3127	Bowman	40	2	-	-	-	-	-	-	-	-	-	7	-	-	21	19
3128	Burke	68	2	-	-	-	-	-	-	1	-	-	8	1	-	33	33
3129	Burleigh	190	2	-	-	-	-	-	1	3	1	-	35	1	1	85	81
3130	Bismarck	141	2	-	-	-	-	-	1	2	1	-	25	-	-	64	63
3131	Balance of county	49	-	-	-	-	-	-	-	1	-	-	10	1	1	21	18
3132	Cass	491	4	2	-	-	-	-	-	-	-	3	64	11	2	270	264
3133	Fargo	340	2	2	-	-	-	-	-	-	-	3	45	7	2	190	185
3134	Balance of county	141	2	-	-	-	-	-	-	-	-	-	19	4	-	80	79
3135	Cavalier	94	2	-	-	-	-	-	-	-	2	-	14	2	-	54	49
3136	Dickey	78	-	-	-	-	-	-	-	1	-	-	12	1	-	36	35
3137	Divide	55	1	-	-	-	-	-	-	-	-	-	11	2	-	27	27
3138	Dunn	47	-	-	-	-	-	-	-	-	-	1	4	-	-	15	14
3139	Eddy	50	-	-	-	-	-	-	-	-	-	-	8	1	-	26	24
3140	Emmons	82	-	-	-	1	-	-	-	-	-	1	7	-	-	33	31
3141	Foster	45	1	-	-	-	-	-	1	-	-	1	8	-	-	28	27
3142	Golden Valley	32	1	-	-	-	-	-	-	-	-	1	4	-	-	19	19
3143	Grand Forks	344	8	2	-	-	-	-	-	-	-	3	41	8	-	180	144
3144	Grand Forks	212	5	1	-	-	-	-	-	-	-	2	23	6	-	94	91
3145	Balance of county	132	1	1	-	-	-	-	-	-	-	1	18	-	-	56	53
3146	Grant	41	-	-	-	-	-	-	-	-	-	-	4	2	-	17	15
3147	Griggs	44	1	-	-	-	-	-	-	-	-	-	5	-	-	25	24
3148	Hettinger	56	-	-	-	-	-	-	-	-	-	1	4	1	-	22	21
3149	Kidder	29	1	-	-	-	-	-	-	-	-	-	4	-	-	11	10
3150	La Moure	75	-	-	-	-	-	-	-	1	-	1	12	3	-	38	38
3151	Logan	51	1	-	-	-	-	-	-	-	1	-	10	-	-	21	20
3152	McHenry	111	1	-	-	-	-	-	1	3	1	1	11	5	-	63	62

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
18	-	56	4	2	1	1	-	-	-	-	-	1	7	4	6	1	1	14	3063
36	-	74	13	3	4	9	-	4	1	1	1	6	9	5	8	3	2	19	3064
59	-	139	5	3	15	20	2	11	1	3	4	9	5	24	23	3	5	84	3065
17	-	52	2	2	2	1	-	-	-	1	-	3	-	5	7	-	-	19	3066
31	-	88	3	2	7	3	-	-	-	1	-	5	2	6	10	2	-	32	3067
42	-	67	4	1	13	19	2	11	1	2	4	6	5	19	16	3	5	65	3068
75	1	210	18	1	8	20	1	2	7	2	1	6	10	14	24	8	10	91	3069
63	1	157	14	-	7	19	1	1	5	1	1	4	8	11	19	6	8	66	3070
12	-	53	4	1	1	1	-	1	2	1	-	2	2	3	5	2	2	25	3071
25	2	88	1	-	8	7	-	4	1	1	-	1	5	3	14	2	4	32	3072
28	1	48	3	1	6	7	-	2	2	-	2	6	4	7	12	2	3	29	3073
28	1	65	3	2	-	8	-	1	1	1	-	-	2	10	5	1	-	22	3074
14	-	30	2	-	3	2	-	1	-	2	1	1	3	3	8	-	2	11	3075
34	1	73	20	2	6	13	1	3	-	1	-	2	1	2	10	4	1	27	3076
25	1	45	17	1	4	8	1	1	-	1	-	2	-	2	8	1	1	19	3077
9	-	28	3	1	2	5	-	2	-	-	-	-	1	-	2	3	-	8	3078
17	-	49	3	1	3	3	-	2	2	1	1	4	16	8	12	3	2	23	3079
17	-	43	2	-	1	5	-	-	-	-	-	1	1	3	4	1	-	8	3080
15	-	55	4	-	3	7	1	2	1	-	1	1	4	4	6	3	1	18	3081
71	3	146	7	3	4	17	-	12	-	1	3	10	15	22	20	8	7	67	3082
21	2	34	3	1	2	3	-	2	-	-	1	3	2	7	5	2	3	19	3083
50	1	112	4	2	2	14	-	10	-	1	2	7	13	15	15	6	4	48	3084
8	-	30	1	-	3	2	-	1	-	-	-	3	1	3	5	2	7	12	3085
40	1	100	13	3	8	10	-	2	2	-	3	7	6	17	11	7	4	35	3086
39	1	91	7	2	11	11	-	4	1	3	1	4	10	5	13	2	2	49	3087
71	6	230	9	3	29	46	3	19	3	2	3	15	47	34	24	6	20	119	3088
68	-	196	12	4	16	24	1	1	2	1	2	9	5	12	13	6	6	55	3089
16	-	43	-	-	5	4	-	-	1	-	1	1	1	3	6	1	2	17	3090
52	-	153	12	4	11	20	1	1	1	1	1	8	4	9	7	5	4	38	3091
80	1	197	14	5	18	16	-	3	2	1	2	9	9	22	22	1	10	87	3092
25	-	69	4	2	1	3	-	1	1	-	2	1	2	8	5	-	6	33	3093
55	1	128	10	3	17	15	-	2	1	-	-	8	7	14	17	1	4	54	3094
50	-	80	7	1	9	8	3	1	-	-	2	4	1	5	18	4	-	43	3095
63	7	128	2	2	13	17	1	4	-	-	1	11	7	19	22	5	4	46	3096
24	1	74	8	1	7	17	1	6	-	1	1	3	10	7	12	1	2	37	3097
29	1	81	5	2	1	11	1	1	-	1	1	-	13	11	8	2	2	45	3098
25	3	50	4	1	4	9	1	2	-	-	-	2	7	-	9	5	2	18	3099
38	3	91	5	1	5	19	-	3	2	2	-	7	10	9	16	3	1	46	3100
1	-	16	6	-	5	5	-	1	-	-	1	4	5	3	5	1	1	6	3101
13	1	39	3	-	2	7	-	1	-	1	1	-	1	2	5	1	2	13	3102
3	-	27	-	-	-	3	1	2	-	-	1	1	3	4	2	-	-	8	3103
34	1	106	10	1	14	16	-	-	1	1	1	6	11	8	18	2	4	45	3104
38	2	108	6	6	8	19	1	7	1	1	2	3	9	6	4	-	3	40	3105
140	3	291	27	6	24	44	5	5	3	3	2	26	8	38	47	11	17	155	3106
71	-	153	15	2	13	16	2	3	3	1	1	12	3	17	17	7	8	80	3107
69	3	138	12	4	11	28	3	2	-	2	1	14	5	21	30	4	9	75	3108
27	2	46	12	2	3	18	1	3	-	-	7	4	11	8	9	2	2	30	3109
16	1	38	-	1	4	8	-	-	1	2	1	1	19	2	10	1	2	10	3110
11	1	39	4	-	3	6	-	-	1	-	-	3	3	3	3	2	-	13	3111
54	-	121	14	1	15	21	2	10	5	2	2	8	19	13	23	7	6	70	3112
25	-	58	5	-	5	11	1	4	3	-	-	2	5	5	8	3	4	30	3113
29	-	65	9	1	10	10	1	6	2	2	2	6	14	8	15	4	2	40	3114
29	1	96	5	2	6	18	-	5	1	4	1	5	9	14	12	1	6	44	3115
54	4	137	11	3	33	19	6	12	2	1	3	10	4	19	12	10	11	83	3116
21	1	62	6	2	25	8	2	6	-	1	-	4	-	9	7	3	6	38	3117
33	3	75	5	1	8	11	4	6	2	-	3	6	4	10	5	7	5	45	3118
18	-	47	6	-	1	7	1	1	1	-	-	3	3	6	3	2	1	11	3119
9	-	24	1	-	2	5	1	3	-	-	-	2	6	2	7	3	-	15	3120
591	12	1,642	182	24	87	160	21	27	26	14	9	32	122	146	201	51	4	789	3121
5	-	11	-	-	1	1	1	-	-	-	-	-	-	3	2	-	-	10	3122
14	-	68	4	-	-	3	1	2	-	-	-	1	1	4	9	-	-	25	3123
5	-	25	1	1	2	2	1	1	-	-	-	1	5	6	2	-	-	13	3124
3	-	4	-	-	-	-	-	-	-	-	-	-	1	1	1	-	-	1	3125
12	-	38	5	-	5	7	-	1	1	-	-	2	-	4	13	2	-	18	3126
6	1	11	-	1	2	1	-	-	-	-	1	1	-	1	3	-	-	4	3127
10	-	15	7	1	-	1	-	-	1	-	-	-	3	6	2	1	-	9	3128
10	-	66	4	1	4	6	1	1	-	1	-	3	2	3	15	-	-	28	3129
8	-	52	2	1	1	5	1	1	-	1	-	2	1	3	7	-	-	25	3130
2	-	14	2	-	3	1	-	-	-	-	-	1	1	-	8	-	-	4	3131
71	4	174	14	1	6	9	2	2	1	2	-	10	10	11	25	3	-	50	3132
50	4	119	12	-	5	6	2	1	1	2	-	6	9	8	20	2	-	32	3133
21	-	55	2	1	1	3	-	1	-	-	-	4	1	3	5	1	-	18	3134
9	-	36	4	-	5	-	1	-	-	1	-	2	3	-	3	2	-	8	3135
11	-	23	1	-	1	5	-	-	1	-	-	1	1	2	4	-	-	14	3136
8	-	17	2	-	-	-	-	-	1	-	1	2	-	5	1	1	-	3	3137
3	-	9	1	1	1	2	-	-	-	-	-	-	1	2	4	-	-	18	3138
5	-	14	5	-	2	1	-	-	-	1	-	1	2	-	3	1	-	6	3139
8	-	20	2	1	2	3	-	1	-	-	-	1	2	1	4	-	-	8	3140
8	1	14	4	-	1	-	-	-	-	-	-	-	-	2	-	-	-	4	3141
8	-	11	-	-	-	-	1	-	-	-	-	-	-	2	2	-	-	2	3142
42	1	91	9	1	6	11	5	1	5	1	-	7	18	9	23	2	-	54	3143
33	-	52	5	1	3	7	5	-	3	-	-	5	4	5	13	1	-	38	3144
9	1	39	4	-	3	4	-	1	2	1	-	2	14	4	10	1	-	16	3145
5	-	9	1	-	2	1	-	-	-	-	-	1	3	-	3	-	-	10	3146
10	-	14	-	-	1	3	-	-	-	-	-	-	-	-	2	-	-	8	3147
4	-	14	3	-	1	3	-	-	-	-	-	3	1	2	3	2	-	14	3148
1	-	9	-	-	1	1	-	1	-	-	-	-	1	2	-	-	-	6	3149
9	-	25	4	-	-	2	-	1	-	-	-	1	1	4	-	2	-	9	3150
6	-	13	-	1	1	5	-	-	-	-	1	1	-	2	2	1	-	5	3151
15	-	39	6	-	1	3	1	-	-	-	1	1	-	1	10	-	-	8	3152

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	NORTH DAKOTA—Con.																
3153	McIntosh	59	-	1	-	-	-	-	-	-	-	1	7	1	-	24	23
3154	McKenzie	49	1	1	-	-	-	-	-	-	-	-	6	1	-	24	23
3155	McLean	132	4	1	-	-	-	-	-	1	-	1	17	4	1	54	51
3156	Mercer	72	1	-	-	-	-	-	-	-	-	-	10	-	1	31	28
3157	Morton	163	-	-	-	-	-	-	-	-	-	1	29	5	-	77	74
3158	Mountrail	91	-	-	-	-	-	-	-	1	-	1	13	1	-	47	47
3159	Nelson	67	1	-	-	-	-	-	-	-	-	-	5	-	-	37	36
3160	Oliver	18	-	-	-	-	-	-	-	-	-	-	1	1	-	9	9
3161	Pembina	139	2	-	-	1	-	-	-	-	-	-	21	3	-	72	69
3162	Pierce	81	2	-	-	-	-	-	-	-	-	1	11	3	-	30	30
3163	Ramsey	142	2	1	-	-	-	-	-	-	-	1	15	3	-	78	77
3164	Ransom	83	-	1	-	-	-	-	-	-	-	-	12	-	-	46	46
3165	Renville	47	-	-	-	-	-	-	-	3	-	-	5	-	-	27	27
3166	Richland	159	2	-	-	-	-	-	1	1	-	1	22	5	1	81	78
3167	Rolette	92	3	-	-	1	-	1	-	-	1	1	9	2	-	26	26
3168	Sargent	78	-	-	-	-	-	-	-	-	-	-	11	-	-	45	43
3169	Sheridan	27	-	-	-	-	1	-	-	-	-	-	1	2	-	9	8
3170	Sioux	52	7	-	-	-	-	-	2	-	1	-	7	-	-	15	15
3171	Slope	28	-	-	-	-	-	-	-	-	-	-	4	-	-	16	15
3172	Stark	140	-	-	-	-	-	-	-	-	-	-	19	2	-	72	71
3173	Steele	56	-	-	-	-	-	-	-	1	-	-	5	1	-	23	23
3174	Stutsman	181	2	1	-	-	-	-	-	-	-	-	28	5	-	90	87
3175	Towner	60	1	-	-	-	-	-	-	-	-	1	14	-	-	29	28
3176	Traill	107	1	-	-	-	-	-	-	-	-	-	16	4	-	57	53
3177	Walsh	159	2	-	-	-	-	-	-	1	-	-	22	5	-	72	69
3178	Ward	304	3	2	-	-	-	-	-	-	-	2	42	7	-	142	139
3179	Minot	179	3	2	-	-	-	-	-	-	-	2	26	5	-	81	80
3180	Balance of county	125	-	-	-	-	-	-	-	-	-	-	16	2	-	61	59
3181	Wells	86	1	-	-	-	-	-	-	-	-	-	10	1	-	39	36
3182	Williams	139	1	1	-	-	-	-	-	-	-	-	18	4	-	68	67
3183	OHIO	60,368	1,985	558	7	16	12	29	57	102	19	226	11,795	1,796	79	42,290	41,112
3184	Adams	250	7	1	-	-	-	1	-	-	-	-	22	3	-	148	143
3185	Allen	843	22	5	-	-	-	-	-	3	-	3	112	18	4	439	415
3186	Lima	554	16	4	-	-	-	-	-	3	-	-	75	12	2	276	263
3187	Balance of county	289	6	1	-	-	-	-	-	-	-	3	37	6	2	163	152
3188	Ashland	369	5	1	1	-	-	-	-	1	1	1	53	8	-	208	199
3189	Ashland	172	1	-	-	-	-	-	-	1	1	-	31	1	-	92	90
3190	Balance of county	197	4	1	1	-	-	-	-	-	-	1	22	7	-	114	109
3191	Ashtabula	855	9	1	-	-	-	-	-	1	-	-	111	26	1	505	493
3192	Ashtabula	297	3	1	-	-	-	-	-	-	-	-	44	10	1	157	156
3193	Balance of county	558	6	-	-	-	-	-	-	1	-	-	67	16	-	348	337
3194	Athens	464	13	4	-	-	-	-	-	1	-	2	62	11	1	247	240
3195	Auglaize	328	6	2	-	-	1	-	-	2	-	1	35	5	-	195	187
3196	Belmont	1,002	14	6	-	-	-	-	1	-	-	1	152	28	-	522	505
3197	Bellaire	163	1	2	-	-	-	-	-	-	-	-	30	6	-	87	81
3198	Martins Ferry	175	3	1	-	-	-	-	-	-	-	-	30	8	-	81	80
3199	Balance of county	664	10	3	-	-	-	-	1	-	-	1	92	14	-	354	344
3200	Brown	254	4	2	-	2	-	-	-	-	-	1	34	6	-	140	132
3201	Butler	1,386	39	9	-	-	-	-	3	6	-	4	146	41	3	709	692
3202	Hamilton	668	25	4	-	-	-	-	1	3	-	3	74	19	2	345	337
3203	Middletown	341	9	3	-	-	-	-	-	1	-	1	35	13	-	173	167
3204	Balance of county	377	5	2	-	-	-	-	2	2	-	-	37	9	1	191	188
3205	Carroll	185	4	-	-	-	-	-	-	-	-	-	23	5	-	113	113
3206	Champaign	312	4	-	-	-	-	2	-	1	-	2	38	16	-	175	168
3207	Clark	1,204	32	7	-	-	-	-	-	1	-	1	163	19	1	662	649
3208	Springfield	892	28	5	-	-	-	-	-	1	-	1	120	13	1	478	471
3209	Balance of county	312	4	2	-	-	-	-	-	-	-	-	43	6	-	184	178
3210	Clermont	398	7	2	-	-	-	-	-	-	-	-	45	8	-	229	229
3211	Clinton	328	10	1	-	-	-	-	-	-	-	-	44	6	-	191	182
3212	Columbiana	1,032	34	7	-	-	-	1	1	-	-	4	126	26	-	541	520
3213	East Liverpool	302	17	2	-	-	-	-	-	-	-	2	32	9	-	147	141
3214	Salem	147	4	1	-	-	-	-	-	-	-	-	22	6	-	76	72
3215	Balance of county	583	13	4	-	-	-	1	1	-	-	2	72	11	-	318	307
3216	Coshocton	384	3	1	-	-	-	-	-	-	-	1	61	9	-	196	187
3217	Coshocton	169	2	-	-	-	-	-	-	-	-	-	36	5	-	77	74
3218	Balance of county	215	1	1	-	-	-	-	-	-	-	1	25	4	-	119	113
3219	Crawford	426	9	1	-	-	-	-	-	-	-	-	58	6	-	226	212
3220	Cuyahoga	13,614	426	99	1	2	-	-	7	17	2	27	2,286	345	15	7,043	6,918
3221	Cleveland	10,084	390	81	1	1	-	-	6	9	2	22	1,629	255	11	4,946	4,856
3222	Cleveland Heights	584	7	3	-	-	-	-	-	-	-	3	105	15	1	352	341
3223	East Cleveland	382	4	3	-	1	-	-	-	1	-	-	73	6	-	209	206
3224	Lakewood	719	8	5	-	-	-	-	1	3	-	1	121	11	1	410	403
3225	Euclid	221	2	-	-	-	-	-	-	1	-	-	34	10	1	120	117
3226	Garfield Heights	131	2	-	-	-	-	-	-	-	-	-	27	4	-	72	71
3227	Parma	185	3	2	-	-	-	-	-	-	-	-	34	8	-	95	93
3228	Shaker Heights	213	1	2	-	-	-	-	-	-	-	-	49	8	-	124	123
3229	Balance of county	1,285	9	5	-	-	-	-	-	3	-	1	216	28	1	715	708
3230	Darke	471	5	4	-	1	-	1	-	10	1	-	60	16	-	264	260
3231	Defiance	269	6	2	1	-	-	-	-	2	-	-	42	7	-	127	124
3232	Delaware	333	6	1	-	-	-	-	-	1	-	1	50	10	1	184	178
3233	Erie	580	14	5	-	-	-	-	3	-	-	2	79	9	1	303	298
3234	Sandusky	327	10	3	-	-	-	-	2	-	-	2	47	5	-	169	166
3235	Balance of county	253	4	2	-	-	-	-	1	-	-	-	32	4	1	134	132
3236	Fairfield	512	11	3	-	1	-	-	-	-	-	1	73	9	-	289	278
3237	Lancaster	238	8	2	-	-	-	-	-	-	-	-	37	4	-	138	134
3238	Balance of county	274	3	1	-	1	-	-	-	-	-	1	36	5	-	151	144
3239	Fayette	287	7	1	-	-	-	-	-	-	-	3	54	6	-	153	148
3240	Franklin	4,885	143	40	-	-	-	2	1	3	-	20	890	105	2	2,533	2,462
3241	Columbus	3,880	125	33	-	-	-	1	1	3	-	15	569	82	2	1,986	1,927
3242	Balance of county	1,005	18	7	-	-	-	1	-	-	-	5	121	23	-	547	535

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
2	-	19	2	-	1	-	-	3	-	-	-	1	5	1	2	1	-	12	3153
5	-	15	3	-	1	1	-	-	-	-	-	-	2	1	4	-	-	8	3154
7	2	33	7	2	3	5	1	-	-	-	1	5	2	4	5	3	-	23	3155
3	-	24	-	1	3	4	-	1	-	-	-	2	-	3	1	-	-	16	3156
20	1	45	7	1	3	5	-	2	-	-	-	4	4	5	7	2	-	21	3157
18	-	26	3	-	-	3	1	-	1	-	-	-	-	1	6	1	-	15	3158
6	-	25	5	-	1	4	-	-	1	-	1	1	1	6	2	-	-	8	3159
4	-	4	1	-	-	1	-	-	1	1	-	-	-	1	-	-	-	3	3160
10	-	55	4	-	3	2	-	1	2	2	-	-	-	1	1	12	1	2	16	3161
6	-	19	5	-	-	1	-	-	1	1	-	-	2	-	1	5	4	-	19	3162
25	-	48	3	1	1	4	1	1	-	-	-	-	6	5	4	3	2	-	16	3163
9	-	36	1	-	-	3	-	-	-	-	-	-	2	2	2	6	1	-	8	3164
7	-	18	1	1	-	1	-	-	-	-	-	-	-	2	1	1	-	7	3165
16	-	56	5	1	3	3	-	-	-	-	1	4	3	2	6	-	-	26	3166
6	-	20	-	-	-	7	-	2	3	-	-	2	5	1	8	-	-	20	3167
11	-	29	2	1	2	4	-	1	-	-	-	1	1	1	3	1	1	7	3168
2	-	5	1	-	1	3	-	-	-	-	-	-	-	1	3	2	-	5	3169
3	-	12	-	-	-	2	-	-	-	-	-	-	7	-	1	-	1	9	3170
3	-	10	2	-	1	-	-	1	-	1	-	-	-	-	3	-	-	1	3171
12	-	58	1	-	1	2	1	1	1	-	-	4	-	3	6	2	-	27	3172
8	-	13	2	-	-	2	-	1	-	-	-	-	6	2	2	1	-	12	3173
20	-	57	9	1	3	6	-	-	1	-	1	5	1	3	9	5	-	24	3174
14	-	11	2	1	1	-	-	1	-	-	-	1	2	1	3	-	-	7	3175
15	-	32	6	-	4	2	-	-	1	-	1	2	5	1	4	1	-	12	3176
17	-	48	4	-	3	6	-	1	1	2	-	1	3	2	12	-	-	28	3177
27	2	93	15	2	3	10	3	-	1	-	-	7	7	13	13	1	-	51	3178
13	1	55	10	1	1	5	1	-	1	-	-	4	6	8	9	-	-	26	3179
14	1	38	5	1	2	5	2	-	-	-	-	3	1	7	4	1	-	25	3180
11	-	18	5	2	3	4	-	-	2	-	-	1	1	4	10	-	-	13	3181
16	-	43	7	1	1	5	-	-	-	-	-	2	4	6	8	5	-	17	3182
9,345	113	28,369	2,847	438	1,178	2,122	422	455	826	175	103	1,099	888	1,779	3,115	951	350	9,114	3183
31	-	97	13	2	5	7	-	2	2	2	-	4	1	12	7	2	2	27	3184
101	3	266	23	2	24	15	8	4	7	1	2	15	19	26	37	11	4	88	3185
58	2	187	15	1	13	7	5	4	6	1	1	14	13	17	27	10	2	59	3186
43	1	99	8	1	11	8	3	-	1	-	1	1	6	9	10	1	2	29	3187
46	-	154	17	2	7	4	-	3	-	-	-	5	1	9	11	8	-	51	3188
25	-	55	8	2	2	2	-	1	-	-	-	4	-	6	2	3	-	27	3189
21	-	79	9	-	5	2	-	2	-	-	-	1	1	3	9	5	-	24	3190
96	-	383	30	4	10	30	6	4	7	2	2	3	7	20	31	12	1	78	3191
30	-	117	9	-	1	6	4	3	4	1	2	2	3	4	14	2	1	35	3192
66	-	246	21	4	9	24	2	1	3	1	-	1	4	16	17	10	-	43	3193
74	1	154	9	2	7	14	1	1	4	1	-	7	7	12	18	5	3	50	3194
46	-	133	8	-	8	8	1	3	2	2	-	2	5	6	15	4	-	33	3195
128	-	324	48	5	17	34	9	3	9	3	4	16	8	15	51	19	2	105	3196
15	-	62	3	1	6	2	-	-	1	-	-	2	3	3	9	-	2	15	3197
23	-	45	11	1	1	9	2	-	2	-	-	6	-	2	7	-	-	24	3198
90	-	217	34	3	10	23	7	3	6	3	4	8	5	10	35	19	-	66	3199
40	-	82	9	1	8	6	1	-	4	1	-	7	1	6	8	2	1	28	3200
148	2	480	52	10	17	50	8	21	9	4	-	21	11	46	50	11	7	188	3201
65	1	241	24	6	8	22	5	12	4	2	-	9	1	20	21	5	2	89	3202
39	-	111	14	3	6	10	2	2	2	2	-	4	7	12	14	5	2	44	3203
44	1	128	14	1	3	18	1	7	3	-	-	8	3	14	15	1	3	55	3204
26	-	78	9	-	-	4	1	1	-	-	-	4	2	3	6	3	3	13	3205
38	1	113	15	1	7	5	-	6	2	3	-	3	2	6	13	2	-	32	3206
150	1	453	39	6	13	42	5	5	15	3	1	13	6	35	47	9	3	154	3207
110	-	333	23	5	7	33	4	3	12	3	1	10	5	24	30	7	3	110	3208
40	1	120	16	1	6	9	1	2	3	-	-	3	1	11	17	2	-	24	3209
62	1	146	18	2	-	12	4	5	3	-	1	9	-	11	18	8	-	36	3210
42	1	117	22	-	9	9	3	-	-	-	-	2	3	6	9	8	2	34	3211
117	2	355	42	4	21	35	2	4	14	2	2	10	3	31	48	17	2	122	3212
30	-	104	6	1	6	7	1	1	9	1	-	2	1	7	16	6	2	40	3213
21	-	41	9	1	4	6	-	1	3	-	-	-	-	5	5	3	-	15	3214
66	2	210	27	2	11	22	1	2	2	1	2	8	2	19	27	8	-	67	3215
48	-	127	9	3	9	10	2	7	7	-	-	3	1	6	20	4	1	52	3216
20	-	48	3	3	3	2	-	2	2	-	-	1	1	3	9	1	-	28	3217
28	-	79	6	-	6	8	2	5	5	-	-	2	-	3	11	3	1	24	3218
57	-	139	12	4	14	10	1	4	1	2	-	7	3	17	20	7	-	54	3219
1,311	18	5,107	396	86	125	326	74	43	206	25	20	168	245	203	460	166	97	1,509	3220
887	11	3,633	266	59	90	259	54	32	163	17	14	122	213	145	354	111	91	1,158	3221
62	1	253	24	1	11	5	4	3	2	1	1	2	4	9	12	6	-	59	3222
46	1	143	11	3	3	8	1	2	3	2	-	7	1	7	9	3	-	42	3223
95	2	279	24	3	7	19	5	1	15	3	1	10	7	6	19	7	1	64	3224
17	2	90	7	1	3	3	-	-	1	-	-	5	2	2	8	3	1	28	3225
10	-	57	4	-	1	2	-	-	3	-	1	-	-	2	5	2	1	10	3226
18	-	68	8	1	2	1	3	1	1	-	-	3	3	4	5	8	-	16	3227
22	-	91	8	2	1	3	1	-	4	-	-	-	1	-	4	4	-	12	3228
154	1	495	44	14	7	26	8	4	14	2	3	19	14	30	44	24	3	120	3229
55	-	185	17	3	4	9	7	4	2	2	1	3	4	8	17	2	1	49	3230
29	-	77	16	2	3	7	5	-	2	-	-	6	6	6	16	3	-	31	3231
37	1	123	14	3	6	12	2	3	-	-	1	4	4	7	10	3	-	33	3232
86	-	198	32	2	5	14	3	2	5	-	-	5	9	18	28	9	2	69	3233
42	-	108	15	1	3	9	1	2	4	-	-	3	4	5	16	5	1	39	3234
24	-	90	17	1	2	5	2	-	1	-	-	2	5	13	12	4	1	30	3235
82	1	174	19	2	11	11	1	2	4	-	1	5	5	15	25	3	-	53	3236
40	-	85	10	1	4	3	1	1	3	-	-	2	-	7	10	2	-	20	3237
42	1	91	9	1	7	8	-	1	1	-	1	3	5	8	15	1	-	33	3238
39	-	91	15	3	5	2	1	4	-	1	-	6	6	3	14	5	-	31	3239
590	10	1,647	191	24	71	125	37	29	66	7	6	86	67	103	181	53	25	561	3240
470	7	1,288	144	18	59	95	34	23	56	7	4	63	56	73	137	45	20	450	3241
120	5	359	47	6	12	30	3	6	10	-	2	23	11	30	44	8	5	111	3242

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-018	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 088-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OHIO—Continued																
3243	Fulton	269	4	2	1	-	-	-	1	2	-	1	36	11	1	155	150
3244	Gallia	244	6	-	-	-	-	-	-	-	-	1	29	5	-	150	141
3245	Geauga	245	4	1	-	-	-	-	-	-	-	2	33	4	-	132	129
3246	Greene	440	6	4	-	-	-	-	-	-	-	-	49	16	-	242	237
3247	Xenia	139	-	1	-	-	-	-	-	-	-	-	19	4	-	80	77
3248	Balance of county	301	6	3	-	-	-	-	-	-	-	-	30	12	-	162	160
3249	Guernsey	448	3	3	-	-	-	-	-	-	-	2	66	10	-	240	234
3250	Cambridge	180	2	-	-	-	-	-	-	-	-	1	23	5	-	98	95
3251	Balance of county	268	1	3	-	-	-	-	-	-	-	1	43	5	-	142	139
3252	Hamilton	8,193	294	80	-	2	2	4	12	11	1	13	1,293	102	9	4,251	4,138
3253	Cincinnati	6,378	251	64	-	2	2	3	12	5	1	12	1,005	137	8	3,285	3,191
3254	Norwood	356	8	4	-	-	-	-	-	-	-	-	59	6	-	203	198
3255	Balance of county	1,464	35	12	-	-	-	1	-	6	-	1	229	39	1	763	749
3256	Hancock	495	3	2	-	-	-	-	-	-	-	2	78	10	-	282	274
3257	Findlay	296	3	1	-	-	-	-	-	-	-	2	51	6	-	167	161
3258	Fostoria (part)	32	-	-	-	-	-	-	-	-	-	-	6	-	-	16	15
3259	Balance of county	167	-	1	-	-	-	-	-	-	-	-	21	4	-	99	98
3260	Hardin	370	2	2	-	-	-	-	1	-	-	-	51	7	-	210	199
3261	Harrison	218	2	-	-	-	-	-	1	-	1	-	27	5	-	119	115
3262	Henry	230	3	3	-	-	-	-	-	-	-	-	22	5	-	142	135
3263	Highland	363	5	3	1	-	-	-	-	-	-	1	27	5	-	225	221
3264	Hocking	232	3	1	-	-	-	1	-	1	-	-	33	5	-	127	123
3265	Holmes	189	1	1	-	-	-	1	-	-	1	1	24	1	-	111	108
3266	Huron	454	5	1	-	-	-	1	2	1	-	-	63	7	-	258	248
3267	Jackson	263	11	3	-	-	-	2	-	-	-	1	44	9	-	132	130
3268	Jefferson	962	9	8	-	1	-	-	-	-	1	3	144	24	1	503	488
3269	Steubenville	427	6	4	-	-	-	-	-	-	-	2	61	15	-	225	223
3270	Balance of county	535	3	4	-	1	-	-	-	-	1	1	83	9	1	278	266
3271	Knox	407	7	-	-	-	-	-	-	-	-	1	53	8	1	237	228
3272	Mount Vernon	163	4	-	-	-	-	-	-	-	-	-	21	3	1	86	80
3273	Balance of county	244	3	-	-	-	-	-	-	-	-	1	32	5	-	151	148
3274	Lake	593	6	7	-	-	-	-	1	2	1	2	80	15	2	308	302
3275	Painesville	132	1	3	-	-	-	-	-	-	-	-	17	3	2	70	67
3276	Balance of county	461	5	4	-	-	-	-	1	2	1	2	63	12	-	238	235
3277	Lawrence	512	14	4	-	3	1	1	-	-	-	7	57	7	-	254	235
3278	Ironton	198	1	1	-	2	-	1	-	-	-	3	22	3	-	97	87
3279	Balance of county	314	13	3	-	1	1	-	-	-	-	4	35	4	-	157	148
3280	Licking	857	13	5	-	-	-	1	1	1	-	6	107	18	-	478	474
3281	Newark	470	8	3	-	-	-	1	-	1	-	6	54	11	-	267	265
3282	Balance of county	387	5	2	-	-	-	-	1	-	-	-	53	7	-	211	209
3283	Logan	402	4	5	-	-	-	-	1	1	-	1	43	7	1	225	205
3284	Lorain	1,364	27	16	-	-	-	1	-	-	-	6	210	33	1	662	639
3285	Elyria	505	7	2	-	-	-	-	-	-	-	-	55	4	-	155	151
3286	Lorain	513	12	6	-	-	-	1	-	-	-	4	80	21	-	219	210
3287	Balance of county	346	8	8	-	-	-	-	-	-	-	2	75	8	1	288	278
3288	Lucas	4,155	136	35	-	-	1	-	2	5	1	13	625	62	2	2,180	2,128
3289	Toledo	3,605	130	34	-	-	-	-	2	4	-	11	557	55	2	1,885	1,839
3290	Balance of county	550	6	1	-	-	1	-	-	1	1	2	68	7	-	295	289
3291	Madison	228	10	1	-	-	-	-	-	-	-	1	28	1	-	128	124
3292	Mahoning	2,556	68	21	-	-	-	2	2	-	1	8	384	60	2	1,322	1,281
3293	Youngstown (part)	1,856	51	18	-	-	-	2	2	-	1	5	291	44	2	951	921
3294	Youngstown (total)	1,882	52	18	-	-	-	2	2	-	1	5	293	44	2	954	924
3295	Campbell	99	3	2	-	-	-	-	-	-	-	-	16	2	-	39	36
3296	Struthers	94	2	-	-	-	-	-	-	-	-	-	15	3	-	46	45
3297	Balance of county	508	12	1	-	-	-	-	-	-	-	3	62	11	-	286	279
3298	Marion	548	12	7	-	1	-	-	-	-	-	1	94	8	1	288	277
3299	Marion	383	11	5	-	1	-	-	-	-	-	1	61	5	1	202	196
3300	Balance of county	165	1	2	-	-	-	-	-	-	-	-	33	3	-	86	81
3301	Medina	404	2	3	-	-	-	-	-	-	-	2	81	11	-	215	211
3302	Meigs	283	8	4	-	-	-	-	-	-	-	-	25	1	-	172	163
3303	Mercer	286	1	3	-	-	-	-	2	2	1	-	29	7	1	158	151
3304	Miami	674	17	4	-	-	-	-	-	1	-	-	78	11	-	412	404
3305	Piqua	249	6	2	-	-	-	-	-	1	-	-	30	6	-	148	145
3306	Balance of county	425	11	2	-	-	-	-	-	-	-	-	46	5	-	264	259
3307	Monroe	172	2	-	-	-	-	-	1	-	-	-	24	3	-	91	83
3308	Montgomery	3,627	96	20	-	-	2	2	2	4	1	10	537	82	6	1,890	1,834
3309	Dayton	2,765	77	18	-	-	1	2	1	2	-	8	395	55	5	1,402	1,362
3310	Balance of county	862	19	2	-	-	1	-	1	2	1	2	142	27	1	488	472
3311	Morgan	166	3	-	-	-	-	-	-	-	-	-	33	3	-	92	91
3312	Morrow	178	-	-	-	-	-	1	-	-	-	1	27	2	-	110	107
3313	Muskingum	813	10	6	-	-	-	1	2	1	-	1	102	9	-	450	441
3314	Zanesville	476	9	2	-	-	-	1	1	-	-	-	59	3	-	264	259
3315	Balance of county	337	1	4	-	-	-	-	1	1	-	1	43	6	-	186	182
3316	Noble	181	5	2	-	-	-	-	-	-	-	-	17	1	1	106	104
3317	Ottawa	291	5	3	-	-	-	-	1	-	1	2	50	12	-	148	145
3318	Paulding	143	2	1	-	-	-	1	1	-	-	2	19	5	-	75	70
3319	Perry	331	3	-	-	-	-	-	-	-	-	-	31	7	-	202	193
3320	Pickaway	300	6	1	-	-	2	-	1	-	1	1	38	8	-	130	124
3321	Pike	167	6	-	1	-	-	-	-	-	-	-	21	3	-	72	70
3322	Portage	530	6	2	-	-	-	-	-	2	1	1	87	10	-	302	298
3323	Preble	283	1	1	-	-	-	-	-	1	-	-	42	6	-	166	156
3324	Putnam	267	1	-	-	-	-	-	-	1	-	-	33	4	1	152	148
3325	Richland	906	12	7	1	1	-	-	-	-	-	2	111	26	-	470	455
3326	Mansfield	500	8	5	1	-	-	-	-	-	-	1	59	15	-	255	244
3327	Balance of county	406	4	2	-	1	-	-	-	-	-	1	52	11	-	215	211
3328	Ross	490	13	3	-	-	-	-	-	1	-	1	55	7	-	256	248
3329	Chillicothe	239	6	2	-	-	-	-	-	1	-	1	29	3	-	125	122
3330	Balance of county	251	7	1	-	-	-	-	-	-	-	-	26	4	-	131	126
3331	Sandusky	510	11	1	-	1	-	-	-	1	-	2	77	10	-	262	251
3332	Fremont	186	3	1	-	-	-	-	-	1	-	-	27	4	-	99	96
3333	Balance of county	324	8	-	-	1	-	-	-	-	-	2	50	6	-	163	155

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
41	1	94	13	1	5	1	1	2	1	2	-	9	5	6	11	3	-	34	3243
38	1	91	11	-	9	3	-	3	2	1	1	3	3	4	11	2	-	20	3244
23	3	90	12	1	3	9	-	-	4	-	-	2	2	6	14	2	1	29	3245
73	1	141	21	1	5	12	1	3	1	-	1	9	1	18	21	3	1	52	3246
22	-	48	6	1	3	2	1	1	-	-	-	5	-	2	3	1	1	19	3247
51	1	93	15	-	2	10	-	2	1	-	1	4	1	16	18	2	-	33	3248
58	-	161	13	2	6	22	3	-	2	1	1	4	3	3	26	6	1	52	3249
21	-	67	5	2	3	10	2	-	-	-	-	1	-	1	9	1	-	27	3250
37	-	94	8	-	3	12	1	-	2	1	1	3	3	2	17	5	1	25	3251
915	16	2,861	264	82	115	234	47	56	92	18	7	95	72	127	282	92	52	885	3252
713	12	2,206	192	68	94	193	37	44	78	13	5	71	60	89	227	64	47	658	3253
38	2	143	14	1	5	5	4	2	3	1	1	2	2	8	6	6	1	35	3254
164	2	512	58	13	14	36	6	10	11	4	1	22	10	30	49	22	4	172	3255
54	3	189	27	1	8	7	2	-	2	-	1	2	12	14	16	8	-	54	3256
31	1	112	17	-	6	5	1	-	2	-	-	1	8	7	5	6	-	31	3257
1	-	12	2	-	1	-	-	-	-	-	-	1	-	-	3	-	-	6	3258
22	2	65	8	1	1	2	1	-	-	-	1	-	4	7	8	2	-	17	3259
40	-	133	26	-	11	11	3	2	2	-	-	8	5	10	13	3	1	39	3260
34	-	67	12	2	4	9	-	1	1	-	-	1	9	9	10	1	1	21	3261
33	-	100	2	-	7	2	-	1	2	1	-	2	4	9	6	1	-	27	3262
66	-	135	19	1	4	11	1	5	3	-	-	4	-	7	15	8	4	38	3263
28	-	87	8	-	4	7	1	1	1	1	-	-	2	5	11	5	-	27	3264
33	-	66	9	1	3	11	1	-	1	-	-	1	-	3	6	1	-	24	3265
62	1	170	14	1	10	10	1	2	3	4	-	7	12	16	10	3	-	48	3266
31	-	85	13	1	2	4	1	2	3	-	-	3	1	11	9	3	1	23	3267
99	-	355	29	6	14	30	4	1	10	1	1	12	7	20	46	12	1	123	3268
42	-	169	8	4	2	12	1	-	4	-	-	4	3	6	23	2	1	58	3269
57	-	186	21	2	12	18	3	1	6	1	1	8	4	14	23	10	-	65	3270
76	3	133	13	3	9	9	-	1	-	-	-	4	6	11	18	7	1	43	3271
29	-	44	7	-	6	5	-	-	-	-	-	4	2	3	8	4	1	21	3272
47	3	89	6	3	3	4	-	1	-	-	-	-	4	8	10	3	-	22	3273
82	-	195	24	1	6	11	3	1	6	-	2	11	13	23	21	7	2	69	3274
24	-	41	2	-	3	1	-	-	-	-	-	-	2	4	5	2	-	22	3275
58	-	154	22	1	3	10	3	1	6	-	2	11	11	19	16	5	2	47	3276
55	2	160	16	2	19	15	1	10	4	-	3	14	5	15	26	3	1	57	3277
14	2	53	6	2	10	4	1	1	2	-	1	5	3	6	14	1	1	29	3278
41	-	97	10	-	9	11	-	9	2	-	2	9	2	9	12	2	-	38	3279
134	3	303	32	2	4	30	3	6	4	2	-	12	15	11	34	13	2	89	3280
62	1	185	17	-	2	18	1	6	1	1	-	3	11	4	14	9	1	50	3281
72	2	118	15	2	2	12	2	-	3	1	-	9	4	7	20	10	1	39	3282
68	1	116	18	2	20	12	2	4	2	3	-	4	10	7	20	2	2	46	3283
150	-	435	47	7	25	38	8	5	20	3	4	19	11	38	72	15	2	175	3284
38	-	101	10	2	4	3	2	3	3	-	-	8	2	9	17	1	1	33	3285
50	-	139	18	3	9	20	3	1	10	2	2	3	3	13	26	7	1	79	3286
62	-	135	19	2	10	15	3	1	7	1	2	8	8	14	29	7	-	63	3287
442	2	1,496	172	16	52	95	34	29	53	9	6	52	27	97	141	58	24	468	3288
383	2	1,280	148	16	46	83	28	22	47	6	5	43	24	82	115	49	23	398	3289
59	-	206	24	-	6	12	6	7	6	3	1	9	3	15	26	9	1	70	3290
27	-	89	7	1	4	2	3	1	2	1	-	3	2	8	6	3	-	21	3291
287	3	901	78	11	41	84	13	11	23	4	2	36	9	67	94	31	21	291	3292
197	3	653	59	9	30	58	11	8	16	4	1	32	7	45	67	24	14	201	3293
197	3	656	59	9	30	58	11	8	16	4	1	32	7	45	67	24	14	202	3294
5	-	29	2	-	3	3	-	-	1	-	-	1	1	2	5	4	3	17	3295
15	-	28	1	1	1	2	1	1	3	-	-	-	-	5	2	-	2	12	3296
70	-	191	17	1	7	21	1	2	3	-	1	3	1	15	20	3	2	61	3297
66	2	180	24	5	11	11	6	2	6	4	-	8	2	10	19	9	1	58	3298
43	1	131	17	4	6	5	5	-	5	3	-	5	-	7	17	4	1	44	3299
23	1	49	7	1	5	6	1	2	1	1	-	3	2	3	2	5	-	14	3300
62	-	136	13	-	4	9	-	2	2	1	-	5	1	7	16	3	-	44	3301
54	-	98	7	4	9	11	1	1	4	2	-	1	5	6	16	2	-	26	3302
26	-	119	5	1	7	4	1	-	1	-	1	6	5	6	15	1	-	42	3303
80	-	289	25	10	8	19	6	1	1	1	1	8	2	25	17	11	2	57	3304
30	-	106	5	4	3	4	2	-	-	-	1	6	2	6	4	5	1	25	3305
50	-	183	20	6	5	15	4	1	1	1	-	2	-	19	13	6	1	32	3306
17	-	50	16	-	8	11	-	-	2	1	-	3	2	4	10	5	-	13	3307
370	2	1,345	99	18	56	68	11	40	37	11	5	67	24	81	133	43	25	430	3308
276	2	989	80	15	40	52	7	34	30	8	5	55	20	69	103	38	22	356	3309
94	-	356	19	3	16	16	4	6	7	3	-	12	4	12	30	5	3	74	3310
24	-	55	11	1	1	3	-	-	1	-	-	3	4	1	6	1	-	16	3311
30	1	65	10	1	3	1	-	-	-	1	-	2	1	-	4	2	2	24	3312
89	-	322	25	5	9	32	1	2	5	1	1	9	10	9	42	8	1	110	3313
54	-	189	15	1	5	22	-	2	3	1	1	7	8	4	24	2	-	63	3314
35	-	133	10	4	4	10	1	-	2	-	-	2	2	5	18	6	1	47	3315
25	-	70	8	1	2	13	1	-	1	1	-	3	4	4	5	1	-	16	3316
36	-	103	4	2	3	4	-	1	2	1	-	2	2	8	19	3	1	26	3317
13	-	35	22	-	5	8	-	-	1	-	1	-	1	4	9	1	-	12	3318
50	-	130	12	1	9	9	4	1	3	-	-	3	3	8	19	1	-	37	3319
33	-	74	17	-	6	6	-	2	2	-	1	5	13	13	24	6	-	40	3320
22	-	38	10	-	2	7	1	3	-	-	-	1	1	6	14	3	-	28	3321
85	-	198	14	1	4	10	-	2	6	1	-	10	3	13	24	5	-	45	3322
38	1	110	5	2	10	4	-	2	1	-	-	6	1	5	8	8	-	31	3323
33	-	105	7	1	6	7	1	1	1	-	-	4	2	13	16	3	-	27	3324
131	-	280	39	5	15	22	7	15	5	1	1	11	5	33	42	10	7	117	3325
66	-	155	19	4	11	11	6	3	3	1	1	8	3	16	28	2	5	69	3326
65	-	125	20	1	4	11	1	12	2	-	-	3	2	17	14	8	2	48	3327
77	-	152	14	5	8	11	-	3	6	5	-	11	12	16	25	4	2	59	3328
39	-	71	8	4	3	4	-	1	5	3	-	4	5	7	12	-	1	30	3329
38	-	81	6	1	5	7	-	2	1	2	-	7	7	9	13	4	1	29	3330
71	1	165	14	-	11	10	3	3	3	1	2	7	4	23	25	2	-	62	3331
19	-	72	5	-	3	3	1	1	-	1	1	4	3	11	10	-	-	16	3332
52	1	93	9	-	8	7	2	2	3	-	1	3	1	12	15	2	-	46	3333

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OHIO—Continued																
3334	Scioto	783	24	4	-	-	1	-	1	-	2	2	115	13	2	343	321
3335	Portsmouth	404	11	2	-	-	1	-	-	-	-	1	66	5	-	187	176
3336	Balance of county	379	13	2	-	-	-	-	1	-	2	1	49	8	2	156	145
3337	Seneca	586	8	2	-	-	-	-	-	-	-	1	92	14	2	308	300
3338	Fostoria (part)	142	3	-	-	-	-	-	-	-	-	-	22	4	1	66	63
3339	Fostoria (total)	174	3	-	-	-	-	-	-	-	-	-	28	4	1	82	78
3340	Tiffin	234	3	1	-	-	-	-	-	-	-	-	36	6	1	133	131
3341	Balance of county	210	2	1	-	-	-	-	-	-	-	1	34	4	-	109	108
3342	Shelby	299	2	-	-	-	-	-	-	3	1	5	51	5	-	158	152
3343	Stark	2,586	65	20	-	-	-	-	3	4	-	15	398	56	2	1,298	1,266
3344	Canton	1,295	39	12	-	-	-	-	1	3	-	8	209	26	1	619	604
3345	Massillon	331	8	1	-	-	-	-	-	1	-	4	49	4	-	176	169
3346	Alliance	278	9	2	-	-	-	-	1	-	-	1	43	10	-	137	134
3347	Balance of county	682	9	5	-	-	-	-	1	-	-	2	97	16	1	367	359
3348	Summit	3,312	63	25	-	-	2	1	2	2	-	10	539	73	4	1,655	1,608
3349	Akron	2,313	65	17	-	-	-	1	1	2	-	5	366	43	2	1,167	1,131
3350	Barberton	243	6	3	-	-	-	-	-	-	-	2	36	11	1	115	115
3351	Cuyahoga Falls	220	1	2	-	-	-	-	-	-	-	-	41	9	1	110	107
3352	Balance of county	536	11	3	-	-	2	-	1	-	-	3	94	10	-	263	255
3353	Trumbull	1,348	28	10	-	-	-	-	-	1	-	2	199	34	3	691	672
3354	Youngstown (part)	7	1	-	-	-	-	-	-	-	-	-	2	-	-	3	3
3355	Warren	456	15	4	-	-	-	-	-	1	-	1	73	9	2	228	222
3356	Niles	149	1	-	-	-	-	-	-	-	-	1	23	4	-	73	73
3357	Balance of county	736	11	6	-	-	-	-	-	-	-	-	101	21	1	387	374
3358	Tuscarawas	794	8	2	-	1	-	-	1	2	-	9	115	26	1	430	427
3359	New Philadelphia	149	1	-	-	-	-	-	-	-	-	2	22	9	-	81	80
3360	Balance of county	645	7	2	-	1	-	-	1	2	-	7	93	17	1	349	347
3361	Union	239	3	1	-	-	-	-	-	-	-	3	43	3	-	137	129
3362	Van Wert	293	3	2	-	-	-	-	-	-	-	-	42	4	1	162	155
3363	Vinton	129	5	2	-	-	1	-	-	-	-	-	12	2	2	65	64
3364	Warren	405	7	1	-	-	-	-	-	-	-	2	47	8	1	244	240
3365	Washington	512	17	1	-	-	-	-	-	-	-	1	64	16	-	267	256
3366	Marietta	196	6	-	-	-	-	-	-	-	-	1	20	5	-	105	103
3367	Balance of county	316	11	1	-	-	-	-	-	-	-	-	44	11	-	162	153
3368	Wayne	544	10	4	-	-	-	-	-	-	1	3	71	15	2	286	281
3369	Wooster	148	4	2	-	-	-	-	-	-	-	-	25	5	-	75	74
3370	Balance of county	396	6	2	-	-	-	-	-	-	1	3	46	10	2	211	207
3371	Williams	281	6	-	-	-	1	-	2	-	-	-	46	7	-	154	148
3372	Wood	597	9	3	-	-	-	-	-	-	-	-	83	14	-	344	339
3373	Wyandot	222	1	-	-	-	-	-	-	-	-	-	38	5	-	117	113
3374	OKLAHOMA	19,394	530	118	3	28	7	7	10	109	30	92	2,578	301	35	9,224	8,767
3375	Adair	155	11	1	-	2	-	1	-	-	-	2	25	5	1	57	54
3376	Alfalfa	131	-	1	-	-	-	-	-	-	-	-	17	1	-	77	75
3377	Atoka	140	4	3	-	1	-	-	-	-	-	-	14	5	1	65	61
3378	Beaver	59	1	-	-	-	-	1	-	-	-	1	6	-	-	33	32
3379	Beckham	174	5	-	-	-	-	-	-	1	-	1	28	1	-	87	82
3380	Blaine	158	3	1	-	-	-	-	-	-	1	1	18	2	-	73	68
3381	Bryan	290	7	-	-	-	-	1	-	-	-	3	39	5	-	130	122
3382	Durant	113	1	-	-	-	-	1	-	-	-	1	11	2	-	52	48
3383	Balance of county	177	6	-	-	-	-	-	-	-	-	2	28	3	-	78	74
3384	Caddo	343	15	2	-	1	3	-	-	3	1	-	43	8	-	150	147
3385	Canadian	209	2	-	-	-	-	-	-	-	-	3	34	5	-	101	101
3386	El Reno	136	1	-	-	-	-	-	-	-	-	2	21	3	-	65	65
3387	Balance of county	73	1	-	-	-	-	-	-	-	-	1	13	2	-	36	36
3388	Carter	367	9	2	-	-	-	-	-	2	1	2	51	10	1	183	175
3389	Ardmore	225	6	2	-	-	-	-	-	-	-	-	36	8	-	113	109
3390	Balance of county	142	3	-	-	-	-	-	-	2	1	2	15	2	1	70	66
3391	Cherokee	132	9	1	-	-	-	-	-	-	-	2	20	3	-	60	57
3392	Choctaw	183	3	-	-	1	-	-	-	3	-	1	25	5	1	80	75
3393	Cimarron	30	-	-	-	-	-	-	-	-	-	-	4	1	-	8	7
3394	Cleveland	189	5	1	-	-	-	-	-	-	-	2	22	3	-	82	80
3395	Norman	111	2	1	-	-	-	-	-	-	-	2	14	2	-	46	46
3396	Balance of county	78	3	-	-	-	-	-	-	-	-	-	8	1	-	36	34
3397	Coal	76	2	-	-	-	-	-	-	-	-	-	10	-	1	41	38
3398	Comanche	318	10	2	-	-	1	-	2	2	1	41	3	1	134	a130	
3399	Lawton	205	3	2	-	-	1	-	1	1	1	26	1	-	90	88	
3400	Balance of county	115	7	-	-	-	-	-	1	1	-	15	2	1	44	42	
3401	Cotton	84	3	-	-	-	-	-	1	-	1	12	1	1	34	28	
3402	Craig	181	1	1	-	-	-	-	-	-	-	26	2	-	86	83	
3403	Creek	460	18	2	-	-	-	-	-	-	1	3	56	11	1	218	203
3404	Sapulpa	156	4	1	-	-	-	-	-	-	-	1	19	1	1	73	68
3405	Balance of county	304	14	1	-	-	-	-	-	-	1	2	37	10	-	145	135
3406	Custer	204	3	-	-	-	-	-	-	1	-	1	23	5	-	103	101
3407	Delaware	153	7	-	-	-	-	-	-	-	-	-	21	2	-	70	69
3408	Dewey	82	2	-	-	-	-	-	-	-	-	-	15	2	-	33	31
3409	Ellis	66	-	-	-	-	-	-	-	1	-	-	9	1	1	36	34
3410	Garfield	461	5	2	-	-	-	-	-	7	-	-	67	7	1	247	232
3411	Enid	329	5	2	-	-	-	-	-	6	-	-	50	5	1	177	167
3412	Balance of county	132	-	-	-	-	-	-	-	1	-	-	17	2	-	70	65
3413	Garvin	222	4	2	-	-	-	-	-	-	2	2	34	1	-	100	96
3414	Grady	330	3	-	-	1	-	-	2	6	1	1	49	2	-	150	141
3415	Chickasha	178	1	-	-	-	-	-	-	2	1	-	28	1	-	82	78
3416	Balance of county	152	2	-	-	1	-	-	2	4	-	1	21	1	-	68	63
3417	Grant	126	4	-	-	-	-	-	-	1	-	2	16	1	-	62	58
3418	Greer	90	1	-	-	-	-	-	-	-	-	-	15	-	-	54	53
3419	Harmon	53	-	1	-	-	-	-	-	-	-	-	9	-	-	27	26
3420	Harper	47	2	-	-	-	-	-	-	1	-	-	3	2	-	23	23
3421	Haskell	89	1	1	-	-	-	-	-	2	-	1	10	1	-	44	42
3422	Hughes	212	7	-	-	-	-	-	-	2	1	3	29	1	2	98	90
3423	Jackson	190	3	-	1	1	-	1	-	-	-	2	25	2	1	90	83

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
74	1	221	21	4	22	38	3	14	5	1	2	16	5	23	40	5	2	122	3334
35	1	127	12	1	11	15	3	2	5	1	1	10	2	7	22	1	1	61	3335
39	-	94	9	3	11	23	-	12	-	-	1	6	3	16	18	4	1	61	3336
67	1	200	30	2	8	9	4	2	4	2	2	8	4	17	23	9	2	73	3337
14	-	41	8	-	3	2	1	1	1	1	-	2	1	5	8	4	-	20	3338
15	-	53	10	-	4	2	1	1	1	1	-	3	1	5	11	4	-	28	3339
31	1	87	10	2	2	4	2	-	2	1	1	3	1	2	6	3	1	28	3340
22	-	72	12	-	3	3	1	1	1	-	1	3	2	10	9	2	1	25	3341
26	-	116	8	2	6	7	1	-	3	-	2	5	2	8	13	3	-	30	3342
279	10	870	96	11	35	73	10	14	31	5	3	45	18	55	92	34	9	335	3343
128	8	417	45	7	15	40	6	6	17	3	3	21	14	24	45	16	7	175	3344
34	-	114	21	-	7	10	2	4	7	-	-	3	2	8	8	4	2	38	3345
27	-	99	6	2	3	4	1	1	3	1	-	5	-	6	9	3	-	42	3346
89	4	240	24	2	8	19	1	3	4	1	-	16	2	17	30	11	-	80	3347
359	5	1,134	92	18	47	97	16	17	36	10	3	80	22	79	118	34	16	408	3348
256	4	804	54	13	36	69	9	12	28	5	1	39	16	53	82	19	14	297	3349
27	1	79	5	3	-	11	2	3	2	-	2	1	-	4	8	5	1	28	3350
35	-	67	5	-	3	2	1	2	4	1	-	7	3	5	10	3	-	18	3351
41	-	184	28	2	8	15	4	-	2	4	-	13	3	17	18	7	1	65	3352
135	-	485	50	2	19	40	6	3	14	2	3	17	6	29	68	22	2	168	3353
-	-	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	3354
44	-	161	16	1	6	17	1	-	4	1	2	4	2	12	21	2	1	56	3355
11	-	55	7	-	-	5	1	1	2	-	-	2	-	4	7	6	-	19	3356
80	-	286	27	1	13	18	4	2	8	1	1	11	4	13	40	14	1	92	3357
102	3	285	35	2	3	25	5	4	5	2	4	4	5	19	31	8	2	85	3358
21	1	55	3	-	1	4	1	-	-	1	-	-	2	1	3	2	-	20	3359
81	2	230	32	2	2	21	4	4	5	1	4	4	3	18	28	6	2	65	3360
41	-	78	8	2	8	5	-	1	1	-	-	4	6	4	7	1	-	20	3361
28	-	112	14	1	7	6	2	-	1	-	-	4	1	9	12	7	1	36	3362
18	-	38	8	-	1	3	-	1	-	1	-	1	4	4	10	1	-	15	3363
76	-	152	10	2	4	6	1	4	4	2	-	3	2	5	11	5	-	50	3364
70	2	159	22	3	11	21	1	2	4	2	-	4	14	6	17	9	1	65	3365
27	1	65	10	2	2	6	1	-	-	-	-	2	7	4	6	7	-	26	3366
43	1	96	12	1	9	15	-	2	4	2	-	2	7	2	11	2	1	39	3367
75	2	178	22	4	5	14	9	2	1	2	-	7	5	14	27	3	-	68	3368
23	1	43	7	-	1	1	3	-	-	-	-	2	-	2	5	1	-	23	3369
52	1	135	15	4	4	13	6	2	1	2	-	5	5	12	22	2	-	45	3370
33	-	102	13	-	6	6	-	2	2	-	-	6	8	7	7	3	-	24	3371
92	-	211	35	3	5	6	5	1	7	2	1	6	7	25	22	1	-	61	3372
31	-	73	8	1	4	6	1	-	3	-	-	3	3	7	10	-	-	28	3373
2,273	28	5,816	558	94	457	649	87	117	112	58	63	242	587	551	948	178	124	2,606	3374
17	-	37	-	-	3	6	-	2	-	-	-	5	13	3	4	1	-	16	3375
16	-	53	8	-	2	6	1	1	-	-	-	1	1	3	7	-	-	15	3376
22	-	35	4	-	4	6	-	2	1	-	3	-	4	1	6	1	2	21	3377
5	-	28	1	-	1	-	-	-	-	1	-	-	1	1	2	1	-	11	3378
28	-	49	4	1	5	4	-	2	-	-	-	-	9	7	7	-	-	22	3379
21	-	43	4	-	5	8	2	3	-	-	1	-	5	7	11	1	1	22	3380
28	-	85	7	2	8	6	1	2	-	3	1	3	23	8	9	2	-	47	3381
9	-	37	1	1	4	4	1	-	-	1	-	-	9	3	3	1	-	23	3382
19	-	48	6	1	4	2	-	2	-	2	1	3	14	5	6	1	-	24	3383
44	2	98	3	-	3	7	3	3	1	2	1	4	16	10	19	2	-	49	3384
26	-	66	8	1	-	2	1	-	1	1	-	2	6	9	10	2	1	29	3385
20	-	39	5	1	-	1	-	-	1	-	-	2	4	2	8	2	1	23	3386
6	-	27	3	-	-	1	1	-	-	1	-	-	2	7	2	-	-	6	3387
50	-	115	9	1	8	16	1	3	4	1	1	2	9	6	12	6	4	41	3388
36	-	67	6	-	4	9	-	2	-	1	-	1	6	2	8	2	3	26	3389
14	-	48	3	1	4	7	1	1	4	-	1	1	3	4	4	4	1	15	3390
17	-	39	-	1	3	7	-	1	1	-	-	1	4	1	5	-	2	15	3391
14	1	55	5	-	5	6	1	-	1	-	-	1	11	3	11	2	-	28	3392
1	-	5	1	-	1	4	-	-	-	1	-	-	-	2	3	-	1	6	3393
29	-	45	6	2	2	6	1	1	1	-	1	4	4	9	17	1	1	28	3394
16	-	28	3	1	-	3	1	1	1	-	1	2	-	5	8	1	1	21	3395
13	-	17	3	1	2	3	-	1	-	-	-	2	4	4	9	-	-	7	3396
14	-	23	1	-	3	2	-	1	-	1	-	-	3	-	5	2	-	8	3397
27	1	97	4	1	4	12	1	6	3	-	1	5	11	13	10	5	4	50	3398
20	1	63	3	1	2	7	1	4	1	-	1	3	8	5	3	4	4	36	3399
7	-	34	1	-	2	5	-	2	2	-	-	2	3	8	7	1	-	14	3400
7	1	17	2	1	6	1	-	-	-	-	-	3	1	5	3	2	-	16	3401
24	-	53	6	-	3	6	2	-	2	-	2	4	12	2	5	2	4	24	3402
60	1	133	8	1	15	22	5	1	4	-	-	7	9	18	20	5	1	58	3403
23	-	43	2	-	5	6	1	-	-	-	-	5	4	10	3	1	-	20	3404
37	1	90	6	1	10	18	4	1	4	-	-	2	5	8	11	4	1	38	3405
24	1	66	10	-	2	6	-	3	-	-	-	2	5	4	8	3	2	35	3406
14	-	47	8	-	1	9	-	-	-	-	-	6	2	15	1	-	-	20	3407
10	-	18	3	-	2	2	-	1	-	-	-	-	2	6	6	3	-	10	3408
9	-	19	4	2	2	-	-	-	-	-	-	3	2	4	-	-	1	8	3409
71	-	153	7	1	15	5	1	3	3	1	2	7	6	11	27	2	1	56	3410
50	-	112	4	1	10	4	-	3	3	-	2	5	4	3	17	-	1	41	3411
21	-	41	3	-	5	1	1	-	-	1	-	2	2	8	10	2	-	15	3412
15	1	73	5	2	4	6	-	1	2	1	1	4	9	7	11	2	-	33	3413
35	-	100	4	2	9	21	4	2	-	-	-	7	10	16	-	-	3	46	3414
24	-	49	4	1	4	14	3	1	-	-	-	5	3	5	6	-	1	25	3415
11	-	51	-	1	5	7	1	1	-	-	-	1	4	5	10	-	2	21	3416
17	-	33	7	1	4	4	2	-	-	-	-	2	4	11	3	1	-	13	3417
3	-	43	7	-	1	2	-	-	1	1	-	1	4	1	1	-	1	8	3418
6	-	15	4	1	1	-	-	-	1	-	-	-	-	2	2	-	-	11	3419
12	-	10	-	1	-	1	1	1	-	1	-	-	2	2	2	-	-	6	3420
10	-	29	3	-	2	8	-	-	1	2	-	-	3	1	3	-	1	10	3421
31	4	56	3	-	8	11	1	1	1	1	-	2	9	3	9	1	-	30	3422
26	-	48	9	-	7	8	-	-	1	-	1	3	6	2	9	4	-	30	3423

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OKLAHOMA—Continued																
3424	Jefferson	91	1	2	-	-	-	-	-	1	-	-	10	3	-	30	23
3425	Johnston	84	4	1	-	-	-	-	-	1	-	-	17	2	-	36	33
3426	Kay	486	10	2	-	-	-	-	-	1	2	3	72	9	2	255	254
3427	Ponca City	164	2	-	-	-	-	-	-	-	-	2	24	4	-	83	75
3428	Balance of county	322	8	2	-	-	-	-	-	1	2	1	48	5	2	172	159
3429	Kingfisher	107	-	-	-	-	-	-	-	1	-	2	17	1	-	59	58
3430	Kiowa	177	4	1	-	1	-	-	-	-	-	1	21	2	1	92	85
3431	Latimer	83	4	-	-	-	-	-	-	2	-	1	10	-	-	44	41
3432	Le Flore	306	12	1	-	1	-	-	-	1	-	1	40	5	1	120	108
3433	Lincoln	234	7	-	-	-	1	-	-	1	-	-	29	2	-	129	123
3434	Logan	281	3	2	-	-	-	-	-	1	-	-	40	3	-	150	145
3435	Guthrie	158	1	1	-	-	-	-	-	1	-	-	24	1	-	85	81
3436	Balance of county	123	2	1	-	-	-	-	-	-	-	-	16	2	-	65	64
3437	Love	81	2	-	-	-	-	-	-	-	-	-	11	3	-	38	35
3438	McClain	111	3	1	-	-	-	-	-	1	-	1	13	2	1	56	55
3439	McCurtain	308	15	2	-	2	-	-	-	1	-	2	38	6	1	128	123
3440	McIntosh	176	10	1	-	-	-	-	-	1	-	2	20	5	-	83	77
3441	Major	91	-	-	-	-	-	-	-	1	-	-	11	3	-	54	48
3442	Marshall	79	2	-	1	-	-	-	-	-	-	-	9	1	-	38	35
3443	Mayes	165	2	1	-	-	-	-	-	-	-	-	26	7	-	93	89
3444	Murray	115	1	-	-	-	-	-	-	2	1	2	8	1	-	72	69
3445	Muskogee	657	28	7	-	3	-	1	-	2	1	2	81	9	3	326	316
3446	Muskogee	424	24	5	-	2	-	1	-	1	1	2	53	8	1	209	200
3447	Balance of county	233	4	2	-	1	-	-	-	1	-	-	28	4	2	118	116
3448	Noble	119	4	-	-	-	-	-	-	3	1	-	8	-	-	61	57
3449	Nowata	148	4	-	-	-	-	-	-	-	-	-	18	2	-	77	75
3450	Okfuskee	202	10	3	-	1	-	1	-	1	1	1	18	5	-	92	81
3451	Oklahoma	2,475	54	25	-	1	1	-	1	18	2	6	361	38	3	1,146	1,107
3452	Oklahoma City	1,939	45	22	-	-	1	-	-	12	-	5	290	31	3	900	889
3453	Balance of county	536	9	3	-	1	-	-	1	6	2	1	71	7	-	246	238
3454	Okmulgee	457	17	6	-	-	-	-	2	1	1	3	78	4	1	191	178
3455	Okmulgee	189	7	3	-	-	-	-	1	-	-	-	34	1	1	82	77
3456	Balance of county	268	10	3	-	-	-	-	1	1	1	3	44	3	-	109	101
3457	Osage	308	6	-	-	-	-	-	-	-	1	3	46	6	-	134	130
3458	Ottawa	366	26	6	-	-	-	-	-	1	-	2	44	7	-	159	148
3459	Pawnee	139	3	-	-	1	-	-	-	-	1	-	17	1	-	71	68
3460	Payne	321	5	1	-	2	-	-	1	1	2	1	42	8	2	145	134
3461	Stillwater	121	3	1	-	-	-	-	-	1	1	-	15	4	2	56	52
3462	Balance of county	200	2	-	-	2	-	-	1	-	1	1	27	4	-	89	82
3463	Pittsburg	347	6	1	-	-	-	-	-	6	-	2	34	2	1	169	162
3464	McAlester	140	3	-	-	-	-	-	-	2	-	-	10	-	-	78	74
3465	Balance of county	207	3	1	-	-	-	-	-	4	-	2	24	2	1	91	88
3466	Pontotoc	284	6	2	-	-	-	-	-	2	-	1	30	5	-	148	142
3467	Ada	146	4	-	-	-	-	-	-	-	-	1	14	2	-	70	66
3468	Balance of county	138	2	2	-	-	-	-	-	2	-	-	16	3	-	78	76
3469	Pottawatomie	415	13	1	-	-	-	-	-	1	-	-	38	5	-	238	228
3470	Shawnee	244	5	1	-	-	-	-	-	-	-	-	23	3	-	140	136
3471	Balance of county	171	8	-	-	-	-	-	-	1	-	-	16	2	-	98	92
3472	Pushmataha	91	4	-	-	-	-	-	-	-	-	1	13	-	-	39	34
3473	Roger Mills	56	2	-	-	1	-	-	-	-	-	-	6	1	-	29	29
3474	Rogers	200	5	1	1	-	-	-	-	-	1	-	28	6	-	103	102
3475	Seminole	321	8	5	-	1	-	-	1	2	1	-	47	3	2	131	126
3476	Seminole	76	-	-	-	-	-	-	-	1	-	-	12	1	-	31	30
3477	Wewoka	53	1	1	-	-	-	-	1	1	-	-	8	-	1	20	20
3478	Balance of county	192	7	4	-	1	-	-	-	-	1	-	27	2	1	80	76
3479	Sequoyah	158	10	1	-	1	-	-	1	1	-	2	18	1	-	73	69
3480	Stephens	256	5	1	-	-	-	-	-	5	-	-	31	4	-	127	121
3481	Texas	87	1	-	-	-	-	-	-	1	1	-	9	3	-	37	36
3482	Tillman	186	6	-	-	-	2	-	-	3	-	2	24	3	-	91	86
3483	Tulsa	2,087	65	16	-	5	-	-	-	6	2	14	281	28	4	949	903
3484	Tulsa	1,574	52	14	-	4	-	-	-	6	2	8	215	22	4	752	712
3485	Balance of county	483	13	2	-	1	-	-	-	-	-	6	66	4	-	197	191
3486	Wagoner	121	4	3	-	1	-	-	1	-	1	1	13	1	-	53	47
3487	Washington	284	6	-	-	-	-	-	-	4	-	1	37	4	-	142	136
3488	Bartlesville	169	4	-	-	-	-	-	-	4	-	1	16	3	-	87	82
3489	Balance of county	115	2	-	-	-	-	-	-	-	-	-	21	1	-	55	54
3490	Washita	120	2	2	-	-	-	-	1	-	-	-	15	3	-	54	52
3491	Woods	121	-	-	-	-	-	-	-	3	1	-	12	1	-	65	63
3492	Woodward	119	-	-	-	-	-	-	-	-	-	-	22	-	-	60	59
3493	OREGON	13,891	225	80	1	11	8	5	7	23	6	35	2,009	187	21	7,315	7,126
3494	Baker	195	1	1	-	-	-	-	-	-	-	2	27	2	-	81	77
3495	Benton	207	1	2	-	-	-	-	-	-	-	-	23	1	-	118	116
3496	Clackamas	670	8	4	-	1	-	-	1	2	1	3	115	11	1	355	338
3497	Clatsop	293	2	4	-	-	-	-	-	1	-	-	35	4	1	151	147
3498	Astoria	135	1	3	-	-	-	-	-	-	-	-	24	3	-	64	60
3499	Balance of county	158	1	1	-	-	-	-	-	1	-	-	11	1	1	87	87
3500	Columbia	208	2	-	-	1	-	-	1	-	-	-	31	4	-	109	104
3501	Coos	383	3	3	-	-	-	-	-	1	-	1	53	7	-	203	192
3502	Crook	61	-	-	-	-	-	-	-	-	-	-	5	2	-	31	29
3503	Curry	60	1	-	-	-	-	-	-	-	-	-	10	-	-	30	29
3504	Deschutes	183	4	1	-	-	-	-	-	-	-	1	21	3	-	85	83
3505	Bend	110	3	-	-	-	-	-	-	-	-	1	11	2	-	59	58
3506	Balance of county	73	1	1	-	-	-	-	-	-	-	-	10	1	-	27	25
3507	Douglas	418	4	1	-	2	-	-	-	-	-	1	51	2	1	200	196
3508	Gilliam	23	-	-	-	-	-	-	-	-	-	-	4	-	-	13	13
3509	Grant	70	2	-	-	-	-	-	-	-	-	-	8	1	-	28	28
3510	Harney	79	2	2	-	-	-	-	-	1	-	-	8	-	-	29	29
3511	Hood River	122	1	-	-	-	-	-	-	1	-	-	9	1	-	68	67
3512	Jackson	519	9	2	-	-	5	1	-	1	-	1	80	5	-	276	271
3513	Medford	206	3	-	-	-	3	1	-	1	-	1	31	1	-	101	98
3514	Balance of county	313	6	2	-	-	2	-	-	-	-	-	49	4	-	175	173

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central *nervous* system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except *diarrhea* of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-*defined* conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
6	-	14	2	1	7	3	2	1	2	-	-	-	7	2	4	1	1	19	3424
5	-	26	1	1	3	6	-	1	1	-	1	1	4	2	2	1	1	13	3425
56	-	161	14	3	21	10	2	2	1	-	1	2	5	4	2	1	1	15	3425
14	-	52	7	2	8	2	1	1	1	-	-	2	3	3	7	2	1	59	3426
42	-	109	7	1	13	8	1	1	-	-	-	2	3	-	5	7	5	22	3427
15	-	37	6	-	1	4	-	-	1	-	-	-	3	5	2	19	3	37	3428
11	-	67	6	1	7	10	-	-	1	-	-	-	1	-	1	4	1	16	3429
14	-	22	5	-	3	2	-	-	1	-	-	-	2	2	4	5	4	22	3430
25	-	69	13	1	12	16	2	-	2	-	-	-	2	2	1	9	-	5	3431
31	1	77	13	1	6	4	-	-	3	-	-	1	7	11	13	20	1	43	3432
39	-	101	5	1	5	7	3	-	1	-	-	-	5	5	8	12	-	24	3433
18	-	80	2	1	4	5	3	-	-	-	-	1	2	2	4	20	3	37	3434
20	-	41	3	-	1	2	-	-	1	-	-	-	1	1	4	11	1	19	3435
9	-	23	3	-	3	6	-	-	1	-	-	-	1	1	-	9	2	18	3436
15	-	35	4	1	1	1	1	-	-	-	-	-	2	4	4	5	1	5	3437
41	-	77	4	1	5	15	1	-	1	-	1	-	5	1	4	8	1	12	3438
15	-	58	2	2	6	5	-	-	1	-	-	-	5	6	10	11	1	40	3438
19	-	25	2	2	6	2	-	-	3	-	1	-	-	2	4	3	1	29	3440
8	1	25	1	-	4	4	-	-	1	-	-	-	3	6	1	8	-	10	3441
22	-	62	5	-	4	3	-	-	1	-	1	-	2	2	4	5	-	10	3442
15	-	51	3	-	3	2	-	-	-	-	-	-	1	-	2	9	1	14	3443
102	-	188	14	2	10	20	3	-	3	-	-	-	3	4	3	8	1	10	3444
59	-	151	8	2	8	8	1	-	2	-	1	-	2	15	14	26	2	88	3445
43	-	67	6	-	2	12	2	-	1	-	-	-	1	9	8	19	2	58	3446
19	-	35	3	-	4	4	1	-	1	-	-	-	2	6	6	7	-	30	3447
22	1	47	3	2	3	4	1	-	2	-	-	-	2	6	4	12	2	11	3448
17	1	59	4	-	11	9	3	-	2	1	-	-	2	2	5	6	-	17	3449
253	2	774	65	13	33	67	14	-	14	15	6	-	7	4	4	15	1	29	3450
198	2	604	55	10	31	53	11	-	13	9	4	-	7	42	49	74	114	32	22	363	3451
65	-	170	10	3	8	14	3	-	1	6	2	-	7	33	33	56	88	21	15	287	3452
56	-	107	14	1	13	15	-	-	5	2	1	-	2	9	16	18	26	13	7	76	3453
30	-	42	4	1	5	5	-	-	-	2	-	-	2	10	12	10	21	4	4	67	3454
26	-	65	10	-	8	10	-	-	5	-	1	-	2	7	5	1	8	1	1	32	3455
30	-	88	10	2	4	9	2	-	-	3	-	-	2	3	7	9	13	3	3	35	3456
27	2	99	16	4	11	15	-	-	3	1	2	-	1	3	23	13	15	4	3	35	3457
11	-	49	7	1	3	11	1	-	-	-	-	-	1	3	10	10	19	6	1	50	3458
42	-	76	12	4	11	10	1	-	-	-	2	-	-	1	1	6	3	-	-	22	3459
15	-	30	4	3	4	1	1	-	-	-	1	-	-	-	10	8	18	2	-	54	3460
27	-	46	8	1	7	9	1	-	-	-	2	-	-	4	2	4	7	1	-	18	3461
40	1	112	7	2	7	22	1	-	3	-	1	-	-	2	7	4	11	1	-	36	3462
15	1	55	2	1	4	6	-	-	-	-	-	-	-	2	18	10	27	6	4	31	3463
25	-	57	5	1	3	16	1	-	3	-	-	-	-	-	6	4	10	1	2	18	3464
43	1	86	11	1	6	6	1	-	3	-	-	-	-	2	12	6	17	5	2	13	3465
22	1	40	3	-	4	4	1	-	2	-	-	-	-	2	11	8	8	4	2	44	3466
21	-	46	8	1	2	2	-	-	1	-	-	-	-	1	5	3	5	2	2	29	3467
71	-	135	16	6	10	8	1	-	3	-	-	-	-	1	6	5	3	2	-	15	3469
41	-	80	10	5	4	4	1	-	2	-	1	-	2	-	16	11	23	1	-	48	3469
30	-	55	6	1	6	4	1	-	1	-	1	-	1	-	9	5	13	1	-	31	3470
13	-	18	5	-	5	1	-	-	1	-	-	-	2	-	7	8	10	-	-	17	3471
8	-	19	2	-	1	-	-	-	-	-	-	-	-	-	5	3	7	-	-	12	3472
25	-	70	6	1	1	7	2	-	2	-	-	-	1	2	2	3	1	-	-	10	3473
29	1	83	11	2	5	12	1	-	1	-	1	-	2	5	4	1	8	2	-	28	3474
9	-	19	2	-	1	3	-	-	1	-	-	-	1	1	22	8	12	2	4	46	3475
4	1	10	3	2	-	2	1	-	1	-	-	-	1	1	3	3	3	1	-	15	3476
16	-	54	8	-	4	7	1	-	1	-	1	-	1	2	5	-	-	-	2	7	3477
21	-	44	3	1	4	7	-	-	1	-	2	-	3	2	14	5	9	1	2	24	3478
33	-	78	9	1	6	11	1	-	1	-	1	-	3	2	7	9	5	2	-	18	3479
8	-	26	1	1	1	2	-	-	-	-	-	-	-	6	11	12	9	2	-	30	3480
17	1	80	7	1	5	7	1	-	1	-	-	-	1	3	3	2	8	-	-	13	3481
222	5	600	67	9	46	64	12	17	13	9	3	-	3	2	2	8	8	-	4	22	3482
172	3	476	56	5	40	45	9	16	11	5	4	-	3	28	66	65	87	19	16	270	3483
50	2	124	11	4	6	19	3	1	2	-	-	-	3	25	56	45	55	12	11	202	3484
15	-	30	1	1	6	4	2	-	1	-	1	-	-	3	10	20	32	7	5	88	3485
31	1	94	8	2	6	11	-	-	1	-	-	-	1	1	1	4	12	2	-	15	3486
18	1	59	3	1	5	5	-	-	1	-	-	-	1	4	6	20	1	3	41	3487
13	-	35	5	1	1	6	-	-	-	-	-	-	1	1	3	10	-	2	31	3488
10	-	38	3	1	2	9	-	-	-	-	1	-	2	3	3	10	1	1	10	3489
14	-	41	8	-	2	2	-	-	2	-	1	-	2	-	-	9	5	1	14	3490
16	-	40	3	-	1	-	-	-	1	-	-	-	1	2	4	5	1	-	21	3491
1,473	16	5,095	458	86	189	383	86	46	88	30	19	192	248	381	712	239	39	1,485	3493
9	-	60	7	1	4	7	2	2	-	-	-	4	12	8	13	1	-	31	3494
19	-	88	6	3	2	6	-	1	-	-	-	6	2	2	17	4	-	24	3495
71	-	240	21	6	17	17	2	-	3	-	-	-	7	15	16	33	11	-	-	64	3496
39	1	94	11	2	4	8	1	2	-	2	-	-	1	10	9	11	11	1	1	39	3497
15	-	39	5	1	4	3	1	-	-	-	-	-	1	4	6	6	2	-	-	17	3498
24	1	55	6	1	-	5	-	2	-	2	-	-	1	6	3	5	9	1	-	22	3499
19	-	76	8	1	5	4	2	-	-	2	-	-	1	4	7	12	5	-	-	23	3500
30	-	148	14	-	11	6	3	5	-	2	-	-	5	14	10	22	5	-	-	40	3501
8	-	18	2	1	2	1	-	-	-	-	-	-	-	5	4	5	1	-	-	5	3502
4	-	24	-	1	1	-	1	-	-	-	-	-	-	-	-	9	3	1	-	5	3503
17	-	55	11	-	2	8	-	-	-	-	-	-	2	6	12	12	3	1	-	20	3504
11	-	37	10	-	2	6	-	-	-	-	-	-	2	3	5	2	2	1	-	11	3505
6	-	18	1	-	2	2	-	-	-	-	-	-	-	3	7	10	1	-	-	9	3506
46	1	138	11	3	4	15	1	-	1	-	-	-	3	5	16	40	11	2	-	49	3507
1	-	12	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4	3508
4	-	21	3	-	-	-	1	-	-	-	-	-	11	-	10	1	2	1	-	6	3509
9	-	19	1	-	1	2	2	-	1	-	-	-	-	1	7	9	2	1	-	11	3510
16	-	44	6	1	1	2	-	-	1	-	-	-	-	1	4	5	3	1	-	17	3511
50	-	198	16	9	5	12	8	-	-	-	1	-	-	3	2	11	2	-	-	17	3511
18	-	69	5	6	3	4	3	-	-	-	1	-	-	8	20	21	6	2	-	56	3512
32	-	127	11	3	2	8	5	-	-	-	1	-	-	4	9	12	1	1	-	26	3513
														1	11	9	5	1	-	30	3514

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	OREGON—Continued																
3515	Jefferson	50	2	-	-	-	-	-	-	-	1	1	4	1	1	15	15
3516	Josephine	265	5	1	-	-	-	-	-	-	-	2	37	4	-	141	135
3517	Klamath	302	4	1	1	1	-	-	-	-	-	-	33	6	-	140	133
3518	Klamath Falls	178	1	1	-	-	-	-	-	-	-	-	20	5	-	90	85
3519	Balance of county	124	3	-	1	1	-	-	-	-	-	-	13	1	-	50	48
3520	Lake	77	1	-	-	-	-	-	-	-	-	1	9	-	-	39	39
3521	Lane	908	4	1	-	-	-	2	1	2	1	4	126	11	2	456	446
3522	Eugene	423	-	-	-	-	-	-	-	-	-	1	73	6	1	202	198
3523	Balance of county	485	4	1	-	-	-	2	1	2	1	3	55	3	1	254	248
3524	Lincoln	192	-	-	-	-	-	-	-	1	-	2	23	1	1	105	104
3525	Linn	455	5	3	-	-	-	-	-	-	-	1	63	10	2	238	229
3526	Malheur	155	1	-	-	-	2	-	-	-	1	1	23	2	-	66	63
3527	Marion	628	13	4	-	1	-	-	1	2	-	-	132	9	1	471	464
3528	Salem	433	9	4	-	1	-	-	1	2	-	-	76	7	-	245	241
3529	Balance of county	395	4	-	-	-	-	-	-	-	-	-	56	2	1	226	223
3530	Morrow	39	-	-	-	-	-	-	-	-	-	-	11	2	-	18	17
3531	Multnomah	5,076	133	39	-	4	-	2	2	9	-	9	782	64	6	2,787	2,736
3532	Portland	4,547	124	32	-	3	-	2	2	7	-	6	711	52	5	2,498	2,450
3533	Balance of county	529	9	7	-	1	-	-	-	2	-	3	71	12	1	288	286
3534	Polk	230	-	1	-	-	-	-	-	-	-	-	34	6	-	128	125
3535	Sherman	24	-	-	-	-	-	-	-	-	-	-	4	2	-	13	12
3536	Tillamook	178	3	2	-	-	-	-	-	1	-	-	27	5	1	88	87
3537	Umatilla	325	6	1	-	-	-	-	1	-	-	2	32	4	1	162	157
3538	Union	164	-	2	-	-	-	-	-	-	-	1	21	-	-	88	75
3539	Wallowa	81	-	-	-	-	-	-	-	-	-	-	13	-	-	39	38
3540	Wasco	180	5	1	-	-	-	-	-	1	-	1	27	6	1	77	77
3541	Washington	501	-	3	-	1	-	-	-	-	-	2	75	6	-	257	253
3542	Wheeler	30	1	-	-	-	-	-	-	-	-	-	3	2	-	14	13
3543	Yamhill	340	2	1	-	-	1	-	-	-	-	1	48	3	2	196	189
3544	PENNSYLVANIA	108,363	2,683	487	4	19	14	44	65	77	57	278	15,900	2,104	155	60,134	58,515
3545	Adams	375	2	-	-	-	-	-	1	-	-	-	37	14	-	232	222
3546	Allegheny	15,122	438	77	-	2	-	2	13	8	12	41	2,323	236	25	8,091	7,886
3547	Pittsburgh	8,115	290	44	-	-	-	1	8	6	5	21	1,270	128	15	4,276	4,169
3548	McKeesport	576	14	5	-	-	-	-	-	-	1	-	75	9	1	330	319
3549	Wilkinsburg	298	4	1	-	-	-	-	-	-	-	-	46	7	-	181	179
3550	Bellevue	131	4	-	-	-	-	-	-	-	-	1	27	1	-	71	70
3551	Braddock	196	2	5	-	-	-	-	-	-	-	-	24	4	-	99	99
3552	Carnegie	152	5	-	-	-	-	-	-	-	-	-	23	2	-	81	78
3553	Clairton	140	4	-	-	-	-	-	-	-	-	-	19	3	-	61	58
3554	Coraopolis	103	7	1	-	1	-	-	-	-	-	1	16	-	-	52	51
3555	Dormont	118	1	-	-	-	-	-	-	-	-	3	27	-	1	66	63
3556	Duquesne	208	1	1	-	-	-	-	-	-	-	-	34	4	1	121	116
3557	Harrison (twp.)[2]	87	2	1	-	-	-	-	-	-	-	-	14	1	-	43	43
3558	Homestead	166	14	2	-	-	-	-	-	-	-	-	27	4	-	81	75
3559	McKees Rocks	284	6	-	-	-	-	-	-	-	-	1	36	5	-	147	144
3560	Mount Lebanon (twp.)[2]	138	1	-	-	-	-	-	-	-	-	1	27	-	-	75	73
3561	Munhall	152	-	1	-	-	-	-	-	-	-	-	24	5	-	82	80
3562	North Braddock	132	4	-	-	-	-	-	-	-	-	2	19	2	1	80	76
3563	Shaler (twp.)[2]	66	2	-	-	-	-	-	-	-	-	-	15	1	-	27	25
3564	Stowe (twp.)[2]	24	-	-	-	-	-	-	-	-	-	-	5	-	-	12	11
3565	Swissvale	134	6	-	-	-	-	-	-	-	1	-	20	2	-	69	64
3566	Balance of county	3,902	71	16	-	1	-	1	5	2	5	11	575	58	6	2,138	2,093
3567	Armstrong	747	11	1	-	-	-	2	-	1	2	2	107	11	1	405	399
3568	Beaver	1,512	32	6	-	1	-	-	1	1	3	6	213	30	8	796	773
3569	Aliquippa	260	11	-	-	-	-	-	1	-	2	-	40	7	-	142	136
3570	Ambridge	133	3	-	-	-	-	-	-	-	-	1	21	2	1	70	69
3571	Beaver Falls	231	5	1	-	-	-	-	-	-	-	-	27	5	1	119	114
3572	Ellwood City (part)	11	-	-	-	-	-	-	-	-	-	-	1	1	-	7	7
3573	Balance of county	877	13	5	-	1	-	-	-	1	1	5	124	15	3	458	447
3574	Bedford	428	6	-	-	1	-	-	-	-	-	1	50	8	-	256	239
3575	Berks	2,752	54	12	-	-	-	-	-	-	-	2	4	379	72	7	1,556	1,535
3576	Reading	1,387	34	5	-	-	-	-	-	-	-	1	188	38	4	786	788
3577	Balance of county	1,365	20	7	-	-	-	-	-	-	-	2	3	191	34	3	760	747
3578	Blair	1,498	23	11	-	-	-	1	-	-	-	1	4	207	35	3	903	874
3579	Altoona	889	11	8	-	-	-	1	-	-	-	1	125	24	1	550	535
3580	Balance of county	607	12	3	-	-	-	-	-	-	-	1	3	82	11	2	353	339
3581	Bradford	647	13	1	-	-	-	-	-	2	-	1	89	5	-	391	384
3582	Bucks	1,327	22	2	-	1	-	-	2	1	1	3	215	26	1	775	744
3583	Bristol	137	4	-	-	-	-	-	-	-	-	2	21	2	-	78	77
3584	Balance of county	1,190	18	2	-	1	-	-	2	1	1	1	194	24	1	697	667
3585	Butler	919	11	3	-	-	-	1	-	9	1	2	133	17	1	511	500
3586	Butler	256	4	1	-	-	-	-	-	5	-	-	38	3	-	138	137
3587	Balance of county	663	7	2	-	-	-	1	-	4	1	2	95	14	1	373	363
3588	Cambria	1,991	44	7	-	-	-	4	2	1	2	7	268	46	3	995	958
3589	Johnstown	898	21	2	-	-	-	1	2	1	2	4	134	18	2	451	439
3590	Balance of county	1,093	23	5	-	-	-	3	-	-	-	3	154	28	1	544	519
3591	Cameron	68	-	1	-	-	-	-	-	-	-	-	5	2	-	36	37
3592	Carbon	633	17	4	-	-	-	-	-	1	-	2	88	20	-	345	330
3593	Centre	524	5	-	-	-	-	2	-	-	-	2	87	3	1	308	297
3594	Chester	1,582	37	6	-	1	-	4	4	3	-	8	235	31	6	846	811
3595	Coatesville	167	2	-	-	1	-	1	-	-	-	-	29	3	2	89	85
3596	Phoenixville	149	6	-	-	-	-	-	-	-	-	2	29	6	-	70	70
3597	West Chester	268	3	1	-	-	-	-	-	-	-	-	39	2	-	161	150
3598	Balance of county	998	26	5	-	-	-	3	4	3	-	8	138	20	4	526	506
3599	Clarion	394	2	-	-	-	-	-	-	-	1	1	59	9	-	213	208
3600	Clearfield	866	8	4	-	-	-	1	-	1	-	2	111	16	2	474	458
3601	Du Bois	175	2	1	-	-	-	-	-	-	-	1	31	2	-	96	93
3602	Balance of county	691	6	3	-	-	-	1	-	1	-	1	80	14	2	378	363
3603	Clinton	357	3	2	-	1	-	1	-	-	-	-	46	4	-	195	191
3604	Lock Haven	124	3	1	-	-	-	-	-	-	-	-	19	-	-	70	68
3605	Balance of county	233	-	1	-	1	-	1	-	-	-	-	27	4	-	125	123

[2] Since this area is difficult to identify from the information given on the transcripts, data may be understated or overstated.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	580,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
1	-	13	1	-	-	5	-	1	-	-	-	1	3	4	2	3	-	6	3515
28	-	95	11	1	6	2	3	-	3	-	-	4	4	4	16	5	1	33	3516
27	1	92	8	5	7	7	2	1	2	-	2	4	5	19	16	7	3	48	3517
20	1	55	5	4	5	3	2	-	1	-	2	2	1	7	9	3	1	30	3518
7	-	57	3	1	2	4	-	-	1	-	-	2	4	12	7	4	2	18	3519
12	-	23	3	1	-	3	-	-	-	-	-	3	-	5	6	2	-	8	3520
88	3	327	23	5	10	26	2	6	6	2	1	20	14	25	64	21	3	106	3521
37	1	143	13	4	4	12	-	3	4	1	1	8	12	13	20	10	1	53	3522
51	2	184	10	1	6	14	2	3	2	1	-	12	2	12	44	11	2	53	3523
19	-	77	8	-	1	3	-	2	-	-	1	2	9	3	14	4	3	19	3524
44	-	165	17	3	9	15	2	-	1	-	1	9	8	20	33	8	-	36	3525
20	-	36	7	-	3	6	1	-	-	-	-	6	6	7	8	3	-	22	3526
114	1	318	25	6	7	22	6	4	3	1	-	5	5	16	22	9	-	101	3527
68	-	156	15	2	4	14	2	1	1	1	-	2	3	11	9	4	-	40	3528
46	1	162	10	4	3	8	4	3	2	-	-	3	2	5	15	5	-	61	3529
7	-	9	1	-	1	-	-	-	-	-	-	1	-	1	-	-	-	6	3530
577	6	1,964	161	28	51	153	34	11	47	11	6	61	71	88	186	81	15	475	3531
508	6	1,766	144	26	49	124	32	9	45	10	5	58	56	81	160	73	15	436	3532
69	-	199	17	2	2	29	2	2	2	1	1	3	15	7	26	8	-	39	3533
30	-	84	10	1	3	9	3	-	-	2	1	3	1	5	12	4	1	20	3534
1	-	7	4	-	1	-	1	-	-	-	-	-	-	1	1	-	-	2	3535
15	-	66	5	1	2	1	1	-	2	-	-	1	-	4	17	1	-	24	3536
18	-	124	15	-	5	7	4	2	3	-	-	3	13	21	19	5	1	37	3537
13	1	55	4	2	13	4	-	1	-	-	-	3	-	9	8	-	-	27	3538
6	-	31	1	-	1	1	-	-	2	-	-	1	2	6	9	-	-	8	3539
14	-	57	4	2	-	9	-	1	1	-	-	5	3	6	14	3	1	18	3540
42	2	183	25	1	4	13	3	1	4	2	2	10	14	16	25	9	2	56	3541
5	-	7	1	-	1	-	-	-	-	-	-	-	-	-	5	2	-	3	3542
50	-	130	7	2	7	9	1	2	1	3	-	3	4	10	13	4	-	36	3543
10,616	221	43,574	3,494	610	1,619	3,005	525	452	996	258	151	1,261	1,051	1,730	3,902	1,109	273	11,629	3544
41	1	166	14	-	10	9	-	3	1	1	-	10	2	9	18	5	-	33	3545
1,529	33	5,896	364	64	205	528	66	55	189	46	21	184	278	221	559	181	43	1,503	3546
645	17	3,106	168	35	107	288	35	34	107	17	8	87	174	110	285	83	26	787	3547
82	1	215	16	5	11	12	5	1	6	3	2	6	8	10	16	10	1	61	3548
24	-	141	13	1	2	5	-	1	4	1	-	2	3	3	13	3	-	24	3549
13	1	48	8	-	1	7	1	1	-	1	-	-	-	-	4	2	-	12	3550
12	-	79	7	1	-	8	1	-	4	1	1	5	4	2	9	-	-	25	3551
11	1	58	7	-	3	5	2	1	2	-	-	1	6	-	5	2	1	16	3552
9	1	45	-	3	3	9	1	-	2	2	1	6	3	3	6	4	1	20	3553
7	-	38	5	1	1	1	1	-	-	1	-	3	2	-	5	-	-	12	3554
7	-	52	4	-	3	4	-	-	1	1	-	2	2	1	2	1	-	7	3555
18	-	95	5	-	5	8	1	-	-	1	-	2	2	3	9	-	-	17	3556
9	-	30	3	1	-	5	-	1	6	-	-	2	4	1	4	-	1	10	3557
17	-	56	2	2	6	9	-	1	9	4	1	3	1	1	6	-	-	9	3558
34	1	105	2	-	3	13	2	1	3	1	-	5	5	2	14	-	-	33	3559
10	-	59	4	-	2	4	1	-	2	-	-	1	1	1	7	3	-	12	3560
9	1	67	3	-	2	6	-	-	1	-	-	2	1	1	7	2	-	18	3561
13	2	60	1	-	4	1	-	-	2	-	-	3	3	4	6	1	-	5	3562
4	1	19	1	-	2	-	-	-	1	-	-	1	2	-	2	3	-	13	3563
3	-	7	1	-	1	3	-	-	1	-	-	-	-	1	1	-	-	1	3564
12	-	51	1	-	4	-	-	1	3	-	-	2	3	3	10	1	1	13	3565
390	7	1,866	113	17	45	129	15	13	37	14	5	57	54	76	148	45	12	408	3566
76	2	293	25	3	6	21	3	3	3	3	3	15	7	12	35	10	1	88	3567
164	5	521	73	10	23	37	8	3	20	2	3	24	16	34	69	13	4	179	3568
26	-	97	11	2	6	4	2	1	4	-	-	1	3	6	11	2	1	22	3569
18	-	47	3	1	1	3	-	-	2	-	-	2	1	2	6	3	3	13	3570
26	2	74	10	2	5	9	3	-	6	-	-	1	3	-	13	4	-	31	3571
2	1	3	1	-	-	-	-	-	-	-	-	2	-	-	-	-	-	2	3572
92	2	300	48	5	11	21	3	2	8	2	2	18	12	23	39	10	-	111	3573
57	-	167	15	-	17	8	3	1	3	-	-	6	6	10	21	7	-	41	3574
305	4	1,097	108	21	21	67	27	12	20	7	1	24	69	58	86	37	-	248	3575
157	1	565	55	10	8	39	14	4	11	6	-	11	39	25	41	12	-	119	3576
148	3	532	53	11	13	28	13	8	9	1	1	13	30	33	55	25	-	129	3577
148	2	660	62	2	29	39	5	3	12	3	4	9	9	20	51	8	4	141	3578
92	1	403	37	2	15	23	2	3	6	1	2	6	3	9	27	4	3	79	3579
56	1	257	25	-	14	16	3	-	6	2	2	3	6	11	24	4	1	62	3580
58	1	292	27	6	7	20	4	1	5	3	-	9	3	10	15	10	2	63	3581
153	2	518	67	5	31	28	4	4	12	7	3	23	6	27	41	15	-	108	3582
14	1	53	9	-	1	5	1	3	1	1	-	1	2	2	4	-	-	10	3583
138	1	465	58	5	30	25	3	1	11	6	3	22	4	25	37	15	-	98	3584
137	2	326	28	7	11	28	5	1	4	1	-	6	4	21	36	15	1	103	3585
35	1	89	10	2	1	8	1	4	1	3	-	1	2	5	11	5	-	32	3586
102	1	237	18	5	10	20	4	1	3	3	-	5	2	16	25	10	1	71	3587
165	11	710	61	11	37	67	4	3	7	3	4	27	24	36	93	15	3	290	3588
81	5	316	30	7	12	31	3	1	17	5	3	13	9	9	42	4	1	131	3589
84	6	384	31	4	25	36	1	1	8	5	1	14	15	27	51	11	2	159	3590
5	-	30	2	-	1	1	-	6	9	-	1	1	-	3	3	1	-	12	3591
61	1	249	14	5	15	11	4	1	1	3	1	4	6	10	26	6	-	77	3592
57	-	214	23	3	11	13	1	6	6	4	1	14	2	14	19	4	-	43	3593
141	2	603	52	13	35	35	9	2	1	3	2	24	15	24	66	24	5	176	3594
12	1	69	2	1	4	2	1	4	1	1	-	4	3	1	4	3	-	21	3595
13	-	53	4	-	-	4	-	2	1	1	1	3	2	-	3	4	1	16	3596
19	-	115	13	3	11	2	3	9	1	1	-	5	-	2	9	2	-	35	3597
97	1	366	33	9	20	27	6	1	1	1	1	12	10	21	50	15	4	104	3598
59	2	135	14	-	5	18	3	4	4	1	3	5	2	8	14	5	-	45	3599
93	-	337	20	6	18	33	4	6	6	1	3	11	8	15	42	6	2	111	3600
12	-	76	4	1	3	3	1	1	5	1	1	5	3	-	8	-	-	19	3601
81	-	261	16	5	15	30	3	5	2	-	2	6	5	15	34	6	2	92	3602
47	2	120	17	3	4	10	3	1	2	-	3	3	10	11	15	3	-	43	3603
18	-	42	5	2	2	2	1	-	2	1	2	1	-	2	6	4	-	13	3604
29	2	78	12	2	2	8	2	1	-	-	1	2	3	8	5	11	3	30	3605

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	PENNSYLVANIA—Con.																
3606	Columbia	570	3	1	-	-	-	-	-	-	-	2	77	13	-	341	335
3607	Berwick	150	-	-	-	-	-	-	-	-	-	-	27	6	-	81	79
3608	Balance of county	420	3	1	-	-	-	-	-	-	-	2	50	7	-	260	256
3609	Crawford	870	11	4	-	-	-	-	-	-	-	-	111	22	-	491	478
3610	Meadville	252	3	2	-	-	-	-	-	-	-	-	37	8	-	141	138
3611	Balance of county	618	8	2	-	-	-	-	-	-	-	-	74	14	-	350	338
3612	Cumberland	930	14	9	-	-	-	1	1	-	-	1	128	17	1	562	556
3613	Carlisle	187	3	3	-	-	-	-	-	-	-	-	22	5	-	121	119
3614	Balance of county	743	11	6	-	-	-	1	1	-	-	1	106	12	1	441	437
3615	Dauphin	2,179	46	19	-	-	-	2	2	-	-	3	322	45	4	1,281	1,259
3616	Harrisburg	1,199	24	16	-	-	-	-	1	-	-	1	166	28	1	711	699
3617	Steelton	130	6	1	-	-	-	1	1	-	-	1	26	-	1	67	67
3618	Balance of county	850	16	2	-	-	-	1	-	-	-	1	130	17	2	503	495
3619	Delaware	3,602	90	15	-	-	-	1	1	1	1	4	564	56	8	2,066	2,000
3620	Chester	768	40	8	-	-	-	-	1	-	-	1	97	13	1	401	385
3621	Haverford (twp.)[2]	187	3	-	-	-	-	-	-	-	-	-	37	2	1	107	107
3622	Upper Darby (twp.)[2]	622	8	-	-	-	-	-	-	-	-	1	115	11	4	384	356
3623	Darby	127	4	1	-	-	-	-	-	-	-	-	21	3	1	68	64
3624	Lansdowne	150	2	1	-	-	-	-	-	1	-	-	17	2	-	92	87
3625	Balance of county	1,748	36	5	-	-	-	1	-	-	1	2	277	25	1	1,034	1,001
3626	Elk	328	9	-	-	-	-	-	-	1	-	2	60	5	-	164	160
3627	Erie	2,157	65	11	-	-	-	-	3	1	-	6	327	41	3	1,199	1,177
3628	Erie	1,386	54	8	-	-	-	-	3	1	-	5	221	29	3	762	751
3629	Balance of county	771	11	3	-	-	-	-	-	-	-	1	106	12	-	437	426
3630	Fayette	1,918	37	15	-	-	-	-	-	-	-	6	230	32	3	1,059	1,020
3631	Connellsville	186	2	2	-	-	-	-	-	-	-	1	27	1	-	95	94
3632	Uniontown	308	5	1	-	-	-	-	-	-	-	1	44	4	-	185	180
3633	Balance of county	1,424	30	12	-	-	-	-	-	-	-	4	159	27	3	779	746
3634	Forest	50	-	-	-	-	-	-	-	-	-	-	7	1	1	30	30
3635	Franklin	750	18	4	-	-	-	1	-	1	1	1	93	13	-	467	458
3636	Chambersburg	300	2	1	-	-	-	-	-	1	-	1	23	2	-	136	131
3637	Waynesboro	128	4	1	-	-	-	-	-	-	-	-	19	3	-	79	79
3638	Balance of county	422	12	2	-	-	-	1	-	-	1	-	51	8	-	252	248
3639	Fulton	103	3	1	-	-	-	1	-	-	1	-	12	3	-	55	51
3640	Greene	405	10	5	-	-	-	-	-	-	1	1	57	10	-	221	214
3641	Huntingdon	411	8	-	-	-	-	-	-	3	1	-	56	8	-	217	213
3642	Indiana	738	11	1	1	-	-	-	-	-	-	1	89	9	2	427	411
3643	Indiana	114	-	1	-	-	-	-	-	-	-	-	12	-	-	84	80
3644	Balance of county	624	11	-	1	-	-	-	-	-	-	1	77	9	2	343	331
3645	Jefferson	533	9	-	-	-	-	-	-	-	-	3	79	8	1	303	301
3646	Juniata	160	2	1	-	-	-	1	1	-	1	1	25	2	-	92	88
3647	Lackawanna	3,091	82	4	-	1	-	-	3	-	2	9	481	44	2	1,622	1,585
3648	Scranton	1,639	40	2	-	1	-	-	2	-	1	7	252	22	1	856	833
3649	Carbondale	228	4	1	-	-	-	-	-	-	-	-	40	2	-	135	132
3650	Dickson City	85	3	-	-	-	-	-	-	-	-	-	12	5	-	42	41
3651	Dunmore	220	4	-	-	-	-	-	-	-	-	-	31	5	-	125	123
3652	Old Forge	90	3	1	-	-	-	-	-	-	-	-	11	-	-	49	49
3653	Balance of county	829	28	-	-	-	-	-	1	-	1	2	135	10	1	415	407
3654	Lancaster	2,367	44	6	-	-	1	-	2	-	-	7	349	57	4	1,394	1,385
3655	Lancaster	831	22	5	-	-	-	-	1	-	-	2	132	19	-	477	467
3656	Columbia	176	5	-	-	-	-	-	1	-	-	-	33	6	-	92	89
3657	Balance of county	1,360	17	1	-	-	1	-	-	-	-	5	184	32	4	825	799
3658	Lawrence	1,014	19	2	-	-	-	3	-	1	-	1	140	26	-	556	537
3659	New Castle	564	12	2	-	-	-	2	-	-	-	1	64	17	-	313	301
3660	Ellwood City (part)	103	-	-	-	-	-	-	-	-	-	-	20	4	-	55	55
3661	Ellwood City (total)	114	-	-	-	-	-	-	-	-	-	-	21	5	-	62	62
3662	Balance of county	347	7	-	-	-	-	1	-	1	-	-	56	5	-	188	181
3663	Lebanon	782	8	6	-	-	-	-	1	-	-	3	94	18	-	475	447
3664	Lebanon	381	5	4	-	-	-	-	-	-	-	1	52	13	-	209	194
3665	Balance of county	401	3	2	-	-	-	-	1	-	-	2	42	5	-	266	253
3666	Lehigh	1,838	27	17	-	1	2	-	-	7	3	4	287	47	3	1,144	1,123
3667	Allentown	1,097	19	10	-	1	1	-	-	3	1	1	167	24	2	657	648
3668	Bethlehem (part)	158	1	2	-	-	-	-	-	-	-	-	23	4	-	96	94
3669	Balance of county	681	7	5	-	-	1	-	-	4	2	3	97	19	1	391	381
3670	Luzerne	4,519	118	13	-	2	-	1	3	1	5	10	605	90	5	2,253	2,161
3671	Hazleton	366	8	2	-	-	-	-	-	-	-	1	76	7	-	173	168
3672	Wilkes-Barre	1,035	30	3	-	1	-	-	-	-	2	2	142	27	1	547	531
3673	Hanover (twp.)[2]	35	1	-	-	-	-	-	-	-	-	-	8	-	-	11	10
3674	Kingston	234	6	-	-	-	-	-	-	-	-	-	32	6	1	138	134
3675	Nanticoke	226	6	3	-	-	-	-	-	-	1	-	36	7	-	83	81
3676	Pittston	186	4	-	-	-	-	-	-	-	-	-	27	2	-	97	95
3677	Plains (twp.)[2]	86	4	-	-	-	-	-	-	-	-	1	12	-	-	46	46
3678	Plymouth	139	3	-	-	-	-	-	-	-	-	-	21	7	-	62	59
3679	Balance of county	2,012	56	5	-	1	-	1	3	1	2	6	251	34	3	1,076	1,037
3680	Lycoming	1,083	9	5	-	-	-	-	-	-	-	3	155	17	-	654	627
3681	Williamsport	517	5	3	-	-	-	-	-	-	-	-	77	9	-	307	306
3682	Balance of county	566	4	2	-	-	-	-	-	-	-	3	78	8	-	327	321
3683	McKean	610	5	5	-	-	-	-	-	3	1	4	83	15	-	337	329
3684	Bradford	200	2	4	-	-	-	-	-	-	-	1	30	3	-	93	91
3685	Balance of county	410	3	1	-	-	-	-	-	3	1	3	53	12	-	244	236
3686	Mercer	1,173	19	3	-	-	-	1	1	-	-	2	161	24	-	631	606
3687	Sharon	275	6	-	-	-	-	-	-	-	-	-	40	7	-	140	133
3688	Farrell	168	4	-	-	-	-	-	-	-	-	-	21	2	-	94	92
3689	Balance of county	730	9	3	-	-	-	1	1	-	-	2	100	15	-	387	381
3690	Mifflin	407	14	3	-	1	-	-	1	1	1	2	40	5	3	231	225
3691	Lewistown	169	6	2	-	-	-	-	-	-	-	1	17	2	2	97	92
3692	Balance of county	238	8	1	-	1	-	-	1	1	1	1	23	3	1	134	133
3693	Monroe	348	6	1	-	-	-	-	-	-	-	2	57	9	-	188	186
3694	Montgomery	3,231	49	7	-	-	-	-	2	6	1	13	511	67	3	1,842	1,794
3695	Lower Merion (twp.)[2]	401	6	1	-	-	-	-	-	3	-	2	74	9	-	215	211
3696	Norristown	411	7	2	-	-	-	-	-	-	-	1	69	13	-	211	206
3697	Abington (twp.)[2]	224	2	1	-	-	-	-	-	1	-	-	45	2	-	136	132

[2]Since this area is difficult to identify from information given on the transcripts, data my be understated or overstated.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
65	2	233	30	5	6	11	3	4	2	-	2	11	1	7	21	9	-	62	3606
14	2	53	7	3	2	3	-	-	2	-	1	5	-	1	2	4	-	18	3607
51	-	180	23	2	4	8	3	4	-	-	1	8	1	6	19	5	-	44	3608
107	-	332	28	9	15	22	2	2	17	5	1	7	4	19	47	9	-	96	3609
33	-	98	5	2	3	2	-	1	4	-	-	2	2	4	11	1	-	34	3610
74	-	234	23	7	12	20	2	1	13	5	1	5	2	15	36	8	-	62	3611
115	1	406	31	3	6	17	3	7	3	1	1	14	4	19	26	7	1	93	3612
27	-	81	11	-	2	2	-	2	1	-	-	4	-	1	4	1	-	18	3613
88	1	325	20	3	4	15	3	5	2	1	1	10	4	18	22	6	1	75	3614
188	2	995	65	9	22	66	11	5	20	5	6	28	15	40	62	23	4	170	3615
105	-	550	40	4	12	43	3	4	16	2	3	21	10	18	36	12	4	79	3616
8	-	54	4	1	-	3	2	-	1	-	-	-	-	5	3	1	-	11	3617
75	2	391	21	4	10	20	6	1	3	3	3	7	5	17	23	10	-	80	3618
375	8	1,463	128	28	66	79	21	18	21	7	2	42	16	57	108	46	15	365	3619
79	2	264	33	7	16	33	6	6	5	2	-	7	1	12	27	11	8	88	3620
20	-	80	6	1	-	3	1	-	1	-	-	4	2	6	4	5	-	11	3621
69	-	266	21	-	8	11	4	2	4	2	1	4	3	4	19	6	1	61	3622
15	-	43	4	2	4	3	1	1	-	-	-	1	-	1	5	2	-	15	3623
14	-	68	4	1	5	4	1	4	-	-	1	2	1	2	4	1	-	15	3624
176	6	742	60	17	33	25	8	5	11	3	-	24	9	32	49	21	4	175	3625
20	-	135	2	3	4	5	1	1	4	1	-	2	9	8	13	2	2	39	3626
234	-	883	50	10	22	52	12	7	15	2	1	25	19	51	61	20	5	231	3627
155	-	559	33	4	11	36	10	4	10	2	1	15	6	26	30	9	4	147	3628
79	-	324	17	6	11	16	2	3	5	-	-	10	13	25	31	11	1	84	3629
204	2	739	65	10	39	60	9	9	14	8	3	34	13	40	84	18	7	237	3630
16	-	67	10	1	1	6	2	-	2	1	-	5	2	3	5	1	-	31	3631
44	-	124	10	2	5	3	2	-	5	1	2	3	3	3	14	-	-	32	3632
144	2	548	45	7	33	51	5	9	7	6	1	26	8	34	65	17	7	174	3633
10	-	18	4	-	-	-	-	-	-	1	-	-	-	4	1	1	-	4	3634
95	2	323	36	2	9	21	2	5	-	3	-	12	3	16	21	7	-	61	3635
30	-	94	7	-	5	7	1	1	-	-	-	2	-	7	2	2	-	12	3636
12	-	60	6	1	-	2	-	1	-	2	-	1	1	-	4	2	-	9	3637
53	2	189	23	1	4	12	1	3	-	1	-	9	2	9	15	3	-	40	3638
13	-	37	-	1	4	5	-	1	-	1	-	2	3	1	3	-	-	11	3639
47	-	158	9	-	7	10	-	3	3	1	-	6	-	10	27	6	-	34	3640
44	-	153	12	4	4	8	2	1	2	2	4	-	5	12	17	5	4	56	3641
84	4	302	19	2	16	28	2	7	5	4	-	3	5	14	34	8	-	87	3642
14	2	60	2	2	4	2	-	-	-	1	-	-	-	1	3	-	-	10	3643
70	2	242	17	-	12	26	2	7	5	3	-	3	5	15	31	8	-	77	3644
65	1	223	11	1	2	18	4	2	4	1	-	4	1	13	17	1	1	84	3645
13	-	63	12	-	4	6	2	2	-	-	-	3	1	3	3	3	-	11	3646
243	11	1,232	88	11	37	98	20	13	21	8	5	36	24	36	119	22	4	435	3647
129	6	648	46	4	23	57	12	8	12	3	2	18	12	23	65	10	3	229	3648
19	-	104	8	1	3	6	3	-	1	-	-	3	1	2	5	2	1	22	3649
6	1	34	-	-	1	2	-	1	-	-	-	-	1	1	4	1	-	13	3650
16	3	91	12	1	2	12	1	2	3	2	-	2	1	2	10	1	-	19	3651
7	1	37	3	1	-	-	-	-	-	-	1	4	-	1	2	1	-	17	3652
66	-	318	19	4	8	21	4	1	5	3	2	9	9	7	33	7	-	135	3653
294	8	914	126	13	39	46	6	10	7	6	5	30	19	47	71	29	3	226	3654
90	3	329	38	7	10	19	3	4	4	-	-	11	7	14	29	10	-	72	3655
24	-	61	4	-	3	4	-	-	-	2	-	1	2	2	5	3	2	18	3656
180	5	524	84	6	26	23	3	6	3	4	3	18	10	31	37	16	1	136	3657
125	2	351	55	4	19	41	9	2	8	1	-	12	12	20	48	11	1	101	3658
65	-	203	30	3	12	21	5	2	6	1	-	6	8	10	32	6	1	55	3659
19	1	32	3	-	-	2	-	-	1	-	-	-	-	1	2	2	-	16	3660
21	2	35	4	-	-	2	-	-	1	-	-	-	-	1	2	2	-	18	3661
41	1	116	22	1	7	18	4	-	1	-	-	6	4	9	14	3	-	30	3662
74	-	344	27	2	28	24	3	3	3	1	1	15	2	12	33	12	1	87	3663
36	-	144	13	1	15	14	1	2	2	-	1	8	2	5	19	5	1	37	3664
38	-	200	14	1	13	10	2	1	1	1	-	7	-	7	14	7	-	30	3665
204	6	829	72	12	21	39	7	2	19	2	5	16	10	20	58	33	2	181	3666
131	2	470	38	7	9	23	5	1	11	2	2	10	3	8	30	15	1	100	3667
18	1	68	6	1	2	-	-	1	1	-	1	2	2	4	5	2	-	14	3668
55	3	291	28	4	10	16	2	-	7	-	2	4	5	8	23	16	1	67	3669
360	10	1,859	106	26	72	111	25	11	30	10	4	47	52	47	184	38	5	671	3670
30	1	125	8	4	5	5	3	2	5	2	-	8	4	4	6	4	1	55	3671
96	-	406	24	5	16	38	6	1	7	2	2	8	8	18	34	2	2	152	3672
-	-	10	-	-	1	1	-	-	-	-	-	-	4	1	1	-	-	8	3673
19	-	102	10	3	4	1	3	1	-	1	-	2	-	1	7	2	-	33	3674
14	-	61	4	2	2	-	-	-	2	-	-	3	13	1	17	3	1	50	3675
16	-	77	1	1	2	4	1	1	-	-	-	2	2	1	11	1	-	33	3676
5	1	37	3	-	-	1	1	-	-	-	1	-	1	2	5	1	-	11	3677
7	1	50	1	-	3	4	1	-	3	-	-	1	3	-	7	3	-	24	3678
173	7	731	55	11	39	57	10	6	18	5	1	23	17	19	96	20	1	305	3679
119	3	467	28	10	7	25	10	13	7	3	-	8	6	20	42	12	3	111	3680
49	1	236	12	8	1	8	6	5	5	2	-	1	4	6	11	6	2	60	3681
70	2	251	16	2	6	17	4	8	2	1	-	7	2	14	31	6	1	51	3682
80	1	222	21	5	8	13	4	3	5	2	-	13	3	17	29	7	-	61	3683
17	-	66	5	3	2	6	-	1	5	-	-	4	2	6	11	2	-	30	3684
63	1	156	16	2	6	7	4	2	-	2	-	8	1	11	18	5	-	31	3685
140	2	428	31	5	25	35	8	6	14	3	-	24	11	24	48	18	2	138	3686
33	1	95	4	-	7	15	3	-	2	-	-	10	-	3	8	2	-	39	3687
20	-	68	4	-	2	6	-	1	2	1	-	3	-	6	5	2	-	21	3688
87	1	265	23	5	16	14	5	5	10	2	-	11	11	15	35	14	2	78	3689
28	1	183	10	3	6	9	-	-	1	1	-	6	9	9	14	6	-	50	3690
11	1	74	4	2	5	4	-	-	1	1	-	2	5	3	8	2	-	16	3691
17	-	109	6	1	1	5	-	-	-	-	-	4	4	6	6	4	-	34	3692
30	-	143	12	1	2	9	3	1	4	-	1	4	6	8	6	3	-	40	3693
297	5	1,371	85	26	48	69	12	12	25	5	3	31	16	61	108	45	6	337	3694
41	-	155	11	4	4	9	3	3	4	1	-	3	2	13	18	7	-	28	3695
39	-	155	8	4	5	12	-	4	6	1	1	7	3	5	18	2	-	49	3696
24	1	103	3	1	4	5	-	-	1	-	-	1	2	2	3	5	1	17	3697

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	PENNSYLVANIA—Con.																
	Montgomery—Continued																
3698	Cheltenham (twp.)[2]-----	169	5	-	-	-	-	-	-	-	-	-	22	3	-	109	106
3699	Conshohocken----------	140	-	-	-	-	-	-	-	-	-	1	20	2	-	82	80
3700	Pottstown----------	224	2	-	-	-	-	-	-	-	-	-	39	4	1	130	123
3701	Balance of county------	1,662	27	3	-	-	-	-	2	2	1	9	242	34	2	969	936
3702	Montour----------	159	4	-	-	-	-	-	-	-	-	-	18	2	-	96	98
3703	Northampton----------	1,816	32	14	-	-	2	2	1	10	-	5	287	49	4	1,048	1,023
3704	Bethlehem (part)-------	490	9	5	-	-	-	-	-	-	-	1	77	14	1	267	261
3705	Bethlehem (total)------	648	10	7	-	-	-	-	-	-	-	1	100	18	1	363	355
3706	Easton----------	517	5	3	-	-	-	1	-	7	-	2	81	10	2	314	303
3707	Balance of county------	809	18	6	-	-	2	1	1	3	-	2	109	25	1	465	459
3708	Northumberland----------	1,285	33	3	-	1	-	-	-	-	1	3	164	29	-	718	704
3709	Mount Carmel----------	158	7	1	-	-	-	-	-	-	-	1	20	4	-	75	75
3710	Shamokin----------	323	11	2	-	1	-	-	-	-	-	-	45	7	-	185	182
3711	Sunbury----------	205	2	-	-	-	-	-	-	-	-	1	25	7	-	127	125
3712	Balance of county------	599	13	-	-	-	-	-	-	-	1	1	74	11	-	331	322
3713	Perry----------	268	5	1	-	-	-	-	-	-	-	-	30	4	-	174	162
3714	Philadelphia, coextensive with Philadelphia (city)--	23,889	890	129	-	2	3	5	14	3	-	62	3,673	486	35	13,301	12,959
3715	Pike----------	99	2	-	-	-	-	1	-	1	-	-	17	2	-	56	54
3716	Potter----------	188	-	1	-	-	-	-	-	2	-	2	29	6	-	90	88
3717	Schuylkill----------	2,310	74	8	-	1	4	-	-	2	-	5	287	62	1	1,168	1,136
3718	Mahanoy City----------	153	2	-	-	-	1	-	-	-	-	-	17	5	-	73	72
3719	Pottsville----------	305	9	2	-	-	-	-	-	2	-	-	35	5	-	167	160
3720	Shenandoah----------	219	7	-	-	-	-	-	-	-	-	1	29	6	-	101	97
3721	Tamaqua----------	152	3	2	-	1	-	-	-	-	-	1	18	9	-	90	88
3722	Balance of county------	1,481	53	4	-	-	3	-	-	-	-	3	188	37	1	737	719
3723	Snyder----------	203	5	1	-	-	-	-	-	-	-	-	29	7	-	110	105
3724	Somerset----------	730	12	1	-	1	-	1	-	-	-	2	81	12	1	409	392
3725	Sullivan----------	75	3	-	-	-	-	-	-	-	-	-	7	2	-	44	43
3726	Susquehanna----------	388	2	-	-	-	-	-	-	-	-	-	63	7	-	206	198
3727	Tioga----------	430	2	-	-	-	-	1	-	-	2	2	64	5	-	240	235
3728	Union----------	213	1	1	-	-	-	-	-	-	1	2	25	8	-	140	138
3729	Venango----------	708	7	2	-	-	-	-	-	1	1	2	107	16	3	391	378
3730	Oil City----------	263	2	2	-	-	-	-	-	1	1	-	49	4	1	145	139
3731	Balance of county------	445	5	-	-	-	-	-	-	-	-	2	58	12	2	246	239
3732	Warren----------	468	5	2	-	-	-	-	1	-	-	1	64	11	-	279	273
3733	Warren----------	185	2	-	-	-	-	-	1	-	-	-	27	6	-	113	111
3734	Balance of county------	283	3	2	-	-	-	-	-	-	-	1	37	5	-	166	162
3735	Washington----------	2,002	49	11	1	-	1	2	2	1	3	5	319	27	1	1,087	1,054
3736	Washington----------	389	8	2	1	-	-	1	-	-	1	-	58	8	1	212	205
3737	Canonsburg----------	128	5	1	-	-	-	-	-	-	-	-	29	-	-	63	62
3738	Charleroi----------	96	2	1	-	-	-	-	-	-	1	-	16	2	-	61	59
3739	Donora----------	111	4	2	-	-	-	-	-	-	-	1	20	-	-	55	53
3740	Balance of county------	1,287	30	5	-	-	1	1	2	1	1	4	196	17	-	696	675
3741	Wayne----------	343	1	2	-	-	-	-	-	1	1	1	49	7	1	205	199
3742	Westmoreland----------	2,800	61	7	-	-	-	2	3	2	1	4	421	38	6	1,512	1,475
3743	Arnold----------	81	3	-	-	-	-	-	-	-	-	-	11	2	-	44	41
3744	Greensburg----------	202	4	-	-	-	-	-	-	1	-	-	29	1	-	112	116
3745	Jeannette----------	141	4	1	-	-	-	-	-	-	-	-	28	-	1	69	68
3746	Latrobe----------	116	6	-	-	-	-	-	-	1	-	-	26	2	-	49	47
3747	Monessen----------	177	9	-	-	-	-	-	-	-	-	-	34	1	-	91	90
3748	New Kensington----------	255	5	-	-	-	-	-	1	-	-	-	40	5	-	122	118
3749	Vandergrift----------	102	1	1	-	-	-	-	-	-	-	-	20	3	1	55	55
3750	Balance of county------	1,726	28	5	-	-	-	2	2	-	1	4	233	24	4	965	959
3751	Wyoming----------	209	4	2	-	-	-	-	-	-	1	3	27	2	-	95	94
3752	York----------	1,975	27	7	2	2	1	-	-	-	2	2	287	32	5	1,175	1,141
3753	York----------	776	11	4	1	1	-	-	-	-	1	1	122	10	3	449	437
3754	Hanover----------	194	4	1	-	-	-	-	-	-	-	-	18	7	-	127	121
3755	Balance of county------	1,005	12	2	1	1	1	-	-	-	1	1	147	15	2	599	583
3756	RHODE ISLAND---------	8,071	168	50	-	-	-	2	4	1	3	17	1,405	306	3	4,401	4,252
3757	Bristol----------	271	6	1	-	-	-	-	-	-	1	1	47	14	-	145	140
3758	Bristol (town)---------	110	4	1	-	-	-	-	-	-	-	-	19	6	-	67	64
3759	Balance of county------	161	2	-	-	-	-	-	-	-	1	1	28	8	-	78	76
3760	Kent----------	746	12	7	-	-	-	-	-	-	-	-	147	27	-	392	376
3761	Warwick----------	410	9	4	-	-	-	-	-	-	-	-	76	17	-	220	218
3762	West Warwick (town)-----	181	2	3	-	-	-	-	-	-	-	-	35	5	-	100	94
3763	Balance of county------	155	1	-	-	-	-	-	-	-	-	-	36	5	-	72	70
3764	Newport----------	570	17	2	-	-	-	-	-	-	1	2	87	26	-	308	300
3765	Newport----------	365	11	1	-	-	-	-	-	-	-	1	54	16	-	209	204
3766	Balance of county------	205	6	1	-	-	-	-	-	-	1	1	33	10	-	99	96
3767	Providence----------	6,084	130	37	-	-	-	2	4	1	1	12	1,048	227	3	3,338	3,223
3768	Providence----------	2,628	70	21	-	-	-	2	3	-	-	5	458	125	3	1,552	1,480
3769	Central Falls----------	242	2	-	-	-	-	-	-	-	-	1	44	2	-	133	122
3770	Cranston----------	481	8	-	-	-	-	-	-	-	-	-	83	15	-	268	259
3771	East Providence (town)-	373	10	-	-	-	-	-	-	-	-	1	78	18	-	203	198
3772	Pawtucket----------	910	18	10	-	-	-	-	-	-	-	1	168	26	-	508	496
3773	Woonsocket----------	500	11	3	-	-	-	-	-	-	1	3	76	17	-	280	269
3774	Cumberland (town)------	127	3	-	-	-	-	-	-	-	-	-	20	7	-	65	63
3775	Johnston (town)--------	98	1	1	-	-	-	-	-	-	-	-	18	5	-	55	53
3776	Lincoln (town)---------	122	2	1	-	-	-	-	-	-	-	-	23	5	-	70	68
3777	North Providence (town)	127	-	-	-	-	-	-	-	-	-	-	30	-	-	72	71
3778	Balance of county------	276	5	1	-	-	-	-	1	1	-	1	50	7	-	152	146
3779	Washington----------	400	3	3	-	-	-	-	-	-	-	2	76	12	-	218	213
3780	Westerly (town)--------	125	2	-	-	-	-	-	-	-	-	-	23	5	-	71	69
3781	Balance of county------	275	1	3	-	-	-	-	-	-	-	2	53	7	-	147	144
3782	SOUTH CAROLINA-------	17,494	503	147	6	14	21	30	11	9	16	77	1,693	249	42	8,469	8,055
3783	Abbeville----------	202	8	2	-	-	-	-	-	-	-	-	15	4	2	110	102
3784	Aiken----------	480	9	2	1	-	-	-	3	-	-	2	46	12	1	255	245

[2]Since this area is difficult to identify from information given on the transcripts, data may be understated or overstated.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
13	-	87	5	1	3	3	1	1	4	-	-	-	1	1	3	3	-	13	3698
15	1	61	3	-	2	3	1	1	1	-	-	-	1	5	5	2	-	16	3699
29	1	82	10	1	7	3	-	-	1	-	-	4	-	4	4	2	-	30	3700
136	2	728	55	15	23	34	7	3	8	3	2	16	7	31	57	24	5	184	3701
19	-	64	11	2	-	4	1	-	-	1	-	1	1	6	7	3	-	15	3702
186	2	761	62	12	23	29	10	7	25	4	3	17	8	29	55	21	4	172	3703
53	1	196	9	2	6	5	7	3	11	3	2	6	2	8	15	5	3	46	3704
71	2	284	15	3	8	5	7	4	12	3	3	8	4	12	20	7	3	60	3705
54	-	226	21	2	11	13	2	-	4	-	-	3	3	7	11	5	-	44	3706
79	1	339	32	8	6	11	1	4	10	1	1	8	3	14	29	11	1	82	3707
125	8	534	29	8	14	29	6	6	6	5	3	13	8	24	47	15	1	170	3708
14	2	57	2	-	-	2	1	1	1	-	-	1	1	5	5	-	-	33	3709
32	1	135	11	3	3	8	1	-	2	1	-	2	1	5	11	2	-	39	3710
21	1	100	2	1	2	2	2	-	2	-	1	1	1	2	5	3	-	24	3711
58	4	242	14	4	9	17	2	5	1	4	2	9	5	12	26	10	1	74	3712
38	-	118	4	2	12	4	-	2	-	1	1	3	3	3	11	2	-	24	3713
1,899	49	10,055	805	151	342	669	109	118	279	41	35	236	168	212	760	176	125	2,358	3714
11	-	41	1	1	2	1	-	-	3	1	-	1	1	1	2	2	1	7	3715
19	-	65	4	-	2	5	-	1	-	-	-	2	4	7	7	2	-	30	3716
194	5	846	83	8	32	64	17	13	32	8	2	24	21	29	105	28	2	353	3717
15	-	53	3	1	1	5	2	1	1	1	-	2	1	-	9	3	1	29	3718
29	-	118	13	-	7	9	5	3	6	1	-	2	1	2	8	4	-	44	3719
17	1	71	7	1	4	4	-	-	3	1	-	1	4	2	18	2	-	40	3720
13	-	63	11	1	2	4	-	-	2	1	-	1	-	1	6	1	-	12	3721
120	4	541	49	5	18	42	10	9	20	4	2	18	15	24	64	18	1	228	3722
16	-	85	4	-	5	12	-	2	1	-	-	2	-	4	10	-	-	20	3723
86	1	288	16	1	17	15	1	1	5	3	-	13	8	22	37	10	-	95	3724
10	-	30	2	1	1	2	1	-	-	-	-	-	-	3	7	1	-	5	3725
42	-	141	13	2	8	7	3	2	5	1	-	2	13	4	14	9	-	50	3726
42	-	183	8	2	5	7	1	5	4	1	-	7	8	14	15	1	-	51	3727
32	-	94	11	1	2	6	-	-	1	2	-	3	-	1	4	-	1	16	3728
94	1	258	22	3	13	23	6	1	3	1	3	10	6	13	33	3	1	75	3729
37	-	93	9	-	6	8	1	-	2	-	-	4	3	5	9	1	-	25	3730
57	1	185	13	3	7	15	5	1	1	1	3	6	3	8	24	2	1	50	3731
51	-	201	17	4	6	12	2	-	5	-	-	3	4	12	16	4	1	46	3732
15	-	87	7	2	2	5	2	-	2	-	-	1	2	1	5	1	1	16	3733
36	-	114	10	2	4	7	-	-	3	-	-	2	2	11	11	3	-	30	3734
223	3	761	54	13	33	62	7	10	18	4	2	23	10	48	69	27	5	208	3735
42	1	144	14	4	7	10	1	4	4	-	-	1	-	7	14	3	1	43	3736
17	-	41	5	1	1	3	1	1	2	-	-	1	-	1	5	1	2	15	3737
9	-	47	1	2	2	3	-	-	-	1	-	-	-	1	1	2	-	5	3738
14	1	34	2	2	2	3	1	1	2	-	2	1	1	-	8	-	-	12	3739
141	1	495	34	4	21	43	4	4	10	3	-	20	9	39	43	21	2	135	3740
40	-	134	24	1	6	11	-	-	2	-	-	5	1	6	14	2	-	34	3741
283	9	1,094	79	10	37	100	20	5	28	4	5	33	27	58	104	27	2	330	3742
7	-	32	2	-	3	5	-	-	-	-	-	1	2	-	2	-	-	11	3743
19	3	88	5	1	1	8	5	1	1	-	1	3	1	6	5	2	-	17	3744
10	-	53	6	-	-	4	1	-	3	-	1	2	1	1	1	2	1	21	3745
11	-	35	1	-	2	4	-	-	1	-	1	1	2	1	9	1	-	12	3746
19	2	67	1	1	1	7	-	1	2	-	-	1	-	3	5	2	-	21	3747
24	-	87	5	2	4	9	2	-	2	2	-	4	4	4	9	3	1	42	3748
16	-	35	3	1	-	-	-	-	1	-	1	1	4	2	2	-	-	10	3749
177	4	697	56	5	26	63	12	3	18	2	1	20	13	41	71	17	-	196	3750
14	-	74	6	-	1	3	2	2	1	1	-	1	13	11	7	4	-	30	3751
226	2	811	80	22	34	40	5	10	11	4	3	28	11	45	56	22	1	197	3752
95	1	295	37	9	12	11	2	4	7	2	1	4	6	17	16	10	1	92	3753
27	-	80	11	3	6	4	1	1	-	-	-	9	-	4	3	-	-	15	3754
104	1	436	32	10	16	25	2	5	4	2	2	15	5	24	37	12	-	90	3755
731	8	3,261	227	25	149	118	53	25	92	16	12	91	45	78	311	73	4	793	3756
34	1	96	8	1	5	8	4	-	3	1	-	4	-	1	13	-	-	22	3757
16	1	44	2	1	3	2	2	-	1	-	-	-	-	-	2	-	-	6	3758
18	-	52	6	-	2	6	2	-	2	1	-	4	-	1	11	-	-	16	3759
67	1	290	17	1	16	3	6	-	8	1	1	7	14	10	27	6	-	78	3760
30	1	169	12	-	8	2	3	-	5	-	1	4	5	3	15	6	-	40	3761
17	-	74	3	-	6	-	3	-	2	-	-	2	4	2	5	-	-	18	3762
20	-	47	2	1	2	1	-	-	1	1	-	1	5	5	7	-	-	20	3763
59	-	228	12	1	8	12	3	2	5	1	2	6	3	8	14	6	-	65	3764
35	-	161	7	1	5	9	2	1	4	1	1	1	3	3	7	2	-	39	3765
24	-	67	5	-	3	3	1	1	1	-	1	5	-	5	7	4	-	26	3766
531	5	2,490	175	22	115	90	39	21	72	12	9	68	25	54	237	59	4	591	3767
249	3	1,147	76	5	52	46	20	11	42	3	5	27	14	16	120	24	2	279	3768
19	-	97	6	-	11	2	3	1	1	1	-	5	1	6	10	3	1	26	3769
49	-	188	17	5	9	6	4	1	4	4	-	12	1	5	17	5	-	48	3770
33	-	154	9	-	7	3	3	2	3	-	-	2	-	2	11	6	-	31	3771
66	1	404	19	6	12	19	4	3	8	1	1	7	4	5	32	6	1	88	3772
56	-	193	15	5	11	6	2	1	6	3	1	4	-	9	16	7	-	54	3773
12	1	47	3	-	2	-	-	-	4	-	-	6	-	1	9	2	-	10	3774
6	-	41	6	-	2	2	-	-	1	-	-	-	1	-	2	1	-	11	3775
6	-	56	6	-	2	1	1	1	1	-	-	2	-	4	2	-	-	9	3776
8	-	58	4	1	1	1	-	1	1	-	-	-	2	2	5	1	-	12	3777
27	-	105	14	-	6	4	2	-	1	-	2	3	2	4	13	4	-	23	3778
40	1	167	15	-	5	5	1	2	4	1	-	6	3	5	20	2	-	37	3779
7	-	57	5	-	2	-	1	-	1	-	-	1	2	1	7	1	-	10	3780
33	1	100	10	-	3	5	-	2	3	1	-	5	1	4	13	1	-	27	3781
2,124	43	5,291	528	69	414	762	54	195	83	34	102	210	840	523	757	132	250	2,225	3782
27	2	65	6	2	8	4	-	-	2	-	-	4	9	8	12	-	1	21	3783
63	-	155	24	3	10	19	-	2	4	2	7	1	23	17	17	4	3	50	3784

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	SOUTH CAROLINA—Con.																
3785	Allendale	119	3	2	-	-	-	-	-	-	-	-	7	3	-	65	65
3786	Anderson	716	17	5	-	1	1	1	-	-	1	2	84	11	2	353	338
3787	Anderson	282	4	2	-	1	-	-	-	-	1	2	36	6	-	154	132
3788	Balance of county	434	13	3	-	-	1	1	-	-	-	-	48	5	2	219	206
3789	Bamberg	161	4	1	-	-	-	-	-	-	-	-	22	-	1	80	74
3790	Barnwell	180	6	1	-	-	-	2	-	-	-	-	16	3	-	99	98
3791	Beaufort	232	8	6	-	-	-	2	-	-	1	1	16	2	-	112	104
3792	Berkeley	259	4	1	1	-	-	3	-	-	-	2	18	4	1	109	103
3793	Calhoun	161	4	1	-	-	-	-	-	-	-	3	12	-	-	77	75
3794	Charleston	1,517	57	19	-	1	-	6	1	-	-	4	156	30	3	599	586
3795	Charleston	797	32	15	-	-	-	3	-	-	-	2	97	14	1	337	321
3796	Balance of county	720	25	4	-	1	-	3	1	-	-	2	59	6	2	262	245
3797	Cherokee	241	4	2	-	2	-	1	-	-	-	-	29	5	1	118	113
3798	Chester	256	1	1	-	-	2	-	-	-	-	3	33	5	2	132	128
3799	Chesterfield	256	4	1	-	-	1	-	1	-	-	2	27	3	-	136	130
3800	Clarendon	258	10	2	-	-	-	-	-	-	-	2	19	2	-	128	122
3801	Colleton	282	6	1	-	1	-	-	-	-	1	1	21	1	1	122	114
3802	Darlington	444	16	1	-	-	-	-	1	-	-	1	46	5	2	189	182
3803	Dillon	275	8	3	-	-	-	1	-	-	-	-	21	1	-	137	133
3804	Dorchester	193	10	1	-	-	-	-	-	-	-	1	20	4	1	95	94
3805	Edgefield	151	2	1	-	-	-	-	-	-	1	-	20	1	-	70	65
3806	Fairfield	183	7	1	-	-	-	1	-	-	-	-	16	2	-	103	97
3807	Florence	685	32	5	-	-	2	1	1	1	3	5	60	7	3	327	312
3808	Florence	237	15	2	-	-	1	-	1	1	-	2	25	3	2	117	110
3809	Balance of county	448	17	3	-	-	1	1	-	-	3	3	35	4	3	210	202
3810	Georgetown	213	6	1	-	-	-	2	-	-	-	3	20	6	2	106	98
3811	Greenville	1,287	31	18	-	2	3	-	-	1	1	5	159	25	3	805	580
3812	Greenville	615	18	13	-	2	-	-	-	1	1	2	72	7	2	278	268
3813	Balance of county	672	13	5	-	-	3	-	-	-	-	3	87	18	1	327	311
3814	Greenwood	334	5	3	-	-	1	-	-	-	-	-	42	7	-	170	159
3815	Greenwood	151	2	1	-	-	-	-	-	-	-	-	24	4	-	75	70
3816	Balance of county	183	3	2	-	-	1	-	-	-	-	-	18	3	-	95	88
3817	Hampton	164	7	-	-	-	1	-	-	-	-	1	13	1	-	78	75
3818	Horry	396	12	3	1	-	-	-	-	-	2	-	29	5	-	168	148
3819	Jasper	109	7	1	-	-	-	-	-	-	-	-	6	-	-	39	38
3820	Kershaw	278	7	3	-	-	-	-	-	-	-	3	21	2	1	141	132
3821	Lancaster	261	7	1	-	-	-	1	-	-	-	2	20	3	-	128	128
3822	Laurens	372	2	3	-	1	1	1	-	1	-	2	44	3	1	207	195
3823	Lee	181	5	2	-	-	1	-	-	-	-	-	12	2	1	106	105
3824	Lexington	350	10	6	-	-	-	-	1	-	-	-	38	7	1	168	162
3825	McCormick	110	3	-	-	1	-	-	-	-	-	3	9	1	-	52	50
3826	Marion	303	11	1	1	1	-	-	-	-	-	-	29	4	3	139	131
3827	Marlboro	360	13	5	-	-	1	-	1	-	-	2	36	4	1	166	159
3828	Newberry	251	9	4	-	-	1	-	-	-	-	-	30	7	-	129	125
3829	Oconee	287	6	-	-	2	1	-	-	-	1	1	21	4	-	137	125
3830	Orangeburg	635	20	7	2	-	-	1	1	-	1	8	60	12	1	292	282
3831	Orangeburg	132	6	2	-	-	-	-	-	-	-	3	15	4	-	58	58
3832	Balance of county	503	14	5	2	-	-	1	1	-	1	5	45	8	1	234	224
3833	Pickens	304	3	1	-	-	2	-	-	-	-	-	27	5	-	148	145
3834	Richland	1,208	24	14	-	-	1	2	1	1	2	4	121	23	1	609	588
3835	Columbia	901	18	14	-	-	1	2	1	1	2	2	91	19	1	466	454
3836	Balance of county	307	6	-	-	-	-	-	-	-	-	2	30	4	-	143	134
3837	Saluda	138	2	-	-	-	-	-	-	-	-	-	13	2	1	79	74
3838	Spartanburg	1,067	32	6	-	-	1	1	-	2	-	4	100	17	-	575	543
3839	Spartanburg	360	11	2	-	-	-	-	-	1	-	-	35	6	-	187	180
3840	Balance of county	707	21	4	-	-	1	1	-	1	-	4	65	11	-	388	363
3841	Sumter	515	22	2	-	-	-	2	-	2	-	2	36	6	2	260	244
3842	Sumter	178	9	1	-	-	-	-	-	-	-	-	14	1	1	88	83
3843	Balance of county	337	13	1	-	-	-	2	-	2	-	2	22	5	1	172	161
3844	Union	245	5	1	-	-	-	-	-	1	-	1	33	2	1	121	113
3845	Williamsburg	373	14	1	-	-	-	2	-	-	-	4	24	3	-	164	147
3846	York	522	20	5	-	2	1	-	-	-	2	3	46	3	1	263	249
3847	Rock Hill	170	10	1	-	1	1	-	-	-	1	-	19	1	1	81	77
3848	Balance of county	352	10	4	-	1	-	-	-	-	1	3	27	2	-	182	172
3849	SOUTH DAKOTA	5,687	111	18	2	2	2	2	2	22	3	25	799	127	6	2,824	2,747
3850	Armstrong	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3851	Aurora	40	-	-	-	-	-	-	-	-	-	-	8	-	-	10	10
3852	Beadle	178	-	-	-	-	-	-	-	1	-	1	27	4	-	98	98
3853	Huron	123	-	-	-	-	-	-	-	-	-	-	24	3	-	65	65
3854	Balance of county	55	-	-	-	-	-	-	-	1	-	1	3	1	-	33	33
3855	Bennett	29	3	1	-	-	-	-	-	-	-	1	2	-	-	9	9
3856	Bon Homme	93	-	-	-	-	-	-	-	-	-	-	14	4	-	46	44
3857	Brookings	139	3	1	-	-	-	-	-	2	-	-	23	3	-	64	63
3858	Brown	302	1	-	-	-	-	-	-	2	-	3	42	6	-	166	163
3859	Aberdeen	191	1	-	-	-	-	-	-	2	-	3	26	3	-	101	100
3860	Balance of county	111	-	-	-	-	-	-	-	-	-	-	16	3	-	65	63
3861	Brule	67	1	-	-	-	-	-	-	-	-	-	13	-	-	34	34
3862	Buffalo	18	5	-	-	-	-	-	-	-	-	-	3	-	-	2	2
3863	Butte	79	2	-	-	-	-	-	-	-	-	1	12	4	-	32	31
3864	Campbell	31	-	-	-	-	-	-	-	-	-	-	6	-	-	20	19
3865	Charles Mix	123	2	-	-	1	2	-	-	-	-	-	12	3	-	52	51
3866	Clark	84	-	-	-	-	-	-	-	-	-	1	13	2	-	46	46
3867	Clay	66	-	-	-	-	-	-	-	-	-	-	16	1	-	31	29
3868	Codington	177	3	-	-	1	-	-	1	-	-	1	25	5	-	95	93
3869	Watertown	135	2	-	-	-	-	-	1	-	-	1	15	4	-	71	70
3870	Balance of county	42	1	-	-	1	-	-	-	-	-	-	10	1	-	24	23
3871	Corson	46	4	1	-	-	-	-	-	-	-	1	3	1	-	19	18
3872	Custer	68	1	-	-	-	-	-	-	1	-	-	8	1	-	33	32
3873	Davison	193	1	1	-	-	-	-	-	1	-	1	30	3	-	97	96
3874	Mitchell	160	1	1	-	-	-	-	-	1	-	1	21	3	-	86	84
3875	Balance of county	33	-	-	-	-	-	-	-	-	-	-	9	-	-	11	11

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	580,581	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
14	-	49	2	-	-	8	-	-	-	-	-	-	10	4	3	-	4	10	3785
62	3	249	19	5	15	40	1	5	8	5	-	4	9	29	32	8	10	87	3786
24	1	101	5	1	2	12	1	2	1	1	-	-	3	9	10	3	7	46	3787
38	2	149	14	4	13	28	-	3	7	4	-	1	1	20	22	5	3	41	3788
27	-	43	4	-	6	8	-	-	-	3	-	1	8	20	22	5	3	41	3788
33	-	56	7	-	3	10	-	5	1	1	-	1	11	6	7	-	2	14	3789
24	-	79	-	1	8	6	1	2	-	2	-	6	2	2	10	-	2	13	3790
31	2	62	5	3	6	10	-	2	3	1	-	2	5	12	6	10	-	4	3781
24	1	42	8	-	2	8	-	1	2	1	-	1	1	39	6	18	-	9	3792
116	3	393	49	5	33	41	3	8	5	6	7	18	222	38	65	12	20	208	3784
64	2	225	32	-	16	18	1	3	3	6	-	8	97	15	27	7	9	99	3795
52	1	170	17	5	17	23	2	5	2	-	3	10	125	23	38	5	11	107	3796
27	-	78	6	2	5	12	1	1	2	1	2	4	2	6	15	5	3	27	3797
34	-	83	9	2	4	9	2	4	1	2	-	4	14	4	11	2	8	19	3798
41	2	80	7	-	8	12	1	5	1	2	-	3	2	6	13	-	3	30	3799
45	2	72	3	-	6	12	-	4	2	2	-	3	21	6	13	-	2	33	3800
27	-	82	5	-	8	11	1	1	1	-	1	5	20	12	14	3	5	28	3801
52	1	113	15	1	7	25	-	3	2	5	-	2	12	10	26	5	5	82	3802
28	-	93	11	1	4	14	-	12	2	-	-	4	8	8	10	2	4	39	3803
24	2	61	7	-	1	7	-	2	1	1	-	3	9	3	8	-	3	22	5804
23	-	40	2	-	5	4	-	2	-	-	1	1	4	9	5	1	1	26	3805
17	-	66	13	-	6	8	2	2	-	-	2	-	5	5	8	-	5	18	3806
91	3	198	17	3	15	26	1	9	1	2	-	15	26	28	24	3	6	92	3807
34	1	70	3	2	7	6	-	1	2	-	4	1	7	2	12	2	1	34	3808
57	2	128	14	1	8	20	1	8	2	2	-	3	8	24	16	22	2	58	3809
31	1	64	2	1	7	13	-	2	-	-	-	2	1	16	5	6	1	18	3810
126	6	408	34	8	25	37	5	9	3	3	1	4	16	12	47	55	8	205	3811
59	3	189	12	6	9	16	4	5	5	4	2	2	5	3	28	25	2	108	3812
67	3	217	22	2	16	21	1	4	4	4	2	2	11	9	19	30	6	97	3813
24	1	117	15	2	11	14	2	5	4	1	2	4	6	4	14	10	2	35	3814
9	-	55	6	-	5	3	1	1	1	1	-	1	3	1	8	5	-	19	3815
15	1	62	9	2	6	11	1	4	-	-	-	3	3	3	6	5	2	16	3816
17	-	51	7	-	4	13	-	-	3	2	-	3	3	7	6	12	1	15	3817
45	-	98	6	-	19	24	1	5	4	1	2	1	9	24	12	19	1	65	3818
14	-	20	4	-	1	3	2	2	1	2	-	2	1	11	9	7	1	14	3819
31	3	93	5	-	9	14	4	3	-	2	1	4	2	10	9	24	1	31	3820
34	-	87	7	-	-	15	1	10	2	2	2	3	2	10	6	9	2	31	3821
62	2	114	17	-	12	13	4	4	1	3	-	4	8	11	5	13	3	35	3822
31	1	69	4	-	1	5	-	2	2	-	1	3	1	10	2	5	1	21	3823
32	-	116	12	2	6	14	1	5	1	1	1	1	1	15	18	15	3	42	3824
17	-	30	3	-	2	6	-	-	-	-	-	-	-	13	-	4	1	16	3825
39	-	85	7	-	8	15	1	11	1	1	2	-	5	1	6	6	2	51	3826
43	-	102	13	1	7	22	3	9	-	-	-	2	-	1	10	9	2	57	3827
35	-	80	9	1	4	8	1	2	-	-	-	2	2	1	3	11	2	28	3828
41	-	74	9	1	12	19	1	3	-	-	-	2	4	1	4	14	5	40	3829
69	1	165	24	3	10	29	1	5	2	1	-	4	4	57	15	32	5	69	3830
14	-	36	8	-	-	9	1	1	1	1	-	3	-	4	1	7	-	19	3831
75	1	129	16	3	10	20	1	4	1	1	-	3	4	53	14	25	5	50	3832
57	1	100	5	2	3	12	1	8	-	1	4	1	5	7	7	16	5	48	3833
162	-	379	40	7	21	49	4	8	7	4	6	4	18	10	27	40	16	185	3834
120	-	296	33	5	12	27	3	4	5	1	2	1	13	6	14	30	14	133	3835
42	-	83	7	2	9	22	1	2	2	2	2	3	5	4	13	10	2	50	3836
26	-	44	3	1	5	3	-	4	-	-	-	1	3	6	3	3	-	18	3837
121	3	387	25	7	32	55	5	5	3	2	3	5	13	18	35	39	10	125	3838
30	2	140	7	1	7	24	2	3	8	4	2	-	8	8	8	13	1	44	3839
91	1	247	18	6	25	31	3	2	4	4	1	5	8	10	27	26	9	81	3840
69	-	161	12	2	18	27	2	12	-	-	2	6	4	22	19	22	4	57	3841
22	-	52	9	-	5	9	1	1	-	-	1	5	1	4	9	7	1	23	3842
47	-	109	3	2	11	18	1	11	-	-	1	1	3	18	9	15	3	34	3843
24	-	82	7	-	8	15	1	2	-	-	1	2	5	2	9	10	4	28	3844
57	1	74	14	1	17	19	-	5	1	-	2	5	5	50	5	20	1	43	3845
87	2	134	25	1	14	26	1	7	3	2	4	1	12	15	15	21	6	59	3846
26	1	44	5	1	4	9	-	1	1	1	1	-	-	6	6	2	3	23	3847
61	1	90	20	-	10	17	1	6	2	3	-	1	12	9	9	19	3	4	36	3848
729	12	1,777	204	25	77	166	30	31	28	9	9	73	117	155	304	62	14	744	3849
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3850
3	-	6	1	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	3850
31	-	55	11	1	-	5	2	-	-	-	-	2	1	2	8	1	-	9	3851
22	-	32	10	1	-	1	2	-	1	-	-	2	2	6	5	2	-	22	3852
9	-	23	1	-	-	4	-	-	-	-	-	2	2	4	3	1	-	18	3853
4	-	5	-	-	-	2	-	-	1	-	-	-	-	2	2	1	-	8	3854
17	-	25	2	-	2	5	1	-	-	-	-	-	3	-	2	-	-	4	3855
15	1	40	6	1	1	6	-	2	-	-	-	2	1	1	3	4	1	11	3856
52	2	96	12	1	3	10	1	1	-	-	-	1	2	2	8	1	-	25	3857
33	1	60	5	1	1	8	1	1	1	-	-	4	2	12	20	-	-	26	3858
19	1	36	7	-	2	2	-	-	5	1	-	2	2	9	15	-	-	13	3859
8	-	25	1	-	-	-	-	-	4	-	-	2	-	3	5	-	-	13	3860
-	-	2	-	-	-	1	-	-	-	-	-	-	4	3	1	-	-	11	3861
14	1	16	-	-	1	3	1	1	-	-	-	1	-	1	2	-	-	4	3862
4	-	14	1	-	1	1	-	-	-	-	-	1	2	2	3	1	-	13	3863
12	-	36	3	-	-	6	-	2	2	1	-	1	-	-	1	-	-	2	3864
10	-	30	5	1	-	4	-	-	-	-	-	-	4	2	11	2	1	21	3865
7	1	20	1	-	2	2	-	2	2	-	-	-	2	1	3	-	1	10	3866
25	-	61	5	2	2	8	1	1	-	-	-	1	1	-	2	-	-	7	3867
20	-	44	5	1	1	7	2	-	-	-	-	1	2	4	5	3	-	19	3868
5	-	17	-	1	1	1	-	-	-	-	-	-	2	3	3	3	-	18	3869
4	-	11	3	-	1	3	1	-	-	-	-	-	-	1	2	-	-	1	3870
8	-	21	2	1	1	3	1	-	-	-	-	1	1	1	5	-	-	5	3871
24	-	69	2	-	2	3	1	-	-	-	-	-	-	3	3	-	-	12	3872
22	-	60	2	-	2	2	1	-	-	-	-	1	2	5	5	4	-	35	3873
2	-	9	-	-	-	1	-	-	-	-	-	-	1	1	4	4	-	27	3874
														1	1	-	-	8	3875

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	SOUTH DAKOTA—Con.																
3876	Day	118	1	1	-	-	-	-	-	1	-	-	17	-	-	67	64
3877	Deuel	54	1	1	-	-	-	-	-	-	-	-	7	1	-	38	28
3878	Dewey	45	2	-	-	-	-	-	-	1	-	-	5	3	-	18	17
3879	Douglas	48	-	-	-	-	-	-	-	-	-	-	9	3	-	21	20
3880	Edmunds	37	1	-	-	-	-	1	-	-	-	-	4	-	-	17	17
3881	Fall River	110	2	-	-	-	-	-	-	-	-	-	8	3	1	52	49
3882	Faulk	39	-	-	-	-	-	-	-	-	-	1	2	1	-	28	28
3883	Grant	78	1	-	-	-	-	-	-	-	-	-	9	1	-	49	48
3884	Gregory	83	2	1	-	-	-	-	-	1	-	-	13	4	-	35	33
3885	Haakon	29	-	-	-	-	-	-	-	-	-	-	4	1	-	18	18
3886	Hamlin	88	-	-	-	-	-	-	-	-	1	-	14	1	-	38	35
3887	Hand	57	-	-	-	-	-	-	-	-	-	-	6	2	-	25	24
3888	Hanson	30	-	-	-	-	-	-	-	-	-	-	7	1	-	15	15
3889	Harding	27	1	-	-	-	-	-	-	-	-	-	4	1	-	18	14
3890	Hughes	79	-	-	-	-	-	-	-	-	-	-	10	-	-	39	38
3891	Hutchinson	103	1	1	-	-	-	-	-	1	-	1	17	8	-	45	43
3892	Hyde	30	-	-	-	-	-	-	-	1	-	-	4	-	-	18	15
3893	Jackson	21	-	-	-	-	-	-	-	-	-	-	3	-	-	12	12
3894	Jerauld	43	-	-	-	-	-	-	-	-	-	1	6	1	-	21	21
3895	Jones	27	-	-	-	-	-	-	-	-	-	-	2	-	1	16	16
3896	Kingsbury	109	1	-	-	-	-	-	-	-	-	-	20	2	-	56	54
3897	Lake	109	1	1	-	-	-	-	-	1	-	-	14	5	-	59	58
3898	Lawrence	160	2	1	-	-	-	-	-	-	-	1	31	2	-	76	73
3899	Lincoln	98	2	-	-	-	-	1	-	-	-	-	14	4	-	42	40
3900	Lyman	29	1	-	-	-	-	-	-	-	-	1	3	1	-	12	12
3901	McCook	75	1	-	-	-	-	-	-	-	-	-	9	1	-	40	40
3902	McPherson	40	1	-	-	-	-	-	-	-	-	-	3	-	-	23	22
3903	Marshall	89	-	-	-	-	-	-	-	1	-	-	9	3	1	52	49
3904	Meade	85	1	1	-	-	-	-	-	-	-	-	10	-	-	43	42
3905	Mellette	27	5	-	-	-	-	-	-	-	-	-	-	-	-	4	4
3906	Miner	51	-	-	-	-	-	-	-	1	-	-	2	1	-	29	28
3907	Minnehaha	536	4	-	-	-	-	-	-	1	-	2	87	16	-	289	281
3908	Sioux Falls	410	3	-	-	-	-	-	-	-	-	2	67	12	-	233	228
3909	Balance of county	126	1	-	-	-	-	-	-	1	-	2	20	4	-	56	53
3910	Moody	76	-	-	-	-	-	-	-	1	-	1	12	-	-	42	40
3911	Pennington	277	5	1	-	-	-	-	-	-	2	2	38	3	1	138	134
3912	Rapid City	204	3	1	-	-	-	-	-	-	2	1	29	3	1	102	99
3913	Balance of county	73	2	-	-	-	-	-	-	-	-	1	9	-	-	36	35
3914	Perkins	46	-	-	-	-	-	-	-	-	-	-	4	-	-	31	31
3915	Potter	46	2	-	-	-	-	-	-	-	-	-	9	2	-	22	19
3916	Roberts	161	11	1	-	-	-	-	-	-	-	-	19	4	1	68	66
3917	Sanborn	50	1	1	-	-	-	-	-	1	-	1	5	-	-	25	25
3918	Shannon	55	18	-	-	-	-	1	-	-	-	-	3	1	-	8	8
3919	Spink	121	1	-	-	-	-	-	-	1	-	1	16	2	-	61	58
3920	Stanley	20	1	-	-	-	-	-	-	-	-	-	2	-	-	14	14
3921	Sully	18	-	-	-	-	-	-	-	-	-	-	4	1	-	10	10
3922	Todd	45	3	-	-	-	-	-	-	-	-	-	1	1	-	9	9
3923	Tripp	78	3	-	-	-	-	-	-	1	-	1	9	2	-	33	33
3924	Turner	120	-	1	-	-	-	-	-	-	-	1	18	3	-	64	64
3925	Union	94	1	-	-	-	-	-	-	-	-	-	14	-	-	52	52
3926	Walworth	64	-	-	1	-	-	-	-	2	-	-	12	1	-	27	24
3927	Washabaugh	10	2	-	-	-	-	-	-	-	-	1	1	-	-	3	3
3928	Washington	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
3929	Yankton	120	1	1	1	-	-	-	-	-	-	-	20	3	1	60	58
3930	Ziebach	19	5	2	-	-	-	-	-	-	-	-	2	1	-	4	4
3931	TENNESSEE	28,993	1,243	155	9	68	27	41	24	33	50	139	3,283	294	64	13,132	12,448
3932	Anderson	342	6	2	-	-	-	-	-	1	-	3	38	3	1	140	137
3933	Bedford	248	11	-	-	4	-	-	-	1	-	1	28	2	1	118	108
3934	Benton	108	4	1	-	-	-	1	1	-	-	-	11	-	-	64	62
3935	Bledsoe	77	-	-	-	-	-	-	-	1	1	-	6	1	-	31	29
3936	Blount	339	10	-	-	-	-	-	-	1	-	-	34	4	-	165	158
3937	Bradley	303	18	1	-	2	1	-	-	1	1	-	38	3	1	138	134
3938	Cleveland	148	9	-	-	1	1	-	-	-	1	-	21	1	-	63	61
3939	Balance of county	155	9	1	-	1	-	-	-	1	-	-	18	2	1	75	73
3940	Campbell	321	10	-	-	1	3	1	-	1	-	1	23	6	1	101	94
3941	Cannon	89	3	-	-	-	-	-	-	-	-	-	11	1	-	33	33
3942	Carroll	252	9	-	-	-	-	-	-	2	-	-	27	3	-	134	128
3943	Carter	270	7	1	-	-	1	-	2	-	-	1	28	2	1	117	112
3944	Cheatham	74	3	2	-	-	-	-	-	-	-	1	6	1	-	34	32
3945	Chester	81	2	-	-	1	-	-	-	1	-	-	10	1	-	41	41
3946	Claiborne	213	18	-	-	-	-	3	-	1	-	2	27	2	-	84	78
3947	Clay	57	5	-	-	1	-	-	-	1	-	-	4	-	-	23	23
3948	Cocke	232	10	-	-	1	1	-	1	-	-	1	28	3	-	87	80
3949	Coffee	179	8	-	-	1	-	-	-	-	1	1	23	-	1	75	67
3950	Crockett	156	8	1	-	-	-	1	-	-	-	1	20	2	2	74	64
3951	Cumberland	154	8	-	-	2	-	1	-	-	1	1	22	2	-	51	47
3952	Davidson	2,895	82	19	-	-	-	-	2	1	5	13	384	35	8	1,353	1,293
3953	Nashville	2,226	61	16	-	-	-	-	1	1	3	9	282	28	7	1,031	976
3954	Balance of county	669	21	3	-	-	-	-	1	-	2	4	102	7	1	322	317
3955	Decatur	76	7	1	-	-	1	-	-	-	-	3	12	-	-	23	21
3956	De Kalb	119	9	1	-	-	1	-	-	-	2	-	6	1	-	62	59
3957	Dickson	194	10	1	-	1	-	1	-	-	-	1	26	1	1	87	84
3958	Dyer	325	15	2	-	5	-	1	1	-	-	2	41	4	-	146	136
3959	Dyersburg	136	3	-	-	4	-	-	-	-	-	1	22	2	-	57	55
3960	Balance of county	188	12	2	-	1	-	1	1	-	-	1	19	2	-	89	81
3961	Fayette	246	12	4	-	-	-	2	-	1	2	1	13	1	1	92	86
3962	Fentress	87	5	-	-	2	1	-	-	1	-	-	14	2	-	29	27
3963	Franklin	234	13	-	-	1	-	-	-	1	-	-	21	2	-	117	110
3964	Gibson	451	10	2	-	1	-	-	-	-	1	4	60	1	-	230	217
3965	Giles	275	23	-	-	1	-	2	-	-	-	1	36	2	1	116	114

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
19	-	35	10	-	3	4	1	-	1	-	-	2	2	2	5	-	-	14	3876
10	-	16	2	-	-	2	1	-	1	1	-	1	-	3	1	2	-	4	3877
1	-	16	-	-	1	-	-	-	-	-	-	2	5	1	1	-	1	6	3878
5	-	14	1	-	1	-	-	-	-	-	1	-	1	-	4	1	-	8	3879
3	-	10	4	-	-	-	-	-	-	-	1	3	-	2	2	-	-	6	3880
7	-	36	6	-	3	3	1	1	1	-	-	2	2	2	7	1	-	24	3881
10	-	17	1	-	-	-	-	-	1	-	-	-	-	-	3	-	-	3	3882
10	-	30	7	1	1	2	-	1	-	-	-	-	1	1	5	-	-	8	3883
5	-	24	4	-	2	2	1	1	-	-	-	1	-	4	10	1	1	6	3884
6	-	10	2	-	-	1	-	-	-	-	-	-	-	1	-	-	-	4	3885
13	-	21	1	-	1	1	1	-	2	-	-	1	1	1	2	-	-	7	3886
7	-	14	3	-	1	-	-	1	-	-	-	1	-	4	6	-	-	12	3887
5	-	8	2	-	-	-	-	-	-	-	-	1	-	1	2	-	-	3	3888
6	-	8	-	-	2	-	-	-	-	-	-	-	1	1	-	-	-	3	3889
6	1	27	3	1	1	2	1	1	1	-	-	2	-	2	4	-	-	17	3890
12	-	28	3	-	2	2	-	-	1	-	-	-	1	3	6	2	-	14	3891
5	-	8	2	-	1	-	-	-	-	-	-	-	3	-	3	-	-	3	3892
2	-	8	2	-	-	-	-	-	-	-	-	1	-	3	1	-	-	1	3893
8	-	12	1	-	-	-	2	1	-	-	-	-	1	-	3	-	-	7	3894
2	-	12	1	1	-	-	-	-	-	-	-	2	1	1	1	-	-	3	3895
11	-	36	6	1	2	7	-	-	-	-	-	-	1	5	4	3	-	10	3896
13	-	39	5	1	1	4	1	-	-	-	-	2	6	1	1	-	-	13	3897
13	-	55	5	-	3	5	-	-	-	-	-	2	3	1	10	2	1	23	3898
9	-	26	4	1	2	5	1	1	-	1	-	-	1	4	8	-	-	14	3899
3	-	10	-	1	-	2	-	-	-	-	-	1	1	3	1	-	-	3	3900
15	-	23	2	-	-	1	1	-	1	-	-	2	3	1	2	1	1	11	3901
9	-	11	2	-	1	-	-	-	-	-	-	-	-	-	4	1	-	8	3902
23	1	23	2	-	3	3	-	-	1	-	1	1	1	-	4	3	1	8	3903
8	1	31	1	1	1	3	-	-	-	-	-	2	1	4	6	-	1	13	3904
-	-	4	-	-	-	-	2	-	-	-	-	-	8	-	1	-	1	6	3905
8	-	14	4	2	1	1	-	-	1	-	-	-	2	3	4	1	-	6	3906
58	1	196	25	1	8	15	3	1	1	1	-	10	3	14	19	9	-	61	3907
45	1	163	18	1	5	13	3	-	1	1	-	7	2	7	12	5	-	44	3908
13	-	33	7	-	3	2	-	1	-	-	-	3	1	7	7	4	-	17	3909
14	-	23	3	-	2	-	-	-	2	-	-	-	-	6	5	1	-	6	3910
37	1	88	7	1	4	6	2	1	1	-	1	7	8	11	18	4	2	28	3911
29	1	65	3	1	3	4	2	1	-	-	-	4	4	10	11	3	2	21	3912
8	-	23	4	-	1	2	-	-	1	-	1	3	2	1	7	1	-	7	3913
5	-	24	2	-	-	2	-	-	-	-	1	-	-	2	1	2	-	3	3914
5	1	10	2	1	3	-	-	-	-	-	-	-	-	-	-	-	-	11	3915
21	-	40	5	-	2	6	-	1	1	1	-	1	2	4	7	3	-	31	3916
5	-	18	2	-	-	1	1	-	-	-	-	-	1	2	6	1	-	4	3917
2	-	4	1	1	-	2	-	2	-	-	-	2	7	-	6	-	1	4	3918
20	-	34	2	2	3	5	1	2	-	-	-	2	5	1	8	1	1	13	3919
-	-	12	1	1	-	-	-	-	-	-	-	-	1	-	1	-	-	1	3920
3	1	6	-	-	-	1	-	-	-	-	-	-	-	-	1	-	-	1	3921
4	-	5	-	-	-	2	-	2	-	-	-	-	14	1	3	1	-	8	3922
4	-	28	1	-	-	4	-	-	-	-	1	2	-	2	5	-	-	15	3923
18	-	42	4	-	-	4	1	1	-	-	-	-	1	-	9	1	-	15	3924
14	-	33	5	-	-	4	-	1	-	-	-	2	1	4	8	-	-	7	3925
7	-	17	-	-	3	-	-	-	-	-	-	1	-	5	1	-	-	14	3926
1	-	2	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	3927
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	3928
20	-	34	3	1	2	2	-	1	-	-	-	1	1	1	7	3	-	16	3929
1	-	3	-	-	-	-	-	-	-	-	-	-	1	2	1	-	-	1	3930
3,397	57	8,259	625	110	684	1,357	110	397	174	104	110	405	1,713	703	1,030	285	321	3,724	3931
32	1	88	12	4	3	23	3	3	3	5	1	8	18	11	8	5	6	53	3932
28	1	75	4	-	10	7	-	9	1	-	2	1	6	5	6	4	2	41	3933
14	-	46	2	-	2	2	1	-	2	1	2	1	4	2	5	1	1	5	3934
10	-	18	1	-	2	5	1	4	-	-	-	-	8	2	3	-	2	12	3935
42	1	106	5	4	7	20	1	6	1	4	1	13	8	8	8	1	-	54	3936
37	-	87	10	-	4	16	-	2	3	-	1	4	12	10	7	2	4	37	3937
13	-	42	6	-	2	9	-	1	1	-	-	3	4	7	3	2	3	18	3938
24	-	45	4	-	2	7	-	1	2	-	1	1	8	3	4	-	1	19	3939
33	1	55	4	1	7	23	2	12	-	-	4	11	31	16	11	4	1	58	3940
15	-	17	-	1	-	2	1	2	-	-	-	-	12	1	3	4	-	16	3941
34	1	80	14	-	5	9	-	-	2	-	-	3	13	15	7	3	2	23	3942
38	3	67	4	-	5	14	1	3	5	-	1	7	12	6	12	2	-	47	3943
7	-	21	3	1	2	5	-	1	-	-	1	3	2	3	2	1	-	9	3944
12	2	22	5	-	-	6	-	-	-	-	-	2	4	3	-	2	-	8	3945
25	-	50	2	-	6	15	1	4	-	1	1	4	9	2	7	4	2	26	3946
1	-	22	-	-	-	1	-	1	-	-	-	1	9	3	1	1	1	5	3947
17	1	55	5	2	7	23	2	-	1	-	5	5	15	9	7	-	5	28	3948
18	1	46	-	2	8	7	1	2	2	3	-	4	8	5	9	2	3	23	3949
22	-	41	-	1	10	9	-	3	2	-	-	-	5	2	1	2	1	22	3950
21	-	22	4	-	4	8	-	5	-	-	1	3	18	7	8	2	-	14	3951
360	5	841	75	12	60	106	18	42	22	11	5	37	137	89	94	33	47	352	3952
273	3	627	62	11	55	85	15	38	19	9	3	28	107	58	66	23	42	294	3953
87	2	214	13	1	5	21	3	4	3	2	2	9	30	31	28	10	5	58	3954
10	-	11	-	-	2	4	-	-	-	-	-	1	15	-	3	-	2	4	3955
4	-	52	2	1	3	5	1	3	-	-	-	-	3	3	4	2	1	15	3956
22	-	57	3	2	3	8	-	2	2	-	-	3	15	3	3	5	-	24	3957
19	-	112	4	1	10	15	2	2	2	-	1	3	15	3	13	3	1	48	3958
11	-	40	4	-	2	3	2	1	-	-	-	1	3	1	8	1	-	27	3959
8	-	72	-	1	8	12	-	1	2	-	1	2	12	2	5	2	1	21	3960
26	-	55	5	-	6	6	1	4	-	2	3	-	30	5	18	2	6	22	3961
8	-	19	-	-	2	5	-	1	-	-	-	1	9	2	-	2	1	12	3962
32	1	74	3	-	7	12	1	1	2	-	2	2	5	3	10	-	2	39	3963
47	1	154	14	1	13	20	2	2	2	6	3	5	7	11	23	1	2	58	3964
30	1	71	11	1	4	25	-	4	1	-	1	2	11	7	8	5	2	25	3965

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TENNESSEE—Continued																
3966	Grainger	103	4	-	-	-	-	1	-	-	-	-	6	1	-	43	41
3967	Greene	393	19	1	-	-	-	4	-	-	-	1	43	3	1	172	166
3968	Grundy	88	3	-	-	-	-	-	1	-	-	1	12	1	3	29	25
3969	Hamblen	198	8	1	1	-	1	-	1	-	-	-	19	4	-	87	84
3970	Hamilton	2,018	110	12	2	2	-	1	-	-	5	6	234	20	5	874	835
3971	Chattanooga	1,518	82	8	1	2	-	1	-	-	3	4	182	18	3	657	624
3972	Balance of county	500	28	4	1	-	-	-	-	-	2	2	52	2	2	217	211
3973	Hancock	71	8	-	-	-	-	-	-	-	-	-	5	-	-	24	23
3974	Hardeman	205	9	4	-	-	-	-	-	-	-	-	24	3	-	80	73
3975	Hardin	142	7	-	-	1	1	1	-	-	2	2	18	1	-	52	50
3976	Hawkins	253	11	-	1	1	-	2	2	-	-	-	26	3	-	133	119
3977	Haywood	230	11	3	-	1	-	-	-	-	-	3	21	3	-	85	76
3978	Henderson	160	11	1	-	-	-	-	-	-	-	1	14	1	-	77	73
3979	Henry	278	11	2	-	-	-	-	-	-	-	4	40	5	-	142	139
3980	Hickman	104	7	1	-	-	-	-	-	-	-	1	9	2	-	43	42
3981	Houston	41	7	-	-	-	-	-	-	-	-	-	1	-	-	18	18
3982	Humphreys	104	5	1	-	-	-	2	-	-	1	-	11	1	-	51	49
3983	Jackson	100	5	-	1	-	1	-	1	-	1	1	17	1	-	38	34
3984	Jefferson	169	6	1	1	-	-	-	-	-	-	-	22	1	-	81	75
3985	Johnson	78	1	-	-	-	1	-	-	-	-	-	11	-	-	36	30
3986	Knox	1,922	82	10	-	-	1	1	3	-	-	7	232	21	3	901	840
3987	Knoxville	1,229	54	8	-	-	-	1	1	-	-	3	141	12	1	581	545
3988	Balance of county	693	28	2	-	-	1	-	2	-	-	4	91	9	2	320	295
3989	Lake	107	5	-	-	2	-	-	-	1	-	-	9	1	-	37	36
3990	Lauderdale	258	16	2	-	4	-	3	1	1	1	3	26	-	-	103	97
3991	Lawrence	223	7	1	-	1	-	-	-	-	-	3	25	2	-	117	110
3992	Lewis	39	4	1	-	-	-	-	-	-	-	-	4	1	-	18	16
3993	Lincoln	275	3	-	-	-	-	-	-	-	-	2	18	1	-	154	148
3994	Loudon	196	7	1	-	-	1	-	1	1	2	-	24	2	-	80	76
3995	McMinn	286	14	-	-	-	-	-	-	-	-	3	29	4	-	133	126
3996	McNairy	165	4	-	-	-	-	-	-	-	-	1	27	3	-	81	77
3997	Macon	126	11	1	1	-	-	-	-	-	-	-	16	-	-	63	62
3998	Madison	622	21	3	-	-	1	1	-	-	2	5	69	8	2	294	277
3999	Jackson	368	9	1	-	-	1	-	-	-	1	3	46	8	-	182	178
4000	Balance of county	254	12	2	-	-	-	1	-	-	1	2	23	-	2	112	99
4001	Marion	176	4	-	-	-	-	-	-	-	-	2	14	-	1	77	73
4002	Marshall	191	7	1	-	-	-	-	-	-	-	1	22	1	-	82	74
4003	Maury	418	16	-	-	1	1	-	1	-	1	5	44	2	-	209	192
4004	Columbia	146	4	-	-	-	-	-	-	-	1	1	14	-	-	74	71
4005	Balance of county	272	12	-	-	1	1	-	1	-	-	4	30	2	-	135	121
4006	Meigs	47	1	-	-	-	-	-	-	-	-	-	1	-	1	22	20
4007	Monroe	209	6	-	-	-	-	2	-	1	2	-	35	-	-	84	78
4008	Montgomery	338	12	2	-	1	-	-	1	-	-	4	40	3	-	161	150
4009	Clarksville	154	6	1	-	1	-	-	-	-	-	2	17	2	-	69	62
4010	Balance of county	184	6	1	-	-	-	-	1	-	-	2	23	1	-	92	88
4011	Moore	32	-	-	-	-	-	-	-	-	-	-	4	-	1	20	20
4012	Morgan	108	9	1	-	-	-	-	1	-	-	1	5	1	-	39	36
4013	Obion	312	14	1	-	2	-	-	-	-	-	1	32	5	-	171	168
4014	Overton	144	7	-	-	3	1	2	-	-	-	-	14	1	-	63	58
4015	Perry	54	3	-	-	-	-	-	-	-	-	1	1	1	1	21	20
4016	Pickett	26	2	-	-	-	-	-	-	-	-	-	5	-	-	12	12
4017	Polk	120	4	-	-	-	1	1	-	-	-	-	11	1	-	48	46
4018	Putnam	246	13	-	-	7	-	1	-	-	-	1	1	23	3	-	123	118
4019	Rhea	161	7	1	-	-	2	-	-	-	-	1	1	13	2	-	70	61
4020	Roane	253	13	-	-	-	-	-	-	-	2	1	2	23	5	-	111	104
4021	Robertson	259	19	-	-	1	-	-	-	-	-	1	3	31	2	1	130	117
4022	Rutherford	346	12	1	-	5	-	-	-	-	-	2	-	31	3	1	180	173
4023	Scott	125	8	-	-	-	-	-	-	-	1	-	2	13	1	-	34	34
4024	Sequatchie	33	4	-	-	-	-	-	-	-	-	-	-	4	-	-	14	13
4025	Sevier	166	16	-	-	1	-	1	-	-	-	-	1	14	1	1	62	58
4026	Shelby	4,369	172	49	1	3	3	4	1	10	2	25	517	52	13	1,965	1,899
4027	Memphis	3,590	134	44	-	3	3	-	-	8	2	20	455	44	11	1,622	1,585
4028	Balance of county	779	38	5	1	-	-	4	1	2	-	5	62	8	2	343	334
4029	Smith	155	8	-	-	-	-	-	-	-	-	-	13	2	2	69	69
4030	Stewart	93	6	1	-	-	-	-	-	1	-	-	10	-	-	39	38
4031	Sullivan	623	19	1	-	1	-	-	1	-	1	3	67	7	2	276	251
4032	Bristol[a]	127	3	-	-	-	-	-	1	-	1	1	17	2	2	53	46
4033	Kingsport	165	6	1	-	-	-	-	-	-	-	1	15	1	-	77	74
4034	Balance of county	331	10	-	-	1	-	-	-	-	-	1	35	4	-	146	131
4035	Sumner	303	17	-	-	-	-	-	-	-	-	-	43	2	-	151	146
4036	Tipton	284	9	1	1	2	-	-	-	-	1	-	27	5	2	123	112
4037	Trousdale	53	4	-	-	-	-	-	-	-	-	-	2	-	-	24	23
4038	Unicoi	109	5	-	-	-	-	-	-	-	1	-	15	1	1	44	41
4039	Union	67	3	-	-	-	-	-	-	-	-	2	6	-	-	27	23
4040	Van Buren	23	-	-	-	-	-	-	-	-	1	-	4	-	-	3	3
4041	Warren	213	17	1	-	3	1	-	-	-	-	1	29	2	1	80	80
4042	Washington	489	25	5	-	-	-	1	-	2	-	-	51	2	2	245	237
4043	Johnson City	230	11	4	-	-	-	1	-	2	-	-	28	1	-	107	105
4044	Balance of county	259	14	1	-	-	-	-	-	-	-	-	23	1	2	138	132
4045	Wayne	118	2	1	-	1	1	-	-	-	1	2	12	-	-	52	47
4046	Weakley	322	12	2	-	-	-	-	-	-	-	1	29	5	1	183	170
4047	White	166	9	-	-	-	-	-	-	-	1	-	13	1	-	67	65
4048	Williamson	229	7	-	-	-	1	-	-	-	-	-	21	2	-	112	104
4049	Wilson	261	8	1	-	1	-	-	-	-	1	-	35	3	-	126	125
4050	TEXAS	63,337	2,438	460	19	536	61	46	38	183	92	338	7,700	811	135	26,507	25,210
4051	Anderson	342	9	1	-	-	-	-	1	2	-	2	43	3	-	177	160
4052	Palestine	174	3	1	-	-	-	-	1	-	-	2	19	2	-	91	85
4053	Balance of county	168	6	-	-	-	-	-	-	2	-	-	24	1	-	86	75
4054	Andrews	20	-	-	-	-	-	-	-	-	-	1	2	-	-	4	4
4055	Angelina	285	9	5	-	-	-	-	1	-	-	1	42	3	-	129	119

[a] Includes data for Bristol, Tenn., only.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
8	-	31	2	-	2	10	1	2	1	-	1	-	12	1	3	2	-	15	3966
38	-	124	4	-	6	20	3	16	2	1	3	7	19	12	12	1	3	50	3967
7	-	17	-	1	4	4	-	1	-	-	-	3	7	1	2	-	2	18	3968
24	-	59	1	-	3	5	1	2	1	-	-	4	12	5	6	3	-	37	3969
214	2	565	45	9	39	98	7	20	13	10	6	24	127	45	78	15	40	264	3970
171	1	416	28	8	35	65	5	12	11	5	5	20	107	33	61	8	31	196	3971
43	1	149	17	1	6	35	2	8	2	5	1	4	20	12	17	7	9	68	3972
8	-	12	1	2	1	7	-	1	-	-	1	4	14	-	2	-	2	3	3973
25	-	40	6	2	7	20	1	6	-	-	1	5	10	4	13	1	3	21	3974
22	-	26	1	1	2	10	-	5	-	-	1	1	16	4	6	1	1	12	3975
29	-	83	7	-	14	13	-	4	-	-	3	3	9	7	10	-	-	25	3976
18	1	52	5	-	9	15	1	4	1	-	-	-	58	5	6	1	3	28	3977
22	-	43	8	-	4	2	-	1	-	1	1	3	11	6	6	4	3	17	3978
39	1	90	8	1	3	6	-	2	1	1	1	5	10	4	12	1	1	30	3979
13	-	26	1	-	1	5	-	-	-	-	-	1	11	1	3	-	-	20	3980
3	-	15	-	-	-	1	-	2	-	-	-	-	2	3	2	-	-	5	3981
11	-	56	2	-	2	5	-	-	-	-	-	-	1	8	9	-	-	9	3982
6	-	26	2	-	4	4	-	1	2	-	-	3	2	4	6	1	1	10	3983
12	1	60	2	-	6	7	1	-	1	-	-	3	11	3	4	4	-	23	3984
6	1	22	1	-	6	6	-	-	-	-	1	1	8	-	4	1	1	7	3985
210	4	582	34	10	61	75	10	17	21	8	8	36	95	29	70	19	17	256	3986
157	3	373	23	9	36	45	6	14	16	6	6	20	57	18	43	15	11	170	3987
73	1	209	11	1	25	30	4	3	5	2	2	16	38	11	27	4	6	86	3988
8	-	25	3	-	1	8	-	1	3	-	-	2	15	4	4	-	1	14	3989
19	-	71	5	2	6	17	1	3	4	2	3	1	14	3	15	4	4	27	3990
34	-	68	6	2	7	11	1	1	3	1	-	4	11	4	5	3	1	22	3991
6	-	10	-	-	2	-	-	-	-	-	-	-	-	1	-	-	2	8	3992
47	-	100	-	1	5	15	1	1	1	-	1	1	18	4	8	3	1	42	3993
18	-	46	11	1	4	5	2	5	-	-	-	2	14	12	10	2	-	25	3994
38	-	85	2	1	7	17	-	6	2	2	1	9	14	7	13	1	2	29	3995
30	1	40	6	-	4	8	-	-	1	-	2	1	7	2	7	2	1	18	3996
18	1	38	5	-	1	2	-	1	-	-	-	2	12	3	-	2	-	12	3997
92	1	164	19	1	17	30	-	5	6	2	2	3	44	11	28	8	5	72	3998
54	-	113	11	-	4	17	-	2	4	1	1	3	26	3	17	5	4	34	3999
38	1	51	8	1	15	13	-	3	2	1	1	-	18	8	11	3	1	38	4000
21	-	46	6	-	4	18	-	4	-	1	3	1	9	3	10	3	3	23	4001
18	-	50	4	2	8	20	-	-	2	-	-	2	5	8	7	3	1	29	4002
50	1	133	6	2	17	31	1	5	2	1	4	3	9	7	14	7	10	44	4003
15	1	50	3	2	3	8	1	1	1	-	2	2	3	3	3	4	5	19	4004
35	-	83	3	-	14	23	-	4	1	1	2	1	6	4	11	3	5	25	4005
7	-	13	-	-	2	2	1	-	-	-	-	-	5	-	4	-	1	9	4006
20	1	51	4	-	8	15	1	5	1	2	1	4	6	1	5	2	4	32	4007
35	1	99	14	1	11	21	-	4	-	-	-	4	12	10	17	3	3	40	4008
16	1	40	4	1	7	15	-	3	-	-	-	1	2	1	8	-	2	24	4009
19	-	59	10	-	4	6	-	1	-	-	-	3	10	9	9	3	1	16	4010
1	-	16	3	-	-	-	-	-	-	-	-	-	-	-	1	-	-	6	4011
10	-	23	3	-	3	14	-	1	-	3	1	1	6	6	5	4	-	10	4012
85	-	96	6	1	3	11	-	1	1	-	1	4	14	10	5	1	3	35	4013
13	2	36	6	1	5	8	-	3	-	-	-	3	8	5	4	1	1	20	4014
3	-	16	1	-	1	3	-	1	-	-	-	2	5	1	2	-	-	10	4015
1	-	10	1	-	-	1	-	-	1	-	-	-	1	-	-	-	-	4	4016
13	-	30	3	-	2	4	-	3	1	-	2	2	9	4	9	2	2	16	4017
28	-	86	4	-	5	12	1	5	1	2	-	3	11	7	5	2	2	23	4018
13	-	46	2	-	9	7	-	11	-	1	1	3	6	3	10	2	1	19	4019
38	-	59	5	2	7	16	-	4	1	-	-	4	12	7	4	1	4	43	4020
32	-	80	4	1	13	11	1	2	1	-	1	-	11	3	7	4	1	29	4021
48	2	110	12	1	7	14	1	8	1	-	1	3	10	12	8	4	3	46	4022
9	-	20	5	-	-	12	-	7	-	-	2	-	3	4	8	3	1	26	4023
3	-	10	-	-	1	2	-	1	-	-	-	-	1	1	2	2	1	1	4024
20	-	34	3	1	4	9	-	4	-	1	1	5	5	3	8	1	3	29	4025
546	7	1,243	85	20	86	148	25	51	23	17	6	58	322	97	129	33	53	590	4026
443	4	1,036	67	15	57	114	19	47	21	13	3	43	267	76	101	27	39	474	4027
103	3	207	16	5	9	34	6	4	2	4	3	15	55	21	28	6	14	116	4028
20	1	47	1	-	-	8	-	1	2	-	1	-	13	12	2	1	1	20	4029
13	-	19	6	-	1	2	-	3	-	-	-	2	10	2	4	-	-	13	4030
66	2	171	10	2	25	20	2	10	6	2	2	17	18	14	25	8	4	117	4031
12	-	33	-	1	7	3	-	2	2	-	-	1	6	-	3	4	1	25	4032
16	1	53	3	1	3	6	-	3	-	-	2	3	2	4	10	2	1	31	4033
38	1	85	7	-	15	11	2	5	4	2	-	15	10	10	12	2	2	61	4034
38	-	98	10	-	5	14	1	5	-	2	-	4	13	8	10	1	5	27	4035
41	-	61	8	2	11	11	1	2	1	3	1	4	27	6	9	2	8	38	4036
3	-	30	-	-	1	1	1	1	-	-	1	3	7	1	1	1	-	6	4037
8	-	31	2	-	3	6	-	2	1	-	1	4	7	2	3	-	1	15	4038
5	1	17	-	-	4	5	-	1	-	-	-	-	10	1	2	-	-	10	4039
-	-	3	-	-	-	1	-	1	-	-	-	-	6	-	3	-	1	3	4040
26	1	51	1	1	-	12	1	2	3	-	1	2	24	5	10	-	-	18	4041
58	2	167	8	2	8	20	2	4	5	2	3	4	23	6	27	5	4	51	4042
26	-	73	4	2	2	9	1	2	3	1	1	3	7	4	14	4	2	25	4043
32	2	94	4	-	6	11	1	2	2	1	2	1	16	2	13	1	2	26	4044
12	-	32	3	-	5	4	1	3	1	1	1	1	10	1	6	1	-	18	4045
40	1	116	12	1	13	15	-	5	1	-	1	2	10	7	15	2	3	28	4046
15	-	48	2	-	2	8	-	5	1	2	1	1	23	3	5	4	-	22	4047
35	1	61	6	1	8	14	1	4	-	1	2	5	2	9	10	4	4	30	4048
33	1	88	2	1	1	10	-	3	2	1	-	2	15	5	10	6	5	27	4049
5,665	85	17,744	1,418	298	1,297	2,398	240	1,475	475	204	240	890	2,082	1,977	3,183	700	768	9,341	4050
33	-	118	7	2	17	13	2	-	3	5	-	4	15	8	9	1	5	39	4051
13	-	65	6	1	6	4	2	-	1	5	-	2	6	4	3	-	4	24	4052
20	-	53	1	1	11	9	-	-	2	-	-	2	9	4	6	1	1	15	4053
-	-	4	-	-	-	-	-	-	-	-	-	2	1	2	3	1	-	4	4054
27	-	88	3	1	10	5	3	1	-	2	-	5	5	6	14	3	3	48	4055

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
4056	Aransas	42	5	1	-	-	-	-	-	-	-	-	4	-	-	19	19
4057	Archer	44	3	-	-	-	-	-	-	-	-	1	5	-	-	23	23
4058	Armstrong	14	-	-	-	-	-	-	-	-	-	-	2	1	-	7	6
4059	Atascosa	159	13	1	-	2	1	-	-	-	1	-	19	-	1	40	38
4060	Austin	163	6	-	-	-	-	1	-	-	-	1	19	3	-	86	80
4061	Bailey	39	-	-	-	-	-	-	-	-	-	-	3	1	-	21	20
4062	Bandera	44	1	1	-	-	-	-	-	-	-	-	9	1	-	16	14
4063	Bastrop	198	11	-	-	-	-	-	-	1	-	-	29	1	-	85	82
4064	Baylor	47	1	1	-	-	-	-	-	-	-	-	6	1	-	25	25
4065	Bee	179	6	-	-	10	-	-	-	-	-	2	22	-	-	67	66
4066	Bell	496	9	3	-	2	-	-	1	2	1	2	73	8	1	220	212
4067	Temple	199	7	2	-	-	-	-	1	-	-	1	28	6	1	98	95
4068	Balance of county	290	2	1	-	2	-	-	-	2	1	1	45	2	-	122	117
4069	Bexar	4,246	326	38	1	11	3	2	2	21	3	17	520	58	15	1,652	1,590
4070	San Antonio	3,851	301	36	1	9	3	2	2	20	3	16	468	54	14	1,495	1,436
4071	Balance of county	395	27	2	-	2	-	-	-	1	-	1	52	4	1	157	154
4072	Blanco	38	1	-	-	-	-	-	-	-	-	-	2	2	-	18	17
4073	Borden	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4074	Bosque	133	3	1	-	1	-	-	-	-	-	1	15	1	-	85	80
4075	Bowie	541	17	3	1	-	-	-	1	-	-	4	67	4	3	252	236
4076	Texarkana[7]	257	4	1	-	-	-	-	1	-	-	2	41	1	2	124	117
4077	Balance of county	284	13	2	-	-	-	-	-	-	-	2	26	3	1	128	119
4078	Brazoria	294	13	1	-	-	-	-	1	1	-	2	35	3	-	114	107
4079	Brazos	272	4	2	-	4	-	-	-	1	-	1	36	-	-	114	104
4080	Bryan	176	1	2	-	4	-	-	-	-	-	1	27	-	-	73	66
4081	Balance of county	96	3	-	-	-	-	-	-	1	-	-	9	-	-	41	38
4082	Brewster	49	3	2	-	-	-	-	-	2	-	1	2	-	-	12	12
4083	Briscoe	22	1	-	-	-	-	-	-	-	-	-	4	1	-	11	10
4084	Brooks	70	5	-	-	3	-	-	-	-	-	-	6	-	-	17	17
4085	Brown	272	5	2	-	-	-	-	-	1	1	-	53	3	1	129	124
4086	Brownwood	198	5	1	-	-	-	-	-	-	1	-	32	-	1	101	97
4087	Balance of county	74	-	1	-	-	-	-	-	1	-	-	21	3	-	28	27
4088	Burleson	138	3	-	-	-	-	-	-	1	-	1	7	-	-	80	66
4089	Burnet	81	1	1	-	-	-	-	-	-	-	-	11	2	-	47	47
4090	Caldwell	233	17	1	1	1	-	1	1	-	1	1	22	2	-	101	96
4091	Calhoun	59	-	-	-	1	-	-	-	-	-	1	7	1	-	29	27
4092	Callahan	71	1	-	-	-	-	-	-	-	-	-	8	4	-	30	28
4093	Cameron	1,369	81	10	3	75	4	1	1	5	4	30	90	12	8	271	252
4094	Brownsville	373	23	2	2	1	2	-	-	2	-	9	23	5	4	100	95
4095	Harlingen	242	18	2	-	19	1	-	-	2	1	3	18	1	1	44	40
4096	Balance of county	754	40	6	1	55	1	1	1	1	3	18	49	6	3	127	117
4097	Camp	88	3	-	-	-	1	-	-	-	-	-	13	1	-	48	48
4098	Carson	47	3	-	-	-	-	-	-	-	-	-	4	1	-	25	18
4099	Cass	239	11	-	-	2	-	-	-	-	-	-	26	4	-	124	119
4100	Castro	22	-	-	-	-	-	-	-	-	-	-	4	-	1	7	7
4101	Chambers	55	-	-	-	-	-	-	-	-	-	-	6	1	-	24	24
4102	Cherokee	312	13	3	-	-	-	-	-	-	-	1	36	1	1	163	152
4103	Childress	115	4	-	-	-	-	-	-	-	-	1	14	1	1	41	38
4104	Clay	72	1	-	-	-	-	-	-	-	-	-	14	-	-	35	33
4105	Cochran	23	3	-	-	-	-	-	-	-	-	-	2	-	-	8	7
4106	Coke	19	1	1	-	-	-	-	-	1	-	-	6	-	-	3	3
4107	Coleman	138	5	-	-	-	-	-	-	-	-	-	24	4	-	64	61
4108	Collin	357	10	-	-	1	-	-	1	-	-	3	42	5	1	183	178
4109	Collingsworth	67	1	-	-	-	-	-	-	-	-	-	8	2	-	25	25
4110	Colorado	158	10	1	-	-	-	-	-	-	-	2	19	1	-	70	68
4111	Comal	138	3	-	-	-	-	-	1	-	-	1	20	4	1	54	53
4112	Comanche	158	3	-	-	-	-	1	-	1	-	-	18	1	-	84	83
4113	Concho	32	1	-	-	1	-	-	-	1	1	-	3	-	-	14	14
4114	Cooke	214	5	1	-	1	-	-	-	-	-	-	34	3	-	105	100
4115	Coryell	134	4	-	-	-	-	-	-	-	-	1	19	2	-	71	66
4116	Cottle	61	-	-	-	1	-	2	-	-	-	-	3	2	1	27	25
4117	Crane	20	-	-	-	-	-	-	-	-	-	-	1	-	-	7	5
4118	Crockett	21	1	-	-	-	-	-	-	-	-	-	3	-	-	11	11
4119	Crosby	72	2	-	-	3	-	-	-	-	-	-	8	2	-	32	28
4120	Culberson	13	1	-	-	-	-	-	-	-	-	-	1	-	-	4	4
4121	Dallam	60	1	1	-	-	-	-	-	-	-	1	10	1	-	24	24
4122	Dallas	4,449	131	49	1	4	6	2	3	11	3	17	610	68	8	2,118	2,059
4123	Dallas	3,574	105	41	-	4	3	2	1	8	2	13	458	55	5	1,639	1,599
4124	Highland Park	81	-	-	-	-	-	-	-	-	-	-	13	2	-	45	43
4125	University Park	116	1	3	-	-	-	-	-	-	-	-	19	2	1	64	62
4126	Balance of county	878	25	5	1	-	3	-	2	3	1	4	120	9	2	370	355
4127	Dawson	164	7	-	-	2	-	-	-	1	-	5	12	2	2	51	48
4128	Deaf Smith	57	2	-	-	-	-	-	-	-	-	-	9	-	-	14	14
4129	Delta	79	-	-	-	1	1	-	-	-	-	1	10	-	-	40	38
4130	Denton	339	5	2	-	1	-	-	-	-	-	1	44	1	-	174	168
4131	Denton	152	1	-	-	1	-	-	-	-	-	-	19	-	-	76	73
4132	Balance of county	187	4	2	-	-	-	-	-	-	-	1	25	1	-	98	95
4133	De Witt	264	6	-	-	3	1	-	2	-	-	4	25	1	1	131	126
4134	Dickens	49	-	-	-	-	-	-	-	-	-	-	9	-	-	22	20
4135	Dimmit	121	6	-	-	11	-	1	-	-	2	-	12	3	-	30	28
4136	Donley	66	-	-	1	-	-	-	-	-	-	-	7	-	-	28	27
4137	Duval	129	8	1	1	4	-	-	-	1	1	1	10	2	-	41	40
4138	Eastland	269	10	-	-	-	-	-	-	-	-	-	34	1	-	136	130
4139	Ector	163	3	2	-	-	-	-	2	-	1	1	16	2	1	61	59
4140	Edwards	23	-	-	-	-	1	-	-	-	-	-	3	1	-	7	7
4141	Ellis	445	20	3	-	2	-	1	-	-	-	-	45	4	-	232	223
4142	El Paso	1,602	86	20	-	6	-	2	-	1	3	5	196	19	1	517	482
4143	El Paso	1,150	61	16	-	1	-	-	-	-	1	3	160	16	1	402	377
4144	Balance of county	452	25	4	-	5	-	2	-	1	2	2	36	3	-	115	105
4145	Erath	194	1	-	-	-	-	-	-	-	-	2	27	2	-	98	94
4146	Falls	277	9	2	-	6	-	-	-	-	1	4	38	3	-	119	101
4147	Fannin	354	3	4	-	2	-	-	-	3	-	4	44	13	-	190	177

[7] Includes data for Texarkana, Tex., only.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
3	-	13	2	1	-	3	-	-	1	-	-	-	1	2	3	-	-	3	4056
5	-	16	1	1	-	1	-	-	-	1	-	-	2	4	3	-	-	1	4057
1	-	5	-	-	1	-	-	-	-	-	-	-	-	1	2	-	-	1	4058
7	-	25	4	2	2	6	3	10	-	-	3	3	15	8	6	1	1	25	4059
20	1	52	5	2	6	8	-	-	1	-	2	1	2	2	6	4	3	18	4060
3	-	18	1	-	1	2	-	-	-	1	-	-	-	-	2	-	1	8	4061
3	-	10	1	-	2	1	1	-	-	-	-	-	2	4	1	2	-	5	4062
26	-	53	3	-	3	11	1	7	-	-	1	2	6	4	12	2	1	24	4063
3	-	21	1	-	-	2	-	-	-	-	-	1	3	-	2	2	-	3	4064
22	-	41	2	1	1	14	-	6	-	-	2	2	13	4	5	2	3	19	4065
48	-	148	14	4	8	16	1	7	2	1	2	4	25	22	18	4	1	71	4066
20	-	66	7	2	3	6	-	-	2	1	-	2	8	3	8	1	-	25	4067
28	-	80	7	2	5	10	1	7	-	-	2	2	17	19	12	3	1	46	4068
349	4	1,125	89	23	62	182	22	157	55	10	16	68	94	88	158	46	32	540	4069
309	4	1,025	78	20	59	170	19	138	50	8	14	67	84	83	135	40	31	588	4070
40	-	100	11	3	3	12	3	19	3	2	2	1	10	13	24	6	1	52	4071
2	-	13	2	-	1	-	-	-	-	-	-	-	2	1	2	1	-	9	4072
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4073
16	-	60	4	-	5	3	1	-	-	1	-	-	4	-	2	3	-	12	4074
69	1	182	8	6	16	20	7	8	3	3	2	8	15	17	29	3	6	70	4075
38	1	70	5	3	7	7	2	3	2	-	2	5	7	5	12	2	2	31	4076
31	-	83	3	3	9	13	5	3	1	3	-	3	8	12	17	1	4	39	4077
26	-	70	7	4	7	14	-	1	-	-	2	8	20	14	12	3	3	47	4078
20	-	78	5	3	10	13	-	5	3	-	-	1	11	4	15	2	7	49	4079
12	-	51	2	1	7	6	-	3	2	-	-	-	5	3	11	1	4	33	4080
8	-	27	1	2	3	7	-	2	1	-	-	1	6	1	4	1	3	16	4081
4	-	8	-	-	-	5	-	3	-	-	-	1	1	3	3	-	1	10	4082
-	-	10	-	-	1	-	-	-	-	-	-	-	1	1	2	-	-	1	4083
2	-	14	1	-	-	3	-	7	-	-	1	1	3	5	5	1	1	12	4084
32	-	83	7	2	5	6	-	4	1	1	-	2	3	6	17	4	-	32	4085
22	-	69	6	-	4	4	-	4	1	1	-	2	1	5	15	2	-	21	4086
10	-	14	1	2	1	2	-	-	-	-	-	-	2	1	2	2	-	11	4087
16	-	47	3	-	14	5	-	3	-	1	-	-	6	4	5	2	1	19	4088
8	-	36	2	1	-	1	-	1	1	-	-	1	-	1	3	2	-	9	4089
20	-	70	5	1	5	7	1	10	-	-	2	2	10	10	11	1	-	30	4090
7	-	19	-	1	2	1	-	1	1	-	-	-	1	2	2	1	2	9	4091
5	-	22	1	-	2	2	-	1	-	-	-	2	4	2	5	1	-	11	4092
47	2	189	13	1	19	99	2	131	9	2	8	21	105	30	91	14	13	249	4093
15	-	77	3	-	5	32	1	41	3	1	1	6	18	4	13	7	4	69	4094
3	1	34	1	1	4	17	-	20	5	-	-	6	14	5	7	-	2	56	4095
29	1	78	9	-	10	50	1	70	1	1	7	9	73	21	71	7	7	124	4096
15	-	51	1	1	-	3	-	1	-	-	-	-	4	-	1	1	2	10	4097
4	-	13	1	-	7	2	-	-	2	-	-	1	-	2	2	-	-	5	4098
38	2	74	4	1	5	9	1	1	4	1	2	3	6	1	8	1	3	32	4099
3	-	4	-	-	-	-	-	-	-	-	-	-	-	1	2	-	-	7	4100
3	-	20	1	-	-	-	-	-	1	-	1	-	3	4	4	1	2	8	4101
41	-	107	3	1	11	9	-	1	2	2	1	1	11	9	12	4	5	37	4102
11	-	26	1	-	3	3	-	-	2	2	-	-	6	12	4	1	2	21	4103
6	-	25	2	-	2	1	-	-	-	1	-	-	1	3	2	2	-	12	4104
-	-	7	-	-	1	4	-	-	-	-	-	-	-	-	-	-	2	4	4105
-	-	3	-	-	-	2	-	-	1	-	1	-	-	-	1	-	-	3	4106
14	-	42	5	-	3	4	1	1	5	1	-	2	2	3	8	-	-	14	4107
57	1	106	14	-	5	13	1	4	4	-	2	5	6	11	22	1	3	39	4108
4	1	16	3	1	-	2	2	-	2	-	1	2	1	2	6	-	1	12	4109
18	1	40	7	1	2	6	-	3	1	1	-	3	3	3	9	4	1	15	4110
9	-	41	2	1	1	6	-	6	3	-	1	2	2	8	7	2	-	17	4111
22	-	58	1	2	1	3	3	-	1	-	-	-	7	4	9	2	1	20	4112
5	-	7	1	1	-	1	1	-	-	-	-	-	1	1	1	1	-	5	4113
27	-	62	8	3	5	7	1	2	-	-	1	2	10	6	12	2	1	21	4114
19	2	42	2	1	5	3	-	-	1	1	-	-	4	3	7	2	-	16	4115
5	2	17	1	-	2	2	-	-	1	-	1	-	-	7	2	-	-	12	4116
2	-	3	-	-	2	1	-	1	-	-	-	1	-	2	2	1	1	3	4117
3	-	6	2	-	-	-	-	-	-	-	-	1	-	-	-	1	2	2	4118
5	-	21	1	1	4	4	-	2	-	-	-	-	2	3	4	-	1	9	4119
-	-	4	-	-	-	1	-	-	-	-	-	-	1	1	2	-	-	2	4120
4	-	18	2	-	-	-	-	-	1	-	1	2	4	2	2	1	1	8	4121
417	8	1,490	110	34	59	103	21	29	47	13	7	58	65	112	215	53	81	614	4122
337	4	1,154	91	23	40	75	18	16	42	7	8	46	48	78	159	38	60	445	4123
8	1	33	1	-	2	1	-	1	-	1	-	-	1	1	-	4	1	11	4124
12	-	43	6	1	2	1	-	-	1	-	-	1	-	2	2	1	-	18	4125
80	3	260	22	10	15	26	3	12	4	5	1	11	16	31	54	10	20	140	4126
6	-	37	5	-	3	12	1	14	1	-	-	3	5	6	10	2	-	28	4127
4	-	8	1	1	-	1	1	6	-	-	-	-	2	4	6	2	-	10	4128
3	-	28	6	1	2	4	1	-	-	-	-	4	2	2	3	1	-	10	4129
41	1	108	16	2	6	7	1	1	1	2	-	6	14	13	17	6	1	42	4130
19	-	47	5	2	3	3	1	1	1	1	-	3	7	3	6	2	1	26	4131
22	1	61	11	-	3	4	-	-	-	1	-	3	7	10	11	4	-	16	4132
20	-	98	5	3	5	7	-	5	1	-	2	1	9	6	13	6	2	38	4133
4	-	15	1	-	2	4	1	2	-	-	1	-	1	1	4	-	-	4	4134
11	1	15	1	-	2	15	1	5	-	1	1	3	1	-	3	1	1	24	4135
5	-	20	2	-	1	4	1	1	1	-	-	1	-	1	6	3	-	12	4136
10	-	27	3	-	1	11	-	3	2	-	-	2	6	5	10	2	2	18	4137
40	-	77	13	-	6	14	-	-	1	1	-	3	4	12	18	5	6	24	4138
8	-	49	2	-	2	2	1	7	1	1	-	5	7	14	13	3	3	37	4139
3	-	3	1	-	-	-	-	1	-	-	-	1	-	3	-	-	-	6	4140
50	1	155	13	4	9	29	1	6	2	1	4	3	11	14	17	3	5	42	4141
86	6	349	36	5	35	77	9	71	25	4	10	28	30	77	86	10	14	305	4142
69	2	270	31	5	25	50	8	31	21	2	10	22	21	47	55	4	8	210	4143
17	4	79	5	-	10	27	1	40	4	2	-	6	9	30	31	6	6	95	4144
26	-	63	5	-	4	6	1	1	2	1	-	1	6	3	12	2	1	28	4145
22	-	69	8	2	18	7	-	7	5	-	1	5	11	7	15	1	2	34	4146
39	-	116	21	1	13	15	-	-	2	-	1	3	9	3	21	1	-	36	4147

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
4148	Fayette	255	1	1	1	1	-	-	-	-	-	2	33	1	-	117	105
4149	Fisher	90	1	1	-	1	-	-	-	-	-	1	8	1	-	47	46
4150	Floyd	79	-	-	-	-	-	-	-	5	-	-	11	-	-	30	28
4151	Foard	42	-	-	-	-	-	-	-	-	-	-	8	1	-	18	14
4152	Fort Bend	300	18	-	1	10	2	-	1	-	-	1	34	6	-	99	97
4153	Franklin	49	1	-	-	1	-	-	-	-	-	-	3	1	-	26	25
4154	Freestone	163	5	1	-	-	-	-	-	-	-	-	21	5	-	76	72
4155	Frio	114	14	-	-	-	-	-	-	-	7	1	7	-	-	36	34
4156	Gaines	54	1	1	-	-	-	-	-	-	-	-	6	1	-	11	10
4157	Galveston	988	30	15	-	-	-	-	-	1	-	1	130	15	4	472	463
4158	Galveston	752	24	11	-	-	-	-	-	1	-	1	97	10	3	365	357
4159	Balance of county	236	6	4	-	-	-	-	-	-	-	-	33	5	1	107	106
4160	Garza	50	1	-	-	-	-	-	-	-	-	-	10	1	-	18	18
4161	Gillespie	102	2	1	-	-	-	-	-	1	-	1	9	1	-	52	50
4162	Glasscock	4	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
4163	Goliad	69	6	-	-	2	-	-	-	-	-	1	5	-	-	34	34
4164	Gonzales	217	15	1	-	4	-	-	-	-	2	2	18	-	1	100	91
4165	Gray	186	3	4	-	-	-	-	-	-	2	-	23	3	-	71	65
4166	Pampa	140	3	3	-	-	-	-	-	-	1	-	19	3	-	49	45
4167	Balance of county	46	-	1	-	-	-	-	-	-	1	-	4	-	-	22	20
4168	Grayson	703	11	3	-	2	-	1	-	1	-	2	85	9	-	371	355
4169	Denison	216	1	1	-	-	-	-	-	-	-	1	22	-	-	117	109
4170	Sherman	218	2	-	-	1	-	-	-	-	-	-	37	-	-	120	118
4171	Balance of county	269	8	2	-	1	-	1	-	1	-	1	26	9	-	134	128
4172	Gregg	497	13	5	-	-	-	-	-	1	-	1	55	5	4	223	213
4173	Longview	209	7	3	-	-	-	-	-	-	-	-	23	3	1	88	84
4174	Balance of county	288	6	2	-	-	-	-	-	1	-	1	32	2	3	135	129
4175	Grimes	147	1	2	-	1	-	-	-	-	-	1	13	1	-	72	66
4176	Guadalupe	237	11	2	-	-	1	-	2	-	-	-	21	1	-	108	95
4177	Hale	190	1	1	-	-	-	1	3	1	-	-	15	2	1	82	80
4178	Hall	103	-	1	-	-	1	-	-	-	-	-	20	3	-	40	39
4179	Hamilton	120	1	-	-	-	-	-	-	-	-	-	16	2	-	69	64
4180	Hansford	26	1	-	-	-	-	-	-	-	-	-	3	-	-	7	7
4181	Hardeman	85	-	-	-	-	-	-	-	3	-	-	16	-	-	42	39
4182	Hardin	167	1	1	-	-	-	-	1	-	-	-	35	-	-	75	68
4183	Harris	5,745	237	56	-	3	7	1	3	13	-	27	767	78	13	2,473	2,317
4184	Houston	4,871	218	52	-	3	5	-	2	11	-	24	652	70	11	2,108	2,025
4185	Balance of county	874	19	4	-	-	2	1	1	2	-	3	115	8	2	365	352
4186	Harrison	435	23	4	-	1	-	1	1	-	-	2	37	5	-	218	202
4187	Marshall	221	8	3	-	1	-	-	1	-	-	-	19	3	-	126	117
4188	Balance of county	214	15	1	-	-	-	1	-	-	-	2	18	2	-	92	85
4189	Hartley	22	-	-	-	-	-	-	-	-	-	-	5	-	-	10	10
4190	Haskell	106	4	1	-	-	-	-	-	1	-	1	20	2	-	40	40
4191	Hays	160	17	1	-	-	-	1	-	2	-	1	16	3	-	69	67
4192	Hemphill	21	-	-	-	-	-	-	-	-	-	-	4	-	-	10	10
4193	Henderson	207	6	2	-	-	-	-	-	-	-	-	28	4	-	92	79
4194	Hidalgo	1,870	113	12	2	188	6	4	-	4	19	28	96	7	7	341	328
4195	McAllen	200	8	2	-	6	-	1	-	-	-	1	17	1	1	53	51
4196	Balance of county	1,670	105	10	2	182	6	3	-	4	19	27	79	6	6	288	277
4197	Hill	312	3	1	-	1	1	-	-	1	-	2	51	2	-	156	149
4198	Hockley	130	-	-	-	3	-	-	-	-	1	1	12	2	1	41	40
4199	Hood	58	2	-	-	-	-	-	-	-	-	-	11	-	-	28	22
4200	Hopkins	202	4	2	-	1	-	-	-	-	-	-	28	2	1	107	100
4201	Houston	233	4	1	-	1	-	-	-	-	-	1	24	4	2	102	93
4202	Howard	172	4	1	-	2	1	1	-	3	-	-	21	1	2	65	64
4203	Big Spring	124	3	1	-	-	-	-	-	3	-	-	16	1	1	43	43
4204	Balance of county	48	1	-	-	2	1	1	-	-	-	-	5	-	1	22	21
4205	Hudspeth	22	-	-	-	1	-	-	-	-	-	-	2	-	-	2	2
4206	Hunt	467	10	3	-	3	3	1	-	-	1	3	66	5	-	221	204
4207	Greenville	196	4	2	-	-	1	-	-	-	-	2	28	2	-	90	84
4208	Balance of county	291	6	-	-	3	2	1	-	-	1	1	38	3	-	131	120
4209	Hutchinson	143	2	1	-	-	-	-	-	2	-	-	13	2	-	53	50
4210	Borger	108	2	1	-	-	-	-	-	2	-	-	13	1	-	36	33
4211	Balance of county	35	-	-	-	-	-	-	-	-	-	-	-	1	-	17	17
4212	Irion	15	1	-	-	-	-	-	-	-	-	-	-	-	-	2	2
4213	Jack	69	1	-	-	-	-	-	-	1	-	-	9	1	-	34	31
4214	Jackson	107	3	-	-	-	-	2	-	-	-	2	16	2	-	50	50
4215	Jasper	169	5	1	-	-	1	-	-	-	-	1	14	2	1	77	72
4216	Jeff Davis	13	1	-	-	-	-	-	-	-	-	-	1	-	-	1	-
4217	Jefferson	1,419	56	13	-	-	1	-	-	1	-	14	200	29	3	594	560
4218	Beaumont	783	38	8	-	-	-	-	-	-	-	9	101	15	2	338	319
4219	Port Arthur	418	13	4	-	-	1	-	-	1	-	3	61	12	1	180	169
4220	Balance of county	218	5	1	-	-	-	-	-	-	-	2	38	2	-	76	72
4221	Jim Hogg	38	2	-	-	-	-	-	-	-	-	-	2	1	-	8	7
4222	Jim Wells	188	13	1	-	2	1	-	-	-	-	2	20	-	2	55	52
4223	Johnson	301	5	4	-	-	-	-	-	-	-	-	46	1	1	147	144
4224	Cleburne	148	2	3	-	-	-	-	-	-	-	-	20	1	1	71	70
4225	Balance of county	153	3	1	-	-	-	-	-	-	-	1	26	-	-	76	74
4226	Jones	182	6	-	-	1	-	-	-	-	-	1	30	4	-	77	76
4227	Karnes	173	10	-	-	2	-	1	-	1	-	3	17	1	-	59	55
4228	Kaufman	325	7	1	-	2	1	1	-	-	1	1	41	5	-	147	139
4229	Terrell	109	3	-	-	-	-	-	-	-	1	1	14	3	-	45	44
4230	Balance of county	216	4	1	-	2	1	1	-	-	-	-	27	2	-	102	95
4231	Kendall	58	2	1	-	1	-	-	-	-	-	-	9	1	-	23	19
4232	Kenedy	3	-	-	-	-	-	-	-	-	-	-	-	-	-	2	2
4233	Kent	28	-	1	-	-	-	-	-	-	-	-	2	1	-	19	19
4234	Kerr	137	25	1	-	1	-	-	-	-	-	-	18	2	-	46	43
4235	Kimble	41	1	-	-	-	-	-	1	-	-	-	5	-	-	17	16
4236	King	1	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1
4237	Kinney	18	-	-	-	-	-	-	-	-	-	-	-	-	-	5	5
4238	Kleberg	124	11	-	-	1	-	1	-	-	-	2	10	4	-	46	45
4239	Knox	87	3	2	-	6	-	-	-	-	-	-	10	-	1	28	24

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

(Numbers under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
23	-	72	9	1	12	5	-	2	2	-	-	2	20	9	11	6	3	38	4148
5	-	40	1	-	1	5	-	-	-	-	-	2	7	3	4	1	1	7	4149
6	-	19	3	-	2	4	-	-	2	1	-	-	-	4	8	-	-	14	4150
4	-	10	-	-	2	2	-	1	-	-	-	1	-	2	3	-	1	7	4151
28	-	62	5	2	2	14	-	5	2	1	-	1	5	9	10	23	3	49	4152
4	1	14	6	-	1	2	-	-	-	-	-	1	1	1	3	-	1	9	4153
23	-	39	8	1	4	7	-	1	-	-	-	1	2	7	7	9	2	19	4154
8	-	24	2	-	2	9	1	4	-	-	-	-	1	3	3	8	-	20	4155
2	-	6	2	-	1	2	-	1	-	-	-	-	3	2	7	5	-	14	4156
67	-	372	23	1	9	26	1	6	10	3	-	-	16	20	24	58	12	18	128	4157
57	-	282	17	1	8	22	1	5	9	1	-	-	11	16	19	43	9	14	90	4158
10	-	90	6	-	1	4	-	1	1	2	-	-	5	4	5	15	3	4	36	4159
6	-	10	1	1	-	5	-	1	1	-	-	-	1	1	2	4	-	1	4	4160
10	-	38	2	-	2	4	1	3	-	-	-	-	2	3	2	5	2	-	13	4161
-	-	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	2	4162
20	-	13	-	1	-	3	-	2	1	-	-	-	-	1	1	2	2	-	9	4163
15	-	70	5	1	9	10	1	5	-	-	-	1	4	4	11	3	-	34	4164
15	2	47	-	1	8	7	2	1	3	1	-	-	7	3	12	7	2	32	4165
11	2	32	-	-	4	6	1	1	3	1	-	-	5	2	8	6	2	27	4166
4	-	15	-	1	2	1	1	-	-	-	-	-	2	1	6	1	-	5	4167
98	-	244	13	2	16	16	4	3	3	1	-	4	6	35	28	28	4	4	81	4168
32	-	74	2	1	8	5	2	-	-	-	-	2	2	10	7	14	3	2	27	4169
25	-	88	5	-	2	4	1	1	2	-	-	1	1	6	11	8	-	1	24	4170
39	-	82	6	1	6	7	1	2	1	1	-	1	3	19	11	8	1	1	30	4171
48	1	151	13	-	10	10	-	2	6	2	-	3	6	17	27	18	5	11	63	4172
21	-	56	7	-	4	5	-	-	2	1	-	1	2	9	7	6	1	4	46	4173
27	1	95	6	-	6	5	-	2	4	1	-	2	4	8	20	12	4	7	37	4174
12	-	49	4	1	6	10	-	4	1	-	-	1	2	3	1	6	-	-	28	4175
17	-	71	6	1	11	12	-	5	2	-	-	3	4	8	3	10	2	-	44	4176
25	-	53	2	-	2	8	3	1	3	-	-	-	10	3	9	9	2	1	34	4177
15	-	22	1	-	2	4	-	2	-	-	-	-	4	1	2	8	1	-	16	4178
8	-	48	7	1	5	5	1	1	1	-	-	-	3	2	-	4	-	1	14	4179
2	-	4	-	-	-	2	-	-	-	-	-	-	-	-	2	6	1	-	4	4180
9	-	29	-	1	3	5	-	1	1	-	-	-	2	2	1	-	1	1	12	4181
17	-	46	4	1	7	8	1	1	-	-	-	-	5	9	6	6	1	1	14	4182
517	4	1,665	140	31	96	146	25	52	55	14	10	110	120	148	282	91	128	876	4183
458	4	1,419	117	27	83	121	18	45	59	12	10	91	100	116	209	70	114	750	4184
59	-	266	23	4	13	25	7	7	6	2	-	19	20	32	73	21	14	126	4185
63	-	123	15	1	16	14	2	1	3	-	-	4	3	24	11	19	5	7	50	4186
37	-	68	12	-	9	7	1	1	1	-	-	-	1	6	4	6	3	3	27	4187
28	-	55	3	1	7	7	1	-	2	1	-	4	2	18	7	13	2	4	23	4188
2	-	7	1	-	-	1	1	-	-	-	-	-	-	1	-	-	-	-	3	4189
9	1	28	2	-	-	2	-	4	-	-	-	-	1	2	7	5	1	-	17	4190
15	-	48	4	-	2	7	-	5	-	1	-	1	1	3	5	4	1	2	20	4191
5	-	4	1	-	-	-	-	-	-	-	-	-	-	2	-	1	-	-	4	4192
15	-	55	5	4	13	6	2	1	3	-	-	-	1	15	7	5	1	1	33	4193
57	1	253	15	2	13	101	1	215	7	3	22	24	106	49	125	10	23	357	4194
14	-	33	3	1	2	12	-	21	2	-	1	-	11	8	9	-	3	43	4195
43	1	220	12	1	11	88	1	194	5	3	21	24	95	41	116	10	20	314	4196
28	-	115	5	1	7	14	2	6	-	3	-	3	5	6	11	2	3	39	4197
8	-	26	5	1	1	10	-	5	-	-	-	4	1	9	10	1	2	27	4198
5	-	15	1	1	6	2	-	-	-	-	-	-	1	4	3	-	-	7	4199
25	-	69	5	1	7	4	-	2	-	-	-	4	8	4	7	1	-	29	4200
24	-	59	10	-	9	18	-	4	-	-	-	1	10	5	21	5	1	29	4201
14	-	44	3	3	1	7	1	3	1	-	1	3	3	5	11	2	3	31	4202
9	-	28	3	3	-	5	1	3	1	-	1	3	2	3	7	2	3	25	4203
5	-	16	-	-	1	2	-	-	-	-	-	-	1	2	4	-	-	6	4204
-	-	2	-	-	-	-	-	1	-	-	-	-	1	3	4	4	1	1	1	4205
47	-	148	8	1	17	28	3	5	6	1	2	6	11	13	19	3	7	68	4206
24	-	56	4	-	6	11	1	2	3	1	-	1	5	6	7	1	2	28	4207
23	-	92	4	1	11	17	2	3	3	1	2	5	6	7	12	2	5	40	4208
10	1	36	2	1	3	1	-	-	1	1	-	4	3	12	15	5	2	26	4209
8	1	22	2	-	3	1	-	-	1	1	-	4	2	6	10	4	2	22	4210
2	-	14	-	1	-	-	-	-	-	-	-	-	1	6	5	1	-	4	4211
-	-	2	-	-	-	1	-	1	-	-	-	-	-	1	3	2	-	-	4	4212
13	-	18	-	-	3	2	-	1	2	1	-	-	1	2	2	2	-	9	4213
15	-	36	5	1	-	-	-	4	1	-	-	1	1	2	6	1	-	16	4214
16	1	48	5	2	5	12	1	1	1	-	-	1	1	7	9	2	4	28	4215
-	-	-	-	-	1	-	-	-	-	-	-	1	-	2	1	-	-	6	4216
106	2	414	31	7	34	42	5	10	8	8	12	25	20	44	85	18	21	210	4217
60	-	236	17	6	19	21	5	6	7	7	6	12	11	25	39	8	11	114	4218
38	1	118	11	1	11	14	-	1	1	1	3	9	6	9	23	6	6	51	4219
8	1	60	3	-	4	7	-	3	-	-	3	4	5	10	23	4	2	35	4220
3	-	3	-	1	1	3	-	3	-	-	2	-	7	2	-	1	-	7	4221
11	-	35	6	-	3	7	-	12	1	-	3	4	13	7	9	2	1	32	4222
47	-	90	6	1	3	10	3	2	-	-	1	1	7	6	13	6	5	43	4223
23	-	44	2	1	1	6	3	2	-	-	1	1	5	3	9	3	1	16	4224
24	-	46	4	-	2	4	-	-	-	-	-	-	2	3	4	3	4	27	4225
12	-	61	3	-	1	2	1	6	-	-	-	3	6	7	8	2	2	26	4226
14	-	38	3	-	4	11	1	16	-	-	3	-	6	3	13	1	-	25	4227
26	1	101	9	2	8	24	1	1	1	-	-	6	11	10	11	2	5	44	4228
8	-	33	2	1	1	5	1	1	1	2	-	2	1	1	6	2	3	19	4229
18	1	68	7	1	7	19	-	-	-	-	-	2	4	9	5	-	2	25	4230
4	-	11	4	-	4	2	-	-	-	2	-	4	10	2	2	1	-	9	4231
1	-	1	-	-	-	1	-	-	-	-	-	1	3	-	-	-	-	-	4232
3	-	15	1	-	-	-	-	-	-	-	-	-	-	1	2	-	-	2	4233
7	-	32	4	-	3	4	-	-	-	-	1	1	10	6	3	1	2	15	4234
-	-	14	2	-	1	-	-	2	-	-	-	-	2	1	2	2	-	8	4235
1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4236
2	-	3	-	-	-	2	-	-	-	-	-	2	3	1	1	1	-	2	4237
10	-	32	2	1	1	-	-	13	-	1	-	-	3	1	1	1	1	2	4237
7	-	15	1	1	2	5	-	10	1	-	-	1	8	1	6	2	2	14	4238
													3	1	1	-	1	16	4239

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
4240	Lamar	435	12	4	-	-	-	-	-	2	-	5	62	4	-	216	205
4241	Paris	258	7	3	-	-	-	-	-	2	-	5	41	3	-	126	118
4242	Balance of county	177	5	1	-	-	-	-	-	-	-	-	21	1	-	90	87
4243	Lamb	118	3	-	-	1	-	-	-	1	1	-	15	2	1	48	42
4244	Lampasas	95	4	1	-	-	-	-	-	-	-	-	9	-	-	60	58
4245	La Salle	78	3	-	-	1	-	-	-	-	3	1	5	1	-	28	28
4246	Lavaca	230	5	-	-	-	-	-	1	-	-	1	32	3	-	120	99
4247	Lee	110	3	-	-	-	-	-	-	-	-	1	18	-	1	48	44
4248	Leon	114	1	1	-	-	-	-	1	-	-	-	9	1	-	53	46
4249	Liberty	241	5	5	-	1	1	-	1	1	-	2	21	3	-	100	92
4250	Limestone	269	13	2	-	3	-	1	-	-	1	1	32	5	-	126	122
4251	Lipscomb	30	1	-	-	-	-	-	-	-	-	-	5	1	-	14	14
4252	Live Oak	92	3	-	-	3	1	-	-	1	-	-	13	-	-	26	24
4253	Llano	60	4	-	-	-	-	-	-	-	-	-	11	2	-	24	23
4254	Loving	2	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-
4255	Lubbock	588	12	2	-	3	-	1	1	2	-	-	50	2	1	183	174
4256	Lubbock	389	7	2	-	2	-	-	-	2	-	-	35	1	-	129	120
4257	Balance of county	199	5	-	-	1	-	1	1	-	-	-	15	1	1	54	54
4258	Lynn	81	3	-	-	-	-	-	-	-	-	-	5	2	-	27	26
4259	McCulloch	106	3	1	-	2	-	-	-	-	-	1	18	2	-	53	50
4260	McLennan	1,096	34	7	-	2	1	-	-	2	1	3	151	14	1	497	478
4261	Waco	702	20	4	-	1	1	-	-	1	1	2	105	10	-	307	297
4262	Balance of county	394	14	3	-	1	-	-	-	1	-	1	46	4	1	190	181
4263	McMullen	4	-	-	-	-	-	-	-	-	-	-	1	-	-	2	2
4264	Madison	75	3	1	-	-	-	-	-	-	-	-	5	-	-	39	38
4265	Marion	105	2	1	-	-	-	-	-	-	-	1	3	-	-	52	49
4266	Martin	38	2	-	-	-	-	-	-	-	-	-	4	1	1	9	9
4267	Mason	49	1	-	-	1	-	-	-	-	-	-	6	1	-	20	18
4268	Matagorda	204	6	2	-	1	-	-	1	-	-	2	30	2	-	71	68
4269	Maverick	101	9	-	-	-	1	-	-	-	1	1	15	3	-	24	22
4270	Medina	162	7	1	-	2	1	-	-	3	1	1	18	3	1	52	50
4271	Menard	30	1	-	-	-	-	-	-	-	-	1	4	1	-	14	14
4272	Midland	138	4	2	-	-	-	-	-	-	2	-	18	1	1	44	43
4273	Milam	248	13	-	-	1	-	-	-	1	-	-	36	2	-	107	102
4274	Mills	63	-	-	-	1	-	-	-	-	-	2	16	1	-	31	29
4275	Mitchell	103	7	-	-	1	-	1	-	-	-	-	17	3	-	38	38
4276	Montague	173	3	-	-	-	-	-	-	-	-	-	20	4	-	95	90
4277	Montgomery	264	8	1	-	2	1	-	-	-	-	1	34	1	-	108	103
4278	Moore	48	2	-	-	-	-	-	-	1	-	-	5	-	-	14	13
4279	Morris	77	2	1	-	-	-	-	-	-	-	1	11	-	-	36	32
4280	Motley	38	-	-	-	-	-	1	-	-	1	-	5	-	-	14	11
4281	Nacogdoches	263	4	8	-	5	-	-	-	-	-	1	30	5	1	138	132
4282	Navarro	440	17	3	-	-	1	-	-	-	1	-	63	7	1	194	184
4283	Corsicana	239	9	-	-	-	1	-	-	-	-	-	26	3	1	107	102
4284	Balance of county	201	8	3	-	-	-	-	-	-	1	-	37	4	-	87	82
4285	Newton	88	2	1	-	-	-	-	-	-	-	-	9	-	-	46	41
4286	Nolan	149	1	-	-	-	-	-	-	-	-	-	24	3	-	51	51
4287	Sweetwater	106	1	-	-	-	-	-	-	-	-	-	16	1	-	38	38
4288	Balance of county	43	-	-	-	-	-	-	-	-	-	-	8	2	-	13	13
4289	Nueces	1,085	56	7	-	10	1	2	1	1	2	5	128	9	6	352	339
4290	Corpus Christi	722	39	5	-	2	1	1	-	1	-	3	90	6	4	272	263
4291	Balance of county	363	17	2	-	8	-	1	1	-	2	2	38	3	2	80	76
4292	Ochiltree	43	-	-	-	-	-	-	-	-	-	1	3	2	-	17	16
4293	Oldham	11	-	-	-	-	-	-	-	-	-	-	2	1	-	4	4
4294	Orange	232	4	1	-	-	-	-	-	1	-	2	26	5	1	114	110
4295	Palo Pinto	204	4	3	-	-	-	-	-	-	-	1	35	5	1	88	84
4296	Panola	127	4	1	-	-	-	-	-	1	-	1	10	1	-	89	85
4297	Parker	189	5	-	-	-	-	-	-	-	1	-	28	8	1	95	89
4298	Parmer	45	-	-	-	-	-	-	-	2	-	1	7	-	-	18	18
4299	Pecos	76	6	1	-	1	-	-	-	1	-	1	11	1	-	24	22
4300	Polk	175	6	1	-	2	-	-	-	-	-	-	20	1	-	89	85
4301	Potter	542	12	1	-	-	-	1	-	3	-	5	72	7	1	205	194
4302	Amarillo (part)	531	12	1	-	-	-	1	-	3	-	5	72	7	1	201	190
4303	Amarillo (total)	548	12	1	-	-	-	1	-	3	-	5	74	7	1	206	195
4304	Balance of county	11	-	-	-	-	-	-	-	-	-	-	-	-	-	4	4
4305	Presidio	49	1	-	-	2	-	-	-	-	-	-	4	-	-	13	13
4306	Rains	36	-	-	-	-	-	-	-	-	-	-	3	2	-	13	13
4307	Randall	58	1	-	-	-	-	-	-	-	-	-	6	1	-	26	26
4308	Amarillo (part)	17	-	-	-	-	-	-	-	-	-	-	2	-	-	5	5
4309	Balance of county	41	1	-	-	-	-	-	-	-	-	-	4	1	-	21	21
4310	Reagan	15	-	-	-	-	-	-	-	-	-	-	2	-	1	3	2
4311	Real	24	1	-	-	-	-	-	-	-	-	-	1	1	-	7	7
4312	Red River	229	3	1	-	1	-	-	-	-	-	1	32	-	-	132	125
4313	Reeves	104	5	-	-	6	-	-	-	-	-	2	9	1	1	24	22
4314	Refugio	80	2	2	-	1	-	-	-	1	-	-	8	1	-	25	24
4315	Roberts	6	-	-	-	-	-	-	-	-	-	-	2	-	-	3	3
4316	Robertson	280	19	5	-	-	-	-	-	1	-	-	21	1	-	125	109
4317	Rockwall	70	-	-	-	-	-	1	-	1	-	-	9	1	-	32	32
4318	Runnels	137	7	-	-	1	-	-	-	3	-	-	17	2	-	59	57
4319	Rusk	354	6	3	-	-	-	-	-	-	-	1	50	4	-	170	158
4320	Sabine	75	1	-	-	-	-	-	-	-	-	-	12	-	-	36	34
4321	San Augustine	94	2	2	-	-	-	-	-	-	-	1	13	1	-	39	37
4322	San Jacinto	80	-	-	-	-	-	-	-	-	-	1	7	-	-	22	17
4323	San Patricio	379	30	1	-	9	-	1	-	1	-	4	25	-	-	99	92
4324	San Saba	77	1	-	-	-	-	-	-	-	-	-	13	-	-	30	29
4325	Schleicher	21	1	-	-	-	-	-	-	-	1	-	2	-	-	7	7
4326	Scurry	98	2	1	-	-	-	-	-	-	1	2	7	2	1	38	36
4327	Shackelford	36	1	-	-	-	1	-	-	-	-	-	8	-	-	17	17
4328	Shelby	210	5	1	-	-	-	-	-	3	-	3	22	3	-	94	93
4329	Sherman	10	-	-	-	-	-	-	-	-	-	-	-	1	-	4	4
4330	Smith	600	16	7	-	1	-	-	2	1	-	3	69	4	1	290	274
4331	Tyler	294	5	2	-	-	-	-	1	1	-	2	37	2	-	146	140
4332	Balance of county	306	11	5	-	1	-	-	1	-	-	1	32	2	1	144	134

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
60	1	134	10	-	11	22	-	5	1	-	-	5	10	11	14	3	5	56	4240
39	1	74	4	-	8	12	-	3	-	-	-	1	9	5	5	2	4	30	4241
21	-	60	6	-	3	10	-	2	1	-	-	2	1	6	9	1	1	26	4242
9	1	30	2	-	6	5	1	1	-	2	-	2	4	2	5	3	3	18	4243
13	-	39	5	1	2	3	-	1	-	-	-	-	2	4	2	-	-	10	4244
8	-	19	-	1	-	4	1	1	-	-	-	1	4	4	5	-	2	8	4245
22	1	71	5	-	21	6	2	7	-	-	-	3	14	4	6	5	-	26	4246
10	-	30	3	1	4	2	-	1	-	2	-	-	5	-	7	1	1	19	4247
12	-	31	3	-	7	6	-	1	-	2	-	1	8	5	4	-	4	14	4248
19	1	66	6	-	8	7	-	1	-	1	-	3	10	8	14	2	4	48	4249
31	-	76	12	3	4	7	-	5	1	1	-	3	15	5	19	-	2	23	4250
6	-	7	1	-	-	1	-	-	-	-	-	-	1	-	1	1	-	3	4251
3	-	18	3	-	2	4	-	1	1	-	-	3	5	1	2	2	1	22	4252
6	-	17	-	-	1	-	-	1	-	-	-	-	2	-	7	6	-	3	4253
-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-	-	-	-	4254
52	-	131	7	4	9	42	2	30	6	7	-	2	10	12	37	42	8	13	120	4255
21	-	92	5	2	9	29	2	17	1	6	-	2	9	5	21	24	8	8	79	4256
11	-	39	2	2	-	13	-	13	5	1	-	-	1	7	16	18	-	5	41	4257
7	-	17	2	-	1	6	-	7	1	1	-	1	-	2	6	4	1	3	12	4258
6	-	43	1	-	3	5	1	-	-	-	-	-	1	-	3	4	1	2	9	4259
103	-	336	31	8	19	30	4	8	10	4	-	4	19	46	30	61	11	10	146	4260
62	-	211	21	3	10	22	3	6	6	2	-	4	12	24	16	39	6	6	102	4261
41	-	125	10	5	9	8	1	2	4	2	-	-	7	22	14	22	5	2	44	4262
-	-	1	1	-	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	4263
12	-	22	2	-	3	2	-	-	1	1	-	1	4	4	3	-	2	9	4264
7	-	35	7	-	3	6	2	3	2	-	-	1	4	7	5	2	5	12	4265
2	-	7	-	-	-	3	-	-	-	-	-	-	3	-	1	-	1	3	4266
4	-	13	-	1	2	2	-	3	-	-	-	1	1	2	6	1	-	6	4267
17	-	49	2	-	3	2	-	1	1	-	-	1	10	2	20	-	4	43	4268
4	-	14	4	-	2	7	-	4	1	-	-	2	4	3	3	1	-	21	4269
13	-	36	1	2	2	9	2	5	1	-	-	1	19	4	4	-	-	20	4270
4	-	8	2	2	-	1	1	12	1	1	-	1	-	1	2	-	-	3	4271
10	-	29	2	2	1	6	-	1	1	-	-	1	3	9	12	3	4	23	4272
24	-	71	7	-	5	11	-	3	1	-	-	2	17	3	11	3	3	34	4273
6	-	22	1	2	2	1	1	2	1	1	-	2	1	-	-	-	-	7	4274
6	1	23	6	2	5	9	-	4	-	-	-	1	1	4	3	2	1	12	4275
27	-	61	2	2	5	6	-	6	-	1	-	-	3	12	6	1	-	17	4276
23	-	71	7	2	5	11	-	-	-	1	-	-	2	17	18	15	2	30	4277
2	-	10	1	-	1	1	-	2	-	-	-	-	2	1	3	2	-	11	4278
4	-	27	1	-	6	2	-	-	-	-	-	1	1	1	5	-	1	8	4279
1	-	9	1	-	3	2	-	-	-	-	-	-	1	1	3	1	2	6	4280
31	-	95	5	1	6	6	-	5	2	-	-	1	10	4	3	2	2	34	4281
55	-	110	15	4	10	16	2	7	2	-	4	2	13	13	21	2	3	68	4282
32	-	58	11	1	5	7	-	7	-	-	3	1	7	6	11	-	-	48	4283
23	-	52	4	3	5	9	2	-	2	-	-	2	6	7	10	2	3	20	4284
15	1	22	3	-	5	5	-	2	3	1	-	-	6	5	3	-	-	7	4285
14	-	33	4	-	-	5	1	2	1	1	-	1	9	9	10	3	3	24	4286
9	-	25	4	-	-	5	1	2	1	1	-	1	5	5	10	2	3	14	4287
5	-	8	-	-	-	-	-	-	-	-	-	1	4	4	-	1	-	10	4288
64	2	251	19	3	13	47	5	84	11	2	4	23	28	31	49	20	22	179	4289
52	2	192	14	3	9	26	3	39	6	2	2	16	15	19	29	15	17	109	4290
12	-	59	5	-	4	21	2	45	5	1	2	7	13	12	20	5	5	70	4291
6	-	8	1	1	1	3	-	-	1	-	1	1	-	2	1	1	-	9	4292
-	-	4	-	-	-	-	1	-	-	-	1	1	-	-	1	1	1	-	4293
24	2	76	7	1	4	10	3	-	-	1	2	8	9	10	-	-	3	31	4294
20	1	59	2	2	4	8	-	1	1	1	-	8	8	7	1	-	-	32	4295
9	1	50	5	-	4	3	-	-	1	1	1	6	5	6	-	1	-	16	4296
23	-	60	4	2	6	6	1	-	-	-	1	3	12	2	4	2	-	20	4297
4	1	12	1	-	-	1	-	-	-	-	-	-	1	4	3	-	-	8	4298
5	1	14	3	-	2	5	1	1	-	-	-	1	2	2	7	-	-	9	4299
18	2	63	2	-	4	7	-	-	-	-	-	1	2	5	4	10	-	24	4300
38	-	150	4	2	11	14	4	-	-	1	-	1	5	4	10	-	3	95	4301
38	-	148	4	2	11	13	4	-	-	4	-	11	16	33	39	8	8	92	4302
38	-	151	4	2	11	13	4	-	-	4	-	11	14	33	38	8	8	93	4303
-	-	4	-	-	-	1	-	-	-	-	-	12	16	33	42	9	9	3	4304
1	-	11	1	-	-	1	1	1	-	-	-	-	2	-	1	-	-	11	4305
5	-	7	1	-	-	1	-	-	-	-	-	-	4	6	3	-	1	6	4306
5	-	21	-	-	-	8	-	-	-	-	-	-	3	1	2	1	-	6	4307
-	-	5	-	-	-	-	1	-	-	-	-	2	2	2	7	2	1	1	4308
5	-	16	-	-	-	-	1	-	-	-	-	1	1	-	4	1	1	5	4309
-	-	1	-	1	1	-	1	-	-	-	-	1	2	1	2	1	-	5	4310
1	-	5	1	-	-	3	-	-	-	-	-	2	-	-	3	-	-	5	4311
30	1	84	10	-	7	7	2	1	2	1	-	-	-	-	4	1	-	1	4312
7	-	15	-	-	2	4	-	9	-	-	3	1	10	3	3	3	3	17	4313
9	-	12	3	-	1	1	1	1	-	-	-	-	4	6	7	2	2	17	4314
-	-	3	-	-	-	-	-	-	-	-	-	1	5	5	10	1	-	15	4315
21	-	80	8	-	16	8	-	4	1	7	-	-	-	1	-	-	-	-	4316
12	-	16	3	1	-	2	-	2	-	-	-	3	15	10	12	3	6	39	4317
18	-	37	1	1	2	10	1	-	-	-	-	1	2	2	2	-	1	12	4318
36	1	112	7	2	12	12	-	-	1	4	-	1	5	4	8	1	-	17	4319
8	-	24	1	1	2	-	-	1	-	-	-	3	12	16	17	4	2	49	4320
8	-	27	2	-	2	6	-	-	-	-	-	-	5	5	3	1	3	8	4321
5	-	11	1	-	5	1	-	-	-	-	-	1	4	2	1	3	1	18	4322
31	-	55	6	-	7	19	-	44	2	2	-	-	8	3	1	-	-	7	4323
6	-	23	-	-	1	2	-	-	1	-	-	4	31	11	20	2	-	62	4324
1	-	5	1	-	-	-	-	1	1	-	-	1	4	5	5	1	-	14	4325
6	-	29	-	1	-	3	-	2	-	1	-	1	-	-	1	-	1	5	4326
1	2	14	-	-	-	2	-	-	-	-	-	1	6	6	7	1	1	18	4327
18	-	61	12	2	1	14	-	6	2	1	-	3	-	-	1	-	-	3	4328
2	-	2	-	-	-	-	1	-	-	-	-	-	13	5	3	3	3	27	4329
85	1	172	15	1	16	15	3	2	-	6	3	9	1	-	-	-	-	3	4330
42	-	93	4	1	6	5	1	2	-	4	2	6	13	26	34	2	4	83	4331
43	1	79	11	-	10	10	2	-	3	2	1	3	6	6	15	-	2	46	4332
													7	20	19	2	2	37	

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	TEXAS—Continued																
4333	Somervell	28	-	-	-	-	-	-	-	1	-	-	5	-	-	16	16
4334	Starr	119	9	2	1	-	-	-	-	2	-	2	5	2	-	21	17
4335	Stephens	104	1	-	-	-	-	-	-	-	-	2	18	-	-	46	43
4336	Sterling	14	1	-	-	-	-	-	-	-	-	1	1	-	-	3	3
4337	Stonewall	22	1	-	-	1	-	-	-	-	-	-	1	1	-	10	10
4338	Sutton	29	1	-	-	1	-	-	-	-	-	-	3	-	-	16	15
4339	Swisher	57	-	-	-	-	-	-	-	-	-	1	4	2	-	28	25
4340	Tarrant	2,922	96	16	-	-	-	-	2	7	-	6	411	46	4	1,384	1,335
4341	Fort Worth	2,422	84	16	-	-	-	-	2	6	-	4	356	38	3	1,154	1,106
4342	Balance of county	500	12	-	-	-	-	-	-	1	-	2	55	8	1	240	229
4343	Taylor	448	5	3	-	-	-	-	-	3	-	1	57	6	1	196	192
4344	Abilene	327	4	3	-	-	-	-	-	3	-	1	38	5	-	139	136
4345	Balance of county	121	1	-	-	-	-	-	-	-	-	-	19	1	1	57	56
4346	Terrell	24	2	-	-	-	-	-	-	1	-	-	-	-	1	9	9
4347	Terry	87	4	-	-	4	-	-	1	1	-	-	11	-	-	29	29
4348	Throckmorton	25	-	-	-	-	-	-	-	-	-	-	2	-	-	13	13
4349	Titus	144	2	5	1	-	-	-	-	-	-	-	12	4	-	64	63
4350	Tom Green	432	19	8	-	2	-	-	-	10	-	3	47	5	-	158	148
4351	San Angelo	374	14	7	-	2	-	-	-	8	-	3	43	4	-	132	124
4352	Balance of county	58	5	1	-	-	-	-	-	2	-	-	4	1	-	26	24
4353	Travis	1,149	44	4	1	-	1	-	-	5	2	4	143	14	3	499	475
4354	Austin	982	33	4	1	-	1	-	-	4	2	3	118	12	3	436	414
4355	Balance of county	167	11	-	-	-	-	-	-	1	-	1	25	2	-	63	61
4356	Trinity	99	4	-	-	-	-	-	-	-	-	-	17	1	-	48	47
4357	Tyler	81	3	2	-	2	-	-	-	1	-	1	11	-	-	32	31
4358	Upshur	143	4	-	-	-	-	-	-	-	-	1	16	3	-	71	65
4359	Upton	28	2	1	-	-	-	-	-	1	-	-	5	-	-	8	8
4360	Uvalde	154	9	-	-	3	-	-	-	-	1	-	21	2	-	53	47
4361	Val Verde	151	3	-	1	1	1	1	-	1	-	-	17	1	2	56	56
4362	Del Rio	142	3	-	1	1	1	1	-	1	-	-	17	1	2	53	53
4363	Balance of county	9	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3
4364	Van Zandt	214	5	-	1	-	-	-	-	-	-	-	35	3	-	102	94
4365	Victoria	266	12	2	-	2	-	1	-	-	-	2	25	4	1	113	106
4366	Victoria	176	7	1	-	1	-	1	-	-	-	1	18	3	1	70	68
4367	Balance of county	90	5	1	-	1	-	-	-	-	-	1	7	1	-	43	38
4368	Walker	185	5	1	-	-	-	-	-	-	-	2	21	2	2	89	86
4369	Waller	79	4	-	-	-	-	-	-	-	-	2	12	3	1	40	40
4370	Ward	90	2	-	-	1	-	-	-	-	-	-	14	4	-	23	23
4371	Washington	235	4	1	1	-	-	-	-	1	-	1	28	3	1	120	111
4372	Webb	533	42	5	-	17	2	3	-	-	8	4	48	9	-	144	136
4373	Laredo	508	40	5	-	17	2	3	-	-	8	4	47	9	-	136	128
4374	Balance of county	25	2	-	-	-	-	-	-	-	-	-	1	-	-	8	8
4375	Wharton	312	12	2	-	4	1	1	-	2	-	1	36	5	-	128	124
4376	Wheeler	73	2	-	-	-	-	-	-	-	-	1	7	1	1	34	33
4377	Wichita	606	12	4	-	-	-	-	-	3	2	-	78	13	-	269	263
4378	Wichita Falls	444	9	3	-	-	-	-	-	1	1	-	58	8	-	204	200
4379	Balance of county	162	3	1	-	-	-	-	-	2	1	-	20	7	-	65	63
4380	Wilbarger	118	1	1	-	-	1	-	-	-	-	-	22	2	-	49	47
4381	Willacy	212	14	2	-	23	2	-	-	-	-	2	7	1	-	38	34
4382	Williamson	385	15	1	-	5	-	-	1	1	1	4	49	8	-	166	151
4383	Wilson	126	11	1	-	1	-	-	-	3	1	1	14	-	1	38	33
4384	Winkler	55	1	-	-	-	-	-	-	-	1	-	7	1	1	13	12
4385	Wise	161	5	-	-	-	-	1	-	-	-	1	22	3	-	70	69
4386	Wood	181	5	1	-	-	-	-	-	-	1	-	28	1	1	92	88
4387	Yoakum	17	-	-	-	-	-	-	-	1	-	-	-	-	-	2	2
4388	Young	146	2	-	-	-	-	-	-	1	1	2	13	4	-	74	70
4389	Zapata	18	2	-	-	-	-	-	-	-	-	-	1	-	-	2	2
4390	Zavala	118	9	3	-	2	-	-	-	1	-	3	9	2	-	25	24
4391	UTAH	4,929	60	11	-	2	5	1	7	9	2	18	570	70	11	2,334	2,259
4392	Beaver	44	-	-	-	-	-	-	-	-	-	1	5	2	1	16	16
4393	Box Elder	155	-	-	-	-	-	-	-	1	-	1	16	1	-	79	78
4394	Cache	234	2	-	-	-	-	-	-	1	-	1	23	2	-	123	119
4395	Logan	107	1	-	-	-	-	-	-	1	-	-	8	-	-	54	51
4396	Balance of county	127	1	-	-	-	-	-	-	-	-	1	15	2	-	69	68
4397	Carbon	185	4	3	-	-	-	-	-	-	-	-	14	4	1	76	74
4398	Daggett	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
4399	Davis	159	-	-	-	-	-	-	-	1	-	-	17	1	-	77	75
4400	Duchesne	64	-	-	-	-	-	-	-	-	-	-	14	-	-	24	24
4401	Emery	46	1	-	-	-	-	-	-	-	-	-	5	1	-	22	21
4402	Garfield	37	-	-	-	-	-	-	-	-	-	-	3	1	-	17	16
4403	Grand	14	-	-	-	-	-	-	-	-	-	-	-	1	-	6	6
4404	Iron	73	-	-	-	-	-	-	-	-	-	1	5	-	1	32	30
4405	Juab	43	1	-	-	-	-	-	-	-	-	1	6	1	-	23	22
4406	Kane	16	1	-	-	-	-	-	-	-	-	-	1	-	-	3	3
4407	Millard	75	1	-	-	-	-	-	-	-	-	1	8	1	-	23	23
4408	Morgan	18	-	-	-	-	-	-	-	-	-	-	-	-	-	18	15
4409	Piute	14	-	-	-	-	-	-	-	-	-	-	1	1	-	7	6
4410	Rich	11	-	-	-	-	-	-	-	-	-	-	1	-	-	6	6
4411	Salt Lake	2,002	20	6	-	1	4	1	4	-	1	7	256	27	6	970	936
4412	Salt Lake City	1,542	15	3	-	1	1	-	2	-	1	6	205	18	5	790	768
4413	Balance of county	460	5	3	-	-	3	1	2	-	-	1	51	9	1	180	170
4414	San Juan	33	9	-	-	-	-	-	-	-	-	-	2	-	-	8	7
4415	Sanpete	127	-	-	-	-	-	-	-	-	1	-	19	1	-	59	57
4416	Sevier	90	-	-	-	1	-	-	1	-	-	-	6	1	-	46	46
4417	Summit	45	-	-	-	-	-	-	-	-	-	-	7	1	-	19	19
4418	Tooele	88	2	-	-	-	-	-	1	-	-	-	8	3	-	38	34
4419	Uintah	74	3	-	-	-	1	-	-	1	-	2	7	-	1	29	28
4420	Utah	516	3	1	-	-	-	-	1	4	-	1	56	8	1	239	230
4421	Provo	153	-	-	-	-	-	-	-	1	-	-	19	2	-	76	73
4422	Balance of county	365	3	1	-	-	-	-	1	3	-	1	37	6	1	163	157

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
4	-	10	2	-	-	-	-	-	-	1	-	-	2	-	-	2	-	1	4333
5	1	10	1	-	4	8	-	9	2	-	1	3	12	2	7	3	1	27	4334
5	-	37	1	-	3	2	-	1	-	-	-	3	2	4	9	1	2	13	4335
2	-	-	-	1	-	-	-	-	-	-	-	-	1	4	1	-	-	2	4336
1	-	9	-	-	-	1	-	-	-	-	-	-	2	2	1	-	-	2	4337
2	-	11	-	2	1	-	-	-	-	-	-	1	-	-	1	-	-	6	4338
5	-	17	3	-	3	-	1	-	-	-	-	1	-	1	8	1	-	10	4339
293	3	968	63	8	59	64	8	28	21	8	5	36	64	88	158	31	37	394	4340
247	3	798	51	7	48	53	7	21	19	7	4	31	44	62	121	28	36	326	4341
46	-	170	12	1	11	11	1	5	2	1	1	5	20	26	37	3	1	68	4342
42	-	138	9	3	4	19	-	5	4	1	-	9	17	16	20	8	4	73	4343
28	-	100	5	3	3	14	-	5	2	1	-	9	12	11	14	6	4	56	4344
14	-	38	4	-	1	5	-	-	2	-	-	-	5	5	6	2	-	17	4345
2	-	6	1	-	-	-	-	1	-	-	-	-	2	-	4	-	-	4	4346
5	-	23	1	-	-	3	-	3	1	-	-	1	2	5	8	1	1	12	4347
3	-	9	1	-	-	1	-	-	-	-	-	-	4	1	1	1	-	2	4348
5	-	54	4	-	1	10	1	-	1	-	1	4	6	2	9	1	1	20	4349
39	-	102	5	2	10	14	3	9	-	1	-	12	13	16	25	3	5	79	4350
35	-	84	4	1	8	11	3	8	-	1	-	12	10	14	24	3	4	71	4351
4	-	18	1	1	2	3	-	1	-	-	-	-	3	2	1	-	1	8	4352
125	1	312	31	6	24	35	2	34	7	4	2	19	39	21	41	12	11	202	4353
114	1	270	25	4	22	30	1	27	5	3	2	17	33	17	35	11	9	175	4354
11	-	42	6	2	2	5	1	7	2	1	-	2	6	4	6	1	2	27	4355
10	-	32	5	-	1	1	-	-	1	-	-	-	6	5	3	1	4	8	4356
8	-	21	2	-	1	4	3	-	-	-	-	-	8	1	3	-	3	9	4357
15	-	50	2	-	6	8	-	1	1	-	-	1	6	6	8	1	-	15	4358
1	1	6	-	-	-	-	-	1	-	-	-	1	2	1	2	-	-	4	4359
5	1	41	-	-	6	8	1	11	1	-	-	1	4	2	9	4	2	17	4360
15	-	36	3	2	-	8	2	4	-	-	-	1	7	2	7	3	-	33	4361
15	-	33	3	2	-	7	2	4	-	-	-	1	8	1	7	1	-	32	4362
-	-	3	-	-	-	1	-	-	-	-	-	-	1	1	-	2	-	1	4363
18	-	62	13	1	8	10	-	1	1	-	-	4	10	8	13	-	-	23	4364
31	-	68	4	3	7	5	2	7	2	-	-	5	14	14	8	2	3	39	4365
17	-	44	4	3	2	4	1	6	1	-	-	3	3	6	9	7	1	3	29	4366
14	-	24	-	-	5	1	1	1	1	-	-	-	2	8	5	1	1	-	10	4367
19	1	63	5	-	1	4	2	1	-	-	-	-	2	14	8	8	2	6	16	4368
12	-	23	5	-	-	-	-	2	-	-	-	-	-	1	1	2	1	2	8	4369
6	1	16	-	-	-	5	-	1	1	-	-	1	1	1	6	5	2	4	19	4370
25	-	80	4	2	9	10	3	2	1	-	-	1	1	10	5	5	2	1	34	4371
38	-	88	5	5	8	52	1	38	4	2	-	4	5	27	10	16	5	3	84	4372
34	-	84	5	5	8	51	1	37	3	2	-	4	5	25	10	11	3	3	82	4373
4	-	4	-	-	-	1	-	1	1	-	-	-	-	2	-	5	2	-	2	4374
36	2	79	7	-	4	17	1	3	3	-	-	1	4	10	11	15	-	1	54	4375
5	1	25	2	-	1	-	-	1	-	-	-	-	-	2	5	5	3	-	11	4376
56	1	197	8	1	6	21	2	2	6	5	-	4	8	8	21	45	4	9	90	4377
39	1	153	6	1	4	12	1	2	4	4	-	3	7	4	13	30	3	6	73	4378
17	-	44	2	-	2	9	1	-	2	1	-	1	1	4	8	15	1	5	17	4379
14	1	31	1	-	2	3	-	2	1	1	-	-	-	-	5	8	2	1	19	4380
7	-	25	2	-	4	17	-	18	1	-	-	2	2	20	7	13	3	1	39	4381
26	1	112	9	3	15	8	1	12	1	2	-	1	2	15	8	16	4	7	57	4382
11	-	21	1	-	5	11	-	1	-	-	-	3	1	-	4	11	2	-	22	4383
1	-	7	3	1	1	-	-	1	-	1	-	-	4	1	4	5	2	-	13	4384
17	-	49	3	1	1	10	-	-	-	-	-	-	6	7	5	10	1	2	18	4385
21	1	55	8	3	4	5	1	1	-	-	-	-	-	8	3	15	1	1	19	4386
-	-	2	-	-	-	-	-	1	-	-	-	-	-	-	4	1	1	1	6	4387
11	-	58	1	-	4	15	-	-	-	-	-	1	2	6	2	3	1	-	19	4388
-	-	2	-	-	-	3	-	1	1	-	-	-	-	3	1	2	-	-	2	4389
6	-	18	-	-	1	8	1	9	-	1	-	1	7	7	3	2	1	24	4390
414	25	1,679	112	29	75	112	47	15	36	16	5	118	187	178	302	58	15	740	4391
5	-	11	-	-	-	2	1	-	1	-	-	1	1	2	5	-	1	5	4392
19	-	54	4	1	1	2	1	-	-	1	-	7	8	9	11	1	-	17	4393
16	1	96	6	-	4	1	3	-	-	1	-	6	11	5	15	1	-	39	4394
8	-	40	3	-	3	-	3	-	-	1	-	3	7	2	7	1	-	19	4395
8	1	56	3	-	1	1	-	-	-	-	-	3	4	3	8	-	-	20	4396
7	2	60	4	1	2	5	-	4	1	-	1	3	-	2	24	7	2	32	4397
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4398
11	1	61	-	2	2	-	2	1	-	2	-	6	2	7	17	1	-	25	4399
5	-	19	-	-	-	1	-	-	-	-	1	1	1	2	6	-	-	14	4400
5	-	15	1	-	1	1	1	-	-	-	-	-	3	2	4	-	-	6	4401
3	1	10	2	-	1	2	-	-	-	-	-	1	3	2	4	-	-	4	4402
4	-	1	1	-	-	-	-	-	-	-	-	-	-	1	1	-	-	5	4403
7	-	23	-	-	2	2	-	2	-	-	-	4	1	6	5	1	-	13	4404
9	-	12	1	-	1	1	-	-	-	-	-	-	2	2	3	-	-	3	4405
1	-	2	-	-	-	3	1	-	-	-	-	-	1	-	2	-	-	4	4406
7	1	15	-	-	-	3	-	2	-	-	-	-	9	2	6	1	-	18	4407
2	-	13	-	-	1	-	-	-	-	-	-	1	-	1	-	-	-	-	4408
1	-	5	-	-	1	-	1	-	-	1	-	-	2	-	1	-	-	-	4409
1	1	4	-	-	-	-	-	-	-	-	-	-	1	-	1	-	-	2	4410
164	9	703	43	17	34	40	22	7	21	6	1	45	89	66	91	21	4	286	4411
129	7	581	36	15	24	28	16	5	20	4	1	28	55	52	56	14	3	213	4412
35	2	122	7	4	10	12	6	2	1	2	-	17	34	14	35	7	1	73	4413
5	-	2	-	-	1	1	2	-	-	-	-	1	3	2	2	-	-	3	4414
10	1	46	-	-	2	2	1	1	-	-	1	2	4	3	8	3	-	22	4415
6	-	36	2	2	-	3	1	-	-	1	-	1	1	4	3	1	1	19	4416
7	-	11	1	-	-	4	-	-	-	-	-	1	3	1	4	1	-	4	4417
9	-	24	-	1	4	2	1	-	1	-	-	5	1	4	8	2	-	12	4418
6	1	21	-	-	1	3	1	-	-	-	-	1	6	5	6	-	-	7	4419
41	3	168	14	4	9	18	4	-	5	2	-	10	15	23	30	8	2	85	4420
15	-	55	2	1	3	4	2	-	4	-	-	3	4	4	6	5	-	23	4421
28	3	113	12	3	6	14	2	-	1	2	-	7	11	19	24	3	2	62	4422

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	UTAH—Continued																
4423	Wasatch	46	1	-	-	-	-	-	-	-	-	-	3	-	-	27	26
4424	Washington	87	1	-	-	-	-	-	-	-	-	-	8	2	-	42	41
4425	Wayne	22	-	-	-	-	-	-	-	-	-	-	3	1	-	9	8
4426	Weber	513	11	1	-	-	-	-	-	1	-	2	76	10	-	298	295
4427	Ogden	484	6	1	-	-	-	-	-	1	-	1	61	7	-	243	239
4428	Balance of county	129	5	-	-	-	-	-	-	-	-	1	15	3	-	55	54
4429	VERMONT	4,162	98	14	-	1	-	-	1	5	6	6	620	82	9	2,302	2,241
4430	Addison	169	3	-	-	-	-	-	-	-	-	1	24	2	-	98	94
4431	Bennington	288	8	1	-	-	-	-	-	1	-	-	38	7	1	170	165
4432	Caledonia	292	7	1	-	-	-	-	-	-	-	-	35	9	1	172	168
4433	Chittenden	602	8	-	-	-	-	-	-	-	-	-	81	19	1	341	335
4434	Burlington	328	4	-	-	-	-	-	-	-	-	-	46	12	1	185	183
4435	Balance of county	274	4	-	-	-	-	-	-	-	-	-	35	7	-	156	152
4436	Essex	82	1	-	-	-	-	-	-	-	-	-	15	3	-	41	41
4437	Franklin	330	2	1	-	-	-	-	-	-	1	-	49	3	4	174	169
4438	Grand Isle	58	2	1	-	-	-	-	-	-	-	-	8	2	-	30	30
4439	Lamoille	108	1	-	-	-	-	-	-	-	-	-	17	2	-	61	61
4440	Orange	206	6	-	-	-	-	-	-	-	-	1	34	3	-	117	116
4441	Orleans	219	5	1	-	-	-	-	-	-	1	-	37	5	-	99	95
4442	Rutland	564	9	3	-	-	-	-	1	1	3	2	108	10	1	310	304
4443	Rutland	232	2	-	-	-	-	-	1	-	-	1	57	3	1	127	124
4444	Balance of county	332	7	3	-	-	-	-	-	1	3	1	51	7	-	183	180
4445	Washington	448	36	4	-	-	-	-	-	-	1	2	62	8	1	224	213
4446	Barre	132	16	-	-	-	-	-	-	-	-	-	17	1	-	70	69
4447	Balance of county	316	20	4	-	-	-	-	-	-	1	2	45	7	1	154	144
4448	Windham	350	7	-	-	1	-	-	-	1	-	-	47	3	-	210	206
4449	Windsor	446	3	2	-	-	-	-	-	2	-	-	65	6	-	255	244
4450	VIRGINIA[8]	29,345	975	231	8	47	12	34	41	17	42	111	3,328	388	52	14,818	14,135
4451	Accomack	418	10	4	-	2	-	-	-	-	1	2	39	9	-	200	182
4452	Albemarle	236	5	2	-	-	-	-	-	-	-	-	24	-	-	122	117
4453	Alleghany	189	5	1	-	-	1	-	2	-	-	1	22	5	-	87	87
4454	Amelia	94	3	3	-	-	-	-	-	-	-	1	5	3	-	48	46
4455	Amherst	174	3	2	-	-	-	-	-	-	-	1	23	4	-	93	91
4456	Appomattox	96	3	-	-	1	-	-	1	-	1	-	7	2	-	51	47
4457	Arlington[9]	624	14	5	-	-	-	-	-	-	-	6	119	7	2	289	283
4458	Augusta	426	11	1	-	-	1	-	1	-	-	-	60	8	1	217	204
4459	Bath	60	3	-	-	-	-	-	-	-	-	-	10	-	-	29	26
4460	Bedford	309	5	1	-	-	-	-	-	-	-	1	23	6	-	192	181
4461	Bland	39	1	-	-	-	-	-	-	-	-	-	3	1	-	22	20
4462	Botetourt	165	4	2	-	-	-	-	-	-	-	-	15	4	1	89	86
4463	Brunswick	197	3	1	-	-	1	-	-	-	1	1	19	2	-	91	83
4464	Buchanan	254	10	-	-	1	1	1	3	-	3	2	14	1	2	64	61
4465	Buckingham	155	1	1	-	-	-	-	-	-	-	-	10	2	1	85	83
4466	Campbell	248	6	4	-	2	-	1	-	-	-	1	31	2	-	128	124
4467	Caroline	133	1	-	-	-	-	-	-	-	-	-	8	1	1	79	74
4468	Carroll	170	5	-	-	-	-	-	-	-	-	-	16	2	-	79	76
4469	Charles City	72	5	-	-	1	-	-	-	-	-	1	3	-	-	35	30
4470	Charlotte	136	9	2	-	-	-	1	-	1	1	-	11	-	1	70	64
4471	Chesterfield	320	14	2	-	-	-	-	1	-	-	1	38	5	-	171	163
4472	Clarke	76	3	1	-	-	-	-	-	-	-	-	13	1	1	33	31
4473	Craig	42	2	1	-	-	-	-	-	-	-	-	5	-	-	27	25
4474	Culpeper	144	5	-	-	-	-	-	-	-	-	1	16	1	-	79	79
4475	Cumberland	87	5	-	-	-	-	1	-	-	-	-	10	2	-	44	41
4476	Dickenson	154	7	-	-	6	1	1	2	-	-	3	11	4	-	50	47
4477	Dinwiddie	160	8	1	-	-	-	-	-	-	-	-	10	1	-	96	91
4478	Elizabeth City	302	12	2	-	-	-	-	-	-	1	2	42	4	-	131	123
4479	Essex	80	1	1	-	-	-	-	-	-	-	-	11	1	-	41	39
4480	Fairfax	449	3	4	-	-	-	-	1	1	-	3	65	9	1	229	220
4481	Fauquier	234	10	3	1	-	-	-	-	1	-	1	25	-	-	112	111
4482	Floyd	119	1	-	-	-	-	-	-	-	-	-	17	2	-	65	63
4483	Fluvanna	83	2	1	-	-	-	-	-	-	-	-	12	1	1	48	46
4484	Franklin	203	5	-	-	-	-	-	1	-	-	-	12	3	-	106	103
4485	Frederick	124	1	2	-	-	-	-	-	-	-	-	11	2	-	76	68
4486	Giles	165	3	1	-	-	-	-	-	-	1	-	21	2	-	74	70
4487	Gloucester	116	2	1	-	-	-	-	-	-	-	1	12	1	-	66	64
4488	Goochland	79	6	-	-	-	-	-	-	1	-	-	7	1	-	40	38
4489	Grayson	169	3	-	-	-	1	-	2	-	-	-	28	-	1	76	73
4490	Greene	57	1	-	-	-	-	-	-	-	1	-	12	1	-	28	27
4491	Greensville	172	6	1	-	1	-	-	-	-	-	2	12	1	1	89	87
4492	Halifax	367	8	-	-	-	-	-	-	-	1	-	27	5	2	199	191
4493	Hanover	203	8	1	-	-	-	-	-	-	-	2	14	3	-	113	110
4494	Henrico	332	11	3	-	-	-	-	-	-	-	1	42	7	-	173	167
4495	Henry	231	10	2	-	-	-	-	-	-	-	-	21	3	1	91	87
4496	Highland	37	1	-	-	-	-	-	-	-	-	1	2	1	-	19	19
4497	Isle of Wight	169	8	2	-	-	-	-	-	-	-	3	14	1	-	81	80
4498	James City	53	1	-	-	-	-	-	-	-	1	-	5	1	1	27	27
4499	King and Queen	78	2	-	-	-	-	-	-	-	-	-	10	1	-	40	38
4500	King George	52	2	-	-	-	-	-	-	-	-	-	3	-	-	35	35
4501	King William	98	3	1	-	-	-	-	-	-	-	-	16	1	1	45	40
4502	Lancaster	114	8	-	-	-	-	-	-	-	-	1	17	2	-	61	59
4503	Lee	313	13	1	-	-	-	1	1	-	-	1	32	2	-	116	113
4504	Loudoun	252	3	1	-	-	-	-	-	-	1	1	28	3	-	135	134
4505	Louisa	140	1	1	-	-	-	-	-	-	-	1	16	3	-	76	73
4506	Lunenburg	146	4	-	-	-	1	-	-	-	-	-	9	2	-	85	80
4507	Madison	92	1	-	-	1	-	-	-	1	-	-	13	1	-	56	56
4508	Mathews	103	2	-	-	-	-	-	-	-	-	1	18	1	1	66	64
4509	Mecklenburg	331	12	3	-	3	-	8	1	-	2	1	41	-	1	156	144
4510	Middlesex	97	2	-	-	-	-	-	-	-	-	-	10	-	-	62	51

[8] Cities of Virginia are independent, each having the same status as a county. See list of independent cities following counties of this State.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E835	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
5	1	18	1	1	1	1	1	-	-	-	-	1	-	3	3	-	-	6	4425
3	-	37	1	-	1	-	-	-	1	-	1	3	6	5	5	-	-	13	4424
2	-	5	1	-	1	-	-	-	-	-	-	-	-	1	2	-	-	6	4425
53	3	207	30	-	5	15	4	-	4	1	-	16	14	18	35	10	5	90	4426
42	2	167	28	-	4	10	2	-	3	1	-	11	11	13	28	8	5	74	4427
11	1	40	2	-	1	5	2	-	1	-	-	7	3	5	9	2	-	16	4428
473	3	1,542	199	24	61	121	32	16	29	6	6	47	36	63	152	41	2	467	4429
21	-	69	4	-	4	8	-	1	3	-	-	2	2	3	4	1	-	17	4430
29	1	113	19	3	5	7	5	-	2	-	-	1	-	3	9	3	-	32	4431
30	1	115	21	1	4	9	-	3	-	-	-	7	-	3	7	2	-	36	4432
56	-	245	27	7	6	14	5	1	5	1	-	5	4	9	30	7	-	71	4433
31	-	140	10	2	2	7	1	1	4	-	-	2	1	5	19	5	-	35	4434
25	-	105	17	5	4	7	4	-	1	1	-	3	3	4	11	2	-	36	4435
10	-	27	4	-	-	1	2	-	2	-	1	-	-	-	4	2	-	10	4436
43	-	112	11	3	5	18	6	-	-	-	1	3	6	4	12	3	-	43	4437
5	-	24	1	-	-	-	1	-	-	-	-	1	1	1	3	-	-	8	4438
18	-	34	8	1	-	4	-	1	-	-	-	2	-	-	6	1	-	13	4439
37	-	64	13	2	1	6	2	-	1	-	-	-	2	8	7	3	-	16	4440
19	-	66	10	-	4	10	2	3	2	1	1	6	-	5	9	5	-	29	4441
70	1	215	18	-	6	8	5	2	5	-	-	8	4	8	16	6	-	54	4442
29	-	87	8	-	3	1	3	1	1	-	-	4	1	5	3	3	-	18	4443
41	1	128	10	-	3	7	2	1	4	-	-	4	3	3	13	3	-	36	4444
55	-	136	19	3	11	11	2	-	3	-	2	3	9	13	17	3	-	47	4445
16	-	49	4	-	1	2	-	-	1	-	1	2	2	5	6	2	-	7	4446
39	-	87	15	3	10	9	2	-	2	-	1	1	7	8	11	1	-	40	4447
40	-	148	17	1	4	16	2	3	2	1	1	1	4	3	11	3	-	34	4448
40	-	174	27	3	11	9	-	2	4	3	-	8	4	5	17	2	2	57	4449
3,396	64	9,674	843	158	683	1,093	134	269	169	86	85	411	436	714	1,266	373	302	3,902	4450
50	-	126	5	1	18	15	2	7	-	-	1	2	8	18	28	5	9	56	4451
29	1	71	16	-	5	7	3	1	2	-	-	6	5	4	17	5	2	31	4452
17	-	65	4	1	-	5	-	2	1	1	1	4	-	9	10	3	1	28	4453
10	-	32	4	-	2	5	-	1	-	1	-	-	-	1	2	-	1	14	4454
25	-	56	10	-	2	6	-	1	-	2	1	3	3	2	8	-	2	20	4455
5	-	41	-	1	4	3	-	1	-	-	-	1	1	6	3	-	1	14	4456
58	-	209	12	4	6	15	2	3	5	2	1	14	2	11	25	9	4	89	4457
58	1	132	11	2	13	25	1	5	1	2	1	9	4	7	11	3	1	57	4458
5	-	20	1	-	3	-	-	1	1	1	1	3	-	2	4	-	-	5	4459
56	-	117	5	3	11	15	-	1	-	-	2	4	4	6	14	2	3	30	4460
8	-	12	-	-	2	1	-	-	-	-	-	1	2	-	1	-	2	5	4461
11	1	70	2	2	3	9	1	1	-	-	3	4	2	3	3	5	2	17	4462
22	1	54	6	-	8	4	-	1	-	1	-	1	3	9	15	3	3	40	4463
13	-	45	2	1	3	18	2	9	-	1	1	7	17	8	18	5	4	62	4464
24	-	56	3	-	2	2	-	1	-	-	-	5	3	3	6	1	-	14	4465
37	1	75	10	1	4	5	2	2	-	-	-	2	7	8	15	1	2	29	4466
30	1	40	2	1	5	6	2	-	1	2	1	2	3	4	5	-	-	17	4467
19	-	48	7	2	3	12	3	-	1	1	1	2	7	-	6	6	3	26	4468
13	-	16	-	1	5	3	-	1	-	-	-	1	2	5	4	-	2	8	4469
19	1	39	5	-	6	6	2	-	-	-	-	3	4	3	5	2	2	13	4470
30	-	121	10	2	8	9	1	2	1	1	-	3	4	4	13	5	4	41	4471
11	-	17	1	2	2	4	-	-	1	-	-	2	2	1	2	1	1	10	4472
9	-	14	2	-	2	-	-	-	-	-	-	1	-	1	-	-	-	5	4473
14	-	57	5	3	-	10	-	-	-	-	-	1	3	4	6	3	4	11	4474
8	1	29	3	-	3	3	1	-	-	-	-	-	3	2	5	-	2	9	4475
15	-	27	3	2	3	9	-	8	-	-	1	5	4	2	10	3	1	25	4476
30	-	55	5	1	5	6	-	2	-	-	-	1	3	2	2	3	2	23	4477
23	-	87	10	3	8	6	1	1	4	3	1	3	1	8	14	7	2	65	4478
8	-	30	1	-	2	5	-	-	-	-	-	-	1	2	1	1	2	13	4479
44	1	160	11	4	9	10	1	-	2	-	2	8	1	15	26	8	1	59	4480
31	-	70	10	-	1	13	1	-	1	-	-	5	8	8	6	3	-	36	4481
15	-	44	4	-	2	2	-	2	-	-	-	2	2	4	7	1	1	13	4482
20	-	25	1	-	2	2	-	-	1	-	1	1	1	-	4	-	1	7	4483
31	-	62	9	1	3	9	1	-	1	-	1	5	8	5	15	3	-	30	4484
26	-	33	8	1	8	5	1	1	1	-	-	3	4	1	3	1	-	12	4485
18	-	51	1	-	4	10	-	3	-	1	-	2	9	2	9	3	2	22	4486
14	-	46	4	-	2	5	-	2	1	3	1	1	2	2	4	1	-	12	4487
11	-	25	1	1	2	4	-	-	1	-	1	-	2	1	3	1	1	11	4488
16	-	52	4	1	3	11	-	2	-	-	-	4	7	2	5	2	1	24	4489
9	-	17	1	-	1	-	1	-	-	-	-	1	-	1	2	-	1	8	4490
23	1	42	1	-	2	13	-	3	-	-	2	3	8	6	7	2	4	35	4491
55	-	121	12	3	8	15	2	4	2	1	2	2	12	6	10	6	5	58	4492
32	-	70	7	1	3	7	2	2	-	1	-	2	1	7	10	6	-	26	4493
37	1	109	18	2	6	7	2	1	2	-	1	5	1	11	11	3	3	48	4494
23	-	61	3	-	4	9	1	-	2	1	1	9	5	14	12	2	1	46	4495
4	-	14	1	-	-	1	1	1	-	-	-	1	-	1	1	3	-	4	4496
24	1	55	2	-	1	7	1	1	1	-	-	3	2	1	8	1	1	34	4497
7	-	19	-	1	-	5	-	1	-	-	-	-	1	4	1	-	-	5	4498
7	-	28	3	-	2	2	2	1	-	-	-	2	-	3	6	-	-	9	4499
5	-	22	8	-	-	1	-	-	-	-	-	2	-	1	2	-	-	6	4500
10	-	27	2	1	5	6	-	-	1	-	-	-	4	3	4	-	2	11	4501
14	-	43	2	-	2	4	-	-	-	-	-	-	3	1	5	-	2	12	4502
24	1	61	4	3	3	18	1	11	2	2	1	2	12	9	16	4	6	62	4503
32	-	88	12	2	1	15	1	2	2	1	-	3	7	4	11	6	1	31	4504
23	2	39	9	-	3	3	-	2	1	-	1	2	3	8	4	1	3	14	4505
23	1	50	4	2	5	6	-	1	-	-	-	1	2	5	9	4	2	15	4506
17	1	37	1	-	-	2	-	2	-	-	-	1	-	1	3	-	3	6	4507
17	-	41	6	-	2	3	-	-	-	-	-	-	2	-	4	-	1	6	4508
43	1	91	8	1	12	10	1	1	-	2	2	2	3	12	10	6	10	44	4509
12	-	35	4	-	11	3	-	-	-	-	-	3	2	-	2	2	2	9	4510

[a] Classified as urban under a special rule in the 1940 census.

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 048-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	VIRGINIA[9]—Continued																
4511	Montgomery	234	8	1	-	-	-	-	-	-	-	1	28	4	-	127	117
4512	Nansemond	263	12	2	-	1	-	1	1	-	-	2	17	6	2	137	131
4513	Nelson	148	3	2	-	1	-	-	-	-	2	-	14	2	-	79	76
4514	New Kent	51	1	-	-	-	-	-	-	-	-	-	8	-	-	29	25
4515	Norfolk	353	12	4	-	1	-	1	2	2	-	2	65	4	-	251	234
4516	Northampton	224	8	-	-	1	-	-	2	-	1	3	17	4	1	121	109
4517	Northumberland	113	4	1	-	-	-	1	-	-	-	-	8	-	-	70	70
4518	Nottoway	194	6	1	-	-	-	-	-	-	-	1	26	4	-	98	94
4519	Orange	156	7	2	-	1	-	-	-	-	-	-	14	4	-	80	77
4520	Page	181	7	1	-	-	-	1	-	2	1	-	27	1	-	94	87
4521	Patrick	131	4	-	-	-	-	-	-	-	-	-	14	2	1	57	56
4522	Pittsylvania	554	16	4	-	1	-	-	-	-	1	4	44	7	2	277	261
4523	Powhatan	75	3	-	-	-	-	-	-	1	-	3	9	-	-	40	37
4524	Prince Edward	184	4	-	-	-	1	-	-	-	-	-	9	1	1	101	87
4525	Prince George	95	6	1	-	-	-	1	-	-	1	-	9	2	1	39	33
4526	Prince William	160	3	1	-	-	-	-	-	-	-	-	18	1	-	76	73
4527	Princess Anne	284	8	3	-	-	-	1	2	-	1	-	32	1	1	127	123
4528	Pulaski	217	9	1	-	-	-	-	-	1	-	-	25	2	-	113	107
4529	Rappahannock	63	1	1	-	-	-	-	-	-	-	-	11	1	-	27	26
4530	Richmond	73	3	-	-	-	-	-	-	-	-	-	9	-	-	46	45
4531	Roanoke	338	12	3	1	1	-	-	1	-	-	-	36	5	-	182	177
4532	Rockbridge	280	12	1	-	-	-	1	-	1	1	3	25	2	-	134	128
4533	Rockingham	298	15	-	-	-	-	1	-	-	-	-	32	3	1	158	147
4534	Russell	219	9	3	-	-	-	-	-	-	1	-	21	4	-	94	88
4535	Scott	219	4	2	-	1	-	1	1	-	3	1	27	2	-	87	86
4536	Shenandoah	233	5	2	1	1	-	-	-	-	-	2	25	3	-	140	128
4537	Smyth	235	7	2	-	2	-	1	1	1	1	-	35	-	-	97	93
4538	Southampton	257	18	-	-	2	1	1	1	-	1	2	22	-	-	116	107
4539	Spotsylvania	118	5	-	-	-	-	-	1	-	-	-	20	1	-	61	59
4540	Stafford	86	4	-	-	-	-	-	-	-	-	-	10	2	1	46	45
4541	Surry	75	1	1	-	-	-	-	-	-	-	-	9	1	-	44	42
4542	Sussex	116	10	2	-	-	-	-	-	-	-	1	12	-	-	59	59
4543	Tazewell	400	13	1	-	-	1	2	4	-	3	5	35	3	1	180	151
4544	Warren	130	8	1	-	-	-	-	-	-	-	1	17	-	-	78	78
4545	Warwick	171	4	-	-	-	-	-	-	-	-	-	22	2	-	68	67
4546	Washington	332	8	2	-	1	-	-	1	-	-	2	47	3	-	159	154
4547	Westmoreland	111	4	1	1	-	-	-	-	-	-	-	12	-	2	63	59
4548	Wise	445	10	5	-	3	-	1	1	-	-	2	49	5	1	170	166
4549	Wythe	198	7	2	-	-	-	-	-	-	-	1	25	2	1	103	93
4550	York	79	4	-	-	-	-	-	-	-	1	-	13	-	-	32	29
	Independent Cities[10]																
4551	Alexandria	465	24	5	-	-	-	-	-	-	-	1	52	10	1	233	228
4552	Bristol[11]	131	3	-	-	-	-	-	-	-	-	2	13	2	-	61	60
4553	Buena Vista	42	1	-	-	-	-	1	-	-	-	-	6	1	-	19	18
4554	Charlottesville	242	10	2	-	-	-	-	-	-	1	2	33	1	1	134	133
4555	Clifton Forge	67	1	1	-	-	-	-	-	-	-	1	5	1	-	43	42
4556	Danville	335	9	3	-	-	-	-	-	-	1	-	34	6	-	173	164
4557	Fredericksburg	98	2	-	-	-	-	-	1	-	-	-	10	1	-	52	52
4558	Hampton	107	1	-	-	-	-	-	-	-	-	-	17	3	-	55	50
4559	Harrisonburg	118	4	3	-	-	-	-	-	1	-	-	14	5	-	64	60
4560	Hopewell	69	3	1	-	-	-	-	-	-	-	-	7	1	-	33	25
4561	Lynchburg	469	12	1	-	-	-	-	-	-	1	3	74	6	-	260	248
4562	Martinsville	101	1	-	-	-	-	-	-	1	-	-	11	4	1	51	49
4563	Newport News	529	20	5	-	-	-	1	1	-	-	2	55	6	2	262	250
4564	Norfolk	2,018	90	28	-	5	1	2	2	-	2	7	212	30	2	1,034	1,004
4565	Petersburg	478	26	3	-	1	-	-	-	-	1	1	53	9	1	241	234
4566	Portsmouth	754	23	6	-	4	-	1	-	-	-	3	80	7	1	396	374
4567	Radford	74	1	1	-	-	-	-	-	-	-	-	6	2	-	47	45
4568	Richmond	2,791	106	38	-	2	1	1	2	1	1	7	386	43	4	1,470	1,419
4569	Roanoke	843	14	10	1	-	-	-	1	-	1	-	110	12	2	454	432
4570	South Norfolk	97	3	1	1	-	-	-	-	-	-	-	6	2	-	58	56
4571	Staunton	199	12	1	-	-	-	-	-	1	-	-	18	4	-	94	93
4572	Suffolk	171	15	1	1	-	-	-	-	-	-	2	22	7	-	79	74
4573	Williamsburg	32	-	1	-	-	-	-	-	-	-	-	5	-	-	15	15
4574	Winchester	146	1	2	-	-	-	-	-	-	-	-	15	3	-	83	68
4575	WASHINGTON	22,491	437	130	-	7	2	4	17	35	10	57	3,266	339	30	11,740	11,454
4576	Adams	65	1	1	-	-	-	-	-	-	-	-	4	1	-	33	32
4577	Asotin	130	1	-	-	-	-	-	-	-	1	-	24	3	-	65	65
4578	Benton	265	3	-	-	-	-	-	-	2	-	1	26	4	-	123	120
4579	Chelan	345	4	2	-	-	1	1	1	-	1	1	48	4	-	170	165
4580	Wenatchee	134	2	1	-	-	-	-	-	-	-	-	23	1	-	65	62
4581	Balance of county	211	2	1	-	-	1	1	1	-	1	1	25	3	-	107	103
4582	Clallam	214	5	-	-	-	-	-	1	1	-	-	33	5	-	98	89
4583	Clark	674	11	2	-	-	-	-	-	-	-	1	123	14	-	328	322
4584	Vancouver	323	9	2	-	-	-	-	-	-	-	1	65	8	-	146	142
4585	Balance of county	351	2	-	-	-	-	-	-	-	-	-	58	8	-	182	180
4586	Columbia	52	-	-	-	-	-	-	-	-	-	1	6	-	-	32	31
4587	Cowlitz	424	7	2	-	-	-	-	-	-	-	1	57	5	1	193	188
4588	Longview	153	2	-	-	-	-	-	-	-	-	-	22	1	-	62	61
4589	Balance of county	271	5	2	-	-	-	-	-	-	-	1	35	4	1	131	127
4590	Douglas	65	1	-	-	-	-	-	-	-	-	-	10	1	-	32	31
4591	Ferry	46	2	-	-	-	-	-	-	-	-	-	8	-	-	18	16
4592	Franklin	91	-	-	-	-	-	-	-	-	-	2	11	1	-	40	38
4593	Garfield	37	-	-	-	-	-	-	-	-	-	-	4	-	-	22	22
4594	Grant	127	2	-	-	-	-	-	-	-	1	-	18	3	-	57	56
4595	Grays Harbor	659	21	10	-	-	-	-	-	2	1	-	89	9	-	292	286
4596	Aberdeen	258	10	4	-	-	-	-	-	-	1	-	34	3	-	116	112
4597	Hoquiam	140	4	1	-	-	-	-	-	-	-	-	22	2	-	70	70
4598	Balance of county	241	7	5	-	-	-	-	-	2	-	-	33	4	-	106	104

[9] See footnote on p. 624.

[10] Those having populations of 10,000 or more include: Alexandria, Charlottesville, Danville, Fredericksburg, Lynchburg, Martinsville,

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E986	All other causes Residual	
28	-	81	3	5	10	8	1	2	-	1	-	2	2	8	8	3	3	27	4511
45	1	77	6	2	6	15	1	2	-	1	-	2	3	1	3	20	-	4	30	4512
28	-	43	5	-	3	7	1	4	-	-	-	-	1	-	5	7	1	1	18	4513
8	-	12	3	-	6	3	2	-	-	-	-	-	-	1	1	-	1	-	5	4514
43	2	176	10	3	17	22	5	5	2	3	-	4	10	1	18	44	6	6	83	4515
26	1	73	7	2	12	8	-	1	2	3	-	1	-	6	6	6	1	2	30	4516
15	1	46	8	-	-	-	1	-	-	-	-	-	2	3	4	5	1	-	13	4517
28	1	59	8	-	4	16	1	3	1	-	-	-	1	3	3	6	1	1	22	4518
17	1	50	9	-	3	6	-	1	-	-	-	-	4	5	3	12	2	1	15	4519
16	1	63	5	2	7	3	1	2	1	1	-	-	3	2	6	4	3	1	20	4520
9	-	45	2	-	1	9	-	-	1	1	-	-	3	2	2	5	4	3	26	4521
72	-	168	18	3	16	35	3	12	3	5	-	3	8	13	18	25	5	4	64	4522
10	-	23	4	-	3	5	1	-	1	-	-	-	-	1	1	1	-	1	8	4523
32	1	47	6	1	14	6	1	1	-	-	-	1	4	10	4	8	3	-	29	4524
7	1	25	2	-	6	3	-	-	-	-	-	2	-	1	3	4	2	2	18	4525
15	1	39	17	1	3	3	1	2	3	-	-	1	3	4	10	7	4	1	22	4526
35	-	78	10	-	4	8	-	2	2	1	-	4	3	1	6	13	5	5	36	4527
7	-	96	3	1	6	9	-	3	2	-	-	-	5	1	4	14	1	2	27	4528
9	-	16	1	-	1	4	-	2	2	-	-	-	1	-	5	1	2	-	6	4529
11	-	24	9	1	1	2	-	1	-	-	-	-	1	-	-	2	-	1	6	4530
49	1	112	13	2	5	15	-	4	2	1	-	-	6	5	3	15	6	-	40	4531
24	2	92	8	-	8	7	1	2	2	1	-	-	3	7	8	13	4	1	31	4532
31	-	103	12	1	11	11	-	1	1	1	-	1	5	3	8	12	6	-	40	4533
21	-	58	8	1	6	4	1	8	2	-	-	-	3	12	5	14	4	4	29	4534
12	-	70	3	1	1	13	-	2	-	1	-	2	6	8	11	13	2	-	35	4535
31	-	85	11	1	12	7	-	2	2	-	-	-	2	3	7	4	4	-	22	4536
22	1	61	8	1	4	21	3	1	-	-	-	-	4	2	5	9	2	1	40	4537
30	1	72	4	-	9	15	-	2	-	-	-	2	6	2	4	21	-	6	35	4538
14	-	40	3	2	2	3	-	-	-	-	-	-	-	2	4	3	6	2	14	4539
5	-	36	3	1	1	3	1	-	1	-	-	-	1	-	1	4	4	-	9	4540
12	1	25	6	-	2	-	-	-	-	-	-	-	-	1	1	3	-	-	10	4541
11	2	42	4	-	-	4	-	2	-	-	-	-	1	2	3	5	4	-	10	4542
31	1	102	13	4	9	22	1	3	1	-	-	2	3	7	8	25	8	7	74	4543
16	-	51	8	1	2	2	1	-	-	-	-	-	4	-	6	4	1	-	7	4544
19	-	46	2	-	1	6	-	1	2	1	-	1	6	1	10	9	1	2	35	4545
25	2	116	9	2	5	18	2	3	3	1	-	2	8	7	2	1	3	6	43	4546
10	2	42	5	-	4	7	-	1	1	-	-	1	-	2	1	3	4	-	8	4547
33	2	124	6	1	4	25	3	19	8	2	-	5	12	6	14	19	5	5	77	4548
24	2	87	1	1	8	8	3	1	2	-	-	-	4	3	3	4	4	-	25	4549
4	-	24	1	-	3	5	-	2	-	-	-	-	1	-	3	7	1	2	8	4550
45	1	168	11	3	5	5	5	1	3	3	-	-	9	1	20	21	4	9	58	4551
11	-	44	3	2	1	4	2	1	-	-	-	-	3	2	5	7	1	2	23	4552
2	-	11	4	1	1	2	-	-	-	-	-	-	1	-	1	1	1	-	8	4553
31	2	93	7	-	1	7	-	1	-	-	-	-	1	-	1	7	3	-	26	4554
8	-	31	2	1	1	1	-	-	3	1	-	1	1	2	1	3	1	-	5	4555
44	-	113	4	3	9	18	1	-	1	1	-	1	3	4	2	8	5	5	56	4556
15	-	37	-	-	-	2	1	4	-	-	-	-	3	1	5	5	1	2	12	4557
7	-	37	4	2	5	4	-	-	-	-	-	-	4	2	1	2	1	1	16	4558
10	-	45	3	2	4	5	-	-	-	-	-	-	2	-	1	4	1	-	14	4559
6	-	19	-	-	8	2	-	-	1	-	-	-	-	-	-	6	1	1	11	4560
51	1	183	13	-	12	15	1	2	3	-	-	2	4	6	20	4	5	5	50	4561
11	1	57	-	-	2	3	-	2	1	-	-	2	1	1	5	-	2	2	13	4562
57	1	171	16	5	12	17	2	3	6	2	-	1	4	8	15	25	7	4	81	4563
255	3	690	47	9	30	74	11	17	14	7	-	8	17	14	39	89	25	33	253	4564
51	1	186	14	2	7	11	2	7	4	2	-	3	6	6	10	20	4	5	62	4565
103	1	249	19	2	22	32	8	5	5	1	-	1	12	3	12	34	12	5	103	4566
5	-	39	1	-	2	1	-	-	-	-	-	-	1	-	2	4	2	1	6	4567
296	2	1,012	90	19	51	61	16	12	30	9	-	2	34	29	36	107	28	35	330	4568
118	3	285	19	7	22	25	9	10	8	3	-	-	6	12	20	22	13	6	104	4569
15	-	37	3	1	2	1	-	1	-	-	-	-	-	2	2	3	2	1	14	4570
20	1	64	6	2	1	5	-	3	2	1	-	1	3	5	4	11	4	-	30	4571
12	1	57	4	-	5	6	1	-	-	-	-	-	2	-	5	2	1	1	28	4572
3	-	12	-	-	-	-	-	-	-	1	-	-	-	-	3	1	-	-	5	4573
13	-	52	3	-	15	5	-	1	1	1	-	-	1	-	8	5	2	-	18	4574
2,481	27	8,153	662	131	286	716	156	70	191	41	31	289	334	481	1,211	357	77	2,483	4575
5	-	26	1	-	1	3	-	-	-	-	-	3	1	5	5	-	-	8	4576
8	-	53	3	1	-	4	1	-	-	-	-	3	4	1	6	3	1	11	4577
23	2	93	1	1	3	3	1	1	1	1	-	3	9	3	10	19	2	2	53	4578
35	-	118	10	2	5	12	4	-	3	-	-	-	1	6	15	20	3	1	47	4579
17	-	42	2	1	1	5	2	-	2	-	-	-	-	2	6	3	2	-	22	4580
18	-	76	8	1	4	7	2	-	1	-	-	-	1	4	9	17	1	1	25	4581
16	1	68	4	-	9	8	-	-	1	-	-	-	1	3	6	26	4	1	22	4582
60	1	224	32	5	6	10	4	2	8	3	1	4	29	17	33	11	2	1	71	4583
24	-	101	14	3	4	3	2	-	8	2	1	3	10	9	10	3	1	-	40	4584
36	1	123	18	2	2	7	2	2	-	1	-	1	19	8	23	8	1	1	31	4585
8	-	22	1	-	1	-	-	-	1	-	-	-	-	1	3	-	-	-	9	4586
46	1	134	6	1	5	12	3	-	1	-	-	12	6	9	45	8	-	6	64	4587
18	1	42	2	-	1	4	2	-	1	-	-	6	2	5	15	-	-	-	31	4588
30	-	92	4	1	4	8	1	-	-	-	-	6	4	4	30	6	-	3	33	4589
5	-	25	-	1	1	3	-	-	-	1	-	-	-	1	6	1	-	-	9	4590
4	-	12	-	-	2	1	-	-	-	-	-	1	1	2	9	1	-	-	2	4591
8	-	28	1	1	2	3	-	-	1	-	-	1	2	4	9	2	2	1	14	4592
4	-	15	1	2	-	1	-	-	-	-	-	2	-	1	4	-	-	-	3	4593
7	1	45	3	-	1	4	-	-	-	-	-	-	-	14	10	2	-	-	15	4594
83	1	186	16	-	6	20	4	3	7	1	-	1	5	22	13	49	12	1	78	4595
29	1	76	6	-	4	7	1	2	4	-	-	-	3	7	4	25	6	1	30	4596
24	-	41	5	-	-	5	2	1	2	1	-	-	-	4	-	7	2	-	17	4597
30	-	69	5	-	2	8	1	1	1	-	-	2	11	9	17	4	-	31	4598

Newport News, Norfolk, Petersburg, Portsmouth, Richmond, Roanoke, Staunton, Suffolk, and Winchester.

[11] Includes data for Bristol, Va., only.

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WASHINGTON—Continued																
4599	Island	96	2	2	-	-	-	-	-	-	-	-	18	2	-	52	52
4600	Jefferson	112	2	-	-	-	-	-	-	-	1	-	17	4	-	63	61
4601	King	7,309	184	43	-	3	1	-	3	11	1	19	1,110	93	14	3,841	3,771
4602	Seattle	5,721	141	41	-	3	1	-	3	8	-	18	867	69	11	2,982	2,926
4603	Balance of county	1,588	23	2	-	-	-	-	-	3	1	1	243	24	3	859	845
4604	Kitsap	627	7	2	-	-	-	-	-	2	-	3	111	3	-	312	297
4605	Bremerton	238	-	1	-	-	-	-	-	-	-	1	38	2	-	117	112
4606	Balance of county	389	7	1	-	-	-	-	-	2	-	2	73	1	-	195	185
4607	Kittitas	201	4	3	-	-	-	-	-	-	-	-	25	7	-	101	95
4608	Klickitat	121	3	-	-	-	-	-	-	-	-	1	16	2	-	49	47
4609	Lewis	487	8	3	-	-	-	-	1	-	-	1	62	5	-	276	268
4610	Lincoln	96	3	-	-	-	-	-	-	-	-	-	13	1	-	51	51
4611	Mason	131	2	1	-	-	-	-	-	-	-	1	11	2	-	74	74
4612	Okanogan	222	3	-	-	-	-	-	-	-	1	1	29	5	1	104	101
4613	Pacific	161	-	2	-	1	-	-	-	-	-	-	20	5	-	93	91
4614	Pend Oreille	67	1	-	-	-	-	-	-	-	-	-	12	3	-	34	33
4615	Pierce	2,478	50	12	-	-	-	1	5	-	1	4	340	32	5	1,377	1,336
4616	Tacoma	1,597	37	9	-	-	-	1	4	-	1	2	232	21	3	875	846
4617	Balance of county	881	13	3	-	-	-	-	1	-	-	2	108	11	2	502	490
4618	San Juan	31	-	1	-	-	-	-	-	-	-	-	5	-	-	16	16
4619	Skagit	455	6	3	-	-	-	-	-	-	1	2	69	9	-	211	207
4620	Skamania	35	1	-	-	-	-	-	-	-	-	-	5	-	-	18	18
4621	Snohomish	1,119	23	7	-	-	-	-	-	9	1	3	150	14	3	624	604
4622	Everett	464	11	2	-	-	-	-	-	3	-	1	58	7	2	260	253
4623	Balance of county	655	12	5	-	-	-	-	-	6	1	2	92	7	1	364	351
4624	Spokane	2,402	37	17	-	1	-	-	2	5	-	4	344	41	2	1,317	1,299
4625	Spokane	1,941	28	16	-	1	-	-	2	4	-	2	274	31	1	1,077	1,061
4626	Balance of county	461	9	1	-	-	-	-	-	1	-	2	70	10	1	240	238
4627	Stevens	207	4	2	-	-	-	-	-	1	-	-	32	2	-	110	104
4628	Thurston	420	3	2	-	-	-	-	1	-	-	2	65	13	-	215	211
4629	Olympia	165	1	1	-	-	-	-	-	-	-	-	29	2	-	90	87
4630	Balance of county	255	2	1	-	-	-	-	1	-	-	2	36	11	-	125	124
4631	Wahkiakum	34	1	-	-	-	-	-	-	-	-	-	2	3	-	17	17
4632	Walla Walla	396	13	2	-	-	-	-	-	-	-	-	50	5	-	216	205
4633	Walla Walla	266	8	1	-	-	-	-	-	-	-	-	33	5	-	148	137
4634	Balance of county	130	5	1	-	-	-	-	-	-	-	-	17	-	-	68	68
4635	Whatcom	715	14	3	-	1	-	-	1	1	1	5	111	17	1	374	364
4636	Bellingham	443	11	1	-	1	-	-	1	-	1	3	73	7	-	238	232
4637	Balance of county	272	3	2	-	-	-	-	-	1	-	2	38	10	1	136	132
4638	Whitman	231	1	-	-	-	-	-	1	-	-	-	39	4	1	105	101
4639	Yakima	1,166	27	8	-	1	-	2	1	-	-	4	149	17	2	587	570
4640	Yakima	501	11	2	-	1	-	-	1	-	-	3	62	7	-	282	277
4641	Balance of county	665	16	6	-	-	-	2	-	-	-	1	87	10	2	305	293
4642	WEST VIRGINIA	17,305	530	151	5	31	8	38	31	15	8	74	2,027	300	39	7,816	7,459
4643	Barbour	170	4	-	-	-	-	1	-	1	-	-	28	-	1	85	85
4644	Berkeley	320	7	1	-	-	-	-	-	1	1	2	46	7	-	171	166
4645	Martinsburg	190	4	1	-	-	-	-	-	-	-	1	34	5	-	96	92
4646	Balance of county	130	3	-	-	-	-	-	-	1	1	1	12	2	-	75	74
4647	Boone	207	3	1	-	1	1	-	-	-	-	3	23	4	2	85	81
4648	Braxton	178	8	1	-	-	-	2	1	-	-	2	19	1	-	79	71
4649	Brooke	224	6	3	-	-	-	-	1	-	-	1	21	7	1	119	110
4650	Cabell	1,047	44	8	-	3	-	2	3	3	-	4	143	22	5	493	475
4651	Huntington (part)	882	40	6	-	1	-	2	3	2	-	3	123	21	5	411	398
4652	Huntington (total)	917	41	9	-	1	-	2	3	2	-	3	127	21	3	431	416
4653	Balance of county	165	4	2	-	2	-	-	-	1	-	1	20	1	2	82	77
4654	Calhoun	77	4	-	-	-	-	2	-	-	-	-	8	-	-	24	23
4655	Clay	91	1	-	-	-	-	-	1	-	-	-	8	1	-	33	33
4656	Doddridge	102	-	1	-	-	-	-	-	-	-	1	10	3	-	61	59
4657	Fayette	640	22	8	-	-	-	3	2	-	-	2	86	10	2	276	269
4658	Gilmer	67	2	-	-	-	-	-	-	-	-	-	7	1	-	31	31
4659	Grant	88	4	-	-	-	-	-	-	-	-	-	6	1	-	43	43
4660	Greenbrier	327	14	2	1	1	-	2	-	1	-	1	34	-	-	141	121
4661	Hampshire	105	5	-	-	-	-	-	-	-	-	-	10	3	-	49	47
4662	Hancock	275	7	3	-	-	-	-	-	-	-	-	33	8	-	123	120
4663	Hardy	84	3	1	-	-	-	-	-	-	-	1	7	3	1	38	37
4664	Harrison	816	18	6	-	1	-	-	1	2	-	2	116	12	1	398	383
4665	Clarksburg	370	8	2	-	1	-	-	1	-	-	1	46	6	-	190	188
4666	Balance of county	446	8	4	-	-	-	-	-	2	-	1	70	6	1	208	195
4667	Jackson	134	4	-	-	-	-	1	-	-	-	2	11	2	-	67	66
4668	Jefferson	184	4	1	-	-	-	1	-	1	1	2	16	6	-	97	93
4669	Kanawha	1,793	58	13	1	3	3	1	4	-	1	11	224	32	-	720	697
4670	Charleston	746	26	8	-	-	1	-	-	-	1	5	95	18	-	325	315
4671	South Charleston	102	2	1	-	-	-	-	-	-	-	1	16	1	-	38	37
4672	Balance of county	945	30	4	1	3	2	1	4	-	-	5	113	13	-	357	345
4673	Lewis	205	7	1	-	-	-	1	-	1	-	1	28	3	1	93	89
4674	Lincoln	174	4	1	-	1	1	1	-	-	-	1	15	1	-	87	79
4675	Logan	608	21	3	-	3	2	3	1	-	-	2	52	4	2	159	154
4676	McDowell	752	36	12	1	3	1	1	2	-	-	3	65	9	3	298	288
4677	Marion	664	16	9	1	-	-	1	1	1	1	3	84	11	1	324	306
4678	Fairmont	291	7	7	1	-	-	-	-	1	-	2	37	5	-	132	128
4679	Balance of county	373	9	2	-	-	-	-	1	-	1	1	47	6	1	192	178
4680	Marshall	362	6	2	-	-	-	-	-	-	-	2	53	11	-	181	172
4681	Moundsville	140	3	-	-	-	-	-	-	-	-	-	21	4	-	68	64
4682	Balance of county	222	3	2	-	-	-	-	-	-	-	2	32	7	-	113	108
4683	Mason	222	5	2	-	-	-	1	-	-	-	1	18	4	2	116	105
4684	Mercer	650	24	6	-	1	-	-	1	1	-	3	73	16	2	315	308
4685	Bluefield[12]	229	6	3	-	-	-	-	-	-	-	1	31	7	1	107	106
4686	Balance of county	421	18	3	-	1	-	-	1	1	-	2	42	9	1	206	202
4687	Mineral	220	1	4	-	-	-	-	1	-	1	-	22	3	-	120	115
4688	Mingo	361	16	3	1	4	-	1	2	-	-	2	28	7	-	122	111

[12] Includes data for Bluefield, W. Va., only.

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system	Rheumatic fever	Diseases of heart	Hypertension without mention of heart and general arteriosclerosis	Other diseases of circulatory system	Chronic and unspecified nephritis and other renal sclerosis	Influenza and pneumonia except pneumonia of newborn	Ulcer of stomach and duodenum	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn	Cirrhosis of liver	Acute nephritis and nephritis with edema, including nephrosis	Deliveries and complications of pregnancy, childbirth, and the puerperium	Congenital malformations	Symptoms, senility, and ill-defined conditions	Motor-vehicle accidents	All other accidents	Suicide	Homicide	All other causes	
330-334	400-402	410-443	444-450	451-468	592-594	480-493	540, 541	543, 571,572	581	590,591	640-689	750-759	780-795	E810-E838	E800-E802, E840-E962	E963, E970-E979	E964, E980-E985	Residual	
14	-	34	4	-	-	-	1	1	-	-	-	2	3	2	6	-	-	5	4599
13	-	47	1	-	2	5	-	1	-	-	1	1	-	6	1	1	1	8	4600
781	3	2,735	185	61	70	302	53	19	77	17	8	93	52	126	324	141	26	768	4601
615	2	2,122	137	50	56	244	40	11	61	11	6	76	40	93	255	114	24	602	4602
176	1	611	46	11	14	58	13	8	16	6	2	17	12	33	69	27	2	166	4603
59	1	213	21	3	15	16	4	2	2	1	1	9	15	13	36	8	3	69	4604
21	1	84	5	1	5	4	2	1	1	1	1	6	4	6	12	4	3	29	4605
38	-	129	16	2	10	12	2	1	4	-	-	3	11	7	24	4	-	40	4606
25	-	68	7	-	6	3	1	1	3	-	-	2	1	5	13	2	-	30	4607
13	-	32	2	-	2	4	-	-	2	-	-	-	8	2	18	3	-	13	4608
62	2	189	12	3	8	10	3	1	5	-	-	10	11	11	26	4	4	46	4609
12	-	32	5	2	-	3	-	-	-	1	1	4	1	2	4	3	-	10	4610
10	1	57	4	2	-	2	1	-	1	-	-	-	1	6	9	1	-	18	4611
28	-	70	2	1	3	6	1	1	-	1	-	3	4	3	7	17	-	35	4612
14	-	72	5	-	2	6	1	1	-	-	-	-	3	5	2	13	-	9	4613
6	-	27	-	-	1	1	-	-	-	-	-	-	1	2	1	7	1	4	4614
271	2	964	86	13	41	60	16	4	19	4	2	35	31	52	113	47	11	257	4615
184	2	593	55	12	29	41	12	3	12	3	1	25	25	28	62	32	7	163	4616
87	-	371	31	1	12	19	4	1	7	1	1	12	6	24	51	15	4	94	4617
2	-	12	2	-	-	1	-	-	-	-	-	-	1	1	2	-	-	4	4618
54	1	140	10	2	4	16	2	-	1	-	1	4	13	10	37	6	4	54	4619
5	-	13	-	-	-	-	-	4	-	-	-	1	4	1	4	-	-	1	4620
181	-	377	41	5	20	28	5	2	12	-	-	1	14	16	33	51	12	3	4621
77	-	152	22	2	7	9	4	1	8	-	-	1	5	5	11	19	4	2	4622
104	-	225	19	3	13	19	1	1	3	-	-	1	9	11	22	32	8	1	4623
266	6	922	95	10	18	79	16	10	14	4	3	26	26	18	38	112	39	3	4624
224	5	745	81	6	16	57	14	7	13	4	2	21	9	30	90	32	3	223	4625
42	1	177	14	4	2	22	2	3	1	-	1	5	7	8	22	7	-	49	4626
23	-	76	4	1	6	6	-	-	1	-	1	2	4	3	10	3	-	24	4627
41	-	155	13	2	4	13	1	1	3	-	1	2	17	9	20	9	1	45	4628
18	-	63	6	-	3	4	-	-	3	-	-	1	7	1	4	3	-	20	4629
23	-	92	7	2	1	9	1	1	2	-	-	1	10	9	16	3	1	25	4630
7	-	8	2	-	-	-	1	1	1	-	-	1	-	-	5	1	-	3	4631
46	-	148	7	4	11	9	1	2	2	1	-	-	4	8	18	3	-	50	4632
27	-	103	4	3	11	6	4	-	-	-	1	-	3	8	4	14	1	31	4633
19	-	45	3	1	-	3	1	1	1	-	-	-	1	2	6	4	2	19	4634
100	2	234	27	1	10	24	3	3	5	1	1	1	9	14	11	30	8	76	4635
71	1	142	17	1	5	17	3	3	2	1	-	-	5	6	6	12	5	46	4636
28	1	92	10	-	4	7	-	-	3	-	1	2	4	8	5	18	3	30	4637
18	1	72	9	1	4	2	2	-	-	-	2	4	5	8	8	20	2	27	4638
108	1	414	41	6	17	38	5	11	7	4	3	16	28	28	66	19	3	140	4639
50	-	207	18	2	5	15	4	-	3	2	1	3	9	10	20	4	1	60	4640
58	1	207	23	4	12	23	1	11	4	2	2	13	19	18	45	15	2	80	4641
1,741	27	5,188	433	70	357	716	91	235	142	60	52	298	496	394	1,010	185	137	2,438	4642
26	-	52	7	-	-	4	1	-	-	1	-	-	12	2	5	2	1	22	4643
34	-	127	5	-	5	9	1	6	3	1	-	4	2	6	9	3	2	38	4644
21	-	69	2	-	4	3	1	5	1	1	-	4	1	2	6	2	1	21	4645
13	-	56	3	-	1	8	-	1	1	-	-	-	1	4	3	1	1	17	4646
19	-	58	2	2	4	6	1	3	1	-	1	7	7	5	18	1	-	34	4647
22	1	38	9	1	8	15	-	2	-	1	-	2	10	2	6	1	1	24	4648
20	-	78	13	1	9	6	1	-	8	1	1	1	-	4	11	8	1	23	4649
102	2	340	29	2	18	39	6	5	8	2	-	13	10	22	49	15	6	142	4650
89	2	281	24	2	13	36	5	4	8	2	-	11	10	14	40	15	6	116	4651
92	2	295	25	2	15	38	5	4	8	2	-	11	10	14	42	15	6	119	4652
13	-	59	5	-	5	3	1	1	-	-	-	2	-	8	9	-	-	28	4653
3	-	19	1	-	1	5	-	-	1	-	1	1	14	4	2	-	-	12	4654
9	-	22	2	-	-	2	-	2	1	-	1	1	11	4	11	-	-	12	4655
16	-	39	2	2	2	5	-	-	1	-	-	2	2	3	3	-	-	14	4656
67	3	173	24	2	7	24	5	11	4	3	1	12	18	11	44	3	10	103	4657
7	-	22	2	-	-	7	-	-	-	-	-	1	9	-	2	1	-	6	4658
10	-	30	3	-	-	1	-	-	-	-	-	-	2	3	17	1	-	10	4659
28	1	85	7	-	20	12	-	5	2	-	-	1	6	13	21	5	3	53	4660
11	-	35	1	-	2	6	-	1	2	-	-	-	1	8	5	3	-	13	4661
23	-	84	7	1	3	9	1	3	2	-	-	-	1	5	5	3	-	13	4661
15	-	17	5	-	1	5	-	1	2	-	-	-	10	11	10	1	-	46	4662
80	-	284	12	7	13	28	6	14	4	3	-	3	6	4	-	-	-	11	4663
39	-	138	7	4	2	15	4	6	3	2	-	3	11	15	21	39	7	109	4664
41	-	146	5	3	11	13	2	8	3	1	-	3	3	6	3	16	5	48	4665
22	1	38	5	-	1	8	-	-	1	1	-	-	8	9	18	23	2	61	4666
15	-	72	3	3	4	7	-	3	-	-	-	2	3	11	-	7	-	14	4667
153	3	502	31	8	23	93	10	28	21	4	-	1	3	2	2	8	6	21	4668
66	-	235	11	3	10	42	6	7	12	-	-	9	22	80	68	118	17	237	4669
7	-	30	-	-	1	1	1	1	4	-	-	-	9	27	23	49	5	82	4670
80	3	237	20	5	12	50	3	20	5	4	-	1	2	3	2	6	1	20	4671
19	-	65	4	1	4	17	2	-	2	-	-	8	11	50	43	83	11	135	4672
18	-	54	6	1	8	7	1	2	1	-	1	-	1	2	4	7	-	32	4673
38	1	104	11	-	5	30	2	38	5	1	4	5	5	4	1	8	1	29	4674
69	1	205	11	2	10	31	6	8	4	-	4	14	30	16	62	6	13	136	4675
63	1	218	22	2	18	20	4	5	3	2	4	22	11	20	57	7	17	129	4676
25	1	94	6	2	4	10	3	1	2	1	2	13	10	16	33	10	5	68	4677
38	-	124	16	-	14	10	1	4	2	-	2	4	4	6	13	2	4	47	4678
46	-	110	15	1	9	17	1	2	4	1	-	9	6	10	20	8	1	41	4679
20	-	39	5	-	4	7	-	-	1	1	1	5	3	2	21	3	1	45	4660
26	-	71	10	1	5	10	1	2	3	1	-	4	2	1	6	1	1	19	4681
21	1	82	1	-	11	10	3	4	1	1	1	1	1	1	15	2	-	26	4682
90	2	197	13	6	5	30	3	10	6	1	1	3	2	8	11	4	-	25	4683
25	1	74	5	1	1	7	1	5	5	1	-	7	15	16	25	4	7	83	4684
65	1	123	8	5	4	23	2	5	2	-	1	2	5	5	7	2	3	38	4685
28	-	85	4	-	5	9	3	2	3	-	-	5	10	11	18	2	4	48	4686
27	-	74	7	3	11	17	3	21	3	3	1	3	-	5	8	-	-	35	4687
												11	15	15	27	2	6	51	4688

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-136	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WEST VIRGINIA—Con.																
4689	Monongalia	534	13	2	-	-	-	-	1	-	1	3	79	9	1	249	232
4690	Morgantown	241	6	1	-	-	-	-	-	-	-	3	43	4	1	113	109
4691	Balance of county	293	5	1	-	-	-	-	1	-	1	3	36	5	-	136	123
4692	Monroe	151	5	-	-	1	-	1	-	-	-	1	25	2	-	67	61
4693	Morgan	100	2	2	-	-	-	-	-	-	1	1	13	-	-	52	50
4694	Nicholas	222	4	-	-	-	-	2	-	-	-	1	14	2	1	88	84
4695	Ohio	800	18	4	-	-	-	-	1	-	-	2	130	20	1	439	410
4696	Wheeling	699	18	4	-	-	-	-	1	-	-	2	115	19	1	393	363
4697	Balance of county	101	-	-	-	-	-	-	-	-	-	-	15	1	-	56	47
4698	Pendleton	88	3	-	-	1	-	-	-	-	-	1	5	1	-	37	35
4699	Pleasants	67	2	2	-	-	-	-	-	-	-	-	6	-	-	31	30
4700	Pocahontas	109	4	1	-	-	-	-	-	-	-	1	19	3	-	52	51
4701	Preston	263	5	4	-	-	-	-	-	-	-	-	27	4	-	123	120
4702	Putnam	143	6	1	-	-	-	-	2	-	1	3	13	2	-	63	58
4703	Raleigh	711	37	7	-	4	-	-	3	1	-	2	66	6	3	285	271
4704	Beckley	209	7	3	-	-	-	-	-	1	-	-	22	3	-	89	87
4705	Balance of county	502	30	4	-	4	-	-	3	-	-	2	44	3	3	196	184
4706	Randolph	300	8	2	-	-	-	1	-	-	-	-	25	7	1	139	131
4707	Ritchie	143	5	-	-	-	-	-	-	-	-	-	16	3	-	67	65
4708	Roane	171	2	1	-	-	-	1	-	-	-	-	18	3	-	83	80
4709	Summers	191	1	1	-	2	-	2	2	-	-	-	21	5	-	87	80
4710	Taylor	193	2	1	-	-	-	-	-	-	-	1	24	2	2	105	97
4711	Tucker	115	5	1	-	-	-	1	-	-	-	1	15	1	1	55	53
4712	Tyler	104	1	-	-	-	-	-	-	-	-	1	12	3	-	68	68
4713	Upshur	188	7	1	-	-	-	1	-	-	-	1	22	7	1	72	71
4714	Wayne	275	16	4	-	1	-	4	1	-	-	1	24	3	1	113	101
4715	Huntington (part)	35	1	3	-	-	-	-	-	-	-	-	4	-	-	20	18
4716	Balance of county	240	15	1	-	1	-	4	1	-	-	1	20	3	1	93	83
4717	Webster	137	1	2	-	-	-	-	-	1	-	-	10	2	1	57	52
4718	Wetzel	221	5	-	-	-	-	2	-	-	-	-	28	7	1	111	99
4719	Wirt	50	-	-	-	-	-	-	-	-	-	-	11	-	-	28	28
4720	Wood	687	12	2	-	1	-	-	-	-	-	1	110	15	1	333	323
4721	Parkersburg	423	6	2	-	-	-	-	-	-	-	-	73	8	1	196	194
4722	Balance of county	264	6	-	-	1	-	-	-	-	-	1	37	7	-	137	135
4723	Wyoming	215	14	1	-	-	-	-	-	-	-	2	18	1	-	66	65
4724	WISCONSIN	32,993	451	118	1	8	1	2	15	73	32	100	5,148	627	50	18,030	17,559
4725	Adams	92	1	-	-	-	-	-	-	-	-	-	12	3	-	44	44
4726	Ashland	219	2	2	-	-	-	-	-	-	-	2	40	5	-	120	117
4727	Ashland	132	2	1	-	-	-	-	-	-	-	1	27	2	-	74	72
4728	Balance of county	87	-	1	-	-	-	-	-	-	-	1	13	3	-	46	45
4729	Barron	341	1	3	-	-	-	-	-	1	-	1	57	3	1	181	179
4730	Bayfield	155	1	-	-	-	-	-	-	-	1	-	22	1	-	82	79
4731	Brown	838	11	2	-	1	-	-	-	1	1	4	113	19	1	419	409
4732	Green Bay	486	5	2	-	-	-	-	-	1	1	2	58	10	-	245	240
4733	Balance of county	352	6	-	-	1	-	-	-	-	-	2	55	9	1	174	169
4734	Buffalo	148	2	1	-	-	-	-	-	1	-	-	14	1	-	99	97
4735	Burnett	134	2	-	-	-	-	-	-	3	-	1	20	2	-	65	64
4736	Calumet	163	2	-	-	-	-	-	-	-	-	-	17	5	-	107	106
4737	Chippewa	394	6	-	-	-	-	-	-	1	-	1	54	8	-	219	216
4738	Chippewa Falls	156	3	-	-	-	-	-	-	-	-	1	28	2	-	86	86
4739	Balance of county	238	3	-	-	-	-	-	-	1	-	-	28	6	-	133	130
4740	Clark	318	2	-	-	-	-	-	-	2	1	1	47	7	-	177	173
4741	Columbia	383	3	-	-	-	-	-	-	2	1	4	69	1	2	204	197
4742	Crawford	209	4	-	-	1	-	-	1	-	-	-	27	1	-	111	108
4743	Dane	1,339	13	5	-	-	-	-	-	2	-	3	205	27	3	709	686
4744	Madison	730	7	2	-	-	-	-	-	2	-	1	107	16	3	381	369
4745	Balance of county	609	6	3	-	-	-	-	-	-	-	2	98	11	-	328	317
4746	Dodge	568	8	4	-	-	-	-	-	1	-	-	109	13	2	302	296
4747	Beaver Dam	151	2	2	-	-	-	-	-	-	-	-	31	3	-	82	79
4748	Watertown (part)	28	-	-	-	-	-	-	-	-	-	-	5	2	-	12	12
4749	Balance of county	389	6	2	-	-	-	-	-	1	-	-	73	8	2	208	205
4750	Door	198	-	-	-	-	-	-	-	-	-	1	28	6	-	108	104
4751	Douglas	593	10	7	-	-	-	-	-	2	-	1	73	11	1	328	313
4752	Superior	465	8	7	-	-	-	-	-	2	-	1	61	9	1	259	247
4753	Balance of county	128	4	-	-	-	-	-	-	-	-	-	12	2	-	69	66
4754	Dunn	311	3	2	-	-	-	-	-	2	-	2	49	4	-	157	153
4755	Eau Claire	485	5	4	-	-	-	-	1	2	1	3	60	11	1	278	273
4756	Eau Claire	306	5	2	-	-	-	-	-	1	1	2	39	6	1	182	179
4757	Balance of county	179	-	2	-	-	-	-	1	1	-	1	21	5	-	96	94
4758	Florence	37	-	-	-	-	-	-	-	-	-	-	5	1	-	21	21
4759	Fond du Lac	760	9	3	-	-	-	-	-	3	-	1	122	12	1	430	419
4760	Fond du Lac	385	5	2	-	-	-	-	-	1	-	1	56	7	-	227	223
4761	Balance of county	375	4	3	-	-	-	-	-	2	-	-	66	5	1	203	196
4762	Forest	101	1	-	-	-	-	-	-	-	-	-	18	2	-	46	43
4763	Grant	489	3	-	-	-	-	-	-	1	-	2	76	5	-	277	268
4764	Green	236	-	1	-	-	-	-	1	-	-	-	50	2	1	131	131
4765	Green Lake	152	2	-	-	-	-	-	-	-	-	-	27	5	-	91	89
4766	Iowa	218	6	1	-	-	-	-	-	-	-	-	22	7	1	111	111
4767	Iron	89	2	-	-	-	-	-	-	-	-	-	17	2	-	43	41
4768	Jackson	163	1	-	-	-	-	-	-	2	-	-	25	6	-	97	96
4769	Jefferson	482	4	-	-	-	-	-	1	1	-	-	85	8	-	271	261
4770	Watertown (part)	137	1	-	-	-	-	-	1	-	-	-	16	4	-	86	86
4771	Watertown (total)	165	1	-	-	-	-	-	1	-	-	-	21	6	-	100	98
4772	Balance of county	345	3	-	-	-	-	-	-	1	-	-	69	4	-	183	175
4773	Juneau	206	1	1	-	-	-	-	-	-	-	-	30	3	-	120	120
4774	Kenosha	633	7	1	-	-	-	1	-	5	-	2	93	11	-	316	306
4775	Kenosha	473	3	1	-	-	-	1	-	5	-	-	71	8	-	241	235
4776	Balance of county	160	4	-	-	-	-	-	-	-	-	2	22	3	-	75	71
4777	Kewaunee	164	1	-	-	-	-	-	-	-	-	1	26	4	2	84	80

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
56	1	151	22	2	17	18	7	8	4	3	1	4	5	5	36	3	7	75	4689
24	-	69	15	1	4	5	1	2	2	1	1	1	3	2	14	-	3	36	4690
32	1	82	7	1	13	13	6	6	2	2	-	3	2	3	22	3	4	39	4691
15	-	44	2	-	6	14	1	1	-	-	-	-	3	-	1	3	-	26	4692
11	-	35	1	3	2	2	2	2	1	-	-	1	1	1	6	-	1	12	4693
13	2	63	6	-	5	9	2	4	1	1	1	9	16	4	14	8	2	38	4694
92	-	296	21	1	29	13	4	7	10	3	1	9	4	11	35	15	1	72	4695
84	-	260	18	1	20	12	4	5	10	3	1	7	4	9	26	14	1	60	4696
8	-	36	3	-	9	1	-	2	-	-	-	2	-	2	9	1	-	12	4697
6	-	25	4	-	2	3	-	-	1	-	-	-	-	2	8	1	1	4	4698
12	-	17	1	-	1	6	1	-	-	-	-	2	-	1	5	-	-	11	4699
12	-	35	4	-	1	2	-	1	-	2	1	1	-	1	1	4	-	16	4700
20	1	86	11	2	3	10	1	1	1	-	-	1	17	3	21	3	1	41	4701
16	-	38	4	-	5	12	-	-	1	-	-	3	5	5	11	1	-	14	4702
52	-	196	18	7	14	23	3	15	5	3	6	22	13	10	65	4	11	117	4703
14	-	64	7	2	2	4	1	2	4	1	3	5	1	1	19	-	4	39	4704
38	-	132	8	5	12	19	2	13	1	2	3	17	12	9	46	4	7	78	4705
25	-	102	3	1	8	7	1	1	5	-	1	6	16	11	24	3	-	42	4706
21	-	38	6	-	2	4	1	1	3	1	1	2	5	2	6	-	1	23	4707
22	-	48	10	-	3	9	1	-	1	-	-	4	12	4	10	3	-	19	4708
21	1	55	3	-	7	10	1	2	-	-	-	3	3	5	17	4	1	24	4709
22	-	68	6	1	8	8	2	2	-	-	-	3	9	1	9	-	1	21	4710
9	-	42	1	1	2	8	-	-	-	-	-	1	4	1	2	2	-	17	4711
18	-	43	6	1	-	3	-	-	-	-	-	1	-	1	3	3	-	8	4712
23	-	45	2	1	1	12	-	2	1	-	-	3	21	1	13	-	2	21	4713
29	1	69	2	-	12	15	3	2	2	2	-	3	16	4	19	3	2	36	4714
3	-	14	1	-	2	2	-	-	-	-	-	-	-	-	2	-	-	3	4715
26	1	55	1	-	10	13	3	2	2	2	-	3	16	4	17	3	2	33	4716
15	1	34	1	1	5	12	-	-	1	1	-	7	8	3	6	2	-	23	4717
27	-	64	7	1	12	8	-	3	3	1	-	1	7	4	11	4	-	25	4718
11	-	16	2	-	-	1	1	-	-	-	-	-	-	-	-	-	-	8	4719
76	1	226	23	3	4	21	2	3	6	10	2	18	7	13	22	6	3	99	4720
47	1	132	13	1	2	13	2	2	4	7	-	15	2	9	14	4	3	82	4721
29	-	94	10	2	2	8	-	1	2	3	2	3	5	4	8	2	-	37	4722
11	2	47	5	-	1	7	-	3	3	1	1	9	4	7	20	2	7	49	4723
3,911	49	12,391	1,054	154	471	768	157	140	250	48	49	484	293	734	1,320	420	44	3,630	4724
19	-	22	3	-	-	2	-	-	1	1	-	2	4	4	3	4	-	11	4725
28	-	81	7	1	3	5	3	2	1	-	-	3	1	-	12	1	-	20	4726
19	-	51	2	-	2	2	2	-	-	-	-	2	-	-	8	1	-	10	4727
9	-	30	5	1	1	3	1	2	1	-	-	1	1	-	4	-	-	10	4728
45	1	117	15	1	2	14	1	-	1	-	-	4	11	8	15	4	-	35	4729
15	-	60	4	-	3	6	-	-	1	-	-	4	1	6	4	2	-	24	4730
93	1	288	27	-	10	16	4	5	8	1	1	18	22	30	27	11	2	121	4731
57	1	170	12	-	5	15	3	2	5	1	-	6	13	15	20	8	2	72	4732
36	-	118	15	-	5	1	1	3	3	-	1	12	9	15	7	3	-	49	4733
27	-	63	7	-	2	8	-	1	-	-	-	1	-	1	5	-	-	12	4734
12	1	46	3	2	1	5	4	-	-	-	-	1	2	2	4	3	1	19	4735
21	-	77	8	-	1	2	2	-	1	-	-	1	1	4	6	2	-	13	4736
57	-	138	21	-	3	15	-	1	2	1	-	2	2	11	15	4	-	52	4737
21	-	58	7	-	-	4	-	1	1	1	-	1	2	3	4	1	-	20	4738
36	-	80	14	-	3	11	-	-	1	-	-	1	-	8	11	3	-	32	4739
53	-	95	22	3	4	8	2	4	-	-	-	5	9	11	9	4	-	29	4740
30	-	148	17	2	7	6	3	1	2	1	-	2	8	16	17	5	-	36	4741
21	-	83	3	1	3	9	-	1	4	-	-	7	1	2	11	3	-	26	4742
154	1	493	35	3	23	16	5	3	11	5	3	20	8	35	69	23	4	170	4743
80	1	267	19	2	12	7	3	1	9	3	1	13	4	22	38	14	4	92	4744
74	-	226	16	1	11	9	2	2	2	2	2	7	4	13	31	9	-	78	4745
63	-	214	17	2	6	12	3	2	2	-	-	8	3	10	15	6	-	68	4746
13	-	60	4	2	3	4	-	-	-	-	-	4	1	1	4	1	-	16	4747
2	-	10	-	-	-	-	-	-	1	-	-	-	-	-	2	2	-	4	4748
48	-	144	13	-	3	8	3	2	1	-	-	4	2	9	9	3	-	48	4749
23	-	75	6	-	4	4	-	2	1	-	2	1	3	4	13	2	-	22	4750
77	-	206	26	4	15	15	1	4	1	1	-	5	2	12	38	8	-	73	4751
61	-	162	21	3	12	12	1	4	1	1	-	5	2	5	29	6	-	53	4752
16	-	44	5	1	3	3	-	-	-	-	-	-	-	7	9	2	-	20	4753
48	-	97	8	-	4	12	-	-	1	-	-	5	1	7	20	4	-	42	4754
50	-	198	12	3	5	6	3	3	3	-	1	6	5	9	21	7	-	55	4755
41	-	127	9	2	3	4	2	1	2	-	1	3	1	3	11	3	-	36	4756
19	-	71	3	1	2	2	1	2	1	-	-	3	4	6	10	4	-	19	4757
4	-	16	1	-	1	1	-	-	1	-	-	-	1	2	-	1	-	4	4758
101	1	289	26	2	11	14	6	1	6	2	1	13	11	6	39	6	1	71	4759
53	1	154	13	2	4	7	3	1	4	2	-	9	-	2	20	3	1	34	4760
48	-	135	13	-	7	7	3	-	2	-	1	4	11	4	19	3	-	37	4761
9	-	29	4	1	3	3	-	-	-	-	1	-	2	4	4	5	1	14	4762
60	1	180	25	2	9	10	1	3	1	1	-	4	14	8	27	5	-	51	4763
29	1	87	11	3	-	1	1	-	2	-	-	6	-	2	12	4	-	22	4764
23	-	54	10	2	2	3	1	-	2	-	-	1	3	4	8	1	-	14	4765
36	-	68	3	4	-	6	1	1	4	-	-	6	5	3	13	4	-	27	4766
14	-	27	-	-	2	2	-	-	2	-	-	3	2	2	4	2	-	8	4767
27	-	86	2	1	1	6	-	-	-	-	-	2	7	4	5	-	-	8	4768
64	1	180	14	2	10	13	-	1	3	1	-	7	1	12	21	9	-	44	4769
21	-	61	4	-	2	-	-	-	-	-	-	2	1	4	7	1	-	12	4770
23	-	71	4	-	2	-	-	-	1	-	-	2	1	4	9	3	-	16	4771
43	1	119	10	2	8	13	-	1	3	1	-	5	-	8	14	8	-	32	4772
22	2	89	7	-	-	8	-	1	2	-	-	1	2	5	7	3	-	22	4773
56	3	232	13	2	10	19	2	3	10	-	1	12	-	30	30	16	3	71	4774
40	1	185	10	1	6	15	1	2	8	-	-	10	-	18	26	13	1	49	4775
16	2	49	3	1	4	4	1	1	2	-	1	2	-	12	4	3	2	22	4776
19	-	53	7	1	4	3	-	-	1	-	-	2	2	5	3	6	-	24	4777

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WISCONSIN—Continued																
4778	La Crosse	617	2	3	-	-	-	-	-	6	-	1	76	8	1	372	361
4779	La Crosse	463	1	3	-	-	-	-	-	5	-	1	58	7	1	281	271
4780	Balance of county	154	1	-	-	-	-	-	-	1	-	-	18	1	-	91	90
4781	Lafayette	190	1	-	-	-	-	-	-	-	-	-	27	3	-	99	94
4782	Langlade	211	2	-	-	-	-	-	-	-	-	-	31	13	-	95	91
4783	Lincoln	232	1	-	-	-	-	-	-	-	1	-	38	4	-	130	130
4784	Manitowoc	566	8	2	-	-	-	-	1	-	1	1	84	19	2	312	296
4785	Manitowoc	247	4	1	-	-	-	-	-	-	1	-	29	11	1	144	137
4786	Two Rivers	96	-	-	-	-	-	-	-	-	-	-	21	3	1	40	43
4787	Balance of county	223	4	1	-	-	-	-	1	-	-	1	34	5	-	120	116
4788	Marathon	632	9	4	-	-	-	-	-	1	3	4	87	12	2	297	286
4789	Wausau	276	4	4	-	-	-	-	-	-	-	1	38	4	-	143	139
4790	Balance of county	356	5	-	-	-	-	-	-	1	3	3	49	8	2	154	149
4791	Marinette	392	2	2	-	-	-	-	-	-	2	-	59	6	-	225	213
4792	Marinette	184	-	2	-	-	-	-	-	-	-	-	26	3	-	111	107
4793	Balance of county	208	2	-	-	-	-	-	-	-	2	-	33	3	-	114	106
4794	Marquette	114	2	-	-	-	-	-	-	-	-	-	15	2	-	74	72
4795	Milwaukee	8,091	184	39	1	-	-	-	3	14	8	21	1,383	142	14	4,484	4,375
4796	Milwaukee	6,356	158	32	1	-	-	-	3	9	5	14	1,085	116	11	3,491	3,413
4797	Wauwatosa	354	4	2	-	-	-	-	-	3	-	-	62	7	1	217	217
4798	West Allis	333	3	1	-	-	-	-	-	1	2	1	52	5	-	187	195
4799	Cudahy	101	5	-	-	-	-	-	-	-	-	1	10	2	-	54	52
4800	Shorewood	143	2	-	-	-	-	-	-	-	-	1	32	3	-	84	83
4801	South Milwaukee	94	-	-	-	-	-	-	-	-	-	1	17	4	1	48	48
4802	Balance of county	710	12	4	-	-	-	-	-	1	1	3	125	5	1	373	367
4803	Monroe	294	3	-	-	-	-	-	-	5	-	-	34	8	-	166	149
4804	Oconto	257	2	1	-	-	-	-	-	1	-	-	42	12	1	137	133
4805	Oneida	207	2	1	-	-	-	-	-	-	-	-	22	4	-	105	105
4806	Outagamie	673	8	3	-	-	-	-	-	-	2	7	85	20	-	361	346
4807	Appleton	322	5	1	-	-	-	-	-	-	2	2	49	11	-	172	165
4808	Balance of county	351	3	2	-	-	-	-	-	-	-	5	36	9	-	189	181
4809	Ozaukee	214	2	2	-	-	-	-	1	-	-	1	49	4	-	114	111
4810	Pepin	84	-	-	-	-	-	-	-	-	-	3	12	-	-	49	47
4811	Pierce	256	3	-	-	-	-	-	-	1	1	2	32	4	-	149	146
4812	Polk	265	4	-	-	-	-	-	2	-	-	1	45	1	2	159	150
4813	Portage	327	3	-	-	1	-	-	-	-	1	4	48	11	-	174	172
4814	Stevens Point	160	2	-	-	1	-	-	-	-	-	2	28	4	-	81	81
4815	Balance of county	167	1	-	-	-	-	-	-	-	1	2	20	7	-	93	91
4816	Price	171	1	2	-	-	-	-	1	-	-	-	27	4	-	89	85
4817	Racine	981	15	-	-	-	-	-	1	1	-	3	167	21	1	526	510
4818	Racine	686	12	-	-	-	-	-	1	1	-	3	117	15	1	376	363
4819	Balance of county	295	3	-	-	-	-	-	-	-	-	-	50	6	-	150	147
4820	Richland	195	3	2	-	-	-	-	-	-	-	1	21	1	1	119	116
4821	Rock	866	15	5	-	1	-	-	-	4	-	1	127	18	1	477	470
4822	Beloit	264	4	2	-	-	-	-	-	1	-	1	32	3	1	161	160
4823	Janesville	239	4	1	-	-	-	-	-	1	-	-	30	8	-	121	120
4824	Balance of county	363	7	2	-	1	-	-	-	2	-	-	65	7	-	195	190
4825	Rusk	161	1	-	-	-	-	-	-	2	-	-	22	2	-	83	80
4826	St. Croix	271	2	-	-	-	-	-	-	-	-	2	40	3	-	144	142
4827	Sauk	411	4	3	-	1	-	-	-	2	-	-	73	6	-	213	206
4828	Sawyer	115	2	-	-	-	-	-	-	-	1	-	16	2	-	65	64
4829	Shawano	352	4	2	-	2	-	-	-	-	2	3	56	6	1	164	162
4830	Sheboygan	801	7	1	-	-	1	-	-	-	-	1	120	11	1	472	464
4831	Sheboygan	441	5	1	-	-	-	-	-	-	-	-	69	6	-	261	257
4832	Balance of county	360	2	-	-	-	1	-	-	-	-	1	51	5	1	211	207
4833	Taylor	166	2	-	-	-	-	-	-	-	1	-	24	7	-	85	82
4834	Trempealeau	264	1	1	-	-	-	-	-	1	-	-	48	8	1	130	125
4835	Vernon	293	2	-	-	-	-	-	-	2	1	1	40	3	2	176	170
4836	Vilas	96	1	-	-	-	-	1	-	-	1	-	12	-	-	54	52
4837	Walworth	465	2	-	-	-	-	-	-	1	-	3	73	11	-	263	256
4838	Washburn	142	-	-	-	-	-	-	-	-	-	1	22	3	-	85	79
4839	Washington	306	1	-	-	-	-	-	-	-	-	1	62	5	1	166	161
4840	Waukesha	802	11	3	-	-	-	-	1	-	-	4	125	11	2	443	432
4841	Waukesha	194	4	2	-	-	-	-	-	-	-	-	27	2	-	100	98
4842	Balance of county	608	7	1	-	-	-	-	1	-	-	4	98	9	2	343	334
4843	Waupaca	392	1	-	-	-	-	-	1	-	-	2	53	9	-	239	237
4844	Waushara	172	2	-	-	-	-	-	-	-	-	-	24	-	-	105	104
4845	Winnebago	881	19	2	-	-	-	-	-	-	1	3	146	21	1	485	457
4846	Oshkosh	473	8	1	-	-	-	-	-	-	-	1	82	10	-	243	241
4847	Menasha	100	3	-	-	-	-	-	-	-	-	-	13	5	1	48	47
4848	Neenah	110	3	-	-	-	-	-	-	-	-	1	23	1	-	84	60
4849	Balance of county	198	5	1	-	-	-	-	-	-	1	1	28	5	-	110	109
4850	Wood	442	4	1	-	1	-	-	-	-	1	-	68	6	-	237	226
4851	Marshfield	107	2	-	-	-	-	-	-	-	-	-	15	1	-	72	65
4852	Wisconsin Rapids	143	1	1	-	-	-	-	-	-	1	-	19	2	-	63	63
4853	Balance of county	192	1	-	-	1	-	-	-	-	-	-	34	3	-	102	98
4854	WYOMING	2,385	29	19	-	-	-	1	3	10	-	10	281	31	3	1,051	1,006
4855	Albany	142	2	1	-	-	-	-	-	-	-	1	13	4	-	55	64
4856	Laramie	116	1	-	-	-	-	-	-	-	-	1	11	4	-	54	53
4857	Balance of county	26	1	1	-	-	-	-	-	-	-	-	2	-	-	11	11
4858	Big Horn	126	-	-	-	-	-	-	-	1	-	-	22	1	1	54	51
4859	Campbell	46	-	1	-	-	-	-	-	-	-	-	6	1	-	20	20
4860	Carbon	123	4	-	-	-	-	-	-	1	-	-	8	2	-	55	50
4861	Converse	56	-	2	-	-	-	-	-	1	-	-	4	-	-	29	28
4862	Crook	35	-	-	-	-	-	-	-	-	-	-	4	1	-	21	21
4863	Fremont	182	5	1	-	-	-	-	1	-	-	-	20	4	1	82	80
4864	Goshen	104	2	1	-	-	-	1	1	-	-	1	11	-	-	49	45
4865	Hot Springs	64	-	1	-	-	-	-	-	1	-	1	9	1	-	28	28
4866	Johnson	48	-	-	-	-	-	-	-	-	-	-	6	-	-	31	28

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
81	-	258	20	2	11	14	4	1	4	-	3	10	5	10	29	10	-	58	4778
57	-	194	18	2	10	10	3	1	2	-	1	8	5	9	20	6	-	41	4779
24	-	84	2	-	1	4	1	-	2	-	2	2	-	1	9	4	-	17	4780
18	-	68	6	2	5	2	2	1	-	-	-	1	4	4	11	2	-	33	4781
20	-	65	5	1	4	10	1	3	1	-	1	1	3	4	8	3	-	35	4782
39	-	80	10	1	-	5	-	-	-	2	-	4	3	3	4	1	-	36	4783
70	-	199	24	3	16	13	3	4	2	-	2	5	4	15	17	6	1	64	4784
31	-	99	7	-	7	4	3	1	1	-	-	4	1	3	8	3	1	27	4785
9	-	26	7	1	5	2	-	-	-	-	1	1	2	3	2	1	-	11	4786
30	-	74	10	2	4	7	-	3	1	-	1	-	1	9	7	2	-	26	4787
78	2	199	8	1	9	12	2	4	8	2	-	16	12	17	29	8	-	102	4788
41	-	94	4	-	4	4	2	3	5	-	-	5	4	6	11	1	-	41	4789
37	2	105	4	1	5	8	-	1	3	2	-	11	8	11	18	8	-	61	4790
50	-	144	17	2	12	5	2	2	2	1	2	6	3	5	18	1	-	48	4791
25	-	71	9	2	4	4	-	1	2	1	2	3	1	2	10	-	-	19	4792
25	-	73	8	-	8	1	2	1	2	1	-	3	2	3	9	1	-	29	4793
17	-	50	4	1	2	1	-	-	-	-	-	-	3	2	7	-	-	8	4794
779	16	3,364	172	44	89	181	54	31	98	11	9	128	20	146	238	84	14	814	4795
608	12	2,616	141	36	78	137	46	25	73	10	8	96	15	109	167	64	12	649	4796
37	-	170	10	-	-	6	4	1	3	-	-	8	2	6	9	-	-	19	4797
34	1	154	5	1	2	6	-	-	5	-	1	7	-	10	11	2	1	28	4798
6	1	44	2	-	2	4	-	-	-	-	-	4	-	1	2	1	-	17	4799
20	-	60	2	1	1	2	-	1	2	-	-	1	-	-	4	1	-	10	4800
5	-	39	3	1	-	-	-	-	-	-	-	1	1	2	6	-	-	13	4801
70	2	281	9	5	6	26	4	4	5	1	-	11	2	18	19	16	1	78	4802
32	1	114	2	-	17	11	1	-	1	-	-	4	5	5	15	3	3	30	4803
28	-	87	7	1	4	6	-	3	2	-	1	2	3	10	9	-	-	25	4804
22	-	71	9	3	-	6	1	1	4	2	-	2	2	6	17	7	-	25	4805
81	2	237	24	2	15	15	3	4	3	3	1	15	6	20	35	4	2	76	4806
42	1	110	11	1	7	7	1	2	2	-	-	5	3	12	12	2	-	34	4807
39	1	127	13	1	8	8	2	2	1	3	1	10	3	8	23	2	2	42	4808
18	-	80	12	1	3	1	1	-	1	-	-	4	1	5	9	1	-	18	4809
17	-	21	8	1	2	2	-	-	1	-	-	-	-	2	3	1	-	11	4810
43	-	90	12	1	3	6	1	1	2	1	-	6	5	6	10	1	-	25	4811
36	-	98	14	2	9	5	-	-	1	-	-	4	1	5	10	3	-	22	4812
37	1	122	11	1	2	6	1	1	3	-	1	5	-	10	13	4	-	41	4813
23	-	53	4	1	-	3	-	-	-	-	1	3	-	4	7	1	-	23	4814
14	1	69	7	-	2	3	1	1	3	-	-	2	-	6	6	3	-	18	4815
23	-	47	11	4	4	6	-	-	1	-	-	1	4	5	7	6	-	17	4816
130	2	344	28	6	16	15	4	5	10	1	2	9	5	32	36	22	1	104	4817
86	1	255	16	5	13	11	3	4	7	1	1	8	1	13	24	15	1	71	4818
44	1	89	12	1	3	4	1	1	3	-	1	1	4	19	12	7	-	33	4819
27	-	81	7	1	3	7	-	-	-	-	-	2	2	3	11	2	-	20	4820
110	1	318	36	5	7	22	4	1	4	2	2	18	7	15	41	5	2	94	4821
34	1	111	11	3	1	7	-	-	-	-	1	6	-	3	14	2	2	24	4822
27	-	84	8	1	1	8	1	-	3	-	1	6	4	2	14	1	-	34	4823
49	-	123	17	1	5	7	3	1	1	2	-	6	3	10	13	2	-	36	4824
18	1	51	10	-	3	6	-	-	1	-	-	1	1	5	7	2	-	28	4825
49	1	87	5	-	2	11	3	3	2	1	-	2	2	12	12	4	-	28	4826
53	-	137	15	1	7	8	-	3	2	-	1	6	12	14	17	5	-	41	4827
12	-	51	1	-	1	2	-	-	-	-	-	2	1	2	6	2	-	14	4828
42	1	104	14	1	2	9	-	15	1	1	2	6	1	8	15	6	4	48	4829
134	-	304	25	1	8	19	4	5	4	1	1	14	5	12	31	10	1	80	4830
79	-	164	13	1	4	10	3	-	3	1	1	10	4	3	13	4	1	46	4831
55	-	140	12	-	4	9	1	5	1	-	-	4	1	9	18	6	-	34	4832
15	1	63	3	-	3	8	1	-	1	-	1	3	2	2	2	6	1	20	4833
22	-	87	12	4	5	8	1	-	-	-	-	4	1	5	12	6	-	37	4834
27	-	132	9	2	6	9	2	1	3	-	1	2	4	4	10	3	-	27	4835
8	-	37	6	1	2	1	-	-	1	1	-	3	2	-	7	1	-	11	4836
50	1	181	18	6	7	13	3	5	2	1	2	6	5	9	18	3	1	45	4837
26	-	48	5	-	6	4	-	-	-	-	-	3	1	4	7	-	1	11	4838
44	-	103	13	1	5	5	-	2	-	1	-	4	3	8	8	4	-	34	4839
104	2	296	27	3	11	22	5	1	6	1	3	9	5	30	33	14	-	73	4840
22	-	65	9	2	2	6	2	-	1	1	2	2	3	7	9	6	-	20	4841
82	2	231	18	1	9	16	3	1	5	-	1	7	2	23	24	8	-	53	4842
59	1	169	7	2	2	9	1	1	3	-	2	2	5	7	15	4	1	37	4843
31	-	66	7	-	1	4	1	1	1	-	-	-	-	1	8	3	-	22	4844
88	3	324	42	-	8	15	7	4	10	2	1	13	9	16	43	11	-	92	4845
44	1	171	25	-	2	6	5	3	8	-	1	8	7	8	27	6	-	49	4846
6	2	35	4	-	1	2	1	-	1	1	-	3	-	1	4	2	-	15	4847
20	-	36	4	-	4	1	1	-	-	-	-	1	-	1	3	1	-	10	4848
18	-	82	9	-	1	6	-	1	1	1	-	1	2	6	9	2	-	18	4849
63	-	134	24	5	11	14	2	-	1	-	1	9	2	8	13	6	-	68	4850
21	-	39	5	-	7	1	-	-	-	-	-	1	-	-	3	1	-	11	4851
16	-	35	8	4	-	5	2	-	1	-	-	4	2	1	3	-	-	38	4852
26	-	60	11	1	4	8	-	-	-	-	1	4	-	7	7	5	-	19	4853
213	6	745	37	5	45	68	15	19	19	7	3	46	37	123	173	45	13	381	4854
10	1	52	1	-	1	2	-	1	-	-	-	3	5	6	14	4	-	21	4855
8	1	44	-	-	1	2	-	1	-	-	-	3	4	3	10	4	-	18	4856
2	-	8	1	-	-	-	-	-	-	-	-	-	1	3	4	-	-	3	4857
14	-	36	-	1	3	5	-	-	1	1	-	3	3	10	4	1	1	18	4858
6	-	9	5	-	-	-	-	-	-	-	-	-	4	5	2	-	-	7	4859
11	-	37	2	-	5	5	-	-	1	-	-	-	1	7	17	4	1	17	4860
5	-	21	2	-	1	-	2	-	-	-	-	1	-	6	2	1	-	8	4861
6	-	14	1	-	-	-	-	-	-	-	-	-	-	3	2	-	-	4	4862
9	-	51	-	-	2	8	2	6	2	1	-	2	1	7	20	5	1	33	4863
15	-	29	1	-	4	5	-	1	1	-	1	3	2	5	7	-	-	13	4864
5	1	21	1	-	-	-	-	-	-	-	-	1	-	5	2	-	-	15	4865
6	-	20	1	1	3	1	-	-	1	-	-	1	-	1	1	1	-	5	4866

TABLE 24.—DEATHS FROM 32 SELECTED CAUSES: UNITED STATES, EACH STATE AND COUNTY,

(By place of residence. Exclusive of fetal deaths and of deaths among armed forces overseas. Numbers

	AREA	Total	Tuberculosis, all forms 001-019	Syphilis and its sequelae 020-029	Typhoid fever 040	Dysentery, all forms 045-048	Diphtheria 055	Whooping cough 056	Meningococcal infections 057	Acute poliomyelitis 080	Measles 085	All other infective and parasitic diseases 030-039, 041-044, 049-054, 058-074, 081-084, 086-138	Malignant neoplasms, including neoplasms of lymphatic and hematopoietic tissues 140-205	Diabetes mellitus 260	Meningitis, except meningococcal and tuberculous 340	Major cardiovascular renal diseases 330-334, 400-468, 592-594	Diseases of cardiovascular system 330-334, 400-468
	WYOMING—Continued																
4867	Laramie	324	2	3	-	-	-	-	1	1	-	2	47	5	-	131	124
4868	Cheyenne	257	2	3	-	-	-	-	1	1	-	1	40	4	-	110	104
4869	Balance of county	67	-	-	-	-	-	-	-	-	-	1	7	1	-	21	20
4870	Lincoln	73	1	-	-	-	-	-	-	-	-	-	10	1	-	32	31
4871	Natrona	311	6	4	-	-	-	-	-	1	-	1	38	4	-	132	122
4872	Casper	245	6	2	-	-	-	-	-	1	-	1	32	4	-	102	94
4873	Balance of county	66	-	2	-	-	-	-	-	-	-	-	6	-	-	30	28
4874	Niobrara	44	-	1	-	-	-	-	-	-	-	1	6	2	-	19	19
4875	Park	91	-	1	-	-	-	-	-	2	-	1	9	-	1	40	40
4876	Platte	56	1	-	-	-	-	-	-	-	-	-	7	-	-	28	25
4877	Sheridan	190	2	1	-	-	-	-	-	-	-	1	23	1	-	108	107
4878	Sheridan	136	2	1	-	-	-	-	-	-	-	1	16	1	-	82	81
4879	Balance of county	54	-	-	-	-	-	-	-	-	-	-	7	-	-	26	26
4880	Sublette	12	-	-	-	-	-	-	-	-	-	-	1	-	-	7	7
4881	Sweetwater	187	3	-	-	-	-	-	-	1	-	-	20	1	-	73	69
4882	Teton	18	-	1	-	-	-	-	-	-	-	-	2	-	-	1	1
4883	Uinta	46	-	-	-	-	-	-	-	-	-	-	6	1	-	23	23
4884	Washakie	48	1	1	-	-	-	-	-	-	-	1	6	-	-	14	14
4885	Weston	58	-	-	-	-	-	-	-	1	-	-	3	1	-	29	29
4886	Yellowstone Nat. Pk. (part)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-
4887	Yellowstone Nat. Pk. (total)	1	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-

NOTE.—Certain cities listed in this table are located in more than one county. In these cases, figures for the county include only the figures for that part of the city in the county. Total figures for each of these cities are shown under the county containing the larger proportion of the city's population. Totals for Amarillo, Tex., are shown under Potter County; Atlanta, Ga., under Fulton County; Bethlehem, Pa., under Northampton County; Centralia, Ill., under Marion County; Elgin, Ill., under Kane

AND EACH URBAN PLACE HAVING, IN 1940, A POPULATION OF 10,000 OR MORE, 1949—Continued

under causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

Vascular lesions affecting central nervous system 330-334	Rheumatic fever 400-402	Diseases of heart 410-443	Hypertension without mention of heart and general arteriosclerosis 444-450	Other diseases of circulatory system 451-468	Chronic and unspecified nephritis and other renal sclerosis 592-594	Influenza and pneumonia except pneumonia of newborn 480-493	Ulcer of stomach and duodenum 540, 541	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn 543, 571,572	Cirrhosis of liver 581	Acute nephritis and nephritis with edema, including nephrosis 590,591	Deliveries and complications of pregnancy, childbirth, and the puerperium 640-689	Congenital malformations 750-759	Symptoms, senility, and ill-defined conditions 780-795	Motor-vehicle accidents E810-E835	All other accidents E800-E802, E840-E962	Suicide E963, E970-E979	Homicide E964, E980-E985	All other causes Residual	
30	-	90	2	2	7	12	4	4	3	-	-	8	4	24	18	4	2	49	4867
25	-	76	2	1	5	9	3	2	3	-	-	7	3	12	13	2	2	39	4868
5	-	14	-	1	1	3	1	2	-	-	-	1	1	12	5	2	-	10	4869
7	1	23	-	-	1	1	2	1	-	-	-	4	1	4	3	-	1	12	4870
19	-	97	5	1	10	8	1	4	4	-	1	6	4	11	15	6	3	62	4871
14	-	78	1	1	8	4	1	2	4	-	1	6	3	9	12	4	2	49	4872
5	-	19	4	-	2	4	-	2	-	-	-	-	1	2	3	2	1	13	4873
2	-	16	1	-	-	1	-	-	-	-	-	1	-	3	1	-	-	9	4874
7	-	31	2	-	-	2	1	-	1	-	-	2	2	3	3	3	-	15	4875
5	-	20	-	-	3	1	-	1	-	-	-	-	-	4	4	3	-	7	4876
25	-	74	8	-	1	2	1	-	1	1	-	5	1	4	15	2	-	22	4877
19	-	57	5	-	1	2	1	-	1	1	-	4	1	2	8	1	-	12	4878
6	-	17	3	-	-	-	-	-	-	-	-	1	-	2	7	1	-	10	4879
1	-	6	-	-	-	1	-	-	-	-	-	-	-	2	-	1	-	-	4880
11	3	54	1	-	4	7	1	-	2	3	-	1	3	7	27	4	3	31	4881
-	-	1	-	-	-	-	-	-	-	1	-	2	-	1	4	2	-	4	4882
5	-	18	-	-	-	2	-	-	1	-	-	1	1	2	1	-	1	7	4883
3	-	9	2	-	-	4	-	-	-	-	1	2	2	-	2	1	-	13	4884
11	-	16	2	-	-	1	1	1	1	-	-	-	3	3	4	1	-	9	4885
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4886
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	4887

County; Ellwood City, Pa., under Lawrence County; Fostoria, Ohio, under Seneca County; Huntington, W. Va., under Cabell County; Joplin, Mo., under Jasper County; Rocky Mount, N. C., under Nash County; St. Cloud, Minn., under Stearns County; Watertown, Wis., under Jefferson County; and Youngstown, Ohio, under Mahoning County. Likewise, total figures for Yellowstone National Park are shown under Wyoming.

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNITED STATES							
Under 1 year	111,531	62,997	27,651	12,703	9,374	13,269	48,534
White	89,007	50,744	21,129	10,475	7,838	11,302	38,263
Nonwhite	22,524	12,253	6,522	2,228	1,536	1,967	10,271
Under 28 days	76,326	46,075	20,728	9,206	6,822	9,319	30,251
White	62,728	37,982	16,104	7,767	5,992	8,219	24,746
Nonwhite	13,598	8,093	4,624	1,439	830	1,100	5,505
ALABAMA							
Under 1 year	3,345	1,275	286	382	218	389	2,070
White	1,704	604	121	182	87	214	1,100
Nonwhite	1,641	671	165	200	131	175	970
Under 28 days	2,266	927	232	288	152	255	1,339
White	1,209	483	102	154	67	160	726
Nonwhite	1,057	444	130	134	85	95	613
ARIZONA							
Under 1 year	1,034	356	...	213	...	143	678
White	723	328	...	190	...	138	395
Nonwhite	311	28	...	23	...	5	283
Under 28 days	563	235	...	142	...	93	328
White	449	221	...	131	...	90	228
Nonwhite	114	14	...	11	...	3	100
ARKANSAS							
Under 1 year	1,539	541	...	105	153	283	998
White	1,085	367	...	64	99	204	718
Nonwhite	454	174	...	41	54	79	280
Under 28 days	923	378	...	81	113	184	545
White	677	281	...	52	79	150	396
Nonwhite	246	97	...	29	34	34	149
CALIFORNIA							
Under 1 year	6,574	4,224	2,086	765	557	816	2,350
White	5,879	3,685	1,717	676	509	783	2,194
Nonwhite	695	539	369	89	48	33	156
Under 28 days	4,765	3,209	1,624	585	408	594	1,556
White	4,288	2,815	1,352	515	376	572	1,473
Nonwhite	477	394	272	70	30	22	83
COLORADO							
Under 1 year	1,153	610	279	101	63	167	543
White	1,121	588	265	94	62	167	533
Nonwhite	32	22	14	7	1	-	10
Under 28 days	794	440	216	65	46	113	354
White	772	422	205	58	45	113	350
Nonwhite	22	18	11	6	1	-	4
CONNECTICUT							
Under 1 year	943	629	245	238	111	34	314
White	884	575	213	221	107	34	309
Nonwhite	59	54	32	18	4	-	5
Under 28 days	741	489	187	187	89	26	252
White	696	446	163	172	85	26	250
Nonwhite	45	43	24	15	4	-	2
DELAWARE							
Under 1 year	224	112	84	...	...	28	112
White	163	80	62	...	...	18	83
Nonwhite	61	32	22	...	...	10	29
Under 28 days	158	84	62	...	...	22	74
White	121	63	47	...	...	16	58
Nonwhite	37	21	15	...	...	6	16
DISTRICT OF COLUMBIA							
Under 1 year	576	576	576	...	...	...	...
White	327	327	327	...	...	...	...
Nonwhite	249	249	249	...	...	...	...
Under 28 days	452	452	452	...	...	...	...
White	267	267	267	...	...	...	...
Nonwhite	185	185	185	...	...	...	...
FLORIDA							
Under 1 year	2,088	1,167	476	152	210	329	921
White	1,227	654	288	91	115	160	573
Nonwhite	861	513	188	61	95	169	348
Under 28 days	1,457	845	368	107	149	221	612
White	933	516	228	71	88	128	417
Nonwhite	524	329	140	36	60	93	195
GEORGIA							
Under 1 year	3,101	1,394	332	355	287	420	1,707
White	1,676	755	144	217	165	229	921
Nonwhite	1,425	639	188	138	122	191	786
Under 28 days	2,047	997	259	267	187	284	1,050
White	1,186	590	114	180	124	172	596
Nonwhite	861	407	145	87	63	112	454
IDAHO							
Under 1 year	431	211	...	32	83	96	220
White	414	210	...	32	82	96	204
Nonwhite	17	1	...	-	1	-	16
Under 28 days	320	176	...	28	68	84	144
White	318	175	...	28	65	84	143
Nonwhite	2	1	...	-	1	-	1
ILLINOIS							
Under 1 year	5,195	3,995	2,318	703	390	584	1,200
White	4,428	3,262	1,718	614	381	569	1,166
Nonwhite	767	733	600	89	29	15	34
Under 28 days	3,812	2,934	1,684	535	298	447	878
White	3,309	2,454	1,263	472	279	440	855
Nonwhite	503	480	391	63	19	7	23
INDIANA							
Under 1 year	2,746	1,756	865	603	202	286	990
White	2,514	1,529	515	535	195	284	985
Nonwhite	232	227	150	68	7	2	5
Under 28 days	1,855	1,221	498	404	122	207	634
White	1,707	1,076	387	364	119	206	631
Nonwhite	148	145	101	40	3	1	3
IOWA							
Under 1 year	1,591	878	141	383	131	223	713
White	1,562	854	129	374	130	221	708
Nonwhite	29	24	12	9	1	2	5
Under 28 days	1,243	709	109	297	110	193	534
White	1,227	694	101	291	110	192	533
Nonwhite	16	15	8	6	-	1	1
KANSAS							
Under 1 year	1,136	671	233	73	170	195	465
White	1,063	613	205	66	155	187	450
Nonwhite	73	58	28	7	15	8	15
Under 28 days	850	508	173	56	128	151	342
White	807	472	152	51	121	148	335
Nonwhite	43	36	21	5	7	3	7
KENTUCKY							
Under 1 year	3,139	1,046	378	251	91	326	2,093
White	2,845	859	295	211	71	282	1,986
Nonwhite	294	187	83	40	20	44	107
Under 28 days	1,807	685	272	155	62	196	1,122
White	1,645	581	218	138	51	174	1,064
Nonwhite	162	104	54	17	11	22	58
LOUISIANA							
Under 1 year	2,810	1,381	428	330	167	456	1,429
White	1,251	686	232	146	70	238	565
Nonwhite	1,579	695	196	184	97	218	864
Under 28 days	1,818	969	319	236	101	313	849
White	899	527	183	116	45	183	372
Nonwhite	919	442	136	120	56	130	477
MAINE							
Under 1 year	713	238	...	90	63	85	475
White	709	237	...	89	63	85	472
Nonwhite	4	1	...	1	-	-	3
Under 28 days	478	173	...	71	42	60	305
White	476	172	...	70	42	60	304
Nonwhite	2	1	...	1	-	-	1
MARYLAND							
Under 1 year	1,636	918	683	58	90	87	718
White	1,107	571	396	55	48	72	536
Nonwhite	529	347	287	3	42	15	182
Under 28 days	1,083	641	477	45	59	60	442
White	770	413	286	43	34	50	357
Nonwhite	313	228	191	2	25	10	85
MASSACHUSETTS							
Under 1 year	2,347	2,045	909	597	387	152	302
White	2,269	1,972	849	588	384	151	297
Nonwhite	78	73	60	9	3	1	5
Under 28 days	1,789	1,558	689	465	288	116	231
White	1,723	1,496	638	457	286	115	227
Nonwhite	66	62	51	8	2	1	4
MICHIGAN							
Under 1 year	4,545	2,952	1,505	655	361	431	1,593
White	4,008	2,465	1,148	591	306	420	1,543
Nonwhite	537	487	357	64	55	11	50
Under 28 days	3,221	2,197	1,127	483	267	320	1,024
White	2,828	1,835	857	435	231	312	993
Nonwhite	393	362	270	48	36	8	31

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
MINNESOTA							
Under 1 year	1,893	1,107	579	19	160	349	786
White	1,837	1,079	553	19	160	347	758
Nonwhite	56	28	26	-	-	2	28
Under 28 days	1,413	883	451	17	124	291	530
White	1,383	863	432	17	124	290	520
Nonwhite	30	20	19	-	-	1	10
MISSISSIPPI							
Under 1 year	2,631	786	...	168	286	332	1,845
White	923	341	...	64	125	152	582
Nonwhite	1,708	445	...	104	161	180	1,263
Under 28 days	1,605	566	...	122	210	234	1,039
White	672	298	...	57	110	131	374
Nonwhite	935	268	...	65	100	103	665
MISSOURI							
Under 1 year	2,563	1,437	621	111	186	319	1,126
White	2,228	1,195	633	105	169	288	1,033
Nonwhite	335	242	188	6	17	31	93
Under 28 days	1,798	1,099	638	85	140	236	699
White	1,582	927	501	79	128	219	655
Nonwhite	216	172	137	6	12	17	44
MONTANA							
Under 1 year	457	243	...	75	78	90	214
White	398	230	...	73	73	84	169
Nonwhite	58	13	...	2	5	6	45
Under 28 days	312	180	...	57	56	67	132
White	288	173	...	57	52	64	116
Nonwhite	23	7	...	-	4	3	16
NEBRASKA							
Under 1 year	761	407	164	58	87	98	354
White	730	390	153	58	85	94	340
Nonwhite	31	17	11	-	2	4	14
Under 28 days	566	317	138	40	68	71	249
White	547	304	128	40	67	69	243
Nonwhite	19	13	10	-	1	2	6
NEVADA							
Under 1 year	118	50	...	...	19	31	68
White	105	48	...	...	18	30	57
Nonwhite	13	2	...	...	1	1	11
Under 28 days	92	41	...	...	16	25	51
White	87	40	...	...	16	24	47
Nonwhite	5	1	...	....	-	1	4
NEW HAMPSHIRE							
Under 1 year	333	215	...	96	75	44	118
White	332	214	...	95	75	44	118
Nonwhite	1	1	...	1	-	-	-
Under 28 days	258	175	...	72	68	35	83
White	257	174	...	71	68	35	83
Nonwhite	1	1	...	1	-	-	-
NEW JERSEY							
Under 1 year	2,534	1,988	785	495	349	359	546
White	2,081	1,605	536	433	305	331	476
Nonwhite	453	383	249	62	44	28	70
Under 28 days	1,910	1,507	578	394	261	274	403
White	1,597	1,234	403	345	235	251	363
Nonwhite	313	273	175	49	26	23	40
NEW MEXICO							
Under 1 year	1,408	569	...	117	144	308	839
White	1,228	535	...	112	134	289	693
Nonwhite	180	34	...	5	10	19	146
Under 28 days	697	332	...	80	90	162	365
White	638	318	...	77	87	154	320
Nonwhite	59	14	...	3	3	8	45
NEW YORK							
Under 1 year	7,878	6,259	4,760	539	506	454	1,619
White	6,864	5,277	3,866	496	475	440	1,587
Nonwhite	1,014	982	894	43	31	14	32
Under 28 days	6,004	4,805	3,640	403	398	364	1,199
White	5,273	4,092	2,988	372	377	355	1,181
Nonwhite	731	713	652	31	21	9	18
NORTH CAROLINA							
Under 1 year	4,113	1,266	142	409	367	348	2,847
White	2,185	846	63	182	199	202	1,339
Nonwhite	1,928	420	79	227	168	146	1,308
Under 28 days	2,479	854	85	296	240	231	1,625
White	1,457	494	45	148	147	154	963
Nonwhite	1,022	360	40	150	93	77	662

AREA, AGE, AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
NORTH DAKOTA							
Under 1 year	517	159	...	20	56	83	358
White	482	157	...	20	55	82	325
Nonwhite	35	2	...	-	1	1	33
Under 28 days	385	134	...	19	49	66	249
White	370	132	...	19	48	65	238
Nonwhite	13	2	...	-	1	1	11
OHIO							
Under 1 year	5,315	3,642	2,109	607	422	504	1,673
White	4,726	3,092	1,670	546	404	472	1,634
Nonwhite	589	550	439	61	18	32	39
Under 28 days	3,765	2,703	1,575	436	320	372	1,080
White	3,401	2,339	1,274	403	310	352	1,062
Nonwhite	382	364	301	33	10	20	18
OKLAHOMA							
Under 1 year	1,531	840	335	47	232	226	691
White	1,247	689	273	31	192	193	558
Nonwhite	284	151	62	16	40	33	133
Under 28 days	1,088	624	250	34	175	165	464
White	926	537	216	25	154	142	389
Nonwhite	162	87	34	9	21	23	75
OREGON							
Under 1 year	869	476	197	16	93	170	393
White	831	461	185	16	91	169	370
Nonwhite	38	15	12	-	2	1	23
Under 28 days	661	389	160	8	79	142	272
White	637	377	150	8	77	142	260
Nonwhite	24	12	10	-	2	-	12
PENNSYLVANIA							
Under 1 year	6,567	4,413	2,028	817	807	761	2,154
White	5,771	3,665	1,441	740	752	732	2,106
Nonwhite	796	748	587	77	55	29	48
Under 28 days	4,791	3,372	1,548	611	626	587	1,419
White	4,224	2,832	1,113	569	584	566	1,392
Nonwhite	567	540	435	42	42	21	27
RHODE ISLAND							
Under 1 year	395	338	131	160	39	8	57
White	376	322	121	155	38	8	54
Nonwhite	19	16	10	5	1	-	3
Under 28 days	315	271	104	129	30	8	44
White	301	258	95	126	29	8	43
Nonwhite	14	13	9	3	1	-	1
SOUTH CAROLINA							
Under 1 year	2,285	687	...	305	119	263	1,596
White	935	367	...	151	72	144	568
Nonwhite	1,348	320	...	154	47	119	1,028
Under 28 days	1,419	465	...	216	84	165	954
White	655	282	...	117	57	108	373
Nonwhite	764	183	...	99	27	57	581
SOUTH DAKOTA							
Under 1 year	448	176	...	31	65	80	272
White	397	166	...	31	60	75	231
Nonwhite	51	10	...	-	5	5	41
Under 28 days	307	135	...	22	45	68	172
White	291	133	...	22	45	66	158
Nonwhite	16	2	...	-	-	2	14
TENNESSEE							
Under 1 year	3,331	1,388	844	28	148	368	1,943
White	2,557	920	482	25	107	306	1,637
Nonwhite	774	468	362	3	41	62	306
Under 28 days	2,088	937	572	19	95	251	1,151
White	1,831	651	338	19	73	221	980
Nonwhite	457	286	234	-	22	30	171
TEXAS							
Under 1 year	8,628	5,202	1,706	1,234	705	1,556	3,426
White	7,277	4,354	1,371	1,021	597	1,365	2,923
Nonwhite	1,351	848	334	213	108	193	503
Under 28 days	4,950	3,141	1,167	747	402	825	1,809
White	4,153	2,613	935	619	335	724	1,540
Nonwhite	797	528	232	128	67	101	269
UTAH							
Under 1 year	535	314	117	52	35	110	221
White	516	307	115	51	35	106	209
Nonwhite	19	7	2	1	-	4	12
Under 28 days	416	252	92	40	31	89	164
White	403	248	91	39	31	87	155
Nonwhite	13	4	1	1	-	2	9

TABLE 25.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
VERMONT							
Under 1 year	301	107	...	23	19	65	194
White	300	106	...	22	19	65	194
Nonwhite	1	1	...	1	-	-	-
Under 28 days	225	81	...	15	17	49	144
White	225	81	...	15	17	49	144
Nonwhite	-	-	...	-	-	-	-
VIRGINIA							
Under 1 year	3,162	1,124	388	442	76	218	2,038
White	2,005	668	197	263	51	157	1,337
Nonwhite	1,157	456	191	179	25	61	701
Under 28 days	2,093	829	292	319	58	160	1,264
White	1,387	525	164	207	37	117	862
Nonwhite	706	304	128	112	21	43	402
WASHINGTON							
Under 1 year	1,530	912	551	80	136	145	618
White	1,419	855	509	75	131	140	564
Nonwhite	111	57	42	5	5	5	54
Under 28 days	1,128	715	439	55	113	108	413
White	1,073	675	405	54	109	107	398
Nonwhite	55	40	34	1	4	1	15
WEST VIRGINIA							
Under 1 year	2,082	581	...	259	140	182	1,501
White	1,940	541	...	250	121	170	1,399
Nonwhite	142	40	...	9	19	12	102
Under 28 days	1,295	417	...	175	111	131	878
White	1,209	390	...	168	98	124	819
Nonwhite	86	27	...	7	13	7	59
WISCONSIN							
Under 1 year	2,202	1,197	371	408	198	220	1,005
White	2,116	1,158	337	405	196	220	958
Nonwhite	86	39	34	3	2	-	47
Under 28 days	1,602	911	291	298	153	169	691
White	1,556	882	263	297	153	169	674
Nonwhite	46	29	28	1	-	-	17
WYOMING							
Under 1 year	280	139	...	...	93	46	141
White	261	135	...	....	90	45	126
Nonwhite	19	4	...	...	3	1	15
Under 28 days	206	113	...	...	78	35	93
White	197	111	...	...	76	35	86
Nonwhite	9	2	...	...	2	-	7

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY MONTH AND RACE, AND DETAILED AGE FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE (DETAILED AGE FOR U. S. ONLY)	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNITED STATES													
Under 1 year	111,531	10,466	9,214	9,679	8,535	8,814	8,602	9,611	9,750	9,000	9,293	9,082	9,505
White	89,007	8,304	7,302	7,738	6,852	7,155	6,902	7,677	7,806	7,191	7,374	7,189	7,507
Nonwhite	22,524	2,162	1,912	1,941	1,683	1,659	1,700	1,934	1,944	1,809	1,919	1,883	1,998
Under 1 day	37,259	3,067	2,637	3,038	3,036	3,325	3,287	3,469	3,443	3,027	3,089	2,901	2,940
White	31,168	2,574	2,208	2,599	2,553	2,764	2,774	2,927	2,851	2,522	2,545	2,403	2,448
Nonwhite	6,091	493	429	439	483	561	513	542	592	505	544	498	492
1 day	11,152	877	771	896	911	1,022	984	963	1,035	948	917	899	929
White	9,350	742	636	753	757	863	841	799	860	795	763	761	780
Nonwhite	1,802	135	135	143	154	159	143	164	175	153	154	138	149
2 days	7,386	664	594	542	567	614	586	688	679	659	623	573	587
White	6,250	567	501	455	473	530	512	579	561	559	536	493	482
Nonwhite	1,136	97	93	87	94	84	74	109	118	100	85	80	115
3 days	3,953	351	306	356	310	307	302	330	348	316	331	356	340
White	3,270	279	255	298	250	262	251	279	289	266	272	293	276
Nonwhite	683	72	51	58	60	45	51	51	59	50	59	63	64
4 days	2,320	218	185	182	176	182	180	187	207	193	216	204	190
White	1,845	172	159	147	149	146	144	141	164	144	169	156	154
Nonwhite	475	46	26	35	27	36	36	46	43	49	47	48	36
5 days	1,780	150	141	150	142	149	141	149	166	156	148	130	156
White	1,390	111	115	120	118	125	109	117	121	117	118	107	112
Nonwhite	390	39	26	30	24	24	32	32	45	39	30	23	46
6 days	1,324	121	103	118	88	112	83	146	125	110	122	88	108
White	1,028	93	79	88	72	92	64	104	102	82	89	75	88
Nonwhite	296	28	24	30	16	20	19	42	23	28	33	13	20
7-13 days	5,471	462	420	465	396	377	418	478	520	502	496	464	473
White	4,195	360	320	351	325	284	317	365	408	381	372	350	362
Nonwhite	1,276	102	100	114	71	93	101	113	112	121	124	114	111
14-20 days	3,328	338	308	287	243	237	213	252	290	285	285	291	289
White	2,488	255	231	215	180	184	157	189	213	222	219	210	213
Nonwhite	840	83	77	72	63	53	56	63	77	63	76	81	76
21-27 days	2,353	244	228	219	164	157	145	171	236	201	205	198	185
White	1,744	165	171	169	123	120	105	124	187	141	154	153	132
Nonwhite	609	79	57	50	41	37	40	47	49	60	51	45	53
Under 28 days	76,326	6,492	5,693	6,253	6,033	6,482	6,339	6,833	7,049	6,397	6,442	6,104	6,209
White	62,728	5,518	4,675	5,195	5,000	5,370	5,274	5,624	5,758	5,229	5,239	5,001	5,047
Nonwhite	13,598	1,174	1,018	1,058	1,033	1,112	1,065	1,209	1,293	1,168	1,203	1,103	1,162
28-59 days	7,501	774	748	722	508	483	441	560	628	647	713	645	632
White	5,526	558	532	515	360	386	317	414	473	493	534	474	470
Nonwhite	1,975	216	216	207	148	97	124	146	155	154	179	171	162
2 months	5,702	661	604	609	388	333	296	383	404	427	506	518	573
White	4,271	488	457	467	297	253	214	274	298	320	376	384	443
Nonwhite	1,431	173	147	142	91	80	82	109	106	107	130	134	130
3 months	4,792	564	502	459	351	306	271	344	327	333	394	429	512
White	3,593	429	378	328	261	229	202	254	260	258	302	322	370
Nonwhite	1,199	135	124	131	90	77	69	90	67	75	92	107	142
4 months	3,808	509	380	389	284	219	258	275	284	272	276	305	377
White	2,819	387	286	290	190	166	188	204	211	199	196	225	277
Nonwhite	989	122	94	99	74	53	70	71	73	73	80	80	100
5 months	3,138	378	333	288	232	231	201	265	232	219	218	246	295
White	2,305	286	249	221	161	167	137	196	168	162	169	184	205
Nonwhite	833	92	84	67	71	64	64	69	64	57	49	62	90
6 months	2,530	260	258	261	175	158	190	237	192	163	194	209	233
White	1,853	193	202	197	125	121	128	168	140	116	145	148	168
Nonwhite	677	67	56	64	50	37	62	68	52	47	49	60	64
7 months	2,076	219	205	208	136	162	167	191	160	143	144	164	177
White	1,587	176	158	158	111	128	121	138	122	113	107	120	135
Nonwhite	489	43	47	50	25	34	46	53	38	30	37	44	42
8 months	1,825	184	155	162	153	158	122	158	171	132	118	139	173
White	1,381	140	107	121	122	121	81	127	135	99	87	104	137
Nonwhite	444	44	48	41	31	37	41	31	36	33	31	35	36
9 months	1,467	166	120	131	109	101	131	135	106	109	120	116	123
White	1,109	118	94	94	80	79	98	101	90	78	90	94	95
Nonwhite	358	48	26	37	29	22	33	34	16	33	30	22	28
10 months	1,247	135	111	99	97	95	108	113	100	98	99	96	106
White	951	103	83	74	77	69	84	86	80	69	72	75	79
Nonwhite	296	32	28	25	20	26	24	27	20	19	27	21	27
11 months	1,119	124	105	98	88	86	78	117	97	70	69	91	95
White	884	108	81	78	68	66	58	81	73	57	57	67	80
Nonwhite	235	16	24	20	21	20	20	26	24	13	12	24	15
ALABAMA													
Under 1 year	3,345	324	249	283	272	246	294	293	277	268	262	290	287
White	1,704	167	119	131	135	127	165	152	156	142	136	144	130
Nonwhite	1,641	157	130	152	137	119	129	141	121	126	126	148	157
Under 28 days	2,266	205	148	170	182	177	208	199	197	198	191	201	190
White	1,209	105	77	91	102	99	127	98	113	106	99	103	89
Nonwhite	1,057	100	71	79	80	78	81	101	84	92	92	98	101
ARIZONA													
Under 1 year	1,034	91	80	71	75	76	105	95	84	84	95	82	96
White	723	71	58	49	51	60	74	65	50	54	59	62	70
Nonwhite	311	20	22	22	24	16	31	30	34	30	36	20	26
Under 28 days	363	46	39	38	44	40	55	50	49	49	51	49	53
White	449	39	31	29	33	34	43	41	36	38	40	41	44
Nonwhite	114	7	8	9	11	6	12	9	13	11	11	8	9
ARKANSAS													
Under 1 year	1,539	145	123	143	105	84	121	150	128	158	140	118	124
White	1,085	104	87	98	67	58	87	99	93	125	95	82	92
Nonwhite	454	41	36	47	38	26	34	51	35	33	45	36	32
Under 28 days	923	72	71	74	65	55	81	94	85	93	89	72	72
White	677	48	58	53	45	40	59	66	61	77	62	54	54
Nonwhite	246	24	13	21	20	15	22	28	24	16	27	18	18

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY MONTH AND RACE, AND DETAILED AGE FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
CALIFORNIA													
Under 1 year	6,574	656	547	534	480	509	528	570	550	494	571	532	603
White	5,879	598	477	488	422	457	473	518	490	437	499	479	541
Nonwhite	695	58	70	46	58	52	55	52	60	57	72	53	62
Under 28 days	4,765	419	372	391	377	392	415	436	438	367	393	351	414
White	4,288	376	335	357	337	358	375	399	390	325	346	317	371
Nonwhite	477	41	37	34	40	34	40	37	48	42	47	34	43
COLORADO													
Under 1 year	1,153	118	104	90	66	100	80	80	102	98	112	101	102
White	1,121	114	103	88	62	99	79	77	101	92	110	97	99
Nonwhite	32	4	1	2	4	1	1	3	1	6	2	4	3
Under 28 days	794	64	66	63	50	78	65	70	75	56	78	61	88
White	772	60	66	62	47	78	65	67	75	52	77	58	65
Nonwhite	22	4	-	1	3	-	-	3	-	4	1	3	3
CONNECTICUT													
Under 1 year	943	94	84	99	70	70	75	78	83	71	72	67	80
White	884	91	82	94	68	64	74	76	73	67	64	63	68
Nonwhite	59	3	2	5	2	6	1	2	10	4	8	4	12
Under 28 days	741	76	67	66	57	58	65	71	65	55	59	50	52
White	696	73	65	62	55	53	64	69	59	51	53	47	45
Nonwhite	45	3	2	4	2	5	1	2	6	4	6	3	7
DELAWARE													
Under 1 year	224	26	17	20	20	10	21	20	20	11	15	25	19
White	163	16	11	16	15	10	17	13	13	7	13	17	15
Nonwhite	61	10	6	4	5	-	4	7	7	4	2	8	4
Under 28 days	158	21	9	17	14	6	14	16	15	7	12	17	10
White	121	13	5	15	11	6	13	11	10	6	11	11	9
Nonwhite	37	8	4	2	3	-	1	5	5	1	1	6	1
DISTRICT OF COLUMBIA													
Under 1 year	576	45	54	49	47	50	42	48	54	46	47	44	50
White	327	22	29	29	26	32	25	27	33	25	22	27	30
Nonwhite	249	23	25	20	21	18	17	21	21	21	25	17	20
Under 28 days	452	35	35	41	40	44	35	41	39	36	36	34	36
White	267	16	19	23	24	28	22	23	27	21	19	24	21
Nonwhite	185	19	16	18	16	16	13	18	12	15	17	10	15
FLORIDA													
Under 1 year	2,088	214	177	189	154	170	158	168	165	161	176	195	161
White	1,227	120	103	109	93	94	90	103	103	103	104	109	96
Nonwhite	861	94	74	80	61	76	68	65	62	58	72	86	65
Under 28 days	1,457	133	122	102	94	111	121	121	135	126	135	140	117
White	933	82	75	68	66	70	77	82	90	85	83	77	78
Nonwhite	524	51	47	34	28	41	44	39	45	41	52	63	39
GEORGIA													
Under 1 year	3,101	298	249	289	216	228	248	276	284	237	260	256	280
White	1,676	138	135	133	113	137	138	168	163	138	137	135	141
Nonwhite	1,425	160	114	156	103	91	110	108	121	99	123	121	139
Under 28 days	2,047	172	143	162	137	163	187	177	214	180	182	167	163
White	1,186	85	90	91	77	104	109	117	122	113	94	96	88
Nonwhite	861	87	53	71	60	59	78	60	92	67	88	71	75
IDAHO													
Under 1 year	431	36	32	28	44	34	34	33	36	29	46	23	56
White	414	33	31	28	43	31	34	32	35	29	44	22	54
Nonwhite	17	3	1	2	1	3	-	1	1	-	2	1	2
Under 28 days	320	26	25	21	32	27	28	20	29	25	35	14	37
White	318	26	25	20	32	26	28	20	29	25	35	14	37
Nonwhite	2	-	-	1	-	1	-	-	-	-	-	-	-
ILLINOIS													
Under 1 year	5,195	466	430	441	387	429	422	403	452	464	461	436	404
White	4,428	396	363	384	327	368	338	346	386	401	398	377	344
Nonwhite	767	70	67	57	60	61	84	57	66	63	63	59	60
Under 28 days	3,812	313	261	308	292	338	335	315	346	345	359	306	293
White	3,309	271	241	273	253	294	279	274	303	301	302	268	250
Nonwhite	503	42	40	35	39	44	56	42	43	44	37	38	43
INDIANA													
Under 1 year	2,746	263	247	223	193	196	171	241	262	258	240	237	215
White	2,514	236	226	204	174	185	160	229	238	227	220	216	199
Nonwhite	232	27	21	19	19	11	11	12	24	31	20	21	16
Under 28 days	1,855	154	138	145	150	144	141	177	190	160	156	162	138
White	1,707	138	127	133	135	135	131	169	175	144	144	148	128
Nonwhite	148	16	11	12	15	9	10	8	15	16	12	14	10
IOWA													
Under 1 year	1,591	147	151	152	114	121	119	137	129	131	110	145	135
White	1,562	146	150	148	111	118	119	135	127	129	109	138	132
Nonwhite	29	1	1	4	3	3	-	2	2	2	1	7	3
Under 28 days	1,243	106	108	113	81	97	100	111	111	108	83	122	103
White	1,227	105	107	110	80	95	100	111	109	107	83	119	101
Nonwhite	16	1	1	3	1	2	-	-	2	1	-	3	2
KANSAS													
Under 1 year	1,136	116	95	86	74	95	81	104	100	96	82	95	112
White	1,063	109	93	78	70	89	76	98	93	92	73	89	103
Nonwhite	73	7	2	8	4	6	5	6	7	4	9	6	9
Under 28 days	850	74	60	60	56	80	64	83	81	78	68	72	74
White	807	71	59	54	54	76	61	81	77	74	62	68	70
Nonwhite	43	3	1	6	2	4	3	2	4	4	6	4	4

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY MONTH AND RACE, AND DETAILED AGE FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
KENTUCKY													
Under 1 year	3,139	283	305	270	227	206	208	289	322	275	250	225	259
White	2,845	265	274	246	204	190	191	274	290	245	226	202	238
Nonwhite	294	28	31	24	23	16	17	25	32	30	24	23	21
Under 28 days	1,807	166	162	157	171	143	142	145	156	139	132	145	149
White	1,645	156	147	144	155	130	134	130	141	123	116	131	138
Nonwhite	162	10	15	13	16	13	8	15	15	16	16	14	11
LOUISIANA													
Under 1 year	2,810	305	220	230	209	225	226	250	270	203	248	205	238
White	1,231	123	97	94	102	95	94	101	128	97	108	86	106
Nonwhite	1,579	182	123	136	107	130	132	129	142	106	141	119	132
Under 28 days	1,618	163	122	130	125	156	145	181	194	155	176	127	144
White	899	72	57	60	72	71	71	89	99	83	88	64	73
Nonwhite	919	91	65	70	53	85	74	92	95	72	88	63	71
MAINE													
Under 1 year	715	75	69	71	53	53	49	47	64	55	57	52	71
White	709	72	68	70	53	53	49	47	64	54	57	52	71
Nonwhite	4	1	1	1	-	-	-	-	-	1	-	-	-
Under 28 days	478	47	43	44	36	37	37	35	49	39	37	37	37
White	476	47	42	44	36	37	37	35	49	38	37	37	37
Nonwhite	2	-	1	-	-	-	-	-	-	1	-	-	-
MARYLAND													
Under 1 year	1,636	170	116	134	120	119	137	135	148	123	151	140	142
White	1,107	121	70	95	80	78	101	96	101	83	95	90	97
Nonwhite	529	49	46	39	40	41	36	39	48	40	56	50	45
Under 28 days	1,083	106	66	86	85	90	110	92	109	83	90	81	85
White	770	78	37	68	61	63	80	67	78	59	85	57	57
Nonwhite	313	28	29	18	24	27	30	25	31	24	25	24	28
MASSACHUSETTS													
Under 1 year	2,347	205	193	224	172	205	178	189	206	177	187	206	207
White	2,269	203	187	219	166	191	176	181	200	172	181	194	199
Nonwhite	78	2	6	5	6	12	2	8	6	5	6	12	8
Under 28 days	1,789	149	132	155	138	158	135	151	162	148	144	165	152
White	1,723	147	127	153	133	148	133	145	157	143	138	153	146
Nonwhite	66	2	5	2	5	10	2	6	5	5	6	12	6
MICHIGAN													
Under 1 year	4,545	429	374	432	324	342	324	392	370	374	427	380	377
White	4,008	379	333	388	301	307	284	357	324	325	380	326	324
Nonwhite	537	50	41	44	23	35	40	55	46	49	47	54	53
Under 28 days	3,221	268	219	283	239	268	250	295	275	277	313	277	257
White	2,828	239	196	252	220	240	216	257	236	239	276	238	219
Nonwhite	393	29	23	31	19	28	34	38	39	38	37	39	38
MINNESOTA													
Under 1 year	1,893	169	150	178	164	154	155	142	165	162	161	131	162
White	1,837	166	147	168	157	146	154	138	163	156	157	125	160
Nonwhite	56	3	3	10	7	8	1	4	2	6	4	6	2
Under 28 days	1,413	107	95	111	114	135	130	112	135	128	127	101	118
White	1,383	106	94	107	111	128	129	108	134	125	125	98	118
Nonwhite	30	1	1	4	3	7	1	4	1	3	2	3	-
MISSISSIPPI													
Under 1 year	2,631	233	236	212	226	157	220	224	226	208	214	212	263
White	923	81	70	64	78	61	85	70	100	75	87	66	86
Nonwhite	1,708	152	166	148	148	96	135	154	126	133	127	146	177
Under 28 days	1,605	122	138	121	143	111	144	126	158	135	135	115	157
White	672	51	49	43	58	51	65	52	81	49	69	46	58
Nonwhite	933	71	89	78	85	60	79	74	77	86	66	69	99
MISSOURI													
Under 1 year	2,583	236	225	203	198	174	207	230	220	215	210	228	219
White	2,228	206	199	173	172	144	189	199	190	190	183	197	186
Nonwhite	335	30	26	30	26	30	18	31	30	25	27	29	33
Under 28 days	1,798	153	141	136	151	143	183	175	154	145	146	147	144
White	1,582	132	127	121	133	118	152	157	134	132	126	127	123
Nonwhite	216	21	14	15	18	25	11	18	20	13	20	20	21
MONTANA													
Under 1 year	457	51	34	36	45	39	39	48	32	20	28	37	48
White	398	46	31	33	42	37	33	42	23	16	25	33	38
Nonwhite	58	5	3	3	3	2	6	6	9	4	3	4	10
Under 28 days	312	35	25	21	29	31	29	37	22	10	20	28	27
White	289	34	22	19	28	30	25	34	18	9	17	28	25
Nonwhite	23	1	1	2	1	1	4	3	4	1	3	-	2
NEBRASKA													
Under 1 year	761	77	52	62	60	51	62	68	62	67	79	61	60
White	730	74	51	59	59	49	60	63	60	64	76	57	58
Nonwhite	31	3	1	3	1	2	2	5	2	3	3	4	2
Under 28 days	566	47	36	41	46	41	47	57	49	58	58	39	47
White	547	45	35	40	45	40	46	52	49	56	57	36	46
Nonwhite	19	2	1	1	1	1	1	5	-	2	1	3	1
NEVADA													
Under 1 year	118	15	13	6	6	11	5	13	8	10	6	13	12
White	105	14	13	5	5	10	4	11	8	8	4	12	11
Nonwhite	13	1	-	1	1	1	1	2	-	2	2	1	1
Under 28 days	92	10	11	4	5	7	5	11	8	7	4	11	9
White	87	10	11	3	5	7	4	11	8	6	3	10	9
Nonwhite	5	-	-	1	-	-	1	-	-	1	1	1	-

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY MONTH AND RACE, AND DETAILED AGE FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
NEW HAMPSHIRE													
Under 1 year	333	34	29	29	25	28	24	32	25	26	27	22	33
White	332	34	28	29	25	27	24	32	25	26	27	22	33
Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-
Under 28 days	258	24	22	20	22	22	19	30	20	20	22	17	20
White	257	24	22	20	22	21	19	30	20	20	22	17	20
Nonwhite	1	-	-	-	-	1	-	-	-	-	-	-	-
NEW JERSEY													
Under 1 year	2,534	211	186	213	210	194	214	227	220	183	234	212	230
White	2,081	174	157	173	174	165	183	181	173	141	189	173	198
Nonwhite	453	37	29	40	36	29	31	46	47	42	45	39	32
Under 28 days	1,910	145	136	153	153	156	175	173	170	141	183	154	171
White	1,587	118	115	129	134	138	149	140	132	112	152	127	151
Nonwhite	313	27	21	24	19	18	26	33	38	29	31	27	20
NEW MEXICO													
Under 1 year	1,408	120	97	113	98	86	106	94	174	134	157	116	113
White	1,228	107	79	101	86	76	98	83	147	113	132	107	99
Nonwhite	180	13	18	12	12	10	8	11	27	21	25	9	14
Under 28 days	697	61	43	66	61	55	71	48	69	47	56	57	63
White	638	54	36	61	58	51	69	43	62	39	50	56	59
Nonwhite	59	7	7	5	3	4	2	5	7	8	6	1	4
NEW YORK													
Under 1 year	7,878	687	625	716	640	688	593	637	687	639	616	637	713
White	6,864	591	536	632	564	591	518	562	581	556	548	559	626
Nonwhite	1,014	96	89	84	76	97	75	75	106	83	68	78	87
Under 28 days	6,004	498	437	530	483	526	476	517	567	517	474	469	512
White	5,273	438	381	469	431	456	424	453	494	453	422	412	449
Nonwhite	731	57	56	61	52	70	52	64	83	64	52	57	63
NORTH CAROLINA													
Under 1 year	4,113	368	368	379	310	312	277	396	328	332	308	358	357
White	2,185	205	182	202	160	170	155	211	187	180	162	190	181
Nonwhite	1,928	163	186	177	150	142	122	185	141	152	146	168	176
Under 28 days	2,479	213	185	216	205	216	180	248	211	202	204	194	205
White	1,457	120	100	131	111	124	110	155	127	118	128	120	113
Nonwhite	1,022	93	85	85	94	92	70	93	84	84	76	74	92
NORTH DAKOTA													
Under 1 year	517	43	52	60	42	54	32	44	40	39	28	41	42
White	482	40	50	53	40	51	29	43	38	35	25	39	39
Nonwhite	35	3	2	7	2	3	3	1	2	4	3	2	3
Under 28 days	383	32	35	40	33	43	25	37	29	27	22	32	28
White	370	31	33	37	32	41	25	36	29	26	21	32	27
Nonwhite	13	1	2	3	1	2	-	1	-	1	1	-	1
OHIO													
Under 1 year	5,315	514	463	498	368	409	371	454	477	451	462	412	436
White	4,726	450	405	437	336	368	330	416	420	405	402	368	391
Nonwhite	589	64	58	61	32	41	41	38	57	46	60	46	45
Under 28 days	3,783	344	298	328	273	323	291	329	337	328	333	301	300
White	3,401	307	265	296	254	293	259	306	294	297	293	267	270
Nonwhite	382	37	31	32	19	30	32	23	43	31	40	34	30
OKLAHOMA													
Under 1 year	1,531	134	139	117	118	130	102	129	152	125	131	127	127
White	1,247	102	113	98	99	107	81	106	131	99	103	107	101
Nonwhite	284	32	26	19	19	23	21	23	21	26	28	20	26
Under 28 days	1,088	77	93	80	97	107	77	99	105	94	92	83	84
White	926	61	79	70	82	93	63	88	95	78	76	73	68
Nonwhite	162	16	14	10	15	14	14	11	10	16	16	10	16
OREGON													
Under 1 year	869	80	76	78	79	70	80	69	78	75	70	67	66
White	831	74	73	74	71	67	57	69	75	72	67	67	65
Nonwhite	38	6	3	4	8	3	3	-	4	3	3	-	1
Under 28 days	661	60	44	55	65	52	47	54	63	64	56	53	48
White	637	57	44	53	58	50	47	54	60	61	53	53	47
Nonwhite	24	3	-	2	7	2	-	-	3	3	3	-	1
PENNSYLVANIA													
Under 1 year	6,567	635	545	621	503	547	477	550	572	519	528	517	553
White	5,771	557	470	562	453	477	427	475	493	457	454	467	479
Nonwhite	796	78	75	59	50	70	50	75	79	62	74	50	74
Under 28 days	4,781	412	350	410	368	434	371	447	438	413	383	389	375
White	4,224	361	303	373	331	376	333	386	383	365	333	354	326
Nonwhite	557	51	47	37	37	58	38	61	55	48	50	35	49
RHODE ISLAND													
Under 1 year	395	27	38	30	40	36	27	30	33	33	39	26	36
White	376	25	37	28	40	34	26	30	31	30	36	25	34
Nonwhite	19	2	1	2	-	2	1	-	2	3	3	1	2
Under 28 days	315	18	34	26	34	28	24	23	24	25	33	20	26
White	301	18	33	24	34	26	23	23	22	23	30	20	25
Nonwhite	14	-	1	2	-	2	1	-	2	2	3	-	1
SOUTH CAROLINA													
Under 1 year	2,283	231	190	226	179	163	168	207	195	181	165	194	184
White	935	97	78	80	85	68	71	88	74	61	76	77	80
Nonwhite	1,348	134	112	146	94	95	97	119	121	120	89	117	104
Under 28 days	1,419	126	103	139	123	117	103	133	127	122	112	115	99
White	655	70	51	56	58	53	50	57	57	47	55	54	47
Nonwhite	764	56	52	83	65	64	53	76	70	75	57	61	52

TABLE 26.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY MONTH AND RACE, AND DETAILED AGE FOR THE U. S. ONLY: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA, AGE, AND RACE	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
SOUTH DAKOTA													
Under 1 year	448	45	26	34	35	43	40	51	39	32	38	42	43
White	397	41	23	33	33	39	37	27	31	23	35	38	37
Nonwhite	51	4	3	1	2	4	3	4	8	9	3	4	6
Under 28 days	307	30	15	20	25	32	32	25	29	23	27	25	24
White	291	29	15	20	24	31	30	23	27	19	26	25	22
Nonwhite	16	1	-	-	1	1	2	2	2	4	1	-	2
TENNESSEE													
Under 1 year	3,331	274	264	286	236	271	268	345	305	288	245	278	271
White	2,557	212	215	227	181	208	204	255	234	221	186	215	199
Nonwhite	774	62	49	59	55	63	64	90	71	67	59	63	72
Under 28 days	2,088	168	159	176	167	195	165	183	198	191	148	169	169
White	1,631	133	136	147	131	157	130	132	149	152	106	131	127
Nonwhite	457	35	23	29	36	38	35	51	49	39	42	38	42
TEXAS													
Under 1 year	8,628	782	659	659	740	835	765	787	723	619	666	689	704
White	7,277	658	552	563	628	740	652	667	597	514	551	583	572
Nonwhite	1,351	124	107	96	112	95	113	120	126	105	115	106	132
Under 28 days	4,950	392	351	342	386	434	437	473	487	417	427	386	418
White	4,153	336	295	288	322	367	382	397	398	348	356	319	345
Nonwhite	797	56	56	54	64	67	55	76	89	69	71	67	73
UTAH													
Under 1 year	535	72	38	40	48	41	27	62	46	39	31	43	50
White	516	70	38	39	47	38	26	59	46	35	29	42	49
Nonwhite	19	2	-	1	1	3	1	3	-	4	2	1	1
Under 28 days	416	51	26	35	38	31	23	48	39	29	25	32	39
White	403	49	26	34	37	28	23	45	39	28	24	31	39
Nonwhite	13	2	-	1	1	3	-	3	-	1	1	1	-
VERMONT													
Under 1 year	301	33	26	26	28	29	16	35	27	15	21	24	21
White	300	33	26	26	28	29	16	35	27	15	21	24	20
Nonwhite	1	-	-	-	-	-	-	-	-	-	-	-	1
Under 28 days	225	24	19	19	19	23	11	32	21	13	12	19	13
White	225	24	19	19	19	23	11	32	21	13	12	19	13
Nonwhite	-	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA													
Under 1 year	3,162	266	268	287	237	249	255	289	257	256	278	265	257
White	2,005	169	162	198	160	151	155	186	161	170	165	171	157
Nonwhite	1,157	97	104	89	77	98	100	103	96	86	113	94	100
Under 28 days	2,093	152	158	183	178	162	190	189	180	169	185	174	153
White	1,387	103	101	143	121	119	127	128	111	112	113	114	95
Nonwhite	706	49	57	40	57	63	63	61	69	57	72	60	58
WASHINGTON													
Under 1 year	1,530	151	125	127	118	138	114	129	132	114	135	114	133
White	1,419	135	116	116	106	131	108	122	123	107	124	107	124
Nonwhite	111	16	9	11	12	7	6	7	9	7	11	7	9
Under 28 days	1,128	96	86	92	96	111	85	99	108	93	94	87	81
White	1,073	90	81	85	89	107	83	95	104	90	89	81	79
Nonwhite	55	6	5	7	7	4	2	4	4	3	5	6	2
WEST VIRGINIA													
Under 1 year	2,082	210	167	176	155	136	158	158	222	227	181	159	133
White	1,940	197	157	158	145	131	143	147	214	209	167	147	125
Nonwhite	142	13	10	18	10	5	15	11	8	18	14	12	8
Under 28 days	1,295	117	99	118	110	106	125	98	123	114	97	104	84
White	1,209	107	90	104	105	103	115	91	122	105	86	98	83
Nonwhite	86	10	9	14	5	3	10	7	1	9	11	6	1
WISCONSIN													
Under 1 year	2,202	205	195	201	183	184	170	178	180	156	191	160	199
White	2,116	197	185	195	174	178	166	173	177	149	181	152	189
Nonwhite	86	8	10	6	9	6	4	5	3	7	10	8	10
Under 28 days	1,602	149	116	125	124	142	136	140	147	126	147	114	136
White	1,556	146	113	122	120	137	133	136	145	123	144	109	128
Nonwhite	46	3	3	3	4	5	3	4	2	3	3	5	8
WYOMING													
Under 1 year	280	29	17	28	22	19	30	15	17	22	34	25	22
White	261	25	15	27	21	19	28	13	16	20	32	24	21
Nonwhite	19	4	2	1	1	-	2	2	1	2	2	1	1
Under 28 days	206	16	14	20	20	17	24	9	16	15	21	19	15
White	197	14	13	19	19	17	23	9	15	13	21	19	15
Nonwhite	9	2	1	1	1	-	1	-	1	2	-	-	-

TABLE 27.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	Total	WHITE			NEGRO			OTHER		
		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
UNITED STATES										
Under 1 year	111,531	89,007	51,530	37,477	21,213	11,904	9,309	1,311	727	584
Under 28 days	76,326	62,728	36,944	25,784	13,031	7,403	5,628	567	321	246
Alabama										
Under 1 year	3,345	1,704	1,038	666	1,640	893	747	1	1	-
Under 28 days	2,266	1,209	760	449	1,056	593	463	1	1	-
Arizona										
Under 1 year	1,034	723	432	291	52	28	24	259	148	111
Under 28 days	563	449	270	179	29	15	14	85	46	39
Arkansas										
Under 1 year	1,539	1,085	604	481	453	251	202	1	1	-
Under 28 days	923	677	400	277	245	139	106	1	1	-
California										
Under 1 year	6,574	5,679	3,448	2,431	524	290	234	171	95	76
Under 28 days	4,765	4,288	2,549	1,739	371	208	163	106	59	47
Colorado										
Under 1 year	1,153	1,121	660	461	25	18	7	7	2	5
Under 28 days	794	772	465	307	20	15	5	2	-	2
Connecticut										
Under 1 year	943	884	525	359	59	27	32	-	-	-
Under 28 days	741	696	411	285	45	20	25	-	-	-
Delaware										
Under 1 year	224	163	93	70	60	34	26	1	-	1
Under 28 days	158	121	69	52	36	22	14	1	-	1
District of Columbia										
Under 1 year	576	327	193	134	246	122	124	3	3	-
Under 28 days	452	267	159	108	183	90	93	2	2	-
Florida										
Under 1 year	2,088	1,227	718	509	856	452	404	5	2	3
Under 28 days	1,457	933	551	382	521	293	228	3	-	3
Georgia										
Under 1 year	3,101	1,676	980	696	1,425	787	638	-	-	-
Under 28 days	2,047	1,186	701	485	861	478	383	-	-	-
Idaho										
Under 1 year	431	414	246	168	-	-	-	17	10	7
Under 28 days	320	318	186	132	-	-	-	2	1	1
Illinois										
Under 1 year	5,195	4,428	2,521	1,907	755	417	338	12	8	4
Under 28 days	3,612	3,309	1,911	1,398	494	277	217	9	6	3
Indiana										
Under 1 year	2,746	2,514	1,480	1,034	231	134	97	1	-	1
Under 28 days	1,855	1,707	1,010	697	148	90	58	-	-	-
Iowa										
Under 1 year	1,591	1,562	920	642	27	14	13	2	-	2
Under 28 days	1,245	1,227	729	498	14	8	6	2	-	2
Kansas										
Under 1 year	1,136	1,063	627	436	69	44	25	4	3	1
Under 28 days	850	807	481	326	40	25	15	3	3	-
Kentucky										
Under 1 year	3,139	2,845	1,595	1,250	294	160	134	-	-	-
Under 28 days	1,907	1,645	968	677	162	87	75	-	-	-
Louisiana										
Under 1 year	2,810	1,231	712	519	1,571	860	711	8	4	4
Under 28 days	1,818	899	529	370	917	502	415	2	1	1
Maine										
Under 1 year	713	709	417	292	1	-	1	3	1	2
Under 28 days	478	476	279	197	1	-	1	1	-	1
Maryland										
Under 1 year	1,636	1,107	624	483	528	317	211	1	-	1
Under 28 days	1,083	770	441	329	312	179	133	1	-	1
Massachusetts										
Under 1 year	2,347	2,269	1,307	962	68	42	26	10	4	6
Under 28 days	1,789	1,723	1,001	722	58	36	22	8	4	4
Michigan										
Under 1 year	4,545	4,008	2,339	1,669	522	289	233	15	9	6
Under 28 days	3,221	2,828	1,655	1,173	386	221	165	7	5	2
Minnesota										
Under 1 year	1,893	1,837	1,046	791	22	14	8	34	17	17
Under 28 days	1,413	1,383	803	580	18	12	6	12	5	7
Mississippi										
Under 1 year	2,631	923	545	378	1,698	981	717	10	5	5
Under 28 days	1,605	672	401	271	929	526	403	4	2	2
Missouri										
Under 1 year	2,563	2,228	1,270	958	335	184	151	-	-	-
Under 28 days	1,798	1,582	937	645	216	133	83	-	-	-

TABLE 27.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, BY RACE AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	Total	WHITE			NEGRO			OTHER		
		Both sexes	Male	Female	Both sexes	Male	Female	Both sexes	Male	Female
Montana										
Under 1 year	457	399	236	163	-	-	-	58	26	32
Under 28 days	312	289	169	120	-	-	-	23	11	12
Nebraska										
Under 1 year	761	730	433	297	14	8	6	17	7	10
Under 28 days	586	547	324	223	11	7	4	8	5	3
Nevada										
Under 1 year	116	105	61	44	1	1	-	12	6	6
Under 28 days	92	87	52	35	1	1	-	4	3	1
New Hampshire										
Under 1 year	333	332	197	135	1	-	1	-	-	-
Under 28 days	258	257	149	108	1	-	1	-	-	-
New Jersey										
Under 1 year	2,534	2,081	1,158	923	447	254	193	6	2	4
Under 28 days	1,910	1,597	895	702	307	177	130	6	2	4
New Mexico										
Under 1 year	1,408	1,228	686	542	18	9	9	162	104	58
Under 28 days	697	638	379	259	7	5	2	52	34	18
New York										
Under 1 year	7,878	6,864	3,986	2,878	983	554	429	31	19	12
Under 28 days	6,004	5,273	3,058	2,215	711	398	313	20	13	7
North Carolina										
Under 1 year	4,113	2,185	1,250	935	1,855	1,068	787	73	38	35
Under 28 days	2,479	1,457	852	605	991	576	415	31	16	15
North Dakota										
Under 1 year	517	482	304	178	1	1	-	34	20	14
Under 28 days	385	370	230	140	1	1	-	12	9	3
Ohio										
Under 1 year	5,315	4,726	2,717	2,009	586	318	268	3	3	-
Under 28 days	3,783	3,401	1,964	1,437	379	200	179	3	3	-
Oklahoma										
Under 1 year	1,531	1,247	732	515	180	109	71	104	52	52
Under 28 days	1,088	926	555	371	106	63	43	56	29	27
Oregon										
Under 1 year	869	831	514	317	12	7	5	26	14	12
Under 28 days	661	637	402	235	10	6	4	14	8	6
Pennsylvania										
Under 1 year	6,567	5,771	3,328	2,443	792	436	356	4	4	-
Under 28 days	4,791	4,224	2,437	1,787	565	316	249	2	2	-
Rhode Island										
Under 1 year	395	376	214	162	18	8	10	1	1	-
Under 28 days	315	301	178	123	13	6	7	1	1	-
South Carolina										
Under 1 year	2,283	935	576	359	1,348	758	590	-	-	-
Under 28 days	1,419	655	421	234	764	452	312	-	-	-
South Dakota										
Under 1 year	448	397	236	161	-	-	-	51	24	27
Under 28 days	307	291	177	114	-	-	-	16	8	8
Tennessee										
Under 1 year	3,331	2,557	1,460	1,097	774	457	317	-	-	-
Under 28 days	2,088	1,631	959	672	457	268	189	-	-	-
Texas										
Under 1 year	8,628	7,277	4,060	3,217	1,348	774	574	3	2	1
Under 28 days	4,950	4,153	2,413	1,740	795	466	329	2	2	-
Utah										
Under 1 year	535	516	298	218	3	1	2	16	10	6
Under 28 days	416	403	239	164	2	1	1	11	7	4
Vermont										
Under 1 year	301	300	185	115	1	1	-	-	-	-
Under 28 days	225	225	147	78	-	-	-	-	-	-
Virginia										
Under 1 year	3,162	2,005	1,190	815	1,155	665	490	2	1	1
Under 28 days	2,093	1,387	842	545	704	411	293	2	1	1
Washington										
Under 1 year	1,530	1,419	848	571	33	20	13	78	46	32
Under 28 days	1,128	1,073	641	432	27	17	10	28	16	12
West Virginia										
Under 1 year	2,082	1,940	1,103	837	142	71	71	-	-	-
Under 28 days	1,295	1,209	736	473	86	43	43	-	-	-
Wisconsin										
Under 1 year	2,202	2,116	1,258	858	37	24	13	49	26	23
Under 28 days	1,602	1,556	940	616	29	19	10	17	9	8
Wyoming										
Under 1 year	280	261	158	103	3	2	1	16	9	7
Under 28 days	206	197	119	78	2	1	1	7	6	1

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE,

(By place of residence.

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	UNITED STATES	111,551	37,259	11,152	7,388	5,953	2,320	1,780	1,324	5,471
2	Male	64,161	21,686	6,589	4,484	2,422	1,368	1,009	779	3,092
3	Female	47,370	15,573	4,563	2,902	1,531	952	771	545	2,379
4	White	89,007	31,168	9,350	6,250	3,270	1,845	1,390	1,028	4,195
5	Male	51,530	18,251	5,536	3,823	2,011	1,086	780	616	2,594
6	Female	37,477	12,917	3,814	2,427	1,259	759	610	412	1,601
7	Nonwhite	22,524	6,091	1,802	1,136	683	475	390	296	1,276
8	Male	12,631	3,435	1,053	661	411	282	229	163	698
9	Female	9,893	2,656	749	475	272	193	161	133	578
10	ALABAMA	3,345	1,045	310	192	118	93	55	45	202
11	Male	1,932	612	179	127	79	52	34	22	121
12	Female	1,413	433	131	65	39	41	21	23	81
13	White	1,704	609	182	106	59	39	27	20	76
14	Male	1,038	360	109	74	38	21	18	13	48
15	Female	666	229	73	34	21	18	9	7	28
16	Nonwhite	1,641	436	128	84	59	54	28	25	126
17	Male	894	252	70	53	41	31	16	9	73
18	Female	747	204	58	31	18	23	12	16	53
19	ARIZONA	1,034	273	69	46	19	25	26	10	43
20	Male	608	157	39	31	13	17	16	6	24
21	Female	426	116	30	15	6	8	10	4	19
22	White	723	237	60	38	14	18	17	8	26
23	Male	432	140	32	26	12	14	10	5	15
24	Female	291	97	28	12	2	4	7	3	11
25	Nonwhite	311	36	9	8	5	7	9	2	17
26	Male	176	17	7	5	1	3	6	1	9
27	Female	135	19	2	3	4	4	3	1	8
28	ARKANSAS	1,539	332	191	90	43	33	26	16	95
29	Male	856	196	107	57	25	22	12	11	50
30	Female	683	136	74	33	18	11	14	5	45
31	White	1,085	244	152	69	32	18	17	11	66
32	Male	604	149	87	42	20	10	8	7	36
33	Female	481	95	65	27	12	8	9	4	30
34	Nonwhite	454	88	29	21	11	15	9	5	29
35	Male	252	47	20	15	5	12	4	4	14
36	Female	202	41	9	6	6	3	5	1	15
37	CALIFORNIA	6,574	2,528	682	491	230	133	87	69	286
38	Male	3,833	1,478	414	298	144	72	45	44	162
39	Female	2,741	1,050	268	193	86	61	42	25	124
40	White	5,879	2,277	617	438	215	117	77	62	257
41	Male	3,448	1,338	376	271	133	67	38	39	146
42	Female	2,431	939	241	167	82	50	39	23	111
43	Nonwhite	695	251	65	53	15	16	10	7	29
44	Male	385	140	38	27	11	5	7	5	16
45	Female	310	111	27	26	4	11	3	2	13
46	COLORADO	1,153	384	124	80	48	25	13	16	48
47	Male	680	238	71	55	28	12	9	10	29
48	Female	473	146	53	25	21	13	4	6	19
49	White	1,121	372	121	80	48	25	12	16	45
50	Male	660	229	70	55	28	12	8	10	27
51	Female	461	143	51	25	20	13	4	6	18
52	Nonwhite	32	12	3	-	1	-	1	-	3
53	Male	20	9	1	-	-	-	1	-	2
54	Female	12	3	2	-	1	-	-	-	1
55	CONNECTICUT	943	354	136	86	34	22	15	12	44
56	Male	552	201	78	61	22	13	9	6	21
57	Female	391	153	58	25	12	9	6	6	23
58	White	884	330	128	82	33	21	14	11	42
59	Male	525	192	75	58	21	13	9	5	20
60	Female	359	138	53	24	12	8	5	6	22
61	Nonwhite	59	24	8	4	1	1	1	1	2
62	Male	27	9	3	3	1	-	-	1	1
63	Female	32	15	5	1	-	1	1	-	1
64	DELAWARE	224	87	25	16	5	4	6	2	8
65	Male	127	53	14	12	-	2	3	2	2
66	Female	97	34	11	4	5	2	3	-	6
67	White	163	65	23	11	4	4	3	2	4
68	Male	93	39	13	8	-	2	1	2	1
69	Female	70	26	10	3	4	2	2	-	3
70	Nonwhite	61	22	2	5	1	-	3	-	4
71	Male	34	14	1	4	-	-	2	-	1
72	Female	27	8	1	1	1	-	1	-	3
73	DISTRICT OF COLUMBIA	576	232	70	49	24	11	6	4	33
74	Male	318	124	42	29	16	5	4	2	18
75	Female	258	108	28	20	8	6	2	2	17
76	White	327	139	42	35	13	6	2	3	17
77	Male	193	79	29	21	10	3	1	2	9
78	Female	134	60	13	14	3	3	1	1	8
79	Nonwhite	249	93	28	14	11	5	4	1	16
80	Male	125	45	13	8	6	2	3	-	7
81	Female	124	48	15	6	5	3	1	1	9
82	FLORIDA	2,088	741	219	132	62	42	35	26	100
83	Male	1,172	432	140	73	34	25	17	12	54
84	Female	916	309	79	59	28	17	18	14	46
85	White	1,227	506	138	82	41	28	24	10	58
86	Male	716	294	93	47	25	16	12	5	29
87	Female	509	212	45	35	16	12	12	5	29
88	Nonwhite	861	235	81	50	21	14	11	16	42
89	Male	454	138	47	26	9	9	5	7	25
90	Female	407	97	34	24	12	5	6	9	17

RACE, AND SEX: UNITED STATES AND EACH STATE, 1949

Exclusive of fetal deaths)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
3,328	2,353	76,326	7,501	5,702	4,792	3,808	3,138	2,530	2,076	1,825	1,467	1,247	1,119	1
1,895	1,344	44,668	4,338	3,251	2,568	2,095	1,716	1,394	1,129	932	792	679	599	2
1,433	1,009	31,658	3,163	2,451	2,224	1,713	1,422	1,136	947	893	675	568	520	3
2,488	1,744	62,728	5,526	4,271	3,593	2,819	2,305	1,853	1,587	1,361	1,109	951	884	4
1,436	1,011	36,944	3,214	2,444	1,935	1,564	1,282	1,027	863	689	597	506	465	5
1,052	733	25,784	2,312	1,827	1,658	1,255	1,023	826	724	692	512	445	419	6
840	609	13,598	1,975	1,431	1,199	989	833	677	489	444	358	296	235	7
459	333	7,724	1,124	807	833	531	434	367	266	243	195	173	134	8
381	276	5,874	851	624	566	458	399	310	223	201	163	123	101	9
114	92	2,266	243	193	134	119	88	60	65	54	41	26	36	10
72	56	1,354	136	105	74	63	44	44	34	28	21	14	15	11
42	36	912	107	88	60	56	44	38	31	26	20	12	21	12
46	43	1,209	110	82	89	55	50	28	30	24	15	11	21	13
30	29	760	63	50	42	30	29	17	15	9	7	4	12	14
16	14	449	47	32	27	25	21	11	15	15	8	7	9	15
68	49	1,057	133	111	65	64	38	52	35	30	26	15	15	16
42	27	594	73	55	32	33	15	27	19	19	14	10	3	17
26	22	463	60	56	33	31	23	25	16	11	12	5	12	18
27	25	563	78	73	75	39	45	40	29	26	30	21	15	19
15	13	331	51	42	44	25	28	23	15	9	18	14	8	20
12	12	232	27	31	31	14	17	17	14	17	12	7	7	21
14	17	449	45	48	46	28	19	23	17	14	16	10	10	22
8	8	270	31	24	27	16	14	13	10	3	10	8	6	23
6	9	179	14	24	19	10	5	10	7	11	6	2	4	24
13	8	114	33	25	29	13	26	17	12	12	14	11	5	25
7	5	61	20	18	17	9	14	10	5	6	8	6	2	26
6	3	53	13	7	12	4	12	7	7	6	6	5	3	27
63	44	923	130	109	79	65	63	39	30	35	18	25	23	28
34	26	540	64	57	39	28	31	24	18	20	11	12	12	29
29	18	383	66	52	40	37	32	15	12	15	7	13	11	30
40	28	677	87	82	50	41	40	24	21	20	11	14	18	31
24	17	400	43	44	24	17	18	13	13	11	4	8	9	32
16	11	277	44	38	26	24	22	11	8	9	7	6	9	33
23	16	246	43	27	29	24	23	15	9	15	7	11	5	34
10	9	140	21	13	15	11	13	11	5	9	7	4	3	35
13	7	106	22	14	14	13	10	4	4	6	-	7	2	36
153	106	4,765	361	322	272	220	162	108	98	87	63	61	55	37
92	67	2,816	213	178	137	126	95	72	56	43	33	34	30	38
61	39	1,949	148	144	135	94	67	36	42	44	30	27	25	39
132	96	4,288	308	284	241	196	147	92	92	79	54	49	49	40
80	61	2,549	187	157	121	111	89	60	52	39	30	27	26	41
52	35	1,739	121	127	120	85	58	32	40	40	24	22	23	42
21	10	477	53	38	31	24	15	16	6	8	9	12	6	43
12	6	267	26	21	16	15	6	12	4	4	3	7	4	44
9	4	210	27	17	15	9	9	4	2	4	6	5	2	45
39	16	794	61	51	58	48	38	31	18	19	12	15	8	46
20	8	480	34	32	31	27	20	22	10	7	6	7	4	47
19	8	314	27	19	27	21	18	9	8	12	6	8	4	48
37	16	772	60	49	57	47	37	29	17	19	11	15	8	49
18	8	465	33	30	31	26	20	21	10	7	6	7	4	50
19	8	307	27	19	26	21	17	8	7	12	5	8	4	51
2	-	22	1	2	1	1	1	2	1	-	1	-	-	52
2	-	15	1	2	-	1	-	1	-	-	-	-	-	53
-	-	7	-	-	1	-	1	1	1	-	1	-	-	54
28	9	741	31	38	28	19	20	14	11	10	15	9	7	55
16	4	431	19	23	19	11	9	8	9	5	7	5	6	56
13	5	310	12	15	9	8	11	6	2	5	8	4	1	57
27	8	696	29	35	27	15	19	13	10	9	15	9	7	58
15	3	411	17	22	19	9	8	8	8	5	7	5	6	59
12	5	285	12	13	8	6	11	5	2	4	8	4	1	60
2	1	45	2	3	1	4	1	1	1	1	-	-	-	61
1	1	20	2	1	-	2	1	-	1	-	-	-	-	62
1	-	25	-	2	1	2	-	1	-	1	-	-	-	63
2	3	158	10	13	8	9	10	5	3	4	1	3	-	64
1	2	91	5	12	5	4	2	2	-	3	1	2	-	65
1	1	67	5	1	3	5	8	3	3	1	-	1	-	66
2	3	121	7	8	5	5	6	5	-	3	1	2	-	67
1	2	69	4	7	4	1	2	2	-	2	1	1	-	68
1	1	52	3	1	1	4	4	3	-	1	-	1	-	69
-	-	37	3	5	3	4	4	-	3	1	-	1	-	70
-	-	22	1	5	1	3	-	-	-	1	-	1	-	71
-	-	15	2	-	2	1	4	-	3	-	-	-	-	72
11	12	452	25	31	15	8	14	10	6	4	6	1	4	73
8	5	251	13	15	5	6	7	8	5	1	5	1	1	74
3	7	201	12	16	10	2	7	2	1	3	1	-	3	75
5	5	267	17	10	6	6	6	4	4	2	3	1	1	76
3	2	159	8	5	4	5	5	3	3	-	2	1	-	77
2	3	108	9	5	2	1	3	1	1	2	1	-	1	78
6	7	185	8	21	9	2	8	6	2	2	3	-	3	79
5	3	92	5	10	1	1	4	5	2	1	3	-	1	80
1	4	93	3	11	8	1	4	1	-	1	-	-	2	81
52	48	1,457	118	81	89	70	64	51	42	34	27	27	28	82
28	29	844	63	40	45	31	37	24	19	18	20	15	16	83
24	19	613	55	41	44	39	27	27	23	16	7	12	12	84
23	23	933	51	42	42	30	31	19	20	20	13	10	16	85
14	16	551	30	24	21	15	18	14	9	13	10	4	9	86
9	7	382	21	18	21	15	13	5	11	7	3	6	7	87
29	25	524	67	39	47	40	33	32	22	14	14	17	12	88
14	13	283	33	16	24	16	19	10	10	5	10	11	7	89
15	12	231	34	23	23	24	14	22	12	9	4	6	5	90

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,

(By place of residence.

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	GEORGIA	3,101	980	271	175	111	69	50	44	180
2	Male	1,767	550	167	102	70	32	27	25	103
3	Female	1,334	410	104	73	41	37	23	19	77
4	White	1,676	583	178	118	71	31	26	20	70
5	Male	980	346	106	69	47	14	17	14	41
6	Female	696	237	72	49	24	17	9	6	29
7	Nonwhite	1,425	377	93	57	40	38	24	24	110
8	Male	787	204	61	33	23	18	10	11	62
9	Female	638	173	32	24	17	20	14	13	48
10	IDAHO	431	171	55	27	13	11	2	3	18
11	Male	256	105	28	13	8	6	1	2	13
12	Female	175	66	27	14	5	5	1	1	5
13	White	414	169	55	27	13	11	2	3	18
14	Male	246	104	28	13	8	6	1	2	13
15	Female	168	65	27	14	5	5	1	1	5
16	Nonwhite	17	2	-	-	-	-	-	-	-
17	Male	10	1	-	-	-	-	-	-	-
18	Female	7	1	-	-	-	-	-	-	-
19	ILLINOIS	5,195	2,008	408	446	211	128	91	55	225
20	Male	2,946	1,155	229	281	127	74	44	30	128
21	Female	2,249	853	179	165	84	54	47	25	99
22	White	4,428	1,753	369	396	180	109	76	49	190
23	Male	2,521	1,007	208	250	109	67	34	27	111
24	Female	1,907	746	161	146	71	42	42	22	79
25	Nonwhite	767	255	39	50	31	19	15	6	35
26	Male	425	148	21	31	18	7	10	3	15
27	Female	342	107	18	19	13	12	5	3	20
28	INDIANA	2,746	905	262	178	107	56	28	31	133
29	Male	1,614	533	166	94	74	31	19	20	75
30	Female	1,132	372	96	84	33	25	9	11	58
31	White	2,514	837	239	166	98	53	27	28	124
32	Male	1,480	497	150	89	67	29	19	17	69
33	Female	1,034	340	89	77	31	24	8	11	55
34	Nonwhite	232	68	23	12	9	3	1	3	9
35	Male	134	36	16	5	7	2	-	3	6
36	Female	98	32	7	7	2	1	1	-	3
37	IOWA	1,591	613	164	115	82	48	24	20	72
38	Male	934	354	111	69	56	32	13	13	43
39	Female	657	259	73	46	26	16	11	7	29
40	White	1,562	607	181	113	81	47	24	20	70
41	Male	920	352	109	68	55	32	13	13	42
42	Female	642	255	72	45	26	15	11	7	28
43	Nonwhite	29	6	3	2	1	1	-	-	2
44	Male	14	2	2	1	1	-	-	-	1
45	Female	15	4	1	1	-	1	-	-	1
46	KANSAS	1,136	444	123	84	43	36	17	11	59
47	Male	674	264	73	53	26	24	11	10	36
48	Female	462	180	50	31	17	12	6	1	23
49	White	1,063	421	118	83	40	32	15	11	59
50	Male	627	249	69	52	23	22	9	10	36
51	Female	436	172	49	31	17	10	6	1	23
52	Nonwhite	73	23	5	1	3	4	2	-	-
53	Male	47	15	4	1	3	2	2	-	-
54	Female	26	8	1	-	-	2	-	-	-
55	KENTUCKY	3,139	750	260	193	89	43	45	39	178
56	Male	1,755	422	151	117	62	29	25	26	104
57	Female	1,384	328	109	76	27	14	20	13	74
58	White	2,845	698	228	171	77	39	44	38	159
59	Male	1,595	400	136	104	51	25	25	26	91
60	Female	1,250	298	93	67	26	14	19	12	68
61	Nonwhite	294	52	31	22	12	4	1	1	19
62	Male	160	22	15	13	11	4	-	-	13
63	Female	134	30	16	9	1	-	1	1	6
64	LOUISIANA	2,810	949	217	107	84	57	42	42	167
65	Male	1,576	529	132	66	48	37	19	22	92
66	Female	1,234	420	85	41	36	20	23	20	75
67	White	1,231	523	120	53	41	28	16	14	63
68	Male	712	300	77	34	25	19	9	8	31
69	Female	519	223	43	19	16	9	7	6	32
70	Nonwhite	1,579	426	97	54	43	29	26	28	104
71	Male	864	229	55	32	23	18	10	14	61
72	Female	715	197	42	22	20	11	16	14	43
73	MAINE	713	234	70	48	24	19	15	7	27
74	Male	418	123	43	36	14	13	8	4	16
75	Female	295	111	27	12	10	6	7	3	11
76	White	709	232	70	48	24	19	15	7	27
77	Male	417	123	43	36	14	13	8	4	16
78	Female	292	109	27	12	10	6	7	3	11
79	Nonwhite	4	2	-	-	-	-	-	-	-
80	Male	1	-	-	-	-	-	-	-	-
81	Female	3	2	-	-	-	-	-	-	-
82	MARYLAND	1,636	523	165	89	57	28	38	16	84
83	Male	941	299	95	55	36	12	24	9	50
84	Female	695	224	70	34	21	16	14	7	34
85	White	1,107	387	116	65	37	20	20	9	59
86	Male	624	226	66	39	24	7	10	5	34
87	Female	483	161	50	26	13	13	10	4	25
88	Nonwhite	529	136	49	24	20	8	18	7	25
89	Male	317	73	29	16	12	5	14	4	16
90	Female	212	63	20	8	8	3	4	3	9

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

Exclusive of fetal deaths)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
101	86	2,047	212	190	157	109	95	80	48	48	36	45	34	1
58	45	1,179	117	115	91	65	42	48	24	28	20	24	16	2
43	41	868	95	75	66	44	53	32	24	22	16	21	18	3
47	42	1,186	84	92	88	52	42	36	24	26	23	24	19	4
25	22	701	47	53	39	32	24	22	13	15	15	12	7	5
22	20	485	37	39	29	20	18	14	11	11	8	12	12	6
54	44	861	128	98	89	57	53	44	24	22	13	21	15	7
33	23	478	70	62	52	33	18	26	11	11	5	18	9	8
21	21	383	58	36	37	24	35	18	13	11	8	9	6	9
11	9	320	22	17	9	16	13	11	8	3	2	6	4	10
7	4	187	11	11	6	11	10	5	4	1	2	5	3	11
4	5	133	11	6	3	5	3	6	4	2	-	1	1	12
11	9	316	19	14	8	12	12	10	7	3	2	6	3	13
7	4	186	9	9	5	9	9	5	4	1	2	5	2	14
4	5	132	10	5	3	3	3	5	3	2	-	1	1	15
-	-	2	3	3	1	4	1	1	1	-	-	-	1	16
-	-	1	2	2	1	2	1	-	-	-	-	-	1	17
-	-	1	1	1	-	2	-	1	1	-	-	-	-	18
126	114	3,812	348	232	163	148	134	82	87	57	53	36	43	19
66	62	2,194	204	127	81	94	66	44	41	27	21	19	28	20
60	52	1,618	144	105	82	54	68	38	46	30	32	17	15	21
102	85	3,309	277	194	131	119	107	65	71	45	43	31	36	22
54	44	1,911	172	101	67	75	52	37	33	19	16	15	23	23
48	41	1,398	105	93	64	44	55	28	38	26	27	16	13	24
24	29	503	71	38	32	29	27	17	16	12	10	5	7	25
12	18	283	32	26	14	19	14	7	8	8	5	4	5	26
12	11	220	39	12	18	10	13	10	8	4	5	1	2	27
89	66	1,855	179	147	138	99	83	53	55	51	31	32	23	28
50	38	1,100	105	87	76	56	44	35	31	36	21	15	8	29
39	28	755	74	60	62	43	39	18	24	15	10	17	15	30
80	55	1,707	161	127	127	87	78	51	46	48	29	31	22	31
44	29	1,010	95	77	70	50	41	34	26	35	20	14	8	32
36	26	697	66	50	57	37	37	17	20	13	9	17	14	33
9	11	148	18	20	11	12	5	2	9	3	2	1	1	34
6	9	90	10	10	6	6	3	1	5	1	1	1	-	35
3	2	58	8	10	5	6	2	1	4	2	1	-	1	36
49	36	1,243	73	59	44	36	35	23	21	20	9	9	19	37
27	19	737	42	34	27	19	18	13	10	11	4	7	12	38
22	17	506	31	25	17	17	17	10	11	9	5	2	7	39
48	36	1,227	72	55	43	32	35	21	21	19	9	9	19	40
26	19	729	42	32	26	18	18	11	10	11	4	7	12	41
22	17	498	30	23	17	14	17	10	11	8	5	2	7	42
1	-	16	1	4	1	4	-	2	-	1	-	-	-	43
1	-	8	-	2	1	1	-	2	-	-	-	-	-	44
-	-	8	1	2	-	3	-	-	-	1	-	-	-	45
19	14	850	59	49	37	22	30	19	18	16	12	15	9	46
8	4	509	37	28	18	12	17	12	9	11	7	11	3	47
11	10	341	22	21	19	10	13	7	9	5	5	4	6	48
18	10	807	56	45	32	20	25	17	15	14	10	14	8	49
8	3	481	35	27	15	11	14	10	8	9	5	10	2	50
10	7	326	21	18	17	9	11	7	7	5	5	4	6	51
1	4	43	3	4	5	2	5	2	3	2	2	1	1	52
-	1	28	2	1	3	1	3	2	1	2	2	1	1	53
1	3	15	1	3	2	1	2	-	2	-	-	-	-	54
116	94	1,807	288	201	170	142	132	88	82	75	57	48	49	55
67	52	1,055	159	110	94	77	64	34	42	41	26	21	32	56
49	42	752	129	91	76	65	68	54	40	34	31	27	17	57
107	83	1,645	250	182	158	128	125	78	72	67	53	42	45	58
62	48	968	137	98	91	70	59	27	37	37	24	19	28	59
45	35	677	113	84	67	58	66	51	35	30	29	23	17	60
9	11	162	38	19	12	14	7	10	10	8	4	6	4	61
5	4	87	22	12	3	7	5	7	5	4	2	2	4	62
4	7	75	16	7	9	7	2	3	5	4	2	4	-	63
91	62	1,818	226	148	144	112	89	70	51	48	35	38	33	64
50	37	1,032	129	87	70	56	48	42	23	28	23	18	19	65
41	25	786	97	61	74	56	41	28	28	17	12	20	14	66
23	18	899	74	45	48	35	28	20	17	16	18	18	15	67
17	9	529	44	31	21	16	15	10	7	11	11	8	9	68
6	9	370	30	14	27	19	11	10	10	5	7	10	6	69
68	44	919	152	103	96	77	63	50	34	30	17	20	18	70
33	28	503	85	56	49	40	33	32	16	18	12	10	10	71
35	16	416	67	47	47	37	30	18	18	12	5	10	8	72
23	11	478	51	49	36	17	20	16	15	12	8	7	4	73
14	8	279	26	29	25	11	8	10	11	7	5	4	3	74
9	3	199	25	20	11	6	12	6	4	5	3	3	1	75
23	11	476	51	48	38	16	20	16	15	12	8	7	4	76
14	8	279	26	29	25	10	8	10	11	7	5	4	3	77
9	3	197	25	18	11	6	12	6	4	5	3	3	1	78
-	-	2	-	1	-	1	-	-	-	-	-	-	-	79
-	-	-	-	-	-	1	-	-	-	-	-	-	-	80
-	-	2	-	1	-	-	-	-	-	-	-	-	-	81
46	37	1,085	108	93	73	54	43	50	23	29	27	24	29	82
19	21	620	62	55	40	29	21	33	17	18	16	15	15	83
27	16	463	46	38	33	25	22	17	6	11	11	9	14	84
31	26	770	59	59	53	31	22	29	11	22	17	15	19	85
14	16	441	31	31	28	17	10	19	7	14	11	8	7	86
17	10	329	28	28	25	14	12	10	4	8	6	7	12	87
15	11	313	49	34	20	23	21	21	12	7	10	9	10	88
5	5	179	31	24	12	12	11	14	10	4	5	7	8	89
10	6	134	18	10	8	11	10	7	2	3	5	2	2	90

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,

(By place of residence.

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	MASSACHUSETTS	2,347	926	267	186	109	43	40	26	108
2	Male	1,353	532	148	109	73	28	24	18	60
3	Female	994	394	119	77	36	15	16	8	48
4	White	2,269	889	258	183	104	42	38	25	104
5	Male	1,307	510	144	107	68	27	24	17	59
6	Female	962	379	114	76	36	15	14	8	45
7	Nonwhite	78	37	9	3	5	1	2	1	4
8	Male	46	22	4	2	5	1	-	1	1
9	Female	32	15	5	1	-	-	2	-	3
10	MICHIGAN	4,545	1,548	523	318	160	96	74	52	216
11	Male	2,637	897	309	183	87	59	41	34	128
12	Female	1,908	651	214	135	73	37	33	18	88
13	White	4,008	1,362	450	288	142	87	63	45	194
14	Male	2,339	792	282	168	76	54	33	29	119
15	Female	1,669	570	168	122	66	33	30	16	75
16	Nonwhite	537	186	73	30	18	9	11	7	22
17	Male	298	105	47	17	11	5	8	5	9
18	Female	239	81	26	13	7	4	3	2	13
19	MINNESOTA	1,893	703	258	147	72	28	19	20	74
20	Male	1,077	389	160	90	38	16	8	15	43
21	Female	816	314	98	57	34	12	11	5	31
22	White	1,837	688	253	143	70	28	19	19	73
23	Male	1,046	380	157	90	37	16	8	14	42
24	Female	791	308	96	53	33	12	11	5	31
25	Nonwhite	56	15	5	4	2	-	-	1	1
26	Male	31	9	3	-	1	-	-	1	1
27	Female	25	6	2	4	1	-	-	-	-
28	MISSISSIPPI	2,631	733	209	150	89	66	36	32	145
29	Male	1,531	439	114	101	51	46	20	16	70
30	Female	1,100	294	95	49	38	20	16	16	78
31	White	923	334	97	72	41	20	15	11	45
32	Male	545	208	50	50	22	12	11	4	25
33	Female	378	126	47	22	19	8	4	7	20
34	Nonwhite	1,708	399	112	78	48	46	21	21	100
35	Male	986	231	64	51	29	34	9	12	45
36	Female	722	168	48	27	19	12	12	9	55
37	MISSOURI	2,563	924	248	154	85	47	41	31	123
38	Male	1,454	544	153	88	51	34	25	15	71
39	Female	1,109	380	95	66	34	13	16	16	52
40	White	2,228	805	225	144	72	42	35	27	110
41	Male	1,270	467	139	85	43	30	21	12	63
42	Female	958	336	86	59	29	12	14	15	47
43	Nonwhite	335	121	23	10	13	5	6	4	13
44	Male	184	77	14	3	8	4	4	3	8
45	Female	151	44	9	7	5	1	2	1	5
46	MONTANA	457	167	45	31	17	7	7	5	14
47	Male	262	97	31	16	9	5	2	3	8
48	Female	195	70	14	15	8	2	5	2	6
49	White	399	156	43	29	15	6	6	4	11
50	Male	236	92	29	16	8	4	2	3	6
51	Female	163	64	14	13	7	2	4	1	5
52	Nonwhite	58	11	2	2	2	1	1	1	3
53	Male	26	5	2	-	1	1	-	-	2
54	Female	32	6	-	2	1	-	1	1	1
55	NEBRASKA	761	279	92	60	22	21	13	11	40
56	Male	448	166	61	34	13	11	5	6	21
57	Female	313	113	31	26	9	10	8	5	19
58	White	730	270	91	57	20	21	13	11	37
59	Male	433	160	60	32	13	11	5	6	18
60	Female	297	110	31	25	7	10	8	5	19
61	Nonwhite	31	9	1	3	2	-	-	-	3
62	Male	15	6	1	2	-	-	-	-	3
63	Female	16	3	-	1	2	-	-	-	-
64	NEVADA	118	54	11	6	2	5	5	1	2
65	Male	68	29	8	4	2	4	4	-	1
66	Female	50	25	3	2	-	1	1	1	1
67	White	105	51	10	6	2	5	5	1	1
68	Male	61	27	7	4	2	4	4	-	-
69	Female	44	24	3	2	-	1	1	1	1
70	Nonwhite	13	3	1	-	-	-	-	-	1
71	Male	7	2	1	-	-	-	-	-	1
72	Female	6	1	-	-	-	-	-	-	-
73	NEW HAMPSHIRE	333	137	32	32	13	5	6	5	19
74	Male	197	77	21	20	7	5	3	3	9
75	Female	136	60	11	12	6	-	3	2	10
76	White	332	137	32	32	13	5	6	4	19
77	Male	197	77	21	20	7	5	3	3	9
78	Female	135	60	11	12	6	-	3	1	10
79	Nonwhite	1	-	-	-	-	-	-	1	-
80	Male	-	-	-	-	-	-	-	-	-
81	Female	1	-	-	-	-	-	-	1	-
82	NEW JERSEY	2,534	989	258	191	88	72	53	38	124
83	Male	1,414	550	152	114	55	33	32	17	70
84	Female	1,120	439	106	77	33	39	21	21	54
85	White	2,081	828	222	160	80	64	40	23	105
86	Male	1,158	462	129	92	51	31	22	11	58
87	Female	923	366	93	68	29	33	18	12	47
88	Nonwhite	453	161	36	31	8	8	13	15	19
89	Male	256	88	23	22	4	2	10	6	12
90	Female	197	73	13	9	4	6	3	9	7

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

Exclusive of fetal deaths)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
48	36	1,789	115	82	87	72	42	37	35	25	22	24	17	1
29	20	1,041	72	43	47	54	25	28	22	12	14	10	5	2
19	16	748	43	39	40	38	17	9	13	13	8	14	12	3
45	35	1,725	115	80	84	69	40	36	34	25	22	24	17	4
28	19	1,001	72	43	46	32	23	28	21	12	14	10	5	5
19	16	722	43	37	38	37	17	8	13	13	8	14	12	6
3	1	66	-	2	3	3	2	1	1	-	-	-	-	7
3	1	40	-	-	1	2	2	-	1	-	-	-	-	8
-	-	26	-	2	2	1	-	1	-	-	-	-	-	9
136	98	3,221	310	201	177	137	125	84	78	63	52	48	49	10
84	59	1,881	168	133	109	75	68	42	45	32	31	27	26	11
52	39	1,340	142	68	68	62	57	42	33	31	21	21	23	12
113	84	2,828	281	182	151	122	104	75	71	56	47	46	43	13
69	55	1,655	156	124	93	68	58	38	39	30	28	27	23	14
44	29	1,173	125	58	58	54	46	37	32	28	19	19	20	15
23	14	383	29	19	26	15	21	9	7	5	5	2	6	16
15	4	226	12	9	16	7	10	4	6	2	3	-	3	17
8	10	167	17	10	10	8	11	5	1	3	2	2	3	18
49	43	1,413	111	79	58	54	44	33	24	31	17	18	11	19
32	29	820	66	40	26	35	25	15	14	18	5	9	6	20
17	14	593	45	39	32	19	21	18	10	13	12	9	5	21
49	41	1,383	107	72	54	52	43	28	23	31	16	17	11	22
32	27	803	64	37	22	34	22	12	14	18	5	9	6	23
17	14	580	43	35	32	18	21	16	9	13	11	8	5	24
-	2	30	4	7	4	2	1	5	1	-	1	1	-	25
-	2	17	2	3	4	1	1	3	-	-	-	-	-	26
-	-	13	2	4	-	1	-	2	1	-	1	1	-	27
87	58	1,605	225	144	146	108	88	85	56	55	45	47	27	28
45	27	929	132	85	84	62	58	50	33	33	24	27	14	29
42	31	676	93	59	62	46	30	35	23	22	21	20	13	30
25	12	672	63	33	37	25	16	14	19	14	10	8	12	31
13	6	401	40	17	22	10	13	9	6	8	8	4	7	32
12	6	271	23	16	15	15	3	5	13	6	2	4	5	33
62	46	933	152	111	109	83	72	71	37	41	35	39	15	34
32	21	528	92	68	62	52	45	41	27	25	16	23	7	35
30	25	405	70	43	47	31	27	30	10	16	19	16	8	36
86	59	1,798	184	120	102	80	66	49	38	35	37	27	27	37
53	36	1,070	92	69	48	42	32	28	15	10	19	12	16	38
33	23	728	92	51	54	38	34	20	23	25	18	15	11	39
72	52	1,582	161	97	84	69	54	42	33	26	32	22	26	40
45	32	937	82	59	41	37	26	24	13	9	18	9	15	41
27	20	645	79	38	43	32	28	18	20	17	14	13	11	42
14	7	216	23	23	18	11	12	7	5	9	5	5	1	43
8	4	133	10	10	7	5	6	5	2	1	1	3	1	44
6	3	85	13	13	11	6	6	2	3	8	4	2	-	45
14	5	312	31	22	16	27	15	6	5	7	4	6	6	46
6	3	180	14	16	10	13	11	3	2	5	2	3	3	47
8	2	132	17	6	6	14	4	3	3	2	2	3	3	48
14	5	289	22	17	13	17	12	5	5	5	4	6	4	49
6	3	169	10	12	10	11	9	2	2	4	2	3	2	50
8	2	120	12	5	3	6	3	3	3	1	2	3	2	51
-	-	23	9	5	3	10	3	1	-	2	-	-	2	52
-	-	11	4	4	-	2	2	1	-	1	-	-	1	53
-	-	12	5	1	3	8	1	-	-	1	-	-	1	54
13	15	566	43	33	28	22	14	9	21	7	4	8	6	55
10	9	336	25	19	16	9	7	6	17	4	3	4	2	56
3	6	230	18	14	12	13	7	3	4	3	1	4	4	57
13	14	547	41	32	28	18	13	9	21	5	4	7	5	58
10	9	324	24	19	16	8	7	6	17	3	3	4	2	59
3	5	223	17	13	12	10	6	3	4	2	1	3	3	60
-	1	19	2	1	-	4	1	-	-	2	-	1	1	61
-	-	12	1	-	-	1	-	-	-	1	-	-	-	62
-	1	7	1	1	-	3	1	-	-	1	-	1	1	63
1	5	92	3	6	4	3	-	3	-	2	2	-	3	64
1	3	56	2	2	2	3	-	2	-	1	-	-	-	65
-	2	36	1	4	2	-	-	1	-	1	2	-	3	66
1	5	87	2	3	2	3	-	2	-	2	2	-	2	67
1	3	52	1	2	1	3	-	1	-	1	-	-	-	68
-	2	35	1	1	1	-	-	1	-	1	2	-	2	69
-	-	5	1	3	2	-	-	1	-	-	-	-	1	70
-	-	4	1	-	1	-	-	1	-	-	-	-	-	71
-	-	1	-	3	1	-	-	-	-	-	-	-	1	72
7	2	258	16	13	9	5	12	4	1	11	-	3	1	73
2	2	149	14	6	5	4	9	1	-	6	-	3	-	74
5	-	109	2	7	4	1	3	3	1	5	-	-	1	75
7	2	257	16	13	9	5	12	4	1	11	-	3	1	76
2	2	149	14	6	5	4	9	1	-	6	-	3	-	77
5	-	108	2	7	4	1	3	3	1	5	-	-	1	78
-	-	1	-	-	-	-	-	-	-	-	-	-	-	79
-	-	-	-	-	-	-	-	-	-	-	-	-	-	80
-	-	1	-	-	-	-	-	-	-	-	-	-	-	81
59	38	1,810	142	93	77	69	57	60	38	35	23	16	14	82
24	27	1,074	81	54	39	40	28	27	23	15	13	11	9	83
35	11	836	61	39	38	29	29	33	15	20	10	5	5	84
44	31	1,597	106	74	62	53	47	47	29	21	18	14	13	85
18	21	895	59	41	31	31	23	24	18	9	10	9	8	86
26	10	702	47	33	31	22	24	23	11	12	8	5	5	87
15	7	313	36	19	15	16	10	13	9	14	5	2	1	88
6	6	179	22	13	8	9	5	3	5	6	3	2	1	89
9	1	134	14	6	7	7	5	10	4	8	2	-	-	90

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,

(By place of residence.

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	NEW MEXICO	1,408	292	83	65	40	28	13	8	84
2	Male	799	182	54	40	24	15	10	3	36
3	Female	609	110	29	25	16	13	3	5	48
4	White	1,228	280	71	58	38	23	12	7	75
5	Male	686	176	46	34	22	12	9	2	32
6	Female	542	104	25	24	16	11	3	5	43
7	Nonwhite	180	12	12	7	2	5	1	1	9
8	Male	113	6	8	6	2	3	1	1	4
9	Female	67	6	4	1	-	2	-	-	5
10	NEW YORK	7,878	3,212	891	531	306	156	122	90	347
11	Male	4,561	1,840	525	313	173	85	69	50	196
12	Female	3,317	1,372	368	218	133	71	53	40	151
13	White	6,864	2,805	784	476	274	139	101	79	307
14	Male	3,988	1,611	455	287	154	74	58	47	174
15	Female	2,876	1,194	329	189	120	65	43	32	133
16	Nonwhite	1,014	407	107	55	32	17	21	11	40
17	Male	573	229	70	26	19	11	11	3	22
18	Female	441	178	37	29	13	6	10	8	18
19	NORTH CAROLINA	4,113	1,065	390	253	130	66	68	49	186
20	Male	2,356	608	225	149	77	41	40	34	106
21	Female	1,757	457	165	104	53	25	28	15	80
22	White	2,185	656	248	161	90	32	35	24	91
23	Male	1,250	380	141	99	58	20	18	16	51
24	Female	935	276	107	62	34	12	17	8	40
25	Nonwhite	1,928	409	142	92	40	34	33	25	95
26	Male	1,106	228	84	50	21	21	22	18	55
27	Female	822	181	58	42	19	13	11	7	40
28	NORTH DAKOTA	517	185	65	36	20	10	7	6	27
29	Male	325	125	39	21	13	6	3	4	14
30	Female	192	60	26	15	7	4	4	2	13
31	White	462	177	65	35	19	9	7	5	26
32	Male	304	118	39	21	13	5	3	3	13
33	Female	178	59	26	14	6	4	4	2	13
34	Nonwhite	36	8	-	1	1	1	-	1	1
35	Male	21	7	-	-	-	1	-	1	1
36	Female	14	1	-	1	1	-	-	-	-
37	OHIO	5,315	1,884	539	354	188	121	77	61	267
38	Male	3,038	1,074	293	230	105	75	48	31	150
39	Female	2,277	820	246	124	83	46	29	30	117
40	White	4,726	1,715	486	316	166	105	70	54	248
41	Male	2,717	974	266	209	98	64	43	28	142
42	Female	2,009	741	220	107	68	41	27	26	106
43	Nonwhite	589	179	53	38	22	16	7	7	19
44	Male	321	100	27	21	7	11	5	3	8
45	Female	268	79	26	17	15	5	2	4	11
46	OKLAHOMA	1,531	549	186	84	58	26	26	21	63
47	Male	893	339	114	49	32	10	18	12	30
48	Female	638	210	72	35	28	16	8	9	33
49	White	1,247	492	165	67	46	21	23	13	43
50	Male	732	302	102	41	24	8	16	7	24
51	Female	515	190	63	26	22	13	7	6	19
52	Nonwhite	284	57	21	17	12	5	3	8	20
53	Male	161	37	12	8	8	2	2	5	6
54	Female	123	20	9	9	4	3	1	3	14
55	OREGON	869	384	82	54	32	16	11	7	37
56	Male	535	234	54	36	25	13	7	6	23
57	Female	334	150	28	18	7	3	4	1	14
58	White	831	372	78	54	31	16	10	6	35
59	Male	514	228	50	36	24	13	6	6	21
60	Female	317	144	28	18	7	3	4	-	14
61	Nonwhite	38	12	4	-	1	-	1	1	2
62	Male	21	6	4	-	1	-	1	-	2
63	Female	17	6	-	-	-	-	-	1	-
64	PENNSYLVANIA	6,567	2,276	696	507	298	182	113	85	351
65	Male	3,768	1,302	400	295	195	93	64	42	199
66	Female	2,799	974	296	212	101	89	49	43	152
67	White	5,771	2,015	602	456	259	139	102	77	315
68	Male	3,328	1,160	349	268	169	78	56	37	181
69	Female	2,443	855	253	188	90	61	46	40	134
70	Nonwhite	796	261	94	51	37	23	11	8	36
71	Male	440	142	51	27	26	15	8	5	18
72	Female	356	119	43	24	11	8	3	3	18
73	RHODE ISLAND	395	155	53	33	20	9	5	6	17
74	Male	223	88	34	16	12	4	3	4	13
75	Female	172	67	19	17	8	5	2	2	4
76	White	376	150	50	32	18	9	5	6	16
77	Male	214	85	33	15	12	4	3	4	12
78	Female	162	65	17	17	6	5	2	2	4
79	Nonwhite	19	5	3	1	2	-	-	-	1
80	Male	9	3	1	1	-	-	-	-	1
81	Female	10	2	2	-	2	-	-	-	-
82	SOUTH CAROLINA	2,283	591	232	136	65	53	35	20	146
83	Male	1,334	361	145	91	36	38	20	15	89
84	Female	949	230	87	45	29	15	15	5	57
85	White	935	301	114	73	32	23	8	5	54
86	Male	576	193	71	51	15	18	4	3	35
87	Female	359	108	43	22	17	5	4	2	19
88	Nonwhite	1,348	290	118	63	33	30	27	15	92
89	Male	758	168	74	40	21	20	16	12	54
90	Female	590	122	44	23	12	10	11	3	38

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

Exclusive of fetal deaths)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
50	34	697	138	96	93	82	73	57	46	41	41	24	20	1
31	23	418	81	48	42	54	45	29	22	13	22	13	12	2
19	11	279	57	48	51	28	28	28	24	28	19	11	8	3
42	32	638	119	83	84	62	62	45	35	36	31	18	15	4
25	21	379	66	41	39	40	34	24	17	10	18	9	9	5
17	11	259	53	42	45	22	28	21	18	26	13	9	6	6
8	2	59	19	13	9	20	11	12	11	5	10	6	5	7
6	2	39	15	7	3	14	11	5	5	3	4	4	3	8
2	-	20	4	6	6	8	-	7	6	2	6	2	2	9
209	140	6,004	438	324	251	190	154	123	114	80	65	73	62	10
130	88	3,469	258	203	135	114	91	68	69	53	43	44	34	11
79	52	2,535	180	121	116	76	63	55	45	47	22	29	28	12
181	127	5,273	360	279	208	163	125	110	100	70	55	64	57	13
117	81	3,058	211	175	111	99	77	64	59	30	37	35	32	14
64	46	2,215	149	104	97	64	48	46	41	40	18	29	25	15
28	15	731	78	45	43	27	29	13	14	10	10	9	5	16
13	7	411	47	28	24	15	14	4	10	3	6	9	2	17
15	6	320	31	17	19	12	15	9	4	7	4	-	3	18
155	117	2,479	347	273	247	186	154	96	105	63	64	56	43	19
100	64	1,444	206	164	128	105	82	47	56	34	37	33	20	20
55	53	1,035	141	109	119	81	72	49	49	29	27	23	23	21
68	52	1,457	143	113	110	82	71	41	55	34	33	25	21	22
43	28	852	76	71	56	47	39	22	25	20	20	12	10	23
25	24	605	67	42	54	35	32	19	30	14	13	13	11	24
87	65	1,022	204	160	137	104	83	55	50	29	31	31	22	25
57	36	592	130	93	72	58	43	25	31	14	17	21	10	26
30	29	430	74	67	65	46	40	30	19	15	14	10	12	27
16	11	383	32	15	17	16	15	8	11	6	6	3	5	28
9	6	240	24	10	10	9	8	6	6	4	3	3	2	29
7	5	143	8	5	7	7	7	2	5	2	3	-	3	30
16	11	370	28	13	15	14	9	6	9	4	6	3	5	31
9	6	230	21	10	10	8	5	4	5	3	3	3	2	32
7	5	140	7	3	5	6	4	2	4	1	3	-	3	33
-	-	13	4	2	2	2	6	2	2	2	-	-	-	34
-	-	10	3	-	-	1	3	2	1	1	-	-	-	35
-	-	3	1	2	2	1	3	-	1	1	-	-	-	36
183	99	3,783	323	268	208	159	116	119	90	85	61	54	49	37
104	57	2,167	200	155	109	93	68	67	42	52	31	31	25	38
79	42	1,616	123	113	99	66	50	52	48	33	30	23	24	39
155	86	3,401	285	234	179	129	98	105	82	70	52	45	46	40
91	49	1,964	176	133	95	76	57	58	40	42	24	29	23	41
64	37	1,437	109	101	84	53	41	47	42	28	28	16	23	42
28	13	382	38	34	29	30	18	14	8	15	9	9	3	43
13	8	203	24	22	14	17	9	9	2	10	7	2	2	44
15	5	178	14	12	15	13	9	5	6	5	2	7	1	45
47	28	1,088	108	57	51	49	33	33	26	25	26	17	18	46
25	18	647	59	34	31	29	20	13	13	13	10	12	12	47
22	10	441	49	23	20	20	13	20	13	12	16	5	6	48
34	22	926	82	47	36	52	24	25	16	14	19	12	14	49
19	12	555	46	27	21	18	16	9	7	5	9	10	9	50
15	10	371	36	20	15	14	8	16	9	9	10	2	5	51
13	6	162	26	10	15	17	9	8	10	11	7	5	4	52
6	6	92	13	7	10	11	4	4	6	8	1	2	3	53
7	-	70	13	3	5	6	5	4	4	3	6	3	1	54
28	10	661	50	39	34	16	10	13	20	6	10	8	2	55
11	7	416	27	22	22	9	7	5	13	4	6	2	2	56
17	3	245	23	17	12	7	3	8	7	2	4	6	-	57
26	9	657	46	38	32	16	9	11	17	6	9	8	2	58
11	7	402	24	22	21	9	7	4	11	4	6	2	2	59
15	2	255	22	15	11	7	2	7	6	2	3	6	-	60
2	1	24	4	1	2	-	1	2	3	-	1	-	-	61
-	-	14	3	-	1	-	-	1	2	-	-	-	-	62
2	1	10	1	1	1	-	1	1	1	-	1	-	-	63
171	134	4,791	407	285	240	163	150	121	103	88	89	53	57	64
89	76	2,755	241	170	141	98	86	58	57	46	40	25	37	65
82	58	2,036	166	115	99	84	62	52	46	42	49	28	20	66
147	112	4,224	358	244	216	168	118	105	85	79	80	47	47	67
78	61	2,437	214	146	129	90	71	62	50	43	56	21	29	68
69	51	1,787	144	98	87	78	47	43	35	36	44	26	18	69
24	22	567	49	41	24	15	32	16	18	9	9	6	10	70
11	15	318	27	24	12	9	17	7	7	3	4	4	8	71
13	7	249	22	17	12	6	15	9	11	6	5	2	2	72
9	8	315	19	11	11	9	7	8	5	6	1	1	2	73
7	4	185	10	5	6	4	5	4	2	1	-	-	1	74
2	4	130	9	6	5	5	2	4	3	5	1	1	1	75
9	6	301	18	10	10	8	6	8	5	6	1	1	2	76
7	3	178	9	5	5	4	5	4	2	1	-	-	1	77
2	3	123	9	5	5	4	1	4	3	5	1	1	1	78
-	2	14	1	1	1	1	1	-	-	-	-	-	-	79
-	1	7	1	-	1	-	-	-	-	-	-	-	-	80
-	1	7	-	1	-	1	1	-	-	-	-	-	-	81
88	53	1,419	198	149	109	99	65	66	47	43	35	26	27	82
51	27	873	116	67	58	48	35	32	25	30	17	17	16	83
37	26	546	82	82	51	51	30	34	22	13	18	9	11	84
28	17	655	53	45	35	39	18	26	17	13	13	14	7	85
18	13	421	32	20	22	22	10	12	9	9	6	8	5	86
10	4	234	21	25	13	17	8	14	8	4	7	6	2	87
60	36	764	145	104	74	60	47	40	30	30	22	12	20	88
33	14	452	84	47	36	26	25	20	16	21	11	9	11	89
27	22	312	61	57	38	34	22	20	14	9	11	3	9	90

TABLE 28.—DEATHS UNDER 1 YEAR, BY DETAILED AGE, RACE,

(By place of residence.

	AREA, RACE, AND SEX	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	SOUTH DAKOTA	448	147	45	30	18	6	8	8	26
2	Male	260	91	27	21	14	2	4	2	11
3	Female	188	56	18	9	4	4	2	4	15
4	White	397	142	44	28	17	6	8	5	24
5	Male	236	87	26	19	14	2	4	2	11
6	Female	161	55	18	9	3	4	2	3	13
7	Nonwhite	51	5	1	2	1	-	-	1	2
8	Male	24	4	1	2	-	-	-	-	-
9	Female	27	1	-	-	1	-	-	1	2
10	TENNESSEE	3,331	919	296	183	112	77	66	44	183
11	Male	1,917	546	174	108	68	40	32	29	108
12	Female	1,414	373	122	75	44	37	34	15	75
13	White	2,557	717	232	150	90	58	47	34	142
14	Male	1,460	429	137	86	52	29	21	22	85
15	Female	1,097	288	95	64	38	29	26	12	57
16	Nonwhite	774	202	64	33	22	18	19	10	41
17	Male	457	117	37	22	16	11	11	7	23
18	Female	317	85	27	11	6	6	8	3	18
19	TEXAS	8,628	2,140	801	505	262	118	152	122	413
20	Male	4,836	1,267	463	289	154	64	86	77	232
21	Female	3,792	873	338	206	108	54	66	45	181
22	White	7,277	1,800	673	436	213	110	128	105	326
23	Male	4,060	1,053	398	257	124	59	70	67	186
24	Female	3,217	747	275	179	89	51	58	38	140
25	Nonwhite	1,351	340	128	69	49	8	24	17	87
26	Male	776	214	65	42	30	5	16	10	46
27	Female	575	126	63	27	19	3	8	7	41
28	UTAH	535	184	76	55	21	20	14	8	19
29	Male	309	114	46	29	12	15	8	6	9
30	Female	226	70	30	26	9	5	6	2	10
31	White	516	177	75	55	21	20	12	8	19
32	Male	298	111	45	29	12	15	6	6	9
33	Female	218	66	30	26	9	5	6	2	10
34	Nonwhite	19	7	1	-	-	-	2	-	-
35	Male	11	3	1	-	-	-	2	-	-
36	Female	8	4	-	-	-	-	-	-	-
37	VERMONT	301	127	34	15	10	4	5	-	13
38	Male	186	83	25	9	9	1	3	-	5
39	Female	115	44	9	6	1	3	2	-	8
40	White	300	127	34	15	10	4	5	-	13
41	Male	185	83	25	9	9	1	3	-	5
42	Female	115	44	9	6	1	3	2	-	8
43	Nonwhite	1	-	-	-	-	-	-	-	-
44	Male	1	-	-	-	-	-	-	-	-
45	Female	-	-	-	-	-	-	-	-	-
46	VIRGINIA	3,162	1,028	274	177	109	71	38	32	180
47	Male	1,856	614	166	106	75	45	20	17	107
48	Female	1,306	414	108	71	34	26	18	15	73
49	White	2,005	702	204	118	75	47	20	22	101
50	Male	1,190	416	128	76	53	29	12	12	60
51	Female	815	286	76	42	22	18	8	10	41
52	Nonwhite	1,157	326	70	59	34	24	18	10	79
53	Male	666	198	38	30	22	16	8	5	47
54	Female	491	128	32	29	12	8	10	5	32
55	WASHINGTON	1,530	614	162	130	62	22	19	20	42
56	Male	914	374	93	80	39	13	12	13	25
57	Female	616	240	69	50	23	9	7	7	17
58	White	1,419	588	156	119	58	21	18	18	39
59	Male	848	360	89	73	37	13	11	11	22
60	Female	571	228	67	46	21	8	7	7	17
61	Nonwhite	111	26	6	11	4	1	1	2	3
62	Male	66	14	4	7	2	-	1	2	3
63	Female	45	12	2	4	2	1	-	-	-
64	WEST VIRGINIA	2,082	552	213	125	70	32	40	24	110
65	Male	1,174	324	132	78	44	22	27	15	64
66	Female	908	228	81	47	26	10	13	9	46
67	White	1,940	517	199	114	62	30	37	23	105
68	Male	1,103	308	123	73	40	21	24	15	63
69	Female	837	209	76	41	22	9	13	8	42
70	Nonwhite	142	35	14	11	8	2	3	1	5
71	Male	71	16	9	5	4	1	3	-	1
72	Female	71	19	5	6	4	1	-	1	4
73	WISCONSIN	2,202	838	236	172	64	45	44	24	81
74	Male	1,308	506	128	112	41	33	29	14	48
75	Female	894	332	108	60	23	12	15	10	33
76	White	2,116	820	227	168	64	43	42	23	76
77	Male	1,258	494	123	108	41	33	28	13	46
78	Female	858	326	104	60	23	10	14	10	30
79	Nonwhite	86	18	9	4	-	2	2	1	5
80	Male	50	12	5	4	-	-	1	1	2
81	Female	36	6	4	-	-	2	1	-	3
82	WYOMING	280	114	24	22	8	5	4	2	12
83	Male	169	69	16	14	6	2	2	2	9
84	Female	111	45	8	8	2	3	2	-	3
85	White	261	108	24	22	7	5	4	2	11
86	Male	158	64	16	14	5	2	2	2	8
87	Female	103	44	8	8	2	3	2	-	3
88	Nonwhite	19	6	-	-	1	-	-	-	1
89	Male	11	5	-	-	1	-	-	-	1
90	Female	8	1	-	-	-	-	-	-	-

AND SEX: UNITED STATES AND EACH STATE, 1949—Continued

Exclusive of fetal deaths)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months		
20	3	307	25	26	21	18	13	7	8	8	6	4	5	1	
12	1	185	14	19	9	10	7	2	3	5	4	1	1	2	
8	2	122	11	7	12	8	6	5	5	3	2	3	4	3	
17	2	281	20	21	18	9	10	5	7	6	5	3	2	4	
11	1	177	10	16	8	6	6	1	3	4	4	1	-	5	
6	1	114	10	5	10	3	4	4	4	2	1	2	2	6	
3	1	16	5	5	3	9	3	2	1	2	1	1	3	7	
1	-	8	4	3	1	4	1	1	-	1	-	-	1	8	
2	1	8	1	2	2	5	2	1	1	1	1	1	2	9	
124	84	2,088	289	170	171	157	104	98	73	66	50	37	29	10	
73	49	1,227	164	102	92	81	58	58	59	28	32	22	14	11	
51	35	861	124	68	79	76	46	40	34	38	18	15	15	12	
98	63	1,631	209	131	129	126	77	73	56	46	31	26	22	13	
59	39	959	119	76	71	64	41	44	30	17	17	15	7	14	
39	24	672	90	55	58	62	36	29	26	29	14	11	15	15	
26	21	457	79	39	42	31	27	25	17	20	19	11	7	16	
14	10	268	45	26	21	17	17	14	9	11	15	7	7	17	
12	11	189	34	13	21	14	10	11	8	9	4	4	-	18	
259	178	4,950	619	566	503	407	336	303	251	235	193	141	124	19	
145	94	2,881	362	311	253	212	182	153	141	101	99	77	64	20	
114	84	2,069	257	255	250	195	154	150	110	134	94	64	60	21	
218	144	4,153	500	477	434	337	275	260	224	205	166	130	116	22	
123	78	2,413	290	263	211	174	152	130	124	84	88	74	57	23	
95	68	1,740	210	214	223	163	123	130	100	121	78	56	59	24	
41	34	797	119	89	69	70	61	43	27	30	27	11	8	25	
22	18	468	72	48	42	38	30	23	17	17	11	3	7	26	
19	16	329	47	41	27	32	31	20	10	13	16	8	1	27	
9	10	416	19	19	18	11	12	11	5	8	5	7	4	28	
4	4	247	10	11	11	4	7	4	2	5	2	5	1	29	
5	6	169	9	8	7	7	5	7	3	3	3	2	3	30	
8	8	403	19	19	16	11	11	10	4	7	5	7	4	31	
3	3	239	10	11	9	4	6	4	2	5	2	5	1	32	
5	5	164	9	8	7	7	5	6	2	2	3	2	3	33	
1	2	13	-	-	2	-	1	1	1	1	-	-	-	34	
1	1	8	-	-	2	-	1	-	-	-	-	-	-	35	
-	1	5	-	-	-	-	-	1	1	1	-	-	-	36	
15	2	225	14	21	9	8	6	3	4	6	1	-	4	37	
11	1	147	8	12	4	6	3	1	3	2	-	-	-	38	
4	1	78	6	9	5	2	3	2	1	4	1	-	4	39	
15	2	225	14	20	9	8	6	3	4	6	1	-	4	40	
11	1	147	8	11	4	6	3	1	3	2	-	-	-	41	
4	1	78	6	9	5	2	3	2	1	4	1	-	4	42	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	43	
-	-	-	-	1	-	-	-	-	-	-	-	-	-	44	
-	-	-	-	-	-	-	-	-	-	-	-	-	-	45	
114	70	2,093	282	178	124	92	87	76	58	59	47	34	32	46	
63	41	1,254	167	97	64	48	51	47	33	35	25	14	21	47	
51	29	839	115	81	60	44	36	29	25	24	22	20	11	48	
63	35	1,387	170	104	61	51	52	46	32	32	26	23	21	49	
36	20	842	101	54	31	28	30	30	21	19	11	8	15	50	
27	15	545	69	50	30	23	22	16	11	13	15	15	6	51	
51	35	706	112	74	63	41	35	30	26	27	21	11	11	52	
27	21	412	66	43	33	20	21	17	12	16	14	6	6	53	
24	14	294	46	31	30	21	14	13	14	11	7	5	5	54	
33	24	1,128	89	87	41	50	30	39	23	21	16	14	12	55	
14	11	674	52	39	25	33	16	25	13	9	11	7	10	56	
19	13	454	37	28	16	17	14	14	10	12	5	7	2	57	
32	24	1,073	81	60	34	46	25	32	17	14	13	13	11	58	
14	11	641	46	35	20	29	13	20	11	6	9	7	9	59	
18	13	432	33	25	14	17	12	12	6	8	4	6	2	60	
1	-	55	8	7	7	4	5	7	6	7	3	1	1	61	
-	-	33	4	4	5	4	3	5	2	3	2	-	1	62	
1	-	22	4	3	2	-	2	2	4	4	1	1	-	63	
68	61	1,295	161	149	114	76	69	53	43	43	38	23	18	64	
40	33	779	95	67	58	33	39	28	22	20	18	9	5	65	
28	28	516	66	82	56	43	30	25	21	23	19	14	13	66	
66	56	1,209	156	157	107	89	63	50	40	40	35	21	13	67	
39	30	736	94	59	53	30	36	26	21	18	18	8	4	68	
27	26	473	62	78	54	39	27	24	19	22	17	13	9	69	
2	5	86	5	12	7	7	6	3	3	3	3	2	5	70	
1	3	43	1	8	5	3	3	2	1	2	1	1	1	71	
1	2	43	4	4	2	4	3	1	2	1	2	1	4	72	
59	39	1,602	116	88	87	64	57	52	38	33	22	23	20	73	
34	23	968	70	55	53	33	30	27	19	19	12	13	9	74	
25	16	634	46	35	34	31	27	25	19	14	10	10	11	75	
56	37	1,556	113	81	80	58	52	47	36	31	21	22	19	76	
32	22	940	67	52	48	31	29	25	17	18	11	12	8	77	
24	15	616	46	29	32	27	23	22	19	13	10	10	11	78	
3	2	46	3	7	7	6	5	5	2	2	1	1	1	79	
2	1	28	3	3	5	2	1	2	2	1	1	1	1	80	
1	1	18	-	4	2	4	4	3	-	1	-	-	-	81	
10	5	206	25	12	10	7	6	4	-	2	2	4	2	82	
4	2	126	18	6	4	3	4	3	-	1	1	2	1	83	
6	3	80	7	6	6	4	2	1	-	1	1	2	1	84	
10	4	197	21	11	9	5	6	3	-	2	1	4	2	85	
4	2	119	16	6	4	3	4	2	-	1	-	2	1	86	
6	2	78	5	5	5	2	2	1	-	1	1	2	1	87	
-	1	9	4	1	1	2	-	1	-	-	1	-	-	88	
-	-	7	2	-	-	-	-	1	-	-	1	-	-	89	
-	1	2	2	1	1	2	-	-	-	-	-	-	-	90	

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 1 YEAR							
ALL RACES—All causes	111,531	62,997	27,651	12,703	9,374	13,269	48,534
Tuberculosis, all forms—001-019	279	148	87	20	16	25	131
Syphilis and its sequelae—020-029	300	135	49	27	23	36	165
Dysentery, all forms—045-048	682	300	33	51	56	160	382
Whooping cough—056	524	185	68	37	23	57	339
All other infective and parasitic diseases—030-044,049-055,057-138	1,355	596	211	133	86	166	759
Diseases of thymus gland—273	683	379	144	74	53	108	304
Meningitis, except meningococcal and tuberculous—340	722	383	181	65	65	72	339
All other diseases of nervous system and sense organs—330-334,341-398	994	573	263	102	96	112	421
Influenza and pneumonia, except pneumonia of newborn—480-493	9,141	4,079	1,565	851	652	1,011	5,082
Influenza—480-483	786	269	44	55	69	102	519
Pneumonia, except pneumonia of newborn—490-493	8,353	3,810	1,521	796	584	909	4,543
All other diseases of respiratory system—470-475,500-527	1,387	744	342	169	110	123	643
Hernia and intestinal obstruction—560,561,570	1,001	594	262	134	96	102	407
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	5,667	2,616	952	547	381	736	3,051
All other diseases of digestive system—530-542,544-553,573-587	808	302	114	63	51	74	306
Congenital malformations—750-759	14,504	8,841	4,008	1,807	1,305	1,721	5,663
Spina bifida and meningocele—751	1,813	1,158	534	237	172	215	655
Congenital malformations of circulatory system—754	6,443	3,776	1,737	727	540	772	2,667
All other congenital malformations—750,752,753,755-759	6,248	3,907	1,737	843	593	734	2,341
Certain diseases of early infancy—760-776	84,158	39,263	17,857	7,864	5,714	7,828	24,895
Birth injuries—760,761	12,312	7,709	3,416	1,496	1,185	1,612	4,603
Without mention of immaturity (.0)	6,682	4,051	1,726	810	833	882	2,631
With immaturity (.5)	5,630	3,658	1,690	686	552	730	1,972
Intracranial and spinal injury at birth—760	5,574	3,552	1,776	638	468	670	2,022
Without mention of immaturity (.0)	4,112	2,553	1,146	485	364	558	1,559
With immaturity (.5)	1,462	999	630	153	104	112	463
Other birth injury—761	6,738	4,157	1,640	858	717	942	2,581
Without mention of immaturity (.0)	2,570	1,498	580	325	269	324	1,072
With immaturity (.5)	4,168	2,659	1,060	533	448	618	1,509
Postnatal asphyxia and atelectasis—762	13,239	9,031	4,675	1,753	1,158	1,445	4,208
Without mention of immaturity (.0)	5,106	3,223	1,468	642	472	641	1,883
With immaturity (.5)	8,133	5,808	3,207	1,111	686	804	2,325
Pneumonia of newborn—763	2,966	1,577	782	294	190	311	1,389
Without mention of immaturity (.0)	2,069	1,011	479	180	127	225	1,058
With immaturity (.5)	897	566	303	114	63	86	331
Diarrhea of newborn—764	1,142	646	268	153	89	136	496
Without mention of immaturity (.0)	826	429	160	104	61	104	397
With immaturity (.5)	316	217	108	49	28	32	99
Other infections of newborn—765-768	363	226	111	45	25	45	137
Without mention of immaturity (.0)	252	144	84	26	16	38	108
With immaturity (.5)	111	82	47	19	9	7	29
Neonatal disorders arising from maternal toxemia—769	1,129	575	206	115	106	148	554
Without mention of immaturity (.0-.4)	266	134	47	24	27	36	132
With immaturity (.5-.9)	863	441	159	91	79	112	422
Hemolytic disease of newborn (erythroblastosis)—770	2,503	1,545	670	334	227	314	958
Without mention of immaturity (.0-.2)	2,031	1,238	544	273	180	241	793
With immaturity (.5-.7)	472	307	126	61	47	73	165
Hemorrhagic disease of newborn—771	1,019	621	286	122	95	119	398
Without mention of immaturity (.0)	709	404	189	75	60	80	305
With immaturity (.5)	310	217	96	47	35	39	93
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	4,541	2,173	821	436	338	578	2,368
Without mention of immaturity (.0)	1,791	696	193	147	124	232	1,095
With immaturity (.5)	2,750	1,477	628	289	214	346	1,273
Immaturity with mention of any other subsidiary condition—774	1,424	807	364	168	115	160	617
Immaturity unqualified—776	23,520	14,353	6,259	2,948	2,186	2,960	9,167
Symptoms and ill-defined conditions—780-795	3,811	976	270	168	205	333	2,835
All other diseases—Residual	1,657	914	411	184	143	176	743
Accidents—E800-E962	3,730	1,881	778	394	292	417	1,849
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	932	513	211	107	89	106	419
Accidental mechanical suffocation in bed and cradle—E924	1,372	706	344	136	82	144	666
All other accidental causes—E800-E920,E923,E925-E962	1,426	662	223	151	121	187	764
Homicide—E964,E980-E999	128	88	56	13	7	12	40

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN				Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 1 YEAR						
WHITE—All causes	89,007	50,744	21,129	10,478	7,839	11,302	38,263
Tuberculosis, all forms—001-019	178	94	50	16	12	16	84
Syphilis and its sequelae—020-029	90	42	13	9	7	13	48
Dysentery, all forms—045-048	700	225	21	37	43	124	475
Whooping cough—056	367	129	42	27	18	42	238
All other infective and parasitic diseases—030-044,049-055,057-138	1,047	451	156	105	66	124	596
Diseases of thymus gland—273	586	327	118	62	49	98	259
Meningitis, except meningococcal and tuberculous—340	501	268	122	50	44	52	233
All other diseases of nervous system and sense organs—330-334,341-398	814	457	200	82	80	95	357
Influenza and pneumonia, except pneumonia of newborn—480-493	6,258	2,779	1,039	569	446	725	3,479
Influenza—480-483	461	163	34	34	33	62	298
Pneumonia, except pneumonia of newborn—490-493	5,797	2,616	1,005	535	413	663	3,181
All other diseases of respiratory system—470-475,500-527	1,029	556	244	137	76	99	473
Hernia and intestinal obstruction—560,561,570	844	503	213	116	84	90	341
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	4,182	1,909	631	413	281	584	2,273
All other diseases of digestive system—530-542,544-553,573-587	489	239	82	51	40	66	250
Congenital malformations—750-759	13,241	8,028	3,519	1,684	1,207	1,618	5,213
Spina bifida and meningocele—751	1,729	1,105	503	227	167	208	624
Congenital malformations of circulatory system—754	5,855	3,387	1,493	669	493	732	2,468
All other congenital malformations—750,752,753,755-759	5,657	3,536	1,523	788	547	678	2,121
Certain diseases of early infancy—760-776	52,559	31,926	13,596	8,551	4,919	6,860	20,633
Birth injuries—760,761	10,611	6,584	2,784	1,279	1,066	1,475	4,027
Without mention of immaturity (.0)	5,560	3,349	1,345	666	547	791	2,211
With immaturity (.5)	5,051	3,235	1,419	613	519	684	1,816
Intracranial and spinal injury at birth—760	4,631	2,885	1,326	543	409	607	1,746
Without mention of immaturity (.0)	3,444	2,110	874	419	312	505	1,334
With immaturity (.5)	1,187	775	452	124	97	102	412
Other birth injury—761	5,980	3,699	1,458	736	657	868	2,281
Without mention of immaturity (.0)	2,116	1,239	471	247	235	286	877
With immaturity (.5)	3,864	2,460	987	489	422	582	1,404
Postnatal asphyxia and atelectasis—762	11,213	7,467	3,590	1,537	1,021	1,319	3,746
Without mention of immaturity (.0)	4,286	2,851	1,099	557	420	575	1,435
With immaturity (.5)	6,927	4,616	2,491	980	601	744	2,111
Pneumonia of newborn—763	2,206	1,173	568	219	148	238	1,033
Without mention of immaturity (.0)	1,495	729	341	129	93	166	766
With immaturity (.5)	711	444	227	90	55	72	267
Diarrhea of newborn—764	830	468	172	118	70	107	362
Without mention of immaturity (.0)	608	316	108	81	45	82	292
With immaturity (.5)	222	152	64	38	25	25	70
Other infections of newborn—765-768	252	163	72	37	20	34	89
Without mention of immaturity (.0)	178	106	43	20	14	29	72
With immaturity (.5)	74	57	29	17	6	5	17
Neonatal disorders arising from maternal toxemia—769	917	476	167	93	95	121	441
Without mention of immaturity (.0-.4)	201	107	35	15	25	32	94
With immaturity (.5-.9)	716	369	132	78	70	89	347
Hemolytic disease of newborn (erythroblastosis)—770	2,322	1,429	605	314	217	293	893
Without mention of immaturity (.0-.2)	1,890	1,149	498	257	170	224	741
With immaturity (.5-.7)	432	280	107	57	47	69	152
Hemorrhagic disease of newborn—771	799	504	218	101	79	106	295
Without mention of immaturity (.0)	540	319	145	57	47	70	221
With immaturity (.5)	259	185	78	44	32	36	74
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	3,332	1,573	550	299	287	457	1,759
Without mention of immaturity (.0)	1,208	474	125	96	89	164	734
With immaturity (.5)	2,124	1,099	425	203	178	293	1,025
Immaturity with mention of any other subsidiary condition—774	1,122	626	263	131	97	135	496
Immaturity unqualified—775	18,955	11,463	4,627	2,422	1,839	2,575	7,492
Symptoms and ill-defined conditions—780-795	1,780	958	165	92	100	201	1,222
All other diseases—Residual	1,382	768	341	158	122	147	614
Accidents—E800-E962	2,857	1,416	535	307	237	337	1,441
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	761	402	148	85	77	92	359
Accidental mechanical suffocation in bed and cradle—E924	1,051	520	232	109	85	114	531
All other accidental causes—E800-E920,E923,E925-E962	1,045	494	155	113	95	131	551
Homicide—E964,E980-E999	103	69	42	9	7	11	34

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 1 YEAR							
NONWHITE—All causes	22,524	12,253	6,522	2,228	1,536	1,967	10,271
Tuberculosis, all forms—001-019	101	54	37	4	4	9	47
Syphilis and its sequelae—020-029	210	93	36	18	16	23	117
Dysentery, all forms—045-048	182	75	12	14	13	36	107
Whooping cough—056	157	56	26	10	5	15	101
All other infective and parasitic diseases—030-044,049-055,057-138	308	145	55	28	20	42	163
Diseases of thymus gland—273	97	52	28	12	4	10	45
Meningitis, except meningococcal and tuberculous—340	221	115	59	15	21	20	106
All other diseases of nervous system and sense organs—330-334,341-398	180	116	63	20	16	17	64
Influenza and pneumonia, except pneumonia of newborn—480-493	2,883	1,300	526	282	206	286	1,583
Influenza—480-483	327	106	10	21	35	40	221
Pneumonia, except pneumonia of newborn—490-493	2,556	1,194	516	261	171	246	1,362
All other diseases of respiratory system—470-475,500-527	358	188	98	32	34	24	170
Hernia and intestinal obstruction—560,561,570	157	91	49	18	12	12	66
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,485	707	321	134	100	152	778
All other diseases of digestive system—530-542,544-555,573-587	119	63	32	12	11	8	56
Congenital malformations—750-759	1,263	813	489	123	98	103	450
Spina bifida and meningocele—751	84	53	31	10	5	7	31
Congenital malformations of circulatory system—754	588	389	244	58	47	40	199
All other congenital malformations—750,752,753,755-759	591	371	214	55	46	56	220
Certain diseases of early infancy—760-776	11,599	7,337	4,261	1,313	795	968	4,262
Birth injuries—760,761	1,701	1,125	652	217	119	137	576
Without mention of immaturity (.0)	1,122	702	381	144	86	91	420
With immaturity (.5)	579	423	271	73	33	46	156
Intracranial and spinal injury at birth—760	943	667	450	95	59	63	276
Without mention of immaturity (.0)	668	443	272	66	52	53	225
With immaturity (.5)	275	224	178	29	7	10	51
Other birth injury—761	758	458	202	122	60	74	300
Without mention of immaturity (.0)	454	259	109	76	34	38	195
With immaturity (.5)	304	199	93	44	26	36	105
Postnatal asphyxia and atelectasis—762	2,026	1,564	1,085	216	137	126	462
Without mention of immaturity (.0)	820	572	369	85	52	66	248
With immaturity (.5)	1,206	992	716	131	85	60	214
Pneumonia of newborn—763	760	404	214	75	42	73	356
Without mention of immaturity (.0)	574	282	138	51	34	59	292
With immaturity (.5)	186	122	76	24	8	14	64
Diarrhea of newborn—764	312	178	96	34	19	29	134
Without mention of immaturity (.0)	218	113	52	23	16	22	105
With immaturity (.5)	94	65	44	11	3	7	29
Other infections of newborn—765-768	111	63	39	8	5	11	48
Without mention of immaturity (.0)	74	38	21	6	2	9	36
With immaturity (.5)	37	25	18	2	3	2	12
Neonatal disorders arising from maternal toxemia—769	212	99	39	22	11	27	113
Without mention of immaturity (.0-.4)	65	27	12	9	2	4	38
With immaturity (.5-.9)	147	72	27	13	9	23	75
Hemolytic disease of newborn (erythroblastosis)—770	181	116	65	20	10	21	65
Without mention of immaturity (.0-.2)	141	89	46	16	10	17	52
With immaturity (.5-.7)	40	27	19	4	-	4	13
Hemorrhagic disease of newborn—771	220	117	67	21	16	13	103
Without mention of immaturity (.0)	169	85	44	18	13	10	84
With immaturity (.5)	51	32	23	3	3	3	19
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	1,209	600	271	137	71	121	609
Without mention of immaturity (.0)	583	222	68	51	35	68	361
With immaturity (.5)	626	378	203	86	36	53	248
Immaturity with mention of any other subsidiary condition—774	302	181	101	37	18	25	121
Immaturity unqualified—776	4,565	2,890	1,632	526	347	385	1,675
Symptoms and ill-defined conditions—780-795	2,031	418	105	76	105	132	1,613
All other diseases—Residual	275	146	70	26	21	29	129
Accidents—E800-E962	873	465	243	87	55	80	408
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	171	111	53	22	12	14	60
Accidental mechanical suffocation in bed and cradle—E924	321	186	112	27	17	30	135
All other accidental causes—E800-E920,E923,E925-E962	381	168	88	38	26	36	213
Homicide—E964,E980-E999	25	19	14	4	-	1	6

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 28 DAYS							
ALL RACES—All causes	76,326	46,075	20,728	9,206	6,822	9,319	30,251
Tuberculosis, all forms—001-019	7	2	1	1	-	-	5
Syphilis and its sequelae—020-029	194	91	37	16	15	23	103
Dysentery, all forms—045-049	78	26	-	6	6	14	52
Whooping cough—056	17	1	-	-	-	1	16
All other infective and parasitic diseases—030-044,049-055,057-138	239	82	24	15	15	28	157
Diseases of thymus gland—273	217	119	38	18	20	43	98
Meningitis, except meningococcal and tuberculous—340	115	76	46	14	8	8	39
All other diseases of nervous system and sense organs—330-334,341-398	213	136	68	18	26	24	77
Influenza and pneumonia, except pneumonia of newborn—480-493	93	20	1	10	6	3	73
Influenza—480-483	93	20	1	10	6	3	73
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...
All other diseases of respiratory system—470-475,500-527	199	94	37	25	10	22	105
Hernia and intestinal obstruction—560,561,570	535	356	168	78	56	53	179
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	10	6	1	-	2	3	4
All other diseases of digestive system—530-542,544-553,573-587	173	99	50	17	14	18	74
Congenital malformations—750-759	9,375	5,754	2,488	1,162	919	1,205	3,621
Spina bifida and meningocele—751	1,006	653	287	141	102	123	353
Congenital malformations of circulatory system—754	4,030	2,329	984	440	370	535	1,701
All other congenital malformations—750,752,753,755-759	4,339	2,772	1,197	581	447	547	1,567
Certain diseases of early infancy—760-776	61,502	38,033	17,373	7,600	5,513	7,547	23,469
Birth injuries—760,761	12,187	7,638	3,392	1,483	1,176	1,597	4,549
Without mention of immaturity (.0)	6,573	3,987	1,694	800	625	868	2,586
With immaturity (.5)	5,614	3,651	1,698	683	551	729	1,963
Intracranial and spinal injury at birth—760	5,489	3,499	1,750	628	463	658	1,990
Without mention of immaturity (.0)	4,032	2,502	1,122	475	359	546	1,530
With immaturity (.5)	1,457	997	628	153	104	112	460
Other birth injury—761	6,698	4,139	1,632	855	713	939	2,559
Without mention of immaturity (.0)	2,541	1,485	572	325	266	322	1,056
With immaturity (.5)	4,157	2,654	1,060	530	447	617	1,503
Postnatal asphyxia and atelectasis—762	12,931	8,835	4,562	1,725	1,152	1,418	4,096
Without mention of immaturity (.0)	4,886	3,089	1,397	622	454	616	1,797
With immaturity (.5)	8,045	5,746	3,165	1,101	678	802	2,299
Pneumonia of newborn—763	2,966	1,577	782	294	190	311	1,389
Without mention of immaturity (.0)	2,069	1,011	479	180	127	225	1,058
With immaturity (.5)	897	566	303	114	63	86	331
Diarrhea of newborn—764	1,114	622	255	148	86	133	492
Without mention of immaturity (.0)	807	414	152	103	58	101	393
With immaturity (.5)	307	208	103	45	28	32	99
Other infections of newborn—765-768	349	218	105	44	24	45	131
Without mention of immaturity (.0)	241	136	58	25	15	38	105
With immaturity (.5)	108	82	47	19	9	7	26
Neonatal disorders arising from maternal toxemia—769	1,118	573	206	114	106	147	545
Without mention of immaturity (.0-.4)	265	134	47	24	27	36	131
With immaturity (.5-.9)	853	439	159	90	79	111	414
Hemolytic disease of newborn (erythroblastosis)—770	2,420	1,498	652	324	215	307	922
Without mention of immaturity (.0-.2)	1,957	1,195	528	264	189	234	762
With immaturity (.5-.7)	463	303	124	60	46	73	160
Hemorrhagic disease of newborn—771	997	612	283	118	93	118	385
Without mention of immaturity (.0)	689	396	187	71	59	79	293
With immaturity (.5)	308	216	96	47	34	39	92
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	3,367	1,746	716	333	259	438	1,621
Without mention of immaturity (.0)	915	384	120	73	64	127	531
With immaturity (.5)	2,452	1,362	596	260	195	311	1,090
Immaturity with mention of any other subsidiary condition—774	849	522	241	102	75	104	327
Immaturity unqualified—776	23,204	14,192	6,189	2,917	2,157	2,929	9,012
Symptoms and ill-defined conditions—780-795	2,148	534	134	95	120	185	1,614
All other diseases—Residual	389	230	101	50	38	41	159
Accidents—E800-E962	730	355	142	71	50	92	375
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	274	159	67	34	22	36	115
Accidental mechanical suffocation in bed and cradle—E924	191	80	42	9	12	17	111
All other accidental causes—E800-E920,E923,E925-E962	265	116	33	28	16	39	149
Homicide—E964,E980-E999	92	61	39	9	4	9	31

TABLE 29.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 28 DAYS							
WHITE—All causes	62,728	37,982	16,104	7,767	5,892	8,219	24,746
Tuberculosis, all forms—001-019	7	2	1	1	-	-	5
Syphilis and its sequelae—020-029	58	28	12	7	3	6	30
Dysentery, all forms—045-048	66	19	-	3	4	12	47
Whooping cough—056	9	-	-	-	-	-	9
All other infective and parasitic diseases—030-044,049-055,057-138	134	41	10	9	9	13	93
Diseases of thymus gland—273	185	103	32	15	18	38	82
Meningitis, except meningococcal and tuberculous—340	81	53	34	9	3	7	28
All other diseases of nervous system and sense organs—330-334,341-398	192	123	58	17	24	23	69
Influenza and pneumonia, except pneumonia of newborn—480-493	51	10	1	5	3	1	41
Influenza—480-483	51	10	1	5	3	1	41
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...
All other diseases of respiratory system—470-475,500-527	125	64	23	17	7	17	61
Hernia and intestinal obstruction—560,561,570	476	315	144	71	51	49	161
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	9	6	1	-	2	3	3
All other diseases of digestive system—530-542,544-553,573-587	145	80	37	14	12	17	65
Congenital malformations—750-759	8,619	5,265	2,180	1,084	856	1,145	3,354
Spina bifida and meningocele—751	961	626	272	135	99	120	335
Congenital malformations of circulatory system—754	3,688	2,108	850	405	342	512	1,579
All other congenital malformations—750,752,753,755-759	3,970	2,530	1,058	544	415	513	1,440
Certain diseases of early infancy—760-776	50,730	31,083	13,286	6,366	4,769	6,662	19,647
Birth injuries—760,761	10,518	6,528	2,736	1,269	1,058	1,463	3,990
Without mention of immaturity (.0)	5,474	3,293	1,317	657	540	779	2,181
With immaturity (.5)	5,042	3,233	1,419	612	518	684	1,809
Intracranial and spinal injury at birth—760	4,565	2,840	1,306	534	404	596	1,725
Without mention of immaturity (.0)	3,380	2,065	854	410	307	494	1,315
With immaturity (.5)	1,185	775	452	124	97	102	410
Other birth injury—761	5,951	3,686	1,430	735	654	867	2,265
Without mention of immaturity (.0)	2,094	1,228	483	247	233	265	866
With immaturity (.5)	3,857	2,458	947	488	421	562	1,399
Postnatal asphyxia and atelectasis—762	10,966	7,311	3,506	1,510	997	1,298	3,655
Without mention of immaturity (.0)	4,112	2,548	1,049	539	404	556	1,564
With immaturity (.5)	6,854	4,763	2,457	971	593	742	2,091
Pneumonia of newborn—763	2,206	1,173	568	219	148	238	1,033
Without mention of immaturity (.0)	1,495	729	341	129	93	166	766
With immaturity (.5)	711	444	227	90	55	72	267
Diarrhea of newborn—764	805	447	162	114	87	104	358
Without mention of immaturity (.0)	591	303	102	80	42	79	288
With immaturity (.5)	214	144	60	34	25	25	70
Other infections of newborn—765-768	240	156	67	36	19	34	84
Without mention of immaturity (.0)	169	99	38	19	13	29	70
With immaturity (.5)	71	57	29	17	6	5	14
Neonatal disorders arising from maternal toxemia—769	910	474	167	92	95	120	436
Without mention of immaturity (.0-.4)	201	107	35	15	25	32	94
With immaturity (.5-.9)	709	367	132	77	70	88	342
Hemolytic disease of newborn (erythroblastosis)—770	2,248	1,369	589	304	209	287	879
Without mention of immaturity (.0-.2)	1,824	1,113	494	248	163	218	711
With immaturity (.5-.7)	424	276	105	58	46	69	148
Hemorrhagic disease of newborn—771	786	498	217	98	78	105	288
Without mention of immaturity (.0)	528	314	144	54	47	69	214
With immaturity (.5)	258	184	73	44	31	36	74
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	2,571	1,303	496	237	211	359	1,268
Without mention of immaturity (.0)	615	268	82	50	46	90	347
With immaturity (.5)	1,956	1,035	414	187	165	269	921
Immaturity with mention of any other subsidiary condition—774	723	439	189	86	67	98	284
Immaturity unqualified—776	18,759	11,367	4,589	2,402	1,820	2,556	7,392
Symptoms and ill-defined conditions—780-795	912	290	76	50	54	110	622
All other diseases—Residual	334	198	86	43	32	37	136
Accidents—E800-E962	521	256	94	50	41	71	265
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	216	124	47	28	19	30	92
Accidental mechanical suffocation in bed and cradle—E924	131	53	26	6	9	12	78
All other accidental causes—E800-E920,E923,E925-E962	174	79	21	16	13	29	95
Homicide—E964,E980-E999	74	46	28	6	4	8	28

TABLE 29. DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY POPULATION-SIZE GROUP AND RACE: UNITED STATES, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE, RACE, AND CAUSE OF DEATH	Total	URBAN					Rural
		All urban places	Places of 100,000 or more	Places of 25,000 to 100,000	Places of 10,000 to 25,000	Places of 2,500 to 10,000	
UNDER 28 DAYS							
NONWHITE—All causes	13,598	8,093	4,624	1,439	930	1,100	5,505
Tuberculosis, all forms—001-019	-	-	-	-	-	-	-
Syphilis and its sequelae—020-029	136	63	25	9	12	17	73
Dysentery, all forms—045-048	12	7	-	3	2	2	5
Whooping cough—056	8	1	-	-	-	1	7
All other infective and parasitic diseases—030-044,049-055,057-138	105	41	14	6	6	15	64
Diseases of thymus gland—273	32	16	6	3	2	5	16
Meningitis, except meningococcal and tuberculous—340	34	23	12	5	5	1	11
All other diseases of nervous system and sense organs—330-334,341-398	21	13	9	1	2	1	8
Influenza and pneumonia, except pneumonia of newborn—480-493	42	10	-	5	3	2	32
Influenza—480-483	42	10	-	5	3	2	32
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...
All other diseases of respiratory system—470-475,500-527	74	30	14	8	3	5	44
Hernia and intestinal obstruction—560,561,570	59	41	24	8	5	4	18
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1	-	-	-	-	-	1
All other diseases of digestive system—530-542,544-553,573-587	28	19	13	3	2	1	9
Congenital malformations—750-759	756	489	288	78	63	60	267
Spina bifida and meningocele—751	45	27	15	6	3	3	18
Congenital malformations of circulatory system—754	342	220	134	35	28	23	122
All other congenital malformations—750,752,753,755-759	369	242	139	37	32	34	127
Certain diseases of early infancy—760-776	10,772	6,950	4,087	1,234	744	885	3,822
Birth injuries—760,761	1,671	1,112	646	214	118	134	559
Without mention of immaturity (.0)	1,099	694	377	143	85	89	405
With immaturity (.5)	572	418	269	71	33	45	154
Intracranial and spinal injury at birth—760	924	659	444	94	59	62	265
Without mention of immaturity (.0)	652	437	268	65	52	52	215
With immaturity (.5)	272	222	176	29	7	10	50
Other birth injury—761	747	453	202	120	59	72	294
Without mention of immaturity (.0)	447	257	109	78	33	37	190
With immaturity (.5)	300	196	93	42	26	35	104
Postnatal asphyxia and atelectasis—762	1,965	1,524	1,056	213	135	120	441
Without mention of immaturity (.0)	774	541	348	83	50	60	233
With immaturity (.5)	1,191	983	708	130	85	60	208
Pneumonia of newborn—763	760	404	214	75	42	73	356
Without mention of immaturity (.0)	574	282	138	51	34	59	292
With immaturity (.5)	186	122	76	24	8	14	64
Diarrhea of newborn—764	309	175	93	34	19	29	134
Without mention of immaturity (.0)	216	111	50	23	16	22	105
With immaturity (.5)	93	64	43	11	3	7	29
Other infections of newborn—765-768	109	62	38	8	5	11	47
Without mention of immaturity (.0)	72	37	20	6	2	9	35
With immaturity (.5)	37	25	18	2	3	2	12
Neonatal disorders arising from maternal toxemia—769	208	99	39	22	11	27	109
Without mention of immaturity (.0-.4)	64	27	12	3	2	4	37
With immaturity (.5-.9)	144	72	27	13	9	23	72
Hemolytic disease of newborn (erythroblastosis)—770	172	109	63	20	6	20	63
Without mention of immaturity (.0-.2)	133	82	44	16	6	16	51
With immaturity (.5-.7)	39	27	19	4	-	4	12
Hemorrhagic disease of newborn—771	211	114	66	20	15	13	97
Without mention of immaturity (.0)	161	82	43	17	12	10	79
With immaturity (.5)	50	32	23	3	3	3	18
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	796	443	220	96	48	79	353
Without mention of immaturity (.0)	300	116	58	23	18	37	184
With immaturity (.5)	496	327	162	73	30	42	169
Immaturity with mention of any other subsidiary condition—774	126	83	52	17	8	6	43
Immaturity unqualified—776	4,445	2,825	1,600	515	337	373	1,620
Symptoms and ill-defined conditions—780-795	1,236	244	58	45	66	75	992
All other diseases—Residual	55	32	15	7	6	4	23
Accidents—E800-E962	209	99	48	21	9	21	110
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	58	35	20	6	3	6	23
Accidental mechanical suffocation in bed and cradle—E924	60	27	16	3	3	5	33
All other accidental causes—E800-E920,E923,E925-E962	91	37	12	12	3	10	54
Homicide—E964,E980-E999	18	15	11	3	-	1	3

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	UNITED STATES					ALABAMA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	111,531	62,728	13,598	26,279	8,926	3,345	1,209	1,057	495	584
2	Tuberculosis, all forms---001-019	279	7	-	171	101	5	-	-	-	5
3	Syphilis and its sequelae---020-029	300	58	136	32	74	27	1	18	2	6
4	Dysentery, all forms---045-048	882	66	12	634	170	15	2	-	9	4
5	Whooping cough---056	524	9	8	358	149	14	-	1	7	6
6	All other infective and parasitic diseases---030-044,049-055,057-138	1,355	134	105	913	203	51	2	13	19	17
7	Diseases of thymus gland---273	683	185	32	401	65	19	6	2	6	5
8	Meningitis, except meningococcal and tuberculous---340	722	81	34	420	187	23	-	1	10	12
9	All other diseases of nervous system and sense organs-330-334,341-398	994	192	21	622	159	25	4	2	8	11
10	Influenza and pneumonia, except pneumonia of newborn---480-493	9,141	51	42	6,207	2,841	294	1	5	121	167
11	Influenza---480-483	788	51	42	410	285	40	1	5	9	25
12	Pneumonia, except pneumonia of newborn---490-493	8,353	...	...	5,797	2,556	254	...	...	112	142
13	All other diseases of respiratory system---470-475,500-527	1,387	125	74	904	284	30	1	3	12	14
14	Hernia and intestinal obstruction---560,561,570	1,001	476	59	368	98	19	8	2	3	6
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	5,667	9	1	4,173	1,484	157	-	-	80	77
16	All other diseases of digestive system---530-542,544-553,573-587	608	145	28	344	91	18	2	1	8	7
17	Congenital malformations---750-759	14,504	8,619	756	4,622	507	283	142	54	64	23
18	Spina bifida and meningocele---751	1,813	961	45	768	39	35	19	4	12	-
19	Congenital malformations of circulatory system---754	6,443	3,688	342	2,167	246	123	61	25	26	11
20	All other congenital malformations---750,752,753,755-759	6,248	3,870	369	1,687	222	125	62	25	26	12
21	Certain diseases of early infancy---760-776	64,158	50,730	10,772	1,829	827	1,796	966	725	53	52
22	Birth injuries---760,761	12,312	10,516	1,671	95	30	312	199	111	1	1
23	Without mention of immaturity (.0)	6,682	5,474	1,099	86	23	208	119	85	1	1
24	With immaturity (.5)	5,630	5,042	572	9	7	106	80	26	-	-
25	Intracranial and spinal injury at birth---760	5,574	4,565	924	66	19	185	118	66	1	-
26	Without mention of immaturity (.0)	4,112	3,380	652	64	16	139	87	51	1	-
27	With immaturity (.5)	1,462	1,185	272	2	3	46	31	15	-	-
28	Other birth injury---761	6,738	5,951	747	29	11	127	81	45	-	1
29	Without mention of immaturity (.0)	2,570	2,094	447	22	7	67	32	34	-	1
30	With immaturity (.5)	4,168	3,857	300	7	4	60	49	11	-	-
31	Postnatal asphyxia and atelectasis---762	13,239	10,986	1,965	247	61	309	193	108	6	2
32	Without mention of immaturity (.0)	5,106	4,112	774	174	46	109	61	42	5	1
33	With immaturity (.5)	8,133	6,854	1,191	73	15	200	132	66	1	1
34	Pneumonia of newborn---763	2,986	2,206	780	...	...	101	45	56	...	...
35	Without mention of immaturity (.0)	2,069	1,495	574	...	...	66	31	35	...	...
36	With immaturity (.5)	897	711	186	...	...	35	14	21	...	...
37	Diarrhea of newborn---764	1,142	805	309	25	3	26	9	17	-	-
38	Without mention of immaturity (.0)	826	591	216	17	2	20	6	14	-	-
39	With immaturity (.5)	316	214	93	8	1	6	3	3	-	-
40	Other infections of newborn---765-768	383	240	109	12	2	15	4	11	-	-
41	Without mention of immaturity (.0)	252	169	72	9	2	14	4	10	-	-
42	With immaturity (.5)	111	71	37	3	-	1	-	1	-	-
43	Neonatal disorders arising from maternal toxemia---769	1,129	910	208	7	4	35	21	14	-	-
44	Without mention of immaturity (.0-.4)	266	201	64	-	1	15	9	6	-	-
45	With immaturity (.5-.9)	863	709	144	7	3	20	12	8	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	2,503	2,248	172	74	9	49	40	9	-	-
47	Without mention of immaturity (.0-.2)	2,031	1,824	133	66	8	40	33	7	-	-
48	With immaturity (.5-.7)	472	424	39	8	1	9	7	2	-	-
49	Hemorrhagic disease of newborn---771	1,019	786	211	13	9	37	17	18	2	-
50	Without mention of immaturity (.0)	709	528	161	12	8	23	11	10	2	-
51	With immaturity (.5)	310	258	50	1	1	14	6	8	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	4,541	2,571	796	761	413	164	58	50	28	28
53	Without mention of immaturity (.0)	1,791	615	300	593	283	74	16	23	15	20
54	With immaturity (.5)	2,750	1,956	496	168	130	90	42	27	13	8
55	Immaturity with mention of any other subsidiary condition---774	1,424	723	126	399	176	51	19	10	14	8
56	Immaturity unqualified---776	23,520	18,759	4,445	196	120	697	361	321	2	13
57	Symptoms and ill-defined conditions---780-795	3,811	912	1,236	868	795	426	61	203	41	121
58	All other diseases---Residual	1,657	354	55	1,048	220	47	2	7	27	11
59	Accidents---E800-E962	3,730	521	209	2,336	664	93	11	17	25	40
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	932	216	58	545	113	11	2	6	1	2
61	Accidental mechanical suffocation in bed and cradle---E924	1,372	131	60	920	261	25	3	5	10	7
62	All other accidental causes---E800-E920,E923,E925-E962	1,426	174	91	871	290	57	6	6	14	31
63	Homicide---E964,E980-E999	128	74	18	29	7	3	-	3	-	-

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949

death are category numbers of the Sixth Revision of the International Lists, 1948)

ARIZONA					ARKANSAS					CALIFORNIA					COLORADO					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
1,034	449	114	274	197	1,539	677	246	408	208	6,574	4,288	477	1,591	218	1,153	772	22	349	10	1
11	-	-	2	9	3	-	-	2	1	16	-	-	11	5	2	-	-	2	-	2
16	1	7	1	7	3	-	2	-	1	7	5	2	-	-	1	1	-	-	-	3
20	-	-	14	6	24	1	1	13	9	14	1	-	10	3	4	-	-	4	-	4
3	-	-	3	-	11	-	-	7	4	26	-	-	22	4	2	-	-	2	-	5
15	-	1	10	4	25	3	4	13	5	54	2	1	47	4	16	-	-	16	-	6
5	-	-	5	-	4	1	-	2	1	55	17	-	37	1	7	5	-	2	-	7
5	1	-	2	2	9	-	2	5	2	38	6	-	25	7	2	-	-	2	-	8
9	-	-	7	2	9	-	-	7	2	43	8	-	29	6	10	2	-	8	-	9
111	2	-	55	54	196	1	-	127	68	487	1	-	425	61	115	1	-	112	2	10
4	2	-	2	-	19	1	-	10	8	14	1	-	11	2	7	1	-	6	-	11
107	...	...	53	54	177	...	...	117	60	473	...	...	414	59	108	...	...	106	2	12
21	1	3	11	6	19	-	2	10	7	80	4	-	69	7	13	2	-	10	1	13
7	1	1	4	1	10	4	1	4	1	70	34	3	28	5	13	8	-	5	-	14
150	-	-	82	68	127	1	-	87	39	272	-	-	247	25	70	1	-	68	1	15
4	-	-	3	1	10	2	1	5	2	19	7	1	11	-	3	2	-	1	-	16
80	51	4	22	3	159	102	10	41	6	878	522	44	289	23	162	102	2	57	1	17
11	8	1	2	-	9	8	-	1	-	54	25	1	28	-	12	8	-	4	-	18
28	19	-	8	1	75	51	5	18	1	425	246	17	150	12	72	45	1	26	-	19
41	24	3	12	2	75	43	5	22	5	399	251	26	111	11	78	49	1	27	1	20
498	378	90	20	10	740	529	169	28	14	4,116	3,610	418	68	20	675	628	20	27	-	21
100	85	15	-	-	132	96	32	2	2	931	870	59	2	-	178	172	4	2	-	22
45	33	12	-	-	81	56	22	1	2	398	360	36	2	-	76	74	-	2	-	23
55	52	3	-	-	51	40	10	1	-	533	510	23	-	-	102	98	4	-	-	24
28	23	5	-	-	62	51	11	-	-	315	288	25	2	-	87	84	2	1	-	25
21	16	5	-	-	44	36	8	-	-	205	187	16	2	-	41	40	-	1	-	26
7	7	-	-	-	18	15	3	-	-	110	101	9	-	-	46	44	2	-	-	27
72	62	10	-	-	70	45	21	2	2	616	582	34	-	-	91	88	2	1	-	28
24	17	7	-	-	37	20	14	1	2	193	173	20	-	-	35	34	-	1	-	29
48	45	3	-	-	33	25	7	1	-	423	409	14	-	-	56	54	2	-	-	30
66	48	16	1	1	99	79	18	2	-	1,287	1,091	170	24	2	159	149	5	5	-	31
31	20	10	1	-	43	38	4	1	-	409	347	48	14	-	55	52	1	2	-	32
35	28	6	-	1	56	41	14	1	-	878	744	122	10	2	104	97	4	3	-	33
26	14	12	...	...	72	48	24	...	...	193	160	33	...	...	30	29	1	...	...	34
18	9	9	...	...	61	39	22	...	...	105	88	17	...	...	21	21	-	...	...	35
8	5	3	...	...	11	9	2	...	...	88	72	16	...	...	9	8	1	...	...	36
24	15	8	1	-	24	13	11	-	-	32	31	1	-	-	14	13	1	-	-	37
16	10	6	-	-	20	10	10	-	-	26	25	1	-	-	11	10	1	-	-	38
8	5	2	1	-	4	3	1	-	-	6	6	-	-	-	3	3	-	-	-	39
10	2	8	-	-	4	2	2	-	-	21	18	3	-	-	5	5	-	-	-	40
10	2	8	-	-	3	2	1	-	-	16	15	1	-	-	2	2	-	-	-	41
-	-	-	-	-	1	-	1	-	-	5	3	2	-	-	3	3	-	-	-	42
3	3	-	-	-	9	8	1	-	-	67	62	5	-	-	13	13	-	-	-	43
2	2	-	-	-	2	1	1	-	-	10	9	1	-	-	3	3	-	-	-	44
1	1	-	-	-	7	7	-	-	-	57	53	4	-	-	10	10	-	-	-	45
11	11	-	-	-	25	17	7	-	1	164	153	10	1	-	30	29	-	1	-	46
10	10	-	-	-	24	17	6	-	1	137	128	9	-	-	25	24	-	1	-	47
1	1	-	-	-	1	-	1	-	-	27	25	1	1	-	5	5	-	-	-	48
8	5	1	-	-	8	7	1	-	-	50	44	4	2	-	10	9	-	1	-	49
3	2	1	-	-	7	6	1	-	-	30	25	3	2	-	6	5	-	1	-	50
3	3	-	-	-	1	1	-	-	-	20	19	1	-	-	4	4	-	-	-	51
45	17	10	12	6	78	45	12	12	9	228	176	24	19	9	46	29	4	13	-	52
26	5	7	9	5	32	10	5	10	7	46	21	4	15	6	10	2	1	7	-	53
19	12	3	3	1	46	35	7	2	2	182	155	20	4	3	36	27	3	6	-	54
12	4	2	4	2	18	7	2	8	1	94	66	9	11	8	12	7	-	5	-	55
195	174	18	2	1	271	207	59	4	1	1,049	939	100	9	1	178	173	5	-	-	56
40	10	7	10	13	110	21	47	20	22	25	14	4	6	1	7	6	-	1	-	57
11	1	-	5	5	21	5	1	12	3	98	17	-	69	12	12	3	-	8	1	58
28	3	1	18	6	59	7	6	25	21	264	34	4	192	34	35	9	-	23	3	59
2	-	-	2	-	8	3	2	3	-	67	9	1	52	5	5	3	-	2	-	60
9	-	-	7	2	18	2	2	10	4	116	10	2	83	21	16	3	-	13	-	61
17	3	1	9	4	33	2	2	12	17	81	15	1	57	8	14	3	-	8	3	62
-	-	-	-	-	-	-	-	-	-	12	6	-	6	-	4	2	-	1	1	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	CONNECTICUT					DELAWARE				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	943	696	45	188	14	224	121	37	42	24
2	Tuberculosis, all forms---001-019	3	-	-	2	1	1	-	-	-	1
3	Syphilis and its sequelae---020-029	-	-	-	-	-	2	-	1	-	1
4	Dysentery, all forms---045-048	-	-	-	-	-	-	-	-	-	-
5	Whooping cough---056	1	-	-	1	-	-	-	-	-	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	10	1	-	9	-	4	-	1	3	-
7	Diseases of thymus gland---273	1	1	-	-	-	3	-	-	2	1
8	Meningitis, except meningococcal and tuberculous---340	3	-	-	3	-	1	-	-	1	-
9	All other diseases of nervous system and sense organs-330-334,341-398	10	2	-	8	-	-	-	-	-	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	42	-	-	38	4	18	-	-	5	11
11	Influenza---480-483	-	-	-	-	-	4	-	-	2	2
12	Pneumonia, except pneumonia of newborn---490-493	42	...	...	38	4	12	...	...	3	9
13	All other diseases of respiratory system---470-475,500-527	14	-	-	13	1	2	1	-	1	-
14	Hernia and intestinal obstruction---560,561,570	18	14	2	2	-	2	2	-	-	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	9	-	-	8	1	9	-	-	7	2
16	All other diseases of digestive system---530-542,544-553,573-587	3	1	-	2	-	4	1	-	2	1
17	Congenital malformations---750-759	169	109	4	54	2	36	18	3	13	2
18	Spina bifida and meningocele---751	21	8	-	13	-	4	2	-	2	-
19	Congenital malformations of circulatory system---754	67	45	3	18	1	16	5	2	7	2
20	All other congenital malformations---750,752,753,755-759	81	56	1	23	1	16	11	1	4	-
21	Certain diseases of early infancy---760-776	610	559	39	12	-	132	98	31	1	2
22	Birth injuries---760,761	134	127	5	2	-	24	21	3	-	-
23	Without mention of immaturity (.0)---	62	59	1	2	-	11	9	2	-	-
24	With immaturity (.5)---	72	68	4	-	-	13	12	1	-	-
25	Intracranial and spinal injury at birth---760	65	60	3	2	-	15	13	2	-	-
26	Without mention of immaturity (.0)---	42	39	1	2	-	9	8	1	-	-
27	With immaturity (.5)---	23	21	2	-	-	6	5	1	-	-
28	Other birth injury---761	69	67	2	-	-	9	8	1	-	-
29	Without mention of immaturity (.0)---	20	20	-	-	-	2	1	1	-	-
30	With immaturity (.5)---	49	47	2	-	-	7	7	-	-	-
31	Postnatal asphyxia and atelectasis---762	177	163	9	5	-	37	27	9	-	1
32	Without mention of immaturity (.0)---	47	45	1	1	-	12	8	3	-	1
33	With immaturity (.5)---	130	120	8	2	-	25	19	6	-	-
34	Pneumonia of newborn---763	21	19	2	...	...	-	-	-	...	...
35	Without mention of immaturity (.0)---	8	8	-	...	...	-	-	-	...	...
36	With immaturity (.5)---	13	11	2	...	...	-	-	-	...	...
37	Diarrhea of newborn---764	3	3	-	-	-	-	-	-	-	-
38	Without mention of immaturity (.0)---	1	1	-	-	-	-	-	-	-	-
39	With immaturity (.5)---	2	2	-	-	-	-	-	-	-	-
40	Other infections of newborn---765-768	6	6	-	-	-	-	-	-	-	-
41	Without mention of immaturity (.0)---	5	5	-	-	-	-	-	-	-	-
42	With immaturity (.5)---	1	1	-	-	-	-	-	-	-	-
43	Neonatal disorders arising from maternal toxemia---769	9	8	1	-	-	1	1	-	-	-
44	Without mention of immaturity (.0-.4)---	-	-	-	-	-	-	-	-	-	-
45	With immaturity (.5-.9)---	9	8	1	-	-	1	1	-	-	-
46	Homolytic disease of newborn (erythroblastosis)---770	27	26	1	-	-	3	2	1	-	-
47	Without mention of immaturity (.0-.2)---	25	25	-	-	-	3	2	1	-	-
48	With immaturity (.5-.7)---	2	1	1	-	-	-	-	-	-	-
49	Hemorrhagic disease of newborn---771	9	9	-	-	-	2	2	-	-	-
50	Without mention of immaturity (.0)---	9	9	-	-	-	1	1	-	-	-
51	With immaturity (.5)---	-	-	-	-	-	1	1	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	23	16	2	5	-	7	3	2	1	1
53	Without mention of immaturity (.0)---	9	4	-	5	-	5	1	2	1	1
54	With immaturity (.5)---	14	12	2	-	-	2	2	-	-	-
55	Immaturity with mention of any other subsidiary condition---774	12	12	-	-	-	3	3	-	-	-
56	Immaturity unqualified---776	189	170	19	-	-	55	39	16	-	-
57	Symptoms and ill-defined conditions---780-795	6	2	-	4	-	2	-	1	1	-
58	All other diseases---Residual	14	3	-	9	2	5	1	-	3	1
59	Accidents---E800-E962	28	2	-	23	3	5	-	-	3	2
60	Inhalation and ingestion of food or other object causing obstruction of suffocation---E921,E922	6	-	-	5	1	-	-	-	-	-
61	Accidental mechanical suffocation in bed and cradle---E924	12	-	-	11	1	1	-	-	1	-
62	All other accidental causes---E800-E920,E923,E925-E962	10	2	-	7	1	4	-	-	2	2
63	Homicide---E964,E980-E999	2	2	-	-	-	-	-	-	-	-

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

DISTRICT OF COLUMBIA					FLORIDA					GEORGIA					IDAHO					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
576	267	185	60	64	2,088	933	524	294	337	3,101	1,186	861	490	564	431	318	2	96	15	1
-	-	-	-	-	5	-	-	1	4	4	-	-	1	3	-	-	-	-	-	2
1	1	-	-	-	8	-	6	-	2	9	1	5	1	2	-	-	-	-	-	3
-	-	-	-	-	9	-	1	2	6	20	-	-	8	12	-	-	-	-	-	4
-	-	-	-	-	5	-	-	2	3	16	-	1	7	8	4	-	-	4	-	5
3	-	1	-	2	33	2	15	9	9	43	2	9	23	9	9	-	-	9	-	6
1	-	-	-	1	15	5	1	4	5	8	2	-	2	4	3	-	-	3	-	7
2	-	1	-	1	20	2	-	3	15	34	3	6	13	12	3	-	-	3	-	8
8	1	3	2	2	26	4	3	13	6	24	3	-	11	10	4	2	-	2	-	9
12	-	-	3	9	167	1	3	66	97	288	2	3	102	181	33	-	-	26	7	10
-	-	-	-	-	35	1	3	11	20	33	2	3	7	21	-	-	-	-	-	11
12	...	...	3	9	132	...	...	55	77	255	...	...	95	160	33	...	...	26	7	12
4	-	-	1	3	13	-	-	6	7	53	-	10	20	23	5	1	-	3	1	13
5	1	2	1	1	18	6	1	3	8	24	10	3	6	5	5	1	-	4	-	14
12	-	-	4	8	81	-	-	28	53	163	-	1	75	87	8	-	-	5	3	15
5	2	1	-	2	9	1	-	4	4	13	-	-	9	4	1	-	-	1	-	16
72	29	11	24	8	237	116	28	71	22	276	133	38	75	30	69	51	1	16	1	17
8	5	1	2	-	35	18	-	18	3	35	16	2	12	5	4	4	-	-	-	18
41	7	8	19	7	106	62	12	27	5	119	59	19	28	13	31	19	1	10	1	19
23	17	2	3	1	96	36	16	28	14	122	58	17	35	12	34	28	-	6	-	20
402	229	157	6	10	1,247	763	431	17	36	1,748	980	650	48	70	258	249	1	8	-	21
83	48	35	-	-	228	150	75	1	2	305	188	114	1	2	57	55	1	1	-	22
49	22	27	-	-	140	86	51	1	2	194	118	74	1	1	28	26	1	1	-	23
34	26	8	-	-	88	64	24	-	-	111	70	40	-	1	29	29	-	-	-	24
61	32	29	-	-	104	61	42	1	-	153	88	64	-	1	19	18	-	1	-	25
40	18	22	-	-	80	44	35	1	-	110	69	40	-	1	15	14	-	1	-	26
21	14	7	-	-	24	17	7	-	-	43	19	24	-	-	4	4	-	-	-	27
22	16	6	-	-	124	89	33	-	2	152	100	50	1	1	38	37	1	-	-	28
9	4	5	-	-	60	42	16	-	2	84	49	34	1	-	13	12	1	-	-	29
13	12	1	-	-	64	47	17	-	-	68	51	16	-	1	25	25	-	-	-	30
143	85	54	2	2	199	149	49	1	-	269	196	68	2	3	48	48	-	-	-	31
48	30	18	1	1	92	66	25	1	-	104	71	28	2	3	24	24	-	-	-	32
95	55	38	1	1	107	83	24	-	-	165	125	40	-	-	22	22	-	-	-	33
6	2	4	...	...	43	18	25	...	...	109	50	59	...	...	3	3	-	...	...	34
5	1	4	...	...	29	10	19	...	...	78	30	48	...	...	2	2	-	...	...	35
1	1	-	...	...	14	8	6	...	...	31	20	11	...	...	1	1	-	...	...	36
1	-	1	-	-	10	-	10	-	-	27	10	16	-	1	4	4	-	-	-	37
1	-	1	-	-	6	-	6	-	-	18	8	10	-	-	3	3	-	-	-	38
-	-	-	-	-	4	-	4	-	-	9	2	6	-	1	1	1	-	-	-	39
2	1	1	-	-	13	5	7	-	1	11	5	6	-	-	3	3	-	-	-	40
2	1	1	-	-	9	3	5	-	1	5	2	3	-	-	1	1	-	-	-	41
-	-	-	-	-	4	2	2	-	-	6	3	3	-	-	2	2	-	-	-	42
1	1	-	-	-	25	13	12	-	-	43	25	18	-	-	11	11	-	-	-	43
-	-	-	-	-	4	-	4	-	-	17	11	6	-	-	5	5	-	-	-	44
1	1	-	-	-	21	13	8	-	-	26	14	12	-	-	6	6	-	-	-	45
15	10	2	1	-	44	33	10	1	-	47	34	10	2	1	9	9	-	-	-	46
8	6	1	1	-	36	28	7	1	-	35	26	7	2	-	7	7	-	-	-	47
5	4	1	-	-	8	5	3	-	-	12	8	3	-	1	2	2	-	-	-	48
12	5	7	-	-	19	7	12	-	-	29	16	13	-	-	4	3	-	1	-	49
8	4	4	-	-	16	5	11	-	-	19	9	10	-	-	4	3	-	1	-	50
4	1	3	-	-	3	2	1	-	-	10	7	3	-	-	-	-	-	-	-	51
20	7	5	2	6	111	49	35	9	18	192	72	62	23	35	17	16	-	1	-	52
11	1	4	1	5	49	12	18	6	13	84	13	32	18	21	5	4	-	1	-	53
9	6	1	1	1	62	37	17	3	5	108	59	30	5	14	12	12	-	-	-	54
8	5	1	-	2	22	11	3	1	7	58	19	9	14	16	6	2	-	4	-	55
113	65	47	1	-	533	328	193	4	8	658	385	275	6	12	98	97	-	1	-	56
2	-	2	-	-	80	13	24	14	29	223	28	114	31	50	7	5	-	1	1	57
10	2	-	4	4	33	6	1	16	10	40	4	2	20	14	6	1	-	4	1	58
33	-	7	13	13	78	13	11	33	21	114	17	19	38	40	16	8	-	7	1	59
9	-	4	3	2	25	4	4	11	6	24	6	2	9	7	5	4	-	1	-	60
23	-	3	9	11	16	2	2	7	5	34	3	3	13	15	5	2	-	3	-	61
1	-	-	1	-	37	7	5	15	10	56	8	14	16	18	6	2	-	3	1	62
4	2	-	2	-	4	1	1	2	-	1	1	-	-	-	-	-	-	-	-	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	ILLINOIS					INDIANA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	5,195	3,309	503	1,119	264	2,746	1,707	148	807	84
2	Tuberculosis, all forms---001-019	13	2	-	8	3	7	-	-	6	1
3	Syphilis and its sequelae---020-029	2	1	-	1	-	1	-	-	-	1
4	Dysentery, all forms---045-048	3	-	-	3	-	6	-	-	6	-
5	Whooping cough---056	21	-	-	17	4	15	-	-	13	2
6	All other infective and parasitic diseases---030-044,049-055,057-138	52	2	-	43	7	40	1	-	35	4
7	Diseases of thymus gland---273	36	7	-	28	1	8	3	-	5	-
8	Meningitis, except meningococcal and tuberculous---340	35	6	1	20	8	15	4	-	10	1
9	All other diseases of nervous system and sense organs-330-334,341-398	42	6	1	25	10	29	6	-	22	1
10	Influenza and pneumonia, except pneumonia of newborn---480-493	325	-	-	233	92	230	2	-	199	29
11	Influenza---480-483	8	-	-	7	1	24	2	-	19	3
12	Pneumonia, except pneumonia of newborn---490-493	317	...	...	226	91	206	...	...	180	26
13	All other diseases of respiratory system---470-475,500-527	73	4	3	50	16	37	3	1	30	3
14	Hernia and intestinal obstruction---560,561,570	56	33	1	18	4	20	11	-	8	1
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	179	-	-	134	45	157	1	-	135	21
16	All other diseases of digestive system---530-542,544-553,573-587	28	8	2	14	4	15	1	-	13	1
17	Congenital malformations---750-759	870	512	45	293	20	433	280	7	142	4
18	Spina bifida and meningocele---751	106	52	3	48	3	62	33	1	27	1
19	Congenital malformations of circulatory system---754	390	218	24	134	14	178	104	3	70	2
20	All other congenital malformations---750,752,753,755-759	374	242	18	111	3	192	143	3	45	1
21	Certain diseases of early infancy---760-776	3,227	2,679	446	77	25	1,565	1,371	138	54	2
22	Birth injuries---760,761	811	530	73	7	1	279	253	25	1	-
23	Without mention of immaturity (.0)---	350	298	43	7	1	154	138	15	1	-
24	With immaturity (.5)---	261	231	30	-	-	125	115	10	-	-
25	Intracranial and spinal injury at birth---760	395	326	63	6	1	109	100	8	1	-
26	Without mention of immaturity (.0)---	269	224	38	6	1	86	78	8	1	-
27	With immaturity (.5)---	127	102	25	-	-	23	21	2	-	-
28	Other birth injury---761	215	204	10	1	-	170	153	17	-	-
29	Without mention of immaturity (.0)---	81	75	5	1	-	68	59	9	-	-
30	With immaturity (.5)---	134	129	5	-	-	102	94	8	-	-
31	Postnatal asphyxia and atelectasis---762	1,170	920	221	23	6	343	304	29	9	1
32	Without mention of immaturity (.0)---	342	267	56	16	3	170	143	20	6	1
33	With immaturity (.5)---	828	653	165	7	3	173	161	9	3	-
34	Pneumonia of newborn---763	150	118	32	...	...	44	42	2	...	...
35	Without mention of immaturity (.0)---	99	75	24	...	...	38	37	1	...	...
36	With immaturity (.5)---	51	43	8	...	...	6	5	1	...	...
37	Diarrhea of newborn---764	43	31	12	-	-	42	29	12	1	-
38	Without mention of immaturity (.0)---	30	20	10	-	-	24	18	6	-	-
39	With immaturity (.5)---	13	11	2	-	-	18	11	6	1	-
40	Other infections of newborn---765-768	10	8	1	1	-	6	2	2	2	-
41	Without mention of immaturity (.0)---	7	5	1	1	-	5	2	1	2	-
42	With immaturity (.5)---	3	3	-	-	-	1	-	1	-	-
43	Neonatal disorders arising from maternal toxemia---769	28	26	1	1	-	27	26	1	-	-
44	Without mention of immaturity (.0-.4)---	2	2	-	-	-	9	8	1	-	-
45	With immaturity (.5-.9)---	26	24	1	1	-	18	18	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	147	138	6	3	-	66	63	1	2	-
47	Without mention of immaturity (.0-.2)---	111	106	2	3	-	59	57	-	2	-
48	With immaturity (.5-.7)---	36	32	4	-	-	7	6	1	-	-
49	Hemorrhagic disease of newborn---771	42	36	4	-	-	21	20	1	-	-
50	Without mention of immaturity (.0)---	28	24	4	-	-	14	13	1	-	-
51	With immaturity (.5)---	14	14	-	-	-	7	7	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	97	71	4	20	2	71	43	6	22	-
53	Without mention of immaturity (.0)---	34	16	2	15	1	29	10	1	18	-
54	With immaturity (.5)---	63	55	2	5	1	42	33	5	4	-
55	Immaturity with mention of any other subsidiary condition---774	74	36	5	21	12	42	24	4	13	1
56	Immaturity unqualified---776	855	763	87	1	4	624	565	55	4	-
57	Symptoms and ill-defined conditions---780-795	18	10	-	5	1	17	3	1	12	1
58	All other diseases---Residual	77	14	2	53	8	48	10	-	35	3
59	Accidents---E800-E962	138	24	2	96	16	99	10	-	80	9
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	31	7	-	22	2	24	3	-	16	5
61	Accidental mechanical suffocation in bed and cradle---E924	51	4	2	37	8	36	3	-	30	3
62	All other accidental causes---E800-E920,E923,E925-E962	56	13	-	37	6	39	4	-	34	1
63	Homicide---E964,E980-E999	2	1	-	1	-	4	1	1	2	-

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

IOWA					KANSAS					KENTUCKY					LOUISIANA					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
1,591	1,227	16	335	13	1,136	807	43	256	30	3,139	1,845	162	1,200	132	2,810	899	919	332	660	1
1	-	-	1	-	-	-	-	-	-	12	1	-	9	2	4	-	-	2	2	2
2	1	1	-	-	2	1	-	-	1	10	1	3	5	1	30	-	18	2	10	3
5	2	-	3	-	2	-	-	2	-	73	11	-	60	2	15	1	1	2	11	4
2	-	-	2	-	-	-	-	-	-	42	3	-	32	7	13	-	-	1	12	5
8	2	-	6	-	9	-	-	7	2	55	7	1	46	1	49	3	17	16	13	6
12	4	-	8	-	16	4	1	11	-	5	1	-	4	-	19	4	5	3	7	7
3	-	-	3	-	12	-	-	9	3	19	3	-	16	-	27	-	3	6	18	8
17	3	-	14	-	9	2	-	7	-	23	3	-	18	2	31	2	2	16	11	9
97	2	-	93	2	81	-	-	67	14	397	3	1	335	48	352	1	8	78	265	10
9	2	-	7	-	5	-	-	4	1	31	3	1	23	4	61	1	8	10	42	11
88	...	...	86	2	76	...	...	63	13	358	...	...	312	44	291	...	...	68	223	12
20	4	-	16	-	12	1	-	10	1	33	2	1	28	2	40	3	8	16	13	13
10	3	-	5	2	10	5	-	5	-	19	8	-	10	1	23	5	5	6	7	14
21	-	-	20	1	27	-	-	26	1	349	2	-	312	35	122	-	-	39	83	15
5	3	-	2	-	7	1	-	5	1	12	2	1	8	1	21	3	2	9	7	16
295	215	-	77	3	160	100	5	52	3	320	210	12	87	11	268	98	43	78	50	17
36	22	-	14	-	12	7	-	5	-	34	15	1	17	1	16	5	1	8	2	18
142	105	-	36	1	77	52	1	24	-	161	109	5	44	3	129	40	24	45	20	19
117	88	-	27	2	71	41	4	23	3	125	86	6	26	7	123	51	18	26	28	20
1,006	969	14	23	-	724	672	35	16	1	1,532	1,297	134	90	11	1,584	753	737	18	78	21
246	241	3	2	-	171	163	7	1	-	243	222	14	7	-	311	157	148	3	3	22
122	118	2	2	-	80	76	3	1	-	151	138	7	6	-	187	92	89	3	3	23
124	123	1	-	-	91	87	4	-	-	92	84	7	1	-	124	65	58	-	-	24
101	98	2	1	-	61	57	3	1	-	106	85	7	4	-	175	80	90	2	3	25
76	73	2	1	-	48	45	2	1	-	89	80	5	4	-	115	56	54	2	3	26
25	25	-	-	-	13	12	1	-	-	17	15	2	-	-	60	24	36	-	-	27
145	143	1	1	-	110	106	4	-	-	137	127	7	3	-	136	77	58	1	-	28
46	45	-	1	-	32	31	1	-	-	62	58	2	2	-	72	36	35	1	-	29
99	98	1	-	-	78	75	3	-	-	75	69	5	1	-	64	41	23	-	-	30
203	197	1	5	-	186	151	12	3	-	287	248	26	10	3	237	143	89	2	3	31
72	67	-	5	-	68	61	4	3	-	129	105	13	9	2	94	52	38	2	2	32
131	130	1	-	-	98	90	8	-	-	158	143	13	1	1	143	91	51	-	1	33
48	45	3	...	...	39	36	3	...	...	109	98	11	...	...	77	20	57	...	...	34
27	24	3	...	...	27	24	3	...	...	80	76	4	...	...	53	12	41	...	...	35
21	21	-	...	...	12	12	-	...	...	29	22	7	...	...	24	8	16	...	...	36
16	13	1	2	-	5	5	-	-	-	58	53	4	1	-	37	8	28	1	-	37
13	10	1	2	-	5	5	-	-	-	44	40	3	1	-	23	7	16	-	-	38
3	3	-	-	-	-	-	-	-	-	14	13	1	-	-	14	1	12	1	-	39
6	6	-	-	-	5	5	-	-	-	8	8	-	-	-	20	3	17	-	-	40
5	5	-	-	-	5	5	-	-	-	8	8	-	-	-	11	2	9	-	-	41
1	1	-	-	-	-	-	-	-	-	2	2	-	-	-	9	1	8	-	-	42
22	22	-	-	-	14	14	-	-	-	29	25	3	1	-	24	13	9	-	2	43
6	6	-	-	-	5	5	-	-	-	7	7	-	-	-	9	2	6	-	1	44
16	16	-	-	-	9	9	-	-	-	22	18	3	1	-	15	11	3	-	1	45
50	48	-	2	-	34	31	2	1	-	40	38	2	2	-	58	39	16	2	1	46
37	35	-	2	-	28	26	1	1	-	31	27	2	2	-	48	31	14	2	1	47
13	13	-	-	-	6	5	1	-	-	9	9	-	-	-	10	8	2	-	-	48
20	19	-	1	-	10	10	-	-	-	28	20	5	1	-	32	13	18	-	1	49
10	9	-	1	-	6	6	-	-	-	23	18	4	1	-	24	10	13	-	1	50
10	10	-	-	-	4	4	-	-	-	3	2	1	-	-	8	3	5	-	-	51
70	63	1	6	-	56	48	2	6	-	159	92	11	50	6	196	56	95	5	40	52
15	12	-	3	-	14	8	1	5	-	88	34	5	43	6	70	6	32	3	29	53
55	51	1	3	-	42	40	1	1	-	71	58	6	7	-	126	50	63	2	11	54
19	17	-	2	-	10	4	-	5	1	25	12	2	10	1	46	20	7	3	16	55
308	298	5	3	-	214	205	9	-	-	548	483	56	8	1	548	281	253	2	10	56
7	5	-	2	-	10	5	-	4	1	97	58	7	29	3	76	8	44	4	20	57
24	7	-	17	-	16	4	-	12	-	55	10	-	45	-	42	6	2	13	21	58
56	7	1	43	5	38	11	2	23	2	95	22	2	66	5	92	14	24	21	33	59
13	6	1	6	-	11	8	-	5	-	11	5	1	4	1	29	5	9	6	9	60
19	-	-	18	1	8	2	-	5	1	52	10	1	39	2	19	4	4	4	7	61
24	1	-	19	4	19	3	2	13	1	32	7	-	23	2	44	5	11	11	17	62
-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	2	-	-	1	1	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	MAINE					MARYLAND				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	713	476	2	233	2	1,636	770	313	337	216
2	Tuberculosis, all forms---001-019	2	-	-	2	-	6	-	-	4	2
3	Syphilis and its sequelae---020-029	1	-	1	-	-	9	1	7	-	1
4	Dysentery, all forms---045-048	-	-	-	-	-	4	-	1	1	2
5	Whooping cough---056	8	-	-	8	-	5	-	-	4	1
6	All other infective and parasitic diseases---030-044,049-055,057-138	10	-	-	10	-	28	-	1	19	8
7	Diseases of thymus gland---273	4	-	-	4	-	14	1	1	9	3
8	Meningitis, except meningococcal and tuberculous---340	5	-	-	4	1	11	2	-	5	4
9	All other diseases of nervous system and sense organs-330-334,341-398	6	2	-	4	-	17	4	1	7	5
10	Influenza and pneumonia, except pneumonia of newborn---480-493	63	-	-	63	-	125	-	-	66	59
11	Influenza---480-483	6	-	-	6	-	4	-	-	3	1
12	Pneumonia, except pneumonia of newborn---490-493	57	...	...	57	-	121	...	...	63	58
13	All other diseases of respiratory system---470-475,500-527	9	1	-	8	-	55	1	3	28	23
14	Hernia and intestinal obstruction---560,561,570	6	-	-	6	-	12	5	1	5	1
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	24	-	-	24	-	73	1	-	36	36
16	All other diseases of digestive system---530-542,544-553,573-587	2	-	-	2	-	8	4	1	3	-
17	Congenital malformations---750-759	102	67	1	34	-	242	128	28	75	11
18	Spina bifida and meningocele---751	16	5	-	11	-	40	21	2	14	3
19	Congenital malformations of circulatory system---754	35	22	-	13	-	104	51	12	36	5
20	All other congenital malformations---750,752,753,755-759	51	40	1	10	-	98	56	14	25	3
21	Certain diseases of early infancy---760-776	417	396	-	20	1	900	604	257	18	21
22	Birth injuries---760,761	103	101	-	2	-	205	147	57	1	-
23	Without mention of immaturity (.0)---	50	48	-	2	-	92	66	25	1	-
24	With immaturity (.5)---	53	53	-	-	-	113	81	32	-	-
25	Intracranial and spinal injury at birth---760	39	38	-	1	-	125	79	45	1	-
26	Without mention of immaturity (.0)---	23	22	-	1	-	66	46	19	1	-
27	With immaturity (.5)---	16	16	-	-	-	59	33	26	-	-
28	Other birth injury---761	64	63	-	1	-	80	68	12	-	-
29	Without mention of immaturity (.0)---	27	26	-	1	-	26	20	6	-	-
30	With immaturity (.5)---	37	37	-	-	-	54	48	6	-	-
31	Postnatal asphyxia and atelectasis---762	89	88	-	1	-	185	136	54	2	3
32	Without mention of immaturity (.0)---	37	36	-	1	-	72	42	25	2	3
33	With immaturity (.5)---	52	52	-	-	-	123	94	29	-	-
34	Pneumonia of newborn---763	11	11	-	...	...	37	22	15	...	...
35	Without mention of immaturity (.0)---	6	6	-	...	...	24	13	11	...	...
36	With immaturity (.5)---	5	5	-	...	...	13	9	4	...	...
37	Diarrhea of newborn---764	5	5	-	-	-	9	3	6	-	-
38	Without mention of immaturity (.0)---	4	4	-	-	-	6	2	4	-	-
39	With immaturity (.5)---	1	1	-	-	-	3	1	2	-	-
40	Other infections of newborn---765-768	2	2	-	-	-	10	5	5	-	-
41	Without mention of immaturity (.0)---	1	1	-	-	-	5	1	4	-	-
42	With immaturity (.5)---	1	1	-	-	-	5	4	1	-	-
43	Neonatal disorders arising from maternal toxemia---769	7	7	-	-	-	11	8	3	-	-
44	Without mention of immaturity (.0-.4)---	-	-	-	-	-	-	-	-	-	-
45	With immaturity (.5-.9)---	7	7	-	-	-	11	8	3	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	23	22	-	1	-	46	35	10	-	1
47	Without mention of immaturity (.0-.2)---	20	19	-	1	-	39	31	7	-	1
48	With immaturity (.5-.7)---	3	3	-	-	-	7	4	3	-	-
49	Hemorrhagic disease of newborn---771	3	3	-	-	-	8	5	3	-	-
50	Without mention of immaturity (.0)---	2	2	-	-	-	4	1	3	-	-
51	With immaturity (.5)---	1	1	-	-	-	4	4	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	35	24	-	10	1	66	37	12	10	9
53	Without mention of immaturity (.0)---	14	6	-	7	1	22	4	3	10	5
54	With immaturity (.5)---	21	18	-	3	-	46	33	9	-	4
55	Immaturity with mention of any other subsidiary condition---774	5	2	-	3	-	31	12	7	4	8
56	Immaturity unqualified---776	134	131	-	3	-	280	194	85	1	-
57	Symptoms and ill-defined conditions---780-795	11	3	-	8	-	10	4	1	-	5
58	All other diseases---Residual	9	3	-	6	-	30	3	-	18	9
59	Accidents---E800-E962	31	2	-	29	-	83	10	9	39	25
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	15	2	-	13	-	37	7	6	15	9
61	Accidental mechanical suffocation in bed and cradle---E924	9	-	-	9	-	29	1	2	16	10
62	All other accidental causes---E800-E920,E923,E925-E962	7	-	-	7	-	17	2	1	8	6
63	Homicide---E964,E980-E999	3	2	-	1	-	4	2	2	-	-

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

MASSACHUSETTS					MICHIGAN					MINNESOTA					MISSISSIPPI					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
2,347	1,725	66	546	12	4,545	2,828	393	1,160	144	1,893	1,585	30	454	26	2,631	672	933	251	775	1
4	-	-	4	-	8	1	-	7	-	2	-	-	2	-	3	-	-	-	3	2
-	-	-	-	-	9	4	2	3	-	-	-	-	-	-	12	-	8	-	4	3
-	-	-	-	-	11	3	-	7	1	1	-	-	1	-	41	2	1	7	31	4
3	-	-	3	-	15	-	-	9	6	5	-	-	5	-	22	-	1	9	12	5
24	1	-	22	1	50	3	-	40	7	17	2	-	14	1	22	2	7	4	9	6
6	2	-	3	1	58	11	4	41	2	8	2	-	6	-	5	2	1	1	1	7
14	7	-	7	-	31	2	2	26	1	11	2	-	8	1	27	-	3	5	19	8
30	7	-	23	-	44	11	2	27	4	20	6	-	13	1	16	-	2	4	10	9
124	-	-	120	4	332	1	-	276	55	131	1	-	118	12	264	1	7	56	200	10
-	-	-	-	-	25	1	-	19	3	4	1	-	3	-	69	1	7	10	51	11
124	...	...	120	4	309	...	...	257	52	127	...	...	115	12	195	...	...	46	149	12
35	2	-	32	1	43	4	2	32	5	32	3	2	26	1	24	1	6	6	11	13
28	18	1	11	-	43	31	1	11	-	24	14	-	10	-	16	3	3	1	9	14
23	-	-	22	1	192	-	-	171	21	33	-	-	30	3	148	-	-	45	103	15
7	1	-	6	-	29	8	-	20	1	9	8	-	2	1	17	1	2	4	10	16
437	277	3	156	1	736	435	29	262	12	334	224	1	107	2	155	65	34	33	23	17
83	46	-	37	-	135	75	2	58	-	68	35	1	31	1	13	4	4	3	2	18
183	108	2	74	1	347	199	14	124	10	140	94	-	46	-	56	28	10	9	9	19
171	125	1	45	-	256	161	13	80	2	126	95	-	30	1	88	33	20	21	12	20
1,477	1,371	61	44	1	2,689	2,252	345	78	14	1,147	1,096	25	25	1	1,168	549	540	18	61	21
276	266	6	4	-	402	346	49	6	1	239	237	2	-	-	231	143	81	-	7	22
146	138	4	4	-	247	203	38	5	1	121	120	1	-	-	141	73	63	-	5	23
130	128	2	-	-	155	143	11	1	-	118	117	1	-	-	90	70	18	-	2	24
134	128	3	3	-	203	172	28	3	-	95	93	2	-	-	93	50	38	-	5	25
100	94	3	3	-	149	126	21	2	-	75	74	1	-	-	82	42	35	-	5	26
34	34	-	-	-	54	46	7	1	-	20	19	1	-	-	11	8	3	-	-	27
142	138	3	1	-	199	174	21	3	1	144	144	-	-	-	138	93	43	-	2	28
46	44	1	1	-	98	77	17	3	1	46	46	-	-	-	59	31	28	-	-	29
96	94	2	-	-	101	97	4	-	-	98	98	-	-	-	79	62	15	-	2	30
357	330	16	11	-	449	387	51	7	4	181	168	7	5	1	163	103	57	1	2	31
127	115	5	7	-	158	130	22	4	2	78	70	4	3	1	65	43	22	-	-	32
230	215	11	4	-	291	257	29	3	2	103	98	3	2	-	98	60	35	1	2	33
63	61	2	...	...	103	92	11	...	...	43	41	2	...	...	55	17	38	...	...	34
33	32	1	...	...	66	58	8	...	...	26	24	2	...	...	43	11	32	...	...	35
30	29	1	...	...	37	34	3	...	...	17	17	-	...	...	12	6	6	...	...	36
3	3	-	-	-	77	56	14	7	-	14	14	-	-	-	13	4	9	-	-	37
3	3	-	-	-	52	43	4	5	-	8	8	-	-	-	8	2	6	-	-	38
-	-	-	-	-	25	13	10	2	-	6	6	-	-	-	5	2	3	-	-	39
7	7	-	-	-	13	10	3	-	-	8	6	-	2	-	9	2	7	-	-	40
5	5	-	-	-	8	6	2	-	-	6	5	-	1	-	5	1	4	-	-	41
2	2	-	-	-	5	4	1	-	-	2	1	-	1	-	4	1	3	-	-	42
13	12	1	-	-	36	32	4	-	-	15	15	-	-	-	37	12	23	2	-	43
3	3	-	-	-	7	6	1	-	-	4	4	-	-	-	10	3	7	-	-	44
10	9	1	-	-	29	26	3	-	-	11	11	-	-	-	27	9	16	2	-	45
67	63	2	2	-	120	118	2	-	-	50	49	1	-	-	25	13	12	-	-	46
54	51	1	2	-	96	94	2	-	-	46	45	1	-	-	18	9	9	-	-	47
13	12	1	-	-	24	24	-	-	-	4	4	-	-	-	7	4	3	-	-	48
17	17	-	-	-	39	36	3	-	-	14	14	-	-	-	37	18	17	-	2	49
12	12	-	-	-	25	22	3	-	-	10	10	-	-	-	31	12	17	-	2	50
5	5	-	-	-	14	14	-	-	-	4	4	-	-	-	6	6	-	-	-	51
43	30	3	9	1	126	77	13	29	7	66	64	1	1	-	129	24	53	11	41	52
16	8	1	7	-	52	22	7	21	2	14	12	1	1	-	71	6	26	8	31	53
27	22	2	2	1	74	55	6	8	5	52	52	-	-	-	58	18	27	3	10	54
24	14	-	10	-	54	23	8	23	-	32	20	1	11	-	17	7	5	-	5	55
607	569	31	8	-	1,270	1,075	187	6	2	485	468	11	6	-	452	206	238	4	4	56
16	10	-	5	1	33	22	-	10	1	15	8	1	5	1	583	38	300	34	211	57
44	18	1	25	-	71	18	2	48	3	33	4	-	29	-	42	3	7	7	25	58
72	10	-	61	1	141	15	4	111	11	67	12	1	52	2	64	5	11	17	31	59
23	6	-	17	-	34	6	2	24	2	18	4	-	13	1	7	2	-	2	3	60
19	1	-	18	-	40	5	1	30	4	27	4	-	23	-	18	1	2	7	8	61
30	3	-	25	1	67	4	1	57	5	22	4	1	16	1	39	2	9	8	20	62
3	1	-	2	-	8	7	-	1	-	4	3	-	1	-	2	-	-	-	2	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	MISSOURI					MONTANA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	2,563	1,582	216	646	119	457	289	23	110	35
2	Tuberculosis, all forms—001-019	5	-	-	3	2	4	-	-	1	3
3	Syphilis and its sequelae—020-029	3	2	1	-	-	2	-	2	-	-
4	Dysentery, all forms—045-048	10	4	1	4	1	3	-	-	2	1
5	Whooping cough—056	15	-	-	13	2	1	-	-	-	1
6	All other infective and parasitic diseases—030-044,049-055,057-138	40	3	1	32	4	4	1	-	-	3
7	Diseases of thymus gland—273	30	10	1	16	3	6	2	1	3	-
8	Meningitis, except meningococcal and tuberculous—340	18	1	1	13	3	2	-	-	2	-
9	All other diseases of nervous system and sense organs—330-334,341-398	15	4	2	9	-	8	-	-	8	-
10	Influenza and pneumonia, except pneumonia of newborn—480-493	214	1	-	174	39	34	-	-	20	14
11	Influenza—480-483	9	1	-	7	1	3	-	-	1	2
12	Pneumonia, except pneumonia of newborn—490-493	205	...	...	167	38	31	...	...	19	12
13	All other diseases of respiratory system—470-475,500-527	29	4	2	19	4	3	-	-	3	-
14	Hernia and intestinal obstruction—560,561,570	26	13	-	12	1	6	5	-	1	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	102	-	-	79	23	11	-	-	6	5
16	All other diseases of digestive system—530-542,544-553,573-587	22	5	2	12	3	4	2	-	2	-
17	Congenital malformations—750-759	371	250	11	97	13	68	40	2	25	1
18	Spina bifida and meningocele—751	35	18	2	15	-	8	4	-	4	-
19	Congenital malformations of circulatory system—754	197	131	4	55	7	33	18	1	13	1
20	All other congenital malformations—750,752,753,755-759	139	101	5	27	6	27	18	1	8	-
21	Certain diseases of early infancy—760-778	1,500	1,243	189	59	9	255	230	16	7	2
22	Birth injuries—760,761	309	269	37	3	-	52	51	1	-	-
23	Without mention of immaturity (.0)	161	134	24	3	-	21	20	1	-	-
24	With immaturity (.5)	148	135	13	-	-	31	31	-	-	-
25	Intracranial and spinal injury at birth—760	125	99	23	3	-	19	18	1	-	-
26	Without mention of immaturity (.0)	95	75	17	3	-	12	11	1	-	-
27	With immaturity (.5)	30	24	6	-	-	7	7	-	-	-
28	Other birth injury—761	184	170	14	-	-	33	33	-	-	-
29	Without mention of immaturity (.0)	66	59	7	-	-	9	9	-	-	-
30	With immaturity (.5)	118	111	7	-	-	24	24	-	-	-
31	Postnatal asphyxia and atelectasis—762	289	258	21	6	3	43	41	1	1	-
32	Without mention of immaturity (.0)	96	80	7	6	3	16	15	-	1	-
33	With immaturity (.5)	193	179	14	-	-	27	26	1	-	-
34	Pneumonia of newborn—763	74	64	10	...	...	5	4	1	...	...
35	Without mention of immaturity (.0)	57	48	9	...	...	4	3	1	...	...
36	With immaturity (.5)	17	16	1	...	...	1	1	-	...	...
37	Diarrhea of newborn—764	32	27	4	1	-	3	3	-	-	-
38	Without mention of immaturity (.0)	23	19	3	1	-	-	-	-	-	-
39	With immaturity (.5)	9	8	1	-	-	3	3	-	-	-
40	Other infections of newborn—765-768	2	2	-	-	-	-	-	-	-	-
41	Without mention of immaturity (.0)	2	2	-	-	-	-	-	-	-	-
42	With immaturity (.5)	-	-	-	-	-	-	-	-	-	-
43	Neonatal disorders arising from maternal toxemia—769	33	32	1	-	-	7	6	1	-	-
44	Without mention of immaturity (.0-.4)	9	8	1	-	-	2	2	-	-	-
45	With immaturity (.5-.9)	24	24	-	-	-	5	4	1	-	-
46	Hemolytic disease of newborn (erythroblastosis)—770	64	56	2	3	1	16	15	-	1	-
47	Without mention of immaturity (.0-.2)	53	48	1	3	1	14	13	-	1	-
48	With immaturity (.5-.7)	11	10	1	-	-	2	2	-	-	-
49	Hemorrhagic disease of newborn—771	30	28	1	1	-	4	4	-	-	-
50	Without mention of immaturity (.0)	22	20	1	1	-	1	1	-	-	-
51	With immaturity (.5)	8	8	-	-	-	3	3	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	125	76	17	25	5	14	7	3	3	1
53	Without mention of immaturity (.0)	48	20	8	17	3	7	1	2	3	1
54	With immaturity (.5)	75	56	9	8	2	7	6	1	-	-
55	Immaturity with mention of any other subsidiary condition—774	35	21	2	12	-	6	3	-	2	1
56	Immaturity unqualified—776	509	407	94	8	-	105	96	9	-	-
57	Symptoms and ill-defined conditions—780-795	31	13	3	14	1	7	1	2	3	1
58	All other diseases—Residual	34	8	1	24	1	12	4	-	7	1
59	Accidents—E800-E962	88	15	-	63	10	24	2	-	19	3
60	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	13	5	-	8	-	6	2	-	3	1
61	Accidental mechanical suffocation in bed and cradle—E924	35	6	-	23	6	12	-	-	10	2
62	All other accidental causes—E800-E920,E923,E925-E962	40	4	-	32	4	6	-	-	6	-
63	Homicide—E964,E980-E999	10	6	1	3	-	3	2	-	1	-

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

NEBRASKA					NEVADA					NEW HAMPSHIRE					NEW JERSEY					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
761	547	19	183	12	118	87	5	18	8	333	257	1	75	-	2,534	1,597	513	494	140	1
1	-	-	1	-	1	-	-	-	1	1	-	-	1	-	3	-	-	1	2	2
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	3	-	2	-	1	3
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	4
3	-	-	3	-	-	-	-	-	-	-	-	-	-	-	5	-	-	3	2	5
9	2	-	7	-	2	-	-	1	1	3	-	-	3	-	16	-	1	10	5	6
4	1	-	3	-	1	-	1	-	-	-	-	-	-	-	26	5	-	16	5	7
5	-	-	5	-	-	-	-	-	-	5	1	-	4	-	11	2	-	6	3	8
12	-	-	10	2	1	1	-	-	-	2	-	-	2	-	25	7	-	16	2	9
45	2	-	42	1	8	-	-	5	3	15	-	-	15	-	135	-	-	100	35	10
6	2	-	4	-	-	-	-	-	-	-	-	-	-	-	1	-	-	-	1	11
39	...	...	38	1	8	...	...	5	3	15	...	...	15	-	134	...	...	100	34	12
6	-	-	6	-	-	-	-	-	-	5	1	-	4	-	26	3	1	16	6	13
11	6	-	5	-	3	3	-	-	-	6	5	-	1	-	31	12	2	16	1	14
18	-	-	14	4	4	-	-	2	2	6	-	-	6	-	64	-	-	38	26	15
3	1	-	2	-	-	-	-	-	-	1	-	-	1	-	15	4	1	6	2	16
136	90	1	45	-	12	10	-	2	-	64	44	-	20	-	386	216	18	140	12	17
17	13	-	4	-	1	1	-	-	-	5	3	-	2	-	49	25	1	22	1	18
59	33	1	25	-	7	7	-	-	-	27	19	-	8	-	146	72	8	61	5	19
60	44	-	16	-	4	2	-	2	-	32	22	-	10	-	191	119	9	57	6	20
462	432	18	11	1	77	71	4	1	1	203	201	-	2	-	1,635	1,318	278	30	9	21
105	99	3	3	-	13	12	-	1	-	61	61	-	-	-	303	259	41	3	-	22
59	55	1	3	-	7	6	-	1	-	32	32	-	-	-	184	154	27	3	-	23
46	44	2	-	-	6	6	-	-	-	29	29	-	-	-	119	105	14	-	-	24
52	47	2	3	-	8	7	-	1	-	23	23	-	-	-	143	122	19	2	-	25
36	32	1	3	-	6	5	-	1	-	17	17	-	-	-	108	93	13	2	-	26
16	15	1	-	-	2	2	-	-	-	6	6	-	-	-	35	29	6	-	-	27
53	52	1	-	-	5	5	-	-	-	38	38	-	-	-	160	137	22	1	-	28
23	23	-	-	-	1	1	-	-	-	15	15	-	-	-	78	61	14	1	-	29
30	29	1	-	-	4	4	-	-	-	23	23	-	-	-	84	76	8	-	-	30
63	57	3	3	-	23	20	2	-	1	35	35	-	-	-	422	352	61	8	1	31
33	28	3	2	-	5	3	1	-	1	19	19	-	-	-	154	129	17	7	1	32
30	29	-	1	-	18	17	1	-	-	16	16	-	-	-	268	223	44	1	-	33
13	12	1	...	...	-	-	-	...	...	8	8	-	...	...	73	56	17	...	...	34
5	5	-	...	...	-	-	-	...	...	4	4	-	...	...	51	40	11	...	...	35
8	7	1	...	...	-	-	-	...	...	4	4	-	...	...	22	16	6	...	...	36
6	6	-	-	-	2	1	1	-	-	1	1	-	-	-	9	6	3	-	-	37
2	2	-	-	-	1	1	-	-	-	1	1	-	-	-	7	4	3	-	-	38
4	4	-	-	-	1	-	1	-	-	-	-	-	-	-	2	2	-	-	-	39
-	-	-	-	-	2	1	1	-	-	2	2	-	-	-	4	3	1	-	-	40
-	-	-	-	-	2	1	1	-	-	1	1	-	-	-	3	2	1	-	-	41
-	-	-	-	-	-	-	-	-	-	1	1	-	-	-	1	1	-	-	-	42
7	7	-	-	-	1	1	-	-	-	2	2	-	-	-	21	19	2	-	-	43
2	2	-	-	-	-	-	-	-	-	-	-	-	-	-	3	3	-	-	-	44
5	5	-	-	-	1	1	-	-	-	2	2	-	-	-	18	16	2	-	-	45
29	25	3	1	-	2	2	-	-	-	8	8	-	-	-	86	80	4	2	-	46
24	20	3	1	-	2	2	-	-	-	8	8	-	-	-	71	66	3	2	-	47
5	5	-	-	-	-	-	-	-	-	-	-	-	-	-	15	14	1	-	-	48
7	7	-	-	-	2	2	-	-	-	1	1	-	-	-	32	23	9	-	-	49
7	7	-	-	-	1	1	-	-	-	1	1	-	-	-	23	17	6	-	-	50
-	-	-	-	-	1	1	-	-	-	-	-	-	-	-	9	6	3	-	-	51
24	22	-	1	1	3	3	-	-	-	5	5	-	-	-	91	60	21	7	3	52
6	5	-	-	1	1	1	-	-	-	1	1	-	-	-	28	16	3	5	2	53
18	17	-	1	-	2	2	-	-	-	4	4	-	-	-	65	44	18	2	1	54
3	2	-	1	-	2	2	-	-	-	7	5	-	2	-	31	21	1	7	2	55
205	195	8	2	-	27	27	-	-	-	73	73	-	-	-	563	439	118	3	3	56
10	5	-	3	2	2	1	-	1	-	4	1	1	2	-	17	4	2	8	3	57
8	2	-	6	-	1	-	-	1	-	6	2	-	4	-	39	10	2	26	1	58
28	6	-	20	2	5	-	-	5	-	12	2	-	10	-	92	12	5	52	23	59
4	1	-	3	-	1	-	-	1	-	6	1	-	5	-	26	8	1	13	4	60
14	3	-	11	-	2	-	-	2	-	4	1	-	3	-	47	3	2	26	16	61
10	2	-	6	2	2	-	-	2	-	2	-	-	2	-	19	1	2	13	3	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	6	3	1	-	2	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	NEW MEXICO					NEW YORK				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	1,408	638	59	590	121	7,878	5,273	731	1,591	283
2	Tuberculosis, all forms—001-019	6	-	-	4	2	14	-	-	8	6
3	Syphilis and its sequelae—020-029	8	-	2	3	3	8	2	3	1	2
4	Dysentery, all forms—045-048	39	4	-	31	4	2	-	-	-	2
5	Whooping cough—056	7	-	-	6	1	18	-	-	15	3
6	All other infective and parasitic diseases—030-044,049-055,057-138	11	-	-	5	6	56	5	1	46	4
7	Diseases of thymus gland—273	8	4	-	4	-	53	15	1	35	2
8	Meningitis, except meningococcal and tuberculous—340	4	-	-	2	2	55	17	3	29	6
9	All other diseases of nervous system and sense organs—330-334,341-398	6	1	-	3	2	80	24	2	47	7
10	Influenza and pneumonia, except pneumonia of newborn—480-493	157	4	1	132	20	496	2	-	382	112
11	Influenza—480-483	13	4	1	6	2	10	2	-	8	-
12	Pneumonia, except pneumonia of newborn—490-493	144	...	...	126	18	486	...	...	374	112
13	All other diseases of respiratory system—470-475,500-527	16	-	-	15	1	119	12	-	96	11
14	Hernia and intestinal obstruction—560,561,570	5	-	-	3	2	74	39	5	23	7
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	197	1	-	165	31	133	-	-	105	28
16	All other diseases of digestive system—530-542,544-553,573-587	7	1	-	6	-	23	6	3	10	4
17	Congenital malformations—750-759	100	70	3	21	6	1,299	796	41	429	33
18	Spina bifida and meningocele—751	9	5	-	4	-	193	109	2	78	4
19	Congenital malformations of circulatory system—754	45	27	1	12	5	484	264	14	187	19
20	All other congenital malformations—750,752,753,755-759	46	38	2	5	1	622	423	25	164	10
21	Certain diseases of early infancy—760-776	571	484	30	48	9	5,006	4,258	653	78	17
22	Birth injuries—760,761	98	95	2	-	1	1,071	981	81	7	2
23	Without mention of immaturity (.0)	45	42	2	-	1	562	506	49	6	1
24	With immaturity (.5)	53	53	-	-	-	509	475	32	1	1
25	Intracranial and spinal injury at birth—760	28	27	-	-	1	519	458	55	4	2
26	Without mention of immaturity (.0)	22	21	-	-	1	358	316	37	4	1
27	With immaturity (.5)	6	6	-	-	-	161	142	18	-	1
28	Other birth injury—761	70	68	2	-	-	552	523	26	3	-
29	Without mention of immaturity (.0)	23	21	2	-	-	204	190	12	2	-
30	With immaturity (.5)	47	47	-	-	-	348	333	14	1	-
31	Postnatal asphyxia and atelectasis—762	69	64	5	-	-	1,349	1,133	197	17	2
32	Without mention of immaturity (.0)	32	31	1	-	-	473	382	76	13	2
33	With immaturity (.5)	37	33	4	-	-	876	751	121	4	-
34	Pneumonia of newborn—763	39	34	5	...	...	255	213	42	...	...
35	Without mention of immaturity (.0)	29	26	3	...	...	158	132	26	...	...
36	With immaturity (.5)	10	8	2	...	...	97	81	16	...	...
37	Diarrhea of newborn—764	26	20	6	-	-	53	42	9	2	-
38	Without mention of immaturity (.0)	18	14	4	-	-	37	31	5	1	-
39	With immaturity (.5)	8	6	2	-	-	16	11	4	1	-
40	Other infections of newborn—765-769	-	-	-	-	-	18	12	5	1	-
41	Without mention of immaturity (.0)	-	-	-	-	-	12	8	3	1	-
42	With immaturity (.5)	-	-	-	-	-	6	4	2	-	-
43	Neonatal disorders arising from maternal toxemia—769	8	8	-	-	-	60	54	6	-	-
44	Without mention of immaturity (.0-.4)	1	1	-	-	-	10	6	4	-	-
45	With immaturity (.5-.9)	7	7	-	-	-	50	48	2	-	-
46	Hemolytic disease of newborn (erythroblastosis)—770	17	16	-	1	-	204	189	6	9	-
47	Without mention of immaturity (.0-.2)	12	11	-	1	-	156	141	6	9	-
48	With immaturity (.5-.7)	5	5	-	-	-	48	48	-	-	-
49	Hemorrhagic disease of newborn—771	10	9	1	-	-	70	60	10	-	-
50	Without mention of immaturity (.0)	6	5	1	-	-	50	44	6	-	-
51	With immaturity (.5)	4	4	-	-	-	20	16	4	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	64	33	3	28	-	179	149	9	20	1
53	Without mention of immaturity (.0)	30	10	1	19	-	39	21	-	17	1
54	With immaturity (.5)	34	23	2	9	-	140	128	9	3	-
55	Immaturity with mention of any other subsidiary condition—774	20	10	-	6	4	71	44	3	18	6
56	Immaturity unqualified—776	220	195	8	13	4	1,676	1,381	285	4	6
57	Symptoms and ill-defined conditions—780-795	231	62	22	119	28	64	19	3	37	5
58	All other diseases—Residual	12	5	-	6	1	128	32	7	86	3
59	Accidents—E800-E962	23	4	1	15	3	233	37	4	162	30
60	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	6	2	1	3	-	65	25	-	51	7
61	Accidental mechanical suffocation in bed and cradle—E924	2	-	-	2	-	88	6	3	67	12
62	All other accidental causes—E800-E920,E923,E925-E962	15	2	-	10	3	62	6	1	44	11
63	Homicide—E964,E980-E999	-	-	-	-	-	17	9	5	2	1

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

NORTH CAROLINA					NORTH DAKOTA					OHIO					OKLAHOMA					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
4,113	1,457	1,022	728	906	517	370	13	112	22	5,315	3,401	382	1,325	207	1,531	928	162	321	122	1
10	-	-	1	9	1	-	-	1	-	12	-	-	11	1	5	-	-	4	1	2
22	2	14	1	5	-	-	-	-	-	10	4	2	3	1	7	-	4	1	2	3
16	1	1	1	13	2	-	-	1	1	9	-	-	8	1	13	-	-	6	7	4
24	-	2	8	14	1	-	-	-	1	22	1	-	17	4	7	-	-	4	3	5
58	2	5	35	16	7	1	-	5	1	47	2	1	40	4	25	2	4	16	3	6
12	2	2	6	2	3	-	-	3	-	19	7	-	12	-	12	4	1	7	-	7
16	-	3	4	9	2	1	-	-	1	21	2	1	17	1	9	-	-	4	5	8
27	1	-	10	16	5	1	-	4	-	57	15	1	37	4	15	2	-	12	1	9
325	2	4	205	314	29	-	-	22	7	370	3	2	294	71	124	-	2	76	48	10
54	2	4	21	27	1	-	-	1	-	29	3	2	19	5	12	-	2	3	7	11
471	...	...	184	287	28	...	...	21	7	341	...	...	275	66	112	...	...	73	39	12
59	3	4	23	29	11	-	-	10	1	70	8	-	50	12	17	4	1	8	4	13
35	11	3	12	9	8	3	-	4	1	48	31	5	11	1	20	5	2	10	3	14
252	-	-	88	164	15	-	-	12	3	253	1	-	200	32	50	-	-	33	17	15
18	3	2	3	10	4	2	-	2	-	41	12	2	25	2	7	-	-	4	3	16
414	182	86	128	40	74	49	1	24	-	847	509	28	288	22	187	120	12	50	5	17
49	22	3	21	2	7	4	-	3	-	110	53	1	55	1	16	8	2	5	1	18
171	60	24	53	14	32	21	-	11	-	410	248	16	132	14	96	64	3	28	1	19
196	80	39	52	24	35	24	1	10	-	327	208	11	101	7	75	48	7	17	3	20
2,176	1,183	825	61	98	322	299	9	10	4	3,186	2,737	333	98	18	813	761	119	27	6	21
421	292	120	4	5	64	62	-	2	-	646	590	50	5	1	173	152	20	1	-	22
250	154	88	4	3	28	27	-	1	-	290	257	28	4	1	85	70	14	1	-	23
171	138	31	-	2	36	35	-	1	-	356	333	22	1	-	88	82	6	-	-	24
196	140	50	3	3	25	24	-	1	-	238	200	34	3	1	45	40	5	-	-	25
154	104	45	3	2	19	18	-	1	-	173	149	20	3	1	39	34	4	-	-	26
42	36	5	-	1	6	6	-	-	-	65	51	14	-	-	7	6	1	-	-	27
225	152	70	1	2	39	38	-	1	-	408	390	16	2	-	128	112	15	1	-	28
96	50	44	1	1	9	9	-	-	-	117	108	8	1	-	47	36	10	1	-	29
129	102	26	-	1	30	29	-	1	-	291	282	8	1	-	81	76	5	-	-	30
274	174	96	4	-	54	48	4	-	2	686	588	85	11	2	164	143	17	3	1	31
127	75	50	2	-	24	20	2	-	2	262	236	19	5	2	80	67	11	1	1	32
147	99	46	2	-	30	28	2	-	-	424	352	66	6	-	84	76	6	2	-	33
106	40	66	...	...	11	10	1	...	...	124	107	17	...	...	38	24	14	...	...	34
90	30	60	...	...	9	8	1	...	...	79	69	10	...	...	31	17	14	...	...	35
16	10	6	...	...	2	2	-	...	...	45	38	7	...	...	7	7	-	...	...	36
66	30	36	-	-	3	3	-	-	-	93	74	18	1	-	10	4	5	1	-	37
51	22	29	-	-	3	3	-	-	-	69	52	16	1	-	9	3	5	1	-	38
15	8	7	-	-	-	-	-	-	-	24	22	2	-	-	1	1	-	-	-	39
11	7	4	-	-	4	4	-	-	-	18	15	3	-	-	7	4	3	-	-	40
8	5	3	-	-	3	3	-	-	-	12	10	2	-	-	4	2	2	-	-	41
3	2	1	-	-	1	1	-	-	-	6	5	1	-	-	3	2	1	-	-	42
74	41	32	-	1	9	9	-	-	-	49	42	6	1	-	23	18	5	-	-	43
17	9	8	-	-	-	-	-	-	-	13	13	-	-	-	5	4	1	-	-	44
57	32	24	-	1	9	9	-	-	-	36	29	6	1	-	18	14	4	-	-	45
51	39	10	2	-	10	10	-	-	-	150	141	4	5	-	23	21	2	-	-	46
42	31	9	2	-	7	7	-	-	-	124	116	4	4	-	19	17	2	-	-	47
9	8	1	-	-	3	3	-	-	-	26	25	-	1	-	4	4	-	-	-	48
37	21	14	-	2	-	-	-	-	-	55	43	11	-	1	13	10	3	-	-	49
25	13	10	-	2	-	-	-	-	-	35	27	7	-	1	7	5	2	-	-	50
12	8	4	-	-	-	-	-	-	-	20	16	4	-	-	6	5	1	-	-	51
178	40	55	27	56	18	13	1	2	2	199	140	16	38	5	92	66	7	14	5	52
92	15	29	21	29	9	4	1	2	2	55	23	1	27	4	36	17	3	12	4	53
86	27	26	6	27	9	9	-	-	-	144	117	15	11	1	56	49	4	2	1	54
65	13	13	17	22	6	3	-	3	-	83	48	4	25	6	19	14	-	5	-	55
893	496	377	7	13	143	137	3	3	-	1,083	949	119	12	3	351	305	43	3	-	56
232	31	71	53	77	12	7	2	2	1	60	25	4	27	6	45	15	11	11	8	57
53	4	3	28	18	5	1	1	3	-	85	19	-	56	8	19	2	2	13	2	58
163	20	18	65	62	16	6	-	9	1	175	22	3	131	19	56	11	4	35	6	59
28	4	2	10	12	5	2	-	3	-	53	9	-	40	4	9	4	1	1	3	60
90	10	11	35	34	2	-	-	2	-	58	7	1	44	6	17	2	2	12	1	61
45	6	5	18	16	9	4	-	4	1	64	6	2	47	9	30	5	1	22	2	62
1	-	1	-	-	-	-	-	-	-	5	5	-	-	-	-	-	-	-	-	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	OREGON					PENNSYLVANIA				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	869	637	24	194	14	6,567	4,224	567	1,547	229
2	Tuberculosis, all forms---001-019	1	-	-	-	1	12	-	-	9	3
3	Syphilis and its sequelae---020-029	-	-	-	-	-	14	5	6	1	2
4	Dysentery, all forms---045-048	6	-	-	6	-	8	-	-	8	-
5	Whooping cough---056	3	-	-	3	-	29	-	-	25	4
6	All other infective and parasitic diseases---030-044,049-055,057-136	9	-	-	8	1	68	7	2	55	4
7	Diseases of thymus gland---273	3	-	-	3	-	66	18	1	42	5
8	Meningitis, except meningococcal and tuberculous---340	7	-	1	6	-	44	5	-	32	7
9	All other diseases of nervous system and sense organs-330-334,341-398	8	1	-	7	-	58	14	-	39	5
10	Influenza and pneumonia, except pneumonia of newborn---480-493	49	1	-	43	5	490	2	-	424	64
11	Influenza---480-483	7	1	-	5	1	29	2	-	25	2
12	Pneumonia, except pneumonia of newborn---490-493	42	...	...	38	4	461	...	...	399	62
13	All other diseases of respiratory system---470-475,500-527	6	1	-	5	-	65	9	3	48	5
14	Hernia and intestinal obstruction---560,561,570	9	6	-	3	-	74	35	2	33	4
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	17	-	-	15	2	167	-	-	136	31
16	All other diseases of digestive system---530-542,544-553,573-587	3	3	-	-	-	46	16	-	29	1
17	Congenital malformations---750-759	127	93	4	27	3	992	603	26	335	28
18	Spina bifida and meningocele---751	12	8	-	3	1	132	76	3	52	1
19	Congenital malformations of circulatory system---754	55	38	1	14	2	457	265	13	164	15
20	All other congenital malformations---750,752,753,755-759	60	47	3	10	-	403	262	10	119	12
21	Certain diseases of early infancy---760-776	549	522	17	9	1	4,067	3,429	512	103	23
22	Birth injuries---760,761	124	121	1	2	-	726	657	62	7	-
23	Without mention of immaturity (.0)---	56	54	1	1	-	435	395	34	6	-
24	With immaturity (.5)---	68	67	-	1	-	291	262	28	1	-
25	Intracranial and spinal injury at birth---760	34	31	1	2	-	372	333	33	6	-
26	Without mention of immaturity (.0)---	29	27	1	1	-	308	280	23	6	-
27	With immaturity (.5)---	5	4	-	1	-	63	53	10	-	-
28	Other birth injury---761	90	90	-	-	-	354	324	29	1	-
29	Without mention of immaturity (.0)---	27	27	-	-	-	126	115	11	-	-
30	With immaturity (.5)---	63	63	-	-	-	228	209	18	1	-
31	Postnatal asphyxia and atelectasis---762	133	127	3	3	-	704	603	79	19	3
32	Without mention of immaturity (.0)---	59	54	2	3	-	324	280	28	14	2
33	With immaturity (.5)---	74	73	1	-	-	380	323	51	5	1
34	Pneumonia of newborn---763	14	13	1	...	...	160	140	20	...	...
35	Without mention of immaturity (.0)---	10	9	1	...	...	119	105	16	...	...
36	With immaturity (.5)---	4	4	-	...	...	41	37	4	...	...
37	Diarrhea of newborn---764	4	4	-	-	-	50	39	7	2	2
38	Without mention of immaturity (.0)---	3	3	-	-	-	37	30	4	1	2
39	With immaturity (.5)---	1	1	-	-	-	13	9	3	1	-
40	Other infections of newborn---765-769	1	1	-	-	-	18	15	1	2	-
41	Without mention of immaturity (.0)---	1	1	-	-	-	13	11	1	1	-
42	With immaturity (.5)---	-	-	-	-	-	5	4	-	1	-
43	Neonatal disorders arising from maternal toxemia---768	14	14	-	-	-	51	48	2	1	-
44	Without mention of immaturity (.0-.4)---	3	3	-	-	-	13	13	-	-	-
45	With immaturity (.5-.9)---	11	11	-	-	-	38	35	2	1	-
46	Hemolytic disease of newborn (erythroblastosis)---770	31	30	1	-	-	161	146	6	8	1
47	Without mention of immaturity (.0-.2)---	24	23	1	-	-	129	117	4	7	1
48	With immaturity (.5-.7)---	7	7	-	-	-	32	29	2	1	-
49	Hemorrhagic disease of newborn---771	12	9	2	-	1	78	72	6	-	-
50	Without mention of immaturity (.0)---	10	7	2	-	1	53	48	5	-	-
51	With immaturity (.5)---	2	2	-	-	-	25	24	1	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	19	18	-	1	-	336	226	66	36	8
53	Without mention of immaturity (.0)---	8	7	-	1	-	105	66	6	26	7
54	With immaturity (.5)---	11	11	-	-	-	231	160	60	10	1
55	Immaturity with mention of any other subsidiary condition---774	8	7	-	1	-	84	54	6	18	6
56	Immaturity unqualified---776	189	178	9	2	-	1,699	1,429	257	10	3
57	Symptoms and ill-defined conditions---780-795	8	2	1	4	1	58	22	6	27	3
58	All other diseases---Residual	10	2	-	8	-	89	24	2	65	8
59	Accidents---E800-E962	54	6	1	47	-	201	27	6	136	32
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	26	4	-	22	-	59	18	1	35	5
61	Accidental mechanical suffocation in bed and cradle---E924	16	1	1	14	-	87	5	2	59	21
62	All other accidental causes---E800-E920,E923,E925-E962	12	1	-	11	-	55	4	3	42	6
63	Homicide---E964,E980-E999	-	-	-	-	-	9	8	1	-	-

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

RHODE ISLAND					SOUTH CAROLINA					SOUTH DAKOTA					TENNESSEE					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
395	301	14	75	5	2,283	655	764	280	584	448	291	16	106	35	3,331	1,631	457	926	317	1
1	-	-	1	-	6	-	-	1	5	2	-	-	-	2	15	1	-	9	5	2
-	-	-	-	-	9	-	5	1	3	-	-	-	-	-	7	3	2	-	2	3
-	-	-	-	-	8	1	-	3	4	2	-	-	1	1	47	3	2	33	9	4
-	-	-	-	-	21	-	-	3	18	2	-	-	1	1	30	4	1	21	4	5
1	-	-	1	-	19	1	3	7	8	7	-	-	6	1	55	7	8	37	3	6
1	1	-	-	-	14	1	3	5	5	4	2	-	2	-	4	-	-	3	1	7
1	1	-	-	-	28	1	3	4	18	2	-	-	1	1	23	3	-	13	7	8
4	1	-	2	1	20	-	-	10	10	6	1	-	5	-	26	5	-	18	3	9
12	-	-	11	1	258	1	2	66	188	28	-	-	18	10	292	4	-	199	89	10
-	-	-	-	-	32	1	2	10	19	-	-	-	-	-	36	4	-	20	12	11
12	...	...	11	1	227	...	...	56	169	28	...	...	18	10	256	...	...	179	77	12
2	-	-	2	-	29	4	4	7	14	2	-	-	2	-	40	8	2	19	11	13
5	2	-	3	-	17	4	3	3	7	2	1	-	1	-	15	5	1	8	1	14
2	-	-	1	1	136	-	-	46	90	13	-	-	9	4	288	-	-	208	80	15
1	-	-	1	-	14	1	-	6	7	5	2	-	3	-	12	1	-	9	2	16
72	42	1	28	1	157	76	25	35	21	59	31	3	23	2	326	184	18	112	11	17
18	10	-	8	-	16	9	1	5	1	10	5	-	5	-	37	13	3	19	2	18
24	10	-	13	1	65	26	10	18	11	27	12	3	10	2	159	92	9	53	5	19
30	22	1	7	-	76	41	14	12	9	22	14	-	8	-	130	79	7	40	4	20
263	242	13	7	1	1,131	547	509	19	56	271	247	11	10	3	1,702	1,275	356	51	20	21
68	65	3	-	-	182	98	82	1	1	48	47	1	-	-	278	232	45	1	-	22
42	40	2	-	-	115	84	29	1	1	25	22	1	-	-	178	145	33	-	-	23
26	25	1	-	-	47	34	13	-	-	25	25	-	-	-	100	87	12	1	-	24
30	28	2	-	-	84	49	34	-	1	23	23	-	-	-	146	118	28	-	-	25
24	23	1	-	-	73	44	28	-	1	12	12	-	-	-	123	100	23	-	-	26
6	5	1	-	-	11	5	6	-	-	11	11	-	-	-	23	18	5	-	-	27
38	37	1	-	-	78	49	28	1	-	25	24	1	-	-	132	114	17	1	-	28
18	17	1	-	-	42	20	21	1	-	11	10	1	-	-	55	45	10	-	-	29
20	20	-	-	-	36	29	7	-	-	14	14	-	-	-	77	69	7	1	-	30
47	38	6	3	-	166	101	58	1	6	56	50	2	4	-	293	229	58	3	2	31
22	18	3	1	-	78	42	29	1	6	18	13	1	4	-	127	85	37	3	2	32
25	20	3	2	-	88	59	29	-	-	38	37	1	-	-	166	144	22	-	-	33
4	4	-	...	...	68	18	50	...	...	8	6	2	...	...	102	88	14	...	...	34
3	3	-	...	...	54	12	42	...	...	5	3	2	...	...	71	61	10	...	...	35
1	1	-	...	...	14	6	8	...	...	3	3	-	...	...	31	27	4	...	...	36
4	2	2	-	-	19	6	13	-	-	8	8	-	-	-	62	48	13	1	-	37
3	1	2	-	-	15	4	11	-	-	7	7	-	-	-	50	38	11	1	-	38
1	1	-	-	-	4	2	2	-	-	1	1	-	-	-	12	10	2	-	-	39
1	1	-	-	-	4	4	-	-	-	1	-	1	-	-	12	7	5	-	-	40
1	1	-	-	-	1	1	-	-	-	-	-	-	-	-	3	3	-	-	-	41
-	-	-	-	-	3	3	-	-	-	1	-	1	-	-	9	4	5	-	-	42
3	3	-	-	-	31	12	18	-	1	6	6	-	-	-	43	41	2	-	-	43
1	1	-	-	-	6	3	3	-	-	2	2	-	-	-	9	7	2	-	-	44
2	2	-	-	-	25	9	15	-	1	4	4	-	-	-	34	34	-	-	-	45
14	12	-	2	-	37	24	12	-	1	22	21	-	1	-	49	47	2	-	-	46
13	11	-	2	-	30	23	6	-	1	15	14	-	1	-	42	40	2	-	-	47
1	1	-	-	-	7	1	6	-	-	7	7	-	-	-	7	7	-	-	-	48
5	4	1	-	-	29	14	13	-	2	3	2	1	-	-	32	24	7	1	-	49
3	2	1	-	-	21	8	12	-	1	3	2	1	-	-	18	12	5	1	-	50
2	2	-	-	-	8	6	1	-	1	-	-	-	-	-	14	12	2	-	-	51
7	5	-	1	1	109	33	38	12	26	13	7	1	2	3	128	77	18	20	13	52
2	-	-	1	1	55	8	16	10	21	5	1	1	1	2	84	20	9	20	5	53
5	5	-	-	-	54	25	22	2	5	8	6	-	1	1	74	57	9	-	8	54
4	3	-	1	-	25	8	2	5	10	3	1	-	2	-	33	16	1	13	3	55
106	105	1	-	-	481	229	243	-	9	103	98	3	1	-	670	466	190	12	2	56
5	3	-	2	-	292	15	165	19	73	9	1	2	1	5	324	109	63	103	49	57
7	3	-	4	-	37	1	4	16	16	5	1	-	2	2	49	11	-	35	3	58
18	6	-	12	-	87	2	18	26	41	29	5	-	21	3	75	8	3	47	17	59
9	4	-	5	-	11	-	3	3	5	3	1	-	2	-	10	1	1	6	2	60
5	-	-	5	-	29	-	2	14	13	9	-	-	9	-	31	4	-	23	4	61
4	2	-	2	-	47	2	13	9	23	17	4	-	10	3	34	3	2	18	11	62
-	-	-	-	-	1	-	-	1	-	-	-	-	-	-	1	-	-	1	-	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED

(By place of residence. Exclusive of fetal deaths. Numbers after causes of

	CAUSE OF DEATH	TEXAS					UTAH				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	8,628	4,153	797	3,124	554	535	403	13	113	6
2	Tuberculosis, all forms---001-019	45	-	-	41	4	2	1	-	-	1
3	Syphilis and its sequelae---020-029	31	12	7	4	8	-	-	-	-	-
4	Dysentery, all forms---045-048	388	25	-	341	22	1	-	-	-	1
5	Whooping cough---056	39	1	1	31	6	1	-	-	1	-
6	All other infective and parasitic diseases---050-044,049-055,057-138	175	54	8	92	21	8	-	-	8	-
7	Diseases of thymus gland---273	30	14	3	11	2	-	-	-	-	-
8	Meningitis, except meningococcal and tuberculous---340	52	2	2	41	7	5	-	-	5	-
9	All other diseases of nervous system and sense organs-330-334,341-398	80	13	-	53	14	2	1	-	1	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	770	6	3	600	161	20	-	-	17	3
11	Influenza---480-483	77	6	3	58	10	2	-	-	2	-
12	Pneumonia, except pneumonia of newborn---490-493	693	...	...	542	151	18	...	...	15	3
13	All other diseases of respiratory system---470-475,500-527	94	12	9	54	19	10	1	-	9	-
14	Hernia and intestinal obstruction---560,561,570	56	27	3	22	4	4	3	-	1	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	1,117	1	-	996	120	5	-	-	5	-
16	All other diseases of digestive system---530-542,544-553,573-587	94	22	6	58	8	2	-	-	2	-
17	Congenital malformations---750-759	703	441	29	209	24	68	54	1	33	-
18	Spina bifida and meningocele---751	91	54	2	31	4	2	1	-	1	-
19	Congenital malformations of circulatory system---754	308	180	10	104	14	52	29	-	23	-
20	All other congenital malformations---750,752,753,755-759	304	207	17	74	6	34	24	1	9	-
21	Certain diseases of early infancy---760-776	4,273	3,311	652	249	61	353	337	10	6	-
22	Birth injuries---760,761	847	546	96	5	-	97	94	3	-	-
23	Without mention of immaturity (.0)---	415	344	66	5	-	43	41	2	-	-
24	With immaturity (.5)---	232	202	30	-	-	54	53	1	-	-
25	Intracranial and spinal injury at birth---760	306	256	45	5	-	27	26	1	-	-
26	Without mention of immaturity (.0)---	250	214	31	5	-	23	22	1	-	-
27	With immaturity (.5)---	56	42	14	-	-	4	4	-	-	-
28	Other birth injury---761	341	290	51	-	-	70	68	2	-	-
29	Without mention of immaturity (.0)---	165	130	35	-	-	20	19	1	-	-
30	With immaturity (.5)---	176	160	16	-	-	50	49	1	-	-
31	Postnatal asphyxia and atelectasis---762	589	485	89	12	3	73	68	3	2	-
32	Without mention of immaturity (.0)---	253	211	32	7	3	23	21	-	2	-
33	With immaturity (.5)---	316	274	37	5	-	50	47	3	-	-
34	Pneumonia of newborn---763	260	209	51	...	...	10	10	-	...	...
35	Without mention of immaturity (.0)---	214	173	41	...	...	8	8	-	...	...
36	With immaturity (.5)---	46	36	10	...	...	2	2	-	...	...
37	Diarrhea of newborn---764	104	83	19	2	-	3	1	2	-	-
38	Without mention of immaturity (.0)---	78	69	8	1	-	3	1	2	-	-
39	With immaturity (.5)---	26	14	11	1	-	-	-	-	-	-
40	Other infections of newborn---765-768	44	35	7	1	1	2	2	-	-	-
41	Without mention of immaturity (.0)---	35	27	6	1	1	2	2	-	-	-
42	With immaturity (.5)---	9	8	1	-	-	-	-	-	-	-
43	Neonatal disorders arising from maternal toxemia---769	70	57	13	-	-	11	11	-	-	-
44	Without mention of immaturity (.0-.4)---	20	16	4	-	-	-	-	-	-	-
45	With immaturity (.5-.9)---	50	41	9	-	-	11	11	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	126	108	8	9	1	29	29	-	-	-
47	Without mention of immaturity (.0-.2)---	104	88	8	7	1	22	22	-	-	-
48	With immaturity (.5-.7)---	22	20	-	2	-	7	7	-	-	-
49	Hemorrhagic disease of newborn---771	58	48	9	1	-	4	4	-	-	-
50	Without mention of immaturity (.0)---	47	40	6	1	-	3	3	-	-	-
51	With immaturity (.5)---	11	8	3	-	-	1	1	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,775	428	204	49	146	29	18	15	-	3	-
53	Without mention of immaturity (.0)---	252	83	22	126	21	6	4	-	2	-
54	With immaturity (.5)---	176	121	27	20	8	12	11	-	1	-
55	Immaturity with mention of any other subsidiary condition---774	107	36	5	54	12	5	5	-	-	-
56	Immaturity unqualified---776	1,860	1,500	326	19	15	101	98	2	1	-
57	Symptoms and ill-defined conditions---780-795	325	143	61	99	22	13	4	2	7	-
58	All other diseases---Residual	125	26	3	84	12	4	-	-	3	1
59	Accidents---E800-E962	228	41	9	139	39	17	2	-	15	-
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	44	14	4	21	5	2	-	-	2	-
61	Accidental mechanical suffocation in bed and cradle---E924	68	12	-	41	15	6	-	-	6	-
62	All other accidental causes---E800-E920,E923,E925-E962	116	15	5	77	19	9	2	-	7	-
63	Homicide---E964,E980-E999	3	2	1	-	-	-	-	-	-	-

CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

death are category numbers of the Sixth Revision of the International Lists, 1948)

VERMONT					VIRGINIA					WASHINGTON					WEST VIRGINIA					
Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months		
	White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white		White	Non-white	White	Non-white	
301	225	-	75	1	3,162	1,387	706	618	451	1,530	1,073	55	346	56	2,082	1,208	86	731	56	1
-	-	-	-	-	7	-	-	2	5	5	1	-	1	3	5	-	-	2	3	2
-	-	-	-	-	14	1	4	2	7	-	-	-	-	-	7	6	1	-	-	3
-	-	-	-	-	27	1	2	12	12	2	1	-	-	1	25	1	1	21	2	4
-	-	-	-	-	27	-	1	10	16	1	-	-	1	-	33	-	-	33	-	5
3	1	-	2	-	38	4	2	24	8	12	-	-	8	4	23	4	-	19	-	6
1	-	-	1	-	12	2	1	6	3	17	4	1	12	-	10	4	1	4	1	7
5	1	-	4	-	16	1	1	6	8	13	1	-	10	2	15	2	-	13	-	8
4	-	-	4	-	30	8	-	17	5	10	2	-	7	1	19	4	-	13	2	9
16	-	-	15	1	308	1	1	154	152	94	-	-	67	27	216	2	-	190	24	10
1	-	-	1	-	24	1	1	13	9	2	-	-	2	-	23	2	-	18	3	11
15	...	...	14	1	284	...	...	141	143	92	...	...	65	27	193	...	...	172	21	12
4	2	-	2	-	36	1	4	14	17	15	5	-	10	-	22	2	-	18	2	13
3	2	-	1	-	30	14	4	8	4	20	8	1	10	1	11	3	1	7	-	14
7	-	-	7	-	174	-	-	97	77	23	-	-	17	6	169	-	-	159	10	15
1	-	-	1	-	8	-	-	6	2	7	2	-	5	-	14	3	-	11	-	16
40	30	-	10	-	314	170	43	89	12	235	145	6	81	3	244	151	7	81	5	17
3	2	-	1	-	44	24	1	19	-	16	7	-	9	-	35	20	-	15	-	18
16	12	-	4	-	143	75	29	33	6	114	64	3	47	-	108	68	4	34	2	19
21	16	-	5	-	127	71	13	37	6	105	74	3	25	3	101	63	3	32	3	20
189	181	-	7	-	1,853	1,133	592	55	53	945	880	45	18	2	1,093	959	68	64	2	21
39	39	-	-	-	306	211	94	-	1	195	186	8	1	-	185	173	12	-	-	22
24	24	-	-	-	174	114	60	-	-	84	79	4	1	-	106	98	8	-	-	23
15	15	-	-	-	132	97	34	-	1	111	107	4	-	-	79	75	4	-	-	24
13	13	-	-	-	139	98	40	-	1	62	59	3	-	-	85	77	8	-	-	25
11	11	-	-	-	107	77	30	-	-	47	44	3	-	-	67	60	7	-	-	26
2	2	-	-	-	32	21	10	-	1	15	15	-	-	-	18	17	1	-	-	27
26	26	-	-	-	167	113	54	-	-	133	127	5	1	-	100	96	4	-	-	28
13	13	-	-	-	87	37	30	-	-	37	35	1	1	-	39	38	1	-	-	29
13	13	-	-	-	100	76	24	-	-	96	92	4	-	-	61	58	3	-	-	30
42	42	-	-	-	364	268	90	5	1	233	215	12	6	-	179	163	12	4	-	31
20	20	-	-	-	154	103	47	3	1	107	92	10	5	-	84	78	6	2	-	32
22	22	-	-	-	210	165	43	2	-	126	123	2	1	-	95	87	6	2	-	33
6	6	-	...	...	82	38	44	...	...	28	24	4	...	...	58	56	2	...	...	34
2	2	-	...	...	61	28	33	...	...	23	19	4	...	...	43	42	1	...	...	35
4	4	-	...	...	21	10	11	...	...	5	5	-	...	...	15	14	1	...	...	36
2	2	-	-	-	32	17	15	-	-	3	3	-	-	-	42	40	1	1	-	37
2	2	-	-	-	24	15	9	-	-	1	1	-	-	-	31	29	1	1	-	38
-	-	-	-	-	8	2	6	-	-	2	2	-	-	-	11	11	-	-	-	39
1	1	-	-	-	10	5	5	-	-	-	-	-	-	-	2	-	-	2	-	40
1	1	-	-	-	7	4	3	-	-	-	-	-	-	-	1	-	-	1	-	41
-	-	-	-	-	3	1	2	-	-	-	-	-	-	-	1	-	-	1	-	42
5	5	-	-	-	46	26	20	-	-	15	14	1	-	-	14	13	-	1	-	43
-	-	-	-	-	13	5	8	-	-	4	4	-	-	-	2	2	-	-	-	44
5	5	-	-	-	33	21	12	-	-	11	10	1	-	-	12	11	-	1	-	45
7	7	-	-	-	60	52	6	1	1	47	43	1	3	-	35	33	1	1	-	46
5	5	-	-	-	52	45	5	1	1	42	38	1	2	-	29	27	1	1	-	47
2	2	-	-	-	8	7	1	-	-	5	4	-	1	-	6	6	-	-	-	48
3	3	-	-	-	31	17	13	1	-	18	18	-	-	-	13	11	1	1	-	49
1	1	-	-	-	22	11	10	1	-	13	13	-	-	-	10	9	1	-	-	50
2	2	-	-	-	9	6	3	-	-	5	5	-	-	-	3	2	-	1	-	51
12	8	-	4	-	213	84	69	28	31	29	20	5	2	2	108	68	10	30	-	52
5	2	-	3	-	80	23	19	15	23	8	4	1	2	1	51	22	2	27	-	53
7	6	-	1	-	132	61	30	13	8	21	16	4	-	1	57	46	8	3	-	54
5	3	-	2	-	51	12	11	14	14	22	16	2	4	-	35	14	1	18	2	55
66	65	-	1	-	639	403	225	6	5	355	341	12	2	-	422	388	28	6	-	56
7	2	-	5	-	103	27	32	21	23	15	7	2	4	2	101	51	5	43	2	57
8	3	-	5	-	44	11	5	23	5	23	7	-	15	1	30	8	-	20	2	58
14	3	-	11	-	138	11	13	72	42	90	8	-	79	3	44	8	2	33	1	59
3	2	-	1	-	31	3	6	14	8	46	7	-	38	1	9	4	-	5	-	60
6	-	-	6	-	63	6	5	33	19	21	-	-	21	-	16	3	2	10	1	61
5	1	-	4	-	44	2	2	25	15	23	1	-	20	2	19	1	-	18	-	62
-	-	-	-	-	3	2	1	-	-	3	2	-	1	-	1	1	-	-	-	63

TABLE 30.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

	CAUSE OF DEATH	WISCONSIN					WYOMING				
		Total deaths under 1 year	Under 28 days		28 days-11 months		Total deaths under 1 year	Under 28 days		28 days-11 months	
			White	Non-white	White	Non-white		White	Non-white	White	Non-white
1	ALL CAUSES	2,202	1,556	46	560	40	280	197	9	64	10
2	Tuberculosis, all forms---001-019	2	-	-	2	-	1	-	-	1	-
3	Syphilis and its sequelae---020-029	2	1	-	-	1	-	-	-	-	-
4	Dysentery, all forms---045-048	6	1	-	4	1	-	-	-	-	-
5	Whooping cough---056	1	-	-	1	-	1	-	-	1	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	29	3	-	24	2	3	-	-	2	1
7	Diseases of thymus gland---273	29	7	-	19	3	6	4	-	2	-
8	Meningitis, except meningococcal and tuberculous---340	15	2	-	13	-	-	-	-	-	-
9	All other diseases of nervous system and sense organs-330-334,341-398	21	7	-	13	1	1	1	-	-	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	148	-	-	138	10	15	-	-	12	3
11	Influenza---480-483	17	-	-	17	-	-	-	-	-	-
12	Pneumonia, except pneumonia of newborn---490-493	131	...	...	121	10	15	...	...	12	3
13	All other diseases of respiratory system---470-475,500-527	30	5	-	23	2	4	1	-	3	-
14	Hernia and intestinal obstruction---560,561,570	16	6	-	10	-	8	4	-	4	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	47	-	-	36	11	11	-	-	8	3
16	All other diseases of digestive system---530-542,544-553,573-587	9	3	-	6	-	-	-	-	-	-
17	Congenital malformations---750-759	377	212	2	159	4	37	27	-	10	-
18	Spina bifida and meningocele---751	46	24	-	22	-	4	4	-	-	-
19	Congenital malformations of circulatory system---754	148	74	-	71	3	14	12	-	2	-
20	All other congenital malformations---750,752,753,755-759	183	114	2	66	1	19	11	-	8	-
21	Certain diseases of early infancy---760-776	1,357	1,285	44	26	2	169	157	8	4	-
22	Birth injuries---760,761	293	283	7	3	-	27	24	3	-	-
23	Without mention of immaturity (.0)---	124	118	3	3	-	8	8	-	-	-
24	With immaturity (.5)---	169	165	4	-	-	19	16	3	-	-
25	Intracranial and spinal injury at birth---760	89	86	1	2	-	12	11	1	-	-
26	Without mention of immaturity (.0)---	70	67	1	2	-	5	5	-	-	-
27	With immaturity (.5)---	19	19	-	-	-	7	6	1	-	-
28	Other birth injury---761	204	197	6	1	-	15	13	2	-	-
29	Without mention of immaturity (.0)---	54	51	2	1	-	3	3	-	-	-
30	With immaturity (.5)---	150	146	4	-	-	12	10	2	-	-
31	Postnatal asphyxia and atelectasis---762	251	237	10	4	-	27	25	1	1	-
32	Without mention of immaturity (.0)---	112	105	4	3	-	18	16	1	1	-
33	With immaturity (.5)---	139	132	6	1	-	9	9	-	-	-
34	Pneumonia of newborn---763	53	28	5	...	...	4	3	1	...	...
35	Without mention of immaturity (.0)---	22	18	4	...	...	2	1	1	...	...
36	With immaturity (.5)---	11	10	1	...	...	2	2	-	...	...
37	Diarrhea of newborn---764	12	8	4	-	-	6	5	-	1	-
38	Without mention of immaturity (.0)---	5	1	4	-	-	4	3	-	1	-
39	With immaturity (.5)---	7	7	-	-	-	2	2	-	-	-
40	Other infections of newborn---765-768	4	3	-	1	-	1	1	-	-	-
41	Without mention of immaturity (.0)---	3	2	-	1	-	1	1	-	-	-
42	With immaturity (.5)---	1	1	-	-	-	-	-	-	-	-
43	Neonatal disorders arising from maternal toxemia---769	41	39	2	-	-	5	4	1	-	-
44	Without mention of immaturity (.0-.4)---	10	10	-	-	-	1	1	-	-	-
45	With immaturity (.5-.9)---	31	29	2	-	-	4	3	1	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	70	66	-	4	-	7	7	-	-	-
47	Without mention of immaturity (.0-.2)---	51	49	-	2	-	4	4	-	-	-
48	With immaturity (.5-.7)---	19	17	-	2	-	3	3	-	-	-
49	Hemorrhagic disease of newborn---771	15	13	2	-	-	2	2	-	-	-
50	Without mention of immaturity (.0)---	12	12	-	-	-	-	-	-	-	-
51	With immaturity (.5)---	3	1	2	-	-	2	2	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	74	67	-	5	2	11	8	1	2	-
53	Without mention of immaturity (.0)---	17	10	-	5	2	3	-	1	2	-
54	With immaturity (.5)---	57	57	-	-	-	8	8	-	-	-
55	Immaturity with mention of any other subsidiary condition---774	18	15	-	3	-	1	1	-	-	-
56	Immaturity unqualified---776	546	526	14	6	-	78	77	1	-	-
57	Symptoms and ill-defined conditions---780-795	15	9	-	5	1	2	1	-	1	-
58	All other diseases---Residual	27	5	-	21	1	1	-	-	-	1
59	Accidents---E800-E962	70	9	-	60	1	21	2	1	16	2
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	18	5	-	12	1	6	-	-	6	-
61	Accidental mechanical suffocation in bed and cradle---E924	35	2	-	33	-	7	-	-	6	1
62	All other accidental causes---E800-E920,E923,E925-E962	17	2	-	15	-	8	2	1	4	1
63	Homicide---E964,E980-E999	1	1	-	-	-	-	-	-	-	-

TABLE 31.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY MONTH: UNITED STATES, 1949

(Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 1 YEAR													
ALL CAUSES	111,531	10,466	9,214	9,679	8,535	8,814	8,602	9,611	9,750	9,000	9,293	9,062	9,505
Tuberculosis, all forms—001-019	279	33	17	22	28	24	26	25	23	23	18	20	20
Syphilis and its sequelae—020-029	300	36	32	25	26	24	18	19	27	18	31	18	26
Dysentery, all forms—045-048	382	45	28	42	65	69	90	141	112	88	75	81	47
Whooping cough—056	524	48	41	35	30	43	36	66	85	42	42	33	43
All other infective and parasitic diseases—030-044,049-055,057-138	1,355	142	132	137	119	117	92	128	105	73	89	105	116
Diseases of thymus gland—273	683	82	65	72	43	65	40	49	48	48	61	50	60
Meningitis, except meningococcal and tuberculous—340	722	85	67	81	59	48	54	48	48	51	52	60	69
All other diseases of nervous system and sense organs—330-334,341-398	994	118	86	104	73	56	67	76	78	72	87	72	105
Influenza and pneumonia, except pneumonia of newborn—480-493	9,141	1,493	1,464	1,203	693	475	369	382	385	417	575	733	942
Influenza—480-483	788	159	172	116	73	32	13	18	16	25	26	57	81
Pneumonia, except pneumonia of newborn—490-493	8,353	1,334	1,292	1,087	620	443	356	364	379	392	549	676	861
All other diseases of respiratory system—470-475,500-527	1,387	212	190	192	115	81	64	56	54	67	88	111	157
Hernia and intestinal obstruction—560,561,570	1,001	89	75	77	78	94	74	97	108	54	77	88	92
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	5,667	340	253	260	283	388	550	772	753	737	585	414	332
All other diseases of digestive system—530-542,544-553,573-587	608	51	43	50	39	46	50	80	59	48	65	45	52
Congenital malformations—750-759	14,504	1,306	1,119	1,289	1,096	1,101	1,099	1,189	1,265	1,159	1,252	1,295	1,336
Spina bifida and meningocele—751	1,813	168	146	148	153	152	129	142	155	129	145	169	178
Congenital malformations of circulatory system—754	6,443	579	528	584	489	475	489	511	552	495	556	586	599
All other congenital malformations—750,752,753,755-759	6,248	559	445	557	454	474	481	536	576	535	551	541	559
Certain diseases of early infancy—760-776	64,158	5,372	4,775	5,168	5,041	5,536	5,354	5,773	5,932	5,416	5,510	5,115	5,168
Birth injuries—760,761	12,312	1,063	987	1,025	953	1,002	1,013	1,120	1,142	1,001	1,011	1,001	994
Without mention of immaturity (.0)	6,682	594	560	565	500	532	521	614	611	511	580	546	548
With immaturity (.5)	5,630	469	427	460	453	470	492	506	531	490	451	455	446
Intracranial and spinal injury at birth—760	5,574	508	451	475	416	423	448	523	491	452	458	460	469
Without mention of immaturity (.0)	4,112	386	344	340	300	308	322	384	371	319	359	345	334
With immaturity (.5)	1,462	122	107	135	116	115	126	139	120	133	99	115	135
Other birth injury—761	6,738	555	536	550	537	579	565	597	651	549	553	541	525
Without mention of immaturity (.0)	2,570	208	216	225	200	224	199	230	240	192	221	201	214
With immaturity (.5)	4,168	347	320	325	337	355	366	367	411	357	332	340	311
Postnatal asphyxia and atelectasis—762	13,239	1,049	854	1,029	1,020	1,240	1,167	1,251	1,242	1,080	1,100	1,017	1,190
Without mention of immaturity (.0)	5,106	417	325	405	397	451	427	472	477	426	460	386	463
With immaturity (.5)	8,133	632	529	624	623	789	740	779	765	654	640	631	727
Pneumonia of newborn—763	2,966	331	313	311	227	199	174	214	223	243	229	243	253
Without mention of immaturity (.0)	2,069	229	245	232	162	135	102	137	152	165	155	164	191
With immaturity (.5)	897	102	68	79	65	64	72	77	71	84	74	79	62
Diarrhea of newborn—764	1,142	76	75	58	59	66	68	111	166	176	131	81	75
Without mention of immaturity (.0)	926	49	46	41	34	46	49	88	125	134	102	62	50
With immaturity (.5)	316	27	29	17	25	20	19	23	41	42	29	19	25
Other infections of newborn—765-768	365	28	31	28	18	28	37	38	33	35	29	37	23
Without mention of immaturity (.0)	252	16	21	21	13	20	27	26	22	23	25	20	18
With immaturity (.5)	111	12	10	5	5	8	10	12	11	12	4	17	5
Neonatal disorders arising from maternal toxemia—769	1,129	122	85	84	97	100	110	86	100	96	79	81	89
Without mention of immaturity (.0-.4)	266	32	21	21	20	27	16	23	25	29	19	17	16
With immaturity (.5-.9)	863	90	64	63	77	73	94	63	75	67	60	64	73
Hemolytic disease of newborn (erythroblastosis)—770	2,503	214	215	203	197	204	204	220	228	201	208	194	215
Without mention of immaturity (.0-.2)	2,031	180	181	170	162	151	166	172	186	164	170	152	177
With immaturity (.5-.7)	472	34	34	33	35	53	38	48	42	37	38	42	38
Hemorrhagic disease of newborn—771	1,019	82	68	98	82	84	78	78	118	95	89	74	73
Without mention of immaturity (.0)	709	53	51	67	62	64	44	56	86	64	66	52	44
With immaturity (.5)	310	29	17	31	20	20	34	22	32	31	23	22	29
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	4,541	403	374	366	334	354	369	379	410	381	448	381	342
Without mention of immaturity (.0)	1,791	189	157	135	123	133	107	143	156	161	186	182	139
With immaturity (.5)	2,750	234	217	231	211	221	262	236	254	220	262	198	203
Immaturity with mention of any other subsidiary condition—774	1,424	142	137	129	84	102	112	117	132	117	117	108	127
Immaturity unqualified—776	25,520	1,662	1,634	1,839	1,970	2,157	2,022	2,159	2,138	1,985	2,089	1,898	1,787
Symptoms and ill-defined conditions—780-795	3,911	434	333	367	288	253	256	303	312	300	261	332	372
All other diseases—Residual	1,657	157	146	164	134	130	124	140	123	131	138	129	141
Accidents—E800-E962	3,730	405	342	381	307	237	229	272	222	248	300	372	415
Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	932	102	87	92	76	63	54	65	48	65	73	99	108
Accidental mechanical suffocation in bed and cradle—E924	1,372	176	138	159	103	76	71	73	62	92	117	142	161
All other accidental causes—E800-E920,E923,E925-E962	1,426	125	117	130	128	98	104	134	112	91	110	131	146
Homicide—E964,E980-E999	128	18	8	10	18	8	10	15	5	8	7	9	12
UNDER 28 DAYS													
ALL CAUSES	76,326	6,492	5,693	6,253	6,033	6,482	6,339	6,833	7,049	6,397	6,442	6,104	6,209
Tuberculosis, all forms—001-019	7	1	-	1	-	2	1	-	-	-	1	-	1
Syphilis and its sequelae—020-029	194	26	21	18	11	16	6	14	18	13	19	13	19
Dysentery, all forms—045-048	78	3	3	2	3	5	9	14	19	9	8	2	1
Whooping cough—056	17	3	2	1	2	-	1	3	2	2	1	-	-
All other infective and parasitic diseases—030-044,049-055,057-138	239	18	16	17	15	16	20	32	24	18	18	22	23
Diseases of thymus gland—273	217	18	20	27	12	25	12	15	17	23	20	9	19
Meningitis, except meningococcal and tuberculous—340	115	12	8	11	5	6	9	11	14	12	12	8	7
All other diseases of nervous system and sense organs—330-334,341-398	213	17	18	20	16	14	22	17	19	18	21	16	15
Influenza and pneumonia, except pneumonia of newborn—480-493	93	22	26	7	9	2	1	4	1	2	2	8	9
Influenza—480-483	93	22	26	7	9	2	1	4	1	2	2	8	9
Pneumonia, except pneumonia of newborn—490-493	...	...	...	...	...	...	...	...	...	...	...	...	...
All other diseases of respiratory system—470-475,500-527	199	34	19	21	16	10	7	10	14	16	16	14	22
Hernia and intestinal obstruction—560,561,570	535	43	42	47	53	47	38	51	49	27	50	49	39
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	10	2	2	-	-	1	-	1	2	1	-	1	-

TABLE 31.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY MONTH: UNITED STATES, 1949—Continued

(Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
UNDER 28 DAYS—Continued													
All other diseases of digestive system---530-542,544-553,573-587	173	12	15	11	12	16	10	19	22	12	15	14	14
Congenital malformations----------750-759	9,375	809	713	815	718	725	740	811	886	777	788	802	791
Spina bifida and meningocele----------751	1,006	98	72	81	86	90	80	76	84	78	83	86	94
Congenital malformations of circulatory system----------754	4,030	339	327	364	315	296	316	334	387	323	352	357	320
All other congenital malformations---------750,752,753,755-759	4,339	372	314	370	317	339	344	401	415	378	353	359	377
Certain diseases of early infancy----------760-776	61,502	5,132	4,521	4,941	4,855	5,360	5,186	5,555	5,691	5,189	5,245	4,879	4,948
Birth injuries----------760,761	12,187	1,050	975	1,013	941	994	1,005	1,109	1,131	991	999	991	988
Without mention of immaturity (.0)----------	6,573	582	550	555	489	526	513	605	602	502	569	536	544
With immaturity (.5)----------	5,614	468	425	458	452	468	492	504	529	489	430	455	444
Intracranial and spinal injury at birth----------760	5,489	500	441	466	410	417	442	517	484	444	449	454	465
Without mention of immaturity (.0)----------	4,032	378	334	332	294	304	316	378	365	311	350	339	331
With immaturity (.5)----------	1,457	122	107	134	116	113	126	139	119	133	99	115	134
Other birth injury----------761	6,698	550	534	547	531	577	563	592	647	547	550	537	523
Without mention of immaturity (.0)----------	2,541	204	216	223	195	222	197	227	237	191	219	197	213
With immaturity (.5)----------	4,157	346	318	324	336	355	366	365	410	356	331	340	310
Postnatal asphyxia and atelectasis----------762	12,931	1,021	831	1,003	995	1,210	1,153	1,228	1,218	1,058	1,076	991	1,147
Without mention of immaturity (.0)----------	4,886	398	310	384	382	431	419	454	462	410	442	367	427
With immaturity (.5)----------	8,045	623	521	619	613	779	734	774	756	648	634	624	720
Pneumonia of newborn----------763	2,986	331	313	311	227	199	174	214	223	249	229	243	253
Without mention of immaturity (.0)----------	2,089	229	245	232	162	135	102	137	152	165	155	164	191
With immaturity (.5)----------	897	102	68	79	65	64	72	77	71	84	74	79	62
Diarrhea of newborn----------764	1,114	73	73	55	59	66	67	109	162	170	126	80	74
Without mention of immaturity (.0)----------	807	48	45	38	34	46	49	86	122	130	98	61	50
With immaturity (.5)----------	307	25	28	17	25	20	18	23	40	40	28	19	24
Other infections of newborn----------765-768	349	27	29	25	15	28	35	38	33	33	29	34	23
Without mention of immaturity (.0)----------	241	15	19	20	10	20	25	26	22	22	25	19	18
With immaturity (.5)----------	108	12	10	5	5	8	10	12	11	11	4	15	5
Neonatal disorders arising from maternal toxemia----------769	1,118	121	85	84	96	100	109	85	98	94	79	79	88
Without mention of immaturity (.0-.4)----------	265	32	21	21	20	27	16	23	25	29	19	16	16
With immaturity (.5-.9)----------	853	89	64	63	76	73	93	62	73	65	60	63	72
Hemolytic disease of newborn (erythroblastosis)----------770	2,420	211	205	194	187	197	195	214	225	197	196	189	210
Without mention of immaturity (.0-.2)----------	1,957	177	171	161	155	145	159	167	184	160	158	148	172
With immaturity (.5-.7)----------	463	34	34	33	32	52	36	47	41	37	38	41	38
Hemorrhagic disease of newborn----------771	997	80	66	97	82	84	74	75	115	93	89	71	71
Without mention of immaturity (.0)----------	689	51	49	66	62	64	41	53	84	62	66	49	42
With immaturity (.5)----------	308	29	17	31	20	20	33	22	31	31	23	22	29
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	3,367	296	267	278	256	281	300	280	307	279	311	261	251
Without mention of immaturity (.0)----------	915	88	80	77	62	71	59	72	79	83	81	86	71
With immaturity (.5)----------	2,452	208	187	201	194	210	241	208	228	196	230	175	180
Immaturity with mention of any other subsidiary condition---774	849	86	74	74	50	68	70	69	69	63	73	70	83
Immaturity unqualified----------776	23,204	1,836	1,603	1,807	1,947	2,133	2,004	2,134	2,110	1,962	2,058	1,870	1,760
Symptoms and ill-defined conditions----------780-795	2,148	213	179	196	188	166	178	169	185	178	132	175	189
All other diseases----------Residual	389	37	24	32	36	28	24	37	34	43	36	25	33
Accidents----------E800-E962	730	75	58	78	71	36	67	62	49	53	52	60	69
Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	274	23	23	24	24	19	16	26	19	24	21	29	26
Accidental mechanical suffocation in bed and cradle-------E924	191	27	20	23	11	5	17	10	11	12	17	16	22
All other accidental causes----------E800-E920,E923,E925-E962	265	25	15	31	36	12	34	26	19	17	14	15	21
Homicide----------E964,E980-E999	92	15	6	8	11	7	8	8	3	4	5	7	10
28 DAYS-11 MONTHS													
ALL CAUSES----------	35,205	3,974	3,521	3,426	2,502	2,332	2,263	2,778	2,701	2,603	2,851	2,958	3,296
Tuberculosis, all forms----------001-019	272	32	17	21	28	22	25	25	23	23	17	20	19
Syphilis and its sequelae----------020-029	106	10	11	7	15	8	12	5	9	5	12	5	7
Dysentery, all forms----------045-048	804	42	25	40	62	63	81	127	93	79	67	59	46
Whooping cough----------056	507	45	39	34	28	43	35	63	63	40	41	33	43
All other infective and parasitic diseases----------030-044,049-055,057-138	1,116	124	116	120	104	101	72	96	81	55	71	83	93
Diseases of thymus gland----------273	466	64	45	45	31	40	28	34	31	25	41	41	41
Meningitis, except meningococcal and tuberculous----------340	607	73	59	70	54	42	45	37	34	39	40	52	62
All other diseases of nervous system and sense organs----------330-334,341-398	781	101	68	84	57	42	45	59	59	54	66	56	90
Influenza and pneumonia, except pneumonia of newborn-----480-493	9,048	1,471	1,438	1,196	684	473	368	378	394	415	573	725	933
Influenza----------480-483	695	137	146	109	64	30	12	14	15	23	24	49	72
Pneumonia, except pneumonia of newborn----------490-493	8,353	1,334	1,292	1,087	620	443	356	364	379	392	549	676	861
All other diseases of respiratory system---------470-475,500-527	1,168	178	171	171	99	71	57	46	40	51	72	97	135
Hernia and intestinal obstruction----------560,561,570	466	46	33	30	25	47	36	46	57	27	27	39	53
Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	5,657	338	251	260	283	387	550	771	751	736	585	413	332
All other diseases of digestive system---530-542,544-553,573-587	435	39	28	39	27	30	40	41	37	36	49	31	38
Congenital malformations----------750-759	5,129	497	406	474	378	376	359	378	397	382	444	493	545
Spina bifida and meningocele----------751	807	70	74	87	67	62	49	66	71	53	62	82	84
Congenital malformations of circulatory system----------754	2,413	240	201	220	174	179	173	177	165	172	204	228	279
All other congenital malformations---------750,752,753,755-759	1,909	187	131	187	137	135	137	135	161	157	178	182	182
Certain diseases of early infancy----------760-776	2,656	240	252	227	186	176	168	218	241	227	265	236	220
Birth injuries----------760,761	125	13	12	12	12	8	8	11	11	10	12	10	6
Without mention of immaturity (.0)----------	109	12	10	10	11	6	8	9	9	9	11	10	4
With immaturity (.5)----------	16	1	2	2	1	2	-	2	2	1	1	-	2
Intracranial and spinal injury at birth----------760	85	8	10	9	6	6	8	6	7	8	9	6	4
Without mention of immaturity (.0)----------	80	8	10	8	6	4	8	6	6	8	9	6	3
With immaturity (.5)----------	5	-	-	1	-	2	-	-	1	-	-	-	1
Other birth injury----------761	40	5	2	3	6	2	2	5	4	2	3	4	2
Without mention of immaturity (.0)----------	29	4	-	2	5	2	2	3	3	1	2	4	1
With immaturity (.5)----------	11	1	2	1	1	-	-	2	1	1	1	-	1
Postnatal asphyxia and atelectasis----------762	308	28	23	26	25	30	14	23	24	22	24	26	43
Without mention of immaturity (.0)----------	220	19	15	21	15	20	8	18	15	16	18	19	36
With immaturity (.5)----------	88	9	8	5	10	10	6	5	9	6	6	7	7

TABLE 31.—DEATHS UNDER 1 YEAR AND UNDER 28 DAYS, FROM 45 SELECTED CAUSES, BY MONTH: UNITED STATES, 1949—Continued

(Exclusive of fetal deaths. Numbers after causes of death are category numbers of the Sixth Revision of the International Lists, 1948)

AGE AND CAUSE OF DEATH	Total	Jan.	Feb.	Mar.	Apr.	May	June	July	Aug.	Sept.	Oct.	Nov.	Dec.
28 DAYS-11 MONTHS—Continued													
Certain diseases of early infancy—Continued													
Pneumonia of newborn-----765	...	...	...	...	...	...	...	...	...	...	...	...	...
Without mention of immaturity (.0)-----	...	...	...	...	...	...	...	...	...	...	...	...	...
With immaturity (.5)-----	...	...	...	...	...	...	...	...	...	...	...	...	...
Diarrhea of newborn-----764	28	3	2	3	-	-	1	2	4	6	5	1	1
Without mention of immaturity (.0)-----	19	1	1	3	-	-	-	2	3	4	4	1	-
With immaturity (.5)-----	9	2	1	-	-	-	1	-	1	2	1	-	1
Other infections of newborn-----765-768	14	1	2	1	3	-	2	-	-	2	-	3	-
Without mention of immaturity (.0)-----	11	1	2	1	3	-	2	-	-	1	-	1	-
With immaturity (.5)-----	3	-	-	-	-	-	-	-	-	1	-	2	-
Neonatal disorders arising from maternal toxemia-----769	11	1	-	-	1	-	1	1	2	2	-	2	1
Without mention of immaturity (.0-.4)-----	1	-	-	-	-	-	-	-	-	-	-	1	-
With immaturity (.5-.9)-----	10	1	-	-	1	-	1	1	2	2	-	1	1
Hemolytic disease of newborn (erythroblastosis)-----770	83	3	10	9	10	7	9	6	3	4	12	5	5
Without mention of immaturity (.0-.2)-----	74	3	10	9	7	6	7	5	2	4	12	4	5
With immaturity (.5-.7)-----	9	-	-	-	3	1	2	1	1	-	-	1	-
Hemorrhagic disease of newborn-----771	22	2	2	1	-	-	4	3	3	2	-	3	2
Without mention of immaturity (.0)-----	20	2	2	1	-	-	3	3	2	2	-	3	2
With immaturity (.5)-----	2	-	-	-	-	-	1	-	1	-	-	-	-
Ill-defined diseases peculiar to early infancy, including nutritional maladjustment-----772,773	1,174	107	107	88	78	73	69	99	103	102	157	120	91
Without mention of immaturity (.0)-----	876	81	77	58	61	62	48	71	77	72	105	96	68
With immaturity (.5)-----	298	26	30	30	17	11	21	28	26	30	32	24	23
Immaturity with mention of any other subsidiary condition--774	575	56	63	55	34	34	42	48	63	54	44	38	44
Immaturity unqualified-----776	316	26	31	32	23	24	18	25	28	23	31	28	27
Symptoms and ill-defined conditions-----780-795	1,663	221	154	171	100	87	78	134	127	122	129	157	183
All other diseases-----Residual	1,268	120	122	132	98	102	100	103	89	88	102	104	108
Accidents-----E800-E962	3,000	330	284	303	236	201	162	210	173	195	248	312	346
Inhalation and ingestion of food or other object causing obstruction or suffocation-----E921,E922	658	79	64	69	52	44	38	39	29	41	52	70	82
Accidental mechanical suffocation in bed and cradle-----E924	1,181	151	118	136	92	71	54	63	51	80	100	126	139
All other accidental causes-----E800-E920,E923,E925-E962	1,161	100	102	99	92	86	70	108	93	74	96	116	125
Homicide-----E964,E980-E999	36	3	2	2	7	1	2	7	2	4	2	2	2

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	ALL RACES, BOTH SEXES----All causes	111,531	37,259	11,152	7,386	5,953	2,520	1,780	1,324	5,471
2	Tuberculosis, all forms----001-019	278	1	-	-	1	1	-	-	1
3	Syphilis and its sequelae----020-029	300	89	23	13	8	5	7	4	20
4	Dysentery, all forms----045-048	882	4	2	1	-	1	2	3	18
5	Whooping cough----056	524	-	-	-	-	-	-	-	3
6	All other infective and parasitic diseases---030-044,049-055,057-139	1,355	3	2	4	5	11	23	20	100
7	Diseases of thymus gland----273	683	55	33	35	14	7	9	2	23
8	Meningitis, except meningococcal and tuberculous----340	722	3	4	7	3	3	4	1	45
9	All other diseases of nervous system and sense organs-330-334,341-398	994	101	19	11	11	11	8	8	13
10	Influenza and pneumonia, except pneumonia of newborn---480-493	9,141	-	2	3	3	5	3	3	18
11	Influenza----480-483	788	-	2	3	3	5	3	3	18
12	Pneumonia, except pneumonia of newborn----490-493	8,353	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----470-475,500-527	1,387	26	12	16	14	8	5	6	31
14	Hernia and intestinal obstruction----560,561,570	1,001	183	49	56	39	22	27	21	61
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----543,571,572	5,667	2	1	-	-	-	1	1	1
16	All other diseases of digestive system----530-542,544-553,573-587	808	9	10	11	24	16	8	10	44
17	Congenital malformations----750-759	14,504	3,314	1,034	963	646	440	318	229	1,233
18	Spina bifida and meningocele----751	1,815	344	57	55	44	28	35	23	171
19	Congenital malformations of circulatory system----754	5,443	1,107	619	588	358	187	126	84	488
20	All other congenital malformations----750,752,753,755-759	6,248	1,863	358	320	244	225	157	122	574
21	Certain diseases of early infancy----760-776	64,158	32,446	9,607	5,940	2,966	1,632	1,236	923	3,420
22	Birth injuries----760,761	12,312	7,014	2,006	1,391	636	305	168	139	356
23	Without mention of immaturity (.0)----	6,682	3,336	1,171	908	436	196	125	84	219
24	With immaturity (.5)----	5,630	3,678	834	486	200	109	63	55	137
25	Intracranial and spinal injury at birth----760	5,574	2,138	1,080	946	463	228	144	105	269
26	Without mention of immaturity (.0)----	4,112	1,547	786	723	354	168	108	71	185
27	With immaturity (.5)----	1,462	591	294	223	109	60	36	34	84
28	Other birth injury----761	6,738	4,876	925	445	173	77	44	34	87
29	Without mention of immaturity (.0)----	2,570	1,789	385	182	82	28	17	13	34
30	With immaturity (.5)----	4,168	3,087	540	263	91	49	27	21	55
31	Postnatal asphyxia and atelectasis----762	13,239	6,717	2,812	1,533	631	286	205	119	392
32	Without mention of immaturity (.0)----	5,106	2,358	1,118	653	298	113	75	36	142
33	With immaturity (.5)----	8,133	4,359	1,694	880	333	173	130	83	250
34	Pneumonia of newborn----763	2,966	198	233	260	201	153	134	133	693
35	Without mention of immaturity (.0)----	2,069	127	143	181	143	107	91	87	467
36	With immaturity (.5)----	897	71	90	79	58	46	43	46	216
37	Diarrhea of newborn----764	1,142	6	5	11	5	15	16	17	340
38	Without mention of immaturity (.0)----	826	5	3	10	4	10	14	11	255
39	With immaturity (.5)----	316	1	2	1	1	5	2	6	85
40	Other infections of newborn----765-768	383	27	14	15	21	30	25	26	100
41	Without mention of immaturity (.0)----	252	15	9	13	14	21	21	19	71
42	With immaturity (.5)----	111	12	5	2	7	9	4	7	29
43	Neonatal disorders arising from maternal toxemia----769	1,129	608	194	143	62	32	19	11	37
44	Without mention of immaturity (.0-.4)----	266	146	57	26	16	5	4	3	6
45	With immaturity (.5-.8)----	863	462	137	117	46	27	15	8	31
46	Hemolytic disease of newborn (erythroblastosis)----770	2,503	894	286	332	356	189	90	77	154
47	Without mention of immaturity (.0-.2)----	2,031	676	208	285	306	168	78	63	122
48	With immaturity (.5-.7)----	472	218	58	47	50	21	12	14	32
49	Hemorrhagic disease of newborn----771	1,019	279	160	182	100	61	54	28	93
50	Without mention of immaturity (.0)----	709	196	121	131	73	42	37	18	50
51	With immaturity (.5)----	310	83	39	51	27	19	17	13	43
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----772,773	4,541	1,505	443	282	150	77	79	50	273
53	Without mention of immaturity (.0)----	1,791	309	111	81	57	24	22	17	100
54	With immaturity (.5)----	2,750	1,196	332	201	93	53	57	33	173
55	Immaturity with mention of any other subsidiary condition----774	1,424	396	104	60	38	21	32	17	87
56	Immaturity unqualified----776	23,520	14,702	3,371	1,731	766	483	394	306	905
57	Symptoms and ill-defined conditions----780-795	3,811	725	269	223	140	108	92	62	272
58	All other diseases----Residual	1,657	103	34	38	30	14	14	8	57
59	Accidents----E800-E962	3,730	116	44	66	48	37	22	22	111
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----E921,E922	932	11	24	38	27	16	13	17	47
61	Accidental mechanical suffocation in bed and cradle----E924	1,372	10	5	4	5	8	2	1	33
62	All other accidental causes----E800-E920,E923,E925-E962	1,426	95	15	24	16	13	7	4	31
63	Homicide----E964,E980-E999	128	79	7	2	1	1	1	1	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
3,328	2,353	76,326	7,501	5,702	4,782	3,808	3,138	2,530	2,076	1,825	1,467	1,247	1,119	1
1	2	7	6	12	14	29	16	35	32	30	30	34	34	2
15	12	194	42	26	14	6	5	2	4	1	-	5	1	3
29	18	78	90	113	110	101	96	62	68	57	56	26	25	4
5	9	17	81	82	76	51	38	39	34	32	22	19	33	5
48	23	239	99	110	125	121	113	97	103	92	83	82	91	6
25	14	217	116	99	73	54	47	27	14	10	14	8	4	7
28	20	115	69	84	61	61	68	49	52	50	41	28	44	8
13	18	213	101	90	101	89	78	78	67	46	51	43	37	9
31	25	93	1,613	1,431	1,366	1,118	907	706	540	445	373	303	246	10
31	25	93	100	84	101	106	71	66	44	42	37	22	22	11
...	...	...	1,513	1,347	1,265	1,012	836	640	496	403	336	281	224	12
44	37	199	180	169	182	136	135	95	87	71	47	43	43	13
46	31	535	106	83	40	51	40	32	34	33	15	14	18	14
3	1	10	1,014	848	778	663	570	463	398	329	242	195	157	15
30	11	173	103	70	49	40	38	23	21	19	28	26	18	16
689	509	9,375	1,376	877	698	528	369	341	237	244	152	176	141	17
150	99	1,006	227	118	120	95	59	63	28	36	23	20	18	18
263	210	4,030	592	443	335	280	160	155	107	102	87	87	85	19
276	200	4,339	557	316	233	153	130	123	102	106	62	69	58	20
1,989	1,343	61,502	1,272	541	285	152	102	86	57	47	50	30	34	21
108	47	12,187	39	26	13	8	5	11	8	2	7	4	2	22
69	32	6,573	29	23	13	7	4	11	8	1	7	4	2	23
37	15	5,614	10	3	-	1	1	-	-	1	-	-	-	24
80	36	5,489	21	22	10	5	3	5	6	-	7	4	2	25
62	28	4,032	19	20	10	4	3	5	6	-	7	4	2	26
18	8	1,457	2	2	-	1	-	-	-	-	-	-	-	27
26	11	6,698	18	4	3	3	2	6	2	2	-	-	-	28
7	4	2,541	10	3	3	3	1	6	2	1	-	-	-	29
19	7	4,157	8	1	-	-	1	-	-	1	-	-	-	30
165	71	12,931	143	65	38	15	13	10	3	7	5	5	4	31
57	36	4,886	75	52	34	14	12	9	3	7	5	5	4	32
108	35	8,045	68	13	4	1	1	1	-	-	-	-	-	33
524	447	2,966	...	...	...	...	...	...	...	...	...	...	...	34
382	341	2,069	...	...	...	...	...	...	...	...	...	...	...	35
142	106	897	...	...	...	...	...	...	...	...	...	...	...	36
384	308	1,114	20	6	2	-	-	-	-	-	-	-	-	37
280	215	807	13	5	1	-	-	-	-	-	-	-	-	38
114	80	307	7	1	1	-	-	-	-	-	-	-	-	39
62	28	349	11	1	-	-	1	1	-	-	-	-	-	40
43	15	241	8	1	-	-	1	1	-	-	-	-	-	41
19	14	108	3	-	-	-	-	-	-	-	-	-	-	42
6	6	1,118	9	1	1	-	-	-	-	-	-	-	-	43
2	-	265	1	-	-	-	-	-	-	-	-	-	-	44
4	6	853	8	1	1	-	-	-	-	-	-	-	-	45
40	22	2,420	32	14	6	4	7	6	2	3	2	4	3	46
34	17	1,957	26	12	6	4	7	6	2	3	2	4	2	47
6	5	463	6	2	-	-	-	-	-	-	-	-	1	48
26	14	997	13	5	1	2	-	-	-	-	1	-	-	49
14	10	689	11	5	1	2	-	-	-	-	1	-	-	50
12	4	308	2	-	-	-	-	-	-	-	-	-	-	51
239	169	3,367	442	258	145	88	56	49	39	30	32	16	19	52
108	86	915	283	185	110	73	53	46	34	27	32	14	19	53
131	83	2,452	159	73	35	15	3	3	5	3	-	2	-	54
56	38	849	339	117	62	24	13	8	2	5	2	-	3	55
371	195	23,204	224	48	17	11	7	1	3	-	1	1	3	56
139	118	2,148	422	313	250	171	131	116	77	65	60	36	22	57
54	40	389	169	168	146	125	138	98	89	87	93	77	69	58
142	122	730	636	582	426	310	245	179	159	156	106	101	100	59
46	35	274	152	160	92	80	59	24	28	30	8	13	12	60
63	60	181	328	282	211	138	80	50	39	23	11	10	9	61
33	27	265	156	140	123	92	106	105	92	103	87	78	79	62
-	-	92	6	4	8	2	2	2	3	1	4	1	3	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	ALL RACES, MALE---All causes	64,161	21,666	6,589	4,484	2,422	1,368	1,009	779	3,092
2	Tuberculosis, all forms---001-019	148	1	-	-	1	1	-	-	-
3	Syphilis and its sequelae---020-029	168	46	14	9	7	2	4	2	15
4	Dysentery, all forms---045-048	465	1	1	1	-	-	2	2	11
5	Whooping cough---056	266	-	-	-	-	-	-	-	3
6	All other infective and parasitic diseases---030-044,049-055,057-138	784	3	2	2	4	8	13	13	59
7	Diseases of thymus gland---273	423	31	23	24	7	5	4	1	16
8	Meningitis, except meningococcal and tuberculous---340	411	3	1	5	1	3	3	-	23
9	All other diseases of nervous system and sense organs-330-334,341-398	569	52	9	8	5	5	5	5	10
10	Influenza and pneumonia, except pneumonia of newborn---480-493	5,036	-	1	2	1	3	1	2	9
11	Influenza---480-483	433	-	1	2	1	3	1	2	9
12	Pneumonia, except pneumonia of newborn---490-493	4,603	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system---470-475,500-527	780	17	12	5	12	7	1	4	18
14	Hernia and intestinal obstruction---560,561,570	630	107	27	39	21	11	14	14	41
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	3,134	1	1	-	-	-	-	-	1
16	All other diseases of digestive system---530-542,544-553,573-587	349	5	8	7	12	12	5	6	29
17	Congenital malformations---750-759	7,989	1,723	606	600	385	251	187	137	717
18	Spina bifida and meningocele---751	823	150	18	24	23	10	14	13	81
19	Congenital malformations of circulatory system---754	3,683	651	382	370	250	106	88	50	278
20	All other congenital malformations---750,752,753,755-759	3,483	922	206	206	132	135	85	74	358
21	Certain diseases of early infancy---760-776	37,848	19,090	5,668	3,575	1,834	955	715	547	1,908
22	Birth injuries---760,761	7,552	4,210	1,245	920	416	174	104	94	214
23	Without mention of immaturity (.0)---	4,135	1,982	739	607	294	122	87	53	135
24	With immaturity (.5)---	3,417	2,228	506	313	122	52	37	41	79
25	Intracranial and spinal injury at birth---760	3,574	1,331	695	644	313	137	82	72	166
26	Without mention of immaturity (.0)---	2,660	966	504	500	248	106	59	45	115
27	With immaturity (.5)---	914	365	191	144	65	31	23	27	51
28	Other birth injury---761	3,978	2,879	550	276	103	37	22	22	48
29	Without mention of immaturity (.0)---	1,475	1,016	235	107	46	16	8	8	20
30	With immaturity (.5)---	2,503	1,863	315	169	57	21	14	14	28
31	Postnatal asphyxia and atelectasis---762	7,945	4,044	1,689	924	395	186	118	65	226
32	Without mention of immaturity (.0)---	3,092	1,409	680	408	199	78	46	19	82
33	With immaturity (.5)---	4,853	2,635	1,009	516	196	108	72	46	144
34	Pneumonia of newborn---763	1,718	124	143	161	119	91	82	77	368
35	Without mention of immaturity (.0)---	1,209	76	90	109	90	66	58	53	247
36	With immaturity (.5)---	509	48	53	52	29	25	24	24	121
37	Diarrhea of newborn---764	675	2	3	7	4	6	13	15	203
38	Without mention of immaturity (.0)---	492	2	2	7	4	5	11	9	154
39	With immaturity (.5)---	183	-	1	-	-	1	2	6	49
40	Other infections of newborn---765-768	219	14	7	9	9	22	19	12	63
41	Without mention of immaturity (.0)---	158	8	5	8	6	15	15	8	47
42	With immaturity (.5)---	61	6	2	1	3	7	4	4	16
43	Neonatal disorders arising from maternal toxemia---769	635	340	114	80	41	10	12	8	16
44	Without mention of immaturity (.0-.4)---	154	79	40	13	11	1	3	2	4
45	With immaturity (.5-.9)---	481	261	74	67	30	9	9	6	12
46	Hemolytic disease of newborn (erythroblastosis)---770	1,490	473	155	223	240	128	51	47	90
47	Without mention of immaturity (.0-.2)---	1,246	363	132	195	210	114	45	38	76
48	With immaturity (.5-.7)---	244	110	23	28	30	15	6	9	14
49	Hemorrhagic disease of newborn---771	631	166	91	120	68	45	33	13	58
50	Without mention of immaturity (.0)---	432	113	64	87	55	31	22	3	31
51	With immaturity (.5)---	199	53	27	33	13	14	11	10	27
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	2,617	948	260	153	88	37	46	32	163
53	Without mention of immaturity (.0)---	1,041	177	64	47	38	12	11	11	64
54	With immaturity (.5)---	1,576	771	196	106	51	25	35	21	99
55	Immaturity with mention of any other subsidiary condition---774	808	246	51	38	23	14	17	10	45
56	Immaturity unqualified---776	13,356	6,521	1,910	940	430	241	220	174	462
57	Symptoms and ill-defined conditions---780-795	2,187	439	169	139	90	75	54	31	144
58	All other diseases---Residual	949	58	18	22	18	9	6	5	31
59	Accidents---E800-E962	2,158	65	26	46	25	21	14	10	57
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	566	7	16	26	13	12	8	7	28
61	Accidental mechanical suffocation in bed and cradle---E924	792	6	3	4	3	4	1	-	14
62	All other accidental causes---E800-E920,E923,E925-E962	800	52	7	16	9	5	5	3	15
63	Homicide---E964,E980-E999	69	44	3	-	1	-	1	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949.—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,895	1,344	44,668	4,338	3,251	2,568	2,095	1,716	1,394	1,129	932	792	679	599	1
1	-	4	5	11	3	17	9	21	13	13	13	21	18	2
6	6	111	22	13	8	4	4	1	2	1	-	1	1	3
19	7	44	53	64	58	56	50	28	36	24	27	12	13	4
3	3	9	37	38	42	22	26	21	20	16	12	13	10	5
31	12	147	60	69	75	75	62	59	69	36	43	41	48	6
15	9	135	75	62	40	30	28	22	10	7	9	4	1	7
16	9	64	36	46	31	38	37	31	27	32	24	17	28	8
5	10	114	64	55	59	49	37	46	40	28	28	24	24	9
21	12	52	931	785	766	621	507	384	280	225	194	162	129	10
21	12	52	60	40	62	55	41	34	22	25	19	10	13	11
...	...	...	871	745	704	566	466	350	258	200	175	152	116	12
25	26	127	103	95	102	71	76	53	51	33	24	23	22	13
27	17	518	75	58	22	33	28	20	24	24	11	8	9	14
-	1	4	589	494	408	366	294	260	216	163	139	110	91	15
15	5	104	57	44	22	27	16	16	11	12	19	15	6	16
390	292	5,268	769	486	347	273	197	181	113	120	74	95	66	17
69	51	453	94	63	54	42	30	30	13	16	8	12	8	18
163	121	2,419	323	240	169	152	96	81	44	51	32	47	29	19
158	120	2,396	352	183	124	79	71	70	56	53	34	36	29	20
1,125	772	36,189	714	315	133	71	50	47	36	24	28	18	21	21
74	28	7,479	21	16	9	6	2	5	4	1	5	3	1	22
50	21	4,070	16	15	9	5	2	5	4	-	5	3	1	23
24	7	3,409	5	1	-	1	-	-	-	1	-	-	-	24
57	22	3,519	11	13	7	5	2	5	3	-	5	3	1	25
46	18	2,607	10	13	7	4	2	5	3	-	5	3	1	26
11	4	912	1	-	-	1	-	-	-	-	-	-	-	27
17	6	3,980	10	3	2	1	-	-	1	1	-	-	-	28
4	3	1,463	6	2	2	1	-	-	1	-	-	-	-	29
13	3	2,497	4	1	-	-	-	-	-	1	-	-	-	30
95	43	7,785	78	36	21	7	3	4	1	1	3	3	3	31
28	24	2,973	43	32	21	6	3	3	1	1	3	3	3	32
67	19	4,812	35	4	-	1	-	1	-	-	-	-	-	33
301	252	1,718	...	...	...	...	...	...	...	...	...	...	...	34
221	201	1,209	...	...	...	...	...	...	...	...	...	...	...	35
80	51	509	...	...	...	...	...	...	...	...	...	...	...	36
233	174	660	13	1	1	-	-	-	-	-	-	-	-	37
163	123	460	10	1	1	-	-	-	-	-	-	-	-	38
70	51	180	3	-	-	-	-	-	-	-	-	-	-	39
37	20	212	5	1	-	-	-	1	-	-	-	-	-	40
29	11	152	4	1	-	-	-	1	-	-	-	-	-	41
8	9	60	1	-	-	-	-	-	-	-	-	-	-	42
4	5	630	4	-	1	-	-	-	-	-	-	-	-	43
1	-	154	-	-	-	-	-	-	-	-	-	-	-	44
3	5	476	4	-	1	-	-	-	-	-	-	-	-	45
15	13	1,436	22	7	4	2	5	4	1	2	1	4	2	46
14	10	1,197	18	6	4	2	5	4	1	2	1	4	2	47
1	3	239	4	1	-	-	-	-	-	-	-	-	-	48
15	9	618	6	4	1	1	-	-	-	-	1	-	-	49
9	6	421	4	4	1	1	-	-	-	-	1	-	-	50
6	3	197	2	-	-	-	-	-	-	-	-	-	-	51
131	96	1,955	269	161	58	41	27	28	26	16	17	8	11	52
68	50	542	180	117	42	36	25	26	23	15	17	7	11	53
63	46	1,413	89	44	16	5	2	2	3	1	-	1	-	54
31	18	495	191	64	30	10	7	4	1	4	-	-	2	55
189	114	13,201	105	25	8	4	6	1	3	-	1	-	2	56
80	69	1,290	240	160	132	86	82	64	38	32	29	22	12	57
42	24	231	112	90	79	74	77	47	53	54	52	41	39	58
74	70	408	393	364	237	180	134	92	89	87	64	51	59	59
26	21	164	96	109	52	45	29	17	17	18	6	5	8	60
32	39	106	199	165	123	85	44	21	16	13	8	5	7	61
16	10	138	98	90	62	50	61	54	56	56	50	41	44	62
-	-	49	3	2	4	2	2	1	1	-	2	1	2	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	ALL RACES, FEMALE---All causes	47,370	15,573	4,563	2,902	1,531	952	771	545	2,379
2	Tuberculosis, all forms---001-019	131	-	-	-	-	-	-	-	1
3	Syphilis and its sequelae---020-029	132	43	9	4	1	1	3	2	5
4	Dysentery, all forms---045-048	417	3	1	-	-	1	-	1	7
5	Whooping cough---056	258	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	571	-	-	2	1	3	10	7	41
7	Diseases of thymus gland---273	260	24	10	11	7	2	5	1	7
8	Meningitis, except meningococcal and tuberculous---340	311	-	3	2	2	-	1	1	22
9	All other diseases of nervous system and sense organs---330-334,341-398	425	49	10	3	6	6	3	3	3
10	Influenza and pneumonia, except pneumonia of newborn---460-493	4,105	-	1	1	2	2	2	1	9
11	Influenza---480-483	355	-	1	1	2	2	2	1	9
12	Pneumonia, except pneumonia of newborn---490-493	3,750	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system---470-475,500-527	607	9	-	11	2	1	4	2	13
14	Hernia and intestinal obstruction---560,561,570	371	76	22	17	18	11	13	7	20
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	2,533	1	-	-	-	-	1	1	-
16	All other diseases of digestive system---530-542,544-553,573-587	259	4	2	4	12	4	3	4	15
17	Congenital malformations---750-759	6,515	1,591	428	363	261	189	151	92	516
18	Spina bifida and meningocele---751	990	194	39	31	21	18	21	10	90
19	Congenital malformations of circulatory system---754	2,760	456	237	218	128	81	58	34	210
20	All other congenital malformations---750,752,753,755-759	2,765	941	152	114	112	90	72	48	216
21	Certain diseases of early infancy---760-776	26,512	13,356	3,939	2,365	1,132	677	521	376	1,512
22	Birth injuries---760,761	4,760	2,804	760	471	220	131	84	45	142
23	Without mention of immaturity (.0)---	2,547	1,354	432	298	142	74	58	31	84
24	With immaturity (.5)---	2,213	1,450	328	173	78	57	26	14	58
25	Intracranial and spinal injury at birth---760	2,000	807	385	302	150	91	62	33	103
26	Without mention of immaturity (.0)---	1,452	581	282	223	106	62	49	26	70
27	With immaturity (.5)---	548	226	103	79	44	29	13	7	33
28	Other birth injury---761	2,760	1,997	375	169	70	40	22	12	39
29	Without mention of immaturity (.0)---	1,095	773	150	75	36	12	9	5	14
30	With immaturity (.5)---	1,665	1,224	225	94	34	28	13	7	25
31	Postnatal asphyxia and atelectasis---762	5,294	2,673	1,123	609	236	100	87	54	186
32	Without mention of immaturity (.0)---	2,014	949	438	245	99	35	29	17	60
33	With immaturity (.5)---	3,280	1,724	685	364	137	65	58	37	106
34	Pneumonia of newborn---763	1,248	74	90	99	82	62	52	56	315
35	Without mention of immaturity (.0)---	860	51	53	72	53	41	35	34	220
36	With immaturity (.5)---	388	23	37	27	29	21	17	22	95
37	Diarrhea of newborn---764	467	4	2	4	1	9	3	2	137
38	Without mention of immaturity (.0)---	334	3	1	3	-	5	3	2	101
39	With immaturity (.5)---	133	1	1	1	1	4	-	-	36
40	Other infections of newborn---765-768	144	13	7	6	12	8	6	14	37
41	Without mention of immaturity (.0)---	94	7	4	5	8	6	6	11	24
42	With immaturity (.5)---	50	6	3	1	4	2	-	3	13
43	Neonatal disorders arising from maternal toxemia---769	494	268	80	63	21	22	7	3	21
44	Without mention of immaturity (.0-.4)---	112	67	17	13	5	4	1	1	2
45	With immaturity (.5-.9)---	382	201	63	50	16	18	6	2	19
46	Hemolytic disease of newborn (erythroblastosis)---770	1,013	421	111	109	116	60	39	30	64
47	Without mention of immaturity (.0-.2)---	785	313	76	90	96	54	33	25	48
48	With immaturity (.5-.7)---	228	108	35	19	20	6	6	5	18
49	Hemorrhagic disease of newborn---771	388	113	69	62	32	16	21	15	35
50	Without mention of immaturity (.0)---	277	83	57	44	18	11	15	12	19
51	With immaturity (.5)---	111	30	12	18	14	5	6	3	16
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	1,924	657	183	129	61	40	33	18	110
53	Without mention of immaturity (.0)---	750	132	47	34	19	12	11	6	36
54	With immaturity (.5)---	1,174	525	136	95	42	28	22	12	74
55	Immaturity with mention of any other subsidiary condition---774	616	148	53	22	15	7	15	7	42
56	Immaturity unqualified---776	10,184	6,181	1,461	791	336	222	174	132	443
57	Symptoms and ill-defined conditions---780-795	1,624	286	100	84	50	33	38	31	128
58	All other diseases---Residual	708	45	16	13	14	5	8	3	26
59	Accidents---E800-E962	1,572	51	18	20	23	16	8	12	54
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	386	4	8	12	14	4	5	10	19
61	Accidental mechanical suffocation in bed and cradle---E924	580	4	2	-	2	4	1	1	19
62	All other accidental causes---E800-E920,E923,E925-E962	626	43	8	8	7	8	2	1	16
63	Homicide---E964,E980-E999	59	35	4	2	-	1	-	1	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14–20 days	21–27 days	Under 28 days	28–59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,433	1,009	31,658	3,163	2,451	2,224	1,713	1,422	1,136	947	893	675	568	520	1
-	2	3	1	1	11	12	7	14	19	17	17	13	16	2
9	6	83	20	13	6	2	1	1	2	-	-	4	-	3
10	11	34	37	49	52	45	46	34	32	33	29	14	12	4
2	6	8	44	44	34	29	12	18	14	16	10	6	23	5
17	11	92	39	41	50	46	51	38	34	56	40	41	43	6
10	5	82	41	37	33	24	19	5	4	3	5	4	3	7
9	11	51	33	38	30	25	31	18	25	18	17	11	16	8
8	8	99	37	35	42	40	41	32	27	17	25	19	13	9
10	13	41	882	646	600	497	400	322	260	220	179	141	117	10
10	13	41	40	44	39	51	30	32	22	17	18	12	9	11
...	...	...	642	602	561	446	370	290	238	203	161	129	108	12
19	11	72	77	74	80	65	59	42	36	38	23	20	21	13
19	14	217	31	25	18	18	12	12	10	9	4	6	9	14
3	-	6	425	354	370	297	276	203	182	166	103	85	66	15
15	6	69	46	26	27	13	22	7	10	7	9	11	12	16
299	217	4,107	607	391	341	255	172	160	124	124	78	81	75	17
81	48	553	133	55	66	53	29	33	15	20	15	8	10	18
100	89	1,611	289	203	166	128	84	74	63	51	35	40	36	19
118	80	1,943	205	133	109	74	59	53	46	53	28	33	29	20
864	571	25,313	558	226	152	81	52	39	21	23	22	12	13	21
32	19	4,708	18	10	4	2	3	6	4	1	2	1	1	22
19	11	2,503	13	8	4	2	2	6	4	1	2	1	1	23
13	8	2,205	5	2	-	-	1	-	-	-	-	-	-	24
23	14	1,970	10	9	3	-	1	-	3	-	2	1	1	25
16	10	1,425	9	7	3	-	1	-	3	-	2	1	1	26
7	4	545	1	2	-	-	-	-	-	-	-	-	-	27
9	5	2,758	8	1	1	2	2	6	1	1	-	-	-	28
3	1	1,078	4	1	1	2	1	6	1	1	-	-	-	29
6	4	1,660	4	-	-	-	1	-	-	-	-	-	-	30
70	28	5,146	65	29	17	8	10	6	2	6	2	2	1	31
29	12	1,913	32	20	13	8	9	6	2	6	2	2	1	32
41	16	3,233	33	9	4	-	1	-	-	-	-	-	-	33
223	195	1,248	...	...	...	...	...	...	...	...	...	...	...	34
161	140	860	...	...	...	...	...	...	...	...	...	...	...	35
62	55	388	...	...	...	...	...	...	...	...	...	...	...	36
161	131	454	7	5	1	-	-	-	-	-	-	-	-	37
117	92	327	3	4	-	-	-	-	-	-	-	-	-	38
44	39	127	4	1	1	-	-	-	-	-	-	-	-	39
25	9	137	6	-	-	-	1	-	-	-	-	-	-	40
14	4	89	4	-	-	-	1	-	-	-	-	-	-	41
11	5	48	2	-	-	-	-	-	-	-	-	-	-	42
2	1	488	5	1	-	-	-	-	-	-	-	-	-	43
1	-	111	1	-	-	-	-	-	-	-	-	-	-	44
1	1	377	4	1	-	-	-	-	-	-	-	-	-	45
25	9	984	10	7	2	2	2	2	1	1	1	-	1	46
20	7	760	8	6	2	2	2	2	1	1	1	-	-	47
5	2	224	2	1	-	-	-	-	-	-	-	-	1	48
11	5	379	7	1	-	1	-	-	-	-	-	-	-	49
5	4	268	7	1	-	1	-	-	-	-	-	-	-	50
6	1	111	-	-	-	-	-	-	-	-	-	-	-	51
108	73	1,412	173	97	87	47	29	21	13	14	15	8	8	52
40	36	373	103	68	68	37	28	20	11	12	15	7	8	53
68	37	1,039	70	29	19	10	1	1	2	2	-	1	-	54
25	20	354	148	53	32	14	6	4	1	1	2	-	1	55
182	81	10,003	119	23	9	7	1	-	-	-	-	1	1	56
59	49	858	182	153	118	85	49	52	39	33	31	14	10	57
12	16	158	57	78	67	51	61	51	36	43	41	36	29	58
68	52	322	243	218	189	130	111	87	70	69	42	50	41	59
20	14	110	56	51	40	35	30	7	11	12	2	8	4	60
31	21	85	129	117	88	53	36	29	23	10	3	5	2	61
17	17	127	58	50	61	42	45	51	36	47	37	37	35	62
-	-	43	3	2	4	-	-	1	2	1	2	-	1	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	WHITE, BOTH SEXES---All causes	69,007	31,168	9,350	6,250	3,270	1,845	1,390	1,028	4,195
2	Tuberculosis, all forms---001-019	178	1	-	-	1	1	-	-	1
3	Syphilis and its sequelae---020-029	90	30	9	2	3	-	1	2	4
4	Dysentery, all forms---045-048	700	3	1	1	-	-	2	3	16
5	Whooping cough---056	367	-	-	-	-	-	-	-	1
6	All other infective and parasitic diseases---030-044,049-055,057-138	1,047	2	2	3	5	6	13	10	48
7	Diseases of thymus gland---273	586	46	32	29	11	6	8	2	18
8	Meningitis, except meningococcal and tuberculous---340	501	1	3	5	3	1	4	1	31
9	All other diseases of nervous system and sense organs-330-334,341-398	614	90	17	11	9	10	8	6	11
10	Influenza and pneumonia, except pneumonia of newborn---480-493	6,258	-	2	2	2	3	-	1	11
11	Influenza---480-483	461	-	2	2	2	3	-	1	11
12	Pneumonia, except pneumonia of newborn---490-493	5,797	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system---470-475,500-527	1,029	17	9	12	6	6	4	3	16
14	Hernia and intestinal obstruction---560,561,570	844	103	47	52	34	18	24	17	54
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	4,182	2	1	-	-	-	1	1	1
16	All other diseases of digestive system---530-542,544-553,573-587	489	7	10	8	19	13	7	7	38
17	Congenital malformations---750-759	13,241	3,109	948	883	585	399	285	210	1,114
18	Spina bifida and meningocele---751	1,729	338	54	53	40	27	34	21	160
19	Congenital malformations of circulatory system---754	5,855	1,020	568	547	320	171	106	80	444
20	All other congenital malformations---750,752,753,755-759	5,657	1,751	326	283	225	201	145	109	510
21	Certain diseases of early infancy---760-776	52,559	27,188	8,094	5,061	2,467	1,299	963	714	2,587
22	Birth injuries---760,761	10,611	6,108	1,733	1,216	547	254	160	107	280
23	Without mention of immaturity (.0)---	5,560	2,779	984	770	369	162	104	63	171
24	With immaturity (.5)---	5,051	3,329	749	446	178	92	56	44	109
25	Intracranial and spinal injury at birth---760	4,631	1,759	907	820	398	186	118	81	213
26	Without mention of immaturity (.0)---	3,444	1,296	657	626	302	140	88	56	149
27	With immaturity (.5)---	1,187	463	250	194	96	46	30	25	64
28	Other birth injury---761	5,980	4,349	826	396	149	68	42	26	67
29	Without mention of immaturity (.0)---	2,116	1,483	327	144	67	22	16	7	22
30	With immaturity (.5)---	3,864	2,866	499	252	82	46	26	19	45
31	Postnatal asphyxia and atelectasis---762	11,213	5,638	2,440	1,352	536	231	159	104	323
32	Without mention of immaturity (.0)---	4,286	1,969	947	570	248	93	58	31	120
33	With immaturity (.5)---	6,927	3,669	1,493	782	288	138	101	73	203
34	Pneumonia of newborn---763	2,206	158	185	205	160	113	92	93	504
35	Without mention of immaturity (.0)---	1,495	97	108	136	109	77	60	56	338
36	With immaturity (.5)---	711	61	77	69	51	36	32	37	166
37	Diarrhea of newborn---764	830	4	2	6	2	8	8	9	255
38	Without mention of immaturity (.0)---	608	3	1	5	2	5	8	6	195
39	With immaturity (.5)---	222	1	1	1	-	3	-	3	60
40	Other infections of newborn---765-768	252	14	11	10	13	20	18	19	72
41	Without mention of immaturity (.0)---	178	8	7	9	8	13	14	14	51
42	With immaturity (.5)---	74	6	4	1	5	7	4	5	21
43	Neonatal disorders arising from maternal toxemia---769	917	498	158	121	48	24	15	9	27
44	Without mention of immaturity (.0-.4)---	201	111	44	23	8	4	2	3	5
45	With immaturity (.5-.9)---	716	387	114	98	40	20	13	6	22
46	Hemolytic disease of newborn (erythroblastosis)---770	2,322	841	256	311	337	173	79	68	132
47	Without mention of immaturity (.0-.2)---	1,890	638	202	268	290	154	71	54	104
48	With immaturity (.5-.7)---	432	203	54	43	47	19	8	14	28
49	Hemorrhagic disease of newborn---771	799	228	127	144	70	47	44	26	73
50	Without mention of immaturity (.0)---	540	154	95	104	50	32	27	14	38
51	With immaturity (.5)---	259	74	32	40	20	15	17	12	35
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	3,332	1,285	345	215	120	56	58	35	182
53	Without mention of immaturity (.0)---	1,208	228	69	50	41	14	14	10	61
54	With immaturity (.5)---	2,124	1,057	276	165	79	42	44	25	121
55	Immaturity with mention of any other subsidiary condition---774	1,122	339	92	51	34	18	26	14	77
56	Immaturity unqualified---776	18,955	12,045	2,745	1,430	600	355	304	230	662
57	Symptoms and ill-defined conditions---780-795	1,780	298	111	104	70	40	40	26	115
58	All other diseases---Residual	1,382	91	28	32	26	12	11	7	47
59	Accidents---E800-E962	2,857	70	31	44	28	30	18	17	82
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	761	8	19	27	18	15	9	15	39
61	Accidental mechanical suffocation in bed and cradle---E924	1,051	4	3	2	3	5	2	1	24
62	All other accidental causes---E800-E920,E923,E925-E962	1,045	58	9	15	7	10	7	1	19
63	Homicide---E964,E980-E999	103	64	5	1	1	1	1	1	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
2,488	1,744	62,728	5,526	4,271	3,593	2,819	2,305	1,853	1,587	1,381	1,109	951	884	1
1	2	7	4	6	10	18	9	23	21	19	15	20	26	2
3	4	58	15	8	3	2	1	-	1	1	-	1	-	3
26	14	66	66	90	89	76	72	45	59	48	48	22	19	4
4	4	9	67	64	50	29	24	24	24	21	15	16	24	5
29	16	134	81	92	103	95	88	72	91	73	72	69	77	6
23	10	185	101	91	58	47	37	22	11	9	13	8	4	7
14	18	81	57	61	42	42	50	35	32	31	24	18	26	8
13	17	192	77	71	81	72	64	66	56	39	39	26	31	9
16	14	51	1,104	1,004	937	768	619	478	375	296	250	204	172	10
16	14	51	48	51	58	66	43	48	30	18	23	15	10	11
...	...	...	1,056	953	879	702	576	430	345	278	227	189	162	12
28	24	125	130	133	142	104	97	69	71	49	34	37	38	13
36	25	476	90	66	29	43	27	23	29	26	13	6	16	14
2	1	9	714	600	585	470	413	335	316	262	193	157	128	15
27	9	145	81	55	41	29	27	18	18	14	24	21	16	16
633	453	8,619	1,241	787	619	462	330	305	212	219	140	159	128	17
142	92	961	212	112	113	92	55	60	27	36	23	20	18	18
240	192	3,688	538	399	301	254	157	138	94	92	61	76	57	19
251	169	3,970	491	276	205	136	118	107	91	91	56	63	53	20
1,429	948	50,730	866	370	202	95	73	61	39	37	41	22	23	21
80	31	10,516	29	16	9	6	3	11	7	2	6	4	2	22
51	21	5,474	21	16	9	6	3	11	7	1	6	4	2	23
29	10	5,042	8	-	-	-	-	-	-	1	-	-	-	24
61	22	4,565	15	14	8	4	3	5	5	-	6	4	2	25
48	18	3,380	13	14	8	4	3	5	5	-	6	4	2	26
13	4	1,185	2	-	-	-	-	-	-	-	-	-	-	27
19	9	5,951	14	2	1	2	-	6	2	2	-	-	-	28
3	3	2,094	8	2	1	2	-	6	2	1	-	-	-	29
16	6	3,857	6	-	-	-	-	-	-	1	-	-	-	30
125	58	10,966	121	55	25	11	9	8	2	6	5	3	2	31
49	27	4,112	65	44	22	10	8	7	2	6	5	3	2	32
76	31	6,854	56	11	3	1	1	1	-	-	-	-	-	33
365	331	2,206	...	...	...	...	...	...	...	...	...	...	...	34
265	249	1,495	...	...	...	...	...	...	...	...	...	...	...	35
100	82	711	...	...	...	...	...	...	...	...	...	...	...	36
304	207	805	18	5	2	-	-	-	-	-	-	-	-	37
214	152	591	12	4	1	-	-	-	-	-	-	-	-	38
90	55	214	6	1	1	-	-	-	-	-	-	-	-	39
43	20	240	9	1	-	-	1	1	-	-	-	-	-	40
33	12	169	6	1	-	-	1	1	-	-	-	-	-	41
10	8	71	3	-	-	-	-	-	-	-	-	-	-	42
5	5	910	5	1	1	-	-	-	-	-	-	-	-	43
1	-	201	-	-	-	-	-	-	-	-	-	-	-	44
4	5	709	5	1	1	-	-	-	-	-	-	-	-	45
31	20	2,248	28	12	6	3	7	5	2	3	2	4	2	46
27	16	1,824	22	10	6	3	7	5	2	3	2	4	2	47
4	4	424	6	2	-	-	-	-	-	-	-	-	-	48
18	9	786	7	3	1	1	-	-	-	-	1	-	-	49
8	6	528	6	3	1	1	-	-	-	-	1	-	-	50
10	3	258	1	-	-	-	-	-	-	-	-	-	-	51
157	108	2,571	279	169	100	55	36	29	24	21	25	10	13	52
78	50	615	184	127	83	47	36	28	22	19	25	9	13	53
79	58	1,956	95	42	17	8	-	1	2	2	-	1	-	54
42	30	723	238	79	44	12	11	6	2	5	1	-	1	55
259	129	18,759	132	29	14	7	8	1	2	-	1	1	3	56
57	51	912	207	167	135	92	74	59	35	39	35	12	13	57
44	36	334	142	139	123	107	108	81	70	81	74	67	58	58
103	98	521	478	484	338	247	193	136	124	116	77	85	80	59
35	31	216	128	140	77	63	46	19	22	23	6	10	11	60
42	45	131	240	223	164	115	66	38	30	18	10	9	7	61
26	22	174	110	101	95	69	81	79	72	75	61	66	62	62
-	-	74	5	3	8	1	1	1	3	1	2	1	3	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	WHITE, MALE—All causes	51,530	18,251	5,536	3,823	2,011	1,086	780	616	2,594
2	Tuberculosis, all forms—001-019	96	1	-	-	1	1	-	-	-
3	Syphilis and its sequelae—020-029	57	19	6	2	2	-	1	1	3
4	Dysentery, all forms—045-048	370	1	1	1	-	-	2	2	10
5	Whooping cough—056	181	-	-	-	-	-	-	-	1
6	All other infective and parasitic diseases—030-044,049-055,057-138	612	2	2	1	4	5	7	6	33
7	Diseases of thymus gland—273	372	28	23	20	6	5	4	1	14
8	Meningitis, except meningococcal and tuberculous—340	284	1	-	3	1	1	3	-	17
9	All other diseases of nervous system and sense organs—330-334,341-398	464	44	8	8	4	4	5	3	8
10	Influenza and pneumonia, except pneumonia of newborn—480-493	3,479	-	1	1	1	2	-	1	5
11	Influenza—480-483	244	-	1	1	1	2	-	1	5
12	Pneumonia, except pneumonia of newborn—490-493	3,235	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system—470-475,500-527	589	9	9	4	5	5	1	1	9
14	Hernia and intestinal obstruction—560,561,570	524	96	27	35	17	10	14	12	34
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	2,281	1	1	-	-	-	-	-	1
16	All other diseases of digestive system—530-542,544-553,573-587	286	4	8	5	11	9	4	4	27
17	Congenital malformations—750-759	7,269	1,613	558	553	346	227	148	127	644
18	Spina bifida and meningocele—751	772	146	17	22	21	9	14	11	74
19	Congenital malformations of circulatory system—754	3,361	595	351	349	203	97	57	48	251
20	All other congenital malformations—750,752,753,755-759	3,136	872	190	182	122	121	77	68	319
21	Certain diseases of early infancy—760-776	31,103	16,127	4,777	3,073	1,536	764	550	429	1,462
22	Birth injuries—760,761	6,550	3,691	1,081	811	359	147	85	75	167
23	Without mention of immaturity (.0)	3,472	1,670	628	522	248	101	53	41	103
24	With immaturity (.5)	3,078	2,021	453	289	111	46	32	34	64
25	Intracranial and spinal injury at birth—760	2,997	1,105	581	556	289	115	65	59	133
26	Without mention of immaturity (.0)	2,243	820	421	432	212	89	46	37	92
27	With immaturity (.5)	744	285	160	124	57	26	19	22	41
28	Other birth injury—761	3,563	2,586	500	255	90	32	20	16	34
29	Without mention of immaturity (.0)	1,229	850	207	90	36	12	7	4	11
30	With immaturity (.5)	2,334	1,736	293	165	54	20	13	12	23
31	Postnatal asphyxia and atelectasis—762	6,789	3,433	1,473	823	340	151	88	60	188
32	Without mention of immaturity (.0)	2,617	1,193	578	360	167	66	35	17	68
33	With immaturity (.5)	4,172	2,240	895	463	173	85	53	43	120
34	Pneumonia of newborn—763	1,296	100	110	128	97	64	53	56	276
35	Without mention of immaturity (.0)	885	59	67	82	70	45	35	36	183
36	With immaturity (.5)	411	41	43	46	27	19	18	20	93
37	Diarrhea of newborn—764	488	2	2	3	2	2	7	8	152
38	Without mention of immaturity (.0)	357	2	1	3	2	2	7	5	120
39	With immaturity (.5)	129	-	1	-	-	-	-	3	32
40	Other infections of newborn—765-768	156	7	7	7	5	15	14	8	47
41	Without mention of immaturity (.0)	118	4	5	6	3	10	10	6	36
42	With immaturity (.5)	40	3	2	1	2	5	4	2	11
43	Neonatal disorders arising from maternal toxemia—769	515	276	98	67	35	5	10	6	12
44	Without mention of immaturity (.0-.4)	113	55	30	13	6	1	1	2	4
45	With immaturity (.5-.9)	402	221	63	54	29	4	9	4	8
46	Hemolytic disease of newborn (erythroblastosis)—770	1,381	445	153	207	224	120	43	41	75
47	Without mention of immaturity (.0-.2)	1,155	340	131	181	197	106	40	32	64
48	With immaturity (.5-.7)	226	105	22	26	27	14	3	9	11
49	Hemorrhagic disease of newborn—771	491	156	73	96	46	35	25	12	44
50	Without mention of immaturity (.0)	317	85	48	70	37	24	14	3	21
51	With immaturity (.5)	174	51	25	26	9	11	11	9	23
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	1,931	769	203	119	67	26	37	24	112
53	Without mention of immaturity (.0)	705	131	43	31	24	5	9	6	39
54	With immaturity (.5)	1,226	638	160	88	43	21	28	18	73
55	Immaturity with mention of any other subsidiary condition—774	646	211	43	33	20	14	15	8	43
56	Immaturity unqualified—776	10,862	7,057	1,539	779	341	185	173	131	346
57	Symptoms and ill-defined conditions—780-795	1,042	184	74	66	46	27	24	17	62
58	All other diseases—Residual	785	49	17	19	13	7	5	5	24
59	Accidents—E800-E962	1,682	39	21	32	17	19	11	7	40
60	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	469	5	13	20	10	11	5	6	22
61	Accidental mechanical suffocation in bed and cradle—E924	619	2	2	2	2	4	1	-	9
62	All other accidental causes—E800-E920,E923,E925-E962	594	32	6	10	5	4	5	1	9
63	Homicide—E964,E980-E999	55	35	3	-	1	-	1	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,436	1,011	36,944	3,214	2,444	1,935	1,564	1,282	1,027	883	689	597	506	465	1
-	-	-	-	-	-	-	-	-	-	-	-	-	-	
1	-	4	3	5	2	10	5	15	9	9	5	15	14	2
2	3	39	8	4	2	1	1	-	1	1	-	-	-	3
16	5	38	42	51	48	38	39	20	31	19	23	12	9	4
3	2	6	29	30	29	11	15	12	13	10	8	10	8	5
21	7	88	49	58	62	57	48	49	64	27	37	32	41	6
14	5	118	65	60	30	30	23	18	9	6	8	4	1	7
7	9	42	29	32	22	28	27	23	16	18	16	12	19	8
5	10	99	51	44	48	42	33	38	34	23	22	12	18	9
8	7	26	646	519	529	432	358	269	201	151	131	101	86	10
8	7	26	29	23	38	30	26	27	14	10	11	6	4	11
...	...	...	617	526	491	402	332	242	187	141	120	95	82	12
19	18	80	74	77	83	57	57	39	41	24	17	19	20	13
21	13	279	66	44	15	28	17	16	20	19	9	3	8	14
-	1	4	408	343	315	258	216	184	162	122	110	87	72	15
14	4	90	45	35	19	19	13	13	10	10	15	11	6	16
360	256	4,832	693	436	309	244	177	154	104	107	67	86	60	17
63	45	422	88	58	50	41	29	27	13	16	8	12	8	18
153	108	2,212	297	220	156	135	86	70	39	47	30	43	26	19
144	103	2,198	306	158	103	68	62	57	52	44	29	31	26	20
818	560	30,096	486	211	96	49	36	34	24	18	24	14	15	21
58	17	6,491	16	11	6	5	2	5	4	1	5	3	1	22
38	13	3,417	13	11	6	5	2	5	4	-	5	3	1	23
20	4	3,074	3	-	-	-	-	-	-	1	-	-	-	24
45	12	2,940	10	9	5	4	2	5	3	-	5	3	1	25
37	11	2,197	9	9	5	4	2	5	3	-	5	3	1	26
8	1	743	1	-	-	-	-	-	-	-	-	-	-	27
13	5	3,551	6	2	1	1	-	-	1	1	-	-	-	28
1	2	1,220	4	2	1	1	-	-	1	-	-	-	-	29
12	3	2,331	2	-	-	-	-	-	-	1	-	-	-	30
73	36	6,666	63	30	13	6	2	2	1	1	3	1	2	31
24	18	2,526	35	27	13	5	2	1	1	1	3	1	2	32
49	18	4,139	28	3	-	1	-	1	-	-	-	-	-	33
216	198	1,296	...	...	...	...	...	...	...	...	...	...	...	34
157	151	885	...	...	...	...	...	...	...	...	...	...	...	35
59	45	411	...	...	...	...	...	...	...	...	...	...	...	36
175	119	472	12	1	1	-	-	-	-	-	-	-	-	37
120	84	346	9	1	1	-	-	-	-	-	-	-	-	38
55	35	126	3	-	-	-	-	-	-	-	-	-	-	39
26	14	150	4	1	-	-	-	1	-	-	-	-	-	40
22	9	111	3	1	-	-	-	1	-	-	-	-	-	41
4	5	39	1	-	-	-	-	-	-	-	-	-	-	42
4	4	512	2	-	1	-	-	-	-	-	-	-	-	43
1	-	113	-	-	-	-	-	-	-	-	-	-	-	44
3	4	399	2	-	1	-	-	-	-	-	-	-	-	45
11	12	1,331	20	5	4	2	5	4	1	2	1	4	2	46
10	9	1,110	16	4	4	2	5	4	1	2	1	4	2	47
1	3	221	4	1	-	-	-	-	-	-	-	-	-	48
10	6	483	2	3	1	1	-	-	-	-	1	-	-	49
4	4	310	1	3	1	1	-	-	-	-	1	-	-	50
6	2	173	1	-	-	-	-	-	-	-	-	-	-	51
88	66	1,511	168	98	41	27	17	17	15	10	13	6	8	52
47	34	369	119	75	34	25	17	16	14	10	13	5	8	53
41	32	1,142	49	23	7	2	-	1	1	-	-	1	-	54
24	15	426	131	46	24	5	5	4	1	4	-	-	-	55
133	75	10,759	68	16	5	3	5	1	2	-	1	-	2	56
37	33	570	122	88	73	47	46	33	16	16	16	7	7	57
35	21	195	94	75	67	63	59	38	39	43	41	35	36	58
55	57	298	302	300	182	149	111	71	68	66	47	45	43	59
22	19	133	84	101	41	34	24	12	12	13	4	4	7	60
20	30	72	148	150	100	76	35	19	12	10	7	5	5	61
13	8	93	70	89	41	39	52	40	44	43	36	36	31	62
	-	40	2	1	4	1	1	1	1	-	1	1	2	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	WHITE, FEMALE----------All causes	37,477	12,917	3,814	2,427	1,259	759	610	412	1,801
2	Tuberculosis, all forms----------001-019	82	-	-	-	-	-	-	-	1
3	Syphilis and its sequelae----------020-029	33	11	3	-	1	-	-	1	1
4	Dysentery, all forms----------045-048	330	2	-	-	-	-	-	1	6
5	Whooping cough----------056	186	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	435	-	-	2	1	1	6	4	15
7	Diseases of thymus gland----------273	214	20	9	9	5	1	4	1	4
8	Meningitis, except meningococcal and tuberculous----------340	217	-	3	2	2	-	1	1	14
9	All other diseases of nervous system and sense organs-330-334,341-398	350	46	9	3	5	6	3	3	3
10	Influenza and pneumonia, except pneumonia of newborn--------480-493	2,779	-	1	1	1	1	-	-	6
11	Influenza----------480-483	217	-	1	1	1	1	-	-	6
12	Pneumonia, except pneumonia of newborn----------490-493	2,562	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system----------470-475,500-527	441	8	-	8	1	1	3	2	7
14	Hernia and intestinal obstruction----------560,561,570	320	73	20	17	17	8	10	5	20
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn----------543,571,572	1,901	1	-	-	-	-	1	1	-
16	All other diseases of digestive system-------530-542,544-553,573-587	203	3	2	3	8	4	3	3	11
17	Congenital malformations----------750-759	5,972	1,496	390	330	239	172	137	83	470
18	Spina bifida and meningocele----------761	957	192	37	31	19	18	20	10	86
19	Congenital malformations of circulatory system----------754	2,494	425	217	198	117	74	49	32	193
20	All other congenital malformations----------750,752,753,755-759	2,521	879	136	101	103	80	68	41	191
21	Certain diseases of early infancy----------760-776	21,456	11,041	3,317	1,988	931	535	413	285	1,125
22	Birth injuries----------760,761	4,061	2,417	652	405	188	107	75	32	113
23	Without mention of immaturity (.0)----------	2,088	1,109	356	248	121	61	51	22	68
24	With immaturity (.5)----------	1,973	1,308	296	157	67	46	24	10	45
25	Intracranial and spinal injury at birth----------760	1,644	654	326	264	128	71	53	22	80
26	Without mention of immaturity (.0)----------	1,201	476	236	194	90	51	42	19	57
27	With immaturity (.5)----------	443	178	90	70	39	20	11	3	23
28	Other birth injury----------761	2,417	1,763	326	141	59	36	22	10	33
29	Without mention of immaturity (.0)----------	887	633	120	54	31	10	9	3	11
30	With immaturity (.5)----------	1,530	1,130	206	87	28	26	13	7	22
31	Postnatal asphyxia and atelectasis----------762	4,424	2,205	967	529	196	80	71	44	135
32	Without mention of immaturity (.0)----------	1,669	776	369	210	81	27	23	14	52
33	With immaturity (.5)----------	2,755	1,429	598	319	115	53	48	30	83
34	Pneumonia of newborn----------763	910	58	75	77	63	49	38	37	228
35	Without mention of immaturity (.0)----------	610	38	41	54	39	32	25	20	155
36	With immaturity (.5)----------	300	20	34	23	24	17	14	17	73
37	Diarrhea of newborn----------764	344	2	-	3	-	6	1	1	103
38	Without mention of immaturity (.0)----------	251	1	-	2	-	3	1	1	75
39	With immaturity (.5)----------	93	1	-	1	-	3	-	-	28
40	Other infections of newborn----------765-768	96	7	4	3	8	5	4	11	25
41	Without mention of immaturity (.0)----------	62	4	2	3	5	3	4	8	15
42	With immaturity (.5)----------	34	3	2	-	3	2	-	3	10
43	Neonatal disorders arising from maternal toxemia----------769	402	222	65	54	13	19	5	3	15
44	Without mention of immaturity (.0-.4)----------	88	56	14	10	2	3	1	1	1
45	With immaturity (.5-.9)----------	314	166	51	44	11	16	4	2	14
46	Hemolytic disease of newborn (erythroblastosis)----------770	941	396	103	104	113	53	36	27	57
47	Without mention of immaturity (.0-.2)----------	735	298	71	87	93	48	31	22	40
48	With immaturity (.5-.7)----------	206	98	32	17	20	5	5	5	17
49	Hemorrhagic disease of newborn----------771	308	92	54	48	24	12	19	14	29
50	Without mention of immaturity (.0)----------	223	69	47	34	13	8	13	11	17
51	With immaturity (.5)----------	85	23	7	14	11	4	6	3	12
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment----------772,773	1,401	526	142	98	53	30	21	11	70
53	Without mention of immaturity (.0)----------	503	97	26	19	17	9	5	4	22
54	With immaturity (.5)----------	898	429	116	77	36	21	16	7	46
55	Immaturity with mention of any other subsidiary condition------774	476	128	49	18	14	4	11	6	34
56	Immaturity unqualified----------776	8,093	4,988	1,206	651	259	170	131	99	316
57	Symptoms and ill-defined conditions----------780-795	738	114	37	38	24	13	16	9	53
58	All other diseases----------Residual	597	42	11	15	13	5	6	2	23
59	Accidents----------E800-E962	1,175	31	10	12	11	11	7	10	42
60	Inhalation and ingestion of food or other object causing obstruction or suffocation----------E921,E922	292	3	6	7	8	4	4	9	17
61	Accidental mechanical suffocation in bed and cradle----------E924	432	2	1	-	1	1	1	1	15
62	All other accidental causes----------E800-E920,E923,E925-E962	451	26	3	5	2	6	2	-	10
63	Homicide----------E964,E980-E999	48	29	2	1	-	1	-	1	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
1,052	733	25,784	2,312	1,827	1,658	1,255	1,023	826	724	692	512	445	419	1
-	2	3	1	1	8	8	4	8	12	10	10	5	12	2
1	1	19	7	4	1	1	-	-	-	-	-	1	-	3
10	9	28	24	39	41	38	33	25	28	29	25	10	10	4
1	2	3	38	34	21	18	9	12	11	11	7	6	16	5
8	9	46	32	34	41	38	40	23	27	46	35	37	36	6
9	5	67	36	31	28	17	14	4	2	3	5	4	3	7
7	9	39	28	29	20	14	23	12	16	13	8	6	9	8
8	7	93	26	27	33	30	31	28	22	16	17	14	13	9
8	7	25	458	455	408	336	261	209	174	145	119	103	86	10
8	7	25	19	28	20	36	17	21	16	8	12	9	6	11
---	---	---	439	427	388	300	244	188	158	137	107	94	80	12
9	6	45	56	56	59	47	40	30	30	25	17	18	18	13
15	12	197	24	22	14	15	10	7	9	7	4	5	8	14
2	-	5	305	257	270	212	197	151	154	140	83	70	58	15
13	5	55	36	20	22	10	14	5	8	4	9	10	10	16
273	197	3,787	548	351	310	238	153	151	108	112	73	73	68	17
79	47	539	124	64	63	51	26	33	14	20	15	8	10	18
87	84	1,476	241	179	145	119	71	68	55	45	31	33	31	19
107	66	1,772	183	118	102	68	56	50	39	47	27	32	27	20
611	388	20,654	380	159	106	46	37	27	15	19	17	8	8	21
22	14	4,026	13	5	3	1	1	6	3	1	1	1	1	22
13	8	2,057	8	5	3	1	1	6	3	1	1	1	1	23
9	6	1,968	5	-	-	-	-	-	-	-	-	-	-	24
16	10	1,625	5	5	3	-	1	-	2	-	1	1	1	25
11	7	1,183	4	5	3	-	1	-	2	-	1	1	1	26
5	3	442	1	-	-	-	-	-	-	-	-	-	-	27
6	4	2,400	8	-	-	1	-	6	1	1	-	-	-	28
2	1	874	4	-	-	1	-	6	1	1	-	-	-	29
4	3	1,526	4	-	-	-	-	-	-	-	-	-	-	30
52	22	4,301	58	25	12	5	7	6	1	5	2	2	-	31
25	9	1,586	30	17	9	5	6	6	1	5	2	2	-	32
27	13	2,715	28	8	3	-	1	-	-	-	-	-	-	33
149	135	910	...	...	...	...	...	...	...	...	...	...	...	34
108	98	610	...	...	...	...	...	...	...	...	...	...	...	35
41	37	300	...	...	...	...	...	...	...	...	...	...	...	36
129	88	333	6	4	1	-	-	-	-	-	-	-	-	37
94	68	245	3	3	-	-	-	-	-	-	-	-	-	38
35	20	88	3	1	1	-	-	-	-	-	-	-	-	39
17	6	90	5	-	-	-	1	-	-	-	-	-	-	40
11	3	58	3	-	-	-	1	-	-	-	-	-	-	41
6	3	32	2	-	-	-	-	-	-	-	-	-	-	42
1	1	398	3	1	-	-	-	-	-	-	-	-	-	43
-	-	88	-	-	-	-	-	-	-	-	-	-	-	44
1	1	310	3	1	-	-	-	-	-	-	-	-	-	45
20	8	917	8	7	2	1	2	1	1	1	1	-	-	46
17	7	714	6	6	2	1	2	1	1	1	1	-	-	47
3	1	203	2	1	-	-	-	-	-	-	-	-	-	48
8	3	303	5	-	-	-	-	-	-	-	-	-	-	49
4	2	218	5	-	-	-	-	-	-	-	-	-	-	50
4	1	85	-	-	-	-	-	-	-	-	-	-	-	51
69	42	1,060	111	71	59	28	19	12	9	11	12	4	5	52
31	16	246	65	52	49	22	19	12	8	9	12	4	5	53
38	26	814	46	19	10	6	-	-	1	2	-	-	-	54
18	15	297	107	33	20	7	6	2	1	1	1	-	1	55
126	54	8,000	64	13	9	4	1	-	-	-	-	1	1	56
20	18	342	85	78	62	45	28	26	19	23	19	5	6	57
9	15	139	48	64	56	44	47	43	31	38	33	32	22	58
48	41	223	176	164	154	98	82	65	56	50	30	40	37	59
13	12	83	44	39	36	29	22	7	10	10	2	6	4	60
22	15	59	92	93	64	39	31	19	18	8	3	4	2	61
13	14	81	40	32	54	30	29	39	28	32	25	30	31	62
-	-	34	3	2	4	-	-	-	2	1	1	-	1	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	NEGRO, BOTH SEXES—All causes	21,213	5,863	1,733	1,081	650	456	370	282	1,212
2	Tuberculosis, all forms—001-019	76	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae—020-029	182	49	10	9	5	3	6	2	16
4	Dysentery, all forms—045-048	167	1	1	-	-	1	-	-	2
5	Whooping cough—056	149	-	-	-	-	-	-	-	2
6	All other infective and parasitic diseases—030-044,049-055,057-138	277	1	-	1	-	5	10	10	49
7	Diseases of thymus gland—273	90	7	1	5	2	1	1	-	5
8	Meningitis, except meningococcal and tuberculous—340	205	2	1	2	-	2	-	-	13
9	All other diseases of nervous system and sense organs—330-334,341-398	168	11	2	-	2	1	-	2	2
10	*Influenza and pneumonia, except pneumonia of newborn*—480-493	2,654	-	-	1	1	1	3	2	7
11	Influenza—480-483	317	-	-	1	1	1	3	2	7
12	Pneumonia, except pneumonia of newborn—490-493	2,337	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system—470-475,500-527	338	9	3	4	8	2	1	3	14
14	Hernia and intestinal obstruction—560,561,570	149	14	2	4	5	4	3	4	7
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	1,313	-	-	-	-	-	-	-	-
16	*All other diseases of digestive system*—530-542,544-553,573-587	117	2	-	3	5	3	1	3	6
17	Congenital malformations—750-759	1,173	190	80	73	55	40	29	18	115
18	Spina bifida and meningocele—751	76	6	3	2	3	1	1	2	11
19	Congenital malformations of circulatory system—754	548	82	48	37	36	16	18	3	41
20	*All other congenital malformations*—750,752,753,755-759	549	102	29	34	16	23	10	13	63
21	Certain diseases of early infancy—760-776	11,132	5,085	1,464	841	477	321	261	199	790
22	Birth injuries—760,761	1,629	868	263	165	86	48	28	30	73
23	Without mention of immaturity (.0)	1,077	537	181	129	65	31	21	19	47
24	With immaturity (.5)	552	331	82	37	21	17	7	11	26
25	Intracranial and spinal injury at birth—760	907	366	167	120	63	40	26	22	54
26	Without mention of immaturity (.0)	639	242	123	93	50	26	20	13	35
27	With immaturity (.5)	268	124	44	27	13	14	6	9	19
28	Other birth injury—761	722	502	96	45	23	8	2	8	19
29	Without mention of immaturity (.0)	438	295	58	35	15	5	1	6	12
30	With immaturity (.5)	284	207	38	10	8	3	1	2	7
31	Postnatal asphyxia and atelectasis—762	1,937	1,036	355	175	91	51	41	13	68
32	Without mention of immaturity (.0)	772	366	161	78	48	20	14	5	21
33	With immaturity (.5)	1,165	670	194	97	43	31	27	8	47
34	*Pneumonia of newborn*—763	718	40	47	51	36	40	40	37	165
35	Without mention of immaturity (.0)	539	30	34	42	29	30	29	28	121
36	With immaturity (.5)	179	10	13	9	7	10	11	9	44
37	Diarrhea of newborn—764	290	2	3	5	2	6	8	8	78
38	Without mention of immaturity (.0)	200	2	2	5	1	4	6	5	54
39	With immaturity (.5)	90	-	1	-	1	2	2	3	24
40	Other infections of newborn—765-768	99	11	3	5	6	8	4	7	24
41	Without mention of immaturity (.0)	64	6	2	4	6	6	4	5	17
42	With immaturity (.5)	35	5	1	1	2	2	-	2	7
43	Neonatal disorders arising from maternal toxemia—769	205	108	35	20	14	8	4	2	10
44	Without mention of immaturity (.0-.4)	64	34	13	3	8	1	2	-	1
45	With immaturity (.5-.9)	141	72	22	17	6	7	2	2	9
46	Hemolytic disease of newborn (erythroblastosis)—770	174	50	10	21	18	16	11	9	19
47	Without mention of immaturity (.0-.2)	135	36	6	17	15	14	7	9	15
48	With immaturity (.5-.7)	39	14	4	4	3	2	4	-	4
49	Hemorrhagic disease of newborn—771	206	49	31	33	28	13	10	2	20
50	Without mention of immaturity (.0)	157	40	24	23	21	10	10	1	12
51	With immaturity (.5)	49	9	7	10	7	3	-	1	8
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	1,151	295	86	64	29	20	21	15	87
53	Without mention of immaturity (.0)	544	78	41	28	16	9	6	7	36
54	With immaturity (.5)	607	217	55	36	13	11	13	8	51
55	Immaturity with mention of any other subsidiary condition—774	290	55	12	8	4	3	6	3	9
56	Immaturity unqualified—776	4,433	2,573	609	294	161	108	88	73	237
57	Symptoms and ill-defined conditions—780-795	1,910	421	149	112	68	63	48	33	146
58	All other diseases—Residual	254	12	6	3	2	2	3	1	9
59	Accidents—E800-E962	836	44	12	22	20	7	4	5	29
60	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	163	3	4	11	9	1	4	2	8
61	Accidental mechanical suffocation in bed and cradle—E924	309	6	2	2	2	3	-	-	9
62	All other accidental causes—E800-E920,E923,E925-E962	364	35	6	9	9	3	-	3	12
63	Homicide—E964,E980-E990	25	15	2	1	-	-	-	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
798	586	13,051	1,863	1,328	1,103	893	756	605	439	406	315	264	211	1
-	-	-	1	4	2	7	6	9	9	8	11	13	6	2
11	8	119	23	17	8	4	3	2	3	-	-	3	-	3
3	4	12	22	22	18	23	23	15	9	8	7	4	4	4
1	5	8	13	17	24	22	13	15	10	11	7	2	7	5
19	7	102	14	16	20	19	22	21	10	18	9	12	14	6
2	4	28	14	7	15	6	10	5	3	1	1	-	-	7
11	2	33	12	19	18	16	17	12	19	17	16	9	15	8
-	1	21	22	19	19	15	13	12	11	7	10	15	4	9
14	11	40	485	394	391	321	263	203	146	139	112	91	69	10
14	11	40	51	30	43	38	28	18	13	24	14	7	11	11
...	...	...	434	364	348	283	235	185	133	115	98	84	58	12
15	12	71	47	34	37	31	36	24	13	21	15	6	5	13
8	6	57	15	17	11	8	12	7	4	6	2	8	2	14
1	-	1	287	228	169	167	130	111	69	57	37	32	25	15
3	2	28	21	14	8	11	11	5	3	5	4	5	2	16
53	52	705	125	86	66	42	38	33	21	21	11	13	11	17
7	4	40	13	6	7	2	4	3	1	-	-	-	-	18
22	18	321	48	41	33	25	23	15	11	10	5	9	7	19
24	30	344	64	39	26	15	12	15	9	11	6	4	4	20
535	378	10,351	387	162	76	55	26	23	17	9	9	7	10	21
24	15	1,600	9	10	4	2	2	-	1	-	1	-	-	22
16	10	1,055	7	7	4	1	1	-	1	-	1	-	-	23
8	5	545	2	3	-	1	1	-	-	-	-	-	-	24
18	13	889	5	8	2	1	-	-	1	-	1	-	-	25
13	9	624	5	6	2	-	-	-	1	-	1	-	-	26
5	4	265	-	2	-	1	-	-	-	-	-	-	-	27
6	2	711	4	2	2	1	2	-	-	-	-	-	-	28
3	1	431	2	1	2	1	1	-	-	-	-	-	-	29
3	1	280	2	1	-	-	1	-	-	-	-	-	-	30
39	13	1,682	20	10	12	3	3	2	1	-	-	2	2	31
8	9	730	10	8	11	3	3	2	1	-	-	2	2	32
31	4	1,152	10	2	1	-	-	-	-	-	-	-	-	33
150	112	718	...	...	...	...	...	...	...	...	...	...	...	34
108	88	539	...	...	...	...	...	...	...	...	...	...	...	35
42	24	179	...	...	...	...	...	...	...	...	...	...	...	36
63	92	267	2	1	-	-	-	-	-	-	-	-	-	37
60	59	198	1	1	-	-	-	-	-	-	-	-	-	38
23	33	89	1	-	-	-	-	-	-	-	-	-	-	39
18	9	97	2	-	-	-	-	-	-	-	-	-	-	40
9	3	62	2	-	-	-	-	-	-	-	-	-	-	41
9	6	35	-	-	-	-	-	-	-	-	-	-	-	42
1	1	201	4	-	-	-	-	-	-	-	-	-	-	43
1	-	63	1	-	-	-	-	-	-	-	-	-	-	44
-	1	138	3	-	-	-	-	-	-	-	-	-	-	45
9	2	165	4	2	-	1	-	1	-	-	-	-	1	46
7	1	127	4	2	-	1	-	1	-	-	-	-	-	47
2	1	38	-	-	-	-	-	-	-	-	-	-	1	48
8	4	198	5	2	-	1	-	-	-	-	-	-	-	49
6	3	150	4	2	-	1	-	-	-	-	-	-	-	50
2	1	48	1	-	-	-	-	-	-	-	-	-	-	51
80	57	764	155	84	39	32	19	18	14	9	7	5	5	52
28	33	284	92	54	22	25	16	16	11	8	7	4	5	53
52	24	480	63	30	17	7	3	2	3	1	-	1	-	54
14	7	121	95	37	18	12	2	2	-	-	1	-	2	55
109	86	4,318	91	16	3	4	-	-	1	-	-	-	-	56
75	66	1,181	204	135	109	74	50	48	39	23	21	19	7	57
10	4	52	24	23	22	13	31	17	19	16	17	13	10	58
37	24	204	146	113	90	58	50	42	33	39	26	15	20	59
10	4	56	20	19	15	16	13	5	6	7	2	3	1	60
20	15	59	85	56	47	20	13	12	8	5	1	1	2	61
7	5	89	41	38	28	22	24	25	19	27	23	11	17	62
-	-	18	1	1	-	1	1	1	-	-	2	-	-	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	NEGRO, MALE—All causes	11,004	3,309	1,038	628	391	274	216	157	666
2	Tuberculosis, all forms—001-019	37	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae—020-029	98	24	5	5	5	2	3	1	12
4	Dysentery, all forms—045-048	88	-	-	-	-	-	-	-	1
5	Whooping cough—056	80	-	-	-	-	-	-	-	2
6	All other infective and parasitic diseases—030-044,049-055,057-138	162	1	-	1	-	3	6	7	25
7	Diseases of thymus gland—273	50	5	-	4	1	-	-	-	2
8	Meningitis, except meningococcal and tuberculous—34(	115	2	1	2	-	2	-	-	5
9	All other diseases of nervous system and sense organs—330-334,341-398	98	8	1	-	1	1	-	2	2
10	Influenza and pneumonia, except pneumonia of newborn—480-493	1,437	-	-	1	-	1	1	1	4
11	Influenza—480-483	185	-	-	1	-	1	1	1	4
12	Pneumonia, except pneumonia of newborn—490-493	1,252	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system—470-475,500-527	185	8	3	1	7	2	-	3	9
14	Hernia and intestinal obstruction—560,561,570	103	11	-	4	4	1	-	2	7
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	748	-	-	-	-	-	-	-	-
16	*All other diseases of digestive system*—530-542,544-553,573-587	63	1	-	2	1	3	1	2	2
17	Congenital malformations—750-759	667	104	44	43	35	24	16	10	70
18	Spina bifida and meningocele—751	45	4	1	2	2	1	-	2	7
19	Congenital malformations of circulatory system—754	300	55	29	17	25	8	10	2	25
20	All other congenital malformations—750,752,753,755-759	322	45	14	24	8	14	6	6	38
21	Certain diseases of early infancy—760-776	6,278	2,850	860	479	286	185	158	113	424
22	Birth injuries—760,761	959	499	158	101	56	26	19	17	45
23	Without mention of immaturity (.0)	635	302	106	79	45	20	14	10	32
24	With immaturity (.5)	324	197	52	22	11	6	5	7	13
25	Intracranial and spinal injury at birth—760	563	219	109	83	43	21	17	11	32
26	Without mention of immaturity (.0)	398	141	78	65	35	16	13	6	25
27	With immaturity (.5)	165	78	31	18	8	5	4	5	9
28	Other birth injury—761	396	280	49	18	13	5	2	6	13
29	Without mention of immaturity (.0)	237	161	28	14	10	4	1	4	9
30	With immaturity (.5)	159	119	21	4	3	1	1	2	4
31	Postnatal asphyxia and atelectasis—762	1,112	589	206	99	52	32	28	5	38
32	Without mention of immaturity (.0)	455	207	97	46	30	12	10	2	14
33	With immaturity (.5)	657	382	109	53	22	20	18	3	24
34	Pneumonia of newborn—763	402	24	32	31	21	27	27	20	85
35	Without mention of immaturity (.0)	306	17	22	25	19	21	19	16	59
36	With immaturity (.5)	96	7	10	6	2	6	8	4	26
37	Diarrhea of newborn—764	176	-	1	4	1	3	6	7	48
38	Without mention of immaturity (.0)	126	-	1	4	1	2	4	4	32
39	With immaturity (.5)	50	-	-	-	-	1	2	3	16
40	Other infections of newborn—765-768	55	5	-	2	4	6	3	4	14
41	Without mention of immaturity (.0)	35	3	-	2	3	4	3	2	9
42	With immaturity (.5)	20	2	-	-	1	2	-	2	5
43	Neonatal disorders arising from maternal toxemia—769	117	62	21	12	6	5	2	2	4
44	Without mention of immaturity (.0-.4)	41	24	10	-	5	-	2	-	-
45	With immaturity (.5-.9)	76	38	11	12	1	5	-	2	4
46	Hemolytic disease of newborn (erythroblastosis)—770	102	25	2	16	15	9	8	6	12
47	Without mention of immaturity (.0-.2)	85	21	1	14	12	8	5	6	9
48	With immaturity (.5-.7)	17	4	1	2	3	1	3	-	3
49	Hemorrhagic disease of newborn—771	132	29	18	20	20	10	8	1	14
5/	Without mention of immaturity (.0)	108	27	16	14	16	7	8	-	10
51	With immaturity (.5)	24	2	2	6	4	3	-	1	4
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	652	166	55	32	22	11	9	8	48
53	Without mention of immaturity (.0)	315	43	20	14	14	7	2	5	22
5	With immaturity (.5)	337	123	35	18	8	4	7	3	26
55	Immaturity with mention of any other subsidiary condition—774	153	35	8	5	3	-	2	2	2
56	Immaturity unqualified—776	2,418	1,418	359	157	86	56	47	41	114
57	Symptoms and ill-defined conditions—780-795	1,072	252	89	69	42	46	26	13	78
58	All other diseases—Residual	149	9	1	3	1	2	1	-	6
59	Accidents—E800-E962	460	25	4	14	8	2	3	3	17
60	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	92	2	2	6	3	1	3	1	6
61	Accidental *mechanical* suffocation in bed and cradle—E924	168	4	1	2	1	-	-	-	5
62	All other accidental causes—E800-E920,E923,E925-E962	200	19	1	6	4	1	-	2	6
63	Homicide—E964,E960-E999	14	9	-	-	-	-	-	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
436	318	7,403	1,058	747	581	477	391	328	242	225	179	154	119	1
-	-	-	1	4	1	4	3	3	4	2	6	6	3	2
4	3	64	13	8	5	3	2	1	1	-	-	1	-	3
3	2	6	11	12	8	16	11	8	5	5	3	-	3	4
-	1	3	8	7	12	11	10	9	7	6	4	2	1	5
10	5	58	9	10	12	15	14	9	5	9	6	8	7	6
1	4	17	9	2	10	-	5	4	1	1	1	-	-	7
9	-	21	7	11	9	9	9	6	10	12	8	4	9	8
-	-	15	12	11	10	7	4	8	6	6	4	11	4	9
13	5	26	272	224	214	172	134	102	69	70	60	56	38	10
13	5	26	30	17	24	24	15	7	7	15	8	4	8	11
...	...	...	242	207	190	148	119	95	62	55	52	52	30	12
6	7	48	28	18	16	14	18	13	10	9	7	4	2	13
5	4	38	9	14	7	5	11	4	3	4	2	5	1	14
-	-	-	170	137	81	90	62	64	49	37	24	18	16	15
1	1	14	12	9	3	8	3	3	1	2	4	4	-	16
29	33	408	69	47	36	26	20	25	7	10	7	6	6	17
5	3	27	5	5	4	-	1	3	-	-	-	-	-	18
10	13	195	22	18	13	16	10	10	4	4	2	3	3	19
14	17	186	42	24	19	10	9	12	3	6	5	3	3	20
293	202	5,851	217	97	36	21	13	12	11	6	4	4	6	21
14	10	945	5	5	3	1	-	-	-	-	-	-	-	22
10	7	625	3	4	3	-	-	-	-	-	-	-	-	23
4	3	320	2	1	-	1	-	-	-	-	-	-	-	24
11	9	555	1	4	2	1	-	-	-	-	-	-	-	25
8	6	391	1	4	2	-	-	-	-	-	-	-	-	26
3	3	164	-	-	-	1	-	-	-	-	-	-	-	27
3	1	390	4	1	1	-	-	-	-	-	-	-	-	28
2	1	234	2	-	1	-	-	-	-	-	-	-	-	29
1	-	156	2	1	-	-	-	-	-	-	-	-	-	30
21	7	1,077	15	6	8	-	1	2	-	-	-	2	1	31
4	6	428	8	5	8	-	1	2	-	-	-	2	1	32
17	1	649	7	1	-	-	-	-	-	-	-	-	-	33
81	54	402	...	...	...	...	...	...	...	...	...	...	...	34
60	48	306	...	...	...	...	...	...	...	...	...	...	...	35
21	6	96	...	...	...	...	...	...	...	...	...	...	...	36
53	52	175	1	-	-	-	-	-	-	-	-	-	-	37
39	38	125	1	-	-	-	-	-	-	-	-	-	-	38
14	14	50	-	-	-	-	-	-	-	-	-	-	-	39
10	6	54	1	-	-	-	-	-	-	-	-	-	-	40
6	2	34	1	-	-	-	-	-	-	-	-	-	-	41
4	4	20	-	-	-	-	-	-	-	-	-	-	-	42
-	1	115	2	-	-	-	-	-	-	-	-	-	-	43
-	-	41	-	-	-	-	-	-	-	-	-	-	-	44
-	1	74	2	-	-	-	-	-	-	-	-	-	-	45
4	1	98	2	2	-	-	-	-	-	-	-	-	-	46
4	1	81	2	2	-	-	-	-	-	-	-	-	-	47
-	-	17	-	-	-	-	-	-	-	-	-	-	-	48
5	3	128	3	1	-	-	-	-	-	-	-	-	-	49
5	2	105	2	1	-	-	-	-	-	-	-	-	-	50
-	1	23	1	-	-	-	-	-	-	-	-	-	-	51
42	27	420	97	60	16	14	10	10	10	6	4	2	3	52
20	14	161	58	39	7	11	8	9	8	5	4	2	3	53
22	13	259	39	21	9	3	2	1	2	1	-	-	-	54
7	2	66	55	17	6	5	2	-	-	-	-	-	2	55
56	39	2,371	36	6	3	1	-	-	1	-	-	-	-	56
37	35	687	111	63	55	36	30	27	19	15	12	13	4	57
7	3	33	15	10	11	10	18	9	14	11	9	6	3	58
18	13	107	84	62	55	29	23	21	20	20	17	6	16	59
3	2	28	10	7	11	11	5	5	5	5	2	1	1	60
12	9	34	49	35	23	7	9	2	3	3	1	-	2	61
3	2	44	25	20	21	11	9	14	12	12	14	5	13	62
-	-	9	1	1	-	1	1	-	-	-	1	-	-	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	NEGRO, FEMALE---All causes	9,309	2,554	725	453	259	182	154	125	546
2	Tuberculosis, all forms---001-019	39	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae---020-029	84	25	5	4	-	1	3	1	4
4	Dysentery, all forms---045-048	79	1	1	-	-	1	-	-	1
5	Whooping cough---056	69	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	115	-	-	-	-	2	4	3	24
7	Diseases of thymus gland---273	40	2	1	1	1	1	1	-	3
8	Meningitis, except meningococcal and tuberculous---340	88	-	-	-	-	-	-	-	8
9	All other diseases of nervous system and sense organs-330-334,341-398	70	3	1	-	1	-	-	-	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	1,217	-	-	-	1	-	2	1	3
11	Influenza---480-483	132	-	-	-	1	-	2	1	3
12	Pneumonia, except pneumonia of newborn---490-493	1,085	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system---470-475,500-527	153	1	-	3	1	-	1	-	5
14	Hernia and intestinal obstruction---560,561,570	48	3	2	-	1	3	3	2	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	565	-	-	-	-	-	-	-	-
16	All other diseases of digestive system---530-542,544-553,573-587	54	1	-	1	4	-	-	1	4
17	Congenital malformations---750-759	506	86	38	30	20	16	13	8	45
18	Spina bifida and meningocele---751	31	2	2	-	1	-	1	-	4
19	Congenital malformations of circulatory system---754	248	27	19	20	11	7	8	1	16
20	All other congenital malformations---750,752,753,755-759	227	57	15	10	8	9	4	7	25
21	Certain diseases of early infancy---760-776	4,854	2,235	604	362	191	136	102	86	366
22	Birth injuries---760,761	670	369	105	64	30	22	9	13	28
23	Without mention of immaturity (.0)---	442	235	75	49	20	11	7	9	15
24	With immaturity (.5)---	228	134	30	15	10	11	2	4	13
25	Intracranial and spinal injury at birth---760	344	147	58	37	20	19	9	11	22
26	Without mention of immaturity (.0)---	241	101	45	28	15	10	7	7	12
27	With immaturity (.5)---	103	46	13	9	5	9	2	4	10
28	Other birth injury---761	326	222	47	27	10	3	-	2	6
29	Without mention of immaturity (.0)---	201	134	30	21	5	1	-	2	3
30	With immaturity (.5)---	125	88	17	6	5	2	-	-	3
31	Postnatal asphyxia and atelectasis---762	825	447	149	76	39	19	13	8	30
32	Without mention of immaturity (.0)---	317	159	64	32	18	8	4	3	7
33	With immaturity (.5)---	508	288	85	44	21	11	9	5	23
34	Pneumonia of newborn---763	316	16	15	20	15	13	13	17	80
35	Without mention of immaturity (.0)---	233	13	12	17	10	9	10	12	62
36	With immaturity (.5)---	83	3	3	3	5	4	3	5	18
37	Diarrhea of newborn---764	114	2	2	1	1	3	2	1	30
38	Without mention of immaturity (.0)---	74	2	1	1	-	2	2	1	22
39	With immaturity (.5)---	40	-	1	-	1	1	-	-	8
40	Other infections of newborn---765-768	44	6	3	3	4	2	1	3	10
41	Without mention of immaturity (.0)---	29	3	2	2	3	2	1	3	8
42	With immaturity (.5)---	15	3	1	1	1	-	-	-	2
43	Neonatal disorders arising from maternal toxemia---769	98	44	14	8	8	3	2	-	6
44	Without mention of immaturity (.0-.4)---	23	10	3	3	3	1	-	-	1
45	With immaturity (.5-.9)---	65	34	11	5	5	2	2	-	5
46	Hemolytic disease of newborn (erythroblastosis)---770	72	25	8	5	3	7	3	3	7
47	Without mention of immaturity (.0-.2)---	50	15	5	3	3	6	2	3	6
48	With immaturity (.5-.7)---	22	10	3	2	-	1	1	-	1
49	Hemorrhagic disease of newborn---771	74	20	13	13	8	3	2	1	6
50	Without mention of immaturity (.0)---	49	13	8	9	5	3	2	1	2
51	With immaturity (.5)---	25	7	5	4	3	-	-	-	4
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	499	129	41	32	7	9	12	7	39
53	Without mention of immaturity (.0)---	229	35	21	14	2	2	6	2	14
54	With immaturity (.5)---	270	94	20	18	5	7	6	5	25
55	Immaturity with mention of any other subsidiary condition---774	137	20	4	3	1	3	4	1	7
56	Immaturity unqualified---776	2,015	1,157	250	137	75	52	41	32	123
57	Symptoms and ill-defined conditions---780-795	838	169	60	43	28	17	22	20	68
58	All other diseases---Residual	105	3	5	-	1	-	2	1	3
59	Accidents---E800-E962	376	19	8	8	12	5	1	2	12
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	71	1	2	5	6	-	1	1	2
61	Accidental mechanical suffocation in bed and cradle---E924	141	2	1	-	1	3	-	-	4
62	All other accidental causes---E800-E920,E923,E925-E962	164	16	5	3	5	2	-	1	6
63	Homicide---E964,E980-E999	11	6	2	1	-	-	-	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
382	268	5,628	805	581	522	416	385	277	196	181	136	110	92	1
-	-	-	-	-	1	3	3	6	5	6	5	7	3	2
7	5	55	10	9	3	1	1	1	2	-	-	2	-	3
-	2	6	11	10	10	7	12	7	4	3	4	4	1	4
1	4	5	6	10	12	11	3	6	3	5	3	-	6	5
9	2	44	5	6	8	4	8	12	5	9	3	4	7	6
1	-	11	5	5	5	6	5	1	2	-	-	-	-	7
2	2	12	5	8	9	7	8	6	9	5	8	5	6	8
-	1	6	10	8	9	8	9	4	5	1	6	4	-	9
1	8	14	213	170	177	149	129	101	77	69	52	35	31	10
1	8	14	21	13	19	14	13	11	8	9	6	3	3	11
...	...	...	192	157	158	135	116	90	71	60	46	32	28	12
9	5	25	19	16	21	17	18	11	3	12	6	2	3	13
3	2	19	6	3	4	3	1	3	1	2	-	3	1	14
1	-	1	117	91	88	77	68	47	20	20	13	14	9	15
2	1	14	9	5	5	3	8	2	2	3	-	1	2	16
24	19	297	58	39	30	16	19	8	14	11	4	7	5	17
2	1	13	8	1	3	2	3	-	1	-	-	-	-	18
12	5	126	26	23	20	9	13	5	7	6	3	6	4	19
10	13	158	22	15	7	5	3	3	6	5	1	1	1	20
242	176	4,500	170	85	40	34	13	11	6	3	5	3	4	21
10	5	655	4	5	1	1	2	-	1	-	1	-	-	22
6	3	430	4	3	1	1	1	-	1	-	1	-	-	23
4	2	225	-	2	-	-	1	-	-	-	-	-	-	24
7	4	334	4	4	-	-	-	-	1	-	1	-	-	25
5	3	253	4	2	-	-	-	-	1	-	1	-	-	26
2	1	101	-	2	-	-	-	-	-	-	-	-	-	27
3	1	321	-	1	1	1	2	-	-	-	-	-	-	28
1	-	197	-	1	1	1	1	-	-	-	-	-	-	29
2	1	124	-	-	-	-	1	-	-	-	-	-	-	30
18	6	805	5	4	4	3	2	-	1	-	-	-	1	31
4	3	302	2	3	3	3	2	-	1	-	-	-	1	32
14	3	503	3	1	1	-	-	-	-	-	-	-	-	33
69	58	316	...	...	...	...	...	...	...	...	...	...	...	34
48	40	233	...	...	...	...	...	...	...	...	...	...	...	35
21	18	83	...	...	...	...	...	...	...	...	...	...	...	36
30	40	112	1	1	-	-	-	-	-	-	-	-	-	37
21	21	73	-	1	-	-	-	-	-	-	-	-	-	38
9	19	39	1	-	-	-	-	-	-	-	-	-	-	39
8	3	43	1	-	-	-	-	-	-	-	-	-	-	40
3	1	28	1	-	-	-	-	-	-	-	-	-	-	41
5	2	15	-	-	-	-	-	-	-	-	-	-	-	42
1	-	86	2	-	-	-	-	-	-	-	-	-	-	43
1	-	22	1	-	-	-	-	-	-	-	-	-	-	44
-	-	64	1	-	-	-	-	-	-	-	-	-	-	45
5	1	67	2	-	-	1	-	1	-	-	-	-	1	46
3	-	46	2	-	-	1	-	1	-	-	-	-	-	47
2	1	21	-	-	-	-	-	-	-	-	-	-	1	48
3	1	70	2	1	-	1	-	-	-	-	-	-	-	49
1	1	45	2	1	-	1	-	-	-	-	-	-	-	50
2	-	25	-	-	-	-	-	-	-	-	-	-	-	51
38	30	344	58	24	23	18	9	8	4	3	3	3	2	52
8	19	123	34	15	15	14	8	7	3	3	3	2	2	53
30	11	221	24	9	8	4	1	1	1	-	-	1	-	54
7	5	55	40	20	12	7	-	2	-	-	1	-	-	55
53	27	1,947	55	10	-	3	-	-	-	-	-	-	-	56
38	31	494	93	72	54	38	20	21	20	8	9	6	3	57
3	1	19	9	13	11	3	13	8	5	5	8	4	7	58
19	11	97	62	51	35	29	27	21	13	19	9	9	4	59
7	2	27	10	12	4	5	8	-	1	2	-	2	-	60
8	6	25	36	21	24	13	4	10	5	2	-	1	-	61
4	3	45	16	18	7	11	15	11	7	15	9	6	4	62
-	-	9	-	-	-	-	-	1	-	-	1	-	-	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	OTHER RACES, BOTH SEXES---All causes	1,311	228	69	55	33	19	20	14	64
2	Tuberculosis, all forms---001-019	25	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae---020-029	28	10	4	2	-	-	-	-	-
4	Dysentery, all forms---045-048	15	-	-	-	-	-	-	-	-
5	Whooping cough---056	8	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	31	-	-	-	-	-	-	-	3
7	Diseases of thymus gland---273	7	2	-	1	1	-	-	-	-
8	Meningitis, except meningococcal and tuberculous---340	18	-	-	-	-	-	-	-	1
9	All other diseases of nervous system and sense organs-330-334,341-398	12	-	-	-	-	-	-	-	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	229	-	-	-	-	1	-	-	-
11	Influenza---480-483	10	-	-	-	-	1	-	-	-
12	Pneumonia, except pneumonia of newborn---490-493	219	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system---470-475,500-527	20	-	-	-	-	-	-	-	1
14	Hernia and intestinal obstruction---560,561,570	8	-	-	-	-	-	-	-	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	172	-	-	-	-	-	-	-	-
16	All other diseases of digestive system---530-542,544-553,573-587	2	-	-	-	-	-	-	-	-
17	Congenital malformations---750-759	90	15	6	7	6	1	4	1	4
18	Spina bifida and meningocele---751	6	-	-	-	1	-	-	-	-
19	Congenital malformations of circulatory system---754	40	5	3	4	2	-	2	1	3
20	All other congenital malformations---750,752,753,755-759	42	10	3	3	3	1	2	-	1
21	Certain diseases of early infancy---760-776	467	193	49	38	22	12	12	10	43
22	Birth injuries---760,761	72	38	9	10	3	3	-	2	3
23	Without mention of immaturity (.0)---	45	20	6	7	2	3	-	2	1
24	With immaturity (.5)---	27	18	3	3	1	-	-	-	2
25	Intracranial and spinal injury at birth---760	36	13	6	6	2	2	-	2	2
26	Without mention of immaturity (.0)---	29	9	6	4	2	2	-	2	1
27	With immaturity (.5)---	7	4	-	2	-	-	-	-	1
28	Other birth injury---761	36	25	3	4	1	1	-	-	1
29	Without mention of immaturity (.0)---	16	11	-	3	-	1	-	-	-
30	With immaturity (.5)---	20	14	3	1	1	-	-	-	1
31	Postnatal asphyxia and atelectasis---762	89	43	17	6	4	4	5	2	1
32	Without mention of immaturity (.0)---	48	23	10	5	2	-	3	-	1
33	With immaturity (.5)---	41	20	7	1	2	4	2	2	-
34	Pneumonia of newborn---763	42	-	1	4	5	-	2	3	14
35	Without mention of immaturity (.0)---	35	-	1	3	5	-	2	3	8
36	With immaturity (.5)---	7	-	-	1	-	-	-	-	6
37	Diarrhea of newborn---764	22	-	-	-	1	1	-	-	7
38	Without mention of immaturity (.0)---	18	-	-	-	1	1	-	-	6
39	With immaturity (.5)---	4	-	-	-	-	-	-	-	1
40	Other infections of newborn---765-768	12	2	-	-	-	2	3	-	4
41	Without mention of immaturity (.0)---	10	1	-	-	-	2	3	-	3
42	With immaturity (.5)---	2	1	-	-	-	-	-	-	1
43	Neonatal disorders arising from maternal toxemia---769	7	4	1	2	-	-	-	-	-
44	Without mention of immaturity (.0-.4)---	1	1	-	-	-	-	-	-	-
45	With immaturity (.5-.9)---	6	3	1	2	-	-	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	7	3	-	-	1	-	-	-	3
47	Without mention of immaturity (.0-.2)---	6	2	-	-	1	-	-	-	3
48	With immaturity (.5-.7)---	1	1	-	-	-	-	-	-	-
49	Hemorrhagic disease of newborn---771	14	2	2	5	2	1	-	-	-
50	Without mention of immaturity (.0)---	12	2	2	4	2	-	-	-	-
51	With immaturity (.5)---	2	-	-	1	-	1	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	56	15	2	3	1	1	-	-	4
53	Without mention of immaturity (.0)---	39	3	1	3	-	1	-	-	3
54	With immaturity (.5)---	19	12	1	-	1	-	-	-	1
55	Immaturity with mention of any other subsidiary condition---774	12	2	-	1	-	-	-	-	1
56	Immaturity unqualified---776	132	84	17	7	5	-	2	3	6
57	Symptoms and ill-defined conditions---780-795	121	6	9	7	2	5	4	3	11
58	All other diseases---Residual	21	-	-	-	2	-	-	-	1
59	Accidents---E800-E962	37	2	1	-	-	-	-	-	-
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	8	-	1	-	-	-	-	-	-
61	Accidental mechanical suffocation in bed and cradle---E924	12	-	-	-	-	-	-	-	-
62	All other accidental causes---E800-E920,E923,E925-E962	17	2	-	-	-	-	-	-	-
63	Homicide---E964,E980-E999	-	-	-	-	-	-	-	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

(Category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
42	23	567	112	103	96	96	77	72	51	38	43	32	24	1
-	-	-	1	2	2	4	1	3	2	3	4	1	2	2
1	-	17	4	1	3	-	1	-	-	-	-	1	1	3
-	-	-	2	1	3	2	1	2	-	1	1	-	2	4
-	-	-	1	1	2	-	1	-	-	-	-	1	2	5
-	-	3	4	2	2	7	3	4	2	1	2	1	-	6
-	-	4	1	1	-	1	-	-	-	-	-	-	-	7
-	-	1	-	4	1	3	1	2	1	2	1	1	1	8
-	-	-	2	-	1	2	1	-	-	-	2	2	2	9
1	-	2	24	33	38	29	25	25	19	10	11	8	5	10
1	-	2	1	3	-	2	-	-	1	-	-	-	1	11
...	...	...	23	30	38	27	25	25	18	10	11	8	4	12
-	1	3	3	2	3	1	2	2	3	1	-	-	-	13
2	-	2	1	-	-	-	1	2	1	1	-	-	-	14
-	-	-	13	20	24	26	27	17	13	10	12	6	4	15
-	-	-	1	1	-	-	-	-	-	-	-	-	-	16
3	4	51	10	4	3	4	-	3	4	4	1	4	2	17
1	3	5	2	-	-	1	-	-	-	-	-	-	-	18
1	-	21	6	3	1	1	-	2	2	-	1	2	1	19
1	1	25	2	1	2	2	-	1	2	4	-	2	1	20
25	17	421	19	9	7	2	3	2	1	1	-	1	1	21
2	1	71	1	-	-	-	-	-	-	-	-	-	-	22
2	1	44	1	-	-	-	-	-	-	-	-	-	-	23
-	-	27	-	-	-	-	-	-	-	-	-	-	-	24
1	1	35	1	-	-	-	-	-	-	-	-	-	-	25
1	1	28	1	-	-	-	-	-	-	-	-	-	-	26
-	-	7	-	-	-	-	-	-	-	-	-	-	-	27
1	-	36	-	-	-	-	-	-	-	-	-	-	-	28
1	-	16	-	-	-	-	-	-	-	-	-	-	-	29
-	-	20	-	-	-	-	-	-	-	-	-	-	-	30
1	-	83	2	-	1	1	1	-	-	1	-	-	-	31
-	-	44	-	-	1	1	1	-	-	1	-	-	-	32
1	-	39	2	-	-	-	-	-	-	-	-	-	-	33
9	4	42	...	...	...	...	...	...	...	...	...	...	...	34
9	4	35	...	...	...	...	...	...	...	...	...	...	...	35
-	-	7	...	...	...	...	...	...	...	...	...	...	...	36
7	6	22	-	-	-	-	-	-	-	-	-	-	-	37
6	4	18	-	-	-	-	-	-	-	-	-	-	-	38
1	2	4	-	-	-	-	-	-	-	-	-	-	-	39
1	-	12	-	-	-	-	-	-	-	-	-	-	-	40
1	-	10	-	-	-	-	-	-	-	-	-	-	-	41
-	-	2	-	-	-	-	-	-	-	-	-	-	-	42
-	-	7	-	-	-	-	-	-	-	-	-	-	-	43
-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
-	-	6	-	-	-	-	-	-	-	-	-	-	-	45
-	-	7	-	-	-	-	-	-	-	-	-	-	-	46
-	-	8	-	-	-	-	-	-	-	-	-	-	-	47
-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
-	1	13	1	-	-	-	-	-	-	-	-	-	-	49
-	1	11	1	-	-	-	-	-	-	-	-	-	-	50
-	-	2	-	-	-	-	-	-	-	-	-	-	-	51
2	4	32	8	5	6	1	1	2	1	-	-	1	1	52
2	3	16	7	4	5	1	1	2	1	-	-	1	1	53
-	1	16	1	1	1	-	-	-	-	-	-	-	-	54
-	1	5	6	1	-	-	-	-	-	-	-	-	-	55
3	-	127	1	3	-	-	1	-	-	-	-	-	-	56
7	1	55	11	11	6	5	7	9	3	3	4	5	2	57
-	-	3	3	6	1	5	1	-	-	-	2	-	-	58
2	-	5	12	5	-	5	2	1	2	1	3	1	-	59
1	-	2	4	1	-	1	-	-	-	-	-	-	-	60
1	-	1	3	3	-	3	1	-	1	-	-	-	-	61
-	-	2	5	1	-	1	1	1	1	1	3	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	OTHER RACES, MALE---All causes	727	126	45	33	20	8	13	6	32
2	Tuberculosis, all forms---001-019	15	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae---020-029	13	3	3	2	-	-	-	-	-
4	Dysentery, all forms---045-048	7	-	-	-	-	-	-	-	-
5	Whooping cough---056	5	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases---030-044,049-055,057-138	10	-	-	-	-	-	-	-	1
7	Diseases of thymus gland---273	1	-	-	-	-	-	-	-	-
8	Meningitis, except meningococcal and tuberculous---340	12	-	-	-	-	-	-	-	1
9	All other diseases of nervous system and sense organs-330-334,341-398	7	-	-	-	-	-	-	-	-
10	Influenza and pneumonia, except pneumonia of newborn---480-493	120	-	-	-	-	-	-	-	-
11	Influenza---480-483	4	-	-	-	-	-	-	-	-
12	Pneumonia, except pneumonia of newborn---490-493	116	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system---470-475,500-527	7	-	-	-	-	-	-	-	-
14	Hernia and intestinal obstruction---560,561,570	3	-	-	-	-	-	-	-	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn---543,571,572	105	-	-	-	-	-	-	-	-
16	All other diseases of digestive system---530-542,544-553,573-587	-	-	-	-	-	-	-	-	-
17	Congenital malformations---750-759	53	6	4	4	4	-	3	-	3
18	Spina bifida and meningocele---751	6	-	-	-	-	-	-	-	-
19	Congenital malformations of circulatory system---754	22	1	2	4	2	-	1	-	2
20	All other congenital malformations---750,752,753,755-759	25	5	2	-	2	-	2	-	1
21	Certain diseases of early infancy---760-776	265	113	31	23	12	6	6	5	22
22	Birth injuries---760,761	43	20	6	8	1	1	-	2	2
23	Without mention of immaturity (.0)---	28	10	5	6	1	1	-	2	-
24	With immaturity (.5)---	15	10	1	2	-	-	-	-	2
25	Intracranial and spinal injury at birth---760	24	7	5	5	1	1	-	2	1
26	Without mention of immaturity (.0)---	19	5	5	3	1	1	-	2	-
27	With immaturity (.5)---	5	2	-	2	-	-	-	-	1
28	Other birth injury---761	19	13	1	3	-	-	-	-	1
29	Without mention of immaturity (.0)---	9	5	-	3	-	-	-	-	-
30	With immaturity (.5)---	10	8	1	-	-	-	-	-	1
31	Postnatal asphyxia and atelectasis---762	44	22	10	2	3	3	2	-	-
32	Without mention of immaturity (.0)---	20	9	5	2	2	-	1	-	-
33	With immaturity (.5)---	24	13	5	-	1	3	1	-	-
34	Pneumonia of newborn---763	20	-	1	2	1	-	2	1	7
35	Without mention of immaturity (.0)---	18	-	1	2	1	-	2	1	5
36	With immaturity (.5)---	2	-	-	-	-	-	-	-	2
37	Diarrhea of newborn---764	13	-	-	-	1	1	-	-	3
38	Without mention of immaturity (.0)---	9	-	-	-	1	1	-	-	2
39	With immaturity (.5)---	4	-	-	-	-	-	-	-	1
40	Other infections of newborn---765-766	8	2	-	-	-	1	2	-	2
41	Without mention of immaturity (.0)---	7	1	-	-	-	1	2	-	2
42	With immaturity (.5)---	1	1	-	-	-	-	-	-	-
43	Neonatal disorders arising from maternal toxemia---769	3	2	-	1	-	-	-	-	-
44	Without mention of immaturity (.0-.4)---	-	-	-	-	-	-	-	-	-
45	With immaturity (.5-.9)---	3	2	-	1	-	-	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)---770	7	3	-	-	1	-	-	-	3
47	Without mention of immaturity (.0-.2)---	6	2	-	-	1	-	-	-	3
48	With immaturity (.5-.7)---	1	1	-	-	-	-	-	-	-
49	Hemorrhagic disease of newborn---771	8	1	-	4	2	-	-	-	-
50	Without mention of immaturity (.0)---	7	1	-	3	2	-	-	-	-
51	With immaturity (.5)---	1	-	-	1	-	-	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment---772,773	34	13	2	2	-	-	-	-	3
53	Without mention of immaturity (.0)---	21	3	1	2	-	-	-	-	3
54	With immaturity (.5)---	13	10	1	-	-	-	-	-	-
55	Immaturity with mention of any other subsidiary condition---774	9	2	-	-	-	-	-	-	-
56	Immaturity unqualified---776	76	48	12	4	3	-	-	2	2
57	Symptoms and ill-defined conditions---780-795	73	3	6	4	2	2	4	1	4
58	All other diseases---Residual	15	-	-	-	2	-	-	-	1
59	Accidents---E800-E962	16	1	1	-	-	-	-	-	-
60	Inhalation and ingestion of food or other object causing obstruction or suffocation---E921,E922	5	-	1	-	-	-	-	-	-
61	Accidental mechanical suffocation in bed and cradle---E924	5	-	-	-	-	-	-	-	-
62	All other accidental causes---E800-E920,E923,E925-E962	8	1	-	-	-	-	-	-	-
63	Homicide---E964,E980-E999	-	-	-	-	-	-	-	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
23	15	321	66	60	52	54	43	39	24	18	16	19	15	1
-	-	-	1	2	-	3	1	3	-	2	2	-	1	2
-	-	8	1	1	1	-	1	-	-	-	-	-	1	3
-	-	-	-	1	2	2	-	-	-	-	1	-	1	4
-	-	-	-	1	1	-	1	-	-	-	-	1	1	5
-	-	1	2	1	1	3	-	1	-	-	-	1	-	6
-	-	-	1	-	-	-	-	-	-	-	-	-	-	7
-	-	1	-	3	-	1	1	2	1	2	-	1	-	8
-	-	-	1	-	1	-	-	-	-	-	2	1	2	9
-	-	-	13	12	23	17	15	13	10	4	3	5	5	10
-	-	-	1	-	-	1	-	-	1	-	-	-	1	11
...	...	...	12	12	23	16	15	13	9	4	3	5	4	12
-	1	1	1	-	3	-	1	1	-	-	-	-	-	13
1	-	1	-	-	-	-	-	-	1	1	-	-	-	14
-	-	-	11	14	12	18	16	12	5	4	5	5	3	15
-	-	-	-	-	-	-	-	-	-	-	-	-	-	16
1	3	28	7	3	2	3	-	2	2	3	-	3	-	17
1	3	4	1	-	-	1	-	-	-	-	-	-	-	18
-	-	12	4	2	-	1	-	1	1	-	-	1	-	19
-	-	12	2	1	2	1	-	1	1	3	-	2	-	20
14	10	242	11	7	2	-	1	1	1	-	-	-	-	21
2	1	43	-	-	-	-	-	-	-	-	-	-	-	22
2	1	28	-	-	-	-	-	-	-	-	-	-	-	23
-	-	15	-	-	-	-	-	-	-	-	-	-	-	24
1	1	24	-	-	-	-	-	-	-	-	-	-	-	25
1	1	19	-	-	-	-	-	-	-	-	-	-	-	26
-	-	5	-	-	-	-	-	-	-	-	-	-	-	27
1	-	19	-	-	-	-	-	-	-	-	-	-	-	28
1	-	9	-	-	-	-	-	-	-	-	-	-	-	29
-	-	10	-	-	-	-	-	-	-	-	-	-	-	30
1	-	43	-	-	-	1	-	-	-	-	-	-	-	31
-	-	19	-	-	-	1	-	-	-	-	-	-	-	32
1	-	24	-	-	-	-	-	-	-	-	-	-	-	33
4	2	20	...	...	...	...	...	...	...	...	...	...	...	34
4	2	18	...	...	...	...	...	...	...	...	...	...	...	35
-	-	2	...	...	...	...	...	...	...	...	...	...	...	36
5	3	13	-	-	-	-	-	-	-	-	-	-	-	37
4	1	9	-	-	-	-	-	-	-	-	-	-	-	38
1	2	4	-	-	-	-	-	-	-	-	-	-	-	39
1	-	8	-	-	-	-	-	-	-	-	-	-	-	40
1	-	7	-	-	-	-	-	-	-	-	-	-	-	41
-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
-	-	3	-	-	-	-	-	-	-	-	-	-	-	43
-	-	-	-	-	-	-	-	-	-	-	-	-	-	44
-	-	3	-	-	-	-	-	-	-	-	-	-	-	45
-	-	7	-	-	-	-	-	-	-	-	-	-	-	46
-	-	6	-	-	-	-	-	-	-	-	-	-	-	47
-	-	1	-	-	-	-	-	-	-	-	-	-	-	48
-	-	7	1	-	-	-	-	-	-	-	-	-	-	49
-	-	6	1	-	-	-	-	-	-	-	-	-	-	50
-	-	1	-	-	-	-	-	-	-	-	-	-	-	51
1	3	24	4	3	1	-	-	1	1	-	-	-	-	52
1	2	12	3	3	1	-	-	1	1	-	-	-	-	53
-	1	12	1	-	-	-	-	-	-	-	-	-	-	54
-	1	3	5	1	-	-	-	-	-	-	-	-	-	55
-	-	71	1	3	-	-	1	-	-	-	-	-	-	56
6	1	33	7	8	4	3	6	4	3	1	1	2	1	57
-	-	3	3	5	1	1	-	-	-	-	2	-	-	58
1	-	3	7	2	-	2	-	-	1	1	-	-	-	59
1	-	2	2	1	-	-	-	-	-	-	-	-	-	60
-	-	-	2	-	-	2	-	-	1	-	-	-	-	61
-	-	1	3	1	-	-	-	-	-	1	-	-	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	63

TABLE 32.—DEATHS UNDER 1 YEAR, FROM 45 SELECTED CAUSES, BY

(Exclusive of fetal deaths. Numbers after causes of death are

	RACE, SEX, AND CAUSE OF DEATH	Total deaths under 1 year	Under 1 day	1 day	2 days	3 days	4 days	5 days	6 days	7-13 days
1	OTHER RACES, FEMALE—All causes	584	102	24	22	13	11	7	8	52
2	Tuberculosis, all forms—001-019	10	-	-	-	-	-	-	-	-
3	Syphilis and its sequelae—020-029	15	7	1	-	-	-	-	-	-
4	Dysentery, all forms—045-048	8	-	-	-	-	-	-	-	-
5	Whooping cough—056	3	-	-	-	-	-	-	-	-
6	All other infective and parasitic diseases—030-044,049-055,057-138	21	-	-	-	-	-	-	-	2
7	Diseases of thymus gland—273	6	2	-	1	1	-	-	-	-
8	Meningitis, except meningococcal and tuberculous—340	8	-	-	-	-	-	-	-	-
9	All other diseases of nervous system and sense organs—330-334,341-398	5	-	-	-	-	-	-	-	-
10	Influenza and pneumonia, except pneumonia of newborn—480-493	109	-	-	-	-	1	-	-	-
11	Influenza—480-483	6	-	-	-	-	1	-	-	-
12	Pneumonia, except pneumonia of newborn—490-493	103	...	...	...	...	...	...	...	...
13	All other diseases of respiratory system—470-475,500-527	13	-	-	-	-	-	-	-	1
14	Hernia and intestinal obstruction—560,561,570	5	-	-	-	-	-	-	-	-
15	Gastritis, duodenitis, enteritis, and colitis, except diarrhea of newborn—543,571,572	67	-	-	-	-	-	-	-	-
16	All other diseases of digestive system—530-542,544-553,573-587	2	-	-	-	-	-	-	-	-
17	Congenital malformations—750-759	37	9	2	3	2	1	1	1	1
18	Spina bifida and meningocele—751	2	-	-	-	1	-	-	-	-
19	Congenital malformations of circulatory system—754	18	4	1	-	-	-	1	1	1
20	All other congenital malformations—750,752,753,755-759	17	5	1	3	1	1	-	-	-
21	Certain diseases of early infancy—760-776	202	80	18	15	10	6	6	5	21
22	Birth injuries—760,761	29	18	3	2	2	2	-	-	1
23	Without mention of immaturity (.0)	17	10	1	1	1	2	-	-	1
24	With immaturity (.5)	12	8	2	1	1	-	-	-	-
25	Intracranial and spinal injury at birth—760	12	6	1	1	1	1	-	-	1
26	Without mention of immaturity (.0)	10	4	1	1	1	1	-	-	1
27	With immaturity (.5)	2	2	-	-	-	-	-	-	-
28	Other birth injury—761	17	12	2	1	1	1	-	-	-
29	Without mention of immaturity (.0)	7	6	-	-	-	1	-	-	-
30	With immaturity (.5)	10	6	2	1	1	-	-	-	-
31	Postnatal asphyxia and atelectasis—762	45	21	7	4	1	1	3	2	1
32	Without mention of immaturity (.0)	28	14	5	3	-	-	2	-	1
33	With immaturity (.5)	17	7	2	1	1	1	1	2	-
34	Pneumonia of newborn—763	22	-	-	2	4	-	-	2	7
35	Without mention of immaturity (.0)	17	-	-	1	4	-	-	2	3
36	With immaturity (.5)	5	-	-	1	-	-	-	-	4
37	Diarrhea of newborn—764	9	-	-	-	-	-	-	-	4
38	Without mention of immaturity (.0)	9	-	-	-	-	-	-	-	4
39	With immaturity (.5)	-	-	-	-	-	-	-	-	-
40	Other infections of newborn—765-768	4	-	-	-	-	1	1	-	2
41	Without mention of immaturity (.0)	3	-	-	-	-	1	1	-	1
42	With immaturity (.5)	1	-	-	-	-	-	-	-	1
43	Neonatal disorders arising from maternal toxemia—769	4	2	1	1	-	-	-	-	-
44	Without mention of immaturity (.0-.4)	1	1	-	-	-	-	-	-	-
45	With immaturity (.5-.9)	3	1	1	1	-	-	-	-	-
46	Hemolytic disease of newborn (erythroblastosis)—770	-	-	-	-	-	-	-	-	-
47	Without mention of immaturity (.0-.2)	-	-	-	-	-	-	-	-	-
48	With immaturity (.5-.7)	-	-	-	-	-	-	-	-	-
49	Hemorrhagic disease of newborn—771	6	1	2	1	-	1	-	-	-
50	Without mention of immaturity (.0)	5	1	2	1	-	-	-	-	-
51	With immaturity (.5)	1	-	-	-	-	1	-	-	-
52	Ill-defined diseases peculiar to early infancy, including nutritional maladjustment—772,773	24	2	-	1	1	1	-	-	1
53	Without mention of immaturity (.0)	18	-	-	1	-	1	-	-	-
54	With immaturity (.5)	6	2	-	-	1	-	-	-	1
55	Immaturity with mention of any other subsidiary condition—774	3	-	-	1	-	-	-	-	1
56	Immaturity unqualified—776	56	36	5	3	2	-	2	1	4
57	Symptoms and ill-defined conditions—780-795	48	3	3	3	-	3	-	2	7
58	All other diseases—Residual	6	-	-	-	-	-	-	-	-
59	Accidents—E800-E962	21	1	-	-	-	-	-	-	-
60	Inhalation and ingestion of food or other object causing obstruction or suffocation—E921,E922	3	-	-	-	-	-	-	-	-
61	Accidental mechanical suffocation in bed and cradle—E924	7	-	-	-	-	-	-	-	-
62	All other accidental causes—E800-E920,E923,E925-E962	11	1	-	-	-	-	-	-	-
63	Homicide—E964,E980-E999	-	-	-	-	-	-	-	-	-

DETAILED AGE, RACE, AND SEX: UNITED STATES, 1949—Continued

category numbers of the Sixth Revision of the International Lists, 1948)

14-20 days	21-27 days	Under 28 days	28-59 days	2 months	3 months	4 months	5 months	6 months	7 months	8 months	9 months	10 months	11 months	
19	8	248	46	43	44	42	34	33	27	20	27	13	9	1
-	-	-	-	-	2	1	-	-	2	1	2	1	1	2
1	-	9	3	-	2	-	-	-	-	-	-	1	-	3
-	-	-	2	-	1	-	1	2	-	1	-	-	1	4
-	-	1	1	-	1	-	-	-	-	-	-	-	1	5
-	-	2	2	1	1	4	3	3	2	1	2	-	-	6
-	-	4	-	1	-	1	-	-	-	-	-	-	-	7
-	-	-	-	1	1	2	-	-	-	-	1	-	1	8
-	-	-	1	-	-	2	1	-	-	-	-	1	-	9
1	-	2	11	21	15	12	10	12	9	6	8	3	-	10
1	-	2	-	3	-	1	-	-	-	-	-	-	-	11
...	...	...	11	18	15	11	10	12	9	6	8	3	-	12
1	-	2	2	2	-	1	1	1	3	1	-	-	-	13
1	-	1	1	-	-	-	1	2	-	-	-	-	-	14
-	-	-	2	6	12	8	11	5	8	6	7	1	1	15
-	-	-	1	1	-	-	-	-	1	-	-	-	-	16
2	1	23	3	1	1	1	-	1	2	1	1	1	2	17
-	-	1	1	-	-	-	-	-	-	-	-	-	-	18
1	-	9	2	1	1	-	-	1	1	-	1	1	1	19
1	1	13	-	-	-	1	-	-	1	1	-	-	1	20
11	7	179	6	2	6	1	2	1	-	1	-	1	1	21
-	-	28	1	-	-	-	-	-	-	-	-	-	-	22
-	-	16	1	-	-	-	-	-	-	-	-	-	-	23
-	-	12	-	-	-	-	-	-	-	-	-	-	-	24
-	-	11	1	-	-	-	-	-	-	-	-	-	-	25
-	-	9	1	-	-	-	-	-	-	-	-	-	-	26
-	-	2	-	-	-	-	-	-	-	-	-	-	-	27
-	-	17	-	-	-	-	-	-	-	-	-	-	-	28
-	-	7	-	-	-	-	-	-	-	-	-	-	-	29
-	-	10	-	-	-	-	-	-	-	-	-	-	-	30
-	-	40	2	-	1	-	1	-	-	1	-	-	-	31
-	-	25	-	-	1	-	1	-	-	1	-	-	-	32
-	-	15	2	-	-	-	-	-	-	-	-	-	-	33
5	2	22	...	...	...	...	...	...	...	...	...	...	...	34
5	2	17	...	...	...	...	...	...	...	...	...	...	...	35
-	-	5	...	...	...	...	...	...	...	...	...	...	...	36
2	3	9	-	-	-	-	-	-	-	-	-	-	-	37
2	3	9	-	-	-	-	-	-	-	-	-	-	-	38
-	-	-	-	-	-	-	-	-	-	-	-	-	-	39
-	-	4	-	-	-	-	-	-	-	-	-	-	-	40
-	-	3	-	-	-	-	-	-	-	-	-	-	-	41
-	-	1	-	-	-	-	-	-	-	-	-	-	-	42
-	-	4	-	-	-	-	-	-	-	-	-	-	-	43
-	-	1	-	-	-	-	-	-	-	-	-	-	-	44
-	-	3	-	-	-	-	-	-	-	-	-	-	-	45
-	-	-	-	-	-	-	-	-	-	-	-	-	-	46
-	-	-	-	-	-	-	-	-	-	-	-	-	-	47
-	-	-	-	-	-	-	-	-	-	-	-	-	-	48
-	1	6	-	-	-	-	-	-	-	-	-	-	-	49
-	1	5	-	-	-	-	-	-	-	-	-	-	-	50
-	-	1	-	-	-	-	-	-	-	-	-	-	-	51
1	1	8	4	2	5	1	1	1	-	-	-	1	1	52
1	1	4	4	1	4	1	1	1	-	-	-	1	1	53
-	-	4	-	1	1	-	-	-	-	-	-	-	-	54
-	-	2	1	-	-	-	-	-	-	-	-	-	-	55
3	-	56	-	-	-	-	-	-	-	-	-	-	-	56
1	-	22	4	3	2	2	1	5	-	2	3	3	1	57
-	-	-	-	1	-	4	1	-	-	-	-	-	-	58
1	-	2	5	3	-	3	2	1	1	-	3	1	-	59
-	-	-	2	-	-	1	-	-	-	-	-	-	-	60
1	-	1	1	3	-	1	1	-	-	-	-	-	-	61
-	-	1	2	-	-	1	1	1	1	-	3	1	-	62
-	-	-	-	-	-	-	-	-	-	-	-	-	-	63

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
UNITED STATES													
Under 1 year	111,531	89,007	22,524	18,385	10,408	65,196	11,322	1,650	192	2,032	340	1,744	262
Under 1 day	37,259	31,168	6,091	2,981	2,001	26,535	3,862	938	99	170	50	544	79
1-6 days	27,915	23,133	4,782	1,906	1,696	19,887	2,905	558	55	458	85	344	41
7-13 days	5,471	4,195	1,276	813	593	3,071	641	69	3	169	54	73	5
14-27 days	5,681	4,232	1,449	1,234	718	2,698	675	32	7	190	32	78	17
28 days-11 months	35,205	28,279	8,926	11,451	5,400	13,005	3,239	53	28	1,065	139	705	120
ALABAMA													
Under 1 year	3,345	1,704	1,641	502	1,064	1,101	560	26	4	37	7	38	6
Under 1 day	1,045	609	436	130	275	450	153	13	1	1	3	15	4
1-6 days	813	435	378	79	201	324	168	12	3	10	4	10	2
7-13 days	202	76	126	27	78	45	48	-	-	3	-	1	-
14-27 days	206	89	117	27	67	57	50	-	-	4	-	1	-
28 days-11 months	1,079	495	584	239	443	225	141	1	-	19	-	11	-
ARIZONA													
Under 1 year	1,034	723	311	158	65	533	213	3	-	1	-	28	33
Under 1 day	273	237	36	19	2	209	28	3	-	-	-	6	6
1-6 days	195	155	40	24	10	122	27	-	-	-	-	9	3
7-13 days	43	26	17	5	6	20	10	-	-	-	-	1	1
14-27 days	52	31	21	8	5	22	13	-	-	-	-	1	3
28 days-11 months	471	274	197	102	42	160	135	-	-	1	-	11	20
ARKANSAS													
Under 1 year	1,539	1,085	454	384	342	619	107	8	1	33	-	41	4
Under 1 day	332	244	88	72	56	154	31	1	-	2	-	15	1
1-6 days	389	299	90	59	51	219	36	4	1	6	-	11	2
7-13 days	95	66	29	23	21	38	8	1	-	1	-	3	-
14-27 days	107	68	39	30	35	29	4	-	-	7	-	2	-
28 days-11 months	616	408	208	200	179	179	28	2	-	17	-	10	1
CALIFORNIA													
Under 1 year	6,574	5,879	695	775	127	4,695	543	145	9	138	7	126	9
Under 1 day	2,528	2,277	251	67	11	2,091	234	80	3	5	-	34	3
1-6 days	1,692	1,526	166	41	9	1,384	152	52	4	33	1	16	-
7-13 days	286	257	29	26	3	214	24	3	-	13	1	1	1
14-27 days	259	228	31	40	8	167	25	7	-	10	-	4	-
28 days-11 months	1,809	1,591	218	601	96	839	110	3	2	77	5	71	5
COLORADO													
Under 1 year	1,153	1,121	32	272	5	769	26	2	-	47	1	31	-
Under 1 day	384	372	12	27	1	316	11	1	-	9	-	19	-
1-6 days	307	302	5	29	-	259	5	1	-	8	-	5	-
7-13 days	48	45	3	11	-	31	3	-	-	3	-	-	-
14-27 days	55	53	2	30	1	21	1	-	-	2	-	-	-
28 days-11 months	359	349	10	175	3	142	6	-	-	25	1	7	-
CONNECTICUT													
Under 1 year	943	884	59	74	4	782	55	1	-	5	-	22	-
Under 1 day	354	330	24	12	1	314	23	-	-	-	-	4	-
1-6 days	305	289	16	-	-	285	16	1	-	1	-	2	-
7-13 days	44	42	2	3	-	37	2	-	-	-	-	2	-
14-27 days	38	35	3	2	-	31	3	-	-	1	-	1	-
28 days-11 months	202	188	14	57	3	115	11	-	-	3	-	13	-
DELAWARE													
Under 1 year	224	163	61	18	22	141	38	-	-	4	1	-	-
Under 1 day	87	65	22	3	6	62	16	-	-	-	-	-	-
1-6 days	58	47	11	2	2	44	9	-	-	1	-	-	-
7-13 days	8	4	4	-	-	4	4	-	-	-	-	-	-
14-27 days	5	5	-	-	-	4	-	-	-	1	-	-	-
28 days-11 months	66	42	24	13	14	27	9	-	-	2	1	-	-
DISTRICT OF COLUMBIA													
Under 1 year	576	327	249	25	36	250	179	23	10	27	24	2	-
Under 1 day	232	139	93	3	7	118	80	17	5	1	1	-	-
1-6 days	164	101	63	-	3	85	55	4	4	2	1	-	-
7-13 days	33	17	16	-	-	9	13	2	1	6	2	-	-
14-27 days	23	10	13	2	3	6	6	-	-	2	4	-	-
28 days-11 months	124	60	64	20	23	22	25	-	-	16	16	2	-
FLORIDA													
Under 1 year	2,088	1,427	661	233	416	925	421	20	6	1	-	48	18
Under 1 day	741	506	235	56	104	409	118	8	2	-	-	33	11
1-6 days	516	325	193	22	65	281	120	11	4	-	-	9	4
7-13 days	100	58	42	7	18	50	23	1	-	-	-	-	-
14-27 days	100	46	54	20	21	25	32	-	-	1	-	-	1
28 days-11 months	631	294	337	128	207	160	128	-	-	-	-	6	2

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
GEORGIA													
Under 1 year	3,101	1,676	1,425	426	968	1,146	438	24	1	43	-	37	18
Under 1 day	960	583	377	109	203	434	163	14	-	4	-	22	11
1-6 days	720	444	276	49	183	369	90	2	-	15	-	9	3
7-13 days	180	70	110	16	75	48	35	2	-	3	-	1	-
14-27 days	197	89	98	33	70	53	28	1	-	2	-	-	-
28 days-11 months	1,054	490	564	219	437	242	122	5	1	19	-	5	4
IDAHO													
Under 1 year	431	414	17	45	9	335	8	11	-	1	-	22	-
Under 1 day	171	169	2	6	-	148	2	5	-	-	-	10	-
1-6 days	111	111	-	1	-	99	-	5	-	-	-	6	-
7-13 days	18	18	-	1	-	15	-	1	-	-	-	1	-
14-27 days	20	20	-	5	-	12	-	-	-	-	-	3	-
28 days-11 months	111	96	15	32	9	61	6	-	-	1	-	2	-
ILLINOIS													
Under 1 year	5,195	4,428	767	544	142	3,626	594	98	10	101	3	59	18
Under 1 day	2,008	1,753	255	77	39	1,612	207	56	7	2	-	6	2
1-6 days	1,339	1,179	160	33	17	1,090	139	31	3	22	-	3	1
7-13 days	225	190	35	17	1	158	34	6	-	9	-	-	-
14-27 days	240	187	53	34	8	135	44	2	-	14	-	2	1
28 days-11 months	1,383	1,119	264	383	77	631	170	3	-	54	3	48	14
INDIANA													
Under 1 year	2,748	2,514	232	466	73	1,909	156	35	-	96	3	8	-
Under 1 day	905	837	68	68	12	750	55	19	-	-	1	-	-
1-6 days	662	611	51	37	14	552	37	9	-	13	-	-	-
7-13 days	133	124	9	17	1	94	8	5	-	8	-	-	-
14-27 days	155	135	20	33	8	90	12	2	-	10	-	-	-
28 days-11 months	891	807	84	311	38	423	44	-	-	65	2	8	-
IOWA													
Under 1 year	1,591	1,562	29	195	5	1,282	21	3	-	33	-	49	3
Under 1 day	613	607	6	41	-	539	4	-	-	3	-	24	2
1-6 days	473	466	7	13	1	428	6	3	-	11	-	11	-
7-13 days	72	70	2	6	-	58	2	-	-	4	-	2	-
14-27 days	85	84	1	9	-	70	1	-	-	3	-	2	-
28 days-11 months	348	355	13	126	4	187	8	-	-	12	-	10	1
KANSAS													
Under 1 year	1,136	1,063	73	144	30	893	43	6	-	5	-	15	-
Under 1 day	444	421	23	26	6	384	17	2	-	-	-	9	-
1-6 days	314	299	15	6	2	286	13	3	-	-	-	4	-
7-13 days	59	59	-	7	-	52	-	-	-	-	-	-	-
14-27 days	33	28	5	9	1	18	4	-	-	-	-	1	-
28 days-11 months	286	256	30	96	21	153	9	1	-	5	-	1	-
KENTUCKY													
Under 1 year	3,139	2,845	294	1,227	152	1,521	136	23	1	59	1	15	4
Under 1 day	750	698	52	241	22	443	29	7	-	1	-	6	1
1-6 days	669	598	71	164	25	422	45	11	-	1	-	-	1
7-13 days	178	159	19	73	11	75	8	3	-	7	-	1	-
14-27 days	210	180	30	88	11	91	9	1	-	8	-	2	-
28 days-11 months	1,332	1,200	132	661	83	490	45	1	1	42	1	6	2
LOUISIANA													
Under 1 year	2,810	1,231	1,579	220	693	992	874	-	-	-	-	19	12
Under 1 day	949	523	426	61	132	452	292	-	-	-	-	10	2
1-6 days	549	272	277	35	101	231	172	-	-	-	-	6	4
7-13 days	167	63	104	9	36	54	68	-	-	-	-	-	-
14-27 days	153	41	112	7	47	34	64	-	-	-	-	-	1
28 days-11 months	992	332	660	108	377	221	278	-	-	-	-	3	5
MAINE													
Under 1 year	713	709	4	181	1	512	3	1	-	6	-	9	-
Under 1 day	234	232	2	26	-	202	2	1	-	-	-	3	-
1-6 days	183	183	-	11	-	167	-	-	-	3	-	2	-
7-13 days	27	27	-	8	-	19	-	-	-	-	-	-	-
14-27 days	34	34	-	11	-	20	-	-	-	1	-	2	-
28 days-11 months	235	233	2	125	1	104	1	-	-	2	-	2	-
MARYLAND													
Under 1 year	1,636	1,107	529	203	161	871	357	16	4	12	2	5	5
Under 1 day	523	387	136	28	27	347	108	12	2	-	-	-	1
1-6 days	393	267	126	17	19	245	104	3	2	2	-	-	1
7-13 days	84	59	25	8	8	49	17	-	-	2	-	-	-
14-27 days	83	57	26	16	4	38	21	1	-	1	-	1	1
28 days-11 months	553	337	216	134	103	192	109	-	-	7	2	4	2

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
MASSACHUSETTS													
Under 1 year	2,347	2,269	78	268	5	1,721	66	102	6	169	1	9	-
Under 1 day	926	889	37	35	-	772	33	52	4	29	-	1	-
1-6 days	671	650	21	10	-	548	18	46	2	45	1	1	-
7-13 days	106	104	4	7	-	78	4	2	-	17	-	-	-
14-27 days	84	80	4	10	-	57	4	-	-	13	-	-	-
28 days-11 months	556	546	12	206	5	266	7	2	-	65	-	7	-
MICHIGAN													
Under 1 year	4,545	4,008	537	558	100	3,164	315	36	1	204	118	46	3
Under 1 day	1,548	1,362	186	54	15	1,259	144	25	1	15	28	9	-
1-6 days	1,223	1,075	148	34	9	972	103	10	-	51	35	8	-
7-13 days	216	194	22	13	3	164	7	-	-	17	12	-	-
14-27 days	234	197	37	36	7	139	15	1	-	19	14	2	1
28 days-11 months	1,324	1,180	144	421	66	630	46	-	-	102	30	27	2
MINNESOTA													
Under 1 year	1,893	1,837	56	258	9	1,489	44	34	2	22	1	34	-
Under 1 day	703	688	15	35	-	624	13	17	2	-	-	12	-
1-6 days	544	532	12	18	2	491	10	14	-	3	-	6	-
7-13 days	74	73	1	10	1	57	-	2	-	2	-	2	-
14-27 days	92	90	2	16	-	64	2	1	-	5	-	4	-
28 days-11 months	480	454	26	179	6	253	19	-	-	12	1	10	-
MISSISSIPPI													
Under 1 year	2,631	923	1,708	262	1,241	626	439	14	6	-	-	21	22
Under 1 day	733	334	399	71	260	244	129	5	2	-	-	14	8
1-6 days	582	256	326	42	223	202	98	6	3	-	-	6	2
7-13 days	145	45	100	18	70	26	30	1	-	-	-	-	-
14-27 days	145	37	108	11	73	26	32	-	-	-	-	-	3
28 days-11 months	1,026	251	775	120	615	128	150	2	1	-	-	1	9
MISSOURI													
Under 1 year	2,563	2,228	335	556	132	1,429	186	70	12	88	2	85	3
Under 1 day	924	803	121	100	19	639	93	37	9	2	-	25	-
1-6 days	606	545	61	74	21	415	36	25	3	13	-	18	1
7-13 days	123	110	13	30	6	57	7	4	-	9	-	10	-
14-27 days	145	124	21	36	11	65	9	2	-	12	-	9	1
28 days-11 months	765	646	119	316	75	253	41	2	-	52	2	23	1
MONTANA													
Under 1 year	457	399	58	58	14	332	44	1	-	-	-	8	-
Under 1 day	167	156	11	12	2	143	9	1	-	-	-	-	-
1-6 days	112	103	9	1	3	101	6	-	-	-	-	1	-
7-13 days	14	11	3	1	1	10	2	-	-	-	-	-	-
14-27 days	19	19	-	3	-	15	-	-	-	-	-	1	-
28 days-11 months	145	110	35	41	8	63	27	-	-	-	-	6	-
NEBRASKA													
Under 1 year	761	730	31	98	7	584	24	1	-	25	-	22	-
Under 1 day	279	270	9	14	2	246	7	-	-	-	-	10	-
1-6 days	219	213	6	15	-	193	6	1	-	1	-	3	-
7-13 days	40	37	3	4	1	31	2	-	-	2	-	-	-
14-27 days	28	27	1	5	-	15	1	-	-	4	-	3	-
28 days-11 months	195	183	12	60	4	99	8	-	-	18	-	6	-
NEVADA													
Under 1 year	118	105	13	13	1	84	11	-	-	1	-	7	1
Under 1 day	54	51	3	3	-	42	3	-	-	-	-	6	-
1-6 days	30	29	1	-	-	28	1	-	-	1	-	-	-
7-13 days	2	1	1	-	-	1	1	-	-	-	-	-	-
14-27 days	6	6	-	2	-	4	-	-	-	-	-	-	-
28 days-11 months	26	18	8	8	1	9	6	-	-	-	-	1	1
NEW HAMPSHIRE													
Under 1 year	333	332	1	38	1	272	-	7	-	10	-	5	-
Under 1 day	137	137	-	3	-	128	-	3	-	-	-	3	-
1-6 days	93	92	1	3	1	81	-	4	-	3	-	1	-
7-13 days	19	19	-	2	-	14	-	-	-	2	-	1	-
14-27 days	9	9	-	3	-	5	-	-	-	1	-	-	-
28 days-11 months	75	75	-	27	-	44	-	-	-	4	-	-	-
NEW JERSEY													
Under 1 year	2,534	2,081	453	192	88	1,681	331	146	23	25	6	37	5
Under 1 day	989	828	161	28	14	704	129	91	17	4	-	1	1
1-6 days	700	589	111	8	5	536	99	39	6	5	1	1	-
7-13 days	124	105	19	9	1	84	18	9	-	1	-	2	-
14-27 days	97	75	22	13	7	58	15	4	-	-	-	-	-
28 days-11 months	624	484	140	134	61	299	70	3	-	15	5	33	4

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
NEW MEXICO													
Under 1 year	1,408	1,228	180	593	69	584	105	7	-	1	-	43	6
Under 1 day	292	280	12	77	1	185	10	5	-	-	-	13	1
1-6 days	237	209	28	62	18	137	10	1	-	-	-	9	-
7-13 days	84	75	9	34	4	37	5	-	-	-	-	4	-
14-27 days	84	74	10	39	3	35	6	-	-	-	-	-	1
28 days-11 months	711	590	121	381	43	190	74	1	-	1	-	17	4
NEW YORK													
Under 1 year	7,878	6,864	1,014	678	122	5,661	45	246	30	89	6	190	16
Under 1 day	3,212	2,805	407	83	14	2,531	[illegible]	58	19	25	1	28	-
1-6 days	2,096	1,853	243	25	1	1,690	226		9	23	2	31	5
7-13 days	347	307	40	19	1	257	38		1	3	-	17	-
14-27 days	349	308	41	45	8	248	31	4	1	6	-	5	1
28 days-11 months	1,874	1,591	283	506	98	935	172	9	-	32	3	109	10
NORTH CAROLINA													
Under 1 year	4,113	2,185	1,928	576	1,173	1,548	740	5	3	20	1	36	11
Under 1 day	1,065	656	409	97	190	542	215	4	1	3	-	10	3
1-6 days	958	590	368	51	159	519	204	-	-	5	-	15	3
7-13 days	186	91	95	19	64	70	31	-	-	1	-	1	-
14-27 days	272	120	152	50	99	68	53	-	-	2	-	-	-
28 days-11 months	1,634	728	906	359	661	349	237	1	2	9	1	10	5
NORTH DAKOTA													
Under 1 year	517	482	35	91	12	370	23	1	-	1	-	19	-
Under 1 day	185	177	8	19	1	144	7	-	-	-	-	14	-
1-6 days	144	140	4	12	3	125	1	1	-	-	-	2	-
7-13 days	27	26	1	6	-	20	1	-	-	-	-	-	-
14-27 days	27	27	-	11	-	14	-	-	-	-	-	2	-
28 days-11 months	134	112	22	43	8	67	14	-	-	1	-	1	-
OHIO													
Under 1 year	5,315	4,726	589	769	118	3,454	385	135	13	331	71	37	2
Under 1 day	1,894	1,715	179	97	13	1,485	148	89	10	34	8	10	-
1-6 days	1,340	1,197	143	51	8	1,008	108	42	2	84	24	12	1
7-13 days	267	248	19	34	3	182	8	2	-	29	8	1	-
14-27 days	282	241	41	66	12	144	22	1	-	28	7	2	-
28 days-11 months	1,532	1,325	207	521	82	635	99	1	1	156	24	12	1
OKLAHOMA													
Under 1 year	1,531	1,247	284	261	144	932	134	6	-	1	-	47	6
Under 1 day	549	492	57	70	14	394	43	1	-	-	-	27	-
1-6 days	401	335	66	38	35	284	30	4	-	-	-	11	1
7-13 days	63	43	20	13	14	30	5	-	-	-	-	-	1
14-27 days	75	56	19	23	8	33	10	-	-	-	-	-	1
28 days-11 months	443	321	122	119	73	191	46	1	-	1	-	9	3
OREGON													
Under 1 year	869	831	38	112	9	637	24	27	3	31	2	24	-
Under 1 day	384	372	12	15	2	331	9	15	1	5	-	6	-
1-6 days	202	195	7	4	1	173	4	9	2	8	-	1	-
7-13 days	37	35	2	4	-	27	-	2	-	1	2	1	-
14-27 days	38	35	3	6	2	24	1	-	-	4	-	1	-
28 days-11 months	208	194	14	83	4	82	10	1	-	13	-	15	-
PENNSYLVANIA													
Under 1 year	6,567	5,771	798	938	108	4,576	653	69	9	151	20	37	6
Under 1 day	2,276	2,015	261	200	19	1,761	237	43	4	3	-	8	1
1-6 days	1,859	1,635	224	74	9	1,508	213	17	1	30	1	6	-
7-13 days	351	315	36	37	2	257	31	5	1	12	2	4	-
14-27 days	305	259	46	55	5	191	36	-	2	11	3	2	-
28 days-11 months	1,776	1,547	229	572	73	859	136	4	1	95	14	17	5
RHODE ISLAND													
Under 1 year	395	376	19	36	2	224	10	99	7	4	-	13	-
Under 1 day	155	150	5	11	-	77	1	61	4	-	-	1	-
1-6 days	126	120	6	1	-	85	3	32	3	1	-	1	-
7-13 days	17	16	1	2	-	11	1	3	-	-	-	-	-
14-27 days	17	15	2	1	-	10	2	3	-	-	-	1	-
28 days-11 months	80	75	5	21	2	41	3	-	-	3	-	10	-
SOUTH CAROLINA													
Under 1 year	2,283	935	1,348	215	941	712	400	2	-	1	-	5	7
Under 1 day	591	301	290	37	191	261	97	2	-	-	-	1	2
1-6 days	541	255	286	22	186	231	99	-	-	-	-	2	1
7-13 days	146	54	92	14	59	40	33	-	-	-	-	-	-
14-27 days	141	45	96	12	71	33	25	-	-	-	-	-	-
28 days-11 months	864	280	584	130	454	147	146	-	-	1	-	2	4

TABLE 33.—DEATHS UNDER 1 YEAR OF AGE, IN INSTITUTIONS, BY AGE AND RACE: UNITED STATES AND EACH STATE, 1949—Continued

(By place of residence. Exclusive of fetal deaths)

AREA AND AGE	TOTAL			NOT IN INSTITUTIONS		GENERAL HOSPITALS		MATERNITY HOSPITALS		CHILDREN'S HOSPITALS		OTHER HOSPITALS AND INSTITUTIONS	
	All races	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite	White	Nonwhite
SOUTH DAKOTA													
Under 1 year	448	397	51	65	17	316	34	-	-	1	-	15	-
Under 1 day	147	142	5	10	1	127	4	-	-	-	-	5	-
1-6 days	111	106	5	7	2	92	3	-	-	-	-	7	-
7-13 days	26	24	2	2	1	22	1	-	-	-	-	-	-
14-27 days	23	19	4	1	1	18	3	-	-	-	-	-	-
28 days-11 months	141	106	35	45	12	57	23	-	-	1	-	3	-
TENNESSEE													
Under 1 year	3,331	2,557	774	935	373	1,476	378	9	-	75	21	62	2
Under 1 day	919	717	202	178	65	501	133	4	-	15	3	19	1
1-6 days	778	611	167	130	66	442	95	3	-	23	6	13	-
7-13 days	183	142	41	56	18	78	22	-	-	5	1	3	-
14-27 days	208	161	47	69	22	78	25	-	-	7	-	7	-
28 days-11 months	1,243	926	317	502	202	377	103	2	-	25	11	20	1
TEXAS													
Under 1 year	8,628	7,277	1,351	2,827	638	4,170	666	95	2	44	10	141	35
Under 1 day	2,140	1,800	340	281	102	1,420	220	51	2	2	1	46	15
1-6 days	1,960	1,665	295	404	109	1,169	179	41	-	4	2	47	5
7-13 days	413	326	87	132	40	180	45	1	-	4	-	9	2
14-27 days	437	362	75	183	47	169	25	1	-	5	1	4	2
28 days-11 months	3,678	3,124	554	1,827	340	1,232	197	1	-	29	6	35	11
UTAH													
Under 1 year	535	516	19	63	7	431	12	5	-	11	-	6	-
Under 1 day	184	177	7	11	-	154	7	4	-	4	-	4	-
1-6 days	194	191	3	4	1	182	2	1	-	3	-	1	-
7-13 days	19	19	-	3	-	16	-	-	-	-	-	-	-
14-27 days	19	16	3	2	2	14	1	-	-	-	-	-	-
28 days-11 months	119	113	6	43	4	65	2	-	-	4	-	1	-
VERMONT													
Under 1 year	301	300	1	60	-	235	1	2	-	1	-	2	-
Under 1 day	127	127	-	11	-	114	-	1	-	-	-	1	-
1-6 days	68	68	-	5	-	62	-	-	-	1	-	-	-
7-13 days	13	13	-	3	-	9	-	1	-	-	-	-	-
14-27 days	17	17	-	5	-	12	-	-	-	-	-	-	-
28 days-11 months	76	75	1	36	-	38	1	-	-	-	-	1	-
VIRGINIA													
Under 1 year	3,162	2,005	1,157	591	629	1,324	468	40	28	15	27	35	5
Under 1 day	1,028	702	326	147	147	535	167	16	3	1	6	3	3
1-6 days	701	486	215	62	106	402	101	16	2	-	5	6	1
7-13 days	180	101	79	22	41	76	33	-	-	2	5	1	-
14-27 days	184	98	86	49	44	46	35	1	4	2	3	-	-
28 days-11 months	1,069	618	451	311	291	265	132	7	19	10	8	25	1
WASHINGTON													
Under 1 year	1,530	1,419	111	179	31	1,152	78	10	1	3	-	75	1
Under 1 day	614	588	28	11	2	550	24	7	-	-	-	20	-
1-6 days	415	390	25	5	4	373	20	2	1	1	-	9	-
7-13 days	42	39	3	5	2	29	1	1	-	-	-	4	-
14-27 days	57	56	1	11	1	38	-	-	-	1	-	6	-
28 days-11 months	402	346	56	147	22	162	33	-	-	1	-	36	1
WEST VIRGINIA													
Under 1 year	2,082	1,940	142	699	81	1,200	61	2	-	2	-	37	-
Under 1 day	552	517	35	159	21	338	14	2	-	-	-	18	-
1-6 days	504	465	39	110	20	345	19	-	-	-	-	10	-
7-13 days	110	105	5	38	2	67	3	-	-	-	-	-	-
14-27 days	129	122	7	47	3	71	4	-	-	-	-	4	-
28 days-11 months	787	731	56	345	35	379	21	-	-	2	-	5	-
WISCONSIN													
Under 1 year	2,202	2,116	86	269	15	1,702	65	34	-	52	5	59	1
Under 1 day	838	820	18	36	2	748	16	25	-	-	-	9	-
1-6 days	585	567	18	10	-	538	17	8	-	3	1	8	-
7-13 days	81	76	5	11	-	61	4	1	-	3	1	-	-
14-27 days	98	93	5	19	3	70	2	-	-	2	-	2	-
28 days-11 months	600	560	40	191	10	285	28	-	-	44	3	40	1
WYOMING													
Under 1 year	280	261	19	35	6	208	13	-	-	5	-	13	-
Under 1 day	114	108	6	2	-	102	6	-	-	-	-	4	-
1-6 days	85	84	1	4	1	53	-	-	-	2	-	5	-
7-13 days	12	11	1	1	-	10	1	-	-	-	-	-	-
14-27 days	15	14	1	1	-	11	1	-	-	1	-	1	-
28 days-11 months	74	64	10	27	5	32	5	-	-	2	-	3	-

☆ U. S. GOVERNMENT PRINTING OFFICE 0—1952