

**HIGHLAND PARK HOSPITAL IVF CENTER  
HIGHLAND PARK, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	20%
Single women?	Yes	GIFT	0%	Endometriosis	12%
Gestational carriers?	No	ZIFT	1%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No			Male factor	17%
		With ICSI	73%	Other factors	2%
		Unstimulated	0%	Unexplained	24%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	149	81	58	50
Pregnancies per 100 cycles	34.9	34.6	29.3	10.0
Live births per 100 cycles <sup>d</sup>	29.5	29.6	24.1	6.0
(95% confidence interval)	(22.2 - 36.9)	(19.7 - 39.6)	(13.1 - 35.2)	(0.0 - 12.6)
Live births per 100 retrievals <sup>d</sup>	37.0	35.3	29.8	12.0
Live births per 100 transfers <sup>d</sup>	37.3	35.3	30.4	13.6
Cancellations per 100 cycles	20.1	16.0	19.0	50.0
Average number embryos transferred	4.4	4.7	5.6	5.2
Twin gestations per 100 pregnancies	21.2	39.3	6/17	3/5
Triplet or more gestations per 100 pregnancies	36.5	14.3	1/17	0/5
Multiple births per 100 live births <sup>d</sup>	56.8	45.8	7/14	1/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	11	8	5	1
Live births per 100 transfers <sup>d</sup>	1/11	0/8	0/5	0/1
Average number embryos transferred	4.6	4.6	4.2	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	1	2	11
Live births per 100 fresh transfers <sup>d</sup>		0/1	0/2	8/11
Number of frozen transfers	0	0	0	3
Live births per 100 frozen transfers <sup>d</sup>				1/3
Average number embryos transferred (fresh and frozen)		4.0	3.0	5.1

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**HINSDALE CENTER FOR REPRODUCTION  
HINSDALE, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	32%
Single women?	No	GIFT	0%	Endometriosis	31%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	7%
Sharing of donor eggs?	No			Male factor	18%
		With ICSI	7%	Other factors	0%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	50	26	14	4
Pregnancies per 100 cycles	28.0	15.4	1/14	0/4
Live births per 100 cycles <sup>d</sup>	26.0	15.4	1/14	0/4
(95% confidence interval)	(13.8 - 38.2)	(1.5 - 29.3)		
Live births per 100 retrievals <sup>d</sup>	28.9	4/16	1/10	0/3
Live births per 100 transfers <sup>d</sup>	33.3	4/16	1/9	0/3
Cancellations per 100 cycles	10.0	38.5	4/14	1/4
Average number embryos transferred	4.2	3.8	4.3	3.3
Twin gestations per 100 pregnancies	4/14	2/4	0/1	
Triplet or more gestations per 100 pregnancies	3/14	0/4	0/1	
Multiple births per 100 live births <sup>d</sup>	7/13	1/4	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	4	0	0
Live births per 100 transfers <sup>d</sup>	0/12	0/4		
Average number embryos transferred	4.6	3.8		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers <sup>d</sup>				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				4.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**OAK BROOK FERTILITY CENTER  
OAK BROOK, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	33%
Single women?	Yes	GIFT	0%	Endometriosis	19%
Gestational carriers?	Yes	ZIFT	2%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	10%
Sharing of donor eggs?	Yes			Male factor	36%
		With ICSI	51%	Other factors	1%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	12	14	13
Pregnancies per 100 cycles	40.0	5/12	4/14	1/13
Live births per 100 cycles <sup>d</sup>	40.0	5/12	2/14	0/13
(95% confidence interval)	(18.5 - 61.5)			
Live births per 100 retrievals <sup>d</sup>	8/19	5/11	2/11	0/10
Live births per 100 transfers <sup>d</sup>	8/18	5/11	2/10	0/7
Cancellations per 100 cycles	5.0	1/12	3/14	3/13
Average number embryos transferred	3.1	4.0	2.8	2.1
Twin gestations per 100 pregnancies	1/8	4/5	1/4	0/1
Triplet or more gestations per 100 pregnancies	1/8	0/5	0/4	0/1
Multiple births per 100 live births <sup>d</sup>	2/8	4/5	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	0
Live births per 100 transfers <sup>d</sup>	0/2	0/1		
Average number embryos transferred	2.0	3.0		
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	0	11
Live births per 100 fresh transfers <sup>d</sup>	0/1			3/11
Number of frozen transfers	0	0	0	3
Live births per 100 frozen transfers <sup>d</sup>				1/3
Average number embryos transferred (fresh and frozen)	3.0			3.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**REENA JABAMONI, M.D.**  
**OAK BROOK, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	29%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	15%
		With ICSI	27%	Other factors	10%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	11	2	4
Pregnancies per 100 cycles	20.0	3/11	1/2	0/4
Live births per 100 cycles <sup>d</sup>	20.0	3/11	1/2	0/4
(95% confidence interval)	(2.5 - 37.5)			
Live births per 100 retrievals <sup>d</sup>	20.0	3/10	1/2	0/4
Live births per 100 transfers <sup>d</sup>	4/19	3/10	1/2	0/2
Cancellations per 100 cycles	0.0	1/11	0/2	0/4
Average number embryos transferred	3.4	2.9	6.0	3.5
Twin gestations per 100 pregnancies	1/4	1/3	0/1	
Triplet or more gestations per 100 pregnancies	1/4	0/3	0/1	
Multiple births per 100 live births <sup>d</sup>	2/4	1/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	1	0
Live births per 100 transfers <sup>d</sup>		0/1	1/1	
Average number embryos transferred		3.0	1.0	
<b>Donor Eggs</b>				
Number of fresh transfers	0	1	0	0
Live births per 100 fresh transfers <sup>d</sup>		1/1		
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0		

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ADVANCED REPRODUCTIVE CENTER, LTD.  
ROCKFORD, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	Tubal factor	35%
Single women?	No	GIFT	5%	Endometriosis	27%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	4%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	22%
Sharing of donor eggs?	No	With ICSI	63%	Male factor	6%
		Unstimulated	0%	Other factors	0%
				Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	35	6	20	2
Pregnancies per 100 cycles	34.3	3/6	10.0	1/2
Live births per 100 cycles <sup>d</sup>	28.6	3/6	10.0	0/2
(95% confidence interval)	(13.6 - 43.5)		(0.0 - 23.1)	
Live births per 100 retrievals <sup>d</sup>	31.3	3/6	2/19	0/1
Live births per 100 transfers <sup>d</sup>	34.5	3/6	2/18	0/1
Cancellations per 100 cycles	8.6	0/6	5.0	1/2
Average number embryos transferred	3.7	4.2	3.4	2.0
Twin gestations per 100 pregnancies	3/12	0/3	1/2	0/1
Triplet or more gestations per 100 pregnancies	0/12	1/3	0/2	0/1
Multiple births per 100 live births <sup>d</sup>	3/10	1/3	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	2	1	0
Live births per 100 transfers <sup>d</sup>	1/2	0/2	0/1	
Average number embryos transferred	3.5	5.0	3.0	
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**REPRODUCTIVE HEALTH AND FERTILITY CENTER  
ROCKFORD, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	31%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	1%	Uterine factor	1%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	20%
		With ICSI	39%	Other factors	2%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	97	31	22	5
Pregnancies per 100 cycles	42.3	22.6	9.1	0/5
Live births per 100 cycles <sup>d</sup>	35.1	22.6	4.5	0/5
(95% confidence interval)	(25.6 - 44.5)	(7.9 - 37.3)	(0.0 - 13.2)	
Live births per 100 retrievals <sup>d</sup>	37.0	25.9	1/14	0/2
Live births per 100 transfers <sup>d</sup>	38.2	28.0	1/13	0/1
Cancellations per 100 cycles	5.2	12.9	36.4	3/5
Average number embryos transferred	2.9	3.0	2.2	2.0
Twin gestations per 100 pregnancies	31.7	2/7	0/2	
Triplet or more gestations per 100 pregnancies	4.9	0/7	0/2	
Multiple births per 100 live births <sup>d</sup>	38.2	2/7	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	14	7	1	1
Live births per 100 transfers <sup>d</sup>	0/14	1/7	0/1	0/1
Average number embryos transferred	2.9	2.4	3.0	2.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)				4.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## RUSH NORTH SHORE CENTER FOR ADVANCED REPRODUCTIVE CARE SKOKIE, ILLINOIS

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	93%	Tubal factor	17%
Single women?	Yes	GIFT	6%	Endometriosis	23%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	5%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	27%
Sharing of donor eggs?	No			Male factor	20%
		With ICSI	28%	Other factors	0%
		Unstimulated	0%	Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	20	22	15	11
Pregnancies per 100 cycles	30.0	22.7	3/15	3/11
Live births per 100 cycles <sup>d</sup>	25.0	22.7	1/15	1/11
(95% confidence interval)	(6.0 - 44.0)	(5.2 - 40.2)		
Live births per 100 retrievals <sup>d</sup>	5/16	5/18	1/13	1/10
Live births per 100 transfers <sup>d</sup>	5/14	5/15	1/12	1/8
Cancellations per 100 cycles	20.0	18.2	2/15	1/11
Average number embryos transferred	4.5	3.5	2.8	4.1
Twin gestations per 100 pregnancies	3/6	2/5	0/3	0/3
Triplet or more gestations per 100 pregnancies	0/6	0/5	0/3	0/3
Multiple births per 100 live births <sup>d</sup>	2/5	2/5	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	0
Live births per 100 transfers <sup>d</sup>	0/3			
Average number embryos transferred	4.0			
<b>Donor Eggs</b>				
Number of fresh transfers	0	1	0	3
Live births per 100 fresh transfers <sup>d</sup>		0/1		0/3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0		5.3

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES, S.C.**  
**SPRINGFIELD, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	41%
Single women?	No	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	4%
Donor egg program?	No	Combination <sup>b</sup>	1%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No	With ICSI	53%	Male factor	14%
		Unstimulated	0%	Other factors	1%
				Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	42	21	13	3
Pregnancies per 100 cycles	16.7	28.6	2/13	0/3
Live births per 100 cycles <sup>d</sup>	16.7	28.6	2/13	0/3
(95% confidence interval)	(5.4 - 27.9)	(9.2 - 47.9)		
Live births per 100 retrievals <sup>d</sup>	17.9	6/18	2/12	0/2
Live births per 100 transfers <sup>d</sup>	18.9	6/17	2/11	0/2
Cancellations per 100 cycles	7.1	14.3	1/13	1/3
Average number embryos transferred	4.0	3.2	4.6	5.5
Twin gestations per 100 pregnancies	1/7	2/6	0/2	
Triplet or more gestations per 100 pregnancies	2/7	0/6	0/2	
Multiple births per 100 live births <sup>d</sup>	3/7	1/6	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	1	0	1
Live births per 100 transfers <sup>d</sup>	0/3	0/1		0/1
Average number embryos transferred	4.7	3.0		1.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**SOUTHERN ILLINOIS UNIVERSITY**  
**DEPARTMENT OF OBSTETRICS AND GYNECOLOGY**  
**SPRINGFIELD, ILLINOIS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	No	IVF	75%	Tubal factor	23%
Single women?	Yes	GIFT	23%	Endometriosis	8%
Gestational carriers?	No	ZIFT	1%	Uterine factor	1%
Donor egg program?	No	Combination <sup>b</sup>	1%	Ovulatory dysfunction	48%
Sharing of donor eggs?	No			Male factor	16%
		With ICSI	0%	Other factors	3%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	47	10	13	0
Pregnancies per 100 cycles	8.5	2/10	0/13	
Live births per 100 cycles <sup>d</sup>	6.4	2/10	0/13	
(95% confidence interval)	(0.0 - 13.4)			
Live births per 100 retrievals <sup>d</sup>	6.7	2/10	0/12	
Live births per 100 transfers <sup>d</sup>	6.7	2/10	0/12	
Cancellations per 100 cycles	4.3	0/10	1/13	
Average number embryos transferred	4.3	4.8	3.3	
Twin gestations per 100 pregnancies	0/4	0/2		
Triplet or more gestations per 100 pregnancies	1/4	0/2		
Multiple births per 100 live births <sup>d</sup>	1/3	0/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	0
Live births per 100 transfers <sup>d</sup>	0/3			
Average number embryos transferred	3.0			
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## MIDWEST REPRODUCTIVE MEDICINE: CHAMPAIGN/URBANA URBANA, ILLINOIS

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	Yes	GIFT	0%	Endometriosis	21%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	10%
Sharing of donor eggs?	No	With ICSI	37%	Male factor	24%
		Unstimulated	0%	Other factors	6%
				Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	45	15	8	8
Pregnancies per 100 cycles	28.9	5/15	2/8	0/8
Live births per 100 cycles <sup>d</sup>	24.4	4/15	1/8	0/8
(95% confidence interval)	(11.9 - 37.0)			
Live births per 100 retrievals <sup>d</sup>	26.8	4/13	1/7	0/7
Live births per 100 transfers <sup>d</sup>	30.6	4/13	1/7	0/7
Cancellations per 100 cycles	8.9	2/15	1/8	1/8
Average number embryos transferred	2.8	2.6	2.4	2.9
Twin gestations per 100 pregnancies	2/13	2/5	0/2	
Triplet or more gestations per 100 pregnancies	2/13	0/5	0/2	
Multiple births per 100 live births <sup>d</sup>	4/11	2/4	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	1	0	0
Live births per 100 transfers <sup>d</sup>	0/4	0/1		
Average number embryos transferred	2.0	2.0		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ASSOCIATED FERTILITY & GYNECOLOGY  
FORT WAYNE, INDIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	30%
Single women?	No	GIFT	1%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	5%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No			Male factor	25%
		With ICSI	50%	Other factors	0%
		Unstimulated	0%	Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	55	5	10	6
Pregnancies per 100 cycles	23.6	0/5	5/10	0/6
Live births per 100 cycles <sup>d</sup>	21.8	0/5	3/10	0/6
(95% confidence interval)	(10.9 - 32.7)			
Live births per 100 retrievals <sup>d</sup>	24.5	0/4	3/7	0/5
Live births per 100 transfers <sup>d</sup>	26.7	0/3	3/6	0/5
Cancellations per 100 cycles	10.9	1/5	3/10	1/6
Average number embryos transferred	2.8	2.7	3.0	2.0
Twin gestations per 100 pregnancies	3/13		1/5	
Triplet or more gestations per 100 pregnancies	0/13		0/5	
Multiple births per 100 live births <sup>d</sup>	3/12		1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	5	2	0
Live births per 100 transfers <sup>d</sup>	1/9	0/5	0/2	
Average number embryos transferred	1.8	1.6	2.0	
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers <sup>d</sup>				1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				3.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ADVANCED FERTILITY GROUP  
INDIANAPOLIS, INDIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	Tubal factor	26%
Single women?	Yes	GIFT	1%	Endometriosis	14%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	5%	Ovulatory dysfunction	17%
Sharing of donor eggs?	No			Male factor	33%
		With ICSI	21%	Other factors	0%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	150	53	36	24
Pregnancies per 100 cycles	24.7	22.6	8.3	8.3
Live births per 100 cycles <sup>d</sup>	22.0	18.9	8.3	4.2
(95% confidence interval)	(15.4 - 28.6)	(8.3 - 29.4)	(0.0 - 17.4)	(0.0 - 12.2)
Live births per 100 retrievals <sup>d</sup>	27.0	22.2	12.5	1/11
Live births per 100 transfers <sup>d</sup>	27.5	22.2	13.0	1/11
Cancellations per 100 cycles	18.7	15.1	33.3	54.2
Average number embryos transferred	4.5	4.3	3.0	3.7
Twin gestations per 100 pregnancies	27.0	2/12	0/3	1/2
Triplet or more gestations per 100 pregnancies	2.7	2/12	0/3	0/2
Multiple births per 100 live births <sup>d</sup>	33.3	4/10	0/3	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	37	12	8	6
Live births per 100 transfers <sup>d</sup>	0.0	1/12	0/8	1/6
Average number embryos transferred	3.5	3.5	3.1	4.2
<b>Donor Eggs</b>				
Number of fresh transfers	9	0	4	3
Live births per 100 fresh transfers <sup>d</sup>	4/9		0/4	0/3
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers <sup>d</sup>				1/2
Average number embryos transferred (fresh and frozen)	4.4		5.0	4.2

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**INDIANA UNIVERSITY HOSPITAL  
INDIANAPOLIS, INDIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	Tubal factor	37%
Single women?	No	GIFT	5%	Endometriosis	29%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No	With ICSI	19%	Male factor	31%
		Unstimulated	0%	Other factors	0%
				Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	23	10	6	3
Pregnancies per 100 cycles	26.1	2/10	0/6	1/3
Live births per 100 cycles <sup>d</sup>	26.1	2/10	0/6	1/3
(95% confidence interval)	(8.1 - 44.0)			
Live births per 100 retrievals <sup>d</sup>	6/18	2/8	0/4	1/2
Live births per 100 transfers <sup>d</sup>	6/18	2/8	0/4	1/2
Cancellations per 100 cycles	21.7	2/10	2/6	1/3
Average number embryos transferred	4.3	3.9	3.5	6.5
Twin gestations per 100 pregnancies	0/6	0/2		0/1
Triplet or more gestations per 100 pregnancies	0/6	0/2		0/1
Multiple births per 100 live births <sup>d</sup>	0/6	0/2		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	1	2	1
Live births per 100 transfers <sup>d</sup>	1/3	0/1	1/2	0/1
Average number embryos transferred	3.3	11.0	4.5	5.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MIDWEST REPRODUCTIVE MEDICINE  
INDIANAPOLIS, INDIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	85%	Tubal factor	22%
Single women?	Yes	GIFT	4%	Endometriosis	27%
Gestational carriers?	Yes	ZIFT	10%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	15%
Sharing of donor eggs?	Yes			Male factor	31%
		With ICSI	37%	Other factors	0%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	285	107	98	49
Pregnancies per 100 cycles	45.3	33.6	24.5	6.1
Live births per 100 cycles <sup>d</sup>	39.6	27.1	19.4	2.0
(95% confidence interval)	(34.0 - 45.3)	(18.7 - 35.5)	(11.6 - 27.2)	(0.0 - 6.0)
Live births per 100 retrievals <sup>d</sup>	42.5	30.5	23.8	3.3
Live births per 100 transfers <sup>d</sup>	43.3	32.6	25.7	3.6
Cancellations per 100 cycles	6.7	11.2	18.4	38.8
Average number embryos transferred	2.9	3.1	2.9	2.8
Twin gestations per 100 pregnancies	33.3	19.4	29.2	0/3
Triplet or more gestations per 100 pregnancies	6.2	5.6	8.3	0/3
Multiple births per 100 live births <sup>d</sup>	38.1	31.0	5/19	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	64	23	18	6
Live births per 100 transfers <sup>d</sup>	28.1	21.7	6/18	0/6
Average number embryos transferred	3.0	2.8	3.1	3.3
<b>Donor Eggs</b>				
Number of fresh transfers	3	3	4	18
Live births per 100 fresh transfers <sup>d</sup>	2/3	2/3	2/4	8/18
Number of frozen transfers	5	1	4	7
Live births per 100 frozen transfers <sup>d</sup>	1/5	1/1	0/4	3/7
Average number embryos transferred (fresh and frozen)	3.0	3.0	3.1	3.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**REPRODUCTIVE ENDOCRINOLOGY ASSOCIATES  
INDIANAPOLIS, INDIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	46%	Tubal factor	15%
Single women?	No	GIFT	31%	Endometriosis	23%
Gestational carriers?	No	ZIFT	23%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	8%
Sharing of donor eggs?	No	With ICSI	31%	Male factor	31%
		Unstimulated	0%	Other factors	0%
				Unexplained	23%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	9	1	3	0
Pregnancies per 100 cycles	4/9	1/1	1/3	
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	3/9	1/1	0/3	
Live births per 100 retrievals <sup>d</sup>	3/7	1/1	0/3	
Live births per 100 transfers <sup>d</sup>	3/6	1/1	0/3	
Cancellations per 100 cycles	2/9	0/1	0/3	
Average number embryos transferred	2.8	4.0	2.3	
Twin gestations per 100 pregnancies	2/4	0/1	0/1	
Triplet or more gestations per 100 pregnancies	0/4	0/1	0/1	
Multiple births per 100 live births <sup>d</sup>	2/3	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**CENTER FOR ASSISTED REPRODUCTION  
SOUTH BEND, INDIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	29%
Single women?	No	GIFT	1%	Endometriosis	48%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	20%
		Unstimulated	0%	Other factors	0%
				Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	58	8	9	10
Pregnancies per 100 cycles	29.3	6/8	1/9	1/10
Live births per 100 cycles <sup>d</sup>	22.4	5/8	1/9	0/10
(95% confidence interval)	(11.7 - 33.1)			
Live births per 100 retrievals <sup>d</sup>	25.0	5/8	1/7	0/9
Live births per 100 transfers <sup>d</sup>	26.0	5/8	1/6	0/7
Cancellations per 100 cycles	10.3	0/8	2/9	1/10
Average number embryos transferred	3.3	4.0	3.5	2.7
Twin gestations per 100 pregnancies	6/17	3/6	1/1	0/1
Triplet or more gestations per 100 pregnancies	1/17	0/6	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	6/13	3/5	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MCFARLAND CLINIC, P.C.**  
**ASSISTED REPRODUCTION**  
**AMES, IOWA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	96%	Tubal factor	31%
Single women?	No	GIFT	3%	Endometriosis	15%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	1%	Ovulatory dysfunction	30%
Sharing of donor eggs?	No	With ICSI	44%	Male factor	10%
		Unstimulated	1%	Other factors	14%
				Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	84	22	16	2
Pregnancies per 100 cycles	36.9	27.3	3/16	0/2
Live births per 100 cycles <sup>d</sup>	36.9	22.7	3/16	0/2
(95% confidence interval)	(26.6 - 47.2)	(5.2 - 40.2)		
Live births per 100 retrievals <sup>d</sup>	39.7	25.0	3/14	
Live births per 100 transfers <sup>d</sup>	41.3	25.0	3/14	
Cancellations per 100 cycles	7.1	9.1	2/16	2/2
Average number embryos transferred	3.6	3.7	3.0	
Twin gestations per 100 pregnancies	35.5	2/6	0/3	
Triplet or more gestations per 100 pregnancies	19.4	0/6	1/3	
Multiple births per 100 live births <sup>d</sup>	51.6	1/5	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	22	9	6	4
Live births per 100 transfers <sup>d</sup>	18.2	2/9	1/6	0/4
Average number embryos transferred	3.2	3.0	3.5	3.8
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**CENTER FOR ADVANCED REPRODUCTIVE CARE  
IOWA CITY, IOWA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	88%	Tubal factor	31%
Single women?	No	GIFT	0%	Endometriosis	7%
Gestational carriers?	No	ZIFT	11%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	33%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	46%	Other factors	11%
		Unstimulated	<1%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	154	46	33	24
Pregnancies per 100 cycles	40.3	37.0	21.2	16.7
Live births per 100 cycles <sup>d</sup>	34.4	34.8	15.2	16.7
(95% confidence interval)	(26.9 - 41.9)	(21.0 - 48.5)	(2.9 - 27.4)	(1.8 - 31.6)
Live births per 100 retrievals <sup>d</sup>	36.3	42.1	18.5	4/17
Live births per 100 transfers <sup>d</sup>	37.9	45.7	20.0	4/15
Cancellations per 100 cycles	5.2	17.4	18.2	29.2
Average number embryos transferred	3.1	3.6	3.3	3.1
Twin gestations per 100 pregnancies	21.0	2/17	0/7	2/4
Triplet or more gestations per 100 pregnancies	9.7	2/17	2/7	0/4
Multiple births per 100 live births <sup>d</sup>	34.0	2/16	2/5	2/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	74	28	13	3
Live births per 100 transfers <sup>d</sup>	25.7	25.0	2/13	0/3
Average number embryos transferred	3.0	3.4	3.5	4.3
<b>Donor Eggs</b>				
Number of fresh transfers	1	1	1	6
Live births per 100 fresh transfers <sup>d</sup>	1/1	0/1	1/1	2/6
Number of frozen transfers	2	0	4	16
Live births per 100 frozen transfers <sup>d</sup>	1/2		1/4	3/16
Average number embryos transferred (fresh and frozen)	3.0	3.0	2.8	3.4

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MID-IOWA FERTILITY, P.C.**  
**WEST DES MOINES, IOWA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	37%
Single women?	Yes	GIFT	1%	Endometriosis	16%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	22%
Sharing of donor eggs?	No			Male factor	1%
		With ICSI	33%	Other factors	12%
		Unstimulated	0%	Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	54	15	13	2
Pregnancies per 100 cycles	16.7	3/15	1/13	1/2
Live births per 100 cycles <sup>d</sup>	14.8	3/15	1/13	1/2
(95% confidence interval)	(5.3 - 24.3)			
Live births per 100 retrievals <sup>d</sup>	16.0	3/13	1/9	1/1
Live births per 100 transfers <sup>d</sup>	18.2	3/11	1/9	1/1
Cancellations per 100 cycles	7.4	2/15	4/13	1/2
Average number embryos transferred	3.6	3.7	3.6	4.0
Twin gestations per 100 pregnancies	5/9	0/3	0/1	1/1
Triplet or more gestations per 100 pregnancies	0/9	0/3	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	4/8	0/3	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	18	1	1	0
Live births per 100 transfers <sup>d</sup>	1/18	0/1	0/1	
Average number embryos transferred	3.6	4.0	2.0	
<b>Donor Eggs</b>				
Number of fresh transfers	2	0	1	3
Live births per 100 fresh transfers <sup>d</sup>	0/2		1/1	0/3
Number of frozen transfers	0	0	0	3
Live births per 100 frozen transfers <sup>d</sup>				1/3
Average number embryos transferred (fresh and frozen)	4.5		4.0	3.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**REPRODUCTIVE RESOURCE CENTER OF GREATER KANSAS CITY  
OVERLAND PARK, KANSAS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	89%	Tubal factor	12%
Single women?	No	GIFT	8%	Endometriosis	1%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	34%
Sharing of donor eggs?	Yes			Male factor	6%
		With ICSI	28%	Other factors	23%
		Unstimulated	0%	Unexplained	24%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	141	62	49	8
Pregnancies per 100 cycles	46.8	32.3	18.4	4/8
Live births per 100 cycles <sup>d</sup>	41.8	29.0	10.2	2/8
(95% confidence interval)	(33.7 - 50.0)	(17.7 - 40.3)	(1.7 - 18.7)	
Live births per 100 retrievals <sup>d</sup>	49.6	40.9	16.1	2/8
Live births per 100 transfers <sup>d</sup>	53.2	42.9	16.7	2/8
Cancellations per 100 cycles	15.6	29.0	36.7	0/8
Average number embryos transferred	3.0	2.9	3.3	3.9
Twin gestations per 100 pregnancies	31.8	20.0	1/9	1/4
Triplet or more gestations per 100 pregnancies	10.6	5.0	0/9	0/4
Multiple births per 100 live births <sup>d</sup>	45.8	4/18	1/5	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	8	2	0
Live births per 100 transfers <sup>d</sup>	0/7	4/8	0/2	
Average number embryos transferred	2.3	2.5	2.5	
<b>Donor Eggs</b>				
Number of fresh transfers	6	4	5	13
Live births per 100 fresh transfers <sup>d</sup>	2/6	2/4	4/5	7/13
Number of frozen transfers	1	0	0	1
Live births per 100 frozen transfers <sup>d</sup>	0/1			0/1
Average number embryos transferred (fresh and frozen)	2.7	3.3	2.4	2.7

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**THE CENTER FOR REPRODUCTIVE MEDICINE  
WICHITA, KANSAS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	40%
Single women?	Yes	GIFT	3%	Endometriosis	26%
Gestational carriers?	Yes	ZIFT	3%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	16%
Sharing of donor eggs?	Yes	With ICSI	32%	Male factor	8%
		Unstimulated	0%	Other factors	8%
				Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	75	37	19	18
Pregnancies per 100 cycles	46.7	40.5	6/19	3/18
Live births per 100 cycles <sup>d</sup>	41.3	29.7	5/19	2/18
(95% confidence interval)	(30.2 - 52.5)	(15.0 - 44.5)		
Live births per 100 retrievals <sup>d</sup>	43.1	36.7	5/16	2/17
Live births per 100 transfers <sup>d</sup>	44.9	36.7	5/15	2/13
Cancellations per 100 cycles	4.0	18.9	3/19	1/18
Average number embryos transferred	2.9	3.4	3.7	3.1
Twin gestations per 100 pregnancies	40.0	5/15	1/6	0/3
Triplet or more gestations per 100 pregnancies	11.4	1/15	0/6	0/3
Multiple births per 100 live births <sup>d</sup>	45.2	4/11	1/5	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	25	3	2	0
Live births per 100 transfers <sup>d</sup>	32.0	2/3	1/2	
Average number embryos transferred	3.4	3.0	3.0	
<b>Donor Eggs</b>				
Number of fresh transfers	2	0	0	3
Live births per 100 fresh transfers <sup>d</sup>	2/2			3/3
Number of frozen transfers	2	1	0	1
Live births per 100 frozen transfers <sup>d</sup>	0/2	0/1		0/1
Average number embryos transferred (fresh and frozen)	3.5	3.0		5.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FERTILITY & ENDOCRINE ASSOCIATES**  
**LEXINGTON, KENTUCKY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	29%
Single women?	No	GIFT	1%	Endometriosis	43%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No	With ICSI	19%	Male factor	7%
		Unstimulated	0%	Other factors	2%
				Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	75	30	8	5
Pregnancies per 100 cycles	17.3	13.3	1/8	1/5
Live births per 100 cycles <sup>d</sup>	16.0	13.3	1/8	1/5
(95% confidence interval)	(7.7 - 24.3)	(1.2 - 25.5)		
Live births per 100 retrievals <sup>d</sup>	16.2	14.3	1/8	1/5
Live births per 100 transfers <sup>d</sup>	16.7	15.4	1/8	1/5
Cancellations per 100 cycles	1.3	6.7	0/8	0/5
Average number embryos transferred	4.1	4.0	3.8	4.6
Twin gestations per 100 pregnancies	3/13	0/4	0/1	0/1
Triplet or more gestations per 100 pregnancies	2/13	1/4	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	4/12	1/4	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	7	2	0
Live births per 100 transfers <sup>d</sup>	0/9	0/7	1/2	
Average number embryos transferred	3.1	3.4	5.0	
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**UNIVERSITY OF KENTUCKY  
LEXINGTON, KENTUCKY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	59%
Single women?	Yes	GIFT	0%	Endometriosis	11%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No			Male factor	0%
		With ICSI	13%	Other factors	4%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	2	3	1
Pregnancies per 100 cycles	0/10	0/2	0/3	0/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	0/10	0/2	0/3	0/1
Live births per 100 retrievals <sup>d</sup>	0/9		0/1	
Live births per 100 transfers <sup>d</sup>	0/8		0/1	
Cancellations per 100 cycles	1/10	2/2	2/3	1/1
Average number embryos transferred	3.3		6.0	
Twin gestations per 100 pregnancies				
Triplet or more gestations per 100 pregnancies				
Multiple births per 100 live births <sup>d</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	1	2	0
Live births per 100 transfers <sup>d</sup>	0/6	0/1	0/2	
Average number embryos transferred	3.5	3.0	1.5	
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers <sup>d</sup>				0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				1.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FERTILITY PROGRAM  
UNIVERSITY OB/GYN ASSOCIATES  
LOUISVILLE, KENTUCKY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	26%
Single women?	Yes	GIFT	<1%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	7%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	26%
Sharing of donor eggs?	No			Male factor	21%
		With ICSI	42%	Other factors	5%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	116	40	25	15
Pregnancies per 100 cycles	49.1	30.0	28.0	0/15
Live births per 100 cycles <sup>d</sup>	41.4	27.5	16.0	0/15
(95% confidence interval)	(32.4 - 50.3)	(13.7 - 41.3)	(1.6 - 30.4)	
Live births per 100 retrievals <sup>d</sup>	45.3	32.4	4/19	0/10
Live births per 100 transfers <sup>d</sup>	46.6	33.3	4/18	0/9
Cancellations per 100 cycles	8.6	15.0	24.0	5/15
Average number embryos transferred	2.6	3.3	3.4	2.9
Twin gestations per 100 pregnancies	26.3	4/12	1/7	
Triplet or more gestations per 100 pregnancies	5.3	1/12	0/7	
Multiple births per 100 live births <sup>d</sup>	33.3	4/11	1/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	19	12	3	3
Live births per 100 transfers <sup>d</sup>	3/19	4/12	1/3	0/3
Average number embryos transferred	2.2	2.8	2.0	4.7
<b>Donor Eggs</b>				
Number of fresh transfers	2	1	0	5
Live births per 100 fresh transfers <sup>d</sup>	1/2	0/1		1/5
Number of frozen transfers	0	0	0	2
Live births per 100 frozen transfers <sup>d</sup>				0/2
Average number embryos transferred (fresh and frozen)	3.0	4.0		3.6

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**THE CENTER FOR FERTILITY AND ADVANCED REPRODUCTION  
METAIRIE, LOUISIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	85%	Tubal factor	30%
Single women?	Yes	GIFT	9%	Endometriosis	14%
Gestational carriers?	No	ZIFT	6%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	26%
Sharing of donor eggs?	No	With ICSI	27%	Male factor	16%
		Unstimulated	0%	Other factors	0%
				Unexplained	14%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	8	3	10
Pregnancies per 100 cycles	2/12	0/8	1/3	0/10
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	2/12	0/8	0/3	0/10
Live births per 100 retrievals <sup>d</sup>	2/12	0/8	0/3	0/10
Live births per 100 transfers <sup>d</sup>	2/10	0/5	0/2	0/9
Cancellations per 100 cycles	0/12	0/8	0/3	0/10
Average number embryos transferred	3.0	4.2	4.5	2.8
Twin gestations per 100 pregnancies	1/2		0/1	
Triplet or more gestations per 100 pregnancies	0/2		0/1	
Multiple births per 100 live births <sup>d</sup>	1/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	5	0	0
Live births per 100 transfers <sup>d</sup>	1/9	0/5		
Average number embryos transferred	2.7	2.0		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	1	0
Live births per 100 frozen transfers <sup>d</sup>			0/1	
Average number embryos transferred (fresh and frozen)			2.0	

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FERTILITY AND LASER CENTER  
METAIRIE, LOUISIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	78%	Tubal factor	26%
Single women?	Yes	GIFT	3%	Endometriosis	19%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	18%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	33%
		With ICSI	20%	Other factors	<1%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	79	37	22	10
Pregnancies per 100 cycles	26.6	21.6	9.1	1/10
Live births per 100 cycles <sup>d</sup>	20.3	21.6	9.1	0/10
(95% confidence interval)	(11.4 - 29.1)	(8.4 - 34.9)	(0.0 - 21.1)	
Live births per 100 retrievals <sup>d</sup>	23.9	25.8	2/17	0/8
Live births per 100 transfers <sup>d</sup>	24.6	27.6	2/15	0/6
Cancellations per 100 cycles	15.2	16.2	22.7	2/10
Average number embryos transferred	5.1	5.2	4.7	4.2
Twin gestations per 100 pregnancies	28.6	3/8	1/2	0/1
Triplet or more gestations per 100 pregnancies	23.8	2/8	0/2	0/1
Multiple births per 100 live births <sup>d</sup>	8/16	5/8	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	7	1	1	0
Live births per 100 transfers <sup>d</sup>	1/7	0/1	0/1	
Average number embryos transferred	3.7	4.0	3.0	
<b>Donor Eggs</b>				
Number of fresh transfers	2	0	0	3
Live births per 100 fresh transfers <sup>d</sup>	0/2			0/3
Number of frozen transfers	0	1	0	1
Live births per 100 frozen transfers <sup>d</sup>		0/1		0/1
Average number embryos transferred (fresh and frozen)	5.5	3.0		5.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FERTILITY INSTITUTE OF NEW ORLEANS  
NEW ORLEANS, LOUISIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	Tubal factor	22%
Single women?	Yes	GIFT	4%	Endometriosis	17%
Gestational carriers?	No	ZIFT	1%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	43%
Sharing of donor eggs?	Yes			Male factor	1%
		With ICSI	21%	Other factors	4%
		Unstimulated	0%	Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	89	34	21	9
Pregnancies per 100 cycles	23.6	20.6	0.0	1/9
Live births per 100 cycles <sup>d</sup>	21.3	20.6	0.0	1/9
(95% confidence interval)	(12.8 - 29.9)	(7.0 - 34.2)		
Live births per 100 retrievals <sup>d</sup>	25.7	25.0	0/14	1/6
Live births per 100 transfers <sup>d</sup>	28.4	26.9	0/13	1/6
Cancellations per 100 cycles	16.9	17.6		3/9
Average number embryos transferred	4.1	3.5	3.9	2.0
Twin gestations per 100 pregnancies	19.0	0/7		1/1
Triplet or more gestations per 100 pregnancies	14.3	2/7		0/1
Multiple births per 100 live births <sup>d</sup>	6/19	2/7		1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	4	2	2
Live births per 100 transfers <sup>d</sup>	0/4	0/4	0/2	0/2
Average number embryos transferred	3.3	2.0	2.5	1.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**TULANE UNIVERSITY HOSPITAL AND CLINIC  
NEW ORLEANS, LOUISIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	86%	Tubal factor	31%
Single women?	Yes	GIFT	14%	Endometriosis	0%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	31%
Sharing of donor eggs?	No			Male factor	38%
		With ICSI	21%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	6	1	3	4
Pregnancies per 100 cycles	1/6	1/1	1/3	1/4
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	1/6	1/1	1/3	1/4
Live births per 100 retrievals <sup>d</sup>	1/6	1/1	1/3	1/3
Live births per 100 transfers <sup>d</sup>	1/6	1/1	1/3	1/3
Cancellations per 100 cycles	0/6	0/1	0/3	1/4
Average number embryos transferred	4.2	6.0	5.0	3.3
Twin gestations per 100 pregnancies	1/1	0/1	1/1	0/1
Triplet or more gestations per 100 pregnancies	0/1	1/1	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	0/1	1/1	1/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Live births per 100 transfers <sup>d</sup>	0/1			
Average number embryos transferred	2.0			
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	1	0	0	0
Live births per 100 frozen transfers <sup>d</sup>	0/1			
Average number embryos transferred (fresh and frozen)	3.0			

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**CENTER FOR FERTILITY & REPRODUCTIVE HEALTH  
SHREVEPORT, LOUISIANA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	39%
Single women?	No	GIFT	0%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No			Male factor	30%
		With ICSI	39%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	43	17	6	5
Pregnancies per 100 cycles	30.2	7/17	1/6	2/5
Live births per 100 cycles <sup>d</sup>	25.6	4/17	0/6	2/5
(95% confidence interval)	(12.5 - 38.6)			
Live births per 100 retrievals <sup>d</sup>	28.2	4/16	0/3	2/3
Live births per 100 transfers <sup>d</sup>	28.2	4/16	0/3	2/3
Cancellations per 100 cycles	9.3	1/17	3/6	2/5
Average number embryos transferred	3.3	4.2	3.7	4.7
Twin gestations per 100 pregnancies	4/13	2/7	0/1	1/2
Triplet or more gestations per 100 pregnancies	4/13	0/7	0/1	0/2
Multiple births per 100 live births <sup>d</sup>	7/11	0/4		1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	4	0	0
Live births per 100 transfers <sup>d</sup>	0/2	0/4		
Average number embryos transferred	4.5	2.5		
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	0	0
Live births per 100 fresh transfers <sup>d</sup>	0/1			
Number of frozen transfers	0	0	2	0
Live births per 100 frozen transfers <sup>d</sup>			0/2	
Average number embryos transferred (fresh and frozen)	4.0		3.5	

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**CENTER FOR ADVANCED REPRODUCTIVE TECHNOLOGY  
UNIVERSITY OF MARYLAND MEDICAL SYSTEM  
BALTIMORE, MARYLAND**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	46%
Single women?	Yes	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	2%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	7%
Sharing of donor eggs?	No			Male factor	22%
		With ICSI	37%	Other factors	7%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	58	17	15	0
Pregnancies per 100 cycles	36.2	9/17	4/15	
Live births per 100 cycles <sup>d</sup>	24.1	8/17	4/15	
(95% confidence interval)	(13.1 - 35.2)			
Live births per 100 retrievals <sup>d</sup>	24.6	8/15	4/13	
Live births per 100 transfers <sup>d</sup>	24.6	8/15	4/13	
Cancellations per 100 cycles	1.7	2/17	2/15	
Average number embryos transferred	3.6	3.9	3.9	
Twin gestations per 100 pregnancies	33.3	3/9	0/4	
Triplet or more gestations per 100 pregnancies	14.3	3/9	0/4	
Multiple births per 100 live births <sup>d</sup>	7/14	5/8	0/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	1	0	0
Live births per 100 transfers <sup>d</sup>	1/2	0/1		
Average number embryos transferred	2.5	2.0		
<b>Donor Eggs</b>				
Number of fresh transfers	1	1	0	7
Live births per 100 fresh transfers <sup>d</sup>	1/1	0/1		4/7
Number of frozen transfers	0	0	0	3
Live births per 100 frozen transfers <sup>d</sup>				0/3
Average number embryos transferred (fresh and frozen)	3.0	3.0		3.6

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**GBMC FERTILITY CENTER  
BALTIMORE, MARYLAND**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	Tubal factor	27%
Single women?	No	GIFT	<1%	Endometriosis	23%
Gestational carriers?	No	ZIFT	3%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	35%
Sharing of donor eggs?	No			Male factor	1%
		With ICSI	38%	Other factors	10%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	181	107	119	52
Pregnancies per 100 cycles	37.0	24.3	20.2	15.4
Live births per 100 cycles <sup>d</sup>	29.8	17.8	15.1	9.6
(95% confidence interval)	(23.2 - 36.5)	(10.5 - 25.0)	(8.7 - 21.6)	(1.6 - 17.6)
Live births per 100 retrievals <sup>d</sup>	32.3	20.0	18.0	12.2
Live births per 100 transfers <sup>d</sup>	34.6	21.3	18.4	12.8
Cancellations per 100 cycles	7.7	11.2	16.0	21.2
Average number embryos transferred	3.6	4.1	4.1	4.6
Twin gestations per 100 pregnancies	28.4	11.5	20.8	0/8
Triplet or more gestations per 100 pregnancies	9.0	15.4	4.2	0/8
Multiple births per 100 live births <sup>d</sup>	40.7	6/19	4/18	0/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	94	29	33	9
Live births per 100 transfers <sup>d</sup>	19.1	13.8	12.1	0/9
Average number embryos transferred	3.2	2.9	3.0	2.8
<b>Donor Eggs</b>				
Number of fresh transfers	2	1	3	5
Live births per 100 fresh transfers <sup>d</sup>	0/2	1/1	2/3	2/5
Number of frozen transfers	0	0	1	2
Live births per 100 frozen transfers <sup>d</sup>			0/1	0/2
Average number embryos transferred (fresh and frozen)	4.5	5.0	4.8	3.4

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## HELIX CENTER FOR ART BALTIMORE, MARYLAND

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	21%
Single women?	Yes	GIFT	0%	Endometriosis	11%
Gestational carriers?	No	ZIFT	1%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	35%	Other factors	0%
		Unstimulated	0%	Unexplained	35%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	46	10	14	7
Pregnancies per 100 cycles	23.9	3/10	3/14	0/7
Live births per 100 cycles <sup>d</sup>	23.9	1/10	2/14	0/7
(95% confidence interval)	(11.6 - 36.2)			
Live births per 100 retrievals <sup>d</sup>	30.6	1/7	2/12	0/5
Live births per 100 transfers <sup>d</sup>	30.6	1/7	2/11	0/4
Cancellations per 100 cycles	21.7	3/10	2/14	2/7
Average number embryos transferred	4.2	5.0	3.8	2.8
Twin gestations per 100 pregnancies	3/11	0/3	1/3	
Triplet or more gestations per 100 pregnancies	5/11	0/3	0/3	
Multiple births per 100 live births <sup>d</sup>	7/11	0/1	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	5	3	2	2
Live births per 100 transfers <sup>d</sup>	2/5	1/3	0/2	1/2
Average number embryos transferred	4.0	5.0	2.0	3.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	1	2
Live births per 100 fresh transfers <sup>d</sup>			0/1	1/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			3.0	6.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**THE JOHNS HOPKINS MEDICAL INSTITUTE  
BALTIMORE, MARYLAND**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	42%
Single women?	Yes	GIFT	3%	Endometriosis	27%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	15%
Sharing of donor eggs?	Yes			Male factor	1%
		With ICSI	16%	Other factors	4%
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	55	26	38	30
Pregnancies per 100 cycles	25.5	0.0	21.1	13.3
Live births per 100 cycles <sup>d</sup>	16.4	0.0	18.4	10.0
(95% confidence interval)	(6.6 - 26.1)		(6.1 - 30.7)	(0.0 - 20.7)
Live births per 100 retrievals <sup>d</sup>	20.5	0/17	20.0	14.3
Live births per 100 transfers <sup>d</sup>	21.4	0/17	21.2	14.3
Cancellations per 100 cycles	20.0		7.9	30.0
Average number embryos transferred	3.9	3.8	4.1	3.8
Twin gestations per 100 pregnancies	5/14		2/8	0/4
Triplet or more gestations per 100 pregnancies	3/14		2/8	0/4
Multiple births per 100 live births <sup>d</sup>	5/9		3/7	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	3	1	3
Live births per 100 transfers <sup>d</sup>	0/8	0/3	0/1	1/3
Average number embryos transferred	4.0	3.3	3.0	4.7
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	2	6
Live births per 100 fresh transfers <sup>d</sup>	1/1		1/2	1/6
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	3.0		3.5	3.7

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MID-ATLANTIC FERTILITY CENTERS  
BETHESDA, MARYLAND**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	93%	Tubal factor	16%
Single women?	Yes	GIFT	6%	Endometriosis	15%
Gestational carriers?	No	ZIFT	0%	Uterine factor	6%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	15%
		With ICSI	29%	Other factors	5%
		Unstimulated	0%	Unexplained	25%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	72	58	42	13
Pregnancies per 100 cycles	30.6	22.4	16.7	1/13
Live births per 100 cycles <sup>d</sup>	26.4	15.5	9.5	0/13
(95% confidence interval)	(16.2 - 36.6)	(6.2 - 24.8)	(0.6 - 18.4)	
Live births per 100 retrievals <sup>d</sup>	29.7	15.8	9.8	0/13
Live births per 100 transfers <sup>d</sup>	35.8	18.0	14.3	0/10
Cancellations per 100 cycles	11.1	1.7	2.4	0/13
Average number embryos transferred	3.4	3.0	3.6	3.8
Twin gestations per 100 pregnancies	27.3	3/13	2/7	0/1
Triplet or more gestations per 100 pregnancies	18.2	1/13	0/7	0/1
Multiple births per 100 live births <sup>d</sup>	10/19	4/9	2/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	6	0	3
Live births per 100 transfers <sup>d</sup>	2/17	1/6		1/3
Average number embryos transferred	3.7	3.7		3.3
<b>Donor Eggs</b>				
Number of fresh transfers	0	2	3	10
Live births per 100 fresh transfers <sup>d</sup>		0/2	1/3	2/10
Number of frozen transfers	0	0	1	3
Live births per 100 frozen transfers <sup>d</sup>			0/1	1/3
Average number embryos transferred (fresh and frozen)		4.0	3.0	3.3

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## SHADY GROVE FERTILITY CENTERS ROCKVILLE, MARYLAND

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	25%
Single women?	Yes	GIFT	0%	Endometriosis	21%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	20%
Sharing of donor eggs?	No			Male factor	6%
		With ICSI	23%	Other factors	23%
		Unstimulated	<1%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	311	191	131	91
Pregnancies per 100 cycles	31.8	27.7	19.8	7.7
Live births per 100 cycles <sup>d</sup>	26.0	22.5	14.5	4.4
(95% confidence interval)	(21.2 - 30.9)	(16.6 - 28.4)	(8.5 - 20.5)	(0.2 - 8.6)
Live births per 100 retrievals <sup>d</sup>	28.5	27.6	18.3	5.4
Live births per 100 transfers <sup>d</sup>	30.1	28.9	19.2	5.7
Cancellations per 100 cycles	8.7	18.3	20.6	18.7
Average number embryos transferred	3.4	3.5	3.6	3.3
Twin gestations per 100 pregnancies	32.3	24.5	15.4	1/7
Triplet or more gestations per 100 pregnancies	10.1	5.7	3.8	0/7
Multiple births per 100 live births <sup>d</sup>	43.2	27.9	4/19	1/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	20	13	7	6
Live births per 100 transfers <sup>d</sup>	0.0	0/13	0/7	0/6
Average number embryos transferred	4.4	4.2	3.3	3.7
<b>Donor Eggs</b>				
Number of fresh transfers	4	5	4	18
Live births per 100 fresh transfers <sup>d</sup>	0/4	1/5	2/4	4/18
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	4.0	4.0	3.3	2.9

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FERTILITY CENTER OF MARYLAND  
TOWSON, MARYLAND**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	91%	Tubal factor	29%
Single women?	No	GIFT	5%	Endometriosis	31%
Gestational carriers?	No	ZIFT	3%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	11%
Sharing of donor eggs?	No			Male factor	15%
		With ICSI	19%	Other factors	<1%
		Unstimulated	0%	Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	108	53	29	21
Pregnancies per 100 cycles	30.6	26.4	17.2	4.8
Live births per 100 cycles <sup>d</sup>	26.9	20.8	13.8	4.8
(95% confidence interval)	(18.5 - 35.2)	(9.8 - 31.7)	(1.2 - 26.3)	(0.0 - 13.9)
Live births per 100 retrievals <sup>d</sup>	27.1	22.4	17.4	1/18
Live births per 100 transfers <sup>d</sup>	27.6	23.4	17.4	1/17
Cancellations per 100 cycles	0.9	7.5	20.7	14.3
Average number embryos transferred	3.6	3.8	3.6	4.0
Twin gestations per 100 pregnancies	27.3	4/14	2/5	0/1
Triplet or more gestations per 100 pregnancies	15.2	0/14	0/5	0/1
Multiple births per 100 live births <sup>d</sup>	37.9	3/11	1/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	47	14	7	1
Live births per 100 transfers <sup>d</sup>	21.3	3/14	0/7	0/1
Average number embryos transferred	3.4	3.9	3.9	2.0
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	0	4
Live births per 100 fresh transfers <sup>d</sup>	1/1			3/4
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	3.0			3.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**BRIGHAM & WOMEN'S HOSPITAL CENTER FOR ASSISTED REPRODUCTION  
BOSTON, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	Tubal factor	20%
Single women?	Yes	GIFT	4%	Endometriosis	15%
Gestational carriers?	No	ZIFT	<1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	19%	Other factors	13%
		Unstimulated	0%	Unexplained	16%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	341	168	180	95
Pregnancies per 100 cycles	34.9	31.0	23.3	14.7
Live births per 100 cycles <sup>d</sup>	27.9	22.6	18.9	7.4
(95% confidence interval)	(23.1 - 32.6)	(16.3 - 28.9)	(13.2 - 24.6)	(2.1 - 12.6)
Live births per 100 retrievals <sup>d</sup>	28.5	24.2	20.0	7.8
Live births per 100 transfers <sup>d</sup>	30.3	25.9	21.0	8.1
Cancellations per 100 cycles	2.3	6.5	5.6	5.3
Average number embryos transferred	3.8	4.0	4.3	4.6
Twin gestations per 100 pregnancies	34.5	17.3	11.9	2/14
Triplet or more gestations per 100 pregnancies	10.9	7.7	9.5	0/14
Multiple births per 100 live births <sup>d</sup>	44.2	26.3	20.6	2/7
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	31	15	6	4
Live births per 100 transfers <sup>d</sup>	19.4	6/15	0/6	1/4
Average number embryos transferred	3.6	3.0	4.0	3.3
<b>Donor Eggs</b>				
Number of fresh transfers	8	5	2	6
Live births per 100 fresh transfers <sup>d</sup>	3/8	0/5	2/2	1/6
Number of frozen transfers	6	0	0	1
Live births per 100 frozen transfers <sup>d</sup>	0/6			0/1
Average number embryos transferred (fresh and frozen)	4.5	4.2	5.0	5.4

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FAULKNER CENTER FOR REPRODUCTIVE MEDICINE  
BOSTON, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	14%
Single women?	Yes	GIFT	0%	Endometriosis	22%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	5%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	15%
Sharing of donor eggs?	Yes			Male factor	38%
		With ICSI	27%	Other factors	3%
		Unstimulated	4%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	61	20	18	31
Pregnancies per 100 cycles	8.2	20.0	2/18	9.7
Live births per 100 cycles <sup>d</sup>	4.9	10.0	1/18	3.2
(95% confidence interval)	(0.0 - 10.3)	(0.0 - 23.1)		(0.0 - 9.4)
Live births per 100 retrievals <sup>d</sup>	6.3	2/12	1/12	1/18
Live births per 100 transfers <sup>d</sup>	6.7	2/11	1/12	1/17
Cancellations per 100 cycles	21.3	40.0	6/18	41.9
Average number embryos transferred	2.5	2.8	2.5	2.1
Twin gestations per 100 pregnancies	0/5	2/4	1/2	0/3
Triplet or more gestations per 100 pregnancies	0/5	0/4	0/2	0/3
Multiple births per 100 live births <sup>d</sup>	0/3	0/2	1/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	3	1	3
Live births per 100 transfers <sup>d</sup>	0/4	0/3	0/1	0/3
Average number embryos transferred	2.3	2.0	1.0	2.3
<b>Donor Eggs</b>				
Number of fresh transfers	1	2	6	21
Live births per 100 fresh transfers <sup>d</sup>	0/1	2/2	0/6	14.3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	3.0	3.5	2.3	3.1

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MASSACHUSETTS GENERAL HOSPITAL VINCENT IVF UNIT  
BOSTON, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	22%
Single women?	Yes	GIFT	<1%	Endometriosis	13%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	37%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	36%	Other factors	16%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	100	47	65	21
Pregnancies per 100 cycles	40.0	34.0	18.5	4.8
Live births per 100 cycles <sup>d</sup>	34.0	19.1	18.5	4.8
(95% confidence interval)	(24.7 - 43.3)	(7.9 - 30.4)	(9.0 - 27.9)	(0.0 - 13.9)
Live births per 100 retrievals <sup>d</sup>	37.8	21.4	24.0	1/17
Live births per 100 transfers <sup>d</sup>	39.5	23.1	26.1	1/14
Cancellations per 100 cycles	10.0	10.6	23.1	19.0
Average number embryos transferred	2.9	3.1	3.6	2.1
Twin gestations per 100 pregnancies	25.0	4/16	3/12	0/1
Triplet or more gestations per 100 pregnancies	10.0	1/16	2/12	0/1
Multiple births per 100 live births <sup>d</sup>	35.3	2/9	4/12	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	3	3	1
Live births per 100 transfers <sup>d</sup>	2/12	0/3	2/3	1/1
Average number embryos transferred	3.1	2.0	2.7	5.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers <sup>d</sup>				0/1
Number of frozen transfers	0	1	0	1
Live births per 100 frozen transfers <sup>d</sup>		0/1		0/1
Average number embryos transferred (fresh and frozen)		1.0		3.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**BOSTON IVF  
BROOKLINE, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	86%	Tubal factor	22%
Single women?	Yes	GIFT	14%	Endometriosis	10%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	24%
Sharing of donor eggs?	Yes			Male factor	15%
		With ICSI	25%	Other factors	10%
		Unstimulated	<1%	Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	837	491	500	371
Pregnancies per 100 cycles	31.5	29.7	19.4	12.4
Live births per 100 cycles <sup>d</sup>	27.7	24.6	15.4	5.9
(95% confidence interval)	(24.7 - 30.8)	(20.8 - 28.5)	(12.2 - 18.6)	(3.5 - 8.3)
Live births per 100 retrievals <sup>d</sup>	29.8	27.5	18.5	7.1
Live births per 100 transfers <sup>d</sup>	32.0	29.5	20.3	7.7
Cancellations per 100 cycles	6.9	10.4	16.8	16.7
Average number embryos transferred	3.2	3.8	3.8	4.4
Twin gestations per 100 pregnancies	34.1	21.9	24.7	13.0
Triplet or more gestations per 100 pregnancies	12.9	11.6	3.1	0.0
Multiple births per 100 live births <sup>d</sup>	46.1	33.9	26.0	4.5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	121	68	28	22
Live births per 100 transfers <sup>d</sup>	24.0	29.4	25.0	13.6
Average number embryos transferred	3.0	2.9	2.6	3.2
<b>Donor Eggs</b>				
Number of fresh transfers	20	16	38	60
Live births per 100 fresh transfers <sup>d</sup>	55.0	6/16	10.5	26.7
Number of frozen transfers	10	3	9	18
Live births per 100 frozen transfers <sup>d</sup>	0/10	0/3	0/9	2/18
Average number embryos transferred (fresh and frozen)	3.0	3.3	2.9	2.9

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**NEW ENGLAND FERTILITY AND ENDOCRINOLOGY ASSOCIATES  
BROOKLINE, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	94%
Single women?	No	GIFT	0%	Endometriosis	6%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	0%
		Unstimulated	94%	Other factors	0%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	4	7	5	1
Pregnancies per 100 cycles	0/4	1/7	0/5	0/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	0/4	1/7	0/5	0/1
Live births per 100 retrievals <sup>d</sup>	0/4	1/7	0/5	0/1
Live births per 100 transfers <sup>d</sup>	0/4	1/6	0/3	
Cancellations per 100 cycles	0/4	0/7	0/5	0/1
Average number embryos transferred	1.0	1.2	1.0	
Twin gestations per 100 pregnancies		0/1		
Triplet or more gestations per 100 pregnancies		0/1		
Multiple births per 100 live births <sup>d</sup>		0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**HALLMARK HEALTH FERTILITY SERVICES  
THE MALDEN HOSPITAL  
MALDEN, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	91%	Tubal factor	45%
Single women?	Yes	GIFT	9%	Endometriosis	3%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	10%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	26%
		Unstimulated	0%	Other factors	0%
				Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	8	8	3	3
Pregnancies per 100 cycles	3/8	1/8	1/3	0/3
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	1/8	1/8	0/3	0/3
Live births per 100 retrievals <sup>d</sup>	1/8	1/7	0/2	0/3
Live births per 100 transfers <sup>d</sup>	1/7	1/6	0/2	0/3
Cancellations per 100 cycles	0/8	1/8	1/3	0/3
Average number embryos transferred	4.1	3.8	4.5	4.0
Twin gestations per 100 pregnancies	0/3	0/1	0/1	
Triplet or more gestations per 100 pregnancies	0/3	0/1	0/1	
Multiple births per 100 live births <sup>d</sup>	0/1	0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	5	0	0
Live births per 100 transfers <sup>d</sup>	1/4	1/5		
Average number embryos transferred	3.5	2.8		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FERTILITY CENTER OF NEW ENGLAND, INC.**  
**READING, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	23%
Single women?	Yes	GIFT	<1%	Endometriosis	17%
Gestational carriers?	No	ZIFT	0%	Uterine factor	7%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	24%
Sharing of donor eggs?	No			Male factor	20%
		With ICSI	28%	Other factors	5%
		Unstimulated	1%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	317	228	232	194
Pregnancies per 100 cycles	27.4	19.7	13.8	5.2
Live births per 100 cycles <sup>d</sup>	23.3	16.7	10.3	3.1
(95% confidence interval)	(18.7 - 28.0)	(11.8 - 21.5)	(6.4 - 14.3)	(0.7 - 5.5)
Live births per 100 retrievals <sup>d</sup>	24.3	18.2	11.3	3.6
Live births per 100 transfers <sup>d</sup>	26.7	20.2	13.1	4.7
Cancellations per 100 cycles	4.1	8.3	8.6	14.4
Average number embryos transferred	3.3	3.2	3.0	2.7
Twin gestations per 100 pregnancies	23.0	28.9	21.9	0/10
Triplet or more gestations per 100 pregnancies	9.2	2.2	3.1	0/10
Multiple births per 100 live births <sup>d</sup>	33.8	31.6	25.0	0/6
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	76	29	20	11
Live births per 100 transfers <sup>d</sup>	22.4	17.2	10.0	0/11
Average number embryos transferred	3.6	3.4	3.7	2.5
<b>Donor Eggs</b>				
Number of fresh transfers	4	5	12	45
Live births per 100 fresh transfers <sup>d</sup>	0/4	1/5	2/12	46.7
Number of frozen transfers	0	0	2	4
Live births per 100 frozen transfers <sup>d</sup>			1/2	0/4
Average number embryos transferred (fresh and frozen)	2.8	3.2	3.3	2.9

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**BAYSTATE IVF  
SPRINGFIELD, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	41%
Single women?	Yes	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	<1%	Uterine factor	<1%
Donor egg program?	No	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	19%
Sharing of donor eggs?	No	With ICSI	42%	Male factor	10%
		Unstimulated	<1%	Other factors	9%
				Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	142	68	74	26
Pregnancies per 100 cycles	34.5	30.9	20.3	23.1
Live births per 100 cycles <sup>d</sup>	33.1	23.5	17.6	15.4
(95% confidence interval)	(25.4 - 40.8)	(13.4 - 33.6)	(8.9 - 26.2)	(1.5 - 29.3)
Live births per 100 retrievals <sup>d</sup>	36.4	29.1	19.1	4/18
Live births per 100 transfers <sup>d</sup>	41.2	32.0	22.0	4/17
Cancellations per 100 cycles	9.2	19.1	8.1	30.8
Average number embryos transferred	3.0	3.3	3.5	4.2
Twin gestations per 100 pregnancies	30.6	23.8	5/15	3/6
Triplet or more gestations per 100 pregnancies	12.2	23.8	0/15	0/6
Multiple births per 100 live births <sup>d</sup>	38.3	6/16	5/13	2/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	55	21	4	6
Live births per 100 transfers <sup>d</sup>	23.6	19.0	0/4	0/6
Average number embryos transferred	3.6	3.2	3.3	4.2
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**BOSTON REGIONAL CENTER FOR REPRODUCTIVE MEDICINE  
STONEHAM, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	95%	Tubal factor	28%
Single women?	Yes	GIFT	2%	Endometriosis	12%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	22%
Sharing of donor eggs?	No			Male factor	11%
		With ICSI	18%	Other factors	15%
		Unstimulated	8%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	214	116	74	63
Pregnancies per 100 cycles	25.2	24.1	18.9	9.5
Live births per 100 cycles <sup>d</sup>	21.5	19.8	14.9	3.2
(95% confidence interval)	(16.0 - 27.0)	(12.6 - 27.1)	(6.8 - 23.0)	(0.0 - 7.5)
Live births per 100 retrievals <sup>d</sup>	22.8	21.7	16.2	3.3
Live births per 100 transfers <sup>d</sup>	25.1	23.5	18.3	3.9
Cancellations per 100 cycles	5.6	8.6	8.1	4.8
Average number embryos transferred	3.5	3.2	3.4	3.5
Twin gestations per 100 pregnancies	33.3	21.4	4/14	0/6
Triplet or more gestations per 100 pregnancies	9.3	0.0	1/14	0/6
Multiple births per 100 live births <sup>d</sup>	34.8	13.0	3/11	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	55	19	8	9
Live births per 100 transfers <sup>d</sup>	21.8	1/19	0/8	1/9
Average number embryos transferred	4.3	4.2	5.0	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	1	1	3	2
Live births per 100 fresh transfers <sup>d</sup>	0/1	0/1	1/3	0/2
Number of frozen transfers	0	0	1	1
Live births per 100 frozen transfers <sup>d</sup>			0/1	0/1
Average number embryos transferred (fresh and frozen)	6.0	3.0	3.5	4.3

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**THE REPRODUCTIVE SCIENCE CENTER OF BOSTON  
DEACONESS WALTHAM HOSPITAL  
WALTHAM, MASSACHUSETTS**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	24%
Single women?	Yes	GIFT	3%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	34%
Sharing of donor eggs?	Yes			Male factor	12%
		With ICSI	36%	Other factors	6%
		Unstimulated	<1%	Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	387	231	219	136
Pregnancies per 100 cycles	41.1	31.2	28.8	18.4
Live births per 100 cycles <sup>d</sup>	35.9	24.7	19.6	9.6
(95% confidence interval)	(31.1 - 40.7)	(19.1 - 30.2)	(14.4 - 24.9)	(4.6 - 14.5)
Live births per 100 retrievals <sup>d</sup>	38.2	27.7	23.6	11.8
Live births per 100 transfers <sup>d</sup>	40.2	29.1	25.1	13.4
Cancellations per 100 cycles	5.9	10.8	16.9	19.1
Average number embryos transferred	2.9	3.3	3.5	3.9
Twin gestations per 100 pregnancies	32.1	30.6	27.0	16.0
Triplet or more gestations per 100 pregnancies	6.9	8.3	4.8	4.0
Multiple births per 100 live births <sup>d</sup>	33.8	42.1	32.6	2/13
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	76	29	20	20
Live births per 100 transfers <sup>d</sup>	34.2	10.3	20.0	5.0
Average number embryos transferred	2.5	2.6	2.9	2.6
<b>Donor Eggs</b>				
Number of fresh transfers	13	7	14	42
Live births per 100 fresh transfers <sup>d</sup>	10/13	4/7	3/14	47.6
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	2.6	2.6	2.6	2.9

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**UNIVERSITY OF MICHIGAN MEDICAL CENTER  
ANN ARBOR, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	29%
Single women?	Yes	GIFT	4%	Endometriosis	9%
Gestational carriers?	No	ZIFT	3%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	1%	Ovulatory dysfunction	37%
Sharing of donor eggs?	No	With ICSI	39%	Male factor	22%
		Unstimulated	0%	Other factors	0%
				Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	68	30	19	6
Pregnancies per 100 cycles	17.6	10.0	1/19	2/6
Live births per 100 cycles <sup>d</sup>	13.2	10.0	1/19	2/6
(95% confidence interval)	(5.2 - 21.3)	(0.0 - 20.7)		
Live births per 100 retrievals <sup>d</sup>	15.8	12.0	1/15	2/5
Live births per 100 transfers <sup>d</sup>	16.7	12.0	1/15	2/5
Cancellations per 100 cycles	16.2	16.7	4/19	1/6
Average number embryos transferred	3.2	3.8	4.8	4.0
Twin gestations per 100 pregnancies	4/12	1/3	1/1	1/2
Triplet or more gestations per 100 pregnancies	2/12	0/3	0/1	0/2
Multiple births per 100 live births <sup>d</sup>	6/9	1/3	0/1	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	17	11	7	3
Live births per 100 transfers <sup>d</sup>	0/17	1/11	0/7	0/3
Average number embryos transferred	3.1	3.4	4.4	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE MEDICINE  
OAKWOOD HOSPITAL  
DEARBORN, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	22%
Single women?	Yes	GIFT	<1%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	8%
Sharing of donor eggs?	No			Male factor	56%
		With ICSI	21%	Other factors	0%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	117	53	59	46
Pregnancies per 100 cycles	21.4	24.5	5.1	8.7
Live births per 100 cycles <sup>d</sup>	17.9	20.8	3.4	4.3
(95% confidence interval)	(11.0 - 24.9)	(9.8 - 31.7)	(0.0 - 8.0)	(0.0 - 10.2)
Live births per 100 retrievals <sup>d</sup>	24.4	30.6	6.5	10.0
Live births per 100 transfers <sup>d</sup>	27.6	32.4	8.0	2/17
Cancellations per 100 cycles	26.5	32.1	47.5	56.5
Average number embryos transferred	3.5	3.4	2.9	3.9
Twin gestations per 100 pregnancies	20.0	3/13	1/3	0/4
Triplet or more gestations per 100 pregnancies	24.0	1/13	1/3	0/4
Multiple births per 100 live births <sup>d</sup>	42.9	2/11	2/2	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	18	2	3	0
Live births per 100 transfers <sup>d</sup>	0/18	0/2	0/3	
Average number embryos transferred	2.6	3.5	2.7	
<b>Donor Eggs</b>				
Number of fresh transfers	2	0	1	1
Live births per 100 fresh transfers <sup>d</sup>	0/2		0/1	1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	1.5		2.0	6.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**HUTZEL HOSPITAL  
DETROIT, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	Tubal factor	26%
Single women?	Yes	GIFT	4%	Endometriosis	16%
Gestational carriers?	Yes	ZIFT	1%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	31%
Sharing of donor eggs?	No			Male factor	4%
		With ICSI	30%	Other factors	17%
		Unstimulated	1%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	64	35	30	11
Pregnancies per 100 cycles	31.3	34.3	43.3	1/11
Live births per 100 cycles <sup>d</sup>	26.6	22.9	10.0	1/11
(95% confidence interval)	(15.7 - 37.4)	(8.9 - 36.8)	(0.0 - 20.7)	
Live births per 100 retrievals <sup>d</sup>	28.3	33.3	12.5	1/6
Live births per 100 transfers <sup>d</sup>	29.3	34.8	13.0	1/5
Cancellations per 100 cycles	6.3	31.4	20.0	5/11
Average number embryos transferred	4.1	4.4	5.1	2.8
Twin gestations per 100 pregnancies	20.0	2/12	2/13	0/1
Triplet or more gestations per 100 pregnancies	20.0	2/12	0/13	0/1
Multiple births per 100 live births <sup>d</sup>	6/17	3/8	0/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	3	0	1
Live births per 100 transfers <sup>d</sup>	0/3	0/3		0/1
Average number embryos transferred	3.7	1.7		2.0
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	0	5
Live births per 100 fresh transfers <sup>d</sup>	0/1			1/5
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	5.0			5.2

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**HURLEY MEDICAL CENTER FOR REPRODUCTIVE MEDICINE  
FLINT, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	45%	Tubal factor	38%
Single women?	No	GIFT	13%	Endometriosis	7%
Gestational carriers?	No	ZIFT	26%	Uterine factor	1%
Donor egg program?	No	Combination <sup>b</sup>	15%	Ovulatory dysfunction	45%
Sharing of donor eggs?	No	With ICSI	44%	Male factor	7%
		Unstimulated	0%	Other factors	2%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	67	30	10	19
Pregnancies per 100 cycles	41.8	43.3	4/10	1/19
Live births per 100 cycles <sup>d</sup>	35.8	33.3	4/10	0/19
(95% confidence interval)	(24.3 - 47.3)	(16.5 - 50.2)		
Live births per 100 retrievals <sup>d</sup>	41.4	35.7	4/10	0/16
Live births per 100 transfers <sup>d</sup>	42.1	35.7	4/8	0/15
Cancellations per 100 cycles	13.4	6.7	0/10	3/19
Average number embryos transferred	5.4	5.8	6.6	4.9
Twin gestations per 100 pregnancies	28.6	4/13	0/4	0/1
Triplet or more gestations per 100 pregnancies	3.6	1/13	0/4	0/1
Multiple births per 100 live births <sup>d</sup>	29.2	4/10	0/4	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	10	0	0
Live births per 100 transfers <sup>d</sup>	0/9	1/10		
Average number embryos transferred	4.0	3.0		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**GRAND RAPIDS FERTILITY/SPECTRUM HEALTH EAST  
GRAND RAPIDS, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	79%	Tubal factor	32%
Single women?	No	GIFT	12%	Endometriosis	7%
Gestational carriers?	No	ZIFT	0%	Uterine factor	<1%
Donor egg program?	Yes	Combination <sup>b</sup>	9%	Ovulatory dysfunction	20%
Sharing of donor eggs?	Yes			Male factor	9%
		With ICSI	25%	Other factors	28%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	57	23	6	5
Pregnancies per 100 cycles	35.1	43.5	1/6	2/5
Live births per 100 cycles <sup>d</sup>	28.1	34.8	1/6	1/5
(95% confidence interval)	(16.4 - 39.7)	(15.3 - 54.2)		
Live births per 100 retrievals <sup>d</sup>	32.0	38.1	1/5	1/4
Live births per 100 transfers <sup>d</sup>	33.3	8/19	1/5	1/4
Cancellations per 100 cycles	12.3	8.7	1/6	1/5
Average number embryos transferred	4.5	4.7	3.8	5.0
Twin gestations per 100 pregnancies	30.0	3/10	0/1	0/2
Triplet or more gestations per 100 pregnancies	10.0	1/10	0/1	0/2
Multiple births per 100 live births <sup>d</sup>	6/16	3/8	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	23	7	1	2
Live births per 100 transfers <sup>d</sup>	21.7	0/7	0/1	0/2
Average number embryos transferred	5.7	5.1	3.0	6.0
<b>Donor Eggs</b>				
Number of fresh transfers	5	4	1	4
Live births per 100 fresh transfers <sup>d</sup>	1/5	2/4	1/1	3/4
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	4.4	4.0	6.0	4.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MICHIGAN REPRODUCTIVE & IVF CENTER  
GRAND RAPIDS, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	54%	Tubal factor	27%
Single women?	No	GIFT	20%	Endometriosis	18%
Gestational carriers?	Yes	ZIFT	23%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	3%	Ovulatory dysfunction	31%
Sharing of donor eggs?	Yes			Male factor	6%
		With ICSI	47%	Other factors	9%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	150	54	41	16
Pregnancies per 100 cycles	56.7	44.4	26.8	3/16
Live births per 100 cycles <sup>d</sup>	49.3	38.9	17.1	2/16
(95% confidence interval)	(41.3 - 57.3)	(25.9 - 51.9)	(5.6 - 28.6)	
Live births per 100 retrievals <sup>d</sup>	51.0	40.4	17.9	2/12
Live births per 100 transfers <sup>d</sup>	51.7	41.2	17.9	2/11
Cancellations per 100 cycles	3.3	3.7	4.9	4/16
Average number embryos transferred	3.8	3.7	3.7	4.3
Twin gestations per 100 pregnancies	27.1	29.2	3/11	1/3
Triplet or more gestations per 100 pregnancies	14.1	12.5	0/11	0/3
Multiple births per 100 live births <sup>d</sup>	41.9	38.1	0/7	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	2	5	3
Live births per 100 transfers <sup>d</sup>	2/13	1/2	0/5	0/3
Average number embryos transferred	3.5	3.0	3.0	2.7
<b>Donor Eggs</b>				
Number of fresh transfers	5	4	4	15
Live births per 100 fresh transfers <sup>d</sup>	3/5	4/4	2/4	4/15
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	3.6	3.3	4.0	3.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**WEST MICHIGAN REPRODUCTIVE INSTITUTE, P.C.**  
**GRAND RAPIDS, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	40%
Single women?	Yes	GIFT	1%	Endometriosis	16%
Gestational carriers?	No	ZIFT	5%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	20%
		With ICSI	30%	Other factors	2%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	49	22	19	10
Pregnancies per 100 cycles	30.6	13.6	5/19	2/10
Live births per 100 cycles <sup>d</sup>	24.5	9.1	3/19	2/10
(95% confidence interval)	(12.4 - 36.5)	(0.0 - 21.1)		
Live births per 100 retrievals <sup>d</sup>	29.3	2/19	3/15	2/8
Live births per 100 transfers <sup>d</sup>	30.0	2/18	3/12	2/6
Cancellations per 100 cycles	16.3	13.6	4/19	2/10
Average number embryos transferred	5.3	5.6	5.3	4.8
Twin gestations per 100 pregnancies	2/15	0/3	1/5	1/2
Triplet or more gestations per 100 pregnancies	3/15	1/3	0/5	0/2
Multiple births per 100 live births <sup>d</sup>	4/12	0/2	1/3	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	3	2	2
Live births per 100 transfers <sup>d</sup>	2/9	0/3	0/2	0/2
Average number embryos transferred	5.6	6.7	5.0	6.5
<b>Donor Eggs</b>				
Number of fresh transfers	0	1	3	3
Live births per 100 fresh transfers <sup>d</sup>		1/1	0/3	1/3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0	4.3	6.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**INFERTILITY AND GYNECOLOGY CENTER OF LANSING, P.C.  
LANSING, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	46%	Tubal factor	36%
Single women?	Yes	GIFT	20%	Endometriosis	23%
Gestational carriers?	Yes	ZIFT	32%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	24%
Sharing of donor eggs?	No			Male factor	4%
		With ICSI	46%	Other factors	8%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	43	22	9	15
Pregnancies per 100 cycles	37.2	36.4	0/9	2/15
Live births per 100 cycles <sup>d</sup>	37.2	27.3	0/9	1/15
(95% confidence interval)	(22.8 - 51.7)	(8.7 - 45.9)		
Live births per 100 retrievals <sup>d</sup>	43.2	6/16	0/7	1/9
Live births per 100 transfers <sup>d</sup>	43.2	6/15	0/7	1/8
Cancellations per 100 cycles	14.0	27.3	2/9	6/15
Average number embryos transferred	4.0	3.5	2.7	4.3
Twin gestations per 100 pregnancies	5/16	2/8		0/2
Triplet or more gestations per 100 pregnancies	1/16	0/8		0/2
Multiple births per 100 live births <sup>d</sup>	5/16	2/6		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	3	0	1
Live births per 100 transfers <sup>d</sup>	0/2	1/3		0/1
Average number embryos transferred	3.5	4.0		4.0
<b>Donor Eggs</b>				
Number of fresh transfers	3	0	0	2
Live births per 100 fresh transfers <sup>d</sup>	2/3			1/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	2.7			2.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MICHIGAN STATE UNIVERSITY  
CENTER FOR ASSISTED REPRODUCTIVE TECHNOLOGY  
LANSING, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	0%	Tubal factor	0%
Single women?	Yes	GIFT	20%	Endometriosis	20%
Gestational carriers?	No	ZIFT	80%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	40%
Sharing of donor eggs?	No	With ICSI	60%	Male factor	40%
		Unstimulated	0%	Other factors	0%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	1	2	0
Pregnancies per 100 cycles	0/2	1/1	0/2	
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	0/2	1/1	0/2	
Live births per 100 retrievals <sup>d</sup>	0/2	1/1	0/2	
Live births per 100 transfers <sup>d</sup>	0/2	1/1		
Cancellations per 100 cycles	0/2	0/1	0/2	
Average number embryos transferred	3.0	6.0		
Twin gestations per 100 pregnancies		0/1		
Triplet or more gestations per 100 pregnancies		0/1		
Multiple births per 100 live births <sup>d</sup>		0/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**E.L.R.S.T. IVF  
ROCHESTER HILLS, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	54%	Tubal factor	15%
Single women?	Yes	GIFT	13%	Endometriosis	14%
Gestational carriers?	Yes	ZIFT	34%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	38%
Sharing of donor eggs?	Yes			Male factor	19%
		With ICSI	49%	Other factors	<1%
		Unstimulated	0%	Unexplained	10%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	109	61	47	22
Pregnancies per 100 cycles	44.0	32.8	36.2	9.1
Live births per 100 cycles <sup>d</sup>	33.9	26.2	25.5	9.1
(95% confidence interval)	(25.1 - 42.8)	(15.2 - 37.3)	(13.1 - 38.0)	(0.0 - 21.1)
Live births per 100 retrievals <sup>d</sup>	33.9	27.6	26.1	2/19
Live births per 100 transfers <sup>d</sup>	35.2	27.6	26.7	2/17
Cancellations per 100 cycles	0.0	4.9	2.1	13.6
Average number embryos transferred	5.3	4.2	4.4	3.5
Twin gestations per 100 pregnancies	27.1	25.0	2/17	0/2
Triplet or more gestations per 100 pregnancies	8.3	10.0	0/17	1/2
Multiple births per 100 live births <sup>d</sup>	40.5	7/16	2/12	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	3	0	0
Live births per 100 transfers <sup>d</sup>	1/6	0/3		
Average number embryos transferred	3.7	1.7		
<b>Donor Eggs</b>				
Number of fresh transfers	3	7	13	36
Live births per 100 fresh transfers <sup>d</sup>	0/3	4/7	2/13	33.3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	3.3	6.3	4.6	5.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**BEAUMONT CENTER FOR FERTILITY AND REPRODUCTIVE MEDICINE  
ROYAL OAK, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	18%
Single women?	Yes	GIFT	0%	Endometriosis	22%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	34%
Sharing of donor eggs?	No			Male factor	5%
		With ICSI	44%	Other factors	5%
		Unstimulated	0%	Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	76	40	26	26
Pregnancies per 100 cycles	42.1	47.5	26.9	15.4
Live births per 100 cycles <sup>d</sup>	35.5	40.0	23.1	15.4
(95% confidence interval)	(24.8 - 46.3)	(24.8 - 55.2)	(6.9 - 39.3)	(1.5 - 29.3)
Live births per 100 retrievals <sup>d</sup>	39.7	42.1	6/18	4/19
Live births per 100 transfers <sup>d</sup>	40.3	43.2	6/18	4/17
Cancellations per 100 cycles	10.5	5.0	30.8	26.9
Average number embryos transferred	3.5	3.6	3.5	4.2
Twin gestations per 100 pregnancies	15.6	1/19	0/7	1/4
Triplet or more gestations per 100 pregnancies	12.5	2/19	1/7	1/4
Multiple births per 100 live births <sup>d</sup>	22.2	3/16	1/6	1/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	1	0	0
Live births per 100 transfers <sup>d</sup>	1/8	0/1		
Average number embryos transferred	4.3	3.0		
<b>Donor Eggs</b>				
Number of fresh transfers	1	1	0	1
Live births per 100 fresh transfers <sup>d</sup>	0/1	0/1		0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	4.0	3.0		3.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



## HENRY FORD REPRODUCTIVE MEDICINE TROY, MICHIGAN

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	57%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	1%	Ovulatory dysfunction	16%
Sharing of donor eggs?	No	With ICSI	23%	Male factor	2%
		Unstimulated	0%	Other factors	13%
				Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	39	17	15	20
Pregnancies per 100 cycles	35.9	2/17	5/15	15.0
Live births per 100 cycles <sup>d</sup>	35.9	2/17	3/15	10.0
(95% confidence interval)	(20.8 - 51.0)			(0.0 - 23.1)
Live births per 100 retrievals <sup>d</sup>	40.0	2/7	3/9	2/12
Live births per 100 transfers <sup>d</sup>	41.2	2/6	3/9	2/11
Cancellations per 100 cycles	10.3	10/17	6/15	40.0
Average number embryos transferred	2.9	3.8	3.9	3.3
Twin gestations per 100 pregnancies	6/14	1/2	1/5	1/3
Triplet or more gestations per 100 pregnancies	2/14	1/2	0/5	0/3
Multiple births per 100 live births <sup>d</sup>	8/14	2/2	1/3	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	12	3	2	2
Live births per 100 transfers <sup>d</sup>	2/12	1/3	0/2	0/2
Average number embryos transferred	3.3	3.7	4.5	1.5
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ANN ARBOR REPRODUCTIVE MEDICINE  
YPSILANTI, MICHIGAN**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	39%	Tubal factor	29%
Single women?	Yes	GIFT	9%	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	51%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	No			Male factor	39%
		With ICSI	34%	Other factors	0%
		Unstimulated	0%	Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	168	71	47	21
Pregnancies per 100 cycles	34.5	28.2	17.0	33.3
Live births per 100 cycles <sup>d</sup>	28.6	21.1	8.5	23.8
(95% confidence interval)	(21.7 - 35.4)	(11.6 - 30.6)	(0.5 - 16.5)	(5.6 - 42.0)
Live births per 100 retrievals <sup>d</sup>	33.1	29.4	12.9	5/13
Live births per 100 transfers <sup>d</sup>	35.0	31.3	14.8	5/12
Cancellations per 100 cycles	13.7	28.2	34.0	38.1
Average number embryos transferred	3.2	3.5	3.0	4.7
Twin gestations per 100 pregnancies	20.7	10.0	2/8	1/7
Triplet or more gestations per 100 pregnancies	19.0	20.0	0/8	1/7
Multiple births per 100 live births <sup>d</sup>	41.7	6/15	2/4	2/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	30	11	5	4
Live births per 100 transfers <sup>d</sup>	23.3	2/11	1/5	0/4
Average number embryos transferred	2.7	2.7	2.0	2.8
<b>Donor Eggs</b>				
Number of fresh transfers	4	1	14	12
Live births per 100 fresh transfers <sup>d</sup>	1/4	1/1	9/14	3/12
Number of frozen transfers	0	0	2	4
Live births per 100 frozen transfers <sup>d</sup>			1/2	0/4
Average number embryos transferred (fresh and frozen)	3.0	4.0	3.8	3.4

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE MEDICINE  
MINNEAPOLIS, MINNESOTA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	32%
Single women?	Yes	GIFT	1%	Endometriosis	16%
Gestational carriers?	No	ZIFT	<1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	24%
Sharing of donor eggs?	No			Male factor	4%
		With ICSI	43%	Other factors	8%
		Unstimulated	0%	Unexplained	13%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	94	61	36	16
Pregnancies per 100 cycles	47.9	36.1	38.9	3/16
Live births per 100 cycles <sup>d</sup>	42.6	34.4	30.6	2/16
(95% confidence interval)	(32.6 - 52.5)	(22.5 - 46.3)	(15.5 - 45.6)	
Live births per 100 retrievals <sup>d</sup>	46.0	42.0	33.3	2/13
Live births per 100 transfers <sup>d</sup>	46.5	42.9	33.3	2/13
Cancellations per 100 cycles	7.4	18.0	8.3	3/16
Average number embryos transferred	3.2	3.3	3.3	3.3
Twin gestations per 100 pregnancies	31.1	45.5	6/14	1/3
Triplet or more gestations per 100 pregnancies	8.9	4.5	0/14	0/3
Multiple births per 100 live births <sup>d</sup>	37.5	38.1	6/11	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	3	1	0
Live births per 100 transfers <sup>d</sup>	0/4	1/3	0/1	
Average number embryos transferred	4.5	1.3	4.0	
<b>Donor Eggs</b>				
Number of fresh transfers	4	5	10	11
Live births per 100 fresh transfers <sup>d</sup>	2/4	4/5	3/10	8/11
Number of frozen transfers	0	0	1	0
Live births per 100 frozen transfers <sup>d</sup>			0/1	
Average number embryos transferred (fresh and frozen)	3.0	3.0	2.8	2.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**THE MIDWEST CENTER FOR REPRODUCTIVE HEALTH, P.A.  
MINNEAPOLIS, MINNESOTA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	34%
Single women?	Yes	GIFT	0%	Endometriosis	11%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	26%
Sharing of donor eggs?	Yes			Male factor	9%
		With ICSI	23%	Other factors	0%
		Unstimulated	0%	Unexplained	19%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	159	64	49	18
Pregnancies per 100 cycles	46.5	53.1	26.5	2/18
Live births per 100 cycles <sup>d</sup>	40.3	43.8	20.4	2/18
(95% confidence interval)	(32.6 - 47.9)	(31.6 - 55.9)	(9.1 - 31.7)	
Live births per 100 retrievals <sup>d</sup>	45.7	48.3	26.3	2/12
Live births per 100 transfers <sup>d</sup>	46.7	48.3	28.6	2/12
Cancellations per 100 cycles	11.9	9.4	22.4	6/18
Average number embryos transferred	2.8	2.8	2.8	2.7
Twin gestations per 100 pregnancies	29.7	17.6	1/13	0/2
Triplet or more gestations per 100 pregnancies	5.4	8.8	0/13	0/2
Multiple births per 100 live births <sup>d</sup>	37.5	28.6	1/10	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	44	30	17	2
Live births per 100 transfers <sup>d</sup>	22.7	26.7	3/17	0/2
Average number embryos transferred	2.7	2.7	2.9	2.5
<b>Donor Eggs</b>				
Number of fresh transfers	7	3	2	9
Live births per 100 fresh transfers <sup>d</sup>	3/7	2/3	1/2	5/9
Number of frozen transfers	3	1	0	2
Live births per 100 frozen transfers <sup>d</sup>	0/3	1/1		0/2
Average number embryos transferred (fresh and frozen)	2.4	2.3	3.0	2.6

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MAYO CLINIC ASSISTED REPRODUCTIVE TECHNOLOGIES  
ROCHESTER, MINNESOTA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	32%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	35%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	37%	Other factors	8%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	99	51	30	15
Pregnancies per 100 cycles	49.5	45.1	30.0	0/15
Live births per 100 cycles <sup>d</sup>	45.5	39.2	23.3	0/15
(95% confidence interval)	(35.6 - 55.3)	(25.8 - 52.6)	(8.2 - 38.5)	
Live births per 100 retrievals <sup>d</sup>	50.0	50.0	29.2	0/9
Live births per 100 transfers <sup>d</sup>	50.6	50.0	29.2	0/9
Cancellations per 100 cycles	9.1	21.6	20.0	6/15
Average number embryos transferred	3.2	3.5	3.7	2.7
Twin gestations per 100 pregnancies	32.7	39.1	4/9	
Triplet or more gestations per 100 pregnancies	18.4	8.7	0/9	
Multiple births per 100 live births <sup>d</sup>	51.1	40.0	3/7	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	65	19	22	5
Live births per 100 transfers <sup>d</sup>	35.4	8/19	31.8	1/5
Average number embryos transferred	3.4	3.5	3.2	3.6
<b>Donor Eggs</b>				
Number of fresh transfers	0	1	0	1
Live births per 100 fresh transfers <sup>d</sup>		1/1		1/1
Number of frozen transfers	7	1	4	14
Live births per 100 frozen transfers <sup>d</sup>	0/7	1/1	1/4	6/14
Average number embryos transferred (fresh and frozen)	2.6	4.0	3.5	3.1

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**UNIVERSITY OF MISSISSIPPI MEDICAL CENTER  
JACKSON, MISSISSIPPI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	33%
Single women?	No	GIFT	0%	Endometriosis	36%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	35%	Other factors	2%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	95	15	21	15
Pregnancies per 100 cycles	23.2	5/15	14.3	2/15
Live births per 100 cycles <sup>d</sup>	20.0	4/15	0.0	1/15
(95% confidence interval)	(12.0 - 28.0)			
Live births per 100 retrievals <sup>d</sup>	21.6	4/11	0/17	1/11
Live births per 100 transfers <sup>d</sup>	23.8	4/11	0/17	1/9
Cancellations per 100 cycles	7.4	4/15	19.0	4/15
Average number embryos transferred	3.2	3.7	2.8	3.0
Twin gestations per 100 pregnancies	36.4	0/5	0/3	0/2
Triplet or more gestations per 100 pregnancies	0.0	0/5	0/3	0/2
Multiple births per 100 live births <sup>d</sup>	5/19	0/4		0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	1	1
Live births per 100 transfers <sup>d</sup>	0/2		0/1	0/1
Average number embryos transferred	2.5		3.0	3.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	1	1
Live births per 100 fresh transfers <sup>d</sup>			1/1	0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			5.0	5.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ADVANCED REPRODUCTIVE SPECIALISTS  
SAINT LUKE'S HOSPITAL  
CHESTERFIELD, MISSOURI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	54%
Single women?	No	GIFT	0%	Endometriosis	20%
Gestational carriers?	No	ZIFT	0%	Uterine factor	4%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	1%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	19%
		Unstimulated	0%	Other factors	2%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	69	17	21	9
Pregnancies per 100 cycles	34.8	4/17	19.0	1/9
Live births per 100 cycles <sup>d</sup>	31.9	4/17	9.5	0/9
(95% confidence interval)	(20.9 - 42.9)		(0.0 - 22.1)	
Live births per 100 retrievals <sup>d</sup>	36.1	4/15	2/16	0/7
Live births per 100 transfers <sup>d</sup>	40.7	4/13	2/12	0/6
Cancellations per 100 cycles	11.6	2/17	23.8	2/9
Average number embryos transferred	3.9	4.5	4.0	5.7
Twin gestations per 100 pregnancies	25.0	0/4	0/4	0/1
Triplet or more gestations per 100 pregnancies	8.3	1/4	0/4	0/1
Multiple births per 100 live births <sup>d</sup>	22.7	1/4	0/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	4	0	1
Live births per 100 transfers <sup>d</sup>	0/4	0/4		0/1
Average number embryos transferred	4.3	2.5		4.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**UNIVERSITY OF MISSOURI-COLUMBIA  
COLUMBIA, MISSOURI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	75%	Tubal factor	14%
Single women?	Yes	GIFT	25%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	3%
Sharing of donor eggs?	No	With ICSI	13%	Male factor	45%
		Unstimulated	0%	Other factors	0%
				Unexplained	28%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	14	2	6	2
Pregnancies per 100 cycles	4/14	2/2	1/6	0/2
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	3/14	0/2	0/6	0/2
Live births per 100 retrievals <sup>d</sup>	3/14	0/2	0/4	0/1
Live births per 100 transfers <sup>d</sup>	3/14	0/2	0/4	
Cancellations per 100 cycles	0/14	0/2	2/6	1/2
Average number embryos transferred	3.1	3.5	3.5	
Twin gestations per 100 pregnancies	0/4	0/2	1/1	
Triplet or more gestations per 100 pregnancies	1/4	0/2	0/1	
Multiple births per 100 live births <sup>d</sup>	1/3			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	1	0	0
Live births per 100 transfers <sup>d</sup>		0/1		
Average number embryos transferred		4.0		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	2	1	1	0
Live births per 100 frozen transfers <sup>d</sup>	0/2	0/1	0/1	
Average number embryos transferred (fresh and frozen)	4.0	3.0	3.0	

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**REPRODUCTIVE SCIENCE ASSOCIATES  
KANSAS CITY, MISSOURI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	No	IVF	97%	Tubal factor	32%
Single women?	Yes	GIFT	0%	Endometriosis	22%
Gestational carriers?	No	ZIFT	0%	Uterine factor	8%
Donor egg program?	No	Combination <sup>b</sup>	3%	Ovulatory dysfunction	6%
Sharing of donor eggs?	No			Male factor	32%
		With ICSI	59%	Other factors	0%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	25	6	0	3
Pregnancies per 100 cycles	28.0	1/6		0/3
Live births per 100 cycles <sup>d</sup>	20.0	1/6		0/3
(95% confidence interval)	(4.3 - 35.7)			
Live births per 100 retrievals <sup>d</sup>	20.0	1/6		0/2
Live births per 100 transfers <sup>d</sup>	20.0	1/5		
Cancellations per 100 cycles	0.0	0/6		1/3
Average number embryos transferred	3.9	4.6		
Twin gestations per 100 pregnancies	3/7	1/1		
Triplet or more gestations per 100 pregnancies	1/7	0/1		
Multiple births per 100 live births <sup>d</sup>	4/5	1/1		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	0	0	1
Live births per 100 transfers <sup>d</sup>	0/2			0/1
Average number embryos transferred	6.0			2.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**RESEARCH MEDICAL CENTER ART PROGRAM  
KANSAS CITY, MISSOURI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	29%	Tubal factor	0%
Single women?	Yes	GIFT	55%	Endometriosis	61%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	16%	Ovulatory dysfunction	7%
Sharing of donor eggs?	No	With ICSI	10%	Male factor	32%
		Unstimulated	0%	Other factors	0%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	10	1	1
Pregnancies per 100 cycles	5/19	4/10	0/1	0/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	4/19	4/10	0/1	0/1
Live births per 100 retrievals <sup>d</sup>	4/19	4/10	0/1	0/1
Live births per 100 transfers <sup>d</sup>	4/18	4/7	0/1	0/1
Cancellations per 100 cycles	0/19	0/10	0/1	0/1
Average number embryos transferred	4.4	4.3	5.0	3.0
Twin gestations per 100 pregnancies	1/5	0/4		
Triplet or more gestations per 100 pregnancies	1/5	0/4		
Multiple births per 100 live births <sup>d</sup>	2/4	0/4		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**INFERTILITY & IVF CENTER  
SAINT LOUIS, MISSOURI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	82%	Tubal factor	13%
Single women?	Yes	GIFT	0%	Endometriosis	9%
Gestational carriers?	Yes	ZIFT	18%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	25%
Sharing of donor eggs?	Yes	With ICSI	48%	Male factor	38%
		Unstimulated	0%	Other factors	8%
				Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	23	3	6	1
Pregnancies per 100 cycles	4.3	0/3	1/6	0/1
Live births per 100 cycles <sup>d</sup>	4.3	0/3	0/6	0/1
(95% confidence interval)	(0.0 - 12.7)			
Live births per 100 retrievals <sup>d</sup>	4.8	0/2	0/3	0/1
Live births per 100 transfers <sup>d</sup>	4.8	0/1	0/3	0/1
Cancellations per 100 cycles	8.7	1/3	3/6	0/1
Average number embryos transferred	3.5	3.0	3.3	1.0
Twin gestations per 100 pregnancies	0/1		0/1	
Triplet or more gestations per 100 pregnancies	1/1		0/1	
Multiple births per 100 live births <sup>d</sup>	1/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	2	2	3	5
Live births per 100 transfers <sup>d</sup>	0/2	1/2	1/3	0/5
Average number embryos transferred	4.5	2.5	3.3	3.4
<b>Donor Eggs</b>				
Number of fresh transfers	0	3	5	4
Live births per 100 fresh transfers <sup>d</sup>		0/3	0/5	0/4
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0	3.6	4.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**INFERTILITY CENTER OF SAINT LOUIS  
SAINT LOUIS, MISSOURI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	32%	Tubal factor	7%
Single women?	No	GIFT	23%	Endometriosis	0%
Gestational carriers?	Yes	ZIFT	46%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	65%
Sharing of donor eggs?	Yes			Male factor	11%
		With ICSI	62%	Other factors	17%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	119	48	30	25
Pregnancies per 100 cycles	37.0	35.4	26.7	20.0
Live births per 100 cycles <sup>d</sup>	31.9	25.0	13.3	4.0
(95% confidence interval)	(23.6 - 40.3)	(12.8 - 37.3)	(1.2 - 25.5)	(0.0 - 11.7)
Live births per 100 retrievals <sup>d</sup>	32.8	26.7	14.8	4.8
Live births per 100 transfers <sup>d</sup>	33.6	27.9	17.4	1/18
Cancellations per 100 cycles	2.5	6.3	10.0	16.0
Average number embryos transferred	4.4	4.7	5.9	4.4
Twin gestations per 100 pregnancies	29.5	1/17	2/8	0/5
Triplet or more gestations per 100 pregnancies	9.1	2/17	0/8	0/5
Multiple births per 100 live births <sup>d</sup>	36.8	3/12	1/4	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	5	1	0
Live births per 100 transfers <sup>d</sup>	2/8	2/5	0/1	
Average number embryos transferred	3.8	4.2	3.0	
<b>Donor Eggs</b>				
Number of fresh transfers	3	2	9	12
Live births per 100 fresh transfers <sup>d</sup>	0/3	0/2	4/9	3/12
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	5.3	4.0	5.2	4.3

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**WASHINGTON UNIVERSITY AND BARNES JEWISH HOSPITAL  
CENTER FOR REPRODUCTIVE MEDICINE AND INFERTILITY  
SAINT LOUIS, MISSOURI**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	40%
Single women?	Yes	GIFT	<1%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	11%
		With ICSI	16%	Other factors	14%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	67	47	36	19
Pregnancies per 100 cycles	31.3	27.7	16.7	1/19
Live births per 100 cycles <sup>d</sup>	28.4	25.5	13.9	1/19
(95% confidence interval)	(17.6 - 39.2)	(13.1 - 38.0)	(2.6 - 25.2)	
Live births per 100 retrievals <sup>d</sup>	31.1	35.3	19.2	1/14
Live births per 100 transfers <sup>d</sup>	35.8	40.0	20.0	1/13
Cancellations per 100 cycles	9.0	27.7	27.8	5/19
Average number embryos transferred	3.6	3.2	3.8	3.3
Twin gestations per 100 pregnancies	38.1	5/13	2/6	0/1
Triplet or more gestations per 100 pregnancies	9.5	1/13	0/6	0/1
Multiple births per 100 live births <sup>d</sup>	6/19	5/12	1/5	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	14	5	4	2
Live births per 100 transfers <sup>d</sup>	1/14	1/5	0/4	0/2
Average number embryos transferred	2.9	3.2	3.0	3.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	4	1	3
Live births per 100 fresh transfers <sup>d</sup>		2/4	0/1	1/3
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)		4.5	4.0	3.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## REPRODUCTIVE ENDOCRINOLOGY/INFERTILITY OMAHA, NEBRASKA

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	69%	Tubal factor	35%
Single women?	Yes	GIFT	3%	Endometriosis	20%
Gestational carriers?	No	ZIFT	28%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	4%
Sharing of donor eggs?	Yes	With ICSI	24%	Male factor	34%
		Unstimulated	0%	Other factors	0%
				Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	195	112	63	34
Pregnancies per 100 cycles	34.9	16.1	25.4	23.5
Live births per 100 cycles <sup>d</sup>	33.3	10.7	17.5	11.8
(95% confidence interval)	(26.7 - 39.9)	(5.0 - 16.4)	(8.1 - 26.8)	(0.9 - 22.6)
Live births per 100 retrievals <sup>d</sup>	37.6	12.2	22.9	14.3
Live births per 100 transfers <sup>d</sup>	38.2	12.4	22.9	15.4
Cancellations per 100 cycles	11.3	12.5	23.8	17.6
Average number embryos transferred	4.6	4.6	4.5	4.4
Twin gestations per 100 pregnancies	32.4	5/18	1/16	1/8
Triplet or more gestations per 100 pregnancies	22.1	3/18	2/16	0/8
Multiple births per 100 live births <sup>d</sup>	49.2	5/12	2/11	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	11	1	1
Live births per 100 transfers <sup>d</sup>	0/13	1/11	0/1	0/1
Average number embryos transferred	4.4	5.1	4.0	3.0
<b>Donor Eggs</b>				
Number of fresh transfers	11	11	10	14
Live births per 100 fresh transfers <sup>d</sup>	1/11	0/11	4/10	2/14
Number of frozen transfers	2	0	1	1
Live births per 100 frozen transfers <sup>d</sup>	0/2		0/1	0/1
Average number embryos transferred (fresh and frozen)	4.5	4.7	4.8	5.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**UNIVERSITY OF NEBRASKA IVF PROGRAM  
OMAHA, NEBRASKA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	56%	Tubal factor	27%
Single women?	Yes	GIFT	4%	Endometriosis	21%
Gestational carriers?	Yes	ZIFT	40%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	10%
Sharing of donor eggs?	No			Male factor	39%
		With ICSI	35%	Other factors	0%
		Unstimulated	0%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	96	45	20	11
Pregnancies per 100 cycles	28.1	22.2	15.0	1/11
Live births per 100 cycles <sup>d</sup>	26.0	15.6	15.0	1/11
(95% confidence interval)	(17.3 - 34.8)	(5.0 - 26.1)	(0.0 - 30.6)	
Live births per 100 retrievals <sup>d</sup>	28.1	21.9	3/17	1/8
Live births per 100 transfers <sup>d</sup>	30.1	25.9	3/16	1/5
Cancellations per 100 cycles	7.3	28.9	15.0	3/11
Average number embryos transferred	4.3	3.2	3.3	3.8
Twin gestations per 100 pregnancies	18.5	3/10	1/3	0/1
Triplet or more gestations per 100 pregnancies	14.8	0/10	0/3	0/1
Multiple births per 100 live births <sup>d</sup>	28.0	2/7	1/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	27	4	2	6
Live births per 100 transfers <sup>d</sup>	25.9	0/4	0/2	2/6
Average number embryos transferred	4.9	2.8	4.0	3.3
<b>Donor Eggs</b>				
Number of fresh transfers	2	3	3	12
Live births per 100 fresh transfers <sup>d</sup>	1/2	2/3	2/3	3/12
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)	6.0	4.0	4.3	4.3

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**FERTILITY CENTER OF LAS VEGAS  
LAS VEGAS, NEVADA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	30%
Single women?	Yes	GIFT	0%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	36%
Sharing of donor eggs?	No			Male factor	9%
		With ICSI	9%	Other factors	0%
		Unstimulated	0%	Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	66	17	14	11
Pregnancies per 100 cycles	25.8	5/17	3/14	0/11
Live births per 100 cycles <sup>d</sup>	22.7	4/17	0/14	0/11
(95% confidence interval)	(12.6 - 32.8)			
Live births per 100 retrievals <sup>d</sup>	25.9	4/14	0/11	0/10
Live births per 100 transfers <sup>d</sup>	39.5	4/11	0/10	0/8
Cancellations per 100 cycles	12.1	3/17	3/14	1/11
Average number embryos transferred	3.8	3.5	4.1	4.1
Twin gestations per 100 pregnancies	2/17	2/5	1/3	
Triplet or more gestations per 100 pregnancies	6/17	2/5	0/3	
Multiple births per 100 live births <sup>d</sup>	7/15	3/4		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	1	1	6
Live births per 100 fresh transfers <sup>d</sup>		1/1	0/1	4/6
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		3.0	2.0	4.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**UNIVERSITY INSTITUTE OF FERTILITY  
LAS VEGAS, NEVADA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	37%
Single women?	Yes	GIFT	0%	Endometriosis	9%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	13%
Sharing of donor eggs?	No			Male factor	28%
		With ICSI	21%	Other factors	7%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	5	12	12
Pregnancies per 100 cycles	16.7	0/5	2/12	2/12
Live births per 100 cycles <sup>d</sup>	8.3	0/5	2/12	1/12
(95% confidence interval)	(0.0 - 19.4)			
Live births per 100 retrievals <sup>d</sup>	8.3	0/5	2/12	1/11
Live births per 100 transfers <sup>d</sup>	8.3	0/5	2/11	1/10
Cancellations per 100 cycles	0.0	0/5	0/12	1/12
Average number embryos transferred	4.0	4.2	4.3	3.4
Twin gestations per 100 pregnancies	0/4		1/2	1/2
Triplet or more gestations per 100 pregnancies	1/4		0/2	0/2
Multiple births per 100 live births <sup>d</sup>	1/2		0/2	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	3	3	3
Live births per 100 transfers <sup>d</sup>	2/10	0/3	0/3	0/3
Average number embryos transferred	3.7	5.0	3.3	3.7
<b>Donor Eggs</b>				
Number of fresh transfers	0	1	0	6
Live births per 100 fresh transfers <sup>d</sup>		0/1		3/6
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		4.0		4.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**NORTHERN NEVADA FERTILITY CENTER  
RENO, NEVADA**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	90%	Tubal factor	36%
Single women?	Yes	GIFT	10%	Endometriosis	8%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	6%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	13%
Sharing of donor eggs?	Yes			Male factor	29%
		With ICSI	27%	Other factors	0%
		Unstimulated	0%	Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	53	42	33	27
Pregnancies per 100 cycles	43.4	28.6	24.2	22.2
Live births per 100 cycles <sup>d</sup>	32.1	23.8	21.2	14.8
(95% confidence interval)	(19.5 - 44.6)	(10.9 - 36.7)	(7.3 - 35.2)	(1.4 - 28.2)
Live births per 100 retrievals <sup>d</sup>	34.0	25.0	24.1	16.7
Live births per 100 transfers <sup>d</sup>	34.0	25.6	25.0	17.4
Cancellations per 100 cycles	5.7	4.8	12.1	11.1
Average number embryos transferred	5.1	5.8	5.5	6.1
Twin gestations per 100 pregnancies	34.8	3/12	2/8	0/6
Triplet or more gestations per 100 pregnancies	21.7	3/12	0/8	0/6
Multiple births per 100 live births <sup>d</sup>	12/17	5/10	2/7	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	0	1	1
Live births per 100 transfers <sup>d</sup>	0/8		0/1	0/1
Average number embryos transferred	4.0		3.0	1.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	3	1	11
Live births per 100 fresh transfers <sup>d</sup>		2/3	1/1	6/11
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)		5.7	5.0	5.3

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**DARTMOUTH-HITCHCOCK MEDICAL CENTER  
LEBANON, NEW HAMPSHIRE**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	77%	Tubal factor	28%
Single women?	Yes	GIFT	20%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	3%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	3%
		Unstimulated	0%	Other factors	31%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	8	9	12	1
Pregnancies per 100 cycles	3/8	2/9	2/12	0/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	3/8	2/9	1/12	0/1
Live births per 100 retrievals <sup>d</sup>	3/8	2/8	1/9	
Live births per 100 transfers <sup>d</sup>	3/8	2/8	1/9	
Cancellations per 100 cycles	0/8	1/9	3/12	1/1
Average number embryos transferred	3.8	3.9	3.9	
Twin gestations per 100 pregnancies	0/3	1/2	0/2	
Triplet or more gestations per 100 pregnancies	1/3	1/2	0/2	
Multiple births per 100 live births <sup>d</sup>	1/3	1/2	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	1	0	0
Live births per 100 transfers <sup>d</sup>	1/1	1/1		
Average number embryos transferred	5.0	5.0		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**REPRODUCTIVE GYNECOLOGISTS, P.C.**  
**KENNEDY HEALTH SYSTEM**  
**CHERRY HILL, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	28%
Single women?	Yes	GIFT	1%	Endometriosis	15%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	35%
Sharing of donor eggs?	No			Male factor	12%
		With ICSI	36%	Other factors	5%
		Unstimulated	0%	Unexplained	5%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	42	17	20	5
Pregnancies per 100 cycles	26.2	4/17	10.0	0/5
Live births per 100 cycles <sup>d</sup>	23.8	4/17	10.0	0/5
(95% confidence interval)	(10.9 - 36.7)		(0.0 - 23.1)	
Live births per 100 retrievals <sup>d</sup>	30.3	4/12	2/14	
Live births per 100 transfers <sup>d</sup>	30.3	4/12	2/14	
Cancellations per 100 cycles	21.4	5/17	30.0	5/5
Average number embryos transferred	3.6	4.1	3.2	
Twin gestations per 100 pregnancies	5/11	0/4	1/2	
Triplet or more gestations per 100 pregnancies	2/11	0/4	0/2	
Multiple births per 100 live births <sup>d</sup>	4/10	0/4	1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	10	1	2	0
Live births per 100 transfers <sup>d</sup>	1/10	0/1	0/2	
Average number embryos transferred	3.2	2.0	2.5	
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

# NORTH JERSEY CENTER FOR REPRODUCTIVE ENDOCRINOLOGY AND FERTILITY CLIFTON, NEW JERSEY

## 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	23%
Single women?	No	GIFT	1%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	8%
Sharing of donor eggs?	No			Male factor	33%
		With ICSI	12%	Other factors	0%
		Unstimulated	0%	Unexplained	16%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

## 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	76	29	17	7
Pregnancies per 100 cycles	28.9	20.7	4/17	1/7
Live births per 100 cycles <sup>d</sup>	27.6	13.8	3/17	1/7
(95% confidence interval)	(17.6 - 37.7)	(1.2 - 26.3)		
Live births per 100 retrievals <sup>d</sup>	27.6	13.8	3/17	1/7
Live births per 100 transfers <sup>d</sup>	28.0	13.8	3/16	1/6
Cancellations per 100 cycles	0.0	0.0	0/17	0/7
Average number embryos transferred	4.0	4.5	3.4	4.0
Twin gestations per 100 pregnancies	13.6	1/6	0/4	0/1
Triplet or more gestations per 100 pregnancies	0.0	1/6	0/4	0/1
Multiple births per 100 live births <sup>d</sup>	14.3	2/4	0/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	0	0	1
Live births per 100 transfers <sup>d</sup>	0/3			0/1
Average number embryos transferred	3.0			3.0
<b>Donor Eggs</b>				
Number of fresh transfers	2	1	1	2
Live births per 100 fresh transfers <sup>d</sup>	0/2	0/1	0/1	1/2
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	4.0	4.0	4.0	4.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**CENTER FOR ADVANCED REPRODUCTIVE MEDICINE & FERTILITY  
EDISON, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	50%
Single women?	Yes	GIFT	0%	Endometriosis	0%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	50%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	0%
		Unstimulated	0%	Other factors	0%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	0	0	0
Pregnancies per 100 cycles	1/2			
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	1/2			
Live births per 100 retrievals <sup>d</sup>	1/2			
Live births per 100 transfers <sup>d</sup>	1/2			
Cancellations per 100 cycles	0/2			
Average number embryos transferred	2.0			
Twin gestations per 100 pregnancies	0/1			
Triplet or more gestations per 100 pregnancies	1/1			
Multiple births per 100 live births <sup>d</sup>	1/1			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**NORTH HUDSON IVF  
ENGLEWOOD CLIFFS, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	24%
Single women?	Yes	GIFT	0%	Endometriosis	28%
Gestational carriers?	No	ZIFT	0%	Uterine factor	6%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	6%
Sharing of donor eggs?	No			Male factor	28%
		With ICSI	18%	Other factors	7%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	22	18	6	4
Pregnancies per 100 cycles	18.2	5/18	3/6	0/4
Live births per 100 cycles <sup>d</sup>	13.6	4/18	3/6	0/4
(95% confidence interval)	(0.0 - 28.0)			
Live births per 100 retrievals <sup>d</sup>	14.3	4/17	3/6	0/4
Live births per 100 transfers <sup>d</sup>	3/15	4/14	3/5	0/3
Cancellations per 100 cycles	4.5	1/18	0/6	0/4
Average number embryos transferred	4.5	3.4	4.8	5.0
Twin gestations per 100 pregnancies	0/4	0/5	1/3	
Triplet or more gestations per 100 pregnancies	0/4	0/5	0/3	
Multiple births per 100 live births <sup>d</sup>	0/3	0/4	1/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	3	3	3	5
Live births per 100 fresh transfers <sup>d</sup>	2/3	1/3	2/3	1/5
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	5.3	5.3	4.3	4.6

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE MEDICINE  
HASBROUCK HEIGHTS, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	38%
Single women?	Yes	GIFT	0%	Endometriosis	5%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	35%
Sharing of donor eggs?	Yes			Male factor	10%
		With ICSI	53%	Other factors	0%
		Unstimulated	0%	Unexplained	12%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	35	26	24	1
Pregnancies per 100 cycles	22.9	30.8	20.8	0/1
Live births per 100 cycles <sup>d</sup>	22.9	23.1	12.5	0/1
(95% confidence interval)	(8.9 - 36.8)	(6.9 - 39.3)	(0.0 - 25.7)	
Live births per 100 retrievals <sup>d</sup>	28.6	6/19	3/19	0/1
Live births per 100 transfers <sup>d</sup>	29.6	6/19	3/18	0/1
Cancellations per 100 cycles	20.0	26.9	20.8	0/1
Average number embryos transferred	4.5	5.3	4.8	4.0
Twin gestations per 100 pregnancies	0/8	5/8	1/5	
Triplet or more gestations per 100 pregnancies	3/8	0/8	1/5	
Multiple births per 100 live births <sup>d</sup>	3/8	4/6	0/3	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	11	3	0
Live births per 100 transfers <sup>d</sup>	1/4	0/11	0/3	
Average number embryos transferred	5.0	4.3	3.0	
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	0	1
Live births per 100 fresh transfers <sup>d</sup>	0/1			0/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	5.0			5.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**PRINCETON CENTER FOR INFERTILITY & REPRODUCTIVE MEDICINE  
LAWRENCEVILLE, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	94%	Tubal factor	41%
Single women?	Yes	GIFT	2%	Endometriosis	8%
Gestational carriers?	No	ZIFT	2%	Uterine factor	5%
Donor egg program?	Yes	Combination <sup>b</sup>	2%	Ovulatory dysfunction	16%
Sharing of donor eggs?	Yes	With ICSI	29%	Male factor	14%
		Unstimulated	0%	Other factors	10%
				Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	15	15	11	4
Pregnancies per 100 cycles	3/15	5/15	1/11	1/4
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	3/15	3/15	1/11	0/4
Live births per 100 retrievals <sup>d</sup>	3/14	3/15	1/7	0/3
Live births per 100 transfers <sup>d</sup>	3/7	3/13	1/7	0/3
Cancellations per 100 cycles	1/15	0/15	4/11	1/4
Average number embryos transferred	3.1	3.9	2.9	3.7
Twin gestations per 100 pregnancies	2/3	2/5	0/1	0/1
Triplet or more gestations per 100 pregnancies	0/3	0/5	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	2/3	0/3	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	3	3	0
Live births per 100 transfers <sup>d</sup>	3/8	0/3	0/3	
Average number embryos transferred	2.9	4.0	3.7	
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	0	2
Live births per 100 fresh transfers <sup>d</sup>	0/1			1/2
Number of frozen transfers	1	0	0	3
Live births per 100 frozen transfers <sup>d</sup>	0/1			1/3
Average number embryos transferred (fresh and frozen)	3.0			2.6

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**EAST COAST INFERTILITY AND IVE, P.C.**  
**LITTLE SILVER, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	32%
Single women?	Yes	GIFT	0%	Endometriosis	32%
Gestational carriers?	No	ZIFT	0%	Uterine factor	5%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	23%
Sharing of donor eggs?	No			Male factor	5%
		With ICSI	38%	Other factors	1%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	45	34	32	13
Pregnancies per 100 cycles	51.1	47.1	46.9	2/13
Live births per 100 cycles <sup>d</sup>	44.4	41.2	40.6	2/13
(95% confidence interval)	(29.9 - 59.0)	(24.6 - 57.7)	(23.6 - 57.6)	
Live births per 100 retrievals <sup>d</sup>	46.5	43.8	50.0	2/11
Live births per 100 transfers <sup>d</sup>	46.5	45.2	50.0	2/11
Cancellations per 100 cycles	4.4	5.9	18.8	2/13
Average number embryos transferred	4.4	4.6	4.0	3.8
Twin gestations per 100 pregnancies	30.4	7/16	3/15	0/2
Triplet or more gestations per 100 pregnancies	8.7	2/16	5/15	0/2
Multiple births per 100 live births <sup>d</sup>	40.0	7/14	7/13	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	2	0
Live births per 100 transfers <sup>d</sup>	1/1		0/2	
Average number embryos transferred	5.0		4.5	
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	3
Live births per 100 fresh transfers <sup>d</sup>				2/3
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				5.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**THE INSTITUTE FOR REPRODUCTIVE MEDICINE AND SCIENCE  
LIVINGSTON, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	20%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	24%
Sharing of donor eggs?	Yes			Male factor	30%
		With ICSI	34%	Other factors	10%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	516	294	245	103
Pregnancies per 100 cycles	61.6	55.4	46.9	29.1
Live births per 100 cycles <sup>d</sup>	53.7	44.2	36.3	16.5
(95% confidence interval)	(49.4 - 58.0)	(38.5 - 49.9)	(30.3 - 42.3)	(9.3 - 23.7)
Live births per 100 retrievals <sup>d</sup>	57.3	49.2	43.4	21.0
Live births per 100 transfers <sup>d</sup>	60.2	51.0	44.5	22.4
Cancellations per 100 cycles	6.4	10.2	16.3	21.4
Average number embryos transferred	2.9	3.4	3.6	3.7
Twin gestations per 100 pregnancies	39.6	35.6	27.0	16.7
Triplet or more gestations per 100 pregnancies	13.5	13.5	11.3	0.0
Multiple births per 100 live births <sup>d</sup>	48.7	49.2	37.1	3/17
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	63	29	13	8
Live births per 100 transfers <sup>d</sup>	54.0	37.9	4/13	4/8
Average number embryos transferred	3.0	3.3	3.5	2.8
<b>Donor Eggs</b>				
Number of fresh transfers	24	23	24	64
Live births per 100 fresh transfers <sup>d</sup>	75.0	60.9	50.0	62.5
Number of frozen transfers	0	4	2	8
Live births per 100 frozen transfers <sup>d</sup>		2/4	1/2	4/8
Average number embryos transferred (fresh and frozen)	2.9	2.6	3.1	2.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**COOPER CENTER FOR IVF, P.C.  
MARLTON, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	33%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	Yes	ZIFT	<1%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	20%
Sharing of donor eggs?	Yes			Male factor	25%
		With ICSI	30%	Other factors	6%
		Unstimulated	1%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	250	156	139	156
Pregnancies per 100 cycles	26.8	30.1	20.9	6.4
Live births per 100 cycles <sup>d</sup>	24.0	21.8	16.5	4.5
(95% confidence interval)	(18.7 - 29.3)	(15.3 - 28.3)	(10.4 - 22.7)	(1.2 - 7.7)
Live births per 100 retrievals <sup>d</sup>	29.3	28.3	21.3	6.6
Live births per 100 transfers <sup>d</sup>	42.0	33.7	29.1	12.3
Cancellations per 100 cycles	18.0	23.1	22.3	32.1
Average number embryos transferred	3.2	3.1	3.5	4.1
Twin gestations per 100 pregnancies	29.9	19.1	31.0	2/10
Triplet or more gestations per 100 pregnancies	13.4	10.6	10.3	1/10
Multiple births per 100 live births <sup>d</sup>	35.0	26.5	26.1	1/7
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	129	56	34	25
Live births per 100 transfers <sup>d</sup>	49.6	28.6	14.7	20.0
Average number embryos transferred	3.5	3.3	4.2	3.5
<b>Donor Eggs</b>				
Number of fresh transfers	7	4	3	29
Live births per 100 fresh transfers <sup>d</sup>	4/7	0/4	2/3	58.6
Number of frozen transfers	5	5	4	47
Live births per 100 frozen transfers <sup>d</sup>	1/5	3/5	1/4	34.0
Average number embryos transferred (fresh and frozen)	3.5	3.7	3.9	3.7

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**DELAWARE VALLEY INSTITUTE OF FERTILITY AND GENETICS  
MARLTON, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	50%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	3%	Ovulatory dysfunction	20%
Sharing of donor eggs?	No	With ICSI	28%	Male factor	4%
		Unstimulated	0%	Other factors	2%
				Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	12	3	5
Pregnancies per 100 cycles	1/12	5/12	0/3	0/5
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	1/12	5/12	0/3	0/5
Live births per 100 retrievals <sup>d</sup>	1/11	5/10	0/1	0/3
Live births per 100 transfers <sup>d</sup>	1/10	5/10	0/1	0/3
Cancellations per 100 cycles	1/12	2/12	2/3	2/5
Average number embryos transferred	4.1	4.5	3.0	3.0
Twin gestations per 100 pregnancies	0/1	0/5		
Triplet or more gestations per 100 pregnancies	0/1	1/5		
Multiple births per 100 live births <sup>d</sup>	0/1	1/5		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	3	0	0
Live births per 100 transfers <sup>d</sup>	4/8	0/3		
Average number embryos transferred	4.6	4.3		
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**SOUTH JERSEY FERTILITY CENTER, P.A.  
MARLTON, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	92%	Tubal factor	47%
Single women?	Yes	GIFT	5%	Endometriosis	14%
Gestational carriers?	No	ZIFT	3%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	26%
Sharing of donor eggs?	No			Male factor	3%
		With ICSI	33%	Other factors	10%
		Unstimulated	0%	Unexplained	<1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	64	47	25	11
Pregnancies per 100 cycles	40.6	25.5	32.0	4/11
Live births per 100 cycles <sup>d</sup>	37.5	19.1	28.0	4/11
(95% confidence interval)	(25.6 - 49.4)	(7.9 - 30.4)	(10.4 - 45.6)	
Live births per 100 retrievals <sup>d</sup>	39.3	21.4	33.3	4/11
Live births per 100 transfers <sup>d</sup>	40.7	21.4	35.0	4/9
Cancellations per 100 cycles	4.7	10.6	16.0	0/11
Average number embryos transferred	3.5	3.3	3.8	4.2
Twin gestations per 100 pregnancies	19.2	4/12	2/8	1/4
Triplet or more gestations per 100 pregnancies	26.9	2/12	1/8	0/4
Multiple births per 100 live births <sup>d</sup>	45.8	4/9	3/7	1/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	6	2	1
Live births per 100 transfers <sup>d</sup>	3/13	1/6	0/2	0/1
Average number embryos transferred	2.6	2.8	1.0	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**DIAMOND INSTITUTE FOR INFERTILITY AND MENOPAUSE  
MILLBURN, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	>99%	Tubal factor	35%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	<1%	Ovulatory dysfunction	35%
Sharing of donor eggs?	No			Male factor	10%
		With ICSI	48%	Other factors	1%
		Unstimulated	0%	Unexplained	7%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	106	46	53	47
Pregnancies per 100 cycles	23.6	19.6	17.0	6.4
Live births per 100 cycles <sup>d</sup>	21.7	19.6	11.3	4.3
(95% confidence interval)	(13.9 - 29.5)	(8.1 - 31.0)	(2.8 - 19.9)	(0.0 - 10.0)
Live births per 100 retrievals <sup>d</sup>	23.2	23.1	13.6	6.7
Live births per 100 transfers <sup>d</sup>	24.0	23.7	14.0	6.9
Cancellations per 100 cycles	6.6	15.2	17.0	36.2
Average number embryos transferred	5.2	4.8	4.6	3.2
Twin gestations per 100 pregnancies	16.0	2/9	0/9	0/3
Triplet or more gestations per 100 pregnancies	28.0	1/9	0/9	1/3
Multiple births per 100 live births <sup>d</sup>	43.5	3/9	0/6	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	13	2	5	1
Live births per 100 transfers <sup>d</sup>	3/13	0/2	0/5	1/1
Average number embryos transferred	3.6	1.0	3.4	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	3	3	2	14
Live births per 100 fresh transfers <sup>d</sup>	3/3	1/3	1/2	6/14
Number of frozen transfers	0	0	0	1
Live births per 100 frozen transfers <sup>d</sup>				0/1
Average number embryos transferred (fresh and frozen)	5.3	5.0	4.5	4.9

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE ENDOCRINOLOGY  
MORRISTOWN, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	15%
Single women?	Yes	GIFT	0%	Endometriosis	35%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No	With ICSI	31%	Male factor	15%
		Unstimulated	0%	Other factors	8%
				Unexplained	15%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	10	8	3	5
Pregnancies per 100 cycles	5/10	3/8	1/3	0/5
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	5/10	3/8	1/3	0/5
Live births per 100 retrievals <sup>d</sup>	5/9	3/7	1/1	0/4
Live births per 100 transfers <sup>d</sup>	5/8	3/6	1/1	0/3
Cancellations per 100 cycles	1/10	1/8	2/3	1/5
Average number embryos transferred	3.6	5.0	4.0	3.7
Twin gestations per 100 pregnancies	2/5	0/3	1/1	
Triplet or more gestations per 100 pregnancies	2/5	0/3	0/1	
Multiple births per 100 live births <sup>d</sup>	4/5	0/3	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**JERSEY SHORE MEDICAL CENTER IVF PROGRAM  
NEPTUNE, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	39%
Single women?	No	GIFT	0%	Endometriosis	17%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	0%
		With ICSI	0%	Other factors	0%
		Unstimulated	0%	Unexplained	44%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	12	2	2	6
Pregnancies per 100 cycles	2/12	0/2	0/2	0/6
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	2/12	0/2	0/2	0/6
Live births per 100 retrievals <sup>d</sup>	2/9	0/2		0/3
Live births per 100 transfers <sup>d</sup>	2/9	0/2		0/3
Cancellations per 100 cycles	3/12	0/2	2/2	3/6
Average number embryos transferred	3.6	3.5		5.0
Twin gestations per 100 pregnancies	2/2			
Triplet or more gestations per 100 pregnancies	0/2			
Multiple births per 100 live births <sup>d</sup>	2/2			
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers <sup>d</sup>			0/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			3.0	

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ROBERT WOOD JOHNSON MEDICAL SCHOOL ART PROGRAM  
NEW BRUNSWICK, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	98%	Tubal factor	24%
Single women?	Yes	GIFT	2%	Endometriosis	13%
Gestational carriers?	No	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	29%
Sharing of donor eggs?	No			Male factor	17%
		With ICSI	36%	Other factors	2%
		Unstimulated	0%	Unexplained	11%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	162	79	49	21
Pregnancies per 100 cycles	30.2	29.1	10.2	14.3
Live births per 100 cycles <sup>d</sup>	23.5	22.8	6.1	4.8
(95% confidence interval)	(16.9 - 30.0)	(13.5 - 32.0)	(0.0 - 12.8)	(0.0 - 13.9)
Live births per 100 retrievals <sup>d</sup>	26.4	26.1	7.5	1/17
Live births per 100 transfers <sup>d</sup>	29.0	28.6	7.7	1/17
Cancellations per 100 cycles	11.1	12.7	18.4	19.0
Average number embryos transferred	3.0	3.6	3.9	6.2
Twin gestations per 100 pregnancies	32.7	30.4	2/5	1/3
Triplet or more gestations per 100 pregnancies	16.3	8.7	1/5	0/3
Multiple births per 100 live births <sup>d</sup>	52.6	7/18	1/3	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	41	13	8	2
Live births per 100 transfers <sup>d</sup>	17.1	1/13	1/8	1/2
Average number embryos transferred	2.9	2.9	2.4	2.5
<b>Donor Eggs</b>				
Number of fresh transfers	5	3	1	8
Live births per 100 fresh transfers <sup>d</sup>	0/5	1/3	0/1	5/8
Number of frozen transfers	0	2	1	0
Live births per 100 frozen transfers <sup>d</sup>		0/2	0/1	
Average number embryos transferred (fresh and frozen)	2.2	2.8	1.5	2.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**IVF NEW JERSEY  
SOMERSET, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	21%
Single women?	Yes	GIFT	0%	Endometriosis	7%
Gestational carriers?	No	ZIFT	0%	Uterine factor	3%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	14%
Sharing of donor eggs?	No			Male factor	8%
		With ICSI	31%	Other factors	1%
		Unstimulated	1%	Unexplained	46%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	41	29	19	14
Pregnancies per 100 cycles	41.5	37.9	6/19	4/14
Live births per 100 cycles <sup>d</sup>	36.6	31.0	4/19	3/14
(95% confidence interval)	(21.8 - 51.3)	(14.2 - 47.9)		
Live births per 100 retrievals <sup>d</sup>	40.5	40.9	4/16	3/12
Live births per 100 transfers <sup>d</sup>	44.1	9/19	4/15	3/11
Cancellations per 100 cycles	9.8	24.1	3/19	2/14
Average number embryos transferred	3.7	4.4	4.1	4.7
Twin gestations per 100 pregnancies	4/17	4/11	2/6	1/4
Triplet or more gestations per 100 pregnancies	4/17	1/11	1/6	0/4
Multiple births per 100 live births <sup>d</sup>	8/15	5/9	1/4	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	0	2	6
Live births per 100 transfers <sup>d</sup>	2/6		1/2	1/6
Average number embryos transferred	3.0		5.0	4.5
<b>Donor Eggs</b>				
Number of fresh transfers	9	4	15	34
Live births per 100 fresh transfers <sup>d</sup>	6/9	3/4	5/15	44.1
Number of frozen transfers	1	2	3	15
Live births per 100 frozen transfers <sup>d</sup>	1/1	0/2	0/3	6/15
Average number embryos transferred (fresh and frozen)	3.8	3.7	3.1	3.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**CENTER FOR HUMAN REPRODUCTION OF NEW JERSEY  
WESTWOOD, NEW JERSEY**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	32%
Single women?	Yes	GIFT	0%	Endometriosis	12%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	12%
Sharing of donor eggs?	Yes			Male factor	33%
		With ICSI	39%	Other factors	1%
		Unstimulated	0%	Unexplained	8%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	70	23	18	3
Pregnancies per 100 cycles	44.3	43.5	6/18	0/3
Live births per 100 cycles <sup>d</sup>	37.1	30.4	5/18	0/3
(95% confidence interval)	(25.8 - 48.5)	(11.6 - 49.2)		
Live births per 100 retrievals <sup>d</sup>	38.8	7/18	5/15	0/3
Live births per 100 transfers <sup>d</sup>	41.9	7/18	5/12	0/3
Cancellations per 100 cycles	4.3	21.7	3/18	0/3
Average number embryos transferred	3.6	3.7	3.8	3.7
Twin gestations per 100 pregnancies	29.0	2/10	1/6	
Triplet or more gestations per 100 pregnancies	19.4	0/10	0/6	
Multiple births per 100 live births <sup>d</sup>	50.0	2/7	1/5	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	15	8	2	2
Live births per 100 transfers <sup>d</sup>	4/15	1/8	0/2	0/2
Average number embryos transferred	3.5	3.8	3.5	3.5
<b>Donor Eggs</b>				
Number of fresh transfers	2	2	5	10
Live births per 100 fresh transfers <sup>d</sup>	0/2	0/2	0/5	2/10
Number of frozen transfers	3	0	2	4
Live births per 100 frozen transfers <sup>d</sup>	0/3		0/2	0/4
Average number embryos transferred (fresh and frozen)	3.2	3.5	3.4	3.6

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**CENTER FOR REPRODUCTIVE MEDICINE OF NEW MEXICO  
ALBUQUERQUE, NEW MEXICO**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	36%
Single women?	Yes	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	2%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	15%
Sharing of donor eggs?	No			Male factor	18%
		With ICSI	17%	Other factors	10%
		Unstimulated	1%	Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	38	26	19	6
Pregnancies per 100 cycles	44.7	46.2	7/19	2/6
Live births per 100 cycles <sup>d</sup>	42.1	42.3	6/19	2/6
(95% confidence interval)	(26.4 - 57.8)	(23.3 - 61.3)		
Live births per 100 retrievals <sup>d</sup>	44.4	55.0	6/17	2/5
Live births per 100 transfers <sup>d</sup>	47.1	55.0	6/17	2/5
Cancellations per 100 cycles	5.3	23.1	2/19	1/6
Average number embryos transferred	3.1	3.6	3.8	3.8
Twin gestations per 100 pregnancies	4/17	2/12	3/7	0/2
Triplet or more gestations per 100 pregnancies	3/17	3/12	0/7	1/2
Multiple births per 100 live births <sup>d</sup>	6/16	2/11	2/6	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	2	2	3
Live births per 100 transfers <sup>d</sup>	3/8	0/2	0/2	0/3
Average number embryos transferred	4.3	5.5	1.5	3.3
<b>Donor Eggs</b>				
Number of fresh transfers	2	0	2	6
Live births per 100 fresh transfers <sup>d</sup>	1/2		2/2	5/6
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	2.5		3.5	3.7

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## SOUTHWEST FERTILITY SERVICES ALBUQUERQUE, NEW MEXICO

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	80%	Tubal factor	18%
Single women?	Yes	GIFT	12%	Endometriosis	20%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	8%	Ovulatory dysfunction	12%
Sharing of donor eggs?	No			Male factor	6%
		With ICSI	24%	Other factors	18%
		Unstimulated	0%	Unexplained	25%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	17	3	14	17
Pregnancies per 100 cycles	3/17	1/3	2/14	1/17
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	3/17	0/3	2/14	0/17
Live births per 100 retrievals <sup>d</sup>	3/15	0/3	2/13	0/11
Live births per 100 transfers <sup>d</sup>	3/15	0/3	2/13	0/11
Cancellations per 100 cycles	2/17	0/3	1/14	6/17
Average number embryos transferred	3.9	4.3	3.4	4.1
Twin gestations per 100 pregnancies	2/3	0/1	1/2	0/1
Triplet or more gestations per 100 pregnancies	0/3	0/1	0/2	0/1
Multiple births per 100 live births <sup>d</sup>	2/3		1/2	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	3	6	1	2
Live births per 100 transfers <sup>d</sup>	0/3	0/6	0/1	0/2
Average number embryos transferred	3.7	3.8	3.0	1.5
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	2	5
Live births per 100 fresh transfers <sup>d</sup>			0/2	0/5
Number of frozen transfers	0	1	2	1
Live births per 100 frozen transfers <sup>d</sup>		0/1	0/2	0/1
Average number embryos transferred (fresh and frozen)		2.0	3.0	3.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ALBANY IVF, FERTILITY AND GYNECOLOGY**  
**ALBANY, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	50%
Single women?	Yes	GIFT	0%	Endometriosis	17%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	0%
Sharing of donor eggs?	No			Male factor	17%
		With ICSI	20%	Other factors	0%
		Unstimulated	0%	Unexplained	17%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	2	1	1	1
Pregnancies per 100 cycles	0/2	0/1	0/1	0/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	0/2	0/1	0/1	0/1
Live births per 100 retrievals <sup>d</sup>	0/2	0/1	0/1	0/1
Live births per 100 transfers <sup>d</sup>	0/2	0/1	0/1	0/1
Cancellations per 100 cycles	0/2	0/1	0/1	0/1
Average number embryos transferred	4.5	4.0	5.0	2.0
Twin gestations per 100 pregnancies				
Triplet or more gestations per 100 pregnancies				
Multiple births per 100 live births <sup>d</sup>				
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	0	0	0	0
Live births per 100 transfers <sup>d</sup>				
Average number embryos transferred				
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**LEADING INSTITUTE FOR FERTILITY ENHANCEMENT (LIFE)  
ALBANY, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	53%
Single women?	No	GIFT	0%	Endometriosis	16%
Gestational carriers?	No	ZIFT	0%	Uterine factor	21%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	5%
Sharing of donor eggs?	No	With ICSI	0%	Male factor	0%
		Unstimulated	0%	Other factors	5%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	4	5	8	1
Pregnancies per 100 cycles	2/4	1/5	2/8	1/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	1/4	1/5	1/8	0/1
Live births per 100 retrievals <sup>d</sup>	1/4	1/3	1/3	0/1
Live births per 100 transfers <sup>d</sup>	1/4	1/2	1/3	0/1
Cancellations per 100 cycles	0/4	2/5	5/8	0/1
Average number embryos transferred	4.3	3.5	4.3	3.0
Twin gestations per 100 pregnancies	0/2	1/1	0/2	0/1
Triplet or more gestations per 100 pregnancies	0/2	0/1	0/2	0/1
Multiple births per 100 live births <sup>d</sup>	0/1	1/1	0/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Live births per 100 transfers <sup>d</sup>	0/1			
Average number embryos transferred	0.0			
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**WOMEN'S HEALTH CENTER OF ALBANY MEDICAL CENTER  
ALBANY, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	97%	Tubal factor	55%
Single women?	Yes	GIFT	3%	Endometriosis	11%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	5%
Sharing of donor eggs?	No	With ICSI	26%	Male factor	18%
		Unstimulated	0%	Other factors	11%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	17	8	5	1
Pregnancies per 100 cycles	3/17	2/8	1/5	0/1
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	3/17	2/8	1/5	0/1
Live births per 100 retrievals <sup>d</sup>	3/16	2/8	1/4	0/1
Live births per 100 transfers <sup>d</sup>	3/16	2/7	1/4	
Cancellations per 100 cycles	1/17	0/8	1/5	0/1
Average number embryos transferred	4.8	5.9	5.8	
Twin gestations per 100 pregnancies	1/3	0/2	1/1	
Triplet or more gestations per 100 pregnancies	1/3	1/2	0/1	
Multiple births per 100 live births <sup>d</sup>	2/3	1/2	1/1	
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	4	0	2	1
Live births per 100 transfers <sup>d</sup>	0/4		0/2	0/1
Average number embryos transferred	4.0		4.5	2.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## BROOKLYN IVF BROOKLYN, NEW YORK

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	39%
Single women?	Yes	GIFT	0%	Endometriosis	10%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	25%
Sharing of donor eggs?	No			Male factor	11%
		With ICSI	30%	Other factors	13%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33-35.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	59	20	26	26
Pregnancies per 100 cycles	16.9	10.0	15.4	11.5
Live births per 100 cycles <sup>d</sup>	15.3	10.0	11.5	7.7
(95% confidence interval)	(6.1 - 24.4)	(0.0 - 23.1)	(0.0 - 23.8)	(0.0 - 17.9)
Live births per 100 retrievals <sup>d</sup>	18.8	2/13	3/17	8.7
Live births per 100 transfers <sup>d</sup>	19.6	2/13	3/16	9.5
Cancellations per 100 cycles	18.6	35.0	34.6	11.5
Average number embryos transferred	3.2	3.5	3.8	5.0
Twin gestations per 100 pregnancies	2/10	0/2	0/4	2/3
Triplet or more gestations per 100 pregnancies	2/10	0/2	0/4	0/3
Multiple births per 100 live births <sup>d</sup>	2/9	0/2	0/3	2/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	28	4	1	3
Live births per 100 transfers <sup>d</sup>	7.1	1/4	0/1	0/3
Average number embryos transferred	3.2	3.5	4.0	5.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	1
Live births per 100 fresh transfers <sup>d</sup>				1/1
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				4.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**THE FERTILITY INSTITUTE AT THE BROOKLYN HOSPITAL  
BROOKLYN, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	42%
Single women?	Yes	GIFT	0%	Endometriosis	27%
Gestational carriers?	No	ZIFT	0%	Uterine factor	4%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	0%
		With ICSI	90%	Other factors	0%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 33–35.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	40	11	17	12
Pregnancies per 100 cycles	22.5	1/11	3/17	2/12
Live births per 100 cycles <sup>d</sup>	17.5	1/11	3/17	2/12
(95% confidence interval)	(5.7 - 29.3)			
Live births per 100 retrievals <sup>d</sup>	17.9	1/8	3/16	2/12
Live births per 100 transfers <sup>d</sup>	17.9	1/8	3/16	2/12
Cancellations per 100 cycles	2.5	3/11	1/17	0/12
Average number embryos transferred	5.0	5.0	4.4	4.0
Twin gestations per 100 pregnancies	2/9	0/1	0/3	1/2
Triplet or more gestations per 100 pregnancies	2/9	0/1	1/3	0/2
Multiple births per 100 live births <sup>d</sup>	3/7	0/1	1/3	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	29	5	10	5
Live births per 100 transfers <sup>d</sup>	3.4	1/5	3/10	1/5
Average number embryos transferred	4.4	3.0	3.8	5.4
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	1	1
Live births per 100 fresh transfers <sup>d</sup>			1/1	0/1
Number of frozen transfers	1	2	0	3
Live births per 100 frozen transfers <sup>d</sup>	0/1	1/2		0/3
Average number embryos transferred (fresh and frozen)	3.0	1.5	4.0	3.5

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**MONTEFIORE'S FERTILITY & HORMONE CENTER  
DOBBS FERRY, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	31%
Single women?	Yes	GIFT	0%	Endometriosis	8%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	34%
Sharing of donor eggs?	Yes			Male factor	5%
		With ICSI	33%	Other factors	17%
		Unstimulated	0%	Unexplained	4%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	151	90	76	47
Pregnancies per 100 cycles	39.7	27.8	22.4	8.5
Live births per 100 cycles <sup>d</sup>	35.8	24.4	17.1	4.3
(95% confidence interval)	(28.1 - 43.4)	(15.6 - 33.3)	(8.6 - 25.6)	(0.0 - 10.0)
Live births per 100 retrievals <sup>d</sup>	41.2	30.1	25.5	5.9
Live births per 100 transfers <sup>d</sup>	44.6	30.1	27.1	6.5
Cancellations per 100 cycles	13.2	18.9	32.9	27.7
Average number embryos transferred	2.9	2.8	3.0	2.8
Twin gestations per 100 pregnancies	30.0	40.0	4/17	0/4
Triplet or more gestations per 100 pregnancies	20.0	8.0	2/17	0/4
Multiple births per 100 live births <sup>d</sup>	44.4	54.5	5/13	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	21	17	8	8
Live births per 100 transfers <sup>d</sup>	14.3	2/17	2/8	2/8
Average number embryos transferred	2.9	2.4	2.1	2.4
<b>Donor Eggs</b>				
Number of fresh transfers	5	0	1	7
Live births per 100 fresh transfers <sup>d</sup>	2/5		1/1	4/7
Number of frozen transfers	0	1	0	3
Live births per 100 frozen transfers <sup>d</sup>		1/1		0/3
Average number embryos transferred (fresh and frozen)	2.6	1.0	3.0	3.1

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**GARDEN CITY CENTER FOR ART, YK YING, M.D.  
GARDEN CITY, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	39%
Single women?	Yes	GIFT	0%	Endometriosis	29%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	17%
Sharing of donor eggs?	No	With ICSI	28%	Male factor	11%
		Unstimulated	0%	Other factors	0%
				Unexplained	3%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	21	21	9	10
Pregnancies per 100 cycles	52.4	42.9	4/9	2/10
Live births per 100 cycles <sup>d</sup>	52.4	38.1	4/9	2/10
(95% confidence interval)	(31.0 - 73.7)	(17.3 - 58.9)		
Live births per 100 retrievals <sup>d</sup>	11/18	40.0	4/9	2/6
Live births per 100 transfers <sup>d</sup>	11/18	8/19	4/9	2/6
Cancellations per 100 cycles	14.3	4.8	0/9	4/10
Average number embryos transferred	3.4	3.0	3.2	4.5
Twin gestations per 100 pregnancies	4/11	3/9	0/4	0/2
Triplet or more gestations per 100 pregnancies	1/11	1/9	0/4	0/2
Multiple births per 100 live births <sup>d</sup>	4/11	3/8	0/4	0/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	4	1	2
Live births per 100 transfers <sup>d</sup>	1/6	3/4	0/1	0/2
Average number embryos transferred	2.3	4.0	3.0	3.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	1	0	0
Live births per 100 frozen transfers <sup>d</sup>		0/1		
Average number embryos transferred (fresh and frozen)		2.0		

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**NORTH SHORE UNIVERSITY HOSPITAL  
MANHASSET, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	32%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	2%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	26%
Sharing of donor eggs?	No			Male factor	3%
		With ICSI	49%	Other factors	17%
		Unstimulated	0%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	125	75	57	26
Pregnancies per 100 cycles	44.0	36.0	24.6	50.0
Live births per 100 cycles <sup>d</sup>	38.4	30.7	21.1	30.8
(95% confidence interval)	(29.9 - 46.9)	(20.2 - 41.1)	(10.5 - 31.6)	(13.0 - 48.5)
Live births per 100 retrievals <sup>d</sup>	40.7	35.4	25.0	32.0
Live births per 100 transfers <sup>d</sup>	40.7	35.9	25.5	33.3
Cancellations per 100 cycles	5.6	13.3	15.8	3.8
Average number embryos transferred	3.7	3.9	4.1	5.0
Twin gestations per 100 pregnancies	34.5	22.2	2/14	1/13
Triplet or more gestations per 100 pregnancies	20.0	11.1	0/14	0/13
Multiple births per 100 live births <sup>d</sup>	58.3	39.1	1/12	0/8
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	29	20	18	5
Live births per 100 transfers <sup>d</sup>	13.8	10.0	3/18	2/5
Average number embryos transferred	4.7	4.6	5.8	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**ADVANCED FERTILITY SERVICES, P.C.**  
**NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	28%
Single women?	Yes	GIFT	0%	Endometriosis	6%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	22%
Sharing of donor eggs?	Yes			Male factor	12%
		With ICSI	64%	Other factors	3%
		Unstimulated	0%	Unexplained	29%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	207	80	77	53
Pregnancies per 100 cycles	25.6	20.0	18.2	7.5
Live births per 100 cycles <sup>d</sup>	22.2	18.8	14.3	5.7
(95% confidence interval)	(16.6 - 27.9)	(10.2 - 27.3)	(6.5 - 22.1)	(0.0 - 11.9)
Live births per 100 retrievals <sup>d</sup>	22.2	18.8	14.3	5.9
Live births per 100 transfers <sup>d</sup>	23.5	19.5	15.3	6.0
Cancellations per 100 cycles	0.0	0.0	0.0	3.8
Average number embryos transferred	4.2	4.2	4.2	4.2
Twin gestations per 100 pregnancies	28.3	8/16	1/14	0/4
Triplet or more gestations per 100 pregnancies	5.7	0/16	0/14	0/4
Multiple births per 100 live births <sup>d</sup>	32.6	8/15	1/11	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	43	9	14	14
Live births per 100 transfers <sup>d</sup>	16.3	1/9	0/14	1/14
Average number embryos transferred	4.4	4.1	3.9	3.8
<b>Donor Eggs</b>				
Number of fresh transfers	7	8	18	52
Live births per 100 fresh transfers <sup>d</sup>	3/7	2/8	5/18	23.1
Number of frozen transfers	4	1	3	20
Live births per 100 frozen transfers <sup>d</sup>	0/4	0/1	0/3	35.0
Average number embryos transferred (fresh and frozen)	4.2	4.4	3.9	4.0

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**BROOKLYN/CENTRAL PARK WEST FERTILITY CENTER  
NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	22%
Single women?	No	GIFT	0%	Endometriosis	5%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	11%
Sharing of donor eggs?	No			Male factor	60%
		With ICSI	25%	Other factors	0%
		Unstimulated	0%	Unexplained	2%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	24	6	13	12
Pregnancies per 100 cycles	29.2	3/6	2/13	1/12
Live births per 100 cycles <sup>d</sup>	25.0	1/6	1/13	1/12
(95% confidence interval)	(7.7 - 42.3)			
Live births per 100 retrievals <sup>d</sup>	26.1	1/6	1/10	1/11
Live births per 100 transfers <sup>d</sup>	27.3	1/6	1/10	1/11
Cancellations per 100 cycles	4.2	0/6	3/13	1/12
Average number embryos transferred	3.7	3.5	3.7	2.3
Twin gestations per 100 pregnancies	1/7	0/3	0/2	1/1
Triplet or more gestations per 100 pregnancies	1/7	0/3	0/2	0/1
Multiple births per 100 live births <sup>d</sup>	2/6	0/1	0/1	1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	8	2	4	2
Live births per 100 transfers <sup>d</sup>	1/8	0/2	0/4	0/2
Average number embryos transferred	3.9	3.0	2.0	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	0	2	2	8
Live births per 100 fresh transfers <sup>d</sup>		0/2	1/2	3/8
Number of frozen transfers	0	0	1	3
Live births per 100 frozen transfers <sup>d</sup>			0/1	0/3
Average number embryos transferred (fresh and frozen)		3.5	4.0	4.3

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**THE CENTER FOR REPRODUCTIVE MEDICINE & INFERTILITY  
NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	20%
Single women?	No	GIFT	0%	Endometriosis	6%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	45%
Sharing of donor eggs?	Yes			Male factor	4%
		With ICSI	54%	Other factors	8%
		Unstimulated	1%	Unexplained	16%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	436	315	341	243
Pregnancies per 100 cycles	52.1	47.0	31.1	25.5
Live births per 100 cycles <sup>d</sup>	46.8	39.4	24.0	12.3
(95% confidence interval)	(42.1 - 51.5)	(34.0 - 44.8)	(19.5 - 28.6)	(8.2 - 16.5)
Live births per 100 retrievals <sup>d</sup>	52.0	45.6	30.4	16.0
Live births per 100 transfers <sup>d</sup>	53.0	46.6	32.0	16.6
Cancellations per 100 cycles	10.1	13.7	20.8	22.6
Average number embryos transferred	3.1	3.5	3.7	3.8
Twin gestations per 100 pregnancies	33.5	28.4	25.5	16.1
Triplet or more gestations per 100 pregnancies	16.7	20.9	8.5	6.5
Multiple births per 100 live births <sup>d</sup>	48.0	44.4	25.6	20.0
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	69	38	35	18
Live births per 100 transfers <sup>d</sup>	31.9	28.9	17.1	2/18
Average number embryos transferred	3.1	3.1	3.3	3.5
<b>Donor Eggs</b>				
Number of fresh transfers	7	4	15	37
Live births per 100 fresh transfers <sup>d</sup>	2/7	2/4	6/15	54.1
Number of frozen transfers	1	0	0	0
Live births per 100 frozen transfers <sup>d</sup>	0/1			
Average number embryos transferred (fresh and frozen)	2.8	2.8	2.9	2.9

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**COLUMBIA PRESBYTERIAN MEDICAL CENTER  
NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	14%
Single women?	Yes	GIFT	0%	Endometriosis	5%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	9%
Sharing of donor eggs?	Yes			Male factor	51%
		With ICSI	42%	Other factors	1%
		Unstimulated	5%	Unexplained	19%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	50	16	33	47
Pregnancies per 100 cycles	32.0	3/16	0.0	2.1
Live births per 100 cycles <sup>d</sup>	24.0	2/16	0.0	2.1
(95% confidence interval)	(12.2 - 35.8)			(0.0 - 6.3)
Live births per 100 retrievals <sup>d</sup>	29.3	2/14	0.0	3.4
Live births per 100 transfers <sup>d</sup>	31.6	2/14	0.0	3.7
Cancellations per 100 cycles	18.0	2/16		38.3
Average number embryos transferred	3.4	3.4	3.7	3.8
Twin gestations per 100 pregnancies	6/16	1/3		0/1
Triplet or more gestations per 100 pregnancies	4/16	0/3		1/1
Multiple births per 100 live births <sup>d</sup>	9/12	1/2		1/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	4	6	0
Live births per 100 transfers <sup>d</sup>	2/9	0/4	0/6	
Average number embryos transferred	4.2	2.5	4.3	
<b>Donor Eggs</b>				
Number of fresh transfers	8	3	10	88
Live births per 100 fresh transfers <sup>d</sup>	4/8	1/3	4/10	30.7
Number of frozen transfers	6	2	0	30
Live births per 100 frozen transfers <sup>d</sup>	1/6	1/2		16.7
Average number embryos transferred (fresh and frozen)	5.5	3.4	4.6	3.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**LILLIAN D. NASH, M.D.**  
**NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	49%
Single women?	Yes	GIFT	0%	Endometriosis	15%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	28%
Sharing of donor eggs?	No			Male factor	6%
		With ICSI	33%	Other factors	1%
		Unstimulated	0%	Unexplained	1%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	32	15	11	8
Pregnancies per 100 cycles	18.8	2/15	0/11	1/8
Live births per 100 cycles <sup>d</sup>	18.8	2/15	0/11	0/8
(95% confidence interval)	(5.2 - 32.3)			
Live births per 100 retrievals <sup>d</sup>	22.2	2/12	0/7	0/6
Live births per 100 transfers <sup>d</sup>	23.1	2/12	0/5	0/5
Cancellations per 100 cycles	15.6	3/15	4/11	2/8
Average number embryos transferred	4.9	4.0	3.8	4.4
Twin gestations per 100 pregnancies	2/6	0/2		0/1
Triplet or more gestations per 100 pregnancies	1/6	0/2		0/1
Multiple births per 100 live births <sup>d</sup>	2/6	0/2		
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	1	0	0	0
Live births per 100 transfers <sup>d</sup>	0/1			
Average number embryos transferred	6.0			
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	1	0
Live births per 100 fresh transfers <sup>d</sup>			0/1	
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)			5.0	

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**NEW YORK FERTILITY INSTITUTE  
NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	99%	Tubal factor	17%
Single women?	Yes	GIFT	0%	Endometriosis	14%
Gestational carriers?	No	ZIFT	0%	Uterine factor	5%
Donor egg program?	Yes	Combination <sup>b</sup>	1%	Ovulatory dysfunction	11%
Sharing of donor eggs?	No			Male factor	44%
		With ICSI	45%	Other factors	0%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	27	12	25	60
Pregnancies per 100 cycles	33.3	7/12	24.0	11.7
Live births per 100 cycles <sup>d</sup>	22.2	5/12	16.0	6.7
(95% confidence interval)	(6.5 - 37.9)		(1.6 - 30.4)	(0.4 - 13.0)
Live births per 100 retrievals <sup>d</sup>	23.1	5/12	19.0	8.9
Live births per 100 transfers <sup>d</sup>	23.1	5/12	20.0	10.3
Cancellations per 100 cycles	3.7	0/12	16.0	25.0
Average number embryos transferred	5.4	4.7	4.6	2.9
Twin gestations per 100 pregnancies	0/9	2/7	2/6	0/7
Triplet or more gestations per 100 pregnancies	1/9	0/7	1/6	1/7
Multiple births per 100 live births <sup>d</sup>	0/6	1/5	0/4	0/4
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	6	2	1	1
Live births per 100 transfers <sup>d</sup>	1/6	0/2	0/1	0/1
Average number embryos transferred	3.8	7.0	5.0	4.0
<b>Donor Eggs</b>				
Number of fresh transfers	1	0	2	11
Live births per 100 fresh transfers <sup>d</sup>	1/1		2/2	6/11
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)	6.0		4.0	4.6

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**NEW YORK MEDICAL SERVICES FOR REPRODUCTIVE MEDICINE  
NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	47%	Tubal factor	21%
Single women?	Yes	GIFT	5%	Endometriosis	6%
Gestational carriers?	No	ZIFT	38%	Uterine factor	14%
Donor egg program?	No	Combination <sup>b</sup>	9%	Ovulatory dysfunction	10%
Sharing of donor eggs?	No	With ICSI	44%	Male factor	48%
		Unstimulated	0%	Other factors	1%
				Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	27	14	27	23
Pregnancies per 100 cycles	37.0	8/14	18.5	8.7
Live births per 100 cycles <sup>d</sup>	22.2	5/14	3.7	8.7
(95% confidence interval)	(6.5 - 37.9)		(0.0 - 10.8)	(0.0 - 20.2)
Live births per 100 retrievals <sup>d</sup>	22.2	5/14	3.8	10.0
Live births per 100 transfers <sup>d</sup>	22.2	5/14	3.8	2/19
Cancellations per 100 cycles	0.0	0/14	3.7	13.0
Average number embryos transferred	4.9	4.9	4.2	2.8
Twin gestations per 100 pregnancies	3/10	0/8	0/5	1/2
Triplet or more gestations per 100 pregnancies	0/10	0/8	0/5	0/2
Multiple births per 100 live births <sup>d</sup>	3/6	0/5	0/1	1/2
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	0	3	0
Live births per 100 transfers <sup>d</sup>	1/9		0/3	
Average number embryos transferred	4.2		4.7	
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	0	0	0
Live births per 100 frozen transfers <sup>d</sup>				
Average number embryos transferred (fresh and frozen)				

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**NEW YORK UNIVERSITY MEDICAL CENTER  
NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	100%	Tubal factor	18%
Single women?	Yes	GIFT	0%	Endometriosis	13%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	5%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	21%
Sharing of donor eggs?	Yes			Male factor	4%
		With ICSI	34%	Other factors	7%
		Unstimulated	0%	Unexplained	32%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	219	170	211	218
Pregnancies per 100 cycles	57.5	47.1	32.2	17.0
Live births per 100 cycles <sup>d</sup>	50.7	38.8	25.6	11.5
(95% confidence interval)	(44.1 - 57.3)	(31.5 - 46.1)	(19.7 - 31.5)	(7.2 - 15.7)
Live births per 100 retrievals <sup>d</sup>	55.8	44.0	35.8	16.2
Live births per 100 transfers <sup>d</sup>	57.5	44.6	36.2	17.0
Cancellations per 100 cycles	9.1	11.8	28.4	29.4
Average number embryos transferred	3.1	3.6	3.8	3.8
Twin gestations per 100 pregnancies	34.9	32.5	20.6	13.5
Triplet or more gestations per 100 pregnancies	22.2	16.3	7.4	2.7
Multiple births per 100 live births <sup>d</sup>	53.2	50.0	22.2	20.0
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	35	21	13	16
Live births per 100 transfers <sup>d</sup>	31.4	28.6	3/13	3/16
Average number embryos transferred	3.1	3.5	3.6	4.2
<b>Donor Eggs</b>				
Number of fresh transfers	15	13	20	77
Live births per 100 fresh transfers <sup>d</sup>	6/15	5/13	55.0	46.8
Number of frozen transfers	3	1	1	23
Live births per 100 frozen transfers <sup>d</sup>	0/3	1/1	0/1	30.4
Average number embryos transferred (fresh and frozen)	2.8	3.1	2.9	3.1

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

**OFFICES FOR FERTILITY AND REPRODUCTIVE MEDICINE  
NEW YORK, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	No	IVF	100%	Tubal factor	18%
Single women?	Yes	GIFT	0%	Endometriosis	5%
Gestational carriers?	No	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	0%	Ovulatory dysfunction	20%
Sharing of donor eggs?	No			Male factor	45%
		With ICSI	50%	Other factors	2%
		Unstimulated	0%	Unexplained	9%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	41	23	34	29
Pregnancies per 100 cycles	29.3	47.8	23.5	13.8
Live births per 100 cycles <sup>d</sup>	22.0	43.5	23.5	10.3
(95% confidence interval)	(9.3 - 34.6)	(23.2 - 63.7)	(9.3 - 37.8)	(0.0 - 21.4)
Live births per 100 retrievals <sup>d</sup>	22.0	43.5	25.0	10.7
Live births per 100 transfers <sup>d</sup>	22.5	45.5	25.8	11.1
Cancellations per 100 cycles	0.0	0.0	5.9	3.4
Average number embryos transferred	4.6	5.6	5.0	5.1
Twin gestations per 100 pregnancies	5/12	3/11	1/8	0/4
Triplet or more gestations per 100 pregnancies	0/12	1/11	2/8	0/4
Multiple births per 100 live births <sup>d</sup>	3/9	3/10	2/8	0/3
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	24	5	14	10
Live births per 100 transfers <sup>d</sup>	20.8	1/5	4/14	0/10
Average number embryos transferred	4.1	4.8	4.1	4.6
<b>Donor Eggs</b>				
Number of fresh transfers	1	2	1	16
Live births per 100 fresh transfers <sup>d</sup>	0/1	1/2	1/1	5/16
Number of frozen transfers	5	1	4	33
Live births per 100 frozen transfers <sup>d</sup>	0/5	0/1	2/4	18.2
Average number embryos transferred (fresh and frozen)	3.7	3.7	3.4	3.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.

## CAPITAL REGION GENETICS & IVF AT BELLEVUE HOSPITAL NISKAYUNA, NEW YORK

### 1997 PROGRAM PROFILE

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	No	IVF	100%	Tubal factor	26%
Single women?	Yes	GIFT	0%	Endometriosis	19%
Gestational carriers?	No	ZIFT	0%	Uterine factor	0%
Donor egg program?	No	Combination <sup>b</sup>	0%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	5%
		With ICSI	26%	Other factors	32%
		Unstimulated	0%	Unexplained	0%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. nn–nn.)

### 1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	19	9	7	3
Pregnancies per 100 cycles	4/19	4/9	1/7	1/3
Live births per 100 cycles <sup>d</sup> (95% confidence interval)	4/19	4/9	1/7	1/3
Live births per 100 retrievals <sup>d</sup>	4/19	4/9	1/7	1/3
Live births per 100 transfers <sup>d</sup>	4/17	4/8	1/6	1/3
Cancellations per 100 cycles	0/19	0/9	0/7	0/3
Average number embryos transferred	2.9	3.0	3.0	2.7
Twin gestations per 100 pregnancies	1/4	1/4	0/1	0/1
Triplet or more gestations per 100 pregnancies	0/4	0/4	0/1	0/1
Multiple births per 100 live births <sup>d</sup>	1/4	1/4	0/1	0/1
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	9	5	2	2
Live births per 100 transfers <sup>d</sup>	4/9	1/5	0/2	0/2
Average number embryos transferred	2.9	2.8	2.5	3.5
<b>Donor Eggs</b>				
Number of fresh transfers	0	0	0	0
Live births per 100 fresh transfers <sup>d</sup>				
Number of frozen transfers	0	1	0	0
Live births per 100 frozen transfers <sup>d</sup>		1/1		
Average number embryos transferred (fresh and frozen)		3.0		

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.



**LONG ISLAND IVF ASSOCIATES  
PORT JEFFERSON, NEW YORK**

**1997 PROGRAM PROFILE**

Program Characteristics		Type of ART <sup>a</sup>		ART Patient Diagnosis	
SART member?	Yes	IVF	71%	Tubal factor	36%
Single women?	Yes	GIFT	13%	Endometriosis	20%
Gestational carriers?	Yes	ZIFT	0%	Uterine factor	1%
Donor egg program?	Yes	Combination <sup>b</sup>	15%	Ovulatory dysfunction	18%
Sharing of donor eggs?	No			Male factor	14%
		With ICSI	35%	Other factors	5%
		Unstimulated	<1%	Unexplained	6%

A comparison of clinic success rates may not be meaningful because patient medical characteristics and treatment approaches vary from clinic to clinic. (See pp. 88-85.)

**1997 ART PREGNANCY SUCCESS RATES<sup>c</sup>**

Type of Cycle	Age of Woman			
	<35	35-37	38-40	>40
<b>Fresh Embryos From Nondonor Eggs</b>				
Number of cycles	275	118	118	80
Pregnancies per 100 cycles	35.3	38.1	23.7	10.0
Live births per 100 cycles <sup>d</sup>	28.4	28.0	17.8	6.3
(95% confidence interval)	(23.0 - 33.7)	(19.9 - 36.1)	(10.9 - 24.7)	(0.9 - 11.6)
Live births per 100 retrievals <sup>d</sup>	32.1	32.0	25.0	8.3
Live births per 100 transfers <sup>d</sup>	36.3	35.5	29.6	9.4
Cancellations per 100 cycles	11.6	12.7	28.8	25.0
Average number embryos transferred	3.8	4.3	4.4	4.1
Twin gestations per 100 pregnancies	24.7	26.7	14.3	0/8
Triplet or more gestations per 100 pregnancies	8.2	13.3	7.1	0/8
Multiple births per 100 live births <sup>d</sup>	33.3	42.4	19.0	0/5
<b>Frozen Embryos From Nondonor Eggs</b>				
Number of transfers	70	37	21	12
Live births per 100 transfers <sup>d</sup>	22.9	18.9	23.8	2/12
Average number embryos transferred	3.1	3.0	2.8	3.0
<b>Donor Eggs</b>				
Number of fresh transfers	2	1	5	5
Live births per 100 fresh transfers <sup>d</sup>	0/2	1/1	2/5	3/5
Number of frozen transfers	2	0	4	1
Live births per 100 frozen transfers <sup>d</sup>	0/2		0/4	0/1
Average number embryos transferred (fresh and frozen)	3.5	4.0	3.6	3.8

<sup>a</sup> Includes only fresh, nondonor egg cycles.

<sup>b</sup> Combination of fresh, nondonor IVF, GIFT, and ZIFT procedures.

<sup>c</sup> When fewer than 20 cycles are reported in any one category, rates are shown as fractions.

<sup>d</sup> A multiple birth is counted as one live birth.