

**Indiana 5-year County Yield Averages
Soybeans, 2001-2005**

Adams	44.1	Miami	46.6
Allen	43.8	Monroe	40.4
Bartholomew	47.6	Montgomery	50.6
Benton	48.0	Morgan	46.5
Blackford	45.8	Newton	46.6
Boone	49.7	Noble	41.4
Brown	1/	Ohio	1/
Carroll	51.8	Orange	45.9
Cass	47.5	Owen	43.4
Clark	41.4	Parke	45.3
Clay	46.0	Perry	40.2
Clinton	50.7	Pike	42.1
Crawford	1/	Porter	42.9
Daviess	47.4	Posey	41.3
Dearborn	39.0	Pulaski	42.6
Decatur	50.3	Putnam	49.2
De Kalb	40.0	Randolph	45.2
Delaware	46.7	Ripley	42.5
Dubois	44.5	Rush	50.4
Elkhart	44.6	St. Joseph	42.4
Fayette	46.4	Scott	41.6
Floyd	1/	Shelby	49.8
Fountain	48.4	Spencer	40.9
Franklin	44.8	Starke	38.7
Fulton	43.4	Steuben	38.3
Gibson	43.0	Sullivan	44.7
Grant	47.5	Switzerland	1/
Greene	45.4	Tippecanoe	48.6
Hamilton	49.5	Tipton	51.0
Hancock	47.6	Union	48.5
Harrison	39.0	Vanderburgh	42.4
Hendricks	49.1	Vermillion	49.3
Henry	47.1	Vigo	44.9
Howard	50.2	Wabash	46.6
Huntington	45.6	Warren	48.2
Jackson	43.8	Warrick	41.3
Jasper	44.9	Washington	40.6
Jay	43.2	Wayne	45.8
Jefferson	39.7	Wells	45.3
Jennings	45.5	White	47.9
Johnson	48.4	Whitley	44.3
Knox	43.8	Northwest	44.7
Kosciusko	44.3	North Central	45.9
Lagrange	41.4	Northeast	43.4
Lake	41.3	West Central	48.0
La Porte	42.4	Central	49.3
Lawrence	39.5	East Central	45.8
Madison	49.6	Southwest	43.4
Marion	46.9	South Central	41.7
Marshall	43.8	Southeast	42.5
Martin	44.3	State Total	45.8

1/ Five year averages were only computed for those counties that had data for all five years.

Source: USDA, NASS, Indiana Field Office