

(Powerhouse 8 Forebay), with a usable storage capacity of 49 ac-ft, at an elevation of about 2,943 ft above msl; (iii) Pitman Diversion Pool, with a usable capacity of about 1 ac-ft, at an elevation of about 6,900 ft above msl; (iv) Bear Diversion Pool, with a usable capacity of about 103 ac-ft, at an elevation of about 7,350 ft above msl; and (v) Mono Diversion Pool, with a usable capacity of about 47 ac-ft, at an elevation of about 7,350 ft above msl.

- *Small diversions* (i) Hooper Creek Diversion, with a usable capacity of about 3 ac-ft, at an elevation of about 7,505 ft above msl; (ii) Bolsillo Creek Diversion, with a usable capacity of less than 1 ac-ft, at an elevation of about 7,535 ft above msl; (iii) Chinquapin Creek Diversion, with a usable capacity of less than 1 ac-ft, at an elevation of about 7,629 ft above msl; (iv) Camp 62 Creek Diversion, with a usable capacity of less than 1 ac-ft, at an elevation of about 7,307 ft above msl.

- *Water conveyance systems* (i) Ward Tunnel, about 12.8 miles long, conveys water from Florence Lake to Huntington Lake (Huntington Lake is a component of FERC Project No. 2175) and has a conveyance capacity of about 1,760 cubic feet per second (cfs). The tunnel receives water from Florence Lake, Mono Creek, Bear Creek, the small tributaries discussed above, and the East and West Forks of Camp 61 Creek (via Portal Forebay, a component of the Portal Project, (FERC Project No. 2174); (ii) Mono-Bear Siphon, about 1.6 miles of flowline from Mono Diversion and 1.4 miles of flowline and tunnel from Bear Creek Diversion connect at the Mono-Bear Wye and continues for about

2.6 miles through a combined flowline/siphon, conveys water from the Mono and Bear diversions to Ward Tunnel. The Mono Tunnel and Bear Tunnel have conveyance capacities of 450 cfs each and the combined flowline/siphon has a conveyance capacity of about 650 cfs; (iii) Huntington-Pitman-Shaver Conduit, also known as Tunnel No. 7, conveys water from Huntington Lake and the Pitman Creek Diversion to Shaver Lake through either North Fork Stevenson Creek or through Balsam Forebay and the Eastwood Power Station. Tunnel No. 7 is about 5.4 miles long and terminates at Gate No. 2 tunnel outlet located on North Fork Stevenson Creek upstream of Shaver Lake. The Balsam Diversion Tunnel is about 1.1 miles long and branches off Tunnel No. 7 about 1,200 ft upstream of the Gate No. 2 outlet, connecting to Balsam Forebay; (iv) Eastwood Power Station and Tailrace Tunnels, which convey water from Balsam Forebay through the Eastwood Power Station to Shaver Lake. The Eastwood Power Station Tunnel is about 1 mile long. The Tailrace Tunnel is about 1.4 miles long. The conveyance capacity of the tunnels is about 2,500 cfs. (v) Tunnel No. 5, about 2.6 miles long, conveys water from Shaver Lake to Big Creek Powerhouse No. 2A and has a conveyance capacity of about 650 cfs. (vi) Tunnel No. 8, about 1 mile long, conveys water from the Dam No. 5 Impoundment just downstream of Powerhouse 2/2A to Powerhouse No. 8, has a conveyance capacity of about 1,173 cfs.

- *Transmission line* (i) Eastwood Power Station—Big Creek 1

Transmission Line, which connects Eastwood Power Station to a non-Project switchyard at Big Creek Powerhouse No. 1. This transmission line is about 4.7 miles long, and is a 220kV line.

n. A copy of the application is available for review at the Commission in the Public Reference Room or may be viewed on the Commission's Web site at <http://www.ferc.gov> using the "eLibrary" link. Enter the docket number excluding the three digits in the docket number field to access the document. For assistance, please contact FERC Online Support at [FERCOnlineSupport@ferc.gov](mailto:FERCOnlineSupport@ferc.gov) or toll free at (866) 208-3676, or for TTY, contact (202) 502-8659. A copy is also available for inspection and reproduction at the address in item h above.

You may also register online at <http://www.ferc.gov/docs-filing/esubscription.asp> to be notified via e-mail of new filings and issuances related to this or other pending projects. For assistance, contact FERC Online Support.

o. With this notice, we are initiating consultation with the California State Historic Preservation Officer (SHPO), as required by section 106, National Historic Preservation Act, and the regulations of the Advisory Council on Historic Preservation, 36 CFR 800.4.

p. *Procedural schedule and final amendments:* The application will be processed according to the following Hydro Licensing Schedule. Revisions to the schedule will be made if the Commission determines it necessary to do so:

Milestone	Tentative date
Issue Acceptance/Deficiency Letter and request Additional Information, if needed .....	June 2007.
Notice asking for final terms and conditions .....	September 2007.
Notice of the availability of the draft EIS .....	March 2008.
Notice of the availability of the final EIS .....	September 2008.

Final amendments to the application must be filed with the Commission no later than 30 days from the issuance date of the notice soliciting final terms and conditions.

Philis J. Posey,

Acting Secretary.

[FR Doc. E7-4480 Filed 3-12-07; 8:45 am]

BILLING CODE 6717-01-P

**ENVIRONMENTAL PROTECTION AGENCY**

[EPA-HQ-OPPT-2006-0969; FRL-8107-1]

**Agency Information Collection Activities; Proposed Collection; Comment Request; Residential Lead-Based Paint Hazard Disclosure Requirements; EPA ICR No. 1710.05, OMB Control No. 2070-0151**

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** In compliance with the Paperwork Reduction Act (PRA) (44

U.S.C. 3501 *et seq.*), this document announces that EPA is planning to submit a request to renew an existing approved Information Collection Request (ICR) to the Office of Management and Budget (OMB). This ICR, entitled: "Residential Lead-Based Paint Hazard Disclosure Requirements" and identified by EPA ICR No. 1710.05 and OMB Control No. 2070-0151, is scheduled to expire on November 30, 2007. Before submitting the ICR to OMB for review and approval, EPA is soliciting comments on specific aspects of the proposed information collection.

**DATES:** Comments must be received on or before May 14, 2007.

**ADDRESSES:** Submit your comments, identified by docket identification (ID) number EPA-HQ-OPPT-2006-0969, by one of the following methods:

- *Federal eRulemaking Portal:* <http://www.regulations.gov>. Follow the on-line instructions for submitting comments.

- *Mail:* Document Control Office (7407M), Office of Pollution Prevention and Toxics (OPPT), Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460-0001.

- *Hand Delivery:* OPPT Document Control Office (DCO), EPA East Bldg., Rm. 6428, 1201 Constitution Ave., NW., Washington, DC. Attention: Docket ID number EPA-HQ-OPPT-2006-0969. The DCO is open from 8 a.m. to 4 p.m., Monday through Friday, excluding legal holidays. The telephone number for the DCO is (202) 564-8930. Such deliveries are only accepted during the DCO's normal hours of operation, and special arrangements should be made for deliveries of boxed information.

*Instructions:* Direct your comments to docket ID number EPA-HQ-OPPT-2006-0969. EPA's policy is that all comments received will be included in the public docket without change and may be made available on-line at <http://www.regulations.gov>, including any personal information provided, unless the comment includes information claimed to be Confidential Business Information (CBI) or other information whose disclosure is restricted by statute. Do not submit information that you consider to be CBI or otherwise protected through [regulations.gov](http://www.regulations.gov) or e-mail. The [regulations.gov](http://www.regulations.gov) website is an "anonymous access" system, which means EPA will not know your identity or contact information unless you provide it in the body of your comment. If you send an e-mail comment directly to EPA without going through [regulations.gov](http://www.regulations.gov) your e-mail address will be automatically captured and included as part of the comment that is placed in the public docket and made available on the Internet. If you submit an electronic comment, EPA recommends that you include your name and other contact information in the body of your comment and with any disk or CD ROM you submit. If EPA cannot read your comment due to technical difficulties and cannot contact you for clarification, EPA may not be able to consider your comment. Electronic files should avoid the use of special characters, any form of encryption, and be free of any defects or viruses.

*Docket:* All documents in the docket are listed in the docket's index available at <http://www.regulations.gov>. Although listed in the index, some information is

not publicly available, e.g., CBI or other information whose disclosure is restricted by statute. Certain other material, such as copyrighted material, will be publicly available only in hard copy. Publicly available docket materials are available electronically at <http://www.regulations.gov>, or, if only available in hard copy, at the OPPT Docket. The OPPT Docket is located in the EPA Docket Center (EPA/DC) at Rm. 3334, EPA West Bldg., 1301 Constitution Ave., NW., Washington, DC. The EPA/DC Public Reading Room hours of operation are 8:30 a.m. to 4:30 p.m., Monday through Friday, excluding Federal holidays. The telephone number of the EPA/DC Public Reading Room is (202) 566-1744, and the telephone number for the OPPT Docket is (202) 566-0280. Docket visitors are required to show photographic identification, pass through a metal detector, and sign the EPA visitor log. All visitor bags are processed through an X-ray machine and subject to search. Visitors will be provided an EPA/DC badge that must be visible at all times in the building and returned upon departure.

**FOR FURTHER INFORMATION CONTACT:** *For general information contact:* Colby Lintner, Regulatory Coordinator, Environmental Assistance Division (7408M), Office of Pollution Prevention and Toxics, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460-0001; telephone number: (202) 554-1404; e-mail address: [TSCA-Hotline@epa.gov](mailto:TSCA-Hotline@epa.gov).

*For technical information contact:* Julie Simpson, National Program Chemicals Division (7404T), Office of Pollution Prevention and Toxics, Environmental Protection Agency, 1200 Pennsylvania Ave., NW., Washington, DC 20460-0001; telephone number: (202) 566-1980; fax number: (202) 566-0471; e-mail address: [simpson.julie@epa.gov](mailto:simpson.julie@epa.gov).

#### **SUPPLEMENTARY INFORMATION:**

##### **I. What Information is EPA Particularly Interested in?**

Pursuant to section 3506(c)(2)(A) of the PRA, EPA specifically solicits comments and information to enable it to:

1. Evaluate whether the proposed collection of information is necessary for the proper performance of the functions of the Agency, including whether the information will have practical utility.
2. Evaluate the accuracy of the Agency's estimates of the burden of the proposed collection of information, including the validity of the methodology and assumptions used.

3. Enhance the quality, utility, and clarity of the information to be collected.

4. Minimize the burden of the collection of information on those who are to respond, including through the use of appropriate automated electronic, mechanical, or other technological collection techniques or other forms of information technology, e.g., permitting electronic submission of responses. In particular, EPA is requesting comments from very small businesses (those that employ less than 25) on examples of specific additional efforts that EPA could make to reduce the paperwork burden for very small businesses affected by this collection.

##### **II. What Should I Consider when I Prepare My Comments for EPA?**

You may find the following suggestions helpful for preparing your comments:

1. Explain your views as clearly as possible and provide specific examples.
2. Describe any assumptions that you used.
3. Provide copies of any technical information and/or data you used that support your views.
4. If you estimate potential burden or costs, explain how you arrived at the estimate that you provide.
5. Provide specific examples to illustrate your concerns.
6. Offer alternative ways to improve the collection activity.
7. Make sure to submit your comments by the deadline identified under **DATES**.
8. To ensure proper receipt by EPA, be sure to identify the docket ID number assigned to this action in the subject line on the first page of your response. You may also provide the name, date, and **Federal Register** citation.

##### **III. What Information Collection Activity or ICR Does this Action Apply to?**

*Affected entities:* Entities potentially affected by this action are persons engaged in selling, purchasing, or leasing certain residential dwellings built before 1978 or who are real estate agents representing such parties.

*Title:* Residential Lead-Based Paint Hazard Disclosure Requirements.

*ICR numbers:* EPA ICR No. 1710.05, OMB Control No. 2070-0151.

*ICR status:* This ICR is currently scheduled to expire on November 30, 2007. An Agency may not conduct or sponsor, and a person is not required to respond to, a collection of information, unless it displays a currently valid OMB control number. The OMB control numbers for EPA's regulations in title 40

of the CFR, after appearing in the **Federal Register** when approved, are listed in 40 CFR part 9, are displayed either by publication in the **Federal Register** or by other appropriate means, such as on the related collection instrument or form, if applicable. The display of OMB control numbers in certain EPA regulations is consolidated in 40 CFR part 9.

**Abstract:** Section 1018 of the Residential Lead-Based Paint Hazard Reduction Act of 1992 (42 U.S.C. 4852d) requires that sellers and lessors of most residential housing built before 1978 disclose known information on the presence of lead-based paint and lead-based paint hazards, and provide an EPA-approved pamphlet to purchasers and renters before selling or leasing the housing. Sellers of pre-1978 housing are also required to provide prospective purchasers with 10 days to conduct an inspection or risk assessment for lead-based paint hazards before obligating purchasers under contracts to purchase the property. The rule does not apply to rental housing that has been found to be free of lead-based paint, zero-bedroom dwellings, housing for the elderly, housing for the handicapped, or short-term leases. The affected parties and the information collection-related requirements related to each are described below:

1. *Sellers of pre-1978 residential housing.* Sellers of pre-1978 housing must attach certain notification and disclosure language to their sales/leasing contracts. The attachment lists the information disclosed and acknowledges compliance by the seller, purchaser, and any agents involved in the transaction.

2. *Lessors of pre-1978 residential housing.* Lessors of pre-1978 housing must attach notification and disclosure language to their leasing contracts. The attachment, which lists the information disclosed and acknowledges compliance with all elements of the rule, must be signed by the lessor, lessee, and any agents acting on their behalf. Agents and lessees must retain the information for 3 years from the completion of the transaction.

3. *Agents acting on behalf of sellers or lessors.* Section 1018 of the Residential Lead-Based Paint Hazard Reduction Act of 1992 specifically directs EPA and the Department of Housing and Urban Development (HUD) to require agents acting on behalf of sellers or lessors to ensure compliance with the disclosure regulations.

Responses to the collection of information are mandatory (see 40 CFR part 745, Subpart F, and 24 CFR part 35, Subpart H). Respondents may claim all

or part of a notice confidential. EPA will disclose information that is covered by a claim of confidentiality only to the extent permitted by, and in accordance with, the procedures in TSCA section 14 and 40 CFR part 2.

**Burden statement:** The annual public reporting and recordkeeping burden for this collection of information is estimated to average 0.18 hours per response. Burden means the total time, effort, or financial resources expended by persons to generate, maintain, retain, or disclose or provide information to or for a Federal Agency. This includes the time needed to review instructions; develop, acquire, install, and utilize technology and systems for the purposes of collecting, validating, and verifying information, processing and maintaining information, and disclosing and providing information; adjust the existing ways to comply with any previously applicable instructions and requirements which have subsequently changed; train personnel to be able to respond to a collection of information; search data sources; complete and review the collection of information; and transmit or otherwise disclose the information.

The ICR provides a detailed explanation of this estimate, which is only briefly summarized here:

*Estimated total number of potential respondents:* 42,021,000.

*Frequency of response:* On occasion.

*Estimated total average number of responses for each respondent:* 1.

*Estimated total annual burden hours:* 7,744,616 hours.

*Estimated total annual costs:* \$136,475,304. This includes an estimated burden cost of \$136,475,304 and an estimated cost of \$0 for capital investment or maintenance and operational costs.

#### **IV. Are There Changes in the Estimates from the Last Approval?**

There is a decrease of 1,110,994 hours (from 8,855,610 hours to 7,744,616 hours) in the total estimated respondent burden compared with that currently in the OMB inventory. This decrease reflects the gradually declining share of target housing in the nation's housing stock. The decrease is an adjustment.

#### **V. What is the Next Step in the Process for this ICR?**

EPA will consider the comments received and amend the ICR as appropriate. The final ICR package will then be submitted to OMB for review and approval pursuant to 5 CFR 1320.12. EPA will issue another **Federal Register** notice pursuant to 5 CFR 1320.5(a)(1)(iv) to announce the

submission of the ICR to OMB and the opportunity to submit additional comments to OMB. If you have any questions about this ICR or the approval process, please contact the technical person listed under **FOR FURTHER INFORMATION CONTACT**.

#### **List of Subjects**

Environmental protection, Reporting and recordkeeping requirements.

Dated: March 6, 2007.

**James B. Gulliford,**

*Assistant Administrator, Office of Prevention, Pesticides and Toxic Substances.*

[FR Doc. E7-4528 Filed 3-12-07; 8:45 am]

**BILLING CODE 6560-50-S**

### **ENVIRONMENTAL PROTECTION AGENCY**

[FRL-8287-1]

#### **Science Advisory Board Staff Office, Request for Nominations for Review of Multi-Agency Radiation Survey and Assessment of Materials and Equipment Manual (MARSAME)**

**AGENCY:** Environmental Protection Agency (EPA).

**ACTION:** Notice.

**SUMMARY:** The EPA Science Advisory Board (SAB) Staff Office is requesting nominations to augment expertise to the SAB's Radiation Advisory Committee (RAC) to review the December 2006 draft of the Multi-Agency Radiation Survey and Assessment of Materials and Equipment Manual (MARSAME), which is a supplement to the Multi-Agency Radiation Survey and Site Assessment Manual (MARSSIM). MARSAME provides information on planning, conducting, evaluating, and documenting radiological disposition surveys for the assessment of materials and equipment.

**DATES:** Nominations should be submitted by April 3, 2007 per the instructions below.

**FOR FURTHER INFORMATION CONTACT:** Any member of the public wishing further information regarding this Request for Nominations may contact Dr. K. Jack Kooyoomjian, Designated Federal Officer (DFO), via telephone/voice mail at (202) 343-9984; via e-mail at [kooyoomjian.jack@epa.gov](mailto:kooyoomjian.jack@epa.gov) or at the U.S. EPA Science Advisory Board (1400F), 1200 Pennsylvania Ave., NW., Washington, DC 20460. General information about the SAB can be found in the SAB Web site at <http://www.epa.gov/sab>. The EPA technical contact for this review is Dr. Mary E. Clark, who may be contacted via