

Form	Total respondents	Frequency	Total responses	Average time per response	Estimated total burden
Totals	1,100	1,100	75 hours.

Note: In some cases, the respondents for the replenishment interview will be the same people who responded to the screener. These respondents could be different people, however. For example, one spouse who was not born in the years 1957 to 1964 and therefore is ineligible for the pretest sample may respond to the screener questions, while the other spouse who is eligible for the pretest sample responds to the replenishment interview.

Total Burden Cost (capital/startup):
\$0.

Total Burden Cost (operating/maintenance): \$0.

Comments submitted in response to this notice will be summarized and/or included in the request for Office of Management and Budget approval of the information collection request; they also will become a matter of public record.

Signed at Washington, DC, this 5th day of January 2007.

Cathy Kazanowski,

*Chief, Division of Management Systems,
Bureau of Labor Statistics.*

[FR Doc. E7-162 Filed 1-10-07; 8:45 am]

BILLING CODE 4510-24-P

NATIONAL ARCHIVES AND RECORDS ADMINISTRATION

Information Security Oversight Office; Public Interest Declassification Board (PIDB); Notice of Meeting

Pursuant to Section 1102 of the Intelligence Reform and Terrorism Prevention Act of 2004 which extended and modified the Public Interest Declassification Board (PIDB) as established by the Public Interest Declassification Act of 2000 (Pub. L. 106-567, title VII, December 27, 2000, 114 Stat. 2856), announcement is made for the following committee meeting:

Name of Committee: Public Interest Declassification Board (PIDB).

Date of Meeting: Friday, January 19, 2007.

Time of Meeting: 9 a.m. to 12:30 p.m.

Place of Meeting: National Archives and Records Administration, 700 Pennsylvania Avenue, NW., Archivist's Reception Room, Room 105, Washington, DC 20408.

Purpose: To discuss declassification program issues.

This meeting will be open to the public. However, due to space limitations and access procedures, the name and telephone number of individuals planning to attend must be submitted to the Information Security Oversight Office (ISOO) no later than Monday, January 15, 2007. ISOO will provide additional instructions for gaining access to the location of the meeting.

For Further Information Contact: J. William Leonard, Director Information Security Oversight Office, National Archives Building, 700 Pennsylvania Avenue, NW., Washington, DC 20408, telephone number (202) 357-5250.

Dated: January 9, 2007.

J. William Leonard,

Director, Information Security Oversight Office.

[FR Doc. E7-254 Filed 1-10-07; 8:45 am]

BILLING CODE 7515-01-P

NUCLEAR REGULATORY COMMISSION

[Docket No. 52-008-ESP; ASLBP No. 04-822-02-ESP]

Atomic Safety and Licensing Board; In the Matter of Dominion Nuclear North Anna, LLC (Early Site Permit for North Anna ESP Site); Order (Notice of Opportunity To Make Oral or Written Limited Appearance Statements)

January 5, 2007.

Before Administrative Judges: Alex S. Karlin, Chairman, Dr. Thomas S. Elleman, Dr. Richard F. Cole.

This proceeding concerns the September 25, 2003 application of Dominion Nuclear North Anna LLC for an early site permit (ESP) for the possible construction of two nuclear power reactors on the site of two existing nuclear reactors in Mineral, Virginia.

This Atomic Safety and Licensing Board hereby gives notice that, pursuant to 10 CFR 2.315(a), the Board will entertain oral limited appearance statements from members of the public regarding the North Anna ESP application. The limited appearance statement session will be held on February 8, 2007 from 6 p.m. to 11 p.m. EST at the Louisa County High School auditorium, 757 Davis Highway, Mineral, Virginia 23117.

I. Background and Scope of Proceeding

The Nuclear Regulatory Commission (Commission) has defined an ESP as "Commission approval * * * for a site or sites for one or more nuclear power facilities." 10 CFR 52.3(b). If an ESP application is approved, then, if the

holder applies for a later construction permit, "the Commission shall treat as resolved those matters resolved in the proceeding on the application for issuance or renewal of the early site permit." 10 CFR 52.39(a)(2). The North Anna ESP application also includes a site redress plan, which, if approved, would allow the ESP holder to prepare the site for construction of the plant, as long as the activities will not result in any significant adverse environmental impact which cannot be redressed, and the applicant commits to redress the site if a construction permit is not issued. 10 CFR 52.25. See North Anna ESP Application, Revision 9, 4-1-1 (September 2006). The applicant may not undertake any other construction activities on the site, however, without having applied for and received a construction or combined operating license from the NRC. 10 CFR 52.3. On December 2, 2003, the Commission published a notice of hearing with regard to Dominion's North Anna ESP application, notifying the public of the mandatory hearing on certain uncontested safety and environmental issues, and of the right to petition for leave to intervene to contest the application. 68 FR 67489 (Dec. 2, 2003). On January 2, 2004, Blue Ridge Environmental Defense League, Nuclear Information and Resource Service, and Public Citizen filed a petition to intervene. The predecessor Board admitted two of the Intervenor's contentions. See *Dominion Nuclear North Anna LLC* (North Anna ESP), LBP-04-18, 60 NRC 253, 274 (2004).

On January 13, 2006, Dominion submitted a supplement to its application, proposing to change the cooling system for proposed Unit 3 and to increase the power level of each proposed unit (Units 3 and 4) from 4300 MWt to 4500 MWt. As a consequence, the application process was delayed by a year. The Staff issued a supplemental Final Safety Evaluation Report (FSER) on November 15, 2006, and a supplemental Final Environmental Impact Statement (FEIS) on December 14, 2006, addressing the changed application.

Both of the admitted contentions were resolved, one by a settlement and the