

National Immunization Survey

1997 Public-Use Data File

Documentation, Code Book and Frequencies

Centers for Disease Control and Prevention

**National Immunization Program
and
National Center for Health Statistics**

**Prepared by Abt Associates Inc.
February 2002**

1997 National Immunization Survey Public-Use Data File

TABLE OF CONTENTS

=====

SECTION	PAGE
INDEX OF VARIABLES	3
1 ID, WEIGHT AND FLAG VARIABLES	19
2 HOUSEHOLD VACCINATION VARIABLES	22
3 DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES	31
4 GEOGRAPHIC VARIABLES	41
5 NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES	45
6 NUMBER OF RESPONDING PROVIDER VARIABLES	46
7 CHARACTERISTICS OF PROVIDER VARIABLES	47
8 PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES	51
9 PROVIDER-REPORTED AGE AT VACCINATION VARIABLES	69
ALPHABETICAL INDEX OF VARIABLES	205

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
SEQNUMC	0001	0006	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	0007	0011	1	UNIQUE HOUSEHOLD IDENTIFIER
HY_WGT	0012	0021	1	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
W0	0022	0031	1	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	YEAR OF INTERVIEW
PDAT	0036	0036	1	CHILD HAS ADEQUATE PROVIDER DATA
ALL4SHOT	0037	0037	2	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
C_VRC	0045	0045	2	HOUSEHOLD REPORT OF 1+ VARICELLA UP-TO-DATE BY SHOT CARD USE
DTP_SOUR	0046	0046	2	SHOT CARD USED FOR DTP REPORTING
FUL2_MMR	0047	0047	2	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_CPO	0048	0048	2	HOUSEHOLD REPORT OF 1+ VARICELLA AT ANY AGE
FULL_DTP	0049	0049	2	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0050	0050	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0051	0051	2	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0052	0052	2	HOUSEHOLD REPORT OF 3+ POLIO
HUTD4313	0053	0053	2	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
SHOTCARD	0054	0054	2	SHOT CARD USE FLAG
AGEGRP	0055	0055	3	AGE CATEGORY OF CHILD (RECODE)
C1R	0056	0057	3	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0058	0059	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CEN_REG	0060	0060	3	CENSUS REGION BASED ON STATE
CHILDNM	0061	0061	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
EDUC1	0062	0062	3	EDUCATION OF MOTHER CATEGORIES
ENTRY	0063	0063	3	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
FRSTBRN	0064	0064	3	FIRST BORN STATUS OF CHILD

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
INCPOV1R	0065	0065	3	POVERTY STATUS(RECODE)
INCOMER	0066	0067	3	FAMILY INCOME CATEGORIES (RECODE)
I_HISP_K	0068	0068	3	HISPANIC ORIGIN OF CHILD
I_HISP_M	0069	0069	3	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0070	0070	3	RACE OF CHILD (RECODE)
I_RACEMR	0071	0071	3	RACE OF MOTHER (RECODE)
MARITAL	0072	0072	3	MARITAL STATUS OF MOTHER CATEGORIES
MOBIL	0073	0073	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
M_AGEGRP	0074	0074	3	AGE OF MOTHER CATEGORIES
RACEKIDR	0075	0075	3	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0076	0076	3	RACE/ETHNICITY OF MOTHER (RECODE)
SEX	0077	0077	3	GENDER OF CHILD
ITRUEIAP	0078	0079	4	IAP AREA OF CURRENT RESIDENCE
STATE	0080	0081	4	STATE OF RESIDENCE (STATE FIPS CODE)
D6R	0082	0082	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	0083	0083	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM VACCINATION PROVIDERS IDENTIFIED IN QUESTION D6 IN THE INTERVIEW
DISPCODE	0084	0085	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
N_PRVR	0086	0086	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
MEDHOME	0087	0087	7	WAS THIS FACILITY EVER CHILD'S MEDICAL HOME FOR PRIMARY CARE
NCARER1	0088	0088	7	CHILD'S PROVIDERS OFFER COMPREHENSIVE CHILD CARE
NCARER2	0089	0089	7	CHILD'S PROVIDERS OFFER ACUTE ILLNESS CARE
NCARER3	0090	0090	7	CHILD'S PROVIDERS OFFER FOLLOW UP VISITS
NCARER4	0091	0091	7	CHILD'S PROVIDERS OFFER AFTER-HOURS TELEPHONE COVERAGE
NCARER5	0092	0092	7	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
NCARER6	0093	0093	7	CHILD'S PROVIDERS OFFER OTHER SERVICES
PROV_FAC	0094	0094	7	PROVIDER FACILITY TYPE
VFC_PRO	0095	0095	7	PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM
HEP_BRTH	0096	0096	8	HEPATITIS B GIVEN AT BIRTH FLAG
P_UTD431	0097	0097	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
PUTD4313	0098	0098	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
PUT43133	0099	0099	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
P_UTD331	0100	0100	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_U12VRC	0101	0101	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_UTDHEP	0102	0102	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
P_UTDHIB	0103	0103	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0104	0104	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0105	0105	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0106	0106	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0107	0107	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0108	0108	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
P_NUMDHB	0109	0109	8	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTA	0110	0110	8	NUMBER OF DTAP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTM	0111	0111	8	NUMBER OF DT (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0112	0112	8	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	0113	0113	8	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0114	0114	8	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMIPV	0115	0115	8	NUMBER OF IPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0116	0116	8	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	0117	0117	8	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMOLN	0118	0118	8	NUMBER OF POLIO (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMOPV	0119	0119	8	NUMBER OF OPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0120	0120	8	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0121	0121	8	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMTPM	0122	0122	8	NUMBER OF DTP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMTPN	0123	0123	8	NUMBER OF DTP (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMVRC	0124	0124	8	NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
VB11	0125	0154	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0155	0184	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB13	0185	0214	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0215	0244	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB22	0245	0274	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0275	0304	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
VB31	0305	0334	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0335	0364	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB33	0365	0394	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0395	0424	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0425	0454	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB43	0455	0484	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0485	0514	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB52	0515	0544	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB53	0545	0574	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
DDTAP1	0575	0578	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
DDTAP2	0579	0582	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
DDTAP3	0583	0586	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
DDTAP4	0587	0590	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DDTAP5	0591	0594	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DDTAP6	0595	0598	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DDTAP7	0599	0602	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DDTAP8	0603	0606	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DDTM1	0607	0610	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
DDTM2	0611	0614	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #2

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTM3	0615	0618	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
DDTM4	0619	0622	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DDTM5	0623	0626	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DDTM6	0627	0630	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DDTM7	0631	0634	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DDTM8	0635	0638	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DDTP1	0639	0642	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0643	0646	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2
DDTP3	0647	0650	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0651	0654	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4
DDTP5	0655	0658	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0659	0662	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0663	0666	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0667	0670	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8
DDTPHB1	0671	0674	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0675	0678	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0679	0682	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0683	0686	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0687	0690	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0691	0694	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0695	0698	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
DDTPHB8	0699	0702	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DDTPM1	0703	0706	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #1

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTPM2	0707	0710	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #2
DDTPM3	0711	0714	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #3
DDTPM4	0715	0718	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #4
DDTPM5	0719	0722	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #5
DDTPM6	0723	0726	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #6
DDTPM7	0727	0730	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #7
DDTPM8	0731	0734	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #8
DDTPN1	0735	0738	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DDTPN2	0739	0742	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DDTPN3	0743	0746	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
DDTPN4	0747	0750	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DDTPN5	0751	0754	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DDTPN6	0755	0758	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DDTPN7	0759	0762	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DDTPN8	0763	0766	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DHEPB1	0767	0770	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0771	0774	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0775	0778	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0779	0782	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
DHEPB5	0783	0786	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0787	0790	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0791	0794	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0795	0798	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
DHIB1	0799	0802	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0803	0806	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				(ALL TYPES) #2
DHIB3	0807	0810	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0811	0814	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
DHIB5	0815	0818	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
DHIB6	0819	0822	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
DHIB7	0823	0826	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0827	0830	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DIPVM1	0831	0834	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #1
DIPVM2	0835	0838	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #2
DIPVM3	0839	0842	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #3
DIPVM4	0843	0846	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #4
DIPVM5	0847	0850	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #5
DIPVM6	0851	0854	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #6
DIPVM7	0855	0858	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #7
DIPVM8	0859	0862	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #8
DMMR1	0863	0866	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	0867	0870	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	0871	0874	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	0875	0878	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	0879	0882	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	0883	0886	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	0887	0890	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	0891	0894	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	0895	0898	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	0899	0902	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	0903	0906	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
DMP4	0907	0910	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DMPRB1	0911	0914	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	0915	0918	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	0919	0922	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
DMPRB4	0923	0926	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	0927	0930	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	0931	0934	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	0935	0938	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
DMS4	0939	0942	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	0943	0946	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	0947	0950	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
DMSMP3	0951	0954	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
DMSMP4	0955	0958	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	0959	0962	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	0963	0966	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	0967	0970	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
DMSRB4	0971	0974	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DOPVM1	0975	0978	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #1
DOPVM2	0979	0982	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #2
DOPVM3	0983	0986	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #3
DOPVM4	0987	0990	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #4
DOPVM5	0991	0994	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #5
DOPVM6	0995	0998	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #6
DOPVM7	0999	1002	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #7
DOPVM8	1003	1006	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #8
DPOLIO1	1007	1010	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	1011	1014	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DPOLIO3	1015	1018	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	1019	1022	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	1023	1026	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	1027	1030	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	1031	1034	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	1035	1038	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
DPOLN1	1039	1042	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
DPOLN2	1043	1046	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
DPOLN3	1047	1050	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
DPOLN4	1051	1054	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
DPOLN5	1055	1058	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
DPOLN6	1059	1062	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
DPOLN7	1063	1066	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
DPOLN8	1067	1070	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
DRB1	1071	1074	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
DRB2	1075	1078	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	1079	1082	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	1083	1086	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4
DRB5	1087	1090	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	1091	1094	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
DRB7	1095	1098	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	1099	1102	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
DVRC1	1103	1106	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
DVRC2	1107	1110	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
DVRC3	1111	1114	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
DVRC4	1115	1118	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHB1_AGE	1119	1120	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	1121	1122	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	1123	1124	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	1125	1126	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	1127	1128	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
DHB6_AGE	1129	1130	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
DHB7_AGE	1131	1132	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
DHB8_AGE	1133	1134	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DPM1_AGE	1135	1136	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #1
DPM2_AGE	1137	1138	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #2
DPM3_AGE	1139	1140	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #3
DPM4_AGE	1141	1142	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #4
DPM5_AGE	1143	1144	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #5
DPM6_AGE	1145	1146	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #6
DPM7_AGE	1147	1148	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #7
DPM8_AGE	1149	1150	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #8
DPN1_AGE	1151	1152	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DPN2_AGE	1153	1154	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DPN3_AGE	1155	1156	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
DPN4_AGE	1157	1158	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DPN5_AGE	1159	1160	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DPN6_AGE	1161	1162	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DPN7_AGE	1163	1164	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DPN8_AGE	1165	1166	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DTA1_AGE	1167	1168	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				(MARKED) SHOT #1
DTA2_AGE	1169	1170	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
DTA3_AGE	1171	1172	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
DTA4_AGE	1173	1174	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DTA5_AGE	1175	1176	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DTA6_AGE	1177	1178	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DTA7_AGE	1179	1180	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DTA8_AGE	1181	1182	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DTM1_AGE	1183	1184	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
DTM2_AGE	1185	1186	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
DTM3_AGE	1187	1188	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
DTM4_AGE	1189	1190	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DTM5_AGE	1191	1192	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DTM6_AGE	1193	1194	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DTM7_AGE	1195	1196	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DTM8_AGE	1197	1198	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DTP1_AGE	1199	1200	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	1201	1202	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	1203	1204	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	1205	1206	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4
DTP5_AGE	1207	1208	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	1209	1210	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	1211	1212	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	1213	1214	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HEP1_AGE	1215	1216	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
HEP2_AGE	1217	1218	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
HEP3_AGE	1219	1220	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	1221	1222	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
HEP5_AGE	1223	1224	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	1225	1226	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	1227	1228	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	1229	1230	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
HIB1_AGE	1231	1232	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	1233	1234	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	1235	1236	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
HIB4_AGE	1237	1238	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	1239	1240	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	1241	1242	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	1243	1244	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	1245	1246	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
IPV1_AGE	1247	1248	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #1
IPV2_AGE	1249	1250	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #2
IPV3_AGE	1251	1252	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #3
IPV4_AGE	1253	1254	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #4
IPV5_AGE	1255	1256	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #5
IPV6_AGE	1257	1258	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #6
IPV7_AGE	1259	1260	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #7

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
IPV8_AGE	1261	1262	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #8
MMR1_AGE	1263	1264	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	1265	1266	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	1267	1268	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
MMR4_AGE	1269	1270	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	1271	1272	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	1273	1274	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	1275	1276	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	1277	1278	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MP1_AGE	1279	1280	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	1281	1282	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
MP3_AGE	1283	1284	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	1285	1286	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	1287	1288	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
MPR2_AGE	1289	1290	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	1291	1292	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	1293	1294	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	1295	1296	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
MS2_AGE	1297	1298	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
MS3_AGE	1299	1300	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
MS4_AGE	1301	1302	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
MSM1_AGE	1303	1304	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	1305	1306	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
MSM3_AGE	1307	1308	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
MSM4_AGE	1309	1310	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
MSR1_AGE	1311	1312	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	1313	1314	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	1315	1316	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	1317	1318	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
OPV1_AGE	1319	1320	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #1
OPV2_AGE	1321	1322	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #2
OPV3_AGE	1323	1324	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #3
OPV4_AGE	1325	1326	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #4
OPV5_AGE	1327	1328	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #5
OPV6_AGE	1329	1330	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #6
OPV7_AGE	1331	1332	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #7
OPV8_AGE	1333	1334	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #8
PLN1_AGE	1335	1336	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
PLN2_AGE	1337	1338	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
PLN3_AGE	1339	1340	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
PLN4_AGE	1341	1342	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
PLN5_AGE	1343	1344	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
PLN6_AGE	1345	1346	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
PLN7_AGE	1347	1348	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
PLN8_AGE	1349	1350	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
POL1_AGE	1351	1352	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
POL2_AGE	1353	1354	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
POL3_AGE	1355	1356	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3

1997 National Immunization Survey Public-Use Data File

INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
POL4_AGE	1357	1358	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
POL5_AGE	1359	1360	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
POL6_AGE	1361	1362	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
POL7_AGE	1363	1364	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
POL8_AGE	1365	1366	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
RB1_AGE	1367	1368	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
RB2_AGE	1369	1370	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
RB3_AGE	1371	1372	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
RB4_AGE	1373	1374	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1375	1376	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1377	1378	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1379	1380	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1381	1382	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
VRC1_AGE	1383	1384	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
VRC2_AGE	1385	1386	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
VRC3_AGE	1387	1388	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
VRC4_AGE	1389	1390	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4

1997 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

```

-----
Section          1
Variable Name    SEQNUMC
Label           UNIQUE CHILD IDENTIFIER
Response
Categories       Statistics  Description

                32742      NON-MISSING CHARACTER STRING

                000011     MINIMUM VALUE
                318881     MAXIMUM VALUE

Type            CHAR
Location        0001  - 0006
Width           6
Sequence Order  1
Notes

-----
Section          1
Variable Name    SEQNUMHH
Label           UNIQUE HOUSEHOLD IDENTIFIER
Response
Categories       Statistics  Description

                32742      NON-MISSING CHARACTER STRING

                00001      MINIMUM VALUE
                31888      MAXIMUM VALUE

Categories       Frequency of Missing/Non-missing Values

                32742      NON-MISSING CHARACTER STRING

Type            CHAR
Location        0007  - 0011
Width           5
Sequence Order  2
Notes           EACH HOUSEHOLD CONTAINS ONE OR MORE CHILDREN AGE 19-35 MONTHS.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

```

-----
Section              1
Variable Name       HY_WGT
Label              MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
Response
Categories          Statistics  Description
                    32742    NUMBER OF NON-MISSING
                    0        NUMBER OF MISSING

                    173.03   AVERAGE/MEAN
                    105.33   MEDIAN VALUE
                    3.86     MINIMUM VALUE
                    2185.01  MAXIMUM VALUE

Type                NUM
Location           0012 - 0021
Width              10
Sequence Order     3
Notes              FINAL HOUSEHOLD WEIGHT FOR CHILD. USE THIS WEIGHT FOR
                  ESTIMATES BASED ON CHILDREN WITH COMPLETED HOUSEHOLD
                  INTERVIEWS. THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----

```

```

-----
Section              1
Variable Name       W0
Label              OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR
                  CHILDREN WITH ADEQUATE PROVIDER DATA
Response
Categories          Statistics  Description
                    22806    NUMBER OF NON-MISSING
                    9936    NUMBER OF MISSING

                    248.41   AVERAGE/MEAN
                    143.69   MEDIAN VALUE
                    6.45     MINIMUM VALUE
                    4603.91  MAXIMUM VALUE

Type                NUM
Location           0022 - 0031
Width              10
Sequence Order     4
Notes              FINAL CHILD WEIGHT TO USE FOR THE CALCULATION OF VACCINATION
                  COVERAGE RATES FOR CHILDREN WITH ADEQUATE PROVIDER DATA
                  (PDAT=1). THIS VARIABLE IS CALCULATED TO 5 DECIMAL PLACES.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 1. ID, WEIGHT AND FLAG VARIABLES

Section	1
Variable Name	YEAR
Label	YEAR OF INTERVIEW
Response	
Categories	Freq Value Label
	32742 1997
Type	NUM
Location	0032 - 0035
Width	4
Sequence Order	5
Notes	YEAR OF INTERVIEW IS 1998.

Section	1
Variable Name	PDAT
Label	CHILD HAS ADEQUATE PROVIDER DATA
Response	
Categories	Freq Value Label
	22806 1 USABLE PROVIDER DATA
	9936 2 NO USABLE PROVIDER DATA
Type	NUM
Location	0036 - 0036
Width	1
Sequence Order	6
Notes	USE PDAT = 1 TO IDENTIFY CHILDREN WITH ADEQUATE PROVIDER DATA

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```

-----
Section                2
Variable Name         ALL4SHOT
Label                 4:3:1:3 UP-TO-DATE (HH REPORT)
Response
Categories            Freq  Value  Label

                    3619    .  MISSING
                    14773   1  YES
                    11822   2  NO
                    2514    6  DON'T KNOW
                    14      7  REFUSED

Type                  NUM
Location              0037 - 0037
Width                 1
Sequence Order        7
Notes                 4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB.  REPORTING ERROR EXISTS IN
                    HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

```

```

-----
Section                2
Variable Name         C_431
Label                 HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
Response
Categories            Freq  Value  Label

                    11068   1  UTD 431/SC
                    5021    2  NOT UTD 431/ SC
                    7250    3  UTD 431/NSC
                    4938    4  NOT UTD 431/ NSC
                    4465    5  MISSING 431/SC,NSC

Type                  NUM
Location              0038 - 0038
Width                 1
Sequence Order        8
Notes                 4+ DTP, 3+ POLIO AND 1+ MCV.  SC = SHOT CARD, NSC = NON-SHOT
                    CARD.  REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF
                    VACCINATIONS RECEIVED.

```

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

```

-----
Section                2
Variable Name          C_4313
Label                  HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
Response
Categories              Freq  Value  Label
                        -----
                        9310    1  UTD 4313/SC
                        6779    2  NOT UTD 4313/ SC
                        5463    3  UTD 4313/NSC
                        5043    4  NOT UTD 4313/ NSC
                        6147    5  MISSING 4313/SC,NSC

Type                   NUM
Location               0039  - 0039
Width                  1
Sequence Order         9
Notes                  4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB.  SC = SHOT CARD, NSC =
NON-SHOT CARD.  REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF
VACCINATIONS RECEIVED.
-----

```

```

-----
Section                2
Variable Name          C_DTP
Label                  HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
Response
Categories              Freq  Value  Label
                        -----
                        11698   1  UTD DTP/SC
                        4391    2  NOT UTD DTP/ SC
                        9265    3  UTD DTP/NSC
                        4706    4  NOT UTD DTP/ NSC
                        2682    5  MISSING DTP/SC,NSC

Type                   NUM
Location               0040  - 0040
Width                  1
Sequence Order         10
Notes                  SC = SHOT CARD, NSC = NON-SHOT CARD.  REPORTING ERROR EXISTS IN
HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
Response
Categories

	Freq	Value	Label
	13374	1	UTD HEPB/SC
	2714	2	NOT UTD HEPB/ SC
	8456	3	UTD HEPB/NSC
	4816	4	NOT UTD HEPB/ NSC
	3382	5	MISSING HEPB/SC,NSC

Type NUM
Location 0041 - 0041
Width 1
Sequence Order 11
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_HIB
Label HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
Response
Categories

	Freq	Value	Label
	12278	1	UTD HIB/SC
	3811	2	NOT UTD HIB/ SC
	7266	3	UTD HIB/NSC
	4839	4	NOT UTD HIB/ NSC
	4548	5	MISSING HIB/SC,NSC

Type NUM
Location 0042 - 0042
Width 1
Sequence Order 12
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_MMR
Label HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
14482	1	UTD MMR/SC
1607	2	NOT UTD MMR/ SC
12603	3	UTD MMR/NSC
791	4	NOT UTD MMR/ NSC
3259	5	MISSING MMR/SC,NSC

Type NUM
Location 0043 - 0043
Width 1
Sequence Order 13
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name C_POL
Label HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
14372	1	UTD POLIO/SC
1717	2	NOT UTD POLIO/ SC
9531	3	UTD POLIO/NSC
4540	4	NOT UTD POLIO/ NSC
2582	5	MISSING POLIO/SC,NSC

Type NUM
Location 0044 - 0044
Width 1
Sequence Order 14
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name C_VRC
Label HOUSEHOLD REPORT OF 1+ VARICELLA UP-TO-DATE BY SHOT CARD USE
Response
Categories

Freq	Value	Label
4101	1	UTD VRC/SC
11988	2	NOT UTD VRC/ SC
6215	3	UTD VRC/NSC
7797	4	NOT UTD VRC/ NSC
2641	5	MISSING VRC/SC,NSC

Type NUM
Location 0045 - 0045
Width 1
Sequence Order 15
Notes SC = SHOT CARD, NSC = NON-SHOT CARD. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name DTP_SOUR
Label SHOT CARD USED FOR DTP REPORTING
Response
Categories

Freq	Value	Label
16089	1	SHOT RECORDS
648	2	BOTH SHOT RECORDS AND RESPONDENT RECALL
15370	3	RESPONDENT RECALL ONLY
635	6	DON'T KNOW

Type NUM
Location 0046 - 0046
Width 1
Sequence Order 16
Notes A VALUE OF 1 IDENTIFIES CHILDREN WITH VACCINATION REPORT FOR DTP BASED ONLY ON A SHOT CARD. A VALUE OF 2 IDENTIFIES CHILDREN WITH A REPORT FOR DTP BASED ON SHOT CARD AND RECALL (HISTORY).

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FUL2_MMR
Label HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
Response
Categories

Freq	Value	Label
987	.	MISSING
26363	1	YES
3120	2	NO
2254	6	DON'T KNOW
18	7	REFUSED

Type NUM
Location 0047 - 0047
Width 1
Sequence Order 17
Notes REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_CPO
Label HOUSEHOLD REPORT OF 1+ VARICELLA AT ANY AGE
Response
Categories

Freq	Value	Label
1892	.	
10316	1	
19785	2	
745	6	
4	7	

Type NUM
Location 0048 - 0048
Width 1
Sequence Order 18
Notes REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FULL_DTP
Label HOUSEHOLD REPORT OF 4+ DTP
Response
Categories

Freq	Value	Label
511	.	MISSING
20963	1	YES
9097	2	NO
2150	6	DON'T KNOW
21	7	REFUSED

Type NUM
Location 0049 - 0049
Width 1
Sequence Order 19
Notes 4+ DTP. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_HEP
Label HOUSEHOLD REPORT OF 3+ HEPATITIS B
Response
Categories

Freq	Value	Label
1634	.	MISSING
21830	1	YES
7530	2	NO
1736	6	DON'T KNOW
12	7	REFUSED

Type NUM
Location 0050 - 0050
Width 1
Sequence Order 20
Notes 3+ HEPATITIS B. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name FULL_HIB
Label HOUSEHOLD REPORT OF 3+ HIB
Response
Categories

Freq	Value	Label
2818	.	MISSING
19544	1	YES
8650	2	NO
1718	6	DON'T KNOW
12	7	REFUSED

Type NUM
Location 0051 - 0051
Width 1
Sequence Order 21
Notes 3+ HIB. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name FULL_POL
Label HOUSEHOLD REPORT OF 3+ POLIO
Response
Categories

Freq	Value	Label
519	.	MISSING
23903	1	YES
6257	2	NO
2048	6	DON'T KNOW
15	7	REFUSED

Type NUM
Location 0052 - 0052
Width 1
Sequence Order 22
Notes 3+ POLIO. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

1997 National Immunization Survey Public-Use Data File

SECTION 2. HOUSEHOLD VACCINATION VARIABLES

Section 2
Variable Name HUTD4313
Label HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
Response
Categories

	Freq	Value	Label
	14773	1	4:3:1:3 UTD
	11822	2	NOT 4:3:1:3 UTD
	6147	3	MISSING

Type NUM
Location 0053 - 0053
Width 1
Sequence Order 23
Notes 4+ DTP, 3+ POLIO, 1+ MCV, AND 3+ HIB. REPORTING ERROR EXISTS IN HOUSEHOLD REPORT OF VACCINATIONS RECEIVED.

Section 2
Variable Name SHOTCARD
Label SHOT CARD USE FLAG
Response
Categories

	Freq	Value	Label
	16089	1	SHOT CARD
	16653	2	NON SHOT CARD

Type NUM
Location 0054 - 0054
Width 1
Sequence Order 24
Notes DTP_SOUR=1 USED TO IDENTIFY SHOTCARD CHILDREN.

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name AGEGRP
Label AGE CATEGORY OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	9627	1	19 - 23 MONTHS
	11748	2	24 - 29 MONTHS
	11367	3	30 - 35 MONTHS

Type NUM
Location 0055 - 0055
Width 1
Sequence Order 25
Notes

Section 3
Variable Name C1R
Label NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
Response
Categories

	Freq	Value	Label
	231	.	MISSING
	1163	2	2
	8355	3	3
	11687	4	4
	6444	5	5
	2702	6	6
	1133	7	7
	1027	8	8+

Type NUM
Location 0056 - 0057
Width 2
Sequence Order 26
Notes

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```
-----
Section          3
Variable Name    C5R
Label            RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
Response
Categories              Freq  Value  Label
                        121    .    MISSING
                        28174  1    MOTHER (STEP, FOSTER, ADOPTIVE) OR FEMALE
                                GUARDIAN
                        3411  2    FATHER (STEP, FOSTER, ADOPTIVE) OR MALE
                                GUARDIAN
                        648   3    GRANDPARENT
                        377   4    OTHER FAMILY MEMBER/FRIEND
                        1     96   DON'T KNOW
                        10    97   REFUSED

Type             NUM
Location         0058 - 0059
Width           2
Sequence Order  27
Notes
-----
```

```
-----
Section          3
Variable Name    CEN_REG
Label            CENSUS REGION BASED ON STATE
Response
Categories              Freq  Value  Label
                        5387  1    NORTHEAST
                        7626  2    MIDWEST
                        12126  3    SOUTH
                        7603  4    WEST

Type             NUM
Location         0060 - 0060
Width           1
Sequence Order  28
Notes
```


1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name CHILDNM
Label NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
Response
Categories

Freq	Value	Label
9659	1	1 CHILD
19110	2	2-3 CHILDREN
3733	3	4+ CHILDREN
240	4	UNKNOWN

Type NUM
Location 0061 - 0061
Width 1
Sequence Order 29
Notes

Section 3
Variable Name EDUC1
Label EDUCATION OF MOTHER CATEGORIES
Response
Categories

Freq	Value	Label
4135	1	<12 YEARS
10717	2	12 YEARS
6921	3	>12, NON COLLEGE GRADUATE
10969	4	COLLEGE GRADUATE

Type NUM
Location 0062 - 0062
Width 1
Sequence Order 30
Notes IMPUTED VARIABLE.

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name ENTRY
Label CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)

Response
Categories

Freq	Value	Label
13824	1	YES
18918	2	NO

Type NUM
Location 0063 - 0063
Width 1
Sequence Order 31
Notes OBTAINED FROM STATE IMMUNIZATION REQUIREMENTS, 1996-97. DEPARTMENT OF HEALTH AND HUMAN SERVICES, PUBLIC HEALTH SERVICES, CENTERS FOR DISEASE CONTROL AND PREVENTION. PAGE 19.

Section 3
Variable Name FRSTBRN
Label FIRST BORN STATUS OF CHILD

Response
Categories

Freq	Value	Label
18986	1	NO
13756	2	YES

Type NUM
Location 0064 - 0064
Width 1
Sequence Order 32
Notes IMPUTED VARIABLE.

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

```

-----
Section              3
Variable Name       INCPOV1R
Label              POVERTY STATUS(RECODE)
Response
Categories          Freq  Value  Label

                  20887      1  >= 1.0 (ABOVE)
                  5821      2  < 1.0 (BELOW)
                  6034      3  UNKNOWN

Type               NUM
Location          0065  - 0065
Width             1
Sequence Order    33
Notes            BASED ON 1996 CENSUS POVERTY THRESHOLDS.
-----

```

```

-----
Section              3
Variable Name       INCOMER
Label              FAMILY INCOME CATEGORIES (RECODE)
Response
Categories          Freq  Value  Label

                  379      .  NO ANSWER GIVEN
                  1234      3      0 - $ 7,500
                  1940      4  $ 7,501 - $10,000
                   591      5  $10,001 - $12,500
                  1050      6  $12,501 - $15,000
                   900      7  $15,001 - $17,500
                  1583      8  $17,501 - $20,000
                  4469      9  $20,001 - $30,000
                  6719     10  $30,001 - $50,000
                  8228     11  $50,001 +
                  3321     96  DON'T KNOW
                  2328     97  REFUSED
-----

```

```

Type               NUM
Location          0066  - 0067
Width             2
Sequence Order    34
Notes            FOR Q1 AND Q2/1997: INCOME DURING THE PAST 12 MONTHS.
                  FOR Q3 AND Q4/1997: INCOME DURING 1996.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name I_HISP_K
Label HISPANIC ORIGIN OF CHILD
Response
Categories

	Freq	Value	Label
	4754	1	HISPANIC
	27988	2	NOT HISPANIC

Type NUM
Location 0068 - 0068
Width 1
Sequence Order 35
Notes IMPUTED VARIABLE.

Section 3
Variable Name I_HISP_M
Label HISPANIC ORIGIN OF MOTHER
Response
Categories

	Freq	Value	Label
	4297	1	HISPANIC
	28445	2	NOT HISPANIC

Type NUM
Location 0069 - 0069
Width 1
Sequence Order 36
Notes IMPUTED VARIABLE.

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name I_RACEKR
Label RACE OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	24151	1	WHITE
	6190	2	BLACK
	2401	3	ALL OTHER (AMERICAN INDIAN+ASIAN+OTHER)

Type NUM
Location 0070 - 0070
Width 1
Sequence Order 37
Notes IMPUTED VARIABLE. ONLY CONTAINS RACE.

Section 3
Variable Name I_RACEMR
Label RACE OF MOTHER (RECODE)
Response
Categories

	Freq	Value	Label
	24694	1	WHITE
	5891	2	BLACK
	2157	3	ALL OTHER (AMERICAN INDIAN+ASIAN+OTHER)

Type NUM
Location 0071 - 0071
Width 1
Sequence Order 38
Notes IMPUTED VARIABLE. ONLY CONTAINS RACE.

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name MARITAL
Label MARITAL STATUS OF MOTHER CATEGORIES
Response
Categories

Freq	Value	Label
2887	1	WIDOWED/DIVORCED/SEPARATED
6128	2	NEVER MARRIED
23698	3	MARRIED
29	4	DECEASED

Type NUM
Location 0072 - 0072
Width 1
Sequence Order 39
Notes IMPUTED VARIABLE.

Section 3
Variable Name MOBIL
Label GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
Response
Categories

Freq	Value	Label
3240	1	MOVED FROM DIFFERENT STATE
29502	2	DID NOT MOVE FROM DIFFERENT STATE

Type NUM
Location 0073 - 0073
Width 1
Sequence Order 40
Notes

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name M_AGEGRP
Label AGE OF MOTHER CATEGORIES
Response
Categories

	Freq	Value	Label
	1209	1	<=19
	14684	2	20 - 29
	16849	3	30+

Type NUM
Location 0074 - 0074
Width 1
Sequence Order 41
Notes IMPUTED VARIABLE.

Section 3
Variable Name RACEKIDR
Label RACE/ETHNICITY OF CHILD (RECODE)
Response
Categories

	Freq	Value	Label
	4754	1	HISPANIC
	20459	2	WHITE, NON HISPANIC
	5544	3	BLACK, NON HISPANIC
	1985	4	ALL OTHER, NON HISPANIC

Type NUM
Location 0075 - 0075
Width 1
Sequence Order 42
Notes IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.

1997 National Immunization Survey Public-Use Data File

SECTION 3. DEMOGRAPHIC AND SOCIOECONOMIC VARIABLES

Section 3
Variable Name RACEMOMR
Label RACE/ETHNICITY OF MOTHER (RECODE)
Response
Categories

	Freq	Value	Label
	4297	1	HISPANIC
	21346	2	WHITE, NON HISPANIC
	5307	3	BLACK, NON HISPANIC
	1792	4	ALL OTHER, NON HISPANIC

Type NUM
Location 0076 - 0076
Width 1
Sequence Order 43
Notes IMPUTED VARIABLE. COMBINES HISPANIC ORIGIN AND RACE.

Section 3
Variable Name SEX
Label GENDER OF CHILD
Response
Categories

	Freq	Value	Label
	16828	1	MALE
	15914	2	FEMALE

Type NUM
Location 0077 - 0077
Width 1
Sequence Order 44
Notes

1997 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

```

-----
Section          4
Variable Name    ITRUEIAP
Label           IAP AREA OF CURRENT RESIDENCE
Response
Categories      Freq  Value  Label
                -----
                423    1    CT
                426    2    MA-REST OF STATE
                404    3    MA-CITY OF BOSTON
                418    4    ME
                406    5    NH
                424    6    RI
                425    7    VT
                451    8    NJ-REST OF STATE
                366    9    NJ-CITY OF NEWARK
                423   10    NY-REST OF STATE
                399   11    NY-NYC 5 COUNTIES
                424   12    DISTRICT OF COLUMBIA
                416   13    DE
                454   14    MD-REST OF STATE
                373   15    MD-CITY OF BALTIMORE
                422   16    PA-REST OF STATE
                400   17    PA-PHILADELPHIA COUNTY
                428   18    VA
                421   19    WV
                430   20    AL-REST OF STATE
                403   21    AL-JEFFERSON COUNTY
                424   22    FL-REST OF STATE
                411   23    FL-DUVAL COUNTY
                413   24    FL-DADE COUNTY
                415   25    GA-REST OF STATE
                402   26    GA-FULTON/DEKALB COUNTIES
                429   27    KY
                415   28    MS
                418   29    NC
                426   30    SC
                419   31    TN-REST OF STATE
                407   32    TN-SHELBY COUNTY
                421   33    TN-DAVIDSON COUNTY
                393   34    IL-REST OF STATE
                434   35    IL-CITY OF CHICAGO
                442   36    IN-REST OF STATE
                397   37    IN-MARION COUNTY
                454   38    MI-REST OF STATE
                385   39    MI-CITY OF DETROIT
                426   40    MN
                453   41    OH-REST OF STATE
                417   42    OH-CUYAHOGA COUNTY
                385   43    OH-FRANKLIN COUNTY
                441   44    WI-REST OF STATE
                434   45    WI-MILWAUKEE COUNTY
                449   46    AR
                418   47    LA-REST OF STATE
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

398	48	LA-ORLEANS PARISH
427	49	NM
419	50	OK
482	51	TX-REST OF STATE
397	52	TX-DALLAS COUNTY
414	53	TX-EL PASO COUNTY
385	54	TX-CITY OF HOUSTON
415	55	TX-BEXAR COUNTY
426	56	IA
411	57	KS
434	58	MO
431	59	NE
416	60	CO
427	61	MT
438	62	ND
425	63	SD
418	64	UT
430	65	WY
430	66	AZ-REST OF STATE
419	67	AZ-MARICOPA COUNTY
426	68	CA-REST OF STATE
422	69	CA-LOS ANGELES COUNTY
408	70	CA-SANTA CLARA COUNTY
417	71	CA-SAN DIEGO COUNTY
421	72	HI
425	73	NV
417	74	AK
433	75	ID
421	76	OR
433	77	WA-REST OF STATE
413	78	WA-KING COUNTY

Type	NUM
Location	0078 - 0079
Width	2
Sequence Order	45
Notes	USE AS STRATUM IDENTIFIER WHEN CALCULATING STANDARD ERRORS.

1997 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

```

-----
Section          4
Variable Name    STATE
Label           STATE OF RESIDENCE (STATE FIPS CODE)
Response
Categories      Freq  Value  Label
                -----
                833   1     ALABAMA
                417   2     ALASKA
                849   4     ARIZONA
                449   5     ARKANSAS
                1673  6     CALIFORNIA
                416   8     COLORADO
                423   9     CONNECTICUT
                416  10    DELAWARE
                424  11    DIST. OF COLUMBIA
                1248  12    FLORIDA
                817  13    GEORGIA
                421  15    HAWAII
                433  16    IDAHO
                827  17    ILLINOIS
                839  18    INDIANA
                426  19    IOWA
                411  20    KANSAS
                429  21    KENTUCKY
                816  22    LOUISIANA
                418  23    MAINE
                827  24    MARYLAND
                830  25    MASSACHUSETTS
                839  26    MICHIGAN
                426  27    MINNESOTA
                415  28    MISSISSIPPI
                434  29    MISSOURI
                427  30    MONTANA
                431  31    NEBRASKA
                425  32    NEVADA
                406  33    NEW HAMPSHIRE
                817  34    NEW JERSEY
                427  35    NEW MEXICO
                822  36    NEW YORK
                418  37    NORTH CAROLINA
                438  38    NORTH DAKOTA
                1255  39    OHIO
                419  40    OKLAHOMA
                421  41    OREGON
                822  42    PENNSYLVANIA
                424  44    RHODE ISLAND
                426  45    SOUTH CAROLINA
                425  46    SOUTH DAKOTA
                1247  47    TENNESSEE
                2093  48    TEXAS
                418  49    UTAH
                425  50    VERMONT
                428  51    VIRGINIA
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 4. GEOGRAPHIC VARIABLES

846	53	WASHINGTON
421	54	WEST VIRGINIA
875	55	WISCONSIN
430	56	WYOMING

Type	NUM
Location	0080 - 0081
Width	2
Sequence Order	46
Notes	

1997 National Immunization Survey Public-Use Data File

SECTION 5. NUMBER OF PROVIDERS IDENTIFIED AND CONSENT VARIABLES

Section 5
 Variable Name D6R
 Label NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT
 (RECODE)

Response
 Categories

Freq	Value	Label
1515	.	MISSING
133	0	0
22203	1	1
7310	2	2
1581	3	3+

Type NUM
 Location 0082 - 0082
 Width 1
 Sequence Order 47
 Notes NUMBER OF VACCINATIONS PROVIDERS IDENTIFIED FOR THE CHILD IN QUESTION D6 DURING THE HOUSEHOLD INTERVIEW. RANGE: 1 TO 5 PROVIDERS.

Section 5
 Variable Name D7
 Label CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM VACCINATION PROVIDERS IDENTIFIED IN QUESTION D6 IN THE INTERVIEW

Response
 Categories

Freq	Value	Label
3326	.	MISSING
28649	1	YES
767	2	NO

Type NUM
 Location 0083 - 0083
 Width 1
 Sequence Order 48
 Notes A BLANK VALUE MEANS CONSENT WAS NOT OBTAINED BECAUSE OF AN INTERVIEW BREAK-OFF.

1997 National Immunization Survey Public-Use Data File

SECTION 6. NUMBER OF RESPONDING PROVIDER VARIABLES

```

-----
Section          6
Variable Name    DISPCODE
Label           NIS PROVIDER RECORD-CHECK DISPOSITION CODE
Response
Categories       Freq  Value  Label

                9662    .
                11192   1
                9379    2
                 810    3
                 141    4
                 963    5
                  47    6
                 274    7
                  24    8
                  42    9
                 108   10
                 100   11

Type            NUM
Location        0084 - 0085
Width           2
Sequence Order  49
Notes           SEE USER'S GUIDE FOR DEFINITION OF CODES. CHILDREN WITH A
                DISPCODE = 7 HAVE INADEQUATE PROVIDER DATA (PDAT = 2) TO
                DETERMINE UP-TO-DATE STATUS OF CHILD.  THESE CHILDREN SHOULD
                NOT BE USED IN THE CALCULATION OF VACCINATION COVERAGE RATES.
-----
Section          6
Variable Name    N_PRVR
Label           NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD
(RECODE)
Response
Categories       Freq  Value  Label

                9662    .  MISSING
                18823   1   1
                3855    2   2
                 402    3  3+

Type            NUM
Location        0086 - 0086
Width           1
Sequence Order  50
Notes           TOTAL NUMBER OF VACCINATION PROVIDERS RESPONDING WITH
                VACCINATION INFORMATION FOR THE CHILD.  RANGE: 1 TO 5 PROVIDERS.

```

1997 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

```
-----
Section              7
Variable Name        MEDHOME
Label                WAS THIS FACILITY EVER CHILD'S MEDICAL HOME FOR PRIMARY CARE
Response
Categories           Freq  Value  Label

                   9662    .  MISSING
                   14614   1  ALL PROVIDERS
                   2171    2  SOME BUT NOT ALL PROVIDERS
                   3658    3  NO PROVIDER
                   2637    4  UNKNOWN

Type                 NUM
Location             0087  - 0087
Width                1
Sequence Order       51
Notes
```

```
-----
Section              7
Variable Name        NCARER1
Label                CHILD'S PROVIDERS OFFER COMPREHENSIVE CHILD CARE
Response
Categories           Freq  Value  Label

                   9662    .  MISSING
                   18824   1  ALL PROVIDERS
                   1489    2  SOME BUT NOT ALL PROVIDERS
                   2767    3  NO PROVIDER/UNKNOWN

Type                 NUM
Location             0088  - 0088
Width                1
Sequence Order       52
Notes                CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
```

```
-----
Section              7
Variable Name        NCARER2
Label                CHILD'S PROVIDERS OFFER ACUTE ILLNESS CARE
Response
Categories           Freq  Value  Label

                   9662    .  MISSING
                   15009   1  ALL PROVIDERS
                   2142    2  SOME BUT NOT ALL PROVIDERS
                   5929    3  NO PROVIDER/UNKNOWN

Type                 NUM
Location             0089  - 0089
Width                1
Sequence Order       53
Notes                CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
```

1997 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

```
-----
Section              7
Variable Name       NCARER3
Label              CHILD'S PROVIDERS OFFER FOLLOW UP VISITS
Response
Categories          Freq  Value  Label

                   9662    .  MISSING
                   15901   1  ALL PROVIDERS
                   2006    2  SOME BUT NOT ALL PROVIDERS
                   5173    3  NO PROVIDER/UNKNOWN

Type               NUM
Location           0090  - 0090
Width              1
Sequence Order     54
Notes              CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section              7
Variable Name       NCARER4
Label              CHILD'S PROVIDERS OFFER AFTER-HOURS TELEPHONE COVERAGE
Response
Categories          Freq  Value  Label

                   9662    .  MISSING
                   12801   1  ALL PROVIDERS
                   2037    2  SOME BUT NOT ALL PROVIDERS
                   8242    3  NO PROVIDER/UNKNOWN

Type               NUM
Location           0091  - 0091
Width              1
Sequence Order     55
Notes              CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```

```
-----
Section              7
Variable Name       NCARER5
Label              CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
Response
Categories          Freq  Value  Label

                   9662    .  MISSING
                   5955    1  ALL PROVIDERS
                   1812    2  SOME BUT NOT ALL PROVIDERS
                   15313   3  NO PROVIDER/UNKNOWN

Type               NUM
Location           0092  - 0092
Width              1
Sequence Order     56
Notes              CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.
-----
```


1997 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

Section 7
Variable Name NCARER6
Label CHILD'S PROVIDERS OFFER OTHER SERVICES
Response
Categories

Freq	Value	Label
9662	.	MISSING
2103	1	ALL PROVIDERS
1110	2	SOME BUT NOT ALL PROVIDERS
19867	3	NO PROVIDER/UNKNOWN

Type NUM
Location 0093 - 0093
Width 1
Sequence Order 57
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS.

Section 7
Variable Name PROV_FAC
Label PROVIDER FACILITY TYPE
Response
Categories

Freq	Value	Label
9662	.	MISSING
4068	1	ALL PUBLIC FACILITIES
1346	2	ALL HOSPITAL FACILITIES
12969	3	ALL PRIVATE FACILITIES
587	4	ALL MILITARY/OTHER FACILITIES
1821	5	MIXED(ONE OR MORE OF ABOVE CATEGORIES)
2289	6	TYPE OF FACILITY UNKNOWN

Type NUM
Location 0094 - 0094
Width 1
Sequence Order 58
Notes CONSTRUCTED FROM THE RESPONSES OF UP TO 5 PROVIDERS.

1997 National Immunization Survey Public-Use Data File

SECTION 7. CHARACTERISTICS OF PROVIDER VARIABLES

Section	7
Variable Name	VFC_PRO
Label	PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM
Response	
Categories	Freq Value Label
	9662 . MISSING
	15461 1 ALL PROVIDERS
	1689 2 SOME BUT NOT ALL PROVIDERS
	1907 3 NO PROVIDER
	4023 4 UNKNOWN
Type	NUM
Location	0095 - 0095
Width	1
Sequence Order	59
Notes	CONSTRUCTED FROM THE RESPONSES OF UP TO 5 PROVIDERS.

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section                8
Variable Name          HEP_BRTH
Label                  HEPATITIS B GIVEN AT BIRTH FLAG
Response
Categories              Freq  Value  Label

                      9662      .
                      7572      1  AT LEAST 1 PROVIDER CHECKED THE GIVEN AT BIRTH
                          BOX
                      15508     2  NO PROVIDER CHECKED THE GIVEN AT BIRTH BOX

Type                   NUM
Location               0096  - 0096
Width                  1
Sequence Order        60
Notes                  CONSTRUCTED FROM THE RESPONSES OF UP TO FIVE PROVIDERS. SEE
                          USERS GUIDE FOR MORE INFORMATION ON THIS VARIABLE.
-----
```

```
-----
Section                8
Variable Name          P_UTD431
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
Response
Categories              Freq  Value  Label

                      9662      .  MISSING
                      4870      0  NOT UTD
                      18210     1  UTD

Type                   NUM
Location               0097  - 0097
Width                  1
Sequence Order        61
Notes                  4+ DTP, 3+ POLIO AND 1+ MCV.
-----
```

```
-----
Section                8
Variable Name          PUTD4313
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
Response
Categories              Freq  Value  Label

                      9662      .  MISSING
                      5249      0  NOT UTD
                      17831     1  UTD

Type                   NUM
Location               0098  - 0098
Width                  1
Sequence Order        62
Notes                  4+ DTP, 3+ POLIO, 1+ MCV AND 3+ HIB
-----
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section                8
Variable Name         PUT43133
Label                UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
Response
Categories           Freq  Value  Label

                    9662    .  MISSING
                    7122    0  NOT UTD
                    15958   1  UTD
```

```
Type                NUM
Location            0099 - 0099
Width              1
Sequence Order     63
Notes             4+ DTP, 3+ POLIO, 1+ MCV, 3+ HIB AND 3+ HEP B.
```

```
-----
Section                8
Variable Name         P_UTD331
Label                UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
Response
Categories           Freq  Value  Label

                    9662    .  MISSING
                    3374    0  NOT UTD
                    19706   1  UTD
```

```
Type                NUM
Location            0100 - 0100
Width              1
Sequence Order     64
Notes             3+ DTP, 3+ POLIO AND 1+ MCV.
```

```
-----
Section                8
Variable Name         P_U12VRC
Label                UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
Response
Categories           Freq  Value  Label

                    9662    .  MISSING
                    17412   0  NOT UTD
                    5668    1  UTD
```

```
Type                NUM
Location            0101 - 0101
Width              1
Sequence Order     65
Notes
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_UTDHEP
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
Response
Categories

Freq	Value	Label
9662	.	MISSING
3750	0	NOT UTD
19330	1	UTD

Type NUM
Location 0102 - 0102
Width 1
Sequence Order 66
Notes INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.

Section 8
Variable Name P_UTDHIB
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
Response
Categories

Freq	Value	Label
9662	.	MISSING
1669	0	NOT UTD
21411	1	UTD

Type NUM
Location 0103 - 0103
Width 1
Sequence Order 67
Notes INCLUDES ALL HIB-CONTAINING VACCINES.

Section 8
Variable Name P_UTDMCV
Label UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
Response
Categories

Freq	Value	Label
9662	.	MISSING
2143	0	NOT UTD
20937	1	UTD

Type NUM
Location 0104 - 0104
Width 1
Sequence Order 68
Notes INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section                8
Variable Name          P_UTDMMX
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY
                        MEASLES-ONLY SHOTS)
Response
Categories              Freq  Value  Label
                        -----
                        9662    .    MISSING
                        2179    0    NOT UTD
                        20901   1    UTD

Type                   NUM
Location               0105 - 0105
Width                  1
Sequence Order         69
Notes                  ONLY INCLUDES MMR VACCINES.
-----
```

```
-----
Section                8
Variable Name          P_UTDPOL
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
Response
Categories              Freq  Value  Label
                        -----
                        9662    .    MISSING
                        2140    0    NOT UTD
                        20940   1    UTD

Type                   NUM
Location               0106 - 0106
Width                  1
Sequence Order         70
Notes                  INCLUDES ALL POLIO-CONTAINING VACCINES.
-----
```

```
-----
Section                8
Variable Name          P_UTDTP3
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
Response
Categories              Freq  Value  Label
                        -----
                        9662    .    MISSING
                        1074    0    NOT UTD
                        22006   1    UTD

Type                   NUM
Location               0107 - 0107
Width                  1
Sequence Order         71
Notes                  INCLUDES ALL DTP-CONTAINING VACCINES.
-----
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section                8
Variable Name          P_UTDTP4
Label                  UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
Response
Categories              Freq  Value  Label
                        9662    .    MISSING
                        3993    0    NOT UTD
                        19087   1    UTD
```

```
Type                NUM
Location            0108 - 0108
Width                1
Sequence Order      72
Notes               INCLUDES ALL DTP-CONTAINING VACCINES.
```

```
-----
Section                8
Variable Name          P_NUMDHB
Label                  NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED
                        FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY
                        THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories              Freq  Value  Label
                        9662    .
                        6842    0
                        1626    1
                        1492    2
                        6351    3
                        6632    4
                        110     5
                        18      6
                        7       7
                        2       8
```

```
Type                NUM
Location            0109 - 0109
Width                1
Sequence Order      73
Notes               INCLUDES ALL TYPES OF DTP/HIB VACCINES.
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMMDTA
Label           NUMBER OF DTAP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                16833  0
                5790   1
                 164   2
                  90   3
                 202   4
                   1   5
```

```
Type           NUM
Location       0110 - 0110
Width         1
Sequence Order 74
Notes         ONLY INCLUDES DTAP VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMDTM
Label           NUMBER OF DT (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                22814  0
                 121   1
                  66   2
                  50   3
                   29   4
```

```
Type           NUM
Location       0111 - 0111
Width         1
Sequence Order 75
Notes         ONLY INCLUDES DT VACCINES.
```


1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMDTP
Label           NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED
                FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY
                THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                177    0
                366    1
                531    2
                2919   3
                18309  4
                664    5
                67     6
                26     7
                18     8
                3      9
```

```
Type          NUM
Location      0112 - 0112
Width        1
Sequence Order 76
Notes        INCLUDES ALL DTP-CONTAINING VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMHEP
Label           NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM
                PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE
                PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                1030   0
                567    1
                2153   2
                18215  3
                924    4
                153    5
                36     6
                 1     7
                 1     8
```

```
Type          NUM
Location      0113 - 0113
Width        1
Sequence Order 77
Notes        INCLUDES ALL HEPATITIS B-CONTAINING VACCINES.
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMHIB
Label           NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                360    0
                545    1
                764    2
                3847   3
                16758  4
                682    5
                 80    6
                 29    7
                 12    8
                  3    9
```

```
Type          NUM
Location      0114 - 0114
Width         1
Sequence Order 78
Notes        INCLUDES ALL HIB-CONTAINING VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMIPV
Label           NUMBER OF IPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                22509  0
                 212   1
                 183   2
                 153   3
                  22   4
                   1   5
```

```
Type          NUM
Location      0115 - 0115
Width         1
Sequence Order 79
Notes        ONLY INCLUDES IPV VACCINES.
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```

-----
Section                8
Variable Name          P_NUMMMR
Label                  NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED
                      FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY
                      THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories              Freq  Value  Label

                      9662    .
                      2143    0
                      20403   1
                      498     2
                      35      3
                      1       4

Type                    NUM
Location                0116 - 0116
Width                   1
Sequence Order          80
Notes                   INCLUDES ALL MEASLES-CONTAINING VACCINES (MCV).
-----

```

```

-----
Section                8
Variable Name          P_NUMMMX
Label                  NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS
                      DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS
                      REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD
                      INTERVIEW DATE.

Response
Categories              Freq  Value  Label

                      9662    .
                      2179    0
                      20476   1
                      394     2
                      30      3
                      1       4

Type                    NUM
Location                0117 - 0117
Width                   1
Sequence Order          81
Notes                   ONLY INCLUDES MMR VACCINES.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section                8
Variable Name          P_NUMOLN
Label                  NUMBER OF POLIO (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER
                      INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                      AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories              Freq  Value  Label

                      9662    .
                      17231   0
                      1377    1
                      986     2
                      2917    3
                      557     4
                      12      5
```

```
Type                NUM
Location            0118 - 0118
Width               1
Sequence Order      82
Notes               ONLY INCLUDES POLIO VACCINES WHERE PROVIDER DID NOT IDENTIFY
                      THE SPECIFIC TYPE OF POLIO VACCINE.
```

```
-----
Section                8
Variable Name          P_NUMOPV
Label                  NUMBER OF OPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                      INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                      AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories              Freq  Value  Label

                      9662    .
                      4514   0
                      1302    1
                      1819    2
                      13312   3
                      2050    4
                      62      5
                      17      6
                      4       7
```

```
Type                NUM
Location            0119 - 0119
Width               1
Sequence Order      83
Notes               ONLY INCLUDES OPV VACCINES.
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMPOL
Label           NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                653   0
                369   1
                1118  2
                17572 3
                3188  4
                134   5
                 35   6
                  8   7
                  3   8
```

```
Type          NUM
Location      0120 - 0120
Width        1
Sequence Order 84
Notes        INCLUDES ALL POLIO VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMRB
Label           NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                23074  0
                  6   1
```

```
Type          NUM
Location      0121 - 0121
Width        1
Sequence Order 85
Notes
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

```
-----
Section          8
Variable Name    P_NUMTPM
Label           NUMBER OF DTP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                14631  0
                1664   1
                1127   2
                3106   3
                2498   4
                 43    5
                  6    6
                  3    7
                  2    8
```

```
Type           NUM
Location        0122 - 0122
Width           1
Sequence Order  86
Notes          ONLY INCLUDES DTP VACCINES.
```

```
-----
Section          8
Variable Name    P_NUMTPN
Label           NUMBER OF DTP (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER
                INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S)
                AS OCCURRING AFTER THE RDD INTERVIEW DATE.
```

```
Response
Categories      Freq  Value  Label

                9662   .
                20524  0
                1288   1
                 310   2
                 402   3
                 549   4
                  6    5
                  1    6
```

```
Type           NUM
Location        0123 - 0123
Width           1
Sequence Order  87
Notes          ONLY INCLUDES DTP VACCINES WHERE PROVIDER DID NOT IDENTIFY THE
                SPECIFIC TYPE OF DTP VACCINE.
```

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name P_NUMVRC
Label NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

Response
Categories

Freq	Value	Label
9662	.	
17100	0	
5940	1	
38	2	
2	3	

Type NUM
Location 0124 - 0124
Width 1
Sequence Order 88
Notes

Section 8
Variable Name VB11
Label VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.

Response
Categories Frequency of Missing/Non-missing Values

32269	MISSING
473	NON-MISSING CHARACTER STRING

Type CHAR
Location 0125 - 0154
Width 30
Sequence Order 89
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB12
Label VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32683 MISSING
59 NON-MISSING CHARACTER STRING

Type CHAR
Location 0155 - 0184
Width 30
Sequence Order 90
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB13
Label VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32738 MISSING
4 NON-MISSING CHARACTER STRING

Type CHAR
Location 0185 - 0214
Width 30
Sequence Order 91
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB21
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32481 MISSING
261 NON-MISSING CHARACTER STRING

Type CHAR
Location 0215 - 0244
Width 30
Sequence Order 92
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB22
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32714 MISSING
28 NON-MISSING CHARACTER STRING

Type CHAR
Location 0245 - 0274
Width 30
Sequence Order 93
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB23
Label VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32739 MISSING
3 NON-MISSING CHARACTER STRING

Type CHAR
Location 0275 - 0304
Width 30
Sequence Order 94
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB31
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32640 MISSING
102 NON-MISSING CHARACTER STRING

Type CHAR
Location 0305 - 0334
Width 30
Sequence Order 95
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB32
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32732 MISSING
10 NON-MISSING CHARACTER STRING

Type CHAR
Location 0335 - 0364
Width 30
Sequence Order 96
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB33
Label VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32742 MISSING

Type CHAR
Location 0365 - 0394
Width 30
Sequence Order 97
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB41
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32701 MISSING
41 NON-MISSING CHARACTER STRING

Type CHAR
Location 0395 - 0424
Width 30
Sequence Order 98
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB42
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32737 MISSING
5 NON-MISSING CHARACTER STRING

Type CHAR
Location 0425 - 0454
Width 30
Sequence Order 99
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB43
Label VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32742 MISSING

Type CHAR
Location 0455 - 0484
Width 30
Sequence Order 100
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB51
Label VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32738 MISSING
4 NON-MISSING CHARACTER STRING

Type CHAR
Location 0485 - 0514
Width 30
Sequence Order 101
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1997 National Immunization Survey Public-Use Data File

SECTION 8. PROVIDER-REPORTED UP-TO-DATE VACCINATION VARIABLES

Section 8
Variable Name VB52
Label VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32740	MISSING
2	NON-MISSING CHARACTER STRING

Type CHAR
Location 0515 - 0544
Width 30
Sequence Order 102
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

Section 8
Variable Name VB53
Label VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT
PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
Response
Categories Frequency of Missing/Non-missing Values

32742	MISSING
-------	---------

Type CHAR
Location 0545 - 0574
Width 30
Sequence Order 103
Notes ALL VERBATIMS LISTED. APPLICABLE VERBATIMS HAVE BEEN BACKCODED.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
Response
Categories      Statistics  Description

                6247  NUMBER OF NON-MISSING
                26495  NUMBER OF MISSING

                521.55  AVERAGE/MEAN
                549.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0575 - 0578
Width           4
Sequence Order  104
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS
                THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF
                AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTAP2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
Response
Categories      Statistics  Description

                457  NUMBER OF NON-MISSING
                32285  NUMBER OF MISSING

                290.98  AVERAGE/MEAN
                156.00  MEDIAN VALUE
                 56.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0579 - 0582
Width           4
Sequence Order  105
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
Response
Categories      Statistics  Description

                293  NUMBER OF NON-MISSING
                32449 NUMBER OF MISSING

                265.40 AVERAGE/MEAN
                200.00 MEDIAN VALUE
                112.00 MINIMUM VALUE
                935.00 MAXIMUM VALUE

Type            NUM
Location        0583 - 0586
Width           4
Sequence Order  106
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTAP4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
Response
Categories      Statistics  Description

                203  NUMBER OF NON-MISSING
                32539 NUMBER OF MISSING

                530.90 AVERAGE/MEAN
                548.00 MEDIAN VALUE
                189.00 MINIMUM VALUE
                940.00 MAXIMUM VALUE

Type            NUM
Location        0587 - 0590
Width           4
Sequence Order  107
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTAP5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                548.00 AVERAGE/MEAN
                548.00 MEDIAN VALUE
                548.00 MINIMUM VALUE
                548.00 MAXIMUM VALUE

Type            NUM
Location       0591 - 0594
Width         4
Sequence Order 108
Notes         SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTAP6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location       0595 - 0598
Width         4
Sequence Order 109
Notes         SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DDTAP7
Label	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0599 - 0602
Width	4
Sequence Order	110
Notes	SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DDTAP8
Label	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0603 - 0606
Width	4
Sequence Order	111
Notes	SEE SECTION 8 NOTES FOR P_NUMMDTA. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTM1
Label           AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
Response
Categories      Statistics  Description

                266  NUMBER OF NON-MISSING
                32476 NUMBER OF MISSING

                242.15 AVERAGE/MEAN
                169.00 MEDIAN VALUE
                 -1.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0607 - 0610
Width           4
Sequence Order  112
Notes          SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTM2
Label           AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
Response
Categories      Statistics  Description

                145  NUMBER OF NON-MISSING
                32597 NUMBER OF MISSING

                274.30 AVERAGE/MEAN
                191.00 MEDIAN VALUE
                 99.00 MINIMUM VALUE
                933.00 MAXIMUM VALUE

Type            NUM
Location        0611 - 0614
Width           4
Sequence Order  113
Notes          SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTM3
Label           AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
Response
Categories      Statistics  Description

                79  NUMBER OF NON-MISSING
                32663 NUMBER OF MISSING

                364.13 AVERAGE/MEAN
                293.00 MEDIAN VALUE
                143.00 MINIMUM VALUE
                779.00 MAXIMUM VALUE

Type            NUM
Location        0615 - 0618
Width           4
Sequence Order  114
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTM4
Label           AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
Response
Categories      Statistics  Description

                29  NUMBER OF NON-MISSING
                32713 NUMBER OF MISSING

                554.62 AVERAGE/MEAN
                553.00 MEDIAN VALUE
                416.00 MINIMUM VALUE
                849.00 MAXIMUM VALUE

Type            NUM
Location        0619 - 0622
Width           4
Sequence Order  115
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTM5
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0623 - 0626
Width 4
Sequence Order 116
Notes SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DDTM6
Label AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0627 - 0630
Width 4
Sequence Order 117
Notes SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DDTM7
Label	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0631 - 0634
Width	4
Sequence Order	118
Notes	SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DDTM8
Label	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0635 - 0638
Width	4
Sequence Order	119
Notes	SEE SECTION 8 NOTES FOR P_NUMDTM. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #1
Response
Categories       Statistics  Description
                22903  NUMBER OF NON-MISSING
                9839  NUMBER OF MISSING
                76.85  AVERAGE/MEAN
                64.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0639 - 0642
Width           4
Sequence Order  120
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTP2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #2
Response
Categories       Statistics  Description
                22537  NUMBER OF NON-MISSING
                10205  NUMBER OF MISSING
                148.99  AVERAGE/MEAN
                129.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0643 - 0646
Width           4
Sequence Order  121
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #3
Response
Categories       Statistics  Description
                22006  NUMBER OF NON-MISSING
                10736  NUMBER OF MISSING
                227.46  AVERAGE/MEAN
                195.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0647  - 0650
Width           4
Sequence Order  122
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTP4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #4
Response
Categories       Statistics  Description
                19087  NUMBER OF NON-MISSING
                13655  NUMBER OF MISSING
                511.90  AVERAGE/MEAN
                509.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0651  - 0654
Width           4
Sequence Order  123
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #5
Response
Categories      Statistics  Description
                778      NUMBER OF NON-MISSING
                31964     NUMBER OF MISSING
                530.54    AVERAGE/MEAN
                535.00    MEDIAN VALUE
                56.00     MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0655 - 0658
Width           4
Sequence Order  124
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTP6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #6
Response
Categories      Statistics  Description
                114      NUMBER OF NON-MISSING
                32628     NUMBER OF MISSING
                431.69    AVERAGE/MEAN
                459.00    MEDIAN VALUE
                122.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0659 - 0662
Width           4
Sequence Order  125
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTP7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #7
Response
Categories      Statistics  Description
                47        NUMBER OF NON-MISSING
                32695     NUMBER OF MISSING
                501.30    AVERAGE/MEAN
                484.00    MEDIAN VALUE
                184.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0663 - 0666
Width           4
Sequence Order  126
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTP8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING
                DT) #8
Response
Categories      Statistics  Description
                21        NUMBER OF NON-MISSING
                32721     NUMBER OF MISSING
                611.81    AVERAGE/MEAN
                554.00    MEDIAN VALUE
                233.00    MINIMUM VALUE
                1210.00   MAXIMUM VALUE

Type            NUM
Location        0667 - 0670
Width           4
Sequence Order  127
Notes           SEE SECTION 8 NOTES FOR P_NUMDTP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description

                16238  NUMBER OF NON-MISSING
                16504  NUMBER OF MISSING

                108.10  AVERAGE/MEAN
                 66.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0671 - 0674
Width           4
Sequence Order  128
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPHB2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description

                14612  NUMBER OF NON-MISSING
                18130  NUMBER OF MISSING

                162.63  AVERAGE/MEAN
                130.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0675 - 0678
Width           4
Sequence Order  129
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
Response
Categories      Statistics  Description

                13120  NUMBER OF NON-MISSING
                19622  NUMBER OF MISSING

                232.08  AVERAGE/MEAN
                195.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0679 - 0682
Width           4
Sequence Order  130
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTPHB4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
Response
Categories      Statistics  Description

                6769  NUMBER OF NON-MISSING
                25973  NUMBER OF MISSING

                487.15  AVERAGE/MEAN
                473.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0683 - 0686
Width           4
Sequence Order  131
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description

                137  NUMBER OF NON-MISSING
                32605 NUMBER OF MISSING

                480.88 AVERAGE/MEAN
                468.00 MEDIAN VALUE
                 56.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0687 - 0690
Width           4
Sequence Order  132
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTPHB6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description

                27  NUMBER OF NON-MISSING
                32715 NUMBER OF MISSING

                361.56 AVERAGE/MEAN
                415.00 MEDIAN VALUE
                122.00 MINIMUM VALUE
                572.00 MAXIMUM VALUE

Type            NUM
Location        0691 - 0694
Width           4
Sequence Order  133
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPHB7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7
Response
Categories      Statistics  Description

                9  NUMBER OF NON-MISSING
                32733 NUMBER OF MISSING

                499.33 AVERAGE/MEAN
                501.00 MEDIAN VALUE
                184.00 MINIMUM VALUE
                679.00 MAXIMUM VALUE

Type            NUM
Location        0695 - 0698
Width           4
Sequence Order  134
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTPHB8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
Response
Categories      Statistics  Description

                2  NUMBER OF NON-MISSING
                32740 NUMBER OF MISSING

                579.50 AVERAGE/MEAN
                579.50 MEDIAN VALUE
                554.00 MINIMUM VALUE
                605.00 MAXIMUM VALUE

Type            NUM
Location        0699 - 0702
Width           4
Sequence Order  135
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPM1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #1
Response
Categories      Statistics  Description

                8449  NUMBER OF NON-MISSING
                24293  NUMBER OF MISSING

                104.45  AVERAGE/MEAN
                66.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1085.00  MAXIMUM VALUE

Type            NUM
Location        0703  - 0706
Width           4
Sequence Order  136
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPM2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #2
Response
Categories      Statistics  Description

                6785  NUMBER OF NON-MISSING
                25957  NUMBER OF MISSING

                158.06  AVERAGE/MEAN
                131.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0707  - 0710
Width           4
Sequence Order  137
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPM3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #3
Response
Categories      Statistics  Description

                5658  NUMBER OF NON-MISSING
                27084  NUMBER OF MISSING

                230.66  AVERAGE/MEAN
                196.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0711  - 0714
Width           4
Sequence Order  138
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTPM4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #4
Response
Categories      Statistics  Description

                2552  NUMBER OF NON-MISSING
                30190  NUMBER OF MISSING

                508.67  AVERAGE/MEAN
                507.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0715  - 0718
Width           4
Sequence Order  139
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPM5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #5
Response
Categories      Statistics  Description

                54  NUMBER OF NON-MISSING
                32688 NUMBER OF MISSING

                529.87 AVERAGE/MEAN
                513.50 MEDIAN VALUE
                 60.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0719 - 0722
Width           4
Sequence Order  140
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPM6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #6
Response
Categories      Statistics  Description

                11  NUMBER OF NON-MISSING
                32731 NUMBER OF MISSING

                387.45 AVERAGE/MEAN
                330.00 MEDIAN VALUE
                126.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0723 - 0726
Width           4
Sequence Order  141
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPM7
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #7
Response
Categories      Statistics  Description

                    5  NUMBER OF NON-MISSING
                32737  NUMBER OF MISSING

                418.60  AVERAGE/MEAN
                492.00  MEDIAN VALUE
                190.00  MINIMUM VALUE
                649.00  MAXIMUM VALUE

Type            NUM
Location        0727  - 0730
Width           4
Sequence Order  142
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTPM8
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #8
Response
Categories      Statistics  Description

                    2  NUMBER OF NON-MISSING
                32740  NUMBER OF MISSING

                564.00  AVERAGE/MEAN
                564.00  MEDIAN VALUE
                465.00  MINIMUM VALUE
                663.00  MAXIMUM VALUE

Type            NUM
Location        0731  - 0734
Width           4
Sequence Order  143
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPN1
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
Response
Categories      Statistics  Description

                2556  NUMBER OF NON-MISSING
                30186  NUMBER OF MISSING

                270.41  AVERAGE/MEAN
                151.50  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0735  - 0738
Width           4
Sequence Order  144
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPN2
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
Response
Categories      Statistics  Description

                1268  NUMBER OF NON-MISSING
                31474  NUMBER OF MISSING

                206.40  AVERAGE/MEAN
                142.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1002.00  MAXIMUM VALUE

Type            NUM
Location        0739  - 0742
Width           4
Sequence Order  145
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPN3
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
Response
Categories      Statistics  Description

                958  NUMBER OF NON-MISSING
                31784 NUMBER OF MISSING

                277.22 AVERAGE/MEAN
                203.50 MEDIAN VALUE
                 -1.00 MINIMUM VALUE
                1083.00 MAXIMUM VALUE

Type            NUM
Location        0743  - 0746
Width          4
Sequence Order  146
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DDTPN4
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
Response
Categories      Statistics  Description

                556  NUMBER OF NON-MISSING
                32186 NUMBER OF MISSING

                531.69 AVERAGE/MEAN
                544.50 MEDIAN VALUE
                 -1.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0747  - 0750
Width          4
Sequence Order  147
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DDTPN5
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
Response
Categories      Statistics  Description

                7  NUMBER OF NON-MISSING
                32735 NUMBER OF MISSING

                608.29 AVERAGE/MEAN
                567.00 MEDIAN VALUE
                202.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0751 - 0754
Width           4
Sequence Order  148
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DDTPN6
Label           AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                559.00 AVERAGE/MEAN
                559.00 MEDIAN VALUE
                559.00 MINIMUM VALUE
                559.00 MAXIMUM VALUE

Type            NUM
Location        0755 - 0758
Width           4
Sequence Order  149
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DDTPN7
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0759 - 0762
Width 4
Sequence Order 150
Notes SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DDTPN8
Label AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0763 - 0766
Width 4
Sequence Order 151
Notes SEE SECTION 8 NOTES FOR P_NUMTPN. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #1
Response
Categories       Statistics  Description

                22050  NUMBER OF NON-MISSING
                10692  NUMBER OF MISSING

                34.33  AVERAGE/MEAN
                 3.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0767 - 0770
Width           4
Sequence Order  152
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB2
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #2
Response
Categories       Statistics  Description

                21483  NUMBER OF NON-MISSING
                11259  NUMBER OF MISSING

                100.59  AVERAGE/MEAN
                 64.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0771 - 0774
Width           4
Sequence Order  153
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #3
Response
Categories       Statistics  Description

                19330  NUMBER OF NON-MISSING
                13412  NUMBER OF MISSING

                270.33  AVERAGE/MEAN
                251.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0775  - 0778
Width           4
Sequence Order  154
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHEPB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #4
Response
Categories       Statistics  Description

                1115  NUMBER OF NON-MISSING
                31627  NUMBER OF MISSING

                318.77  AVERAGE/MEAN
                274.00  MEDIAN VALUE
                 0.00  MINIMUM VALUE
                1073.00  MAXIMUM VALUE

Type            NUM
Location        0779  - 0782
Width           4
Sequence Order  155
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB5
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #5
Response
Categories      Statistics  Description

                191  NUMBER OF NON-MISSING
                32551 NUMBER OF MISSING

                354.35 AVERAGE/MEAN
                305.00 MEDIAN VALUE
                28.00  MINIMUM VALUE
                932.00 MAXIMUM VALUE

Type            NUM
Location        0783  - 0786
Width           4
Sequence Order  156
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DHEPB6
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #6
Response
Categories      Statistics  Description

                38  NUMBER OF NON-MISSING
                32704 NUMBER OF MISSING

                367.29 AVERAGE/MEAN
                291.00 MEDIAN VALUE
                177.00 MINIMUM VALUE
                793.00 MAXIMUM VALUE

Type            NUM
Location        0787  - 0790
Width           4
Sequence Order  157
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHEPB7
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #7
Response
Categories      Statistics  Description

                2  NUMBER OF NON-MISSING
                32740 NUMBER OF MISSING

                340.50 AVERAGE/MEAN
                340.50 MEDIAN VALUE
                185.00 MINIMUM VALUE
                496.00 MAXIMUM VALUE

Type            NUM
Location        0791 - 0794
Width           4
Sequence Order  158
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DHEPB8
Label           AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #8
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                305.00 AVERAGE/MEAN
                305.00 MEDIAN VALUE
                305.00 MINIMUM VALUE
                305.00 MAXIMUM VALUE

Type            NUM
Location        0795 - 0798
Width           4
Sequence Order  159
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB1
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description

                22720  NUMBER OF NON-MISSING
                10022  NUMBER OF MISSING

                80.32  AVERAGE/MEAN
                64.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0799 - 0802
Width           4
Sequence Order  160
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DHIB2
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description

                22175  NUMBER OF NON-MISSING
                10567  NUMBER OF MISSING

                150.42  AVERAGE/MEAN
                129.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0803 - 0806
Width           4
Sequence Order  161
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB3
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
Response
Categories       Statistics  Description

                21411  NUMBER OF NON-MISSING
                11331  NUMBER OF MISSING

                231.87  AVERAGE/MEAN
                196.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0807 - 0810
Width           4
Sequence Order  162
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB4
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
Response
Categories       Statistics  Description

                17564  NUMBER OF NON-MISSING
                15178  NUMBER OF MISSING

                481.03  AVERAGE/MEAN
                469.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0811 - 0814
Width           4
Sequence Order  163
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB5
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description

                806  NUMBER OF NON-MISSING
                31936 NUMBER OF MISSING

                494.60 AVERAGE/MEAN
                486.50 MEDIAN VALUE
                 56.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0815 - 0818
Width           4
Sequence Order  164
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DHIB6
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description

                124  NUMBER OF NON-MISSING
                32618 NUMBER OF MISSING

                454.27 AVERAGE/MEAN
                467.50 MEDIAN VALUE
                119.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0819 - 0822
Width           4
Sequence Order  165
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHIB7
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
Response
Categories       Statistics  Description

                44  NUMBER OF NON-MISSING
                32698 NUMBER OF MISSING

                480.43 AVERAGE/MEAN
                457.50 MEDIAN VALUE
                150.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0823 - 0826
Width           4
Sequence Order  166
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DHIB8
Label           AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
Response
Categories       Statistics  Description

                15  NUMBER OF NON-MISSING
                32727 NUMBER OF MISSING

                491.47 AVERAGE/MEAN
                471.00 MEDIAN VALUE
                223.00 MINIMUM VALUE
                793.00 MAXIMUM VALUE

Type            NUM
Location        0827 - 0830
Width           4
Sequence Order  167
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DIPVM1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #1
Response
Categories      Statistics  Description

                571  NUMBER OF NON-MISSING
                32171 NUMBER OF MISSING

                145.50 AVERAGE/MEAN
                 74.00 MEDIAN VALUE
                 -1.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0831 - 0834
Width           4
Sequence Order  168
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DIPVM2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #2
Response
Categories      Statistics  Description

                359  NUMBER OF NON-MISSING
                32383 NUMBER OF MISSING

                182.34 AVERAGE/MEAN
                135.00 MEDIAN VALUE
                 28.00 MINIMUM VALUE
                801.00 MAXIMUM VALUE

Type            NUM
Location        0835 - 0838
Width           4
Sequence Order  169
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DIPVM3
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #3
Response
Categories      Statistics  Description

                176  NUMBER OF NON-MISSING
                32566 NUMBER OF MISSING

                328.14 AVERAGE/MEAN
                244.50 MEDIAN VALUE
                 72.00 MINIMUM VALUE
                885.00 MAXIMUM VALUE

Type            NUM
Location        0839 - 0842
Width           4
Sequence Order  170
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DIPVM4
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #4
Response
Categories      Statistics  Description

                23  NUMBER OF NON-MISSING
                32719 NUMBER OF MISSING

                450.48 AVERAGE/MEAN
                478.00 MEDIAN VALUE
                177.00 MINIMUM VALUE
                787.00 MAXIMUM VALUE

Type            NUM
Location        0843 - 0846
Width           4
Sequence Order  171
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DIPVM5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #5
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                209.00 AVERAGE/MEAN
                209.00 MEDIAN VALUE
                209.00 MINIMUM VALUE
                209.00 MAXIMUM VALUE

Type            NUM
Location       0847 - 0850
Width         4
Sequence Order 172
Notes         SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DIPVM6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #6
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location       0851 - 0854
Width         4
Sequence Order 173
Notes         SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DIPVM7
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0855 - 0858
Width 4
Sequence Order 174
Notes SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DIPVM8
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0859 - 0862
Width 4
Sequence Order 175
Notes SEE SECTION 8 NOTES FOR P_NUMIPV. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMR1
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
Categories       Statistics  Description

                20937  NUMBER OF NON-MISSING
                11805  NUMBER OF MISSING

                448.99  AVERAGE/MEAN
                455.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0863  - 0866
Width           4
Sequence Order  176
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMR2
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
Categories       Statistics  Description

                534   NUMBER OF NON-MISSING
                32208  NUMBER OF MISSING

                531.19  AVERAGE/MEAN
                476.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0867  - 0870
Width           4
Sequence Order  177
Notes           SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMR3
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #3
Response
Categories       Statistics  Description
                36  NUMBER OF NON-MISSING
                32706 NUMBER OF MISSING
                556.50 AVERAGE/MEAN
                531.50 MEDIAN VALUE
                210.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0871  - 0874
Width           4
Sequence Order  178
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMMR4
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #4
Response
Categories       Statistics  Description
                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING
                399.00 AVERAGE/MEAN
                399.00 MEDIAN VALUE
                399.00 MINIMUM VALUE
                399.00 MAXIMUM VALUE

Type            NUM
Location        0875  - 0878
Width           4
Sequence Order  179
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMRX1
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description

                20901  NUMBER OF NON-MISSING
                11841  NUMBER OF MISSING

                450.12  AVERAGE/MEAN
                456.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0879 - 0882
Width           4
Sequence Order  180
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DMMRX2
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description

                425    NUMBER OF NON-MISSING
                32317  NUMBER OF MISSING

                540.03  AVERAGE/MEAN
                485.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        0883 - 0886
Width           4
Sequence Order  181
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMMRX3
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories      Statistics  Description

                31  NUMBER OF NON-MISSING
                32711 NUMBER OF MISSING

                545.68 AVERAGE/MEAN
                514.00 MEDIAN VALUE
                210.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0887 - 0890
Width           4
Sequence Order  182
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DMMRX4
Label           AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                399.00 AVERAGE/MEAN
                399.00 MEDIAN VALUE
                399.00 MINIMUM VALUE
                399.00 MAXIMUM VALUE

Type            NUM
Location        0891 - 0894
Width           4
Sequence Order  183
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMP1
Label           AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories       Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                233.00 AVERAGE/MEAN
                233.00 MEDIAN VALUE
                233.00 MINIMUM VALUE
                233.00 MAXIMUM VALUE

Type            NUM
Location        0895 - 0898
Width           4
Sequence Order  184
Notes           IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMP2
Label           AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories       Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location        0899 - 0902
Width           4
Sequence Order  185
Notes           IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMP3
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0903 - 0906
Width 4
Sequence Order 186
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMP4
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0907 - 0910
Width 4
Sequence Order 187
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMPRB1
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0911 - 0914
Width 4
Sequence Order 188
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMPRB2
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0915 - 0918
Width 4
Sequence Order 189
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DMPRB3
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0919 - 0922
Width 4
Sequence Order 190
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DMPRB4
Label AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 0923 - 0926
Width 4
Sequence Order 191
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DMS1
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
Response
Categories      Statistics  Description

                179  NUMBER OF NON-MISSING
                32563 NUMBER OF MISSING

                343.88 AVERAGE/MEAN
                286.00 MEDIAN VALUE
                 -1.00 MINIMUM VALUE
                908.00 MAXIMUM VALUE

Type            NUM
Location        0927 - 0930
Width           4
Sequence Order  192
Notes          IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DMS2
Label           AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                465.00 AVERAGE/MEAN
                465.00 MEDIAN VALUE
                465.00 MINIMUM VALUE
                465.00 MAXIMUM VALUE

Type            NUM
Location        0931 - 0934
Width           4
Sequence Order  193
Notes          IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DMS3
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0935 - 0938
Width	4
Sequence Order	194
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DMS4
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0939 - 0942
Width	4
Sequence Order	195
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DMSMP1
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0943 - 0946
Width	4
Sequence Order	196
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DMSMP2
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0947 - 0950
Width	4
Sequence Order	197
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DMSMP3
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0951 - 0954
Width	4
Sequence Order	198
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DMSMP4
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0955 - 0958
Width	4
Sequence Order	199
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DMSRB1
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0959 - 0962
Width	4
Sequence Order	200
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DMSRB2
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0963 - 0966
Width	4
Sequence Order	201
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DMSRB3
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0967 - 0970
Width	4
Sequence Order	202
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DMSRB4
Label	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	0971 - 0974
Width	4
Sequence Order	203
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DOPVM1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #1
Response
Categories      Statistics  Description

                18566  NUMBER OF NON-MISSING
                14176  NUMBER OF MISSING

                81.19  AVERAGE/MEAN
                64.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location       0975 - 0978
Width         4
Sequence Order 204
Notes         SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DOPVM2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #2
Response
Categories      Statistics  Description

                17264  NUMBER OF NON-MISSING
                15478  NUMBER OF MISSING

                152.03  AVERAGE/MEAN
                129.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location       0979 - 0982
Width         4
Sequence Order 205
Notes         SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DOPVM3
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #3
Response
Categories      Statistics  Description

                15445  NUMBER OF NON-MISSING
                17297  NUMBER OF MISSING

                283.69  AVERAGE/MEAN
                205.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0983 - 0986
Width           4
Sequence Order  206
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DOPVM4
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #4
Response
Categories      Statistics  Description

                2133  NUMBER OF NON-MISSING
                30609  NUMBER OF MISSING

                507.53  AVERAGE/MEAN
                539.00  MEDIAN VALUE
                 31.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0987 - 0990
Width           4
Sequence Order  207
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DOPVM5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #5
Response
Categories      Statistics  Description

                83  NUMBER OF NON-MISSING
                32659 NUMBER OF MISSING

                455.58 AVERAGE/MEAN
                478.00 MEDIAN VALUE
                110.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0991 - 0994
Width           4
Sequence Order  208
Notes          SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DOPVM6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #6
Response
Categories      Statistics  Description

                21  NUMBER OF NON-MISSING
                32721 NUMBER OF MISSING

                437.19 AVERAGE/MEAN
                402.00 MEDIAN VALUE
                126.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        0995 - 0998
Width           4
Sequence Order  209
Notes          SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DOPVM7
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #7
Response
Categories      Statistics  Description

                4  NUMBER OF NON-MISSING
                32738 NUMBER OF MISSING

                590.25 AVERAGE/MEAN
                480.50 MEDIAN VALUE
                190.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location       0999 - 1002
Width          4
Sequence Order 210
Notes         SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DOPVM8
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #8
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location       1003 - 1006
Width          4
Sequence Order 211
Notes         SEE SECTION 8 NOTES FOR P_NUMOPV. IF AGE IN DAYS IS LESS THAN
              0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
              IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
              VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
Response
Categories      Statistics  Description

                22427  NUMBER OF NON-MISSING
                10315  NUMBER OF MISSING

                76.04  AVERAGE/MEAN
                64.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        1007 - 1010
Width           4
Sequence Order  212
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
Response
Categories      Statistics  Description

                22058  NUMBER OF NON-MISSING
                10684  NUMBER OF MISSING

                149.69  AVERAGE/MEAN
                129.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        1011 - 1014
Width           4
Sequence Order  213
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPOLIO3
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
Response
Categories Statistics Description

	20940	NUMBER OF NON-MISSING
	11802	NUMBER OF MISSING
	285.15	AVERAGE/MEAN
	206.00	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	1210.00	MAXIMUM VALUE

Type NUM
Location 1015 - 1018
Width 4
Sequence Order 214
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DPOLIO4
Label AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
Response
Categories Statistics Description

	3368	NUMBER OF NON-MISSING
	29374	NUMBER OF MISSING
	501.61	AVERAGE/MEAN
	534.50	MEDIAN VALUE
	-1.00	MINIMUM VALUE
	1210.00	MAXIMUM VALUE

Type NUM
Location 1019 - 1022
Width 4
Sequence Order 215
Notes SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
Response
Categories      Statistics  Description

                180  NUMBER OF NON-MISSING
                32562 NUMBER OF MISSING

                449.88 AVERAGE/MEAN
                478.00 MEDIAN VALUE
                 61.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        1023 - 1026
Width           4
Sequence Order  216
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLIO6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
Response
Categories      Statistics  Description

                46  NUMBER OF NON-MISSING
                32696 NUMBER OF MISSING

                398.09 AVERAGE/MEAN
                244.00 MEDIAN VALUE
                122.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        1027 - 1030
Width           4
Sequence Order  217
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLIO7
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
Response
Categories      Statistics  Description

                11  NUMBER OF NON-MISSING
                32731 NUMBER OF MISSING

                444.91 AVERAGE/MEAN
                436.00 MEDIAN VALUE
                190.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        1031 - 1034
Width           4
Sequence Order  218
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DPOLIO8
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
Response
Categories      Statistics  Description

                3  NUMBER OF NON-MISSING
                32739 NUMBER OF MISSING

                621.00 AVERAGE/MEAN
                582.00 MEDIAN VALUE
                553.00 MINIMUM VALUE
                728.00 MAXIMUM VALUE

Type            NUM
Location        1035 - 1038
Width           4
Sequence Order  219
Notes           SEE SECTION 8 NOTES FOR P_NUMPOL. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLN1
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
Response
Categories      Statistics  Description

                5849  NUMBER OF NON-MISSING
                26893  NUMBER OF MISSING

                133.14  AVERAGE/MEAN
                 72.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        1039  - 1042
Width           4
Sequence Order  220
Notes          SEE SECTION 8 NOTES FOR P_NUMOLN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLN2
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
Response
Categories      Statistics  Description

                4472  NUMBER OF NON-MISSING
                28270  NUMBER OF MISSING

                177.55  AVERAGE/MEAN
                134.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        1043  - 1046
Width           4
Sequence Order  221
Notes          SEE SECTION 8 NOTES FOR P_NUMOLN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLN3
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
Response
Categories      Statistics  Description

                3486  NUMBER OF NON-MISSING
                29256  NUMBER OF MISSING

                296.25  AVERAGE/MEAN
                211.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        1047  - 1050
Width           4
Sequence Order  222
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DPOLN4
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
Response
Categories      Statistics  Description

                569  NUMBER OF NON-MISSING
                32173  NUMBER OF MISSING

                525.82  AVERAGE/MEAN
                545.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        1051  - 1054
Width           4
Sequence Order  223
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPOLN5
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
Response
Categories      Statistics  Description

                12  NUMBER OF NON-MISSING
                32730 NUMBER OF MISSING

                559.50 AVERAGE/MEAN
                500.00 MEDIAN VALUE
                368.00 MINIMUM VALUE
                1210.00 MAXIMUM VALUE

Type            NUM
Location        1055 - 1058
Width           4
Sequence Order  224
Notes          SEE SECTION 8 NOTES FOR P_NUMOLN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```

```

-----
Section          9
Variable Name    DPOLN6
Label           AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location        1059 - 1062
Width           4
Sequence Order  225
Notes          SEE SECTION 8 NOTES FOR P_NUMOLN. IF AGE IN DAYS IS LESS THAN
                0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE
                IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING
                VALUE CODE OF 1210.
    
```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DRB1
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response
Categories Statistics Description

	6	NUMBER OF NON-MISSING
	32736	NUMBER OF MISSING
	382.83	AVERAGE/MEAN
	349.00	MEDIAN VALUE
	4.00	MINIMUM VALUE
	748.00	MAXIMUM VALUE

Type NUM
Location 1071 - 1074
Width 4
Sequence Order 228
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section 9
Variable Name DRB2
Label AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
	32742	NUMBER OF MISSING

Type NUM
Location 1075 - 1078
Width 4
Sequence Order 229
Notes IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DRB5
Label	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	1087 - 1090
Width	4
Sequence Order	232
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DRB6
Label	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	1091 - 1094
Width	4
Sequence Order	233
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section	9
Variable Name	DRB7
Label	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	1095 - 1098
Width	4
Sequence Order	234
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

Section	9
Variable Name	DRB8
Label	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
Response	
Categories	Statistics Description
	0 NUMBER OF NON-MISSING
	32742 NUMBER OF MISSING

Type	NUM
Location	1099 - 1102
Width	4
Sequence Order	235
Notes	IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125, AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DVRC1
Label           AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
Response
Categories      Statistics  Description

                5980  NUMBER OF NON-MISSING
                26762  NUMBER OF MISSING

                494.72  AVERAGE/MEAN
                458.00  MEDIAN VALUE
                 -1.00  MINIMUM VALUE
                1210.00  MAXIMUM VALUE

Type            NUM
Location        1103  - 1106
Width           4
Sequence Order  236
Notes           IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DVRC2
Label           AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
Response
Categories      Statistics  Description

                40  NUMBER OF NON-MISSING
                32702  NUMBER OF MISSING

                541.28  AVERAGE/MEAN
                562.50  MEDIAN VALUE
                 56.00  MINIMUM VALUE
                849.00  MAXIMUM VALUE

Type            NUM
Location        1107  - 1110
Width           4
Sequence Order  237
Notes           IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DVRC3
Label           AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
Response
Categories      Statistics  Description

                2  NUMBER OF NON-MISSING
                32740 NUMBER OF MISSING

                197.50 AVERAGE/MEAN
                197.50 MEDIAN VALUE
                186.00 MINIMUM VALUE
                209.00 MAXIMUM VALUE

Type            NUM
Location        1111 - 1114
Width           4
Sequence Order  238
Notes           IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```

```

-----
Section          9
Variable Name    DVRC4
Label           AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location        1115 - 1118
Width           4
Sequence Order  239
Notes           IF AGE IN DAYS IS LESS THAN 0, AGE IN DAYS IS CODED TO A
                MISSING VALUE CODE OF -1. IF AGE IN DAYS IS GREATER THAN 1125,
                AGE IN DAYS IS CODED TO A MISSING VALUE CODE OF 1210.
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description

                16236  NUMBER OF NON-MISSING
                16506  NUMBER OF MISSING

                3.15  AVERAGE/MEAN
                2.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1119  - 1120
Width           2
Sequence Order  240
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description

                14612  NUMBER OF NON-MISSING
                18130  NUMBER OF MISSING

                4.93  AVERAGE/MEAN
                4.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1121  - 1122
Width           2
Sequence Order  241
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
Response
Categories      Statistics  Description

                13120  NUMBER OF NON-MISSING
                19622  NUMBER OF MISSING

                7.21   AVERAGE/MEAN
                6.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1123 - 1124
Width           2
Sequence Order  242
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
Response
Categories      Statistics  Description

                6769  NUMBER OF NON-MISSING
                25973  NUMBER OF MISSING

                15.57  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1125 - 1126
Width           2
Sequence Order  243
Notes           SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description

                137  NUMBER OF NON-MISSING
                32605 NUMBER OF MISSING

                15.39 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                 1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1127 - 1128
Width           2
Sequence Order  244
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DHB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description

                27  NUMBER OF NON-MISSING
                32715 NUMBER OF MISSING

                11.37 AVERAGE/MEAN
                13.00 MEDIAN VALUE
                 4.00 MINIMUM VALUE
                18.00 MAXIMUM VALUE

Type            NUM
Location        1129 - 1130
Width           2
Sequence Order  245
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DHB7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
Response
Categories      Statistics  Description

                9  NUMBER OF NON-MISSING
                32733 NUMBER OF MISSING

                15.89 AVERAGE/MEAN
                16.00 MEDIAN VALUE
                 6.00 MINIMUM VALUE
                22.00 MAXIMUM VALUE

Type            NUM
Location        1131 - 1132
Width          2
Sequence Order  246
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DHB8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
Response
Categories      Statistics  Description

                2  NUMBER OF NON-MISSING
                32740 NUMBER OF MISSING

                18.50 AVERAGE/MEAN
                18.50 MEDIAN VALUE
                18.00 MINIMUM VALUE
                19.00 MAXIMUM VALUE

Type            NUM
Location        1133 - 1134
Width          2
Sequence Order  247
Notes          SEE SECTION 8 NOTES FOR P_NUMDHB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPM1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #1
Response
Categories      Statistics  Description

                8448  NUMBER OF NON-MISSING
                24294  NUMBER OF MISSING

                3.02  AVERAGE/MEAN
                2.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                35.00  MAXIMUM VALUE

Type            NUM
Location        1135  - 1136
Width           2
Sequence Order  248
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DPM2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #2
Response
Categories      Statistics  Description

                6785  NUMBER OF NON-MISSING
                25957  NUMBER OF MISSING

                4.78  AVERAGE/MEAN
                4.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1137  - 1138
Width           2
Sequence Order  249
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPM3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #3
Response
Categories      Statistics  Description

                5658  NUMBER OF NON-MISSING
                27084  NUMBER OF MISSING

                7.16  AVERAGE/MEAN
                6.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location       1139  - 1140
Width          2
Sequence Order 250
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DPM4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #4
Response
Categories      Statistics  Description

                2552  NUMBER OF NON-MISSING
                30190  NUMBER OF MISSING

                16.28  AVERAGE/MEAN
                16.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location       1141  - 1142
Width          2
Sequence Order 251
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPM5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #5
Response
Categories      Statistics  Description

                54  NUMBER OF NON-MISSING
                32688 NUMBER OF MISSING

                16.94 AVERAGE/MEAN
                16.50 MEDIAN VALUE
                 1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1143 - 1144
Width           2
Sequence Order  252
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DPM6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #6
Response
Categories      Statistics  Description

                11  NUMBER OF NON-MISSING
                32731 NUMBER OF MISSING

                12.36 AVERAGE/MEAN
                10.00 MEDIAN VALUE
                 4.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1145 - 1146
Width           2
Sequence Order  253
Notes           SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPM7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #7
Response
Categories      Statistics  Description

                    5  NUMBER OF NON-MISSING
32737            NUMBER OF MISSING

                    13.40  AVERAGE/MEAN
                    16.00  MEDIAN VALUE
                     6.00  MINIMUM VALUE
                    21.00  MAXIMUM VALUE

Type            NUM
Location        1147 - 1148
Width           2
Sequence Order  254
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DPM8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #8
Response
Categories      Statistics  Description

                    2  NUMBER OF NON-MISSING
32740            NUMBER OF MISSING

                    18.00  AVERAGE/MEAN
                    18.00  MEDIAN VALUE
                    15.00  MINIMUM VALUE
                    21.00  MAXIMUM VALUE

Type            NUM
Location        1149 - 1150
Width           2
Sequence Order  255
Notes          SEE SECTION 8 NOTES FOR P_NUMTPM. CALCULATED AS EXACT AGE IN
MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPN1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
Response
Categories      Statistics  Description

                2556  NUMBER OF NON-MISSING
                30186  NUMBER OF MISSING

                8.45  AVERAGE/MEAN
                4.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1151  - 1152
Width           2
Sequence Order  256
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DPN2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
Response
Categories      Statistics  Description

                1268  NUMBER OF NON-MISSING
                31474  NUMBER OF MISSING

                6.36  AVERAGE/MEAN
                4.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                32.00  MAXIMUM VALUE

Type            NUM
Location        1153  - 1154
Width           2
Sequence Order  257
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPN3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
Response
Categories      Statistics  Description

                958  NUMBER OF NON-MISSING
                31784 NUMBER OF MISSING

                8.67  AVERAGE/MEAN
                6.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                35.00 MAXIMUM VALUE

Type            NUM
Location        1155  - 1156
Width           2
Sequence Order  258
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DPN4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
Response
Categories      Statistics  Description

                556  NUMBER OF NON-MISSING
                32186 NUMBER OF MISSING

                17.01 AVERAGE/MEAN
                17.00 MEDIAN VALUE
               -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1157  - 1158
Width           2
Sequence Order  259
Notes           SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DPN5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
Response
Categories      Statistics  Description

                  7  NUMBER OF NON-MISSING
32735            NUMBER OF MISSING

19.57           AVERAGE/MEAN
18.00           MEDIAN VALUE
6.00            MINIMUM VALUE
40.00           MAXIMUM VALUE

Type            NUM
Location        1159  - 1160
Width           2
Sequence Order  260
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DPN6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
Response
Categories      Statistics  Description

                  1  NUMBER OF NON-MISSING
32741            NUMBER OF MISSING

18.00           AVERAGE/MEAN
18.00           MEDIAN VALUE
18.00           MINIMUM VALUE
18.00           MAXIMUM VALUE

Type            NUM
Location        1161  - 1162
Width           2
Sequence Order  261
Notes          SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN
MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DPN7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1163 - 1164
Width 2
Sequence Order 262
Notes SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DPN8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1165 - 1166
Width 2
Sequence Order 263
Notes SEE SECTION 8 NOTES FOR P_NUMTPN. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
Response
Categories      Statistics  Description

                6247  NUMBER OF NON-MISSING
                26495  NUMBER OF MISSING

                16.69  AVERAGE/MEAN
                18.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1167  - 1168
Width           2
Sequence Order  264
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTA2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
Response
Categories      Statistics  Description

                457  NUMBER OF NON-MISSING
                32285  NUMBER OF MISSING

                9.15  AVERAGE/MEAN
                5.00  MEDIAN VALUE
                1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1169  - 1170
Width           2
Sequence Order  265
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
Response
Categories      Statistics  Description

                293  NUMBER OF NON-MISSING
                32449 NUMBER OF MISSING

                8.31  AVERAGE/MEAN
                6.00  MEDIAN VALUE
                3.00  MINIMUM VALUE
                30.00 MAXIMUM VALUE

Type            NUM
Location       1171  - 1172
Width          2
Sequence Order 266
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DTA4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
Response
Categories      Statistics  Description

                203  NUMBER OF NON-MISSING
                32539 NUMBER OF MISSING

                17.00 AVERAGE/MEAN
                18.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                30.00 MAXIMUM VALUE

Type            NUM
Location       1173  - 1174
Width          2
Sequence Order 267
Notes          SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTA5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                18.00 AVERAGE/MEAN
                18.00 MEDIAN VALUE
                18.00 MINIMUM VALUE
                18.00 MAXIMUM VALUE

Type            NUM
Location        1175 - 1176
Width           2
Sequence Order  268
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DTA6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location        1177 - 1178
Width           2
Sequence Order  269
Notes           SEE SECTION 8 NOTES FOR P_NUMMDTA. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DTA7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1179 - 1180
Width 2
Sequence Order 270
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DTA8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1181 - 1182
Width 2
Sequence Order 271
Notes SEE SECTION 8 NOTES FOR P_NUMDTA. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTM1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
Response
Categories       Statistics  Description

                266  NUMBER OF NON-MISSING
                32476 NUMBER OF MISSING

                7.58  AVERAGE/MEAN
                5.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1183  - 1184
Width           2
Sequence Order  272
Notes          SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTM2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
Response
Categories       Statistics  Description

                145  NUMBER OF NON-MISSING
                32597 NUMBER OF MISSING

                8.60  AVERAGE/MEAN
                6.00  MEDIAN VALUE
                3.00  MINIMUM VALUE
                30.00 MAXIMUM VALUE

Type            NUM
Location        1185  - 1186
Width           2
Sequence Order  273
Notes          SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTM3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
Response
Categories      Statistics  Description

                79  NUMBER OF NON-MISSING
                32663 NUMBER OF MISSING

                11.54 AVERAGE/MEAN
                 9.00 MEDIAN VALUE
                 4.00 MINIMUM VALUE
                25.00 MAXIMUM VALUE

Type            NUM
Location        1187 - 1188
Width           2
Sequence Order  274
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTM4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
Response
Categories      Statistics  Description

                29  NUMBER OF NON-MISSING
                32713 NUMBER OF MISSING

                17.79 AVERAGE/MEAN
                18.00 MEDIAN VALUE
                13.00 MINIMUM VALUE
                27.00 MAXIMUM VALUE

Type            NUM
Location        1189 - 1190
Width           2
Sequence Order  275
Notes           SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DTM5_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1191 - 1192
Width 2
Sequence Order 276
Notes SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DTM6_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1193 - 1194
Width 2
Sequence Order 277
Notes SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name DTM7_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1195 - 1196
Width 2
Sequence Order 278
Notes SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name DTM8_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1197 - 1198
Width 2
Sequence Order 279
Notes SEE SECTION 8 NOTES FOR P_NUMDTM. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #1
Response
Categories       Statistics  Description

                22900  NUMBER OF NON-MISSING
                9842  NUMBER OF MISSING

                2.12  AVERAGE/MEAN
                2.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1199  - 1200
Width           2
Sequence Order  280
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DTP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #2
Response
Categories       Statistics  Description

                22537  NUMBER OF NON-MISSING
                10205  NUMBER OF MISSING

                4.48  AVERAGE/MEAN
                4.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1201  - 1202
Width           2
Sequence Order  281
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #3
Response
Categories       Statistics  Description
                22006    NUMBER OF NON-MISSING
                10736    NUMBER OF MISSING
                7.05     AVERAGE/MEAN
                6.00     MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        1203 - 1204
Width           2
Sequence Order  282
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DTP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #4
Response
Categories       Statistics  Description
                19087    NUMBER OF NON-MISSING
                13655    NUMBER OF MISSING
                16.38    AVERAGE/MEAN
                16.00    MEDIAN VALUE
                -1.00    MINIMUM VALUE
                40.00    MAXIMUM VALUE

Type            NUM
Location        1205 - 1206
Width           2
Sequence Order  283
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #5
Response
Categories       Statistics  Description
                778  NUMBER OF NON-MISSING
                31964 NUMBER OF MISSING
                16.99 AVERAGE/MEAN
                17.00 MEDIAN VALUE
                1.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1207  - 1208
Width           2
Sequence Order  284
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    DTP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #6
Response
Categories       Statistics  Description
                114  NUMBER OF NON-MISSING
                32628 NUMBER OF MISSING
                13.75 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                4.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1209  - 1210
Width           2
Sequence Order  285
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    DTP7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #7
Response
Categories       Statistics  Description
                47  NUMBER OF NON-MISSING
                32695 NUMBER OF MISSING
                16.00 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1211  - 1212
Width           2
Sequence Order  286
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    DTP8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT)
                SHOT #8
Response
Categories       Statistics  Description
                21  NUMBER OF NON-MISSING
                32721 NUMBER OF MISSING
                19.81 AVERAGE/MEAN
                18.00 MEDIAN VALUE
                7.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1213  - 1214
Width           2
Sequence Order  287
Notes          SEE SECTION 8 NOTES FOR P_NUMDTP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #1
Response
Categories       Statistics  Description
                22047  NUMBER OF NON-MISSING
                10695  NUMBER OF MISSING
                0.90  AVERAGE/MEAN
                0.00  MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location       1215  - 1216
Width          2
Sequence Order 288
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    HEP2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #2
Response
Categories       Statistics  Description
                21483  NUMBER OF NON-MISSING
                11259  NUMBER OF MISSING
                2.91  AVERAGE/MEAN
                2.00  MEDIAN VALUE
                -1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location       1217  - 1218
Width          2
Sequence Order 289
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #3
Response
Categories      Statistics  Description

                19330  NUMBER OF NON-MISSING
                13412  NUMBER OF MISSING

                8.46   AVERAGE/MEAN
                8.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1219  - 1220
Width           2
Sequence Order  290
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    HEP4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #4
Response
Categories      Statistics  Description

                1115  NUMBER OF NON-MISSING
                31627  NUMBER OF MISSING

                10.05  AVERAGE/MEAN
                9.00   MEDIAN VALUE
                0.00   MINIMUM VALUE
                35.00  MAXIMUM VALUE

Type            NUM
Location        1221  - 1222
Width           2
Sequence Order  291
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #5
Response
Categories      Statistics  Description

                191  NUMBER OF NON-MISSING
                32551 NUMBER OF MISSING

                11.20 AVERAGE/MEAN
                10.00 MEDIAN VALUE
                 0.00 MINIMUM VALUE
                30.00 MAXIMUM VALUE

Type            NUM
Location        1223  - 1224
Width           2
Sequence Order  292
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HEP6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #6
Response
Categories      Statistics  Description

                38  NUMBER OF NON-MISSING
                32704 NUMBER OF MISSING

                11.58 AVERAGE/MEAN
                 9.00 MEDIAN VALUE
                 5.00 MINIMUM VALUE
                26.00 MAXIMUM VALUE

Type            NUM
Location        1225  - 1226
Width           2
Sequence Order  293
Notes          SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HEP7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #7
Response
Categories       Statistics  Description
                2 NUMBER OF NON-MISSING
                32740 NUMBER OF MISSING
                11.00 AVERAGE/MEAN
                11.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                16.00 MAXIMUM VALUE

Type             NUM
Location         1227 - 1228
Width           2
Sequence Order   294
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    HEP8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES)
                SHOT #8
Response
Categories       Statistics  Description
                1 NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING
                9.00  AVERAGE/MEAN
                9.00  MEDIAN VALUE
                9.00  MINIMUM VALUE
                9.00  MAXIMUM VALUE

Type             NUM
Location         1229 - 1230
Width           2
Sequence Order   295
Notes           SEE SECTION 8 NOTES FOR P_NUMHEP. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
Response
Categories      Statistics  Description

                22716  NUMBER OF NON-MISSING
                10026  NUMBER OF MISSING

                2.24  AVERAGE/MEAN
                2.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1231  - 1232
Width           2
Sequence Order  296
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
Response
Categories      Statistics  Description

                22175  NUMBER OF NON-MISSING
                10567  NUMBER OF MISSING

                4.53  AVERAGE/MEAN
                4.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1233  - 1234
Width           2
Sequence Order  297
Notes           SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
Response
Categories       Statistics  Description

                21411  NUMBER OF NON-MISSING
                11331  NUMBER OF MISSING

                7.20   AVERAGE/MEAN
                6.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1235  - 1236
Width           2
Sequence Order  298
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
Response
Categories       Statistics  Description

                17564  NUMBER OF NON-MISSING
                15178  NUMBER OF MISSING

                15.37  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1237  - 1238
Width           2
Sequence Order  299
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
Response
Categories      Statistics  Description

                806  NUMBER OF NON-MISSING
                31936 NUMBER OF MISSING

                15.79 AVERAGE/MEAN
                16.00 MEDIAN VALUE
                 1.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1239 - 1240
Width           2
Sequence Order  300
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
Response
Categories      Statistics  Description

                124  NUMBER OF NON-MISSING
                32618 NUMBER OF MISSING

                14.48 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                 3.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1241 - 1242
Width           2
Sequence Order  301
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    HIB7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
Response
Categories      Statistics  Description

                44  NUMBER OF NON-MISSING
                32698 NUMBER OF MISSING

                15.39 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                 4.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1243 - 1244
Width           2
Sequence Order  302
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    HIB8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
Response
Categories      Statistics  Description

                15  NUMBER OF NON-MISSING
                32727 NUMBER OF MISSING

                15.73 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                 7.00 MINIMUM VALUE
                26.00 MAXIMUM VALUE

Type            NUM
Location        1245 - 1246
Width           2
Sequence Order  303
Notes          SEE SECTION 8 NOTES FOR P_NUMHIB. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    IPV1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #1
Response
Categories      Statistics  Description

                571  NUMBER OF NON-MISSING
                32171 NUMBER OF MISSING

                4.38  AVERAGE/MEAN
                2.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1247 - 1248
Width           2
Sequence Order  304
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    IPV2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #2
Response
Categories      Statistics  Description

                359  NUMBER OF NON-MISSING
                32383 NUMBER OF MISSING

                5.58  AVERAGE/MEAN
                4.00  MEDIAN VALUE
                0.00  MINIMUM VALUE
                26.00 MAXIMUM VALUE

Type            NUM
Location        1249 - 1250
Width           2
Sequence Order  305
Notes          SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name IPV3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #3
Response
Categories Statistics Description

	176	NUMBER OF NON-MISSING
	32566	NUMBER OF MISSING
	10.35	AVERAGE/MEAN
	7.50	MEDIAN VALUE
	2.00	MINIMUM VALUE
	29.00	MAXIMUM VALUE

Type NUM
Location 1251 - 1252
Width 2
Sequence Order 306
Notes SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name IPV4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #4
Response
Categories Statistics Description

	23	NUMBER OF NON-MISSING
	32719	NUMBER OF MISSING
	14.17	AVERAGE/MEAN
	15.00	MEDIAN VALUE
	5.00	MINIMUM VALUE
	25.00	MAXIMUM VALUE

Type NUM
Location 1253 - 1254
Width 2
Sequence Order 307
Notes SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    IPV5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #5
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                6.00  AVERAGE/MEAN
                6.00  MEDIAN VALUE
                6.00  MINIMUM VALUE
                6.00  MAXIMUM VALUE

Type            NUM
Location        1255  - 1256
Width           2
Sequence Order  308
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    IPV6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #6
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location        1257  - 1258
Width           2
Sequence Order  309
Notes           SEE SECTION 8 NOTES FOR P_NUMIPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMR1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #1
Response
Categories      Statistics  Description

                20936  NUMBER OF NON-MISSING
                11806  NUMBER OF MISSING

                14.33  AVERAGE/MEAN
                14.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1263  - 1264
Width           2
Sequence Order  312
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    MMR2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #2
Response
Categories      Statistics  Description

                534   NUMBER OF NON-MISSING
                32208 NUMBER OF MISSING

                17.01  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1265  - 1266
Width           2
Sequence Order  313
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMR3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #3
Response
Categories       Statistics  Description

                36  NUMBER OF NON-MISSING
                32706 NUMBER OF MISSING

                17.86 AVERAGE/MEAN
                17.00 MEDIAN VALUE
                6.00  MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type             NUM
Location        1267  - 1268
Width          2
Sequence Order  314
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    MMR4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE
                SHOT #4
Response
Categories       Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                13.00 AVERAGE/MEAN
                13.00 MEDIAN VALUE
                13.00 MINIMUM VALUE
                13.00 MAXIMUM VALUE

Type             NUM
Location        1269  - 1270
Width          2
Sequence Order  315
Notes          SEE SECTION 8 NOTES FOR P_NUMMMR. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MMX1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
Response
Categories      Statistics  Description

                20900  NUMBER OF NON-MISSING
                11842  NUMBER OF MISSING

                14.37  AVERAGE/MEAN
                14.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1271  - 1272
Width           2
Sequence Order  316
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    MMX2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
Response
Categories      Statistics  Description

                425   NUMBER OF NON-MISSING
                32317 NUMBER OF MISSING

                17.29  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1273  - 1274
Width           2
Sequence Order  317
Notes           SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MMX3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
Response
Categories Statistics Description

	31	NUMBER OF NON-MISSING
	32711	NUMBER OF MISSING
	17.52	AVERAGE/MEAN
	16.00	MEDIAN VALUE
	6.00	MINIMUM VALUE
	40.00	MAXIMUM VALUE

Type NUM
Location 1275 - 1276
Width 2
Sequence Order 318
Notes SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

Section 9
Variable Name MMX4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
	32741	NUMBER OF MISSING
	13.00	AVERAGE/MEAN
	13.00	MEDIAN VALUE
	13.00	MINIMUM VALUE
	13.00	MAXIMUM VALUE

Type NUM
Location 1277 - 1278
Width 2
Sequence Order 319
Notes SEE SECTION 8 NOTES FOR P_NUMMMX. CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MP1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
Response
Categories Statistics Description

	1	NUMBER OF NON-MISSING
32741		NUMBER OF MISSING
	7.00	AVERAGE/MEAN
	7.00	MEDIAN VALUE
	7.00	MINIMUM VALUE
	7.00	MAXIMUM VALUE

Type NUM
Location 1279 - 1280
Width 2
Sequence Order 320
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MP2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
32742		NUMBER OF MISSING

Type NUM
Location 1281 - 1282
Width 2
Sequence Order 321
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MP3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1283 - 1284
Width 2
Sequence Order 322
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MP4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1285 - 1286
Width 2
Sequence Order 323
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MPR1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1287 - 1288
Width 2
Sequence Order 324
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MPR2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1289 - 1290
Width 2
Sequence Order 325
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MPR3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1291 - 1292
Width 2
Sequence Order 326
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MPR4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1293 - 1294
Width 2
Sequence Order 327
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    MS1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
Response
Categories      Statistics  Description

                179  NUMBER OF NON-MISSING
                32563 NUMBER OF MISSING

                10.93 AVERAGE/MEAN
                 9.00 MEDIAN VALUE
                -1.00 MINIMUM VALUE
                29.00 MAXIMUM VALUE

Type            NUM
Location        1295  - 1296
Width           2
Sequence Order  328
Notes          CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

```

-----
Section          9
Variable Name    MS2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
Response
Categories      Statistics  Description

                1  NUMBER OF NON-MISSING
                32741 NUMBER OF MISSING

                15.00 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                15.00 MINIMUM VALUE
                15.00 MAXIMUM VALUE

Type            NUM
Location        1297  - 1298
Width           2
Sequence Order  329
Notes          CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MS3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1299 - 1300
Width 2
Sequence Order 330
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MS4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1301 - 1302
Width 2
Sequence Order 331
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1303 - 1304
Width 2
Sequence Order 332
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSM2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1305 - 1306
Width 2
Sequence Order 333
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSM3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1307 - 1308
Width 2
Sequence Order 334
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSM4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1309 - 1310
Width 2
Sequence Order 335
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name MSR3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1315 - 1316
Width 2
Sequence Order 338
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name MSR4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1317 - 1318
Width 2
Sequence Order 339
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #1
Response
Categories      Statistics  Description

                18565  NUMBER OF NON-MISSING
                14177  NUMBER OF MISSING

                2.26   AVERAGE/MEAN
                2.00   MEDIAN VALUE
               -1.00   MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1319 - 1320
Width           2
Sequence Order  340
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    OPV2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #2
Response
Categories      Statistics  Description

                17264  NUMBER OF NON-MISSING
                15478  NUMBER OF MISSING

                4.58   AVERAGE/MEAN
                4.00   MEDIAN VALUE
               -1.00   MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1321 - 1322
Width           2
Sequence Order  341
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #3
Response
Categories      Statistics  Description

                15445  NUMBER OF NON-MISSING
                17297  NUMBER OF MISSING

                8.90   AVERAGE/MEAN
                6.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1323 - 1324
Width           2
Sequence Order  342
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    OPV4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #4
Response
Categories      Statistics  Description

                2133  NUMBER OF NON-MISSING
                30609 NUMBER OF MISSING

                16.23  AVERAGE/MEAN
                17.00  MEDIAN VALUE
                1.00   MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1325 - 1326
Width           2
Sequence Order  343
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #5
Response
Categories      Statistics  Description

                83  NUMBER OF NON-MISSING
                32659 NUMBER OF MISSING

                14.46 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                 3.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1327 - 1328
Width           2
Sequence Order  344
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

```

-----
Section          9
Variable Name    OPV6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #6
Response
Categories      Statistics  Description

                21  NUMBER OF NON-MISSING
                32721 NUMBER OF MISSING

                13.95 AVERAGE/MEAN
                13.00 MEDIAN VALUE
                 4.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1329 - 1330
Width           2
Sequence Order  345
Notes           SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
    
```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    OPV7_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #7
Response
Categories      Statistics  Description

                  4  NUMBER OF NON-MISSING
                32738  NUMBER OF MISSING

                19.00  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                 6.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1331  - 1332
Width           2
Sequence Order  346
Notes          SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    OPV8_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #8
Response
Categories      Statistics  Description

                  0  NUMBER OF NON-MISSING
                32742  NUMBER OF MISSING

Type            NUM
Location        1333  - 1334
Width           2
Sequence Order  347
Notes          SEE SECTION 8 NOTES FOR P_NUMOPV. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    PLN1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
Response
Categories      Statistics  Description

                5845  NUMBER OF NON-MISSING
                26897  NUMBER OF MISSING

                3.97  AVERAGE/MEAN
                2.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1335  - 1336
Width           2
Sequence Order  348
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    PLN2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
Response
Categories      Statistics  Description

                4472  NUMBER OF NON-MISSING
                28270  NUMBER OF MISSING

                5.42  AVERAGE/MEAN
                4.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1337  - 1338
Width           2
Sequence Order  349
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    PLN3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
Response
Categories      Statistics  Description

                3486  NUMBER OF NON-MISSING
                29256  NUMBER OF MISSING

                9.30  AVERAGE/MEAN
                6.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1339  - 1340
Width           2
Sequence Order  350
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    PLN4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
Response
Categories      Statistics  Description

                569  NUMBER OF NON-MISSING
               32173  NUMBER OF MISSING

               16.83  AVERAGE/MEAN
               17.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
               40.00  MAXIMUM VALUE

Type            NUM
Location        1341  - 1342
Width           2
Sequence Order  351
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    PLN5_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
Response
Categories      Statistics  Description

                12  NUMBER OF NON-MISSING
                32730 NUMBER OF MISSING

                18.17 AVERAGE/MEAN
                16.00 MEDIAN VALUE
                12.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1343  - 1344
Width           2
Sequence Order  352
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    PLN6_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
Response
Categories      Statistics  Description

                0  NUMBER OF NON-MISSING
                32742 NUMBER OF MISSING

Type            NUM
Location        1345  - 1346
Width           2
Sequence Order  353
Notes           SEE SECTION 8 NOTES FOR P_NUMOLN. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```


1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL1_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
Response
Categories      Statistics  Description

                22422  NUMBER OF NON-MISSING
                10320  NUMBER OF MISSING

                2.10  AVERAGE/MEAN
                2.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location       1351 - 1352
Width         2
Sequence Order 356
Notes         SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
              MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
              TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
              THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL2_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2
Response
Categories      Statistics  Description

                22058  NUMBER OF NON-MISSING
                10684  NUMBER OF MISSING

                4.51  AVERAGE/MEAN
                4.00  MEDIAN VALUE
               -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location       1353 - 1354
Width         2
Sequence Order 357
Notes         SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
              MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
              TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
              THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL3_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
Response
Categories      Statistics  Description

                20940  NUMBER OF NON-MISSING
                11802  NUMBER OF MISSING

                8.94   AVERAGE/MEAN
                6.00   MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1355 - 1356
Width           2
Sequence Order  358
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL4_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
Response
Categories      Statistics  Description

                3368  NUMBER OF NON-MISSING
                29374  NUMBER OF MISSING

                16.04  AVERAGE/MEAN
                17.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1357 - 1358
Width           2
Sequence Order  359
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL5_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
Response
Categories      Statistics  Description

                180  NUMBER OF NON-MISSING
                32562 NUMBER OF MISSING

                14.32 AVERAGE/MEAN
                15.00 MEDIAN VALUE
                 2.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location       1359 - 1360
Width          2
Sequence Order 360
Notes         SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL6_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
Response
Categories      Statistics  Description

                46  NUMBER OF NON-MISSING
                32696 NUMBER OF MISSING

                12.65 AVERAGE/MEAN
                 7.50 MEDIAN VALUE
                 4.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location       1361 - 1362
Width          2
Sequence Order 361
Notes         SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    POL7_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
Response
Categories      Statistics  Description

                11  NUMBER OF NON-MISSING
                32731 NUMBER OF MISSING

                14.27 AVERAGE/MEAN
                14.00 MEDIAN VALUE
                 6.00 MINIMUM VALUE
                40.00 MAXIMUM VALUE

Type            NUM
Location        1363  - 1364
Width           2
Sequence Order  362
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

```

-----
Section          9
Variable Name    POL8_AGE
Label           AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
Response
Categories      Statistics  Description

                3  NUMBER OF NON-MISSING
                32739 NUMBER OF MISSING

                20.00 AVERAGE/MEAN
                19.00 MEDIAN VALUE
                18.00 MINIMUM VALUE
                23.00 MAXIMUM VALUE

Type            NUM
Location        1365  - 1366
Width           2
Sequence Order  363
Notes          SEE SECTION 8 NOTES FOR P_NUMPOL. CALCULATED AS EXACT AGE IN
                MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED
                TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER
                THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB1_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
Response
Categories Statistics Description

	6	NUMBER OF NON-MISSING
32736		NUMBER OF MISSING
	12.17	AVERAGE/MEAN
	11.00	MEDIAN VALUE
	0.00	MINIMUM VALUE
	24.00	MAXIMUM VALUE

Type NUM
Location 1367 - 1368
Width 2
Sequence Order 364
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name RB2_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
Response
Categories Statistics Description

	0	NUMBER OF NON-MISSING
32742		NUMBER OF MISSING

Type NUM
Location 1369 - 1370
Width 2
Sequence Order 365
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

Section 9
Variable Name RB3_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1371 - 1372
Width 2
Sequence Order 366
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

Section 9
Variable Name RB4_AGE
Label AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
Response
Categories Statistics Description

0 NUMBER OF NON-MISSING
32742 NUMBER OF MISSING

Type NUM
Location 1373 - 1374
Width 2
Sequence Order 367
Notes CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1. IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF 40.

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    VRC1_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #1
Response
Categories      Statistics  Description

                5980  NUMBER OF NON-MISSING
                26762  NUMBER OF MISSING

                15.83  AVERAGE/MEAN
                15.00  MEDIAN VALUE
                -1.00  MINIMUM VALUE
                40.00  MAXIMUM VALUE

Type            NUM
Location        1383  - 1384
Width           2
Sequence Order  372
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

```

-----
Section          9
Variable Name    VRC2_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
Response
Categories      Statistics  Description

                40  NUMBER OF NON-MISSING
                32702  NUMBER OF MISSING

                17.33  AVERAGE/MEAN
                18.00  MEDIAN VALUE
                 1.00  MINIMUM VALUE
                27.00  MAXIMUM VALUE

Type            NUM
Location        1385  - 1386
Width           2
Sequence Order  373
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

1997 National Immunization Survey Public-Use Data File

SECTION 9. PROVIDER-REPORTED AGE AT VACCINATION VARIABLES

```

-----
Section          9
Variable Name    VRC3_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
Response
Categories       Statistics  Description

                2  NUMBER OF NON-MISSING
32740           32740  NUMBER OF MISSING

                6.00  AVERAGE/MEAN
                6.00  MEDIAN VALUE
                6.00  MINIMUM VALUE
                6.00  MAXIMUM VALUE

Type            NUM
Location        1387 - 1388
Width           2
Sequence Order  374
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

```

-----
Section          9
Variable Name    VRC4_AGE
Label           AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4
Response
Categories       Statistics  Description

                0  NUMBER OF NON-MISSING
32742           32742  NUMBER OF MISSING

Type            NUM
Location        1389 - 1390
Width           2
Sequence Order  375
Notes           CALCULATED AS EXACT AGE IN MONTHS. IF AGE IN MONTHS IS LESS
                THAN 0, AGE IN MONTHS IS CODED TO A MISSING VALUE CODE OF -1.
                IF AGE IN MONTHS IS GREATER THAN 36, AGE IN MONTHS IS CODED TO
                A MISSING VALUE CODE OF 40.
-----

```

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
AGEGRP	0055	0055	3	AGE CATEGORY OF CHILD (RECODE)
ALL4SHOT	0037	0037	2	4:3:1:3 UP-TO-DATE (HH REPORT)
C_431	0038	0038	2	HOUSEHOLD REPORT OF 4:3:1 UP-TO-DATE BY SHOT CARD USE
C_4313	0039	0039	2	HOUSEHOLD REPORT OF 4:3:1:3 UP-TO-DATE BY SHOT CARD USE
C_DTP	0040	0040	2	HOUSEHOLD REPORT OF 4+ DTP UP-TO-DATE BY SHOT CARD USE
C_HEP	0041	0041	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B UP-TO-DATE BY SHOT CARD USE
C_HIB	0042	0042	2	HOUSEHOLD REPORT OF 3+ HIB UP-TO-DATE BY SHOT CARD USE
C_MMR	0043	0043	2	HOUSEHOLD REPORT OF 1+ MEASLES-CONTAINING VACCINE UP-TO-DATE BY SHOT CARD USE
C_POL	0044	0044	2	HOUSEHOLD REPORT OF 3+ POLIO UP-TO-DATE BY SHOT CARD USE
C_VRC	0045	0045	2	HOUSEHOLD REPORT OF 1+ VARICELLA UP-TO-DATE BY SHOT CARD USE
C1R	0056	0057	3	NUMBER OF PEOPLE LIVING IN THE HOUSEHOLD (RECODE)
C5R	0058	0059	3	RELATIONSHIP OF RESPONDENT TO CHILD (RECODE)
CEN_REG	0060	0060	3	CENSUS REGION BASED ON STATE
CHILDNM	0061	0061	3	NUMBER OF CHILDREN LESS THAN 18 YEARS IN HH (RECODE)
D6R	0082	0082	5	NUMBER OF VACCINATION PROVIDERS IDENTIFIED BY RESPONDENT (RECODE)
D7	0083	0083	5	CONSENT TO OBTAIN CHILD'S IMMUNIZATION RECORDS FROM VACCINATION PROVIDERS IDENTIFIED IN QUESTION D6 IN THE INTERVIEW
DDTAP1	0575	0578	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
DDTAP2	0579	0582	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
DDTAP3	0583	0586	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
DDTAP4	0587	0590	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DDTAP5	0591	0594	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DDTAP6	0595	0598	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DDTAP7	0599	0602	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DDTAP8	0603	0606	9	AGE IN DAYS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DDTM1	0607	0610	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #1

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTM2	0611	0614	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
DDTM3	0615	0618	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
DDTM4	0619	0622	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DDTM5	0623	0626	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DDTM6	0627	0630	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DDTM7	0631	0634	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DDTM8	0635	0638	9	AGE IN DAYS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DDTP1	0639	0642	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #1
DDTP2	0643	0646	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #2
DDTP3	0647	0650	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #3
DDTP4	0651	0654	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #4
DDTP5	0655	0658	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #5
DDTP6	0659	0662	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #6
DDTP7	0663	0666	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #7
DDTP8	0667	0670	9	AGE IN DAYS OF PROVIDER-REPORTED DTP SHOT (ALL TYPES INCLUDING DT) #8
DDTPHB1	0671	0674	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #1
DDTPHB2	0675	0678	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #2
DDTPHB3	0679	0682	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #3
DDTPHB4	0683	0686	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #4
DDTPHB5	0687	0690	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #5
DDTPHB6	0691	0694	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #6
DDTPHB7	0695	0698	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #7

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DDTPHB8	0699	0702	9	AGE IN DAYS OF PROVIDER-REPORTED DTP/HIB SHOT (ALL TYPES) #8
DDTPM1	0703	0706	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #1
DDTPM2	0707	0710	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #2
DDTPM3	0711	0714	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #3
DDTPM4	0715	0718	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #4
DDTPM5	0719	0722	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #5
DDTPM6	0723	0726	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #6
DDTPM7	0727	0730	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #7
DDTPM8	0731	0734	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (MARKED) #8
DDTPN1	0735	0738	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DDTPN2	0739	0742	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DDTPN3	0743	0746	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3
DDTPN4	0747	0750	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DDTPN5	0751	0754	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DDTPN6	0755	0758	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DDTPN7	0759	0762	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DDTPN8	0763	0766	9	AGE IN DAYS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DHB1_AGE	1119	1120	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #1
DHB2_AGE	1121	1122	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #2
DHB3_AGE	1123	1124	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #3
DHB4_AGE	1125	1126	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #4
DHB5_AGE	1127	1128	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #5
DHB6_AGE	1129	1130	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #6

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DHB7_AGE	1131	1132	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #7
DHB8_AGE	1133	1134	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP/HIB (ALL TYPES) SHOT #8
DHEPB1	0767	0770	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
DHEPB2	0771	0774	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
DHEPB3	0775	0778	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
DHEPB4	0779	0782	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
DHEPB5	0783	0786	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
DHEPB6	0787	0790	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
DHEPB7	0791	0794	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
DHEPB8	0795	0798	9	AGE IN DAYS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8
DHIB1	0799	0802	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #1
DHIB2	0803	0806	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #2
DHIB3	0807	0810	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #3
DHIB4	0811	0814	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #4
DHIB5	0815	0818	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #5
DHIB6	0819	0822	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #6
DHIB7	0823	0826	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #7
DHIB8	0827	0830	9	AGE IN DAYS OF PROVIDER-REPORTED HIB SHOT (ALL TYPES) #8
DIPVM1	0831	0834	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #1
DIPVM2	0835	0838	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #2
DIPVM3	0839	0842	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #3
DIPVM4	0843	0846	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #4
DIPVM5	0847	0850	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #5

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DIPVM6	0851	0854	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #6
DIPVM7	0855	0858	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #7
DIPVM8	0859	0862	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/IPV SHOT (MARKED) #8
DISPCODE	0084	0085	6	NIS PROVIDER RECORD-CHECK DISPOSITION CODE
DMMR1	0863	0866	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
DMMR2	0867	0870	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
DMMR3	0871	0874	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
DMMR4	0875	0878	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
DMMRX1	0879	0882	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #1
DMMRX2	0883	0886	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #2
DMMRX3	0887	0890	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #3
DMMRX4	0891	0894	9	AGE IN DAYS OF PROVIDER-REPORTED MMR SHOT #4
DMP1	0895	0898	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #1
DMP2	0899	0902	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #2
DMP3	0903	0906	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #3
DMP4	0907	0910	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS SHOT #4
DMPRB1	0911	0914	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
DMPRB2	0915	0918	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
DMPRB3	0919	0922	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
DMPRB4	0923	0926	9	AGE IN DAYS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
DMS1	0927	0930	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #1
DMS2	0931	0934	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #2
DMS3	0935	0938	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #3
DMS4	0939	0942	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES SHOT #4
DMSMP1	0943	0946	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
DMSMP2	0947	0950	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #2

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DMSMP3	0951	0954	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
DMSMP4	0955	0958	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
DMSRB1	0959	0962	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #1
DMSRB2	0963	0966	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #2
DMSRB3	0967	0970	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #3
DMSRB4	0971	0974	9	AGE IN DAYS OF PROVIDER-REPORTED MEASLES/RUBELLA #4
DOPVM1	0975	0978	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #1
DOPVM2	0979	0982	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #2
DOPVM3	0983	0986	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #3
DOPVM4	0987	0990	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #4
DOPVM5	0991	0994	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #5
DOPVM6	0995	0998	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #6
DOPVM7	0999	1002	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #7
DOPVM8	1003	1006	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO/OPV SHOT #8
DPM1_AGE	1135	1136	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #1
DPM2_AGE	1137	1138	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #2
DPM3_AGE	1139	1140	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #3
DPM4_AGE	1141	1142	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #4
DPM5_AGE	1143	1144	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #5
DPM6_AGE	1145	1146	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #6
DPM7_AGE	1147	1148	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #7
DPM8_AGE	1149	1150	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (MARKED) SHOT #8
DPN1_AGE	1151	1152	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #1
DPN2_AGE	1153	1154	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #2
DPN3_AGE	1155	1156	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #3

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DPN4_AGE	1157	1158	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #4
DPN5_AGE	1159	1160	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #5
DPN6_AGE	1161	1162	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #6
DPN7_AGE	1163	1164	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #7
DPN8_AGE	1165	1166	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (UNMARKED) SHOT #8
DPOLIO1	1007	1010	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #1
DPOLIO2	1011	1014	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #2
DPOLIO3	1015	1018	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #3
DPOLIO4	1019	1022	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #4
DPOLIO5	1023	1026	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #5
DPOLIO6	1027	1030	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #6
DPOLIO7	1031	1034	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #7
DPOLIO8	1035	1038	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO SHOT (ALL TYPES) #8
DPOLN1	1039	1042	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
DPOLN2	1043	1046	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
DPOLN3	1047	1050	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
DPOLN4	1051	1054	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
DPOLN5	1055	1058	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
DPOLN6	1059	1062	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
DPOLN7	1063	1066	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
DPOLN8	1067	1070	9	AGE IN DAYS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
DRB1	1071	1074	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #1
DRB2	1075	1078	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #2
DRB3	1079	1082	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #3
DRB4	1083	1086	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #4

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DRB5	1087	1090	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #5
DRB6	1091	1094	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #6
DRB7	1095	1098	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #7
DRB8	1099	1102	9	AGE IN DAYS OF PROVIDER-REPORTED RUBELLA SHOT #8
DTA1_AGE	1167	1168	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #1
DTA2_AGE	1169	1170	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #2
DTA3_AGE	1171	1172	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #3
DTA4_AGE	1173	1174	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #4
DTA5_AGE	1175	1176	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #5
DTA6_AGE	1177	1178	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #6
DTA7_AGE	1179	1180	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #7
DTA8_AGE	1181	1182	9	AGE IN MONTHS OF PROVIDER-REPORTED DTAP (MARKED) SHOT #8
DTM1_AGE	1183	1184	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #1
DTM2_AGE	1185	1186	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #2
DTM3_AGE	1187	1188	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #3
DTM4_AGE	1189	1190	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #4
DTM5_AGE	1191	1192	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #5
DTM6_AGE	1193	1194	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #6
DTM7_AGE	1195	1196	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #7
DTM8_AGE	1197	1198	9	AGE IN MONTHS OF PROVIDER-REPORTED DT (MARKED) SHOT #8
DTP_SOUR	0046	0046	2	SHOT CARD USED FOR DTP REPORTING
DTP1_AGE	1199	1200	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #1
DTP2_AGE	1201	1202	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #2
DTP3_AGE	1203	1204	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #3
DTP4_AGE	1205	1206	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #4

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
DTP5_AGE	1207	1208	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #5
DTP6_AGE	1209	1210	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #6
DTP7_AGE	1211	1212	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #7
DTP8_AGE	1213	1214	9	AGE IN MONTHS OF PROVIDER-REPORTED DTP (ALL TYPES INCLUDING DT) SHOT #8
DVRC1	1103	1106	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #1
DVRC2	1107	1110	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #2
DVRC3	1111	1114	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #3
DVRC4	1115	1118	9	AGE IN DAYS OF PROVIDER-REPORTED VARICELLA SHOT #4
EDUC1	0062	0062	3	EDUCATION OF MOTHER CATEGORIES
ENTRY	0063	0063	3	CHILD LIVES IN STATE WITH HEPATITIS B STATE ENTRY LAW FOR DAY CARE/HEAD START (1996-1997 SCHOOL YEAR)
FRSTBRN	0064	0064	3	FIRST BORN STATUS OF CHILD
FULL2_MMR	0047	0047	2	HOUSEHOLD REPORT OF 1+ MMR AT ANY AGE
FULL_CPO	0048	0048	2	HOUSEHOLD REPORT OF 1+ VARICELLA AT ANY AGE
FULL_DTP	0049	0049	2	HOUSEHOLD REPORT OF 4+ DTP
FULL_HEP	0050	0050	2	HOUSEHOLD REPORT OF 3+ HEPATITIS B
FULL_HIB	0051	0051	2	HOUSEHOLD REPORT OF 3+ HIB
FULL_POL	0052	0052	2	HOUSEHOLD REPORT OF 3+ POLIO
HEP_BRTH	0096	0096	8	HEPATITIS B GIVEN AT BIRTH FLAG
HEP1_AGE	1215	1216	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #1
HEP2_AGE	1217	1218	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #2
HEP3_AGE	1219	1220	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #3
HEP4_AGE	1221	1222	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #4
HEP5_AGE	1223	1224	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #5
HEP6_AGE	1225	1226	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #6
HEP7_AGE	1227	1228	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #7
HEP8_AGE	1229	1230	9	AGE IN MONTHS OF PROVIDER-REPORTED HEPATITIS B (ALL TYPES) SHOT #8

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
HIB1_AGE	1231	1232	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #1
HIB2_AGE	1233	1234	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #2
HIB3_AGE	1235	1236	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #3
HIB4_AGE	1237	1238	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #4
HIB5_AGE	1239	1240	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #5
HIB6_AGE	1241	1242	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #6
HIB7_AGE	1243	1244	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #7
HIB8_AGE	1245	1246	9	AGE IN MONTHS OF PROVIDER-REPORTED HIB (ALL TYPES) SHOT #8
HUTD4313	0053	0053	2	HOUSEHOLD REPORT OF 4:3:1:3 UTD (UP-TO-DATE)
HY_WGT	0012	0021	1	MODIFIED-POSTSTRATIFICATION (HH) WEIGHT FOR CHILD
I_HISP_K	0068	0068	3	HISPANIC ORIGIN OF CHILD
I_HISP_M	0069	0069	3	HISPANIC ORIGIN OF MOTHER
I_RACEKR	0070	0070	3	RACE OF CHILD (RECODE)
I_RACEMR	0071	0071	3	RACE OF MOTHER (RECODE)
INCOMER	0066	0067	3	FAMILY INCOME CATEGORIES (RECODE)
INCPOV1R	0065	0065	3	POVERTY STATUS(RECODE)
IPV1_AGE	1247	1248	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #1
IPV2_AGE	1249	1250	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #2
IPV3_AGE	1251	1252	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #3
IPV4_AGE	1253	1254	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #4
IPV5_AGE	1255	1256	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #5
IPV6_AGE	1257	1258	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #6
IPV7_AGE	1259	1260	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #7
IPV8_AGE	1261	1262	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/IPV (MARKED) SHOT #8
ITRUEIAP	0078	0079	4	IAP AREA OF CURRENT RESIDENCE
M_AGEGRP	0074	0074	3	AGE OF MOTHER CATEGORIES
MARITAL	0072	0072	3	MARITAL STATUS OF MOTHER CATEGORIES

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
MEDHOME	0087	0087	7	WAS THIS FACILITY EVER CHILD'S MEDICAL HOME FOR PRIMARY CARE
MMR1_AGE	1263	1264	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #1
MMR2_AGE	1265	1266	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #2
MMR3_AGE	1267	1268	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #3
MMR4_AGE	1269	1270	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-CONTAINING VACCINE SHOT #4
MMX1_AGE	1271	1272	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #1
MMX2_AGE	1273	1274	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #2
MMX3_AGE	1275	1276	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #3
MMX4_AGE	1277	1278	9	AGE IN MONTHS OF PROVIDER-REPORTED MMR SHOT #4
MOBIL	0073	0073	3	GEOGRAPHIC MOBILITY STATUS: STATE OF RESIDENCE OF CHILD AT BIRTH VERSUS CURRENT STATE OF RESIDENCE
MP1_AGE	1279	1280	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #1
MP2_AGE	1281	1282	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #2
MP3_AGE	1283	1284	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #3
MP4_AGE	1285	1286	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS SHOT #4
MPR1_AGE	1287	1288	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #1
MPR2_AGE	1289	1290	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #2
MPR3_AGE	1291	1292	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #3
MPR4_AGE	1293	1294	9	AGE IN MONTHS OF PROVIDER-REPORTED MUMPS/RUBELLA SHOT #4
MS1_AGE	1295	1296	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #1
MS2_AGE	1297	1298	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #2
MS3_AGE	1299	1300	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #3
MS4_AGE	1301	1302	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES-ONLY SHOT #4
MSM1_AGE	1303	1304	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #1
MSM2_AGE	1305	1306	9	AGE IN MONTHS OF PROVIDER-REPORTED

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				MEASLES/MUMPS SHOT #2
MSM3_AGE	1307	1308	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #3
MSM4_AGE	1309	1310	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/MUMPS SHOT #4
MSR1_AGE	1311	1312	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #1
MSR2_AGE	1313	1314	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #2
MSR3_AGE	1315	1316	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #3
MSR4_AGE	1317	1318	9	AGE IN MONTHS OF PROVIDER-REPORTED MEASLES/RUBELLA SHOT #4
N_PRVR	0086	0086	6	NUMBER OF PROVIDERS RESPONDING WITH VACCINATION DATA FOR CHILD (RECODE)
NCARER1	0088	0088	7	CHILD'S PROVIDERS OFFER COMPREHENSIVE CHILD CARE
NCARER2	0089	0089	7	CHILD'S PROVIDERS OFFER ACUTE ILLNESS CARE
NCARER3	0090	0090	7	CHILD'S PROVIDERS OFFER FOLLOW UP VISITS
NCARER4	0091	0091	7	CHILD'S PROVIDERS OFFER AFTER-HOURS TELEPHONE COVERAGE
NCARER5	0092	0092	7	CHILD'S PROVIDERS OFFER WIC PROGRAM/SERVICES
NCARER6	0093	0093	7	CHILD'S PROVIDERS OFFER OTHER SERVICES
OPV1_AGE	1319	1320	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #1
OPV2_AGE	1321	1322	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #2
OPV3_AGE	1323	1324	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #3
OPV4_AGE	1325	1326	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #4
OPV5_AGE	1327	1328	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #5
OPV6_AGE	1329	1330	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #6
OPV7_AGE	1331	1332	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #7
OPV8_AGE	1333	1334	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO/OPV (MARKED) SHOT #8
P_NUMDHB	0109	0109	8	NUMBER OF DTP/HIB COMBINATION SHOTS (ALL TYPES), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMDTA	0110	0110	8	NUMBER OF DTAP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTM	0111	0111	8	NUMBER OF DT (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMDTP	0112	0112	8	NUMBER OF DTP SHOTS (ALL TYPES INCLUDING DT), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHEP	0113	0113	8	NUMBER OF HEPATITIS B (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMHIB	0114	0114	8	NUMBER OF HIB (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMIPV	0115	0115	8	NUMBER OF IPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMR	0116	0116	8	NUMBER OF MCV (MEASLES-CONTAINING VACCINE) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMMMX	0117	0117	8	NUMBER OF TRUE MMR (NOT INCLUDING MEASLES-ONLY SHOTS), AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMOLN	0118	0118	8	NUMBER OF POLIO (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMOPV	0119	0119	8	NUMBER OF OPV (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMPOL	0120	0120	8	NUMBER OF POLIO (ALL TYPES) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMRB	0121	0121	8	NUMBER OF RUBELLA SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
P_NUMTPM	0122	0122	8	NUMBER OF DTP (MARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMTPN	0123	0123	8	NUMBER OF DTP (UNMARKED) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_NUMVRC	0124	0124	8	NUMBER OF VARICELLA (CHICKEN POX) SHOTS, AS DETERMINED FROM PROVIDER INFORMATION. DOES NOT INCLUDE SHOTS REPORTED BY THE PROVIDER(S) AS OCCURRING AFTER THE RDD INTERVIEW DATE.
P_U12VRC	0101	0101	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ VARICELLA AT 12+ MONTHS
P_UTD331	0100	0100	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3:3:1
P_UTD431	0097	0097	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1
P_UTDHEP	0102	0102	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HEPATITIS B
P_UTDHIB	0103	0103	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ HIB
P_UTDMCV	0104	0104	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MCV
P_UTDMMX	0105	0105	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 1+ MMR (NOT INCLUDING ANY MEASLES-ONLY SHOTS)
P_UTDPOL	0106	0106	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ POLIO
P_UTDTP3	0107	0107	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 3+ DTP
P_UTDTP4	0108	0108	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4+ DTP
PDAT	0036	0036	1	CHILD HAS ADEQUATE PROVIDER DATA
PLN1_AGE	1335	1336	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #1
PLN2_AGE	1337	1338	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #2
PLN3_AGE	1339	1340	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #3
PLN4_AGE	1341	1342	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #4
PLN5_AGE	1343	1344	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #5
PLN6_AGE	1345	1346	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #6
PLN7_AGE	1347	1348	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #7
PLN8_AGE	1349	1350	9	AGE IN MONTHS OF PROVIDER-REPORTED POLIO (UNMARKED) SHOT #8
POL1_AGE	1351	1352	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 1
POL2_AGE	1353	1354	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 2

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
POL3_AGE	1355	1356	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 3
POL4_AGE	1357	1358	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 4
POL5_AGE	1359	1360	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 5
POL6_AGE	1361	1362	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 6
POL7_AGE	1363	1364	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 7
POL8_AGE	1365	1366	9	AGE ON MONTHS OF PROVIDER-REPORTED POLIO (ALL TYPES) SHOT # 8
PROV_FAC	0094	0094	7	PROVIDER FACILITY TYPE
PUT43133	0099	0099	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3:3
PUTD4313	0098	0098	8	UTD (UP-TO-DATE) FLAG FOR PROVIDER 4:3:1:3
RACEKIDR	0075	0075	3	RACE/ETHNICITY OF CHILD (RECODE)
RACEMOMR	0076	0076	3	RACE/ETHNICITY OF MOTHER (RECODE)
RB1_AGE	1367	1368	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #1
RB2_AGE	1369	1370	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #2
RB3_AGE	1371	1372	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #3
RB4_AGE	1373	1374	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #4
RB5_AGE	1375	1376	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #5
RB6_AGE	1377	1378	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #6
RB7_AGE	1379	1380	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #7
RB8_AGE	1381	1382	9	AGE IN MONTHS OF PROVIDER-REPORTED RUBELLA SHOT #8
SEQNUMC	0001	0006	1	UNIQUE CHILD IDENTIFIER
SEQNUMHH	0007	0011	1	UNIQUE HOUSEHOLD IDENTIFIER
SEX	0077	0077	3	GENDER OF CHILD
SHOTCARD	0054	0054	2	SHOT CARD USE FLAG
STATE	0080	0081	4	STATE OF RESIDENCE (STATE FIPS CODE)
VB11	0125	0154	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB12	0155	0184	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
VB13	0185	0214	8	VERBATIM TEXT FOR 1ST OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB21	0215	0244	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB22	0245	0274	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB23	0275	0304	8	VERBATIM TEXT FOR 2ND OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB31	0305	0334	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB32	0335	0364	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB33	0365	0394	8	VERBATIM TEXT FOR 3RD OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB41	0395	0424	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB42	0425	0454	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB43	0455	0484	8	VERBATIM TEXT FOR 4TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VB51	0485	0514	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 1ST PROVIDER.
VB52	0515	0544	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 2ND PROVIDER.
VB53	0545	0574	8	VERBATIM TEXT FOR 5TH OTHER SHOT (ADDITIONAL SHOT OF TYPE NOT PRE-PRINTED ON PROVIDER SURVEY FORM) REPORTED BY 3RD PROVIDER.
VFC_PRO	0095	0095	7	PARTICIPATION OF CHILD'S PROVIDERS IN VACCINES FOR CHILDREN PROGRAM
VRC1_AGE	1383	1384	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA

1997 National Immunization Survey Public-Use Data File

ALPHABETICAL INDEX OF VARIABLES

VARIABLE NAME	BEGIN POSITION	END POSITION	SECTION NUMBER	VARIABLE LABEL
				SHOT #1
VRC2_AGE	1385	1386	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #2
VRC3_AGE	1387	1388	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #3
VRC4_AGE	1389	1390	9	AGE IN MONTHS OF PROVIDER-REPORTED VARICELLA SHOT #4
W0	0022	0031	1	OVERALL VACCINATION HISTORY NONRESPONSE ADJUSTED WEIGHT FOR CHILDREN WITH ADEQUATE PROVIDER DATA
YEAR	0032	0035	1	YEAR OF INTERVIEW