Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

ĺ				Race and	Hispanic origi	n of mother	:	
Years of school completed and age of mother, and selected			R	ace	I	H	Hispanic Origi	n(1)
birthweight characteristics	Total	 White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispani black
ll Births								
All ages	3,863,502	3,040,873	573,776	40,668	208,185	888,177	2,158,797	553,987
Median weight in grams	3,320	3,360	3,170	3,360	,	3,320	3,370	3,160
Percent very low birthweight	1.5	1.2	3.1	1.3		1.2	1.2	3.:
Percent low birthweight	8.0	7.0	13.4	7.3		6.7	7.1	13.
Under 15 years	6,341	3,512	2,588	148	93	2,250	1,316	2,531
Median weight in grams	3,150	3,200	3,050	3,250	3,150	3,190	3,230	3,05
Percent very low birthweight	3.0	2.4	3.7	*	*	2.2	2.8	3.
Percent low birthweight	12.7	10.2	16.1	*	*	10.2	10.1	16.
15 years	17,344	10,963	5,744	376	261	6,569	4,548	5,59
Median weight in grams	3,170	3,220	3,070	3,290	3,120	3,210	3,230	3,07
Percent very low birthweight	2.5	2.0	3.3	*	*	1.8	2.3	3.
Percent low birthweight	11.5	9.7	15.0	9.3	16.2	9.0	10.8	15.
16 years	39,332	26,861	11,047	769	655	14,645	12,496	10,74
Median weight in grams	3,190	3,230	3,080	3,310	,	3,210	3,250	3,08
Percent very low birthweight	2.1	1.7	3.2	*	*	1.6	1.8	3.
Percent low birthweight	10.7	9.1	14.5	8.7	15.8	8.6	9.6	14.
17 years	71,353	50,615	18,180	1,379	1,179	24,201	26,846	17,64
Median weight in grams	3,210	3,240	3,100	3,320	3,140	3,230	3,260	3,10
Percent very low birthweight	1.9	1.6	2.9	*	*	1.4	1.8	2.
Percent low birthweight	10.1	8.8	13.9	7.6	9.4	8.2	9.3	14.
18 years	112,293	81,801	26,567	1,991	,	34,864	47,441	25,8
Median weight in grams	3,220	3,250	3,100	3,310		3,230	3,270	3,10
Percent very low birthweight	1.8	1.4	2.8	1.2		1.2	1.6	2.
Percent low birthweight	9.6	8.3	14.0	5.6	10.6	7.8	8.6	14.
19 years	154,597	114,120	34,756	2,725		44,337	70,497	33,77
Median weight in grams	3,240	3,270	3,120	3,330		3,260	3,280	3,12
Percent very low birthweight Percent low birthweight	1.7 9.2	1.3 7.9	2.9 13.8	1.1 6.0		1.2 7.3	1.4 8.2	2 13
_								
20-24 years	980,514	750,290	187,923	13,827	28,474	265,614	488,194	182,0
Median weight in grams	3,280	3,320	3,150	3,350	3,210	3,300	3,320	3,14
Percent very low birthweight	1.4	1.1	2.7	1.2	1.0	1.0	1.1	2
Percent low birthweight	8.0	6.8	13.0	6.8	8.0	6.3	7.1	13

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

	į			Race and	Hispanic origi	n of mother		
Years of school completed and age of mother, and selected			R	ace		Н	ispanic Origin	n(1)
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white 	Non-Hispani black
25-29 years	1,025,666	821,227	133,853	9,994	60,592	239,989	582,914	128,686
Median weight in grams	3,340	3,380	3,200	3,390	3,230	3,360	3,390	3,190
Percent very low birthweight	1.3	1.0	3.0	1.2		1.0	1.1	3.0
Percent low birthweight	7.1	6.2	12.3	7.1	7.1	5.9	6.4	12.
30-34 years	916,840	745,992	93,416	6,055	71,377	165,152	580,329	89,77
Median weight in grams	3,370	3,410	3,220	3,380	3,250	3,370	3,420	3,21
Percent very low birthweight	1.4	1.1	3.5	1.3	1.0	1.2	1.1	3.
Percent low birthweight	7.4	6.6	13.4	7.9	7.3	6.6	6.6	13.
35-39 years	438,771	355,111	47,722	2,741	33,197	74,008	280,645	45,79
Median weight in grams	3,360	3,400	3,190	3,370	3,260	3,370	3,400	3,19
Percent very low birthweight	1.6	1.4	3.9	2.1	1.4	1.5	1.3	4.
Percent low birthweight	8.7	7.9	15.5	9.8	8.5	7.8	7.9	15.
40-44 years	94,942	75,956	11,361	622	7,003	15,817	59,933	10,95
Median weight in grams	3,330	3,360	3,160	3,340	3,240	3,330	3,370	3,16
Percent very low birthweight	2.1	1.8	4.0	*	1.9	2.1	1.7	4.
Percent low birthweight	10.7	9.7	17.0	12.2	11.2	10.2	9.6	17.
45-54 years	5,509	4,425	619	41	424	731	3,638	59
Median weight in grams	3,140	3,150	3,110	3,210	3,100	3,220	3,150	3,09
Percent very low birthweight	4.1	4.0	6.0	*	*	4.0	4.0	6.
Percent low birthweight	20.7	20.8	21.6	*	19.3	18.1	21.0	22.
8 years								
All ages	233,840	210,711	14,570	1,698	6,861	179,657	33,454	12,37
Median weight in grams	3,320	3,330	3,160	3,270	3,250	3,340	3,280	3,13
Percent very low birthweight	1.2	1.1	2.9	*	1.2	1.0	1.4	3.
Percent low birthweight	7.0	6.5	13.5	9.1	7.5	6.0	8.9	14.
Under 15 years	4,884	2,654	2,059	112		1,653	1,042	2,01
Median weight in grams	3,140	3,190	3,050	3,260	3,110	3,180	3,220	3,05
Percent very low birthweight	3.1	2.6	3.7	*	*	2.5	2.9	3.
Percent low birthweight	13.3	10.6	16.8	*	*	10.9	9.9	16
15 years	5,129	3,350	1,627	96	56	2,048	1,364	1,5
Median weight in grams	3,170	3,210	3,070	3,220	2,970	3,210	3,220	3,0
Percent very low birthweight	2.6	1.8	4.3	*	*	1.8	1.8	4
Percent low birthweight	11.2	8.8	15.9	*	*	8.3	9.7	15

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

	į			Race and	Hispanic origi	n of mother	•	
Years of school completed and			R	ace		H	Hispanic Origin	1(1)
age of mother, and selected birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispani black
16 years	4,963	3,952	877	101	33	2,597	1,391	845
Median weight in grams	3,190	3,210	3,060	3,250	2,980	3,220	3,200	3,060
Percent very low birthweight	1.6	1.3	3.1	*	*	1.1	1.7	3.2
Percent low birthweight	10.1	8.9	15.1	*	*	7.7	10.9	15.5
17 years	5,913	5,226	575	83	29	3,706	1,574	528
Median weight in grams	3,210	3,220	3,110	3,260	3,110	3,240	3,190	3,100
Percent very low birthweight	1.4	1.3	*	*	*	1.0	2.0	*
Percent low birthweight	8.6	8.0	13.4	*	*	7.0	10.4	14.0
18 years	7,972	7,218	587	92	75	5,411	1,882	529
Median weight in grams	3,220	3,220	3,130	3,290	3,230	3,240	3,170	3,110
Percent very low birthweight	1.3	1.2	*	*	*	0.9	1.9	•
Percent low birthweight	8.1	7.8	12.4	*	*	6.5	11.8	12.9
19 years	9,531	8,782	540	112	97	6,933	1,937	461
Median weight in grams	3,250	3,250	3,110	3,240	3,130	3,270	3,200	3,090
Percent very low birthweight	1.0	1.0	*	*	*	0.8	1.3	÷
Percent low birthweight	7.6	7.1	14.3	*	*	6.6	9.2	15.0
20-24 years	63,057	58,793	2,698	520	1,046	49,087	10,422	2,133
Median weight in grams	3,290	3,300	3,180	3,230	3,220	3,310	3,240	3,150
Percent very low birthweight	0.9	0.8	2.0	*	*	0.7	1.4	2.3
Percent low birthweight	6.4	6.1	11.3	8.7	7.4	5.5	9.0	12.8
25-29 years	61,487	57,145	2,254	311	1,777	51,257	6,599	1,642
Median weight in grams	3,360	3,370	3,240	3,310	3,270	3,370	3,340	3,210
Percent very low birthweight	1.0	1.0	2.4	*	*	0.9	1.1	3.1
Percent low birthweight	5.8	5.6	11.0	8.4	5.9	5.4	7.7	12.8
30-34 years	42,846	38,746	1,855	176	2,069	34,900	4,249	1,425
Median weight in grams	3,390	3,400	3,240	3,340	3,270	3,400	3,380	3,200
Percent very low birthweight	1.1	1.0	2.5	*	1.0	1.0	1.1	3.1
Percent low birthweight	6.4	6.1	12.8	*	6.5	5.9	7.6	14.8
35-39 years	21,643	19,271	1,112	80	1,180	17,231	2,217	887
Median weight in grams	3,380	3,400	3,250	3,370	3,270	3,400	3,400	3,220
Percent very low birthweight	1.7	1.5	3.5	*	1.9	1.5	1.6	3.7
Percent low birthweight	7.7	7.2	14.6	*	8.8	7.0	8.9	15.6

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

	į			Race and	Hispanic origi	n of mother	<u>s</u>			
Years of school completed and age of mother, and selected			R	ace		F	Hispanic Origin(1)			
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black		
40-44 years Median weight in grams	6,012 3,360	5,268 3,380	344 3,250	14	3,230	4,595 3,370	709 3,460	291 3,240		
Percent very low birthweight Percent low birthweight	1.7 9.6	1.7 9.3	* 12.2	*	10.4	1.7 9.5	8.9	* 11.3		
45-54 years Median weight in grams	403 3,310	306 3,320	42 3,290	1		239 3,320	68 3,350	39 3,280		
Percent very low birthweight Percent low birthweight	* 11.9	* 12.5	*	*	*	12.6	*	*		
-11 years										
All ages Median weight in grams Percent very low birthweight Percent low birthweight	588,283 3,240 1.7 9.6	443,337 3,280 1.3 8.2	121,098 3,100 3.1 15.1	10,547 3,310 1.1 7.6	3,200 1.4	234,793 3,300 1.1 6.9	212,021 3,250 1.6 9.6	117,279 3,090 3.1 15.3		
Under 15 years Median weight in grams	1,298 3,170	770 3,220	464 3,070	34 3,190 *		538 3,210	250 3,250	450 3,060		
Percent very low birthweight Percent low birthweight	2.6 11.0	9.2	13.4	*	*	8.2	11.6	13.3		
15 years Median weight in grams Percent very low birthweight Percent low birthweight	11,735 3,170 2.4 11.7	7,299 3,220 2.0 10.0	3,972 3,070 3.0 14.7	270 3,310 * 10.0	3,160	4,319 3,200 1.7 9.2	3,088 3,240 2.5 11.2	3,880 3,070 2.9 14.7		
16 years Median weight in grams Percent very low birthweight Percent low birthweight	32,475 3,190 2.1 10.7	21,584 3,230 1.7 9.0	9,689 3,080 3.2 14.3	630 3,310 * 7.9	3,080	11,321 3,210 1.6 8.8	10,536 3,250 1.8 9.3	9,441 3,080 3.1 14.4		
17 years Median weight in grams Percent very low birthweight Percent low birthweight	52,278 3,200 2.0 10.3	36,181 3,240 1.7 9.0	14,211 3,100 2.8 13.8	1,054 3,310 * 7.8	3,130	16,513 3,230 1.5 8.6	20,006 3,260 1.9 9.4	13,842 3,090 2.8 13.9		
18 years Median weight in grams Percent very low birthweight Percent low birthweight	50,769 3,200 1.8 10.0	37,295 3,240 1.5 8.6	11,849 3,090 2.7 14.6	983 3,300 * 5.8	3,080	16,053 3,230 1.2 7.8	21,483 3,240 1.7 9.2	11,574 3,080 2.8 14.7		

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

				Race and	Hispanic origi	n of mother	r	
Years of school completed and age of mother, and selected			R	ace		I	Hispanic Origin	1(1)
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispanic black
19 years	49,632	37,441	10,519	1,044	628	16,104	21,598	10,207
Median weight in grams	3,210	3,250	3,090	3,310	3,140	3,250	3,240	3,090
Percent very low birthweight	1.7	1.4	3.0	*	*	1.2		3.1
Percent low birthweight	9.9	8.6	14.7	7.2	11.6	7.4	9.4	15.0
20-24 years	204,945	157,422	40,520	3,725	3,278	75,075	83,319	39,330
Median weight in grams	3,240	3,270	3,100	3,320	3,190	3,290	3,240	3,100
Percent very low birthweight	1.5	1.2	2.8	1.0	1.1	1.0	1.4	2.9
Percent low birthweight	9.1	7.8	14.5	7.1	8.6	6.5	9.0	14.7
25-29 years	104,139	82,021	17,335	1,632	3,151	51,384	31,320	16,608
Median weight in grams	3,290	3,320	3,130	3,340	3,230	3,360	3,250	3,120
Percent very low birthweight	1.5	1.2	3.2	*	0.8	1.0	1.5	3.3
Percent low birthweight	8.7	7.5	15.0	6.6	6.6	6.0	10.1	15.4
30-34 years	54,016	42,990	7,815	727	2,484	29,919	13,443	7,432
Median weight in grams	3,300	3,340	3,090	3,280	3,250	3,380	3,260	3,070
Percent very low birthweight	1.7	1.3	4.3	*	0.0	1.1		4.4
Percent low birthweight	9.5	7.9	18.7	11.4	7.2	6.4	11.1	19.4
35-39 years	22,032	16,739	3,761	354	1,178	11,402	5,519	3,589
Median weight in grams	3,280	3,330	3,060	3,290	3,240	3,380	3,220	3,040
Percent very low birthweight	2.0	1.5	4.2	*	1.7	1.3	2.1	4.3
Percent low birthweight	11.7	9.7	21.8	10.2	7.9	7.6	13.9	22.4
40-44 years	4,757	3,441	925	91	300	2,086	1,383	889
Median weight in grams	3,220	3,280	2,990	3,230	3,200	3,320	3,200	2,980
Percent very low birthweight	2.9	2.5	4.6	*		2.2	3.0	4.8
Percent low birthweight	15.2	13.1	23.4	*	12.7	11.0	16.4	23.5
45-54 years	207	154	38	3		79	76	37
Median weight in grams	3,180	3,190	3,110	*		3,220	3,140	3,100
Percent very low birthweight	*	*	*	*	*	*	*	*
Percent low birthweight	13.0	*	*	*	*	*	*	*

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

ĺ				Race and	Hispanic origi			
Years of school completed and age of mother, and selected			R	ace		H	ispanic Origin	1(1)
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispanic black
2 years								
All ages	1,162,697	879,194	220,995	15,924		263,657	620,663	214,309
Median weight in grams	3,300	3,330	3,160	3,370	3,240	3,320	3,340	3,150
Percent very low birthweight	1.6	1.2	3.1	1.3	1.1	1.2	1.3	3.1
Percent low birthweight	8.5	7.3	13.5	6.9	7.9	6.7	7.5	13.7
16 years	1,119	768	291	27	33	381	409	275
Median weight in grams	3,220	3,250	3,110	3,410	3,270	3,220	3,270	3,110
Percent very low birthweight	2.0	*	*	*	*	*	*	*
Percent low birthweight	11.1	9.4	15.1	*	*	8.9	9.8	15.6
17 years	11,741	8,201	3,055	210	275	3,433	4,869	2,953
Median weight in grams	3,220	3,260	3,120	3,380	3,130	3,230	3,290	3,120
Percent very low birthweight	1.9	1.5	3.2	*	*	1.2	1.7	3.2
Percent low birthweight	9.8	8.2	14.5	*	8.0	8.0	8.4	14.7
18 years	48,493	33,847	12,782	819	1,045	12,006	22,104	12,490
Median weight in grams	3,230	3,270	3,110	3,320	3,170	3,230	3,290	3,110
Percent very low birthweight	1.7	1.3	2.8	*	*	1.3	1.4	2.8
Percent low birthweight	9.4	8.0	13.3	5.1	9.7	8.2	7.9	13.5
19 years	75,980	54,647	18,425	1,288	1,620	17,188	37,867	17,973
Median weight in grams	3,250	3,290	3,130	3,350	3,180	3,260	3,300	3,120
Percent very low birthweight	1.7	1.3	2.7	*	1.8	1.2	1.4	2.8
Percent low birthweight	8.9	7.5	13.4	5.1	8.9	7.4	7.7	13.5
20-24 years	423,305	316,774	88,414	6,322	11,795	93,818	224,817	86,037
Median weight in grams	3,280	3,320	3,150	3,360	3,210	3,300	3,320	3,140
Percent very low birthweight	1.4	1.1	2.7	1.3	1.0	1.0	1.1	2.7
Percent low birthweight	8.2	6.9	13.0	6.6	7.8	6.4	7.1	13.2
25-29 years	299,115	231,504	50,587	3,957	13,067	71,223	161,587	48,887
Median weight in grams	3,320	3,360	3,190	3,390	3,250	3,350	3,360	3,180
Percent very low birthweight	1.4	1.1	3.1	1.2	0.9	1.0	1.2	3.1
Percent low birthweight	7.7	6.7	12.8	7.1	7.3	6.0	7.0	12.9
30-34 years	190,800	147,820	29,141	2,122	11,717	42,897	105,645	28,098
Median weight in grams	3,340	3,370	3,200	3,420	3,250	3,370	3,370	3,190
Percent very low birthweight	1.7	1.3	3.7	1.4	1.0	1.4	1.3	3.8
Percent low birthweight	8.5	7.5	14.2	7.1	7.3	6.8	7.7	14.4

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

		Race and Hispanic origin of mother							
Years of school completed and age of mother, and selected			R	ace		H	ispanic Origin	n(1)	
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispan black 	
35-39 years	90,951	69,768	14,602	939	5,642	18,912	51,239	14,00	
Median weight in grams	3,320	3,350	3,160	3,360	3,260	3,360	3,350	3,16	
Percent very low birthweight	2.0	1.6	4.1	3.0	1.6	1.6	1.6	4.	
Percent low birthweight	10.2	9.0	16.6	11.5	8.9	7.8	9.5	16.	
40-44 years	20,229	15,165	3,521	226	1,317	3,663	11,556	3,42	
Median weight in grams	3,280	3,310	3,130	3,380	3,220	3,320	3,310	3,1	
Percent very low birthweight	2.5	2.2	4.3	*	1.9	2.2	2.2	4	
Percent low birthweight	12.6	11.3	18.7	9.8	11.9	10.4	11.6	18	
45-54 years	964	700	177	14	73	136	570	1	
Median weight in grams	3,200	3,210	3,170	*	3,170	3,290	3,200	3,1	
Percent very low birthweight	3.6	3.3	*	*	*	*	3.5		
Percent low birthweight	17.3	17.0	19.8	*	*	*	17.3	20	
15 years									
All ages	811,985	629,732	132,461	8,563	41,229	118,461	513,666	128,49	
Median weight in grams	3,340	3,380	3,200	3,390	3,230	3,330	3,390	3,20	
Percent very low birthweight	1.4	1.1	3.0	1.3	1.2	1.2	1.1	3	
Percent low birthweight	7.6	6.6	12.4	7.3	7.8	6.9	6.6	12	
17 years	241	174	59	3	5	63	112		
Median weight in grams	3,270	3,320	3,130	*	*	3,300	3,340	3,1	
Percent very low birthweight	*	*	*	*	*	*	*		
Percent low birthweight	*	*	*	*	*	*	*		
18 years	3,516	2,335	975	69	137	807	1,566	9	
Median weight in grams	3,250	3,310	3,130	3,390	3,180	3,290	3,320	3,1	
Percent very low birthweight	2.0	1.4	3.5	*	*	*	*	3	
Percent low birthweight	8.8	6.5	14.2	*	*	6.2	6.6	14	
19 years	17,357	11,743	4,792	254		3,357	8,494	4,6	
Median weight in grams	3,260	3,310	3,140	3,350	3,160	3,260	3,330	3,1	
Percent very low birthweight	1.7	1.2	3.0	*	*	1.4	1.2	3	
Percent low birthweight	8.8	7.2	12.7	*	10.1	7.5	7.0	12	
20-24 years	220,117	163,806	45,546	2,745	8,020	36,383	128,393	44,2	
Median weight in grams	3,310	3,350	3,180	3,370	3,200	3,310	3,360	3,1	
Percent very low birthweight	1.3	1.0	2.6	0.9	1.0	1.0	1.0	2	
Percent low birthweight	7.4	6.2	12.0	6.6	8.2	6.3	6.1	12	

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

	į.				Hispanic origi			
Years of school completed and age of mother, and selected	ĺ		R	ace	I	H	ispanic Origin	1(1)
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispanio black
25-29 years	258,304	203,379	38,799	2,807	13,319	37,833	166,223	37,574
Median weight in grams	3,360	3,390	3,220	3,410	3,230	3,350	3,400	3,210
Percent very low birthweight	1.3	1.0	2.8	1.2	0.9	1.1	1.0	2.8
Percent low birthweight	6.9	6.0	11.5	7.4	7.1	6.4	6.0	11.7
30-34 years	199,543	159,135	26,379	1,717	12,312	26,180	133,308	25,557
Median weight in grams	3,370	3,410	3,230	3,400	3,250	3,360	3,410	3,230
Percent very low birthweight	1.5	1.2	3.4	1.3	1.1	1.5	1.1	3.4
Percent low birthweight	7.6	6.8	12.6	7.8	7.6	7.2	6.7	12.8
35-39 years	91,675	72,446	12,886	782	5,561	11,397	61,266	12,486
Median weight in grams	3,360	3,390	3,200	3,390	3,250	3,350	3,400	3,200
Percent very low birthweight	1.8	1.4	4.0	*	1.6	1.5	1.4	4.1
Percent low birthweight	9.1	8.1	15.2	8.8	7.8	8.7	8.0	15.4
40-44 years	20,191	15,888	2,890	174	1,239	2,338	13,578	2,804
Median weight in grams	3,320	3,360	3,160	3,380	3,230	3,320	3,370	3,160
Percent very low birthweight	2.2	1.8	3.8	*	2.7	2.4	1.7	3.8
Percent low birthweight	10.8	9.6	16.7	*	11.9	10.6	9.5	16.9
45-54 years	1,041	826	135	12	68	103	726	129
Median weight in grams	3,160	3,190	3,050	*	2,910	3,250	3,180	3,020
Percent very low birthweight	4.0	3.8	*	*	*	*	3.6	*
Percent low birthweight	20.6	20.0	24.4	*	*	20.4	19.8	25.6
6 years and over								
All ages	1,012,730	837,720	75,613	3,393	96,004	75,687	760,496	73,396
Median weight in grams	3,390	3,420	3,240	3,390	3,240	3,350	3,430	3,240
Percent very low birthweight	1.2	1.0	3.0	1.3	1.0	1.2	1.0	3.0
Percent low birthweight	6.8	6.2	11.4	7.2	7.6	6.7	6.2	11.4
20-24 years	56,387	43,939	8,306	355	3,787	6,567	37,466	8,043
Median weight in grams	3,340	3,380	3,210	3,360	3,200	3,310	3,390	3,210
Percent very low birthweight	1.2	0.9	2.8	*	1.0	1.0	0.9	2.8
Percent low birthweight	6.4	5.4	11.0	8.2	7.7	5.9	5.3	10.9
25-29 years	288,933	236,883	22,803	1,154	28,093	24,022	212,531	22,138
Median weight in grams	3,380	3,410	3,250	3,410	3,220	3,350	3,420	3,240
Percent very low birthweight	1.0	0.9	2.6	*	0.8	1.0	0.9	2.6
Percent low birthweight	6.1	5.6	10.2	6.4	7.0	5.8	5.6	10.2

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

				Race and	Hispanic origi	n or mother		
Years of school completed and age of mother, and selected			R	ace	I	H	ispanic Origin	n(1)
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispan: black
30-34 years	417,131	348,034	26,455	1,226	41,416	28,455	318,774	25,69!
Median weight in grams	3,400	3,430	3,260	3,380	3,240	3,360	3,440	3,26
Percent very low birthweight	1.1	1.0	3.1	*	0.9	1.1	1.0	3.
Percent low birthweight	6.5	6.0	11.4	7.1	7.3	6.5	6.0	11.
35-39 years	205,602	171,685	14,429	542	18,946	13,688	157,579	14,01
Median weight in grams	3,390	3,430	3,240	3,410	3,260	3,340	3,430	3,24
Percent very low birthweight	1.3	1.2	3.5	*	1.2	1.6	1.1	3.
Percent low birthweight	7.6	7.1	12.8	7.0	8.5	8.0	7.0	12.
40-44 years	41,949	34,871	3,407	106	3,565	2,797	32,004	3,30
Median weight in grams	3,360	3,390	3,220	3,310	3,250	3,300	3,400	3,22
Percent very low birthweight	1.7	1.5	3.5	*	1.5	2.5	1.5	3
Percent low birthweight	9.2	8.6	13.6	*	10.3	10.0	8.5	13
45-54 years	2,728	2,308	213	10	197	158	2,142	20
Median weight in grams	3,090	3,100	3,000	*	3,030	2,910	3,110	3,00
Percent very low birthweight	4.7	4.5	*	*	*	*	4.2	
Percent low birthweight	23.6	23.4	24.4	*	25.4	31.8	22.7	24
t stated								
All ages	53,967	40,179	9,039	543	4,206	15,922	18,497	8,16
Median weight in grams	3,280	3,320	3,140	3,330	3,240	3,310	3,330	3,13
Percent very low birthweight	3.2	2.6	6.4	*	2.1	2.0	3.0	6
Percent low birthweight	10.9	9.6	17.4	9.1	9.6	8.4	10.4	17.
Under 15 years	159	88	65	2	4	59	24	(
Median weight in grams	3,200	3,260	3,110	*	*	3,230	3,310	3,0
Percent very low birthweight	*	*	*	*	*	*	*	
Percent low birthweight	*	*	*	*	*	*	*	
15 years	480	314	145	10	11	202	96	1
Median weight in grams	3,190	3,230	3,130	*	*	3,240	3,190	3,1
Percent very low birthweight	*	*	*	*	*	*	*	
Percent low birthweight	12.0	10.9	14.1	*	*	9.9	*	14
16 years	775	557	190	11	17	346	160	1
Median weight in grams	3,150	3,200	2,940	*	*	3,210	3,190	2,9
Percent very low birthweight	4.3	*	*	*	*	*	*	
Percent low birthweight	13.8	11.1	20.2	*	*	8.1	17.5	19

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003 (Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

ļ	ļ			Race and	Hispanic origi	n of mother		
Years of school completed and age of mother, and selected			R	ace		H	ispanic Origin	n(1)
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispani black
17 years	1,180	833	280	29	38	486	285	261
Median weight in grams	3,220	3,240	3,110	3,550	3,280	3,240	3,260	3,110
Percent very low birthweight	3.2	2.5	*	*	*	*	*	*
Percent low birthweight	12.1	10.6	17.3	*	*	9.3	12.3	16.9
18 years	1,543	1,106	374	28	35	587	406	344
Median weight in grams	3,190	3,230	3,060	3,250	3,160	3,200	3,250	3,050
Percent very low birthweight	4.0	3.4	5.6	*	*	*	*	6.1
Percent low birthweight	13.7	11.4	19.9	*	*	10.7	13.2	19.6
19 years	2,097	1,507	480	27	83	755	601	447
Median weight in grams	3,200	3,230	3,090	3,380	3,220	3,210	3,260	3,080
Percent very low birthweight	4.0	3.0	7.8	*	*	*	4.7	7.9
Percent low birthweight	12.7	11.3	18.0	*	*	9.3	13.0	18.2
20-24 years	12,703	9,556	2,439	160	548	4,684	3,777	2,259
Median weight in grams	3,250	3,290	3,110	3,330	3,200	3,290	3,290	3,110
Percent very low birthweight	3.0	2.3	5.6	*	*	2.0	2.6	5.6
Percent low birthweight	10.3	8.8	16.9	*	7.9	8.0	9.5	17.1
25-29 years	13,688	10,295	2,075	133	1,185	4,270	4,654	1,837
Median weight in grams	3,310	3,340	3,180	3,350	3,230	3,340	3,340	3,180
Percent very low birthweight	2.9	2.3	6.2	*	2.1	1.8	2.8	6.6
Percent low birthweight	9.4	8.3	15.5	*	9.0	7.4	9.5	15.7
30-34 years	12,504	9,267	1,771	87	1,379	2,801	4,910	1,568
Median weight in grams	3,330	3,370	3,190	3,330	3,250	3,370	3,370	3,180
Percent very low birthweight	3.0	2.5	6.8	*	1.5	2.3	2.6	6.7
Percent low birthweight	10.4	9.3	17.3	*	9.2	8.3	9.8	18.0
35-39 years	6,868	5,202	932	44	690	1,378	2,825	818
Median weight in grams	3,310	3,350	3,130	3,250	3,270	3,350	3,350	3,110
Percent very low birthweight	3.6	3.1	8.1	*	*	2.2	3.5	8.7
Percent low birthweight	12.2	11.1	20.1	*	10.5	10.0	11.8	20.7
40-44 years	1,804	1,323	274	11	196	338	703	244
Median weight in grams	3,280	3,320	3,110	*	3,260	3,300	3,350	3,100
Percent very low birthweight	4.2	3.4	7.7	*	*	*	3.8	*
Percent low birthweight	15.7	13.9	23.2	*	16.0	11.9	12.7	23.7

Table 1-27. Selected Birthweight Characteristics of Live Births by Educational Attainment, Age, and Race and Hispanic Origin of Mother: Total of 48 States and the District of Columbia, 2003

(Median weight in grams computed to the nearest 10 grams on basis of exact conversion of interval limits from pounds and ounces. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz); very low birthweight is less than 1,500 grams (3 lb 4 oz))

	į	Race and Hispanic origin of mother								
Years of school completed and age of mother, and selected	-		R	ace	I	F	Hispanic Origin	1(1)		
birthweight characteristics	Total	White	Black	American Indian (2)	Asian/Pacific Islander 	Hispanic	Non-Hispanic white	Non-Hispani black		
45-54 years	166	131	14		1 20	16	56			
Median weight in grams	3,100	3,000	*	•	* 3,210	*	3,150	*		
Percent very low birthweight	*	*	*	3	* *	*	*			
Percent low birthweight	24.8	30.0	*	,	* *	*	*			

⁻ Quantity zero.

NOTES: Race and Hispanic origin are reported separately on birth certificates. Race categories are consistent with the 1977 Office of Management and Budget standards. See "Technical Appendix." Six states reported multiple-race data in 2003. The multiple-race data for these states were bridged to the single-race categories of the 1977 Office of Management and Budget standards for comparability with other states; see "Technical Appendix." Excludes data for Pennsylvania and Washington, which implemented the 2003 Revision to the U.S. Standard Certificate of Live Birth for data year 2003. This change has resulted in a lack of comparability between data based on the 2003 Revision and data based on the 1989 Revision to the U.S. Certificate of Live Birth; see "Technical Appendix."

^{*} Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

⁽¹⁾ Data not shown for non-Hispanic births of other races and births with origin not stated.

⁽²⁾ Includes Aleuts and Eskimos.