

---

## Literature Cited

---

- Alden, R.W., S.B. Weisberg, J.A. Ranasinghe, and D.M. Dauer. 1997. Optimizing temporal sampling strategies for benthic environmental monitoring programs. *Marine Pollution Bulletin* 34(11):913-922.
- Allen, M.J. and R.W. Smith. 2000. *Development of demersal fish biointegrity indices for coastal Southern California*. Southern California Coastal Water Research Project, Westminster, CA.
- Allen, M.J., D. Diener, J. Mubarak, S.B. Weisberg, and S.L. Moore. 1999. Megabenthic invertebrate assemblages of the mainland shelf of southern California in 1994. Pages 113-124 in Weisberg, S.B. and D. Hallock (editors). *Southern California Coastal Water Research Project, Annual Report 1997-1998*. Reynolds and Reynolds, Santa Ana, CA.
- Allen, H.E., G. Fu and B. Deng. 1993. Analysis of acid-volatile sulfide (AVS) and simultaneously extracted metals (SEM) for the estimation of potential toxicity in aquatic sediments. *Environmental Toxicology and Chemistry* 12:1441-1453.
- Alve, E. 1991. Foraminifera, climatic change, and pollution: A study of late Holocene sediments in Drammensfjord, southeast Norway. *The Holocene* 1(3):243-261.
- American Public Health Association (APHA). 1992. *Standard methods for the examination of waters and wastewater*. American Public Health Association, American Water Works Association, and Water Pollution Control Federation. 18th edition, Washington, DC.
- American Public Health Association (APHA). 1981. *Standard methods for the examination of water and wastewater*. American Public Health Association, American Water Works Association, and Water Pollution Control Federation. 15th edition, Washington, DC.
- American Society for Testing and Materials (ASTM). 1998a. Standard guide for conducting 10-day static sediment toxicity tests with marine and estuarine amphipods. E1367-92. Volume 11.05:732-757. *Annual Book of Standards: American Society of Testing and Materials*, Conshohocken, PA.
- American Society for Testing and Materials (ASTM). 1998b. Standard guide for collection, storage, characterization, and manipulation of sediments for toxicological testing. E1391-94. Volume 11.05:768-788. *Annual Book of Standards: American Society of Testing and Materials*, Conshohocken, PA.
- American Society for Testing and Materials (ASTM). 1998c. Standard guide for conducting sediment toxicity tests with marine and estuarine polychaetous annelids. E1611-94. Volume 11.05:1009-1032. *Annual Book of Standards: American Society of Testing and Materials*, Conshohocken, PA.
- American Society for Testing and Materials (ASTM). 1991. Standard guide for collection, storage, characterization, and manipulation of sediments for toxicological testing. ASTM Designation E1391-90. *Annual Book of Standards*. American Society for Testing and Materials, Philadelphia, PA.

- Ankley, G.T., D.M. DiToro, D.J. Hansen and W.J. Berry. 1996. Technical basis and proposal for deriving sediment quality criteria for metals. *Environmental Toxicology and Chemistry* 15(12):2056-2066.
- Ankley, G., M. Schubauer-Berigan, J. Dierkes. 1991. Predicting the toxicity of bulk sediments to aquatic organisms with aqueous test fractions: pore water vs. elutriate. *Environmental Toxicology and Chemistry* 10:925-939.
- Association of Bay Area Governments (ABAG). 1991. *Status and trends report on wetlands and related habitats in the San Francisco estuary*. San Francisco Estuary Project. Oakland, CA.
- Barbour, M.T., J. Gerritsen, B.D. Snyder, J.B. Stribling. 1999. *Rapid bioassessment protocols for use in streams and wadeable rivers: periphyton, benthic macroinvertebrates, and fish, 2<sup>nd</sup> ed.* EPA 841-B-99-002. U.S. Environmental Protection Agency, Office of Water, Washington, D.C.
- Barbour, M.T., J. Gerritsen, and J.S. White. 1996a. *Development of the Stream Condition Index (SCI) for Florida*. Prepared for FL DEP, Tallahassee, FL.
- Barbour, M.T., J.M. Diamond, C.O. Yoder. 1996b. Biological assessment strategies: Applications and limitations. Pages 245-270 in D.R. Grothe, K.L. Dickson, and D.K. Reed-Judkins (editors). *Whole effluent toxicity testing: An evaluation of methods and prediction of receiving system impacts*. SETAC Press, Pensacola, Florida.
- Barbour, M.T., J.B. Stribling, and J.R. Karr. 1995. The multimetric approach for establishing biocriteria and measuring biological condition. In W. Davis, T. Simon (editors). *Biological Assessment and Criteria: Tools for Water Resource Planning and Decision Making*. Lewis Publishers. Boca Raton, FL.
- Barbour, M.T., J.L. Plafkin, B.P. Bradley, C.G. Graves, and R.W. Wisseman. 1992. Evaluation of EPA's rapid bioassessment benthic metrics: Metric redundancy and variability among reference stream sites. *Environmental Toxicology and Chemistry* 11:437-449.
- Barss, M.S. and G.L. Williams. 1973. Palynology and nannofossil processing techniques. *Geological Survey of Canada Paper*. 73-26, 1-25.
- Batiuk, R.A., R.J. Orth, K.A. Moore, W.C. Dennison, J.C. Stevenson, L.W. Staver, V. Carter, N.B. Rybicki, R.E. Hickman, S. Kollar, S. Bieber, P. Heasley. 1992. *Chesapeake Bay Submerged Aquatic Vegetation Habitat Requirements and Restoration Targets: A Technical Synthesis*. Chesapeake Bay Program, 68-WO-0043.
- Bergen, M., S.B. Weisberg, R.W. Smith, D. Cadien, A. Dalkey, D. Montagne, J.K. Stull, R.G. Velarde. 1999. Relationship between depth, latitude, and sediment and the structure of benthic infaunal assemblages on the mainland shelf of southern California. Pages 125-136 in Weisberg, S.B. and D. Hallock (editors). *Southern California Coastal Water Research Project, Annual Report 1997-1998*. Reynolds and Reynolds, Santa Ana, CA.
- Bernstein, B.B., B.E. Thompson, and R.W. Smith. 1991. *A combined science and management framework for developing regional monitoring objectives*. Presented at the National Estuary Program Science Symposium, Sarasota, FL. 25-27 February 1991.
- Bilyard, G.R. 1987. The value of benthic infauna in marine pollution monitoring studies. *Marine Pollution Bulletin* 18:581-585.

- 
- Blalock, H.M., Sr. 1979. *Social Statistics*. Revised 2<sup>nd</sup> edition. McGraw-Hill Book Company, New York, NY.
- Boesch, D.F. 1977. *Application of numerical classification in ecological investigations of water pollution*. EPA Grant No. R803599-01-1, ROAP/TASK No. 21 BEI, U.S. EPA Corvallis Environmental Research Laboratory, Newport, OR. 115 p.
- Bowman, M.L., E. Dohner, and C. Dohner. 1993. *Summary of estuarine monitoring program attributes for: Chesapeake Bay benthos; Chesapeake Bay plankton; Tar/Pamlico; EMAP-Estuaries Virginian Province demonstration project; Naples Bay, Florida; San Francisco estuary and wetlands; Puget Sound ambient monitoring program; and Puget Sound estuary program*. Prepared for U.S. Environmental Protection Agency, Assessment and Watershed Protection Division, Oceans and Coastal Protection Division, and Health and Ecological Criteria Division, Washington, DC by Tetra Tech, Inc., Owings Mills, MD.
- Boyle, T.P., G.M. Smillie, J.C. Anderson, and D.R. Bieson. 1990. A sensitivity analysis of nine diversity and seven similarity indices. *Research Journal of the Water Pollution Control Federation* 62:749.
- Boynton, W.R., J.H. Garber, R. Summers, and W.M. Kemp. 1995. Inputs, transformations, and transport of nitrogen and phosphorus in Chesapeake Bay and selected tributaries. *Estuaries* 18(1B):285-314.
- Boynton, W.R., L. Murray, W.M. Kemp, J.D. Hagy, C. Stokes, F. Jacobs, J. Bowers, S. Souza, B. Rinsky, and J. Seibel. 1993. *Maryland's Coastal Bays: An assessment of aquatic ecosystems, pollutant loadings, and management options*. Prepared for Maryland Department of the Environment.
- Boynton, W.R., W.M. Kemp, J. Garber, J.M. Barnes, L.L. Robertson, and J.L. Watts. 1988. *Chesapeake Bay water quality monitoring program ecosystems processes component*. Level 1 Report No. 5. Prepared for Maryland Department of Environment by University of Maryland Center for Environmental and Estuarine Studies.
- Brenum, G. 1976. *A comparative study of benthic communities of dredged lagoons, tidal creeks, and areas of open bays in Little Assawoman, Indian River, and Rehoboth Bays, Delaware*. M.S. thesis, College of Marine Studies, University of Delaware, Newark, DE.
- Brumbaugh, W., C. Ingersoll, N. Kemble, T. May, and J. Zajicek. 1994. Chemical characterization of sediments and pore water from the Upper Clark Fork River and Milltown Reservoir, Montana. *Environmental Toxicology and Chemistry* 13:1971-1973.
- Brush, G.S. 1989. Rates and patterns of estuarine sediment accumulation. *Limnology and Oceanography* 34(7):1235-1246.
- Bufflap, W. and H. Allen. 1995. Sediment pore water collection methods: A review. *Water Research* 29:165-177.
- Bulger, A.J., B.P. Hayden, M.E. Monaco, D.M. Nelson, and M.G. McCormick-Ray. 1993. Biologically-based estuarine salinity zones derived from a multivariate analysis. *Estuaries* 16(2):311-322.
- Burgess, R., K. Schweitzer, R. McKinney, D. Phelps. 1993. Contaminated marine sediments: Water column and interstitial toxic effects. *Environmental Toxicology and Chemistry* 12:127-138.
- Carmichael, J.T., B.M. Richardson, M. Roberts, and S.J. Jordan. 1992. *Fish*

- assemblages and dissolved oxygen trends in eight Chesapeake Bay tributaries during the summers of 1989-1991: a data report.* Maryland Department of Natural Resources, Chesapeake Bay Research and Monitoring Division, Annapolis, MD.
- Carriker, M.R. 1967. Ecology of estuarine benthic invertebrates: A perspective. American Association for the Advancement of Science, Washington, DC. *Estuaries* 83:442-487.
- Chaloud, D.J. and D.V. Peck, editors. 1994. *Environmental Monitoring and Assessment Program: Integrated Quality Assurance Project Plan for the Surface Waters Resource Group, 1994 Activities.* EPA 600/X-91/080, Rev. 2.00. USEPA, Las Vegas, NV.
- Chapman, P.M. 1996. Presentation and interpretation of sediment quality triad data. *Ecotoxicology* 5:327-339.
- Chapman, P.M. 1988. Marine sediment toxicity tests. In J.J. Lichtenberg, F.A. Winter, C.I. Weber, and L. Fredkin (editors). *Chemical and Biological Characterization of Sludges, Sediments, Dredge Spoils, and Drilling Muds.* Philadelphia, PA: ASTM.
- Chapman, P.M., R.N. Dexter, and E.R. Long. 1987. Synoptic measures of sediment contamination, toxicity, and infaunal community structure (the Sediment Quality Triad). *Marine Ecology Progress Series* 37:75-96.
- Charles et al. 1994. Paleolimnological approaches to biological monitoring. Pages 233-293 in L.L. Loeb, and A. Spacie (editors). *Biological monitoring of aquatic systems.* CRC Press, Boca Raton, FL.
- Charles, D.F. and J.P. Smol. 1994. Long-term chemical changes in lakes: Quantitative inferences using biotic remains in the sediment record. *Advances in Chemistry* 237:1-51.
- Christian, R.R. 1989. Microbial ecology and organic detritus in estuaries. In J.W. Day, Jr., C.A.S. Hall, W.M. Kemp, and A. Yanez-Arancibia (editors). *Estuarine Ecology.* John Wiley & Sons, New York, NY. pp. 558.
- Cochran, W.G. 1963. *Sampling Techniques.* John Wiley and Sons, Inc., New York, NY.
- Conley, D.J., C.L. Shelske and E.F. Stoermer. 1993. Modification of the biogeochemical cycle of silica with eutrophication. *Marine Ecological Progress Series* 101:179-192.
- Conover, W.J. 1980. *Practical Nonparametric Statistics. 2<sup>nd</sup> edition.* John Wiley and Sons, Inc., New York, NY.
- Conquest, L.L., S.C. Ralph, and R.J. Naiman. 1994. Implementation of large-scale stream monitoring efforts: Sampling design and data analysis issues. Pages 69-90 in L. Loeb and A. Spacie (editors). *Biological Monitoring of Aquatic Systems.* Lewis Publishers, Boca Raton, FL.
- Cooper, S.R. 1995. Chesapeake Bay watershed historical land use: Impact on water quality and diatom communities. *Ecological Applications* 5:703-723.
- Cooper, S.R. and G.S. Brush. 1991. Long-term history of Chesapeake Bay anoxia. *Science* 254:992-996.
- Correll, D.L. 1987. Nutrients in Chesapeake Bay. Pages 298-320 in S.K. Majumdar, L.W. Hall, Jr. and H.M. Austin (editors). *Contaminant Problems and Management of Living Chesapeake Bay*

- 
- Resources*. Pennsylvania Academy of Science.
- Costanza, R., S.O. Funtowicz, and J.R. Ravetz. 1992. Assessing and communicating data quality in policy-relevant research. *Environmental Management* 16(1):121-131.
- Dale, B., T.A. Thorsen and A. Fjellsa. 1999. Dinoflagellate cysts as indicators of cultural eutrophication in the Oslofjord, Norway. *Estuarine, Coastal and Shelf Science* 48:371-382.
- Dardeau, M.R., R.F. Madlin, W.W. Schroeder, and J.P. Stout. 1992. *Estuaries: Biodiversity of the southeastern United States*. C.T. Hackney, S.M. Adams, and W.H. Martin (editors). John Wiley & Sons, New York, NY. pp. 779.
- Dauer, D.M. 1993. Biological criteria, environmental health and estuarine macrobenthic community structure. *Marine Pollution Bulletin* 26:249-257.
- Davies, S.P., L.T. Somides, D.L. Courtemanch, and F. Drummond. 1993. *Maine Biological Monitoring and Biocriteria Development Program*. Maine Department of Environmental Protection, Bureau of Water Quality Control, Division of Environmental Evaluation and Lake Studies, Augusta, ME.
- Day, J.W., C.A.S. Hall, W.M. Kemp, and A. Yanez-Arancibia. 1989. *Estuarine Ecology*. John Wiley & Sons, New York, NY. 558 pp.
- Deegan, L.A., J.T. Finn, S.G. Ayvazian, C.A. Ryder-Kieffer, and J. Buonaccorsi. 1997. Development and Validation of an Estuarine Biotic Integrity Index. *Estuaries* 20:601-617.
- Delaware Chamber of Commerce, personal communication, 1990.
- Dennison, W.C., R.J. Orth, K.A. Moore, J.C. Stevenson, V. Carter, S. Kollar, P. Bergstrom, and R.A. Batiuk. 1993. Assessing water quality with submerged aquatic vegetation. *Bioscience* 43:86-94.
- Diaz, R. and W. Nelson. 1993. *Middle and southern Atlantic coast estuarine benthic invertebrate metrics development*. A Proceedings: Estuarine and Near Coastal Bioassessment and Biocriteria Workshop, (November 18-19, 1992.) Annapolis, Maryland. U.S. Environmental Protection Agency, Office of Science and Technology. Washington, DC.
- Dickerson, R. 1995. Atmospheric nitrogen deposition to the Chesapeake Bay. In P. Hill and S. Nelson (editors). *Toward a Sustainable Coastal Watershed: The Chesapeake Experiment. Proceedings of a Conference, 1-3 June 1994, Norfolk, VA*. Chesapeake Research Consortium, Edgewater, MD. CRC Publication No. 149. p. 507.
- DiToro, D.M., J.D. Mahony, D.J. Hansen, K.J. Scott, M.B. Hinks, S.M. Mayr and M.S. Redmond. 1990. Toxicity of cadmium in sediments: The role of acid volatile sulfides. *Environmental Toxicology and Chemistry* 9:1487-1502.
- DiToro, D.M., C. Zarba, D.J. Hansen, R.C. Swartz, C.E. Cowan, H.E. Allen, N.A. Thomas, P.R. Paquin and W.J. Berry. 1991. Technical basis for establishing sediment quality criteria for non-ionic organic chemicals using equilibrium partitioning. *Environmental Toxicology and Chemistry* 10:1299-1307.
- Dixit, S.S., J.P. Smol, J.C. Kingston, D.F. Charles. 1992. Diatoms: powerful indicators of environmental change. *Environmental Science and Technology* 26(1):23-32.

- Dossis, P. and L.J. Warren. 1981. Zinc and lead in background and contaminated sediments from Spencer Gulf, South Australia. *Environmental Science and Technology* 15:1451-6.
- Dycus, D.L. 1995. *Aquatic ecological health determinations for TVA reservoirs - 1994. An informal summary of 1994 vital monitoring results and ecological health determination methods.* Tennessee Valley Authority Water Management.
- Dycus, D.L. and D.L. Meinert. 1993. *Monitoring and evaluation of aquatic resource health and use suitability in Tennessee Valley Authority reservoirs.* Water Management. Draft.
- Eaton, C.M. 1997. *Sediment wet-sieving technique to determine "percent fines."* C.M. Eaton, Bio-Marine Enterprises, Seattle, WA. Fax transmission to M. Bowman, Tetra Tech, Inc., Owings Mills, MD. 4 February 1997.
- Eaton, C. M. 1995. Population patterns of demersal fauna and environmental stress: a preliminary, trawl-based assessment. *Puget Sound Notes* 36:1-6.
- Eaton, C.M. 1994. *Development of trawl-based tools for the quantitative assessment of demersal fauna (macroinvertebrates and fishes): A summary of phase I and II.* Final Report to USEPA, Washington, DC. Order No. 4642.
- Eaton, C.M. and P.A. Dinnel. 1994. *Development of trawl-based criteria for the assessment of demersal fauna (macroinvertebrates and fishes): Pilot study in Puget Sound, Washington.* Presented at Estuarine and Near Coastal Marine Bioassessment/ Biocriteria Workgroup Meeting. USEPA, Baltimore, MD. January 6th.
- Eaton, C.M. and P.A. Dinnel. 1993. *Development of trawl-based criteria for assessment of demersal fauna (macroinvertebrates and fishes): Pilot Study in Puget Sound, Washington.* Final report to USEPA, Washington, DC.
- Eaton, L. 1994. *Results of a test of three Methods, February 7, 1994.* North Carolina Division of Environmental Management Biological Assessment Group. Memorandum to Ken Eagleson, May 10, 1994.
- Eaton, L. 1992a. *Pamlico basin sampling: More metal hotspots.* Memorandum dated March 11, 1992 to T. MacPherson, North Carolina Department of Environment, Health, and Natural Resources, Division of Environmental Management, Raleigh, NC.
- Eaton, L. 1992b. *Diaz method testing results.* Memorandum date March 30, 1992 to Ken Eagleson, North Carolina Department of Environment, Health, and Natural Resources, Division of Environmental Management, Raleigh, NC.
- Eaton, L. 1992c. *Biological results from sediment toxicity survey, Neuse and Pamlico estuaries, January 9-10, 1992.* Memorandum dated April 14, 1992 to Harold Quidley, North Carolina. Department of Environment, Health, and Natural Resources, Division of Environmental Management, Raleigh, NC.
- Eaton, L. 1992d. Letter dated September 9, 1992 from L. Eaton, North Carolina Department of Environment, Health, and Natural Resources, Division of Environmental Management, Raleigh, NC, to M. Bowman, Tetra Tech, Inc., Owings Mills, MD.
- Engle, V.D. and J.K. Summers. 1999. Refinement, validation, and application of a benthic condition index for northern

- 
- Gulf of Mexico estuaries. *Estuaries* 22:624-635.
- Engle, V.D., J.K. Summers, and G.R. Gaston. 1994. A benthic index of environmental condition of Gulf of Mexico estuaries. *Estuaries* 17(2):372-384.
- Fairweather, P.G. 1991. Statistical power and design requirements for environmental monitoring. *Australian Journal of Marine Freshwater Research* 42:555-67.
- Farrell, D.H. 1993a. *A community based metric for marine benthos (Draft)*. Florida Department of Environmental Protection, Tampa, FL.
- Farrell, D. H. 1993b. *Bioassessment in Florida*. Pages 17-26 in A Proceedings: Estuarine and Near Coastal Bioassessment and Biocriteria Workshop, Annapolis, MD. USEPA, Office of Science and Technology, Washington, D.C.
- Ferguson, R.L. and L.L. Wood. 1994. *Rooted vascular aquatic beds in the Albemarle-Pamlico estuarine system*. National Marine Fisheries Service, Beaufort, NC. Project No. 94-02.
- Ferraro, S.P. and F.A. Cole. 1990. Taxonomic level and sample site sufficient for assessing pollution impacts on the southern California macrobenthos. *Marine Ecology Progress Series* 67:251-262.
- Ferraro, S.P. and F.A. Cole. 1992. Taxonomic level sufficient for assessing a moderate impact on macrobenthic communities in Puget Sound, Washington, D.C. *Canadian Journal of Fisheries and Aquatic Sciences* 49(b):1184-1188.
- Ferraro, S.P. and F.A. Cole. 1995. Taxonomic level sufficient for assessing pollution impacts on the southern California bight macrobenthos - revisited. *Environmental Toxicology and Chemistry* 14(6):1031-1040.
- Ferraro, S.P., F.A. Cole, W.A. DeBen, and R.C. Swartz. 1989. Power-cost efficiency of eight macrobenthic sampling schemes in Puget Sound, Washington, USA. *Canadian Journal of Fisheries and Aquatic Sciences* 46(10):2157-2165.
- Ferraro, S.P., R.C. Swartz, F.A. Cole, and W.A. DeBen. 1994. Optimum macrobenthic sampling protocol for detecting pollution impacts in the southern California Bight. *Environmental Monitoring and Assessment* (29):127-153.
- Flannagan, J.F. 1970. Efficiencies of various grabs and corers in sampling freshwater benthos. *Journal of the Fisheries Research Board of Canada* 27:1631-1700.
- Flint, R.W. and R.D. Kalke. 1985. Benthos Structure and function in a south Texas estuary. *Contributions in Marine Science* 28:33-53.
- Forstner, U. and G.T.W. Wittmann. 1981. *Metal pollution in the aquatic environment*. Second revised edition. Springer-Verlag, New York, NY.
- Fredette, T.J., D.A. Nelson, T. Miller-Way, J.A. Adair, V.A. Sotler, J.E. Clausner, E.B. Hands, and F.J. Anders. 1989. *Selected tools and techniques for physical and biological monitoring of aquatic dredged material disposal sites*. Final Report. U.S. Army Engineer Waterways Experiment Station, Vicksburg, MS.

- Frydenborg R. 1994. *Lake bioassessments for the determination of nonpoint source impairment in Florida*. Draft. FL DEP, Biology Section, Division of Administrative and Technical Services, Tallahassee, FL. July.
- Gaston, G.R., D.L. Lee, and J.C. Nasci. 1988. Estuarine macrobenthos in Calcasieu Lake, Louisiana: Community and trophic structure. *Estuaries* 11:192-200.
- Gibson, G.R. 1995. *Near coastal marine waters pilot project* (unpublished report). USEPA, Office of Science and Technology, Health and Ecological Criteria Division, Washington, DC.
- Gibson, G.R. et al. 1993. *Proceedings Estuarine and Near Coastal Marine Bioassessment and Biocriteria Workshop*, 18-19. November, 1992.
- Gibson, G.R. 1992. *Procedures for initiating narrative biological criteria*. EPA-822-B-92-002. USEPA, Office of Science and Technology, Washington, DC.
- Gilbert, R.O. 1987. *Statistical Methods for Environmental Pollution Monitoring*. Van Nostrand Reinhold, New York. 320pp.
- Glew, J.R. 1988. A portable extruding device for close interval sectioning of unconsolidated core samples. *Journal of Paleolimnology* 1:235-239.
- Goodyear, C.P. 1985. Relationship between reported commercial landings and abundance of striped bass in Chesapeake Bay, Maryland. *Transactions of the American Fisheries Society* 114(1):92-96.
- Gray, J.S. 1989. Effects of environmental stress on species rich assemblages. *Biological Journal of the Linnean Society* 37:19-32.
- Green, R.H. 1984. Some guidelines for the design of biological monitoring programs in the marine environment. Pages 233-245 in H.H. White (editor). *Concepts of Marine Pollution Measurements*. University of Maryland Sea Grant, College Park, MD.
- Guillen, G. 1995a. *Development of a rapid bioassessment method and index of biotic integrity in southeast Texas*. Presented at Estuarine and Near Coastal Marine Bioassessment/Biocriteria Workgroup Meeting. U.S. EPA, Baltimore, MD. January 6th.
- Guillen, G.J. 1995b. *Development of a Rapid Bioassessment method and index of biotic integrity for coastal environments located along the northwest Gulf of Mexico - DRAFT*. Texas National Resource Conservation Commission, Environmental Assessment Program, Field Operations Division.
- Guillen, G. 1994. *Development of a rapid bioassessment method and index of biotic integrity in southeast Texas*. Presented at Estuarine and Near Coastal Marine Bioassessment/Biocriteria Workgroup Meeting. USEPA, Baltimore, MD.
- Hansen, D.J., Berry, W.J., Mahony, J.D., Boothman, W.S., DiToro, D.M., Robson, D.L., Ankley, G.T., Ma, D., Yan, Q., Pesch, C.E. 1996. Predicting the toxicity of metal-contaminated field sediments using interstitial concentration of metals and acid-volatile sulfide normalizations. *Environmental Toxicology and Chemistry* 15:(12) 2080-2094.
- Helsel, D.R. and R.M. Hirsch. 1992. *Statistical methods in water resources*. Elsevier, Amsterdam, Netherlands.
- Hillman, K., D.I. Walker, A.W.D. Larkum, and A.J. McComb. 1989. Productivity and nutrient limitation. Pages 635-685 in A.W.D. Larkum, A.J.



- McComb, and S.A. Shepard (editors). *Biology of Seagrasses. A treatise on the biology of seagrasses with special reference to the Australian region.* Elsevier, New York, NY.
- Hilsenhoff, W.L. 1987. An improved biotic index of organic stream pollution. *Great Lakes Entomologist* 20:31-39.
- Hinga, K.R. 1988. Seasonal predictions for pollutant scavenging in two coastal environments using a model calibration based upon thorium scavenging. *Marine Environmental Research* 26:97-112.
- Holland, A.F. (editor). 1990. *Near coastal program plan for 1990: Estuaries.* EPA/600/4-90/033. Office of Research and Development, USEPA, Narragansett, RI.
- Holland, A.F. 1985. Long-term variation of macrobenthos in a mesohaline region of the Chesapeake Bay. *Estuaries* 8(2a):93-113.
- Holland, A.F., A.T. Shaughnessy, L.C. Scott, V.A. Dickens, J. Gerritsen, and J.A. Ranasinghe. 1989. *Long-term benthic monitoring and assessment program for the Maryland portion of the Chesapeake Bay: Interpretive report.* CBRM-LTB/EST-2. Prepared for MDNR, Power Plant Research Program, Annapolis, Maryland by Versar, Inc., Columbia, MD.
- Holland, A.F., A.T. Shaughnessy, L.C. Scott, V.A. Dickens, J.A. Ranasinghe, and J.K. Summers. 1988. *Progress report: Long-term benthic monitoring and assessment program of the Maryland portion of Chesapeake Bay (July 1986 - October 1987).* PPRP-LTB/EST-88-1. Prepared for MDNR, Power Plant Research Program, Annapolis, Maryland by Versar, Inc., Columbia, MD.
- Holland, A.F., A.T. Shaughnessy, and M.H. Hiegel. 1987. Long-term variation in mesohaline Chesapeake Bay macrobenthos: spatial and temporal patterns. *Estuaries* 10(3):227-245.
- Honeyman, B.D. and P.H. Santschi. 1988. Metals in aquatic systems: Predicting their scavenging residence times from laboratory data remains a challenge. *Environmental Science and Technology* 22:862-871.
- Houde, E.D, and Zastrow, C.E. 1991. Bay Anchovy *Anchoa mitchilli*. Pages 81-86 in S.L. Funderbunk, J.A. Mihursky, S.J. Jordan, and D. Riley (editors). *Habitat requirements for Chesapeake Bay living resources.* Prepared for the Living Resources Subcommittee, Chesapeake Bay Program.
- Howard, R.K., G.J. Edgar, and P.A. Hutchings. 1989. Faunal assemblages of seagrass beds. Pages 536-564 in A.W.D. Larkum, A.J. McComb, and S.A. Shepard (editors). *Biology of seagrasses. A treatise on the biology of seagrasses with special reference to the Australian region.* Elsevier, New York, NY.
- Hughes, R.M. and D.P. Larsen. 1988. Ecoregions: An approach to surface water protection. *Journal of the Water Pollution Control Federation* 60:486-493.
- Hughes, R.M., P.R. Kaufmann, A.T. Herlihy, T.M. Kincaid, L. Reynolds and D.P. Larsen. 1998. A process for developing and evaluating indices of fish assemblage integrity. *Canadian Journal of Fisheries and Aquatic Science* 55:1618-1631.
- Hughes, R.M., D.P. Larsen, and J.M. Omernik. 1986. Regional reference sites: A method for assessing stream potentials. *Environmental Management* 10:629-635.
- Hurlbert, S.H. 1984. Pseudoreplication and the design of ecological field

- experiments. *Ecological Monographs* 54(2).
- Hutchinson, G.E. 1967. *A treatise on limnology*. Wiley, New York, NY.
- Hyland, J.L., L. Balthis, C.T. Hackney, G. McRae, A.H. Ringwood, T.R. Snoots, R.F. Van Dolah, and T.L. Wade. 1998. *Environmental quality of estuaries of the Carolinian Province: 1995*. NOAA Technical Memorandum NOS ORCA 123. National Oceanic and Atmospheric Administration, Charleston, SC.
- Hyland, J.L., T.J. Herrlinger, T.R. Snoots, A.H. Ringwood, R.F. Van Dolah, C.T. Hackney, G.A. Nelson, J.S. Rosen, and S.A. Kokkinakis. 1996. *Environmental quality of estuaries of the Carolinian Province: 1994*. Annual Statistical Summary for the 1994 EMAP-Estuaries Demonstration Project in the Carolinian Province. NOAA Technical Memorandum NOS ORCA 97. National Oceanic and Atmospheric Administration/NOS, Office of Ocean Resources Conservation and Assessment, Silver Spring, MD. 102 p.
- Ingersoll, C.G., P.S. Haverland, E.L. Brunson, T.J. Canfield, F.J. Dwyer, C.E. Henke, N.E. Kemble. 1996. Calculation and evaluation of sediment effect concentrations for the amphipod *Hyalella azteca* and the midge *Chironomus riparius*. *Journal of Great Lakes Research* 22(3): 602-623.
- Jordan, S., J. Carmichael, and B. Richardson. 1992. *Habitat measurements and index of biotic integrity based on fish sampling in northern Chesapeake Bay*. A Proceedings: Estuarine and Near Coastal Bioassessment and Biocriteria Workshop, Annapolis, Maryland. USEPA, Office of Science and Technology, Washington, DC.
- Kajak, Z. 1963. Analysis of quantitative benthic methods. *Ekologia Polska (A)* 11:1-56.
- Karr, J.R. 1991. Biological integrity: A long-neglected aspect of water resource management. *Ecological Applications* 1:66-84.
- Karr, J.R. 1981. Assessment of biotic integrity using fish communities. *Fisheries* 6(6):21-27.
- Karr, J.R., K.D. Fausch, P.L. Angermeier, P.R. Yant, and I.J. Schlosser. 1986. *Assessing biological integrity in running waters: A method and its rationale*. Illinois Natural History Survey, Spec. Publ. 5.
- Kemble, N., W. Brumbaugh, E. Brenson, F. Dwyer, C. Ingersoll, D. Monda, and D. Woodward. 1994. Toxicity of metal contaminated sediments from the Upper Clark Fork River Montana to aquatic invertebrates in laboratory exposures. *Environmental Toxicology and Chemistry* 13:1985-1997.
- Kendall, D.K. 1983. *The role of physical-chemical factors in structuring subtidal marine and estuarine benthos*. Tech. Rep. EL-83-2. U.S. Army Waterways Exp. Stn., Vicksburg, MS.
- Klemm, D.J., G.J. Strober, and J.M. Lazorchak. 1992. *Fish field and laboratory methods for evaluating the biological integrity of surface waters*. EPA/600/R-92-111. USEPA, Cincinnati, OH.
- Komar, P.D. 1976. *Beach processes and sedimentation*. Prentice-Hall, Inc. Englewood Cliffs, NJ. 429 pp.
- Krom, M.D. and R.A Berner. 1983. *Journal of Sedimentary Petrology* 53, 660.
- Krumgalz, B.S. 1993. "Fingerprints" approach to the identification of anthropogenic trace metal sources in the

- 
- nearshore and estuarine environments. *Estuaries* 16(3A):488-495.
- LaPointe, B.E. and M.W. Clark. 1992. Nutrient inputs from the watershed and coastal eutrophication in the Florida keys. *Estuaries* 15(4):465-476.
- Latimer, J., W. Boothman, R. Tobin, D. Keith, J. Kiddon, D. Scott, S. Jayaraman, R. McKinney, and G. Chmura. 1997. Historical reconstruction of contaminant levels and ecological effects in a highly contaminated estuary. *14<sup>th</sup> International Conference of the Estuarine Research Federation*. Providence, RI.
- Lenat, D.R. 1993. A biotic index for the southeastern United States: Derivation and list of tolerance values, with criteria for assigning water quality ratings. *Journal of the North American Benthological Society* 12(3):279-290.
- Lie, U. 1974. Distribution and structure of benthic assemblages in Puget Sound, Washington, USA. *Marine Biology* 26:203-223.
- Llansó, R.J. 1999. The distribution and structure of soft-bottom macrobenthos in Puget Sound in relation to natural and anthropogenic factors. *Puget Sound Research 1998*. Puget Sound Ambient Monitoring Program, Olympia, WA: 760-771.
- Long, E.R. 1989. The use of the sediment quality triad in classification of sediment contamination. *Marine Board, National Research Council Symposium/Workshop on Contaminated Marine Sediments*. National Research Council, Washington, D.C.
- Long, E.R., L.J. Field, and D.D. MacDonald. 1998a. Predicting toxicity in marine sediments with numerical sediment quality guidelines. *Environmental Toxicology and Chemistry* 17(4):714-727.
- Long, E.R., D. D. MacDonald, J.C. Cabbage, and C.G. Ingersoll. 1998b. Predicting the toxicity of sediment-associated trace metals with SEM:AVS concentrations and dry weight-normalized concentrations: A critical comparison. *Environmental Toxicology and Chemistry* 17(4):972-974.
- Long, E.R., A. Robertson, D.A. Wolfe, J.Hameedi, and G.M. Sloane. 1996. Estimates of the spatial extent of sediment toxicity in major U.S. estuaries. *Environmental Science & Technology* 30(12):3585-3592.
- Long, E.R., D.D. MacDonald, S.L. Smith, F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management* 19:81-97.
- Long, E.R. and L.G. Morgan. 1990. *The potential for biological effects of sediment-sorbed contaminants tested in the National Status and Trends Program*. NOAA Technical Memorandum NOSOMA52. U.S. Department of Commerce, National Oceanic and Atmospheric Administration, National Ocean Service, Rockville, MD.
- Long, E., M. Buchman, S. Bay, R. Breteler, R. Carr, P. Chapman, J. Hose, A. Lissner, J. Scott, and D. Wolfe. 1990. Comparative evaluation of five toxicity tests with sediments from San Francisco Bay and Tomales Bay, CA. *Environmental Toxicology and Chemistry* 9:1193-1214.
- Long, E.R. and P.M. Chapman. 1985. A sediment quality triad: Measures of sediment contamination, toxicity and infaunal community composition in

- Puget Sound. *Marine Pollution Bulletin* 16:405-415.
- Luckenback, M.W., R.J. Diaz, and L.C. Schaffner. 1988. *Benthic assessment procedures*.
- Ludwig, J.A. and J.F. Reynolds. 1988. *Statistical ecology. A primer on methods and computing*. 337 p. John Wiley and Sons, New York, NY.
- Mallin, M.A. 1994. Phytoplankton ecology of North Carolina estuaries. *Estuaries* 17(3):561-574.
- Malone, T.C., D.J. Conley, T.R. Fisher, P.M. Gilbert, L.W. Harding, and K.G. Sellner. 1996. Scales of nutrient-limited phytoplankton productivity in Chesapeake Bay. *Estuaries* 19(2B):371-385.
- Maryland Chamber of Commerce, personal communication, 1990.
- MacDonald, D.D., R.S. Carr, F.D. Calder, E.R. Long, and C.G. Ingersoll. 1996. Development and evaluation of sediment quality guidelines for Florida coastal waters. *Ecotoxicology* 5:253-278.
- Mearns, A.J. and J.Q. Word. 1982. Forecasting effects of sewage solids on marine benthic communities. In G. F. Mayer (editor). *Ecological stress and the New York Bight: Science and management*. Estuarine Research Federation. 713 pp.
- Miller, D.L., P.M. Leonard, R.M. Hughes, J.R. Karr, P.B. Moyle, L.H. Schrader, B.A. Thompson, R.A. Daniels, K.D. Fausch, G.A. Fitzhugh, J.R. Gammon, D.B. Halliwell, P.L. Angermeier, and D.J. Orth. 1988. Regional applications of an index of biotic integrity for use in water resource management. *Fisheries* 13:12-20.
- National Research Council (NRC). 1989. *Contaminated Marine Sediments – Assessment and Remediation*. National Academy Press, Washington, DC.
- Nelson, W.G. 1990. Prospects for development of an index of biotic integrity for evaluating habitat degradation in coastal systems. *Chemistry and Ecology* 23: 152-165.
- Nelson, W.G., and F.D. Spoon. 1994a. *Field verification of marine metrics developed for benthic habitats*. Florida Institute of Technology, Oceanography Program, Division of Marine and Environmental Systems. Final Report to Tetra Tech, Inc., Owings Mills, MD.
- Nelson, W.G., and F.D. Spoon. 1994b. *Field Verification of the Use of Amphipods As Bioindicators in Marine Coastal Ecosystems*. Florida Institute of Technology, Oceanography Program, Division of Marine and Environmental Systems. Final Report to Tetra Tech, Inc., Owings Mills, MD.
- Nelson, W.G., R.J. Diaz, and F.D. Spoon. 1993. *Comparison of results of marine benthic metric development between Chesapeake Bay and the Indian River Lagoon, Florida*. Florida Institute of Technology, Division of Marine and Environmental Systems, Final Report to Tetra Tech, Inc., Owings Mills, MD.
- Nelson, M., P. Landrum, G. Burton, Jr., J. Klaine, E. Crecelius, T. Byl, D. Gossiaux, V. Tsymbal, L. Cleveland, C. Ingersoll, and G. Sasson-Brickson. 1993. Toxicity of contaminated sediments in dilution series with control sediments. *Chemosphere* 27:1789-1812.
- Nixon, S.W., C.D. Hunt and B.L. Nowicki. 1986. The retention of nutrients (C, N, P), heavy metals (Mn, Cd, Pb, Cu), and petroleum hydrocarbons in Narragansett Bay.

- 
- Pages 99-122 in P. Lasserre and J.M. Martin (editors). *Biogeochemical Processes at the Land-Sea Boundary*. Elsevier, New York, NY.
- O'Connor, T.P., A.Y. Cantillo, and G.G. Lauenstein. 1994. Monitoring of temporal trends in chemical contamination by the NOAA National Status and Trends Mussel Watch Project. Pages 29-50 in K.J.M. Kramer (editor). *Biomonitoring of Coastal Waters and Estuaries*. CRC Press, Inc., Boca Raton, FL.
- Odum, E.P. 1971. *Fundamentals of ecology, 3rd Edition*. W.B. Saunders Co. Philadelphia, PA.
- Odum, W. E. 1970. Insidious alteration of the estuarine environment. *Transactions of the American Fisheries Society* 4:836-850.
- Odum, W.E. and C.C. McIvor. 1990. Mangroves. Chapter 15 in Myers, R.L. and J.J. Ewel (editors). *Ecosystems of Florida*. University of Central Florida Press.
- Office of Technology Assessment (OTA). 1987. *Wastes in marine environments*. OTA, Washington, DC.
- Ohio EPA. 1990. *The use of biocriteria in the Ohio EPA surface water monitoring and assessment program*. Ecological Assessment Section, Division of Water Quality Planning and Assessments, Ohio EPA, Columbus, OH. August 22.
- Ohio EPA. 1987. *Biological criteria for the protection of aquatic life*. Vols. 1-3. Monitor. Assess. Prog., Surface Water Sec., Div. Water Quality, Ohio EPA, Columbus, OH.
- Omernik, J.M. 1987. Ecoregions of the conterminous United States. *Annals of the Association of American Geographers* 77(1):118-125.
- Oreskes, N., K. Schrader-Frechette, and K. Belitz. 1994. Verification, validation, and confirmation of numerical models in the earth sciences. *Science* 263:641-646.
- Orth, R.J., J.F. Nowak, G.F. Anderson, and J.R. Whiting. 1993. *Distribution of submerged aquatic vegetation in the Chesapeake Bay and its tributaries and Chincoteague Bay - 1992*. Prepared by Virginia Institute of Marine Science, Gloucester Point, VA for the USEPA, Chesapeake Bay Program Office, Annapolis, MD.
- Overton, W.S., D. White, and D.L. Stevens. 1990. *Design report for EMAP: Environmental Monitoring Assessment Program*. EPA/600/3-91/053. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- Pait, A.S., D.R.G. Farrow, J.A. Lowe, and P.A. Pacheis. 1989. *Agricultural pesticide use in estuarine drainage areas: A preliminary summary for selected pesticides*. Strategic Assessment Branch Office of Oceanography and Marine Assessment, NOAA, Rockville, MD.
- Patterson, R.T. 1990. Intertidal benthic foraminiferal biofaces on the Fraser river delta - British Columbia - Modern distribution and paleoecological importance. *Micropaleontology* 36:229-245.
- Paul, J.F., J.H. Gentile, K.J. Scott, S.C. Schimmel, D.E. Campbell, and R.W. Latimer. 1999. *EMAP-Virginian Province Four-Year Assessment Report (1990-1993)*. EPA 600/R-99/004. U.S. Environmental Protection Agency, Atlantic Ecology Division, Narragansett, RI.

- 
- Paulsen, S.B., D.P. Larsen, P.R. Kaufmann, T.R. Whittier, J.R. Baker, D.V. Peck, J. McGue, R.M. Hughes, D. McMullen, D.L. Stevens, J.L. Stoddard, J. Lazorchak, W. Kinney, A.R. Selle, and R. Hjort. 1991. *The Environmental Monitoring and Assessment Program (EMAP) - Surface waters monitoring research plan, fiscal year 1991*. EPA/600/3-91/022. USEPA, Corvallis, OR.
- Pearson, T.H. and R. Rosenberg. 1978. Macrobenthic succession in relation to organic enrichment and pollution of the marine environment. *Oceanography and Marine Biology Annual Review* 16:229-311.
- Peterman, R.M. 1990. The importance of reporting statistical power: The forest decline and acidic deposition example. *Ecology* 71(5):2024-2027.
- Peters, J.A. 1988. Quality control infusion into stationary source sampling. In L.H. Keith (editor). *Principles of environmental sampling*. American Chemical Society, Washington, DC.
- Peters, R.H. 1991. *A critique for ecology*. Cambridge University Press, Cambridge, MA.
- Pielou, E.C. 1977. *Mathematical ecology*. John Wiley & Sons, Inc., New York, NY. 385 pp.
- Plafkin, J.L., M.T. Barbour, K.D. Porter, S.K. Gross, and R.M. Hughes. 1989. *Rapid bioassessment protocols for use in streams and rivers: Benthic macroinvertebrates and fish*. EPA/440/4-89-001. USEPA, Office of Water, Washington, DC.
- Plumb, R.H. 1981. *Procedure for handling and chemical analysis of sediment and water samples*. Technical Report EPA/CE-81-1. Prepared for the U.S. Environmental Protection Agency/Corps of Engineers Technical Committee on Criteria for Dredge and Fill Material. Environmental Laboratory, U.S. Army Waterways Experiment Station, Vicksburg, MS.
- Pond, S. and G.L. Pickard. 1983. *Introductory dynamic oceanography*. 3<sup>rd</sup> Edition. Pergamon Press, Inc., New York, NY.
- Puget Sound Estuary Program (PSEP). 1995. *Recommended guidelines for conducting laboratory bioassays on Puget Sound sediments*. Prepared for USEPA Region 10, Office of Puget-Sound, Seattle, WA and Puget Sound Water Quality Authority, Olympia, WA.
- Puget Sound Water Quality Authority (PSWQA). 1991. *Puget Sound update*. Second annual report of the Puget Sound Ambient Monitoring Program. PSWQA, Seattle, WA. 99 pp.
- Puget Sound Water Quality Authority (PSWQA). 1990. *Puget Sound update*. First annual report of the Puget Sound Ambient Monitoring Program. PSWQA, Seattle, WA. 89 pp.
- Puget Sound Water Quality Authority (PSWQA). 1988. *Puget Sound ambient monitoring program, monitoring management committee*. Final Report. PSWQA, Seattle, WA. 145 pp.
- Rabalais, N.N. 1990. Biological communities of the south Texas continental shelf. *American Zoologist* 30:77-87.
- Rabalais, N.N., M.J. Dagg, and D.F. Boesch. 1985. *Nationwide review of oxygen depletion and eutrophication in estuarine and coastal waters: Gulf of Mexico (Alabama, Mississippi, Louisiana, and Texas)*. Final Report to U.S. Department of Commerce, NOAA,

- 
- Ocean Assessment Division, Rockville, MD.
- Rakonczynski, C.F., S.S. Brown, G.R. Gaston, R.W. Heard, W.W. Walker, and J.K. Summers. 1997. Macrobenthic responses to natural and contaminant-related gradients in northern Gulf of Mexico estuaries. *Ecological Applications* 7:1278-1298.
- Rakocinski, C., R.W. Heard, T. Simons, and D. Gledhill. 1991. Macroinvertebrate associations from beaches of selected barrier islands in the Northern Gulf of Mexico: Important environmental relationships. *Bulletin of Marine Science* 48:689-701.
- Ranasinghe, J.A., D.M. Dauer, L.C. Schaffner, R.J. Diaz. 1994. *Chesapeake Bay Benthic Community Restoration Goals*. Chesapeake Bay Program Office, 68-D9-0166; Chesapeake Bay Research & Monitoring Division, CB92-006-004.
- Ranasinghe, J.A., L.C. Scott, and R. Newport. 1992. *Chesapeake Bay water quality monitoring program: long-term benthic monitoring and assessment component*. Vol. I. Draft. Prepared by Versar, Inc., Columbia, Maryland, for the Maryland Department of Environment, Baltimore, MD.
- Reckhow, K.H. and W. Warren-Hicks. 1996. *Biological criteria: Technical guidance for survey design and statistical evaluation of biosurvey data*. Prepared by School of the Environment, Duke University, Durham, NC for USEPA, Office of Science and Technology, Health and Ecological Criteria Division, Washington, DC.
- Reid, G.K. and R.D. Wood. 1976. *Ecology of inland waters and estuaries*. D. Van Nostrand Company, New York, NY. 485 pp.
- Reish, D. J. and J. L. Bernard. 1960. Field toxicity tests in marine water utilizing the polychaetous annelid *Capitella capitata (Fabricius)*. *Pacific Naturalist* 1:1-8.
- Reishi D. and J. Lemay. 1988. *Bioassay manual for dredged materials*. US Army Corps of Engineers, Los Angeles District, Los Angeles, CA, Technical Report DACW-09-83R-005.
- Reynoldson, T.B. and M.A. Zarull. 1993. An approach to the development of biological sediment guidelines. Pages 177-200 in S. Woodley, J. Kay, and G. Grancis (editors). *Ecological Integrity and the Management of Ecosystems*. St. Lucie Press.
- Rhoads, D.C. 1974. Organism-sediment relations on the muddy sea floor. *Oceanography and Marine Biology Annual Review* 12:263-300.
- Sanford, L.P., K.G. Sellner, and D.L. Breitburg. 1990. Covariability of dissolved oxygen with physical characteristics in the summertime Chesapeake Bay. *Journal of Marine Research* 48:567-590.
- Santangelo, R. 1996. County Sanitation Districts of Orange County, 10844 Ellis Ave., Fountain Valley, CA 92728.
- Sarda, N. and G. Burton, Jr. 1995. Ammonia variation in sediments: spatial, temporal, and method-related effects. *Environmental Toxicology and Chemistry* 14:1499-1506.
- Schimmel, S.C., B.D. Melzian, D.E. Campbell, C.J. Stubel, S.J. Benyi, J.S. Rosen, and H.W. Buffum. 1994. *Statistical Summary: EMAP-Estuaries Virginian Province - 1991*. EPA/620/R-94/005. Office of Research and Development, USEPA, Narragansett, RI.

- Schindler, D.W. 1988. Effects of acid rain on freshwater ecosystems. *Science* 239:149-158.
- Schindler, D.W. 1971. A hypothesis to explain differences and similarities among lakes in the Experimental Lakes Area, northwestern Ontario. *Journal of the Fisheries Research Board of Canada* 28:295-301.
- Schindler, D.W., S.E.M. Kasian and R.H. Hesslein. 1989. Biological impoverishment in lakes of the midwestern and northeastern United States from acid rain. *Environmental Science and Technology* 23:573-580.
- Schlekat, C.E., B.L. McGee, D.M. Boward, E. Reinharz, D.J. Velinsky, and T.L. Wade. 1994. Tidal river sediments in the Washington, DC area. III. Biological effects associated with sediment contamination. *Estuaries* 17(2):334-344.
- Schroeder, W.W. 1979. The dissolved oxygen puzzle of the Mobile estuary. In Jr. and J.P. Smith (editors). *H.A. Loyacano, Symposium on the Natural Resources of the Mobile Estuary, Alabama, May 1979*. Alabama Coastal Area Board, Mississippi-Alabama Sea Grant Consortium, U.S. Fish and Wildlife Service.
- Schubel, J.R. and H.H. Carter. 1984. The estuary as a filter for fine-grained suspended sediment. Pages 81-104 in V.S. Kennedy (editor). *The Estuary as a Filter*. Academic Press, Orlando, FL.
- Sen Gupta, B.K., R.E. Turner and N.N. Rabalais. 1996. Seasonal oxygen depletion in continental-shelf waters of Louisiana: Historical record of benthic foraminifers. *Geology* 24(3):227-230.
- Sharpe, J.H., J.R. Pennock, T.M. Church, T.M. Tramontano, and L.A. Cifuentes. 1984. The estuarine interaction of nutrients, organics, and metals: A case study in the Delaware Estuary. Pages 241-258 in V.S. Kennedy (editor). *The estuary as a filter*. Academic Press, Orlando, FL.
- Shepard, S.A., A.J. McComb, D.A. Bulthis, V. Neverauskas, D.A. Steffensen, and R. West. 1989. Decline of seagrasses. Pages 346-393 in A.W.D. Larkum, A.J. McComb, and S.A. Shepard (editors). *Biology of seagrasses. A treatise on the biology of seagrasses with special reference to the Australian region*. Elsevier, New York, NY.
- Simenstad, C.A., C.D. Tanner, R.M. Thom, and L.L. Conquest. 1991. *Puget Sound Estuary Program: Estuarine habitat assessment protocol*. EPA 910/9-91-037. Prepared for USEPA, Region 10, Office of Puget Sound, Seattle, WA. 201 pp.
- Simpson, B.L., R. Aaron, J. Betz, D. Hicks, J. van der Kreeke, and B. Yokel. 1979. *The Naples Bay Study*. Prepared for the Collier County Conservancy, Naples, FL.
- Smith, S.M. and G.L. Hitchcock. 1994. Nutrient enrichments and phytoplankton growth in the surface waters of the Louisiana Bight. *Estuaries* 17(4):740-753.
- Smith, R.W., M. Bergen, S.B. Weisberg, D. Cadien, A. Dalkey, D. Montagne, J.K. Stull, & R.G. Velarde. 2000. Benthic response index for assessing infaunal communities on the mainland shelf of southern California. *Ecological Applications*. In press.
- Snedecor, G.W. and W.G. Cochran. 1980. *Statistical methods. 7<sup>th</sup> edition*. The Iowa State University Press, Ames, IA.
- Snelgrove, P.V.R. and C.A. Butman. 1994. Animal-sediment relationships



- revisited: Cause versus effect. *Oceanography and Marine Biology Annual Review* 32:111-177.
- Southerland, M.T. and J.B. Stribling. 1995. Status of biological criteria development and implementation. Pages 81-96 in W.S. Davis and T.P. Simon (editors). *Biological assessment and criteria: Tools for water resources planning and decision making*. Lewis Publishers, Boca Raton, FL.
- Stevenson, J.C., L.W. Staver, & K.W. Staver. 1993. Water quality associated with survival of submersed aquatic vegetation along an estuarine gradient. *Estuaries* 16(2):346-360.
- Stickney, R.R. 1984. *Estuarine ecology of the southeastern United States and Gulf of Mexico*. Texas A & M University Press, College Station, TX.
- Stoermer, E.F., J.A. Wolin, C.L. Schelske, and D.J. Conley. 1990. Siliceous microfossil succession in Lake Michigan. *Limnology and Oceanography* 35:959-967.
- Strobel, C.J., H.W. Buffum, S.J. Benyi, E.A. Petrocelli, D.R. Reifsteck, and D.J. Keith. 1995. *Statistical Summary: EMAP-Estuaries Virginian Province - 1990 to 1993*. EPA/620/R-94/026. U.S. Environmental Protection Agency, National Health and Environmental Effects Research Laboratory, Atlantic Ecology Division, Narragansett, RI.
- Strobel, C.J., S.J. Benyi, D.J. Keith, H.W. Buffum, and E.A. Petrocelli. 1994. *Statistical summary: EMAP-Estuaries Virginian Province - 1992*. EPA/620/R-94/019. USEPA, Environmental Research Laboratory, Narragansett, RI.
- Summers J.K. 1994. (*EMAP-Estuaries - A report on the condition of the estuaries of the United States in 1990-1993: A program in progress.*) Gulf Breeze (FL): U.S. Environmental Protection Agency, Office of Research and Development, Environmental Research Laboratory. EPA/620/R-94/
- Summers, J.K., T.L. Wade, V.D. Engle, and Z.A. Malneb. 1996. Normalization of metal concentrations in estuarine sediments from the Gulf of Mexico. *Estuaries* 19(3):581-594.
- Summers, J.K., J.M. Macauley, P.T. Heitmuller, V.D. Engle, A.M. Adams, and G.T. Brooks. 1993. *Statistical summary: EMAP-Estuaries Louisianian Province - 1991*. EPA/600/R-93/001. USEPA, Office of Research and Development, Gulf Breeze, FL.
- Summers, J.K. and V.D. Engle. 1993. Evaluation of sampling strategies to characterize dissolved oxygen conditions in northern Gulf of Mexico estuaries. *Environmental Monitoring and Assessment* 24:219-229.
- Summers, J.K., J.M. Macauley, and P.T. Heitmuller. 1992. *Field activities report: Louisianian Province* USEPA, Office of Research and Development, Environmental Research Laboratory, Gulf Breeze, FL. ERL-Gulf Breeze Contribution No. SR-118.
- Suter, G.W., II. 1993. *Ecological risk assessment*. Lewis Publishers, Boca Raton, FL.
- Swartz, R., D. Schults, R. Ozretich, J. Lamberson, F. Cole, T. DeWitt. 1995. PAH: A model to predict the toxicity of polynuclear aromatic hydrocarbon mixtures in field collected sediments. *Environmental Toxicology and Chemistry* 14:1972-1987.
- Swartz, R.C., F.A. Cole, J.O. Lamberson, S.P. Ferraro, D.W. Schults, W.A. DeBen, H. Lee II, and R.J. Ozretich. 1994. Sediment toxicity, contaminations and

- 
- amphipod abundance at a DDT-and dieldrin-contaminated site in San Francisco Bay. *Environmental Toxicology and Chemistry* 13(6):949-962.
- Swartz, R.C., F.A. Cole, D.W. Schults, and W.A. DeBen. 1986. Ecological changes in the Southern California Bight near a large sewage outfall: Benthic conditions in 1980 and 1983. *Marine Ecology Progress Series* 31:1-13.
- Swartz, R.C., D.W. Schults, G.R. Ditsworth, W.A. DeBen, and F.A. Cole. 1985. Sediment toxicity, contamination, and macrobenthic communities near a large sewage outfall. Pages 152-175 in T.P. Boyle (editor). *Validation and predictability of laboratory methods for assessing the fate and effects of contaminants in aquatic ecosystems, ASTM STP 865*. American Society for Testing and Materials, Philadelphia.
- Symposium on the Classification of Brackish Waters. 1958. The Venice System for the Classification of Marine Waters According to Salinity. *Oikos* 9:311-312.
- ter Braak, C.J.F. 1986. Canonical correspondence analysis: new eigenvector technique for multivariate direct gradient analysis. *Ecology* 67:1167-1179.
- Thomann, R.V. and J.A. Mueller. 1987. *Principles of surface water quality modeling and control*. Harper and Row Publishers, New York, NY. 694 pp.
- Thompson, B.A., and G.R. Fitzhugh. 1986. *A use attainability study: An evaluation of fish and macroinvertebrate assemblages of the Lower Calcasieu River, Louisiana*. LSU-CFI-85-29. Louisiana State University Center for Wetland Resources, Coastal Fisheries Institute, Baton Rouge, LA.
- Thompson, S.K. 1992. *Sampling*. John Wiley & Sons, Inc., New York, NY. 343 pp.
- Turekian, K.K. 1977. The fate of metals in the oceans. *Geochimica et Cosmochimica Acta* 41:1139-1144.
- Turner, R.E. and N.N. Rabalais. 1994. Coastal eutrophication near the Mississippi River delta. *Nature* 368:619-621.
- Turner, R.E., W.W. Schroder, and W.J. Wiseman. 1987. The role of stratification in the deoxygenation of Mobile Bay and adjacent shelf bottom waters. *Estuaries* 10:13-19.
- U.S. Army Corps of Engineers. 1996. *A comparison of the benthic macrofaunal resources within the Bethany Beach Sand Borrow Area*. Prepared for U.S. Army Corps of Engineers, Philadelphia District by Versar, Inc., Columbia, MD.
- U.S. Environmental Protection Agency (USEPA). 1998a. *EPA requirements for quality assurance project plans for environmental data operations*. EPA QA/R-5. U.S. Environmental Protection Agency, Quality Assurance Division, Washington, DC 20460.
- U.S. Environmental Protection Agency (USEPA). 1998b. *Lake and reservoir bioassessment and biocriteria technical guidance document*. U.S. Environmental Protection Agency, Office of Water, Washington, D.C. EPA-841-B-98-007.
- U.S. Environmental Protection Agency (USEPA). 1996a. *Biological criteria: Technical guidance for streams and small rivers*. EPA 822-B-96-001. U.S. Environmental Protection Agency, Office of Water, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1996b. *Recommended*

- 
- guidelines for sampling and analyses in the Chesapeake Bay monitoring program.* CBP/TRS 148/96. EPA 903-R-006. Chesapeake Bay Program, Annapolis, MD.
- U.S. Environmental Protection Agency (USEPA). 1995. *Bibliography of methods for marine and estuarine monitoring.* EPA 842-B-95-002. USEPA, Office of Water, Office of Wetlands, Oceans, and Watersheds, Oceans and Coastal Protection Division, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1994a. *CWA Section 403: Procedural and monitoring guidance.* EPA 842-B-94-003. Office of Wetlands, Oceans, and Watersheds, Oceans and Coastal Protection Division, USEPA, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1994b. *Methods for measuring the toxicity of sediment associated contaminants with estuarine and marine amphipods.* EPA-600/R-94/025, Narragansett, RI.
- U.S. Environmental Protection Agency (USEPA). 1994c (draft). *Generic quality assurance project plan guidance for programs using community-level biological assessment in streams and rivers.* Prepared by Tetra Tech, Inc. for Assessment and Watershed Protection, USEPA, Washington, DC. August 1.
- U.S. Environmental Protection Agency (USEPA). 1994d. *Guidance for the data quality objectives process.* EPA 600/R-96/055. U.S. Environmental Protection Agency, Office of Research and Development, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1994e. *Environmental Monitoring and Assessment Program: Integrated quality assurance project plan for the Surface Waters Resource Group, 1994 activities, Rev. 200.* U.S. Environmental Protection Agency, Las Vegas, NV. EPA 600-X-91-080.
- U.S. Environmental Protection Agency (USEPA). 1993a. *Environmental Monitoring and Assessment Program. EMAP-Estuaries Louisianian Province. 1993 Quality Assurance Project Plan.* USEPA, Office of Research and Development, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1993b (draft final). *EPA requirements for quality assurance project plans for environmental data operations.* EPA QA/R-5. Quality Assurance Management Staff, USEPA, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1992. *Monitoring guidance for the national estuary program. Final.* EPA 842-B-92-004. Office of Water, Oceans, and Coastal Protection Division, USEPA, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1990. *Biological criteria: National program guidance for surface waters.* EPA-440/5-90-004. USEPA, Office of Water, Office of Regulations and Standards, Criteria and Standards Division, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1987. *Surface water monitoring: A framework for change.* USEPA, Office of Water, Office of Policy, Planning and Evaluation, Washington, DC.
- U.S. Environmental Protection Agency (USEPA). 1986-1991. *Recommended protocols for measuring selected environmental variables in Puget Sound.* Looseleaf. Region 10, Puget Sound Estuary Program, USEPA, Seattle, WA.

- 
- Vernberg, F. S. 1972. Dissolved gases. Pages 1491-1526 In O. Kinne (editor). *Marine Ecology*, New York, Wiley-Interscience. Volume I, Part 3.
- Ward, T.J. 1989. The accumulation and effects of metals in seagrass habitats. Pages 797-820 In A.W.D. Larkum, A.J. McComb, and S.A. Shepard (editors). *Biology of seagrasses. A treatise on the biology of seagrasses with special reference to the Australian region*. Elsevier, New York, NY.
- Warwick, R.M. 1988. Analysis of community attributes of the macrobenthos of Fierfjord/Laugelundfjord at taxonomic levels higher than species. *Marine Ecology Progress Series* 46:167-170.
- Warwick, R.M. and K.R. Clarke. 1991. A comparison of some methods for analyzing changes in benthic community structure. *Journal of the Marine Biological Association of the United Kingdom* 71:225-244.
- Warwick, R.M., H.M. Platt, K.R. Clarke, J. Agard, and J. Gobin. 1990. Analysis of macroinvertebrate and macrobenthic community structures in relation to pollution and disturbance in Hamilton Harbor, Bermuda. *Journal of Experimental Marine Biology and Ecology* 138:119-142.
- Washington, H.G. 1984. Diversity, biotic and similarity indices, a review with special relevance to aquatic ecosystems. *Water Research* 18: 653-694.
- Watson, P.G. and T.E. Frickers. 1990. A multilevel, *in situ* pore-water sampler for use in intertidal sediments and laboratory microcosms. *Limnology and Oceanography* 35:1381-1389.
- Weaver, G. 1984. PCB contamination in and around New Bedford, MA. *Estuaries* 18:22A-27A.
- Weinstein, M.P., S.L. Weiss, and M.F. Walters. 1980. Multiple determinants of community structure in shallow marsh habitats, Cape Fear River Estuary, North Carolina, USA. *Marine Biology* 48:227-243.
- Wiesberg, S.B., J.A. Ranasinghe, D.M. Dauer, L.C. Schaffner, R.J. Diaz, and J.B. Frithsen. 1997. An estuarine benthic Index of Biotic Integrity (B-IBI) for Chesapeake Bay. *Estuaries* 20:149-158.
- Weisberg, S.B., J.B. Frithsen, A.F. Holland, J.F. Paul, K.J. Scott, J.K. Summers, H.T. Wilson, R. Valente, D.G. Heimbuch, J. Gerritsen, S.C. Schimmel, and R.W. Latimer. 1993. *EMAP-Estuaries Virginian Province 1990 Demonstration Project Report*. EPA/620/R-93/006. Environmental Research Laboratory, USEPA, Narragansett, RI.
- Wilding, J.R. 1940. A new square-foot aquatic sampler. *Limnological Society of America Special Publication*, No. 4:1-4.
- Wonnacott, T.H. and R.J. Wonnacott. 1969. *Introductory Statistics. 2<sup>nd</sup> edition*. John Wiley and Sons, Inc., New York, NY.
- Word, J. Q. 1980. *The infaunal trophic index*. The 1980 Annual Report, Southern California Coastal Research Project. Long Beach, CA. pp 19-39.
- Word, J.Q. 1978. *The infaunal trophic index*. 1978 Annual Report, Southern California Coastal Water Research Project, Annual Report. Pages 19-39.

---

Word, J.Q., T.J. Kawling, and A.J. Mearns. 1976. *A comparative field study of benthic sampling devices used in Southern California benthic surveys.* Southern California Coastal Water Research Project, 1500 East Imperial Highway, El Segundo, CA.

Wright, J.F., D. Moss, P.D. Armitage, and M.T. Furse. 1984. A preliminary classification of running-water sites in Great Britain based on macroinvertebrate species and the prediction of community type using environmental data. *Freshwater Biology* 14:221-256.