

**NATURAL RESOURCES CONSERVATION SERVICE**  
**VIRGINIA CONSERVATION PRACTICE STANDARD**  
**CHANNEL STABILIZATION**

(Feet)

**CODE 584**

**DEFINITION**

Measure(s) used to stabilize the bed or bottom of a channel.

**PURPOSE**

This practice may be applied as part of a conservation management system to support one or more of the following:

- Maintain or alter channel bed elevation or gradient
- Modify sediment transport or deposition
- Manage surface water and groundwater levels in floodplains, riparian areas, and wetlands.

**CONDITIONS WHERE PRACTICE APPLIES**

This practice applies to the beds of existing or newly constructed channels, alluvial or non-alluvial, undergoing damaging aggradation or degradation that cannot be feasibly controlled by clearing or snagging, by the establishment of vegetative protection, by the installation of bank protection, or by the installation of upstream water control measures.

**CRITERIA**

Measures shall be designed and installed according to a site-specific plan that is in compliance with federal, state, and local laws and regulations.

Improvements planned or being carried out by others shall be incorporated into the design.

A geomorphic analysis of the stream system shall be performed. The selected measures shall not result in adverse affects on the function of the stream, the floodplain, or the stream corridor.

Effects of channel work on existing structures such as culverts, bridges, buried cables, pipelines, and irrigation flumes shall be evaluated to determine impact on their intended functions.

Measures shall be functional for the design flow and sustainable for higher flow conditions based on acceptable risk.

Measures shall be compatible with the bank or shoreline materials, water chemistry, channel hydraulics, and slope characteristics, both above and below the water line.

Flow duration, depth of inundation, buoyancy, uplift, scour, angle of attack, and stream velocity shall be included in the design. Anticipated ice action, debris impact and fluctuating water levels must also be evaluated.

Sufficient depth shall be maintained to provide adequate outlets for subsurface drains, tributary streams or ditches, or other channels.

When water surface elevations are a concern, the effects of protective measures shall not cause detrimental changes in water surface elevations.

The quantity and character of the sediments entering the reach of channel under consideration shall be analyzed on the basis of

Conservation practice standards are reviewed periodically, and updated if needed. To obtain the current version of this standard, contact the Natural Resources Conservation Service.

both present conditions and projected conditions caused by changes in land use or land treatment and upstream improvements or structural measures.

Measures shall be designed to maintain the appropriate sediment transport regime in order to avoid detrimental erosion or sedimentation upstream and downstream.

Channel clearing to remove stumps, fallen trees, debris, and bars shall only be done when they are causing or could cause detrimental bank erosion or structural failure. Habitat-forming elements that provide cover, food, pools, and water turbulence shall be retained or replaced to the extent possible.

Spoil material from clearing, grubbing, and channel excavation shall be disposed of in a manner that will not interfere with the function of the channel and in accordance with all local, state, and federal laws and regulations.

All disturbed areas around measures shall be protected from erosion. Vegetation shall be selected that is best suited for the anticipated site conditions.

Measures applied shall seek to avoid adverse effects to endangered, threatened, and candidate species and their habitats, whenever possible.

Measures applied shall seek to avoid adverse effects to archaeological, historic, structural, and traditional cultural properties, whenever possible.

## CONSIDERATIONS

Consider areawide planning for proper design, function, and management of protective measures where the design reach involves multiple stakeholders.

An assessment of channel stabilization needs should be considered in sufficient detail to identify the causes contributing to the instability (e.g., watershed alternations resulting in significant modifications of discharge or sediment production). Due to the complexity of such an assessment, use of an interdisciplinary team should be considered.

When designing protective measures, consider the changes that may occur in the watershed hydrology and sedimentation over the design life of the measure.

Consider protecting side channel inlets and outlets from erosion or sedimentation.

Consider utilizing woody debris removed during construction in the overall practice design.

## FISH AND WILDLIFE

Measures should consider habitat and migration needs of aquatic species.

Consider maintaining or improving the habitat value for fish and wildlife, which includes lowering or moderating water temperature, and improving water quality.

Consider opportunities to improve habitat for threatened, endangered, and other species of concern, where applicable.

## WETLANDS

Consider maximizing adjacent wetland functions and values with the project design and minimizing adverse effects to existing wetland functions and values.

## SOCIAL AND SAFETY ASPECTS

Consider the type of human use and the social and safety aspects when designing the protective measures. Use construction materials, grading practices, vegetation, and other site development elements that enhance aesthetics, recreational use, and maintain or complement existing landscape uses such as pedestrian paths, climate controls, and buffers. Avoid excessive disturbance and compaction of the site during installation.

Measures should be designed to minimize safety hazards to boaters, swimmers, or people using the channel.

## PLANS AND SPECIFICATIONS

Plans and specifications for this practice shall be prepared for specific channel reaches and field sites and shall describe the requirements for applying the practice to achieve its intended purpose(s).

### DESIGN DATA

Engineering plans, specifications, and reports shall include but not be limited to the following:

1. Detailed site investigation report with supporting data including flow information, channel materials, source of channel instability (if known), land use upstream and downstream, activities in the watershed impacting the stream, etc. Include photographs.
2. Site plan, including property boundaries, utilities, structures, etc.
3. Survey of profile and cross-sections.
4. Description and construction drawings of planned work.
5. Erosion and sediment control measures.
6. Dewatering plan, if needed.
7. Measures for protecting trees to be saved.
8. Debris removal quantities and disposal plan.
9. Plans for revegetation.
10. Safety measures needed.
11. Materials and quantities.
12. Operation and Maintenance requirements.
13. Environmental Evaluation Form VA-EE-1.

### CHECK DATA

1. As-built drawings and photographs.
2. Certification of material quality and quantities.

3. Certification of debris disposal and adequate revegetation.

## OPERATION AND MAINTENANCE

Operation and maintenance requirements shall be prepared. The requirements shall provide specific instructions for operating and maintaining the system to ensure that it functions properly. It shall also provide for periodic inspections and prompt repair or replacement of damaged components.

## REFERENCES

1. Engineering Field Handbook, Chapter 16.
2. TR-25, Design of Open Channels.
3. GM-190, ECOL SCI, Part 410, Compliance with NEPA, Subparts A, B & C.
4. "Information Guide and Joint Permit Application for Dredge, Fill, and Structures in the Waters and Wetlands of Virginia", published by Dept. of Environmental Quality.
5. 700 series specification:  
702 – Clearing and Grubbing  
706 – Seeding  
721 – Excavation  
792 – Fencing
6. National Engineering Handbook, Part 653, Stream Corridor Restoration: Principles, Processes, and Practices.
7. Rosgen, Dave, Applied River Morphology.

**NATURAL RESOURCES CONSERVATION SERVICE  
VIRGINIA CONSERVATION PRACTICE STANDARD  
CHANNEL STABILIZATION**

**Approved Practice Narrative**

**(Feet)**

**CODE 584**

584 D1 Channel Stabilization:  
Channel stabilization measures shall be installed to stabilize the bottom or bed of a channel in accordance with the attached plans and specifications.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, sex, religion, age, disability, political beliefs, sexual orientation, or marital or familial status. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD.)

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326W, Whitten Building, 14<sup>th</sup> and Independence Avenue, SW, Washington, DC, 20250-9410 or call (202) 720-5964 (voice and TDD.) USDA is an equal opportunity provider and employer.