

DES BIBLIOGRAPHY

Overview

Much has been written about the health risks of DES exposure and other topics related to DES. To help you find more information about a specific topic or study, a list of published research and other sources of DES is included below. The list is organized by main topic. This section of CDC's DES Update includes a bibliography organized by the following topics.

- History
- Women Prescribed DES While Pregnant
- Women Exposed to DES Before Birth (In the Womb), Known as DES Daughters
 - ◆ Structural/Functional Differences
 - ◆ Fertility
 - ◆ Clear Cell Adenocarcinoma (CCA)
 - ◆ Other Cancer
- Men Exposed to DES Before Birth (In the Womb), Known as DES Sons
- Third Generation (Offspring of DES Daughters and Sons)
- Immunology
- Psychology
- Reviews
- General



DES BIBLIOGRAPHY

History

Brackbill Y, Berendes HW. Dangers of diethylstilbestrol: review of a 1953 paper. *Lancet* 1978; 2:520.

Dieckmann WJ, Davis ME, Rynkiewicz LM, Pottinger RE. Does the administration of diethylstilbestrol during pregnancy have therapeutic value? *Am J Obstet Gynecol* 1953; 66(5):1062–81.

Dodds EC, Goldberg L, Larson W, Robinson R. Estrogenic activity of certain synthetic compounds. *Nature* 1938; 141:247.

Ferguson JH. Effect of stilbestrol on pregnancy compared to the effect of a placebo. *Am J Obstet Gynecol* 1953; 65:592–601.

Guisti RM, Iwamoto K, Hatch EE. Diethylstilbestrol revisited: a review of the long-term health effects. *Ann Intern Med* 1995;122:778–88.

Heinonen OP. Diethylstilbestrol in pregnancy: frequency of exposure and usage patterns. *Cancer* 1973;31:573–7.

Johnston GA Jr. Health risks and effects of prenatal exposure to diethylstilbestrol. *J Fam Pract* 1983 Jan;16(1):51–4.

Kinlen LJ, Badaracco MA, Moffett J, Vessey MP. A survey of the use of estrogens during pregnancy in the United Kingdom and of the genito-urinary cancer mortality and incidence rates in young people in England and Wales. *J Obstet Gynaecol Br Commonwlth* 1974;81:849–55.

Noller KL, Fisch CR. Diethylstilbestrol usage: its interesting past, important present, and questionable future. *Med Clin North Am* 1974;58(4):739–810.

Reid DD. The use of hormones in the management of pregnancy in diabetics: report to the Medical Research Council by their Conference on Diabetes and Pregnancy. *Lancet* 1955;6895:833–6.

Sharp GB, Cole P, Anderson D, Herbst AL. Clear cell adenocarcinoma of the lower genital tract. Correlation of mother's recall of diethylstilbestrol history with obstetrical records. *Cancer* 1990;66(10):2215–20.

Smith OW. Diethylstilbestrol in the prevention and treatment of complications of pregnancy. *Am J Obstet Gynecol* 1948;56:821–34.

Smith OW, Smith G, Van S. The influence of diethylstilbestrol on the progress and outcome of pregnancy based on a comparison of treated with untreated primigravidas. *Am J Obstet Gynecol* 1949;58:994.

Swyer GIM, Law RG. An evaluation of the prophylactic ante-natal use of stilbestrol: preliminary report. *J Endocrinol* 1954;10:6.

Tilley BC, Barnes AB, Bergstralh E, Labarthe D, Noller KL, Colton T. A comparison of pregnancy history recall and medical records: implications for retrospective studies. *Amer J Epidemiol* 1985;121(2):269–81.

Trimble EL. Update on diethylstilbestrol. *Obstet Gynecol Surv* 2001;56(4):187–9.

DES BIBLIOGRAPHY

Women Prescribed DES While Pregnant

Beral V, Colwell L. Randomized trial of high doses of stilbestrol and ethisterone in pregnancy: long-term follow-up of mothers. *Brit Med J* 1980;281:1098–1101.

Bibbo M, Haenszel WM, Wied GL, Hubby M, Herbst AL. A twenty-five year follow-up study of women exposed to diethylstilbestrol during pregnancy. *N Engl J Med* 1978;298(14):763–7.

Brian DD, Tilley BC, Labarthe DR, O’Fallon WM, Noller KL, Kurland LT. Breast cancer in DES-exposed mothers – absence of association. *Mayo Clin Proc* 1980;55:89–93.

Braun MM, Ahlbom A, Floderus B, Brinton LA, Hoover RN. Effect of twinship on incidence of cancer of the testis, breast, and other sites [Sweden]. *Cancer Causes Control* 1995;6:519–24.

Calle EE, Mervis CA, Thun MJ, Rodriguez C, Wingo PA, Health CW. Diethylstilbestrol and risk of fatal breast cancer in a prospective cohort of US women. *Am J Epidemiol* 1996;144(7):645–51.

Cohen I, Altaras M, Jaffe R, Markov S, Corduba M, Ben Aderet N. Ovarian cancer in women given diethylstilbestrol in pregnancy: two case reports. *J Pathol* 1987;152(2):95–7.

Collaborative Group on Hormonal Factors in Breast Cancer. Breast cancer and hormonal contraceptives: collaborative reanalysis of individual data on 53,297 women with breast cancer and 100,239 women without breast cancer from 54 epidemiological studies. *Lancet* 1996;347:1713–27.

Colton T, Greenberg ER, Noller K, Resseguie L, Van Bennekom C, Heeren T, et al. Breast cancer in mothers prescribed diethylstilbestrol in pregnancy: further follow-up. *JAMA* 1993;269:2096–100.

Greenberg ER, Barnes AB, Resseguie L, Barrett JA, Burnside S, Lanza LL, et al. Breast cancer in mothers given diethylstilbestrol in pregnancy. *N Engl J Med* 1984;311(22):1393–8.

Hadjimichael OC, Meigs JW, Falcier FW, Thompson WD, Flannery JT. Cancer risk among women exposed to exogenous estrogens during pregnancy. *J Natl Cancer Inst* 1984;73(4):831–4.

Herbst AL, Poskanzer DC, Robboy SJ, Friedlander I, Scully RE. A prospective comparison of exposed female offspring with unexposed controls. *N Engl J Med* 1975;292(7):334–9.

Hoover R, Gray LA Sr, Fraumeni JD Jr. Stilbestrol (diethylstilbestrol) and the risk of ovarian cancer. *Lancet* 1977;2(8037):533–4.

Hubby MM, Haenszel WM, Herbst AL. Effects on mother following exposure to diethylstilbestrol during pregnancy. In: Herbst AL, Bern HA, editors. *Developmental effects of diethylstilbestrol (DES) in pregnancy*. New York: Thieme-Stratton, Inc.; 1981. Chapter 9.

Kelsey JL, Berkowitz GS. Breast cancer epidemiology [review]. *Cancer Res* 1988;48(20):5615–23.

Meara J, Vessey M, Fairweather DV. A randomized double-blind controlled trial of the value of diethylstilbestrol therapy in pregnancy: 35 years follow-up of mothers and their offspring. *Brit J Obstet Gynecol* 1989;96(5):620–2.

Pharoah PD, Day NE, Duffy S, Easton DF, Ponder BA. Family history and the risk of breast cancer: a systematic review and meta-analysis. *Int J Cancer* 1997;71:800–9.

Titus-Ernstoff L, Hatch EE, Hoover RN, Palmer J, Greenberg ER, Ricker W, et al. Long-term cancer risk in women given diethylstilbestrol (DES) during pregnancy. *Br J Cancer* 2001;84:126–33.

Vessey MP, Fairweather DVI, Norman-Smith B, Buckley J. A randomized double blind controlled trial of the value of stilbestrol therapy in pregnancy: Long-term follow-up of mothers and their offspring. *Brit J Obstet Gynecol* 1983;90:1007–17.

Wingard DL, Turiel J. Long-term effects of exposure to diethylstilbestrol. *West J Med* 1988;149(5):551–4.

DES BIBLIOGRAPHY

Women Exposed to DES Before Birth (In the Womb), Known as DES Daughters: Structural/Functional Differences

Adam E, Decker DG, Herbst AL, Noller KL, Tilley BC, Townsend DE. Vaginal and cervical cancers and other abnormalities associated with exposure in utero to diethylstilbestrol and related synthetic hormones. *Cancer Res* 1977 April;37(4):1249–51.

Antonioli DA, Burke L, Friedman EA. Natural history of diethylstilbestrol-associated genital tract lesions: cervical extopy and cervicovaginal hood. *Am J Obstet Gynecol* 1980;137(7):847–53.

Assies J. Hyperprolactinaemia in diethylstilbestrol-exposed women [letter]. *Lancet* 1991;337:983.

Barnes AB. Menstrual history and fecundity of women exposed and unexposed in utero to diethylstilbestrol. *J Reprod Med* 1984;29:651–5.

Barnes AB, Fish C, Gundersen JH, et al. Vaginal and cervical changes in DES-exposed women. *Resident Staff Phys* 1981;12:112–3.

Ben-Baruch G, Menczer J, Mashiach S, Serr DM. Uterine anomalies in diethylstilbestrol-exposed women with fertility disorders. *Acta Obstet Gynecol Scand* 1981;60(4):395–7.

Bibbo M, Gill WB, Azizi F, Blough R, Fang VS, Rosenfield RL, et al. Follow-up study of male and female offspring of DES-exposed mothers. *Obstet Gynecol* 1977;49(1):1–7.

Burke L, Antonioli D, Friedman EA. Evolution of diethylstilbestrol-associated genital tract lesions. *Obstet Gynecol* 1981;57(1):79–84.

DeCherney AH, Cholst I, Naftolin F. Structure and function of the fallopian tubes following exposure to diethylstilbestrol (DES) during gestation. *Fertil Steril* 1981;36(6):741–5.

Haney AF, Hammond CB, Soules MR, Creasman WT. Diethylstilbestrol-induced upper genital tract abnormalities. *Fertil Steril* 1979;31:142–6.

Herbst AL, Hubby MM, Anderson D. Neoplastic changes in the human female genital tract following intrauterine exposure to diethylstilbestrol. *Progr Cancer Res Therapy* 1984;31:389–99.

Herbst AL, Poskanzer DC, Robboy SJ, Friedlander L, Scully RE. Prenatal exposure to stilbestrol: a prospective comparison of exposed female offspring with unexposed controls. *N Engl J Med* 1975;292:334–9.

Hornsby P, Wilcox A. Onset of menopause in women exposed to diethylstilbestrol in utero [abstract]. *Am J Epidemiol* 1991;134(7):770.

Jefferies JA, Robboy SJ, O'Brien PC, Bergstralh EJ, Labarthe DR, Barnes AB, et al. Structural anomalies of the cervix and vagina in women enrolled in the Diethylstilbestrol Adenosis (DESAD) Project. *Am J Obstet Gynecol* 1984;148:59–66.

Kaufman RH, Adam E. Genital tract anomalies associated with in utero exposure to diethylstilbestrol. *Isr J Med* 1978;14(3):353–62.

Kaufman RH, Binder GL, Gray PM, Adam E. Upper genital tract changes associated with exposure in utero to diethylstilbestrol. *Am J Obstet Gynecol* 1977;128(1):51–9.

Kaufman RH, Adam E, Binder GL, Gerthoffer E. Upper genital tract changes and pregnancy outcome in offspring exposed in utero to diethylstilbestrol. *Am J Obstet Gynecol* 1980;137(3):299–308.

Kaufman RH, Adam E, Grey MP, Gerthoffer E. Urinary tract changes associated with exposure in utero to diethylstilbestrol. *Obstet Gynecol* 1980;56(3):330–2.

Kaufman RH. Structural changes of the genital tract associated with in utero exposure to diethylstilbestrol. *Obstet Gynecol Annu* 1982;11:187–202.

Labarthe D, Adam E, Noller KL, O’Brien PC, Robboy SJ, Tilley BC, et al. Design and preliminary observations in the National Cooperative Diethylstilbestrol Adenosis (DESAD) Project. *Obstet Gynecol* 1978;51:453.

Noller KL, Townsend DE, Kaufman RH, Barnes AB, Robboy SJ, Fish CR, et al. Maturation of vaginal and cervical epithelium in women exposed in utero to diethylstilbestrol (DESAD Project). *Am J Obstet Gynecol* 1983;146(3):279–85.

Noller KL, Townsend D, Kaufman RH. Genital findings colposcopic evaluation, and current management of the diethylstilbestrol-exposed female. In: Herbst AL, Bern HA, editors. *Developmental effects of diethylstilbestrol (DES) in pregnancy*. New York: Thieme-Stratton, Inc.; 1981. Chapter 7.

O’Brien PC, Noller KL, Robboy SJ, Barnes AB, Kaufman RH, Tilley BC, et al. Vaginal epithelial changes in young women enrolled in the National Cooperative Adenosis (DES) Project. *Obstet Gynecol* 1979;53:300–8.

Peress MR, Tsai CC, Mathur RS, Williamson HO. Hirsutism and menstrual patterns in women exposed to diethylstilbestrol in utero. *Am J Obstet Gynecol* 1982;144(2):135–40.

Rennell CL. T-shape uterus in diethylstilbestrol (DES) exposure. *AJR Am J Roentgenol* 1979;132(6):979.

Robboy SJ, Noller KL, O’Brien P, Kaufman RH, Townsend D, Barnes AB, et al. Increased incidence of cervical and vaginal dysplasia in 3,980 diethylstilbestrol-exposed young women: experience of the National Collaborative Diethylstilbestrol Adenosis Project. *JAMA* 1984;252:2979–83.

Robboy SJ, Kaufman RH, Prat J, Welch WR, Gaffey T, Scully RE, et al. Pathologic findings in young women enrolled in the National Cooperative Diethylstilbestrol Adenosis (DESAD) Project. *Obstet Gynecol* 1979;53:309–17.

Robboy SJ, Taguchi O, Cunha GR. Normal development of the human female reproductive tract and alterations resulting from experimental exposure to diethylstilbestrol. *Hum Pathol* 1982;13(3):190–8.

Schmidt G, Fowler WC Jr. Cervical stenosis following minor gynecologic procedures on DES-exposed women. *Obstet Gynecol* 1980;56(3):333–5.

Scully RE, Welch WR. Pathology of the female genital tract after prenatal exposure to diethylstilbestrol. In: Herbst AL, Burn HA, editors. *Developmental effects of diethylstilbestrol (DES) in pregnancy*. New York: Thieme-Stratton, Inc.; 1981. Chapter 3.

Singer MS, Hochman M. Incompetent cervix in a hormone-exposed offspring. *Obstet Gynecol* 1978;51:625–6.

Stillman RJ. In utero exposure to diethylstilbestrol: adverse effects on the reproductive performance of male and female offspring. *Am J Obstet Gynecol* 1982;142(7):905–21.

Vessey MP, Fairweather DVI, Norman-Smith B, Buckley J. A randomized double blind controlled trial of the value of stilbestrol therapy in pregnancy: long-term follow-up of mothers and their offspring. *Brit J Obstet Gynecol* 1983;90:1007–17.

Viscomi GN, Gonzalez R, Taylor KJ. Ultrasound detection of uterine abnormalities after diethylstilbestrol (DES) exposure. *Radiology* 1980;136(3):733–5.

Wu CH, Mangan CE, Burtnett MM, Mikhail G. Plasma hormones in DES-exposed females. *Obstet Gynecol* 1980;55(2):157–62.

Zerner J, Fu YS, Taxiarchis LN, Reagan JW, Richart RM. A clinicopathologic study of vagina and cervix in DES-exposed progeny. *Diagn Gynecol Obstet* 1980;2(4):245–56.

DES BIBLIOGRAPHY

Women Exposed to DES Before Birth (In the Womb), Known as DES Daughters: Fertility

Adams DM, Druzin ML, Cederaquist LL. Intrapartum uterine rupture. *Obstet Gynecol* 1989;77(3 pt 2):471–3.

Alper MM, Oskowitz SP, Berger MJ, Thompson IE, Whitmyer J, Powers RD. Pregnancy after gamete intrafallopian transfer in a women with primary infertility and in utero exposure to diethylstilbestrol [case report]. *J Reprod Med* 1988;33(5):489–91.

Balasch J, Coll O, Jove I, Moreno V, Mulet J, Vanrell JA. Diethylstilbestrol-induced Müllerian abnormalities, septate uterus, genital tuberculosis and twin pregnancy with term delivery after in vitro fertilization. *Human Reprod* 1991;6(5):690–3.

Barnes AB, Colton T, Gundersen J, Noller KL, Tilley BC, Strama T, et al. Fertility and outcome of pregnancy in women exposed in utero to diethylstilbestrol. *N Eng J Med* 1980;302(11):609–13.

Ben-Baruch G, Menczer J, Mashiach S, Serr DM. Uterine anomalies in diethylstilbestrol-exposed women with fertility disorders. *Acta Obstet Gynecol Scand* 1981;60(4):395–7.

Berger MJ, Goldstein DP. Impaired reproductive performance in DES-exposed women. *Obstet Gynecol* 1980;55(1):25–7.

Bibbo M, Gill WB, Azizi F, Blough R, Fang VS, Rosenfield RL, et al. Follow-up study of male and female offspring of DES-exposed mothers. *Obstet Gynecol* 1977;49(1):1–8.

Claman P, Berger MJ. Phenotypic differences in upper genital tract abnormalities and reproductive history in dizygotic twins exposed to diethylstilbestrol in utero [case report]. *J Reprod Med* 1990;35(4):431–3.

Cousins L, Karp W, Lacey C, Lucas WE. Reproductive outcome of women exposed to diethylstilbestrol in utero. *Obstet Gynecol* 1980;56(1):70–6.

DeCherney AH, Cholst I, Naftolin F. Structure and function of the fallopian tubes following exposure to diethylstilbestrol (DES) during gestation. *Fertil Steril* 1981;36(6):741–5.

Edelman DA, Badrawi HH. Contraception for women exposed in utero to diethylstilbestrol. *Adv Contracept* 1988;4(3):241–6.

Goldberg J, Falcone T. Effect of diethylstilbestrol on reproductive function. *Fertil Steril* 1999;72:1–7.

Goldstein DP. Incompetent cervix in offspring exposed to diethylstilbestrol in utero. *Obstet Gynecol* 1978;52(Suppl):S73–S5.

Halling A, Forsberg JG. Ovarian failure after exposure to diethylstilbestrol in neonatal life. *Biol Reprod* 1990;43(3):472–7.

Haney AF, Hammond MG. Infertility in women exposed to diethylstilbestrol in utero. *J Reprod Med* 1983;28(12):851–6.

- Herbst AL, Hubby MM, Blough RR, Azizi F.** A comparison of pregnancy experience in DES-exposed and DES-unexposed daughters. *J Reprod Med* 1980;24(2):62–9.
- Herbst AL, Poskanzer DC, Robboy SJ, Friedlander L, Scully RE.** Prenatal exposure to stilbestrol: a prospective comparison of exposed female offspring with unexposed controls. *N Engl J Med* 1975;292:334–9.
- Herbst AL, Hubby MM, Azizi F, Makii MM.** Reproductive and gynecologic surgical experience in diethylstilbestrol-exposed daughters. *Am J Obstet Gynecol* 1981;141:1019–28.
- Hricak H, Chang YC, Cann CE, Parer JT.** Cervical incompetence: preliminary evaluation with MR imaging. *Radiology* 1990;173(3 pt 1):821–6.
- Karande VC, Lester RG, Muasher SJ, Jones DL, Acosta AA, Jones HW Jr.** Are implantation and pregnancy outcome impaired in diethylstilbestrol-exposed women after in utero fertilization and embryo transfer? *Fert Steril* 1990;54(2):287–91.
- Kaufman RH, Adam E, Hatch EE, Noller K, Herbst AL, Palmer JR, et al.** Pregnancy outcomes in diethylstilbestrol-exposed offspring: continued follow-up. *Obstet Gynecol* 2000;96:483–9.
- Kaufman RH, Noller K, Adam E, Irwin J, Gray M, Jefferies JA, et al.** Upper genital tract abnormalities in pregnancy outcome in diethylstilbestrol-exposed progeny. *Am J Obstet Gynecol* 1984;148:973.
- Kaufman RH, Binder GL, Gray PM Jr, Adam E.** Upper genital tract changes associated with in utero exposure to diethylstilbestrol. *Am J Obstet Gynecol* 1977;128:51–9.
- Lazar R, Guegeuen S, Dreyfus J, Renaud R, Pontonnier G, Papiernik E, et al.** Multicentered controlled trial of cervical cerclage of women at moderate risk of preterm delivery. *Br J Obstet Gynaecol* 1984;91:731–5.
- Levine R, Berkowitz K.** Conservative management and pregnancy outcome in diethylstilbestrol-exposed women with and without gross genital tract abnormalities. *Am J Obstet Gynecol* 1993;169(5):1125–9.
- Linn S, Lieberman E, Schoenbaum SC, Monson RR, Stubblefield PG, Ryan KJ.** Adverse outcomes of pregnancy in women exposed to diethylstilbestrol in utero. *J Reprod Med* 1988;33(1):3–7.
- Mangan CE, Borow L, Burtnett-Rubin MM, Egan V, Giuntoli RL, Mikuta JJ.** Pregnancy outcome in 98 women exposed to diethylstilbestrol in utero, their mothers, and unexposed siblings. *Obstet Gynecol* 1982;59:315–9.
- Muasher SJ, Garcia JE, Jones HW.** Experience with diethylstilbestrol-exposed infertile women in program of in vitro fertilization. *Fertil Steril* 1984;42(1):20–4.
- Nunley WC, Kitchin JD.** Successful management of incompetent cervix in a primigravida exposed to diethylstilbestrol in utero. *Fertil Steril* 1979;31:217–9.
- Palmer JR, Hatch EE, Rao S, Kaufman RH, Herbst AL, Noller KL, et al.** Infertility among women exposed prenatally to diethylstilbestrol. *Am J Epidemiol* 2001;154:319–21.
- Pillsbury SG.** Reproductive significance of changes in the endometrial cavity associated with exposure in utero to diethylstilbestrol. *Am J Obstet Gynecol* 1980;137(2):178–82.

Rosenfeld DL, Bronson RA. Reproductive problems in the DES-exposed female. *Obstet Gynecol* 1980;55(4):453–6.

Rusch RW, Isaccs S, McPherson K, Jones L, Chalmers I, Grant A. A randomized controlled trial of cervical cerclage in women at high risk of spontaneous preterm delivery. *Br J Obstet Gynaecol* 1984;91:724–30.

Sandberg EC, Riffle NL, Higdon JV, Getman CE. Pregnancy outcome in women exposed to diethylstilbestrol in utero. *Am J Obstet Gynecol* 1981;140:194–205.

Schmidt G, Fowler WC Jr, Talbert LM, Edelman DA. Reproductive history of women exposed to diethylstilbestrol in utero. *Fertil Steril* 1980;33(1):21–4.

Seigler AM, Wang CF, Friberg J. Fertility of the diethylstilbestrol exposed offspring. *Fertil Steril* 1979;31:601–7.

Senekjian EK, Potkul RK, Frey K, Herbst AL. Infertility among daughters either exposed or not exposed to diethylstilbestrol. *Am J Obstet Gynecol* 1988;158(3 pt 1):493–8.

Singer MS, Hochman M. Incompetent cervix in a hormone-exposed offspring. *Obstet Gynecol* 1978;51:625–6.

Stillman RJ. In utero exposure to diethylstilbestrol: adverse effects on the reproductive tract and reproductive performance in male and female offspring [review]. *Am J Obstet Gynecol* 1982;142:905–21.

Thorp JM Jr, Fowler WC, Donehoo R, Sawicki C, Bowes WA Jr. Antepartum and intrapartum events in women exposed in utero to diethylstilbestrol. *Obstet Gynecol* 1990;76(5 pt 1):828–32.

Veridiano NP, Delke I, Rogers J, Tancer ML. Reproductive performance of DES-exposed female progeny. *Obstet Gynecol* 1981;58:58–61.

DES BIBLIOGRAPHY

Women Exposed to DES Before Birth (In the Womb), Known as DES Daughters: Clear Cell Adenocarcinoma (CCA)

Adam E, Decker DG, Herbst AL, Noller KL, Tilley BC, Townsend DE. Vaginal and cervical cancers and other abnormalities associated with exposure in utero to diethylstilbestrol and related synthetic hormones. *Cancer Res* 1977;37(4):1249–51.

Anderson B, Watring WG, Edinger DD Jr, Small EC, Netland AT, Safaii H. Development of DES-associated clear cell carcinoma: the importance of regular screening. *Obstet Gynecol* 1979;53(3):293–9.

Burks RJ, Schwartz AM, Wheeler JE, Antonioli D. Late recurrence of clear-cell adenocarcinoma of the cervix [case report]. *Obstet Gynecol* 1990;76(3 pt 2):525–7.

Carlson JA Jr, Morgan M, Boothby R, Rubin M. Stage II papillary clear cell adenocarcinoma of the vagina during observation in a diethylstilbestrol-exposed daughter. *Gynecol Oncol* 1989;32(1):86–7.

Clark LC, Portier KM. Diethylstilbestrol and the risk of cancer. *N Eng J Med* 1979;300(5):263–4.

Davis JA, Wadehra V, McIntosh AS, Monaghan JM. A case of clear cell adenocarcinoma of the vagina in pregnancy [case report]. *Br J Obstet Gynaecol* 1981;88(3):322–6.

Dewhurst J, Ferreira HP, Dally VM, Staffurth JF. Stilboestrol-associated vaginal carcinoma treated by radiotherapy [case report]. *J Obstet Gynecol* 1980;1:63–4.

Dickersin GR, Welch WR, Erlandson R, Robboy SJ. Ultrastructure of 16 cases of clear cell adenocarcinoma of the vagina and cervix in young women. *Cancer* 1980;45(7):1615–24.

Edelman DA. Diethylstilbestrol exposure and the risk of clear cell cervical and vaginal adenocarcinoma. *Int J Fertil* 1989;34(4):251–5.

Eisenfeld AJ, Schwartz PE, Morris JM. Estrogen and progesterone receptors in vaginal and uterine adenocarcinomas following estrogen use [case report]. *Gynecol Oncol* 1980;10(1):63–8.

Forsberg JG. Diethylstilbestrol, clear cell adenocarcinoma, and striking discoveries in Norway. *Am J Med* 1988;84(1):184.

Fowler WC Jr, Schmidt G, Edelman DA, Kaufman DG, Fenoglio CM. Risks of cervical intraepithelial neoplasia among DES-exposed progeny. *Obstet Gynecol* 1981;58(6):720–4.

Ghosh TK, Cera PJ. Transition of benign vaginal adenosis to clear cell carcinoma. *Obstet Gynecol* 1983;61(1):126–30.

Goodman A, Sullinger JC, Rice LW, Fuller AF Jr. Clear cell adenocarcinoma of the vagina: a second primary in a diethylstilbestrol-exposed woman [case report]. *Gynecol Oncology* 1991;43(2):173–7.

Greenwald P, Nasca PC, Burnett WS, Polan A. Prenatal stilbestrol experience of mothers of young cancer patients. *Cancer* 1973;31:568–72.

Greenwald P, Barlow JJ, Nasca PC, Burnett WS. Vaginal cancer after maternal treatment with synthetic estrogens. *N Engl J Med* 1971;285:390–2.

Hanselaar AG, Leusen ND, DeWilde PC, Vooijs GP. Clear cell adenocarcinoma of the vagina and cervix: A report of the Central Netherlands Registry with emphasis on early detection and prognosis. *Cancer* 1991;67(7):1971–8.

Herbst AL, Anderson D. Clear cell adenocarcinoma of the vagina and cervix secondary to intrauterine exposure to diethylstilbestrol. *Semin Surg Oncol* 1990;6(6):343–6.

Herbst AL. The effects in the human of diethylstilbestrol (DES) use during pregnancy [review]. *Int Symp Princess Takamatsu Cancer Res Fund* 1987;18:67–75.

Herbst AL, Ulfelder H, Poskanzer DC. Adenocarcinoma of the vagina: association of maternal stilbestrol therapy with tumor appearance in young women. *N Engl J Med* 1971;284:878–81.

Herbst AL. Diethylstilbestrol and other sex hormones during pregnancy [review]. *Obstet Gynecol* 1981;58:25S–40S.

Herbst AL. The epidemiology of vaginal and cervical cancer clear cell adenocarcinoma [review]. In: Herbst AL, Bern HA, editors. *Developmental effects of diethylstilbestrol (DES) in pregnancy*. New York: Thieme-Stratton, Inc.; 1981. Chapter 5.

Herbst AL. Clear cell adnocarcinoma and the current status of DES-exposed females. *Cancer* 1981;48(2 Suppl):484–8.

Herbst AL, Poskanzer DC, Robboy SJ, Friedlander L, Scully RE. Prenatal exposure to stilbestrol: a prospective comparison of exposed female offspring with unexposed controls. *N Engl J Med* 1975;292:334–9.

Herbst AL, Anderson S, Hubby MM, Haenszel WM, Kaufman RH, Noller KL. Risk factors for the development of diethylstilbestrol-associated clear cell adenocarcinoma: a case-control study. *Am J Obstet Gynecol* 1986;154(4):814–22.

Herbst AL, Scully RE. Adenocarcinoma of the vagina in adolescence: a report of 7 cases including 6 clear cell carcinomas (so-called mesonephromas). *Cancer* 1970;25:745.

Herbst AL, Kurman RJ, Scully RE, Poskanzer DC. Clear cell adenocarcinoma of the genital tract in young females: registry report. *N Engl J Med* 1972;287:1259–64.

Herbst AL, Kurman RJ, Scully RE. Vaginal and cervical abnormalities after exposure to stilbestrol in utero. *Obstet Gynecol* 1972;40:287.

Herbst AL, Robboy SJ, Scully RE, Poskanzer DC. Clear cell adenocarcinoma of the vagina and cervix in young females: an analysis of 170 registry cases. *Am J Obstet Gynecol* 1974;119:713–23.

Herbst AL, Cole P, Colton T, Robboy SJ, Scully RE. Age-incidence and risk of diethylstilbestrol-related clear cell adenocarcinoma of the vagina and cervix. *Am J Obstet Gynecol* 1977;128:43–50.

Herbst AL, Cole P, Norusis MJ, Welch WR, Scully RE. Epidemiologic aspects and factors related to survival in 384 cases of clear cell adenocarcinoma of the vagina and cervix. *Am J Obstet Gynecol* 1979;135:876.

- Herbst AL, Norusis MJ, Rosenow PJ, Welch WR, Scully RE.** An analysis of 346 cases of clear cell adenocarcinoma of the vagina and cervix with emphasis on recurrence and survival. *Gynecol Oncol* 1979;7:111–2.
- Hoover R, Fraumeni JF Jr.** Drug-induced cancer [review]. *Cancer* 1981;47(5 Suppl):S1071–S80.
- Horwitz RI, Viscoli CM, Merino M, Brennan TA, Flannery JT, Robboy SJ.** Clear-cell adenocarcinoma of the vagina and cervix: incidence, undetected disease and diethylstilbestrol. *J Clin Epidemiol* 1988;41(6):593–7.
- Hudson CN, Crandon AJ, Baird PJ, Willcocks D.** Preservation of reproductive potential in diethylstilbestrol-related vaginal adenocarcinoma. *Am J Obstet Gynecol* 1983;145(3):375–7.
- Jones WB, Koulos JP, Saigo PE, Lewis JL Jr.** Clear-cell adenocarcinoma of the lower genital tract: Memorial Hospital 1974–1984. *Obstet Gynecol* 1987;70(4):573–7.
- Jones WB, Woodruff JM, Erlandson RA, Lewis JL Jr.** DES-related clear cell adenocarcinoma of the vagina in pregnancy. *Obstet Gynecol* 1981;57(6 Suppl):76S–80S.
- Kaufman RH, Korhonen MO, Strama T, Adam E, Kaplan A.** Development of clear cell adenocarcinoma in DES-exposed offspring under observation. *Obstet Gynecol* 1982;145(3):375–7.
- Kramer MS, Seltzer V, Krumholz B, Talebian F, Tedeschi C, Chen S.** Diethylstilbestrol related clear-cell adenocarcinoma in women with initial examinations demonstrating on malignant disease. *Obstet Gynecol* 1987;69:868–71.
- Lanier AP, Noller KL, Decker DG, Elveback LR, Kurland LT.** Cancer and stilbesterol: a follow-up of 1,719 persons exposed to estrogens in utero and born 1943–59. *Mayo Clin Proc* 1973;48:793–9.
- Mattingly RF, Staff A.** Cancer risk in diethylstilbestrol-exposed offspring. *Am J Obstet Gynecol* 1976;126:543–8.
- Melnick S, Cole P, Anderson D, Herbst AL.** Rates and risks of diethylstilbestrol-related clear cell adenocarcinoma of the vagina and cervix. *Am J Epidemiol* 1986;124(3):518–9.
- Melnick S, Cole P, Anderson D, Herbst AL.** Rates and risks of diethylstilbestrol-related clear cell adenocarcinoma of the vagina and cervix: an update. *N Engl J Med* 1987;316:514–6.
- Monaghan JM, Sirisena LAW.** Stilbestrol and vaginal clear-cell adenocarcinoma syndrome [case report]. *Br Med J* 1978;1:1588–90.
- Noller KL, Decker DG, Lanier AP, Kurland LT.** Clear cell adenocarcinoma of the cervix after maternal treatment with synthetic estrogens. *Mayo Clin Proc* 1972;47:629–30.
- O'Brien PC, Noller KL, Robboy SJ, Barnes AB, Kaufman RH, Tilley BC, et al.** Vaginal epithelial changes in young women enrolled in the National Cooperative Diethylstilbestrol Adenosis (DESAD) Project. *Obstet Gynecol* 1979;53:300–8.
- Orr JW Jr, Shingleton HM, Gore H, Austin JM Jr, Hatch KD, Soong SJ.** Cervical intraepithelial neoplasia associated with exposure to diethylstilbestrol in utero: a clinical and pathologic study. *Obstet Gynecol* 1981;58(1):75–82.

Robboy SJ, Truslow GY, Richart RM. Role of hormones including diethylstilbestrol (DES) in the pathogenesis of cervical and vaginal intraepithelial neoplasia. *Gynecol Oncol* 1981;12(2 pt 2):S98–S110.

Robboy SJ, Young RH, Welch WR, Truslow GY, Prat J, Herbst AL, et al. Atypical vaginal adenosis and cervical ectropion; association with clear cell adenocarcinoma in diethylstilbestrol-exposed offspring. *Cancer* 1984;54(5):869–75.

Robboy SJ, Kaufman RH, Prat J, Welch WR, Gaffey T, Scully RE, et al. Pathologic findings in young women enrolled in the National Cooperative Diethylstilbestrol Adenosis (DESAD) Project. *Obstet Gynecol* 1979;53:309.

Sandberg EC, Christian JC. Diethylstilbestrol-exposed monozygotic twins discordant for cervicovaginal clear cell adenocarcinoma. *Am J Obstet Gynecol* 1980;137:220–8.

Senekjian EK, Hubby M, Bell DA, Anderson D, Herbst AL. Clear cell adenocarcinoma (CCA) of the vagina and cervix in association with pregnancy. *Gynecol Oncol* 1986;24:207–19.

Senekjian EK, Frey KW, Stone C, Herbst AL. An evaluation of stage II vaginal clear cell adenocarcinoma according to substages. *Gynecol Oncol* 1988;31(1):56–64.

Senekjian EK, Frey K, Herbst AL. Pelvic exenteration in clear cell adenocarcinoma of the vagina and cervix. *Gynecol Oncol* 1989;34(3):413–6.

Sharp GB, Cole P. Vaginal bleeding and diethylstilbestrol-exposure during pregnancy: relationship to genital tract clear cell adenocarcinoma and vaginal adenosis in daughters. *Am J Obstet Gynecol* 1990;162(4):994–1001.

Sharp GB, Cole P. Identification of risk factors for diethylstilbestrol-associated clear cell adenocarcinoma of the vagina: similarities to endometrial cancer. *Am J Epidemiol* 1991;134(11):1316–24.

Shapiro S, Slone D. The effect of exogenous female hormones of the fetus [review]. *Epidemiol Rev* 1979;1:110–23.

Veridiano NP, Tancer ML, Delke I, Gal D, Giannattasio C. Delayed onset of clear cell adenocarcinoma of the vagina in DES-exposed progeny. *Obstet Gynecol* 1981;57:395–8.

Vessey MP. Epidemiologic studies of the effects of diethylstilbestrol [review]. *IARC Sci Publ* 1989;96:335–48.

Wilkinson EJ. Pathology of the vagina [review]. *Curr Opin Obstet Gynecol* 1991;3(4):553–60.

DES BIBLIOGRAPHY

Women Exposed to DES Before Birth (In the Womb), Known as DES Daughters: Other Cancer

Bornstein J, Adam E, Adler-Storthz K, Kaufman RH. Development of cervical and vaginal squamous cell neoplasia as a late consequence of in utero exposure to diethylstilbestrol. *Obstet Gynecol Surv* 1988;43(1):15–21.

Braun MM, Ahlbom A, Floderus B, Brinton LA, Hoover RN. Effect of twinship on incidence of cancer of the testis, breast, and other sites [Sweden]. *Cancer Causes Control* 1995;6:519–24.

Clark LC, Portier KM. Diethylstilbestrol and the risk of cancer. *N Eng J Med* 1979;300(5):263–4.

Ekbon A, Trichopoulos D, Adami HO, Hsieh CC, Lan SJ. Evidence of prenatal influences on breast cancer risk. *Lancet* 1992;340:1015–8.

Faber K, Jones M, Tarraza HM Jr. Invasive squamous cell carcinoma of the vagina in a diethylstilbestrol-exposed woman [case report]. *Gynecol Oncol* 1990;37(1):125–8.

Hatch EE, Herbst AL, Hoover RN, Noller KL, Adam E, Kaufman RH, et al. Incidence of squamous neoplasia of the cervix and vagina in women exposed prenatally to diethylstilbestrol (United States). *Cancer Causes Control* 2001;12(9):837–45.

Hatch EE, Palmer JR, Titus-Ernstoff L, Noller KL, Kaufman RH, Mittendorf R, et al. Cancer risk in women exposed to diethylstilbestrol in utero. *JAMA* 1998;280(7):630–4.

Henderson BE, Benton BD, Weaver PT, Linden G, Nolan JF. Stilbestrol and urogenital-tract cancer in adolescents and young adults. *N Engl J Med* 1973;288:354.

Kinlen LJ, Badaracco MA, Moffett J, Vessey MP. A survey of the use of estrogens during pregnancy in the United Kingdom and the genitourinary cancer mortality with incidence rates in young people in England and Wales. *J Obstet Gynaecol Br Commonwlt* 1974;81:849–55.

Lazarus KH. Maternal diethylstilbestrol and ovarian malignancy in offspring [letter]. *Lancet* 1984;53.

Mansi ML. Clear cell renal carcinoma in a pregnant DES-exposed patient [case report]. *J Am Osteopath Assoc* 1989;89(7):929–32.

Palmer JR, Hatch EE, Rosenberg CL, Hartge P, Kaufman RH, Titus-Ernstoff L, et al. Risk of breast cancer in women exposed to diethylstilbestrol in utero: preliminary results (United States). *Cancer Causes Control* 2002;13:753–8.

Potischman N, Troisi R. In-utero and early life exposures in relation to risk of breast cancer. *Cancer Causes Control* 1999;1:561–73.

Robboy SJ, Szyfelbein WM, Goellner JR, Kaufman RH, Taft PD, Richard RM, et al. Dysplasia and cytologic findings in 4,589 young women enrolled in diethylstilbestrol-adenosis (DESAD) project. *Am J Obstet Gynecol* 1981;149(5):579–86.

Robboy SJ, Noller KL, O'Brien P, Kaufman RH, Townsend D, Barnes AB, et al. Increased incidence of cervical and vaginal dysplasia in 3,980 diethylstilbestrol-exposed young women. *JAMA* 1984;252(21):2979–83.

Thompson WK, Janerich DT. Maternal age at birth and risk of breast cancer in daughters. *Epidemiology* 1990;1:101–6.

Trichopoulos D. Hypothesis: does breast cancer originate in utero? *Lancet* 1990;335(8695):939–40.

Vandrie DM, Puri S, Upton RT, DeMeester LJ. Adenosquamous carcinoma of cervix in a woman exposed to diethylstilbestrol in utero [case report]. *Obstet Gynecol* 1983;61(3 Suppl):S84–S7.

Verloop T, Rookus MA, van Leeuwen FE. Prevalence of gynecologic cancer in women exposed to diethylstilbestrol in utero [correspondence]. *N Engl J Med* 2000;342:1838–9.

DES BIBLIOGRAPHY

Men Exposed to DES Before Birth (In the Womb), Known as DES Sons

Ambramsson L. On the investigation of men from infertile relations: a clinical study with special regard to anamnesis, physical examination, semen-, hormone- and chromosome analyses, from men with non-“normal” semen. *Scand J Urol Nephrol* 1988;Suppl 113:1–47.

Ambramsson L, Duchek M, Lundgren B. Conception rate for infertile couples: the importance of anamnesis and signs of genital disease in men with abnormal semen findings. *Scand J Urol Nephrol* 1989;23(3):165–71.

Andonian RW, Kessler R. Transplacental exposure to diethylstilbestrol in men. *Urology* 1979;13:276.

Bibbo M, Al-Naqeeb M, Baccarini I, Gill W, Newton M, Sleeper KM, et al. Follow-up study of male and female offspring of DES-treated mothers: a preliminary report. *J Reprod Med* 1975;15:29.

Bibbo M, Gill WB, Azizi F, Blough R, Fang VS, Rosenfield RL, et al. Follow-up study of male and female offspring of DES-exposed mothers. *Obstet Gynecol* 1977;49(1):1–7.

Bibbo M, Ali I, Al-Naqeeb M, Baccarini I, Climaco LA, Gill W, et al. Cytologic findings in female and male offspring of DES-treated mothers. *Acta Cytol* 1975;19:568.

Braun MM, Ahlbom A, Floderus B, Brinton LA, Hoover RN. Effect of twinship on incidence of cancer of the testis, breast, and other sites [Sweden]. *Cancer Causes Control* 1995;6:519–24.

Brown LM, Pottern LM, Hoover RN. Prenatal and perinatal risk factors for testicular cancer. *Cancer Res* 1986;46:4812–6.

Clark LC, Portier KM. Diethylstilbestrol and the risk of cancer. *N Eng J Med* 1979;300(5):263–4.

Conley GR, Sant GR, Ucci AA, Micheson HD. Seminoma and epididymal cysts in a young man with known diethylstilbestrol exposure in utero. *JAMA* 1983;249:1325–6.

Cosgrove MD, Benton B, Henderson BE. Male genitourinary abnormalities and maternal diethylstilbestrol. *J Urol* 1977;117(2):220–2.

Depue RH, Pike MC, Henderson BE. Estrogen exposure during gestation and risk of testicular cancer. *J Natl Cancer Inst* 1983;71:1151–5.

Driscoll SG, Taylor SH. Effects of prenatal maternal estrogen on the male urogenital tract. *Obstet Gynecol* 1980;56(5):537–42.

Gershman ST, Stolley PD. A case-control study of testicular cancer using Connecticut Tumor Registry data. *Int J Epidemiol* 1988;17:738–42.

Gill WB, Schumacher GFB, Bibbo M, Straus FH, Schoenberg HW. Association of diethylstilbestrol exposure in utero with cryptorchidism, testicular hypoplasia and semen abnormalities. *J Urol* 1979;122:36–9.

- Gill WB, Schumacher GFB, Bibbo M.** Structural and functional abnormalities in the sex organs of male offspring of mothers treated with diethylstilbestrol (DES). *J Reprod Med* 1976;16(4):147–53.
- Gill WB, Schumacher GFB, Bibbo M.** Pathological semen and anatomical abnormalities of the genital tract in human male subjects exposed to diethylstilbestrol in utero. *J Urol* 1977;117:477–80.
- Gill WB, Schumacher GFB, Hubby MM, et al.** Male genital tract changes in humans following intrauterine exposure to diethylstilbestrol [review]. In: Herbst AL, Bern HA, editors. *Developmental effects of diethylstilbestrol (DES) in pregnancy*. New York: Thieme-Stratton, Inc.; 1981. Chapter 8.
- Goldberg J, Falcone T.** Effect of diethylstilbestrol on reproductive function. *Fertil Steril* 1999;72:1–7.
- Goy RB, McEwen BS.** *Sexual differentiation of the brain*. Cambridge (MA): The MIT Press; 1980.
- Herbst AL.** Diethylstilbestrol and other sex hormones during pregnancy [review]. *Obstet Gynecol* 1981;58(Suppl):S35–S40.
- Hembree WC, Nagler HM, Fang JS, Myles EL, Jagiello GM.** Infertility in a patient with abnormal spermatogenesis and in utero DES exposure [case report]. *Int J Fert* 1988;33(3):173–7.
- Henderson BE, Benton B, Jing J, Yu MC, Pike MC.** Risk factors for cancer of the testis in young men. *Int J Cancer* 1979;23:598–602.
- Henderson BE, Benton B, Cosgrove M, Baptista J, Aldrich J, Townsend D.** Urogenital tract abnormalities in sons of women treated with diethylstilbestrol. *Pediatrics* 1976;58(4):505–7.
- Hinman F Jr.** Unilateral abdominal cryptorchidism. *J Urol* 1979;122:71–5.
- Leary FJ, Resseguie LJ, Kurland LT, O'Brien PC, Emslander RF, Noller K.** Males exposed in utero to diethylstilbestrol. *JAMA* 1984;525(21):2984–9.
- Loughlin JE, Robboy SJ, Morrison AS.** Risk factors for cancer of the testis [letter to the editor]. *N Engl J Med* 1980;303(2):112–3.
- McLachlan JA, Newbold RR, Li S, Negishi M.** Are estrogens carcinogenic during development of the testes? *APMIS* 1998;106(1):240–4.
- McLachlan JA.** Rodent models for perinatal exposure to diethylstilbestrol and their relation to human disease in the male. In: Herbst AL, Bern HA, editors. *Developmental effects of diethylstilbestrol (DES) in pregnancy*. New York: Thieme-Stratton, Inc.; 1981.
- McLachlan JA et al.** *Science*. 1975;190:991–2.
- Moss A, Osmond D, Bacchetti P, Torit FM, Gurgin V.** Hormonal risk factors in testicular cancer: a case-control study. *Am J Epidemiol* 1986;124:39–52.
- Newbold RR, Bullock BC, McLachlan JA.** Lesions of the rete testis in mice exposed prenatally to diethylstilbestrol. *Cancer Res* 1985;45:5145–8.

- Newbold RR, Bullock BC, McLachlan JA.** Testicular tumors in mice exposed in utero to diethylstilbestrol. *J Urol* 1987;138:1446–50.
- Niculescu A.** Effects of in utero exposure to DES on male progeny. *J Obstet Gynecol Neonatal Nurs* 1985;14:468–70.
- Pylkkanen L, Makela S, Valve E, Harkonen P, Toikkanen S, Santti R.** Prostatic dysplasia associated with increased expression of c-myc in neonatally estrogenized mice. *J Urol* 1993;149:1593–1601.
- Schottenfeld D, Warschauer ME, Sherlock S, Zauber AG, Leder M, Payne R.** The epidemiology of testicular cancer in young adults. *Am J Epidemiol* 1980;112:232–46.
- Seigler AM, Wang CF, Friberg J.** Fertility of diethylstilbestrol exposed offspring [review]. *Fertil Steril* 1979;31:601–7.
- Stenchever MA, Williamson RA, Leonard J, Karp LE, Ley B, Shy K, et al.** Possible relationship between in utero diethylstilbestrol (DES) exposure and male infertility. *Am J Obstet Gynecol* 1981;140:186–93.
- Stillman RJ.** In utero exposure to diethylstilbestrol: adverse effects on the reproductive tract and reproductive performance in male and female offspring [review]. *Am J Obstet Gynecol* 1982;142:905–21.
- Strohsnitter WC, Noller KL, Hoover RN, Robboy SJ, Palmer JR, Titus-Ernstoff L, et al.** Cancer risk in men exposed in utero to diethylstilbestrol. *J Natl Cancer Inst* 2001;93(7):545–51.
- Turusov VS, Trukhanova LS, Parfenov YD, Tomatis L.** Occurrence of tumors in the descendants of CBA male mice prenatally treated with diethylstilbestrol. *Int J Cancer* 1992; 50:131–5.
- Vessey MP, Fairweather DVI, Norman-Smith B, Buckley J.** A randomized double-blind controlled trial of the value of diethylstilbestrol therapy in pregnancy: long-term follow-up of mothers and their offspring. *Br J Obstet Gynaecol* 1983;90:1007–17.
- Vessey MP.** Epidemiologic studies of the effects of diethylstilbestrol [review]. *IARC Sci Publ* 1989;96:335–48.
- Whitehead ED, Leiter E.** Genital abnormalities and abnormal semen analyses in males exposed to diethylstilbestrol (DES) in utero. *J Urol* 1981;125:47–50.
- Wilcox AJ, Baird DD, Weinberg CR, Hornsby PP, Herbst AL.** Fertility in men exposed prenatally to diethylstilbestrol. *N Engl J Med* 1995;332:1411–6.
- Wingard DL, Turiel J.** Long-term effects of exposure to diethylstilbestrol. *West J Med* 1988;149(5):551–4.

DES BIBLIOGRAPHY

Third Generation (Offspring of DES Daughters and Sons)

Kaufman RH, Adam E. Findings in female offspring of women exposed in utero to diethylstilbestrol. *Obstet Gynecol* 2002;99:197–200.

Klip H, Verloop J, van Gool JD, Koster M, Burger CW, van Leeuwen FE. Hypospadias in sons of women exposed to diethylstilbestrol in utero: a cohort study. *Lancet* 2002;359:1102–7.

Newbold RR, Hanson RB, Jefferson WN, Bullock BC, Haseman JA. Increased tumors but uncompromised fertility in the female descendants of mice exposed developmentally to diethylstilbestrol. *Carcinogenesis* 1998;19:1655–63.

Newbold RR, Hanson RB, Jefferson WN, Bullock BC, Haseman J, McLachlan JA. Proliferative lesions and reproductive tract tumors in male descendants of mice exposed developmentally to diethylstilbestrol. *Carcinogenesis* 2000;21(77):1355–63.

Turusov VS, Trukhanova LS, Parfenov YD, Tomatis L. Occurrence of tumors in the descendants of CBA male mice prenatally treated with diethylstilbestrol. *Int J Cancer* 1992;50:131–5.

Wilcox AJ, Umbach DM, Hornsby PP, Herbst AL. Gynecology: age at menarche among diethylstilbestrol granddaughters. *Am J Obstet Gynecol* 1995;173(3):835–6.

DES BIBLIOGRAPHY

Immunology

Ablin RJ. DES and immunologic sequelae [letter]. *J Urol* 1982;127(2):344.

Ford CD, Johnson GH, Smith WG. Natural killer cells in in utero diethylstilbestrol-exposed patients. *Gynecol Oncol* 1983;16:400–4.

Noller KL, Blair PB, O'Brien PC, Melton LJ, Offord JF, Kaufman RH, et al. Increased occurrence of autoimmune disease among women exposed in utero to DES. *Fertil Steril* 1988;49(6):1080–2.

Pietras RJ, Szego CM, Mangan CE, Seeler BJ, Burnett MM, Orevi M. Elevated serum cathepsin B1 and vaginal pathology after prenatal DES exposure. *Obstet Gynecol* 1978;52:321.

Walker BE. Animal models of prenatal exposure to DES. *IARC Sci Publ* 1989;96:349–64.

Ways SC, Mortola JF, Zvaifler NJ, Weiss RJ, Yen SS. Alterations in immune responsiveness in women exposed to DES in utero. *Fertil Steril* 1987;48(2):193–7.

Wingard DL, Turiel J. Long-term effects of exposure to DES. *West J Med* 1988;149(5):551–4.

DES BIBLIOGRAPHY

Psychology

Apfel RJ, Fisher SM. To do no harm: DES and the dilemmas of modern medicine. New Haven (CT): Yale Univ. Press; 1984.

Beach FA. Hormonal modification of sexually dimorphic behavior. *Psychoneuroendocrinology* 1975;1:3–23.

Burke L, Apfel RJ, Fisher S, Shaw J. Observations of the psychological impact of diethylstilbestrol exposure and suggestions on management. *J Reprod Med* 1980;24:99–102.

Ehrhardt AA, Meyer-Bahlburg HF. Effects of prenatal sex hormones on gender-related behavior. *Science* 1981;211:1312–8.

Ehrhardt AA, Meyer-Bahlburg HF, Rosen LR, Feldman JF, Veridiano NP, Zimmerman I, et al. Sexual orientation after prenatal exposure to exogenous estrogen. *Arch Sex Behav* 1985;14(1):57–75.

Ehrhardt AA, Meyer-Bahlburg HF, Rosen LR, Feldman JF, Veridiano NP, Elkin EJ, et al. The development of gender-related behavior in females following prenatal exposure to diethylstilbestrol (DES). *Horm Behav* 1989;23(4):526–41.

Fried-Cassorla M, Scholl TO, Borow LD, Strassman HD, Bowers EJ. Depression and DES exposure in women. *J Reprod Med* 1987;32(11):847–50.

Gustavson C, Gufstavson J, Noller K, O'Brien PC, Melton LJ, Pumariega AJ, et al. Increased risk of profound weight loss on women exposed to diethylstilbestrol in utero. *Behav Neural Biol* 1991;55:307.

Gutterman EM, Ehrhardt AA, Markowitz JS, Link BG. Vulnerability to stress among women with in utero diethylstilbestrol (DES) exposed daughters. *J Hum Stress* 1985;Fall:103–10.

Hines M. Prenatal gonadal hormones and sex differences in human behavior. *Psychol Bull* 1982;92:56–80.

Hines M, Sandberg EC. Sexual differentiation of cognitive abilities in women exposed to diethylstilbestrol (DES) prenatally. *Horm Behav* 1996;30:354–63.

Kester P, Green R, Finch SJ, Williams K. Prenatal “female hormone” administration and psychosexual development in human males. *Psychoneuroendocrinology* 1980;5:269–85.

Lish JD, Ehrhardt AA, Meyer-Bahlburg HF, Rosen LR, Gruen RS, Veridiano NP. Gender-related behavior development in females exposed to diethylstilbestrol (DES) in utero: an attempted replication. *J Am Acad Child Adolesc Psychiatry* 1991;30(1):29–37.

Meyer-Bahlburg HF, Ehrhardt AA, Rosen LR, Feldman JF, Veridiano NP, Zimmerman I, et al. Psychosexual milestones in women prenatally exposed to diethylstilbestrol. *Horm Behav* 1984;18:359–66.

Meyer-Bahlburg HF, Ehrhardt AA, Feldman JF, Rosen LR, Veridiano NP, Zimmerman I. Sexual activity level and sexual dysfunction in women prenatally exposed to diethylstilbestrol. *Psychosom Med* 1985;47(6):497–511.

Meyer-Bahlburg HF, Ehrhardt AA, Endicott J, Veridiano NP, Whitehead ED, Vann FH. Depression in adults with a history of prenatal DES exposure. *Psychopharmacology Bull* 1985;21:686–89.

Saunders EJ. Physical and psychological problems associated with exposure to diethylstilbestrol (DES) [review]. *Hosp Community Psychiatry* 1988;39(1):73–7.

Schwartz RW, Stewart NB. Psychological effects of diethylstilbestrol exposure. *JAMA* 1977;237:252–4.

Vessey MP, Fairweather DVI, Norman-Smith B, Buckley J. A randomized double-blind controlled trial of the value of diethylstilbestrol therapy in pregnancy: long-term follow-up of mothers and their offspring. *Br J Obstet Gynaecol* 1983;90:1007–17.

Yalom ID, Green R, Fish N. Prenatal exposure to female hormones: Effect on psychosexual development in boys. *Arch Gen Psychiatry* 1973;28:554–7.

DES BIBLIOGRAPHY

Reviews

Fertility after in utero exposure to DES [letters to the editor]. *N Engl J Med* 1980;303(5):280–1.

Giusti RM, Iwamoto K, Hatch EE. Diethylstilbestrol revisited: a review of the long-term health effects. *Ann Intern Med* 1995;122:778–88.

Herbst AL, Bern HA, editors. Developmental effects of diethylstilbestrol (DES) in pregnancy. New York: Thieme-Stratton, Inc.; 1981.

Herbst AL. Diethylstilbestrol and other sex hormones during pregnancy [review]. *Obstet Gynecol* 1981;58(Suppl):35S–40S.

Herbst AL. The effects in the human of diethylstilbestrol (DES) use during pregnancy [review]. *Int Symp Princess Takamatsu Cancer Res Fund* 1987;18:67–75.

Noller KL, editor. DES Update. In: *Clinical practice of gynecology*. New York: Elsevier Science Publ. Co.; 1992.

Seigler AM, Wang CF, Friberg J. Fertility of the diethylstilbestrol exposed offspring [review]. *Fertil Steril* 1979;31:601–7.

Shapiro S, Slone D. The effects of exogenous female hormones on the fetus [review]. *Epidemiol Rev* 1979;1:110–23.

Stillman RJ. In utero exposure to diethylstilbestrol: adverse effects on the reproductive tract and reproductive performance in male and female offspring [review]. *Am J Obstet Gynecol* 1982;142:905–21.

Swan SH. Intrauterine exposure to diethylstilbestrol: long-term effects in humans. *APMIS* 2000;108:793–804.

Swan SH. Pregnancy outcome in DES daughters. In: Giusti RM, editor. *Report of the NIH workshop on long-term effects of exposure to diethylstilbestrol (DES)*. Washington, DC: US Department of Health and Human Services, Public Health Service, National Institutes of Health; 1992; 42–9.

Thomas DB. Steroid hormones and medications that alter cancer risks [review]. *Cancer* 1988;62(8 Suppl):S1755–S67.

Vessey MP. Epidemiologic studies of the effects of diethylstilbestrol [review]. *IARC Sci Publ* 1989;96:335–48.

Williams F. Diethylstilbestrol exposure and testicular cancer [letter]. *Int J Epidemiol* 1989;18(2):462–3.

DES BIBLIOGRAPHY

General

Cohn BA, Wingard DL, Patterson RC, McPhee SJ, Gerbert B. The National DES Education Program: effectiveness of the California Health Provider Intervention. *J Cancer Educ* 2002 Spring;17(1):40–5.

Department for Policy Coordination and Sustainable Development. Consolidated list of products whose consumption and/or sale have been banned, withdrawn, severely restricted or not approved by government. 6th ed. Pharmaceuticals. New York: United Nations; 1997.

Federal Drug Administration. *Federal Register* 1971;36:21537.

Jackson R, O'Donnell L, Johnson C, Dietrich AJ, Lauridsen J, O'Donnell C. Office systems intervention to improve diethylstilbestrol screening in managed care. *Obstet Gynecol* 2000;96(3):380–4.

Kaufman RH, Adam E, Haynes SG, Herbst AL, Kutzner SK, McPhee SJ, et al. Physician information: how to identify and manage DES exposed individuals. Bethesda, MD: National Cancer Institute; 1995.

National Cancer Institute. Exposure in utero to diethylstilbestrol and related synthetic hormones. *JAMA* 1976;236(10):1107–9.

National Cancer Institute. Cancer facts: questions and answers about DES. Bethesda, MD: NCI; 2000. Available from: http://cis.nci.nih.gov/fact/3_4.htm.

National Cancer Institute. Dictionary. Available from <http://cancer.gov/dictionary/>.

National Institutes of Health. DES research update. Bethesda, MD: NIH; 1999.

National Cancer Institute, National Institute of Environmental Health Sciences, Office of Research on Women's Health, US Public Health Service's Office on Women's Health, Centers for Disease Control and Prevention. DES research update: current knowledge, future directions. Proceedings. Bethesda, MD: NIH; 1999.

National Institutes of Health. NIH workshop: long-term effects of exposure to diethylstilbestrol (DES). Bethesda, MD: NIH; 1992.

Robboy SJ, Noller KL, Kaufman RH, Barnes AB, Townsend D, Gundersen JH, et al. Information for physicians: an atlas of findings in the human female after intrauterine exposure to diethylstilbestrol. Bethesda, MD: National Institutes of Health; 1983.

Wingard DL, Cohn BA, Helmrich SP, Edelstein SL. DES awareness and exposure: the 1994 California Behavioral Risk Factor Survey. *Am J Prev Med* 1996;12(5):437–41.

NOTES