

CDC's EMERGING INFECTIONS PROGRAM

CDC/USDA/FDA Foodborne Diseases Active Surveillance Network (FoodNet)
FoodNet 2000 Final Report

Population in Bacterial Catchment Areas:		Percent
California*	3,169,290	10.4%
Connecticut	3,405,565	11.2%
Georgia	8,186,453	26.8%
Maryland*	2,512,431	8.2%
Minnesota	4,919,479	16.1%
New York*	2,109,694	6.9%
Oregon	3,421,399	11.2%
Tennessee*	2,818,711	9.2%
Total	30,543,022	100.0%

Population in Parasitic Catchment Areas:		Percent
California*	6,659,481	19.6%
Connecticut	3,405,565	10.0%
Georgia	8,186,453	24.1%
Maryland*	2,512,431	7.4%
Minnesota	4,919,479	14.5%
New York*	2,109,694	6.2%
Oregon	3,421,399	10.1%
Tennessee*	2,818,711	8.3%
Total	34,033,213	100.0%

United States Population: 281,421,906

* Selected Counties

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 1a - Percent Site by Pathogen

		Site								Total
		Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Pathogen										
CAMPYLOBACTER	Cases	1186	586	591	189	1079	343	558	181	4713
	Percent	25.2	12.4	12.5	4.0	22.9	7.3	11.8	3.8	100.0
CRYPTOSPORIDIUM	Cases	67	29	178	7	197	23	21	13	535
	Percent	12.5	5.4	33.3	1.3	36.8	4.3	3.9	2.4	100.0
CYCLOSPORA	Cases	6	2	13	-	-	1	-	-	22
	Percent	27.3	9.1	59.1	-	-	4.5	-	-	100.0
ECOLI O157	Cases	46	84	42	16	216	74	114	34	626
	Percent	7.3	13.4	6.7	2.6	34.5	11.8	18.2	5.4	100.0
ECOLI OTHER	Cases	-	13	12	-	28	-	3	1	57
	Percent	-	22.8	21.1	-	49.1	-	5.3	1.8	100.0
LISTERIA	Cases	13	18	20	10	8	21	6	9	105
	Percent	12.4	17.1	19.0	9.5	7.6	20.0	5.7	8.6	100.0
SALMONELLA	Cases	460	418	1491	379	612	254	293	423	4330
	Percent	10.6	9.7	34.4	8.8	14.1	5.9	6.8	9.8	100.0
SHIGELLA	Cases	577	69	319	82	903	22	118	265	2355
	Percent	24.5	2.9	13.5	3.5	38.3	0.9	5.0	11.3	100.0
VIBRIO	Cases	22	6	8	7	3	-	7	1	54
	Percent	40.7	11.1	14.8	13.0	5.6	-	13.0	1.9	100.0
YERSINIA	Cases	28	13	46	8	10	8	9	11	133
	Percent	21.1	9.8	34.6	6.0	7.5	6.0	6.8	8.3	100.0
Total	Cases	2405	1238	2720	698	3056	746	1129	938	12930
	Percent	18.6	9.6	21.0	5.4	23.6	5.8	8.7	7.3	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 1b - Percent Pathogen by Site

		Pathogen										Total
		CAMPY- LOBAC- TER	CRYPT- OSPOR- IDIUM	CYCLO- SPORA	ECOLI O157	ECOLI OTHER	LISTE- RIA	SALMO- NELLA	SHIGE- LLA	VIBRIO	YERSI- NIA	
Site												
Ca.	Cases	1186	67	6	46	-	13	460	577	22	28	2405
	Percent	49.3	2.8	0.2	1.9	-	0.5	19.1	24.0	0.9	1.2	100.0
Ct.	Cases	586	29	2	84	13	18	418	69	6	13	1238
	Percent	47.3	2.3	0.2	6.8	1.1	1.5	33.8	5.6	0.5	1.1	100.0
Ga.	Cases	591	178	13	42	12	20	1491	319	8	46	2720
	Percent	21.7	6.5	0.5	1.5	0.4	0.7	54.8	11.7	0.3	1.7	100.0
Md.	Cases	189	7	-	16	-	10	379	82	7	8	698
	Percent	27.1	1.0	-	2.3	-	1.4	54.3	11.7	1.0	1.1	100.0
Mn.	Cases	1079	197	-	216	28	8	612	903	3	10	3056
	Percent	35.3	6.4	-	7.1	0.9	0.3	20.0	29.5	0.1	0.3	100.0
NY.	Cases	343	23	1	74	-	21	254	22	-	8	746
	Percent	46.0	3.1	0.1	9.9	-	2.8	34.0	2.9	-	1.1	100.0
Or.	Cases	558	21	-	114	3	6	293	118	7	9	1129
	Percent	49.4	1.9	-	10.1	0.3	0.5	26.0	10.5	0.6	0.8	100.0
Tn.	Cases	181	13	-	34	1	9	423	265	1	11	938
	Percent	19.3	1.4	-	3.6	0.1	1.0	45.1	28.3	0.1	1.2	100.0
Total	Cases	4713	535	22	626	57	105	4330	2355	54	133	12930
	Percent	36.5	4.1	0.2	4.8	0.4	0.8	33.5	18.2	0.4	1.0	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 2a - Cases per 100,000 by Pathogen for All Sites

	Cases per 100,000	Total Cases
Pathogen		
CAMPYLOBACTER	15.4	4713
CRYPTOSPORIDIUM	1.6	535
CYCLOSPORA	0.1	22
ECOLI 0157	2.0	626
ECOLI OTHER	0.2	57
LISTERIA	0.3	105
SALMONELLA	14.2	4330
SHIGELLA	7.7	2355
VIBRIO	0.2	54
YERSINIA	0.4	133
Total	42.1	12930

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 2b - Cases per 100,000 by Pathogen by Site

Pathogen	Cases per 100,000							
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.
CAMPYLOBACTER	37.4	17.2	7.2	7.5	21.9	16.3	16.3	6.4
CRYPTOSPORIDIUM	1.0	0.9	2.2	0.3	4.0	1.1	0.6	0.5
CYCLOSPORA	0.1	0.1	0.2	-	-	0.0	-	-
ECOLI 0157	1.5	2.5	0.5	0.6	4.4	3.5	3.3	1.2
ECOLI OTHER	-	0.4	0.1	-	0.6	-	0.1	0.0
LISTERIA	0.4	0.5	0.2	0.4	0.2	1.0	0.2	0.3
SALMONELLA	14.5	12.3	18.2	15.1	12.4	12.0	8.6	15.0
SHIGELLA	18.2	2.0	3.9	3.3	18.4	1.0	3.4	9.4
VIBRIO	0.7	0.2	0.1	0.3	0.1	-	0.2	0.0
YERSINIA	0.9	0.4	0.6	0.3	0.2	0.4	0.3	0.4
Total	74.7	36.4	33.2	27.8	62.1	35.4	33.0	33.3

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 3 - Cases per 100,000 by Month by Pathogen for All Sites

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.7	0.8	1.1	1.0	1.4	2.0	1.8	1.9	1.4	1.3	1.1	0.9
CRYPTOSPORIDIUM	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.4	0.2	0.1	0.1	0.1
CYCLOSPORA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI 0157	0.1	0.0	0.1	0.1	0.1	0.2	0.4	0.3	0.3	0.1	0.2	0.1
ECOLI OTHER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
SALMONELLA	0.7	0.7	0.9	0.8	1.1	1.5	1.8	2.1	1.5	1.3	1.0	0.8
SHIGELLA	0.5	0.4	0.4	0.4	0.6	0.7	1.0	1.2	0.8	0.7	0.5	0.6
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3a: Site = California

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.3	0.2	0.3	0.2	0.4	0.5	0.3	0.3	0.4	0.4	0.3	0.3
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CYCLOSPORA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI 0157	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.2	0.1	0.1	0.1
SHIGELLA	0.2	0.1	0.1	0.1	0.1	0.1	0.3	0.3	0.2	0.2	0.2	0.1
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3c: Site = Connecticut

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.1	0.1	0.1	0.2	0.3	0.2	0.2	0.3	0.1	0.1	0.1	0.1
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CYCLOSPORA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI 0157	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0
ECOLI OTHER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.2	0.2	0.1	0.1	0.1
SHIGELLA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3d: Site = Georgia

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.1	0.1	0.1	0.2	0.2	0.3	0.3	0.2	0.1	0.2	0.1	0.1
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
CYCLOSPORA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI 0157	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI OTHER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.2	0.2	0.2	0.2	0.3	0.6	0.7	0.8	0.5	0.6	0.4	0.3
SHIGELLA	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3e: Site = Maryland

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI 0157	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.1	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.1	0.1	0.1	0.1
SHIGELLA	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3f: Site = Minnesota

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.1	0.1	0.3	0.2	0.2	0.5	0.5	0.5	0.4	0.3	0.3	0.2
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.0
ECOLI O157	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1
ECOLI OTHER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.1	0.1	0.1	0.2	0.2	0.2	0.3	0.3	0.2	0.1	0.1	0.1
SHIGELLA	0.0	0.1	0.1	0.1	0.2	0.4	0.4	0.6	0.3	0.3	0.2	0.3
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3g: Site = New York

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.1	0.1	0.1	0.1	0.1	0.2	0.1	0.2	0.1	0.0	0.1	0.1
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
CYCLOSPORA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI 0157	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0
SHIGELLA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3h: Site = Oregon

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.1	0.1	0.2	0.1	0.2	0.2	0.2	0.2	0.2	0.2	0.1	0.1
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI O157	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0
ECOLI OTHER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1
SHIGELLA	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 3a through 3h - Cases per 100,000 by Month by Pathogen by Site

Table 3i: Site = Tennessee

Cases per 100,000	Month											
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00
Pathogen												
CAMPYLOBACTER	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
CRYPTOSPORIDIUM	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI O157	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
ECOLI OTHER	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
LISTERIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SALMONELLA	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.1	0.1
SHIGELLA	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0
VIBRIO	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
YERSINIA	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 4 - Pathogen by Month Collected for All Sites

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	208	233	346	310	441	621	547	571	434	391	329	282	4713
CRYPTOSPORIDIUM	24	29	25	26	22	36	75	126	75	41	26	30	535
CYCLOSPORA	1	0	1	0	4	10	3	0	2	1	0	0	22
ECOLI 0157	24	13	40	23	28	60	117	106	85	43	58	29	626
ECOLI OTHER	3	0	2	6	6	7	6	6	6	7	1	7	57
LISTERIA	6	8	10	7	12	5	12	17	9	8	8	3	105
SALMONELLA	216	203	260	255	343	451	543	639	459	392	312	257	4330
SHIGELLA	147	124	128	119	176	215	301	357	252	214	146	176	2355
VIBRIO	4	0	1	0	4	8	13	15	1	7	0	1	54
YERSINIA	34	13	14	6	12	6	11	12	2	4	4	15	133
Total	667	623	827	752	1048	1419	1628	1849	1325	1108	884	800	12930

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4a: Site = California

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	85	69	86	76	113	141	99	106	109	119	93	90	1186
CRYPTOSPORIDIUM	4	4	10	4	5	5	5	10	6	5	4	5	67
CYCLOSPORA	1	-	1	-	3	1	-	-	-	-	-	-	6
ECOLI O157	-	2	5	-	4	6	8	5	10	2	2	2	46
ECOLI OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIA	1	2	3	1	2	1	1	-	-	-	2	-	13
SALMONELLA	24	32	29	37	35	54	40	49	56	38	36	30	460
SHIGELLA	46	32	33	22	21	35	82	83	68	63	48	44	577
VIBRIO	3	-	-	-	-	3	5	7	1	3	-	-	22
YERSINIA	7	4	2	1	2	2	3	4	-	-	1	2	28
Total	171	145	169	141	185	248	243	264	250	230	186	173	2405

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4c: Site = Connecticut

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	28	27	42	49	81	74	68	79	37	43	35	23	586
CRYPTOSPORIDIUM	2	1	1	-	1	2	4	8	6	-	1	3	29
CYCLOSPORA	-	-	-	-	-	-	2	-	-	-	-	-	2
ECOLI O157	6	1	7	6	7	8	17	7	17	5	3	-	84
ECOLI OTHER	1	-	-	-	2	2	3	1	-	3	-	1	13
LISTERIA	1	-	1	-	2	1	3	3	1	2	3	1	18
SALMONELLA	22	23	27	19	30	45	68	54	47	34	27	22	418
SHIGELLA	4	4	5	7	4	4	10	5	11	10	2	3	69
VIBRIO	-	-	-	-	-	1	2	2	-	1	-	-	6
YERSINIA	3	1	-	-	2	-	1	2	-	2	1	1	13
Total	67	57	83	81	129	137	178	161	119	100	72	54	1238

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4d: Site = Georgia

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	21	35	41	47	61	87	80	65	32	52	39	31	591
CRYPTOSPORIDIUM	14	16	8	14	7	10	31	32	11	17	11	7	178
CYCLOSPORA	-	-	-	-	-	9	1	-	2	1	-	-	13
ECOLI O157	2	-	2	1	4	5	15	5	1	3	1	3	42
ECOLI OTHER	-	-	-	-	-	2	1	1	2	3	1	2	12
LISTERIA	1	3	3	3	4	-	2	4	-	-	-	-	20
SALMONELLA	61	54	66	64	84	169	216	239	163	173	110	92	1491
SHIGELLA	18	28	29	22	25	22	31	28	31	27	27	31	319
VIBRIO	1	-	-	-	1	1	3	-	-	1	-	1	8
YERSINIA	18	4	3	3	3	1	2	1	1	-	2	8	46
Total	136	140	152	154	189	306	382	375	243	277	191	175	2720

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4e: Site = Maryland

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	7	7	9	14	21	34	26	28	17	11	8	7	189
CRYPTOSPORIDIUM	-	1	1	-	2	-	-	1	-	-	1	1	7
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
ECOLI O157	1	-	-	2	-	3	-	4	3	2	1	-	16
ECOLI OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIA	2	-	1	1	-	-	1	2	2	-	-	1	10
SALMONELLA	24	19	30	19	47	43	37	46	29	24	41	20	379
SHIGELLA	1	1	1	-	2	16	21	22	11	2	1	4	82
VIBRIO	-	-	-	-	2	3	1	-	-	1	-	-	7
YERSINIA	1	1	1	-	1	2	1	-	-	1	-	-	8
Total	36	29	43	36	75	101	87	103	62	41	52	33	698

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4f: Site = Minnesota

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	20	42	82	49	65	146	146	155	128	92	86	68	1079
CRYPTOSPORIDIUM	2	4	2	5	4	12	26	66	46	16	4	10	197
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
ECOLI O157	9	3	14	2	7	15	34	29	34	15	34	20	216
ECOLI OTHER	2	-	-	6	4	3	1	4	3	1	-	4	28
LISTERIA	1	-	1	-	1	-	2	1	-	1	1	-	8
SALMONELLA	26	24	39	48	64	65	82	87	65	42	40	30	612
SHIGELLA	13	27	17	25	73	108	124	191	95	98	51	81	903
VIBRIO	-	-	1	-	-	-	1	-	-	1	-	-	3
YERSINIA	-	-	2	1	3	-	1	1	-	-	-	2	10
Total	73	100	158	136	221	349	417	534	371	266	216	215	3056

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4g: Site = New York

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	16	16	29	30	29	46	38	52	33	14	23	17	343
CRYPTOSPORIDIUM	1	1	1	1	1	-	5	6	4	1	1	1	23
CYCLOSPORA	-	-	-	-	1	-	-	-	-	-	-	-	1
ECOLI O157	3	1	6	7	2	8	11	16	4	7	7	2	74
ECOLI OTHER	-	-	-	-	-	-	-	-	-	-	-	-	-
LISTERIA	-	1	-	2	3	2	1	4	4	4	-	-	21
SALMONELLA	7	12	26	20	26	21	31	36	27	20	16	12	254
SHIGELLA	1	-	-	3	4	4	2	3	-	4	1	-	22
VIBRIO	-	-	-	-	-	-	-	-	-	-	-	-	-
YERSINIA	1	-	1	1	-	-	1	2	1	1	-	-	8
Total	29	31	63	64	66	81	89	119	73	51	48	32	746

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4h: Site = Oregon

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	24	28	51	29	46	63	73	66	58	46	33	41	558
CRYPTOSPORIDIUM	1	-	1	1	1	5	1	3	2	2	3	1	21
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
ECOLI O157	2	3	4	3	4	13	23	35	14	5	7	1	114
ECOLI OTHER	-	-	2	-	-	-	-	-	1	-	-	-	3
LISTERIA	-	1	-	-	-	1	1	1	1	-	1	-	6
SALMONELLA	26	19	27	29	25	29	27	31	22	20	15	23	293
SHIGELLA	39	6	4	5	4	5	11	10	16	4	10	4	118
VIBRIO	-	-	-	-	1	-	1	5	-	-	-	-	7
YERSINIA	3	-	3	-	-	1	1	1	-	-	-	-	9
Total	95	57	92	67	81	117	138	152	114	77	69	70	1129

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 4a through 4h - Pathogen by Month Collected by Site

Table 4i: Site = Tennessee

Cases	Month												Total
	JAN00	FEB00	MAR00	APR00	MAY00	JUN00	JUL00	AUG00	SEP00	OCT00	NOV00	DEC00	
Pathogen													
CAMPYLOBACTER	7	9	6	16	25	30	17	20	20	14	12	5	181
CRYPTOSPORIDIUM	-	2	1	1	1	2	3	-	-	-	1	2	13
CYCLOSPORA	-	-	-	-	-	-	-	-	-	-	-	-	-
ECOLI 0157	1	3	2	2	-	2	9	5	2	4	3	1	34
ECOLI OTHER	-	-	-	-	-	-	1	-	-	-	-	-	1
LISTERIA	-	1	1	-	-	-	1	2	1	1	1	1	9
SALMONELLA	26	20	16	19	32	25	42	97	50	41	27	28	423
SHIGELLA	25	26	39	35	43	21	20	15	20	6	6	9	265
VIBRIO	-	-	-	-	-	-	-	1	-	-	-	-	1
YERSINIA	1	3	2	-	1	-	1	1	-	-	-	2	11
Total	60	64	67	73	102	80	94	141	93	66	50	48	938

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Table 5 - Age Distribution by Pathogen for All Sites

		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	134	719	395	769	830	767	539	548	12	4713
	Percent	2.8	15.3	8.4	16.3	17.6	16.3	11.4	11.6	0.3	100.0
CRYPTOSPORIDIUM	Cases	12	163	63	56	136	65	22	14	4	535
	Percent	2.2	30.5	11.8	10.5	25.4	12.1	4.1	2.6	0.7	100.0
CYCLOSPORA	Cases	0	0	1	11	3	1	4	2	0	22
	Percent	0	0	4.5	50.0	13.6	4.5	18.2	9.1	0	100.0
ECOLI 0157	Cases	8	196	142	58	28	48	55	91	0	626
	Percent	1.3	31.3	22.7	9.3	4.5	7.7	8.8	14.5	0	100.0
ECOLI OTHER	Cases	7	14	15	4	2	7	2	6	0	57
	Percent	12.3	24.6	26.3	7.0	3.5	12.3	3.5	10.5	0	100.0
LISTERIA	Cases	13	2	4	2	10	8	4	62	0	105
	Percent	12.4	1.9	3.8	1.9	9.5	7.6	3.8	59.0	0	100.0
SALMONELLA	Cases	361	1281	456	487	483	424	297	523	18	4330
	Percent	8.3	29.6	10.5	11.2	11.2	9.8	6.9	12.1	0.4	100.0
SHIGELLA	Cases	46	1002	152	296	440	265	83	62	9	2355
	Percent	2.0	42.5	6.5	12.6	18.7	11.3	3.5	2.6	0.4	100.0
VIBRIO	Cases	0	2	2	9	7	12	8	14	0	54
	Percent	0	3.7	3.7	16.7	13.0	22.2	14.8	25.9	0	100.0
YERSINIA	Cases	45	33	11	6	12	6	5	15	0	133
	Percent	33.8	24.8	8.3	4.5	9.0	4.5	3.8	11.3	0	100.0
Total	Cases	626	3412	1241	1698	1951	1603	1019	1337	43	12930
	Percent	4.8	26.4	9.6	13.1	15.1	12.4	7.9	10.3	0.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5a: Site = California		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKWN	
Pathogen											
CAMPYLOBACTER	Cases	32	164	84	195	279	194	105	133	-	1186
	Percent	2.7	13.8	7.1	16.4	23.5	16.4	8.9	11.2	-	100.0
CRYPTOSPORIDIUM	Cases	-	6	2	7	29	16	5	2	-	67
	Percent	-	9.0	3.0	10.4	43.3	23.9	7.5	3.0	-	100.0
CYCLOSPORA	Cases	-	-	-	3	2	-	1	-	-	6
	Percent	-	-	-	50.0	33.3	-	16.7	-	-	100.0
ECOLI 0157	Cases	-	18	11	2	2	3	3	7	-	46
	Percent	-	39.1	23.9	4.3	4.3	6.5	6.5	15.2	-	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	2	1	1	-	1	-	-	8	-	13
	Percent	15.4	7.7	7.7	-	7.7	-	-	61.5	-	100.0
SALMONELLA	Cases	50	105	39	63	60	47	30	60	6	460
	Percent	10.9	22.8	8.5	13.7	13.0	10.2	6.5	13.0	1.3	100.0
SHIGELLA	Cases	7	101	24	76	178	132	42	16	1	577
	Percent	1.2	17.5	4.2	13.2	30.8	22.9	7.3	2.8	0.2	100.0
VIBRIO	Cases	-	1	-	5	1	7	3	5	-	22
	Percent	-	4.5	-	22.7	4.5	31.8	13.6	22.7	-	100.0
YERSINIA	Cases	7	11	2	-	1	4	1	2	-	28
	Percent	25.0	39.3	7.1	-	3.6	14.3	3.6	7.1	-	100.0
Total	Cases	98	407	163	351	553	403	190	233	7	2405
	Percent	4.1	16.9	6.8	14.6	23.0	16.8	7.9	9.7	0.3	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5c: Site = Connecticut		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	9	61	50	91	101	113	75	86	-	586
	Percent	1.5	10.4	8.5	15.5	17.2	19.3	12.8	14.7	-	100.0
CRYPTOSPORIDIUM	Cases	1	9	4	2	9	3	-	1	-	29
	Percent	3.4	31.0	13.8	6.9	31.0	10.3	-	3.4	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	1	1	-	2
	Percent	-	-	-	-	-	-	50.0	50.0	-	100.0
ECOLI 0157	Cases	1	25	19	4	3	3	10	19	-	84
	Percent	1.2	29.8	22.6	4.8	3.6	3.6	11.9	22.6	-	100.0
ECOLI OTHER	Cases	-	4	4	2	-	1	1	1	-	13
	Percent	-	30.8	30.8	15.4	-	7.7	7.7	7.7	-	100.0
LISTERIA	Cases	-	-	-	-	2	2	1	13	-	18
	Percent	-	-	-	-	11.1	11.1	5.6	72.2	-	100.0
SALMONELLA	Cases	30	96	44	48	63	39	38	60	-	418
	Percent	7.2	23.0	10.5	11.5	15.1	9.3	9.1	14.4	-	100.0
SHIGELLA	Cases	1	22	4	9	16	7	5	5	-	69
	Percent	1.4	31.9	5.8	13.0	23.2	10.1	7.2	7.2	-	100.0
VIBRIO	Cases	-	-	-	1	-	2	1	2	-	6
	Percent	-	-	-	16.7	-	33.3	16.7	33.3	-	100.0
YERSINIA	Cases	-	2	1	-	3	-	-	7	-	13
	Percent	-	15.4	7.7	-	23.1	-	-	53.8	-	100.0
Total	Cases	42	219	126	157	197	170	132	195	-	1238
	Percent	3.4	17.7	10.2	12.7	15.9	13.7	10.7	15.8	-	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5d: Site = Georgia		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	14	134	57	112	105	78	54	30	7	591
	Percent	2.4	22.7	9.6	19.0	17.8	13.2	9.1	5.1	1.2	100.0
CRYPTOSPORIDIUM	Cases	-	37	13	23	63	29	9	3	1	178
	Percent	-	20.8	7.3	12.9	35.4	16.3	5.1	1.7	0.6	100.0
CYCLOSPORA	Cases	-	-	1	8	1	1	2	-	-	13
	Percent	-	-	7.7	61.5	7.7	7.7	15.4	-	-	100.0
ECOLI 0157	Cases	-	15	10	8	1	2	2	4	-	42
	Percent	-	35.7	23.8	19.0	2.4	4.8	4.8	9.5	-	100.0
ECOLI OTHER	Cases	4	1	2	-	-	3	1	1	-	12
	Percent	33.3	8.3	16.7	-	-	25.0	8.3	8.3	-	100.0
LISTERIA	Cases	2	1	2	2	3	3	-	7	-	20
	Percent	10.0	5.0	10.0	10.0	15.0	15.0	-	35.0	-	100.0
SALMONELLA	Cases	97	649	143	118	126	109	83	162	4	1491
	Percent	6.5	43.5	9.6	7.9	8.5	7.3	5.6	10.9	0.3	100.0
SHIGELLA	Cases	2	126	22	58	70	25	7	8	1	319
	Percent	0.6	39.5	6.9	18.2	21.9	7.8	2.2	2.5	0.3	100.0
VIBRIO	Cases	-	1	1	1	1	1	1	2	-	8
	Percent	-	12.5	12.5	12.5	12.5	12.5	12.5	25.0	-	100.0
YERSINIA	Cases	27	11	6	-	1	-	1	-	-	46
	Percent	58.7	23.9	13.0	-	2.2	-	2.2	-	-	100.0
Total	Cases	146	975	257	330	371	251	160	217	13	2720
	Percent	5.4	35.8	9.4	12.1	13.6	9.2	5.9	8.0	0.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5e: Site = Maryland		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKWN	
Pathogen											
CAMPYLOBACTER	Cases	6	20	15	28	32	33	23	32	-	189
	Percent	3.2	10.6	7.9	14.8	16.9	17.5	12.2	16.9	-	100.0
CRYPTOSPORIDIUM	Cases	-	2	1	1	1	-	1	1	-	7
	Percent	-	28.6	14.3	14.3	14.3	-	14.3	14.3	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI 0157	Cases	1	7	3	-	1	2	-	2	-	16
	Percent	6.3	43.8	18.8	-	6.3	12.5	-	12.5	-	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	1	-	2	-	-	7	-	10
	Percent	-	-	10.0	-	20.0	-	-	70.0	-	100.0
SALMONELLA	Cases	44	84	42	47	50	36	18	55	3	379
	Percent	11.6	22.2	11.1	12.4	13.2	9.5	4.7	14.5	0.8	100.0
SHIGELLA	Cases	1	38	4	10	14	6	2	6	1	82
	Percent	1.2	46.3	4.9	12.2	17.1	7.3	2.4	7.3	1.2	100.0
VIBRIO	Cases	-	-	1	1	1	-	2	2	-	7
	Percent	-	-	14.3	14.3	14.3	-	28.6	28.6	-	100.0
YERSINIA	Cases	4	-	2	-	-	-	-	2	-	8
	Percent	50.0	-	25.0	-	-	-	-	25.0	-	100.0
Total	Cases	56	151	69	87	101	77	46	107	4	698
	Percent	8.0	21.6	9.9	12.5	14.5	11.0	6.6	15.3	0.6	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5f: Site = Minnesota		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	28	160	98	171	190	176	130	125	1	1079
	Percent	2.6	14.8	9.1	15.8	17.6	16.3	12.0	11.6	0.1	100.0
CRYPTOSPORIDIUM	Cases	9	91	39	15	22	9	6	3	3	197
	Percent	4.6	46.2	19.8	7.6	11.2	4.6	3.0	1.5	1.5	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI 0157	Cases	4	80	40	19	7	19	20	27	-	216
	Percent	1.9	37.0	18.5	8.8	3.2	8.8	9.3	12.5	-	100.0
ECOLI OTHER	Cases	3	8	6	2	2	3	-	4	-	28
	Percent	10.7	28.6	21.4	7.1	7.1	10.7	-	14.3	-	100.0
LISTERIA	Cases	-	-	-	-	-	1	1	6	-	8
	Percent	-	-	-	-	-	12.5	12.5	75.0	-	100.0
SALMONELLA	Cases	48	138	77	80	66	83	51	68	1	612
	Percent	7.8	22.5	12.6	13.1	10.8	13.6	8.3	11.1	0.2	100.0
SHIGELLA	Cases	18	492	73	91	122	60	22	20	5	903
	Percent	2.0	54.5	8.1	10.1	13.5	6.6	2.4	2.2	0.6	100.0
VIBRIO	Cases	-	-	-	-	1	-	-	2	-	3
	Percent	-	-	-	-	33.3	-	-	66.7	-	100.0
YERSINIA	Cases	-	4	-	3	1	-	-	2	-	10
	Percent	-	40.0	-	30.0	10.0	-	-	20.0	-	100.0
Total	Cases	110	973	333	381	411	351	230	257	10	3056
	Percent	3.6	31.8	10.9	12.5	13.4	11.5	7.5	8.4	0.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5g: Site = New York		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	14	41	22	60	37	60	55	54	-	343
	Percent	4.1	12.0	6.4	17.5	10.8	17.5	16.0	15.7	-	100.0
CRYPTOSPORIDIUM	Cases	-	10	2	2	5	2	-	2	-	23
	Percent	-	43.5	8.7	8.7	21.7	8.7	-	8.7	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	1	-	1
	Percent	-	-	-	-	-	-	-	100.0	-	100.0
ECOLI 0157	Cases	-	16	22	9	4	6	8	9	-	74
	Percent	-	21.6	29.7	12.2	5.4	8.1	10.8	12.2	-	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	4	-	-	-	2	1	1	13	-	21
	Percent	19.0	-	-	-	9.5	4.8	4.8	61.9	-	100.0
SALMONELLA	Cases	10	37	36	45	33	33	26	34	-	254
	Percent	3.9	14.6	14.2	17.7	13.0	13.0	10.2	13.4	-	100.0
SHIGELLA	Cases	1	12	1	2	2	2	1	1	-	22
	Percent	4.5	54.5	4.5	9.1	9.1	9.1	4.5	4.5	-	100.0
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	1	1	-	1	2	1	1	1	-	8
	Percent	12.5	12.5	-	12.5	25.0	12.5	12.5	12.5	-	100.0
Total	Cases	30	117	83	119	85	105	92	115	-	746
	Percent	4.0	15.7	11.1	16.0	11.4	14.1	12.3	15.4	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5h: Site = Oregon		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	16	105	49	85	65	90	75	72	1	558
	Percent	2.9	18.8	8.8	15.2	11.6	16.1	13.4	12.9	0.2	100.0
CRYPTOSPORIDIUM	Cases	1	7	2	4	3	2	1	1	-	21
	Percent	4.8	33.3	9.5	19.0	14.3	9.5	4.8	4.8	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI 0157	Cases	1	27	29	10	9	11	11	16	-	114
	Percent	0.9	23.7	25.4	8.8	7.9	9.6	9.6	14.0	-	100.0
ECOLI OTHER	Cases	-	1	2	-	-	-	-	-	-	3
	Percent	-	33.3	66.7	-	-	-	-	-	-	100.0
LISTERIA	Cases	2	-	-	-	-	-	1	3	-	6
	Percent	33.3	-	-	-	-	-	16.7	50.0	-	100.0
SALMONELLA	Cases	27	42	40	39	46	30	26	43	-	293
	Percent	9.2	14.3	13.7	13.3	15.7	10.2	8.9	14.7	-	100.0
SHIGELLA	Cases	1	32	12	24	21	24	3	1	-	118
	Percent	0.8	27.1	10.2	20.3	17.8	20.3	2.5	0.8	-	100.0
VIBRIO	Cases	-	-	-	1	3	2	1	-	-	7
	Percent	-	-	-	14.3	42.9	28.6	14.3	-	-	100.0
YERSINIA	Cases	1	1	-	1	3	1	2	-	-	9
	Percent	11.1	11.1	-	11.1	33.3	11.1	22.2	-	-	100.0
Total	Cases	49	215	134	164	150	160	120	136	1	1129
	Percent	4.3	19.0	11.9	14.5	13.3	14.2	10.6	12.0	0.1	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 5a through 5h - Age Distribution by Pathogen by Site

Table 5i: Site = Tennessee		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	15	34	20	27	21	23	22	16	3	181
	Percent	8.3	18.8	11.0	14.9	11.6	12.7	12.2	8.8	1.7	100.0
CRYPTOSPORIDIUM	Cases	1	1	-	2	4	4	-	1	-	13
	Percent	7.7	7.7	-	15.4	30.8	30.8	-	7.7	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI 0157	Cases	1	8	8	6	1	2	1	7	-	34
	Percent	2.9	23.5	23.5	17.6	2.9	5.9	2.9	20.6	-	100.0
ECOLI OTHER	Cases	-	-	1	-	-	-	-	-	-	1
	Percent	-	-	100.0	-	-	-	-	-	-	100.0
LISTERIA	Cases	3	-	-	-	-	1	-	5	-	9
	Percent	33.3	-	-	-	-	11.1	-	55.6	-	100.0
SALMONELLA	Cases	55	130	35	47	39	47	25	41	4	423
	Percent	13.0	30.7	8.3	11.1	9.2	11.1	5.9	9.7	0.9	100.0
SHIGELLA	Cases	15	179	12	26	17	9	1	5	1	265
	Percent	5.7	67.5	4.5	9.8	6.4	3.4	0.4	1.9	0.4	100.0
VIBRIO	Cases	-	-	-	-	-	-	-	1	-	1
	Percent	-	-	-	-	-	-	-	100.0	-	100.0
YERSINIA	Cases	5	3	-	1	1	-	-	1	-	11
	Percent	45.5	27.3	-	9.1	9.1	-	-	9.1	-	100.0
Total	Cases	95	355	76	109	83	86	49	77	8	938
	Percent	10.1	37.8	8.1	11.6	8.8	9.2	5.2	8.2	0.9	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report

Table 6 - Cases per 100,000 by Age Distribution by Pathogen for All Sites

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	32.8	18.7	9.1	18.4	17.0	16.1	15.7	11.8
CRYPTOSPORIDIUM	2.6	3.8	1.3	1.2	2.5	1.2	0.6	0.3
CYCLOSPORA	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0
ECOLI O157	2.0	5.1	3.3	1.4	0.6	1.0	1.6	2.0
ECOLI OTHER	1.7	0.4	0.3	0.1	0.0	0.1	0.1	0.1
LISTERIA	3.2	0.1	0.1	0.0	0.2	0.2	0.1	1.3
SALMONELLA	88.4	33.3	10.5	11.6	9.9	8.9	8.6	11.2
SHIGELLA	11.3	26.1	3.5	7.1	9.0	5.6	2.4	1.3
VIBRIO	0.0	0.1	0.0	0.2	0.1	0.3	0.2	0.3
YERSINIA	11.0	0.9	0.3	0.1	0.2	0.1	0.1	0.3

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6a: Site = California

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	82.1	44.8	21.6	41.2	49.4	38.7	29.0	28.0
CRYPTOSPORIDIUM	-	0.7	0.2	0.7	2.5	1.5	0.7	0.2
CYCLOSPORA	-	-	-	0.3	0.2	-	0.1	-
ECOLI 0157	-	4.9	2.8	0.4	0.4	0.6	0.8	1.5
ECOLI OTHER	-	-	-	-	-	-	-	-
LISTERIA	5.1	0.3	0.3	-	0.2	-	-	1.7
SALMONELLA	128.3	28.7	10.0	13.3	10.6	9.4	8.3	12.6
SHIGELLA	18.0	27.6	6.2	16.1	31.5	26.4	11.6	3.4
VIBRIO	-	0.3	-	1.1	0.2	1.4	0.8	1.1
YERSINIA	18.0	3.0	0.5	-	0.2	0.8	0.3	0.4

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6c: Site = Connecticut

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	21.1	14.4	10.9	23.4	18.7	20.8	18.5	14.3
CRYPTOSPORIDIUM	2.3	2.1	0.9	0.5	1.7	0.6	-	0.2
CYCLOSPORA	-	-	-	-	-	-	0.2	0.2
ECOLI O157	2.3	5.9	4.1	1.0	0.6	0.6	2.5	3.2
ECOLI OTHER	-	0.9	0.9	0.5	-	0.2	0.2	0.2
LISTERIA	-	-	-	-	0.4	0.4	0.2	2.2
SALMONELLA	70.2	22.6	9.6	12.3	11.6	7.2	9.4	10.0
SHIGELLA	2.3	5.2	0.9	2.3	3.0	1.3	1.2	0.8
VIBRIO	-	-	-	0.3	-	0.4	0.2	0.3
YERSINIA	-	0.5	0.2	-	0.6	-	-	1.2

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6d: Site = Georgia

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	11.6	12.3	4.7	9.1	7.7	6.4	6.1	2.8
CRYPTOSPORIDIUM	-	3.4	1.1	1.9	4.6	2.4	1.0	0.3
CYCLOSPORA	-	-	0.1	0.6	0.1	0.1	0.2	-
ECOLI 0157	-	1.4	0.8	0.6	0.1	0.2	0.2	0.4
ECOLI OTHER	3.3	0.1	0.2	-	-	0.2	0.1	0.1
LISTERIA	1.7	0.1	0.2	0.2	0.2	0.2	-	0.7
SALMONELLA	80.2	59.6	11.9	9.6	9.3	8.9	9.4	15.1
SHIGELLA	1.7	11.6	1.8	4.7	5.2	2.0	0.8	0.7
VIBRIO	-	0.1	0.1	0.1	0.1	0.1	0.1	0.2
YERSINIA	22.3	1.0	0.5	-	0.1	-	0.1	-

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6e: Site = Maryland

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	18.5	6.4	4.2	9.0	7.9	8.2	7.8	8.1
CRYPTOSPORIDIUM	-	0.6	0.3	0.3	0.2	-	0.3	0.3
CYCLOSPORA	-	-	-	-	-	-	-	-
ECOLI 0157	3.1	2.2	0.8	-	0.2	0.5	-	0.5
ECOLI OTHER	-	-	-	-	-	-	-	-
LISTERIA	-	-	0.3	-	0.5	-	-	1.8
SALMONELLA	135.6	26.7	11.8	15.1	12.3	9.0	6.1	13.8
SHIGELLA	3.1	12.1	1.1	3.2	3.4	1.5	0.7	1.5
VIBRIO	-	-	0.3	0.3	0.2	-	0.7	0.5
YERSINIA	12.3	-	0.6	-	-	-	-	0.5

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6f: Site = Minnesota

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	43.0	25.8	13.1	26.6	24.8	22.7	24.6	16.2
CRYPTOSPORIDIUM	13.8	14.7	5.2	2.3	2.9	1.2	1.1	0.4
CYCLOSPORA	-	-	-	-	-	-	-	-
ECOLI O157	6.1	12.9	5.3	3.0	0.9	2.4	3.8	3.5
ECOLI OTHER	4.6	1.3	0.8	0.3	0.3	0.4	-	0.5
LISTERIA	-	-	-	-	-	0.1	0.2	0.8
SALMONELLA	73.8	22.2	10.3	12.5	8.6	10.7	9.7	8.8
SHIGELLA	27.7	79.3	9.7	14.2	15.9	7.7	4.2	2.6
VIBRIO	-	-	-	-	0.1	-	-	0.3
YERSINIA	-	0.6	-	0.5	0.1	-	-	0.3

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6g: Site = New York

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	56.3	16.1	7.1	23.5	11.6	18.2	22.0	14.6
CRYPTOSPORIDIUM	-	3.9	0.6	0.8	1.6	0.6	-	0.5
CYCLOSPORA	-	-	-	-	-	-	-	0.3
ECOLI O157	-	6.3	7.1	3.5	1.3	1.8	3.2	2.4
ECOLI OTHER	-	-	-	-	-	-	-	-
LISTERIA	16.1	-	-	-	0.6	0.3	0.4	3.5
SALMONELLA	40.2	14.6	11.7	17.7	10.4	10.0	10.4	9.2
SHIGELLA	4.0	4.7	0.3	0.8	0.6	0.6	0.4	0.3
VIBRIO	-	-	-	-	-	-	-	-
YERSINIA	4.0	0.4	-	0.4	0.6	0.3	0.4	0.3

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6h: Site = Oregon

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	36.2	25.4	10.1	18.3	13.2	16.6	18.3	12.6
CRYPTOSPORIDIUM	2.3	1.7	0.4	0.9	0.6	0.4	0.2	0.2
CYCLOSPORA	-	-	-	-	-	-	-	-
ECOLI O157	2.3	6.5	6.0	2.2	1.8	2.0	2.7	2.8
ECOLI OTHER	-	0.2	0.4	-	-	-	-	-
LISTERIA	4.5	-	-	-	-	-	0.2	0.5
SALMONELLA	61.1	10.2	8.2	8.4	9.3	5.5	6.4	7.5
SHIGELLA	2.3	7.7	2.5	5.2	4.3	4.4	0.7	0.2
VIBRIO	-	-	-	0.2	0.6	0.4	0.2	-
YERSINIA	2.3	0.2	-	0.2	0.6	0.2	0.5	-

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 6a through 6h - Cases per 100,000 by Age Distribution by Pathogen by Site

Table 6i: Site = Tennessee

Cases per 100,000	Age Specific Strata							
	0 - <1 YR	1 - <10 YRS	10 - <20 YRS	20 - <30 YRS	30 - <40 YRS	40 - <50 YRS	50 - <60 YRS	60+ YRS
Pathogen								
CAMPYLOBACTER	38.4	9.5	5.0	6.5	4.7	5.2	7.1	3.9
CRYPTOSPORIDIUM	2.6	0.3	-	0.5	0.9	0.9	-	0.2
CYCLOSPORA	-	-	-	-	-	-	-	-
ECOLI 0157	2.6	2.2	2.0	1.4	0.2	0.5	0.3	1.7
ECOLI OTHER	-	-	0.2	-	-	-	-	-
LISTERIA	7.7	-	-	-	-	0.2	-	1.2
SALMONELLA	140.6	36.1	8.7	11.3	8.8	10.7	8.0	10.1
SHIGELLA	38.4	49.8	3.0	6.2	3.8	2.0	0.3	1.2
VIBRIO	-	-	-	-	-	-	-	0.2
YERSINIA	12.8	0.8	-	0.2	0.2	-	-	0.2

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 7 - Sex Distribution by Pathogen for All Sites

		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	2124	2564	4688
	Percent	45.3	54.7	100.0
CRYPTOSPORIDIUM	Cases	207	328	535
	Percent	38.7	61.3	100.0
CYCLOSPORA	Cases	15	7	22
	Percent	68.2	31.8	100.0
ECOLI 0157	Cases	348	277	625
	Percent	55.7	44.3	100.0
ECOLI OTHER	Cases	33	23	56
	Percent	58.9	41.1	100.0
LISTERIA	Cases	60	45	105
	Percent	57.1	42.9	100.0
SALMONELLA	Cases	2167	2114	4281
	Percent	50.6	49.4	100.0
SHIGELLA	Cases	1088	1247	2335
	Percent	46.6	53.4	100.0
VIBRIO	Cases	13	40	53
	Percent	24.5	75.5	100.0
YERSINIA	Cases	62	71	133
	Percent	46.6	53.4	100.0
Total	Cases	6117	6716	12833
	Percent	47.7	52.3	100.0

There are 97 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7a: Site = California		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	485	691	1176
	Percent	41.2	58.8	100.0
CRYPTOSPORIDIUM	Cases	17	50	67
	Percent	25.4	74.6	100.0
CYCLOSPORA	Cases	4	2	6
	Percent	66.7	33.3	100.0
ECOLI 0157	Cases	30	16	46
	Percent	65.2	34.8	100.0
LISTERIA	Cases	5	8	13
	Percent	38.5	61.5	100.0
SALMONELLA	Cases	232	221	453
	Percent	51.2	48.8	100.0
SHIGELLA	Cases	160	412	572
	Percent	28.0	72.0	100.0
VIBRIO	Cases	6	15	21
	Percent	28.6	71.4	100.0
YERSINIA	Cases	15	13	28
	Percent	53.6	46.4	100.0
Total	Cases	954	1428	2382
	Percent	40.1	59.9	100.0

There are 23 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7c: Site = Connecticut		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	274	312	586
	Percent	46.8	53.2	100.0
CRYPTOSPORIDIUM	Cases	16	13	29
	Percent	55.2	44.8	100.0
CYCLOSPORA	Cases	1	1	2
	Percent	50.0	50.0	100.0
ECOLI 0157	Cases	54	30	84
	Percent	64.3	35.7	100.0
ECOLI OTHER	Cases	10	3	13
	Percent	76.9	23.1	100.0
LISTERIA	Cases	9	9	18
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	202	216	418
	Percent	48.3	51.7	100.0
SHIGELLA	Cases	36	33	69
	Percent	52.2	47.8	100.0
VIBRIO	Cases	1	5	6
	Percent	16.7	83.3	100.0
YERSINIA	Cases	10	3	13
	Percent	76.9	23.1	100.0
Total	Cases	613	625	1238
	Percent	49.5	50.5	100.0

There are no cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7d: Site = Georgia		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	243	339	582
	Percent	41.8	58.2	100.0
CRYPTOSPORIDIUM	Cases	50	128	178
	Percent	28.1	71.9	100.0
CYCLOSPORA	Cases	9	4	13
	Percent	69.2	30.8	100.0
ECOLI 0157	Cases	21	20	41
	Percent	51.2	48.8	100.0
ECOLI OTHER	Cases	6	6	12
	Percent	50.0	50.0	100.0
LISTERIA	Cases	10	10	20
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	744	718	1462
	Percent	50.9	49.1	100.0
SHIGELLA	Cases	123	191	314
	Percent	39.2	60.8	100.0
VIBRIO	Cases	1	7	8
	Percent	12.5	87.5	100.0
YERSINIA	Cases	18	28	46
	Percent	39.1	60.9	100.0
Total	Cases	1225	1451	2676
	Percent	45.8	54.2	100.0

There is 1 case where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7e: Site = Maryland		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	96	93	189
	Percent	50.8	49.2	100.0
CRYPTOSPORIDIUM	Cases	1	6	7
	Percent	14.3	85.7	100.0
ECOLI 0157	Cases	10	6	16
	Percent	62.5	37.5	100.0
LISTERIA	Cases	10	0	10
	Percent	100.0	0	100.0
SALMONELLA	Cases	188	190	378
	Percent	49.7	50.3	100.0
SHIGELLA	Cases	37	45	82
	Percent	45.1	54.9	100.0
VIBRIO	Cases	3	4	7
	Percent	42.9	57.1	100.0
YERSINIA	Cases	1	7	8
	Percent	12.5	87.5	100.0
Total	Cases	346	351	697
	Percent	49.6	50.4	100.0

There is 1 case where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7f: Site = Minnesota		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	524	555	1079
	Percent	48.6	51.4	100.0
CRYPTOSPORIDIUM	Cases	96	101	197
	Percent	48.7	51.3	100.0
ECOLI 0157	Cases	119	97	216
	Percent	55.1	44.9	100.0
ECOLI OTHER	Cases	15	12	27
	Percent	55.6	44.4	100.0
LISTERIA	Cases	5	3	8
	Percent	62.5	37.5	100.0
SALMONELLA	Cases	292	319	611
	Percent	47.8	52.2	100.0
SHIGELLA	Cases	510	389	899
	Percent	56.7	43.3	100.0
VIBRIO	Cases	0	3	3
	Percent	0	100.0	100.0
YERSINIA	Cases	6	4	10
	Percent	60.0	40.0	100.0
Total	Cases	1567	1483	3050
	Percent	51.4	48.6	100.0

There are 6 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7g: Site = New York		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	141	202	343
	Percent	41.1	58.9	100.0
CRYPTOSPORIDIUM	Cases	11	12	23
	Percent	47.8	52.2	100.0
CYCLOSPORA	Cases	1	0	1
	Percent	100.0	0	100.0
ECOLI 0157	Cases	37	37	74
	Percent	50.0	50.0	100.0
LISTERIA	Cases	14	7	21
	Percent	66.7	33.3	100.0
SALMONELLA	Cases	145	109	254
	Percent	57.1	42.9	100.0
SHIGELLA	Cases	11	11	22
	Percent	50.0	50.0	100.0
YERSINIA	Cases	3	5	8
	Percent	37.5	62.5	100.0
Total	Cases	363	383	746
	Percent	48.7	51.3	100.0

There are no cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7h: Site = Oregon		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	280	276	556
	Percent	50.4	49.6	100.0
CRYPTOSPORIDIUM	Cases	10	11	21
	Percent	47.6	52.4	100.0
ECOLI 0157	Cases	60	54	114
	Percent	52.6	47.4	100.0
ECOLI OTHER	Cases	2	1	3
	Percent	66.7	33.3	100.0
LISTERIA	Cases	2	4	6
	Percent	33.3	66.7	100.0
SALMONELLA	Cases	169	122	291
	Percent	58.1	41.9	100.0
SHIGELLA	Cases	61	56	117
	Percent	52.1	47.9	100.0
VIBRIO	Cases	1	6	7
	Percent	14.3	85.7	100.0
YERSINIA	Cases	5	4	9
	Percent	55.6	44.4	100.0
Total	Cases	590	534	1124
	Percent	52.5	47.5	100.0

There are 5 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 7a through 7h - Sex Distribution by Pathogen by Site

Table 7i: Site = Tennessee		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	81	96	177
	Percent	45.8	54.2	100.0
CRYPTOSPORIDIUM	Cases	6	7	13
	Percent	46.2	53.8	100.0
ECOLI 0157	Cases	17	17	34
	Percent	50.0	50.0	100.0
ECOLI OTHER	Cases	0	1	1
	Percent	0	100.0	100.0
LISTERIA	Cases	5	4	9
	Percent	55.6	44.4	100.0
SALMONELLA	Cases	195	219	414
	Percent	47.1	52.9	100.0
SHIGELLA	Cases	150	110	260
	Percent	57.7	42.3	100.0
VIBRIO	Cases	1	0	1
	Percent	100.0	0	100.0
YERSINIA	Cases	4	7	11
	Percent	36.4	63.6	100.0
Total	Cases	459	461	920
	Percent	49.9	50.1	100.0

There are 18 cases where sex is unknown.

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 8 - Race by Pathogen for All Sites

		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	129	182	18	2275	2109	4713
	Percent	2.7	3.9	0.4	48.3	44.7	100.0
CRYPTOSPORIDIUM	Cases	6	91	3	262	173	535
	Percent	1.1	17.0	0.6	49.0	32.3	100.0
CYCLOSPORA	Cases	0	0	0	16	6	22
	Percent	0	0	0	72.7	27.3	100.0
ECOLI 0157	Cases	12	19	2	462	131	626
	Percent	1.9	3.0	0.3	73.8	20.9	100.0
ECOLI OTHER	Cases	1	2	1	36	17	57
	Percent	1.8	3.5	1.8	63.2	29.8	100.0
LISTERIA	Cases	1	13	1	84	6	105
	Percent	1.0	12.4	1.0	80.0	5.7	100.0
SALMONELLA	Cases	159	539	13	2221	1398	4330
	Percent	3.7	12.4	0.3	51.3	32.3	100.0
SHIGELLA	Cases	28	307	13	1000	1007	2355
	Percent	1.2	13.0	0.6	42.5	42.8	100.0
VIBRIO	Cases	7	4	0	24	19	54
	Percent	13.0	7.4	0	44.4	35.2	100.0
YERSINIA	Cases	9	47	0	38	39	133
	Percent	6.8	35.3	0	28.6	29.3	100.0
Total	Cases	352	1204	51	6418	4905	12930
	Percent	2.7	9.3	0.4	49.6	37.9	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 8a through 8h - Race by Pathogen by Site

Table 8a: Site = California		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	90	36	2	397	661	1186
	Percent	7.6	3.0	0.2	33.5	55.7	100.0
CRYPTOSPORIDIUM	Cases	3	9	-	39	16	67
	Percent	4.5	13.4	-	58.2	23.9	100.0
CYCLOSPORA	Cases	-	-	-	5	1	6
	Percent	-	-	-	83.3	16.7	100.0
ECOLI 0157	Cases	5	3	1	26	11	46
	Percent	10.9	6.5	2.2	56.5	23.9	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
LISTERIA	Cases	-	1	1	11	-	13
	Percent	-	7.7	7.7	84.6	-	100.0
SALMONELLA	Cases	88	34	2	134	202	460
	Percent	19.1	7.4	0.4	29.1	43.9	100.0
SHIGELLA	Cases	15	33	1	313	215	577
	Percent	2.6	5.7	0.2	54.2	37.3	100.0
VIBRIO	Cases	4	1	-	9	8	22
	Percent	18.2	4.5	-	40.9	36.4	100.0
YERSINIA	Cases	6	4	-	8	10	28
	Percent	21.4	14.3	-	28.6	35.7	100.0
Total	Cases	211	121	7	942	1124	2405
	Percent	8.8	5.0	0.3	39.2	46.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 8a through 8h - Race by Pathogen by Site

Table 8c: Site = Connecticut		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	3	8	2	179	394	586
	Percent	0.5	1.4	0.3	30.5	67.2	100.0
CRYPTOSPORIDIUM	Cases	1	3	-	20	5	29
	Percent	3.4	10.3	-	69.0	17.2	100.0
CYCLOSPORA	Cases	-	-	-	2	-	2
	Percent	-	-	-	100.0	-	100.0
ECOLI 0157	Cases	1	1	-	78	4	84
	Percent	1.2	1.2	-	92.9	4.8	100.0
ECOLI OTHER	Cases	1	1	-	11	-	13
	Percent	7.7	7.7	-	84.6	-	100.0
LISTERIA	Cases	-	-	-	18	-	18
	Percent	-	-	-	100.0	-	100.0
SALMONELLA	Cases	13	24	-	173	208	418
	Percent	3.1	5.7	-	41.4	49.8	100.0
SHIGELLA	Cases	-	4	-	14	51	69
	Percent	-	5.8	-	20.3	73.9	100.0
VIBRIO	Cases	-	-	-	3	3	6
	Percent	-	-	-	50.0	50.0	100.0
YERSINIA	Cases	-	-	-	5	8	13
	Percent	-	-	-	38.5	61.5	100.0
Total	Cases	19	41	2	503	673	1238
	Percent	1.5	3.3	0.2	40.6	54.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 8a through 8h - Race by Pathogen by Site

Table 8d: Site = Georgia		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	2	59	-	276	254	591
	Percent	0.3	10.0	-	46.7	43.0	100.0
CRYPTOSPORIDIUM	Cases	-	73	1	66	38	178
	Percent	-	41.0	0.6	37.1	21.3	100.0
CYCLOSPORA	Cases	-	-	-	8	5	13
	Percent	-	-	-	61.5	38.5	100.0
ECOLI 0157	Cases	1	6	-	26	9	42
	Percent	2.4	14.3	-	61.9	21.4	100.0
ECOLI OTHER	Cases	-	-	-	4	8	12
	Percent	-	-	-	33.3	66.7	100.0
LISTERIA	Cases	-	5	-	13	2	20
	Percent	-	25.0	-	65.0	10.0	100.0
SALMONELLA	Cases	17	276	1	682	515	1491
	Percent	1.1	18.5	0.1	45.7	34.5	100.0
SHIGELLA	Cases	2	96	-	91	130	319
	Percent	0.6	30.1	-	28.5	40.8	100.0
VIBRIO	Cases	2	-	-	4	2	8
	Percent	25.0	-	-	50.0	25.0	100.0
YERSINIA	Cases	1	34	-	4	7	46
	Percent	2.2	73.9	-	8.7	15.2	100.0
Total	Cases	25	549	2	1174	970	2720
	Percent	0.9	20.2	0.1	43.2	35.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 8a through 8h - Race by Pathogen by Site

Table 8e: Site = Maryland		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	1	28	-	135	25	189
	Percent	0.5	14.8	-	71.4	13.2	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	5	2	7
	Percent	-	-	-	71.4	28.6	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
ECOLI 0157	Cases	-	2	-	12	2	16
	Percent	-	12.5	-	75.0	12.5	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
LISTERIA	Cases	-	3	-	7	-	10
	Percent	-	30.0	-	70.0	-	100.0
SALMONELLA	Cases	6	116	-	210	47	379
	Percent	1.6	30.6	-	55.4	12.4	100.0
SHIGELLA	Cases	-	13	-	62	7	82
	Percent	-	15.9	-	75.6	8.5	100.0
VIBRIO	Cases	-	3	-	3	1	7
	Percent	-	42.9	-	42.9	14.3	100.0
YERSINIA	Cases	-	4	-	3	1	8
	Percent	-	50.0	-	37.5	12.5	100.0
Total	Cases	7	169	-	437	85	698
	Percent	1.0	24.2	-	62.6	12.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 8a through 8h - Race by Pathogen by Site

Table 8f: Site = Minnesota		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	17	18	7	586	451	1079
	Percent	1.6	1.7	0.6	54.3	41.8	100.0
CRYPTOSPORIDIUM	Cases	-	-	2	91	104	197
	Percent	-	-	1.0	46.2	52.8	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
ECOLI O157	Cases	2	4	-	140	70	216
	Percent	0.9	1.9	-	64.8	32.4	100.0
ECOLI OTHER	Cases	-	1	1	19	7	28
	Percent	-	3.6	3.6	67.9	25.0	100.0
LISTERIA	Cases	-	-	-	4	4	8
	Percent	-	-	-	50.0	50.0	100.0
SALMONELLA	Cases	24	9	6	362	211	612
	Percent	3.9	1.5	1.0	59.2	34.5	100.0
SHIGELLA	Cases	9	44	10	327	513	903
	Percent	1.0	4.9	1.1	36.2	56.8	100.0
VIBRIO	Cases	1	-	-	1	1	3
	Percent	33.3	-	-	33.3	33.3	100.0
YERSINIA	Cases	-	-	-	6	4	10
	Percent	-	-	-	60.0	40.0	100.0
Total	Cases	53	76	26	1536	1365	3056
	Percent	1.7	2.5	0.9	50.3	44.7	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 8a through 8h - Race by Pathogen by Site

Table 8g: Site = New York		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	6	11	-	316	10	343
	Percent	1.7	3.2	-	92.1	2.9	100.0
CRYPTOSPORIDIUM	Cases	1	3	-	19	-	23
	Percent	4.3	13.0	-	82.6	-	100.0
CYCLOSPORA	Cases	-	-	-	1	-	1
	Percent	-	-	-	100.0	-	100.0
ECOLI 0157	Cases	-	1	-	72	1	74
	Percent	-	1.4	-	97.3	1.4	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
LISTERIA	Cases	-	-	-	21	-	21
	Percent	-	-	-	100.0	-	100.0
SALMONELLA	Cases	4	12	-	230	8	254
	Percent	1.6	4.7	-	90.6	3.1	100.0
SHIGELLA	Cases	-	7	-	15	-	22
	Percent	-	31.8	-	68.2	-	100.0
VIBRIO	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
YERSINIA	Cases	-	1	-	5	2	8
	Percent	-	12.5	-	62.5	25.0	100.0
Total	Cases	11	35	-	679	21	746
	Percent	1.5	4.7	-	91.0	2.8	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 8a through 8h - Race by Pathogen by Site

Table 8h: Site = Oregon		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	10	2	5	289	252	558
	Percent	1.8	0.4	0.9	51.8	45.2	100.0
CRYPTOSPORIDIUM	Cases	1	-	-	18	2	21
	Percent	4.8	-	-	85.7	9.5	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
ECOLI O157	Cases	3	-	-	86	25	114
	Percent	2.6	-	-	75.4	21.9	100.0
ECOLI OTHER	Cases	-	-	-	1	2	3
	Percent	-	-	-	33.3	66.7	100.0
LISTERIA	Cases	-	-	-	6	-	6
	Percent	-	-	-	100.0	-	100.0
SALMONELLA	Cases	6	1	2	213	71	293
	Percent	2.0	0.3	0.7	72.7	24.2	100.0
SHIGELLA	Cases	1	1	1	78	37	118
	Percent	0.8	0.8	0.8	66.1	31.4	100.0
VIBRIO	Cases	-	-	-	3	4	7
	Percent	-	-	-	42.9	57.1	100.0
YERSINIA	Cases	2	-	-	4	3	9
	Percent	22.2	-	-	44.4	33.3	100.0
Total	Cases	23	4	8	698	396	1129
	Percent	2.0	0.4	0.7	61.8	35.1	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 8a through 8h - Race by Pathogen by Site

Table 8i: Site = Tennessee		Race Category					Total
		ASIAN	BLACK	NATIVE AMERICAN	WHITE	UNKNOWN	
Pathogen							
CAMPYLOBACTER	Cases	-	20	2	97	62	181
	Percent	-	11.0	1.1	53.6	34.3	100.0
CRYPTOSPORIDIUM	Cases	-	3	-	4	6	13
	Percent	-	23.1	-	30.8	46.2	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-
	Percent	-	-	-	-	-	-
ECOLI 0157	Cases	-	2	1	22	9	34
	Percent	-	5.9	2.9	64.7	26.5	100.0
ECOLI OTHER	Cases	-	-	-	1	-	1
	Percent	-	-	-	100.0	-	100.0
LISTERIA	Cases	1	4	-	4	-	9
	Percent	11.1	44.4	-	44.4	-	100.0
SALMONELLA	Cases	1	67	2	217	136	423
	Percent	0.2	15.8	0.5	51.3	32.2	100.0
SHIGELLA	Cases	1	109	1	100	54	265
	Percent	0.4	41.1	0.4	37.7	20.4	100.0
VIBRIO	Cases	-	-	-	1	-	1
	Percent	-	-	-	100.0	-	100.0
YERSINIA	Cases	-	4	-	3	4	11
	Percent	-	36.4	-	27.3	36.4	100.0
Total	Cases	3	209	6	449	271	938
	Percent	0.3	22.3	0.6	47.9	28.9	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 9 - Ethnicity by Pathogen for All Sites

		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	201	1758	2754	4713
	Percent	4.3	37.3	58.4	100.0
CRYPTOSPORIDIUM	Cases	19	267	249	535
	Percent	3.6	49.9	46.5	100.0
CYCLOSPORA	Cases	0	9	13	22
	Percent	0	40.9	59.1	100.0
ECOLI 0157	Cases	17	398	211	626
	Percent	2.7	63.6	33.7	100.0
ECOLI OTHER	Cases	4	31	22	57
	Percent	7.0	54.4	38.6	100.0
LISTERIA	Cases	8	66	31	105
	Percent	7.6	62.9	29.5	100.0
SALMONELLA	Cases	159	1682	2489	4330
	Percent	3.7	38.8	57.5	100.0
SHIGELLA	Cases	180	895	1280	2355
	Percent	7.6	38.0	54.4	100.0
VIBRIO	Cases	3	24	27	54
	Percent	5.6	44.4	50.0	100.0
YERSINIA	Cases	6	53	74	133
	Percent	4.5	39.8	55.6	100.0
Total	Cases	597	5183	7150	12930
	Percent	4.6	40.1	55.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9a: Site = California		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	100	376	710	1186
	Percent	8.4	31.7	59.9	100.0
CRYPTOSPORIDIUM	Cases	10	43	14	67
	Percent	14.9	64.2	20.9	100.0
CYCLOSPORA	Cases	-	5	1	6
	Percent	-	83.3	16.7	100.0
ECOLI 0157	Cases	8	27	11	46
	Percent	17.4	58.7	23.9	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	3	9	1	13
	Percent	23.1	69.2	7.7	100.0
SALMONELLA	Cases	39	183	238	460
	Percent	8.5	39.8	51.7	100.0
SHIGELLA	Cases	79	297	201	577
	Percent	13.7	51.5	34.8	100.0
VIBRIO	Cases	2	12	8	22
	Percent	9.1	54.5	36.4	100.0
YERSINIA	Cases	4	15	9	28
	Percent	14.3	53.6	32.1	100.0
Total	Cases	245	967	1193	2405
	Percent	10.2	40.2	49.6	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9c: Site = Connecticut		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	17	104	465	586
	Percent	2.9	17.7	79.4	100.0
CRYPTOSPORIDIUM	Cases	-	21	8	29
	Percent	-	72.4	27.6	100.0
CYCLOSPORA	Cases	-	2	-	2
	Percent	-	100.0	-	100.0
ECOLI O157	Cases	2	78	4	84
	Percent	2.4	92.9	4.8	100.0
ECOLI OTHER	Cases	-	11	2	13
	Percent	-	84.6	15.4	100.0
LISTERIA	Cases	-	13	5	18
	Percent	-	72.2	27.8	100.0
SALMONELLA	Cases	23	136	259	418
	Percent	5.5	32.5	62.0	100.0
SHIGELLA	Cases	9	12	48	69
	Percent	13.0	17.4	69.6	100.0
VIBRIO	Cases	-	2	4	6
	Percent	-	33.3	66.7	100.0
YERSINIA	Cases	1	1	11	13
	Percent	7.7	7.7	84.6	100.0
Total	Cases	52	380	806	1238
	Percent	4.2	30.7	65.1	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9d: Site = Georgia		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	15	127	449	591
	Percent	2.5	21.5	76.0	100.0
CRYPTOSPORIDIUM	Cases	5	100	73	178
	Percent	2.8	56.2	41.0	100.0
CYCLOSPORA	Cases	-	1	12	13
	Percent	-	7.7	92.3	100.0
ECOLI 0157	Cases	-	11	31	42
	Percent	-	26.2	73.8	100.0
ECOLI OTHER	Cases	1	2	9	12
	Percent	8.3	16.7	75.0	100.0
LISTERIA	Cases	-	6	14	20
	Percent	-	30.0	70.0	100.0
SALMONELLA	Cases	35	237	1219	1491
	Percent	2.3	15.9	81.8	100.0
SHIGELLA	Cases	36	76	207	319
	Percent	11.3	23.8	64.9	100.0
VIBRIO	Cases	-	1	7	8
	Percent	-	12.5	87.5	100.0
YERSINIA	Cases	1	17	28	46
	Percent	2.2	37.0	60.9	100.0
Total	Cases	93	578	2049	2720
	Percent	3.4	21.3	75.3	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9e: Site = Maryland		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	2	99	88	189
	Percent	1.1	52.4	46.6	100.0
CRYPTOSPORIDIUM	Cases	-	3	4	7
	Percent	-	42.9	57.1	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI 0157	Cases	-	7	9	16
	Percent	-	43.8	56.3	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	-	4	6	10
	Percent	-	40.0	60.0	100.0
SALMONELLA	Cases	4	198	177	379
	Percent	1.1	52.2	46.7	100.0
SHIGELLA	Cases	3	58	21	82
	Percent	3.7	70.7	25.6	100.0
VIBRIO	Cases	-	5	2	7
	Percent	-	71.4	28.6	100.0
YERSINIA	Cases	-	1	7	8
	Percent	-	12.5	87.5	100.0
Total	Cases	9	375	314	698
	Percent	1.3	53.7	45.0	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9f: Site = Minnesota		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	11	483	585	1079
	Percent	1.0	44.8	54.2	100.0
CRYPTOSPORIDIUM	Cases	-	55	142	197
	Percent	-	27.9	72.1	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI 0157	Cases	1	117	98	216
	Percent	0.5	54.2	45.4	100.0
ECOLI OTHER	Cases	2	17	9	28
	Percent	7.1	60.7	32.1	100.0
LISTERIA	Cases	-	3	5	8
	Percent	-	37.5	62.5	100.0
SALMONELLA	Cases	20	342	250	612
	Percent	3.3	55.9	40.8	100.0
SHIGELLA	Cases	20	284	599	903
	Percent	2.2	31.5	66.3	100.0
VIBRIO	Cases	-	1	2	3
	Percent	-	33.3	66.7	100.0
YERSINIA	Cases	-	5	5	10
	Percent	-	50.0	50.0	100.0
Total	Cases	54	1307	1695	3056
	Percent	1.8	42.8	55.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9g: Site = New York		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	14	323	6	343
	Percent	4.1	94.2	1.7	100.0
CRYPTOSPORIDIUM	Cases	-	23	-	23
	Percent	-	100.0	-	100.0
CYCLOSPORA	Cases	-	1	-	1
	Percent	-	100.0	-	100.0
ECOLI 0157	Cases	1	73	-	74
	Percent	1.4	98.6	-	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	2	19	-	21
	Percent	9.5	90.5	-	100.0
SALMONELLA	Cases	10	238	6	254
	Percent	3.9	93.7	2.4	100.0
SHIGELLA	Cases	2	20	-	22
	Percent	9.1	90.9	-	100.0
VIBRIO	Cases	-	-	-	-
	Percent	-	-	-	-
YERSINIA	Cases	-	7	1	8
	Percent	-	87.5	12.5	100.0
Total	Cases	29	704	13	746
	Percent	3.9	94.4	1.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9h: Site = Oregon		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	42	177	339	558
	Percent	7.5	31.7	60.8	100.0
CRYPTOSPORIDIUM	Cases	4	15	2	21
	Percent	19.0	71.4	9.5	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI 0157	Cases	5	68	41	114
	Percent	4.4	59.6	36.0	100.0
ECOLI OTHER	Cases	1	1	1	3
	Percent	33.3	33.3	33.3	100.0
LISTERIA	Cases	3	3	-	6
	Percent	50.0	50.0	-	100.0
SALMONELLA	Cases	25	176	92	293
	Percent	8.5	60.1	31.4	100.0
SHIGELLA	Cases	29	59	30	118
	Percent	24.6	50.0	25.4	100.0
VIBRIO	Cases	1	2	4	7
	Percent	14.3	28.6	57.1	100.0
YERSINIA	Cases	-	5	4	9
	Percent	-	55.6	44.4	100.0
Total	Cases	110	506	513	1129
	Percent	9.7	44.8	45.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 9a through 9h - Ethnicity by Pathogen by Site

Table 9i: Site = Tennessee		Ethnicity Category			Total
		HISPANIC	NON HISPANIC	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	-	69	112	181
	Percent	-	38.1	61.9	100.0
CRYPTOSPORIDIUM	Cases	-	7	6	13
	Percent	-	53.8	46.2	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI 0157	Cases	-	17	17	34
	Percent	-	50.0	50.0	100.0
ECOLI OTHER	Cases	-	-	1	1
	Percent	-	-	100.0	100.0
LISTERIA	Cases	-	9	-	9
	Percent	-	100.0	-	100.0
SALMONELLA	Cases	3	172	248	423
	Percent	0.7	40.7	58.6	100.0
SHIGELLA	Cases	2	89	174	265
	Percent	0.8	33.6	65.7	100.0
VIBRIO	Cases	-	1	-	1
	Percent	-	100.0	-	100.0
YERSINIA	Cases	-	2	9	11
	Percent	-	18.2	81.8	100.0
Total	Cases	5	366	567	938
	Percent	0.5	39.0	60.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site								Total
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype									
"0"3,10"H"EH ROUGH	0	1	0	0	0	0	0	0	1
"0"4 "H" I	0	1	0	0	0	0	0	0	1
"0"4 "H"B-	0	1	0	0	0	0	0	0	1
"0"4"H"I	0	2	0	0	0	0	0	0	2
"0"4"H"I"	0	1	0	0	0	0	0	0	1
"0"4,5"H"B	0	1	0	0	0	0	0	0	1
"0"4,5,12"H"B	0	1	0	0	0	0	0	0	1
"0"6,8 "H" I,EN ROUGH	0	1	0	0	0	0	0	0	1
"0"8"H"K;1,5	0	1	0	0	0	0	0	0	1
"0"9 "H"NM	0	1	0	0	0	0	0	0	1
"0"9"H"ROUGH	0	1	0	0	0	0	0	0	1
"0"ROUGH"H"EH;1,6	0	1	0	0	0	0	0	0	1
- :D:ENX	1	0	0	0	0	0	0	0	1
- :EH:LU	1	0	0	0	0	0	0	0	1
16:Z10:ENX,Z15	0	0	1	0	0	0	0	0	1
1:E,H:-	1	0	0	0	0	0	0	0	1
3,19:SUBSPI	0	0	1	0	0	0	0	0	1
4,12:I:-	0	0	2	0	0	0	0	0	2
4,12:M,+2-	1	0	0	0	0	0	0	0	1
4,12:SUBSPI	0	0	1	0	0	0	0	0	1
4,5,12:I	0	0	1	0	0	0	0	0	1
4,5,12:I:-	0	0	14	0	0	0	0	0	14
4,5,12:I:MONOPHASIC	0	0	2	0	0	0	0	0	2
4,5,12:I:SUBSPI	0	0	10	0	0	0	0	0	10
4,5:I:-	0	0	1	0	0	0	0	0	1
4,5:I:MONOPHASIC	0	0	1	0	0	0	0	0	1
48:G,Z51:-	0	0	2	0	0	0	0	0	2

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site								Total
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype									
50:M:SUBSPI	0	0	1	0	0	0	0	0	1
50:Z4Z24:-	0	0	1	0	0	0	0	0	1
6,7:1,5:-	0	0	1	0	0	0	0	0	1
6,7:K:SUBSPI	0	0	1	0	0	0	0	0	1
6,8:1,2:SUBSPI	0	0	1	0	0	0	0	0	1
61:K:1,5	0	0	1	0	0	0	0	0	1
65:(K):Z	1	0	0	0	0	0	0	0	1
9,12:-:-	0	0	1	0	0	0	0	0	1
9,12:-:1,5	0	0	2	0	0	0	0	0	2
9,12:1,5:-	0	0	1	0	0	0	0	0	1
9,12:IZ28:-	0	0	3	0	0	0	0	0	3
9,12:RAT:ENX SUBGRP2	1	0	0	0	0	0	0	0	1
9,12;IZ28;-	0	0	1	0	0	0	0	0	1
: :-	2	0	0	0	0	0	0	0	2
:G.M.S:-	1	0	0	0	0	0	0	0	1
:I:-	1	0	0	0	0	0	0	0	1
AARHUS	0	0	0	1	0	0	0	0	1
ABERDEEN	0	0	1	0	0	0	0	0	1
ADELAIDE	1	1	1	0	1	0	2	0	6
AGBENI	0	0	0	0	1	0	0	0	1
AGONA	7	11	7	2	13	2	6	0	48
ALACHUA	0	1	1	0	0	0	0	0	2
ALBANY	1	0	1	0	0	0	0	0	2
ALTONA	0	0	1	0	1	0	0	0	2
ANATUM	2	3	2	1	5	1	1	1	16
ANECHO	0	1	0	0	0	0	0	0	1
ANTSALOVA	0	0	0	1	0	0	0	0	1

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site								Total
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype									
ARECHAVALETA	0	1	0	0	0	0	0	0	1
ARIZONAE	2	0	6	0	1	0	0	0	9
B:-:-	1	0	0	0	0	0	0	0	1
B:I:-	1	0	0	0	0	0	0	0	1
B:R:-	1	0	0	0	0	0	0	0	1
BAILDON	0	0	0	0	0	1	0	0	1
BARDO	0	1	0	0	0	0	0	0	1
BAREILLY	0	1	9	0	1	0	0	8	19
BERN	0	0	1	0	0	0	0	0	1
BERTA	4	5	3	3	4	2	3	3	27
BLOCKLEY	0	0	0	1	1	0	0	1	3
BONN	1	0	0	0	0	0	0	0	1
BOVISMORBIFICANS	1	1	2	0	2	0	0	1	7
BRAENDERUP	3	6	19	3	9	7	1	7	55
BRANDENBURG	5	3	5	0	2	0	0	1	16
BREDENEY	0	1	0	0	0	0	0	0	1
CANNSTATT	0	0	0	0	1	0	0	0	1
CERRO	0	1	7	0	1	0	1	0	10
CHAMELEON	0	0	0	0	0	0	1	0	1
CHESTER	0	0	0	1	0	0	1	0	2
CHOLERAESUIS	2	2	3	0	1	1	0	0	9
COLINDALE	0	0	0	0	0	0	1	0	1
CORVALLIS	0	0	0	0	1	0	0	0	1
COTHAM	0	0	0	0	0	0	1	0	1
CUBANA	0	0	0	1	1	0	0	0	2
CURACAO	0	0	0	1	0	0	0	0	1
D:-:-	1	0	0	0	0	0	0	0	1

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Table 10 - Salmonella Serotypes by Site

Cases	Site								Total
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype									
DERBY	7	0	5	1	4	0	4	4	25
DUBLIN	10	1	2	0	0	1	1	0	15
DURBAN	0	1	2	0	0	0	0	0	3
DURHAM	1	0	0	0	0	0	0	0	1
EALING	0	0	1	0	2	1	0	0	4
EDINBURG	1	0	0	0	0	0	0	0	1
ENTERITIDIS	59	105	83	126	99	42	44	27	585
ESSEN	0	0	0	0	1	0	0	0	1
FLINT	0	0	1	0	0	0	0	0	1
GAMINARA	0	0	5	1	0	0	0	0	6
GIVE	1	1	1	2	1	1	2	2	11
GLOSTRUP	0	0	0	0	1	0	0	0	1
GOETTINGEN	0	0	0	0	0	0	0	2	2
GPB:I:-	2	0	0	0	0	0	0	0	2
HADAR	10	8	3	2	5	5	3	2	38
HAIFA	0	1	0	0	0	0	0	0	1
HARTFORD	0	1	10	1	7	3	0	1	23
HATO	0	0	0	1	0	0	0	0	1
HAVANA	0	0	1	0	1	0	0	0	2
HEIDELBERG	30	17	75	20	49	36	10	15	252
HOUTEN	0	0	0	0	1	0	0	0	1
HVITTINGFOSS	0	1	2	0	1	0	2	1	7
I 4,12:I:-	0	0	0	0	0	0	1	9	10
I 4,5,12:I:-	0	0	1	0	0	0	0	2	3
INDIANA	0	0	0	0	1	1	0	0	2
INFANTIS	16	7	33	9	15	0	2	3	85
INVERNESS	0	0	2	0	0	0	0	0	2

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site								Total
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype									
IRUMU	0	0	1	0	0	1	1	0	3
ISTANBUL	2	2	0	0	0	0	0	0	4
ITAMI	0	0	0	0	0	0	1	0	1
IV 45:G,Z51:-	0	0	0	0	0	0	0	1	1
JANGWANI	0	0	0	0	0	0	0	1	1
JAVA	5	0	14	7	16	0	0	7	49
JAVIANA	8	2	157	9	4	0	4	18	202
JOHANNESBURG	2	1	2	0	2	4	0	0	11
KENTUCKY	1	0	0	1	1	0	0	0	3
KIAMBU	0	0	0	0	0	0	1	0	1
KOTTBUS	1	0	0	0	1	0	0	1	3
KRALENDYK	1	0	0	0	0	0	0	0	1
LANKA	0	0	1	0	0	0	0	0	1
LINCOLN	0	0	0	0	1	0	0	0	1
LITCHFIELD	1	3	3	1	2	1	1	1	13
LIVINGSTONE	0	0	0	0	1	0	0	0	1
LONDON	1	0	0	0	0	0	0	0	1
LUCIANA	0	0	3	0	1	0	0	0	4
MADELIA	0	0	2	0	0	0	0	0	2
MANHATTAN	0	0	1	0	3	1	0	1	6
MARINA	1	0	1	1	0	0	0	0	3
MARSHALL	1	0	0	0	0	0	0	0	1
MBANDAKA	2	1	5	1	4	0	5	1	19
MELEAGRIDIS	0	0	0	0	3	0	0	0	3
MIAMI	1	2	8	1	0	1	0	1	14
MINNESOTA	1	0	0	1	0	0	0	0	2
MISSISSIPPI	0	2	35	0	0	0	0	3	40

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site								Total
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype									
MONSCHAUI	0	0	1	0	0	0	0	0	1
MONTEVIDEO	8	11	34	4	13	7	20	2	99
MUENCHEN	16	14	66	1	8	3	6	3	117
MUENSTER	0	2	1	1	0	2	3	0	9
NEWPORT	19	21	211	17	21	18	10	95	412
NIMA	0	1	0	0	1	0	0	0	2
NORWICH	0	0	3	0	0	0	0	1	4
NOT SEROTYPED	69	11	231	45	26	31	13	69	495
NOTTINGHAM	0	1	0	0	0	0	0	0	1
OHIO	2	0	0	2	2	0	0	0	6
ORANIENBURG	2	4	14	1	9	3	7	3	43
OSLO	0	1	0	1	0	0	0	1	3
OTHMARSCHEN	1	0	0	0	0	0	0	0	1
PANAMA	5	2	4	1	8	1	0	2	23
PARATYPHI A	4	1	4	0	1	0	1	0	11
PARATYPHI B	0	1	0	1	1	0	9	0	12
PENSACOLA	0	0	5	0	0	0	0	0	5
POANO	0	0	0	0	0	0	0	1	1
POMONA	0	0	1	1	0	0	0	0	2
POONA	6	2	3	2	5	2	7	2	29
POTSDAM	1	0	0	0	0	0	0	0	1
QUIMBAMBA	0	0	0	1	0	0	0	0	1
READING	3	2	0	1	3	0	5	1	15
ROMANBY	0	0	0	0	0	0	0	1	1
RUBISLAW	0	1	10	0	0	0	1	0	12
SAINTPAUL	15	8	20	3	24	2	10	6	88
SANDIEGO	0	1	10	1	2	3	4	3	24

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 10 - Salmonella Serotypes by Site

Cases	Site								Total
	Ca.	Ct.	Ga.	Md.	Mn.	NY.	Or.	Tn.	
Serotype									
SAPHRA	0	0	0	0	0	0	1	0	1
SCHWARZENGRUND	2	5	7	1	0	0	5	0	20
SENFTEMBERG	1	2	1	0	8	0	1	2	15
SOERENGA	0	0	0	1	0	0	0	0	1
STANLEY	4	1	3	4	2	0	9	2	25
STANLEYVILLE	0	0	0	0	1	0	0	0	1
SUBSPECIES II	0	0	0	0	1	0	0	0	1
SUBSPECIES III	0	0	0	0	1	0	0	0	1
SUBSPECIES IIIA	0	0	0	0	0	0	1	0	1
SUBSPECIES IV	0	2	0	0	5	1	0	0	8
TELELKEBIR	1	0	0	0	1	0	0	0	2
TENNESSEE	0	1	1	1	0	0	0	0	3
THOMPSON	6	13	18	2	12	6	2	2	61
TYPHI	10	9	9	3	3	2	6	2	44
TYPHIMURIUM	72	85	195	81	169	57	71	100	830
TYPHIMURIUM VAR COPE	0	0	59	0	0	0	0	0	59
UGANDA	1	1	1	1	2	0	0	0	6
URBANA	0	1	0	1	1	2	0	0	5
VIRCHOW	2	4	0	0	3	2	1	0	12
VIRGINIA	0	0	0	0	1	0	0	0	1
WANGATA	0	0	0	1	0	0	0	0	1
WAYCROSS	0	0	0	0	1	0	0	0	1
WELTEVREDEN	1	2	0	0	1	0	0	0	4
WORTHINGTON	1	0	0	0	2	0	0	0	3
ZAIMAN	0	0	0	0	1	0	0	0	1
Total	460	418	1491	379	612	254	293	423	4330

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 11 - Percent Shigella Species by Site

		Species					Total
		BOYDII	DYSENTERIA	FLEXNERI	SONNEI	UNKNOWN	
Site							
California	Cases	8	3	127	402	37	577
	Percent	1.4	0.5	22.0	69.7	6.4	100.0
Connecticut	Cases	1	-	15	52	1	69
	Percent	1.4	-	21.7	75.4	1.4	100.0
Georgia	Cases	8	1	71	193	46	319
	Percent	2.5	0.3	22.3	60.5	14.4	100.0
Maryland	Cases	2	-	12	64	4	82
	Percent	2.4	-	14.6	78.0	4.9	100.0
Minnesota	Cases	1	-	21	879	2	903
	Percent	0.1	-	2.3	97.3	0.2	100.0
New York	Cases	-	-	5	14	3	22
	Percent	-	-	22.7	63.6	13.6	100.0
Oregon	Cases	3	1	40	73	1	118
	Percent	2.5	0.8	33.9	61.9	0.8	100.0
Tennessee	Cases	1	-	7	228	29	265
	Percent	0.4	-	2.6	86.0	10.9	100.0
Total	Cases	24	5	298	1905	123	2355
	Percent	1.0	0.2	12.7	80.9	5.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Table 12 - Source of Specimen by Pathogen for All Sites

		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	8	0	44	0	0	0	0	0	0	114
	Percent	0.2	0	0.9	0	0	0	0	0	0	2.4
CRYPTOSPORIDIUM	Cases	0	0	0	0	0	0	0	0	0	6
	Percent	0	0	0	0	0	0	0	0	0	1.1
CYCLOSPORA	Cases	0	0	0	0	0	0	0	0	0	0
	Percent	0	0	0	0	0	0	0	0	0	0
ECOLI O157	Cases	0	0	1	0	0	0	0	0	0	80
	Percent	0	0	0.2	0	0	0	0	0	0	12.8
ECOLI OTHER	Cases	0	0	0	0	0	0	0	0	0	2
	Percent	0	0	0	0	0	0	0	0	0	3.5
LISTERIA	Cases	2	1	83	0	17	0	0	0	0	2
	Percent	1.9	1.0	79.0	0	16.2	0	0	0	0	1.9
SALMONELLA	Cases	12	0	267	1	2	0	1	1	4	82
	Percent	0.3	0	6.2	0.0	0.0	0	0.0	0.0	0.1	1.9
SHIGELLA	Cases	6	0	8	0	0	0	0	0	0	32
	Percent	0.3	0	0.3	0	0	0	0	0	0	1.4
VIBRIO	Cases	3	0	5	0	0	1	0	0	0	4
	Percent	5.6	0	9.3	0	0	1.9	0	0	0	7.4
YERSINIA	Cases	3	0	10	0	0	0	0	0	0	6
	Percent	2.3	0	7.5	0	0	0	0	0	0	4.5
Total	Cases	34	1	418	1	19	1	1	1	4	328
	Percent	0.3	0.0	3.2	0.0	0.1	0.0	0.0	0.0	0.0	2.5

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Table 12 - Source of Specimen by Pathogen for All Sites

		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	0	0	0	0	4546	1	4713
	Percent	0	0	0	0	96.5	0.0	100.0
CRYPTOSPORIDIUM	Cases	2	0	0	0	527	0	535
	Percent	0.4	0	0	0	98.5	0	100.0
CYCLOSPORA	Cases	0	0	0	0	22	0	22
	Percent	0	0	0	0	100.0	0	100.0
ECOLI 0157	Cases	0	0	0	0	545	0	626
	Percent	0	0	0	0	87.1	0	100.0
ECOLI OTHER	Cases	0	0	0	0	55	0	57
	Percent	0	0	0	0	96.5	0	100.0
LISTERIA	Cases	0	0	0	0	0	0	105
	Percent	0	0	0	0	0	0	100.0
SALMONELLA	Cases	11	2	0	1	3771	175	4330
	Percent	0.3	0.0	0	0.0	87.1	4.0	100.0
SHIGELLA	Cases	1	0	1	0	2287	20	2355
	Percent	0.0	0	0.0	0	97.1	0.8	100.0
VIBRIO	Cases	0	0	0	0	40	1	54
	Percent	0	0	0	0	74.1	1.9	100.0
YERSINIA	Cases	2	0	0	0	110	2	133
	Percent	1.5	0	0	0	82.7	1.5	100.0
Total	Cases	16	2	1	1	11903	199	12930
	Percent	0.1	0.0	0.0	0.0	92.1	1.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12a: Site = California		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	1	-	8	-	-	-	-	-	-	46
	Percent	0.1	-	0.7	-	-	-	-	-	-	3.9
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	1
	Percent	-	-	-	-	-	-	-	-	-	1.5
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	1
	Percent	-	-	-	-	-	-	-	-	-	2.2
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	10	-	2	-	-	-	-	1
	Percent	-	-	76.9	-	15.4	-	-	-	-	7.7
SALMONELLA	Cases	-	-	33	-	1	-	-	-	2	1
	Percent	-	-	7.2	-	0.2	-	-	-	0.4	0.2
SHIGELLA	Cases	1	-	2	-	-	-	-	-	-	9
	Percent	0.2	-	0.3	-	-	-	-	-	-	1.6
VIBRIO	Cases	-	-	1	-	-	-	-	-	-	1
	Percent	-	-	4.5	-	-	-	-	-	-	4.5
YERSINIA	Cases	1	-	2	-	-	-	-	-	-	3
	Percent	3.6	-	7.1	-	-	-	-	-	-	10.7
Total	Cases	3	-	56	-	3	-	-	-	2	63
	Percent	0.1	-	2.3	-	0.1	-	-	-	0.1	2.6

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12a: Site = California		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	1131	-	1186
	Percent	-	-	-	-	95.4	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	66	-	67
	Percent	-	-	-	-	98.5	-	100.0
CYCLOSPORA	Cases	-	-	-	-	6	-	6
	Percent	-	-	-	-	100.0	-	100.0
ECOLI 0157	Cases	-	-	-	-	45	-	46
	Percent	-	-	-	-	97.8	-	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	-	-	-	-	13
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	3	-	-	1	409	10	460
	Percent	0.7	-	-	0.2	88.9	2.2	100.0
SHIGELLA	Cases	-	-	-	-	564	1	577
	Percent	-	-	-	-	97.7	0.2	100.0
VIBRIO	Cases	-	-	-	-	20	-	22
	Percent	-	-	-	-	90.9	-	100.0
YERSINIA	Cases	-	-	-	-	22	-	28
	Percent	-	-	-	-	78.6	-	100.0
Total	Cases	3	-	-	1	2263	11	2405
	Percent	0.1	-	-	0.0	94.1	0.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12c: Site = Connecticut		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	-	-	9	-	-	-	-	-	-	1
	Percent	-	-	1.5	-	-	-	-	-	-	0.2
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	16	-	2	-	-	-	-	-
	Percent	-	-	88.9	-	11.1	-	-	-	-	-
SALMONELLA	Cases	4	-	38	-	-	-	-	-	-	3
	Percent	1.0	-	9.1	-	-	-	-	-	-	0.7
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	1	-	1	-	-	-	-	-	-	-
	Percent	16.7	-	16.7	-	-	-	-	-	-	-
YERSINIA	Cases	2	-	-	-	-	-	-	-	-	-
	Percent	15.4	-	-	-	-	-	-	-	-	-
Total	Cases	7	-	64	-	2	-	-	-	-	4
	Percent	0.6	-	5.2	-	0.2	-	-	-	-	0.3

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12c: Site = Connecticut		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	576	-	586
	Percent	-	-	-	-	98.3	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	29	-	29
	Percent	-	-	-	-	100.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	2	-	2
	Percent	-	-	-	-	100.0	-	100.0
ECOLI 0157	Cases	-	-	-	-	84	-	84
	Percent	-	-	-	-	100.0	-	100.0
ECOLI OTHER	Cases	-	-	-	-	13	-	13
	Percent	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	-	-	-	-	-	18
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	3	-	-	-	350	20	418
	Percent	0.7	-	-	-	83.7	4.8	100.0
SHIGELLA	Cases	-	-	-	-	69	-	69
	Percent	-	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	-	-	-	4	-	6
	Percent	-	-	-	-	66.7	-	100.0
YERSINIA	Cases	-	-	-	-	11	-	13
	Percent	-	-	-	-	84.6	-	100.0
Total	Cases	3	-	-	-	1138	20	1238
	Percent	0.2	-	-	-	91.9	1.6	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12d: Site = Georgia		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	1	-	8	-	-	-	-	-	-	16
	Percent	0.2	-	1.4	-	-	-	-	-	-	2.7
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	5
	Percent	-	-	-	-	-	-	-	-	-	2.8
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	2
	Percent	-	-	-	-	-	-	-	-	-	4.8
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	2
	Percent	-	-	-	-	-	-	-	-	-	16.7
LISTERIA	Cases	-	1	14	-	5	-	-	-	-	-
	Percent	-	5.0	70.0	-	25.0	-	-	-	-	-
SALMONELLA	Cases	1	-	76	1	1	-	1	1	1	34
	Percent	0.1	-	5.1	0.1	0.1	-	0.1	0.1	0.1	2.3
SHIGELLA	Cases	-	-	4	-	-	-	-	-	-	6
	Percent	-	-	1.3	-	-	-	-	-	-	1.9
VIBRIO	Cases	-	-	3	-	-	1	-	-	-	-
	Percent	-	-	37.5	-	-	12.5	-	-	-	-
YERSINIA	Cases	-	-	4	-	-	-	-	-	-	2
	Percent	-	-	8.7	-	-	-	-	-	-	4.3
Total	Cases	2	1	109	1	6	1	1	1	1	67
	Percent	0.1	0.0	4.0	0.0	0.2	0.0	0.0	0.0	0.0	2.5

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12d: Site = Georgia		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	566	-	591
	Percent	-	-	-	-	95.8	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	173	-	178
	Percent	-	-	-	-	97.2	-	100.0
CYCLOSPORA	Cases	-	-	-	-	13	-	13
	Percent	-	-	-	-	100.0	-	100.0
ECOLI 0157	Cases	-	-	-	-	40	-	42
	Percent	-	-	-	-	95.2	-	100.0
ECOLI OTHER	Cases	-	-	-	-	10	-	12
	Percent	-	-	-	-	83.3	-	100.0
LISTERIA	Cases	-	-	-	-	-	-	20
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	2	2	-	-	1327	44	1491
	Percent	0.1	0.1	-	-	89.0	3.0	100.0
SHIGELLA	Cases	1	-	1	-	301	6	319
	Percent	0.3	-	0.3	-	94.4	1.9	100.0
VIBRIO	Cases	-	-	-	-	4	-	8
	Percent	-	-	-	-	50.0	-	100.0
YERSINIA	Cases	2	-	-	-	38	-	46
	Percent	4.3	-	-	-	82.6	-	100.0
Total	Cases	5	2	1	-	2472	50	2720
	Percent	0.2	0.1	0.0	-	90.9	1.8	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12e: Site = Maryland		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	-	-	4	-	-	-	-	-	-	5
	Percent	-	-	2.1	-	-	-	-	-	-	2.6
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	8	-	2	-	-	-	-	-
	Percent	-	-	80.0	-	20.0	-	-	-	-	-
SALMONELLA	Cases	-	-	45	-	-	-	-	-	-	11
	Percent	-	-	11.9	-	-	-	-	-	-	2.9
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-	1
	Percent	-	-	-	-	-	-	-	-	-	1.2
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	3
	Percent	-	-	-	-	-	-	-	-	-	42.9
YERSINIA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
Total	Cases	-	-	57	-	2	-	-	-	-	20
	Percent	-	-	8.2	-	0.3	-	-	-	-	2.9

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12e: Site = Maryland		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	180	-	189
	Percent	-	-	-	-	95.2	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	7	-	7
	Percent	-	-	-	-	100.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
ECOLI 0157	Cases	-	-	-	-	16	-	16
	Percent	-	-	-	-	100.0	-	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	-	-	-	-	10
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	-	-	-	-	305	18	379
	Percent	-	-	-	-	80.5	4.7	100.0
SHIGELLA	Cases	-	-	-	-	80	1	82
	Percent	-	-	-	-	97.6	1.2	100.0
VIBRIO	Cases	-	-	-	-	3	1	7
	Percent	-	-	-	-	42.9	14.3	100.0
YERSINIA	Cases	-	-	-	-	8	-	8
	Percent	-	-	-	-	100.0	-	100.0
Total	Cases	-	-	-	-	599	20	698
	Percent	-	-	-	-	85.8	2.9	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12f: Site = Minnesota		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	5	-	2	-	-	-	-	-	-	2
	Percent	0.5	-	0.2	-	-	-	-	-	-	0.2
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI O157	Cases	-	-	1	-	-	-	-	-	-	-
	Percent	-	-	0.5	-	-	-	-	-	-	-
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	1	-	7	-	-	-	-	-	-	-
	Percent	12.5	-	87.5	-	-	-	-	-	-	-
SALMONELLA	Cases	2	-	21	-	-	-	-	-	-	5
	Percent	0.3	-	3.4	-	-	-	-	-	-	0.8
SHIGELLA	Cases	3	-	1	-	-	-	-	-	-	3
	Percent	0.3	-	0.1	-	-	-	-	-	-	0.3
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	1	-	-	-	-	-	-	-
	Percent	-	-	10.0	-	-	-	-	-	-	-
Total	Cases	11	-	33	-	-	-	-	-	-	10
	Percent	0.4	-	1.1	-	-	-	-	-	-	0.3

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12f: Site = Minnesota		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	1069	1	1079
	Percent	-	-	-	-	99.1	0.1	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	197	-	197
	Percent	-	-	-	-	100.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
ECOLI 0157	Cases	-	-	-	-	215	-	216
	Percent	-	-	-	-	99.5	-	100.0
ECOLI OTHER	Cases	-	-	-	-	28	-	28
	Percent	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	-	-	-	-	-	8
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	-	-	-	-	565	19	612
	Percent	-	-	-	-	92.3	3.1	100.0
SHIGELLA	Cases	-	-	-	-	895	1	903
	Percent	-	-	-	-	99.1	0.1	100.0
VIBRIO	Cases	-	-	-	-	3	-	3
	Percent	-	-	-	-	100.0	-	100.0
YERSINIA	Cases	-	-	-	-	9	-	10
	Percent	-	-	-	-	90.0	-	100.0
Total	Cases	-	-	-	-	2981	21	3056
	Percent	-	-	-	-	97.5	0.7	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12g: Site = New York		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	-	-	4	-	-	-	-	-	-	3
	Percent	-	-	1.2	-	-	-	-	-	-	0.9
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI 0157	Cases	-	-	-	-	-	-	-	-	-	74
	Percent	-	-	-	-	-	-	-	-	-	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	16	-	4	-	-	-	-	1
	Percent	-	-	76.2	-	19.0	-	-	-	-	4.8
SALMONELLA	Cases	2	-	18	-	-	-	-	-	-	-
	Percent	0.8	-	7.1	-	-	-	-	-	-	-
SHIGELLA	Cases	-	-	1	-	-	-	-	-	-	-
	Percent	-	-	4.5	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	1	-	-	-	-	-	-	-
	Percent	-	-	12.5	-	-	-	-	-	-	-
Total	Cases	2	-	40	-	4	-	-	-	-	78
	Percent	0.3	-	5.4	-	0.5	-	-	-	-	10.5

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12g: Site = New York		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	336	-	343
	Percent	-	-	-	-	98.0	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	23	-	23
	Percent	-	-	-	-	100.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	1	-	1
	Percent	-	-	-	-	100.0	-	100.0
ECOLI 0157	Cases	-	-	-	-	-	-	74
	Percent	-	-	-	-	-	-	100.0
ECOLI OTHER	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	-	-	-	-	21
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	1	-	-	-	215	18	254
	Percent	0.4	-	-	-	84.6	7.1	100.0
SHIGELLA	Cases	-	-	-	-	20	1	22
	Percent	-	-	-	-	90.9	4.5	100.0
VIBRIO	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	-	-	7	-	8
	Percent	-	-	-	-	87.5	-	100.0
Total	Cases	1	-	-	-	602	19	746
	Percent	0.1	-	-	-	80.7	2.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12h: Site = Oregon		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	-	-	8	-	-	-	-	-	-	2
	Percent	-	-	1.4	-	-	-	-	-	-	0.4
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	5	-	1	-	-	-	-	-
	Percent	-	-	83.3	-	16.7	-	-	-	-	-
SALMONELLA	Cases	3	-	17	-	-	-	-	-	-	3
	Percent	1.0	-	5.8	-	-	-	-	-	-	1.0
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-	2
	Percent	-	-	-	-	-	-	-	-	-	1.7
VIBRIO	Cases	1	-	-	-	-	-	-	-	-	-
	Percent	14.3	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	1	-	-	-	-	-	-	-
	Percent	-	-	11.1	-	-	-	-	-	-	-
Total	Cases	4	-	31	-	1	-	-	-	-	7
	Percent	0.4	-	2.7	-	0.1	-	-	-	-	0.6

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12h: Site = Oregon		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	548	-	558
	Percent	-	-	-	-	98.2	-	100.0
CRYPTOSPORIDIUM	Cases	-	-	-	-	21	-	21
	Percent	-	-	-	-	100.0	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
ECOLI 0157	Cases	-	-	-	-	114	-	114
	Percent	-	-	-	-	100.0	-	100.0
ECOLI OTHER	Cases	-	-	-	-	3	-	3
	Percent	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	-	-	-	-	-	6
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	1	-	-	-	242	27	293
	Percent	0.3	-	-	-	82.6	9.2	100.0
SHIGELLA	Cases	-	-	-	-	115	1	118
	Percent	-	-	-	-	97.5	0.8	100.0
VIBRIO	Cases	-	-	-	-	6	-	7
	Percent	-	-	-	-	85.7	-	100.0
YERSINIA	Cases	-	-	-	-	6	2	9
	Percent	-	-	-	-	66.7	22.2	100.0
Total	Cases	1	-	-	-	1055	30	1129
	Percent	0.1	-	-	-	93.4	2.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12i: Site = Tennessee		Source of Specimen									
		ABSCCESS	AMNIOT- IC FLUID	BLOOD	BONE MARROW	CSF	EAR	LUNG BX	NECK ABSCCESS	ORTHO	OTHER
Pathogen											
CAMPYLOBACTER	Cases	1	-	1	-	-	-	-	-	-	39
	Percent	0.6	-	0.6	-	-	-	-	-	-	21.5
CRYPTOSPORIDIUM	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
CYCLOSPORA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	3
	Percent	-	-	-	-	-	-	-	-	-	8.8
ECOLI OTHER	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	1	-	7	-	1	-	-	-	-	-
	Percent	11.1	-	77.8	-	11.1	-	-	-	-	-
SALMONELLA	Cases	-	-	19	-	-	-	-	-	1	25
	Percent	-	-	4.5	-	-	-	-	-	0.2	5.9
SHIGELLA	Cases	2	-	-	-	-	-	-	-	-	11
	Percent	0.8	-	-	-	-	-	-	-	-	4.2
VIBRIO	Cases	1	-	-	-	-	-	-	-	-	-
	Percent	100.0	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	1	-	-	-	-	-	-	1
	Percent	-	-	9.1	-	-	-	-	-	-	9.1
Total	Cases	5	-	28	-	1	-	-	-	1	79
	Percent	0.5	-	3.0	-	0.1	-	-	-	0.1	8.4

(CONTINUED)

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 12a through 12h - Source of Specimen by Pathogen by Site

Table 12i: Site = Tennessee		Source of Specimen						Total
		OTHER STERILE SITE	PANCRE- ATIC	SCROTUM	SPINAL ABSCESS	STOOL	URINE	
Pathogen								
CAMPYLOBACTER	Cases	-	-	-	-	140	-	181
	Percent	-	-	-	-	77.3	-	100.0
CRYPTOSPORIDIUM	Cases	2	-	-	-	11	-	13
	Percent	15.4	-	-	-	84.6	-	100.0
CYCLOSPORA	Cases	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-
ECOLI 0157	Cases	-	-	-	-	31	-	34
	Percent	-	-	-	-	91.2	-	100.0
ECOLI OTHER	Cases	-	-	-	-	1	-	1
	Percent	-	-	-	-	100.0	-	100.0
LISTERIA	Cases	-	-	-	-	-	-	9
	Percent	-	-	-	-	-	-	100.0
SALMONELLA	Cases	1	-	-	-	358	19	423
	Percent	0.2	-	-	-	84.6	4.5	100.0
SHIGELLA	Cases	-	-	-	-	243	9	265
	Percent	-	-	-	-	91.7	3.4	100.0
VIBRIO	Cases	-	-	-	-	-	-	1
	Percent	-	-	-	-	-	-	100.0
YERSINIA	Cases	-	-	-	-	9	-	11
	Percent	-	-	-	-	81.8	-	100.0
Total	Cases	3	-	-	-	793	28	938
	Percent	0.3	-	-	-	84.5	3.0	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 13 - Patient Status by Pathogen for All Sites

		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	460	3608	645	4713
	Percent	9.8	76.6	13.7	100.0
CRYPTOSPORIDIUM	Cases	101	359	75	535
	Percent	18.9	67.1	14.0	100.0
CYCLOSPORA	Cases	0	15	7	22
	Percent	0	68.2	31.8	100.0
ECOLI O157	Cases	262	346	18	626
	Percent	41.9	55.3	2.9	100.0
ECOLI OTHER	Cases	3	51	3	57
	Percent	5.3	89.5	5.3	100.0
LISTERIA	Cases	95	3	7	105
	Percent	90.5	2.9	6.7	100.0
SALMONELLA	Cases	722	2348	1260	4330
	Percent	16.7	54.2	29.1	100.0
SHIGELLA	Cases	236	1788	331	2355
	Percent	10.0	75.9	14.1	100.0
VIBRIO	Cases	13	35	6	54
	Percent	24.1	64.8	11.1	100.0
YERSINIA	Cases	36	79	18	133
	Percent	27.1	59.4	13.5	100.0
Total	Cases	1928	8632	2370	12930
	Percent	14.9	66.8	18.3	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13a: Site = California		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	79	959	148	1186
	Percent	6.7	80.9	12.5	100.0
CRYPTOSPORIDIUM	Cases	10	50	7	67
	Percent	14.9	74.6	10.4	100.0
CYCLOSPORA	Cases	-	5	1	6
	Percent	-	83.3	16.7	100.0
ECOLI O157	Cases	15	29	2	46
	Percent	32.6	63.0	4.3	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	13	-	-	13
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	82	298	80	460
	Percent	17.8	64.8	17.4	100.0
SHIGELLA	Cases	46	496	35	577
	Percent	8.0	86.0	6.1	100.0
VIBRIO	Cases	5	15	2	22
	Percent	22.7	68.2	9.1	100.0
YERSINIA	Cases	6	20	2	28
	Percent	21.4	71.4	7.1	100.0
Total	Cases	256	1872	277	2405
	Percent	10.6	77.8	11.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13c: Site = Connecticut		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	60	514	12	586
	Percent	10.2	87.7	2.0	100.0
CRYPTOSPORIDIUM	Cases	4	24	1	29
	Percent	13.8	82.8	3.4	100.0
CYCLOSPORA	Cases	-	2	-	2
	Percent	-	100.0	-	100.0
ECOLI O157	Cases	42	42	-	84
	Percent	50.0	50.0	-	100.0
ECOLI OTHER	Cases	2	11	-	13
	Percent	15.4	84.6	-	100.0
LISTERIA	Cases	16	2	-	18
	Percent	88.9	11.1	-	100.0
SALMONELLA	Cases	98	315	5	418
	Percent	23.4	75.4	1.2	100.0
SHIGELLA	Cases	8	60	1	69
	Percent	11.6	87.0	1.4	100.0
VIBRIO	Cases	1	5	-	6
	Percent	16.7	83.3	-	100.0
YERSINIA	Cases	5	8	-	13
	Percent	38.5	61.5	-	100.0
Total	Cases	236	983	19	1238
	Percent	19.1	79.4	1.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13d: Site = Georgia		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	49	222	320	591
	Percent	8.3	37.6	54.1	100.0
CRYPTOSPORIDIUM	Cases	48	93	37	178
	Percent	27.0	52.2	20.8	100.0
CYCLOSPORA	Cases	-	8	5	13
	Percent	-	61.5	38.5	100.0
ECOLI O157	Cases	15	26	1	42
	Percent	35.7	61.9	2.4	100.0
ECOLI OTHER	Cases	1	10	1	12
	Percent	8.3	83.3	8.3	100.0
LISTERIA	Cases	13	-	7	20
	Percent	65.0	-	35.0	100.0
SALMONELLA	Cases	124	386	981	1491
	Percent	8.3	25.9	65.8	100.0
SHIGELLA	Cases	36	156	127	319
	Percent	11.3	48.9	39.8	100.0
VIBRIO	Cases	3	3	2	8
	Percent	37.5	37.5	25.0	100.0
YERSINIA	Cases	12	27	7	46
	Percent	26.1	58.7	15.2	100.0
Total	Cases	301	931	1488	2720
	Percent	11.1	34.2	54.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13e: Site = Maryland		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	32	105	52	189
	Percent	16.9	55.6	27.5	100.0
CRYPTOSPORIDIUM	Cases	2	4	1	7
	Percent	28.6	57.1	14.3	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI O157	Cases	8	3	5	16
	Percent	50.0	18.8	31.3	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	10	-	-	10
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	105	215	59	379
	Percent	27.7	56.7	15.6	100.0
SHIGELLA	Cases	9	62	11	82
	Percent	11.0	75.6	13.4	100.0
VIBRIO	Cases	2	3	2	7
	Percent	28.6	42.9	28.6	100.0
YERSINIA	Cases	3	2	3	8
	Percent	37.5	25.0	37.5	100.0
Total	Cases	171	394	133	698
	Percent	24.5	56.4	19.1	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13f: Site = Minnesota		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	134	914	31	1079
	Percent	12.4	84.7	2.9	100.0
CRYPTOSPORIDIUM	Cases	24	150	23	197
	Percent	12.2	76.1	11.7	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI O157	Cases	90	126	-	216
	Percent	41.7	58.3	-	100.0
ECOLI OTHER	Cases	-	27	1	28
	Percent	-	96.4	3.6	100.0
LISTERIA	Cases	7	1	-	8
	Percent	87.5	12.5	-	100.0
SALMONELLA	Cases	128	483	1	612
	Percent	20.9	78.9	0.2	100.0
SHIGELLA	Cases	104	778	21	903
	Percent	11.5	86.2	2.3	100.0
VIBRIO	Cases	-	3	-	3
	Percent	-	100.0	-	100.0
YERSINIA	Cases	2	8	-	10
	Percent	20.0	80.0	-	100.0
Total	Cases	489	2490	77	3056
	Percent	16.0	81.5	2.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13g: Site = New York		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	39	301	3	343
	Percent	11.4	87.8	0.9	100.0
CRYPTOSPORIDIUM	Cases	5	18	-	23
	Percent	21.7	78.3	-	100.0
CYCLOSPORA	Cases	-	-	1	1
	Percent	-	-	100.0	100.0
ECOLI O157	Cases	40	33	1	74
	Percent	54.1	44.6	1.4	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	21	-	-	21
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	55	194	5	254
	Percent	21.7	76.4	2.0	100.0
SHIGELLA	Cases	-	-	22	22
	Percent	-	-	100.0	100.0
VIBRIO	Cases	-	-	-	-
	Percent	-	-	-	-
YERSINIA	Cases	2	5	1	8
	Percent	25.0	62.5	12.5	100.0
Total	Cases	162	551	33	746
	Percent	21.7	73.9	4.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13h: Site = Oregon		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	40	503	15	558
	Percent	7.2	90.1	2.7	100.0
CRYPTOSPORIDIUM	Cases	2	19	-	21
	Percent	9.5	90.5	-	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI O157	Cases	36	78	-	114
	Percent	31.6	68.4	-	100.0
ECOLI OTHER	Cases	-	3	-	3
	Percent	-	100.0	-	100.0
LISTERIA	Cases	6	-	-	6
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	49	240	4	293
	Percent	16.7	81.9	1.4	100.0
SHIGELLA	Cases	14	102	2	118
	Percent	11.9	86.4	1.7	100.0
VIBRIO	Cases	1	6	-	7
	Percent	14.3	85.7	-	100.0
YERSINIA	Cases	2	7	-	9
	Percent	22.2	77.8	-	100.0
Total	Cases	150	958	21	1129
	Percent	13.3	84.9	1.9	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 13a through 13h - Patient Status by Pathogen by Site

Table 13i: Site = Tennessee		Patient Status			Total
		HOSPITALIZED	OUTPATIENT	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	27	90	64	181
	Percent	14.9	49.7	35.4	100.0
CRYPTOSPORIDIUM	Cases	6	1	6	13
	Percent	46.2	7.7	46.2	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI O157	Cases	16	9	9	34
	Percent	47.1	26.5	26.5	100.0
ECOLI OTHER	Cases	-	-	1	1
	Percent	-	-	100.0	100.0
LISTERIA	Cases	9	-	-	9
	Percent	100.0	-	-	100.0
SALMONELLA	Cases	81	217	125	423
	Percent	19.1	51.3	29.6	100.0
SHIGELLA	Cases	19	134	112	265
	Percent	7.2	50.6	42.3	100.0
VIBRIO	Cases	1	-	-	1
	Percent	100.0	-	-	100.0
YERSINIA	Cases	4	2	5	11
	Percent	36.4	18.2	45.5	100.0
Total	Cases	163	453	322	938
	Percent	17.4	48.3	34.3	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Table 14 - Patient Outcome by Pathogen for All Sites

		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	3064	4	1645	4713
	Percent	65.0	0.1	34.9	100.0
CRYPTOSPORIDIUM	Cases	468	9	58	535
	Percent	87.5	1.7	10.8	100.0
CYCLOSPORA	Cases	15	0	7	22
	Percent	68.2	0	31.8	100.0
ECOLI 0157	Cases	597	7	22	626
	Percent	95.4	1.1	3.5	100.0
ECOLI OTHER	Cases	53	0	4	57
	Percent	93.0	0	7.0	100.0
LISTERIA	Cases	76	22	7	105
	Percent	72.4	21.0	6.7	100.0
SALMONELLA	Cases	2647	13	1670	4330
	Percent	61.1	0.3	38.6	100.0
SHIGELLA	Cases	1781	2	572	2355
	Percent	75.6	0.1	24.3	100.0
VIBRIO	Cases	41	1	12	54
	Percent	75.9	1.9	22.2	100.0
YERSINIA	Cases	102	0	31	133
	Percent	76.7	0	23.3	100.0
Total	Cases	8844	58	4028	12930
	Percent	68.4	0.4	31.2	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14a: Site = California		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	453	1	732	1186
	Percent	38.2	0.1	61.7	100.0
CRYPTOSPORIDIUM	Cases	57	1	9	67
	Percent	85.1	1.5	13.4	100.0
CYCLOSPORA	Cases	5	-	1	6
	Percent	83.3	-	16.7	100.0
ECOLI 0157	Cases	39	1	6	46
	Percent	84.8	2.2	13.0	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	12	1	-	13
	Percent	92.3	7.7	-	100.0
SALMONELLA	Cases	233	2	225	460
	Percent	50.7	0.4	48.9	100.0
SHIGELLA	Cases	363	-	214	577
	Percent	62.9	-	37.1	100.0
VIBRIO	Cases	14	-	8	22
	Percent	63.6	-	36.4	100.0
YERSINIA	Cases	20	-	8	28
	Percent	71.4	-	28.6	100.0
Total	Cases	1196	6	1203	2405
	Percent	49.7	0.2	50.0	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14c: Site = Connecticut		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	209	-	377	586
	Percent	35.7	-	64.3	100.0
CRYPTOSPORIDIUM	Cases	28	-	1	29
	Percent	96.6	-	3.4	100.0
CYCLOSPORA	Cases	2	-	-	2
	Percent	100.0	-	-	100.0
ECOLI 0157	Cases	81	3	-	84
	Percent	96.4	3.6	-	100.0
ECOLI OTHER	Cases	13	-	-	13
	Percent	100.0	-	-	100.0
LISTERIA	Cases	11	7	-	18
	Percent	61.1	38.9	-	100.0
SALMONELLA	Cases	253	3	162	418
	Percent	60.5	0.7	38.8	100.0
SHIGELLA	Cases	30	-	39	69
	Percent	43.5	-	56.5	100.0
VIBRIO	Cases	5	-	1	6
	Percent	83.3	-	16.7	100.0
YERSINIA	Cases	9	-	4	13
	Percent	69.2	-	30.8	100.0
Total	Cases	641	13	584	1238
	Percent	51.8	1.1	47.2	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14d: Site = Georgia		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	209	-	382	591
	Percent	35.4	-	64.6	100.0
CRYPTOSPORIDIUM	Cases	147	6	25	178
	Percent	82.6	3.4	14.0	100.0
CYCLOSPORA	Cases	8	-	5	13
	Percent	61.5	-	38.5	100.0
ECOLI 0157	Cases	38	2	2	42
	Percent	90.5	4.8	4.8	100.0
ECOLI OTHER	Cases	11	-	1	12
	Percent	91.7	-	8.3	100.0
LISTERIA	Cases	11	2	7	20
	Percent	55.0	10.0	35.0	100.0
SALMONELLA	Cases	400	3	1088	1491
	Percent	26.8	0.2	73.0	100.0
SHIGELLA	Cases	152	1	166	319
	Percent	47.6	0.3	52.0	100.0
VIBRIO	Cases	4	1	3	8
	Percent	50.0	12.5	37.5	100.0
YERSINIA	Cases	34	-	12	46
	Percent	73.9	-	26.1	100.0
Total	Cases	1014	15	1691	2720
	Percent	37.3	0.6	62.2	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14e: Site = Maryland		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	172	1	16	189
	Percent	91.0	0.5	8.5	100.0
CRYPTOSPORIDIUM	Cases	6	-	1	7
	Percent	85.7	-	14.3	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI O157	Cases	13	-	3	16
	Percent	81.3	-	18.8	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	7	3	-	10
	Percent	70.0	30.0	-	100.0
SALMONELLA	Cases	346	3	30	379
	Percent	91.3	0.8	7.9	100.0
SHIGELLA	Cases	71	-	11	82
	Percent	86.6	-	13.4	100.0
VIBRIO	Cases	7	-	-	7
	Percent	100.0	-	-	100.0
YERSINIA	Cases	7	-	1	8
	Percent	87.5	-	12.5	100.0
Total	Cases	629	7	62	698
	Percent	90.1	1.0	8.9	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14f: Site = Minnesota		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	1052	1	26	1079
	Percent	97.5	0.1	2.4	100.0
CRYPTOSPORIDIUM	Cases	182	-	15	197
	Percent	92.4	-	7.6	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI 0157	Cases	215	1	-	216
	Percent	99.5	0.5	-	100.0
ECOLI OTHER	Cases	27	-	1	28
	Percent	96.4	-	3.6	100.0
LISTERIA	Cases	6	2	-	8
	Percent	75.0	25.0	-	100.0
SALMONELLA	Cases	610	-	2	612
	Percent	99.7	-	0.3	100.0
SHIGELLA	Cases	902	1	-	903
	Percent	99.9	0.1	-	100.0
VIBRIO	Cases	3	-	-	3
	Percent	100.0	-	-	100.0
YERSINIA	Cases	10	-	-	10
	Percent	100.0	-	-	100.0
Total	Cases	3007	5	44	3056
	Percent	98.4	0.2	1.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14g: Site = New York		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	342	1	-	343
	Percent	99.7	0.3	-	100.0
CRYPTOSPORIDIUM	Cases	22	1	-	23
	Percent	95.7	4.3	-	100.0
CYCLOSPORA	Cases	-	-	1	1
	Percent	-	-	100.0	100.0
ECOLI 0157	Cases	74	-	-	74
	Percent	100.0	-	-	100.0
ECOLI OTHER	Cases	-	-	-	-
	Percent	-	-	-	-
LISTERIA	Cases	18	3	-	21
	Percent	85.7	14.3	-	100.0
SALMONELLA	Cases	251	1	2	254
	Percent	98.8	0.4	0.8	100.0
SHIGELLA	Cases	-	-	22	22
	Percent	-	-	100.0	100.0
VIBRIO	Cases	-	-	-	-
	Percent	-	-	-	-
YERSINIA	Cases	8	-	-	8
	Percent	100.0	-	-	100.0
Total	Cases	715	6	25	746
	Percent	95.8	0.8	3.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14h: Site = Oregon		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	514	-	44	558
	Percent	92.1	-	7.9	100.0
CRYPTOSPORIDIUM	Cases	20	1	-	21
	Percent	95.2	4.8	-	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI 0157	Cases	113	-	1	114
	Percent	99.1	-	0.9	100.0
ECOLI OTHER	Cases	2	-	1	3
	Percent	66.7	-	33.3	100.0
LISTERIA	Cases	4	2	-	6
	Percent	66.7	33.3	-	100.0
SALMONELLA	Cases	284	1	8	293
	Percent	96.9	0.3	2.7	100.0
SHIGELLA	Cases	114	-	4	118
	Percent	96.6	-	3.4	100.0
VIBRIO	Cases	7	-	-	7
	Percent	100.0	-	-	100.0
YERSINIA	Cases	8	-	1	9
	Percent	88.9	-	11.1	100.0
Total	Cases	1066	4	59	1129
	Percent	94.4	0.4	5.2	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 14a through 14h - Patient Outcome by Pathogen by Site

Table 14i: Site = Tennessee		Patient Outcome			Total
		ALIVE	DEAD	UNKNOWN	
Pathogen					
CAMPYLOBACTER	Cases	113	-	68	181
	Percent	62.4	-	37.6	100.0
CRYPTOSPORIDIUM	Cases	6	-	7	13
	Percent	46.2	-	53.8	100.0
CYCLOSPORA	Cases	-	-	-	-
	Percent	-	-	-	-
ECOLI 0157	Cases	24	-	10	34
	Percent	70.6	-	29.4	100.0
ECOLI OTHER	Cases	-	-	1	1
	Percent	-	-	100.0	100.0
LISTERIA	Cases	7	2	-	9
	Percent	77.8	22.2	-	100.0
SALMONELLA	Cases	270	-	153	423
	Percent	63.8	-	36.2	100.0
SHIGELLA	Cases	149	-	116	265
	Percent	56.2	-	43.8	100.0
VIBRIO	Cases	1	-	-	1
	Percent	100.0	-	-	100.0
YERSINIA	Cases	6	-	5	11
	Percent	54.5	-	45.5	100.0
Total	Cases	576	2	360	938
	Percent	61.4	0.2	38.4	100.0

CDC's Emerging Infections Program (FoodNet)
FoodNet 2000 Final Report
Table 15 - Age Distribution for Invasive Specimens for All Sites

		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	0	2	4	4	6	6	5	17	0	44
	Percent	0	4.5	9.1	9.1	13.6	13.6	11.4	38.6	0	100.0
ECOLI O157	Cases	0	0	0	0	1	0	0	0	0	1
	Percent	0	0	0	0	100.0	0	0	0	0	100.0
LISTERIA	Cases	13	2	4	2	8	7	4	60	0	100
	Percent	13.0	2.0	4.0	2.0	8.0	7.0	4.0	60.0	0	100.0
SALMONELLA	Cases	31	58	22	23	31	32	16	57	3	273
	Percent	11.4	21.2	8.1	8.4	11.4	11.7	5.9	20.9	1.1	100.0
SHIGELLA	Cases	0	0	0	0	4	1	1	2	0	8
	Percent	0	0	0	0	50.0	12.5	12.5	25.0	0	100.0
VIBRIO	Cases	0	0	0	0	0	0	2	3	0	5
	Percent	0	0	0	0	0	0	40.0	60.0	0	100.0
YERSINIA	Cases	4	1	0	0	0	2	1	2	0	10
	Percent	40.0	10.0	0	0	0	20.0	10.0	20.0	0	100.0
Total	Cases	48	63	30	29	50	48	29	141	3	441
	Percent	10.9	14.3	6.8	6.6	11.3	10.9	6.6	32.0	0.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15a: Site = California		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	-	-	1	-	2	3	-	2	-	8
	Percent	-	-	12.5	-	25.0	37.5	-	25.0	-	100.0
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	2	1	1	-	1	-	-	7	-	12
	Percent	16.7	8.3	8.3	-	8.3	-	-	58.3	-	100.0
SALMONELLA	Cases	2	7	2	3	5	6	3	8	-	36
	Percent	5.6	19.4	5.6	8.3	13.9	16.7	8.3	22.2	-	100.0
SHIGELLA	Cases	-	-	-	-	2	-	-	-	-	2
	Percent	-	-	-	-	100.0	-	-	-	-	100.0
VIBRIO	Cases	-	-	-	-	-	-	-	1	-	1
	Percent	-	-	-	-	-	-	-	100.0	-	100.0
YERSINIA	Cases	-	1	-	-	-	1	-	-	-	2
	Percent	-	50.0	-	-	-	50.0	-	-	-	100.0
Total	Cases	4	9	4	3	10	10	3	18	-	61
	Percent	6.6	14.8	6.6	4.9	16.4	16.4	4.9	29.5	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15c: Site = Connecticut		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	-	-	-	-	3	-	2	4	-	9
	Percent	-	-	-	-	33.3	-	22.2	44.4	-	100.0
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	-	-	2	2	1	13	-	18
	Percent	-	-	-	-	11.1	11.1	5.6	72.2	-	100.0
SALMONELLA	Cases	3	9	1	4	3	6	3	9	-	38
	Percent	7.9	23.7	2.6	10.5	7.9	15.8	7.9	23.7	-	100.0
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	-	1	-	-	1
	Percent	-	-	-	-	-	-	100.0	-	-	100.0
YERSINIA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
Total	Cases	3	9	1	4	8	8	7	26	-	66
	Percent	4.5	13.6	1.5	6.1	12.1	12.1	10.6	39.4	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15d: Site = Georgia		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	-	-	2	1	1	1	-	3	-	8
	Percent	-	-	25.0	12.5	12.5	12.5	-	37.5	-	100.0
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	2	1	2	2	2	3	-	7	-	19
	Percent	10.5	5.3	10.5	10.5	10.5	15.8	-	36.8	-	100.0
SALMONELLA	Cases	8	22	8	5	11	7	4	12	1	78
	Percent	10.3	28.2	10.3	6.4	14.1	9.0	5.1	15.4	1.3	100.0
SHIGELLA	Cases	-	-	-	-	2	1	-	1	-	4
	Percent	-	-	-	-	50.0	25.0	-	25.0	-	100.0
VIBRIO	Cases	-	-	-	-	-	-	1	2	-	3
	Percent	-	-	-	-	-	-	33.3	66.7	-	100.0
YERSINIA	Cases	4	-	-	-	-	-	-	-	-	4
	Percent	100.0	-	-	-	-	-	-	-	-	100.0
Total	Cases	14	23	12	8	16	12	5	25	1	116
	Percent	12.1	19.8	10.3	6.9	13.8	10.3	4.3	21.6	0.9	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15e: Site = Maryland		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	-	-	-	-	-	1	1	2	-	4
	Percent	-	-	-	-	-	25.0	25.0	50.0	-	100.0
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	-	-	1	-	2	-	-	7	-	10
	Percent	-	-	10.0	-	20.0	-	-	70.0	-	100.0
SALMONELLA	Cases	8	6	1	2	7	5	2	12	2	45
	Percent	17.8	13.3	2.2	4.4	15.6	11.1	4.4	26.7	4.4	100.0
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
Total	Cases	8	6	2	2	9	6	3	21	2	59
	Percent	13.6	10.2	3.4	3.4	15.3	10.2	5.1	35.6	3.4	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15f: Site = Minnesota		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	-	-	1	-	-	-	1	-	-	2
	Percent	-	-	50.0	-	-	-	50.0	-	-	100.0
ECOLI O157	Cases	-	-	-	-	1	-	-	-	-	1
	Percent	-	-	-	-	100.0	-	-	-	-	100.0
LISTERIA	Cases	-	-	-	-	-	1	1	5	-	7
	Percent	-	-	-	-	-	14.3	14.3	71.4	-	100.0
SALMONELLA	Cases	4	2	5	2	2	-	2	4	-	21
	Percent	19.0	9.5	23.8	9.5	9.5	-	9.5	19.0	-	100.0
SHIGELLA	Cases	-	-	-	-	-	-	-	1	-	1
	Percent	-	-	-	-	-	-	-	100.0	-	100.0
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	-	-	-	-	-	1	-	1
	Percent	-	-	-	-	-	-	-	100.0	-	100.0
Total	Cases	4	2	6	2	3	1	4	11	-	33
	Percent	12.1	6.1	18.2	6.1	9.1	3.0	12.1	33.3	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15g: Site = New York		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKWN	
Pathogen											
CAMPYLOBACTER	Cases	-	-	-	1	-	1	-	2	-	4
	Percent	-	-	-	25.0	-	25.0	-	50.0	-	100.0
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	4	-	-	-	1	1	1	13	-	20
	Percent	20.0	-	-	-	5.0	5.0	5.0	65.0	-	100.0
SALMONELLA	Cases	2	4	-	5	2	3	-	2	-	18
	Percent	11.1	22.2	-	27.8	11.1	16.7	-	11.1	-	100.0
SHIGELLA	Cases	-	-	-	-	-	-	1	-	-	1
	Percent	-	-	-	-	-	-	100.0	-	-	100.0
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	-	-	-	-	1	-	-	1
	Percent	-	-	-	-	-	-	100.0	-	-	100.0
Total	Cases	6	4	-	6	3	5	3	17	-	44
	Percent	13.6	9.1	-	13.6	6.8	11.4	6.8	38.6	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15h: Site = Oregon		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	-	1	-	2	-	-	1	4	-	8
	Percent	-	12.5	-	25.0	-	-	12.5	50.0	-	100.0
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	2	-	-	-	-	-	1	3	-	6
	Percent	33.3	-	-	-	-	-	16.7	50.0	-	100.0
SALMONELLA	Cases	2	4	3	2	-	1	-	5	-	17
	Percent	11.8	23.5	17.6	11.8	-	5.9	-	29.4	-	100.0
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	-	-	-	1	-	-	-	1
	Percent	-	-	-	-	-	100.0	-	-	-	100.0
Total	Cases	4	5	3	4	-	2	2	12	-	32
	Percent	12.5	15.6	9.4	12.5	-	6.3	6.3	37.5	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 15a through 15h - Age Distribution for Invasive Specimens by Site

Table 15i: Site = Tennessee		Age Specific Strata									Total
		0-<1 YR	1-<10 YRS	10-<20 YRS	20-<30 YRS	30-<40 YRS	40-<50 YRS	50-<60 YRS	60+ YRS	UNKNWN	
Pathogen											
CAMPYLOBACTER	Cases	-	1	-	-	-	-	-	-	-	1
	Percent	-	100.0	-	-	-	-	-	-	-	100.0
ECOLI O157	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
LISTERIA	Cases	3	-	-	-	-	-	-	5	-	8
	Percent	37.5	-	-	-	-	-	-	62.5	-	100.0
SALMONELLA	Cases	2	4	2	-	1	4	2	5	-	20
	Percent	10.0	20.0	10.0	-	5.0	20.0	10.0	25.0	-	100.0
SHIGELLA	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
VIBRIO	Cases	-	-	-	-	-	-	-	-	-	-
	Percent	-	-	-	-	-	-	-	-	-	-
YERSINIA	Cases	-	-	-	-	-	-	-	1	-	1
	Percent	-	-	-	-	-	-	-	100.0	-	100.0
Total	Cases	5	5	2	-	1	4	2	11	-	30
	Percent	16.7	16.7	6.7	-	3.3	13.3	6.7	36.7	-	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Table 16 - Sex Distribution for Invasive Specimens for All Sites

		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	11	33	44
	Percent	25.0	75.0	100.0
ECOLI 0157	Cases	1	0	1
	Percent	100.0	0	100.0
LISTERIA	Cases	57	43	100
	Percent	57.0	43.0	100.0
SALMONELLA	Cases	102	168	270
	Percent	37.8	62.2	100.0
SHIGELLA	Cases	0	8	8
	Percent	0	100.0	100.0
VIBRIO	Cases	1	3	4
	Percent	25.0	75.0	100.0
YERSINIA	Cases	5	5	10
	Percent	50.0	50.0	100.0
Total	Cases	177	260	437
	Percent	40.5	59.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16a: Site = California		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	2	6	8
	Percent	25.0	75.0	100.0
ECOLI O157	Cases	-	-	-
	Percent	-	-	-
LISTERIA	Cases	5	7	12
	Percent	41.7	58.3	100.0
SALMONELLA	Cases	15	20	35
	Percent	42.9	57.1	100.0
SHIGELLA	Cases	-	2	2
	Percent	-	100.0	100.0
VIBRIO	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	1	1	2
	Percent	50.0	50.0	100.0
Total	Cases	23	36	59
	Percent	39.0	61.0	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16c: Site = Connecticut		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	1	8	9
	Percent	11.1	88.9	100.0
ECOLI O157	Cases	-	-	-
	Percent	-	-	-
LISTERIA	Cases	9	9	18
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	12	26	38
	Percent	31.6	68.4	100.0
SHIGELLA	Cases	-	-	-
	Percent	-	-	-
VIBRIO	Cases	-	1	1
	Percent	-	100.0	100.0
YERSINIA	Cases	-	-	-
	Percent	-	-	-
Total	Cases	22	44	66
	Percent	33.3	66.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16d: Site = Georgia		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	2	6	8
	Percent	25.0	75.0	100.0
ECOLI O157	Cases	-	-	-
	Percent	-	-	-
LISTERIA	Cases	9	10	19
	Percent	47.4	52.6	100.0
SALMONELLA	Cases	28	49	77
	Percent	36.4	63.6	100.0
SHIGELLA	Cases	-	4	4
	Percent	-	100.0	100.0
VIBRIO	Cases	1	2	3
	Percent	33.3	66.7	100.0
YERSINIA	Cases	3	1	4
	Percent	75.0	25.0	100.0
Total	Cases	43	72	115
	Percent	37.4	62.6	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16e: Site = Maryland		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	1	3	4
	Percent	25.0	75.0	100.0
ECOLI O157	Cases	-	-	-
	Percent	-	-	-
LISTERIA	Cases	10	-	10
	Percent	100.0	-	100.0
SALMONELLA	Cases	16	29	45
	Percent	35.6	64.4	100.0
SHIGELLA	Cases	-	-	-
	Percent	-	-	-
VIBRIO	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	-	-	-
	Percent	-	-	-
Total	Cases	27	32	59
	Percent	45.8	54.2	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16f: Site = Minnesota		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	-	2	2
	Percent	-	100.0	100.0
ECOLI O157	Cases	1	-	1
	Percent	100.0	-	100.0
LISTERIA	Cases	5	2	7
	Percent	71.4	28.6	100.0
SALMONELLA	Cases	9	12	21
	Percent	42.9	57.1	100.0
SHIGELLA	Cases	-	1	1
	Percent	-	100.0	100.0
VIBRIO	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	-	1	1
	Percent	-	100.0	100.0
Total	Cases	15	18	33
	Percent	45.5	54.5	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16g: Site = New York		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	1	3	4
	Percent	25.0	75.0	100.0
ECOLI O157	Cases	-	-	-
	Percent	-	-	-
LISTERIA	Cases	13	7	20
	Percent	65.0	35.0	100.0
SALMONELLA	Cases	9	9	18
	Percent	50.0	50.0	100.0
SHIGELLA	Cases	-	1	1
	Percent	-	100.0	100.0
VIBRIO	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	-	1	1
	Percent	-	100.0	100.0
Total	Cases	23	21	44
	Percent	52.3	47.7	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16h: Site = Oregon		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	4	4	8
	Percent	50.0	50.0	100.0
ECOLI O157	Cases	-	-	-
	Percent	-	-	-
LISTERIA	Cases	2	4	6
	Percent	33.3	66.7	100.0
SALMONELLA	Cases	6	10	16
	Percent	37.5	62.5	100.0
SHIGELLA	Cases	-	-	-
	Percent	-	-	-
VIBRIO	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	1	-	1
	Percent	100.0	-	100.0
Total	Cases	13	18	31
	Percent	41.9	58.1	100.0

CDC's Emerging Infections Program (FoodNet)
 FoodNet 2000 Final Report
 Tables 16a through 16h - Sex Distribution for Invasive Specimens by Site

Table 16i: Site = Tennessee		Sex		Total
		F	M	
Pathogen				
CAMPYLOBACTER	Cases	-	1	1
	Percent	-	100.0	100.0
ECOLI O157	Cases	-	-	-
	Percent	-	-	-
LISTERIA	Cases	4	4	8
	Percent	50.0	50.0	100.0
SALMONELLA	Cases	7	13	20
	Percent	35.0	65.0	100.0
SHIGELLA	Cases	-	-	-
	Percent	-	-	-
VIBRIO	Cases	-	-	-
	Percent	-	-	-
YERSINIA	Cases	-	1	1
	Percent	-	100.0	100.0
Total	Cases	11	19	30
	Percent	36.7	63.3	100.0