

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Abdominalgia 789.0
 periodic **277.31**
Abercrombie's syndrome (amyloid degeneration) **277.39**
Abnormal, abnormality, abnormalities - see also Anomaly
 blood level (of)
 lead 790.6
 mammogram 793.80
 calcification 793.89
 calculus 793.89
 Papanicolaou (smear)
 cervix 795.00
 with
 cytologic evidence of malignancy 795.06
 radiological examination **793.99**
 breast 793.89
 mammographic **microcalcification 793.81**
 calcification 793.89
 calculus 793.89
 microcalcification 793.81
 image test inconclusive due to excess body fat 793.91
 skin and subcutaneous tissue **793.99**
Aborter, habitual or recurrent NEC
 without current pregnancy **629.81**
Abortion (complete) (incomplete) (inevitable) (with retained products of conception) 637.9
 habitual or recurrent (care during pregnancy) 646.3
 without current pregnancy **629.81**
Abscess (acute) (chronic) (infectious) (lymphangitic) (metastatic) (multiple) (pyogenic) (septic)
 (with lymphangitis) (see also Cellulitis) 682.9
 bronchus **519.19**
 gingival **523.30**
 gum **523.30**
 nasal (fossa) (septum) **478.19**
 nose (septum) **478.19**
 paradontal **523.30**
 parodontal **523.30**
 pericemental **523.30**
 pericoronal **523.30**
 peridental **523.30**
 periodontal (parietal) **523.31**
 postnasal **478.19**
 retroperitoneal 567.38
 postprocedural 998.59
 septum (nasal) **478.19**
 teeth, tooth (root) 522.5
 supporting structures NEC **523.30**
 tooth, teeth (root) 522.5
 supporting structure NEC **523.30**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Absence (organ or part) (complete or partial)

- bone (congenital) NEC 756.9
- marrow 284.9
 - congenital **284.09**
 - hereditary **284.09**
- erythropoiesis 284.9
 - congenital **284.01**
- neutrophil **288.00**
- red cell 284.9
 - congenital **284.01**
 - hereditary **284.01**

Acidemia 276.2

- fetal
 - during labor **and delivery**, in liveborn infant 768.3
 - newborn 775.81**

pipecolic 270.7

Acidocytopenia **288.59**

Acidopenia **288.59**

Acidosis 276.2

- fetal, affecting newborn **775.81**
- metabolic NEC 276.2
 - with respiratory acidosis 276.4
 - of newborn 775.81**
 - newborn 775.81**
- respiratory 276.2
 - complicated by
 - metabolic acidosis 276.4
 - of newborn 775.81**

ADEM (acute disseminated encephalomyelitis) (postinfectious) 136.9 [**323.61**]

- infectious **136.9 323.61**
- noninfectious **323.81**

Adenitis (see also Lymphadenitis) 289.3

- Bartholin's gland **616.89**

Adenofibroma (M9013/0)

- prostate 600.20
 - with **urinary retention 600.21**
 - other lower urinary tract symptoms (LUTS) 600.21**
 - urinary**
 - obstruction 600.21**
 - retention 600.21**

Adenoma (sessile) (M8140/0) - see also Neoplasm, by site, benign

- prostate (benign) 600.20
 - with **urinary retention 600.21**
 - other lower urinary tract symptoms (LUTS) 600.21**
 - urinary**
 - obstruction 600.21**
 - retention 600.21**

Adenomyoma (M8932/0) - see also Neoplasm, by site, benign

- prostate 600.20
 - with **urinary retention 600.21**
 - other lower urinary tract symptoms (LUTS) 600.21**
 - urinary**
 - obstruction 600.21**
 - retention 600.21**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Adhesion(s), adhesive (postinfectional) (postoperative)

nasal (septum) (to turbinates) **478.19**

trachea **519.19**

Admission (encounter)

for

blood typing V72.86

Rh typing V72.86

change of

drains V58.49

dressing **V58.3**

wound V58.30

nonsurgical V58.30

surgical V58.31

nonsurgical wound dressing V58.30

surgical **wound** dressing **V58.31**

wound packing V58.30

nonsurgical V58.30

surgical V58.31

examination (see also Examination) V70.9

ear **V72.19**

hearing **V72.19**

following failed hearing screening V72.11

infant, routine V20.2

removal of

drains V58.49

dressing **V58.3**

wound V58.30

nonsurgical V58.30

surgical V58.31

nonsurgical wound dressing V58.30

staples V58.32

surgical **wound** dressing **V58.31**

sutures **V58.32**

wound packing V58.30

nonsurgical V58.30

surgical V58.31

Rh typing V72.86

Aftercare V58.9

amputation stump V54.89

involving

removal of

drains V58.49

dressings **V58.3**

wound V58.30

nonsurgical V58.30

surgical V58.31

nonsurgical wound dressing V58.30

staples V58.32

surgical **wound** dressings **V58.31**

sutures **V58.32**

wound packing V58.30

nonsurgical V58.30

surgical V58.31

stump, amputation V54.89

ICD-9-CM Index to Diseases Addenda (FY07)

Effective October 1, 2006

Agranulocytopenia (see also Agranulocytosis) **288.09**

Agranulocytosis (angina) (**chronic**) (**cyclical**) (**genetic**) (**infantile**) (**periodic**) (**pernicious**)

288.09

chronic **288.09**

cyclical **288.02**

genetic **288.01**

infantile **288.01**

periodic **288.02**

pernicious **288.09**

Aleukia

congenital **288.09**

hemorrhagica 284.9

 congenital **284.09**

Allergy, allergic (reaction) 995.3

existing dental restorative material **525.66**

drug, medicinal substance, and biological (any) (correct medicinal substance properly administered) (external) (internal) **995.27**

Alteration (of), altered

 mental status **780.97**

Amyloid disease or degeneration **277.30**

 heart **277.39** [425.7]

Amyloidosis (familial) (general) (generalized) (genetic) (primary) (**secondary**) **277.39**

 with lung involvement **277.39** [517.8]

cardiac, hereditary **277.39**

 heart **277.39** [425.7]

 nephropathic **277.39** [583.81]

 neuropathic (Portuguese) (Swiss) **277.39** [357.4]

 pulmonary **277.39** [517.8]

secondary **277.39**

 systemic, inherited **277.39**

Anaerosis of newborn **770.88**

Anemia 285.9

 agranulocytic **288.09**

 aplastic 284.9

 congenital **284.01**

 constitutional **284.01**

 red cell (acquired) (**pure**) (with thymoma) 284.8

 congenital **284.01**

pure **284.01**

 aregenerative 284.9

 congenital **284.01**

 chronica congenita aregenerativa **284.01**

 congenital (following fetal blood loss) 776.5

 aplastic **284.01**

 Diamond-Blackfan (congenital hypoplastic) **284.01**

 Fanconi's (congenital pancytopenia) **284.09**

 granulocytic **288.09**

 hypoplasia, red blood cells 284.8

 congenital or familial **284.01**

 hypoplastic (idiopathic) 284.9

 congenital **284.01**

 familial **284.01**

 of childhood **284.09**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Anemia ... (continued)

 Joseph-Diamond-Blackfan (congenital hypoplastic) **284.01**

 leukoerythroblastic **284.2**

 myelophthisic (normocytic) **284.2**

 normocytic (infectional) (not due to blood loss) 285.9

 myelophthisic **284.2**

 of chronic ~~illness~~ **NEC 285.29**

disease NEC 285.29

illness NEC 285.29

 pure red cell 284.8

 congenital **284.01**

 refractoria sideroblastica **238.72**

 refractory (primary) **238.72**

 with **hemochromatosis 238.7**

excess

blasts-1 (RAEB-1) 238.73

blasts-2 (RAEB-2) 238.73

hemochromatosis 238.72

ringed sideroblasts (RARS) 238.72

 sideroblastic **238.72**

 sideroblastic (acquired) (any type) (congenital) (drug-induced) (due to disease) (hereditary) (primary) (secondary) (sex-linked hypochromic) (vitamin B₆ responsive) 285.0

 refractory **238.72**

Anesthesia, anesthetic 782.0

 complication or reaction NEC **995.22**

 due to

 correct substance properly administered **995.22**

 hyperesthetic, thalamic **338.0**

Aneurysm (anastomotic) (artery) (cirsoid) (diffuse) (false) (fusiform) (multiple) (ruptured) (saccular) (varicose) 442.9

 mycotic, any site 421.0

without endocarditis - see Aneurysm, by site

Angina (attack) (cardiac) (chest) (effort) (heart) (pectoris) (syndrome) (vasomotor) 413.9

 agranulocytic **288.03**

Anomaly, anomalous (congenital) (unspecified type) 759.9

dental arch 524.20

specified NEC 524.29

Anoxemia 799.02

 newborn **770.88**

Anoxia 799.02

 cerebral 348.1

 newborn (see also Distress, fetal, liveborn infant) **770.88**

 fetal, affecting newborn **770.88**

Antenatal

 screening **of mother** (for) V28.9

Anteversion

 cervix (- *see* Anteversion, uterus) **621.6**

Aphthae, aphthous - *see also* condition

 ulcer (oral) (recurrent) 528.2

 genital organ(s) NEC

 female **629.89**

Apical ballooning syndrome **429.83**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Aplasia - see also Agenesis
bone marrow (myeloid) 284.9
 congenital **284.01**
congenital (pure) red cell **284.01**
erythrocyte 284.8
 congenital **284.01**
red cell (~~pure~~) (with thymoma) 284.8
 congenital **284.01**
 hereditary **284.01**
 of infants **284.01**
 primary **284.01**
 pure **284.01**
Armenian disease **277.31**
Arrest, arrested
 cardiac 427.5
 fetus or newborn **779.85**
 granulopoiesis **288.09**
 respiratory 799.1
 newborn **770.87**
Arthritis, arthritic (acute) (chronic) (subacute) 716.9
 due to or associated with
 amyloidosis **277.39** [713.7]
 Mediterranean fever, familial **277.31** [713.7]
Arthus' phenomenon **995.21**
 due to
 correct substance properly administered **995.21**
Athetosis (acquired) 781.0
 bilateral **333.79**
 congenital (bilateral) **333.6**
 double **333.71**
Atonia, atony, atonic
 uterus **666.1**
 with hemorrhage 666.1
 without hemorrhage 669.8
Atrophy, atrophic
 trachea **519.19**
Attention to
 dressing
 wound V58.30
 nonsurgical V58.30
 surgical V58.31
 surgical dressings **V58.31**
 sutures **V58.32**
Bad
 breath **784.99**
Bar
 prostate 600.90
 with **urinary retention 600.94**
 other lower urinary tract symptoms (LUTS) 600.91
 urinary
 obstruction 600.91
 retention 600.91
Bartholin's
 adenitis (see also Bartholinitis) **616.89**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Bartholinitis (suppurating) **616.89**

Basopenia **288.59**

Basophilia **288.65**

Benign - see also condition
prostate

 with **urinary retention 600.21**

other lower urinary tract symptoms (LUTS) 600.21

urinary

obstruction 600.21

retention 600.21

Bite(s)

open

anterior 524.24

posterior 524.25

Black

heel 924.20

palm 923.20

Blackfan-Diamond anemia or syndrome (congenital hypoplastic anemia) **284.01**

Blennorrhea (acute) 098.0

 alveolaris **523.40**

Blepharospasm 333.81

due to drugs 333.85

BMI (body mass index)

pediatric

5th percentile to less than 85th percentile for age V85.52

85th percentile to less than 95th percentile for age V85.53

greater than or equal to 95th percentile for age V85.54

less than 5th percentile for age V85.51

Body, bodies

 mass index (BMI)

pediatric

5th percentile to less than 85th percentile for age V85.52

85th percentile to less than 95th percentile for age V85.53

greater than or equal to 95th percentile for age V85.54

less than 5th percentile for age V85.51

Bomford-Rhoads anemia (refractory) **238.72**

Botulism 005.1

wound - see Wound, open, by site, complicated

Breath

foul 784.99

Breathing

mouth 784.99

Broken

heart syndrome 429.83

Bronchocèle

 meaning

 dilatation of bronchus **519.19**

Bronchospasm **519.11**

acute 519.11

Bronchostenosis **519.19**

Cachexia 799.4

 cancerous (**M8000/3 199.1- see also Neoplasm, by site, malignant 799.4**

 due to malnutrition **799.4**

 malignant (**M8000/3 199.1- see also Neoplasm, by site, malignant 799.4**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Calcification

bronchus **519.19**
mammographic 793.89
trachea **519.19**

Calciphylaxis (see also Calcification, by site) 275.49

Calculus, calculi, calculous 592.9

mammographic 793.89
nose **478.19**

Cardiomyopathy (congestive) (constrictive) (familial) (infiltrative) (obstructive) (restrictive)
(sporadic) 425.4

amyloid **277.39 [425.7]**

due to

amyloidosis **277.39 [425.7]**

metabolic NEC 277.9 [425.7]

amyloid **277.39 [425.7]**

takotsubo **429.83**

stress induced 429.83

Caries (bone) (see also Tuberculosis, bone) 015.9 [730.8]

dental (acute) (chronic) (incipient) (infected) 521.00

primary

pit and fissure origin 521.06

root survace 521.08

smooth surface origin 521.07

Caruncle (inflamed)

labium (majus) (minus) **616.89**

vagina (wall) **616.89**

Catarrh, catarrhal (inflammation) (see also condition) 460

gingivitis **523.00**

mouth **528.00**

Cellulitis (diffuse) (with lymphangitis) (see also Abscess) 682.9

nose **478.19**

pelvis, pelvic

male (see also Abscess, peritoneum) 567.21

Cementoperiostitis **523.40**

Cervical - see also condition

intraepithelial glandular neoplasia 233.1

CGF (congenital generalized fibromatosis) 759.89

Change(s) (of) - see also Removal of

drains V58.49

dressing **V58.3**

wound V58.30

nonsurgical V58.30

surgical V58.31

mental (status) NEC **780.97**

suture **V58.32**

wound packing V58.30

nonsurgical V58.30

surgical V58.31

Checkup

newborn, routine

initial V20.2

subsequent V20.2

Choking sensation **784.99**

Cholestasis 576.8

due to total parenteral nutrition (TPN) 573.8

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Clot (blood)

atrial appendage 429.89

heart

without myocardial infarction 429.89

Collapse 780.2

cardiorespiratory 785.51

fetus or newborn **779.85**

cardiovascular (see also Disease, heart) 785.51

fetus or newborn **779.85**

circulatory (peripheral) 785.59

fetus or newborn **779.85**

trachea **519.19**

Compartment syndrome - see Syndrome, compartment

Complications

anesthesia, anesthetic NEC (see also Anesthesia, complication) **995.22**

injection (procedure) 999.9

drug reaction (see also Reaction, drug) **995.27**

transfusion (blood) (lymphocytes) (plasma) NEC 999.8

acute lung injury (TRALI) 518.7

vaccination 999.9

encephalitis or encephalomyelitis **323.51**

myelitis **323.52**

Compression

bronchus **519.19**

trachea **519.19**

Congenital - see also condition

generalized fibromatosis (CGF) 759.89

Congestion, congestive (chronic) (passive)

bronchi **519.19**

bronchial tube **519.19**

nasal **478.19**

Constriction

bronchus **519.19**

Contraction, contracture, contracted

bronchus **519.19**

Convulsions (idiopathic) 780.39

febrile (**simple**) 780.31

complex 780.32

Cracked **nipple 611.2**

nipple 611.2

puerperal, postpartum 676.1

tooth 521.81

Cross

bite, anterior or posterior **524.27**

Crying

constant, continuous

adolescent 780.95

adult 780.95

baby 780.92

child 780.95

infant 780.92

newborn 780.92

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Crying ... (continued)

excessive

adolescent **780.95**
adult **780.95**
baby **780.92**
child **780.95**
infant **780.92**
newborn **780.92**

Cyst (mucus) (retention) (serous) (simple)

antrum **478.19**
ethmoid sinus **478.19**
female genital organs NEC **629.89**
frontal sinus **478.19**
nasal sinus **478.19**

nose **478.19**
sebaceous (duct) (gland) 706.2
genital organ NEC

female **629.89**

sinus (antral) (ethmoidal) (frontal) (maxillary) (nasal) (sphenoidal) **478.19**
skin (epidermal) (epidermoid, inclusion) (epithelial) (inclusion) (retention) (sebaceous) 706.2
 genital organ NEC
 female **629.89**

sphenoid sinus **478.19**

Cytopenia 289.9

refractory

with

multilineage dysplasia (RCMD) 238.72
 and ringed sideroblasts (RCMD-RS) 238.72

Dactylitis **686.9**

 sickle-cell **282.62**
 Hb-C 282.64
 Hb-SS 282.62
 specified NEC 282.69

Damage

 brain 348.9
 anoxic, hypoxic 348.1

ischemic, in newborn 768.7

Deafness (acquired) (**bilateral**) (**both ears**) (complete) (congenital) (hereditary) (middle ear)
(partial) (**unilateral**) 389.9

 central, **bilateral** 389.14

 nerve, **bilateral** 389.12

 neural, **bilateral** 389.12

 perceptive 389.10

 central, **bilateral** 389.14

 combined types, **bilateral** 389.18

 multiple types, **bilateral** 389.18

 neural, **bilateral** 389.12

sensorineural 389.10

asymmetrical 389.16

bilateral 389.18

unilateral 389.15

 sensory, **bilateral** 389.11

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Deafness ... (continued)

sensorineural (see also Deafness, perceptive) 389.10

asymmetrical 389.16

bilateral 389.18

unilateral 389.15

sensory, **bilateral** 389.11

Decalcification

teeth **521.89**

Decrease, decreased

blood

white cell count 288.50

specified NEC 288.59

leukocytes 288.50

lymphocytes 288.51

white blood cell count 288.50

Defect, defective 759.9

bridge 525.60

coagulation (factor) (see also Deficiency, coagulation factor) 286.9

complicating pregnancy, childbirth, or puerperium 649.3

crown 525.60

dental restoration 525.60

filling

dental 525.60

major osseous 731.3

osseous, major 731.3

Deficiency, deficient

coagulation factor NEC 286.9

complicating pregnancy, childbirth, or puerperium 649.3

Deformity 738.9

bronchus (congenital) 748.3

acquired **519.19**

epididymis (congenital) 752.9

torsion **608.24**

genitalia, genital organ(s) or system NEC

female (congenital) 752.9

acquired **629.89**

spermatic cord (congenital) 752.9

acquired 608.89

torsion **608.22**

extravaginal 608.21

intravaginal 608.22

testis (congenital) 752.9

acquired 608.89

torsion **608.20**

trachea (rings) (congenital) 748.3

acquired **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Degeneration, degenerative
adrenal (capsule) (gland) 255.8
 lardaceous **277.39**
amyloid (any site) (general) **277.39**
artery, arterial (atheromatous) (calcareous) - see also Arteriosclerosis
 amyloid **277.39**
 lardaceous **277.39**
bacony (any site) **277.39**
capillaries 448.9
 amyloid **277.39**
 lardaceous **277.39**
chitinous **277.39**
conjunctiva 372.50
 amyloid **277.39** [372.50]
cutis 709.3
 amyloid **277.39**
heart (brown) (calcareous) (fatty) (fibrous) (hyaline) (mural) (muscular) (pigmentary) (senile)
 (with arteriosclerosis) (see also Degeneration, myocardial) 429.1
 amyloid **277.39** [425.7]
intestine 569.89
 amyloid **277.39**
 lardaceous **277.39**
kidney (see also Sclerosis, renal) 587
 amyloid **277.39** [583.81]
 lardaceous **277.39** [583.81]
 waxy **277.39** [583.81]
lardaceous (any site) **277.39**
liver (diffuse) 572.8
 amyloid **277.39**
 lardaceous **277.39**
 waxy **277.39**
lymph gland 289.3
 lardaceous **277.39**
myocardium, myocardial (brown) (calcareous) (fatty) (fibrous) (hyaline) (mural) (muscular)
 (pigmentary) (senile) (with arteriosclerosis) 429.1
 amyloid **277.39** [425.7]
nervous system 349.89
 amyloid **277.39** [357.4]
nose **478.19**
skin 709.3
 amyloid **277.39**
spinal (cord) 336.8
 amyloid **277.39**
spleen 289.59
 amyloid **277.39**
 lardaceous **277.39**
stomach 537.89
 lardaceous **277.39**
thymus (gland) 254.8
 lardaceous **277.39**
 waxy (any site) **277.39**
Deglutition
 paralysis **784.99**
Déjérine-Roussy syndrome **338.0**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Deletion syndrome
constitutional 5q deletion 758.39

Delivery
cesarean (for) 669.7
 atony, uterus, **with hemorrhage** 666.1
complicated (by) NEC 669.9
 atony, uterus **with hemorrhage** (hypotonic) (inertia) 666.1
 coagulation defect 649.3

Dentin
 sensitive **521.89**

Dermatosis 709.9
linear IgA 694.8

Destruction
 septum (nasal) **478.19**

Deviation
 trachea **519.19**

Diamond-Blackfan anemia or syndrome (congenital hypoplastic anemia) **284.01**

Dieulafoy lesion (hemorrhagic)
 of
 esophagus 530.82

Discharge
 nasal **478.19**

Discrepancy
 centric occlusion-**maximum intercuspati0n 524.55**
 maximum intercuspati0n 524.55
 of teeth 524.55
 uterine size-date **649.6**

Disease, diseased - see also Syndrome
amyloid (any site) **277.30**
Armenian **277.31**
bronchi **519.19**
bronchopulmonary **519.19**
cervix (uteri)
 inflammatory 616.9
 specified NEC **616.89**
familial periodic **277.31**

Fanconi's (congenital pancytopenia) **284.09**

Fauchard's (periodontitis) **523.40**

gastrointestinal (tract) 569.9
 amyloid **277.39**
genital organs NEC
 female 629.9
 specified NEC **629.89**
gynecological 629.9
 specified NEC **629.89**
heart (organic) 429.9
 amyloid **277.39**[425.7]
 due to
 amyloidosis **277.39**[425.7]

intestine 569.9
 lardaceous **277.39**

Jourdain's (acute gingivitis) **523.00**

kidney (functional) (pelvis) (see also Disease, renal) 593.9
 chronic 585.9
 requiring chronic dialysis 585.6

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Disease, diseased ... (continued)

Kostmann's (infantile genetic agranulocytosis) **288.01**

labia

 inflammatory 616.9
 specified NEC **616.89**

lardaceous (any site) **277.39**

lung NEC 518.89

 in

 amyloidosis **277.39** [517.8]
 obstructive (chronic) (COPD) 496
 with

decompensated 491.21
 with exacerbation 491.21

lymphoproliferative (chronic) (M9970/1) **238.79**

microvascular - ***code to condition***

myeloproliferative (chronic) (M9960/1) **238.79**

nasal **478.19**

 cavity NEC **478.19**

nose **478.19**

pelvis, pelvic

 female NEC 629.9
 specified NEC **629.89**

 organ, female NEC 629.9
 specified NEC **629.89**

 peritoneum, female NEC 629.9
 specified NEC **629.89**

perineum

 female

 inflammatory 616.9
 specified NEC **616.89**

periodic (familial) (Reimann's) NEC **277.31**

peritoneum 568.9

 pelvic, female 629.9
 specified NEC **629.89**

pulmonary - see also Disease, lung

 amyloid **277.39** [517.8]
 obstructive diffuse (chronic) 496

decompensated 491.21
 with exacerbation 491.21

Reimann's (periodic) **277.31**

renal (functional) (pelvis) (see also Disease, kidney) 593.9

 due to

 amyloidosis **277.39** [583.81]

Riggs' (compound periodontitis) **523.40**

Schultz's (agranulocytosis) **288.09**

Siegal-Cattan-Mamou (periodic) **277.31**

sinus - see also Sinusitis

 specified NEC **478.19**

spleen (organic) (postinfectional) 289.50

 amyloid **277.39**

 lardaceous **277.39**

stomach NEC (organic) 537.9

 lardaceous **277.39**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Disease, diseased ... (continued)

teeth, tooth 525.9
hard tissues **NEC** 521.9
specified NEC 521.89

thyroid (gland) NEC 246.9
lardaceous **277.39**

tooth, teeth 525.9
hard tissues **NEC** 521.9
specified NEC 521.89

trachea **519.19**

vagina, vaginal
inflammatory 616.9
specified NEC **616.89**

Vogt's (Cecile) **333.71**

vulva
inflammatory 616.9
specified NEC 616.89

waxy (any site) **277.39**

Werner-Schultz (agranulocytosis) **288.09**

Dislocation (articulation) (closed) (displacement) (simple) (subluxation) 839.8
vertebra (articular process) (body) (closed) (**traumatic**) 839.40
non-traumatic - see Displacement, intervertebral disc

Disorder - see also Disease

amino acid (metabolic) (see also Disturbance, metabolism, amino acid) 270.9
neonatal, transitory **775.89**

hearing - see also Deafness
nerve, **bilateral** 389.12
sensorineural type NEC (see also Deafness, **sensorineural**) 389.10

lymphoproliferative (chronic) NEC (M9970/1) **238.79**

myeloproliferative (chronic) NEC (M9960/1) **238.79**

nerve 349.9
optic 377.49
hypoplasia 377.43

post-traumatic stress (PTSD) 309.81

seizure **345.9**
recurrent **345.9**

social, of childhood and adolescence 313.22
specified NEC 780.59

Displacement, displaced

cervix - **see Displacement, uterus** **621.6**

intervertebral disc (with neuritis, radiculitis, sciatica, or other pain) 722.2
due to **major**-trauma - see Dislocation, vertebra

Distress

fetal (syndrome) 768.4
liveborn infant 768.4
first noted
during labor **and** delivery 768.3

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Disturbance - see also Disease

endocrine (gland) 259.9

 neonatal, transitory 775.9
 specified NEC **775.89**

keratinization NEC

 gingiva **523.10**

metabolism (acquired) (congenital) (see also Disorder, metabolism) 277.9

 neonatal, transitory 775.9
 specified type NEC **775.89**

Diverticula, diverticulosis, diverticulum (acute) (multiple) (perforated) (ruptured) 562.10

 trachea (congenital) 748.3

 acquired **519.19**

Doan-Wiseman syndrome (primary splenic neutropenia) **289.53**

Drip, postnasal (chronic) -**see Sinusitis****784.91**

due to:

allergic rhinitis - see Rhinitis, allergic

common cold **460**

gastroesophageal reflux - see Reflux, gastroesophageal

nasopharyngitis - see Nasopharyngitis

other known condition - code to condition

sinusitis - see Sinusitis

Drug - see also condition

 adverse effect NEC, correct substance properly administered **995.20**

allergy **995.27**

hypersensitivity **995.27**

Dry, dryness - see also condition

 nose **478.19**

Dysfunction

 hemoglobin **289.89**

 ventricular 429.9

left, reversible following sudden emotional stress **429.83**

Dyskinesia 781.3

 neuroleptic-induced tardive **333.85**

 orofacial 333.82

due to drugs **333.85**

subacute, due to drugs **333.85**

 tardive (oral) **333.85**

Dysplasia - see also Anomaly

 vulva 624.8

intraepithelial neoplasia I [VIN I] **624.0**

intraepithelial neoplasia II [VIN II] **624.0**

 VIN I **624.0**

 VIN II **624.0**

Dystonia

acute

due to drugs **333.72**

neuroleptic-induced acute **333.72**

due to drugs **333.7**

neuroleptic-induced acute **333.7**

 torsion (idiopathic) 333.6

acquired **333.79**

genetic **333.6**

 symptomatic **333.79**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Edema, edematous 782.3

genital organs

 female **629.89**

Effect, adverse NEC

 biological, correct substance properly administered (see also Effect, adverse, drug) **995.20**

 drugs and medicinals **NEC 995.20**

 correct substance properly administered **995.20**

 medicinal substance, correct, properly administered (see also Effect, adverse, drugs) **995.20**

other drug, medicinal and biological substance 995.29

Ekbom syndrome (restless legs) **333.94**

Elevation

cancer antigen 125 [CA 125] 795.82

carcinoembryonic antigen [CEA] 795.81

leukocytes 288.60

 liver function test (LFT) 790.6

alkaline phosphatase 790.5

aminotransferase 790.4

bilirubin 782.4

hepatic enzyme NEC 790.5

lactate dehydrogenase 790.4

lymphocytes 288.61

white blood cell count 288.60

specified NEC 288.69

Encephalitis (bacterial) (chronic) (hemorrhagic) (idiopathic) (nonepidemic) (spurious) (subacute)
323.9

acute - see also Encephalitis, viral

 disseminated (postinfectious) NEC 136.9 [**323.61**]

 postimmunization or postvaccination **323.51**

due to

 actinomycosis 039.8 [**323.41**]

 cat-scratch disease 078.3 [**323.01**]

infection classified elsewhere 136.9 [323.41]

 infectious mononucleosis 075 [**323.01**]

 ornithosis 073.7 [**323.01**]

 prophylactic inoculation against smallpox **323.51**

 toxoplasmosis (acquired) 130.0

 congenital (active) 771.2 [**323.41**]

 vaccination (smallpox) **323.51**

following vaccination or other immunization procedure **323.51**

influenza 487.8 [**323.41**]

lead 984.9 [**323.71**]

lupus 710.0 [**323.81**]

otitic NEC 382.4 [**323.41**]

parasitic NEC 123.9 [**323.41**]

postexanthematous NEC 057.9 [**323.62**]

postimmunization **323.51**

postinfectious NEC 136.9 [**323.62**]

posttraumatic **323.81**

postvaccinal (smallpox) **323.51**

postviral NEC 079.99 [**323.62**]

 postexanthematous 057.9 [**323.62**]

 specified NEC 057.8 [**323.62**]

Rasmussen 323.81

saturnine 984.9 [**323.71**]

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Encephalitis ... (continued)

 specified cause NEC **323.81**
 torula, torular 117.5 [**323.41**]
 toxic NEC 989.9 [**323.71**]
 toxoplasmic (acquired) 130.0
 congenital (active) 771.2 [**323.41**]
 trichinosis 124 [**323.41**]

Encephalomyelitis (chronic) (granulomatous) (hemorrhagic necrotizing, acute) (myalgic, benign)
(see also Encephalitis) 323.9

 acute disseminated (ADEM) (postinfectious) 136.9 [**323.61**]
 infectious **136.9 [323.61]**
 noninfectious **323.81**
 postimmunization **323.51**
 due to ~~or resulting from vaccination (any)~~ **323.5**
 cat-scratch disease 078.3 [323.01]
 infectious mononucleosis 075 [323.01]
 ornithosis 073.7 [323.01]
 vaccination (any) 323.51
 postimmunization **323.51**
 postvaccinal (smallpox) **323.51**
 specified cause NEC **323.81**

Encephalopathy (acute) 348.30

 due to

 vaccination **323.51**
 hypoxic - see also Damage, brain, anoxic
 ischemic (HIE) 768.7
 lead 984.9 [**323.71**]
 necrotizing, **subacute 330.8**
 hemorrhagic 323.61
 subacute 330.8
 saturnine 984.9 [**323.71**]
 toxic 349.82
 metabolic **349.82**

Endophthalmitis (globe) (infective) (metastatic) (purulent) (subacute) 360.00

bleb associated 379.63

Endotoxemia - code to condition

Enlargement, enlarged - see also Hypertrophy

 prostate (simple) (soft) 600.00

 with **urinary retention 600.01**
 other lower urinary tract symptoms (LUTS) 600.01
 urinary
 obstruction 600.01
 retention 600.01

Eosinopenia **288.59**

Epilepsy, epileptic (idiopathic) 345.9

complicating pregnancy, childbirth, or the puerperium 649.4
 localization related (focal) (partial) and epileptic syndromes

with
 complex partial seizures 345.4
 simple partial seizures 345.5

 partial (focalized) 345.5
 without impairment of consciousness 345.5

Erosion

 bronchus **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Eruption
teeth, tooth
prenatal 520.6
Erythroblastopenia (acquired) 284.8
congenital **284.01**
Erythroblastophthisis **284.01**
Erythrogenesis imperfecta **284.09**
Evidence
of malignancy
cytologic
without histologic confirmation **795.06**
Examination (general) (routine) (of) (for) V70.9
ear **V72.19**
hearing **V72.19**
following failed hearing screening V72.11
Excess, excessive, excessively
crying 780.95
of **infant (baby) 780.92**
adolescent 780.95
adult 780.95
baby 780.92
child 780.95
infant (baby) 780.92
newborn 780.92
horizontal-**overlap 524.26**
overjet 524.26
overlap 524.26
intermaxillary vertical dimension 524.37
Extruded tooth 524.34
Failure, failed
bone marrow (anemia) 284.9
congenital **284.09**
dental restoration
marginal integrity 525.61
periodontal anatomical integrity 525.65
Family, familial - see also condition
hemophagocytic
lymphohistiocytosis 288.4
reticulosis 288.4
Fanconi's anemia (congenital pancytopenia) **284.09**
Fauchard's disease (periodontitis) **523.40**
Febrile (see also Pyrexia) 780.6
convulsion (**simple**) 780.31
complex 780.32
seizure (**simple**) 780.31
atypical 780.32
complex 780.32
complicated 780.32
Fetid
breath **784.99**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Fever 780.6

 etiocholanolone **277.31**

 Mediterranean (see also Brucellosis) 023.9

 familial **277.31**

 neutropenic **288.00**

 periodic **277.31**

Fibroadenoma (M9010/0)

 prostate 600.20

 with **urinary retention 600.21**

other lower urinary tract symptoms (LUTS) 600.21

urinary

obstruction 600.21

retention 600.21

Fibroma (M8810/0) - see also Neoplasm, connective tissue, benign

 prostate 600.20

 with **urinary retention 600.21**

other lower urinary tract symptoms (LUTS) 600.21

urinary

obstruction 600.21

retention 600.21

Fibromatosis **728.79**

congenital generalized (CGF) 759.89

Fibrosis, fibrotic

 median bar 600.90

 with **urinary retention 600.91**

other lower urinary tract symptoms (LUTS) 600.91

urinary

obstruction 600.91

retention 600.91

 prostate (chronic) 600.90

 with **urinary retention 600.91**

other lower urinary tract symptoms (LUTS) 600.91

urinary

obstruction 600.91

retention 600.91

Findings, abnormal, without diagnosis (examination) (laboratory test) 796.4

cancer antigen 125 [CA 125] 795.82

carcinoembryonic antigen [CEA] 795.81

lead 790.6

 mammogram 793.80

calcification 793.89

calculus 793.89

 Papanicolaou (smear) 795.1

 cervix 795.00

 with

cytologic evidence of malignancy 795.06

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Findings, abnormal, without diagnosis ... (continued)

radiologic (x-ray) **793.99**

breast 793.89

 mammographic **microcalcification 793.81**

calcification 793.89

calculus 793.89

microcalcification 793.81

image test inconclusive due to excess body fat 793.91

placenta **793.99**

skin **793.99**

 subcutaneous tissue **793.99**

structure, body (echogram) (thermogram) (ultrasound) (x-ray) NEC **793.99**

breast 793.89

 mammographic **microcalcification 793.81**

calcification 793.89

calculus 793.89

microcalcification 793.81

placenta **793.99**

skin **793.99**

 subcutaneous tissue NEC **793.99**

tumor markers NEC 795.89

white blood cell 288.9

 count 288.9

 elevated **288.60**

 low **288.50**

Fistula (sinus) 686.9

 nasal **478.19**

 nose **478.19**

Flatus 787.3

 vaginalis **629.89**

Flexion

 cervix (**see also Malposition - see Flexion, uterus**) **621.6**

 deformity, joint (see also Contraction, joint) **736.9**

Foul breath **784.99**

Fracture (abduction) (adduction) (avulsion) (compression) (crush) (dislocation) (oblique) (separation) (closed) 829.0

dental restorative material

with loss of material 525.64

without loss of material 525.63

Gammaloidosis **277.39**

Gastropathy 537.9

erythematous 535.5

Gingivitis **523.10**

 acute **523.00**

non-plaque induced 523.01

plaque induced 523.00

 catarrhal **523.00**

 chronic **523.10**

non-plaque induced 523.11

 desquamative **523.10**

 expulsiva **523.40**

 hyperplastic **523.10**

 marginal, simple **523.10**

non-plaque induced 523.11

plaque induced 523.10

 ulcerative **523.10**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Gingivopericementitis **523.40**

Gingivosis **523.10**

Gingivostomatitis **523.10**

Glomerulonephritis (see also Nephritis) 583.9

due to or associated with

 amyloidosis **277.39** [583.81]

 with nephrotic syndrome **277.39** [581.81]

 chronic **277.39** [582.81]

Granulocytopenia, granulocytopenic (primary) **288.00**

 malignant **288.09**

Granuloma NEC 686.1

tracheostomy 519.09

Halitosis **784.99**

Hard firm prostate 600.10

 with **urinary retention 600.11**

urinary

obstruction 600.11

retention 600.11

Hearing examination **V72.19**

following failed hearing screening V72.11

Hematoma (skin surface intact) (traumatic) - see also Contusion

 genital organ (nontraumatic)

 female NEC **629.89**

 pelvis (female) (nontraumatic) **629.89**

Hematopoiesis, cyclic 288.02

Hemochromatosis (acquired) (diabetic) (hereditary) (liver) (myocardium) (primary idiopathic) (secondary) 275.0

 with refractory anemia **238.72**

Hemophagocytic syndrome 288.4

infection-associated 288.4

Hemorrhage, hemorrhagic (nontraumatic) 459.0

 intrapelvic

 female **629.89**

 thrombocythemia **238.71**

Hepatitis 573.3

autoimmune 571.49

 viral (acute) (anicteric) (cholangiolitic) (cholestatic) (chronic) (subacute) 070.9

 type C

in remission 070.54

Herpes, herpetic 054.9

 simplex 054.9

myelitis 054.74

 zoster 053.9

myelitis 053.14

Hesitancy, urinary 788.64

HIE (hypoxic-ischemic encephalopathy) 768.7

Histiocytic syndromes 288.4

History (personal) of

 family

colonic polyps V18.51

 digestive disorders **V18.59**

 disease or disorder (of)

colonic polyps V18.51

 digestive **V18.59**

ICD-9-CM Index to Diseases Addenda (FY07)

Effective October 1, 2006

Hydrocele (calcified) (chylous) (idiopathic) (infantile) (inguinal canal) (recurrent) (senile)
(spermatic cord) (testis) (tunica vaginalis) 603.9

female NEC **629.89**

round ligament **629.89**

Hydrocephalus (acquired) (external) (internal) (malignant) (noncommunicating) (obstructive)
(recurrent) 331.4

otitic **348.2**

Hydrorrhea (nasal) **478.19**

Hyperactive, hyperactivity

nasal mucous membrane **478.19**

Hyperglycemia **790.29**

Hyperplasia, hyperplastic

genital

female **629.89**

granulocytic **288.69**

nose (lymphoid) (polypoid) **478.19**

prostate 600.90

with **urinary retention 600.91**

other lower urinary tract symptoms (LUTS) 600.91

urinary

obstruction 600.91

retention 600.91

adenofibromatous 600.20

with **urinary retention 600.21**

other lower urinary tract symptoms (LUTS) 600.21

urinary

obstruction 600.21

retention 600.21

nodular 600.10

with **urinary retention 600.11**

urinary

obstruction 600.11

retention 600.11

Hypersensitive, hypersensitivity, hypersensitivity - see also Allergy

drug (see also Allergy, drug) **995.27**

ICD-9-CM Index to Diseases Addenda (FY07)

Effective October 1, 2006

Hypertension Table

Hypertension, hypertensive (arterial)-----	Malignant -----	Benign -----	Unspecified
(arteriolar) (crisis) (degeneration)			
(disease) (essential) (fluctuating)			
(idiopathic) (intermittent) (labile)			
(low renin) (orthostatic) (paroxysmal)			
(primary) (systemic) (uncontrolled)			
(vascular) ----- 401.0 ----- 401.1 ----- 401.9			
with			
chronic kidney disease ----- 403.01 ----- 403.11 ----- 403.91			
<u>stage I through stage IV, or unspecified</u> -- 403.00 ----- 403.10 ----- 403.90			
<u>stage V or end stage renal disease</u> ----- 403.01 ----- 403.11 ----- 403.91			
cardiorenal (disease) ----- 404.00 ----- 404.10 ----- 404.90			
with			
chronic kidney disease ----- 403.01 ----- 403.11 ----- 403.91			
<u>stage I through stage IV, or unspecified</u> -- 404.00 ----- 404.10 ----- 404.90			
<u>and heart failure</u> ----- 404.01 ----- 404.11 ----- 404.91			
<u>stage V or end stage renal disease</u> ----- 404.02 ----- 404.12 ----- 404.92			
<u>and heart failure</u> ----- 404.03 ----- 404.13 ----- 404.93			
heart failure ----- 404.01 ----- 404.11 ----- 404.91			
and chronic kidney disease ----- 404.02 ----- 404.12 ----- 404.92			
<u>stage I through stage IV or unspecified</u> - 404.02 ----- 404.12 ----- 404.92			
<u>stage V or end stage renal disease</u> ----- 404.03 ----- 404.13 ----- 404.93			
<u>and renal failure</u> ----- 404.03 ----- 404.13 ----- 404.93			
<u>renal failure</u> ----- 404.02 ----- 404.12 ----- 404.92			
<u>and heart failure</u> ----- 404.03 ----- 404.13 ----- 404.93			
complicating pregnancy, childbirth,			
with			
<u>chronic kidney disease</u> ----- 642.2 ----- 642.2 ----- 642.2			
<u>and heart disease</u> ----- 642.2 ----- 642.2 ----- 642.2			
heart disease ----- 642.2 ----- 642.2 ----- 642.2			
and <u>chronic kidney</u> disease ----- 642.2 ----- 642.2 ----- 642.2			
<u>encephalopathy</u> ----- 437.2 ----- 437.2 ----- 437.2			
<u>gestational (transient) NEC</u> ----- ----- ----- 642.3			
<u>Goldblatt's</u> ----- 440.1 ----- 440.1 ----- 440.1			
<u>heart (disease) (conditions classifiable to</u>			
<u>classifiable to</u> 429.0-429.3,			
429.8, 429.9 due to hypertension) ----- 402.00 ----- 402.10 ----- 402.90			
kidney ----- 403.00 ----- 403.10 ----- 403.90			
with			
chronic kidney disease ----- 403.01 ----- 403.11 ----- 403.91			
<u>Stage I through stage IV, or unspecified</u> -- 403.00 ----- 403.10 ----- 403.90			
<u>stage V or end stage renal disease</u> ----- 403.01 ----- 403.11 ----- 403.91			

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Hypertrophy, hypertrophic
median bar 600.90
with **urinary retention 600.94**
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
mucous membrane
nose **478.19**
nasal **478.19**
 alae **478.19**
 cartilage **478.19**
 mucous membrane (septum) **478.19**
nose (see also Hypertrophy, nasal) **478.19**
prostate (asymptomatic) (early) (recurrent) 600.90
with **urinary retention 600.94**
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
adenofibromatous 600.20
with **urinary retention 600.24**
other lower urinary tract symptoms (LUTS) 600.21
urinary
obstruction 600.21
retention 600.21
benign 600.00
with **urinary retention 600.04**
other lower urinary tract symptoms (LUTS) 600.01
urinary
obstruction 600.01
retention 600.01
Hypoaldosteronism 255.4
Hypoeosinophilia **288.59**
Hypoleukocytosis **288.50**
Hypoplasia, hypoplasia 759.89
 bone NEC 756.9
 marrow 284.9
 congenital **284.09**
 erythroid, congenital **284.01**
 optic nerve 377.43
Hyposomnia, unspecified (see also Insomnia) 780.52
 with sleep apnea, unspecified **780.51**
Hypoxia (see also Anoxia) 799.02
 cerebral 348.1
 newborn **770.88**
 fetal, affecting newborn **770.88**
 newborn **770.88**
Hypoxic-ischemic encephalopathy (HIE) 768.7
Impaired, impairment (function)
 cognitive, mild, so stated 331.83
 mild cognitive, so stated 331.83
Inadequate, inadequacy
 aesthetics of dental resoration 525.67

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Incompatibility

**contour of existing restoration of tooth
with oral health 525.65**

Infection, infected, infective (opportunistic) 136.9

Bartholin's gland **616.89**

bleb

postprocedural 379.60

stage 1 379.61

stage 2 379.62

stage 3 379.63

gingival (chronic) **523.10**

acute **523.00**

gum (see also Infection, gingival) **523.10**

nose **478.19**

nostril **478.19**

peridental **523.30**

periodontal **523.31**

tooth, teeth 522.4

peridental **523.30**

periodontal **523.31**

Infiltrate, infiltration

amyloid (any site) (generalized) **277.39**

Inflammation, inflamed, inflammatory (with exudation)

Bartholin's gland **616.89**

bleb

postprocedural 379.60

stage 1 379.61

stage 2 379.62

stage 3 379.63

gum **523.10**

mouth **528.00**

nose **478.19**

Injury 959.9

internal 869.0

lung 861.20

transfusion related, acute (TRALI) 518.7

post-cardiac surgery (syndrome) 429.4

Insufficiency, insufficient

anterior (**occlusal**) guidance 524.54

renal **593.9**

Interference

balancing side 524.56

non-working side 524.56

Intolerance

drug

correct substance properly administered **995.27**

Intoxication

drug 292.89

correct substance properly administered (see also Allergy, drug) **995.27**

Intruded tooth 524.34

Irradiated enamel (tooth, teeth) **521.89**

Irritation

nose **478.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Ischemia, ischemic 459.9

cerebral (chronic) (generalized) 437.1

newborn 779.2

Josephs-Diamond-Blackfan anemia (congenital hypoplastic) **284.01**

Kaznelson's syndrome (congenital hypoplastic anemia) **284.01**

Keratinization NEC

alveolar ridge mucosa

excessive 528.72

minimal 528.71

Keratosis 701.1

female genital (external) **629.89**

Kostmann's disease or syndrome (infantile genetic agranulocytosis) **288.01**

Lack of

adequate intermaxillary vertical dimension 524.36

Lardaceous

degeneration (any site) **277.39**

disease **277.39**

kidney **277.39** [583.81]

liver **277.39**

Large

waxy liver **277.39**

Lazy leukocyte syndrome **288.09**

Leiomyoma (M8890/0) - see also Neoplasm, connective tissue, benign

prostate (polypoid) 600.20

with **urinary retention 600.21**

other lower urinary tract symptoms (LUTS) 600.21

urinary

obstruction 600.21

retention 600.21

Lesion(s)

high grade myelodysplastic syndrome 238.73

low grade myelodysplastic syndrome 238.72

nose (internal) **478.19**

Leukemoid reaction (**basophilic**) (lymphocytic) (monocytic) (myelocytic) (**neutrophilic**) **288.62**

Leukocytopenia 288.50

Leukocytosis **288.60**

Leukoencephalitis

acute hemorrhagic (postinfectious) NEC 136.9 [**323.61**]

postimmunization or postvaccinal **323.51**

Leukoencephalopathy (see also Encephalitis) 323.9

acute necrotizing hemorrhagic (postinfectious) 136.9 [**323.61**]

postimmunization or postvaccinal **323.51**

Leukoerythroblastosis **289.9**

Leukopenia **288.50**

basophilic 288.59

cyclic **288.02**

eosinophilic 288.59

familial **288.59**

malignant (see also Agranulocytosis) **288.09**

periodic **288.02**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Loss

hearing - see also Deafness
 central, **bilateral** 389.14
 nerve, **bilateral** 389.12
 neural, **bilateral** 389.12
 sensorineural 389.10
 asymmetrical 389.16
 central, **bilateral** 389.14
 combined types, **bilateral** 389.18
 multiple types, **bilateral** 389.18
 neural, **bilateral** 389.12
 sensory, **bilateral** 389.11
 unilateral 389.15
 sensory, **bilateral** 389.11

Lupus 710.0

 erythematosus (discoid) (local) 695.4
 systemic 710.0
 with

 encephalitis 710.0 [**323.81**]

Lymphocytopenia **288.51**

Lymphocytosis (symptomatic) **288.61**

Lymphohistiocytosis, familial hemophagocytic 288.4

Lymphopenia **288.51**

Macrophage activation syndrome 288.4

Malfunction - see also Dysfunction

 colostomy 569.62

valve 569.62

ileostomy

valve 569.62

valve

colostomy 569.62

ileostomy 569.62

Malocclusion (teeth) 524.4

angle's class I 524.21

angle's class II 524.22

angle's class III 524.23

Malposition

 uterus ~~or cervix~~ (acquired) (acute) (adherent) (any degree) (asymptomatic) (postinfectional)
 (postpartal, old) 621.6

Mammographic **microcalcification 793.81**

calcification 793.89

calculus 793.89

microcalcification 793.81

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Median - see also condition

bar (prostate) 600.90

with **urinary retention 600.91**

other lower urinary tract symptoms (LUTS) 600.91

urinary

obstruction 600.91

retention 600.91

vesical orifice 600.90

with **urinary retention 600.91**

other lower urinary tract symptoms (LUTS) 600.91

urinary

obstruction 600.91

retention 600.91

Mediterranean

fever (see also Brucellosis) 023.9

 familial **277.31**

Meningoencephalitis (see also Encephalitis) 323.9

 due to

 blastomycosis NEC (see also Blastomycosis) 116.0 [**323.41**]

 toxoplasmosis (acquired) 130.0

 congenital (active) 771.2 [**323.41**]

 parasitic NEC 123.9 [**323.41**]

 toxic NEC 989.9 [**323.71**]

 due to

 carbon tetrachloride 987.8 [**323.71**]

 hydroxyquinoline derivatives poisoning 961.3 [**323.71**]

 lead 984.9 [**323.71**]

 mercury 985.0 [**323.71**]

 thallium 985.8 [**323.71**]

Meningoencephalomyelitis (see also Meningoencephalitis) 323.9

 acute NEC 048

 disseminated (postinfectious) 136.9 [**323.61**]

 postimmunization or postvaccination **323.51**

 due to

 torula 117.5 [**323.41**]

 toxoplasma or toxoplasmosis (acquired) 130.0

 congenital (active) 771.2 [**323.41**]

Meningomyelitis (see also Meningoencephalitis) 323.9

 blastomycotic NEC (see also Blastomycosis) 116.0 [**323.41**]

 due to

 blastomycosis (see also Blastomycosis) 116.0 [**323.41**]

 sporotrichosis 117.1 [**323.41**]

 torula 117.5 [**323.41**]

Metaplasia

 myeloid (**agnogenic**) (**megakaryocytic**) 289.89

agnogenic 238.76

megakaryocytic 238.76

squamous cell

trachea 519.19

 tracheobronchial tree **519.19**

Monocytopenia 288.59

Monocytosis (symptomatic) **288.63**

Mounier-Kuhn syndrome 748.3

 acquired **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Mucocele

sinus (accessory) (nasal) **478.19**

turbinate (bone) (middle) (nasal) **478.19**

Mucositis - see also Inflammation, by site **528.00**

cervix (ulcerative) 616.81

due to

antineoplastic therapy (ulcerative) 528.01

other drugs (ulcerative) 528.02

specified NEC 528.09

gastrointestinal (ulcerative) 538

nasal (ulcerative) 478.11

ulcerative 528.00

vagina (ulcerative) 616.81

vulva (ulcerative) 616.81

necroticans agranulocytica **(see also Agranulocytosis) 288.09**

Mucus

plug (see also Asphyxia, mucus) 933.1

tracheobronchial 519.19

Multinodular prostate 600.10

with **urinary retention 600.11**

urinary

obstruction 600.11

retention 600.11

Myelinoclasia, perivascular, acute (postinfectious) NEC 136.9 **[323.61]**

postimmunization or postvaccinal **323.51**

Myelitis (**acute**) (ascending) (cerebellar) (childhood) (chronic) (descending) (diffuse) (disseminated) (pressure) (progressive) (spinal cord) (subacute) (**transverse**) (see also Encephalitis) 323.9

acute (transverse) 341.20

idiopathic 341.22

in conditions classified elsewhere 341.21

due to

infection classified elsewhere 136.9 323.42

specified cause NEC 323.82

vaccination (any) 323.52

viral diseases classified elsewhere 323.02

herpes simplex 054.74

herpes zoster 053.14

postchickenpox **052.2**

postimmunization 323.52

postinfectious 136.9 323.63

postvaccinal **323.52**

postvaricella 052.2

toxic 989.9 323.72

transverse 323.82

acute 341.20

idiopathic 341.22

in conditions classified elsewhere 341.21

idiopathic 341.22

Myelofibrosis (**osteosclerosis**) **289.83**

with **myeloid metaplasia 238.76**

idiopathic (chronic) 238.76

megakaryocytic 238.79

primary 238.76

secondary 289.83

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Myelokathexis **288.09**

Myelopathy (spinal cord) 336.9

due to or with

carbon tetrachloride 987.8 [**323.72**]

hydroxyquinoline derivatives 961.3 [**323.72**]

lead 984.9 [**323.72**]

mercury 985.0 [**323.72**]

thallium 985.8 [**323.72**]

toxic NEC 989.9 [**323.72**]

transverse (see also **Myelitis**) **323.82**

Myelophthysis 284.2

Myeloproliferative disease (M9960/1) **238.79**

Myosclerosis 289.89

with myeloid metaplasia (M9961/1) **238.76**

megakaryocytic (M9961/1) **238.79**

Myoadenoma, prostate 600.20

with **urinary retention 600.21**

other lower urinary tract symptoms (LUTS) 600.21

urinary

obstruction 600.21

retention 600.21

Myocardiosclerosis (congestive) (constrictive) (familial) (hypertrophic nonobstructive) (idiopathic) (infiltrative) (obstructive) (primary) (restrictive) (sporadic) 425.4

amyloid **277.39** [425.7]

due to

amyloidosis **277.39** [425.7]

Myofibromatosis

infantile 759.89

Myoma (M8895/0) - see also Neoplasm, connective tissue, benign

prostate 600.20

with **urinary retention 600.21**

other lower urinary tract symptoms (LUTS) 600.21

urinary

obstruction 600.21

retention 600.21

Myopathy 359.9

amyloid **277.39** [359.6]

in

amyloidosis **277.39** [359.6]

Necrosis, necrotic

antrum, nasal sinus **478.19**

bone (see also Osteomyelitis) 730.1

ethmoid **478.19**

bronchus, bronchi **519.19**

ethmoid (bone) **478.19**

nose (septum) **478.19**

perineum 624.8

pharynx 462

in granulocytopenia **288.09**

trachea **519.19**

vulva 624.8

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Neoplasm, neoplastic

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
bone (periosteum)	170.9	198.5	-	213.9	238.0	239.2
marrow NEC	202.9	198.5	-	-	-	<u>238.79</u>
hematopoietic, hemopoietic tissue NEC	202.8	198.89	-	-	-	<u>238.79</u>
marrow (bone) NEC	202.9	198.5	-	-	-	<u>238.79</u>

Nephritis, nephritic (albuminuric) (azotemic) (congenital) (degenerative) (diffuse) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) 583.9
 amyloid **277.39** [583.81]
 chronic **277.39** [582.81]

due to

 amyloidosis **277.39** [583.81]
 chronic **277.39** [582.81]

Nephropathy (see also Nephritis) 583.9

hereditary amyloid 277.31

Nephrosis, nephrotic (Epstein's) (syndrome) 581.9
 in

 amyloidosis **277.39** [581.81]

Neuritis (see also Neuralgia) 729.2
 amyloid, any site **277.39** [357.4]

Neuropathy, neuropathic (see also Disorder, nerve) 355.9
 peripheral (nerve) (see also Polyneuropathy) 356.9
 autonomic 337.9

 amyloid **277.39** [337.1]
 in

 amyloidosis **277.39** [337.1]

Neutropenia, neutropenic (**chronic**) (**cyclic**) (**drug-induced**) (**genetic**) (idiopathic) (**immune**) (**infantile**) (**malignant**) (**periodic**) (pernicious) (primary) (**splenic**) (**splenomegaly**) (**toxic**) **288.00**

 chronic **hypoplastic 288.09**

hypoplastic 288.09

 congenital (nontransient) **288.01**

cyclic 288.02

drug induced 288.03

due to infection 288.04

 fever **288.00**

genetic 288.01

immune 288.09

infantile 288.01

malignant 288.09

periodic 288.02

splenic 289.53

splenomegaly 289.53

toxic 288.09

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Nodule(s), nodular
prostate 600.10
with **urinary retention 600.11**
urinary
obstruction 600.11
retention 600.11
Obesity (constitutional) (exogenous) (familial) (nutritional) (simple) 278.00
complicating pregnancy, childbirth, or puerperium 649.1
of pregnancy **649.1**
Obstruction, obstructed, obstructive
airway NEC 519.8
due to
bronchospasm **519.11**
bronchus **519.19**
nasal **478.19**
nose **478.19**
prostate 600.90
with **urinary retention 600.91**
other lower urinary tract symptoms (LUTS) 600.91
urinary
obstruction 600.91
retention 600.91
trachea **519.19**
nose **478.19**
Open, opening
margin on tooth restoration 525.61
restoration margins 525.61
Operculitis (chronic) **523.40**
acute **523.30**
Ossification
bronchus **519.19**
trachea **519.19**
Osteosclerosis 756.52
myelofibrosis 289.89
Overfill, endodontic 526.62
Overhanging
tooth restoration 525.62
unrepairable, dental restorative materials 525.62
Overjet 524.29
excessive horizontal 524.26

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Pain(s) 780.96

acute 338.19
due to trauma 338.11
postoperative 338.18
post-thoracotomy 338.12
axillary 729.5
cancer associated 338.3
chronic 338.29
associated with significant psychosocial dysfunction 338.4
due to trauma 338.21
postoperative 338.28
post-thoracotomy 338.22
syndrome 338.4

due to (presence of) any device, implant, or graft classifiable to 996.0-996.5 - see
Complications, due to (presence of) any device, implant, or graft classified to 996.0-
996.5 NEC

malignancy (primary) (secondary) 338.3

generalized 780.96

musculoskeletal (see also Pain, by site) 729.1

nasal 478.19

neoplasm related (acute) (chronic) 338.3

nose 478.19

postoperative - see Pain, by site 338.18

acute 338.18

chronic 338.28

post-thoracotomy 338.12

acute 338.12

chronic 338.22

sinus 478.19

tumor associated 338.3

Palsy (see also Paralysis) 344.9

cerebral (congenital) (infantile) (spastic) 343.9

athetoid 333.71

Pancytopenia (acquired) 284.1

with malformations 284.09

congenital 284.09

Panhematopenia 284.8

congenital 284.09

constitutional 284.09

Panhemocytopenia 284.8

congenital 284.09

constitutional 284.09

Panmyelopathy, familial constitutional 284.09

Panmyelophthisis 284.2

congenital 284.2

Panmyelosis (acute) (M9951/1) 238.79

Pannus (corneal) 370.62

abdominal (symptomatic) 278.1

Papanicolaou smear

cervix (screening test) V76.2

nonspecific abnormal finding 795.00

with

cytologic evidence of malignancy 795.06

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Paralysis, paralytic (complete) (incomplete) 344.9
athetoid **333.71**
bronchi **519.19**
deglutition **784.99**
respiratory (muscle) (system) (tract) 786.09
center NEC 344.89
fetus or newborn **770.87**

Paramyloidosis **277.30**

Parodontitis **523.40**

Pathology (of) - see also Disease
periradicular, associated with previous endodontic treatment 526.69

Perforation, perforative (nontraumatic)

nasal
 septum **478.19**
root canal space 526.61

Pericementitis **523.40**
 acute **523.30**
 chronic (suppurative) **523.40**

Perichondritis
 nose **478.19**

Pericoronitis (chronic) **523.40**
 acute **523.30**

Periodic - see also condition
disease (familial) **277.31**
fever **277.31**
peritonitis **277.31**
polyserositis **277.31**

Periodontitis (chronic) (complex) (compound) (**local**) (simplex) **523.40**
 acute **523.33**
 aggressive 523.30
 generalized 523.32
 localized 523.31
 generalized 523.42
 localized 523.41

Peritonitis (acute) (adhesive) (fibrinous) (hemorrhagic) (idiopathic) (localized) (perforative)
(primary) (with adhesions) (with effusion) 567.9
paroxysmal, benign **277.31**
periodic (familial) **277.31**

Phenomenon
 Arthus' - see Arthus' phenomenon **995.21**

Plasmacytopenia 288.59

Plasmacytosis **288.64**

Plug
 bronchus NEC **519.19**

Pneumocystis jiroveci pneumonia 136.3

Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive)
(creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant)
(fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration)
(insular) (intermittent) (latent) (lobe) (migratory) (newborn) (organized)
(overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved)
(secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular)
486

due to
 Pneumocystis jiroveci 136.3
 Pneumocystis (carinii) (**jiroveci**) 136.3

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Polyneuropathy (peripheral) 356.9
 amyloid **277.39** [357.4]
 in
 amyloidosis **277.39** [357.4]

Polyp, polypus
 prostate 600.20
 with **urinary retention 600.21**
 other lower urinary tract symptoms (LUTS) 600.21
 urinary
 obstruction 600.21
 retention 600.21

Polyserositis (peritoneal) 568.82
 paroxysmal (familial) **277.31**
 periodic (**familial**) **277.31**
 recurrent **277.31**

Poor
 [**aesthetics of existing resoration of tooth 525.67**](#)

Postnasal drip --see **Sinusitis 784.91**

Post-Traumatic Stress Disorder (PTSD) 309.81

Prediabetes, prediabetic 790.29
 complicating pregnancy, childbirth, or puerperium 648.8
 fetus or newborn **775.89**

Pregnancy (single) (uterine) (without sickness) V22.2
 complicated (by) 646.9
 appendicitis 648.9
 bariatric surgery status 649.2
 coagulation defect 649.3
 current disease or condition (nonobstetric)
 hypertensive 642.2
 chronic kidney 642.2
 epilepsy 649.4
 gastric banding status 649.2
 gastric bypass status for obesity 649.2
 hypertensive heart and chronic kidney disease 642.2
 hypertensive
 chronic kidney disease 642.2
 heart and chronic kidney disease 642.2
 mental disorders (conditions classifiable to 290-303, **305.0, 305.2-305.9, 306**-316, 317-319) 648.4
 obesity 649.1
 surgery status 649.2
 smoking 649.0
 spotting 649.5
 status post
 bariatric surgery 649.2
 gastric banding 649.2
 gastric bypass for obesity 649.2
 obesity surgery 649.2
 tobacco use disorder 649.0

ICD-9-CM Index to Diseases Addenda (FY07)

Effective October 1, 2006

Pregnancy ... (continued)

management affected by

appendicitis 648.9

bariatric surgery status 649.2

coagulation defect 649.3

epilepsy 649.4

gastric banding status 649.2

gastric bypass status for obesity 649.2

mental disorder (conditions classifiable to 290-303, **305.0, 305.2-305.9, 306**-316, 317-319) 648.4

obesity 649.1

surgery status 649.2

smoking 649.0

spotting 649.5

tobacco use disorder 649.0

Preleukemia **238.75**

Prenatal

teeth 520.6

PRES (posterior reversible encephalopathy syndrome) 348.39

Prolapse, prolapsed

cervix, cervical (**stump**) (hypertrophied) 618.1

stump 618.84

Prostatism 600.90

with **urinary retention 600.91**

other lower urinary tract symptoms (LUTS) 600.91

urinary

obstruction 600.91

retention 600.91

Prostatitis (congestive) (suppurative) 601.9

fibrous 600.90

with **urinary retention 600.91**

other lower urinary tract symptoms (LUTS) 600.91

urinary

obstruction 600.91

retention 600.91

hypertrophic 600.00

with **urinary retention 600.01**

other lower urinary tract symptoms (LUTS) 600.01

urinary

obstruction 600.01

retention 600.01

PTSD (Post-Traumatic Stress Disorder) 309.81

Puerperal

mental disorder (conditions classifiable to 290-303, **305.0, 305.2-305.9, 306**-316, 317-319)
648.4

Pyorrhea (alveolar) (alveolaris) **523.40**

Reaction

Arthus 995.21

drug NEC (see also Table of Drugs and Chemicals) **995.20**

allergic - see **also** Allergy, drug **995.27**

correct substance properly administered **995.20**

dystonic, acute, due to drugs 333.72

insulin **995.23**

leukemoid (**basophilic**) (lymphocytic) (monocytic) (myelocytic)(**neutrophilic**) **288.62**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Redness
 nose **478.19**
Reimann's periodic disease **277.31**
Removal (of)
 drains V58.49
 dressing **V58.3**
 wound V58.30
 nonsurgical V58.30
 surgical V58.31
 staples V58.32
 sutures V58.32
 wound packing V58.30
 nonsurgical V58.30
 surgical V58.31
Resistance, resistant (to)
 thyroid hormone 246.8
Restless legs (syndrome) **(RLS) 333.94**
Reticulosis (skin)
 familial hemophagocytic 288.4
Retraction
 cervix (**see also Retroversion, see Retraction, uterus**) **621.6**
 uterus (**see also Retroversion, uterus**) **621.6**
Retroperitonitis (**see also Peritonitis**) **567.39**
Retroversion, retroverted
 cervix (**see also - see Retroversion, uterus**) **621.6**
Rhinolith **478.19**
Rhinomegaly **478.19**
Rhinorrhea **478.19**
Rhoads and Bomford anemia (refractory) **238.72**
Riggs' disease (compound periodontitis) **523.40**
Sago spleen **277.39**
Schultz's disease or syndrome (agranulocytosis) **288.09**
Screening (for) V82.9
 antenatal, **of mother** V28.9
 genetic V82.79
 disease carrier status V82.71
Seizure 780.39
 febrile (**simple**) 780.31
 atypical 780.32
 complex 780.32
 complicated 780.32
 recurrent **345.9**
Sensation
 choking **784.99**
Sensitive dentine **521.89**
Sepsis (generalized) 995.91
 with
 acute organ dysfunction 995.92
 multiple organ dysfunction (MOD) 995.92
Short, shortening, shortness
 round ligament **629.89**
Shwachman's syndrome **288.02**
Siegal-Cattan-Mamou disease (periodic) **277.31**
Sinusitis (accessory) (nasal) (hyperplastic) (nonpurulent) (purulent) (chronic) 473.9
 influenzal **478.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

SIRS (systemic inflammatory response syndrome) 995.90

due to

infectious process 995.91

with **acute** organ dysfunction 995.92

non-infectious process 995.93

with **acute** organ dysfunction 995.94

Smoking complicating pregnancy, childbirth, or the puerperium 649.0

Sneezing **784.99**

intractable **478.19**

Soft - see also condition

enlarged prostate 600.00

with **urinary retention 600.01**

other lower urinary tract symptoms (LUTS) 600.01

urinary

obstruction 600.01

retention 600.01

Spasm, spastic, spasticity (see also condition) 781.0

bronchus, bronchiole **519.11**

Spleen, splenic - see also condition

neutropenia syndrome **289.53**

Splenomegaly 789.2

neutropenic **289.53**

Spots, spotting

complicating pregnancy 649.5

Spur - see also Exostosis

nose (septum) **478.19**

septal **478.19**

Status (post)

bariatric surgery V45.86

complicating pregnancy, childbirth, or the puerperium 649.2

cutting

female genital 629.20

specified NEC 629.29

type I 629.21

type II 629.22

type III 629.23

type IV 629.29

estrogen receptor

negative [ER-] V86.1

positive [ER+] V86.0

female genital **mutilation 629.20**

cutting 629.20

specified NEC 629.29

type I 629.21

type II 629.22

type III 629.23

type IV 629.29

mutilation 629.20

type IV 629.29

gastric

banding V45.86

complicating pregnancy, childbirth, or the puerperium 649.2

bypass for obesity V45.86

complicating pregnancy, childbirth, or the puerperium 649.2

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Status ... (continued)

marmoratus **333.79**

mutilation, female 629.20

type IV 629.29

obesity surgery V45.86

complicating pregnancy, childbirth, or the puerperium 649.2

STEMI (ST elevation myocardial infarction) (see also - Infarct, myocardium, ST elevation)

410.9

Stenosis (cicatricial) - see also Stricture

bronchus **519.19**

nares (anterior) (posterior) **478.19**

trachea **519.19**

Sternutation **784.99**

Stomatitis **528.00**

catarrhal **528.00**

follicular **528.00**

malignant **528.00**

membranous acute **528.00**

septic **528.00**

specified NEC 528.09

suppurative (acute) **528.00**

ulcerative **528.00**

vesicular **528.00**

Strain - see also Sprain, by site

on urination 788.65

Stricture (see also Stenosis) 799.89

bronchus **519.19**

nares (anterior) (posterior) **478.19**

nose **478.19**

nostril (anterior) (posterior) **478.19**

trachea **519.19**

Stuffy nose **478.19**

Suppuration, suppurative - see also condition

gum **523.30**

Suture

removal **V58.32**

Symptoms, specified (general) NEC 780.99

head and neck NEC **784.99**

larynx NEC **784.99**

throat NEC **784.99**

tonsil NEC **784.99**

Syndrome - see also Disease

5q minus 238.74

Abercrombie's (amyloid degeneration) **277.39**

apical ballooning **429.83**

Armenian 277.31

Blackfan-Diamond (congenital hypoplastic anemia) **284.01**

Borjeson-Forssman-Lehmann 759.89

broken heart **429.83**

central pain 338.0

chronic pain 338.4

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Syndrome ... (continued)

compartment(al) (anterior) (deep) (posterior) (**tibial**) 958.8
nontraumatic **729.9**

abdomen **729.73**

arm **729.71**

buttock **729.72**

fingers **729.71**

foot **729.72**

forearm **729.71**

hand **729.71**

hip **729.72**

leg **729.72**

lower extremity **729.72**

shoulder **729.71**

specified site NEC **729.79**

thigh **729.72**

toes **729.72**

upper extremity **729.71**

wrist **729.71**

traumatic **958.90**

abdomen **958.93**

arm **958.91**

buttock **958.92**

fingers **958.91**

foot **958.92**

forearm **958.91**

hand **958.91**

hip **958.92**

leg **958.92**

lower extremity **958.92**

shoulder **958.91**

specified site NEC **958.99**

thigh **958.92**

tibial **958.92**

toes **958.92**

upper extremity **958.91**

wrist **958.91**

Déjérine-Roussy **338.0**

Diamond-Blackfan (congenital hypoplastic anemia) **284.01**

~~disc - see Displacement, intervertebral disc~~

~~discogenic - see Displacement, intervertebral disc~~

Doan-Wiseman (primary splenic neutropenia) **289.53**

double athetosis **333.71**

Dressler's (postmyocardial infarction) 411.0

postcardiotomy **429.4**

Ekbom's (restless legs) **333.94**

Fanconi's (anemia) (congenital pancytopenia) **284.09**

fish odor **270.8**

hemophagocytic **288.4**

infection-associated **288.4**

high grade myelodysplastic **238.73**

with 5q deletion **238.73**

histiocytic **288.4**

Joseph-Diamond-Blackfan (congenital hypoplastic anemia) **284.01**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Syndrome ... (continued)

- Kaznelson's (congenital hypoplastic anemia) **284.01**
- Kostmann's (infantile genetic agranulocytosis) **288.01**
- lazy
 - leukocyte **288.09**
- macrophage activation 288.4**
- Mounier-Kuhn 748.3
 - acquired **519.19**
- myelodysplastic **238.75**
 - with **5q deletion 238.74**
 - high grade with 5q deletion 238.73**
- myeloproliferative (chronic) (M9960/1) **238.79**
- pain - see **also** Pain
 - central 338.0**
 - chronic 338.4**
 - myelopathic 338.0**
 - thalamic (hyperesthetic) 338.0**
- periodic **277.31**
- postcardiac injury**
 - postcardiotomy 429.4**
 - postmyocardial infarction 411.0**
- posterior
 - reversible encephalopathy (PRES) 348.39**
- preleukemic **238.75**
- respiratory distress (idiopathic) (newborn) 769
 - type II 770.6**
- restless legs (**RLS 333.94**)
- retroviral seroconversion (acute) V08**
- Schultz's (agranulocytosis) **288.09**
- Schwachman's **288.02**
- seroconversion, retroviral (acute) V08**
- splenic
 - neutropenia **289.53**
- systemic
 - inflammatory response (SIRS) 995.90
 - due to
 - infectious process 995.91
 - with **acute** organ dysfunction 995.92
 - non-infectious process 995.93
 - with **acute** organ dysfunction 995.94
- Takotsubo 429.83**
- thalamic **338.0**
- transient left ventricular apical ballooning 429.83**
- Vogt's (corpus striatum) **333.71**
- System, systemic - see also condition
- inflammatory response syndrome (SIRS) 995.90
 - due to
 - infectious process 995.91
 - with **acute** organ dysfunction 995.92
 - non-infectious process 995.93
 - with **acute** organ dysfunction 995.94
- Tache noir 923.20**
- Tachygastria 536.8**
- Takotsubo syndrome 429.83**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Talon noir 924.20

hand 923.20

heel 924.20

toe 924.3

Teeth, tooth - see also condition

prenatal 520.6

Test(s)

blood typing V72.86

Rh typing V72.86

genetic **V26.32**

female V26.32

for genetic disease carrier status **V26.31**

female V26.31

male V26.34

male V26.39

hearing V72.19

following failed hearing screening V72.11

male partner of habitual aborter V26.35

procreative management NEC V26.29

genetic disease carrier status

female V26.31

male V26.34

Rh typing V72.86

Thermography (abnormal) **793.99**

Thesaurismosis

amyloid **277.39**

Thrombocythemia (**essential**) (**hemorrhagic**) (primary) (M9962/1) **238.71**

essential 238.71

hemorrhagic 238.71

idiopathic (hemorrhagic) (M9962/1) 238.71

Thrombocytosis, **essential 238.71**

essential 238.71

primary 238.71

Thrombosis, thrombotic (marantic) (multiple) (progressive) (septic) (vein) (vessel) 453.9

atrial (endocardial) 424.90

without endocarditis 429.89

Thyroid (body) (gland) - see also condition

hormone resistance 246.8

Tipped, teeth 524.33

Tobacco

use disorder complicating pregnancy, childbirth, or the puerperium 649.0

Torsion

appendix **epididymis 608.2**

epididymis 608.24

testis 608.23

cervix (**see also see -** Malposition, uterus) **621.6**

epididymis **608.24**

appendix **608.24**

spermatic cord **608.22**

extravaginal 608.21

intravaginal 608.22

testicle, testis **608.20**

appendix 608.23

Tracheobronchomegaly (congenital) 748.3

acquired **519.19**

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Tracheocele (external) (internal) **519.19**

Tracheomalacia **519.19**

Tracheostenosis **519.19**

Tracheostomy

granuloma 519.09

Transfusion, blood

related acute lung injury (TRALI) 518.7

Trimethylaminuria 270.8

Tuberosity

jaw, excessive 524.07

maxillary, entire 524.07

Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature
stromal

abdomen

benign 215.5

malignant 171.5

uncertain behavior 238.1

digestive system 238.1

benign 215.5

malignant 171.5

uncertain behavior 238.1

intestine (**small**) (**large**) 238.1

Tyrosinemia 270.2

neonatal **775.89**

Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9

ala, nose **478.19**

aorta - see Aneurysm

aphthous (oral) (recurrent) 528.2

genital organ(s)

female **616.89**

bronchus **519.19**

genital organ

female **629.89**

gingivitis **523.10**

intestine, intestinal 569.82

granulocytopenic (with hemorrhage) **288.09**

nose, nasal (infectious) (passage) **478.19**

septum **478.19**

skin (atrophic) (chronic) (neurogenic) (non-healing) (perforating) (pyogenic) (trophic) 707.9

in granulocytopenia **288.09**

stomatitis **528.00**

trachea **519.19**

vagina **616.89**

Unacceptable

existing dental restoration

contours 525.65

morphology 525.65

Underfill, endodontic 526.63

Unsatisfactory **smear 795.08**

restoration, tooth (existing) 525.60

specified NEC 525.69

smear 795.08

Urine, urinary - see also condition

hesitancy 788.64

strain 788.65

ICD-9-CM Index to Diseases Addenda (FY07)
Effective October 1, 2006

Uterine size-date discrepancy **649.6**

Vasospasm 443.9

coronary 413.1

Version

cervix (~~see also Malposition, - see Version, uterus~~) **621.6**

Vestibulitis (ear) (see also Labyrinthitis) 386.30

nose (external) **478.19**

VIN I (vulvar intraepithelial neoplasia I) **624.0**

VIN II (vulvar intraepithelial neoplasia II) **624.0**

Waxy

degeneration, any site **277.39**

disease **277.39**

kidney **277.39** [583.81]

liver (large) **277.39**

spleen **277.39**

Werner-Schultz disease (agranulocytosis) **288.09**