




# List of EPA Certified Wood Stoves

June 24, 2008



EPA Wood Heater Program

Enclosed is the list of wood stoves certified by the United States Environmental Protection Agency (EPA). An EPA certified wood stove or wood heating appliance has been independently tested by an accredited laboratory to meet a particulate emissions limit of 7.5\* grams per hour for noncatalytic wood stoves and 4.1\* grams per hour for catalytic wood stoves. All wood heating appliances subject to the New Source Performance Standard for New Residential Wood Heaters under the Clean Air Act offered for sale in the United States are required to meet these emission limits. An EPA certified wood stove can be identified by a temporary paper label attached to the front of the wood stove and a permanent metal label affixed to the back or side of the wood stove (See examples below). Please contact John DuPree at 202-564-5950 should you have questions regarding a particular model line or manufacturer.



\*

Temporary Wood Stove Label



Permanent Wood Stove Label

Wood stoves offered for sale in the state of Washington must meet a particulate emissions limit of 4.5 grams per hour for non catalytic wood stoves and 2.5 grams per hour for catalytic wood stoves.



# Certified Wood Heaters

Manufacturer	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
--------------	---------------------	------------	-------------------------

---

## Aladdin Hearth Products

1445 North Highway  
Colville WA99114 ,  
USA  
509-684-3745

<http://www.aladdinhearth.com/>

Sunburst II Model 2208

Noncatalytic	4.4	63 %	11500-36300
--------------	-----	------	-------------

## American Road Equipment Company

4201 North 26th Street  
Omaha NE68111 ,  
USA  
402-451-2575

Erik SW II Catalytic Environmentalist SSW-1000

Catalytic	1.2	72 %	9800-46900
-----------	-----	------	------------

## Amesti LTDA

Jose Miguel Carrera N 6  
Santiago Chile ,

Rondo 450

Noncatalytic	4.0	63 %	11,842-24,288
--------------	-----	------	---------------

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Appalachian Stove & Fabricators, Inc.**

329 Emma Road

Asheville NC28806 ,

USA

(828) 253-0164

<http://www.appalachianstove.com/>

28 CD

Catalytic

4.5

72 %

9500-16300

32-BW-XL-88, Gemini-XLB 1989

Catalytic

4.0

72 %

8400-19800

36-BW-1988

Catalytic

3.9

72 %

9500-19300

Heritage Classic A, T16, Cast heat & Catskill

Noncatalytic

4.4

63 %

10,300-31,200

Heritage Classic;

Noncatalytic

6.8

63 %

11057-31327

Model 30-CD

Catalytic

3.7

72 %

8500-21400

Model 32-BW

Catalytic

2.5

72 %

10400-24500

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Model 36 BW	Catalytic	3.3	72 %	10600-30200
Model 360-CR	Catalytic	2.8	72 %	10600-29100
Model 52 WXL 1988	Catalytic	4.2	72 %	10500-15400
Trailmaster 4N1-XL	Catalytic	4.7	72 %	9600-19600
Trailmaster Model 4N1-XL II	Catalytic	3.4	72 %	10100-26900
<b>Archgard Industries, Ltd.</b>				
7116 Beatty Dr.				
Mission BCV2V6B4 ,				
Canada				
604-820-8262				
<a href="http://www.archgard.com/">http://www.archgard.com/</a>				
Chalet 1600 and Chalet 1600 Insert	Noncatalytic	2.9	63 %	10,611-29,181
Chalet 1800	Noncatalytic	3.6	63 %	10,700-35,500

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Optima PS1

Noncatalytic

0.9

63 %

10,196-29,581

**Austroflamm Industries Inc.**

1007 International Drive

Oakdale PA15071-922 ,  
USA

724-695-2430

<http://www.austroflamm.com/>

Esprit Wood 119.1

Noncatalytic

6.3

63 %

11400-43600

Integra C1121

Pellet

2.7

78 %

9300-31100

Irony M

Pellet

6.6

63 %

11800-46800

**Barbeques Galore/Pricotech**

45 Princes Road West

Auburn 02144 ,  
Australia

+61 363811322

<http://www.tasmaniacentral.tas.gov.au/saxon/>

Rosewood

Noncatalytic

2.7

63 %

11600-36200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Blaze King Industries, Inc.**

146 A Street

Walla Walla WA99362 ,

USA

509-522-2730

<http://www.blazeking.com/>

Blaze King, Auto Light PAL-4000

Pellet

2.5

78 %

12200-33700

Blaze King KEJ 1107

Catalytic

1.8

72 %

9100-39800

Blaze King KEJ-1102

Catalytic

3.9

72 %

7900-42600

Blaze King, King Catalytic Insert KEI-1300

Catalytic

2.2

72 %

10100-34500

Blaze King, King Catalytic KEJ-1101

Catalytic

1.9

72 %

9000-35300

Blaze King PEJ 1003

Catalytic

3.5

72 %

10300-41600

Blaze King, Princess Catalytic PEJ-1002

Catalytic

3.7

72 %

8400-35400

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Blaze King Princess Insert Model PI 1010	Catalytic	2.8	72 %	9,300-31,200
Blaze King, Royal Guardian RGT-3001	Noncatalytic	5.8	63 %	9400-39800
Blaze King, Royal Heir RHT-2100	Catalytic	3.0	72 %	6800-57100
Blaze King, Royal Heir RHT-2200, 2250	Catalytic	2.5	72 %	7700-31100
Briarwood II/90	Noncatalytic	3.5	63 %	10600-36000
Eagle/Pioneer E90, PZ-90, Briarwood XE-90, XEI-90	Noncatalytic	5.2	63 %	13500-38000
Heat Pro C110	Catalytic	2.8	72 %	9600-32400
Heat Pro C210	Catalytic	2.1	72 %	10700-43300
Princess Insert Model PI 1010A	Catalytic	2.0	72 %	7,200-29,500

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Princess PEJ 1006

Catalytic

2.4

72 %

12000-35600

**Ceramiche Savio di Elio & C. s.n.c.**

10010 Torre Canavese ,  
Italy

<http://www.ceramichesavio.it/uk/default.htm>

Catellante di Castellante and Real Castillo di Ague Model CS1

Noncatalytic

5.1

63 %

11200-40800

Real Castello di Moncaueri/Castllo Della Venaria

Noncatalytic

5.6

63 %

10100-24200

**CFM Corporation**

Route 107, P.O. Box 501  
Bethel VT05032 ,  
USA  
802-234-2300

<http://www.cfmcorp.com/>

Aspen 1920 & Plymouth HWS10

Noncatalytic

4.3

63 %

9100-18000

CW2500X00, CW2500X02, JW2500X00, CJW2500X02, DW2500 and JW2500X10

Noncatalytic

4.7

63 %

9500-57800

DutchWest Large 2479

Noncatalytic

1.3

63 %

11,300-26,500



Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
DutchWest Medium 2478	Noncatalytic	1.5	63 %	10,600-25,300
DutchWest Small Model	Noncatalytic	1.4	63 %	7,800-25,100
EWF 30	Noncatalytic	3.5	63 %	11,100-40,500
FW247001 to FE247004 and JW1000PF1	Noncatalytic	5.0	63 %	11500-18900
Model EWF 36A	Catalytic	2.4	72 %	11,300-75,500
Vermont Castings Defiant 1610	Noncatalytic	2.9	63 %	10,000-30,000

**CFM Corporation (Jacuzzi Leisure Products, Inc.)**  
Route 107, P.O. Box 501  
Bethel VT05032 ,  
USA  
802-234-2300

Campbell/Jacuzzi FW300005-FW300008 & FW300019-FW300027,  
Noncatalytic 4.4 63 % 12000-55100

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

S27X/S28X & FW27 Series, CJW1500L02, JW1500L10 and JW1500P10, FW1500, DW1500

Noncatalytic                      4.4                      63 %                      10300-29200

**CFM Corporation (Vermont Castings, Inc.)**

Route 107, Box 501

Bethel                      VT05032                      ,  
USA

(802) 234-2300

<http://www.vermontcastings.com/>

2370

Catalytic                      1.0                      72 %                      5700-18300

2370

Noncatalytic                      3.0                      72 %                      10,094-27,550

Aspen Model 1920

Noncatalytic                      6.3                      63 %                      10100-26400

C.D. Adirondack Wood Heater FA267CL

Catalytic                      3.7                      72 %                      8400-40000

C.D. Extra-Lg. Federal Convection Heater FA288CCL

Catalytic                      2.6                      72 %                      8400-38700

C.D. Federal "A Plus" FA224ACL

Catalytic                      3.5                      72 %                      7200-30000

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
C.D. Large Federal Box Heater FA209CL	Catalytic	4.3	72 %	9000-25600
C.D. Lg. Fed. Convection Heater FA264CCL, FA264CCR	Catalytic	1.6	72 %	6600-26700
C.D. Rocky Mountain Heater FA211CL	Catalytic	2.9	72 %	6800-27800
C.D. Sequoia FA455	Catalytic	3.6	72 %	8700-60300
C.D. Small Federal Box Heater FA207CL	Catalytic	4.3	72 %	6200-28000
C.D. Small Federal Convection Heater FA224CCL	Catalytic	2.8	72 %	7000-30600
Century/Dutchmaster FW and CDW	Noncatalytic	1.0	63 %	11,800-32,300
Defiant 1610	Noncatalytic	0.0	0 %	
Defiant 1910 & 1945	Catalytic	0.8	72 %	10600-44400

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Defiant Encore	Catalytic	0.6	72 %	6200-32900
Defiant Encore 2140	Catalytic	1.8	72 %	9000-41300
Defiant Encore 2550 (Formerly 2190)	Catalytic	1.6	72 %	8700-41700
Dutchwest Extra Large Convection 2462	Catalytic	1.3	72 %	8300-28000
Dutchwest Large Convection Heater (Model 2461)	Catalytic	1.4	72 %	10700-29500
Dutchwest Small Convection Heater #2460	Catalytic	1.1	72 %	6600-27300
Encore 1450 N/C	Noncatalytic	0.7	63 %	10,600-24050
EWF36		2.7	72 %	11,800-68,600
FA224	Catalytic	3.1	72 %	9100-34800

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
FA264	Catalytic	2.2	72 %	9500-31700
FA288	Catalytic	3.1	72 %	7800-29300
FA455	Catalytic	1.3	72 %	10400-26500
Intrepid II 1308	Catalytic	3.1	72 %	10200-22500
Intrepid II Model 1990	Catalytic	2.1	72 %	8300-26700
Intrepid II Model 2070	Catalytic	2.4	72 %	9200-19300
Intrepid Model 1640	Noncatalytic	3.3	63 %	8200-19500
Madison 1650	Noncatalytic	5.5	63 %	11400-31000
Model 2170	Catalytic	2.1	72 %	9400-22800

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Montpelier	Noncatalytic	2.9	63 %	10,094-27,550
Resolute Acclaim 0041	Catalytic	5.1	72 %	8700-30900
Resolute Acclaim (Model Number 2490) & TLWS1	Noncatalytic	3.4	63 %	9500-33900
Seville 1630	Noncatalytic	6.3	63 %	12000-27300
Seville 1635 and 1600 Insert	Noncatalytic	4.5	63 %	9,900-30,800
Seville Insert	Noncatalytic	5.5	63 %	10200-27400
WinterWarm Fireplace Insert Model 1280	Catalytic	2.1	72 %	10300-30000
WinterWarm Small Insert Model 2080	Catalytic	2.1	72 %	8700-31100
WinterWarm Small Insert (model 2370)	Catalytic	4.0	72 %	9250-21500

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Consuming Fire, Inc.**

12033 Mariposa Road

Wrightwood CA92345 ,

USA

760-949-2077

Perfect Hearth

Noncatalytic

3.4

63 %

11,700-38,100

**Country Flame Technologies, Inc.**

900 George Street

Marshfield MO65706 ,

USA

417-466-7161

<http://www.countryflame.com/>

B-6, B-I

Catalytic

4.6

72 %

9600-48200

B/A

Catalytic

2.0

72 %

10400-55500

BBF

Catalytic

3.0

72 %

10500-51400

BBF-6, BBF-I

Catalytic

3.0

72 %

9500-48600

Combo Air

Noncatalytic

7.0

63 %

9300-46400

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
E-1/90	Catalytic	1.7	72 %	9600-37800
E-2	Catalytic	3.3	72 %	13000-34400
E1-6, E1-I	Catalytic	3.7	72 %	12400-55300
Inglenook INGW-02	Noncatalytic	4.4	63 %	11,600-38,000
NC-6D	Noncatalytic	4.7	63 %	11700-54900
O-2	Catalytic	2.5	72 %	8000-30000
O-2/90	Catalytic	3.0	72 %	10800-34100
OV-21	Noncatalytic	4.2	63 %	11700-42200
OV-2100	Noncatalytic	4.1	63 %	11700-32700



Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
OV-2600	Noncatalytic	3.5	63 %	11500-33600
OV-26BF-I	Noncatalytic	3.7	63 %	11400-41300
OV-3000	Noncatalytic	2.9	63 %	11800-34000
Patriot	Noncatalytic	6.9	63 %	11300-34000
R-6	Catalytic	3.3	72 %	13800-50700
R/90	Catalytic	1.5	72 %	10600-46800
S-6, S-I	Catalytic	6.5	72 %	13100-48900
SBF/A	Catalytic	3.6	72 %	8700-33600

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Country Stoves, Inc.**

1502 14th Street NW

Auburn WA98071 ,

USA

253-735-1100

<http://www.countrystoves.com/>

Alpine

Noncatalytic

3.5

63 %

11,455-42,445

C-240 and E-240

Noncatalytic

5.1

63 %

11500-36700

Canyon C310/ST310, Elite E310

Noncatalytic

3.5

63 %

11600-38800

Canyon S310, T-Top Model S310

Noncatalytic

3.2

63 %

11400-34900

Converter C-30, C-35

Catalytic

4.0

72 %

8000-49200

H6839

Pellet

4.0

78 %

6,270-29,784

Legacy S260, T-TOP S260, CONVERTER C260, and ELITE E260

Noncatalytic

4.1

63 %

11800-48000

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Performer C-210, SS210, SA210 and ST210	Noncatalytic	4.2	63 %	9500-36100
Performer S180, C180, E180	Noncatalytic	6.6	63 %	11400-38700
PS 40 & PI 40	Pellet	1.1	63 %	7,476-21,343
Starlite C-20, C-21	Noncatalytic	9.6	63 %	7700-43500
Starlite C-20, C-21	Noncatalytic	9.6	63 %	7700-43500
Striker Model S 160/C 160	Noncatalytic	1.6	63 %	12500-41200
STRIKER S130, C-50L, C130, CA-50, CA-50L, CA-55	Noncatalytic	5.6	63 %	9300-43600
T-Top C-40, C-45, C-46	Noncatalytic	5.7	63 %	10700-40900
T-TOP S 240	Noncatalytic	4.9	63 %	11300-42700

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**CRD Precision Fabricators Inc. (Chippewa)**

Route 5, Box 190

Chippewa Falls WI54729 ,

USA

715-723-9667

Energy King Legacy 1600

Noncatalytic

7.0

63 %

11700-23100

Energy King Legacy 1650

Noncatalytic

3.7

63 %

11400-41300

Energy King Legacy 2100

Noncatalytic

3.2

63 %

11000-31100

Energy King Legacy 2150

Noncatalytic

2.9

63 %

11800-34000

Energy King Legacy 900

Noncatalytic

6.5

63 %

10200-30800

Energy King Legacy 950

Noncatalytic

4.2

63 %

11700-42200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Dell Point Technologies**

3 Rue Montmartre

Blainville Quebec J7C 2Z6 ,

Canada

514-331-6212

<http://www.pelletstove.com/>

DC 2000, Europa

Pellet

0.6

78 %

10400-24100

**Derco, Inc./Grizzly Stoves**

10005 East U.S. 223

P.O. Box 9

Blissfield MI49228 ,

USA

Little Blazer FP-20

Catalytic

4.7

72 %

7200-28400

Little Blazer FP-20

Catalytic

4.7

72 %

7200-28400

Super Achiever FPI-2-LEX

Catalytic

2.4

72 %

9800-34200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Deville**

Charleville ,  
France

<http://www.flamme-bleue.com/english.php>

Deville 7794 - Comfort

Noncatalytic                      6.9                      63 %                      11,300-35,100

**Dovre, Inc.**

401 Hankes Avenue  
Aurora                      IL60505 ,  
USA  
(312) 844-3353

<http://www.aladdinhearth.com/>

Heirloom 300 HC

Catalytic                              4.5                              72 %                              11600-45100

Horizon 500 CC

Catalytic                              2.9                              72 %                              10300-33800

Horizon 500 CC

Catalytic                              3.6                              72 %                              8300-28000

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Dovre, Incorporated**

1445 North Highway

Colville WA99114 ,

USA

509-684-3745

<http://www.aladdinhearth.com/>

Heirloom 390

Catalytic

2.8

72 %

9100-31800

**England's Stove Works, Inc.**

589 S. Five Forks Road

Monroe VA24574 ,

USA

(804) 929-0120

<http://www.englishstoves.com/>

10-CPM, 49-TRCPM, 49-SHCPM

Pellet

1.6

78 %

10,455-24,566

13-NCMH, 50-SNC13,

Noncatalytic

2.4

63 %

11,579-32,017

22 PIC

Catalytic

5.1

72 %

9000-30200

24 ACD

Catalytic

2.7

72 %

9000-20100

30-NC, 50-TNC30L, 50-TNC30G

Noncatalytic

1.6

63 %

11,950-28,337

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Englander 13-NC Summers Heat,50-snc Golden Eagle and 50-TNC Timber Ridge			13-NCI/50-TNC131
Noncatalytic	2.6	63 %	10,000-29,200
Englander 25-PDV, Summers Heat 55SHP22, and Timber Ridge 55TRP22 Pellet			
Pellet	2.6	78 %	10,700-24,500
Englander Econo Radiant 18PC			
Catalytic	3.6	72 %	8500-31000
Englander Fireplace Insert 28JC			
Catalytic	4.4	72 %	8400-29100
Englander Freestanding Radiant 24FC			
Catalytic	2.4	72 %	7200-35600
Englander Front Loading Fireplace 28IC			
Catalytic	2.5	72 %	8200-24400
Englander Front Loading Space Saver 28CC			
Catalytic	2.7	72 %	7900-25500
Model 18 PC			
Catalytic	2.2	72 %	8700-26400
Model 18M-H			
Catalytic	2.0	72 %	7800-26900



Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Model 24IC	Catalytic	2.6	72 %	10200-27100
Pellet Fuel Burning Room Heater	Noncatalytic	3.1	78 %	8200-22400
Summers Heat Model 50-SHW20	Catalytic	2.1	72 %	7200-28600
Summers Heat Model 50-SHW22	Catalytic	3.8	72 %	9100-25400
Summers Heat Model 50-SHW25	Catalytic	2.4	72 %	5400-17400
Emerald	Noncatalytic	4.4	63 %	11000-35500

**Eureka Heating PTY Limited**

459 Dorset Road

Bayswater Victoria 3153 ,

Australia

01161397291422

<http://www.eureka-heating.com/>

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Evergreen Marketing, Inc.**

Suite 310  
8196 SW Hall Boulevard  
Beaverton OR97229 ,  
USA  
503-598-7667

Mohawk 60A

Catalytic 3.8 72 % 4700-14300

**Evergreen Metal Products Inc.**

910 Sleater-Kinney Road S.E.  
Suite 202  
Lacey WA98503 ,  
USA  
206-459-0445

Schrader Pelletmiser 905-P

Pellet 1.0 78 % 11000-32700

**F. Huemer Ges. M.B.H.**

A-4631 Krenglbach  
Schmieding 25 ,  
Austria

Austroflamm Wega II

Pellet 1.3 78 % 8500-42000

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Fireplace Products International Limited**

6988 Venture Street

Delta BCV4G 1H4 ,

Canada

604-946-5155

<http://www.regency-fire.com/>

F1100S, I1100S I1200S , HI200

Noncatalytic

3.0

63 %

10600-34700

F1100S, I1100S Small Flush Insert, F1100S-1

Noncatalytic

3.8

63 %

09400-38700

F2000M Medium Freestanding Stove

Noncatalytic

7.1

63 %

11800-34200

F2100M-Medium Freestanding Stoves, I2100M-Medium Fireplace Insert

Noncatalytic

3.8

63 %

11700-38700

F2100MI

Noncatalytic

3.9

63 %

11,300-38,800

Fireplace Insert R-16

Noncatalytic

6.6

63 %

11100-32900

FP90, EX-90/R90 Wood Fireplace

Noncatalytic

3.8

63 %

11,700-42,300

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
H200 Hampton Cast Freestanding Stove	Noncatalytic	3.9	63 %	10,900 - 19,400
H2100M Hearth Heater Insert	Noncatalytic	3.5	63 %	10800-46900
Hampton Medium Cast Freestanding Woodstove Model H300	Noncatalytic	4.2	63 %	10,600-28,500
I2000M14	Noncatalytic	4.5	63 %	11200-42700
Large Freestanding Stove - F3100L & Large	Noncatalytic	4.2	63 %	11900-42900
Large Freestanding Woodstove R6,RA6,RA8	Noncatalytic	3.9	63 %	11500-59000
Medium Freestanding R3, RA3, R9	Noncatalytic	4.2	63 %	11200-35500
Model 2400M, I2400M, S3400, HI300, CC75	Noncatalytic	3.4	63 %	12000- 36800
Regency R14-2	Noncatalytic	5.0	63 %	11500-37500

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Small Freestanding R7, RA7, R5				
	Noncatalytic	8.3	63 %	5900-33500
Z2500L Zero Clearance Fireplace				
	Noncatalytic	5.2	63 %	10600-39700
<b>Foundries du Lion S.A.</b>				
<b>5 Voie Axiale</b>				
<b>Couvin</b>	<b>5660</b>			
<b>Belgium</b>				
<b>+ 32 60 31 01 04</b>				
Efel Harmony 386.75				
	Catalytic	3.8	72 %	7100-51000
Efel Symphony 387.74				
	Catalytic	5.1	72 %	10600-49700
Efel Symphony 390.74				
	Catalytic	1.8	72 %	10700-33000
Harmony I				
	Noncatalytic	4.4	63 %	11800-55000
Harmony IIIB				
	Noncatalytic	2.7	63 %	11,200-57,300

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Model S-33,S-83,H33,R33,X33

Noncatalytic

3.3

63 %

8,600-37,300

## Foyers Supreme Incorporated

3594 Jarry East  
Montreal, Quebec H1Z2G4

<http://www.supremem.com/index.html>

Supreme Plus

Noncatalytic

7.0

63 %

96,000-16,300

Volcano Plus

Noncatalytic

4.3

63 %

11,310-25,189

## Frantech, Inc.

900 George Street  
Marshfield MO65706 ,  
USA  
417-466-7161

<http://www.countryflame.com/>

Seefire 1600 S

Noncatalytic

7.0

63 %

11700-23100

Seefire 2100 S

Noncatalytic

3.2

63 %

11000-31100

Seefire 900 S

Noncatalytic

6.5

63 %

10200-30800

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Gibraltar Stoves, Inc.**

512-72nd Street

Holmes Beach FL34217 ,

USA

813-779-2217

LCC, MCC, SCC, CFS, CFI & DDI

Catalytic

2.8

72 %

8400-28700

**GLG Australia**

Auburn New ,

Australia

Pearl Bay

Noncatalytic

3.8

63 %

11,300-35,300

**Glo King/Pierce Engineered Products Inc.**

P.O. Box 10107

Eugene OR97440 ,

USA

400HT

Noncatalytic

7.0

63 %

10000-40200

GK 100 HT

Noncatalytic

3.2

63 %

10600-61400

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

GK-300HT

Noncatalytic

7.0

63 %

11000-31000

GK-500HT

Noncatalytic

6.4

63 %

10000-22400

**Godin Imports, Inc.**

8 Lahave St.

South Portland ME04106-490 ,

USA

207-773-1920

Nouvelle Epoque 3137

Catalytic

3.9

72 %

10500-20700

**H.M.F. Forlong and Maisey Ltd.**

15 Vickery Street

Private Bag 3126

Te Rapa - Hamilton ,

New Zealand

64-7-849 2212

<http://www.forlongmaisey.co.nz/>

Merlin "3", M 3000

Noncatalytic

6.1

63 %

12300-37000



Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

## Hajduk

,

Prima MR-51

Noncatalytic

3.8

63 %

11,636-35,246

## Harman Stove Company

Box 619

352 Mountain House Road

Halifax PA17032 ,

USA

(717) 362-9080

CW30

Noncatalytic

3.6

63 %

10000-34000

Invincible RS

Pellet

1.5

78 %

6200-32800

Model Exception TL200

Noncatalytic

4.4

63 %

11000-42400

Model Exception TL300

Noncatalytic

1.1

63 %

11,238-34921

Oakwood

Noncatalytic

2.3

63 %

10,900-30,500

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Treemont TAC-260C,TAC-260CF

Catalytic

3.9

72 %

8400-40700

Treemont TAC-340C

Catalytic

2.8

72 %

7400-33800

Treemont TAC-520C

Catalytic

5.2

72 %

12000-37300

### Hase Kaminofenbau

Care of Hearthstone

317 Stafford Avenue ,

Morrisville, VT 05661

Bari

Noncatalytic

3.6

63 %

11,805-31,653

### Hawke Manufacturing Company, Inc.

19 Warehouse Circle

P.O. Box 507

Marietta SC29661 ,

USA

803-836-8008

HMI 28II

Catalytic

2.6

72 %

6100-39600

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

## Hearth and Home Technologies

2100 ACC

Noncatalytic

2.1

63 %

11,400-27,200

4300ACC

Noncatalytic

1.1

63 %

11,842-38,305

5700 ACT

Noncatalytic

4.2

63 %

11800-45900

7100FP

Noncatalytic

3.1

63 %

13,800-67,300

Arrow 14, 20

Noncatalytic

4.0

63 %

14000-36100

Arrow 18

Noncatalytic

7.2

63 %

14500-34400

Arrow 55

Catalytic

3.0

72 %

9900-37500

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Arrow Fireplace Insert 25	Catalytic	4.7	72 %	11300-55000
Arrow S12 (Stove) & I12 (Insert)	Noncatalytic	3.7	63 %	9900-32100
Aurora Model 700	Noncatalytic	4.3	63 %	11800-30900
Heat N Glo FT-210	Noncatalytic	3.9	63 %	9,800-36,600
Heat N Glo Number FT-300	Noncatalytic	3.3	63 %	10,000-41,000
Heat-N-Glo FT-210	Noncatalytic	3.9	63 %	9,800-36,600
Heatilator 11, 12	Noncatalytic	5.1	63 %	12400-36100
Heatilator 1190/Arrow 1490(S20)	Noncatalytic	6.1	63 %	10500-44500
Model 2590	Catalytic	3.8	72 %	9900-34300

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Model 2700I	Noncatalytic	4.2	63 %	11200-35900
Model 400	Noncatalytic	2.9	63 %	8700-2200
Northstar/Constitution	Noncatalytic	3.3	63 %	11,300-51,200
Quadra Fire 2100 Millennium & 2100 ACT	Noncatalytic	2.0	63 %	10900- 37200
Quadra Fire 4300 ACT	Noncatalytic	1.2	63 %	11900-58500
Quadra-Fire 1800	Noncatalytic	5.1	63 %	10600-31300
Quadra-Fire 2000, 2000-I	Noncatalytic	6.1	63 %	7400-43700
Quadra-Fire 2100, 2100 I	Noncatalytic	3.6	63 %	9300-39300
Quadra-Fire 3000F, 3000 I	Noncatalytic	6.5	63 %	9000-44700

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Quadra-Fire 3100 ACC	Noncatalytic	1.1	63 %	11900-43200
Quadra-Fire 3100 ACT & 3100I ACT	Noncatalytic	1.3	63 %	11400-46900
Quadra-Fire 3100F, 3100 I	Noncatalytic	2.1	63 %	11900-43200
Quadra-Fire 4100	Noncatalytic	4.0	63 %	11700-50500
Quadra-Fire 5100 I ACT B		2.0	63 %	11,900-50,600
Quadra-Fire 5100-I Fireplace Insert	Noncatalytic	2.7	63 %	11800-49900
Quadra-fire Cape Cod	Noncatalytic	2.2	63 %	11500-43000
Quadra-Fire Cumberland Gap	Noncatalytic	3.4	63 %	11,200-44,300
Quadra-Fire Isle Royale	Noncatalytic	2.9	63 %	10400-46800

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Quadra-Fire Model 4100I and Bodega Bay	Noncatalytic	3.1	63 %	9,000-41,800
Quadrafire 1800 I	Noncatalytic	4.9	63 %	10000-33200
Quadrafire 1900	Noncatalytic	2.2	63 %	11500-32200
Quadrafire 4300	Noncatalytic	2.1	63 %	11900-39900
S-22 & S-22I	Noncatalytic	4.0	63 %	12000-36900
S10 and I10	Noncatalytic	5.9	63 %	11200-40600
Yosemite	Noncatalytic	2.7	63 %	10900-28600

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Hearthstone Quality Home Heating Products Inc.**

317 Stafford Avenue

Morrisville VT05661 ,

USA

802-888-5232

<http://www.hearthstonestoves.com/>

Bennington

Noncatalytic

3.6

63 %

11900-32600

Clydesdale Model 8490

Noncatalytic

3.1

63 %

11,900-33,100

Craftsbury 8390

Noncatalytic

3.1

63 %

10,973-25,563

Equinox

Noncatalytic

3.1

63 %

12,000-37,900

Heritage

Noncatalytic

2.3

63 %

10700-29400

Homestead 8570

Noncatalytic

1.9

63 %

10500-33600

Morgan model 8470

Noncatalytic

4.3

63 %

10500-29300



Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Phoenix 8612	Noncatalytic	2.4	63 %	10500-41500
Shelburne Model 8370	Noncatalytic	2.1	63 %	11,800-32,400
Starlet	Noncatalytic	3.6	63 %	9200-25400
Tribute Model 8040	Noncatalytic	3.0	63 %	10,600-28,300

**HearthStone Quality Home Heating Products, Incorporated**

317 Stafford Avenue  
 Morrisville VT05661 ,  
 USA  
 802-888-5232

<http://www.hearthstonestoves.com/>

Heritage I, Model 8021	Noncatalytic	2.7	63 %	11,700-32,800
------------------------	--------------	-----	------	---------------

**Heat Tech Industries**

P.O. Box 727  
 Biggs CA95917 ,  
 USA  
 916-868-1020

<http://www.heat-techstoves.com/>

No. 26 GM	Noncatalytic	4.0	63 %	11300-35800
-----------	--------------	-----	------	-------------

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Heat-N-Glo Fireplace Products, Inc.**

1445 North Highway

Colville WA99114 ,

USA

509-684-3745

<http://www.heatnglo.com/>

CBS-41

Noncatalytic

3.9

63 %

10000-30300

**Heatilator, Inc.**

1445 North Highway

Colville WA99114 ,

USA

509-684-3745

<http://www.aladdinhearth.com/>

1890(S30)

Pellet

5.7

78 %

11200-42700

Heatilator LE

Noncatalytic

4.5

63 %

11500-44400

**Heating Energy Systems, Inc.**

14300 SE Industrial Way

P.O. Box 593

Clackamas OR97015 ,

USA

503-786-4004

Trailblazer 1700/1706

Noncatalytic

4.6

63 %

11000-32400

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Trailblazer Classic 1300/1306	Noncatalytic	3.2	72 %	11300-32400
Trailblazer Classic 1500/1700	Noncatalytic	4.9	63 %	9500-36600
Trailblazer Genesis 1600, Classic 1500	Noncatalytic	8.2	63 %	12100-28100
Trailblazer Genesis 1600/1800	Noncatalytic	3.0	63 %	11400-36400
Trailblazer Genesis 2000-C	Catalytic	3.1	72 %	10600-37500
<b>Heritage Stoves Inc.</b>				
352 South Main Street				
Clearfield UT84015 ,				
USA				
801-773-8606				
American 2000C	Catalytic	5.5	72 %	13600-33800
Bostonian 2500 C (Insert)	Catalytic	3.8	72 %	10600-22300

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

Bostonian 2500C

Catalytic

6.8

72 %

9600-37300

## Hestia Heating Products

,

Model HHP 1

Pellet

2.9

78 %

7,900-30,200

## Hi-Teck Stoves

2985 South, 3600 West

Salt Lake City UT84119 ,

USA

1-800-456-8606

Hi Teck H 2000C

Catalytic

3.6

72 %

12600-41400

## High Energy Manufacturing, Limited

PO Box 400

Vermillion Bay, Ontario POV 2VO ,

Canada

807-227-2745

J1000 Pellet Stove

Pellet

2.1

78 %

13,000 - 21,800

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**High Sierra Stoves, Ltd.**

P.O. Box 1247

720 North Mulberry Street

Hildale UT84784 ,

USA

Ambassador 4700TE

Catalytic

2.5

72 %

10100-37600

Cricket MHCR 5200

Catalytic

3.5

72 %

6800-27600

Diplomat 4300 TE

Catalytic

5.1

72 %

10400-53400

Evolution 7000TE,7000C

Catalytic

4.0

72 %

11200-43000

Evolution 8000TE

Catalytic

2.2

72 %

7900-40500

Sierra Classic 1500B

Noncatalytic

6.9

63 %

8600-34700

Sweet Home Catalytic Fir AK-18

Catalytic

3.1

72 %

8800-29500

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Sweet Home NFX-HT	Noncatalytic	7.8	63 %	14500-33200
Sweet Home Solitaire PFA 2000	Pellet	4.0	78 %	9700-28200
<b>High Valley Construction &amp; Maintenance Corp.</b>				
6573 Highway 226S				
Spruce Pine NC28777 ,				
USA				
828-765-4004				
<a href="http://www.highvalleystoves.com/start.shtml">http://www.highvalleystoves.com/start.shtml</a>				
High Valley 2000, Craft Stove 2000	Catalytic	3.3	72 %	10800-43100
High Valley Bay 2500	Catalytic	3.1	72 %	7700-40900
High Valley Model 1500	Catalytic	3.4	72 %	9400-34200
Model 1600	Noncatalytic	2.7	63 %	11800-40400

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Hitzer, Inc.**

269 East Main Street

Berne IN46711 ,

USA

(219) 589-8536

<http://www.hitzer.com/>

Glo King 300HT

Noncatalytic

7.0

63 %

11000-31000

Glo King 400HT

Noncatalytic

7.0

63 %

10000-40200

Glo King 500SD

Noncatalytic

6.4

63 %

10000-22400

**Horizon Research Inc.**

Suite #105

17905 Bothell Way Southeast

Bothell WA98012 ,

USA

Eclipse

Pellet

1.0

78 %

7800-33100

Model HR-2

Pellet

0.9

78 %

10500-33400

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Horse Flame Metal USA, Inc.**

,

517 HF

Noncatalytic

3.6

63 %

8,5585-24,358

717 HF

Noncatalytic

6.6

63 %

11,400-28,857

**Hussong Manufacturin Company, Inc.(Kozy Heat)**

,

Olivia, Model Number OVL-PC

Noncatalytic

2.5

63 %

8,100-21,400

**Hussong Manufacturing Company, Inc.**

204 Industrial Park Drive

Lakefield MN56150 ,

USA

507-662-6641

<http://www.kozyheat.com/>

Kozy Heat Z 42

Noncatalytic

3.3

63 %

11500-35100



Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

### Hutch Manufacturing Company

200 Commerce Avenue  
P.O. Box 350

Loudon TN37774 ,  
USA  
(800) 251-9232

DWI-42C

Catalytic

1.6

72 %

9800-54600

DWI-42C-2 (EPA)

Catalytic

1.5

72 %

10700-52800

HRD-18C

Catalytic

4.5

72 %

9300-39100

HRD-27C Catalytic Freestanding

Catalytic

2.5

72 %

10300-56200

HRS-18C Small Freestanding

Catalytic

2.9

72 %

10300-38400

### HWAM Heat Design A/S

,

Monet

Noncatalytic

3.4

63 %

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Ingenieria De Combustion Bosca Chile S.A.**

**Americo Vespucio 2077**

**Santiago** ,

**Chile**

Gold 400

Noncatalytic

4.4

63 %

11,800-26,800

Soul Pellet Stove Insert

Pellet

2.2

78 %

6,100-30,000

Spirit 500

Pellet

1.2

78 %

8,700-21,700

Spirit 550

Noncatalytic

3.6

63 %

11,359-26,100

**J. A. Roby**

**490 Rue de L'Argon**

**Charlesbourg, Quebec** ,

**G2N 2C9**

Evolution and Atmosphere

Noncatalytic

6.9

63 %

9,043 - 28,675

Mystere

Catalytic

6.0

63 %

12,900-24,200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Vulcain

Noncatalytic

6.1

63 %

9,501.-29180

**Jacuzzi Leisure Products, Inc.**

**Route 107, P.O. Box 501**

**Bethel VT05032 ,  
USA**

**802-234-2300**

Cabot Elite S17XE

Noncatalytic

4.5

63 %

11300-34400

Campbell Elite S14XE

Noncatalytic

5.1

63 %

11000-31100

Douglas Elite S131E, S132E; Mini Elite S111E,S112E

Noncatalytic

7.1

63 %

10400-22200

Fraser Elite I, S407E, S408E, S409E

Noncatalytic

3.4

63 %

10000-37900

Gordon Elite S18XE

Noncatalytic

3.0

63 %

11300-31200

Model Campbell II Elite S-24X & FW24 Series, CJW1000L02,

Noncatalytic

5.3

63 %

10600-26100

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

**Jayline Heating Ltd.**  
106 Henderson Valley Road  
Auckland ,  
New Zealand  
64 9 836 0858

AMZED JAYLINE 1B AND FS

Noncatalytic                      5.4                      63 %                      9500-40400

Amzed Jayline Ukal U-12

Noncatalytic                      2.9                      63 %                      9900-28200

**Jotul North America (Jotul U.S.A., Inc.)**

400 Riverside Street  
Portland                      ME04104                      ,  
USA  
207-797-5912

<http://www.jotulflame.com/>

Alpha 350132

Catalytic                              3.1                      72 %                      10100-33000

American Fireplace Stove 3TDC

Catalytic                              4.0                      72 %                      8800-31700

C450, Tamarack

Noncatalytic                      4.4                      63 %                      11,900-36,100

C550

Noncatalytic                      7.1                      063 %                      12,034-36,669

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Castine F400	Noncatalytic	3.8	63 %	11300-27800
F100 Nordic QT	Noncatalytic	3.0	63 %	7,700- 27,400
F118 CB	Noncatalytic	3.5	63 %	12,000-23,500
F3CBII	Noncatalytic	3.8	63 %	11400-43500
F500	Noncatalytic	3.2	63 %	12000-34700
Firelight 12	Catalytic	2.4	72 %	10500-32100
Firelight 12CB	Noncatalytic	4.4	63 %	13500-45900
Jotul F600	Noncatalytic	4.1	63 %	11,600-32,500
Jotul Model 602 CB Classic	Noncatalytic	5.2	63 %	9700-42100

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Jotul Oslo F-500	Noncatalytic	3.0	63 %	10900-35000
Jotul Petite	Noncatalytic	4.5	63 %	10500-39900
Model 3 CB	Noncatalytic	5.8	63 %	11900-58300
Model 3 TDIC-2	Catalytic	3.6	72 %	10900-30600
Model 8 TDIC	Catalytic	3.8	72 %	10900-35100
Model C350	Noncatalytic	4.0	63 %	11,500-34,200
Model Series 8	Catalytic	3.1	72 %	12600-33000

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

## Jydepejsan A/S

Wittus Fire by Design

PO Box 120 ,  
Pound Ridge, NY 10576  
914-764-5679

[www.wittus.com](http://www.wittus.com)

H530

Noncatalytic 6.8 63 % 11,100-28,800

Trendline, Soft Line, Fine Line, Zeus, Athene, Troja, Hera, Avanti

Noncatalytic 3.9 63 % 11300- 28100

## Kent Heating Limited

P.O. Box 23-340 Papatoetoe  
59 Tidal Road Mangere

Auckland ,  
New Zealand

Fax 649-275-7558

<http://www.kentheating.com/>

Catalytic Tile Fire

Catalytic 2.0 72 % 5900-24500

Log Fire 2000

Noncatalytic 7.0 63 % 11200-23700

Log Fire LPE

Noncatalytic 5.9 63 % 8900-28200

Sherwood 2000

Noncatalytic 8.1 63 % 13000-26600

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Sherwood L.E.M. XLE-1	Noncatalytic	6.5	63 %	9600-33400
Tile Fire 2000, Ultima 2000	Noncatalytic	6.3	63 %	12500-21700
Tile Fire L.E.M. TLE-1	Noncatalytic	5.9	63 %	8500-38600
Ultima 2000S	Noncatalytic	4.5	63 %	11000-23000

**Krog Iversen & Co. A/S**  
 Glasvaenget 3-9  
 Postboks 60  
 Vissenbjerg 5492 ,  
 Denmark  
 45 64 47 31 31  
<http://www.warmfurniture.com/>

Andersen 8	Noncatalytic	2.9	63 %	11900-30100
Andersen 8.2	Noncatalytic	3.5	63 %	7,600-28,800
Basic 1 & 3	Noncatalytic	2.2	63 %	10032-17906



Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Basic 4	Noncatalytic	2.2	63 %	10000-22100
DSA 4	Noncatalytic	1.1	63 %	10,500-27,900
Model Scan 61	Noncatalytic	4.5	63 %	10,600-29,300
Scan 10-A	Noncatalytic	4.4	63 %	11,600-37,700
Scan 20	Noncatalytic	5.1	63 %	9900-19000
Scan 24	Noncatalytic	2.9	63 %	11300-22500
Scan 4.5	Noncatalytic	3.3	63 %	9,500-31,000
Scan 47.2	Noncatalytic	3.1	63 %	10400 - 30900
Scan 5.2	Noncatalytic	4.2	63 %	11800-26500

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

## Kuma Stove And Iron Works

450 Old Highway 95

Hayden ID83858 ,

USA

208-762-8002

<http://www.kumastoves.com/>

Kuma K-300/K-400, K-100B

Catalytic

2.8

72 %

12100-65200

Kuma Scott HT-1

Noncatalytic

3.5

63 %

11700-29800

Kuma Wood Classic Model HT-2

Noncatalytic

3.2

63 %

11300-48000

Model Kuma 100/300/400

Catalytic

2.2

72 %

10100-52100

## Lennox Hearth Products

1110 West Taft Ave.

Orange CA92865 ,

USA

714-921-6100

<http://www.lennoxhearthproducts.com/>

1000HT, 1100HT, 2000HT, 2200HT

Noncatalytic

8.3

63 %

6600-32200

1003-C

Catalytic

3.7

72 %

11700-36800

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
2800HT	Noncatalytic	4.5	63 %	11500-46700
Bayview BV400, BV450	Catalytic	5.5	72 %	11000-53700
Bayview BV450C/BV400C-2	Catalytic	3.0	72 %	11000-48100
Bayview II, 2000C, BV4000C, BV4000C-2	Catalytic	1.9	72 %	6600-40900
Bayview II BV4000	Catalytic	3.1	72 %	9200-42300
Brass Flame KS-1005, KS-2000I	Noncatalytic	6.0	63 %	11800-44000
Brass Flame KS-805	Noncatalytic	6.0	63 %	9300-49800
Brass Flame KS-805	Noncatalytic	5.3	63 %	9300-49800
Earth Stove and Ranger 1500HT, 1400HT	Noncatalytic	6.6	63 %	11700-37000

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
KS-1005, SV-14; KS-2000, FI-15	Noncatalytic	6.0	63 %	9500-41100
Model T200C	Catalytic	3.2	72 %	8500-34900
Traditions T-100	Catalytic	3.8	72 %	8300-43800
Traditions T150C, T100SC	Catalytic	4.1	72 %	6500-35300
Traditions T300HT & T3000HT	Noncatalytic	2.6	63 %	10700-37400
Whitfield Advantage WP-2	Pellet	1.3	78 %	10900-35100
Whitfield Fireplace/Hearth Stove	Pellet	1.0	78 %	11000-35700
Whitfield WP-1, III T, II-T, II-TC, Advantage Series	Pellet	1.0	78 %	9100-37800
WP-2 III T, II-TC, Advantage Series	Pellet	1.0	78 %	9100-37800

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

## Les Produits d'Acier Nordic International

11725 Philippe-Panneton

Montreal Quebec H1E 4M1 ,

Canada

514-494-4522

Diamant

Noncatalytic

7.5

63 %

11,100-26,100

Olympia

Catalytic

4.6

72 %

9,659-26,407

Rustic 2100 and Tradition 2100

Noncatalytic

5.0

63 %

11,700-29,700

## Lexington Forge

,

Savannah SSW 20 and Windsor WCS20

Noncatalytic

3.8

63 %

11,000-45000

SSI 30

Noncatalytic

3.5

63 %

11,000-30,600

SSW 30

Noncatalytic

3.5

63 %

11,000-30,600

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

SSW40

Noncatalytic

4.3

63 %

11,963-35767

**Long Agribusiness**

111 Fairview Street

P.O. Box 1139

Tarboro NC27886 ,

USA

252-823-4151

2062 Catalytic freestanding/insert

Catalytic

3.3

72 %

10600-20700

Silent Flame 2058

Catalytic

5.3

72 %

9000-27100

Silent Flame Model 2058A

Catalytic

2.3

72 %

9600-30600

Silent Flame Model 2062

Catalytic

2.4

72 %

9900-32600

**Luap Associates, Inc.**

2720 Roosevelt Blvd.

Eugene OR97402 ,

USA

503-461-2141

Eagle 2001

Pellet

2.6

78 %

8400-55200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Lucky Distributing**

8111 NE Columbia Blvd  
Portland, OR 92718 ,  
503-252-1249

Esprit

Noncatalytic

4.4

63 %

11,817-32,263

Integra

Pellet

3.6

78 %

10,024-31,268

**M. Texeira International, Incorporated**

85 Myer Street  
Hackensack, New Jersey 07601  
210-525-0024 ,  
www.soapstones.com

Bef 520 H

Noncatalytic

6.4

63 %

11,721-25,859

**Martin Industries, Inc.**

301 E. Tennessee Str.  
P.O. Box 128  
Florence AL35631 ,  
USA  
256-767-0330

Ashley

Catalytic

3.8

72 %

5700-35300

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Ashley APC2,APC2C; King KC2,KC2B; Atlanta AC2,AC2B	Catalytic	3.0	72 %	9700-27900
Ashley APS5,APS5B; King KC5,KC5B; Atlanta AC5,AC5B	Catalytic	3.8	72 %	9400-35400
Ashley CAHF,CAHFB; King MCF,MCFB; Atlanta ACF,ACFB	Catalytic	4.8	72 %	9900-30000
C-92	Catalytic	2.4	72 %	7200-29500
C-92	Catalytic	5.3	72 %	5200-33200
C-92	Catalytic	3.0	72 %	13900-35700

**Max Blank GmbH**  
 Lake Bluff IL ,  
 USA

<http://www.maxblank.com/>

Atlanta K02, Siena, Monza, Davos, Ravenna, Heidelberg, Solero, Toulouse, Zitro, Rio, Memphis, Niagara,  
 Noncatalytic 4.5 63 % 11,479-36,009



Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Bordeaux

Noncatalytic

5.6

63 %

10,129-34,342

Florenz K0 2, Volterra, Padua, Atlanta BF

Noncatalytic

3.1

63 %

11,842-34,680

Mega K 03

Noncatalytic

5.1

63 %

10,500-33,000

### **Metal M.D.R. Inc.**

536 Guy Street

Granby Quebec J2G 7J8 ,

Canada

450-777-6070

Model HE-1400, XE-1400, & XTD-1.5

Noncatalytic

4.3

63 %

10800-34000

XVR-111, XT-4000, XLT-11000

Noncatalytic

%

11,700-28,300

### **Morso Jernstaber**

Furvej 6

DK-7900

Nykobing Mor ,

Denmark

45 96 69 19 00

<http://www.morsoe.com/us/index.html>

2B Classic

Noncatalytic

3.9

63 %

10900 -23600

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

## Morso Jernstoberi

,

6100

Noncatalytic

4.1

63 %

11,117-22,000

Model 2B

Noncatalytic

4.1

63 %

9,300-30,700

Model 5660,

Noncatalytic

%

## Morso Jernstoberi A/S

Furvej 6  
DK-7900

Nykobing Mors  
Denmark

45 96 69 19 00

<http://www.morsoe.com/us/index.html>

3600 Series

Noncatalytic

5.2

63 %

11,400-49,500

8140, 8142, 8147, 8151 and 8150

Noncatalytic

4.5

63 %

10,864-25,370

Model 2040

Noncatalytic

3.8

63 %

11,100-40,100

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Model 4600	Noncatalytic	3.2	63 %	11,100-25,600
Model 4650 (Soapstone)	Noncatalytic	3.7	63 %	10,900-25,700
Model 7110	Noncatalytic	3.8	63 %	10,700-27,900
Morso 1710	Noncatalytic	4.4	63 %	12,000-39,800
Owl 3410/3440 & 3450	Noncatalytic	3.5	63 %	8400-23600
Panther 2110	Noncatalytic	4.7	63 %	10300-60500
Panther Model 2110B	Noncatalytic	4.3	63 %	8,600-42,100
Squirrel 1410 and 1420	Noncatalytic	3.3	63 %	9600-22000

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**National Steelcrafters of Oregon**

P.O. Box 24910

P.O. Box 2501

Eugene OR97402 ,

USA

(503) 683-3210

<http://www.breckwell.com/>

Breckwell W3000FS/W3000I

Noncatalytic

2.3

63 %

11600-33700

Chateau NC24

Noncatalytic

5.4

63 %

14500-51000

Craft CB-4830 Insert

Catalytic

3.4

72 %

9100-22400

Craft Stove CB-4426

Catalytic

3.9

72 %

12100-35600

Craft Stove CB-4426, CB-26, CAT 44-1

Catalytic

3.9

72 %

12100-35600

Craft Stove CB-4830

Catalytic

3.1

72 %

11600-41100

Craft Stove CB-4830, CB-300

Catalytic

3.1

72 %

11600-41100

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Navigator Stove Works, Inc.**

68 South First St.

Brooklyn N.Y.11211 ,

USA

718-486-8049

<http://www.marinestove.com/>

Navigator NSW2

Noncatalytic

3.6

63 %

10500-28200

NSW-1 Sardine

Noncatalytic

3.5

63 %

11,400-19,400

**New Buck Corporation (Buck Stove Corp.)**

1265 Bakersville Highway

P.O. Box 69

Spruce Spring NC28777 ,

USA

828-765-6144

<http://www.buckstovecorp.com/>

41BCV, BBay, CD, CS, CV, CBAY, PCV, PCBAY

Catalytic

2.6

72 %

6900-27800

50PCV, 50PBay, 50CV, 50CBay, 50CD, 50BCV, 50BBay

Catalytic

2.5

72 %

10100-38000

Bay Model 91

Catalytic

3.5

72 %

10400-50400

Big Buck 28000-C

Catalytic

4.7

72 %

8500-39100

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Buck Bay Model 91	Catalytic	1.2	72 %	8,800-51,200
Buck Carolina/Tharrington 51/T-51	Noncatalytic	6.7	63 %	11800-40900
Buck Master	Catalytic	2.1	72 %	10,800-49,800
Buck/Tharrington 74/T-74	Noncatalytic	3.6	63 %	11,600-41,400
Little Buck 26000-C	Catalytic	4.0	72 %	6800-38700
Model 18	Noncatalytic	3.1	63 %	10000-22400
Model 20, catalytic	Catalytic	3.2	72 %	10800-37500
Model 21	Noncatalytic	6.2	63 %	11400-41200
Model 21	Noncatalytic	4.4	63 %	12,000-444,000

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Model 26	Noncatalytic	5.4	63 %	11900-42600
Model 261	Noncatalytic	2.9	63 %	10271-32263
Model 70	Catalytic	5.0	72 %	9800-31300
Model 71 Freestanding/Insert Catalytic	Catalytic	3.6	72 %	13100-40200
Model 81/85	Noncatalytic	4.3	63 %	11900-45400
MODEL XL-80	Catalytic	2.7	72 %	9200-40500
New Buck/Carolina Model 17	Catalytic	1.2	72 %	8100-27900
Regular Buck 27000-C	Catalytic	3.8	72 %	14700-25100
Regular Buck 27000-CR	Catalytic	4.8	72 %	14700-30800

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Newmac Manufacturing Incorporated**

,

Status Model NS220

Noncatalytic

5.0

63 %

11,600-27,400

**NHC Inc.**

317 Stafford Avenue

Morrisville VT05661 ,

USA

802-888-5232

<http://www.hearthstonestoves.com/>

Harvest A-HII catalytic

Catalytic

2.5

72 %

10500-36400

Harvest HII

Catalytic

3.8

72 %

8800-28900

Mansfield

Noncatalytic

3.2

63 %

10200-27900

Mansfield I

Noncatalytic

2.9

63 %

13600-45300

Model 3-C

Noncatalytic

2.0

72 %

7900-15000



Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
------------	--	---------------------	------------	-------------------------

Phoenix	Noncatalytic	4.9	63 %	10300-43000
---------	--------------	-----	------	-------------

Phoenix	Noncatalytic	3.4	63 %	10400-35200
---------	--------------	-----	------	-------------

### Nordpeis A/S

Lierskogen ,  
Norway

<http://www.nordpeis.no/>

Saturn A	Noncatalytic	6.0	63 %	10,100-25,000
----------	--------------	-----	------	---------------

### NU-TEC/Upland Distributors, Inc.

72 College Street  
P.O. Box 908  
East Greenwich RI02818 ,  
USA  
(401) 738-2915  
<http://www.nutec-castings.com/>

Brenden BR-60	Catalytic	1.4	72 %	11000-29400
---------------	-----------	-----	------	-------------

Townsend Woodstove TN-25	Catalytic	2.7	72 %	10200-27500
--------------------------	-----------	-----	------	-------------

Upland Amity AM-40	Catalytic	2.6	72 %	10600-23600
--------------------	-----------	-----	------	-------------

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**OK Doke, Ltd.**

1425 Weld County Road 32

Longmont CO80501-961 ,

USA

(303) 776-2300

Sweethearth Presidential 800/800XL

Catalytic

3.6

72 %

9900-20000

**Olsberg Hermann Everken, Gmbh**

176 Saunders Road

Barrie ONL4N 9A4 ,

Canada

705-721-1388

<http://www.olsberg.com/>

Bristol OH-L

Noncatalytic

2.1

63 %

11,800-32,200

Bristol OH-M

Noncatalytic

2.7

63 %

11,000-33,200

**Oregon Woodstoves, Inc.**

1844 Main St.

P.O. Box 70107

Springfield OR97477 ,

USA

541-747-8868

#1, Design 01

Catalytic

2.7

72 %

9600-49700

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Model OS/1

Catalytic

1.4

72 %

7800-40000

**Orley's Manufacturing Company, Inc.**

1718 W. Antelope Road

White City OR97503 ,  
USA

503-777-5340

Cougar G-225

Catalytic

2.7

72 %

9100-36200

Leopard U245,U246,UO245,UO246; Panther F245,F246

Catalytic

3.5

72 %

9100-39000

**Orrville Products, Inc.**

375 East Orr Street

P.O. Box 902

Orrville OH44667-090 ,  
USA

800-232-4010

<http://www.comfortecgasfireplace.com/>

CC 350

Catalytic

3.8

72 %

13700-68900

CC-185l and 165l

Noncatalytic

3.8

63 %

11500-48600

CC175 and CC155

Noncatalytic

4.4

63 %

10900-39200

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
CC180	Noncatalytic	3.9	63 %	10700-57600
CC185 and CC165	Noncatalytic	5.3	63 %	11300-46100
CC250	Catalytic	3.5	72 %	13200-29800
Country Comfort CC100	Noncatalytic	8.5	63 %	8700-33400
Country Comfort CC125	Noncatalytic	9.5	63 %	12300-27600
Country Comfort CC150, CC1000, CC150H	Noncatalytic	7.5	63 %	7200-23900
Country Comfort CC160	Noncatalytic	5.3	63 %	11600-36500
COUNTRY COMFORT CC160	Noncatalytic	2.9	63 %	11900-47800
Country Comfort CC325	Catalytic	3.5	72 %	18600-60600

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Country Comfort CC350

Catalytic

4.3

72 %

11200-29100

**Osburn Manufacturing, Inc.**

1700 Leonharmel

Quebec City QuebecG1N 4R9 ,  
Canada

418-527-3060

<http://www.drolet.ca/Engindex2.htm>

1050

Noncatalytic

6.9

63 %

10600-42900

2200

Noncatalytic

5.7

63 %

10400-41500

Imperial 2000

Noncatalytic

4.6

63 %

9000-33000

Imperial MKII, MKII Insert, Goldenaire

Noncatalytic

7.0

63 %

10700-51600

**Pacific Energy Fireplace Products Limited**

P.O. Box 1060

Duncan BCV9L 3Y2 ,  
Canada

250-748-1184

<http://www.pacificenergy.net/>

Alderlea, Super 27 Design D, Spectrum, Standard, Pacific Ins, Spectrum Classic and Fusion

Noncatalytic

3.4

63 %

11000-34600

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
S-27, Spectrum, Standard, Pacific				
	Noncatalytic	6.4	63 %	10600-36400
Summit Series A, Summit Insert, Summit Classic and Alderlea T6				
	Noncatalytic	3.6	63 %	10300-37500
Vista Series C, Vista Classic, Vista Artisan, Vista Insert, and Alderlea T4				
	Noncatalytic	2.9	63 %	12400-26300

**Panda Wood Stoves**  
6261 Crater Lake Highway  
Medford OR97504 ,  
USA  
503-826-7804

UMF-400				
	Catalytic	5.0	72 %	7600-38300

**Pellefier Inc.**  
P.O. Box 487  
Morton WA98356-048 ,  
USA

Venturi PVI-87				
	Pellet	0.5	78 %	9000-31800

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

**Piazzetta S.p.A.**  
31010 Casell d'Asolo  
Treviso ,  
Italy

904

Noncatalytic

7.5

63 %

6700-28300

Model 905

Noncatalytic

6.8

63 %

11600-30300

**Polar Fireplaces**

4390 Paletta Court  
Burlington Ontario L7L 5R2 ,  
Canada  
905-632-4710

Woodchief 300 E

Noncatalytic

4.8

63 %

11600-43700

Woodchief 400 E

Noncatalytic

5.1

63 %

11500-59000

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Precision Gas Technologies**

1390 17th Avenue S.E.

Calgary Alberta T2G 5J3 ,

Canada

403-262-4421

WS-250

Noncatalytic

4.0

63 %

11700-50500

**PSG Distribution Inc.**

798, 8 leme Avenue Est.

La Guadeloupe Quebec G0M 1G0 ,

Canada

1-418-459-6458

<http://www.psg-distribution.com/site.asp>

Caddy (duct furnacea0

Noncatalytic

6.6

63 %

12000-52900

**Rais A/S**

23 Hack Green Road

Pound Ridge NY10576 ,

USA

(914) 764-5679

<http://www.raiswittus.com/>

Gabo Pina Vola

Noncatalytic

2.1

63 %

12,000-26,700

Malta, Bando and Bora

Noncatalytic

4.3

63 %

11400-32900



Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Rais 60-A Insert	Noncatalytic	7.2	63 %	11600-51300
Rondo, Mino II Steel and Mino II SST	Noncatalytic	4.3	63 %	11,431-22,561
<b>Renfyre Stove Co./Maco Enterprises, Inc</b>				
<b>RR 2</b>				
<b>Drayton</b>	<b>Ontario</b>	<b>N0G 1P0</b>		
<b>Canada</b>				
<b>519-638-2746</b>				
2800	Noncatalytic	3.4	63 %	11900-23700
5000 Combination Range Design #50001	Noncatalytic	5.5	63 %	13600-21600
Fireview 2300	Noncatalytic	7.0	63 %	11700-27500
Fireview Insert 2700	Noncatalytic	3.8	63 %	9400-27500

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Reverso Manufacturing, Ltd.**

790 Rowntree Dairy Road

Woodbridge Ontario L4L 5V3 ,

Canada

(416) 748-3064

Challenger MMX

Noncatalytic

2.6

63 %

11200-33800

**Riteway-Dominion Manufacturing Company, Inc.**

Box 5

1680 Country Club Road

Harrisonburg VA22801 ,

USA

(703) 434-3800

Dominion 005

Catalytic

4.5

72 %

7000-29100

**RJM Manufacturing, Inc**

P.O. Box 27

1210 Lowater Road

Chippewa Falls WI54729 ,

USA

715-720-1794

<http://www.energyking.com>

Achiever FPI-1-LEX

Catalytic

2.0

72 %

7900-26700

Energy King 2500C

Catalytic

3.0

72 %

16100-39800

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Energy King Bay 2000C	Catalytic	2.5	72 %	11400-34600
FPI-2-LEX/90	Catalytic	1.6	72 %	10300-36500
Model Silhouette 2850C	Catalytic	3.2	72 %	8100-34700

**RSF / Industrial Chimney Company, Incorporated**

400 J-F Kennedy

St. Jerome QCJ7Y 4C7 ,

Canada

450-565-6336

[www.icc-rsf.com](http://www.icc-rsf.com)

Ardent HF 40	Noncatalytic	9.9	63 %	6400-30600
HT (Onyx), ONYX AP	Noncatalytic	4.5	63 %	11800-35600
Opel 2000C, OPEL AP	Catalytic	3.7	72 %	10600-49700
TOPAZ/CHAEMELON (With Fan)	Noncatalytic	5.5	63 %	9500-25800

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

TOPAZ/CHAMELEON (Without Fan), TOPAZ, Chameleon

Noncatalytic

4.0

63 %

11100-25700

**Russo Products, Inc.**

61 Pleasant Street

Randolph MA02368 ,  
USA

781-963-1182

GV-30C

Catalytic

3.1

72 %

10300-39400

GV-30S

Catalytic

2.5

72 %

9500-38700

Russo Glassview GV-21

Catalytic

2.9

72 %

10200-29600

W-18C

Catalytic

6.2

72 %

7900-40900

W-25C

Catalytic

2.4

72 %

8400-31300

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Salvo Machinery, Inc.**

P.O. Box 6145  
220 Shove Street  
Fall River MA02724 ,  
USA  
508-678-7507

Citation Classic W45NC/WI45NC

Noncatalytic 7.1 63 % 11800-32200

Model Citation

Catalytic 2.4 72 % 9600-33500

**Sarratt Agencies Limited**

1/677 Boronia Road  
c/o Meridian Heating  
Wantirna 3152 ,  
Australia  
(0061-3) 887-2687

Merlin 3 FS-15, IS-15

Noncatalytic 6.1 63 % 9800-21100

**Saxon Wood Heaters Pty, Ltd.**

45 Princes Road West  
Auburn 02144 ,  
Australia  
+61 363811322

<http://www.tasmaniacentral.tas.gov.au/saxon/>

Rosewood

Noncatalytic 2.7 63 % 11600-36200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Security Chimneys International Ltd.**

2125 Monterey

Laval Quebec H7L 3T6 ,

Canada

450-973-9999

<http://www.securitychimneys.com/>

BIS Design No. 1.2

Noncatalytic

5.5

63 %

14200-55800

BIS II

Noncatalytic

5.3

63 %

11300-41500

BIS Panorama, Villa Vista

Catalytic

4.1

72 %

10900-35,600

BIS Tradition and Montecito Estate

Noncatalytic

7.3

63 %

11,500-39-300

BIS Ultima, Brentwood, BIS Tradition CE, and Montecito

Noncatalytic

3.7

63 %

10,442-27,746

BIS Ultra

Noncatalytic

5.1

63 %

11033-46700

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Selkirk Canada Corporation**

Model: HE36

Noncatalytic

1.0

63 %

6,668-15,290

Model HE40

Noncatalytic

5.7

63 %

11,383-45,459

**Shenandoah Manufacturing Company, Inc.**

P.O. Box 839

Harrisonburg VA22801 ,

USA

(703) 434-3838

CH-77, CH-84

Catalytic

3.1

72 %

8000-33800

**Sherwood Industries, Ltd.**

6782 Oldfield Road

Saanichton BCV8M 2A3 ,

Canada

604-652-6080

<http://www.enviro-fire.com/>

EF 3, Meridian and VF 100

Pellet

2.0

0 %

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Empress/Windsor	Pellet		78 %	
Enviro 1200, 1200I, Vista Flame 1200, 1200I	Noncatalytic	3.3	63 %	11,500-34,200
Enviro Fire 1000FS and Vista Flame 1000FS	Noncatalytic	4.1	63 %	11700-32700
Enviro Model 1700I, 1700 & Vista Flame 1700I, 1700	Noncatalytic	4.5	63 %	9,400-31,800
Envirofire EF2, EF2i, FS and FPI	Pellet	1.3	78 %	6,500-34,000
Envirofire - EF3 FS, FPI, EF3Bi FS, Vista Flame VF100 FS	Pellet	2.0	78 %	6,500-40,000
Envirofire - Meridian FS & FPI	Pellet	2.0	78 %	6,500-40,000
Greenfire GF55, GFI55	Pellet	2.0	78 %	6,500-40,000
OMEGA	Pellet		63 %	



Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Vista Flame 1600 FS, 1600 FPI, Envirofire 1600 FS, 1600 FPI			
Noncatalytic	3.5	63 %	11500-33600
Vista Flame 2100 FS, Envirofire 2100 FS			
Noncatalytic	2.9	63 %	11800-34000
Vista Flame Envirofire 1000			
Noncatalytic	6.5	63 %	10200-30800
Vista Flame Envirofire 1500			
Noncatalytic	7.0	63 %	11700-23100
Vista Flame Envirofire 2000			
Noncatalytic	3.2	63 %	11000-31100
Vista Flame Envirofire EF II			
Pellet		78 %	
Vista Flame Envirofire Evolution Model EF 5/VF 5			
Pellet		%	
Vista Flame Envirofire Pellet Stove			
Pellet		78 %	

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Sierra Productions,**

P.O. Box 1247  
720 North Mulberry Street  
Hildale UT84784 ,  
USA

Evolution Model 7000C

Catalytic                      2.8                      72 %                      7700-29400

**Sierra Products, Inc.**

P.O. Box 1247  
720 North Mulberry Street  
Hildale UT84784 ,  
USA

Cricket 5300

Noncatalytic                      6.6                      63 %                      11000-36400

EF-2100

Noncatalytic                      5.7                      63 %                      11,000-42,900

Sierra Ambassador 4700 TEC

Catalytic                      3.2                      72 %                      10800-42600

Sierra Classic 1500T

Noncatalytic                      7.5                      63 %                      6900-34600

Sierra Evolution 8000 TEC

Catalytic                      2.5                      72 %                      9700-35900

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Sweet Home AFX-HT, AFI-HT

Noncatalytic

6.4

63 %

11300-28200

## Stove Builder International

,

Apollo

Noncatalytic

63 %

BIO-35MF

Noncatalytic

1.8

63 %

6,668-15,290

BIO-45MF

Noncatalytic

1.2

63 %

8,569-29,784

FP2, FP5, FP7

Pellet

78 %

Monaco

Noncatalytic

4.4

63 %

11,479-30,450

Monaco 2008

Noncatalytic

4.4

63 %

11479-30,450

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Stove Builder International Inc.**

1700 Leonharmel

Quebec City      QuebecG1N 4R9      ,

Canada

418-527-3060

<http://www.drolet.ca/Engindex2.htm>

1600

Noncatalytic

4.4

63 %

11800-42400

1600 B-I/Ashley 4600/Forester 4700

Noncatalytic

4.8

63 %

11900-35500

2200 Bay/2000

Noncatalytic

2.7

63 %

11700-30400

Apollo/Apollo II

Noncatalytic

3.6

63 %

10600-24700

Emerald 2000

Pellet

1.7

78 %

7500-24500

Gemini 1500 (With Blower)

Noncatalytic

6.2

63 %

11500-43900

Gemini 1500N (Without Blower)

Noncatalytic

7.5

63 %

11100-37300

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
HT 1600-Standard/HT 1600 Deluxe/HT-1600 Siberian/Ashley 1600 Noncatalytic	3.5	63 %	11200-26400
HT-2000 Standard/HT-2000 Deluxe/HT-2000 Noncatalytic	3.9	63 %	11600-60300
Le Chancelier, NXT-1 and Solution 2.9 Noncatalytic	4.5	63 %	11900-29400
LeBachelier Noncatalytic	4.9	63 %	11800-24500
New Generation NG 1800/Magnolia 2015 Noncatalytic	5.7	63 %	11,500-30,800
Osburn 1100 Noncatalytic	5.7	63 %	11000-35000
Osburn 1800 Noncatalytic	2.7	63 %	9700-36300
Osburn 2400 B Noncatalytic	3.5	63 %	11900-40900
Sahara Noncatalytic	7.5	63 %	11,000-25,700

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
XVR-I/XLT-1/XT-1800 Classic EPA				
	Noncatalytic	6.9	63 %	11,400-27,500
XVR-II, XT-1400 adn XLT-II				
	Noncatalytic	5.9	63 %	11800-27300

**Stove Builder International Incorporated**

1700 Leonharmel Street  
 Quebec City Quebec G1N 4R9 ,  
 Canada  
 418-527-3060

<http://www.drolet.ca/Engindex2.htm>

HT-1200 and Ashley 1200				
	Noncatalytic	6.5	63 %	8300-36000

**StoveBuilder International, Inc.**

536 Guy Street  
 Granby Quebec J2G 7J8 ,  
 Canada  
 450-777-6070

Model HE-1800, XE-1800 & XTD-1.9				
	Noncatalytic	5.9	63 %	11600-38700

XTD1.1/XE-1000				
	Noncatalytic	6.0	63 %	9900-47300

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

### Suburban Manufacturing Company

676 Broadway Street  
P.O. Box 399

Dayton TN37321 ,  
USA  
(615) 775-2131

Woodchief W6-88C, Woodmaster W6-88WC

Catalytic 3.4 72 % 9500-42500

### TEC Enterprises

Box 23

Lewiston ID83501 ,  
USA  
(208) 843-7297

2000 pellet stove

Pellet 4.7 78 % 11600-22500

### Thelin Company Inc.

P.O. Box 847

Nevada City NV95959 ,  
USA  
(916) 273-1976

<http://www.thelinco.com/>

Thelin T-4000

Noncatalytic 3.6 63 % 9,900-38400

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

## Thermic Distribution Europe

5 Voie Axiale

Couvin 5660 ,

Belgium

+ 32 60 31 01 04

Efel Harmony 386.75

Catalytic

3.8

72 %

7100-51000

Efel Symphony 387.74

Catalytic

5.1

72 %

10600-49700

Efel Symphony 390.74

Catalytic

1.8

72 %

10700-33000

Harmony I

Noncatalytic

4.4

63 %

11800-55000

Harmony IIIB

Noncatalytic

2.7

63 %

11,200-57,300

Model S-33,H33,R33,33

Noncatalytic

3.3

63 %

8,600-37,300



Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Thermic, Inc.**

P.O. Box 11986  
N. 9510 Newport Highway  
Spokane WA99211 ,  
USA  
509-467-4328

Crossfire FS-1

Pellet

0.5

78 %

6900-39900

**Tianjin Berkeley Furniture Corporation**

18400 East Gale Avenue  
Berkeley Forge and Foundry  
City of Industry CA91748 ,  
USA  
626-810-0101  
<http://www.berkeleyforge.com/>

TR 001

Noncatalytic

4.2

63 %

9200-28300

**Tolotti Manufacturing, Inc.**

670 Dunn Circle  
Sparks NV89431 ,  
USA  
702-359-5661

Benchmark, 1800; P,I,ZC

Noncatalytic

7.8

63 %

10000-32000

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Travis Industries, Inc.**

4800 Harbour Point Blvd. SW

Mukilteo WA98275 ,

USA

425-827-9505

<http://www.travisproducts.com/>

Avalon 1000C2

Catalytic

3.5

72 %

7300-47100

Avalon 1196, Lopi 520/96, Flush Bay-96

Noncatalytic

7.4

63 %

11300-43600

Avalon 700

Noncatalytic

5.9

63 %

9200-39100

Avalon 901

Noncatalytic

5.2

63 %

7500-45500

Avalon 996

Noncatalytic

5.5

63 %

9500-45600

Avalon Cottage/Mission

Noncatalytic

2.9

63 %

11600-36500

Avalon Olympic, Lopi Liberty, Lopi Freedom Bay

Noncatalytic

2.6

63 %

12000-45100

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Avalon Pendelton 90/Pendelton 45	Noncatalytic	3.0	63 %	8700-44400
Avalon Rainier 90/Rainier 45	Noncatalytic	2.0	63 %	11200-40000
Fireplace Xtrordinair 44 Elite	Catalytic	2.5	72 %	11000-45300
Fireplace Xtrordinair Elite 36 Z.C. & B.I.	Catalytic	2.3	72 %	11900-47100
Fireplace Xtrordinair Model 36A	Catalytic	4.1	72 %	10300-54700
Flex-95 FL, LX, and FS	Catalytic	4.1	72 %	10900-55300
Flush Wood A Fireplace Insert	Noncatalytic	4.1	63 %	11,300-33,400
Leyden and Avalon Arbor	Noncatalytic	2.4	63 %	10,700-33,900
LOPI 380-96	Noncatalytic	5.2	63 %	9400-52800

Model Name	Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
LOPI ANSWER/LOPI PATRIOT/LOPI PARLOR/LOPI Republic, Model Number 1250 and Avalon Spokane			
Noncatalytic	4.4	63 %	11600-38500
LOPI Answer/Patriot (Formerly Answer-NT)			
Noncatalytic	3.3	63 %	12000-41000
Lopi Elan E1, E2			
Noncatalytic	4.3	63 %	11700-26300
Lopi Elan-96			
Noncatalytic	7.4	63 %	12000-51400
Lopi Endeavor, Lopi Revere (Formerly 380-NT & X-NT)			
Noncatalytic	1.9	63 %	9300-42200
Lopi Flawless Performance 380, 440			
Noncatalytic	7.0	63 %	6900-48700
Lopi Flex FS, FL, LX			
Catalytic	2.9	72 %	10900-31000
LOPI Freedom			
Noncatalytic	3.6	63 %	11800-47500
Lopi Premiere Answer Series PA1, PA2, PA3, PA4,PA5			
Noncatalytic	7.0	63 %	8000-31500

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Lopi Sheffield	Noncatalytic	3.9	63 %	10,300-34,400
Lopi The Answer	Noncatalytic	6.7	63 %	10500-63100
Lopi X Fireplace Insert	Noncatalytic	6.0	63 %	13600-29100
Lopi X/96	Noncatalytic	7.2	63 %	11600-53900
Model 36 F	Catalytic	4.0	72 %	11900-55000
Model 44-A BI and Z.C.	Catalytic	2.3	72 %	10700-75700
SunRise P-48-H, P-48-L	Noncatalytic	5.5	63 %	11700-25800

**Tri-Fab, Inc.**  
**62880 Peerless Court**  
**Bend OR97701** ,  
**USA**  
**503-389-0304**

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
SunRise P-54 & SunRise PIL-8	Noncatalytic	5.0	63 %	10600-26500
SunRise P56	Noncatalytic	6.2	63 %	10700-39700

**Tulikivi Oyj**

Tulikivi Maxi XV 2	Noncatalytic	4.2	63 %	12,058-38,224
Tulikivi MINI XV 1	Noncatalytic	4.5	63 %	12,100-38,200

**U.S. Stove Company**  
 227 Industrial Park Drive  
 South Pittsburg TN37380 ,  
 USA  
 (615) 837-2100

<http://www.usstove.com/>

Ashley AFS24, King K3, cat., freestanding/insert	Catalytic	2.6	72 %	10300-34600
Ashley AHS2, AHS2B; King KHS2	Catalytic	1.9	72 %	13700-34300

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
Ashley C-92	Catalytic	3.0	72 %	11000-36900
Ashley CAHF-2, Atlanta ACF-2, King MCF-2	Catalytic	1.6	72 %	12800-38900
ASHLEY NCA-1/KING KPS	Noncatalytic	7.2	63 %	6500-23200
Bay Insert 4500	Catalytic	3.7	72 %	9600-30700
Clayton Mfg Clay 60B, 70	Catalytic	2.7	72 %	12100-54300
Wonder Wood 6000, 2821, Sears 143.8404	Catalytic	3.7	72 %	9100-18700
Wonder Wood (Glass Front) 2921, Sears 143.8417	Catalytic	3.3	72 %	12500-54600

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**United States Stove Company**

5500M, 5500XL, 5500XLT

Pellet

1.6

78 %

9,126-27,677

6039, 6039 T, 6039 HF, 6039 TP

Pellet

1.5

78 %

8,528-29,921

APS 1100B

Noncatalytic

5.9

63 %

10,100-25,000

**Vestal Manufacturing**

P.O. Box 420

Sweetwater TN37874 ,

USA

615-337-6125

Vestal Fireplace Insert V-200-I, V-200-P, V-200-L

Catalytic

2.0

72 %

11700-26500

Vestal Radiant Heater V-100

Catalytic

2.2

72 %

9400-27700



Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

### Vogelzang International Incorporated

18400 East Gale Avenue  
400 West 17th Street  
Holland MI49423 ,  
USA  
616-396-1911  
<http://www.berkeleyforge.com/>

Defender

Noncatalytic 4.2 63 % 9200-28300

Highlander, Shiloh Insert, Model TR003

Noncatalytic 5.8 63 % 9000-26300

### Wamsler Herd und Ofen GmbH

Landsberger Strasse 372  
D-8000 Munchen 21 ,  
Germany  
89-589-6243

HOK 10

Noncatalytic 4.6 63 % 9200-16900

### Waterford Stanley Limited

Bilberry Waterfo ,  
Ireland  
011-353-51-302300

<http://www.waterfordstanley.com/>

100B 90 32 RV

Noncatalytic 3.9 63 % 10600-26500

Model Name		Emissions (g/hr)	Efficiency	Heat Output (BTU/hr)
100B 90 32 TV	Noncatalytic	3.1	63 %	10800-32400
100B Design 29	Noncatalytic	7.5	63 %	7200-27500
104 MK II 31	Noncatalytic	2.9	63 %	8800-25900
Ashling	Noncatalytic	4.1	63 %	12000-29800
Erin	Noncatalytic	7.6	63 %	11800-41500
Erin OA	Noncatalytic	4.1	63 %	10400-30300
Erin/90 TV	Noncatalytic	5.7	63 %	10200-39900
Erin/90 TV	Noncatalytic	4.2	63 %	10500-40900
Model 100B, 100B O.S.A., Leprechaun	Noncatalytic	4.3	63 %	9000-26700

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Trinity 35

Noncatalytic

7.0

63 %

11800-39300

Trinity OA

Noncatalytic

4.0

63 %

11500-43800

**Webco Industries**

105 East Street

Woodland CA95695 ,

USA

(916) 666-6107

Marquis 800, 800 XL

Catalytic

3.6

72 %

9900-20000

**Weitz & Co., Inc.**

1447 E. State St.

P.O. Box 340

Boise ID83616 ,

USA

208-939-8218

<http://www.blazeking.com/>

Briarwood BB, BBI and BBZC

Noncatalytic

4.8

63 %

10600-25300

Briarwood II 87

Noncatalytic

7.3

63 %

9900-45900

Briarwood XE 88

Noncatalytic

6.4

63 %

12800-34200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Eagle 88, Pioneer ZC

Noncatalytic

6.4

63 %

12800-22800

**Welenco Manufacturing, Inc.**

533 Thain Rd

Lewiston ID83501-553 ,  
USA

(208) 743-5525

P-1000W

Pellet

0.7

78 %

9600-23900

**Weso-Aurorahautte GmbH**

Pleasant Drive

Ceramic Radiant Heat

Lochmere NH03252 ,  
USA

603-524-9663

Prestige 125, 225, 325, 425

Noncatalytic

7.3

63 %

8900-31200

Renaissance 326

Noncatalytic

8.0

63 %

9200-32900

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Winrich International**

**P.O. Box 51**

**Bristol WI53104 ,**

**USA**

**414-857-7800**

Winrich Pellet Stove

Pellet

1.6

78 %

8500-27900

**Winston Stove Company**

**13643 Fifth Street**

**Chino CA91710 ,**

**USA**

**909-591-7405**

Model WP-18

Pellet

0.6

78 %

10000-21300

Model WP-24

Pellet

1.5

78 %

9700-29400

**Wittus Fire By Design**

**PO Box120**

**Pound Ridge, NY 10576**

**,**

Shaker Stove

Catalytic

7.3

63 %

9,667-29,242

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Wolf Steel Ltd.**

24 Napoleon Road

Barrie ONL4M 4Y8 ,

Canada

705-721-1212

<http://www.napoleon.on.ca/>

1600C-1

Noncatalytic

7.2

63 %

9,200-33,400

EPA1600C

Noncatalytic

5.4

63 %

12,375-28,127

Napoleon 1000

Noncatalytic

6.5

63 %

10200-30800

Napoleon 1100

Noncatalytic

4.1

63 %

11700-32700

Napoleon 1400

Noncatalytic

3.5

63 %

11500-33600

Napoleon 1500

Noncatalytic

7.0

63 %

11700-23100

Napoleon 1900

Noncatalytic

2.9

63 %

11800-34000

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

Napoleon 2000

Noncatalytic

3.2

63 %

11000-31100

Napoleon Prestige NZ-26

Noncatalytic

5.4

63 %

11500-27400

**Wolf's Casual Living**

6101 N Blackstone Avenue

Fresno CA93710 ,

USA

559-431-6120

BV

Catalytic

3.8

72 %

10800-35400

**Woodkiln Inc.**

24 Jamestown Street

Sinclairville NY14782 ,

USA

(716) 962-8178

Woodkiln WK-23

Noncatalytic

3.8

63 %

10700-27200

Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Woodstock Soapstone Company, Inc.**

66 Airpark Road

West Lebanon NH03784 ,

USA

603-298-5955

<http://www.woodstocksoapstone.com/>

Catalytic Fairview Soapstone Stove #201

Catalytic

3.5

72 %

13200-40000

Catalytic Fireview Soapstone Stove #205

Catalytic

1.4

72 %

10900-42900

Paladian Model 202 & Model 203

Catalytic

1.9

72 %

8500-35000

**Yunca Heating**

P.O. Box 932

38 Bowmont Street

Invercargill ,

New Zealand

Yunca WEGJ E/481

Noncatalytic

5.0

63 %

10700-30300



Model Name

Emissions  
(g/hr)

Efficiency

Heat Output  
(BTU/hr)

---

**Zephyr Stoves, Inc.**

2800 Pringle Road SE Ste 130

Salem Oregon, 97302

888-842-8454

Volcano Plus

Noncatalytic

4.5

63 %

10,700-34,800

---

Total number of certified stoves:

714

Efficiencies shown are default efficiencies. These stoves have not been laboratory tested for efficiency.

The default efficiencies are: noncatalytic wood heaters - 63%, catalytic wood heaters - 72% and pellet stoves - 78%.