MADISONVILLE CREOSOTE WORKS ST. TAMMANY PARISH LOUISIANA

EPA REGION 6
CONGRESSIONAL DISTRICT 01

Contact: Laura Stankosky 214-665-7525

Updated: April 2009

EPA ID# LAD981522998 Site ID: 0600653

Current Status -

- The Madisonville Creosote Works Superfund Site (Site) site is currently in operation & maintenance status. The Louisiana Department of Environmental Quality (LDEQ) operates the dense non-aqueous phase liquid (DNAPL) recovery trench system and performs routine monitoring. The EPA, LDEQ, and St. Tammany Parish have explored recreational reuse scenarios for future use of the property. The site is ready for limited reuse.
- The DNAPL recovery trench system continues to operate. An estimated 10,700 gallons of creosote have been recovered as of March 2009.
- The second Five-Year Review for the site was signed on February 26, 2009. The review determined that the selected remedy for the site is protective of human health and the environment. No major issues were identified during the site inspection or remedy review. The remedy will remain protective provided the DNAPL recovery trenches and the wastewater treatment plant (WWTP) are maintained, ground water monitoring data are evaluated to determine if the protection of ground water and the Upland Terrace Aquifer is occurring, security fencing around the DNAPL recovery trenches and WWTP is maintained, and access restrictions continue to be enforced.

Benefits -

Remediation of the contaminated media greatly reduced the human health and ecological risks and protected drinking water supplies.

National Priorities Listing (NPL) History •

Proposed Date: June 17, 1996 Final Date: December 23, 1996

Location: The Site consists of a defunct creosote wood treating facility and covers about 29 acres in

Section 42, Township 7S, Range 10E, St. Tammany Parish, in southeastern Louisiana. It is adjacent to the southern side of Louisiana State Highway 22, about 3 miles west of downtown Madisonville and 1.25 miles from the Madisonville city limits. The approximate geographical center of the Site is at 30° 25'38" north latitude and 90° 11'55" west longitude as measured from the United States Geological Survey (USGS) 7.5-minute series topographic quadrangle for Madisonville, Louisiana. The address of the property is

1421 West Highway 22, Madisonville, Louisiana 70447.

Population: 500 residents within 1 mile radius


Setting: The area surrounding the Site is predominantly rural and wooded with four residences

immediately adjacent to the defunct wood treating facility. There are two unnamed

EPA Publication Date: May 6, 2009

Principal Pollutants: Polynuclear aromatic hydrocarbons (creosote compounds).

Site Map



Health Considerations

The creosote compounds are carcinogens. To ensure a protective level of residential/recreational usage for the Site, EPA selected a numerical cleanup goal of 3 mg/kg benzo(a)pyrene (BAP) equivalents (a major creosote PAH constituent).

Record of Decision (ROD) -

Soil, Sediment and DNAPL Recovery, Operable Unit 1: ROD signed August 25, 1998

The remedy included the following:

Low Temperature Thermal Desorption (LTTD) to address the principal threat wastes within the soil and steam sediment and to eliminate the source of contamination for surface water.

- Dense Non-Aqueous Phase Liquids (DNAPL) recovery trench system to contain and recover low level threat wastes within the ground water;
- Institutional controls to ensure that future individuals will not be exposed to remaining low level Site contaminants during its containment and recovery; and,
- Ground Water monitoring to ensure the effectiveness of the cleanup remedy.

The cleanup was completed in May 2000. A total of 371 tons of creosote sludge and 9,512 gallons of creosote sludge and liquid were removed. A total of 131,000 tons of contaminated soil and sediment from the site and adjacent stream were excavated, thermally treated, and placed back on-site. The ROD required excavation and LTTD treatment to 3 mg/kg BAP equivalents for contaminated soil up to 2 feet below ground surface and 100 mg/kg BAP equivalents for contaminated soil between 2 to 4 feet below ground surface. The ROD also called for installation of a DNAPL recovery trench system to the creosote that leaked into the subsurface soils.

Site Contacts

EPA Remedial Project Manager: Laura Stankosky 214-665-7525 or 800-533-3508

EPA Site Attorney: Joseph Compton III 214-665-8506

EPA Public Liaison: Donn R. Walters 214-665-6483 or 800-533-3508

LDEQ State Contact: John Halk 225-219-3190