LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	_
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
- 10	United States		4044.10	. 10.10
	All causes	2,403,351	100.0	873.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	710,760	29.6	258.2
2	Malignant neoplasms (C00-C97)	553,091	23.0	200.9
3	Cerebrovascular diseases (160-169)	167,661	7.0	60.9
4	Chronic lower respiratory diseases (J40-J47)	122,009	5.1	44.3
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	97,900	4.1	35.6
6	Diabetes mellitus (E10-E14)	69,301	2.9	25.2
7	Influenza and pneumonia (J10-J18)	65,313	2.7	23.7
8	Alzheimer's disease (G30)	49,558	2.1	18.0
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	37,251	1.5	13.5
10	Septicemia (A40-A41)	31,224	1.3	11.3
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	29,350	1.2	10.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	26,552	1.1	9.6
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	18,073	8.0	6.6
14	Assault (homicide) (X85-Y09,Y87.1)	16,765	0.7	6.1
15	Pneumonitis due to solids and liquids (J69)	16,636	0.7	6.0
	All other causes (Residual)	391,907	16.3	142.4
	Alabama			
	All causes	45,062	100.0	1,027.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,406	29.8	305.5
2	Malignant neoplasms (C00-C97)	9,807	21.8	223.5
3	Cerebrovascular diseases (I60-I69)	3,183	7.1	72.5
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,093	4.6	47.7
5	Chronic lower respiratory diseases (J40-J47)	2,057	4.6	46.9
6	Diabetes mellitus (E10-E14)	1,321	2.9	30.1
7	Influenza and pneumonia (J10-J18)	1,138	2.5	25.9
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	939	2.1	21.4
9	Alzheimer's disease (G30)	895	2.0	20.4
10	Septicemia (A40-A41)	775	1.7	17.7
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	583	1.3	13.3
12	Assault (homicide) (X85-Y09,Y87.1)	444	1.0	10.1
13	Chronic liver disease and cirrhosis (K70,K73-K74)	407	0.9	9.3
14	Certain conditions originating in the perinatal period (P00-P96)	293	0.7	6.7
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	291	0.6	6.6
	All other causes (Residual)	7,430	16.5	169.3

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

			Percent of	
D L-1	Cause of death (Based on the Tenth Revision, International Classification of	Niconale	total	D-4-
Rank <sup>1</sup>	Diseases, 1992) and State Alaska	Number	deaths	Rate
	AldSkd			
	All causes	2,914	100.0	468.4
1	Malignant neoplasms (C00-C97)	704	24.2	113.2
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	607	20.8	97.6
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	343	11.8	55.1
4	Cerebrovascular diseases (I60-I69)	170	5.8	27.3
5	Intentional self-harm (suicide) (X60-X84,Y87.0)	137	4.7	22.0
6	Chronic lower respiratory diseases (J40-J47)	132	4.5	21.2
7	Diabetes mellitus (E10-E14)	87	3.0	14.0
8	Alzheimer's disease (G30)	47	1.6	7.6
9	Influenza and pneumonia (J10-J18)	45	1.5	7.2
9	Chronic liver disease and cirrhosis (K70,K73-K74)	45	1.5	7.2
11	Assault (homicide) (X85-Y09,Y87.1)	37	1.3	5.9
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	30	1.0	4.8
13	Certain conditions originating in the perinatal period (P00-P96)	23	8.0	3.7
14	Congenital malformations, deformations and chromosomal abnormalities (Q00-			
	Q99)	22	8.0	3.5
15	Parkinson's disease (G20-G21)	19	0.7	*
	All other causes (Residual)	466	16.0	74.9
	Arizona			
	All causes	40,500	100.0	829.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	10,584	26.1	216.8
2	Malignant neoplasms (C00-C97)	9,073	22.4	185.8
3	Cerebrovascular diseases (I60-I69)	2,648	6.5	54.2
4	Chronic lower respiratory diseases (J40-J47)	2,508	6.2	51.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,326	5.7	47.6
6	Influenza and pneumonia (J10-J18)	1,222	3.0	25.0
7	Alzheimer's disease (G30)	1,045	2.6	21.4
8	Diabetes mellitus (E10-E14)	1,012	2.5	20.7
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	784	1.9	16.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	656	1.6	13.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	614	1.5	12.6
12	Assault (homicide) (X85-Y09,Y87.1)	410	1.0	8.4
13	Septicemia (A40-A41)	345	0.9	7.1
14	Parkinson's disease (G20-G21)	344	0.8	7.0
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	294	0.7	6.0
	All other causes (Residual)	6,635	16.4	135.9

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of	•	Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Arkansas			
	All causes	28,217	100.0	1,095.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,278	29.3	321.3
2	Malignant neoplasms (C00-C97)	6,090	21.6	236.4
3	Cerebrovascular diseases (I60-I69)	2,255	8.0	87.5
4	Chronic lower respiratory diseases (J40-J47)	1,405	5.0	54.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,267	4.5	49.2
6	Influenza and pneumonia (J10-J18)	798	2.8	31.0
7	Diabetes mellitus (E10-E14)	714	2.5	27.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	500	1.8	19.4
9	Septicemia (A40-A41)	433	1.5	16.8
10	Alzheimer's disease (G30)	430	1.5	16.7
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	349	1.2	13.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	228	8.0	8.8
13	Pneumonitis due to solids and liquids (J69)	220	8.0	8.5
14	Assault (homicide) (X85-Y09,Y87.1)	204	0.7	7.9
15	Parkinson's disease (G20-G21)	166	0.6	6.4
	All other causes (Residual)	4,880	17.3	189.4
	California			
	All causes	229,551	100.0	682.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	68,426	29.8	203.5
2	Malignant neoplasms (C00-C97)	53,158	23.2	158.1
3	Cerebrovascular diseases (I60-I69)	18,185	7.9	54.1
4	Chronic lower respiratory diseases (J40-J47)	12,756	5.6	37.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	8,577	3.7	25.5
6	Influenza and pneumonia (J10-J18)	8,324	3.6	24.8
7	Diabetes mellitus (E10-E14)	6,190	2.7	18.4
8	Alzheimer's disease (G30)	4,419	1.9	13.1
9	Chronic liver disease and cirrhosis (K70,K73-K74)	3,666	1.6	10.9
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	2,969	1.3	8.8
11	Assault (homicide) (X85-Y09,Y87.1)	2,064	0.9	6.1
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	2,016	0.9	6.0
13	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,785	0.8	5.3
14	Atherosclerosis (I70)	1,629	0.7	4.8
15	Parkinson's disease (G20-G21)	1,484	0.6	4.4
	All other causes (Residual)	33,903	14.8	100.8

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

			Percent of	
	Cause of death (Based on the Tenth Revision, International Classification of		total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Colorado			
	All causes	27,288	100.0	659.7
 1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,184	22.7	149.5
2	Malignant neoplasms (C00-C97)	5,922	21.7	143.2
3	Cerebrovascular diseases (I60-I69)	1,907	7.0	46.1
4	Chronic lower respiratory diseases (J40-J47)	1,787	6.5	43.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,702	6.2	41.1
6	Alzheimer's disease (G30)	712	2.6	17.2
7	Diabetes mellitus (E10-E14)	635	2.3	15.4
8	Intentional self-harm (suicide) (X60-X84,Y87.0)	613	2.2	14.8
9	Influenza and pneumonia (J10-J18)	607	2.2	14.7
10	Atherosclerosis (I70)	475	1.7	11.5
11	Chronic liver disease and cirrhosis (K70,K73-K74)	421	1.5	10.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	357	1.3	8.6
13	Septicemia (A40-A41)	286	1.0	6.9
14	Parkinson's disease (G20-G21)	240	0.9	5.8
15	Pneumonitis due to solids and liquids (J69)	231	0.8	5.6
	All other causes (Residual)	5,209	19.1	125.9
	Connecticut			
	All causes	30,129	100.0	913.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,993	29.8	272.7
2	Malignant neoplasms (C00-C97)	7,065	23.4	214.3
3	Cerebrovascular diseases (I60-I69)	2,011	6.7	61.0
4	Chronic lower respiratory diseases (J40-J47)	1,533	5.1	46.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,175	3.9	35.6
6	Influenza and pneumonia (J10-J18)	890	3.0	27.0
7	Diabetes mellitus (E10-E14)	683	2.3	20.7
8	Septicemia (A40-A41)	537	1.8	16.3
9	Alzheimer's disease (G30)	526	1.7	16.0
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	524	1.7	15.9
11	Pneumonitis due to solids and liquids (J69)	347	1.2	10.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	333	1.1	10.1
13	Intentional self-harm (suicide) (X60-X84,Y87.0)	304	1.0	9.2
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	240	0.8	7.3
15	Aortic aneurysm and dissection (I71)	225	0.7	6.8
	All other causes (Residual)	4,743	15.7	143.8

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Delaware			
	All causes	6,875	100.0	902.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,983	28.8	260.2
2	Malignant neoplasms (C00-C97)	1,609	23.4	211.1
3	Cerebrovascular diseases (I60-I69)	430	6.3	56.4
4	Chronic lower respiratory diseases (J40-J47)	341	5.0	44.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	290	4.2	38.0
6	Influenza and pneumonia (J10-J18)	229	3.3	30.0
7	Diabetes mellitus (E10-E14)	193	2.8	25.3
8	Septicemia (A40-A41)	142	2.1	18.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	111	1.6	14.6
10	Alzheimer's disease (G30)	110	1.6	14.4
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	82	1.2	10.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	71	1.0	9.3
13	Human immunodeficiency virus (HIV) disease (B20-B24)	68	1.0	8.9
14	Pneumonitis due to solids and liquids (J69)	67	1.0	8.8
15	Certain conditions originating in the perinatal period (P00-P96)	66	1.0	8.7
	All other causes (Residual)	1,083	15.8	142.1
	District of Columbia			
	All causes	6,001	100.0	1,157.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,756	29.3	338.8
2	Malignant neoplasms (C00-C97)	1,335	22.2	257.5
3	Human immunodeficiency virus (HIV) disease (B20-B24)	256	4.3	49.4
4	Cerebrovascular diseases (I60-I69)	252	4.2	48.6
5	Diabetes mellitus (E10-E14)	221	3.7	42.6
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	204	3.4	39.4
7	Assault (homicide) (X85-Y09,Y87.1)	184	3.1	35.5
8	Chronic lower respiratory diseases (J40-J47)	175	2.9	33.8
9	Septicemia (A40-A41)	122	2.0	23.5
10	Influenza and pneumonia (J10-J18)	111	1.8	21.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	84	1.4	16.2
12	Alzheimer's disease (G30)	75	1.2	14.5
13	Chronic liver disease and cirrhosis (K70,K73-K74)	57	0.9	11.0
14	Certain conditions originating in the perinatal period (P00-P96)	55	0.9	10.6
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	46	0.8	8.9
	All other causes (Residual)	1,068	17.8	206.0

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

<u></u>	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Florida	ranison	acatile	rtato
	All causes	164,395	100.0	1,072.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	50,336	30.6	328.3
2	Malignant neoplasms (C00-C97)	39,183	23.8	255.6
3	Cerebrovascular diseases (I60-I69)	10,532	6.4	68.7
4	Chronic lower respiratory diseases (J40-J47)	8,645	5.3	56.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	6,267	3.8	40.9
6	Diabetes mellitus (E10-E14)	4,449	2.7	29.0
7	Influenza and pneumonia (J10-J18)	3,365	2.0	21.9
8	Alzheimer's disease (G30)	3,265	2.0	21.3
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	2,086	1.3	13.6
10	Chronic liver disease and cirrhosis (K70,K73-K74)	2,072	1.3	13.5
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,888	1.1	12.3
12	Human immunodeficiency virus (HIV) disease (B20-B24)	1,801	1.1	11.7
13	Septicemia (A40-A41)	1,381	0.8	9.0
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,294	0.8	8.4
15	Parkinson's disease (G20-G21)	1,198	0.7	7.8
	All other causes (Residual)	26,633	16.2	173.7
	Georgia			
	All causes	63,870	100.0	804.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,406	27.3	219.1
2	Malignant neoplasms (C00-C97)	13,690	21.4	172.4
3	Cerebrovascular diseases (I60-I69)	4,625	7.2	58.2
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,103	4.9	39.1
5	Chronic lower respiratory diseases (J40-J47)	3,067	4.8	38.6
6	Influenza and pneumonia (J10-J18)	1,792	2.8	22.6
7	Diabetes mellitus (E10-E14)	1,461	2.3	18.4
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,263	2.0	15.9
9	Alzheimer's disease (G30)	1,235	1.9	15.5
10	Septicemia (A40-A41)	1,171	1.8	14.7
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	847	1.3	10.7
12	Human immunodeficiency virus (HIV) disease (B20-B24)	744	1.2	9.4
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	712	1.1	9.0
14	Assault (homicide) (X85-Y09,Y87.1)	659	1.0	8.3
15	Chronic liver disease and cirrhosis (K70,K73-K74)	631	1.0	7.9
	All other causes (Residual)	11,464	17.9	144.3

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Hawaii			
	All causes	8,290	100.0	703.0
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,390	28.8	202.7
2	Malignant neoplasms (C00-C97)	1,943	23.4	164.8
3	Cerebrovascular diseases (I60-I69)	747	9.0	63.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	343	4.1	29.1
5	Chronic lower respiratory diseases (J40-J47)	278	3.4	23.6
6	Influenza and pneumonia (J10-J18)	221	2.7	18.7
7	Diabetes mellitus (E10-E14)	203	2.4	17.2
8	Intentional self-harm (suicide) (X60-X84,Y87.0)	137	1.7	11.6
9	Septicemia (A40-A41)	135	1.6	11.4
10	Alzheimer's disease (G30)	118	1.4	10.0
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	113	1.4	9.6
12	Pneumonitis due to solids and liquids (J69)	103	1.2	8.7
13	Chronic liver disease and cirrhosis (K70,K73-K74)	86	1.0	7.3
14	Certain conditions originating in the perinatal period (P00-P96)	77	0.9	6.5
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	75	0.9	6.4
	All other causes (Residual)	1,321	15.9	112.0
	Idaho			
	All causes	9,563	100.0	751.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,519	26.3	197.8
2	Malignant neoplasms (C00-C97)	2,128	22.3	167.1
3	Cerebrovascular diseases (I60-I69)	720	7.5	56.5
4	Chronic lower respiratory diseases (J40-J47)	569	6.0	44.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	518	5.4	40.7
6	Diabetes mellitus (E10-E14)	304	3.2	23.9
7	Influenza and pneumonia (J10-J18)	288	3.0	22.6
8	Alzheimer's disease (G30)	262	2.7	20.6
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	167	1.7	13.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	109	1.1	8.6
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	96	1.0	7.5
12	Aortic aneurysm and dissection (I71)	89	0.9	7.0
13	Parkinson's disease (G20-G21)	84	0.9	6.6
14	Certain conditions originating in the perinatal period (P00-P96)	76	0.8	6.0
15	Congenital malformations, deformations and chromosomal abnormalities (Q00-			
	Q99)	70	0.7	5.5
	All other causes (Residual)	1,564	16.4	122.8

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

			Percent of	
	Cause of death (Based on the Tenth Revision, International Classification of		total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Illinois			
	• "			
	All causes	106,634	100.0	875.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	31,844	29.9	261.3
2	Malignant neoplasms (C00-C97)	25,365	23.8	208.2
3	Cerebrovascular diseases (I60-I69)	7,429	7.0	61.0
4	Chronic lower respiratory diseases (J40-J47)	4,768	4.5	39.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,041	3.8	33.2
6	Diabetes mellitus (E10-E14)	2,995	2.8	24.6
7	Influenza and pneumonia (J10-J18)	2,917	2.7	23.9
8	Alzheimer's disease (G30)	2,154	2.0	17.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,128	2.0	17.5
10	Septicemia (A40-A41)	1,873	1.8	15.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,065	1.0	8.7
12	Intentional self-harm (suicide) (X60-X84,Y87.0)	1,003	0.9	8.2
13	Assault (homicide) (X85-Y09,Y87.1)	991	0.9	8.1
14	Pneumonitis due to solids and liquids (J69)	856	8.0	7.0
15	Certain conditions originating in the perinatal period (P00-P96)	855	8.0	7.0
	All other causes (Residual)	16,350	15.3	134.2
	Indiana			
	All causes	55,469	100.0	928.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,210	29.2	271.2
2	Malignant neoplasms (C00-C97)	12,842	23.2	214.9
3	Cerebrovascular diseases (160-169)	4,247	7.7	71.1
4	Chronic lower respiratory diseases (J40-J47)	3,052	5.5	51.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,139	3.9	35.8
6	Diabetes mellitus (E10-E14)	1,673	3.0	28.0
7	Influenza and pneumonia (J10-J18)	1,270	2.3	21.3
8	Alzheimer's disease (G30)	1,209	2.2	20.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,084	2.0	18.1
10	Septicemia (A40-A41)	805	1.5	13.5
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	683	1.2	11.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	490	0.9	8.2
13	Pneumonitis due to solids and liquids (J69)	461	0.8	7.7
14	Parkinson's disease (G20-G21)	417	0.8	7.0
15	Aortic aneurysm and dissection (I71)	394	0.7	6.6
	All other causes (Residual)	8,493	15.3	142.1
•••		5, .00		

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

<u> </u>	Cause of death (Based on the Tenth Revision, International Classification of	-	Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Iowa			
	All causes	28,060	100.0	975.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,559	30.5	297.5
2	Malignant neoplasms (C00-C97)	6,448	23.0	224.1
3	Cerebrovascular diseases (I60-I69)	2,187	7.8	76.0
4	Chronic lower respiratory diseases (J40-J47)	1,512	5.4	52.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,070	3.8	37.2
6	Influenza and pneumonia (J10-J18)	937	3.3	32.6
7	Alzheimer's disease (G30)	769	2.7	26.7
8	Diabetes mellitus (E10-E14)	630	2.2	21.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	313	1.1	10.9
10	Atherosclerosis (I70)	294	1.0	10.2
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	289	1.0	10.0
12	Pneumonitis due to solids and liquids (J69)	263	0.9	9.1
13	Aortic aneurysm and dissection (I71)	227	0.8	7.9
14	Septicemia (A40-A41)	226	0.8	7.9
15	Parkinson's disease (G20-G21)	202	0.7	7.0
	All other causes (Residual)	4,134	14.7	143.7
	Kansas			
	All causes	24,717	100.0	927.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,931	28.0	260.0
2	Malignant neoplasms (C00-C97)	5,223	21.1	195.9
3	Cerebrovascular diseases (I60-I69)	1,830	7.4	68.6
4	Chronic lower respiratory diseases (J40-J47)	1,411	5.7	52.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,054	4.3	39.5
6	Influenza and pneumonia (J10-J18)	743	3.0	27.9
7	Diabetes mellitus (E10-E14)	668	2.7	25.1
8	Alzheimer's disease (G30)	630	2.5	23.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	478	1.9	17.9
10	Atherosclerosis (I70)	354	1.4	13.3
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	325	1.3	12.2
12	Septicemia (A40-A41)	260	1.1	9.8
13	Aortic aneurysm and dissection (I71)	195	8.0	7.3
14	Parkinson's disease (G20-G21)	185	0.7	6.9
15	Pneumonitis due to solids and liquids (J69)	184	0.7	6.9
	All other causes (Residual)	4,246	17.2	159.3

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

<u> </u>	Cause of death (Based on the Tenth Revision, International Classification of	-	Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Kentucky			-
	All causes	39,504	100.0	991.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,936	30.2	299.5
2	Malignant neoplasms (C00-C97)	9,207	23.3	231.0
3	Cerebrovascular diseases (I60-I69)	2,637	6.7	66.2
4	Chronic lower respiratory diseases (J40-J47)	2,170	5.5	54.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,838	4.7	46.1
6	Influenza and pneumonia (J10-J18)	1,157	2.9	29.0
7	Diabetes mellitus (E10-E14)	1,107	2.8	27.8
8	Alzheimer's disease (G30)	845	2.1	21.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	756	1.9	19.0
10	Septicemia (A40-A41)	608	1.5	15.3
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	521	1.3	13.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	370	0.9	9.3
13	Pneumonitis due to solids and liquids (J69)	312	0.8	7.8
14	Aortic aneurysm and dissection (I71)	260	0.7	6.5
15	Parkinson's disease (G20-G21)	224	0.6	5.6
	All other causes (Residual)	5,556	14.1	139.4
	Louisiana			
	All causes	41,138	100.0	940.3
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,629	28.3	265.8
2	Malignant neoplasms (C00-C97)	9,400	22.8	214.9
3	Cerebrovascular diseases (I60-I69)	2,533	6.2	57.9
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,006	4.9	45.9
5	Diabetes mellitus (E10-E14)	1,694	4.1	38.7
6	Chronic lower respiratory diseases (J40-J47)	1,684	4.1	38.5
7	Influenza and pneumonia (J10-J18)	972	2.4	22.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	920	2.2	21.0
9	Alzheimer's disease (G30)	811	2.0	18.5
10	Septicemia (A40-A41)	776	1.9	17.7
11	Assault (homicide) (X85-Y09,Y87.1)	600	1.5	13.7
12	Intentional self-harm (suicide) (X60-X84,Y87.0)	468	1.1	10.7
13	Human immunodeficiency virus (HIV) disease (B20-B24)	386	0.9	8.8
14	Chronic liver disease and cirrhosis (K70,K73-K74)	366	0.9	8.4
15	Certain conditions originating in the perinatal period (P00-P96)	294	0.7	6.7
	All other causes (Residual)	6,599	16.0	150.8

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

			Percent of	
1	Cause of death (Based on the Tenth Revision, International Classification of		total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Maine			
	All causes	12,354	100.0	981.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,400	27.5	270.1
2	Malignant neoplasms (C00-C97)	3,070	24.9	243.9
3	Cerebrovascular diseases (I60-I69)	833	6.7	66.2
4	Chronic lower respiratory diseases (J40-J47)	768	6.2	61.0
5	Alzheimer's disease (G30)	466	3.8	37.0
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	407	3.3	32.3
7	Diabetes mellitus (E10-E14)	357	2.9	28.4
8	Influenza and pneumonia (J10-J18)	336	2.7	26.7
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	175	1.4	13.9
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	154	1.2	12.2
11	Septicemia (A40-A41)	127	1.0	10.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	124	1.0	9.9
13	Aortic aneurysm and dissection (I71)	111	0.9	8.8
14	Parkinson's disease (G20-G21)	93	0.8	7.4
15	Pneumonitis due to solids and liquids (J69)	81	0.7	6.4
	All other causes (Residual)	1,852	15.0	147.1
	Maryland			
	All causes	43,753	100.0	838.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	12,348	28.2	236.6
2	Malignant neoplasms (C00-C97)	10,290	23.5	197.2
3	Cerebrovascular diseases (I60-I69)	2,955	6.8	56.6
4	Chronic lower respiratory diseases (J40-J47)	1,927	4.4	36.9
5	Diabetes mellitus (E10-E14)	1,515	3.5	29.0
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,182	2.7	22.6
7	Influenza and pneumonia (J10-J18)	1,116	2.6	21.4
8	Septicemia (A40-A41)	972	2.2	18.6
9	Alzheimer's disease (G30)	811	1.9	15.5
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	594	1.4	11.4
11	Human immunodeficiency virus (HIV) disease (B20-B24)	553	1.3	10.6
12	Assault (homicide) (X85-Y09,Y87.1)	503	1.1	9.6
13	Intentional self-harm (suicide) (X60-X84,Y87.0)	474	1.1	9.1
14	Chronic liver disease and cirrhosis (K70,K73-K74)	444	1.0	8.5
15	Pneumonitis due to solids and liquids (J69)	402	0.9	7.7
	All other causes (Residual)	7,667	17.5	146.9

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of	-	Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
- 10	Massachusetts		4044.10	. 10.10
	All causes	56,681	100.0	913.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,314	27.0	246.8
2	Malignant neoplasms (C00-C97)	14,027	24.7	226.1
3	Cerebrovascular diseases (I60-I69)	3,669	6.5	59.1
4	Chronic lower respiratory diseases (J40-J47)	2,925	5.2	47.1
5	Influenza and pneumonia (J10-J18)	2,078	3.7	33.5
6	Alzheimer's disease (G30)	1,433	2.5	23.1
7	Diabetes mellitus (E10-E14)	1,361	2.4	21.9
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,357	2.4	21.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,231	2.2	19.8
10	Septicemia (A40-A41)	892	1.6	14.4
11	Pneumonitis due to solids and liquids (J69)	608	1.1	9.8
12	Chronic liver disease and cirrhosis (K70,K73-K74)	540	1.0	8.7
13	Parkinson's disease (G20-G21)	425	0.7	6.9
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	410	0.7	6.6
15	Intentional self-harm (suicide) (X60-X84,Y87.0)	387	0.7	6.2
	All other causes (Residual)	10,024	17.7	161.6
	Michigan			
	All causes	86,953	100.0	876.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	27,325	31.4	275.5
2	Malignant neoplasms (C00-C97)	19,798	22.8	199.6
3	Cerebrovascular diseases (I60-I69)	5,864	6.7	59.1
4	Chronic lower respiratory diseases (J40-J47)	4,352	5.0	43.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,220	3.7	32.5
6	Diabetes mellitus (E10-E14)	2,603	3.0	26.2
7	Influenza and pneumonia (J10-J18)	2,052	2.4	20.7
8	Alzheimer's disease (G30)	1,646	1.9	16.6
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,433	1.6	14.4
10	Septicemia (A40-A41)	1,049	1.2	10.6
11	Chronic liver disease and cirrhosis (K70,K73-K74)	1,035	1.2	10.4
12	Intentional self-harm (suicide) (X60-X84,Y87.0)	974	1.1	9.8
13	Assault (homicide) (X85-Y09,Y87.1)	722	0.8	7.3
14	Atherosclerosis (I70)	662	0.8	6.7
15	Certain conditions originating in the perinatal period (P00-P96)	638	0.7	6.4
	All other causes (Residual)	13,580	15.6	136.9

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

			Percent of	
Danid.	Cause of death (Based on the Tenth Revision, International Classification of	Niconala a u	total	Data
Rank <sup>1</sup>	Diseases, 1992) and State Minnesota	Number	deaths	Rate
	Milliocota			
	All causes	37,690	100.0	780.7
1	Malignant neoplasms (C00-C97)	9,215	24.4	190.9
2	Diseases of heart (I00-I09,I11,I13,I20-I51)	8,885	23.6	184.0
3	Cerebrovascular diseases (I60-I69)	2,820	7.5	58.4
4	Chronic lower respiratory diseases (J40-J47)	1,902	5.0	39.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,711	4.5	35.4
6	Diabetes mellitus (E10-E14)	1,209	3.2	25.0
7	Alzheimer's disease (G30)	1,154	3.1	23.9
8	Influenza and pneumonia (J10-J18)	845	2.2	17.5
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	661	1.8	13.7
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	440	1.2	9.1
11	Parkinson's disease (G20-G21)	428	1.1	8.9
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	404	1.1	8.4
13	Chronic liver disease and cirrhosis (K70,K73-K74)	350	0.9	7.2
14	Aortic aneurysm and dissection (I71)	334	0.9	6.9
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	260	0.7	5.4
	All other causes (Residual)	7,072	18.8	146.5
	Mississippi			
	All causes	28,654	100.0	1,028.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,256	32.3	332.1
2	Malignant neoplasms (C00-C97)	6,075	21.2	218.0
3	Cerebrovascular diseases (I60-I69)	1,999	7.0	71.7
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,653	5.8	59.3
5	Chronic lower respiratory diseases (J40-J47)	1,257	4.4	45.1
6	Influenza and pneumonia (J10-J18)	809	2.8	29.0
7	Diabetes mellitus (E10-E14)	676	2.4	24.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	612	2.1	22.0
9	Septicemia (A40-A41)	531	1.9	19.1
10	Alzheimer's disease (G30)	443	1.5	15.9
11	Assault (homicide) (X85-Y09,Y87.1)	312	1.1	11.2
12	Intentional self-harm (suicide) (X60-X84,Y87.0)	294	1.0	10.5
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	256	0.9	9.2
14	Chronic liver disease and cirrhosis (K70,K73-K74)	246	0.9	8.8
15	Certain conditions originating in the perinatal period (P00-P96)	220	8.0	7.9
	All other causes (Residual)	4,015	14.0	144.1

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Decad on the Touth Devision International Classification of		Percent of total	
Rank <sup>1</sup>	Cause of death (Based on the Tenth Revision, International Classification of Diseases, 1992) and State	Number	deaths	Rate
Rank	Missouri	Number	acatris	rato
	All causes	54,865	100.0	997.1
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	17,235	31.4	313.2
2	Malignant neoplasms (C00-C97)	12,144	22.1	220.7
3	Cerebrovascular diseases (160-169)	3,940	7.2	71.6
4	Chronic lower respiratory diseases (J40-J47)	2,802	5.1	50.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,398	4.4	43.6
6	Influenza and pneumonia (J10-J18)	1,629	3.0	29.6
7	Diabetes mellitus (E10-E14)	1,458	2.7	26.5
8	Alzheimer's disease (G30)	1,096	2.0	19.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	907	1.7	16.5
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	699	1.3	12.7
11	Septicemia (A40-A41)	621	1.1	11.3
12	Pneumonitis due to solids and liquids (J69)	458	8.0	8.3
13	Chronic liver disease and cirrhosis (K70,K73-K74)	405	0.7	7.4
14	Assault (homicide) (X85-Y09,Y87.1)	398	0.7	7.2
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	355	0.6	6.5
	All other causes (Residual)	8,320	15.2	151.2
	Montana			
	All causes	8,096	100.0	911.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,995	24.6	224.7
2	Malignant neoplasms (C00-C97)	1,867	23.1	210.3
3	Cerebrovascular diseases (160-169)	583	7.2	65.7
4	Chronic lower respiratory diseases (J40-J47)	517	6.4	58.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	495	6.1	55.8
6	Diabetes mellitus (E10-E14)	227	2.8	25.6
7	Alzheimer's disease (G30)	219	2.7	24.7
8	Influenza and pneumonia (J10-J18)	202	2.5	22.8
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	158	2.0	17.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	116	1.4	13.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	85	1.0	9.6
12	Atherosclerosis (I70)	72	0.9	8.1
13	Septicemia (A40-A41)	71	0.9	8.0
14	Aortic aneurysm and dissection (I71)	58	0.7	6.5
15	Parkinson's disease (G20-G21)	57	0.7	6.4
	All other causes (Residual)	1,374	17.0	154.8

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

			Percent of	
1	Cause of death (Based on the Tenth Revision, International Classification of		total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Nebraska			
	All causes	14,992	100.0	897.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,197	28.0	251.3
2	Malignant neoplasms (C00-C97)	3,382	22.6	202.5
3	Cerebrovascular diseases (I60-I69)	1,091	7.3	65.3
4	Chronic lower respiratory diseases (J40-J47)	838	5.6	50.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	640	4.3	38.3
6	Influenza and pneumonia (J10-J18)	433	2.9	25.9
7	Diabetes mellitus (E10-E14)	411	2.7	24.6
8	Alzheimer's disease (G30)	353	2.4	21.1
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	254	1.7	15.2
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	193	1.3	11.6
11	Atherosclerosis (I70)	163	1.1	9.8
12	Septicemia (A40-A41)	117	0.8	7.0
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	114	0.8	6.8
14	Parkinson's disease (G20-G21)	108	0.7	6.5
15	Pneumonitis due to solids and liquids (J69)	99	0.7	5.9
	All other causes (Residual)	2,599	17.3	155.6
	Nevada			
	All causes	15,261	100.0	811.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	4,089	26.8	217.5
2	Malignant neoplasms (C00-C97)	3,763	24.7	200.1
3	Chronic lower respiratory diseases (J40-J47)	989	6.5	52.6
4	Cerebrovascular diseases (I60-I69)	872	5.7	46.4
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	730	4.8	38.8
6	Intentional self-harm (suicide) (X60-X84,Y87.0)	400	2.6	21.3
7	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	329	2.2	17.5
8	Septicemia (A40-A41)	326	2.1	17.3
9	Influenza and pneumonia (J10-J18)	320	2.1	17.0
10	Chronic liver disease and cirrhosis (K70,K73-K74)	290	1.9	15.4
11	Diabetes mellitus (E10-E14)	276	1.8	14.7
12	Alzheimer's disease (G30)	195	1.3	10.4
13	Assault (homicide) (X85-Y09,Y87.1)	134	0.9	7.1
14	Aortic aneurysm and dissection (I71)	119	0.8	6.3
15	Atherosclerosis (I70)	93	0.6	4.9
	All other causes (Residual)	2,336	15.3	124.2

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

<u> </u>	Cause of death (Based on the Tenth Revision, International Classification of	-	Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	New Hampshire			
	All causes	9,697	100.0	797.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,811	29.0	231.2
2	Malignant neoplasms (C00-C97)	2,484	25.6	204.3
3	Cerebrovascular diseases (I60-I69)	662	6.8	54.4
4	Chronic lower respiratory diseases (J40-J47)	581	6.0	47.8
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	321	3.3	26.4
6	Diabetes mellitus (E10-E14)	297	3.1	24.4
7	Alzheimer's disease (G30)	273	2.8	22.5
8	Influenza and pneumonia (J10-J18)	194	2.0	16.0
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	131	1.4	10.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	106	1.1	8.7
11	Chronic liver disease and cirrhosis (K70,K73-K74)	90	0.9	7.4
12	Parkinson's disease (G20-G21)	83	0.9	6.8
13	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	71	0.7	5.8
14	Atherosclerosis (I70)	70	0.7	5.8
15	Aortic aneurysm and dissection (I71)	65	0.7	5.3
	All other causes (Residual)	1,458	15.0	119.9
	New Jersey			
	All causes	74,800	100.0	911.7
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	23,724	31.7	289.2
2	Malignant neoplasms (C00-C97)	18,073	24.2	220.3
3	Cerebrovascular diseases (I60-I69)	4,316	5.8	52.6
4	Chronic lower respiratory diseases (J40-J47)	3,007	4.0	36.6
5	Diabetes mellitus (E10-E14)	2,483	3.3	30.3
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,284	3.1	27.8
7	Influenza and pneumonia (J10-J18)	2,044	2.7	24.9
8	Septicemia (A40-A41)	1,744	2.3	21.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,495	2.0	18.2
10	Alzheimer's disease (G30)	1,267	1.7	15.4
11	Human immunodeficiency virus (HIV) disease (B20-B24)	830	1.1	10.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	765	1.0	9.3
13	Pneumonitis due to solids and liquids (J69)	574	8.0	7.0
14	Intentional self-harm (suicide) (X60-X84,Y87.0)	560	0.7	6.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	536	0.7	6.5
	All other causes (Residual)	11,098	14.8	135.3

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	New Mexico			
	All causes	13,425	100.0	768.1
 1	Diseases of heart (I00-I09,I11,I13,I20-I51)	3,191	23.8	182.6
2	Malignant neoplasms (C00-C97)	2,906	21.6	166.3
3	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	995	7.4	56.9
4	Cerebrovascular diseases (160-169)	813	6.1	46.5
5	Chronic lower respiratory diseases (J40-J47)	767	5.7	43.9
6	Diabetes mellitus (E10-E14)	485	3.6	27.7
7	Chronic liver disease and cirrhosis (K70,K73-K74)	341	2.5	19.5
8	Intentional self-harm (suicide) (X60-X84,Y87.0)	327	2.4	18.7
9	Influenza and pneumonia (J10-J18)	290	2.2	16.6
10	Alzheimer's disease (G30)	275	2.0	15.7
11	Assault (homicide) (X85-Y09,Y87.1)	160	1.2	9.2
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	152	1.1	8.7
13	Septicemia (A40-A41)	125	0.9	7.2
14	Parkinson's disease (G20-G21)	113	0.8	6.5
15	Aortic aneurysm and dissection (I71)	99	0.7	5.7
	All other causes (Residual)	2,386	17.8	136.5
	New York			
	All causes	158,203	100.0	865.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	57,474	36.3	314.4
2	Malignant neoplasms (C00-C97)	37,198	23.5	203.5
3	Cerebrovascular diseases (I60-I69)	8,006	5.1	43.8
4	Chronic lower respiratory diseases (J40-J47)	6,784	4.3	37.1
5	Influenza and pneumonia (J10-J18)	5,201	3.3	28.5
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,244	2.7	23.2
7	Diabetes mellitus (E10-E14)	3,877	2.5	21.2
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,440	1.5	13.3
9	Septicemia (A40-A41)	2,305	1.5	12.6
10	Human immunodeficiency virus (HIV) disease (B20-B24)	2,233	1.4	12.2
11	Alzheimer's disease (G30)	1,539	1.0	8.4
12	Chronic liver disease and cirrhosis (K70,K73-K74)	1,409	0.9	7.7
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,341	0.8	7.3
14	Intentional self-harm (suicide) (X60-X84,Y87.0)	1,132	0.7	6.2
15	Aortic aneurysm and dissection (I71)	996	0.6	5.4
	All other causes (Residual)	22,024	13.9	120.5

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

			Percent of	
	Cause of death (Based on the Tenth Revision, International Classification of		total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	North Carolina			
	All causes	71,935	100.0	928.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	19,723	27.4	254.6
2	Malignant neoplasms (C00-C97)	15,786	21.9	203.8
3	Cerebrovascular diseases (I60-I69)	5,749	8.0	74.2
4	Chronic lower respiratory diseases (J40-J47)	3,699	5.1	47.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,525	4.9	45.5
6	Diabetes mellitus (E10-E14)	2,084	2.9	26.9
7	Influenza and pneumonia (J10-J18)	1,945	2.7	25.1
8	Alzheimer's disease (G30)	1,725	2.4	22.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,315	1.8	17.0
10	Septicemia (A40-A41)	1,046	1.5	13.5
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	971	1.3	12.5
12	Chronic liver disease and cirrhosis (K70,K73-K74)	787	1.1	10.2
13	Assault (homicide) (X85-Y09,Y87.1)	657	0.9	8.5
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	621	0.9	8.0
15	Pneumonitis due to solids and liquids (J69)	619	0.9	8.0
	All other causes (Residual)	11,683	16.2	150.8
	North Dakota			
	All causes	5,856	100.0	930.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,679	28.7	266.8
2	Malignant neoplasms (C00-C97)	1,346	23.0	213.9
3	Cerebrovascular diseases (I60-I69)	456	7.8	72.5
4	Chronic lower respiratory diseases (J40-J47)	295	5.0	46.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	248	4.2	39.4
6	Alzheimer's disease (G30)	209	3.6	33.2
7	Diabetes mellitus (E10-E14)	203	3.5	32.3
8	Influenza and pneumonia (J10-J18)	166	2.8	26.4
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	68	1.2	10.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	67	1.1	10.6
11	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	63	1.1	10.0
12	Atherosclerosis (I70)	62	1.1	9.9
13	Parkinson's disease (G20-G21)	59	1.0	9.4
14	Aortic aneurysm and dissection (I71)	52	0.9	8.3
15	Chronic liver disease and cirrhosis (K70,K73-K74)	48	0.8	7.6
	All other causes (Residual)	835	14.3	132.7

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

<u> </u>	Cause of death (Based on the Tenth Revision, International Classification of	-	Percent of total	
Rank <sup>1</sup>		Number	deaths	Rate
	Ohio	ranison	acatilo	rtato
	All causes	108,125	100.0	959.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	32,722	30.3	290.3
2	Malignant neoplasms (C00-C97)	24,988	23.1	221.7
3	Cerebrovascular diseases (I60-I69)	7,175	6.6	63.7
4	Chronic lower respiratory diseases (J40-J47)	5,983	5.5	53.1
5	Diabetes mellitus (E10-E14)	3,691	3.4	32.7
6	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	3,492	3.2	31.0
7	Influenza and pneumonia (J10-J18)	2,533	2.3	22.5
8	Alzheimer's disease (G30)	2,295	2.1	20.4
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,829	1.7	16.2
10	Septicemia (A40-A41)	1,527	1.4	13.5
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	1,088	1.0	9.7
12	Chronic liver disease and cirrhosis (K70,K73-K74)	994	0.9	8.8
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	868	0.8	7.7
14	Aortic aneurysm and dissection (I71)	739	0.7	6.6
15	Pneumonitis due to solids and liquids (J69)	690	0.6	6.1
	All other causes (Residual)	17,511	16.2	155.4
	Oklahoma			
	All causes	35,079	100.0	1,037.8
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,297	32.2	334.2
2	Malignant neoplasms (C00-C97)	7,402	21.1	219.0
3	Cerebrovascular diseases (I60-I69)	2,493	7.1	73.8
4	Chronic lower respiratory diseases (J40-J47)	1,980	5.6	58.6
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,566	4.5	46.3
6	Diabetes mellitus (E10-E14)	978	2.8	28.9
7	Influenza and pneumonia (J10-J18)	885	2.5	26.2
8	Alzheimer's disease (G30)	638	1.8	18.9
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	536	1.5	15.9
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	497	1.4	14.7
11	Atherosclerosis (I70)	447	1.3	13.2
12	Septicemia (A40-A41)	427	1.2	12.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	348	1.0	10.3
14	Pneumonitis due to solids and liquids (J69)	246	0.7	7.3
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	218	0.6	6.4
	All other causes (Residual)	5,121	14.6	151.5

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Oregon			
	All causes	29,552	100.0	884.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	7,094	24.0	212.3
2	Malignant neoplasms (C00-C97)	6,951	23.5	208.0
3	Cerebrovascular diseases (I60-I69)	2,585	8.7	77.4
4	Chronic lower respiratory diseases (J40-J47)	1,677	5.7	50.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,248	4.2	37.4
6	Alzheimer's disease (G30)	910	3.1	27.2
7	Diabetes mellitus (E10-E14)	844	2.9	25.3
8	Influenza and pneumonia (J10-J18)	642	2.2	19.2
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	493	1.7	14.8
10	Chronic liver disease and cirrhosis (K70,K73-K74)	297	1.0	8.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	295	1.0	8.8
12	Parkinson's disease (G20-G21)	278	0.9	8.3
13	Atherosclerosis (I70)	230	0.8	6.9
14	Aortic aneurysm and dissection (I71)	226	0.8	6.8
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown		0.0	0.0
.0	behavior (D00-D48)	221	0.7	6.6
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	221	0.7	6.6
	All other causes (Residual)	5,340	18.1	159.8
	Pennsylvania			
	All causes	130,813	100.0	1,091.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	40,708	31.1	339.7
2	Malignant neoplasms (C00-C97)	30,161	23.1	251.7
3	Cerebrovascular diseases (I60-I69)	8,919	6.8	74.4
4	Chronic lower respiratory diseases (J40-J47)	6,079	4.6	50.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	4,583	3.5	38.2
6	Diabetes mellitus (E10-E14)	3,794	2.9	31.7
7	Influenza and pneumonia (J10-J18)	3,069	2.3	25.6
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	2,677	2.0	22.3
9	Septicemia (A40-A41)	2,588	2.0	21.6
10	Alzheimer's disease (G30)	2,542	1.9	21.2
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	1,356	1.0	11.3
12	Pneumonitis due to solids and liquids (J69)	1,271	1.0	10.6
13	Chronic liver disease and cirrhosis (K70,K73-K74)	1,089	0.8	9.1
14	Parkinson's disease (G20-G21)	933	0.7	7.8
15	Aortic aneurysm and dissection (I71)	860	0.7	7.2

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Rhode Island			
	All causes	10,027	100.0	1,006.6
1	Diseases of heart (100-109,111,113,120-151)	3,115	31.1	312.7
2	Malignant neoplasms (C00-C97)	2,433	24.3	244.3
3	Cerebrovascular diseases (I60-I69)	577	5.8	57.9
4	Chronic lower respiratory diseases (J40-J47)	500	5.0	50.2
5	Influenza and pneumonia (J10-J18)	342	3.4	34.3
6	Diabetes mellitus (E10-E14)	292	2.9	29.3
7	Alzheimer's disease (G30)	242	2.4	24.3
8	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	235	2.3	23.6
9	Septicemia (A40-A41)	140	1.4	14.1
10	Chronic liver disease and cirrhosis (K70,K73-K74)	128	1.3	12.9
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	123	1.2	12.3
12	Atherosclerosis (I70)	83	0.8	8.3
13	Intentional self-harm (suicide) (X60-X84,Y87.0)	75	0.7	7.5
14	Pneumonitis due to solids and liquids (J69)	74	0.7	7.4
15	Aortic aneurysm and dissection (I71)	71	0.7	7.1
	All other causes (Residual)	1,597	15.9	160.3
	South Carolina			
	All causes	36,948	100.0	941.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	9,893	26.8	252.1
2	Malignant neoplasms (C00-C97)	8,250	22.3	210.2
3	Cerebrovascular diseases (I60-I69)	2,956	8.0	75.3
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	1,974	5.3	50.3
5	Chronic lower respiratory diseases (J40-J47)	1,730	4.7	44.1
6	Diabetes mellitus (E10-E14)	1,206	3.3	30.7
7	Alzheimer's disease (G30)	874	2.4	22.3
8	Influenza and pneumonia (J10-J18)	699	1.9	17.8
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	539	1.5	13.7
10	Septicemia (A40-A41)	511	1.4	13.0
11	Chronic liver disease and cirrhosis (K70,K73-K74)	460	1.2	11.7
12	Intentional self-harm (suicide) (X60-X84,Y87.0)	443	1.2	11.3
13	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	379	1.0	9.7
14	Assault (homicide) (X85-Y09,Y87.1)	326	0.9	8.3
15	Certain conditions originating in the perinatal period (P00-P96)	269	0.7	6.9
	All other causes (Residual)	6,439	17.4	164.1

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	South Dakota			
	All causes	7,021	100.0	952.3
 1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,105	30.0	285.5
2	Malignant neoplasms (C00-C97)	1,597	22.7	216.6
3	Cerebrovascular diseases (I60-I69)	560	8.0	76.0
4	Chronic lower respiratory diseases (J40-J47)	383	5.5	51.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	321	4.6	43.5
6	Influenza and pneumonia (J10-J18)	212	3.0	28.8
7	Diabetes mellitus (E10-E14)	180	2.6	24.4
8	Alzheimer's disease (G30)	179	2.5	24.3
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	130	1.9	17.6
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	95	1.4	12.9
11	Chronic liver disease and cirrhosis (K70,K73-K74)	82	1.2	11.1
12	Aortic aneurysm and dissection (I71)	57	0.8	7.7
13	Parkinson's disease (G20-G21)	54	0.8	7.3
14	Septicemia (A40-A41)	52	0.7	7.1
15	Pneumonitis due to solids and liquids (J69)	47	0.7	6.4
	All other causes (Residual)	967	13.8	131.2
	Tennessee			
	All causes	55,246	100.0	998.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	16,174	29.3	292.3
2	Malignant neoplasms (C00-C97)	12,339	22.3	223.0
3	Cerebrovascular diseases (I60-I69)	4,266	7.7	77.1
4	Chronic lower respiratory diseases (J40-J47)	2,887	5.2	52.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,743	5.0	49.6
6	Influenza and pneumonia (J10-J18)	1,672	3.0	30.2
7	Diabetes mellitus (E10-E14)	1,591	2.9	28.8
8	Alzheimer's disease (G30)	1,024	1.9	18.5
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	730	1.3	13.2
10	Chronic liver disease and cirrhosis (K70,K73-K74)	595	1.1	10.8
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	565	1.0	10.2
12	Septicemia (A40-A41)	507	0.9	9.2
13	Assault (homicide) (X85-Y09,Y87.1)	471	0.9	8.5
14	Pneumonitis due to solids and liquids (J69)	398	0.7	7.2
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	393	0.7	7.1
	All other causes (Residual)	8,891	16.1	160.7

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Texas			
	All causes	149,939	100.0	735.4
 1	Diseases of heart (I00-I09,I11,I13,I20-I51)	43,020	28.7	211.0
2	Malignant neoplasms (C00-C97)	33,300	22.2	163.3
3	Cerebrovascular diseases (I60-I69)	10,684	7.1	52.4
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	7,407	4.9	36.3
5	Chronic lower respiratory diseases (J40-J47)	7,286	4.9	35.7
6	Diabetes mellitus (E10-E14)	5,196	3.5	25.5
7	Influenza and pneumonia (J10-J18)	3,706	2.5	18.2
8	Alzheimer's disease (G30)	3,184	2.1	15.6
9	Chronic liver disease and cirrhosis (K70,K73-K74)	2,092	1.4	10.3
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	2,053	1.4	10.1
11	Septicemia (A40-A41)	1,950	1.3	9.6
12	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,870	1.2	9.2
13	Assault (homicide) (X85-Y09,Y87.1)	1,317	0.9	6.5
14	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	1,158	8.0	5.7
15	Pneumonitis due to solids and liquids (J69)	1,127	8.0	5.5
	All other causes (Residual)	24,589	16.4	120.6
	Utah			
	All causes	12,364	100.0	571.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	2,909	23.5	134.4
2	Malignant neoplasms (C00-C97)	2,359	19.1	109.0
3	Cerebrovascular diseases (I60-I69)	975	7.9	45.0
4	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	665	5.4	30.7
5	Diabetes mellitus (E10-E14)	530	4.3	24.5
6	Chronic lower respiratory diseases (J40-J47)	524	4.2	24.2
7	Influenza and pneumonia (J10-J18)	388	3.1	17.9
8	Alzheimer's disease (G30)	342	2.8	15.8
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	298	2.4	13.8
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	170	1.4	7.9
11	Parkinson's disease (G20-G21)	132	1.1	6.1
12	Chronic liver disease and cirrhosis (K70,K73-K74)	126	1.0	5.8
13	Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)	121	1.0	5.6
14	Certain conditions originating in the perinatal period (P00-P96)	97	0.8	4.5
14 15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	97 94	0.8	4.5
10	All other causes (Residual)	2,634	21.3	121.7

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of		Percent of total	
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Vermont		4044.10	. 10.10
	All causes	5,127	100.0	857.6
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	1,438	28.0	240.5
2	Malignant neoplasms (C00-C97)	1,240	24.2	207.4
3	Cerebrovascular diseases (I60-I69)	343	6.7	57.4
4	Chronic lower respiratory diseases (J40-J47)	312	6.1	52.2
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	234	4.6	39.1
6	Diabetes mellitus (E10-E14)	163	3.2	27.3
7	Alzheimer's disease (G30)	134	2.6	22.4
8	Influenza and pneumonia (J10-J18)	119	2.3	19.9
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	77	1.5	12.9
10	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	62	1.2	10.4
11	Aortic aneurysm and dissection (I71)	49	1.0	8.2
12	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	42	0.8	7.0
13	Chronic liver disease and cirrhosis (K70,K73-K74)	41	0.8	6.9
14	Septicemia (A40-A41)	35	0.7	5.9
14	Pneumonitis due to solids and liquids (J69)	35	0.7	5.9
	All other causes (Residual)	803	15.7	134.3
	Virginia			
	All causes	56,282	100.0	807.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	15,264	27.1	219.0
2	Malignant neoplasms (C00-C97)	13,528	24.0	194.1
3	Cerebrovascular diseases (I60-I69)	4,104	7.3	58.9
4	Chronic lower respiratory diseases (J40-J47)	2,820	5.0	40.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,396	4.3	34.4
6	Diabetes mellitus (E10-E14)	1,564	2.8	22.4
7	Influenza and pneumonia (J10-J18)	1,510	2.7	21.7
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	1,118	2.0	16.0
9	Septicemia (A40-A41)	1,098	2.0	15.8
10	Alzheimer's disease (G30)	1,094	1.9	15.7
11	Intentional self-harm (suicide) (X60-X84,Y87.0)	768	1.4	11.0
12	Chronic liver disease and cirrhosis (K70,K73-K74)	571	1.0	8.2
13	Pneumonitis due to solids and liquids (J69)	469	0.8	6.7
14	Assault (homicide) (X85-Y09,Y87.1)	435	0.8	6.2
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	416	0.7	6.0
	All other causes (Residual)	9,127	16.2	130.9

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of	Percent of total		
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
	Washington			
	All causes	43,941	100.0	756.2
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	11,370	25.9	195.7
2	Malignant neoplasms (C00-C97)	10,668	24.3	183.6
3	Cerebrovascular diseases (I60-I69)	3,714	8.5	63.9
4	Chronic lower respiratory diseases (J40-J47)	2,644	6.0	45.5
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,049	4.7	35.3
6	Alzheimer's disease (G30)	1,799	4.1	31.0
7	Diabetes mellitus (E10-E14)	1,331	3.0	22.9
8	Influenza and pneumonia (J10-J18)	1,010	2.3	17.4
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	727	1.7	12.5
10	Chronic liver disease and cirrhosis (K70,K73-K74)	495	1.1	8.5
11	Parkinson's disease (G20-G21)	423	1.0	7.3
12	Pneumonitis due to solids and liquids (J69)	392	0.9	6.7
13	Aortic aneurysm and dissection (I71)	349	8.0	6.0
14	Atherosclerosis (I70)	338	8.0	5.8
15	Septicemia (A40-A41)	337	8.0	5.8
	All other causes (Residual)	6,295	14.3	108.3
	West Virginia			
	All causes	21,114	100.0	1,171.5
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	6,435	30.5	357.0
2	Malignant neoplasms (C00-C97)	4,753	22.5	263.7
3	Chronic lower respiratory diseases (J40-J47)	1,345	6.4	74.6
4	Cerebrovascular diseases (I60-I69)	1,296	6.1	71.9
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	817	3.9	45.3
6	Diabetes mellitus (E10-E14)	759	3.6	42.1
7	Influenza and pneumonia (J10-J18)	456	2.2	25.3
8	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	378	1.8	21.0
9	Alzheimer's disease (G30)	361	1.7	20.0
10	Septicemia (A40-A41)	314	1.5	17.4
11	Chronic liver disease and cirrhosis (K70,K73-K74)	247	1.2	13.7
12	Intentional self-harm (suicide) (X60-X84,Y87.0)	245	1.2	13.6
13	Atherosclerosis (I70)	188	0.9	10.4
14	Aortic aneurysm and dissection (I71)	152	0.7	8.4
15	Essential (primary) hypertension and hypertensive renal disease (I10,I12)	151	0.7	8.4
	All other causes (Residual)	3,217	15.2	178.5

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable

LCWK9. Deaths, percent of total deaths, and death rates for the 15 leading causes of death: United States and each State, 2000 [Rates per 100,000 population. Population denominators for 2000 death rates based on 1990 census population.]

	Cause of death (Based on the Tenth Revision, International Classification of	Percent of total		
Rank <sup>1</sup>	Diseases, 1992) and State	Number	deaths	Rate
Tank	Wisconsin	ramber	dodino	rate
	All causes	46,461	100.0	877.4
1	Diseases of heart (I00-I09,I11,I13,I20-I51)	13,601	29.3	256.8
2	Malignant neoplasms (C00-C97)	10,638	22.9	200.9
3	Cerebrovascular diseases (I60-I69)	3,598	7.7	67.9
4	Chronic lower respiratory diseases (J40-J47)	2,316	5.0	43.7
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	2,159	4.6	40.8
6	Diabetes mellitus (E10-E14)	1,309	2.8	24.7
7	Influenza and pneumonia (J10-J18)	1,258	2.7	23.8
8	Alzheimer's disease (G30)	1,177	2.5	22.2
9	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	751	1.6	14.2
10	Intentional self-harm (suicide) (X60-X84,Y87.0)	590	1.3	11.1
11	Chronic liver disease and cirrhosis (K70,K73-K74)	444	1.0	8.4
12	Septicemia (A40-A41)	413	0.9	7.8
13	Aortic aneurysm and dissection (I71)	398	0.9	7.5
14	Pneumonitis due to solids and liquids (J69)	332	0.7	6.3
15	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown			
	behavior (D00-D48)	324	0.7	6.1
	All other causes (Residual)	7,153	15.4	135.1
	Wyoming			
	All causes	3,920	100.0	815.1
1	Diseases of heart (100-109,111,113,120-151)	992	25.3	206.3
2	Malignant neoplasms (C00-C97)	868	22.1	180.5
3	Chronic lower respiratory diseases (J40-J47)	283	7.2	58.8
4	Cerebrovascular diseases (I60-I69)	260	6.6	54.1
5	Accidents (unintentional injuries) (V01-X59,Y85-Y86)	245	6.3	50.9
6	Influenza and pneumonia (J10-J18)	126	3.2	26.2
7	Diabetes mellitus (E10-E14)	111	2.8	23.1
8	Alzheimer's disease (G30)	102	2.6	21.2
9	Intentional self-harm (suicide) (X60-X84,Y87.0)	83	2.1	17.3
10	Chronic liver disease and cirrhosis (K70,K73-K74)	50	1.3	10.4
11	Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)	45	1.1	9.4
12	Septicemia (A40-A41)	36	0.9	7.5
13	Parkinson's disease (G20-G21)	29	0.7	6.0
13	Atherosclerosis (I70)	29	0.7	6.0
13	And All other reviews (Peridual)	29	0.7	6.0
	All other causes (Residual)	632	16.1	131.4
13	Aortic aneurysm and dissection (I71)	29	0.7	6.0
14	In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown	0.4	0.0	F 0
4.4	behavior (D00-D48)	24	0.6	5.0
14	Parkinson's disease (G20-G21)	24	0.6	5.0
•••	All other causes (Residual)	620	15.3	129.3

<sup>1</sup> Rank based on number of deaths

<sup>...</sup> Category not applicable