

Fishery Conservation and Management

§ 679.64

pollock in the BSAI must be sorted and weighed on a scale approved by the State of Alaska as described in §679.28(c), and be made available for sampling by a NMFS certified observer. The observer must be allowed to test any scale used to weigh groundfish in order to determine its accuracy.

(2) The plant manager or plant liaison must notify the observer of the offloading schedule for each delivery of BSAI pollock by an AFA catcher vessel at least 1 hour prior to offloading. An observer must monitor each delivery of BSAI pollock from an AFA catcher vessel and be on site the entire time the delivery is being weighed or sorted.

§ 679.64 Harvesting sideboards limits in other fisheries.

(a) *Harvesting sideboards for listed AFA catcher/processors.* The Regional Administrator will restrict the ability of listed AFA catcher/processors to engage in directed fishing for non-pollock groundfish species to protect participants in other groundfish fisheries from adverse effects resulting from the AFA and from fishery cooperatives in the BS subarea directed pollock fishery.

(1) *How will groundfish sideboard limits for AFA listed catcher/processors be calculated?* (i) Except for Aleutian Islands pollock, the Regional Administrator will establish annual AFA catcher/processor harvest limits for each groundfish species or species group in which a TAC is specified for an area or subarea of the BSAI as follows:

(ii) *Pacific cod.* The Pacific cod harvest limit will be equal to the 1997 aggregate retained catch of Pacific cod by catcher/processors listed in paragraphs 208(e)(1) through (20) and 209 of the AFA in non-pollock target fisheries divided by the amount of Pacific cod caught by trawl catcher/processors in 1997 multiplied by the Pacific cod TAC available for harvest by trawl catcher/processors in the year in which the harvest limit will be in effect.

(2) *Aleutian Islands Pacific ocean perch.* (i) The Aleutian Islands Pacific ocean perch harvest limit will be equal to the 1996 through 1997 aggregate retained catch of Aleutian Islands Pacific ocean perch by catcher/processors listed in paragraphs 208(e)(1) through

(20) and 209 of the AFA in non-pollock target fisheries divided by the sum of the Aleutian Islands Pacific ocean perch catch in 1996 and 1997 multiplied by the Aleutian Islands Pacific ocean perch TAC available for harvest in the year in which the harvest limit will be in effect.

(ii) If the amount of Pacific ocean perch calculated under paragraph (a)(2)(i) of this section is determined by the Regional Administrator to be insufficient to meet bycatch needs of AFA catcher/processors in other directed fisheries for groundfish, the Regional Administrator will prohibit directed fishing for Aleutian Islands Pacific ocean perch by AFA catcher/processors and establish the sideboard amount equal to the amount of Aleutian Islands Pacific ocean perch caught by AFA catcher/processors incidental to directed fishing for other groundfish species.

(3) *Atka mackerel.* The Atka mackerel harvest limit for each area and season will be equal to:

(i) Bering Sea subarea and Eastern Aleutian Islands, zero;

(ii) Central Aleutian Islands, 11.5 percent of the annual TAC specified for Atka mackerel; and

(iii) Western Aleutian Islands, 20 percent of the annual TAC specified for Atka mackerel.

(4) *Remaining groundfish species.* (i) Except as provided for in paragraphs (a)(1)(ii) through (a)(3) of this section, the harvest limit for each BSAI groundfish species or species group will be equal to the 1995 through 1997 aggregate retained catch of that species by catcher/processors listed in paragraphs 208(e)(1) through (e)(20) and section 209 of the AFA in non-pollock target fisheries divided by the sum of the catch of that species in 1995 through 1997 multiplied by the TAC of that species available for harvest by catcher/processors in the year in which the harvest limit will be in effect.

(ii) If the amount of a species calculated under paragraph (a)(4)(i) of this section is determined by the Regional Administrator to be insufficient to meet bycatch needs for AFA catcher/processors in other directed fisheries for groundfish, the Regional Administrator will prohibit directed fishing for

that species by AFA catcher/processors and establish the sideboard amount equal to the amount of that species caught by AFA catcher/processors incidental to directed fishing for other groundfish species.

(5) *How will halibut and crab PSC sideboard limits be calculated?* For each halibut or crab PSC limit specified for catcher/processors in the BSAI, the Regional Administrator will establish an annual listed AFA catcher/processor PSC limit equal to the estimated aggregate 1995 through 1997 PSC bycatch of that species by catcher/processors listed in paragraphs 208(e)(1) through (20) and 209 of the AFA while engaged in directed fishing for species other than pollock divided by the aggregate PSC bycatch limit of that species for catcher/processors from 1995 through 1997 multiplied by the PSC limit of that species available to catcher/processors in the year in which the harvest limit will be in effect.

(6) *How will AFA catcher/processor sideboard limits be managed?* The Regional Administrator will manage groundfish harvest limits and PSC bycatch limits for AFA catcher/processors through directed fishing closures in non-pollock groundfish fisheries in accordance with the procedures set out in §§ 679.20(d)(1)(iv), and 679.21(e)(3)(v).

(b) *Harvesting sideboards for AFA catcher vessels.* The Regional Administrator will restrict the ability of AFA catcher vessels to engage in directed fishing for other groundfish species to protect participants in other groundfish fisheries from adverse effects resulting from the AFA and from fishery cooperatives in the BS subarea directed pollock fishery.

(1) *To whom do the catcher vessel sideboard limits apply?* Catcher vessel harvest limits and PSC bycatch limits apply to all AFA catcher vessels participating in all GOA groundfish fisheries and all non-pollock groundfish fisheries in the BSAI except vessels qualifying for sideboard exemptions in the specific fisheries identified in paragraph (b)(2) of this section.

(2) *Who is exempt from catcher vessel sideboards?* (i) BSAI Pacific cod sideboard exemptions—(A) AFA catcher vessels less than 125 ft (38.1 m) LOA that are determined by the Regional

Administrator to have harvested a combined total of less than 5,100 mt of BSAI pollock, and to have made 30 or more legal landings of Pacific cod in the BSAI directed fishery for Pacific cod from 1995 through 1997 are exempt from sideboard closures for BSAI Pacific cod.

(B) AFA catcher vessels with mothership endorsements are exempt from BSAI Pacific cod catcher vessel sideboard directed fishing closures after March 1 of each fishing year.

(ii) *GOA groundfish sideboard exemptions.* AFA catcher vessels less than 125 ft (38.1 m) LOA that are determined by the Regional Administrator to have harvested less than 5,100 mt of BSAI pollock and to have made 40 or more landings of GOA groundfish from 1995 through 1997 are exempt from GOA groundfish catcher vessel sideboard directed fishing closures.

(3) *How will groundfish sideboard limits be calculated?* Except for Aleutian Islands pollock, the Regional Administrator will establish annual AFA catcher vessel harvest limits for each groundfish species or species group in which a TAC is specified for an area or subarea of the GOA and BSAI as follows:

(i) *BSAI groundfish other than Pacific cod.* The AFA catcher vessel groundfish harvest limit for each BSAI groundfish species or species group other than BSAI Pacific cod will be equal to the aggregate retained catch of that groundfish species or species group from 1995 through 1997 by all AFA catcher vessels; divided by the sum of the TACs available to catcher vessels for that species or species group from 1995 through 1997; multiplied by the TAC available to catcher vessels in the year or season in which the harvest limit will be in effect.

(ii) *BSAI Pacific cod.* The AFA catcher vessel groundfish harvest limit for BSAI Pacific cod will be equal to the retained catch of BSAI Pacific cod in 1997 by AFA catcher vessels not exempted under paragraph (b)(2)(i)(A) of this section divided by the BSAI Pacific cod TAC available to catcher vessels in 1997; multiplied by the BSAI Pacific cod TAC available to catcher vessels in the year or season in which the harvest limit will be in effect.

(iii) *GOA groundfish*. The AFA catcher vessel groundfish harvest limit for each GOA groundfish species or species group will be equal to the aggregate retained catch of that groundfish species or species group from 1995 through 1997 by AFA catcher vessels not exempted under paragraph (b)(2)(ii) of this section; divided by the sum of the TACs of that species or species group available to catcher vessels from 1995 through 1997; multiplied by the TAC available to catcher vessels in the year or season in which the harvest limit will be in effect.

(4) *How will PSC bycatch limits be calculated?* The AFA catcher vessel PSC bycatch limit for halibut in the BSAI and GOA, and each crab species in the BSAI for which a trawl bycatch limit has been established will be a portion of the PSC limit equal to the ratio of aggregate retained groundfish catch by AFA catcher vessels in each PSC target category from 1995 through 1997 relative to the retained catch of all vessels in that fishery from 1995 through 1997.

(5) *How will catcher vessel sideboard limits be managed?* The Regional Administrator will manage groundfish harvest limits and PSC bycatch limits for AFA catcher vessels using directed fishing closures according to the procedures set out at §§ 679.20(d)(1)(iv) and 679.21(d)(8) and (e)(3)(v).

[67 FR 79734, Dec. 30, 2002, as amended at 70 FR 9868, Mar. 1, 2005]

§ 679.65 [Reserved]

APPENDIX A TO PART 679—PERFORMANCE AND TECHNICAL REQUIREMENTS FOR SCALES USED TO WEIGH CATCH AT SEA IN THE GROUND FISH FISHERIES OFF ALASKA

TABLE OF CONTENTS

- 1. Introduction
- 2. Belt Scales
 - 2.1 Applicability
 - 2.2 Performance Requirements
 - 2.2.1 Maximum Permissible Errors
 - 2.2.1.1 Laboratory Tests
 - 2.2.1.2 Zero Load Tests
 - 2.2.1.3 Material Tests
 - 2.2.2 Minimum Flow Rate (Σ min)
 - 2.2.3 Minimum Totalized Load (Σ min)
 - 2.2.4 Influence Quantities
 - 2.2.4.1 Temperature
 - 2.2.4.2 Power Supply

- 2.3 Technical Requirements
 - 2.3.1 Indicators and Printers
 - 2.3.1.1 General
 - 2.3.1.2 Values Defined
 - 2.3.1.3 Units
 - 2.3.1.4 Value of the Scale Division
 - 2.3.1.5 Range of Indication
 - 2.3.1.6 Resettable and Non-resettable Values
 - 2.3.1.7 Rate of Flow Indicator
 - 2.3.1.8 Printed Information
 - 2.3.1.9 Permanence of Markings
 - 2.3.1.10 Power Loss
 - 2.3.1.11 Adjustable Components
 - 2.3.1.12 Audit Trail
 - 2.3.1.13 Adjustments to Scale Weights
 - 2.3.2 Weighing Elements
 - 2.3.2.1 Speed Measurement
 - 2.3.2.2 Conveyer Belt
 - 2.3.2.3 Overload Protection
 - 2.3.2.4 Speed Control
 - 2.3.2.5 Adjustable Components
 - 2.3.2.6 Motion Compensation
 - 2.3.3 Installation Conditions
 - 2.3.4 Marking
 - 2.3.4.1 Presentation
 - 2.4 Tests
 - 2.4.1 Minimum Test Load
 - 2.4.2 Laboratory Tests
 - 2.4.2.1 Influence Quantity and Disturbance Tests
 - 2.4.2.2 Zero-Load Tests
 - 2.4.2.3 Material Tests
 - 2.4.3 Annual Scale Inspections
 - 2.4.3.1 Zero-Load Tests
 - 2.4.3.2 Material Tests
- 3. Automatic Hopper Scales
 - 3.1 Applicability
 - 3.2 Performance Requirements
 - 3.2.1 Maximum Permissible Errors
 - 3.2.1.1 Laboratory Tests
 - 3.2.1.2 Increasing and Decreasing Load Tests
 - 3.2.2 Minimum Weighment (Σ min)
 - 3.2.3 Minimum Totalized Load (Lot)
 - 3.2.4 Influence Quantities
 - 3.2.4.1 Temperature
 - 3.2.4.1.1 Operating Temperature
 - 3.2.4.2 Power Supply
 - 3.3 Technical Requirements
 - 3.3.1 Indicators and Printers
 - 3.3.1.1 General
 - 3.3.1.2 Values Defined
 - 3.3.1.3 Units
 - 3.3.1.4 Value of the Scale Division
 - 3.3.1.5 Weighing Sequence
 - 3.3.1.6 Printing Sequence
 - 3.3.1.7 Printed Information
 - 3.3.1.8 Permanence of Markings
 - 3.3.1.9 Range of Indication
 - 3.3.1.10 Non-resettable Values
 - 3.3.1.11 Power Loss
 - 3.3.1.12 Adjustable Components
 - 3.3.1.13 Audit Trail
 - 3.3.1.14 Zero-Load Adjustment
 - 3.3.1.14.1 Manual
 - 3.3.1.14.2 Semi-automatic