

## INDEX TO DISEASES AND INJURIES

Abnormal, abnormality, abnormalities - see also Anomaly

**creatinine clearance 794.4**

**liver function test 790.6**

Papanicolaou (smear)

**anus 796.70**

with

**atypical squamous cells**

**cannot exclude high grade squamous intraepithelial lesion (ASC-H) 796.72**

**of undetermined significance (ASC-US) 796.71**

**cytologic evidence of malignancy 796.76**

**high grade squamous intraepithelial lesion (HGSIL) 796.74**

**low grade squamous intraepithelial lesion (LGSIL) 796.73**

**glandular 796.70**

**specified finding NEC 796.79**

other site 796.9

**vagina 795.10**

with

**atypical squamous cells**

**cannot exclude high grade squamous intraepithelial lesion (ASC-H) 795.12**

**of undetermined significance (ASC-US) 795.11**

**cytologic evidence of malignancy 795.16**

**high grade squamous intraepithelial lesion (HGSIL) 795.14**

**low grade squamous intraepithelial lesion (LGSIL) 795.13**

**glandular 795.10**

**specified finding NEC 795.19**

Absence (organ or part) (complete or partial)

cervix (acquired) (uteri) V88.01

**with remaining uterus V88.03**

**and uterus V88.01**

nipple (congenital) 757.6

**acquired V45.71**

uterus (acquired) V88.01

**with remaining cervical stump V88.02**

**and cervix V88.01**

Acetonemia 790.6

diabetic 250.1

**due to secondary diabetes 249.1**

Acidosis 276.2

diabetic 250.1

**due to secondary diabetes 249.1**

Admission (encounter)

for

adjustment (of)

breast

implant V52.4

**exchange (different material) (different size) V52.4**

breast

**implant exchange (different material) (different size) V52.4**

**reconstruction following mastectomy V51.0**

removal, ~~prophylactic V50.41~~

**prophylactic V50.41**

**tissue expander without synchronous insertion of permanent implant V52.4**

Admission (encounter) (cont).  
for (cont.)  
cosmetic surgery NEC V50.1  
**breast reconstruction following mastectomy V51.0**  
following healed injury or operation V51.8  
elective surgery  
breast  
**reconstruction following mastectomy V51.0**  
cosmetic NEC V50.1  
**breast reconstruction following mastectomy V51.0**  
following healed injury or operation V51.8  
plastic  
**breast reconstruction following mastectomy V51.0**  
following healed injury or operation V51.8  
repair of scarred tissue (following healed injury or operation) V51.8  
fitting (of)  
**portacath V58.81**  
observation (without need for further medical care) (see also Observation) V71.9  
suspected ~~disorder V71.9~~  
**disorder V71.9**  
**maternal and fetal problem not found**  
**amniotic cavity and membrane V89.01**  
**cervical shortening V89.05**  
**fetal anomaly V89.03**  
**fetal growth V89.04**  
**oligohydramnios V89.01**  
**other specified NEC V89.09**  
**placenta V89.02**  
**polyhydramnios V89.01**  
plastic surgery  
**breast reconstruction following mastectomy V51.0**  
following healed injury or operation V51.8  
**reconstruction following mastectomy V51.0**  
removal of  
**breast tissue expander without synchronous insertion of permanent implant**  
**V52.4**  
repair of scarred tissue (following healed injury or operation) V51.8  
therapy  
long-term (current) drug use NEC V58.69  
**methadone V58.69**  
**opiate analgesic V58.69**  
**ultrasound, routine fetal V28.3**  
Agnosia (body image) (tactile) 784.69  
verbal 784.69  
~~visual 784.69~~  
~~developmental 315.8~~  
~~secondary to organic lesion 784.69~~  
visual 368.16  
**object 368.16**  
~~developmental 315.31~~  
**AIN I [anal intraepithelial neoplasia I] (histologically confirmed) 569.44**  
**AIN II [anal intraepithelial neoplasia II] (histologically confirmed) 569.44**  
**AIN III [anal intraepithelial neoplasia III] 230.6**  
**anal canal 230.5**  
Allergy, allergic (reaction) 995.3  
migraine 339.00

- Amastia (see also Absence, breast) **611.89**
- Ameba, amebic (histolytica) - see also Amebiasis  
meningoencephalitis  
    due to Naegleria (gruberi) **136.29**  
    primary **136.29**
- Amyloidosis (familial) (general) (generalized) (genetic) (primary) **277.30**
- Amyotrophia, amyotrophy, amyotrophic 728.2  
    diabetic 250.6 [**353.5**]  
    **due to secondary diabetes 249.6 [353.5]**
- Anemia 285.9  
    aplastic 284.9  
    acquired (secondary) **284.89**  
    due to  
        **antineoplastic chemotherapy 284.89**  
    due to  
        **drug - see Anemia, by type (see also Table of Drugs and Chemicals)**  
    fetal, ~~following blood loss 776.5~~ 678.0  
        **following blood loss, affecting newborn 776.5**  
    refractory (primary) 238.72  
        **due to**  
            **drug 285.0**  
            **myelodysplastic syndrome 238.72**  
            **toxin 285.0**  
        **hereditary 285.0**  
        **idiopathic 238.72**  
        sideroblastic 238.72  
            **hereditary 285.0**  
        sideroblastic (acquired) (any type) (congenital) (drug-induced) (due to disease) (hereditary)  
            (primary) (secondary) (sex-linked hypochromic) (vitamin B<sub>6</sub> responsive) 285.0  
        refractory 238.72  
            **congenital 285.0**  
            **drug-induced 285.0**  
            **hereditary 285.0**  
            **sex-linked hypochromic 285.0**  
            **vitamin B<sub>6</sub>-responsive 285.0**
- Aneurysm (anastomotic) (artery) (cirroid) (diffuse) (false) (fusiform) (multiple) (ruptured)  
    (saccular) (varicose) 442.9  
    retinal (acquired) 362.17  
        diabetic 250.5 [362.01]  
        **due to secondary diabetes 249.5 [362.01]**
- Angiopathia, angiopathy 459.9  
    diabetic (peripheral) 250.7 [443.81]  
        **due to secondary diabetes 249.7 [443.81]**  
    peripheral 443.9  
        diabetic 250.7 [443.81]  
        **due to secondary diabetes 249.7 [443.81]**  
    retinalis (juvenilis) 362.18  
        diabetic 250.5 [362.01]  
        **due to secondary diabetes 249.5 [362.01]**
- Anomaly, anomalous (congenital) (unspecified type) 759.9  
    **venous - see Anomaly, vein**
- Antenatal  
    **sampling**  
        **chorionic villus V28.89**

Antenatal (cont.)  
screening of mother (for) V28.9  
**genomic V28.89**  
**proteomic V28.89**  
**risk**  
**pre-term labor V28.82**  
specified condition NEC V28.89  
**survey**  
**fetal anatomic V28.81**  
**testing**  
**nuchal translucency V28.89**

Anus, anal - see also condition  
**high risk human papillomavirus (HPV) DNA test positive 796.75**  
**low risk human papillomavirus (HPV) DNA test positive 796.79**

Arteriosclerosis, arteriosclerotic (artery) (deformans) (diffuse) (disease) (endarteritis) (general) (obliterans) (obliterative) (occlusive) (senile) (with calcification) 440.9  
coronary (artery) 414.00  
**due to lipid rich plaque 414.3**

Arthritis, arthritic (acute) (chronic) (subacute) 716.9  
Charcôt's 094.0 [713.5]  
diabetic 250.6 [713.5]  
**due to secondary diabetes 249.6 [713.5]**  
due to or associated with  
cowpox 051.01 [711.5]  
diabetes 250.6 [713.5]  
**due to secondary diabetes 249.6 [713.5]**  
erythema  
multiforme 695.10 [713.3]  
neuropathic (Charcôt's) 094.0 [713.5]  
diabetic 250.6 [713.5]  
**due to secondary diabetes 249.6 [713.5]**

Arthropathy (see also Arthritis) 716.9  
Charcôt's 094.0 [713.5]  
diabetic 250.6 [713.5]  
**due to secondary diabetes 249.6 [713.5]**  
neurogenic, neuropathic (Charcôt's) (tabetic) 094.0 [713.5]  
diabetic 250.6 [713.5]  
**due to secondary diabetes 249.6 [713.5]**

ASC-US (atypical squamous cells of undetermined significance) ~~795.04~~  
**anus 796.71**  
**cervix 795.01**  
**vagina 795.11**

ASC-H (atypical squamous cells cannot exclude high grade squamous intraepithelial lesion)  
~~795.02~~  
**anus 796.72**  
**cervix 795.02**  
**vagina 795.12**

Aspiration  
acid pulmonary (syndrome) 997.39

Asymmetry - see also Distortion  
**breast, between native and reconstructed 612.1**

Ataxia, ataxy, ataxic 781.3  
locomotor (progressive) 094.0  
diabetic 250.6 [337.1]  
**due to secondary diabetes 249.6 [337.1]**

Atypical - see also condition  
cells  
    glandular **795.00**  
        **anus 796.70**  
        **cervical 795.00**  
        **vaginal 795.10**

Aura, ~~jacksonian (see also Epilepsy) 345.5~~  
    **jacksonian (see also Epilepsy) 345.5**  
    **persistent migraine 346.5**  
        **with cerebral infarction 346.6**  
        **without cerebral infarction 346.5**

Baader's syndrome (erythema multiforme ***exudativum***) ***695.19***

**Bedbugs bite(s) - see Injury, superficial, by site**

Bedsore (***see also Ulcer, pressure***) ***707.00***

Bing-Horton syndrome (histamine cephalgia) ***339.00***

**Birt-Hogg-Dube syndrome 759.89**

Bite(s)  
    **bedbug - see Injury, superficial, by site**

Blindness (acquired) (congenital) (both eyes) 369.00  
    **face 368.16**

Blood  
    in  
        urine (see also Hematuria) ***599.70***

**BOOP (bronchiolitis obliterans organized pneumonia ) 516.8**

Borderline  
    **osteopenia 733.90**

Bradycardia 427.89  
    reflex ***337.09***

Breast - see ***also*** condition  
    **buds 259.1**  
        **in newborn 779.89**  
    **dense - omit code**  
    **nodule 793.89**

Bronchiolitis (acute) (infectious) (subacute) 466.19  
    obliterans 491.8  
        with organizing pneumonia (***BOOP***) 516.8

Bronchitis (diffuse) (hypostatic) (infectious) (inflammatory) (simple) 490  
    acute or subacute 466.0  
        with  
            **bronchiectasis 494.1**

**Buds**  
    **breast 259.1**  
    **in newborn 779.89**

Burst stitches or sutures (complication of surgery) (external) (***see also Dehiscence***) 998.32

Carcinoid (tumor) (M8240/1) - see ~~Tumor, carcinoid~~**also Neoplasm, by site, uncertain behavior**

Carcinoma (M8010/3) - see also Neoplasm, by site, malignant  
    **neuroendocrine**  
        **high grade (M8240/3) 209.30**  
        **malignant poorly differentiated (M8240/3) 209.30**

Carotid body or sinus syndrome ***337.01***

Carotidynia ***337.01***

Carrier (suspected) of  
    Staphylococcus NEC V02.59  
        **methicillin**  
            **resistant Staphylococcus aureus V02.54**

- Carrier ... (cont.)  
  Staphylococcus ... (cont.)  
    methicillin (cont)  
      **susceptible Staphylococcus aureus V02.53**
- Cataract (anterior cortical) (anterior polar) (black) (capsular) (central) (cortical) (hypermaturation)  
  (immaturation) (incipient) (mature) 366.9  
  diabetic 250.5 [366.41]  
    **due to secondary diabetes 249.5 [366.41]**  
  snowflake 250.5 [366.41]  
    **due to secondary diabetes 249.5 [366.41]**
- Cataracta 366.10  
  diabetic 250.5 [366.41]  
    **due to secondary diabetes 249.5 [366.41]**
- Cementoperiostitis 523.40  
  **acute 523.33**  
  **apical 523.40**
- Cephalgia, cephalagia (see also Headache) 784.0  
  histamine **339.00**  
  **other trigeminal autonomic (TACS) 339.09**
- Cervical - see also condition  
  **shortening - see Short, cervical**
- Change(s) (of) - see also Removal of  
  bone 733.90  
    diabetic 250.8 [731.8]  
      **due to secondary diabetes 249.8 [731.8]**
- Charcôt's  
  joint (disease) 094.0 [713.5]  
    diabetic 250.6 [713.5]  
      **due to secondary diabetes 249.6 [713.5]**
- Chill(s) **780.64**  
  with fever **780.60**  
  without fever **780.64**
- CJD (Creutzfeldt-Jakob disease) 046.19**  
  **variant (vCJD) 046.11**
- Colitis (acute) (catarrhal) (croupous) (cystica superficialis) (exudative) (hemorrhagic)  
  (noninfectious) (phlegmonous) (presumed noninfectious) 558.9  
  **eosinophilic 558.41**
- Colonization**  
  **MRSA (methicillin resistant Staphylococcus aureus) V02.54**  
  **MSSA (methicillin susceptible Staphylococcus aureus) V02.53**
- Coma 780.01  
  diabetic (with ketoacidosis) 250.3  
    **due to secondary diabetes 249.3**  
  hyperosmolar .250.2  
    **due to secondary diabetes 249.2**  
  hyperglycemic 250.2  
    **due to secondary diabetes 249.2**  
  hyperosmolar (diabetic) (nonketotic) 250.2  
    **due to secondary diabetes 249.2**  
  hypoglycemic 251.0  
    diabetic 250.3  
      **due to secondary diabetes 249.3**  
  insulin 250.3  
    **due to secondary diabetes 249.3**  
    hyperosmolar 250.2  
      **due to secondary diabetes 249.2**

- Coma ... (cont.)
  - Kussmaul's (diabetic) 250.3
    - due to secondary diabetes 249.3**
  - prediabetic 250.2
    - due to secondary diabetes 249.2**
- Complex
  - regional pain syndrome 355.9**
    - type I 337.20**
      - lower limb 337.22**
      - specified site NEC 337.29**
      - upper limb 337.21**
    - type II**
      - lower limb 355.71**
      - upper limb 354.4**
- Complications
  - amniocentesis, fetal 679.1**
  - fetal, from amniocentesis 679.1**
  - infection and inflammation
    - due to (presence of) any device, implant or graft classified to 996.0-996.5 NEC 996.60
    - catheter NEC 996.69
      - portacath (port-a-cath) 999.31**
      - umbilical venous 999.31**
    - portacath (port-a-cath) 999.31**
    - umbilical venous catheter 999.31**
  - infusion (procedure) **999.88**
  - in utero procedure**
    - fetal 679.1**
    - maternal 679.0**
  - medical care NEC 999.9
    - respiratory NEC **997.39**
  - respiratory 519.9
    - postoperative NEC **997.39**
  - surgical procedures 998.9
    - burst stitches or sutures (external) (***see also Dehiscence***) 998.32
    - dehiscence (of incision) (external) (***see also Dehiscence***) 998.32
    - disruption (***see also Dehiscence***)
    - respiratory NEC **997.39**
  - transfusion (blood) (lymphocytes) (plasma) NEC **999.89**
    - hemolysis NEC **999.89**
    - shock or reaction NEC **999.89**
- Condition - see also Disease
  - fetal hematologic 678.0**
- Condyloma NEC **078.11**
- Conflict
  - marital V61.10
    - involving ~~divorce or estrangement~~ **V61.0**
      - divorce V61.03**
      - estrangement V61.09**
- Conjoined twins 759.4
  - causing disproportion (fetopelvic) **678.1**
  - fetal 678.1**
- Conjugal maladjustment V61.10
  - involving ~~divorce or estrangement~~ **V61.0**
    - divorce V61.03**
    - estrangement V61.09**

Conjunctivitis (exposure) (infectious) (nondiphtheritic) (pneumococcal) (pustular) (staphylococcal) (streptococcal) NEC 372.30  
due to  
erythema multiforme **695.10** [372.33]  
Contraction, contracture, contracted  
axilla **729.90**  
**breast implant, capsular 611.83**  
**capsular, of breast implant 611.83**  
face **729.90**  
**Cotia virus 059.8**  
Cowpox (abortive) **051.01**  
eyelid **051.01** [373.5]  
Creutzfeldt-Jakob disease (**CJD**) (syndrome) (~~new variant~~) **046.19**  
with dementia  
with behavioral disturbance **046.19** [294.11]  
without behavioral disturbance **046.19** [294.10]  
**familial 046.19**  
**iatrogenic 046.19**  
**specified NEC 046.19**  
**sporadic 046.19**  
**variant (vCJD) 046.11**  
with dementia  
with behavioral disturbance **046.11** [294.11]  
without behavioral disturbance **046.11** [294.10]  
**Cryofibrinogenemia 273.2**  
Cyclical vomiting 536.2  
**associated with migraine 346.2**  
Cyst (mucus) (retention) (serous) (simple)  
fallopian tube 620.8  
**congenital 752.11**  
**Müllerian** duct 752.89  
**appendix testis 608.89**  
**cervix (embryonal) 752.41**  
**fallopian tube 752.11**  
**prostatic utricle 599.89**  
**vagina (embryonal) 752.41**  
paralabral  
hip 718.85  
shoulder 840.7  
paramesonephric duct - see Cyst, Müllerian duct  
**Decubital gangrene (see also Ulcer, pressure) 707.00** [785.4]  
Decubiti (see also **Ulcer, pressure**) 707.00  
Decubitus (ulcer) (**see also Ulcer, pressure**) 707.00  
Deformity 738.9  
breast (acquired) **611.89**  
**reconstructed 612.0**  
nipple (congenital) 757.9  
acquired **611.89**  
Degeneration, degenerative  
**anterior labral 840.8**



Dehiscence

**closure of**

**cornea 998.32**  
**fascia, superficial or muscular 998.31**  
**internal organ 998.31**  
**mucosa 998.32**  
**muscle or muscle flap 998.31**  
**ribs or rib cage 998.31**  
**skin 998.32**  
**skull or craniotomy 998.31**  
**sternum or sternotomy 998.31**  
**subcutaneous tissue 998.32**  
**tendon or ligament 998.31**  
**traumatic laceration (external) (internal) 998.33**

operation wound 998.32

**deep 998.31**  
**external 998.32**  
**superficial 998.32**

**traumatic injury wound repair 998.33**

Delay, delayed

**vaccination V64.00**

Delivery

**Note** Use the following fifth-digit subclassification with categories 640-~~649~~, 651-676:

- |   |  |
|---|--|
| 0 | unspecified as to episode of care                          |
| 1 | delivered, with or without mention of antepartum condition |
| 2 | delivered, with mention of postpartum complication         |
| 3 | antepartum condition or complication                       |
| 4 | postpartum condition or complication                       |

cesarean (for) 669.7

maternal

diabetes mellitus ***(conditions classifiable to 249 and 250)*** 648.0

complicated (by) NEC 669.9

Siamese twins ~~653.7~~ **678.1**

Dementia 294.8

due to or associated with condition(s) classified elsewhere

Jakob-Creutzfeldt disease ***(CJD)*** ***(new variant)***

with behavioral disturbance ***046.19*** [294.11]

without behavioral disturbance ***046.19*** [294.10]

**variant (vCJD) 046.11**

**with dementia**

**with behavioral disturbance 046.11 [294.11]**

**without behavioral disturbance 046.11 [294.10]**

Dense

**breast(s) - omit code**

Dependence

on

hemodialysis ***V45.11***

peritoneal dialysis ***V45.11***

renal dialysis machine ***V45.11***

**wheelchair V46.3**

de Quervain's

**syndrome 259.51**

Dermatitis (allergic) (contact) (occupational) (venenata) 692.9  
  eyelid 373.31  
    infective 373.5  
      due to  
        vaccinia **051.09** [373.5]  
  stasis **454.1**  
Dermopathy  
  **nephrogenic fibrosing 701.8**  
Diabetes, diabetic (brittle) (congenital) (familial) (mellitus) (poorly controlled) (severe)... 250.0  
  with  
    coma (with ketoacidosis) 250.3  
      **due to secondary diabetes 249.3**  
    hyperosmolar (nonketotic) 250.2  
      **due to secondary diabetes 249.2**  
    complication NEC 250.9  
      **due to secondary diabetes 249.9**  
    specified NEC 250.8  
      **due to secondary diabetes 249.8**  
    gangrene 250.7 [785.4]  
      **due to secondary diabetes 249.7 [785.4]**  
    **hyperglycemia - code to Diabetes, by type, with 5th digit for not stated as uncontrolled**  
    hyperosmolarity 250.2  
      **due to secondary diabetes 249.2**  
    ketosis, ketoacidosis 250.1  
      **due to secondary diabetes 249.1**  
    osteomyelitis 250.8 [731.8]  
      **due to secondary diabetes 249.8 [731.8]**  
    specified manifestations NEC 250.8  
      **due to secondary diabetes 249.8**  
  acetonemia 250.1  
    **due to secondary diabetes 249.1**  
  acidosis 250.1  
    **due to secondary diabetes 249.1**  
  amyotrophy 250.6 [**353.5**]  
    **due to secondary diabetes 249.6 [353.5]**  
  angiopathy, peripheral 250.7 [443.81]  
    **due to secondary diabetes 249.7 [443.81]**  
  autonomic neuropathy (peripheral) 250.6 [337.1]  
    **due to secondary diabetes 249.6 [337.1]**  
  bone change 250.8 [731.8]  
    **due to secondary diabetes 249.8 [731.8]**  
  cataract 250.5 [366.41]  
    **due to secondary diabetes 249.5 [366.41]**  
  chemical ***induced - see Diabetes, secondary-790.29***  
    complicating pregnancy, childbirth, or puerperium **648.0**  
  coma (with ketoacidosis) 250.3  
    **due to secondary diabetes 249.3**  
    hyperglycemic 250.3  
      **due to secondary diabetes 249.3**  
    hyperosmolar (nonketotic) 250.2  
      **due to secondary diabetes 249.2**  
    hypoglycemic 250.3  
      **due to secondary diabetes 249.3**  
  insulin 250.3  
    **due to secondary diabetes 249.3**

Diabetes, diabetic... (cont.)  
complicating pregnancy, childbirth, or puerperium (maternal) ***(conditions classifiable to 249 and 250)*** 648.0  
complication NEC 250.9  
    **due to secondary diabetes 249.9**  
    specified NEC 250.8  
        **due to secondary diabetes 249.8**  
dorsal sclerosis 250.6 [340]  
    **due to secondary diabetes 249.6 [340]**  
**drug-induced - see also Diabetes, secondary**  
    **overdose or wrong substance given or taken - see Table of Drugs and Chemicals**  
**due to**  
    **cystic fibrosis - see Diabetes, secondary**  
    **infection - see Diabetes, secondary**  
gangrene 250.7 [785.4]  
    **due to secondary diabetes 249.7 [785.4]**  
gastroparesis 250.6 [536.3]  
    **due to secondary diabetes 249.6 [536.3]**  
glaucoma 250.5 [365.44]  
    **due to secondary diabetes 249.5 [365.44]**  
glomerulosclerosis (intercapillary) 250.4 [581.81]  
    **due to secondary diabetes 249.4 [581.81]**  
glycogenosis, secondary 250.8 [259.8]  
    **due to secondary diabetes 249.8 [259.8]**  
hyperosmolar coma 250.2  
    **due to secondary diabetes 249.2**  
hyperosmolarity 250.2  
    **due to secondary diabetes 249.2**  
hypertension-nephrosis syndrome 250.4 [581.81]  
    **due to secondary diabetes 249.4 [581.81]**  
hypoglycemia 250.8  
    **due to secondary diabetes 249.8**  
hypoglycemic shock 250.8  
    **due to secondary diabetes 249.8**  
**inadequately controlled - code to Diabetes, by type, with 5th digit for not stated as uncontrolled**  
intercapillary glomerulosclerosis 250.4 [581.81]  
    **due to secondary diabetes 249.4 [581.81]**  
iritis 250.5 [364.42]  
    **due to secondary diabetes 249.5 [364.42]**  
ketosis, ketoacidosis 250.1  
    **due to secondary diabetes 249.1**  
Kimmelstiel (-Wilson) disease or syndrome (intercapillary glomerulosclerosis) 250.4 [581.81]  
    **due to secondary diabetes 249.4 [581.81]**  
**Lancereaux's (diabetes mellitus with marked emaciation) 250.8 [261]**  
    **due to secondary diabetes 249.8 [261]**  
latent (chemical) - ***see Diabetes, secondary-790.29***  
    complicating pregnancy, childbirth, or puerperium ***648.0***  
lipoidosis 250.8 [272.7]  
    **due to secondary diabetes 249.8 [272.7]**  
macular edema 250.5 [362.07]  
    **due to secondary diabetes 249.5 [362.07]**  
microaneurysms, retinal 250.5 [362.01]  
    **due to secondary diabetes 249.5 [362.01]**  
mononeuropathy 250.6 [355.9]  
    **due to secondary diabetes 249.6 [355.9]**

Diabetes, diabetic... (cont.)  
nephropathy 250.4 [583.81]  
    **due to secondary diabetes 249.4 [581.81]**  
nephrosis (syndrome) 250.4 [581.81]  
    **due to secondary diabetes 249.4 [581.81]**  
neuralgia 250.6 [357.2]  
    **due to secondary diabetes 249.6 [357.2]**  
neuritis 250.6 [357.2]  
    **due to secondary diabetes 249.6 [357.2]**  
neurogenic arthropathy 250.6 [713.5]  
    **due to secondary diabetes 249.6 [713.5]**  
neuropathy 250.6 [357.2]  
    **due to secondary diabetes 249.6 [357.2]**  
osteomyelitis 250.8 [731.8]  
    **due to secondary diabetes 249.8 [731.8]**  
**out of control - code to Diabetes, by type, with 5th digit for uncontrolled**  
peripheral autonomic neuropathy 250.6 [337.1]  
    **due to secondary diabetes 249.6 [337.1]**  
polyneuropathy 250.6 [357.2]  
    **due to secondary diabetes 249.6 [357.2]**  
**poorly controlled - code to Diabetes, by type, with 5th digit for not stated as uncontrolled**  
retinal  
    edema 250.5 [362.07]  
        **due to secondary diabetes 249.5 [362.07]**  
    hemorrhage 250.5 [362.01]  
        **due to secondary diabetes 249.5 [362.01]**  
    microaneurysms 250.5 [362.01]  
        **due to secondary diabetes 249.5 [362.01]**  
retinitis 250.5 [362.01]  
    **due to secondary diabetes 249.5 [362.01]**  
retinopathy 250.5 [362.01]  
    **due to secondary diabetes 249.5 [362.01]**  
    background 250.5 [362.01]  
        **due to secondary diabetes 249.5 [362.01]**  
    nonproliferative 250.5 [362.03]  
        **due to secondary diabetes 249.5 [362.03]**  
    mild 250.5 [362.04]  
        **due to secondary diabetes 249.5 [362.04]**  
    moderate 250.5 [362.05]  
        **due to secondary diabetes 249.5 [362.05]**  
    severe 250.5 [362.06]  
        **due to secondary diabetes 249.5 [362.06]**  
    proliferative 250.5 [362.02]  
        **due to secondary diabetes 249.5 [362.02]**  
**secondary (chemical-induced) (due to chronic condition) (due to infection) (drug-induced) 249.0**  
    with  
        coma (with ketoacidosis) 249.3  
        hyperosmolar (nonketotic) 249.2  
        complication NEC 249.9  
        specified NEC 249.8  
        gangrene 249.7 [785.4]  
        hyperosmolarity 249.2  
        ketosis, ketoacidosis 249.1  
        osteomyelitis 249.8 [731.8]

Diabetes, diabetic... (cont.)  
  secondary ... (cont.)  
    with (cont.)  
      **specified manifestations NEC 249.8**  
      **acetonemia 249.1**  
      **acidosis 249.1**  
      **amyotrophy 249.6 [353.5]**  
      **angiopathy, peripheral 249.7 [443.81]**  
      **autonomic neuropathy (peripheral) 249.6 [337.1]**  
      **bone change 249.8 [731.8]**  
      **cataract 249.5 [366.41]**  
      **coma (with ketoacidosis) 249.3**  
        **hyperglycemic 249.3**  
        **hyperosmolar (nonketotic) 249.2**  
        **hypoglycemic 249.3**  
        **insulin 249.3**  
      **complicating pregnancy, childbirth, or puerperium (maternal) 648.0**  
        **affecting fetus or newborn 775.0**  
      **complication NEC 249.9**  
        **specified NEC 249.8**  
      **dorsal sclerosis 249.6 [340]**  
      **due to overdose or wrong substance given or taken - see Table of Drugs and**  
        **Chemicals**  
      **gangrene 249.7 [785.4]**  
      **gastroparesis 249.6 [536.3]**  
      **glaucoma 249.5 [365.44]**  
      **glomerulosclerosis (intercapillary) 249.4 [581.81]**  
      **glycogenosis, secondary 249.8 [259.8]**  
      **hyperosmolar coma 249.2**  
      **hyperosmolarity 249.2**  
      **hypertension-nephrosis syndrome 249.4 [581.81]**  
      **hypoglycemia 249.8**  
      **hypoglycemic shock 249.8**  
      **intercapillary glomerulosclerosis 249.4 [581.81]**  
      **iritis 249.5 [364.42]**  
      **ketosis, ketoacidosis 249.1**  
      **Kimmelstiel (-Wilson) disease or syndrome (intercapillary glomerulosclerosis)**  
        **249.4 [581.81]**  
      **Lancereaux's (diabetes mellitus with marked emaciation) 249.8 [261]**  
      **lipoidosis 249.8 [272.7]**  
      **macular edema 249.5 [362.07]**  
      **maternal**  
        **with manifest disease in the infant 775.1**  
          **affecting fetus or newborn 775.0**  
      **microaneurysms, retinal 249.5 [362.01]**  
      **mononeuropathy 249.6 [355.9]**  
      **nephropathy 249.4 [581.81]**  
      **nephrosis (syndrome) 249.4 [581.81]**  
      **neuralgia 249.6 [357.2]**  
      **neuritis 249.6 [357.2]**  
      **neurogenic arthropathy 249.6 [713.5]**  
      **neuropathy 249.6 [357.2]**  
      **osteomyelitis 249.8 [731.8]**  
      **peripheral autonomic neuropathy 249.6 [337.1]**  
      **polyneuropathy 249.6 [357.2]**

Diabetes, diabetic... (cont.)  
secondary ... (cont.)

**retinal**

**edema 249.5 [362.07]**  
**hemorrhage 249.5 [362.01]**  
**microaneurysms 249.5 [362.01]**

**retinitis 249.5 [362.01]**

**retinopathy 249.5 [362.01]**

**background 249.5 [362.01]**  
**nonproliferative 249.5 [362.03]**  
**mild 249.5 [362.04]**  
**moderate 249.5 [362.05]**  
**severe 249.5 [362.06]**

**proliferative 249.5 [362.02]**

**ulcer (skin) 249.8 [707.9]**

**lower extremity 249.8 [707.10]**

**ankle 249.8 [707.13]**  
**calf 249.8 [707.12]**  
**foot 249.8 [707.15]**  
**heel 249.8 [707.14]**  
**knee 249.8 [707.19]**  
**specified site NEC 249.8 [707.19]**  
**thigh 249.8 [707.11]**  
**toes 249.8 [707.15]**

**specified site NEC 249.8 [707.8]**

**xanthoma 249.8 [272.2]**

steroid induced - see also Diabetes, secondary  
~~**correct substance properly administered 251.8**~~

ulcer (skin) 250.8 [707.9]

**due to secondary diabetes 249.8 [707.9]**

lower extremity 250.8 [707.10]

**due to secondary diabetes 249.8 [707.10]**  
**ankle 250.8 [707.13]**  
**due to secondary diabetes 249.8 [707.13]**  
**calf 250.8 [707.12]**  
**due to secondary diabetes 249.8 [707.12]**  
**foot 250.8 [707.15]**  
**due to secondary diabetes 249.8 [707.15]**  
**heel 250.8 [707.14]**  
**due to secondary diabetes 249.8 [707.14]**  
**knee 250.8 [707.19]**  
**due to secondary diabetes 249.8 [707.19]**  
**specified site NEC 250.8 [707.19]**  
**due to secondary diabetes 249.8 [707.19]**  
**thigh 250.8 [707.11]**  
**due to secondary diabetes 249.8 [707.11]**  
**toes 250.8 [707.15]**  
**due to secondary diabetes 249.8 [707.15]**  
**specified site NEC 250.8 [707.8]**  
**due to secondary diabetes 249.8 [707.8]**  
**xanthoma 250.8 [272.2]**  
**due to secondary diabetes 249.8 [272.2]**

Dialysis (intermittent) (treatment)

hemodialysis V56.0

status only **V45.11**

Dialysis ... (cont.)  
peritoneal V56.8  
status only **V45.11**  
renal V56.0  
status only **V45.11**

Disease, diseased - see also Syndrome  
breast 611.9  
specified NEC **611.89**

Creutzfeldt-Jakob (~~CJD~~)(~~new variant~~) **046.19**  
with dementia  
with behavioral disturbance **046.19** [294.11]  
without behavioral disturbance **046.19** [294.10]  
**familial 046.19**  
**iatrogenic 046.19**  
**specified NEC 046.19**  
**sporadic 046.19**  
**variant (vCJD) 046.11**  
with dementia  
with behavioral disturbance **046.11** [294.11]  
without behavioral disturbance **046.11** [294.10]

Ebstein's  
meaning diabetes 250.4 [581.81]  
due to secondary diabetes **249.4** [581.81]  
**gastroesophageal reflux (GERD) 530.81**  
~~graft-versus-host (bone marrow) 279.50~~  
~~due to organ transplant NEC – see Complications, transplant, organ~~  
~~acute 279.51~~  
on chronic **279.53**  
**chronic 279.52**

Hebra's  
erythema multiforme exudativum **695.19**

Hirschfeld's (acute diabetes mellitus) (see also Diabetes) 250.0  
due to secondary diabetes **249.0**

host-versus-graft (immune or nonimmune cause) **279.50**  
~~bone marrow 996.85~~  
~~heart 996.83~~  
~~intestines 996.87~~  
~~kidney 996.81~~  
~~liver 996.82~~  
~~lung 996.84~~  
~~pancreas 996.86~~  
~~specified NEC 996.89~~

Jakob-Creutzfeldt (~~CJD~~)(~~new variant~~) **046.19**  
with dementia  
with behavioral disturbance **046.19** [294.11]  
without behavioral disturbance **046.19** [294.10]  
**familial 046.19**  
**iatrogenic 046.19**  
**specified NEC 046.19**  
**sporadic 046.19**  
**variant (vCJD) 046.11**  
with dementia  
with behavioral disturbance **046.11** [294.11]  
without behavioral disturbance **046.11** [294.10]

Johnson-Stevens (erythema multiforme exudativum) **695.13**

Disease, diseased (cont.)  
Kimmelstiel (-Wilson) (intercapillary glomerulosclerosis) 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**  
Lyell's (toxic epidermal necrolysis) 695.15  
due to drug  
correct substance properly administered 695.15  
Möbius', Moebius' 346.2  
musculoskeletal system 729.90  
nervous system (central) 349.9  
**prion NEC 046.79**  
Oppenheim-Urbach (necrobiosis lipoidica diabetorum) 250.8 [709.3]  
**due to secondary diabetes 249.8 [709.3]**  
Profichet's 729.90  
renal (functional) (pelvis) (see also Disease, kidney) 593.9  
diabetic 250.4 [583.81]  
**due to secondary diabetes 249.4 [581.81]**  
due to  
diabetes mellitus 250.4 [583.81]  
**due to secondary diabetes 249.4 [581.81]**  
Stevens-Johnson (erythema multiforme exudativum) 695.13  
Still's (juvenile rheumatoid arthritis) 714.30  
**adult onset 714.2**  
Tommaselli's  
correct substance properly administered 599.70  
Urbach-Oppenheim (necrobiosis lipoidica diabetorum) 250.8 [709.3]  
**due to secondary diabetes 249.8 [709.3]**  
valve, valvular - see also Endocarditis  
**congenital NEC (see also Anomaly, heart, valve) 746.9**  
**pulmonary 746.00**  
**specified type NEC 746.89**  
vascular 459.9  
peripheral (occlusive) 443.9  
in diabetes mellitus 250.7 [443.81]  
**due to secondary diabetes 249.7 [443.81]**  
Willis' (diabetes mellitus) (see also Diabetes) 250.0  
**due to secondary diabetes 249.0**  
Disorder - see also Disease  
breast 611.9  
specified NEC 611.89  
limb NEC 729.90  
lymphoproliferative (chronic) NEC (M9970/1) 238.79  
**post-transplant (PTLD) 238.77**  
musculoskeletal system NEC 729.90  
**post-transplant lymphoproliferative (PTLD) 238.77**  
**semantic pragmatic 315.39**  
**with autism 299.0**  
soft tissue 729.90  
**specified type NEC 729.99**  
Disproportion 653.9  
**breast, reconstructed 612.1**  
**between native and reconstructed 612.1**  
caused by  
conjoined twins **653.7 678.1**



Disruption  
family **V61.09**  
due to  
child in  
care of non-parental family member **V61.06**  
foster care **V61.06**  
welfare custody **V61.05**  
divorce **V61.03**  
estrangement **V61.09**  
parent-child **V61.04**  
family member  
on military deployment **V61.01**  
return from military deployment **V61.02**  
legal separation **V61.03**  
marital **V61.10**  
involving ~~divorce or estrangement~~ **V61.0**  
divorce **V61.03**  
estrangement **V61.09**  
operation wound (external) (**see also Dehiscence**) 998.32  
suture line (external) (**see also Dehiscence**) 998.32  
wound **998.30**  
operation (**surgical**) 998.32  
Dissatisfaction with  
employment **V62.29**  
Disturbance - see also Disease  
metabolism (acquired) (congenital) (see also Disorder, metabolism) 277.9  
nitrogen **788.99**  
Divorce **V61.03**  
Droop  
Cooper's **611.81**  
Drowned, drowning (**near**) 994.1  
Drug - see also condition  
therapy (maintenance) status NEC  
long-term (current) use V58.69  
**methadone V58.69**  
**opiate analgesic V58.69**  
Durotomy, incidental (inadvertent) (see also Tear, dural) 349.31  
Dysplasia - see also Anomaly  
anus **569.44**  
intraepithelial neoplasia I [AIN I] (histologically confirmed) **569.44**  
intraepithelial neoplasia II [AIN II] (histologically confirmed) **569.44**  
intraepithelial neoplasia III [AIN III] 230.6  
anal canal 230.5  
mild (histologically confirmed) **569.44**  
moderate (histologically confirmed) **569.44**  
severe 230.6  
anal canal 230.5  
retrolental (**see also Retinopathy of prematurity**) 362.21  
skin **709.8**  
vagina 623.0  
mild **623.0**  
moderate **623.0**  
Dystrophy, dystrophia 783.9  
cervical (sympathetic) NEC **337.09**  
reflex neuromuscular - see Dystrophy, sympathetic

- Ebstein's  
disease (diabetes) 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**
- Ectodermosis erosiva pluriorificialis **695.19**
- Edema, edematous 782.3  
macula 362.83  
diabetic 250.5 [362.07]  
**due to secondary diabetes 249.5 [362.07]**  
retina (localized) (macular) (peripheral) 362.83  
diabetic 250.5 [362.07]  
**due to secondary diabetes 249.5 [362.07]**
- Effusion  
pleura, pleurisy, pleuritic, pleuropericardial 511.9  
malignant **511.81**
- Electric  
**shock from electroshock gun (taser) 994.8**
- Elevation  
body temperature (of unknown origin) (see also Pyrexia) **780.60**  
cholesterol 272.0  
with ***high*** triglycerides 272.2  
triglycerides 272.1  
with ***high*** cholesterol 272.2
- Embolism 444.9  
postoperative NEC 997.2  
pulmonary 415.11  
septic **415.11**
- Encephalomyelitis (chronic) (granulomatous) (~~hemorrhagic necrotizing, acute~~) (myalgic,  
benign) (see also Encephalitis) 323.9
- Encephalopathy (acute) 348.30  
due to  
**drugs - (see also Table of Drugs and Chemicals) 348.39**  
necrotizing  
hemorrhagic (***acute***) 323.61  
spongioform, subacute (viral) **046.19**  
subacute  
spongioform **046.19**  
viral, spongioform **046.19**
- Endocarditis (chronic) (indeterminate) (interstitial) (***marantic***) (nonbacterial thrombotic) (residual)  
(sclerotic) (sclerous) (senile) (valvular) 424.90
- Endometritis (nonspecific) (purulent) (septic) (suppurative) 615.9  
complicating pregnancy **670**
- Enteritis (acute) (catarrhal) (choleraic) (chronic) (congestive) (diarrheal) (exudative) (follicular)  
(hemorrhagic) (infantile) (lienteric) (noninfectious) (perforative) (phlegmonous)  
(presumed noninfectious) (pseudomembranous) 558.9  
**eosinophilic 558.41**  
necrotizing of fetus or newborn (**see also Enterocolitis, necrotizing, newborn) 777.50**  
newborn 777.8  
necrotizing (**see also Enterocolitis, necrotizing, newborn) 777.50**
- Enterocolitis - see also Enteritis  
fetus or newborn (**see also Enterocolitis, necrotizing, newborn) 777.8**  
necrotizing **777.50**

Enterocolitis ... (cont.)  
necrotizing (acute) (membranous) 557.0  
**newborn 777.50**  
with  
perforation **777.53**  
pneumatosis without perforation **777.52**  
pneumatosis and perforation **777.53**  
stage I **777.51**  
stage II **777.52**  
stage III **777.53**  
primary necrotizing (***see also Enterocolitis, necrotizing, newborn***) **777.50**  
radiation 558.1  
newborn (***see also Enterocolitis, necrotizing, newborn***) **777.50**

Ephemeral fever (see also Pyrexia) **780.60**

Epidermolysis  
acuta (combustiformis) (toxica) **695.15**  
necroticans combustiformis **695.15**  
due to drug  
correct substance properly administered **695.15**

Erythema, erythematous (generalized) 695.9  
bullosum **695.19**  
circinatum **695.19**  
gyratum (perstans) (repens) **695.19**  
iris **695.10**  
multiforme **695.10**  
bullosum **695.19**  
conjunctiva **695.19**  
exudativum (Hebra) **695.19**  
**major 695.12**  
**minor 695.11**  
nummular, nummulare **695.19**

Esophagitis (alkaline) (chemical) (chronic) (infectional) (necrotic) (peptic) (postoperative)  
(regurgitant) 530.10  
**eosinophilic 530.13**

Estrangement **V61.09**

Evidence  
of malignancy  
cytologic  
without histologic confirmation ~~795.06~~  
**anus 796.76**  
**cervix 795.06**  
**vagina 795.16**

Excess, excessive, excessively  
**tissue in reconstructed breast 612.0**

Exfoliation, ~~teeth due to systemic causes 525.0~~  
**skin**  
**due to erythematous condition 695.50**  
**involving (percent of body surface)**  
**less than 10 percent 695.50**  
**10-19 percent 695.51**  
**20-29 percent 695.52**  
**30-39 percent 695.53**  
**40-49 percent 695.54**  
**50-59 percent 695.55**  
**60-69 percent 695.56**  
**70-79 percent 695.57**

Exfoliation (cont.)  
  skin (cont.)  
    due to erythematous condition ... (cont.)  
      involving (percent of body surface) (cont.)  
        **80-89 percent 695.58**  
        **90 percent or more 695.59**

**teeth**  
      **due to systemic causes 525.0**

Exhaustion, exhaustive (physical NEC) 780.79  
  due to  
    **overexertion 994.5**

Exposure 994.9  
  to  
    **aromatic**  
      **amines V87.11**  
      **dyes V87.19**  
    **arsenic V87.01**  
    **benzene V87.12**  
    **chromium compounds V87.09**  
    **dyes V87.2**  
      **aromatic V87.19**  
    hazardous ~~body fluids~~ ~~V15.85~~  
      **aromatic compounds NEC V87.19**  
      **body fluids V15.85**  
      **chemicals NEC V87.2**  
      **metals V87.09**  
      **substances V87.39**  
    **mold V87.31**  
    **nickel dust V87.09**  
    **polycyclic aromatic hydrocarbons V87.19**

Extravasation  
  **chemotherapy, vesicant 998.81**  
  **vesicant**  
    **agent NEC 998.82**  
    **chemotherapy 998.81**

Failure, failed  
  dental implant 525.79  
  due to  
    **infection 525.71**  
    **unintentional loading 525.71**  
  **mechanical 525.73**  
  osseointegration 525.71  
  due to  
    **premature loading 525.71**  
    **following intentional prosthetic loading 525.72**  
    **prior to intentional prosthetic loading 525.71**

  extrarenal **788.99**  
  prerenal **788.99**

Family, familial - see also condition  
  **affected by**  
    **family member**  
      **currently on deployment (military) V61.01**  
      **returned from deployment (military) (current or past conflict) V61.02**  
  disruption (*see also Disruption, family*) **V61.09**  
  **estrangement V61.09**

**Fatal familial insomnia (FFI) 046.72**

Febricula (continued) (simple) (see also Pyrexia) 780.60  
Febrile (see also Pyrexia) 780.60  
Febris (see also Fever) 780.60  
Feminization, testicular 259.51  
    with pseudohermaphroditism, male 259.51  
Fetal ~~alcohol syndrome~~ 760.71  
    **alcohol syndrome** 760.71  
    **anemia** 678.0  
    **thrombocytopenia** 678.0  
    **twin to twin transfusion** 678.0  
Fever 780.60  
    with chills 780.60  
    continued 780.60  
    ephemeral (of unknown origin) (see also Pyrexia) 780.60  
    inanition 780.60  
    **in conditions classified elsewhere** 780.61  
    intermittent (bilious) (see also Malaria) 084.6  
        of unknown origin (see also Pyrexia) 780.60  
    iodide  
        correct substance properly administered 780.60  
    **newborn (environmentally-induced)** 778.4  
    persistent (of unknown origin) (see also Pyrexia) 780.60  
    **postimmunization** 780.63  
    postoperative 780.62  
    **postvaccination** 780.63  
    steroid  
        correct substance properly administered 780.60  
        unknown origin (see also Pyrexia) 780.60  
Fibroplasia, retrolental (*see also Retinopathy of prematurity*) 362.21  
Fiessinger-Rendu syndrome (erythema multiforme exudativum) 695.19  
Findings, abnormal, without diagnosis (examination) (laboratory test) 796.4  
    **creatinine clearance** 794.4  
    culture, positive NEC 795.39  
        nose 795.39  
        **Staphylococcus - see Carrier (suspected) of, Staphylococcus**  
    hematuria 599.70  
    Papanicolaou (smear) 796.9  
        **anus** 796.70  
            with  
                **atypical squamous cells**  
                    cannot exclude high grade squamous intraepithelial lesion (ASC-H)  
                        796.72  
                    of undetermined significance (ASC-US) 796.71  
                **cytologic evidence of malignancy** 796.76  
                **high grade squamous intraepithelial lesion (HGSIL)** 796.74  
                **low grade squamous intraepithelial lesion (LGSIL)** 796.73  
                **glandular** 796.70  
                **specified finding NEC** 796.79  
    other site 796.9  
    **vagina** 795.10  
        with  
            **atypical squamous cells**  
                cannot exclude high grade squamous intraepithelial lesion (ASC-H)  
                    795.12  
                of undetermined significance (ASC-US) 795.11

- Findings, abnormal, without diagnosis ... (cont.)
    - Papanicolaou ... (cont.)
      - vagina ... (cont.)
        - with (cont.)
          - cytologic evidence of malignancy 795.16**
          - high grade squamous intraepithelial lesion (HGSIL) 795.14**
          - low grade squamous intraepithelial lesion (LGSIL) 795.13**
          - glandular 795.10**
          - specified NEC 795.19**
    - urine, urinary constituents 791.9
      - blood ~~599.70~~
    - vaginal ~~fluid 792.9~~
      - fluid 792.9**
      - high risk human papillomavirus (HPV) DNA test positive 795.15**
      - low risk human papillomavirus (HPV) DNA test positive 795.19**
  - Fistula (sinus) 686.9
    - arteriovenous (acquired) 447.0
      - surgically created (for dialysis) **V45.11**
  - Fitting (of)
    - artificial
      - breast V52.4
        - implant exchange (different material) (different size) V52.4**
    - prosthesis V52.9
      - breast V52.4
        - implant exchange (different material) (different size) V52.4**
- Fluid
  - lung - see also Edema, lung
    - encysted **511.89**
- Fracture (abduction) (adduction) (avulsion) (compression) (crush) (dislocation) (oblique) (separation) (closed) 829.0
  - Hill-Sachs 812.09**
- Frailty 797**
- FUO (see also Pyrexia) **780.60**
- Gangrene, gangrenous (anemia) (artery) (cellulitis) (dermatitis) (dry) (infective) (moist) (pemphigus) (septic) (skin) (stasis) (ulcer) 785.4
  - with
    - diabetes (mellitus) 250.7 [785.4]
      - due to secondary diabetes 249.7 [785.4]**
    - decubital (see also **Ulcer, pressure**) 707.00 [785.4]
    - diabetic (any site) 250.7 [785.4]
      - due to secondary diabetes 249.7 [785.4]**
- Gastritis 535.5
  - eosinophilic **535.7**
- Gastroenteritis (acute) (catarrhal) (congestive) (hemorrhagic) (noninfectious) (see also Enteritis) 558.9
  - due to
    - antineoplastic chemotherapy 558.9**
    - eosinophilic 558.41**
- Gastroparesis 536.3
  - diabetic 250.6 [536.3]
    - due to secondary diabetes 249.6 [536.3]**
- Gastroparesis 536.3
  - diabetic 250.6 [536.3]
    - due to secondary diabetes 249.6 [536.3]**
- Genital - see condition
  - warts **078.11**

**GERD (gastroesophageal reflux disease) 530.81**  
**Gerstmann-Sträussler-Scheinker syndrome (GSS) 046.71**  
Glaucoma (capsular) (inflammatory) (noninflammatory) (primary) 365.9  
in or with  
  aniridia ~~743.45~~ [365.42]  
  Axenfeld's anomaly ~~743.44~~ [365.41]  
  ~~concussion of globe 921.3~~ [365.65]  
  ~~dislocation of lens~~  
    ~~anterior 379.33~~ [365.59]  
    ~~posterior 379.34~~ [365.59]  
  ~~epithelial down growth 364.61~~ [365.64]  
  ~~glaucomatocyclitic crisis 364.22~~ [365.62]  
  ~~hypermature cataract 366.18~~ [365.51]  
  ~~hyphema 364.41~~ [365.63]  
  ~~inflammation, ocular 365.62~~  
  ~~iridocyclitis 364.3~~ [365.62]  
  iris  
    anomalies NEC ~~743.46~~ [365.42]  
    atrophy, essential ~~364.51~~ [365.42]  
    bombé ~~364.74~~ [365.61]  
    ~~rubeosis 364.42~~ [365.63]  
  microcornea ~~743.41~~ [365.43]  
  ~~postdislocation of lens~~  
    ~~anterior 379.33~~ [365.59]  
    ~~posterior 379.34~~ [365.59]  
  ~~pseudoexfoliation of capsule 366.11~~ [365.52]  
  pupillary block or seclusion ~~364.74~~ [365.61]  
  ~~recession of chamber angle 364.77~~ [365.65]  
  ~~retinal vein occlusion 362.35~~ [365.63]  
  Rieger's anomaly or syndrome ~~743.44~~ [365.41]  
  ~~rubeosis of iris 364.42~~ [365.63]  
  seclusion of pupil ~~364.74~~ [365.61]  
  ~~spherophakia 743.36~~ [365.59]  
  phacolytic 365.51  
    ~~with hypermature cataract 366.18~~ [365.51]  
  pseudoexfoliation 365.52  
    ~~with pseudoexfoliation of capsule 366.11~~ [365.52]  
  ~~tuberculous (see also Tuberculosis) 017.3~~ [365.62]  
Glomerulonephritis (see also Nephritis) 583.9  
due to or associated with  
  diabetes mellitus 250.4 [583.81]  
    ~~due to secondary diabetes 249.4~~ [581.81]  
    with nephrotic syndrome 250.4 [581.81]  
    ~~due to secondary diabetes 249.4~~ [581.81]  
Glomerulosclerosis (see also Sclerosis, renal) 587  
  intercapillary (nodular) (with diabetes) 250.4 [581.81]  
    ~~due to secondary diabetes 249.4~~ [581.81]  
Glycogenosis (see also Disease, glycogen storage) 271.0  
  diabetic, secondary 250.8 [259.8]  
    ~~due to secondary diabetes 249.8~~ [259.8]  
Goldberg (-Maxwell) (-Morris) syndrome (testicular feminization) 259.51  
Graft-versus-host disease (~~bone marrow~~) 279.50  
  ~~bone marrow 996.85~~  
**GSS (Gerstmann-Sträussler-Scheinker syndrome) 046.71**

Headache 784.0  
allergic 339.00  
**associated with sexual activity 339.82**  
cluster 339.00  
    **chronic 339.02**  
    **episodic 339.01**  
daily  
    **chronic 784.0**  
    **new persistent (NPDH) 339.42**  
**drug induced 339.3**  
**histamine 339.00**  
**hypnic 339.81**  
**medication overuse 339.3**  
**menstrual 346.4**  
**nasal septum 784.0**  
**orgasmic 339.82**  
**post-traumatic 339.20**  
    **acute 339.21**  
    **chronic 339.22**  
**premenstrual 346.4**  
**preorgasmic 339.82**  
primary  
    **cough 339.83**  
    **exertional 339.84**  
    **stabbing 339.85**  
    **thunderclap 339.43**  
**rebound 339.3**  
**short lasting unilateral neuralgiform with conjunctival injection and tearing (SUNCT)  
339.05**  
sick 346.9  
syndrome  
    **cluster 339.00**  
    **complicated NEC 339.44**  
    **periodic in child or adolescent 346.2**  
    **specified NEC 339.89**  
tension 307.81  
    **type 339.10**  
        **chronic 339.11**  
        **episodic 339.12**

Hebra's disease  
    erythema multiforme exudativum 695.19

Hematoma (skin surface intact) (traumatic) - see also Contusion  
    breast (nontraumatic) 611.89  
    muscle (traumatic) – see Contusion, by site  
    **nontraumatic 729.92**  
    **soft tissue 729.92**

Hematopneumothorax (see also Hemothorax) 511.89  
Hemothorax (see also Hemothorax) 511.89  
Hematuria (benign) (essential) (idiopathic) 599.70  
    **gross 599.71**  
    intermittent 599.70  
    **microscopic 599.72**  
    paroxysmal 599.70  
    sulfonamide  
        correct substance properly administered 599.70



Hemicrania 346.9  
    **continua 339.41**  
    **paroxysmal 339.03**  
    **chronic 339.04**  
    **episodic 339.03**

Hemoglobinemia 283.2  
    due to blood transfusion NEC **999.89**

Hemolysis  
    transfusion NEC **999.89**

Hemopneumothorax (see also Hemothorax) **511.89**

Hemorrhage, hemorrhagic (nontraumatic) 459.0  
    retina, retinal (deep) (superficial) (vessels) 362.81  
    diabetic 250.5 [362.01]  
    **due to secondary diabetes 249.5 [362.01]**

Hemosiderosis 275.0  
    transfusion NEC **999.89**

Hemothorax **511.89**  
    nontuberculous **511.89**

**Heparin-induced thrombocytopenia (HIT) 289.84**

Hepatitis 573.3  
    autoimmune **571.42**

Herpes, herpetic 054.9  
    iris (any site) **695.10**

HGSIL (high grade squamous intraepithelial lesion) (cytologic finding) (Pap smear finding) ~~**795.04**~~  
    **anus 796.74**  
    ~~**biopsy finding – code to CIN II or CIN III**~~  
    **cervix 795.04**  
    **biopsy finding - code to CIN II or CIN III**  
    **vagina 795.14**

High risk  
    ~~**cervical, human papillomavirus (HPV) DNA test positive 795.05**~~  
    **human papillomavirus (HPV) DNA test positive**  
        **anal 796.75**  
        **cervical 795.05**  
        **vaginal 795.15**  
    temperature (of unknown origin) (see also Pyrexia) **780.60**

Hilger's syndrome **337.09**

Hirschfeld's disease (acute diabetes mellitus) (see also Diabetes) 250.0  
    **due to secondary diabetes 249.0**

Histamine cephalgia **339.00**

History (personal) of  
    **chemotherapy, antineoplastic V87.41**  
    **disease (of) V13.9**  
        **infectious V12.00**  
            **methicillin resistant Staphylococcus aureus (MRSA) V12.04**  
            **MRSA (methicillin resistant Staphylococcus aureus) V12.04**  
    disorder (of) V13.9  
        musculoskeletal NEC **V13.59**  
    family  
        **monoclonal drug therapy V87.42**  
    **fracture, healed**  
        **pathologic V13.51**  
        **stress V13.52**  
        **traumatic V15.51**  
    infectious disease V12.00

**methicillin resistant Staphylococcus aureus (MRSA) V12.04**  
**MRSA (methicillin resistant Staphylococcus aureus) V12.04**  
injury NEC V15.59  
**in utero procedure**  
    **during pregnancy V15.21**  
    **while a fetus V15.22**  
**methicillin resistant Staphylococcus aureus (MRSA) V12.04**  
**MRSA (methicillin resistant Staphylococcus aureus) V12.04**  
musculoskeletal disorder NEC V13.59  
**return from military deployment V62.22**  
surgery-~~(major)~~ to  
    **in utero**  
        **during pregnancy V15.21**  
        **while a fetus V15.22**  
    ~~major~~ organs NEC V15.29  
**therapy**  
    **antineoplastic drug V87.41**  
    **drug NEC V87.49**  
    **monoclonal drug V87.42**  
**HIT (heparin-induced thrombocytopenia) 289.84**  
Horton's  
    headache or neuralgia 339.00  
Human papillomavirus 079.4  
~~cervical~~  
    ~~high risk, DNA test positive 795.05~~  
    ~~low risk, DNA test positive 795.09~~  
    **high risk, DNA test positive**  
        **anal 796.75**  
        **cervical 795.05**  
        **vaginal 795.15**  
    **low risk, DNA test positive**  
        **anal 796.79**  
        **cervical 795.09**  
        **vaginal 795.19**  
**Hungry bone syndrome 275.5**  
Hydrohematopneumothorax (see also Hemothorax) 511.89  
Hydropneumothorax (see also Hemothorax) 511.89  
Hydropneumothorax 511.89  
    nontuberculous 511.89  
Hydrops 782.3  
    pleura (see also Hydrothorax) 511.89  
Hydrothorax (double) (pleural) 511.89  
    nontuberculous 511.89  
Hyperplasia, hyperplastic  
    epithelial 709.8  
        nipple 611.89  
Hyperpyrexia 780.60  
    unknown origin (see also Pyrexia) 780.60  
Hypersensitive, hypersensitiveness, hypersensitivity - see also Allergy  
    carotid sinus 337.01  
Hypertension Table ----- Malignant ----- Benign ----- Unspecified  
Hypertension, hypertensive  
    **pancreatic duct - code to underlying condition**  
        **with**  
            **chronic pancreatitis ----- 577.1**

Hyperthermia (of unknown origin) (see also Pyrexia) **780.60**  
Hypoglycemia (spontaneous) 251.2  
    coma 251.0  
    diabetic 250.3  
        **due to secondary diabetes 249.3**  
    diabetic 250.8  
        **due to secondary diabetes 249.8**  
Hypoglycemic shock 251.0  
    diabetic 250.8  
        **due to secondary diabetes 249.8**  
Hypogonadism  
    male 257.2  
        hereditary familial (Reifenstein's syndrome) **259.52**  
Hypomastia (congenital) **611.82**  
Hypoplasia, hypoplasia 759.89  
    breast (areola) **611.82**  
    mammary (areolar) **611.82**  
Hypothermia (accidental) 991.6  
    **associated with low environmental temperature 991.6**  
    not associated with low environmental temperature **780.65**  
Imbalance 781.2  
    posture **729.90**  
Immobile, immobility  
    **complete**  
        **due to severe physical disability or frailty 780.72**  
Imperfect  
    poise **729.90**  
Inadequate, inadequacy  
    sample, ~~Papanicolaou smear 795.08~~  
        **cytology**  
            **anal 796.78**  
            **cervical 795.08**  
            **vaginal 795.18**  
Inanition 263.9  
    fever **780.60**  
Incompatibility  
    marital V61.10  
        involving ~~divorce or estrangement V61.0~~  
            **divorce V61.03**  
            **estrangement V61.09**  
Incompetency, incompetence, incompetent  
    **chronotropic 426.89**  
        **with**  
            **autonomic dysfunction 337.9**  
            **ischemic heart disease 414.9**  
            **left ventricular dysfunction 337.9**  
            **sinus node dysfunction 427.81**  
Incontinence 788.30  
    urine 788.30  
        **due to**  
            **cognitive impairment 788.91**  
            **severe physical disability 788.91**  
            **immobility 788.91**  
            **functional 788.91**  
Infarct, infarction  
    breast **611.89**

Infection, infected, infective (opportunistic) 136.9  
  **acanthamoeba 136.21**  
  ameba, amebic (histolytica) (see also Amebiasis) 006.9  
    free-living 136.29  
  **bovine stomatitis 059.11**  
  **cotia virus 059.8**  
  **methicillin**  
    **resistant Staphylococcus aureus (MRSA) 041.12**  
    **susceptible Staphylococcus aureus (MSSA) 041.11**  
  monkeypox 059.01  
  **MRSA (methicillin resistant Staphylococcus aureus) 041.12**  
  **MSSA (methicillin susceptible Staphylococcus aureus) 041.11**  
  **orthopoxvirus 059.00**  
    **specified NEC 059.09**  
  **parapoxvirus 059.10**  
    **specified NEC 059.19**  
  **poxvirus 059.9**  
    **specified NEC 059.8**  
  **sealpox 059.12**  
  staphylococcal NEC 041.10  
    aureus 041.11  
      **methicillin**  
        **resistant (MRSA) 041.12**  
        **susceptible MSSA) 041.11**  
    generalized (purulent) 038.10  
      aureus 038.11  
        **methicillin**  
          **resistant 038.12**  
          **susceptible 038.11**  
    pneumonia 482.40  
      aureus 482.41  
        **methicillin**  
          **resistant (MRSA) 482.42**  
          **susceptible (MSSA) 482.41**  
          **MRSA (methicillin resistant staphylococcus aureus) 482.42**  
          **MSSA (methicillin susceptible staphylococcus aureus) 482.41**  
    septicemia 038.10  
      aureus 038.11  
        **methicillin**  
          **resistant (MRSA) 038.12**  
          **susceptible (MSSA) 038.11**  
          **MRSA (methicillin resistant staphylococcus aureus) 038.12**  
          **MSSA (methicillin susceptible staphylococcus aureus) 038.11**  
  **tanapox 059.21**  
  **TORCH - see Infection, congenital NEC**  
    **without active infection 760.2**  
  virus, viral 079.99  
    warts ~~NEC~~ 078.10  
      **specified NEC 078.19**  
    **yaba monkey tumor 059.22**  
    **yaba monkey tumor virus 059.22**  
    **yatapoxvirus 059.20**  
Infiltrate, infiltration  
  **chemotherapy, vesicant 998.81**  
  **vesicant**  
    **agent NEC 998.82**

Infiltrate, infiltration (cont.)  
vesicant (cont.)  
**chemotherapy 998.81**

Injury 959.9  
**deep tissue - see Contusion, by site  
meaning pressure ulcer 707.25**  
kidney - see Injury, internal, kidney  
**acute (nontraumatic) 584.9**

Insensitivity  
androgen 259.50  
**complete 259.51**  
partial 259.52

Insomnia, unspecified 780.52  
**fatal familial (FFI) 046.72**

Iritis rubeosis 364.42  
diabetic 250.5 [364.42]  
**due to secondary diabetes 249.5 [364.42]**

Iritis 364.3  
diabetic 250.5 [364.42]  
**due to secondary diabetes 249.5 [364.42]**

Irregular, irregularity  
contour ~~of cornea 743.41~~  
**of cornea 743.41**  
**acquired 371.70**  
**reconstructed breast 612.0**

Jakob-Creutzfeldt disease (*CJD*) (syndrome) ~~(new variant) 046.19~~  
with dementia  
with behavioral disturbance 046.19 [294.11]  
without behavioral disturbance 046.19 [294.10]  
**familial 046.19**  
**iatrogenic 046.19**  
**specified NEC 046.19**  
**sporadic 046.19**  
**variant (vCJD) 046.11**  
with dementia  
with behavioral disturbance 046.11 [294.11]  
without behavioral disturbance 046.11 [294.10]

Johnson-Stevens disease (erythema multiforme exudativum) 695.13

Ketoacidosis 276.2  
diabetic 250.1  
**due to secondary diabetes 249.1**

Ketosis 276.2  
diabetic 250.1  
**due to secondary diabetes 249.1**

Kimmelstiel (-Wilson) disease or syndrome (intercapillary glomerulosclerosis) 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**

Klauder's syndrome (erythema multiforme exudativum) 695.19

Kussmaul's  
coma (diabetic) 250.3  
**due to secondary diabetes 249.3**

Lancereaux's diabetes (diabetes mellitus with marked emaciation) 250.8 [261]  
**due to secondary diabetes 249.8 [261]**

**Landau-Kleffner syndrome 345.8**

Leukemia, leukemic (congenital) (M9800/3) 208.9

**Note** Use the following fifth-digit subclassification for categories 203-208:

0	without mention of <b>having achieved</b> remission <b>failed remission</b>
1	with remission
2	<b>in relapse</b>

Leukoencephalopathy (see also Encephalitis) 323.9

**reversible, posterior 348.5**

LGSIL (low grade squamous intraepithelial lesion) **795.03**

**anus 796.73**

**cervix 795.03**

**vagina 795.13**

Lipidosis 272.7

diabetic 250.8 [272.7]

**due to secondary diabetes 249.8 [272.7]**

Long-term (current) drug use V58.69

**methadone V58.69**

**opiate analgesic V58.69**

Low

risk

**~~cervical, human papillomavirus (HPV) DNA test positive 795.09~~**

**human papillomavirus (HPV) DNA test positive**

**anal 796.79**

**cervical 795.09**

**vaginal 795.19**

Lyell's disease or syndrome (toxic epidermal necrolysis) **695.15**

due to drug

correct substance properly administered **695.15**

Maladjustment

conjugal V61.10

involving ~~divorce or estrangement~~ **V61.0**

**divorce V61.03**

**estrangement V61.09**

marital V61.10

involving ~~divorce or estrangement~~ **V61.0**

**divorce V61.03**

**estrangement V61.09**

occupational **V62.29**

**current military deployment status V62.21**

Malformation (congenital) - see also Anomaly

**venous - see Anomaly, vein**

Malposture **729.90**

Mastopathy, mastopathia 611.9

estrogenic **611.89**

ovarian origin **611.89**

Maternal condition, affecting fetus or newborn

operation unrelated to current delivery (**see also Newborn, affected by) 760.64**

surgery unrelated to current delivery (**see also Newborn, affected by) 760.64**

to uterus or pelvic organs **760.64**

Melanoma (malignant) (M8720/3) 172.9

**in situ - see Melanoma, by site**

**skin 172.9**

skin NEC 172.8

**in situ 172.9**

Mendelson's syndrome (resulting from a procedure) **997.39**

Meningoencephalitis (see also Encephalitis) 323.9

due to

free-living amebae **136.29**

Naegleria (amebae) (gruberi) (organisms) **136.29**

primary amebic **136.29**

toxic NEC 989.9 [323.71]

due to

carbon tetrachloride (**vapor**) 987.8 [323.71]

Metaplasia

breast **611.89**

**Methadone use 304.00**

~~Methicillin-resistant staphylococcus aureus (MRSA) V09.0~~

**resistant staphylococcus aureus (MRSA) 041.12**

**colonization V02.54**

**personal history of V12.04**

**susceptible staphylococcus aureus (MSSA) 041.11**

**colonization V02.53**

Microaneurysm, retina 362.14

diabetic 250.5 [362.01]

**due to secondary diabetes 249.5 [362.01]**

Microangiopathy 443.9

diabetic (peripheral) 250.7 [443.81]

**due to secondary diabetes 249.7 [443.81]**

retinal 250.5 [362.01]

**due to secondary diabetes 249.5 [362.01]**

peripheral 443.9

diabetic 250.7 [443.81]

**due to secondary diabetes 249.7 [443.81]**

retinal 362.18

diabetic 250.5 [362.01]

**due to secondary diabetes 249.5 [362.01]**

**Micromastia 611.82**

Migraine (idiopathic) 346.9

**Note** The following fifth digit subclassification is for use with category 346:

<b>0</b>	<b>without mention of intractable migraine without mention of status migrainosus</b>
<b>1</b>	<b>with intractable migraine, so stated, without mention of status migrainosus</b>
<b>2</b>	<b>without mention of intractable migraine with status migrainosus</b>
<b>3</b>	<b>with intractable migraine, so stated, with status migrainosus</b>

with aura (**acute-onset**) (**without headache**) (**prolonged**) (**typical**) 346.0

**without aura 346.1**

**chronic 346.7**

**transformed 346.7**

atypical **346.8**

basilar **346.0**

**chronic without aura 346.7**

classic(**al**) 346.0

hemiplegic **346.3**

**familial 346.3**

**sporadic 346.3**

lower-half **339.00**

menstrual **346.4**

**menstrually related 346.4**

ophthalmoplegic **346.2**

Migraine ... (cont.)  
    **premenstrual 346.4**  
    **pure menstrual 346.4**  
    retinal **346.0**  
    **specified form NEC 346.8**  
    **transformed without aura 346.7**  
**Misshapen reconstructed breast 612.0**  
Möbius'  
    disease **346.2**  
    syndrome  
        ophthalmoplegic migraine **346.2**  
Monkeypox **059.01**  
Mononeuropathy (see also Mononeuritis) 355.9  
    diabetic NEC 250.6 [355.9]  
        **due to secondary diabetes 249.6 [355.9]**  
        lower limb 250.6 [355.8]  
            **due to secondary diabetes 249.6 [355.8]**  
        upper limb 250.6 [354.9]  
            **due to secondary diabetes 249.6 [354.9]**  
Morris syndrome (testicular feminization) **259.51**  
MRSA (**methicillin resistant** staphylococcus aureus) **041.12**  
    **colonization V02.54**  
    **personal history of V12.04**  
**MSSA (methicillin susceptible staphylococcus aureus) 041.11**  
    **colonization V02.53**  
**Müllerian** mixed tumor (M8950/3) - see Neoplasm, by site, malignant  
Myasthenia 358.00  
    syndrome  
        in  
            diabetes mellitus 250.6 [358.1]  
                **due to secondary diabetes 249.6 [358.1]**  
Myelopathy (spinal cord) 336.9  
    diabetic 250.6 [336.3]  
        **due to secondary diabetes 249.6 [336.3]**  
**Near drowning 994.1**  
Necrobiosis 799.89  
    lipoidica 709.3  
        diabeticorum 250.8 [709.3]  
            **due to secondary diabetes 249.8 [709.3]**  
Necrodermolysis **695.15**  
Necrolysis, toxic epidermal **695.15**  
    due to drug  
        correct substance properly administered **695.15**  
    **Stevens-Johnson syndrome overlap (SJS-TEN overlap syndrome) 695.14**  
Neoplasia  
    **anal intraepithelial I [AIN I] (histologically confirmed) 569.44**  
    **anal intraepithelial II [AIN II] (histologically confirmed) 569.44**  
    **anal intraepithelial III [AIN III] 230.6**  
        **anal canal 230.5**



ICD-9-CM Index to Diseases Addenda (FY09)  
Effective October 1, 2008

	Malignant Primary	Malignant Secondary	Malignant Ca in situ	Benign	Uncertain Behavior	Unspecified
Neoplasm, neoplastic	199.1	199.1	234.9	229.9	238.9	239.9
<b>associated with transplanted organ</b>	<b>199.2</b>	-	-	-	-	-
bone (periosteum)	170.9	198.5	-	213.9	238.0	239.2

**Note** - Carcinomas and adenocarcinomas, of any type other than intraosseous or odontogenic, of the sites listed under "Neoplasm, bone" should be considered as constituting metastatic spread from an unspecified primary site and coded to 198.5 for morbidity coding ~~and to 199.1 for underlying cause a death coding.~~

mandible	170.1	198.5	-	213.1	238.0	239.2
alveolar						
<b><i>mucosa</i></b>	143.1	198.89	230.0	210.4	235.1	239.0
vaginovesical	184.9	198.82	233.39	221.9	236.3	239.5
septum	<b><u>184.9</u></b>	198.82	233.39	221.9	236.3	239.5

Nephritis, nephritic (albuminuric) (azotemic) (congenital) (degenerative) (diffuse) (disseminated) (epithelial) (familial) (focal) (granulomatous) (hemorrhagic) (infantile) (nonsuppurative, excretory) (uremic) 583.9  
due to  
diabetes mellitus 250.4 [583.81]  
**due to secondary diabetes 249.4 [581.81]**  
with nephrotic syndrome 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**

Nephropathy (see also Nephritis) 583.9  
diabetic 250.4 [583.81]  
**due to secondary diabetes 249.4 [581.81]**

Nephrosis, nephrotic (Epstein's) (syndrome) 581.9  
diabetic 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**

in  
diabetes mellitus 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**

Neuralgia, neuralgic (acute) (see also Neuritis) 729.2  
ciliary **339.00**  
Horton's **339.00**  
migrainous **339.00**  
sluder's **337.09**  
sphenopalatine (ganglion) **337.09**

Neuritis (see also Neuralgia) 729.2  
diabetic 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**

**Neuroendocrine tumor - see Tumor, neuroendocrine**

Neuropathy, neuropathic (see also Disorder, nerve) 355.9  
diabetic 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**  
peripheral (nerve) (see also Polyneuropathy) 356.9  
autonomic 337.9  
idiopathic **337.00**  
in  
diabetes (mellitus) 250.6 [337.1]  
**due to secondary diabetes 249.6 [337.1]**

Neurophthisis - see also Disorder, nerve  
diabetic 250.6 [357.2]  
**due to secondary diabetes 249.6 [357.2]**

Newborn (infant) (liveborn)  
affected by ~~maternal abuse of drugs (gestational) (via placenta) (via breast milk) (see also Noxious, substances transmitted through placenta or breast milk (affecting fetus or newborn))~~ 760.70  
**amniocentesis 760.61**  
**maternal abuse of drugs (gestational) (via placenta) (via breast milk) (see also Noxious, substances transmitted through placenta or breast milk (affecting fetus or newborn)) 760.70**  
**methamphetamine(s) 760.72**  
procedure  
**amniocentesis 760.61**  
**in utero NEC 760.62**  
**surgical on mother**  
**during pregnancy NEC 760.63**  
**previous not associated with pregnancy 760.64**  
**breast buds 779.89**  
**fever (environmentally-induced) 778.4**

Nitrogen retention, extrarenal **788.99**  
Nodule(s), nodular  
    **breast 793.89**  
    **retrocardiac 785.9**  
Noncompliance with medical treatment V15.81  
    **renal dialysis V45.12**  
**NPDH (new persistent daily headache) 339.42**  
Observation (for) V71.9  
    suspected (undiagnosed) (unproven)  
    condition NEC V71.89  
        **maternal and fetal**  
            **amniotic cavity and membrane problem V89.01**  
            **cervical shortening V89.05**  
            **fetal anomaly V89.03**  
            **fetal growth problem V89.04**  
            **oligohydramnios V89.01**  
            **other specified problem NEC V89.09**  
            **placental problem V89.02**  
            **polyhydramnios V89.01**

Occlusion  
    breast (duct) **611.89**  
    mammary duct **611.89**  
Occupational  
    problems NEC **V62.29**  
Operation  
    maternal, unrelated to current delivery, affecting fetus or newborn (**see also Newborn, affected by**) **760.64**

Ophthalmoplegia (see also Strabismus) 378.9  
    diabetic 250.5 [378.86]  
        **due to secondary diabetes 249.5 [378.86]**  
    migraine **346.2**

Oppenheim-Urbach disease or syndrome (necrobiosis lipoidica diabetorum) 250.8 [709.3]  
    **due to secondary diabetes 249.8 [709.3]**

Osteomyelitis (general) (infective) (localized) (neonatal) (purulent) (pyogenic) (septic) (staphylococcal) (streptococcal) (suppurative) (with periostitis) 730.2  
    due to or associated with  
        diabetes mellitus 250.8 [731.8]  
        **due to secondary diabetes 249.8 [731.8]**

Osteopenia 733.90  
    **borderline 733.90**

Pain(s) (see also Painful) 780.96  
    bladder **788.99**  
    vesical **788.99**

Papanicolaou smear  
    **anus 796.70**  
        **with**  
            **atypical squamous cells**  
                **cannot exclude high grade squamous intraepithelial lesion (ASC-H) 796.72**  
                **of undetermined significance (ASC-US) 796.71**  
            **cytologic evidence of malignancy 796.76**  
            **high grade squamous intraepithelial lesion (HGSIL) 796.74**  
            **low grade squamous intraepithelial lesion (LGSIL) 796.73**  
            **glandular 796.70**  
            **specified finding NEC 796.79**  
            **unsatisfactory cytology 796.78**

- Papanicolaou smear (cont.)  
cervix (screening test) V76.2  
inadequate **cytology** sample 795.08  
**satisfactory smear but lacking transformation zone 795.07**  
unsatisfactory **cervical cytology** 795.08  
other specified site - see also Screening, malignant neoplasm  
nonspecific abnormal finding **796.9**  
vagina **V76.47**  
with  
atypical squamous cells  
cannot exclude high grade squamous intraepithelial lesion (ASC-H) 795.12  
of undetermined significance (ASC-US) 795.11  
cytologic evidence of malignancy 795.16  
high grade squamous intraepithelial lesion (HGSIL) 795.14  
low grade squamous intraepithelial lesion (LGSIL) 795.13  
abnormal NEC 795.19  
inadequate cytology sample 795.18  
unsatisfactory cytology 795.18
- Paralysis, paralytic (complete) (incomplete) 344.9  
cervical  
sympathetic NEC **337.09**  
stomach 536.3  
diabetic 250.6 [536.3]  
**due to secondary diabetes 249.6 [536.3]**  
sympathetic  
cervical NEC **337.09**
- Paresis (see also Paralysis) 344.9  
stomach 536.3  
diabetic 250.6 [536.3]  
**due to secondary diabetes 249.6 [536.3]**
- Pendulous  
breast **611.89**
- Pericoronitis (chronic) 523.40  
acute **523.33**
- Periodic - see also condition  
**headache syndromes in child or adolescent 346.2**
- Person (with)  
**affected by**  
family member  
currently on deployment (military) V61.01  
returned from deployment (military) (current or past conflict) V61.02  
currently deployed in theater or in support of military war, peacekeeping and humanitarian operations V62.21  
history of military war, peacekeeping and humanitarian deployment (current or past conflict) V62.22
- Pingueculitis 372.34**
- Plaster ulcer (see also **Ulcer, pressure**) 707.00
- Plateau iris syndrome 364.82**
- Pleurisy (acute) (adhesive) (chronic) (costal) (diaphragmatic) (double) (dry) (fetid) (fibrinous) (fibrous) (interlobar) (latent) (lung) (old) (plastic) (primary) (residual) (sicca) (sterile) (subacute) (unresolved) (with adherent pleura) 511.0  
with  
effusion (without mention of cause) 511.9  
specified type NEC **511.89**  
encysted **511.89**  
hemorrhagic **511.89**

Pleurorrhea (see also Hydrothorax) **511.89**  
Pneumohemothorax (see also Hemothorax) **511.89**  
Pneumohydrothorax (see also Hydrothorax) **511.89**  
Pneumonia (acute) (Alpenstich) (benign) (bilateral) (brain) (cerebral) (circumscribed) (congestive) (creeping) (delayed resolution) (double) (epidemic) (fever) (flash) (fulminant) (fungoid) (granulomatous) (hemorrhagic) (incipient) (infantile) (infectious) (infiltration) (insular) (intermittent) (latent) (lobe) (migratory) (newborn) (organized) (overwhelming) (primary) (progressive) (pseudolobar) (purulent) (resolved) (secondary) (senile) (septic) (suppurative) (terminal) (true) (unresolved) (vesicular) 486  
**bronchiolitis obliterans organized (BOOP) 516.8**  
broncho-, bronchial (confluent) (croupous) (diffuse) (disseminated) (hemorrhagic) (involving lobes) (lobar) (terminal) 485  
  staphylococcal 482.40  
    aureus 482.41  
      **methicillin**  
        **resistant (MRSA) 482.42**  
        **susceptible (MSSA) 482.41**  
  due to  
    Staphylococcus 482.40  
      aureus 482.41  
        **methicillin**  
          **resistant (MRSA) 482.42**  
          **susceptible (MSSA) 482.41**  
    lobar (diplococcal) (disseminated) (double) (interstitial) (pneumococcal, any type) 481  
      staphylococcal 482.40  
        aureus 482.41  
          **methicillin**  
            **resistant (MRSA) 482.42**  
            **susceptible (MSSA) 482.41**  
      **methicillin resistant Staphylococcus aureus (MRSA) 482.42**  
      **methicillin susceptible Staphylococcus aureus (MSSA) 482.41**  
      **MRSA (methicillin resistant Staphylococcus aureus) 482.42**  
      **MSSA (methicillin susceptible Staphylococcus aureus) 482.41**  
    postoperative **997.39**  
    resulting from a procedure **997.39**  
    staphylococcal (broncho) (lobar) 482.40  
      aureus 482.41  
        **methicillin**  
          **resistant 482.42**  
          **susceptible (MSSA) 482.41**  
    ventilator associated **997.31**  
    postoperative **997.39**  
Poise imperfect **729.90**  
Polyalgia **729.90**  
Polyneuritis, polyneuritic (see also Polyneuropathy) 356.9  
  diabetic 250.6 [357.2]  
    **due to secondary diabetes 249.6 [357.2]**  
Polyneuropathy (peripheral) 356.9  
  diabetic 250.6 [357.2]  
    **due to secondary diabetes 249.6 [357.2]**  
  in  
    diabetes 250.6 [357.2]  
      **due to secondary diabetes 249.6 [357.2]**

Positive

culture (nonspecific) 795.39  
nose 795.39

**Staphylococcus - see Carrier (suspected) of, Staphylococcus**

Postperfusion syndrome NEC **999.89**

**Post-transplant lymphoproliferative disorder (PTLD) 238.77**

Pregnancy (single) (uterine) (without sickness) V22.2

**Note** Use the following fifth-digit subclassification with categories 640-**649**, 651-676:

0	unspecified as to episode of care
1	delivered, with or without mention of antepartum condition
2	delivered, with mention of postpartum complication
3	antepartum condition or complication
4	postpartum condition or complication

complicated (by) 646.9

**conjoined twins 678.1**

current disease or condition (nonobstetric)

diabetes (**conditions classifiable to 249 and 250**) 648.0

diabetes (mellitus) (conditions classifiable to **249 and 250**) 648.0

fetal

**conjoined twins 678.1**

**maternal drug abuse 648.4**

previous

**in utero procedure during previous pregnancy V23.86**

viral disease NEC (conditions classifiable to 042, 050-055, 057-079, **795.05, 795.15, 796.75**) 647.6

management affected by

fetal (suspected)

abnormality 655.9

**abdominal 655.8**

**cardiovascular 655.8**

**facial 655.8**

**gastrointestinal 655.8**

**genitourinary 655.8**

**limb 655.8**

**aneuploidy 655.1**

previous

**in utero procedure during previous pregnancy V23.86**

**suspected conditions not found**

**amniotic cavity and membrane problem V89.01**

**cervical shortening V89.05**

**fetal anomaly V89.03**

**fetal growth problem V89.04**

**oligohydramnios V89.01**

**other specified problem NEC V89.09**

**placental problem V89.02**

**polyhydramnios V89.01**

**resulting from**

**assisted reproductive technology V23.85**

**in vitro fertilization V23.85**

twin NEC 651.0

**conjoined 678.1**

- Pressure  
  area, skin ulcer (see also **Ulcer, pressure**) 707.00  
  **pre-ulcer skin changes limited to persistent focal erythema (see also Ulcer, pressure)**  
    **707.21**  
  sore (chronic) (see also **Ulcer, pressure**) 707.00  
  ulcer (chronic) (see also **Ulcer, pressure**) 707.00
- Problem (with) V49.9  
  career choice **V62.29**  
  marital V61.10  
    involving  
      divorce **V61.03**  
      estrangement **V61.09**  
  occupational **V62.29**
- Profichet's disease or syndrome **729.90**
- Prophylactic  
  administration of  
    **agents affecting estrogen receptors and estrogen levels NEC V07.59**  
    **anastrozole (Arimidex) V07.52**  
    **aromatase inhibitors V07.52**  
    **estrogen receptor downregulators V07.59**  
    **exemestar (Aromasin) V07.52**  
    **fulvestrant (Faslodex) V07.59**  
    **gonadotropin-releasing hormone (GnRH) agonist V07.59**  
    **goserelin acetate (Zoladex) V07.59**  
    **letrozole (Femara) V07.52**  
    **leuprolide acetate (leuprorelin) (Lupron) V07.59**  
    **megestrol acetate (Megace) V07.59**  
    **raloxifene (Evista) V07.51**  
    **selective estrogen receptor modulators (SERMs) V07.51**  
    **tamoxifen (Nolvadex) V07.51**  
    **toremifene (Fareston) V07.51**
- Prosopagnosia 368.16**
- Pseudohermaphroditism 752.7  
  male (without gonadal disorder) 752.7  
  with  
    feminizing testis **259.51**
- Pseudosclerosis (brain)  
  Jakob's **046.19**  
  spastic **046.19**  
    with dementia  
      with behavioral disturbance **046.19** [294.11]  
      without behavioral disturbance **046.19** [294.10]
- Pseudotabes 799.89  
  diabetic 250.6 [337.1]  
    **due to secondary diabetes 249.6 [337.1]**
- Psychosis 298.9  
  organic NEC 294.9  
    due to or associated with  
      disease  
        Jakob-Creutzfeldt (~~new variant~~) **046.19**  
          with behavioral disturbance **046.19** [294.11]  
          without behavioral disturbance **046.19** [294.10]  
        **familial 046.19**  
        **iatrogenic 046.19**  
        **specified NEC 046.19**  
        **sporadic 046.19**

Psychosis (cont.)  
  organic ... (cont.)  
    due to or associated with (cont.)  
      disease (cont.)  
        Jakob-Creutzfeldt ... (cont.)  
          **variant 046.11**  
            **with dementia**  
              **with behavioral disturbance 046.11 [294.11]**  
              **without behavioral disturbance 046.11 [294.10]**  
        Jakob-Creutzfeldt disease (syndrome) ~~(new variant)~~ **046.19**  
          with behavioral disturbance **046.19** [294.11]  
          without behavioral disturbance **046.19** [294.10]  
          **variant 046.11**  
            **with dementia**  
              **with behavioral disturbance 046.11** [294.11]  
              **without behavioral disturbance 046.11** [294.10]  
**PTLD (post-transplant lymphoproliferative disorder) 238.77**  
Ptosis (adiposa) 374.30  
  breast **611.81**  
Puerperal  
  diabetes (mellitus) (conditions classifiable to **249 and** 250) 648.0  
Pyemia, pyemic (purulent) (see also Septicemia) 038.9  
  staphylococcal 038.10  
    aureus 038.11  
      **methicillin**  
        **resistant 038.12**  
        **susceptible 038.11**  
Pyrexia (of unknown origin) (P.U.O.) **780.60**  
Quadriplegia 344.00  
  **functional 780.72**  
Reaction  
  graft-versus-host (GVH) **279.50**  
Reflux **530.81**  
  **acid 530.81**  
Reifenstein's syndrome (hereditary familial hypogonadism, male) **259.52**  
Relaxation  
  posture **729.90**  
Renal - see also condition  
  glomerulohyalinosis-diabetic syndrome 250.4 [581.81]  
    **due to secondary diabetes 249.4 [581.81]**  
Repair  
  scarred tissue **V51.8**  
Resistance, resistant (to)  
  drugs by microorganisms V09.90  
    Methicillin - **see Infection, Methicillin**  
Retention, retained  
  **cholelithiasis 997.4**  
  **gallstones 997.4**  
  nitrogen, extrarenal **788.99**  
Retinitis (see also Chorioretinitis) 363.20  
  diabetic 250.5 [362.01]  
    **due to secondary diabetes 249.5 [362.01]**



Retinopathy (background) 362.10  
  diabetic 250.5 [362.01]  
    **due to secondary diabetes 249.5 [362.01]**  
    nonproliferative 250.5 [362.03]  
      **due to secondary diabetes 249.5 [362.03]**  
      mild 250.5 [362.04]  
        **due to secondary diabetes 249.5 [362.04]**  
      moderate 250.5 [362.05]  
        **due to secondary diabetes 249.5 [362.05]**  
      severe 250.5 [362.06]  
        **due to secondary diabetes 249.5 [362.06]**  
    proliferative 250.5 [362.02]  
      **due to secondary diabetes 249.5 [362.02]**  
  of prematurity **362.20**  
    cicatrical **362.21**  
    stage  
      **0 362.22**  
      **1 362.23**  
      **2 362.24**  
      **3 362.25**  
      **4 362.26**  
      **5 362.27**  
  nonproliferative  
    diabetic 250.5 [362.03]  
      **due to secondary diabetes 249.5 [362.03]**  
      mild 250.5 [362.04]  
        **due to secondary diabetes 249.5 [362.04]**  
      moderate 250.5 [362.05]  
        **due to secondary diabetes 249.5 [362.05]**  
      severe 250.5 [362.06]  
        **due to secondary diabetes 249.5 [362.06]**  
    proliferative 362.29  
      diabetic 250.5 [362.02]  
        **due to secondary diabetes 249.5 [362.02]**  
Rubeosis iridis 364.42  
  diabetica 250.5 [364.42]  
    **due to secondary diabetes 249.5 [364.42]**  
Rupture, ruptured 553.9  
  operation wound (***see also Dehiscence***) 998.32  
**Sampling**  
  **chorionic villus V28.89**  
**Satisfactory smear but lacking transformation zone**  
  **anal 796.77**  
  **cervical 795.07**  
Scald, scalded - see also Burn, by site  
  skin syndrome **695.81**  
Screening (for) V82.9  
  antenatal, of mother V28.9  
    **genomic V28.89**  
    **proteomic V28.89**  
  **risk**  
    **pre-term labor V28.82**  
    specified condition NEC **V28.89**  
  **elevated titer V82.9**  
**Sealpox 059.12**

Seizure(s) 780.39  
**migraine triggered 346.0**

Sensitivity, sensitization - see also Allergy  
carotid sinus **337.01**

Septicemia, septicemic (generalized) (suppurative) 038.9  
**methicillin**  
**resistant Staphylococcus aureus (MRSA) 038.12**  
**susceptible Staphylococcus aureus (MSSA) 038.11**  
**MRSA (methicillin resistant Staphylococcus aureus) 038.12**  
**MSSA (methicillin susceptible Staphylococcus aureus) 038.11**  
staphylococcal 038.10  
aureus 038.11  
**methicillin**  
**resistant (MRSA) 038.12**  
**susceptible (MSSA) 038.11**

Seroma - (postoperative) (non-infected) 998.13  
**post-traumatic 729.91**

Shock 785.50  
electric 994.8  
**from electroshock gun (taser) 994.8**

Short, shortening, shortness  
**cervical, cervix 649.7**  
**gravid uterus 649.7**  
**non-gravid uterus 622.5**  
**acquired 622.5**  
**congenital 752.49**

Shunt (status)  
arterial-venous (dialysis) **V45.11**

Siamese twin 759.4  
**complicating pregnancy 678.1**

Sinusitis (accessory) (nasal) (hyperplastic) (nonpurulent) (purulent) (chronic) 473.9  
influenzal **487.1**

**SJS-TEN (Stevens-Johnson syndrome-toxic epidermal necrolysis overlap syndrome)**  
**695.14**

Sluder's neuralgia or syndrome **337.09**

Sore  
pressure (see also **Ulcer, pressure**) 707.00  
with gangrene (see also **Ulcer, pressure**) 707.00 [785.4]

Sphenopalatine ganglion neuralgia **337.09**

Spots, spotting  
of pregnancy **649.5**

Status (post)  
**administration of tPA (rtPA) in a different institution within the last 24 hours prior to admission to facility V45.88**  
~~breast-implant removal V45.83~~  
**correction V43.82**  
**implant removal V45.83**  
**reconstruction V43.82**  
**colonization - see Carrier (suspected) of current military deployment status V62.21**  
dialysis (hemo) (peritoneal) **V45.11**  
hemodialysis **V45.11**

Status ... (cont.)

**hysterectomy V88.01**

**partial with remaining cervical stump V88.02**

**total V88.01**

peritoneal dialysis V45.11

renal dialysis V45.11

**noncompliance V45.12**

shunt

arteriovenous (for dialysis) V45.11

transplant

organ V42.9

**removal (due to complication, failure, rejection or infection) V45.87**

**wheelchair confinement V46.3**

Steroid

effects (adverse) (iatrogenic)

diabetes - see Diabetes, secondary

fever

correct substance properly administered 780.60

Stevens-Johnson disease or syndrome (erythema multiforme exudativum) 695.13

**toxic epidermal necrolysis overlap (SJS-TEN overlap syndrome) 695.14**

Still's disease or syndrome 714.30

**adult onset 714.2**

Stitch

burst (in external operation wound) (see also Dehiscence) 998.32

Stomatitis 528.00

**bovine 059.11**

Strain - see also Sprain, by site

postural 729.90

Subinvolution (uterus) 621.1

breast (postlactational) (postpartum) 611.89

**SUNCT (short lasting unilateral neuralgiform headache with conjunctival injection and tearing) 339.05**

Surgery

cosmetic NEC V50.1

**breast reconstruction following mastectomy V51.0**

following healed injury or operation V51.8

elective V50.9

~~breast augmentation or reduction V50.1~~

**augmentation or reduction V50.1**

**reconstruction following mastectomy V51.0**

following healed injury or operation V51.8

plastic

~~breast augmentation or reduction V50.1~~

**augmentation or reduction V50.1**

**reconstruction following mastectomy V51.0**

following healed injury or operation V51.8

repair of scarred tissue (following healed injury or operation) V51.8

previous, in pregnancy or childbirth

cervix 654.6

affecting fetus or newborn (see also Newborn, affected by) 760.63

pelvic soft tissues NEC 654.9

affecting fetus or newborn (see also Newborn, affected by) 760.63

uterus NEC 654.9

affecting fetus or newborn (see also Newborn, affected by) 760.63

Survey

**fetal anatomic V28.81**

Suture  
burst (in external operation wound) (**see also Dehiscence**) 998.32  
Symptoms, specified (general) NEC 780.99  
urinary system NEC **788.99**  
Syncope (near) (pre-) 780.2  
carotid sinus **337.01**  
Syndrome - see also Disease  
acid pulmonary aspiration **997.39**  
**alien hand 781.8**  
androgen insensitivity **259.51**  
**partial 259.52**  
anticardiolipin antibody **289.81**  
antiphospholipid antibody **289.81**  
Baader's (erythema multiforme exudativum) **695.19**  
Bing-Horton's **339.00**  
**Birt-Hogg-Dube 759.89**  
carotid  
body or sinus **337.01**  
cervical (root) (spine) NEC 723.8  
sympathetic paralysis **337.09**  
Charcôt-Weiss-Baker **337.01**  
compartment(al) (anterior) (deep) (posterior) 958.8  
**post-surgical (see also Syndrome, compartment, non-traumatic) 998.89**  
**complex regional pain - see also, Dystrophy, sympathetic**  
**type I - see Dystrophy, sympathetic (posttraumatic) (reflex)**  
**type II - see Causalgia**  
Creutzfeldt-Jakob (~~new variant~~) **046.19**  
with dementia  
with behavioral disturbance **046.19** [294.11]  
without behavioral disturbance **046.19** [294.10]  
**variant 046.11**  
**with dementia**  
**with behavioral disturbance 046.11** [294.11]  
**without behavioral disturbance 046.11** [294.10]  
**de Quervain's 259.51**  
diabetes mellitus-hypertension-nephrosis 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**  
diabetes-nephrosis 250.4 [581.81]  
**due to secondary diabetes 249.4 [581.81]**  
diabetic amyotrophy 250.6 [**353.5**]  
**due to secondary diabetes 249.6 [353.5]**  
Fiessinger-Rendu (erythema multiforme exudativum) **695.19**  
**flat back**  
**acquired 737.29**  
**postprocedural 738.5**  
**Gerstmann-Sträussler-Scheinker (GSS) 046.71**  
Goldberg (-Maxwell) (-Morris) (testicular feminization) **259.51**  
**GSS (Gerstmann-Sträussler-Scheinker) 046.71**  
**headache - see Headache, syndrome**  
Hilger's **337.09**  
**hungry bone 275.5**  
Jakob-Creutzfeldt (~~new variant~~) **046.19**  
with dementia  
with behavioral disturbance **046.19** [294.11]  
without behavioral disturbance **046.19** [294.10]

Syndrome (cont.)

Jakob-Creutzfeldt ... (cont.)

**variant 046.11**

**with dementia**

**with behavioral disturbance 046.11 [294.11]**

**without behavioral disturbance 046.11 [294.10]**

Kimmelstiel-Wilson (intercapillary glomerulosclerosis) 250.4 [581.81]

**due to secondary diabetes 249.4 [581.81]**

Klauder's (erythema multiforme exudativum) 695.19

**Landau-Kleffner 345.8**

**leukoencephalopathy, reversible, posterior 348.5**

Lyell's (toxic epidermal necrolysis) 695.15

due to drug

correct substance properly administered 695.15

Mendelson's (resulting from a procedure) 997.39

Möbius'

ophthalmoplegic migraine 346.2

Morris (testicular feminization) 259.51

myelodysplastic 238.75

**therapy-related 289.83**

nephrotic (see also Nephrosis) 581.9

diabetic 250.4 [581.81]

**due to secondary diabetes 249.4 [581.81]**

Oppenheim-Urbach (necrobiosis lipoidica diabetorum) 250.8 [709.3]

**due to secondary diabetes 249.8 [709.3]**

**os trigonum 755.69**

pain - see also Pain

**complex regional 355.9**

**type I 337.20**

**lower limb 337.22**

**specified site NEC 337.29**

**upper limb 337.21**

**type II**

**lower limb 355.71**

**upper limb 354.4**

**plateau iris 364.82**

postperfusion NEC 999.89

Profichet's 729.90

Reifenstein's (hereditary familial hypogonadism, male) 259.52

renal glomerulohyalinosis-diabetic 250.4 [581.81]

**due to secondary diabetes 249.4 [581.81]**

scalded skin 695.81

**Shone's 746.84**

**SJS-TEN (Stevens-Johnson syndrome-toxic epidermal necrolysis overlap) 695.14**

Sluder's 337.09

staphylococcal scalded skin 695.81

Stevens-Johnson (erythema multiforme exudativum) 695.13

**toxic epidermal necrolysis overlap (SJS-TEN overlap syndrome) 695.14**

**Susac 348.39**

sympathetic

cervical paralysis 337.09

Terry's (*see also Retinopathy of prematurity*) 362.21

testicular feminization 259.51

**Twiddler's (due to)**

**automatic implantable defibrillator 996.04**

**pacemaker 996.01**

- Syndrome (cont.)  
Urbach-Oppenheim (necrobiosis lipoidica diabetorum) 250.8 [709.3]  
**due to secondary diabetes 249.8 [709.3]**  
Weiss-Baker (carotid sinus syncope) 337.01
- Synovitis (**see also Tenosynovitis**) 727.00  
**specified NEC 727.09**
- Tachycardia 785.0  
**nonsustained 427.2**  
**sustained 427.2**  
**supraventricular 427.0**  
**ventricular 427.1**
- Tanapox 059.21
- Tear, torn (traumatic) - see also Wound, open, by site  
dural 349.31  
**accidental puncture or laceration during a procedure 349.31**  
**incidental (inadvertent) 349.31**  
**nontraumatic NEC 349.39**
- Temperature  
body, high (of unknown origin) (see also Pyrexia) 780.60  
high  
body (of unknown origin) (see also Pyrexia) 780.60
- Tenesmus 787.99  
vesical 788.99
- Tenosynovitis (**see also Synovitis**) 727.00  
**specified NEC 727.09**
- Terry's syndrome (see also Retinopathy of prematurity) 362.21
- Test(s)  
**nuchal translucency V28.89**
- Testicle, testicular, testis - see also condition  
feminization (syndrome) 259.51
- Thrombocytopenia, thrombocytopenic 287.5  
**fetal 678.0**  
**heparin-induced (HIT) 289.84**
- Tommaselli's disease  
correct substance properly administered 599.70  
**TORCH infection - (see also Infection, congenital) 760.2**
- Transfusion, blood  
**fetal twin to twin 678.0**  
**twin to twin fetal 678.0**
- Transplant (ed)  
complication - see also Complications, due to (presence of) any device, implant, or graft  
classified to 996.0-996.5 NEC  
**previously removed due to complication, failure, rejection or infection V45.87**  
**removal status V45.87**
- Tuberculosis, tubercular, tuberculous (calcification) (calcified) (caseous) (chromogenic acid-fast bacilli) (congenital) (degeneration) (disease) (fibrocaceous) (fistula) (gangrene) (interstitial) (isolated circumscribed lesions) (necrosis) (parenchymatous) (ulcerative)  
011.9  
eye 017.3  
**glaucoma 017.3 [365.62]**
- Tumor (M8000/1) - see also Neoplasm, by site, unspecified nature  
carcinoid (M8240/1) -- **see Carcinoid 209.60**  
**benign 209.60**  
**appendix 209.51**  
**ascending colon 209.53**  
**bronchus 209.61**

- Tumor ... (cont.)
  - carcinoid ... (cont.)
    - benign ... (cont.)
      - cecum 209.52**
      - colon 209.50**
      - descending colon 209.55**
      - duodenum 209.41**
      - foregut 209.65**
      - hindgut 209.67**
      - ileum 209.43**
      - jejunum 209.42**
      - kidney 209.64**
      - large intestine 209.50**
      - lung 209.61**
      - midgut 209.66**
      - rectum 209.57**
      - sigmoid colon 209.56**
      - small intestine 209.40**
      - specified NEC 209.69**
      - stomach 209.63**
      - thymus 209.62**
      - transverse colon 209.54**
    - malignant (of) 209.20**
      - appendix 209.11**
      - ascending colon 209.13**
      - bronchus 209.21**
      - cecum 209.12**
      - colon 209.10**
      - descending colon 209.15**
      - duodenum 209.01**
      - foregut 209.25**
      - hindgut 209.27**
      - ileum 209.03**
      - jejunum 209.02**
      - kidney 209.24**
      - large intestine 209.10**
      - lung 209.21**
      - midgut 209.26**
      - rectum 209.17**
      - sigmoid colon 209.16**
      - small intestine 209.00**
      - specified NEC 209.29**
      - stomach 209.23**
      - thymus 209.22**
      - transverse colon 209.14**
    - neuroendocrine 209.60**
      - malignant poorly differentiated 209.30**
  - Müllerian**, mixed (M8950/3) - see Neoplasm, by site, malignant stromal
    - abdomen
      - malignant **NEC** 171.5
    - digestive system 238.1
      - malignant **NEC** 171.5
    - gastric 238.1
      - malignant **151.9**

Tumor ... (cont.)  
stromal (cont.)  
gastrointestinal 238.1  
malignant **NEC** 171.5  
intestine (small)-~~(large)~~ 238.1  
malignant **152.9**  
stomach 238.1  
malignant **151.9**  
**Twiddler's syndrome (due to)**  
**automatic implantable defibrillator 996.04**  
**pacemaker 996.01**  
Twin  
conjoined 759.4  
**fetal 678.1**  
pregnancy (complicating delivery) NEC 651.0  
**conjoined 678.1**  
Ulcer, ulcerated, ulcerating, ulceration, ulcerative 707.9  
buttock (see also Ulcer, skin) 707.8  
decubitus (see also Ulcer, **pressure**) 707.00  
decubitus (unspecified site) (**see also Ulcer, pressure**) 707.00  
diabetes, diabetic (mellitus) 250.8 [707.9]  
**due to secondary diabetes 249.8 [707.9]**  
lower limb 250.8 [707.10]  
**due to secondary diabetes 249.8 [707.10]**  
ankle 250.8 [707.13]  
**due to secondary diabetes 249.8 [707.13]**  
calf 250.8 [707.12]  
**due to secondary diabetes 249.8 [707.12]**  
foot 250.8 [707.15]  
**due to secondary diabetes 249.8 [707.15]**  
heel 250.8 [707.14]  
**due to secondary diabetes 249.8 [707.14]**  
knee 250.8 [707.19]  
**due to secondary diabetes 249.8 [707.19]**  
specified site NEC 250.8 [707.19]  
**due to secondary diabetes 249.8 [707.19]**  
thigh 250.8 [707.11]  
**due to secondary diabetes 249.8 [707.11]**  
toes 250.8 [707.15]  
**due to secondary diabetes 249.8 [707.15]**  
specified site NEC 250.8 [707.8]  
**due to secondary diabetes 249.8 [707.8]**  
heel (see also Ulcer, lower extremity) 707.14  
decubitus (see also Ulcer, **pressure**) 707.07  
hip (see also Ulcer, skin) 707.8  
decubitus (see also Ulcer, **pressure**) 707.04  
lower extremity (atrophic) (chronic) (neurogenic) (perforating) (pyogenic) (trophic) (tropical)  
707.10  
decubitus (**see also Ulcer, pressure**) 707.00  
plaster (see also Ulcer, **pressure**) 707.00  
pressure (**see also Ulcer, decubitus**) 707.00  
**with gangrene ~~707.00 [785.4]~~**  
**abrasion, blister, partial thickness skin loss involving epidermis and/or dermis**  
**707.22**  
**full thickness skin loss involving damage or necrosis of subcutaneous tissue**  
**707.23**



Ulcer, ulcerated, ulcerating, ulceration, ulcerative ... (cont.)  
  pressure ... (cont.)  
    with ... (cont.)  
      **gangrene 707.00 [785.4]**  
      **necrosis of soft tissues through to underlying muscle, tendon, or bone 707.24**  
    **ankle 707.06**  
    **back**  
      **lower 707.03**  
      **upper 707.02**  
    **buttock 707.05**  
    **elbow 707.01**  
    **head 707.09**  
    **healed - omit code**  
    **healing - code to Ulcer, pressure, by stage**  
    **heel 707.07**  
    **hip 707.04**  
    **other site 707.09**  
    **sacrum 707.03**  
    **shoulder blades 707.02**  
    **stage**  
      **I (healing) 707.21**  
      **II (healing) 707.22**  
      **III (healing) 707.23**  
      **IV (healing) 707.24**  
      **unspecified (healing) 707.20**  
    **unstageable 707.25**  
    skin (atrophic) (chronic) (neurogenic) (non-healing) (perforating) (pyogenic) (trophic) 707.9  
    decubitus (see also Ulcer, **pressure**) 707.00  
Unilateral - see also condition  
  development, breast **611.89**  
Unsatisfactory  
  **cytology smear**  
    **anal 796.78**  
    **cervical 795.08**  
    **vaginal 795.18**  
  ~~**smear 795.08**~~  
Urbach-Oppenheim disease or syndrome (necrobiosis lipoidica diabetorum) 250.8 [709.3]  
  **due to secondary diabetes 249.8 [709.3]**  
Uremia, uremic (absorption) (amaurosis) (amblyopia) (aphasia) (apoplexy) (coma) (delirium)  
  (dementia) (dropsy) (dyspnea) (fever) (intoxication) (mania) (paralysis) (poisoning)  
  (toxemia) (vomiting) 586  
  extrarenal **788.99**  
  prerenal **788.99**  
Urethralgia **788.99**  
Urine, urinary - see also condition  
  blood in (see also Hematuria) **599.70**  
Use of  
  **methadone 304.00**  
Vaccination  
  **delayed V64.00**  
Vaccinia (generalized) 999.0  
  not from vaccination **051.09**  
    eyelid **051.09** [373.5]  
  sine vaccination **051.09**  
  without vaccination **051.09**

Vagina, vaginal - see **also** condition  
    **high risk human papillomavirus (HPV) DNA test positive 795.15**  
    **low risk human papillomavirus (HPV) DNA test positive 795.19**  
vCJD (variant Creutzfeldt-Jakob disease) **046.11**  
Venereal  
    warts **078.11**  
Verruca (filiformis) 078.10  
    plantaris **078.12**  
    venereal **078.11**  
    **vulgaris 078.10**  
    viral ~~NEC~~ **078.10**  
        **specified NEC 078.19**  
Vestibulitis (ear) (see also Labyrinthitis) 386.30  
    vulvar **625.71**  
Virus, viral - see also condition  
    **yaba monkey tumor 059.22**  
Vomiting 787.03  
    cyclical 536.2  
        **associated with migraine 346.2**  
Vulvodynia **625.70**  
    **specified NEC 625.79**  
Wart (~~common~~) (digitate) (filiform) (infectious) (viral) 078.10  
    **common 078.19**  
    external genital organs (venereal) **078.11**  
    **flat 078.19**  
    **genital 078.11**  
    plantar **078.12**  
    venereal (female) (male) **078.11**  
Water  
    on  
        chest **511.89**  
Weiss-Baker syndrome (carotid sinus syncope) **337.01**  
**Wheelchair confinement status V46.3**  
Willis' disease (diabetes mellitus) (see also Diabetes) 250.0  
    **due to secondary diabetes 249.0**  
Worn out (see also Exhaustion) 780.79  
    **joint prosthesis (see also Complications, mechanical, device NEC, prosthetic NEC,**  
        **joint) 996.46**  
Xanthoma(s), xanthomatosis 272.2  
    diabeticorum 250.8 [272.2]  
        **due to secondary diabetes 249.8 [272.7]**  
**Yaba monkey tumor virus 059.22**

## ALPHABETIC INDEX TO EXTERNAL CAUSES OF INJURY

Bending, injury in E927.8  
Electric shock, electrocution ... E925.9  
    **electroshock gun (taser) (stun gun) E925.8**  
        **caused by other person E968.8**  
            **legal intervention E975**  
            **stated as accidental E925.8**  
            **stated as intentional E968.8**  
        **due to legal intervention E975**  
        **stated as intentional self-harm (suicidal (attempt)) E958.4**  
        **stated as undetermined whether accidental or intentional E988.4**  
        **suicide (attempt) E958.4**  
**Exertion, excessive physical, from prolonged activity E927.2**  
Exhaustion  
    due to excessive exertion E927.8  
Exposure (weather) (conditions) (rain) (wind) E904.3  
    environmental  
    to  
        ***pfisteria* piscicida E928.6**  
Fall, falling (accidental) E888.9  
    from, off  
        **heelies E885.1**  
        **wheelies E885.1**  
Injury, injured (accidental(ly)) NEC E928.9  
    by, caused by, from  
        bending E927.8  
        straining E927.8  
        twisting E927.8  
Lifting, injury in E927.8  
Overexertion (~~lifting~~) (~~pulling~~) (~~pushing~~) E927.9  
    from  
        **lifting E927.8**  
        **maintaining prolonged positions E927.1**  
            **holding E927.1**  
            **sitting E927.1**  
            **standing E927.1**  
        **prolonged static position E927.1**  
        **pulling E927.8**  
        **pushing E927.8**  
        **sudden strenuous movement E927.0**  
Pulling, injury in E927.8  
Pushing (injury in) (overexertion) E927.8  
Straining, injury in E927.8  
Strenuous movements (in recreational or other activities) E927.8  
**Trauma**  
    **cumulative**  
        **from**  
            **repetitive**  
                **impact E927.4**  
                **motion or movements E927.3**  
            **sudden from strenuous movement E927.0**  
Twisting, Injury in E927.8

**Table of Drugs and Chemicals**

<u>Substance</u>	<u>Poisoning</u>	<u>Accident</u>	<u>Therapeutic Use</u>	<u>Suicide Attempt</u>	<u>Assault</u>	<u>Undetermined</u>
<b>Hand sanitizer</b>	<b>976.0</b>	<b>E858.7</b>	<b>E946.0</b>	<b>E950.4</b>	<b>E962.0</b>	<b>E980.4</b>