

# United States Department of the Interior

## **BUREAU OF RECLAMATION**

Great Plains Region
Montana Area Office
P.O. Box 30137
Billings, Montana 59107-0137



July 14, 2006

#### **FAXOGRAM: Water Order Change**

To: Chief, Power Supply and Billing Division, WAPA, Watertown, South Dakota

Attention: F-6001

Chief, Power Dispatching Branch, WAPA, Loveland, Colorado

Attention: J-4120

Facilities Manager, Hardin, Montana Attention: MT-300: Tom Tauscher Project Manager, Mills, Wyoming

Attention: WY-4000, WY-4100, WY-6400

Assistant Superintendent, National Park Service, Lovell, Wyoming

Attention: Jim Staebler

From: Reservoir and River Operations, Billings, Montana

Subject: Yellowtail Water Release Order - BHR No. 06-31

## **CURRENT RESERVOIR CONDITIONS:**

Elevation: 3609.51; Storage: 800,139 acre-feet; River Release: 1,500 cfs; Inflow: 1,070 cfs;

### **GENERAL COMMENTS:**

An inspection of the spillway tunnel on Yellowtail Dam is scheduled for Tuesday, July 18, 2006. During this time, the maximum tailwater elevation must be maintained at or below elevation 3183 during 0700-1700 hour to allow boats to safely enter the spillway stilling basin for inspection of the spillway tunnel.

NOTE: This is the time period when fish are more susceptible to high levels of nitrogen gas super-saturation. To provide a more desirable mixing flow of approximately 75% through the spillway gates and 25% through the sluice gates to maintain the total gas super-saturation levels at safe limits, the minimum Afterbay elevation should be maintained at or above elevation 3183 whenever possible. This is only a soft limit and may be deviated from during special or emergency operations.

#### **SPECIAL OPERATIONS:**

During 0700 hour through 1700 hour on Tuesday, July 18, 2006:

Maintain tailwater elevation at or below elevation 3183 to allow boats to safely enter the spillway stilling for inspection of the spillway tunnel.

This special operation shall not interfere with or disrupt previously scheduled releases to the Bighorn River.