

Acquired Immunodeficiency Syndrome (AIDS)
 Weekly Surveillance Report* - United States
 AIDS Activity
 Center For Infectious Diseases
 Centers For Disease Control
 December 30, 1985

United States Cases Reported To CDC

1. Disease Group†	Adult/Adolescent				Pediatric ††				Total			
	Cases	(%)	Known Deaths	(%)	Cases	(%)	Known Deaths	(%)	Cases	(%)	Known Deaths	(%Dead)
Both KS and PCP	895	(6)	575	(64)	4	(2)	4	(100)	899	(6)	579	(64)
KS without PCP	2959	(19)	1140	(39)	6	(3)	6	(100)	2965	(19)	1146	(39)
PCP without KS	9013	(57)	4734	(53)	129	(56)	90	(70)	9142	(57)	4824	(53)
OI without KS or PCP	2852	(18)	1576	(55)	90	(39)	36	(40)	2942	(18)	1612	(55)
TOTAL	15719	(100)	8025	(51)	229	(100)	136	(59)	15948	(100)	8161	(51)

2. Age	Cases	(%)	3. Race/Ethnicity	Adult/Adolescent Cases	(%)	Pediatric†† Cases	(%)	Total Cases	(%)
Under 13	229	(1)	White, not Hispanic	9429	(60)	44	(19)	9473	(59)
13-19	71	(0)	Black, not Hispanic	3868	(25)	136	(59)	4004	(25)
20-29	3332	(21)	Hispanic	2225	(14)	46	(20)	2271	(14)
30-39	7495	(47)	Other	86	(1)	0	(0)	86	(1)
40-49	3323	(21)	Unknown	111	(1)	3	(1)	114	(1)
Over 49	1498	(9)	TOTAL	15719	(100)	229	(100)	15948	(100)
TOTAL	15948	(100)							

4. Patient Groups**

	Adult/Adolescent				Total	
	Males	(%)	Females	(%)	Cases	(%)
Homosexual or Bisexual Men***	11513	(78)	----	(-)	11513	(73)
Intravenous (IV) Drug User	2139	(15)	545	(53)	2684	(17)
Hemophilia/Coagulation Disorder	119	(1)	4	(0)	123	(1)
Heterosexual Contact†††	28	(0)	151	(15)	179	(1)
Transfusions with Blood/Blood Products	154	(1)	98	(10)	252	(2)
None of the Above/Other****	740	(5)	228	(22)	968	(6)
TOTAL	14693	(100)	1026	(100)	15719	(100)

	Pediatric††				Total	
	Males	(%)	Females	(%)	Cases	(%)
Hemophilia/Coagulation Disorder	11	(9)	0	(0)	11	(5)
Parent with AIDS/or at increased risk for AIDS††††	87	(70)	85	(82)	172	(75)
Transfusion with Blood/Blood Products	22	(18)	12	(12)	34	(15)
None of the above/Other	5	(4)	7	(7)	12	(5)
TOTAL	125	(100)	104	(100)	229	(100)

* These data are provisional
 † KS = Kaposi's sarcoma; PCP = *Pneumocystis carinii* pneumonia; OI = Other opportunistic infections.
 ** Groups listed are ordered hierarchically; cases with multiple characteristics are tabulated only in the group listed first.
 †† Includes patients under 13 years of age at time of diagnosis.
 *** 1267 (11%) of homosexual men also reported having used IV drugs.
 ††† With a person with AIDS or at risk for AIDS
 **** Includes 391 persons born in countries in which most AIDS cases have not been associated with known risk factors.
 †††† Epidemiologic data suggest transmission from infected mother to child before, at, or shortly after the time of birth.

AIDS Cases Reported To CDC - Page 2

5. <u>Residence</u>	<u>Adult/Adolescent</u>	<u>(%)</u>	<u>Pediatric††</u>	<u>(%)</u>	<u>Total</u>	<u>(%)</u>
New York	5382	(34)	91	(40)	5473	(34)
California	3621	(23)	17	(7)	3638	(23)
Florida	1044	(7)	34	(15)	1078	(7)
New Jersey	930	(6)	30	(13)	960	(6)
Texas	838	(5)	6	(3)	844	(5)
Illinois	350	(2)	3	(1)	353	(2)
Pennsylvania	338	(2)	6	(3)	344	(2)
Massachusetts	298	(2)	5	(2)	303	(2)
Georgia	286	(2)	3	(1)	289	(2)
District of Columbia	282	(2)	2	(1)	284	(2)
Maryland	227	(1)	2	(1)	229	(1)
Puerto Rico	186	(1)	3	(1)	189	(1)
Washington	183	(1)			183	(1)
Virginia	172	(1)	5	(2)	177	(1)
Connecticut	168	(1)	6	(3)	174	(1)
Louisiana	172	(1)	2	(1)	174	(1)
Colorado	126	(1)	1	(0)	127	(1)
Michigan	104	(1)	1	(0)	105	(1)
Ohio	97	(1)	1	(0)	98	(1)
North Carolina	89	(1)			89	(1)
Missouri	82	(1)	1	(0)	83	(1)
Arizona	81	(1)			81	(1)
Minnesota	59	(0)			59	(0)
South Carolina	52	(0)	4	(2)	56	(0)
Indiana	54	(0)	1	(0)	55	(0)
Oregon	52	(0)			52	(0)
Hawaii	48	(0)			48	(0)
Alabama	39	(0)			39	(0)
Wisconsin	36	(0)			36	(0)
Oklahoma	34	(0)			34	(0)
Kentucky	31	(0)			31	(0)
Utah	28	(0)	2	(1)	30	(0)
Tennessee	26	(0)			26	(0)
Nevada	25	(0)			25	(0)
Rhode Island	23	(0)			23	(0)
New Mexico	18	(0)			18	(0)
Delaware	17	(0)			17	(0)
Iowa	16	(0)	1	(0)	17	(0)
Kansas	17	(0)			17	(0)
Arkansas	12	(0)			12	(0)
Mississippi	12	(0)			12	(0)
West Virginia	11	(0)	1	(0)	12	(0)
Maine	11	(0)			11	(0)
<u>Other States/Territories (12)</u>	<u>42</u>	<u>(0)</u>	<u>1</u>	<u>(0)</u>	<u>43</u>	<u>(0)</u>
Total - USA	15719	(100)	229	(100)	15948	(100)

AIDS CASES REPORTED TO CDC - Page 3

6. All AIDS Cases Per Million Population (from the 1980 Census), by Standard Metropolitan Statistical Area (SMSA) of Residence, Reported from June 1, 1981 to December 30, 1985 - United States

<u>SMSA Of Residence</u>	<u>Cases</u>	<u>Percentage Of Total</u>	<u>Cases Per Million Population</u>
New York	5063	32	555.1
San Francisco	1744	11	536.5
Miami, FL	498	3	306.3
Newark, NJ	398	2	202.4
Los Angeles, CA	1328	8	177.6
Elsewhere (irrespective of SMSA)	6917	43	33.9
Total - United States	15948	100	70.1

7. All Reported Cases of AIDS and Case - Fatality Rates by Half-Year of Diagnosis, 1979 - December 30, 1985, United States

	<u>Number of Cases</u>	<u>Number of Known Deaths</u>	<u>Case - Fatality Rate</u>
1979 Jan. - June	3	2	67%
July - Dec.	9	8	89%
1980 Jan. - June	18	15	83%
July - Dec.	29	27	93%
1981 Jan. - June	86	72	84%
July - Dec.	174	147	84%
1982 Jan. - June	360	277	77%
July - Dec.	632	462	73%
1983 Jan. - June	1182	849	72%
July - Dec.	1535	1125	73%
1984 Jan. - June	2340	1548	66%
July - Dec.	3001	1622	54%
1985 Jan. - June	3792	1401	37%
July - Dec 30	2779	602	22%
Totals*	15948	8161	51%

* Table totals include 8 cases diagnosed prior to 1979. Of these 8 cases, 4 are known to have died.