## **Bibliography & Notes**

- 1. Statistical Institute of Jamaica, March 2002.
- 2. Beyond Prevention: Helping Teens Quit Smoking, WHO International Archives, May 1999.
- Centers for Disease Control and Prevention. Cigarette Smoking, Attributable
  Mortality and years of potential life lost. United States, 1990. MMWR 1993;42:645649 Department of Health and Human Services. Reducing the Health Consequences
  of Smoking: 25 Years of Progress. A Report of the Surgeon General. Rockville, MD:
  Department of Health and Human Services, 1989 (Publication no. DHHS (CDC) 898411.
- 4. Figueroa J.P., Fox K. and Minor K. A Behaviour Risk Factor Survey in Jamaica. WIMJ 48: 9-15. March 1999.
- Wray S.R., Prevalence and Patterns of Substance Abusers: Neurobehavioural and Social Dimensions: a 1994 National Survey Report on Substance Abuse in Jamaica. Neuroscience, Adolescent Development and Drug Research Programme, Faculty of Medical Sciences, The University of the West Indies, Mona, Kingston, Jamaica. 1994.
- 6. Development in Practice. Curbing the Epidemic: Governments and the Economics of Tobacco Control. The World Bank, Washington D.C. May 1999.
- 7. Figueroa, J.P. Estimate of the Cost of Treating Tobacco-related Illnesses in the Public and Private Sector since 1980-1998. Ministry of Health. 1999.
- 8. Department of Health and Human Services. Preventing Tobacco Use among Young People: A Report of the Surgeon General. Washington, DC: Government Printing Office, 1994. (Publication No. S/N 017-001-00491-0.)
- Perry CL. The Tobacco Industry and Underage Youth Smoking. Documents from the Minnesota litigation, Archives of Pediatric and Adolescent Medicine. 153:935-941, September 1999.
- 10. Gale D.A. Breaking Link with Tobacco: A Guide to Preventing and Reversing a Deadly Life Style. Barbados Cancer Society. May 1999.
- 11. Douglas K. G. Patterns of Substance Use and Abuse among Post-Primary Students in Jamaica: National Adolescent Students Drug Survey 1997-1998. Planning Institute of Jamaica. Working Paper No. 3. June 2000.
- 12. Blum, R. W., Campbell-Forrester S., Beuhring, T., Venena, A., Pate E. Caribbean Adolescent Health Survey: Antigua, Dominica, Grenada, Jamaica. The Pan-American Health Organization, Caribbean Sub-Region, Barbados, W. I. and the WHO Collaborating Centre on Adolescent Health, Division of General Pediatrics and Adolescent Health, University of Minnesota.
- 13. 1981 Report by Researcher Myron Johnson sent to Robert E. Seligman, Vice President of Research and Development, Philip Morris.
- 14. PM Bates No.2022216179. Johnston M. Handling an Excise Tax Increase, memo to J. Zoler, September 3, 1987).

- 15. Pierce, J. P.; Choi, W. S.; Gilpin, E. A.; Farkas, A. J.; and Berry, CC Tobacco industry promotion of cigarettes and adolescent smoking. JAMA 279(7):511-515, 1998.
- 16. Gajalakshmi, C. K., Jha, P., Ranson, K., Nguyen, S., Global Patterns of Smoking and Smoking Attributable Mortality in: Ernster, V., Kaufman N., Nichter, M., Samet, J., Yoon S. Women and Tobacco: Moving from Policy to Action. In Bulletin of the World Health Organization 2000, 78 (7). 891- 901).
- 17. Tobacco Advertising & Promotion: The Need for a Coordinated Global Response.
- 18. Johnston ME. Young Smokers Prevalence Trends, Implications and Related Demographic Trends, 31 March 1981 [Philip Morris (PM) Bates No.1000390803.)
- 19. Wolfson, M., Forster, J. L., Sidebottom, A. B., Hannan, P. J., Steart, D. J., Brodsky, L. B.Local Ordinances Regulating Youth Access to Tobacco: Results of a National Survey presented at the Annual Meeting of the American Public Health Association, Indianapolis, Indiana, November 1997.
- 20. Ontario Tobacco Research Unit, Excerpts from Protection from Second-hand Tobacco Smoke in Ontario - A Review of the evidence regarding best practices. A Report prepared for the Chief Medical Officer of Health of Ontario, Canada. Toronto, Ontario. March, 2001.
- 21. Office of Research and Development, Office of Air and Radiation, United States Environmental Protection Agency. Fact Sheet: Respiratory Health Effects of Passive Smoking. EPA-43-F-93-003. January 1993.
- 22. The classification of Environmental Tobacco Smoke (ETS) as a Group A carcinogen under the United States Environmental Protection Agency (EPA) carcinogen assessment guidelines is based on the following:
  - a. Conclusive evidence of the dose-related lung carcinogenicity of mainstream smoke in active smokers and the similarities of mainstream and side stream smoke emitted by the burning end of the cigarette and:
  - b. The statistically significant exposure-related increase in lung cancer in nonsmoking spouses of smokers proven on analysis of more than 30 human epidemiological studies which examined the association between second-hand smoke and lung cancer, biological measurements of human uptake of tobacco smoke components, information on active smoking, animal and other data.
- 23. The body of evidence on the health effects of Exposure to Secondhand/Environmental Tobacco Smoke is mainly contained in six major published scientific reviews conducted independently by the following entities the United States Environmental Protection Agency (1992), the California Environmental Protection Agency (1997), Australian National Health and Medical Research Council (1997), the United Kingdom Scientific Committee on Tobacco and Health (1998), the World Health Organization (1999) and the United States National Toxicology Program (2000). The findings of these reviews have been summarized in (2) above.
- 24. Hopper, J. L., Seeman, E. The Bone Density of Female Twins Discordant for Tobacco Use. N. Engl J. Med 1994; 330:387-392; Seeman, E., LJ. O'Fallon W. M, et al. Risk Factors for Spinal Osteoporosis in Men. Am J Med 1983; 75:977-983.
- 25. United States Environmental Protection Agency. Respiratory Health Effects of Passive Smoking: Lung Cancer and Other Disorders. Office of Research and Development. EPA/600/6-90/006F. Washington, USA, December 1992.

- 26. In the 1992 report of the United States Environmental Protection Agency, evidence of the non-cancer respiratory effects of exposure to ETS in children is mainly based on a review of more than 100 studies of its negative respiratory health effects including 50 recent epidemiological studies of children of smokers.
- 27. Planning and Evaluation Unit, Ministry of Health, Jamaica. The Hospital Monthly Summary Report (HMSR). January-December 1993-8 & 2000. Ministry of Health, Jamaica.
- 28. World Health Organization [WHO], World No Tobacco Day, Leaving the Pack Behind, 1999.
- 29. Sussman, S., Dent, C. W., Severson, H., Burton, D., Flay, B.R., Self-initiated Quitting among Adolescent Smokers. Preventive Medicine 1998; 27:19-28.
- 30. Hu T., Lin Z, Keeler TE. Teenage Smoking, Attempts to Quit, and School Performance. American Journal of Public Health 1998; 88 (6):940--943).
- 31. Centers for Disease Control. Selected Cigarette Smoking Initiation and Quitting Behaviors among High School Students. Morbidity and Mortality Weekly Report 1998; 47(19) (May 22): 386-89.
- 32. Department of Health and Human Services. The Health Consequences of Smoking: Nicotine Addiction. A Report of the Surgeon General, 1988. Rockville, MD: Department of Health and Human Services, 1988. (Publication No. DHHS (CDC) 88-8406).
- 33. Henningfield, J. E., Cohen, C., Pickworth, W. B. Psychopharmacology of Nicotine. In: Orleans CT, Slade J, eds. Nicotine Addiction. New York: Oxford University Press, 1994:24-45.
- 34. US Preventive Services Task Force Web MD Health Counseling to Prevent Tobacco Use, 2002.
- 35. The Food and Drug Administration. FDA Consumer Magazine: It's Quitting Time: Smokers Need Not Rely on Willpower Alone. November December 1997. Last revised, May 1999.
- 36. Evans, N., Farkas, A., Gilpin, E., Berr, C., Pierce, J. P. Influence of Tobacco Marketing and Exposure to Smokers on Adolescent Susceptibility to Smoking. Journal of the National Cancer Institute 1995, Vol. 87, No. 20, 1538-1545. October 1995.
- 37. Altman, D. G., Levine, D. W., Coeytaux, R., Slade, J., Jaffe, R. Tobacco Promotion and Susceptibility to Tobacco Use among adolescents aged 12 through 17 years in a nationally representative sample. American Journal of Public Health. 1996; 86:1590-1593.
- 38. Gilpin E., Pierce, J.P., Rosbrook, B. Are Adolescents Receptive to Current Sales Promotion Practices of the Tobacco Industry? Preventive Medicine 1997; 26:14-21.
- 39. Gilpin, E., Pierce, J. P., Trends in Adolescent Smoking Initiation in the United States: is Tobacco Marketing an influence? Tobacco Control. 1997:6:122-127.
- 40. Ernster, V., Kaufman, N., Nichter, M., Samet, J., Yoon, S. Women and Tobacco: Moving from Policy to Action; Girls Lighting Up to Calm Down.
- 41. Hastings, Gerard, MacFadyen. Keep Smiling. No One's Going to Die.

- 42. Pollay, R. W., Siddarth, S. et al., The Last Straw? Cigarette Advertising and Realized Market Shares Among Youth and Young Adults,@ Journal of Marketing, Vol. 60, No.2, April 1996.
- 43. Bates No. 2028817401. Ennis D. M., Tindall, J. E., Eby. Product Testing Short Course, R & D Department, Phillip Morris USA. January 23-24, 1984.
- 44. Centers for Disease Control and Prevention. Changes in the Cigarette Brand Preferences of Adolescent Smokers United States, 1989-1993. MMWR Morbidity and Mortality Weekly Report. 1994; 43:577-581.
- 45. Department of Health, Effect of Tobacco Advertising on Tobacco Consumption: A Discussion Document Reviewing the Evidence (London: Economics and Operational Research Division, Department of Health, October 1992) quoted in Davis op. cit.
- 46. Toxic Substances Board, Health or Tobacco: An End to Tobacco Advertising and Promotion (Wellington, New Zealand: Department of Health, May 1989) quoted in Davis op. cit).
- 47. Draft Report, PEP Evaluation 2001- Drug Abuse Prevention in Schools. Yvonne McCalla Sobers. August 30, 2001; Learning for Living. Teachers Guide. Infusing Substance Abuse Prevention Education with the School Curricula. Primary Grades 1-6. Ministry of Education 1991.
- 48. Tobacco-free Youth. A "Life Skills" Primer. Scientific and Technical Publication. No. 579. 2000.