References

59 FR 65256. 1994. Final rule: endangered and threatened wildlife and plants; critical habitat determination for the delta smelt. U.S. Fish and Wildlife Service, 59 FR 65256, Rules and Regulations. December 19, 1994.

- 69 FR 33102. 2004. Endangered and Threatened Species: Proposed Listing Determinations for 27 ESUs of West Coast Salmonids. Federal Register 69:33102.
- 70 FR 17386. 2005. Endangered and Threatened Wildlife and Plants: Proposed Threatened Status for Southern Distinct Population Segment of North American Green Sturgeon. Federal Register 70:46515.
- 71 FR 17757. 2006. Endangered and Threatened Wildlife and Plants: Threatened Status for Southern Distinct Population Segment of North American Green Sturgeon. Federal Register 71: 7757-17766.
- Aasen, G.A., D.A. Sweetnam, & L.M. Lync. 1998. Establishment of the wakasagi, Hypomesus nipponensis, in the Sacramento-San Joaquin Estuary. California Fish and Game.
- Aceituno, M.E. 1993. The relationship between instream flow and physical habitat availability for Chinook salmon in the Stanislaus River, California. USFWS Ecological Services, Sacramento Field Office. 71 p.
- Adams, P.B., C.B. Grimes, J.E. Hightower, S.T. Lindley, & M.L. Moser. 2002. Status review for North American green sturgeon, *Acipenser medirostris*. National Marine Fisheries Service. 58 pages.
- Afentoulis, V. 2002. 2002 salvaged delta smelt and splittail transportation and release. Interagency Ecological Program Newsletter 15(2):3-4.
- Afentoulis, Virginia. 2003. Development of diagnostic indications to predict acute or chronic adverse effects to salvaged delta smelt. Central Valley Bay Delta Branch. CALFED proposal.
- Airame, S. (Ed.). 2000. Species of Interest in the Channel Islands. Prepared by the Channel Islands National Marine Sanctuary, Santa Barbara, CA.
- Allendorf, F.W. 1975. Genetic variability in a species possessing extensive gene duplication: genetic interpretation of duplicate loci and examination of genetic variation in populations of rainbow trout [Ph.D. dissertation]. University of Washington. 97 p.
- Allendorf, F.W. & F.M. Utter. 1979. Population genetics. In W. Hoar, D. Randall, & J. Brett (Eds.), Fish Physiology, Vol VIII. New York: Academic Press. 407–455 p.
- Alpine, A.E. & J.E. Cloern. 1992. Trophic interactions and direct physical effects control phytoplankton biomass and production in an estuary. Limnology and Oceanography 37(5):946–955.

Amweg, E.L., D.P. Weston, & N.M. Ureda. 2005. Use and toxicity of pyrethroid pesticides in the Central Valley, California, USA. Environmental Toxicology and Chemistry 24:966–972.

- Amweg, E.L., D.P. Weston, J. You, & M. Lydy. 2006. Pyrethroid insecticides and sediment toxicity in urban creeks from California and Tennessee. Environmental Science and Technology, 40(5):1700-1706.
- Anderson, L. & M.C. Hoshovsky. 2000. Egeria densa. In C.C. Bossard, J.M. Randall, & M.C. Hoshovsky. Invasive Plants of California's Wildlands. University of California Press. Berkeley, CA.
- Anderson, J., & M. Mierzwa. 2002. Section 6.5 Gates: An introduction to modeling flow barriers in DSM2. Pages 164–168. In DSM2 tutorial—an introduction to the Delta Simulation Model II (DSM2) for simulation of hydrodynamics and water quality of the Sacramento–San Joaquin Delta. Draft. February. Delta Modeling Section, Office of State Water Project Planning, California Department of Water Resources. Sacramento, CA.
- Anonymous. 1953. A plan for the protection and maintenance of salmon and steelhead in the American River, California, together with recommendations for action. Unpublished report prepared jointly by the U.S. Fish and Wildlife Service and California Department of Fish and Game, July 20, 1953. 47 p.
- Antonio, D.B., C. Swanson, J.J. Cech, Jr., R.C. Mager, S. Doroshov, & R.P. Hedrick. 2000. Prevalence of *Mycobacterium* in wild and captive delta smelt. California Fish and Game 86(4):233-243. p.
- Araki, H., B. Cooper, M. Blouin. 2007. Genetic effects of captive breeding cause a rapidcumulative fitness decline in the wild. Science 318:100-103.
- Arkush, K.D., A.R. Geise, H.L. Mendonca, A.M. McBride, G.D. Marty, & P.W. Hedrick. 2002. Resistance to three pathogens in the endangered winter-run chinook salmon (Oncorhynchus tshawytscha): effects of inbreeding and major histocompatibility complex genotypes. Canadian Journal of Fisheries and Aquatic Sciences 59:966-975.
- Armor, C. 1992. Estuary-dependent species. Testimony to State Water Resources Control Board 1992 Bay/Delta Hearings, Sacramento, CA, by Department of Fish and Game. WRINT–DFG Exhibit 6.
- Arnold, J. 1999. Fish salvage at SWP and CVP facilities. Interagency Ecological Program Newsletter 12(2):45-48.
- Arthur, J.F. & M.D. Ball. 1980. The significance of the entrapment zone location to the phytoplankton standing crop in the San Francisco Bay-Delta Estuary. U.S. Water and Power Resources Service [now Bureau of Reclamation], Sacramento, CA. 89 p.
- Arthur, J.F., M.D. Ball, & S.Y. Baughman. 1996. Summary of Federal and State water project environmental impacts in the San Francisco Bay-Delta Estuary, California. 445-495 pp. In J.T. Hollibaugh (Ed.), San Francisco Bay: The ecosystem. San Francisco, CA.

Ateljevich, E. 2001a. Chapter 10: Planning tide at the Martinez boundary. In Methodology for flow and salinity estimates in the Sacramento-San Joaquin Delta and Suisun Marsh. August. 22nd Annual Progress Report to the State Water Resources Control Board. California Department of Water Resources. Sacramento, CA.

- 2001b. Chapter 11: Improving salinity estimates at the Martinez boundary. In Methodology for flow and salinity estimates in the Sacramento-San Joaquin Delta and Suisun Marsh. August. 22nd Annual Progress Report to the State Water Resources Control Board. California Department of Water Resources. Sacramento, CA
- Aydin, R., K. Köprücü, M. Dörücü, S. Köprücü, & M. Pala. 2005. Acute Toxicity of Synthetic Pyrethroid Cypermethrin on the Common Carp (*Cyprinus carpio* L.) Embryos and Larvae. Aquaculture International, Vol. 13:5, pp. 451-458.
- Ayres Associates. 2001. Two-dimensional modeling and analysis of spawning bed mobilization Lower American River. Prepared for Sacramento District U.S. Army Corps of Engineers.
- Bagenal, T. 1978. Methods for assessment of fish production in fresh waters. Blackwell Scientific Publications, London. 365 p.
- Bailey, E.D. 1954. Time pattern of 1953–54 migration of salmon and steelhead into the upper Sacramento River. Unpublished report. California Department Fish and Game. 4 p.
- Bailey, H.C., C. Alexander, C. DiGiorgio, M. Miller, S.I. Doroshov, & D.E. Hinton. 1994. The effect of agricultural discharge on striped bass (*Morone saxatilis*) in California's Sacramento-San Joaquin drainage. *Ecotoxicology* 3:123–142.
- Bailey, H.C., E. Hallen, T. Hampson, M. Emanuel, & B.S. Washburn. 1999. Characterization of reproductive status and spawning and rearing conditions for splittail *Pogonichthys macrolpeidotus*, a cyprinid of Special Concern, endemic to the Sacramento-San Joaquin Estuary. Draft Manuscript.
- Bakun, A. 1999. A dynamic scenario for simultaneous regime-scale marine population shifts in widely separated large marine ecosystems of the Pacific. In K. Sherman & Q. Tang (Eds.), Large marine ecosystems of the Pacific Rim: Assessment, sustainability, and management. Blackwell Science. 2–26 pp.
- Banks, M.A., V.K. Rashbrook, M.J. Calavetta, C.A. Dean, & D. Hedgecock. 2000. Analysis of microsatellite DNA resolves genetic structure and diversity of Chinook salmon (*Oncorhynchus tshawytscha*) in California's Central Valley. Can J Fish Aquat Sci 57:915–27.
- Baracco, A.W. 1996. The status of the Sacramento River spring-run Chinook salmon. A special report to the Fish and Game Commission pursuant to Section 670.6 of Title 14, CCR. California Department of Fish and Game, Inland Fisheries Division. 28 p.
- _____ 1997. The status of the Sacramento River spring-run Chinook salmon. A CCR. California Department of Fish and Game, Inland Fisheries Division. 19 p.
- Barnes, K.K., D.W. Koplin, M.T. Meyer, E.M. Thurman, E.T. Furlong, S.D. Zaugg, & L.B. Barber. 2002. Water-quality data for pharmaceuticals, hormones, and other organic

- wastewater contaminants in U.S. streams, 1999-2000. U.S. Geological Survey Open-File Report 02-94.
- Barnett-Johnson, R., C.B. Grimes, C.F. Royer, & C.J. Donohoe. 2007. Identifying the contribution of wild and hatchery Chinook salmon (*Oncorhynchus tshawytscha*) to the ocean fishery using otolith microstructure as natural tags. CJFAS. 64:1683-1692.
- Barnhart, R.A. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and invertebrates (Pacific southwest)—steelhead. U.S. Fish and Wildlife Service Biological Report nr. 82(11.60). U.S. Army Corps of Engineers. TR EL–82–4. 21
- Baskerville-Bridges, B., J.C. Lindberg, & S.I. Doroshov. 2004. The effect of light intensity, alga concentration, and prey density on the feeding behavior of delta smelt larvae. *In* Early life history of fishes in the San Francisco Estuary and Watershed. *Edited by* F. Feyrer, L. Brown, R. Brown, and J. Orsi. American Fisheries Society, Symposium 39, Bethesda, Maryland. pp. 219-228.
- Baskerville-Bridges, B., J.C. Lindberg, J. Van Eenennaam, & S. Doroshov. 2000. Culture of delta smelt (Hypomesus transpacificus) in support of environmental and restoration special report to the Fish and Game Commission pursuant to Section 670.6 of Title 14, studies. CALFED Bay-Delta Program Science Conference Abstracts. Oct. 3-5, 2000.
- Bax, N.J. 1999. The significance and prediction of predation in marine fisheries. In K. Sherman & Q. Tang (Eds.), Large marine ecosystems of the Pacific Rim: Assessment, sustainability, and management. Blackwell Science. 297–328 pp.
- Baxter, R. 1994. Draft—Adult splittail summer distribution survey proposal. Department of Fish and Game, Bay-Delta and Special Water Projects Division, Sacramento, CA.
- Baxter, R.D. 1999a. Splittail abundance and distribution update.
- _____ 1999b. Status of splittail in California. California Fish and Game 85(1):28-30.
- 2000. Splittail and longfin smelt. Interagency Ecological Program Newsletter 13(2):19-21.
- Baxter, R., W. Harrell, & L. Grimaldo. 1996. 1995 splittail spawning investigations. Interagency Ecological Program Newsletter 9(4).
- Baxter, R., K. Hieb, S. DeLeon, K. Flemming, & J. Orsi. 1999. Report on the 1980-1995 fish, shrimp, and crab sampling in the San Francisco Estuary, California. Technical Report 63, California Department of Fish and Game, IEP, Stockton, CA.
- BDAT (Bay Delta and Tributaries Project). 2007. http://bdat.ca.gov/. Accessed 6/15/2007.
- _____ 2008. Database download. http://www.baydelta.ca.gov/
- Beamesderfer, R.C. 2000. Managing fish predators and competitors: deciding when intervention is effective and appropriate. Fisheries: 25(6): 18-23.
- Beamesderfer, R., C. P., & M.A.H. Webb. 2002. Green sturgeon status review information. S.P. Cramer and Associates, Gresham, Oregon. 44 p.

Beamesderfer, R., M. Simpson, & G. Kopp. 2007. Use of life history information in a population model for Sacramento green sturgeon. Environ. Biol. Fish. 79:315-337.

- Beamesderfer, R., M. Simpson, G. Kopp, J. Inman, A. Fuller, & D. Demko. 2004. Historical and current information on green sturgeon occurrence in the Sacramento and San Joaquin rivers and tributaries. S.P. Cramer & Associates, Inc. 44 pages.
- Beamesderfer, R.C., D.L. Ward, & A.A. Nigro. 1996. Evaluation of the biological basis for a predator control program on northern squawfish (*Ptychocheilus oregonensis*) in the Columbia and Snake rivers. Canadian Journal of Fisheries and Aquatic Sciences 53(12): 2898-2908.
- Beamish, R.J. & C.M. Neville. 1999. Large-scale climate-related changes in the carrying capacity of salmon in the Strait of Georgia and northern north Pacific ecosystems. In K. Sherman, & Q. Tang (Eds.), Large marine ecosystems of the Pacific Rim: Assessment, sustainability, and management. Blackwell Science. 27-47 pp.
- Beamish, R.J. & D.R. Bouillon. 1993. Pacific salmon production trends in relation to climate. Can J Fish Aquat Sci 50(5):1002–16.
- Behnke, R.J. 1972. The systematics of salmonid fishes of recently glaciated lakes. J Fish Res Bd Can 29:639–71.
- Bell, M.C. 1986. Fisheries handbook of engineering requirements and biological criteria. Fish Passage Development and Evaluation Program. U.S. Army Corps of Engineers. North Pacific Division. Portland, Oregon. 290 p.
- 1991. Fisheries handbook of engineering requirements and biological criteria. Fish Passage Development and Evaluation Program, U.S. Army Corps of Engineers, Sacramento District. 257 p. + appendices.
- Bengston, D.A. 1985. Laboratory experiments on mechanisms of competition and resources partitioning between *Menidia menidia* (L.) and *Menidia beryllinia* (Cope) (Osteichthyes: Atherinidae). *J. Exp. Mar. Biol. Ecol.* 92:1–18.
- Bennett, J., J. Hofius, C. Johnson, & T. Maurer. 2001. Tissue residues and hazards of water-borne pesticides for federally listed and candidate fishes of the Sacramento-San Joaquin River Delta, California: 1993-1995. U.S. Fish and Wildlife Service Study ID 1130-1F18.
- Bennett, W.A. 1992. Larval fish monitoring studies in Barker and Lindsey Sloughs, 1988–1991. Report submitted to Department of Water Resources, Sacramento, CA. 34 p.
- 1993. Environmental Impact Assessment of an aqueduct on larval striped bass in the Sacramento–San Joaquin Delta, California. Report submitted to Department of Water Resources, Sacramento, CA. 30 p.
- 1996. Framework for evaluating pesticide effects on fish populations. IEP Newsletter 9(Spring):7-12. Available from: California Dept. of Water Resources, Division of Environmental Services, Sacramento, Calif.
- 2000. Delta smelt studies: Contaminant and inland silverside effects. Interagency Ecological Program Newsletter 13(2):8.

- 2005. Critical assessment of the delta smelt population in the San Francisco estuary, California. San Francisco Estuary and Watershed Science. Vol. 3, Issue 2 (September 2005), Article 1. http://repositories.cdlib.org/jmie/sfews/vol3/iss2/art1.
- Bennett, W.A., W.J. Kimmerer, & J.R. Burau. 2002. Plasticity in vertical migration by native and exotic estuarine fishes in a dynamic low-salinity zone. Limnology and Oceanography, Vol. 47, pp. 1496-1507.
- Bennett, W.A. & P.B. Moyle. 1993a. Intraguild predation by exotic fish and low outflow as cofactors influencing the decline of delta and longfin smelt. Research proposal submitted to Interagency Ecological Program, Sacramento, CA (for Research Enhancement Program for the San Francisco Bay/Delta). 17 p.
- 1996. Where have all the fishes gone? Interactive factors producing fish declines in the Sacramento-San Joaquin Estuary. In: Hollibaugh, J.T. (Ed.), San Francisco Bay: The ecosystem. San Francisco, CA.: American Association for the Advancementof Science, Pacific Division. pp 519-542.
- Bennett, W.A., P.B. Moyle, & L. Rogers-Bennett. 1993b. Interactive influence of starvation and predation on mortality of striped bass larvae: A field experimental approach. Final report for Research Enhancement Program for the San Francisco Bay/Delta. Interagency Ecological Program, Sacramento, CA. 27 p.
- Bennett, W.A., S.J. Teh, S.A. Anderson, K. Kuivila, J.A. Hobbs, & K. Fleming. 2003. Integrated monitoring to understand the health, survival, and population dynamics of delta smelt. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.
- Bennett, W.A., D.J. Ostrach, & D.E. Hinton. 1995. Condition of larval striped bass in a drought-stricken estuary: Evaluating pelagic food web limitation. *Ecological Applications* 5:680–692.
- Bergen, D.R., & L.D. Jacobson. 2001. Northern anchovy. In W. Leet, C.M. Dewees, R. Klingbeil, & E.J. Larson (Eds.), California's living marine resources and their utilization: A status report. California Department of Fish and Game, Sacramento, CA.
- Berkeley E-Library. 2002. Northern Anchovy *Engraulis mordax* (Girard). http://elib.cs.Berkeley.edu/kopec/tr9/html/sp-northern-anchovy.html
- Bernatchez, L. 1995. A role for molecular systematics in defining evolutionarily significant units in fishes. In J.L. Nielsen (Ed.), Evolution and the aquatic ecosystem: Defining unique units in population conservation. American Fisheries Society Symposium 17. Bethesda, MD: American Fisheries Society. 114–32 pp.
- Betsill, R.K., & M.J. Van den Avyle. 1997. Effect of temperature and zooplankton abundance on growth and survival of larval threadfin shad. Transactions of the American Fisheries Society 126: 999-1011.
- Bilby, R.E., B.R. Fransen, & P.A. Bisson. 1996. Incorporation of nitrogen and carbon from spawning coho salmon into the trophic system of small streams: Evidence from stable isotopes. Can J Fish Aquat Sci 53:164–73.

Bilby, R.E., B.R. Fransen, P.A. Bisson, & J.K. Walter. 1998. Response of juvenile coho salmon (*Oncorhynchus kisutch*) and steelhead (*Oncorhynchus mykiss*) to the addition of salmon carcasses to two streams in southwestern Washington, USA. Can J Fish Aquat Sci 55:1909–18.

- Biological Review Team. 2005. Green Sturgeon (*Acipenser medirostris*) Status Review Update. NOAA Fisheries, Southwest Fisheries Science Center.
- Birge, W.J., J.A. Black, A.G. Westerman, & J.E. Hudson. 1979. The effects of mercury on reproduction in fish and amphibians. In J.O. Nriagu (Ed.), Biogeochemisty of mercury in the environment. Elsevier/North-Holland Biomedical Press, New York. Pp. 629-655.
- Bisson, P.A. and 11 others. 2002. Hatchery surpluses in the Pacific Northwest. Fisheries 27:27.
- Boles, G.L., S.M. Turek, C.C. Maxwell, & D.M. McGill. 1988. Water temperature effects on Chinook salmon (*Oncorhynchus tshawytscha*) with emphasis on the Sacramento River: a literature review. California Department of Water Resources. 42 p.
- Bond, C.E. 1996. Biology of fishes, 2nd ed. Saunders College Publishing. 750 p.
- Borthwick, S.M. & R.R. Corwin. 2001. Wild fish entrainment by Archimedes lifts and an internal helical pump and the Red Bluff Research Pumping Plant, Upper Sacramento River, California: February 1997 May 2000. Red Bluff Research Pumping Plant Series, Volume 13. U.S. Bureau of Reclamation, Red Bluff, CA.
- Borthwick, S.M., R.R. Corwin, & C.R. Liston. 1999. Investigations of fish entrainment by archimededs and internal helical pumps at the Red Bluff Research Pumping Plant, Sacramento California: February 1997-June 1998.
- Bouley, P. & W.J. Kimmerer. 2006. Ecology of a highly abundant, introduced cyclopoid copepod in a temperate estuary. Marine Ecology Progress Series 324: 219-228.
- Bovee, K. 1978. Probability-of-use criteria for the family Salmonidae. Information Paper 4, U.S. Fish and Wildlife Service. FWS/OBS-78/07. 79 p.
- Bradbury, S.P. & J.R. Coats. 1989. Comparative toxicology of the pyrethroid insecticides. *Rev. Environ. Contam. Toxicol.* 108. pp. 134–177.
- Brandes, P.L., & J. McLain. 2001. Juvenile Chinook salmon abundance, distribution, and survival in the Sacramento-San Joaquin Estuary. In R. Brown (Ed.), Contributions to the biology of Central Valley salmonids. Fish Bulletin 179. Volume 2. Sacramento (CA): California Department of Fish and Game. 39–136 pp.
- Braskerud, B.C. 2001. The influence of vegetation on sedimentation and resuspension of soil particles in small constructed wetlands. Journal of Environmental Quality 30: 1447-1457. Brett M.T. and D.C. Müller-Navarra. 1997. The role of. highly unsaturated fatty acids in aquatic food web processes. Freshwater Biology 38:483–499.
- Brittan, M.R., J.D. Hopkirk, J.D. Conners, & M. Martin. 1970. Explosive spread of the oriental goby *Acanthogobius flavimanus* in the San Francisco Bay-Delta region of California. *Proc. Calif. Acad. Sci.* 38:207–214.

Brodeur, R.D., B.W. Frost, S.R. Hare, R.C. Francis, & W.J. Ingram, Jr. 1999. Interannual variations in zooplankton biomass in the Gulf of Alaska, and covariation with California current zooplankton biomass. In K. Sherman & Q. Tang (Eds.), Large marine ecosystems of the Pacific Rim: Assessment, sustainability, and management. Blackwell Science. 106–137 pp.

- Brown, C.J. 1995. The emigration of juvenile spring-run Chinook salmon from Big Chico Creek in 1993–1994. California Department of Fish and Game. Bay-Delta Special Water Projects Division.
- Brown, C.L., G. Young, R.S. Nishioka, & H. Bern. 1987. Preliminary report on the physiological status of striped bass in the Carquinez Strait die-off. *Fish. Res.* 6:5–16.
- Brown, K. 2007. Evidence of spawning by green sturgeon, *Acipenser medirostris*, in the upper Sacramento River, California. Environmental Biology of Fishes 79(3-4):297-303.
- Brown, L.R. 2003. Will tidal wetland restoration enhance populations of native fishes? San Francisco and Watershed Science 1: http://repositories.cdlib.org/jmie/sfews/vol1/iss1/art2.
- Brown, L.R. & A.M. Brasher. 1995. Effect of predation by Sacramento pikeminnow (*Ptychocheilus grandis*) on habitat choice of California roach (*Lavinia symmetricus*) and rainbow trout (*Oncorhynchus mykiss*) in artificial streams. Can J Fish Aquat Sci 52:1639–46.
- Brown, L.R., & D. Michniuk. 2007. Littoral fish assemblages of the alien-dominated Sacramento–San Joaquin Delta, California 1980–1983 and 2001–2003. Estuaries and Coasts. 30: 186-200.
- Brown, L.R. & P.B. Moyle. 2005. Native fishes of the Sacramento-San Joaquin drainage, California: a history of decline. American Fisheries Society Symposium 45: 75-98.
- Brown, R.L. 1982. Screening Agricultural Diversions in the Sacramento–San Joaquin Delta. Department of Water Resources, Sacramento, CA, internal report. 42 p.
- 2001. A review of the CALFED-sponsored splittail workshop. Interagency Ecological Program Newsletter 14(2):55-57.
- Brown, R.L. & S. Greene. 1992. Biological Assessment: Effects of the Central Valley Project and State Water Project delta operations on winter-run Chinook salmon. Department of Water Resources, Sacramento, CA. 137 p.
- 1993. An evaluation of the Feather River Hatchery as mitigation for construction of the California State Water Project's Oroville Dam. In Environmental enhancement of water projects. Proceedings from the 1993 seminar sponsored by U.S. Committee on Irrigation and Drainage. Sacramento, CA.
- Brown, R., S. Greene, P. Coulston & S. Barrow. 1996. An evaluation of the effectiveness of fish salvage operations at the intake to the California aqueduct, 1979-1993. Pages 497-518 In J.T. Hollibaugh (Ed.), San Francisco Bay: the ecosystem. Pacific Division of the American Association for the Advancement of Science, San Francisco, CA.

Brown, R.L. & W. Kimmerer. 2002. Delta smelt and CALFED's Environmental Water Account: A summary of the 2002 delta smelt workshop. Prepared for the CALFED Science Program, October 2002.

- Buckel, J.A., D.O. Conover, N.D. Steinberg, & K.A. McKown. 1999. Impact of age-0 bluefish (*Pomatomus saltatrix*) predation on age-0 fishes in the Hudson River estuary: Evidence for density-dependent loss of juvenile striped bass (*Morone saxatilis*). Can J Fish Aquat Sci 56:275–87.
- Buckel, J.A. & A.W. Stoner. 2000. Functional response and switching behavior of young-of-the-year piscivorous bluefish. Journal of Experimental Marine Biology and Ecology 245:25-41.
- Buell, J. 1994. Relationship between average location of X2 and annual abundance indices of various estuarine organisms. California Urban Water Agencies, Sacramento, CA. Ref. 8. 18 pp.
- 2003. Sources of direct mortality: Understanding the data, assumptions, and uncertainties in estimating fish entrainment loss at the south delta export facilities. Presentation at Science Symposium on long term water project operations. Sacramento State University, June 19-20, 2003.
- Buer, K. 1980. Upper Sacramento River spawning gravel study. California Department of Water Resources, Northern District, Memorandum Report.
- Burau, J.R. 1998. Chapter in W.J. Kimmerer (Ed.), 1994 Entrapment Zone Report. Interagency Ecological Program for the San Francisco Bay-Delta. Technical Report 56.
- Burau, J.R., S.G. Monismith, M.T. Stacey, R.N. Oltmann, J.R. Lacy, & D.H. Schoellhamer. 2000. Recent research on the hydrodynamics of the Sacramento-San Joaquin River Delta and North San Francisco Bay. Interagency Ecological Program Newsletter 13(2):45-53
- Burgner, R.L., J.T. Light, L. Margolis, T. Okazaki, A. Tautz, & S. Ito. 1992. Distribution and origins of steelhead trout (*Oncorhynchus mykiss*) in offshore waters of the north Pacific Ocean. International North Pacific Fisheries Commission. Bulletin # 51.
- Busby, P.J., O.W. Johnson, T.C. Wainwright, F.W. Waknitz, & R.S. Waples. 1993. Status review for Oregon's Illinois River winter steelhead. U.S. Dept. Commerce, NOAA Tech. Memo. NMFS–NWFSC–10. 85 p.
- Busby, P.J., T.C. Wainwright, G.J. Bryant, L.J. Lierheimer, R.S. Waples, F.W. Waknitz, & I.V. Lagomarsino. 1996. Status review of west coast steelhead from Washington, Idaho, Oregon, and California. NOAA Technical Memorandum NMFS–NWFSC–27. 261 p.
- CALFED Bay-Delta Program. 1998. Ecosystem Restoration Program Plan. Volume I: Ecological attributes of the San Francisco Bay-delta watershed (Agency review draft). November 1998.
- 2000. Flow regime requirements for habitat restoration along the Sacramento River between Colusa and Red Bluff. CALFED Bay-Delta Program. Sacramento.

- 2002. Los Vaqueros Reservoir expansion studies. Draft project concept report, executive summary. USBR, DWR, and CCWD.
- 2005. Interim Update of the CALFED Bay-Delta Program Surface Storage Investigations: Interim Common Model Package, Modeling Protocol and Assumptions. Technical Memorandum Report. Availability: http://www.storage.water.ca.gov/docs/Interim_Update_Modeling_TM_050405.pdf
- CALFED Science Program. 2001. Science in action: scrutinizing the Delta Cross Channel. CALFED Bay-Delta Program. June 2001.
- Calamusso, B., J.N. Rinne, & R.J. Edwards. 2005. Historic changes in the Rio Grande fish fauna: status, threats, and management of native species. American Fisheries Society Symposium 45: 205-224.
- Carlton, J.T., J.K. Thompson, L.E. Schemel, & F.H. Nichols. 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asian Clam *Potamocorbula amurensis*. Marine Ecology Progress Series, Vol. 66, pp. 81-94.
- Cashman, J.R., D.A. Maltby, R.S. Nishioka, H.A. Bern, S.J. Gee, & B.D. Hammock. 1992. Chemical contamination and the annual summer die-off of striped bass (*Morone saxatilis*) in the Sacramento–San Joaquin Delta. *Chem. Res. Toxicol.* 5(1):100–105.
- Castleberry, D.A., J.J. Cech, Jr., M.K. Saiki, B.A. Martin. 1993. Growth, condition, and physiological performance of juvenile salmonids from the lower American River: February through July 1992. Final report. U.S. Fish and Wildlife Service, National Fisheries Contaminant Research Center, Dixon, California.128p., plus appendices.
- Cavallo, B. 2001. Feather River salmon spawning escapement: A history and critique [draft].
- Cavallo, B., R. Kurth, J. Kindopp, A. Seeholtz, & M. Perrone. 2003. Distribution and habitat use of steelhead and other fishes in the lower Feather River, 1999 2001. California Department of Water Resources Division of Environmental Services. Sacramento.
- Caywood, M.L. 1974. Contributions to the life history of the splittail *Pogonichthys macrolepidotus* (Ayres). M.S. Thesis, California State Univ., Sacramento, CA. 77 pp.
- CBD et al.(Center for Biological Diversity, The Bay Institute, and Natural Resources Defense Council). 2006. Emergency petition to list the delta smelt (*Hypomesus transpacificus*) as an endangered species under the endangered species act. Submitted to the U.S Fish and Wildlife Service, Washington D.C. and Sacramento Field Office, March 8, 2006. 42 pp. Available at: http://www.biologicaldiversity.org/swcbd/SPECIES/deltasmelt/DS-Endangered-Petition-3-8-06.pd
- Cech, J.J., S.I. Doroshov, G.P. Moberg, B.P. May, R.G. Schaffter, & D.M. Kohlhorst. 2000. Biological assessment of green sturgeon in the Sacramento-San Joaquin watershed (Phase 1). Final report to CALFED Bay-Delta Program. Project # 98-C-15.

Cech, J.J. Jr., & C.A. Myrick. 1999. Steelhead and Chinook salmon bioenergetics: Temperature, ration, and genetic effects. Technical Completion Report, University of California Water Resources Center. 72 p.

- CFC (California Fish Commission). 1882. Report of the commissioners of fisheries of the State of California for the years of 1881–1882. Sacramento, California.
- CH2M Hill. 2002. Fish Passage Improvement Project at the Red Bluff Diversion Dam Draft Environmental Impact Statement/Environmental Impact Report. Prepared for Tehama Colusa Canal Authority, Willows, CA. Accessed on the internet at http://www.tccafishpassage.org/ on 4/1/03.
- Chamberlain, C. 2003. Trinity River juvenile fish stranding evaluation, May to June 2002. U.S. Fish and Wildlife Service Arcata Fish and Wildlife Office. 21p.
- Chambers, J. 1956. Fish passage development and evaluation program. Progress Report nr. 5. Portland, OR: U.S. Army Corps of Engineers, North Pacific Division.
- Chotkowski, M. 1999. Fishes observed during routine monitoring in Bay-Delta near-shore shallow water habitat. Data table distributed at IEP Shallow Water Habitat Project Work Team meeting.
- Chung, F. & T. Smith. 1993. QWEST and Transport. Department of Water Resources unpublished report. 13 pp. plus figures.
- City of Stockton Annual Report. 2004-2005
- Clark, G.H. 1929. Sacramento-San Joaquin salmon, *Oncorhynchus tshawytscha*, fishery of California. Calf. Dept. Fish and Game. Bull. 17. 73 p.
- Clifford, M.A., K.J. Eder, I. Werner, & R.P. Hendrick. 2005. Synergistic effects of esfenvalerate and infectious hematopoietic necrosis virus on juvenile Chinook salmon mortality. Environmental Toxicology and Chemistry 24(7):1766-1772.
- Close, A., W.M. Haneman, J.W. Labadie, D.P. Loucks (chair), J.R. Lund, D.C. McKinney, & J.R. Stedinger. 2003. A Strategic Review of CalSim II and its Use for Water Planning, Management, and Operations in Central California. Oakland, CA: Submitted to the California Bay Delta Authority Science Program, Association of Bay Governments on 4 Dec. Availability: http://science.calwater.ca.gov/pdf/CalSim_Review.pdf.
- CMARP (Comprehensive Monitoring, Assessment and Research Program for the CALFED Bay-Delta Program). 1998. Monitoring, assessment, and research on Central Valley steelhead: Status of knowledge, review of existing programs, and assessment of needs—draft from 11/1/98.
- Cohen, A.N. & J.T. Carlton. 1998. Accelerating invasion rate in a highly invaded estuary. Science (Washington, D.C.), 279: 555-558.
- Collier, T.K. 2002. Chemical habitat quality and salmon health. National Marine Fisheries Service. Seattle. Presented at Salmonid Restoration Federation Conference. Ukiah, CA.

Connor, V., C. Foe, & L. Deanovic. 1993. Sacramento River Basin Biotoxicity Survey Results 1988-1990. Central Valley Regional Water Quality Control Board, Sacramento CA.

- Cook, C.B. & G.T. Orlob. 2000. Numerical estimation of dynamic water temperature fluctuations at compliance point Robinson Riffle: UC Davis Feather River Computational Model [draft]. Report to California Department of Water Resources from Department of Civil and Environmental Engineering, UC Davis.
- Cook, L. & L.D. Buffaloe. 1998. Delta agricultural diversion evaluation summary report, 1993-1995. Interagency Ecological Program for the Sacramento-San Joaquin Estuary. Technical Report 61. Sacramento, CA: Interagency Ecological Program for the Sacramento-San Joaquin Estuary.
- Cooper, R. & T.H. Johnson. 1992. Trends in steelhead (*Oncorhynchus mykiss*) abundance in Washington and along the Pacific Coast of North America. Washington Department of Wildlife, Fisheries Management Division. Report nr. 92–20. 90 p.
- Corps (U.S. Army Corps of Engineers). 1986. HEC-5 Simulation of Flood Control and Conservation Systems: Appendix on Water Quality Analysis. http://www.hec.usace.army.mil/publications/ComputerProgramDocumentation/HEC-5Q_UsersManual_(CPD-5Q).pdf
- 1999. Sacramento and San Joaquin river basins comprehensive study post flood assessment. Appendix F. Revised flood frequency curves. US Army Corps of Engineers Sacramento. http://www.spk.usace.army.mil/civ/ssj/reports/.
- _____ 1987. Folsom Dam and Lake, American River, California. Water Control Manual. Appendix VIII to Master Water Control Manual Sacramento River Basin, California.
- C P. 2007. Opportunities for Conservation Elements Available under All Options September 17, 2007 http://72.14.253.104/search?q=cache:H5XSYGOCk7EJ:resources.ca.gov/bdcp/docs/Section_8_Other_Conservation_Elements.pdf+nonnative+fish+prey+on+delta+smelt&hl=en&ct=clnk&cd=1&gl=us
- Cramer, F.K. & D.F. Hammack. 1952. Salmon research at Deer Creek, California. U.S. Fish and Wildlife Service Special Scientific Report 67. 16 p.
- Cramer, S.P., D. Demko, C. Fleming, T. Loera, & D. Neeley. 1992. Juvenile Chinook passage investigations at Glenn-Colusa Irrigation District Diversion. 1991 Annual Report to Glenn-Colusa Irrigation District. 170 p.
- Crawley, M.J. 1993. GLIM for ecologists. Oxford: Blackwell Scientific. 379 p.
- Croci, S. 1996. The 1996 Battle Creek stream surveys [office memorandum dated September 18, 1996]. U.S. Fish and Wildlife Service, Northern Central Valley Office. 2 p.
- Culberson, S.D., C.B. Harrison, C. Enright, and M.L. Nobriga. 2004. Sensitivity of larval fish transport to location, timing, and behavior using a particle tracking model in Suisun Marsh, California. Pages 257-267 *in* F. Feyrer, L.R. Brown, R.L. Brown, and J.J. Orsi,

- editors. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.
- CVPIA. 1994. PEIS, Impact Assessment Methodology for Fish, Draft Working Paper #3, U.S. Bureau of Reclamation, Sacramento, CA, December 1994.
- _____ 1997. Draft PEIS, Draft Methodology/Modeling Technical Appendix, Volume 9, Fish Habitat Water Quality M/M, U.S. Bureau of Reclamation, Sacramento, CA, September 1997.
- CVRWQCB (Central Valley Regional Water Quality Control Board). 2007. Revised Draft 2007 Review of Monitoring Data Irrigated Lands Conditional Waiver Program. 13 July 2007. http://www.waterboards.ca.gov/centralvalley/water_issues/irrigated_lands/monitoring_activity/index.html
- Daniels, R.A., & P.B. Moyle. 1983. Life history of splittail (Cyprinidae: *Pogonichthys macrolepidotus*) in the Sacramento–San Joaquin estuary. Fishery Bulletin 84–3:647–654.
- Dauvin, J.C. & J.J. Dodson. 1990. Relationship between feeding incidence and vertical and longitudinal distribution of rainbow smelt larvae (Osmerus mordax) in a turbid well-mixed estuary. Marine Ecology Progress Series 60:1-12.
- Davis, J.A., D. Yee, J.N. Collins, S.E. Schwarzbach, & S.N. Luoma. 2003. Potential for Increased Mercury Accumulation in the Estuary Food Web. San Francisco Estuary and Watershed Science. Vol. 1.
- Decoto, R.J. 1978. 1974 Evaluation of the Glenn-Colusa Irrigation District Fish Screen. California Department of Fish and Game, Anadromous Fisheries Branch Administrative Report 78–20.
- Dege, M. & L.R. Brown. 2004. Effect of outflow on spring and summertime distribution and abundance of larval and juvenile fishes in the upper San Francisco Estuary. Pages 49-66 In Feyrer, F., L.R. Brown, R.L. Brown, & J.J. Orsi (Eds.). Early life history of fishes in the San Francisco Estuary and watershed. American Fisheries Society Symposium 39.
- Delong, L.L., D.B. Thompson, & J.K. Lee. 1993. Computer program FourPt, a model for simulating one-dimensional, unsteady, open channel flow. Unpublished manual. Stennis Space Center, MS: U.S. Geological Survey, Water Resources Division.
- Delta Simulation Model Version 2 Project Work Team. 2001. Chapter 7: DSM2 Geometry Development. In Enhanced calibration of DSM2 HYDRO and QUAL. Draft. November. Prepared for the Interagency Ecological Program for the Sacramento–San Joaquin Estuary. Sacramento, CA.
- Demko, D., C. Gemperle, A. Phillips, & S. Cramer. 2000. Outmigrant trapping of juvenile salmonids in the lower Stanislaus River Caswell State Park site 1999. Gresham (OR): SP Cramer & Associates, Inc. 135 p.
- Deng, X., J. Teh, D.F. Deng, F.C. Teh, T.W.M. Fan, R.M. Higashi, J. Liu, & S.S.O. Hung. 2003. Effects of dietary selenium on juvenile Sacramento splittail *Pogonichthys*

- *macrolepidotus*. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.
- Deng, X., J.P. Van Eenennaam, & S.I. Doroshov. 2002. Comparison of early life stages and growth of green and white sturgeon. Transactions of the American Fisheries Society 28:237-248.
- Denton, D.N. 1986. Clear Creek fishery study. California Department of Water Resources. Red Bluff. 70 pp.
- Denton, R.A. 1993. Accounting for antecedent conditions in seawater intrusion modeling—applications to the San Francisco Bay-Delta. ASCE Hydraulic Engineering Conference 1993.
- DeStaso, J. 2008. Clear Creek Restoration. Presentation to CVPIA Independent Review Panel. June 4, 2008. Sacramento.
- Dettinger, M.D. 2005. From climate-change spaghetti to climate-change distributions for 21st Century California. San Francisco Estuary and Watershed Science 3: http://repositories.cdlib.org/jmie/sfews/vol3/iss1/art4.
- DFG (California Department of Fish and Game). 1965. California Fish and Wildlife Plan. 1966. Ecological studies of the Sacramento-San Joaquin Delta. Part II: Fishes of the Delta. Fish Bulletin 136. 168 p. 1967. In: Fish and Wildlife, Appendix C to California Dept. of Water Resources Bulletin 137, Sacramento Valley east side investigation. p 22–30. 1984a. Memorandum from Ron Rogers to Yuba River files dated March 2, 1984. 1984b. The potential for rehabilitating salmonid habitat in Clear Creek, Shasta County. Memorandum Report dated February 1984. 62 p. 1991. Letter dated June 4, 1991, from Pete Bontadelli, Director, California Department of Fish and Game, Sacramento, California to Lawrence Hancock, Regional Director, U.S. Bureau of Reclamation, Sacramento, California. 1992. Written Testimony, Delta Smelt. WRINT-DFG Exhibit 9 for Interim Water Rights Proceedings for the Bay-Delta Estuary, State Water Resources Control Board, Sacramento, CA. 1992. Sturgeon in relation to water development in the Sacramento-San Joaquin Estuary. WRINT-CDFG-Exhibit 28. 1993. Restoring Central Valley streams: a plan for action. In: F.L. Reynolds, T.J. Mills, R. Benthin, & A. Low, compilers. Report for public distribution, November 10, 1993. Sacramento (CA): California Department of Fish and Game, Inland Fisheries Division.

129 p.


 1993a. Factors Controlling the Abundance of Aquatic Resources in the Sacramento–San Joaquin Estuary. Prepared for Bay-Delta Oversight Council by the Bay-Delta and Special Water Projects Division, Sacramento, CA. 51 p.
1993b. Draft Report on December 1992 Clifton Court Forebay Chinook Predation Loss Experiment. Patrick Coulston, author. Bay-Delta and Special Water Projects Division, Sacramento, CA. 11 p.
 1993c. Impact of Water Management on Splittail in the Sacramento–San Joaquin Estuary. Testimony to the State Water Resources Control Board at the Bay/Delta Hearings. WRINT–DFG Exhibit 5 for Interim Water Rights Proceedings for the Bay-Delta Estuary, State Water Resources Control Board, Sacramento, CA. 7 p.
 1996. Adult spring-run Chinook salmon monitoring in Deer Creek 1986 through 1996. Inld. Fish. Div. Unpublished report. 13 p.
 1998. A status review of the spring-run Chinook salmon (<i>Oncorhynchus tshawytscha</i>) in the Sacramento River drainage. Candidate Species Report 98–01. June 1998.
 1999. Conservation Plan for the Striped Bass Management Program.
 2000a. The status of rare, threatened, and endangered animals and plants of California, delta smelt. Habitat Conservation Planning Branch. Available on the Internet at: http://www.delta.dfg.ca.gov/gallery/dsmelt.html.
2000b. Wildlife photo gallery, anadromous resources, delta smelt. California Department of Fish and Game, Central Valley Bay-Delta Branch, Stockton, CA. Available on the Internet at: http://www.delta.dfg.ca.gov/gallery/dsmelt.html.
 2001. Spring run Chinook salmon annual report. Habitat Conservation Division, Native Anadromous Fish and Watershed Branch. 23 p.
 2002. California Department of Fish and Game comments to NOAA Fisheries regarding green sturgeon listing. 79 pages plus appendices.
 2002. Sacramento River spring-run Chinook salmon 2001 annual report. Habitat Conservation Division, Native Anadromous Fish and Watershed Branch. 28 p.
 2002a. Status review of California coho salmon north of San Francisco. Report to the Fish and Game Commission. The Resources Agency, State of California.
 2003. Species of Special Concern. Available at www.dfg.ca.gov/hcpb/species/ssc/sscfish/sscfish.shtml. Revised 2 May 2003.
 2003. Comments on Draft OCAP BA. July 14, 2003. Sacramento.
 2003. Draft Recovery strategy for California coho salmon (Oncorhynchus kisutch). November 2003 draft. Sacramento.
 2005. Proposed Negative Declaration and Initial Study-Hill Slough West Restoration Project. March 2005.
 2007. The 2007-2008 California Freshwater Sport Fishing Regulations. Available at: http://www.dfg.ca.gov/regulations/07-08-inland-fish-regs.pdf

DFG and NMFS (California Department of Fish and Game and National Marine Fisheries Service). 2001. Final report on anadromous salmonid fish hatcheries in California. Joint Hatchery Review Committee. 34 p.


- Dill, W.A. & A.J. Cordone. 1997. History and status of introduced fishes in California, 1871–1996. California Department of Fish and Game Bulletin 178. 414 p.
- Dortch, Q. 1990. The interaction between ammonium and nitrate uptake in phytoplankton. Marine Ecology Progress Series. Vol. 61, pp. 183-201, 1990.
- Draper, N.R. & H. Smith. 1981. Applied Regression Analysis. John Wiley and Sons, New York, NY.
- Draper, et al. 2004. CalSim: Generalized Model for Reservoir System Analysis. ASCE Journal of Water Resources Planning and Management, November/December 2004.
- Dugdale, R.C., F.P. Wilkerson, V.E. Hogue, & A. Marchi. 2007. The role of ammonium and nitrate in spring bloom development in San Francisco Bay. Estuarine, Coastal and Shelf Science 73:17-29.
- DWR (California Department of Water Resources). 1981a. Pittsburg Power Plant Units 1–7 Ichthyoplankton and Macrozooplankton Survey. Prepared for Pacific Gas and Electric Company. August 1981. 27 pp. plus appendices. 1981b. Contra Costa Power Plant Units 1–7 Ichthyoplankton and Macrozooplankton survey. Prepared for Pacific Gas and Electric Company. September 1981. 27 pp. plus appendices. 1981c. Pittsburg Power Plant Units 1–7 Fishery Survey. Prepared for Pacific Gas and Electric Company. August 1981. 32 pp. plus appendices. 1981d. Contra Costa Power Plant Fishery Survey. Prepared for Pacific Gas and Electric Company. August 1981. 29 pp. plus appendices. 1985a. The Department of Water Resources planning simulation model for California. Division of Planning. Sacramento, CA. 1985b. Map: Flood Channel Design Flows. May. California Department of Water Resources. 1992a. Bay-Delta Fish Resources. Written testimony submitted as WRINT–DWR Exhibit for Interim Water Rights Proceedings for the Bay-Delta Estuary, State Water Resources Control Board, Sacramento, CA. 46 p. 1992b. Water Quality Conditions in the Sacramento–San Joaquin Delta During 1990. Report to the State Water Resources Control Board in Accordance with Water Right Decision 1485, Order 4(f). 1992c. Biological Assessment for South Delta Temporary Barriers Project. Prepared for U.S. Fish and Wildlife Service, Section 7 Endangered Species Permit. 81 p. +

appendices.

1993a. Comparison Between Transport Modeling Results: Jones and Stokes Associates, Resource Management Associates, and Department of Water Resources. Unpublished report.
 _ 1993b. Biological Assessment for South Delta Temporary Barriers Project. Prepared for U.S. Fish and Wildlife Service, Section 7 Endangered Species Permit. 45 p.
 1994a. The California Water Plan Update. California Department of Water Resources, Sacramento, CA. Bulletin 160–93. Available on line at http://rubicon.water.ca.gov/v1index.html.
 1994b. Temporary Barriers Project Fishery, Water Quality, and Vegetation Monitoring, 1993. Submitted to U.S. Army Corps of Engineers for permit requirements. 169 pp. plus appendixes.
1995. Methodology for flow and salinity estimates in the Sacramento-San Joaquin Delta and Suisun Marsh. Sixteenth annual progress report to the State Water Resources Control Board.
 _ 1997. Suisun Marsh Salinity Control Gate fisheries monitoring. 1995 Annual Report. 59 p.
 _ 1999. Suisun Marsh salinity control gates annual fisheries monitoring report for 1997. Memorandum report. Sacramento, CA.
 1999a. Supplemental biological assessment, effects of the South Delta Temporary Barriers Project year 2000 operations on steelhead, spring-run and winter-run Chinook salmon. 56 p.
1999b. Feather River study Chinook salmon emigration survey, March–June 1996. 24 p.
 _ 1999c. Feather River study Chinook salmon emigration survey, October–December 1996. 17 p.
 _ 1999d. Feather River study Chinook salmon emigration survey, December 1997–June 1998. 31 p.
2000. Benchmark Studies Assumptions, (Draft), Sacramento, CA, Sept. 2000.
 2000. CALSIM Water Resources Simulation Model Manuel, (Draft), Sacramento, CA, Dec 2000.
 2000 Proposed Mitigated Negative Declaration and Initial Study Temporary Barriers Project 2001-2007. November. 88 pp.
 2002. Appendix D: CALSIM ANN Implementation. Pages 120–129 in Benchmark studies assumptions. September 30. Bay-Delta Office, Modeling Support Branch.
 2002a. Distribution of fishes in the lower Feather River in relation to season and temperature, 1997-2001. Division of Environmental Services.
 2002b. Emigration of juvenile Chinook salmon in the Feather River, 1998-2001. Division of Environmental Services.



Wildlife Service, Sacramento, CA. 230 p.




- the various operational phases of the Suisun Marsh Salinity Control Gates, September–November 1994. Interagency Ecological Program for the San Francisco Bay/Delta Estuary. Technical Report 50. 27 p.
- EET (Estuary Ecology Team). 1996. An assessment of the likely mechanisms underlying the "fish-X2" relationships. Draft. Interagency Ecological Program for the San Francisco Bay/Delta, Sacramento, CA.
- Elder, J.F. 1988. Metal Biogeochemistry in Surface-Water Systems: A Review of Principles and Concepts. U.S. Geological Survey Circular 1013. 43 pp.
- Emmett, R.L., S.L. Stone, S.A. Hinton, & M.E. Monaco. 1991. Distribution and abundance of fishes and invertebrates in West coast estuaries, Volume II: Species life history summaries. ELMR Report No. 8. NOAA/NOS Strategic Environmental Assessments Division, Rockville, Maryland.
- Erickson, D.L. & J.E. Hightower. 2007. Oceanic distribution and behavior of green sturgeon. American Fisheries Society Symposium 56:197-211.


Erickson, D.L., J.A. North, J.E. Hightower, J. Weber, & L. Lauck. 2002. Movement and habitat use of green sturgeon *Acipenser medirostris* in the Rogue River, Oregon, USA. Journal of Applied Ichthyology 18:565-569.

- Erickson, D.L. & M.A.H. Webb. 2007. Spawning Periodicity, Spawning Migration, and Size at Maturity of Green Sturgeon, *Acipenser medirostris*, in the Rogue River, Oregon. Environmental Biology of Fishes. 79(3-4):255-268.
- Evenson, D.F. 1997. An examination of the likely mechanisms underlying the "fish-X2" relationships. Interagency Ecological Program for the San Francisco Bay/Delta, Sacramento, CA. Technical Report 52.
- 2001. Egg pocket depth and particle size composition within Chinook salmon redds in the Trinity River, California. A thesis presented to the faculty of Humboldt State University. Arcata, CA.
- Farr, R. A. & J. C. Kern. 2005. Green sturgeon population characteristics in Oregon. Final Summary Progress Report to U.S. Fish and Wildlife. Project Number: F-178-R.
- Federal Register. 1993. Final rule: determination of threatened status for the delta smelt. U.S. Fish and Wildlife Service, Division of Endangered Species, Sacramento, CA. March 5, 1993.
- _____ 1994. Final rule: endangered and threatened wildlife and plants; critical habitat determination for the delta smelt. U.S. Fish and Wildlife Service, 59 FR 65256, Rules and Regulations. December 19, 1994.
- Feist, G.W., M.A.H. Webb, D.T. Gundersen, E.P. Foster, C.B. Schreck, A.G. Maule & M.S. Fitzpatrick. 2004. Evidence of Detrimental Effects of Environmental Contaminants on Growth and Reproductive Physiology of White Sturgeon in Impounded Areas of the Columbia River. Environ Health Perspect. 113:1675 1682.
- Ferreira, I.C., S.K. Tanaka, S.P. Hollinshhead, & J.R. Lund. 2005. Musings on a Model: CalSim II in California's Water Community. San Fransisco Estuary and Watershed Science Vol. 3, Issue 1, March
- Feyrer, F. & R. Baxter. 1998. Splittail fecundity and egg size. Calif. Fish and Game 84:119-126.
- Feyrer, F., L.R. Brown, R.L. Brown, & J.J. Orsi, (Eds.). in press. Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.
- Feyrer, F., B. Herbold, S.A. Matern, & P.B. Moyle. 2003. Dietary shifts in a stressed fish assemblage: consequences of a bivalve invasion in the San Francisco Estuary Environmental Biology of Fishes 67(3):277-288.
- Feyrer, F. & S.A. Matern. 2000. Changes in fish diets in the San Francisco Estuary following the invasion of the clam *Potamocorbula amurensis*. Interagency Ecological Program Newsletter 13(4):21-27.

Feyrer, F., M.L. Nobriga, & T.R. Sommer. 2007. Multi-decadal trends for three declining fish species: habitat patterns and mechanisms in the San Francisco Estuary, California, U.S.A. Canadian Journal of Fisheries and Aquatic Sciences 64:723-734.

- Fischer, H.B. 1982. DELFLO and DELSAL, flow and transport models for the Sacramento–San Joaquin Delta, description and steady-state verification. Report HBF 82/01. Berkeley, CA.
- Fisher, F.W. 1994. Past and present status of Central Valley Chinook salmon. Conserv Biol 8:870–3.
- Foe, C. 1988. Preliminary 1988 Colusa Basin Drain Rice Season Biotoxicity Results. Central Valley Regional Water Quality Control Board memorandum to Jerry Bruns and Rudy Schnagl. August 26,1988. Sacramento.
- _____ 1989. The 1989 Rice Season Biotoxicity Results. California Regional Water Quality Control Board, Central Valley Region.
- Foe, C. & V. Connor. 1991. 1989 Rice Season Toxicity Monitoring Results. Report from California Regional Water Quality Control Board, Central Valley Region.
- Foe, C. & R. Sheipline. 1993. Pesticides in Surface Water from Applications on Orchards and Alfalfa during the Winter and Spring of 1991–92. Report from California Regional Water Quality Control Board, Central Valley Region.
- Folmar, L.C. & W.W. Dickhoff. 1980. The parr-smolt transformation (smoltification) and seawater adaption in salmonids: a review of selected literature. Aquaculture 21:1–37.
- Foott, J. S., K. True, & R. Stone. 2006. Histological evaluation and viral survey of juvenile longfin smelt,(Spirinchus thaleichthys) and threadfin shad (Dorosoma petenense) collected in the Sacramento-San Joaquin River Delta, April-October 2006. California Nevada Fish Health Center
- Forbes, V.E. & A. Cold. 2005. Effects of the pyrethroid esfenvalerate on life-cycle traits and population dynamics of Chironomus riparius importance of exposure scenario. Environmental Toxicology and Chemistry 24(1):78-86.
- Ford, D., L. Grober, T. Harmon, J. Lund, D. McKinney. 2006. Review Panel Report San Joaquin River Valley CalSim II Model Review, 2006. January.
- Fox, J.P. 1994. Autocorrelation in Regressions of Delta Smelt Index on Number of Days X2 is in Suisun Bay. Memo to T. Sommers, Dept. of Water Resources, May 23, 1994.
- Fox, J.P. & A.S. Britton. 1994. Draft Evaluation of the Relationship Between Biological Indicators and the Position of X2. The California Urban Water Agencies, Sacramento. Reference 7. 29 pp. and attachments.
- Fry, D.H. 1961. King salmon spawning stocks of the California Central Valley, 1940–1959. California Fish and Game 47:55–71.
- FWS (U.S. Fish and Wildlife Service). 1987. Evaluation of the measure of raising the Red Bluff Diversion Dam gates on improving anadromous salmonid fish passage based on





- Gadomski, D. M. & M. J. Parsley. 2005. Laboratory Studies on the Vulnerability of Young White Sturgeon to Predation. North American Journal of Fisheries Management 25:667–674.
- Gaines, P.D. & C.D. Martin. 2002. Abundance and seasonal, spatial and diel distribution patterns of juvenile salmonids passing the Red Bluff Diversion Dam, Sacramento River. Red Bluff Research Pumping Plant Report Series, Volume 14. U.S. Fish and Wildlife Service, Red Bluff, CA
- Garcia, A. 1989. The impacts of pikeminnow predation on juvenile Chinook salmon at Red Bluff Diversion Dam and other locations in the Sacramento River. U.S. Fish and Wildlife Service, Report nr. AF–FAO–89–05.
- Garcia, R.P. & R.V. Alejandre. 1995. Predation upon Larvae of the Pacific Sardine Sardinops sagax by Cyclopoid Copepods, Journal of Crustacean Biology, 15: 196-201.
- Garmin, G. & R. Baxter. 1999. Splittail investigations. IEP Newsletter 12:7.
- Gerstung, E.R. 1971. A report to the California State Water Resources Control Board on the fish and wildlife resources of the American River to be affected by the Auburn Dam and Reservoir and the Folsom South Canal and measures proposed to maintain these resources. California Department of Fish and Game unpublished report, Sacramento. June 1971.

_____ 1989. Fishes and fishing in the forks of the American River: then and now. In: The American River: north, middle and south forks. The Wilderness Conservancy. Auburn (CA): Protect American River Canyons. 320 p.

- Giddings, J.M., L.W. Hall, Jr, & K.R. Solomon. 2000. Ecological risks of diazinon from agricultural use in the Sacramento San Joaquin River Basins, California. Risk Analysis 20:545–572.
- Gifford, S.M., G. Rollwagen-Bollens, S.M. Bollens. 2007. Mesozooplankton omnivory in the upper San Francisco Estuary. Marine Ecological Progress Series 348:33-46.
- Gingras, M. 1997. Mark/recapture experiments at Clifton Court Forebay to estimate pre-screen loss of juvenile fishes: 1976–1993. Interagency Ecological Program for the Sacramento-San Joaquin Estuary Technical Report 55. 22 p.
- Goals Project. 2000. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish, and wildlife. Prepared by the San Francisco Bay Area Wetlands Ecosystem Goals Project. O.R. Olofson (Ed.). San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Green, L.W. 1887. Salmon in the McCloud River during the season of 1886. U.S. Fish Commission Bulletin 6(1886):334–6.
- Greenberg, L.A., C.A. Paszkowski, W.M. Tonn. 1995. Effects of prey species composition and habitat structure on foraging by two functionally distinct piscivores. Oikos 74:522-532.
- Gregory, R.S. & C.D. Levings. 1998. Turbidity reduces predation on migrating juvenile Pacific salmon. Trans Am Fish Soc 127:275–85.
- Gresh, T., J. Lichatowich, & P. Schoonmaker. 2000. An estimation of historic and current levels of salmon production in the northeast Pacific ecosystem: evidence of a nutrient deficit in the freshwater systems of the Pacific northwest. Fisheries 25:15–21.
- Griffin, S. 1993. Monitoring of an Unscreened Agricultural Diversion on the San Joaquin River at McMullin Tract. Public Notice No. 199200393, San Joaquin County, California, May–July 1993. Dept. of Fish and Game. 15 pp.
- Grimaldo, L.F. 2004. Diets and carbon sources of fishes from open-water, intertidal edge, and submerged aquatic vegetation habitats in restored freshwater wetlands of the San Francisco Estuary. Master's Thesis, San Francisco State University.
- Gingras, M. and M. McGee. 1997. A Telemetry Study of Striped Bass Emigration from Clifton Court Forebay: Implications for Predator Enumeration and Control. IEP Technical Report 54.
- Gingras, Marty. 1997. Mark/recapture at Clifton Court Forebay to estimate pre-screen loss to juvenile fishes: 1976-1993. IEP Technical Report 55.
- Gritz, W.J. 1971. Distribution and Food Habits of Fishes in Relation to the Thermal Plume at Pacific Gas and Electric Company's Pittsburg Power Plant in the Sacramento–San Joaquin Delta. Dept. of Fish and Game, Anadromous Fisheries Branch Administrative Report 71–14. 9 pp.

- Groot, C. & L. Margolis. 1991. Pacific salmon life histories. Vancouver, BC: UBC Press.
- Guo, L., K. Kelley, & K.S. Goh. 2007. Evaluation of sources and loading of pesticides to the Sacramento River, California, USA, during a storm event of winter 2005. Environmental Toxicology and Chemistry 26(11):2274-2281.
- Hallock, R.J. 1961. Monthly report for September 1961. California Department of Fish and Game. Marine Resources Branch.
- 1989. Upper Sacramento River steelhead, *Oncorhynchus mykiss*, 1952–1988. Report to the U.S. Fish and Wildlife Service. Red Bluff, California. 86 p.
- Hallock, R.J. & F. Fisher. 1985. Status of winter-run Chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento River. Unpublished Anadromous Fisheries Branch Office Report, January 25, 1985.
- Hallock, R.J., D.A. Vogel, & R.R. Reisenbichler. 1982. The effect of Red Bluff Diversion Dam on the migration of adult Chinook salmon, *Oncorhynchus tshawytscha*, as indicated by radio-tagged fish. California Department of Fish and Game. Anadromous Fisheries Branch Report nr. 82–8.
- Hallock, R.J., W.F. Van Woert, & L. Shapovalov. 1961. An evaluation of stocking hatchery-reared steelhead rainbow trout (*Salmo gairdnerii gairdnerii*) in the Sacramento River system. Fish Bulletin 114. California Department of Fish and Game. 74 p.
- Hannon, J. & M. Healey. 2002. American River steelhead redd surveys, 2001 2002. US Bureau of Reclamation. Sacramento. 19 p.
- Hannon, J., M. Healey, & B. Deason. 2003. American River steelhead (Oncorhynchus mykiss) spawning 2001 2003. US Bureau of Reclamation. Sacramento. 36 p.
- Hanson, H.A., O.R. Smith, & P.R. Needham. 1940. An investigation of fish-salvage problems in relation to Shasta Dam. Washington, DC: U.S. Bureau of Fisheries Special Scientific Report nr. 10. 202 p.
- Hanson, C.H. 1994. Comments on the United States Fish and Wildlife Service's proposal to list the Sacramento splittail as threatened. In: State Water Contractors (compiler). Response of the State Water Contractors to the Proposed Rule Regarding Listing the Sacramento Splittail as a Threatened Species Under the Federal Endangered Species Act. March 11, 1994. 18 pp. and appendices.
- 2001. Are juvenile Chinook salmon entrained at unscreened diversions in direct proportion to the volume of water diverted? p. 331 342. In Contributions to the biology of Central Valley salmonids. R. Brown (Ed.), California Department of Fish and Game Fish Bulletin number 179.
- Harrell, W.C. & T.R. Sommer. 2003. Patterns of Adult Fish Use on California's Yolo Bypass Floodplain. Pages 88-93, In P.M. Faber (Ed.), California riparian systems: Processes and floodplain management, ecology, and restoration. 2001 Riparian Habitat and Floodplains Conference Proceedings, Riparian Habitat Joint Venture, Sacramento, California.

Harrell, W.C., T.R. Sommer, G. O'Leary, & S.C. Zeug. 2003. Opportunities and obstacles: patterns of adult fish use on California's Yolo Bypass floodplain. Abstract in CALFED Science Conference Abstracts. January 14-16, 2003. Sacramento, CA.

- Harrison, C. 2002. Delta Hydrology. Interagency Ecological Program Newsletter 15(2):4-7.
- Hartman, K.J. 2003. Population-level consumption by Atlantic coastal striped bass and the influence of population recovery upon prey communities. Fisheries Management and Ecology 10(5): 281–288.
- Harvey, C.D. 1995. Juvenile spring-run Chinook salmon emergence, rearing and outmigration patterns in Deer Creek and Mill Creek, Tehama County for the 1993 Brood Year. California Department of Fish and Game annual progress report for federal aid in Sport Fish Restoration Grant nr. F–51–R–6. 12 p.
- _____ 1995a. Adult spring-run Chinook salmon surveys in Clear Creek [office memorandum to file]. Red Bluff (CA): California Department of Fish and Game, Inland Fisheries Division.
- _____ 1995b. Annual Deer Creek adult spring-run Chinook salmon survey. Office memorandum to file. August 22,1995. Red Bluff (CA): California Department of Fish and Game, Inland Fisheries Division.
- _____ 1995c. Adult steelhead counts in Mill and Deer creeks, Tehama County, October 1993– June 1994. California Department of Fish and Game, Inland Fisheries Division. Administrative Report 95–3. 9 p.
- 1996. Juvenile spring-run Chinook salmon emergence, rearing and outmigration patterns in Deer and Mill creeks, Tehama County for the 1994 brood year. California Department of Fish and Game annual progress report for federal aid in Sport Fish Restoration Grant nr. F–51–R–7. 8 p.
- 1997. Juvenile spring-run Chinook salmon emergence, rearing and outmigration patterns in Deer and Mill creeks, Tehama County for the 1995 Brood Year. California Department of Fish and Game annual progress report for federal aid in Sport Fish Restoration Grant nr. F–51–R–8. 12 p.
- Hatton, S.R. 1940. Progress report on the Central Valley fisheries investigations. California Fish and Game 26:334–73.
- Haugen, C.W. & D. Thomas. 2001. Starry Flounder. In: California's Living Marine Resources and Their Utilization: A Status Report. W. Leet, C.M. Dewees, R. Klingbeil, & E.J. Larson (Eds.), California Department of Fish and Game, Sacramento, CA.
- Haunstein, E, & C. Ramirez. 1986. The influence of salinity on the distribution of Egeria densa in the Valdivia River Basin Chile. Archiv Fur Hydrobiologie 107:511–520.
- Haya, K. 1989. Toxicity of pyrethroid insecticides to fish. Environmental Toxicology and Chemistry. Vol. 8, no. 5, pp. 381-391.

Hayes, D.B., C.P. Ferreri, & W.M. Taylor. 1996. Linking fish habitat to their population dynamics. Canadian Journal of Fisheries and Aquatic Sciences 53(Supplement 1):383-390.

- Healey, M.C. 1991. The life history of Chinook salmon (*Oncorhynchus tshawytscha*). In: Groot and Margolis, editors. Pacific salmon life histories. Vancouver, BC: University of British Columbia Press. p 312–393.
- Healey, M.C. & A. Prince. 1995. Scales of variation in life history tactics of Pacific salmon and the conservation of phenotype and genotype. In: J.L. Nielsen (Ed.), Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society Symposium 17. Bethesda (MD): American Fisheries Society. p 176–84.
- Healey, T.P. 1979. The effect of high temperature on the survival of Sacramento River chinook(king) salmon, Oncorhynchus tshawytscha, eggs and fry. Sacramento: California Department of Fish and Game.
- Hedgecock, D. 2002. Microsatellite DNA for the management and protection of California's Central Valley Chinook salmon (Onchorhyncus tshawytscha). Final report for the Amendment to DWR-UCD Agreement No. B-59638 (46-53).
- Heidel, K., S. Roy, C. Creager, C. Chung, & T. Grieb. 2006. Conceptual Model for Nutrient in the Central Valley and Sacramento-San Joaquin Delta. Prepared for U.S. Environmental Protection Agency, Region IX and Central Valley Drinking Water Policy Workgroup, Tetra Tech, Inc., September 2006.
- Heim, W.A., K.H. Coale, M. Stephenson, K. Choe, G.A. Gill, & C. Foe. 2007. Spatial and Habitat-Based Variations in Total and Methyl Mercury Concentrations in Surficial Sediments in the San Francisco Bay-Delta *Environ. Sci. Technol.*, 41 (10), 3501 -3507.
- Helfrich, L.A., C.R. Liston, B. Mefford, & R. Bark. 2001. Survival and injury of splittail and Chinook salmon passed through a large hidrostal pump. North American Journal of Fisheries Management 21:616-623.
- Helfrich, Louis, Ray Bark, Charles Liston, and Brent Mefford. 2003. Survival and condition of striped bass, steelhead, delta smelt, and wakasagi through a hidrostal pump at the U.S. Bureau of Reclamation, Tracy Fish Collection Facility, California. Tracy Fish Collection Facilities Studies. Volume 24. U.S. Department of Interior, Bureau of Reclamation Mid-Pacific Region and the Technical Service Center. 29 p.
- Herbold, B. 1987. Patterns of Co-Occurrence and Resource Use in a Non-coevolved Assemblage of Fishes. Ph.D. dissertation. University of California, Davis.
- _____ 1994. Habitat requirements of delta smelt. Interagency Ecological Program Newsletter. Winter 1994:1–3.
- Herbold, B., A.D. Jassby, & P.B. Moyle. 1992. Status and Trends Report on Aquatic Resources in the San Francisco Estuary. Public Report of the San Francisco Estuary Project.
- Herbold, B. & P.B. Moyle. 1986. Introduced species and vacant niches. American Naturalist 128:751–760.

Herbold, B. & M. Pierce. 2003. Responses of coded-wire-tagged outmigrant salmon to delta cross channel hydrodynamics. Presentation at CALFED Science Conference, January 14-16, 2003. Sacramento.

- Herren, J.R., & S.S. Kawasaki. 2001. Inventory of water diversions in four geographic areas in California's Central Valley. Pages 343-355. In: R.L. Brown (Ed.), Contributions to the Biology of Central Valley Salmonids. Volume. 2. California Fish and Game. Fish Bulletin 179.
- 2001. In: Brown, R.L. (Ed.). Contributions to the Biology of Central Valley Salmonids. Vol 2:343-355.
- Heubach, W. 1969. *Neomysis awatschensis* in the Sacramento–San Joaquin River estuary. Limnology and Oceanography 14:533–546.
- Heublein, J.C., J.T. Kelly, & A.P. Klimley. 2006. Spawning migration and habitat of green sturgeon, *Acipenser medirostris*, in the Sacramento River. Presentation at the CALFED Science Conference, Sacramento California. October 23, 2006.
- Hieb, K. 2002. San Francisco Bay species abundance and distribution. Interagency Ecological Program Newsletter 15(2):15-20.
- Hieb, K, M. Bryant, M. Dege, T. Greiner, S. Slater, & K. Souza. 2005. The 2005 Status and Trends of Four Pelagic Fishes of the upper San Francisco Estuary
- Hinz, J.A. 1959. Annual report: Nimbus salmon and steelhead hatchery, fiscal year, 1957–1958. California Department of Fish and Game. Inland Fisheries Division administrative report nr. 59–4.
- Hoar, W.S. 1976. Smolt transformation: evolution, behavior, and physiology. J Fish Res Bd Can 33:1233–52.
- Hobbs, J.H., W.A. Bennett, W.J. Kimmerer, & J.R. Burau. 2003. Inter-specific differences in the feeding ecology and vertical migration behavior of two native osmerids in the low salinity zone of the San Francisco Bay-Delta estuary. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.
- Hogue, V.E., F.P. Wilkerson, R.C. Dugdale, & A. Marchi. 2001. Phytoplankton and nutrient dynamics in Suisun, San Pablo, and central Bays. Interagency Ecological Program Newsletter 14(4):35-41.
- Holtgrieve, D.G. & G.W. Holtgrieve. 1995. Physical stream survey, upper Butte Creek, Butte County, California. Report for The Nature Conservancy and the Spring-run Salmon Working Group. 24 p.
- Holtz, S. 2006. Pharmaceuticals, personal care products, and endocrine-disrupting substances: emerging contaminants detected in water. Canadian Institute For Environmental Law and Policy.
- Hood, D.J. 1990. Fish abundance and distribution in the Sacramento River near Hood, California in February and March 1990. U.S. Fish and Wildlife Service, Fishery Assistance Office, Stockton, July 1990. 16 p.

Horn, M.J. 2003. Delta Cross-channel hydrodynamics and the potential for entrainment of outmigrating juvenile salmon. Presentation at CALFED Science Conference, January 14-16, 2003. Sacramento.

- Houde, E.D. 1987. Fish early life dynamics and recruitment variability. American Fisheries Society Symposium 2:17-29.
- Houston, J.J. 1988. Status of green sturgeon, *Acipenser medirostris*, in Canada. Canadian Field-Naturalist 102: 286-290.
- Huang, C. & D.L. Sedlak. 2001. Analysis of estrogenic hormones in municipal wastewater effluent and surface water using enzyme-linked immunosorbent assay and gas chromatography/tandem mass spectrometry. Environmental Toxicology and Chemistry, 20(1):133-139
- Hunter, J.R. 1981. Feeding ecology and predation of marine fish larvae. Pages 33-77. In R. Lasker (Ed.), Marine fish larvae: morphology, ecology, and relation to fisheries. University of Washington Press, Seattle, Washington, USA.
- Hutton. 2007. OMR Flow Model Section 6, ROUGH DRAFT. September 28. 2007
- Hydrologic Consultants, Inc. 1996. Water Forum Issue Paper Chinook Salmon Mortality Model: Development, Evaluation, and Application as One Tool to Assess the Relative Effects of Alternative Flow and Diversion Scenarios on the Lower American River.
- IEP (Interagency Ecological Program for the San Francisco Estuary). 2005. Interagency Ecological Program 2005 Work Plan to Evaluate the Decline of Pelagic Species in the Upper San Francisco Estuary. IEP 2008. 2005. Interagency Ecological Program Pelagic Organism Decline work group. September 30, 2005. http://www.calwater.ca.gov/science/pdf/workshops/POD/DFG POD Microcystis bioma ss and toxicity.pdf. 2008. Pelagic Organism Decline progress report: 2007 synthesis of results. January 15, 2008. Interior (U.S. Department of the Interior). 1996. Recovery Plan for the Sacramento/San Joaquin Delta Native Fishes. 1997. Final CVPIA administrative proposal for management of section 3406(b)(2) water (800,000 acre-feet), November 20, 1997. ____ 1999. Decision on Implementation of Section 3406 (b)(2) of the Central Valley Project Improvement Act. October 5, 1999. 2001. Comprehensive Assessment and Monitoring Program (CAMP) Annual Report

2000. Trinity River mainstem fishery restoration EIS. Department of Interior.

1999. Prepared by CH2M HILL. Sacramento, California.

Sacramento.


Israel, J. 2006. North American green sturgeon population characterization and abundance of the Southern DPS. Presentation to NMFS/NOAA Fisheries on April 4, 2006.

- Israel, J.A., M. Blumberg, J. Cordes, & B. May. 2004. Geographic patterns of genetic differentiation among western U.S. collections of North American green sturgeon (*Acipenser medirostris*). North Amer. Journ. Fish. Man. 24:922-931.
- Jacobson, S.V., M. Trucksis, A. Kane AS, & R. Reimschuessel. 1999. Suppressed Superoxide Production in Mycobacterium-stimulated goldfish (*Carassius auratus*) phagocytes following copper exposure. Am. J. Veterinary Research 60:669-675.
- Jassby, A.D. 1993. Isohaline position as a habitat indicator for estuarine resources: San Francisco Bay estuary. Pages Bl–B21 In Managing Freshwater Discharge to the San Francisco Bay/Sacramento–San Joaquin Estuary: The Scientific Basis for an Estuarine Standard. San Francisco Bay Estuary Project Report.
- in press. Phytoplankton in the upper San Francisco Estuary: recent biomass trends, their causes and their trophic significance. San Francisco Estuary and Watershed Science.
- Jassby, A.D. & J.E. Cloern. 2000. Organic matter sources and rehabilitation of the Sacramento-San Joaquin Delta, California, USA. Aquatic Conservation: Marine and Freshwater Ecosystems, 10:5, pp. 323-352.
- Jassby, A.D., W.J. Kimmerer, S.G. Monismith, C. Armor, J.E. Cloern, T.M. Powell, J.R. Schubel, & T.J. Vendlinski. 1995. Isohaline position as a habitat indicator for estuarine populations. Ecological Applications 5:272–89.
- Jassby, A.D., A.B. Mueller-Solger, & M. Vayssieres. 2005. Subregions of the Sacramento-San Joaquin Delta: identification and use. Interagency Ecological Program Newsletter 18(2):68-75. Available at http://iep.water.ca.gov/report/newsletter/2005_newsletters/IEPNews_spring2005final.pdf
- Johnson, R.R. 1991. Entrainment evaluation of the newly installed Red Bluff Diversion Dam downstream migrant fish protection facilities. U.S. Fish and Wildlife Service report nr. AF1–FRO–91–17. 8 p + appendix.
- _____ 1993. Entrainment evaluation of the newly installed Red Bluff Diversion Dam downstream migrant fish protection facilities, October 1991–October 1992. U.S. Fish and Wildlife Service report nr. AF1–FRO–93–02. 17 p.
- Johnson R.R. & S.R. Croci. 1994. Entrainment evaluation of the newly installed Red Bluff Diversion Dam downstream migrant fish protection facilities, May–October 1993. U.S. Fish and Wildlife Service report nr. AF1–FRO–94–05. 15 p.
- Jones and Stokes Assoc., Inc. 1993. Sutter Bypass Fisheries Technical Memorandum 11.
 Potential Entrapment of Juvenile Chinook Salmon in the Proposed Gravel Mining Pond.
 May 27, 1993. (JSA 91–272). Prepared for Tiechert Aggregates, Sacramento. 31 pp.
- _____ 1994. Central Valley Project Improvement Act, Programmatic EIR. Fisheries Technical Appendix.

2005. Battle Creek Salmon and Steelhead Restoration Project final environmental impact statement/environmental impact report. Volume I: Report. July. (J&S 03035.03.)

Sacramento, CA. http://www.usbr.gov/mp/nepa/nepa_projectails.cfm?Project_ID=99

- Jude, D.J., R.H. Reider, & G.R. Smith. 1992. Establishment of Gobiidae in the Great Lakes basin. Canadian Journal of Fisheries & Aquatic Science 49:416–421.
- Kano, R.M. 1987. The effects of trashrack and bypass design and predator control on predation losses of juvenile Chinook salmon at Hallwood-Cordua Fish Screen. Interagency Ecological Studies Program for the Sacramento-San Joaquin Estuary. Technical Report 14. 16 p.
- 1989. North Bay Aqueduct Pre-Project Fisheries Monitoring in Barker and Lindsey Sloughs, 1986–1988. Dept. of Fish and Game File Memo. Stockton, CA. 19 pp.
- _____ 1990a. Occurrence and Abundance of Predator Fish in Clifton Court Forebay, California. Interagency Ecological Program Technical Report 24. Dept. of Water Resources, Sacramento.
- 1990b. North Bay Aqueduct Postproject Fisheries Monitoring in Barker Slough, June 1988–June 1990. Dept. of Fish and Game file memo. Stockton, CA. 17 pp.
- Karp, C. & L. Hanna. 2003. Fish separation using vertical bar racks. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.
- Kelly, J.T., A.P. Klimley, & C.E. Crocker. 2007. Movements of green sturgeon, *Acipenser medirostris*, in the San Francisco Bay estuary, California. Environmental Biology of Fishes 79(3-4):281-295.
- Kennedy, T. & T. Cannon. 2002. Stanislaus River salmonid density and distribution survey report (2000 2001). Fishery Foundation of California. Sacramento.
- Kidd, K.A, P.J. Blanchfield, K.H. Mills, V.P. Palace, R.E. Evans, J.M. Lazorchak, & R.W. Flick. 2007. Collapse of a fish population after exposure to a synthetic estrogen. PNAS, 104(21):8897-8901.
- Kier Associates. 2000. Draft Battle Creek Salmon and Steelhead Restoration Project Adaptive Management Plan. Prepared for U.S. Bureau of Reclamation, Pacific Gas and Electric, National Marine Fisheries Service, U.S. Fish and Wildlife Service and California Department of Fish and Game. 78pp.
- Killam, D. 2003. Summary spreadsheet of upper Sacramento River aerial salmon redd counts. California Department of Fish and Game. Red Bluff.
- Kim, T.J., K.M. Parker, & P.W. Hedrick. 1999. Major histocompatibility complex differentiation in Sacramento River Chinook salmon. Genetics 151:1115–22.
- Kimmerer, W.J. 1992a. An Evaluation of Existing Data in the Entrapment Zone of the San Francisco Bay Estuary. Interagency Ecological Program Technical Report 33. Dept. of Water Resources, Sacramento.



- Kimmerer, W.J., S. Avent, S. Bollens, F. Feyrer, L. Grimaldo, P. Moyle, M. Nobriga, & T. Visintainer. 2005. Variability in length-weight relationships used to estimate biomass of estuarine fishes from survey data. Transactions of the American Fisheries Society 134:481-495
- Kimmerer, W.J. & B. Bennett. 2002. A research plan to unravel the causes of the "fish-X2" relationships.
- Kimmerer, W.J. & R. Brown. 2001. CALFED's salmonid and delta smelt environmental water account workshops. Interagency Ecological Program 14(4):23-27.
- Kimmerer, W.J., J.H. Cowan, Jr., L.W. Miller, & K.A. Rose. 2000. Analysis of an estuarine striped bass (*Morone saxatilis*) population: influence of density-dependent mortality between metamorphosis and recruitment. Canadian Journal of Fisheries and Aquatic Sciences 57: 478-486.
- 2001. Analysis of an estuarine striped bass population: effects of environmental conditions during early life. Estuaries 24: 557-575.
- Kimmerer, W.J., N. Ferm, M.H. Nicolini, & C. Penalva. 2005. Chronic food limitation of egg production in populations of copepods of the genus Acartia in the San Francisco Estuary. Estuaries 28:541-550.

Kimmerer, W.J., E. Gartside, & J.J. Orsi. 1994. Predation by an introduced clam as the likely cause of substantial declines in zooplankton of San Francisco Bay. Marine Ecology Progress Series 113:81-93.

- Kimmerer, W.J. & S. Monismith. 1993. An estimate of the historical position of the 2-ppt salinity isohaline in the San Francisco Bay estuary. In: Managing Freshwater Discharge to the San Francisco Bay/Sacramento–San Joaquin Estuary: The Scientific Basis for an Estuary Standard.
- Kimmerer, W.J. & M. Nobriga. 2008. Investigating particle transport and fate in the Sacramento San Joaquin delta using a particle tracking model. San Francisco Estuary and Watershed Science.
- In Press. Investigating dispersal in the Sacramento-San Joaquin Delta using a particle tracking model. San Francisco Estuary and Watershed Science.
- Kimmerer, W.J. & J.J. Orsi. 1996. Changes in the zooplankton of the San Francisco Bay estuary since the introduction of the clam *Potamocorbula amurensis*. In: J.T. Hollibaugh (Ed.), San Francisco Bay: the ecosystem. San Francisco (CA): American Association for the Advancement of Science, Pacific Division. p 403–24.
- Kindopp, J. & R. Kurth. 2003. 2003 Lower Feather River steelhead (Oncorhunchus mykiss) redd survey. California Department of Water Resources. Oroville Facilities Relicensing FERC project No. 2100. Oroville, CA. 33p.
- Kjelson, M.A., S. Greene, & P. Brandes. 1989. A model for estimating mortality and survival of fall-run Chinook salmon smolts in the Sacramento River Delta between Sacramento and Chipps Island. Stockton (CA): U.S. Fish and Wildlife Service.
- Kjelson, M.A., P.F. Raquel, & F.W. Fisher. 1982. Life history of fall-run juvenile Chinook salmon, *Oncorhynchus tshawytscha*, in the Sacramento-San Joaquin Estuary, California. In: Kennedy VS, editor. Estuarine comparisons. New York: Academic Press. p 393–411.
- Klimley, A.P. 2002. Biological assessment of green sturgeon in the Sacramento-San Joaquin watershed. A proposal to the California Bay-Delta Authority.
- Knowles, N. & D.R. Cayan. 2002. Potential effects of global warming on the Sacramento/San Joaquin watershed and the San Francisco estuary. Geophysical Research Letters 29:38-1-38-4.
- 2004. Elevational dependence of projected hydrologic changes in the San Francisco Estuary and watershed. Journal Climatic Change 62:319-336.
- Knowles, N., D.R. Cayan, D.H. Peterson, & R.J. Uncles. 1998. Simulated effects of delta outflow on the bay 1998 compared to other years. Interagency Ecological Program Newsletter 11(4).
- Knutson, A.C. & J.J. Orsi. 1983. Factors regulating abundance and distribution of the shrimp *Neomysis mercedis* in the Sacramento–San Joaquin estuary. Transactions of American Fisheries Society 112.47&–485.

Kogut, N.J. 2008-In Press. Overbite clams, Corbula amurensis, deficated alive by white sturgeon, Acipenser transmontanus. California Fish and Game Journal.

- Köhler, A. & F. Hölzel. 1980. Investigation on health conditions of flounder and smelt in the Elbe estuary. Helgoländer Meeresuntersuchungen 33:401–414.
- Kolar, C.S., J.C. Boase, D.F. Clapp, & D.H. Wahl. 1997. Potential effect of invasion by an exotic zooplankter, *Daphnia lumholtzi*. Journal of Freshwater Ecology 12:521-530.
- Kolodziej, E.P., T. Harter, & D.L. Sedlak. 2004. Dairy wastewater, aquaculture, and spawning fish as sources of steroid hormones in the aquatic environment. Environmental Science and Technology 38(23):6377-6384.
- Kondolf, G.M., A. Falzone, & K.S. Schneider. 2001. Reconnaissance-level assessment of channel change and spawning habitat on the Stanislaus River below Goodwin Dam. Berkeley, CA.
- Kozloff, E.N. 1990. Invertebrates. Saunders College Publishing. 866 p.
- Kucas, S.T.J. & J. Parsons. 1986. Species profiles: Life histories and environmental requirements of coastal fishes and Invertebrates (Pacific southwest): Northern anchovy. U. S. Fish and Wildlife Service. Biological Report 82(11.50).
- Kuivila, K.M. 1993. Diazinon Concentrations in the Sacramento and San Joaquin Rivers and San Francisco Bay, California, January 1993. File Report 93-440. http://sfbay.wr.usgs.gov/contaminant/diazinon.html
- Kuivila, K.M, K.L. Crepeau, D.D. Copeland, & K. Goelman. 1993. Input and transport of select dormant spray pesticide to the San Francisco Bay, California. Abstract, American Geophysical Union Spring Meeting.
- Kuivila, K.M, K.L. Crepeau, & J.L. Domagalski. 1992. Input and transport of select alfalfa pesticides to the San Francisco Bay, California. Abstract, Society of Environmental Toxicology, 13th Annual Meeting, Cincinnati, OH.
- Kuivila K.M. & D. Copeland. 1993. Diazinon Concentrations and Transport in the Sacramento River and San Francisco Bay, California, February 1993. U.S. Geological Survey, Sacramento, CA. 15pp. In: Toxic Substances Hydrology Program--Proceedings of the Technical Meeting, Colorado Springs, Colorado, September 20-24, 1993, Water-Resources Investigations Report 94-4015.
- Kuivila, K.M. & C.G. Foe. 1995. Concentrations, transport and biological effects of dormant spray pesticides in the San Francisco Estuary, California. Environmental Toxicology and Chemistry 14:1141-1150.
- Kuivila, K.M. & G.E. Moon. 2002. Exposure of delta smelt to dissolved pesticides in 2000. Interagency Ecological Program Newsletter 15(2):42-45.
- 2003. Dissolved pesticide concentrations in larval delta smelt *Hypomesus transpacificus* habitat in the Sacramento-San Joaquin Delta, California. In F. Feyrer, L. Brown, J. Orsi, and R. Brown (Eds.), Early life history of fishes in the San Francisco Estuary and watershed. American Fisheries Society Symposium (in press)

2004. Potential exposure of larval and juvenile delta smelt to dissolved pesticides in the Sacramento–San Joaquin Delta, California. Pages 229–241. In F. Feyrer, L. R. Brown, R. L. Brown, and J. J. Orsi (Eds.), Early life history of fishes in the San Francisco Estuary and watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.

- Kurth, R. & M. Nobriga. 2001. Food habits of larval splittail. Interagency Ecological Program Newsletter 14(3):40-42.
- Kynard, B., E. Parker, & T. Parker. 2005. Behavior of early life intervals of Klamath River green sturgeon, *Acipenser medirostris*, with note on body color. Environmental Biology of Fishes 72:85-97.
- Lambson, G.H. 1899. U.S. Commission of Fish and Fisheries. Commission Report 1898. 53 p.
- _____ 1900. U.S. Commission of Fish and Fisheries. Commission Report 1899. 94 p.
- _____ 1901. U.S. Commission of Fish and Fisheries. Commission Report 1900. 85 p.
- _____ 1902. U.S. Commission of Fish and Fisheries. Commission Report 1901. 74 p.
- _____ 1904. U.S. Commission of Fish and Fisheries. Commission Report 1902. 71 p.
- Laprise, R. & J.J. Dodson. 1989. Ontogeny and importance of tidal vertical migrations in the retention of larval smelt *Osmerus mordax* in a well-mixed estuary. Marine Ecology Prog Series 55:101–111.
- Lee, D.P. 2000. The Sacramento-San Joaquin Delta largemouth bass fishery. Interagency Ecological Program for the San Francisco Estuary. IEP Newsletter 13(3):37–40.
- Lee, G.F. 2003. August and September 2003 San Joaquin River Deep Water Ship Channel flow and dissolved oxygen. G. Fred Lee and Associates, El Macero, California.
- Lehman, P.W. 1996. Changes in chlorophyll a concentration and phytoplankton community composition with water-year type in the upper San Francisco Bay Estuary. Pages 351-374 in J. T. Hollibaugh, editor. San Francisco Bay: The Ecosystem. Pacific Division of the American Association for the Advancement of Science.
- 2000. Phytoplankton biomass, cell diameter and species composition in the low salinity zone of northern San Francisco Bay Estuary. Estuaries 23:216-230.
- Lehman, P.W., G. Boyer, C. Hall, S. Waller, & K. Gehrts. 2005. Distribution and toxicity of a new colonial Microcystis aeruginosa bloom in the San Francisco Bay Estuary, California. Hydrobiologia 541: 87-99.
- 2005a. Distribution and toxicity of a new colonial Microcystis aeruginosa bloom in the San Francisco Bay Estuary, California . Hydrobiologia, Vol. 541:1. Date: 6/1/2005.
- Lehman, P.W., G. Boyer, S. Teh, E. Bass & C. Hogel. 2005b. Pelagic Organism Decline Program Progress Report: Microcystis biomass and toxicity.
- Lehman, P.W. & R.W. Smith. 1991. Environmental factors associated with phytoplankton succession for the Sacramento–San Joaquin Delta and Suisun Bay estuary, California. Estuarine, Coastal and Shelf Science 32.105–128.

Leitritz, E. & R.C. Lewis. 1976. Trout and salmon culture (hatchery methods). California Fish Bulletin 164.

- Leonard, L.A., P.A. Wren, & R.L. Beavers. 2002. Flow dynamics and sedimentation in Spartina alterniflora and Phramites australis marshes of the Chesapeake Bay. Wetlands 22(2): 415-424
- Letcher, B.H., J.A. Rice, L.B. Crowder, & K.A. Rose. 1996. Variability in survival of larval fish: disentangling components with a generalized individual-based model. Canadian Journal of Fisheries and Aquatic Sciences 53: 787-801.
- Lewis, T.E. 1987. Environmental Chemistry and Toxicology of Aluminum. Proceedings of a symposium held during the 194th Annual Meeting of the American Chemical Society in New Orleans, LA. on August 30 through September 4, 1987.
- Li, H.W., P.B. Moyle, & R.L. Garrett. 1976. Effect of the introduction of the Mississippi silverside (*Menidia audens*) on the growth of black crappie (*Pomoxis nigromaculatus*) and white crappie (*P. annularis*) in Clear Lake, California. Transactions of American Fisheries Society 105:404–408.
- Liberty Island Monitoring Program. 2005. First Annual Report, May 2005.
- Ligon, F.K., T.P. Speed, & A.L. Percival. 1994. The Effects of Turbidity on Largemouth Bass Feeding Rate and Implications for Salmon Management. EA Engineering, Science, and Technology. Lafayette, CA.
- Linbo, T.L., C.M. Stehr, J.P. Incardona, & N.L. Scholz. 2006. Dissolved copper triggers cell death in the peripheral mechanosensory system of larval fish. Environmental Toxicology and Chemistry 25(2):597-603.
- Lindberg, J.C. 1992. Development of Delta Smelt Culture Techniques. Prepared for Dept. of Water Resources. BioSystems Analysis, Inc. 22 pp.
- _____ 1993. Delta Smelt in a Newly Created Flooded Island in the Sacramento–San Joaquin Estuary, Spring 1993. Prepared for Dept. of Water Resources. BioSystems Analysis, Inc.
- Lindberg, J.C., & B. Baskerville-Bridges. 2006. Factors influencing growth and development of delta smelt, and other topics. Presentation to Estuarine Ecology Team Davis, CA. December 12, 2006.
- Lindberg, J.C., B. Baskerville-Bridges, J.P. Van Eenennaam, & S.I. Doroshov. 1998. Delta smelt culture: year-end report, 1998. CDWR report (DWR B-81355). Sacramento, CA.
- _____ 1999. Development of delta smelt culture techniques: year-end report, 1999. CDWR report (DWR B-81581). Sacramento, CA.
- Lindberg, J.C., R. Mager, B. Baskerville-Bridges, & S. Doroshov. 1997. Status of delta smelt culture. Interagency Ecological Studies Program for the Sacramento-San Joaquin Estuary Newsletter. Summer 1997.

Lindley, S.T. & M.S. Mohr. 2003. Modeling the effect of striped bass (Morone saxatilis) on the population viability of Sacramento River winter-run chinook salmon (*Oncorhyncus tschawytscha*). U.S. Fishery Bulletin 101:321-331.

- Lindley, S.T., M.L. Moser, D.L. Erickson, M. Belchik, D.W. Welch, E. Rechisky, J.T. Kelly, J. Heublein, & A.P. Klimley. 2008. Marine migration of North American green sturgeon. Tran Am Fish Soc *In press*.
- Lindley, S.T., R. Schick, B.P. May, J.J. Anderson, S. Greene, C. Hanson, A. Low, D. McEwan, R.B. MacFarlane, C. Swanson, & J.G. Williams. 2004. Population structure of threatened and endangered Chinook salmon ESU in California's Central Valley basin. Public review draft. NOAA Fisheries Southwest Science Center. Santa Cruz, CA.
- Linville, R.G., S.N. Luoma, L. Cutter, & G.A. Cutter. 2002. Increased selenium threat as a result of invasion of the exotic bivalve *Potamocorbula amurensis* into the San Francisco Bay-Delta. Aquatic Toxicology 57: **51-64**.
- Linville, R.G., S.N. Luoma, et al. 2002. Increased selenium threat as a result of invasion of the exotic bivalve Potamocorbula amurensis into the San Francisco Bay-Delta. Aquatic Toxicology. 57: **1-2**.
- Liston, C.R. 2003. Technical advances and results of fish passage research on internal screw-type lifts and pumps in California. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.
- Liston, C., C. Karp, L. Hess & S. Hiebert. 1994. Predator Removal Activities and Intake Channel Studies, 1991-1992. Tracy Fish Collection Facility Studies, Vol. 1, U.S. Bureau of Reclamation, Mid Pacific Region and Denver Service Center. 54 pp.
- Livingston, R.J., X. Niu, F.G. Lewis, III, & G.C. Woodsum. 1997. Freshwater input to a gulf estuary: long-term control of trophic organization. Ecological Applications 277-299.
- Lockhart, W.L., J.F. Uthe, A.R. Kenney, & P.M. Mehrle. 1972. Methylmercury in northern pike (*Esox lucius*): distribution, elimination, and some biochemical characteristics of contaminated fish. J. Fish. Res. Board Can. 29:1519-1523.
- Lott, J. 1998. Feeding habits of juvenile and adult delta smelt from the Sacramento-San Joaquin River estuary. Interagency Ecological Program Newsletter 11(1):14-19.
- Loudermilk, W.E. for W.G. Neillands, "...Chinook salmon spawning distribution and timing in the Stanislaus River for CVPIA-PEIS Modeling", CA Department of Fish and Game, Fresno, CA, letter to Reclamation, July 21, 1994.
- Lund, J., E. Hanak, W. Fleenor, R. Howitt, J. Mount & P. Moyle. 2007. Envisioning Futures for the Sacramento San-Joaquin Delta. Public Policy Institute of California p. 222.
- Lurling, M., & M. Scheffer. 2007. Info-disruption: pollution and the transfer of chemical information between organisms. TRENDS in Ecology and Evolution 22(7):374-379.
- MacCoy, D., K.L. Crepeau, & K.M. Kuivila. 1995. Dissolved pesticide data for the San Joaquin River at Vernalis and the Sacramento River at Sacramento, California, 1991-94. U.S. Geological Survey Open-File Report 95-110.

MacFarlane, R.B., S. Hayes, & B. Wells. 2008. white paper entitled: Coho and Chinook Salmon Decline in California during the Spawning Seasons of 2007/08. NMFS Santa Cruz Lab. Santa Cruz, CA.

- Mager, R.C. 1993. Delta smelt culturing. Pages 2–3 in: W. Kimmerer. Minutes of the March 1993 Food Chain Group meeting. Dept. of Water Resources. April 22,1993, memo. 8 pp.
- _____ 1996. Gametogenesis, reproduction and artificial propagation of delta smelt, *Hypomesus transpacificus*. Ph.D. dissertation, University of California, Davis, CA.
- Mager, R.C., S.I. Doroshov, & J.P. Van Eenennaam. 1996. Development of laboratory culture of delta smelt, Hypomesus transpacificus. CDWR report (DWR B-59306). Sacramento, CA. 65 pp.
- Mahadevan, N. 1995. Estimation of Delta island diversions and return flows. California Department of Water Resources, Division of Planning. February. Sacramento, CA.
- Mahoney, J. 1958. 1957 king salmon spawning population estimates for the Sacramento–San Joaquin river systems. California Department of Fish and Game. Marine Resources Branch. 18 p.
- _____ 1960. 1959 king salmon spawning population estimates for the Sacramento–San Joaquin river systems. California Department of Fish and Game. Marine Resources Branch. 14 p.
- Manly, B.J.F. & M.A. Chotkowski. 2006. Two new methods for regime change analysis. Archiv für Hydrobiologie 167: 593-607.
- Marcotte, B.D. 1984. Life history, status, and habitat requirements of spring-run Chinook salmon in California. Unpublished Report. Chester (CA): U.S. Forest Service, Lassen National Forest. 34 p.
- Marine, K.R. 1991. A background investigation and review of the effects of elevated water temperature on reproductive performance of adult chinook salmon (*Oncorhynchus tshawytscha*), with recommended approaches to assessment of temperature induced reproductive impairment of chinook salmon stocks in the American River, California. October 1992. Prepared for the Lower American River Fisheries Technical Group. Department of Wildlife and Fisheries Biology, University of California, Davis, California. 30p.
- Marine, K.R. & J.J. Cech, Jr. 2004. Effects of High Water Temperature on Growth, Smoltification, and Predator Avoidance in Juvenile Sacramento RiverChinook Salmon. North American Journal of Fisheries Management: Vol. 24, No. 1 pp. 198–210
- Marston, D. 2003. Letter to Madelyn Martinez, NOAA Fisheries regarding San Joaquin River rainbow/steelhead population data. California Department of Fish and Game, Fresno. Jan. 9, 2003.
- Marteinsdottir, G. & A. Steinarsson. 1998. Maternal influence on the sizeand viability of Iceland cod, Gadus morhua, eggs and larvae. Journal of Fish Biology 52: 1241-1258.

Martin, C.D., P.D. Gaines, & R.R. Johnson. 2001. Estimating the abundance of Sacramento River juvenile winter Chinook salmon with comparisons to adult escapement. Red Bluff Research Pumping Plant Report Series, Volume 5. U.S. Fish and Wildlife Service, Red Bluff, CA.

- Maslin, P., M. Lennox, J. Kindopp, & W. Mckinney. 1997. Intermittent streams as rearing habitat for Sacramento River Chinook salmon (*Oncorhynchus tshawytscha*). California State University, Chico, Department of Biological Sciences. 89 p.
- Mason, D.M. & S.B. Brandt. 1996. Effect of alewife predation on survival of larval yellow perch in an embayment of Lake Ontario. Can J Fish Aquat Sci 53:1609–17.
- Matern, S. 1994. A third Asian goby found in the Sacramento–San Joaquin estuary. Interagency Ecological Program Newsletter 7(3):4.
- Matern, S.A., L. Meng, & P.B. Moyle. 1995. Trends in fish populations of Suisun Marsh, January 1994-December 1994. Annual report prepared for Contract B-59636. California Department of Water Resources, Sacramento, CA. 36 pp.
- _____ 1996. Trends in fish populations of Suisun Marsh, January 1995-December 1995. Annual report prepared for Contract B-59998. California Department of Water Resources, Sacramento, CA. 41 pp.
- _____ 1998. Trends in fish populations of Suisun Marsh, January 1997-December 1997.

 Annual report for contract 98-0330-B-81183. Sacramento, CA. California Department of Water Resources. 49 pp.
- Matern, S.A., P.B. Moyle, & L.C. Pierce. 2002. Native and alien fishes in a California estuarine marsh: twenty one years of changing assemblages. Transactions of the American Fisheries Society 131:797-816.
- Matida, Y., H. Kumada, S. Kumura, Y. Saiga, T. Nose, M. Yokote, & H. Kawatsu. 1971. Toxicity of mercury compounds to aquatic organisms and accumulation of the compounds by the organisms. Bull. Freshwater Fish. Rees. Lab. (Tokyo) 21:197-227.
- May, B. 1996. Identification of smelt species and their interspecific hybrids in the Sacramento-San Joaquin Estuary by allozyme analysis. Interagency Ecological Program Newsletter, Summer 9(3).
- Mays, L.W. & Y-K. Tung. 1992. *Hydrosystems engineering & management*, McGraw-Hill, New York.
- McCrae, J. 1994. Oregon Developmental Species, Northern Anchovy, *Engraulis mordax*. http://hmsc.oregonstate.edu/odfw/devfish/sp/anch.html
- McElhany, P., M.H. Ruckelshaus, M.J. Ford, T.C. Wainwright, & E.P. Bjorkstedt. 2000. Viable salmonid populations and the recovery of evolutionarily significant units. U.S. Dept. Commer., NOAA Tech. Memo. NMFS-NWFSC-42,156 p.
- McEwan, D. 2001. Central Valley Steelhead. in Contributions to the biology of Central Valley salmonids. R. Brown ed. Calif Dept of Fish and Game Fish Bull. no. 179.

McEwan, D. & T. Jackson. 1996. Steelhead restoration and management plan for California. California Department of Fish and Game. 234 p.

- McEwan, D. & J. Nelson. 1991. Steelhead restoration plan for the American River. California Department of Fish and Game. 40 p.
- McGinnis, S.M. 1984. Freshwater Fishes of California. University of California Press. Berkeley. 310 pp.
- McGowan, J.A., D.R. Cayan, & L. M. Dorman. 1998. Climate-ocean variability and ecosystem response in the Northeast Pacific. Science 281(5374):210–7.
- McLain, J. 1998. Relative efficiency of the midwater and kodiak trawl at capturing juvenile Chinook salmon in the Sacramento River. Interagency Program for the Sacramento-San Joaquin Estuary. Interagency Ecological Program Newsletter 11(4):26–9.
- McLaughlin, L., & J. McLain. 2004. Comparison of relative abundance of adult Chinook salmon (*Oncorhynchus tshawytscha*) in the Delta Cross Channel, Georgiana Slough, and Sacramento River, California 2001. 14 pages.
- McMichael, GA, T.N. Pearsons, & S.A. Leider. 1999. Behavioral interactions among hatchery-reared steelhead smolts and wild *Oncorhynchus mykiss* in natural streams. North Am J Fish Manage 19:948–56.
- McMichael, G.A., C.S. Sharpe, & T.N. Pearsons. 1997. Effects of residual hatchery-reared steelhead on growth of wild rainbow trout and spring Chinook salmon. Trans Am Fish Soc 126:230–9.
- McMillan, J.R., S.L. Katz, & G.R. Pess. 2007. Observational Evidence of Spatial and Temporal Structure in a Sympatric Anadromous (Winter Steelhead) and Resident Rainbow Trout Mating System on the Olympic Peninsula, Washington.
- Mecum, W.L. 2002. Neomysis and zooplankton monitoring. Interagency Ecological Program Newsletter 15(2):9-14.
- Meffe, G.K. 1984. The effects of abiotic disturbance on coexistence of predator-prey fish species. Ecology 65:1525-1534.
- Menchen, R.S. (Ed.). 1968. King (Chinook) salmon spawning stocks in California's Central Valley, 1967. California Department of Fish and Game, Marine Resources Branch administrative report nr. 68–6. 29 p.
- Menconi, M. & C. Cox. 1994. Hazard Assessment of the insecticide Diazinon to aquatic organisms in the Sacramento-San Joaquin River System. CA Department of Fish and Game, Environmental Services Division, Sacramento, CA.
- Menconi, M. & S. Gray. 1992. Hazard Assessment of the insecticide Carbofuran to aquatic organisms in the Sacramento-San Joaquin River System. CA Department of Fish and Game, Environmental Services Division, Sacramento, CA.

Menconi, M. & A. Paul. 1994. Hazard Assessment of the insecticide Chlorpyrifos to aquatic organisms in the Sacramento-San Joaquin River System. CA Department of Fish and Game, Environmental Services Division, Sacramento, CA.

- Meng, L. 1993. Status of Sacramento Splittail and Longfin Smelt. Draft Report submitted to U.S. Fish and Wildlife Service. August 1993.
- Meng, L. & S.A. Matern. 2001. Native and introduced larval fishes of Suisun Marsh, California: the effects of freshwater flow. Transactions of the American Fisheries Society 130:750-765.
- Meng, L. & P.B. Moyle. 1995. Status of splittail in the Sacramento–San Joaquin Estuary. Transactions of the American Fisheries Society 124: 538–549.
- Meng, L., P.B. Moyle, & B. Herbold. 1992. Trends in Fish Populations of Suisun Marsh 1991–1992. Report to Dept. of Water Resources. 17 pp.
- _____ 1993. Abundance and Distribution of Native and Introduced Fishes of Suisun Marsh. Report to Dept. of Water Resources. 32 pp.
- _____ 1994. Changes in abundance and distribution of native and introduced fishes of Suisun Marsh. Trans Am Fish Soc 123:498–507.
- Meng, L. & J.J. Orsi. 1991. Selective predation by larval striped bass on native and introduced copepods. Trans. Am. Fish. Soc. 120:187-192.
- Mense, J.B. 1967. Ecology of the Mississippi Silversides, *Menidia audens* (Hay), in Lake Texoma. Bulletin 6, Oklahoma Fisheries Research Lab. 32 pp.
- Merrell, D.J. 1981. Ecological genetics. Minneapolis (MN): University of Minnesota. 500 p.
- Merz, J.E. 2001. Association of fall-run Chinook salmon redds with woody debris in the lower Mokelumne River, California. California Department of Fish Game 87:51–60.
- 2002. Seasonal feeding habits of steelhead trout in the lower Mokelumne River, California. California Fish and Game 88(3) 95-111.
- Merz, J.E., J.D. Setka, G.B. Pasternack, & J.M. Wheaton. 2004. Predicting benefits of spawning habitat rehabilitation to salmonid (Oncorhynchus spp.) fry production in a regulated California river. Canadian Journal of Fisheries & Aquatic Sciences 61:1-14.
- Merz, J.E. & C.D. Vanicek. 1996. Comparative feeding habits of juvenile Chinook salmon, steelhead, and Sacramento pikeminnow in the lower American River, California. California Fish and Game 82:149–59.
- Meyers, W., K.M. Kuivila, & K.M. Scow. 1992. Microbial degradation of carbofuran in the Sacramento–San Joaquin Delta, California. Abstract, Society of Environmental Toxicology, 13th Annual Meeting, Cincinnati, OH.
- Michny F. & M. Hampton. 1984. Sacramento River Chico Landing to Red Bluff Project, 1984 juvenile salmon study. Sacramento (CA): U.S. Fish and Wildlife Service, Division of Ecological Services. 24 p.

Miller, D.J. & R.N. Lea. 1972. Guide to the coastal marine fishes of California. Fish Bulletin 157. California Department of Fish and Game. 249 p.

- Miller, L. 1991. The 1990 Working Papers of the Food Chain Group. Interagency Ecological Program Working Papers 1–6. FCG–1990. 71 pp.
- Miller, L.W. 2000. The tow-net survey abundance index for delta smelt revisited. Interagency Ecological Program Newsletter 13:37-44.
- Miller, W.J. 2000. Estimating population level effects on salmon smolts and estuarine species for environmental requirements affecting Delta water project operations. Interagency Ecological Program Newsletter 13(3):41-54.
- Mills, T. & F.W. Fisher. 1994. Third draft Central Valley anadromous sport fish annual run size, harvest, and population estimates, 1967–1991. Revised August 1994.
- Moffett, J.W. 1947. Annual report of fishery investigations in Central Valley and other projects in California–fiscal year 1947. Memorandum report to Elmer Higgins, Division of Fishery Biology, Washington DC.
- Monsen, N.E., J.E. Cloern, & J.R. Burau. 2007. Effects of flow diversions on water and habitat quality; examples from California's highly manipulated Sacramento-San Joaquin Delta. San Francisco Estuary and Watershed Science 5, Issue 3 (July 2007), Article 2.
- Montgomery, D.R., E.M. Beamer, G.R. Pess, & T.P. Quinn. 1999. Channel type and salmonid spawning distribution and abundance. Can J Fish Aquat Sci 56:377–87.
- Moon, G.E., K. Kuivila, C. Ruhl, & D. Schoellhamer. 2000. Exposure of delta smelt to dissolved pesticides in 1998 and 1999. Interagency Ecological Program Newsletter 13(4):27-33.
- Moore, T.L. 1997. Condition and feeding of juvenile Chinook salmon in selected intermittent tributaries of the upper Sacramento River [Master's thesis]. California State University, Chico. 66 p.
- Morinaka, Jerry. 1995. Unpublished report. Handling and trucking experiments. Delta smelt handling and trucking pilot study conducted during the winter of 1995 at the Skinner Fish Facility. DFG Fish Facilities Research Unit. Stockton, CA. 2 p.
- _____ 1998. Contra Costa Canal fish entrainment sampling, three-year summary report (October 1993 through August 1996). Report to Contra Costa Water District and U.S. Bureau of Reclamation. Draft November 1998.
- _____ 2000a. Rock Slough Monitoring Program. Interagency Ecological Program Newsletter 13(3):7.
- 2000b. Old River Fish Screen Facility (Los Vaqueros) Monitoring Program. Interagency Ecological Program Newsletter 13(3):7.
- 2006. Acute Mortality and Injury of Delta Smelt Associated with Collection, Handling, Transport, and Release at the State Water Project's Fish Salvage Facility. Calfed Science Conference Presentation. Sept. 2006.

Moser, M.L., & S.T. Lindley. 2007. Use of Washington estuaries by subadult and adult green sturgeon. Environmental Biology of Fishes 79(3-4):243-253.

- Moyle, P.B. 1976. Inland fishes of California. Berkeley (CA): University of California Press.
- 1989. Petition to the State of California Fish and Game Commission to List the Delta Smelt as an Endangered Species. Department of Wildlife and Fisheries Biology, University of California, Davis. 12pp.
- _____ 1999. Recovery of aquatic species and their habitats. P. 34 in: Restoration Primer, State of the Estuary 2000.
- 2002. Inland fishes of California. University of California Press, Berkeley.
- 2002. Inland fishes of California: revised and expanded. University of California Press, Berkeley, CA. 502 pp.
- Moyle, P.B., R.D. Baxter, T. Sommer, T.C. Foin, & R.R. Abbott. 2000. Sacramento Splittail White Paper DRAFT.
- Moyle, P.B. & J.J. Cech. 1988. Fishes—an introduction to icthyology, 2nd ed. Englewood Cliffs (NJ): Prentice Hall, Inc. 559 p.
- Moyle, P.B., P.K. Crain, & K. Whitener. 2003. Use of a re-created floodplain by native and alien fishes. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.
- Moyle, P.B., P.J. Foley, & R.M. Yoshiyama. 1992. Status of green sturgeon, *Acipenser medirostris*, in California. Final report sent to NOAA Fisheries, Terminal Island, CA by UC Davis Department of Wildlife and Fisheries Biology. 12 pages
- Moyle, P.B. & B. Herbold. 1989. Status of the Delta Smelt, *Hypomesus transpacificus*. Final report to U.S. Fish and Wildlife Service. Department of Wildlife and Fisheries Biology, University of California, Davis, CA. 1–19 plus appendix.
- Moyle, P.B., B. Herbold, D.E. Stevens, & L.W. Miller. 1992. Life history and status of delta smelt in the Sacramento–San Joaquin estuary, California. Transactions of the American Fisheries Society 121:67–77.
- Moyle, P.B., J.A. Israel. 2005. Untested assumptions: effectiveness of screening diversions for conservation of fish populations. Fisheries. Vol 30, no. 5, pp. 20-28.
- Moyle, P.B., J.E. Williams, & E.D. Wikramanayake. 1989. Fish Species of Special Concern of California. Submitted to Department of Fish and Game, Rancho Cordova, CA. 222 pp.
- Moyle, P.B., R.M. Yoshiyama, J.E. Williams, & E.D. Wikramanayake. 1993. Fish Species of Special Concern of California. Draft report prepared for Dept. of Fish and Game, Rancho Cordova, CA. 232+ pp.
- Mueller-Solger, A. 2001. First observation of an exotic water flea, *Daphnia lumholtzi*, in the Delta. Interagency Ecological Program Newsletter 14(3):12-14.

Mueller-Solger, A.B., C.J. Hall, A.D. Jassby, & C.R. Goldman. 2006. Food resources for zooplankton in the Sacramento-San Joaquin Delta. Final Report to the Calfed Ecosystem Restoration Program, May 2006.


- Mueller-Solger, A.B., A.D. Jassby, D.C. Mueller-Navarra. 2002. Nutritional quality of food resources for zooplankton (Daphnia) in a tidal freshwater system (Sacramento-San Joaquin River Delta), Limnol. Oceanogr. 47(5), 2002, 1468-1476.
- Mueller, G.A., P.C. Marsh, & W.L. Minckley. 2005. A legacy of change: the lower Colorado River, Arizona-California-Nevada, USA, and Sonora-Baja California Norte, Mexico. American Fisheries Society Symposium 45: 139-156.
- Musick, J.A. 1999. Criteria to define extinction risk in marine fishes. The American Fisheries Society Initiative. Fisheries. 24 (12): 6-14.
- Musick, J.A., M.M. Harbin, S.A. Berkeley, G.H. Burgess, A.M. Eklund, L. Findley, R.G. Gilmore, J.T. Golden, D.S. Ha, G.R. Huntsman, J.C. McGovern, S.J. Parker, S.G. Poss, E. Sala, T.W. Schmidt, G.R. Sedberry, H. Weeks, & S.G. Wright. 2000. Marine, estuarine, and diadromous fish stocks at risk of extinction in North America (exclusive of Pacific salmonids). Fisheries 25: 6-30.
- Myers, J.M., R.G. Kope, G.J. Bryant, D. Teel, L.J. Lierheimer, T.C. Wainwright, W.S. Grant, F.W. Waknitz, K. Neely, S.T. Lindley, & R.S. Waples. 1998. Status review of Chinook salmon from Washington, Idaho, Oregon, and California. U.S. Department of Commerce NOAA technical memorandum. NMFS-NWFSC-35. 443 p.
- Myers, R.A., J. Bridson, & N.J. Barrowman. 1995. Summary of worldwide spawner and recruitment data. Canadian Technical Report on Fisheries and Aquatic Sciences No. 2024.
- Myrick, C.A. 1998. Temperature, genetic, and ration effects on juvenile rainbow trout (*Oncorhyncus mykiss*) bioenergetics [Ph.D. dissertation]. University of California, Davis. 165 p.
- Myrick, C.A. & J.J. Cech, Jr. 2000. Growth and thermal biology of Feather River steelhead under constant and cyclical temperatures. Department of Wildlife, Fish, and Conservation Biology, University of California, Davis.
- 2001. Temperature effects on Chinook salmon and steelhead: a review focusing on California's Central Valley populations. Bay-Delta Modeling Forum, Technical Publication 01-1. 57p.
- 2004. Temperature effects on Chinook salmon and steelhead: a review focusing on California's Central Valley populations. Bay-Delta Modeling Forum technical publication 01-1.
- 2004. Temperature effects on juvenile anadromous salmonids in California's Central Valley: What we don't know? Reviews in Fish Biology and Fisheries 14: 113-123.
- 2005. Effects of temperature on the growth, food consumption, and thermal tolerance of age-0 Nimbus-strain steelhead. North American Journal of Aquaculture 67:324-330.

Nader-Tehrani, P. 2001. Chapter 9: Use of repeating tides in planning runs. In: Methodology for flow and salinity estimates in the Sacramento-San Joaquin Delta and Suisun Marsh. 22nd Annual Progress Report to the State Water Resources Control Board. California Department of Water Resources. Sacramento, CA. August 2001. Available: http://modeling.water.ca.gov/delta/reports/annrpt/2001/2001Ch9.html. Last revised: October 1, 2001.

- Nakamoto, R.J., T.T. Kisanuki, & G.H. Goldsmith. 1995. Age and growth of Klamath River green sturgeon (*Acipenser medirostris*). U.S. Fish and Wildlife Service. Project # 93-FP-13. 20 pages
- Needham, P.R., O.R. Smith, & H.A. Hanson. 1941. Salmon salvage problems in relation to Shasta Dam, California, and notes on the biology of Sacramento River salmon. Trans Am Fish Soc 70:55–69.
- Newman, K. 2000. Estimating and modeling absolute survival rates for juvenile Chinook salmon outmigrating through the lower Sacramento River using paired release data. August 4, 2000. Submitted to California Department of Water Resources as a deliverable for Contract Agreement nr. B–81353.
- Newman, K. & R. Remington. 2000. A Bayesian analysis of recoveries of tagged Sacramento river Chinook salmon smolts. Final report dated March 21, 2000. Submitted to California Department of Water Resources as a deliverable for Contract Agreement nr. B–81353.
- Newman, K. & J. Rice. 1997. Statistical model for survival of Chinook salmon smolts outmigrating through the lower Sacramento-San Joaquin system. Interagency Ecological Program for the San Francisco Bay/Delta Estuary. Technical Report 59. 67 p.
- 2002. Modeling the survival of Chinook salmon smolts outmigrating through the lower Sacramento River system. American Statistical Association Journal of the American Statistical Association, vol. 97, no. 460, pages 983 993, Application and Case Studies.
- Nichols, F.H., J.E. Cloern, S.N. Luoma, & D.H. Peterson. 1986. The Modification of an Estuary. Science (Washington), Vol. 231, pp. 567-573.
- Nichols, F.H., J.K. Thompson, & L.E. Schemel. 1990. Remarkable invasion of San Francisco Bay (California, USA) by the Asian clam Potamocorbula amurensis. II. Displacement of a former community. Marine Ecology Progress Series 66:95-101.
- Nielsen, J.L. 1994. Molecular genetics and stock identification in Pacific salmon (*Oncorhynchus* spp.) [Ph.D. dissertation]. University of California, Berkeley. 167 p.
- _____ 1997. Genetic variation in Mokelumne River trout (*Oncorhynchus mykiss*) using mitochondrial DNA and ten nuclear microsatellite loci. Revised technical report. Submitted October 7, 1997, to East Bay Municipal Utility District, Oakland, CA.
- Nielsen, J.L., T.E. Lisle, & V. Ozaki. 1994a. Thermally stratified pools and their use by steelhead in northern California streams. Trans Am Fish Soc 123:613–26.

Nielsen, J.L., S. Paver, T. Wiacek, & I. Williams. 2005. Genetics of Central Valley O.mykiss populations: drainage and watershed scale analyses. San Francisco Estuary and Watershed Science.

- Nielsen J.L., D. Tupper, W.K Thomas. 1994b. Mitochondrial DNA polymorphism in unique runs of Chinook salmon (*Oncorhynchus tshawytscha*) from the Sacramento-San Joaquin River basin. Conserv Biol 8:882–4.
- Niggemyer, A. & T. Duster. 2003. Final assessment of potential sturgeon passage impediments SP-F3.2 Task 3A. Oroville Facilities Relicensing FERC Project No. 2100. Surface Water Resources, Inc., Sacramento, CA. 27 pp. Available at orovillerelicensing.water.ca.gov/pdf_docs/12-17-03_env_att_11.pdf.
- Nixon, S.W. 1988. Physical energy inputs and the comparative ecology of lake and marine ecosystems. Limnology and. Oceanography, Part II 33 (4), 1005–1025.
- NMFS (National Marine Fisheries Service). 1993. Biological Opinion for the Operation of the Federal Central Valley Project and the California State Water Project.
- _____ 1995. Winter-run Chinook salmon biological opinion. February 1993, as amended May 1995.
- 1996. Review of the status of Chinook salmon (*Oncorhynchus tshawytscha*) from Washington, Oregon, California, and Idaho under the U.S. Endangered Species Act.
 Prepared by the West Coast Chinook Salmon Biological Review Team, November 22, 1996. Draft Internal Document. 164 p + attachments.
- _____ 1997a. NMFS proposed recovery plan for Sacramento River winter-run Chinook salmon. Southwest Regional Office, Long Beach, CA.
- 1997b. Status review update for deferred and candidate ESUs of west coast steelhead (Lower Columbia River, Klamath Mountains Province, Northern California, Central Valley, and Middle Columbia River ESUs). Predecisional ESA document, December 17, 1997.
- 1998. Final rule: notice of determination. Endangered and threatened species: threatened status for two ESUs of steelhead in Washington, Oregon, and California. Federal Register 63:13347–71.
- 1999. Final rule: notice of determination. Endangered and threatened species; threatened status for two Chinook salmon evolutionarily significant units (ESUs) in California. Federal Register 64:50394–414.
- 2008. Chinook prey availability and biological requirements in Coastal Range of Southern Residents, re: Supplemental Comprehensive Analysis of Southern Resident killer whales. Memorandum to D.R. Lohn, NMFS, from D.D. Darm, NMFS, Northwest Region, Seattle, Washington. April 11.
- NOAA (National Oceanic & Atmospheric Administration) Fisheries. 2003. Comment letter from Rodney McInnis to Bureau of Reclamation on Draft OCAP biological assessment. July 11, 2003.



- Nobriga, M.L. & P. Cadrett. 2001. Differences Among Hatchery and Wild Steelhead: Evidence from Delta Fish Monitoring Programs. Summer 2001 IEP Newsletter, 30 38.
- Nobriga, M.L. & M. Chotkowski. 2000. Recent historical evidence of centrarchid increases and tulle perch decrease in the Delta. Interagency Ecological Program Newsletter 131:23-27.
- Nobriga, M.L. & F. Feyrer. 2007. Shallow-water piscivore-prey dynamics in California's Sacramento-San Joaquin Delta. San Francisco Estuary and Watershed Science. Vol. 5, Issue 2 (May 2007). Article 4. Available online at http://repositories.cdlib.org/jmie/sfews/vol5/iss2/art4.
- Nobriga, M.L., F. Feyrer, R.D. Baxter, & M. Chotkowski. 2005. Fish community ecology in an altered river Delta: spatial patterns in species composition, life history strategies and biomass. Estuaries. 776-785.
- Nobriga, M.L., Z. Hymanson, K. Fleming, & C. Ruhl. 2001. Spring 2000 delta smelt salvage and Delta hydrodynamics and an introduction to the Delta Smelt Working Group's Decision Tree. Interagency Ecological Program Newsletter 142:42-46.
- Nobriga, M. & Z. Matica. 2000. IEP Newsletter, Vol. 13, No. 4, pp. 11.
- Nobriga, M.L., Z. Matica, & Z.P. Hymanson. 2003. Evaluating entrainment vulnerability to agricultural irrigation diversions: a comparison among open water fishes. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.
- 2004. Evaluating entrainment vulnerability to agricultural irrigation diversions: A comparison among open-water fishes. Pages 281-295 In F. Feyrer, L.R. Brown, R.L.

- Brown, and J.J. Orsi (Eds.), Early Life History of Fishes in the San Francisco Estuary and Watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland
- Nobriga, M.L., T.R. Sommer, F. Feyrer, & K. Fleming. 2008. Long-term trends in summertime habitat suitability for delta smelt, *Hypomesus transpacificus*. San Francisco Estuary and Watershed Science. 6:1, Article 1.
- NRC (National Research Council). 1995. Science and the Endangered Species Act. National Academy Press. Washington DC. 271 p.
- Obrebski, S. 1993. Relationship Between Delta Smelt Abundance and the Entrapment Zone Position. Draft report for Dept. of Water Resources. 29 pp.
- Obrebski, S., J.J. Orsi, & W. Kimmerer. 1992. Long-Term Trends in Zooplankton Distribution and Abundance in the Sacramento–San Joaquin Estuary. Interagency Ecological Program Technical Report 32. 42 pp.
- Odenweller, D. 1990. Delta fish facilities study. Chapter 8 in: P.L. Herrgesell, compiler. 1989 Annual Report, Interagency Ecological Study Program for the Sacramento–San Joaquin Estuary. Dept. of Water Resources, Sacramento.
- _____ 1994. Screens protect fish from diversions. Outdoor California, September-October 1994:24-26.
- Ohlendorf, H.M., R.W. Lowe, P.R. Kelley, & T.W. Harvey. 1986. Selenium and heavy metals in San Francisco Bay diving ducks. Journal of Wildlife Management 50(1):64–71.
- Oltman, R.N. 1998. Measured flow and tracer-dye data showing anthropogenic effects on the hydrodynamics of south Sacramento-San Joaquin Delta, California, spring 1996 and 1997. U.S. Geological Survey Open-File Report 98–285. Sacramento (CA): U.S. Geological Survey. 16 p.
- Oltmann, R.N. 1998. Measurement of Delta outflow using ultrasonic velocity meters and comparison with mass-balance calculated outflow. Interagency Ecological Program for the Sacramento–San Joaquin Estuary Newsletter 11 (1). Winter.
- Oltmann, R.N., & M.R. Simpson. 1997. Measurement of tidal flows in the Sacramento–San Joaquin Delta, California. U.S. Geological Survey poster presentation. Available: http://sfbay.wr.usgs.gov/access/delta/tidalflow/ uvmstations2.html. Last revised: January 12, 1999.
- Orcutt, H.G. 1950. The life history of the starry flounder, *Platichthys stellatus* (Pallas). California Department of Fish and Game Fish Bulletin No. 78. Prepared by the California Department of Fish and Game, Sacramento, CA.
- Oros, D.R. & I. Werner. 2005. Pyrethroid Insecticides: an analysis of use patterns, distributions, potential toxicity and fate in the Sacramento-San Joaquin Delta and Central Valley. White Paper for Interagency Ecological Program. SFEI Contribution 415. San Francisco Estuary Institute, Oakland, CA.
- Orsi, J.J. 1967. Predation study report 1966–1967. California Department of Fish and Game.

1997. Relative abundance and some aspects of the biology of native and introduced mysid shrimp in Suisun Bay and the Delta. Interagency Ecological Program Newsletter 10(3):13-14.
 2000. Neomysis and zooplankton. Interagency Ecological Program Newsletter 13(4):7.
 Orsi, J.J. & W.L. Mecum. 1986. Zooplankton distribution and abundance in the Sacramento-San Joaquin Delta in relation to certain environmental factors. Estuaries 9(4B):326-339.
 1994. Decline of the opossum shrimp, Neomysis mercedis. Interagency Ecological Program Newsletter:10-11.
 1996. Food limitation as the probable cause of a long-term decline in the abundance of Neomysis mercedis the opossum shrimp in the Sacramento-San Joaquin estuary. Pages 375-401 In Hollibaugh, JT (ed) San Francisco Bay: the ecosystem. American Association for the Advancement of Science. San Francisco, CA.

- Orsi, J.J. & T.C. Walter. 1991. *Pseudodiaptomus forbesi* and *P. marinus* (Copepoda: Calanoida), the latest copepod immigrants to California's Sacramento–San Joaquin estuary. Bulletin of Plankton Society.
- Ostrach, D. 2008. Multiple stressors and their effects on the striped bass population in the San Francisco estuary. Presented at Interagency Ecological Program 2008 Annual Workshop, Pacific Grove, CA, February 26-29, 2008.
- Page, L.M. & B. Burr. 1991. A field guide to freshwater fishes of North America, north of Mexico. Boston (MA): Houghton Mifflin. 432 p.
- Painter, R.E., L.H. Wixom, & S.N. Taylor. 1977. An evaluation of fish populations and fisheries in the post-Oroville Project Feather River. Submitted to the Department of Water Resources by the California Department of Fish and Game, Anadromous Fisheries Branch. 56 p.
- Pasternack, G.B. & G.S. Brush. 2001. Seasonal variations in sedimentation and organic content in five plant associations on a Chesapeake Bay tidal freshwater delta. Estuarine, Coastal and Shelf Science 53: 93-106.
- Payne, T.R. 2004. Phase 2 Report Evaluation of project effects on instream flows and fish habitat SP-F16. Oroville Facilities Relicensing FERC project 2100. California Department of Water Resources.
- Pearcy W.G. 1992. Ocean ecology of North Pacific salmonids. Seattle(WA): Washington Sea Grant Program. 179 p.
- Peterman, R.M. & R.D. Routledge. 1983. Experimental management of Oregon coho salmon (*Oncorhynchus kisutch*): designing for yield of information. Can J Fish Aquat Sci 40(8):1212–23.
- Peterson, D.H., T.J. Conomos, W.W. Broenkow, & P.C. Doherty. 1975. Location of the non-tidal current zone in northern San Francisco Bay. Estuarine and Coastal Marine Science 3:1–11.

Peterson, M.S. 2003. A conceptual view of environment-habitat-production linkages in tidal river estuaries. Reviews in Fisheries Science 11:291-313.


- PFMC (Pacific Fishery Management Council). 1998a. The Coastal Pelagic Species Fishery Management Plan: Amendment 8 to the Northern Anchovy Fishery Management Plan (December 1998). 1998b. Final Environmental Assessment/Regulatory Impact Review of Amendment 11 to The Pacific Coast Groundfish Fishery Management Plan. Prepared by the Pacific Fishery Management Council, Portland, OR. 1998b. Appendix D: Description and Identification of Essential Fish Habitat for the Coastal Pelagic Species Fishery Management Plan. 1998c. West Coast Groundfish Essential Fish Habitat Appendix. Prepared by the EFH Core Team for West Coast Groundfish for National Marine Fisheries Service, Seattle, WA. 2002. Stock abundance analysis for 2002 ocean salmon fisheries. Pacific Fisheries Management Council. Portland. PG&E (Pacific Gas and Electric Company). 1975a. Pacific Gas and Electric Company Angler Use and Catch Composition in the Vicinity of the Discharge of Pittsburg Power Plant. Dept. of Engineering Research. Report 7712.11–75. 38 pp. 1975b. Pacific Gas and Electric Company. Angler Use and Catch Composition in the Vicinity of the Discharge of Contra Costa Power Plant. Dept. of Engineering Research. Report 7712.10–75. 37 pp. 1981a. Contra Costa Power Plant Cooling Water Intake Structures 316(b) Demonstration. Appendix E. San Francisco. ____ 1981b. Pittsburg Power Plant Cooling Water Intake Structures 316(b) Demonstration. Appendix E. San Francisco. 1992a. Best Technology Available 1992 Technical Report for the Contra Costa and Pittsburg Power Plants. Report to Central Valley Regional Water Quality Control Board and San Francisco Bay Regional Water Quality Control Board, November 1, 1992. San Francisco. 1992b. Contra Costa and Pittsburg Power Plants Thermal Effects Assessment, 1991– 1992. Report to Central Valley Regional Water Quality Control Board and San Francisco Bay Regional Water Quality Control Board, December 15, 1992. San Francisco.
- Pickard, A., A. Baracco, & R. Kano. 1982b. Occurrence, abundance, and size of fish at the Roaring River Slough intake, Suisun Marsh, California during the 1980–81 and the 1981–82 diversion seasons. Interagency Ecological Study Program for the Sacramento-San Joaquin Estuary. Technical Report 3. 14 p.
- Pickard, A., A. Grover, & F. Hall. 1982a. An evaluation of predator composition at three locations on the Sacramento River. Interagency Ecological Study Program for the Sacramento-San Joaquin Estuary. Technical Report 2. 20 p.

Platts, W.S., W.F. Megahan, & G.W. Minshall. 1979. Methods for evaluating stream, riparian, and biotic conditions. Ogden (UT): U.S. Department of Agriculture General Technical Report INT–138. 78 p.

- Poff, N.L., J.D. Allan, M.B. Bain, J.R. Karr, K.L. Prestegaard, B.D. Richter, R.E. Sparks, & J.C. Stromberg. 1997. The natural flow regime. Bioscience 47: 769-784.
- Pollard, W.R., G.F. Hartman, C. Groot, & P. Edgell. 1997. Field identification of coastal juvenile salmonids. Madeira Park, BC Canada: Harbour Publishing. 32 p.
- Poytress, B. 2006. Abundance, seasonal and temporal distribution patters of age-0 sturgeon captured by rotary screw traps at the Red Bluff Diversion Dam. Presentation at the CALFED Science Conference. October 13, 2006.
- Prospect Island Ecosystem Restoration Project. 2001. Prospect Island Ecosystem Restoration Project, Solano County, California. Environmental Assessment-Initial Study, June 2001, and Cache Slough Complex Habitat Enhancement Project, Exploration Executive Summary.
- PSMFC (Pacific States Marine Fisheries Commission). 1992. White sturgeon management framework plan. Portland, Oregon.
- Puckett, L.K. & R.N. Hinton. 1974. Some measurements of the relationship between streamflow and king salmon spawning gravel in the main Eel and South Fork Eel rivers. California Department Fish and Game, Environmental Services administrative report. 74–1.
- Radtke, L.D. 1966. Distribution of smelt, juvenile sturgeon, and starry flounder in the Sacramento-San Joaquin Delta with observations on food of sturgeon, in Ecological studies of the Sacramento-San Joaquin Delta, Part II. In: S.L. Turner & D.W. Kelley (Eds.), Ecological Studies of the Sacramento-San Joaquin Estuary, pp. 115-129. California Department of Fish and Game Fish Bulletin 136.
- Raloff, J. 2007. Aquatic Non-Scents: Repercussions of water pollutants that mute smell. Science News Online 171(4):59.
- Raquel, Paul. 1989. Effects of handling and trucking on chinook salmon, striped bass, American shad, steelhead trout, threadfin shad, and white catfish salvaged at the John E. Skinner Delta Fish Protective Facility. Technical Report 19. Interagency Ecological Study Program for the Sacramento-San Joaquin Estuary. FF/BIO-4ATR/89-19. 16 pages with attachments.
- Reclamation (U.S. Bureau of Reclamation). Annual reports to the SWRCB of the Temperature Control Task Group plans for implementation of SWRCB Orders WR 90-5 and WR 91-1.

 1991. Shasta Outflow Temperature Control PR/ES, Appendix A Modeling, Appendix B Environmental (Part I Fisheries), U.S. Bureau of Reclamation, Sacramento, CA,
- _____ 1992. Central Valley Project OCAP. October 1992.

May 1991.



- Reimschuessel, R. 2001. A Fish Model of Renal Regeneration and Development. ILAR Journal V42(4).
- Reinert, R., L. Stone, & W. Wilford. 1974. Effect of temperature on accumulation of methylmercuric chloride and p'p'-DDT by rainbow trout. J. Fish. Res. Board Can. 31:1649-1652.
- Reiser, D.W. & T.C. Bjornn. 1979. Habitat requirements of anadromous salmonids. U.S. Forest Service, Pacific Northwest Forest and Range Experiment Station, Portland (OR) General Technical Report PNW–96. 54 p.
- Resources Agency. 2005. Delta Smelt Action Plan. California Department of Water Resources. California Department of Fish and Game. Sacramento, California.
- 2007. Pelagic Fish Action Plan. California Department of Water Resources. California Department of Fish and Game. Sacramento, California.
- Reynolds, F.L., T.J. Mills, R. Benthin, & A. Low. 1993. Restoring Central Valley streams: a plan for action.
- Richardson, T.H. & P. Harrison. 1990. Fish and Wildlife Impacts of Shasta Dam Water Temperature Control Alternatives. Prepared for Reclamation, Sacramento, California. FWS--Fish and Wildlife Enhancement, Sacramento, California.
- Richter, B.D., J.V. Baumgartner, J. Powell, & D.P. Braun. 1996. A method for assessing hydrologic alteration within ecosystems. Conservation Biology 10: 1163–74.
- Ricker, W.E. 1973. Linear regressions in fishery research. J Fish Res Bd Can 30:409–34.
- RMA (Resource Management Associates, Inc.). 2003. Draft Upper Sacramento River Water Quality Modeling with HEC-5Q: Model Calibration and Validation. December 2003.
- Rodgers, D.W. & F.W.H. Beamish. 1982. Dynamics of dietary methylmercury in rainbow trout, *Salmo gairdneri*. Aquat. Toxicol. 2:271-290.

Rodriguez, M.A., W.M. Lewis, Jr. 1994. Regulation and stability in fish assemblages of neotropical floodplain lakes. Oecologia 99:166-180.

- Rohrlack, T., K. Christoffersen, E. Dittmann, I. Nogueira, V. Vasconcelos, & T. Börner. 2005. Ingestion of microcystins by Daphnia: Intestinal uptake and toxic effects. Limnol. Oceanogr., 50(2): 440–448.
- Rollwagen Bollens, G.C. & D.L. Penry. 2003. Feeding dynamics of Acartia spp. copepods in a large, temperate estuary (San Francisco Bay, CA). Marine Ecology Progress Series 257:139–158.
- Rondorf, D.W., G.A. Gray, R.B. Fauley. 1990. Feeding ecology of subyearling Chinook salmon in riverine and reservoir habitats of the Columbia River. Trans Am Fish Soc 119:16–24.
- Roni, P. & T.P. Quinn. 1995. Geographic variation in size and age of North American Chinook salmon (*Oncorhynchus tshawytscha*). North Am J Fish Manage 15:325–45.
- Roos, M. 1987. Possible changes in California snowmelt patterns. Proceedings, Fourth Pacific Climate Workshop, Pacific Grove, CA, 141-150.
- _____ 1991. A trend of decreasing snowmelt runoff in northern California. Proceedings, 59th Western Snow Conference, Juneau, AK, 29-36.
- Rose, K.A. 2000. Why are quantitative relationships between environmental quality and fish populations so elusive? Ecological Applications 10:367-385.
- Roseboom, D.P. & D.L. Richey. 1977. Acute toxicity of residual chlorine and ammonia to some native Illinois fishes. Ill. State Water Surv Rep Invest 85.
- Rosenfield, J.A. & R.D. Baxter. 2007. Population dynamics and distribution patterns of longfin smelt in the San Francisco Estuary. Transactions American Fisheries Society 136:1577-1592.
- Rowell, J.H. 1979. Mathematical Model Investigations: Trinity Dam Multilevel Outlet Evaluation, Trinity River Temperature Prediction Study. U.S. Bureau of Reclamation, Sacramento, CA, May 1979.
- _____ 1990. USBR monthly temperature model-Sacramento River Basin. Sacramento (CA): U.S. Bureau of Reclamation. June 1990.
- _____ 1997. Stanislaus River basin temperature model. Draft report, June 1993, revised 1997. Sacramento (CA): U.S. Bureau of Reclamation.
- Royal, L.A. 1972. An examination of the anadromous trout program of the Washington State Game Department. Washington Department of Game. 176 p.
- Rulifson, R.A. & S.A. McKenna. 1987. Food of striped bass in the upper Bay of Fundy, Canada. Transactions of the American Fisheries Society 116: 119-122.
- Rutter, C. 1904. Natural history of the quinnat salmon. U.S. Fish Commission Bul. 22:66–141.
- 1908. The fishes of the Sacramento–San Joaquin basin, with a study of their distribution and variation. Bulletin of U.S. Bureau of Fisheries 27(637):103–152.

Ryan, W. 2000. Validation of dispersion using the particle tracking model in the Sacramento-San Joaquin Delta, Davis California. Master's thesis. Available: http://modeling.water.ca.gov/delta/models/dsm2/ptm/Ptm_validation_2000.pdf

- Sacramento County Department of Environmental Review and Assessment. 2003. Draft Environmental Impact Report for the Sacramento Regional County Sanitation dct: Sacramento Regional Wastewater Treatment Plant 2020 Master Plan. August 2003.
- Sacramento River Information Center. 1993. Toxic pollution of the Sacramento River. Research Report number 1. 14 p.
- Sagar, P.M. & G.J. Glova. 1988. Diel feeding periodicity, daily ration and prey selection of a riverine population of juvenile Chinook salmon, *Oncorhynchus tshawytscha* (Walbaum). J Fish Biol 33:643–53.
- Saiki, M.K., M.R. Jennings, & R.H. Wiedmeyer. 1992. Toxicity of agricultural subsurface drainwater from the San Joaquin Valley, California, to juvenile Chinook salmon and striped bass. Transactions of American Fisheries Society 121:73–93.
- San Francisco Estuary Project. 1994. Comprehensive conservation and management plan. Oakland, CA. Available on line at http://www.abag.ca.gov/bayarea/sfep/reports/ccmp/index.html.
- Sandahl, J.F., D.H. Baldwin, J.J. Jenkins, & N.L. Scholz. 2004. Odor-evoked field potentials as indicators of sublethal neurotoxicity in juvenile coho salmon exposed to copper, chlorpyrifos, or esfenvalerate. Canadian Journal of Fisheries and Aquatic Sciences, 61:404-413.
- 2007. A sensory system at the interface between urban stormwater runoff and salmon survival. Environmental Science and Technology, 41:2998-3004.
- San Joaquin River Group Authority. 1999. Meeting flow objectives for the San Joaquin River agreement 1999-2010 environmental impact statement and environmental impact report. Sacramento, California. 300 p. Available on the Internet at http://www.sjrg.org/contents.htm
- Sasaki, S. 1966. Distribution and food habits of king salmon, *Oncorhynchus tshawytscha*, and steelhead rainbow trout, *Salmo gairdnerii*, in the Sacramento-San Joaquin Delta. California Department of Fish and Game Bulletin 136:108–114.
- Saunders, R.L. 1965. Adjustment of buoyancy in young Atlantic salmon and brook trout by changes in swim bladder volume. J Fish Res Bd Can 22:335–52.
- Schaefer, R.H. 1970. Feeding habits of striped bass from the surf waters of Long Island. New York Fish and Game Journal 17: 1-17.
- Schaffter, R. 1997. White sturgeon spawning migrations and location of spawning habitat in the Sacramento River, California. California Department of Fish and Game 83:1-20.
- Schaffter, R.G. 1998. Growth of largemouth bass in the Sacramento-San Joaquin Delta. Interagency Ecological Program for the San Francisco Estuary Newsletter 11(3): 27-30. (available online at http://iep.water.ca.gov/report/newsletter/)

Schaffter, R.G. & D.W. Kohlhorst. 2002. Determination of green sturgeon spawning habitats and their environmental conditions. California Department of Fish and Game. In Biological Assessment of green sturgeon in the Sacramento-San Joaquin Watershed, phase 1. Final report to the CALFED Bay-Delta Program.

- Scheffer, M. 1999. The effects of aquatic vegetation on turbidity; how important are the filter feeders? Hydrobiologia 408-409: 307-316.
- Schemel, L. 2001. Simplified conversions between specific conductance and salinity units for use with data from monitoring stations. Interagency Ecological Program Newsletter 14(1):17-18.
- Scofield, N.B. 1900. Notes on the investigation of the movement and rate of growth of quinnat salmon fry in the Sacramento River. 15th biennial report, State Board of Fish Commissioners for 1987098. pp. 66-71.
- Sedlak, DL. & D.Schlenk. 2007. Identifying the causes of feminization of Chinook salmon in the Sacramento and San Joaquin River system. http://www.ce.berkeley.edu/~sedlak/CALFEDwebsite.htm
- Seesholtz, A. 2003. Final assessment of sturgeon distribution and habitat use SP-F3.2 Task 3a. Oroville Facilities Relicensing FERC Project No. 2100. State of California, The Resources Agency, Department of Water Resources. pp 26. Available at http://orovillerelicensing.water.ca.gov/pdf_docs/12-17-03_env_att_11.pdf.
- Seesholtz, A., B.J. Cavallo, J. Kindopp, & R. Kurth. 2004. Juvenile fishes of the lower Feather River: Distribution, emigration patterns, and associations with environmental variables. Pages 141-166. In F. Feyrer, L.R. Brown, R.L. Brown, and J.J. Orsi (Eds.), Early life history of fishes in the San Francisco Estuary and watershed. American Fisheries Society, Symposium 39, Bethesda, Maryland.
- Seymour, A.H. 1956. Effects of temperature on young Chinook salmon [Ph.D. dissertation]. University of Washington, Seattle.
- Shapovalov, L. 1947. Report on fisheries resources in connection with the proposed Yolo-Solano development of the United States Bureau of Reclamation. California Fish and Game 33:61–88.
- Shapovalov, L. & A.C. Taft. 1954. The life histories of the steelhead rainbow trout (Salmo gairdnerii) and silver salmon (Oncorhynchus kisutch) with special reference to Waddell Creek, California, and recommendations regarding their management. California Department of Fish and Game. Fish Bulletin 98. 373 p.
- Shasta Outflow Temperature Control PR/ES, Appendix A Modeling, Appendix B Environmental (Part I Fisheries), U.S. Bureau of Reclamation, Sacramento, CA, May 1991.
- Simenstad, C., J. Toft, H. Higgins, J. Cordell, M. Orr, P. Williams, L. Grimaldo, Z. Hymanson, & D. Reed. 1999. Preliminary results from the Sacramento-San Joaquin Delta breached levee wetland study (BREACH). Interagency Ecological Program for the San Francisco Estuary. IEP Newsletter 12(4):15–21.

Simpson, M.R., & R.N. Oltmann. 1993. Discharge measurement using an acoustic Doppler current profiler. U.S. Geological Survey Water-Supply Paper 2395, 34 p

- Skalski, J.R. 1996. Regression of abundance estimates from mark-recapture surveys against environmental covariates. Can J Fish Aquat Sci 53:196–204.
- Skinner, J.E. 1962. An historical review of the fish and wildlife resources of the San Francisco Bay Area. California Department of Fish and Game. Water Projects Branch report nr. 1.
- Slater, D.W. 1963. Winter-run Chinook salmon in the Sacramento River, California with notes on water temperature requirements at spawning. Spec. Sci. Rept. Fish. No. 461. 9 p.
- Smalling, K.L., Orlando, J.L. & K.M. Kuivila. 2007. Occurrence of pesticides in water, sediment, and soil from the Yolo Bypass, California. San Francisco Estuary and Watershed Science, 5(1):Article 2.
- Smith, G., J. Rosenfield, & J. Porterfield. 1995. Processes of origin and criteria for preservation of fish species. In: Nielsen JL (Ed.), Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society Symposium 17. Bethesda (MD): American Fisheries Society. p 44–57.
- Smith, L.S. 1982. Decreased swimming performance as a necessary component of the smolt migration in salmon in the Columbia River. Aquaculture 28:153–61.
- Smith, P.E., R.N. Oltmann, & L.H. Smith. 1995. Summary report on the interagency hydrodynamic study of San Francisco Bay-Delta estuary, California. Interagency Ecological Program Technical Report 45.
- Snider, B. & R. Titus. 2000. Lower American River emigration survey October 1996—September 1997. Unpublished report. Alaska Department of Fish and Game, Environmental Services Division. 58.p.
- Snider, B., R. Titus, & K. Vyberberg. 2001. Evaluation of effects of flow fluctuations on the anadromous fish populations in the lower American River. California Department of Fish and Game Stream Evaluation Program. Sacramento (CA).
- Sobczak, W.V., J.E. Cloern, A.D. Jassby, B.E. Cole, T.S. Schraga, & A. Arnsberg. 2005. Detritus fuels ecosystem metabolism but not metazoan food webs in San Francisco estuary's freshwater Delta. Estuaries 28:124-137.
- Sobczak, W.V., J.E. Cloern, A.D. Jassby, & A.B. Muller-Solger. 2002. Bioavailability of organic matter in a highly disturbed estuary: The role of detrital and algal resources. PNAS 99:8101-8105.
- Sommer, T.R., C. Armor, R. Baxter, R. Breuer, L. Brown, M. Chotkowski, S. Culberson,
 F. Feyrer, M. Gingras, B. Herbold, W. Kimmerer, A. Mueller-Solger, M. Nobriga, &
 K. Souza. 2007. The collapse of pelagic fishes in the upper San Francisco Estuary.
 Fisheries 32(6):270-277.
- Sommer, T.R., R. Baxter, & B. Herbold. 1997. Resilience of Splittail in the Sacramento–San Joaquin Estuary. Transactions of the American Fisheries Society 126:961–976.

Sommer, T.R., L. Conrad, G. O'Leary, F. Feyrer, & W.C. Harrell. 2002. Spawning and rearing of splittail in a model floodplain wetland. Transactions of the American Fisheries Society 131:966-974.


- Sommer, T.R., B. Harrell, & M.L. Nobriga. 1998. Preliminary results of the 1998 Yolo Bypass studies. Report to California Department of Fish and Game and National Marine Fisheries Service.
- Sommer, T.R., B. Harrell, M.L. Nobriga, R. Brown, P.B. Moyle, W. Kimmerer, & L. Schemel. 2001. California's Yolo Bypass: evidence that flood control can be compatible with fisheries, wetlands, wildlife, and agriculture. Fisheries 26(8):6-16.
- Sommer, T.R. & B. Herbold. 2000. Delta smelt. Pages 104-108. In: P.R. Olofson (Ed.), Goals Project. Baylands Ecosystem Species and Community Profiles: Life histories and environmental requirements of key plants, fish, and wildlife. Prepared by the San Francisco Bay Area Wetlands Ecosystems Goals Project. San Francisco Bay Regional Water Quality Control Board, Oakland, CA.
- Sommer, T.R., D. McEwan, & R. Brown. 2001a. Factors affecting Chinook salmon spawning in the lower Feather River. In: Brown R. (Ed.), Fish Bulletin 179. Contributions to the biology of Central Valley salmonids. Volume 1. Sacramento (CA): California Department of Fish and Game. p 269–97.
- Sommer, T.R., M.L. Nobriga, W.C. Harrell, W. Batham, & W.J. Kimmerer. 2001. Floodplain rearing of juvenile Chinook salmon: evidence of enhanced growth and survival. Canadian Journal of Fisheries and Aquatic Sciences 58:325-333.
- Souza, K. & M. Bryant. 2002. Townet survey and fall midwater trawl survey. Interagency Ecological Program Newsletter 15(2):21-24.
- S.P. Cramer & Associates. 2001. 2001 Stanislaus River data report final data. Mi Wuk (CA): S.P. Cramer & Associates.


Spaar, S.A. 1988. Suisun Marsh Salinity Control Gate - Preproject Fishery Resource

- Evaluation. Interagency Ecological Program Technical Report 17. 52 pp.

 1990. Results of 1988 striped bass egg and larva study near the State Water Project and Central Valley Project facilities in the Sacramento—San Joaquin Delta. Interagency Ecological Program Technical Report 25. 42 pp.
- _____ 1992. Suisun Marsh Salinity Control Gates Fishery Related Studies 1992 Annual Report. Report to U.S. Army Corps of Engineers. 51 pp.
- _____ 1993. 1992 Entrainment of Eggs and Larvae to the State Water Project and Central Valley Project Intakes in the Sacramento–San Joaquin Delta. Dept. of Water Resources. January 20, 1993, memo. 33 pp.
- 1994. Delta Agricultural Diversion Evaluation, 1992 Pilot Study. Interagency Ecological Program Technical Report 37. 37 pp. plus appendixes.
- Spear, M.J. & R.K. Patterson. 1998. Letter to Mr. Robert G. Potter dated 19 June 1998. Subject: State of California's Proposal to assist the U.S. Department of the Interior in

- implementing the November 20, 1997, final administrative proposal on management of section 3406(b)(2) water.
- Staley, J.R. 1976. American River steelhead, *Salmo gairdnerii gairdnerii*, management, 1956-1974. California Department of Fish and Game. Anadromous Fisheries Branch administrative report nr. 76–2. 41 p.
- Stanley, S.E., P.B. Moyle, & H.B. Shaffer. 1995. Allozyme analysis of delta smelt, *Hypomesus transpacificus* and longfin smelt, *Spirinchus thaleichthys* in the Sacramento-San Joaquin Estuary, California. Copeia 1995:390-396.
- Stearly, R.F. & G.R. Smith. 1993. Phylogeny of the Pacific trouts and salmons (*Oncorhynchus*) and genera of the Family Salmonidae. Trans Am Fish Soc 122:1–33.
- Stein, D.M. 2003. The movements of adult Chinook salmon, outfitted with ultrasonic transmitters and external spaghetti tags, in the Sacramento-San Joaquin delta and delta cross channel. Presentation at 2003 CALFED Science Conference, January 14-16, 2003. Sacramento.
- Stephens, D.W. & J.R. Krebs. 1986. Foraging Theory. Princeton University Press, Princeton, NJ.
- Stevens, D.E. 1961. Food habits of striped bass, *Roccus saxitilis* (Walbaum), in the Rio Vista area of the Sacramento River [Master's thesis]. University of California, Berkeley.
- Stevens, D.E. 1966. Food habits of striped bass, Roccus saxatilis, in the Sacramento-San Joaquin Delta. Pages 68-96. In: J.L. Turner & D.W. Kelley (Eds.), Ecological studies of the Sacramento-San Joaquin Delta, part II, fishes of the Delta. California Department of Fish and Game Fish Bulletin 136.
- Stevens, D.E., D.W. Kohlhorst, L.W. Miller, & D.W. Kelley. 1985. The decline of striped bass in the Sacramento-San Joaquin Estuary, California. Transactions of the American Fisheries Society 114: 12-30.
- Stevens, D.E. & L.W. Miller. 1983. Effects of river flow on abundance of young Chinook salmon, American shad, longfin smelt, and delta smelt in the Sacramento–San Joaquin River system. North American Journal of Fisheries Management 3:425–437.
- Stevens, D.E., L.W. Miller, & B.C. Bolster. 1990. Report to the Fish and Game Commission: A Status Review of Delta Smelt (*Hypomesus transpacificus*) in California. Dept. of Fish and Game. Candidate Species Status Report 90–2.
- Stewart, R., S. Luoma, M. Doblin, & K. Hieb. 2001. Bioaccumulation of selenium in the food web of San Francisco Bay: importance of feeding relationships and location. Interagency Ecological Program Newsletter 14(4):28-29.
- Stewart, A.R., S.N. Luoma, C.E. Schlehat, M.A. Doblin, & K.A. Hieb. 2003. Food web pathway determines how selenium affects aquatic ecosystems. Science (submitted manuscript).





Sydeman, W.J. & S.G. Allen. 1999. Pinniped population dynamics in Central California: correlations with sea surface temperature and upwelling indices. Marine Mammal Science 15:446–61.

- Taberski, K., M. Carlin, & J. Lacy. 1992. San Francisco Bay Pilot Regional Monitoring Program 1991–1992, Progress Summary Report. San Francisco Bay Regional Water Quality Control Board. December 1992. 47 pp. plus figures.
- Teel, D.J., G.B. Milner, G.A. Winans, & W.S. Grant. 2000. Genetic population structure and origin of life history types in Chinook salmon in British Columbia, Canada. Trans Am Fish Soc 129:194–209.
- Teh, S.J., D.F. Deng, I. Werner, F.C. Teh, & S.S.O. Hung. 2000. Sublethal toxicity of esfenvalerate and diazinon to Sacramento splittail (Pogonichthys macrolepidotus) larvae. CALFED Bay-Delta Program Science Conference Abstracts. Oct. 3-5, 2000.
- Teh, S.J., G. Zang, T. Kimball, & F.C. Teh. 2003. Lethal and sublethal effects of esfenvalerate and diazinon on splittail *Pogonichthys macrolepidotus* larvae. In F. Feyrer, L. Brown, J. Orsi, & R. Brown (Eds.), Early life history of fishes in the San Francisco Estuary and watershed. American Fisheries Society Symposium (in press)
- Tehama-Colusa Canal Authority and Bureau of Reclamation. 2002. Draft Environmental Impact Statement/Environmental Impact Report Fish Passage Improvement Project at the Red Bluff Diversion Dam, Attachment B1. Willows and Sacramento, California.
- Tetra Tech. 1999. Upper Clear Creek watershed analysis. Prepared for Western Shasta Resource Conservation District. San Francisco (CA): Tetra Tech Inc.
- 2001. Draft watershed management plan. Calaveras River Watershed Management Program. Prepared for SEWD and CCWD Rancho Cordova (CA): Tetra Tech. 115 p.
- Tillman, T., G.W. Edwards, K. Urquhart. 1996. Adult salmon migration monitoring during the various operational phases of the Suisun Marsh Salinity Control Gates in Montezuma Slough, August–October 1993. Stockton (CA): California Department of Fish and Game, Bay-Delta and Special Water Projects Division. 35 p.
- Toft, J., J. Cordell, & C. Simenstad. 1999. More non-indigenous species? First records of one amphipod and two isopods in the Delta. Interagency Ecological Program Newsletter 12(4):35.
- Tracy, C. 1990. Memorandum: Green sturgeon meeting and comments. State of Washington Department of Fisheries, 10 p.
- Trenham, P.C., H.B. Shaffer, & P.B. Moyle. 1998. Biochemical identification and assessment of population subdivision in morphologically similar native and invading smelt species (*Hypomesus*) in the Sacramento-San Joaquin Estuary, California. Transactions of the American Fisheries Society 127:417-424.
- Trush, W.J., S. McBain, & L.Leopold. 2000. Attributes of an alluvial river and their relation to water policy and management. Proceedings of the National Academy of Sciences. 97:11858-11863.

Tsai, C. 1991. Prey-density requirements of the striped bass, *Morone saxitalis*, larvae. Estuaries, Vol. 14, No. 2, pp. 207-217.

- Unwin, M.J., G.J. Glova. 1997. Changes in life history parameters in a naturally spawning population of Chinook salmon (*Oncorhynchus tshawytscha*) associated with releases of hatchery-reared fish. Can J Fish Aquat Sci 54:1235–45.
- Uphoff, J.H., Jr. 2003. Predator-prey analysis of striped bass and Atlantic menhaden in upper Chesapeake Bay. Fish. Manage. Ecol., Volume 10: 313-322.
- USFC (U.S. Commission of Fish and Fisheries). 1900. Washington DC: report of the Commissioner for the year ending June 30, 1899: XCVI-C.
- USFWS (United States Fish and Wildlife Service). 1995. Working paper: habitat restoration actions to double natural production of anadromous fish in the Central Valley of California. Volume 2. May 9, 1995. Prepared for the U.S. Fish and Wildlife Service under the direction of the Anadromous Fish Restoration Program Core Group, Stockton, California.
- _____ 1996. Recovery Plan for the Sacramento/San Joaquin Delta Native Fishes.
- USRFRHAC (Upper Sacramento River Fisheries and Riparian Habitat Advisory Council). 1989. Upper Sacramento River Fisheries and Riparian Habitat Management Plan. Report prepared for The Resources Agency, State of California. 158 p.
- Utter, F.M., D.W. Chapman, & A.R. Marshall. 1995. Genetic population structure and history of Chinook salmon of the upper Columbia River. In: J.L. Nielsen (Ed.), Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society Symposium 17. Bethesda (MD). p 149–65.
- Van Eenennaam, J.P., J. Linares-Casenave, X. Deng, & S.I. Doroshov. 2005. Effect of incubation temperature on green sturgeon embryos, *Acipenser medirostris*. Environmental Biology of Fishes 72:145-154.
- Van Eenennaam, J.P., J. Linares, S.I. Doroshov, D.C. Hillemeier, T.E. Willson, & A.A. Nova. 2006. Reproductive conditions of the Klamath River green sturgeon. Transactions of the American Fisheries Society 135:151-163.
- Van Eenennaam, J.P., M.A.H. Webb, X. Deng, & S.I. Doroshov. 2001. Artificial spawning and larval rearing of Klamath River green sturgeon. Transactions of the American Fisheries Society 130:159-165.
- Velson, F.P. 1987. Temperature and incubation in Pacific salmon and rainbow trout, a compilation of data on median hatching time, mortality, and embryonic staging. Canadian Data Report of Fisheries and Aquatic Sciences nr. 626.
- Venables, W.N. & B.D. Ripley. 1999. Modern applied statistics with S-Plus, 3rd ed. New York: Springer-Verlag.
- Vincik, R.F. 2002. *Adult Salmon migration monitoring at the Suisun Marsh Salinity Control Gates, Sept Nov 2001*. Interagency Ecological Program for the San Francisco Estuary Newsletter 15:45-48.

Vincik, R.F. G. W Edwards, G.A. Aasen, and R.W. Fujimura. 2003. *Suisun Marsh Salinity Control Gates adult salmon passage monitoring*, 1998-1999. Technical report (unpublished), Interagency Ecological Program for the San Francisco Bay/Delta Estuary. 27 pp.

- Vogel, D.A. 1985. Information on status of the Sacramento River winter-run Chinook salmon. Letter to E.M. Lorentzen, American Fisheries Society, past president of Sacramento Chapter. USFWS, Red Bluff, CA. July 5, 1985. 18 p.
- 2003. Migratory behavior of radio-tagged juvenile salmon in the vicinity of the delta cross channel in response to local hydrodynamic conditions. Presentation at CALFED Science Conference, January 14-16, 2003. Sacramento.
- Vogel, D.A. & K.R. Marine. 1991. Guide to the upper Sacramento River Chinook salmon life history. U.S. Bureau of Reclamation Central Valley Project. Prepared by CH2M Hill, Redding, CA. July 1991. 55 p.
- _____ 1995. 1994 biological evaluations of the new fish screen at the Glenn-Colusa Irrigation District's Sacramento River pump station. Red Bluff (CA): Natural Resource Scientists, Inc. 77 p + appendices.
- Vogel, D.A, K.R. Marine, & J.G. Smith. 1988. Fish passage action program for Red Bluff Diversion Dam. Final Report. U.S. Fish and Wildlife Service Report nr. FR1–FAO–88–19. 77 p + appendices.
- Vogel, D.A. & J.G. Smith. 1986. Fish passage action program for the Red Bluff Diversion Dam: interim report on fishery investigations. U.S. Fish and Wildlife Service Report nr. FR1/FAO–86–5. 52 p+ appendices.
- Walters, C.J., R. Hilborn, R.M. Peterman., & M.D. Stanley. 1978. Model for examining early ocean limitation of Pacific salmon production. J Fish Res Bd Can 35:1303–15.
- Wang, J.C.S. 1986. Fishes of the Sacramento–San Joaquin Estuary and Adjacent Waters, California: A Guide to the Early Life Histories. Interagency Ecological Study Program for the Sacramento–San Joaquin Estuary, Technical Report 9. Dept. of Water Resources, Sacramento. Available on line at http://elib.cs.berkeley.edu/kopec/tr9/html/home.html.
- _____ 1991. Early Life Stages and Early Life History of the Delta Smelt, *Hypomesus transpacificus*, in the Sacramento–San Joaquin Estuary, with Comparison of Early Life Stages of the Longfin Smelt, *Spirinchus thaleichthys*. Interagency Ecological Study Program for the Sacramento–San Joaquin Estuary, Technical Report 28. 52 pp.
- _____ 1996. Observations of larval smelt and splittail in a dry year and in a wet year. Interagency Ecological Program Newsletter 9(3).
- Wang, J.C.S. & R.L. Brown. 1993. Observations of Early Life Stages of Delta Smelt, Hypomesus transpacificus, in the Sacramento–San Joaquin Estuary in 1991, with a Review of Its Ecological Status in 1988 to 1990. Interagency Ecological Studies Program for the Sacramento–San Joaquin Esturary, Technical Report 35.

Waples, R.S. 1995. Evolutionarily significant units and the conservation of biological diversity under the Endangered Species Act. In: Nielsen JL, editor. Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society Symposium 17. Bethesda (MD). p 8–27.

- Warner, G.H. 1954. Memorandum to D. H. Fry and R. J. Hallock dated May 28,1954. Available from California Department of Fish and Game, Marine Resources Branch files.
- Warner, J.P. & B. Kynard. 1986. Scavenger feeding of subadult striped bass, *Morone saxatilis*, below a low-head hydroelectric dam. Fishery Bulletin 84: 221-222.
- Watercourse Engineering, Inc. 2003. Upper Sacramento Temperature Model Review: Final Report Summary. December 31, 2003.
- Webb, M.A.H., & D.L. Erickson. 2007. reproductive structure of the adult green sturgeon, *Acipenser medirostris*, population in the Rogue River, Oregon. Environmental Biology of Fishes. 79(3-4):305-314.
- Webb, M.A.H., G.W. Feist, M.S. Fitzpatrick, E.P. Foster, C.B. Schreck, M. Plumlee, C. Wong, & D.T. Gundersen. 2004. Mercury concentrations in gonad, liver, and muscle of white sturgeon, *Acipenser transmontanus*, in the lower Columbia River. 50:443-451.
- Wedemeyer G. A., B. A. Barton, D. J. McLeay. 1990. Stress and acclimation. Pages 451–489 in C. B. Schreck and P. B. Moyle, editors. Methods for fish biology. American Fisheries Society, Bethesda, Maryland.
- Welsh, H.H., G.R. Hodgson, & B.C. Harvey. 2001. Distribution of juvenile coho salmon in relation to water temperatures in tributaries of the Mattole River, California. NAJFM. 21:464-470.
- Wendt, P.G. 1987. Preliminary Evaluation of Factors Controlling Striped Bass Salvage Loss at Skinner Fish Facility: Quantity and Direction of Flow in the Lower San Joaquin River, Striped Bass Abundance and Size, and Total Delta Exports. Dept. of Water Resources Technical Information Record.
- Werner, I., L.A. Deanovic, V. Connor, V. DeVlaming, H.C. Bailey, & D.E. Hinton. 2000. Insecticide-caused toxicity to Ceriodaphnia dubia (Cladocera) in the Sacramento-San Joaquin River Delta, California, USA. Environmental Toxicology and Chemistry 19(1): 215-227.
- Weston, D.P, R.W. Holmes, J. You, & M.J. Lydy. 2005. Aquatic toxicity due to residential use of pyrethroid insecticides. Environmental Science and Technology 39: 9778-9784.
- Weston, D.P., J. You, & M.J. Lydy. 2004. Distribution and toxicity of sediment-associated pesticides in agriculture-dominated water bodies of California's Central Valley. Environmental Science and Technology 38: 2752-2759.
- Wheaton, J.M., G.B. Pasternack, & J.E. Merz. 2004. Spawning habitat rehabilitation I. Conceptual approach and methods. International Journal of River Basin Management 2:3-20.

White, D.K., C. Swanson, P.S. Young, J.J. Cech, Jr., & L. Kavvas. 2003. Close encounters with a fish screen: anatomy of an impingement. Abstract in CALFED Science Conference 2003 Abstracts. January 14-16, 2003. Sacramento, CA.

- White, J.R., P.S. Hofmann, K.A.F. Urquhart, D. Hammond, & S. Baumgartner. 1989. Selenium Verification Study 1987–1988. Report to State Water Resources Control Board. Dept. of Fish and Game. 81 pp. plus appendixes.
- White, W. 1958. Recommendations for development of Big Chico Creek, Higgins Hole to Bear Lake, September 12, 1958 [intra-office correspondence]. Available from California Department of Fish and Game Region 2 files. 1 p.
- Whitehead, A., K.M. Kuivila, J.L. Orlando, S. Kotelevtsev, & S.L. Anderson. 2004. Genotoxicity in native fish associated with agricultural runoff events. Environmental Toxicology and Chemistry: 23:2868–2877.
- Wilkerson, F.P., R.C. Dugdale, V.E. Hogue, & A. Marchi. 2006. Phytoplankton blooms and nitrogen productivity in San Francisco Bay. Estuaries and Coasts 29: 401-416.
- Williams, G.B. Jr. 1893. U.S. Commission of Fish and Fisheries. Commission Report 1889–91. 49 p.
- _____ 1894. U.S. Commission of Fish and Fisheries. Commission Report 1892. Part XVIII. LVII.
- Williams, J.G. 2006. Central Valley Salmon: A perspective on Chinook and steelhead in the Central Valley of California. San Francisco Estuary and Watershed Science. Volume 4, Issue 3, Article 2.
- Wilson, G.M., W.K. Thomas, A.T. Beckenbach. 1985. Intra- and inter-specific mitochondrial DNA sequence divergence in Salmo: rainbow, steelhead, and cutthroat trouts. Can J Zool 63:2088–94.
- Winemiller, K.O. & K.A. Rose. 1992. Patterns of life history diversification in North American fishes: implications for population regulation. Canadian Journal of Fisheries and Aquatic Sciences 49: 2196-2218.
- Wood, C.C. 1995. Life history variation and population structure in sockeye salmon. In: J.L. Nielsen (Ed.), Evolution and the aquatic ecosystem: defining unique units in population conservation. American Fisheries Society Symposium 17. Bethesda (MD). p 195–216.
- Wright, S.A., & D.H. Schoellhamer. 2004. Trends in the sediment yield of the Sacramento River, California, 1957-2001. San Francisco Estuary and Watershed Science 2:http://repositories/cdlib.org/jmie/sfews/vol2/iss2/art2.p
- Yang, S.L. 1998. The role of a Scirpus marsh in attenuation of hydrodynamics and retention of fine sediment in the Yangtze Estuary. Estuarine, Coastal, and Shelf Science 47: 227-233.
- Yoshiyama, R.M., F.W. Fisher, & P.B. Moyle. 1998. Historical abundance and decline of Chinook salmon in the Central Valley region of California. North Am J Fish Manage 18:487–521.

Yoshiyama, R.M., E.R. Gerstung, F.W. Fisher, & P.B. Moyle. 1996. Historical and present distribution of Chinook salmon in the Central Valley drainage of California in Sierra Nevada Ecosystem Project. Final report to Congress. Volume III: assessments, commissioned reports, and background information. University of California, Davis, Centers for Water and Wildland Resources.

- Yoshiyama, R.M., E.R. Gerstung, F.W. Fisher, & P.B. Moyle. 2001. Historical and present distribution of Chinook salmon in the Central Valley Drainage of California. In: Brown RL, editor. Contributions to the Biology of Central Valley Salmonids. Fish Bulletin 179. Volume 1. Sacramento (CA): California Department of Fish and Game. p. 71–176.
- Young, P.S. & J.J. Cech, Jr. 1996. Environmental tolerances and requirements of splittail. Transactions of the American Fisheries Society 125:664-678.
- Young, P.S., C. Swanson, & J.J. Cech, Jr. 1996. Can delta smelt swim in the dark? Interagency Ecological Program Newsletter 9(3).
- Young, P.S., C. Swanson, M.L. Danley, S.N. Chun, N.J. West, V. Afentoulis, & J.J. Cech, Jr. 2000. Physiological stress responses of young splittail exposed to a simulated fish screen. CALFED Bay-Delta Program Science Conference Abstracts. Oct. 3-5, 2000.
- Young, P.S., C. Swanson, L. Kanemoto, T. Chen, S. Chun, J.J. Cech, Jr., Z.Q. Chen, H. Bandeh, & L. Kavvas. 2003. Close encounters with two fish screens: responses of delta fishes to simulated multiple exposures. Abstract in CALFED Science Conference 2003 Abstract. January 14-16, 2003. Sacramento, CA.
- Young, P.S., C. Swanson, T. Reid, & J.J. Cech, Jr. 1999. Comparative swimming performance of native (delta smelt and splittail) and introduced (inland silverside and wakasagi) Delta fish. Interagency Ecological Program Newsletter 12(1):45-49.
- Young, Paciencia et al. 1999. Wind and rough weather decrease captured delta smelt survival. IEP Newsletter. Interagency Ecological Program for the Sacramento-San Joaquin Estuary. Volume 12, Number 3. Summer 1999. 35-37.
- Zimmerman, C., G. Edwards, & K. Perry. 2008. Maternal origin and migratory history of *Oncorhynchus mykiss* captured in rivers of the Central Valley, California. Prepared for California Department of Fish and Game Contract P0385300. Sacramento.

Personal Communications

- Buer, Koll. 2003. California Department of Water Resources. Redding, California. Conversation by phone.
- Chotkowski, Michael. 2000. U.S. Bureau of Reclamation. Sacramento, California. Conversation via electronic mail.
- Demko, Doug. 2001. Fisheries Biologist, S.P. Cramer & Associates. Mi Wuk, California. Conversation made by phone.
- DeStaso, James. 1998. Environmental Specialist, U.S. Bureau of Reclamation. Conversation made in-person.
- Donnellan, M. (CDFG). 2007. Pers. Comm.
- Fisher, Frank. Retired. California Department of Fish and Game.
- Foss, S. 2003. Associate Biologist, Delta Fish Salvage Monitoring Unit, California Department of Fish and Game, Stockton, CA. Personal communication.
- Heyne, Tim. 2001. Associate Fishery Biologist, California Department of Fish and Game. Tuolumne River Salmon Restoration Center.
- Kjelson, Marty. 1998. Program Leader, U.S. Fish and Wildlife Service. Stockton, California. Conversation made in-person.
- Marshall, M. (USFWS). 2007. Pers. Comm.
- McEwan, Dennis. 1998. Associate Fisheries Biologist, California Department of Fish and Game. Sacramento, California. Conversation made in-person.
- 1999. Associate Fisheries Biologist, California Department of Fish and Game. Sacramento, California. Conversation conducted via electronic mail.
- Merz, Joseph. 1998. Staff Biologist, East Bay Municipal Utility District. Richmond, California. Conversation made in-person.
- Morinaka, Jerry. 1998. Associate Fisheries Biologist, California Department of Fish and Game. Stockton, California. Conversation made in-person.
- 2000. Associate Fisheries Biologist, California Department of Fish and Game. Stockton, California. Conversation made via electronic mail.
- Newman, Ken. Centre for Conservation Science, University of Sterling, Scotland.
- Newton, Jess. 2001 & 2003. Fisheries Biologist, U.S. Fish and Wildlife Service. Red Bluff, California. Conversation made by phone.
- Null, Robert, personal communication, U.S. Fish and Wildlife Service. Coleman National Fish Hatchery, Anderson, CA.
- Painter, Dick. 1998. Associate Biologist (retired), California Department of Fish and Game. Conversation made in-person.

Rooks, Heidi. 2001. Senior Environmental Scientist, California Department of Water Resources. Environmental Services Office. Sacramento, California.

- Silva, Ron. 2001. U.S. Bureau of Reclamation. Tracy, California. Conversation conducted via electronic mail.
- Snider, Bill. 2001. Fisheries Biologist, California Department of Fish and Game Stream Evaluation Program. Sacramento, California. Conversation made in-person
- Werder, Carl. 2001. U.S. Bureau of Reclamation, Special Projects Office. Conversation conducted via electronic mail.
- West, Terry. 2001. Fish Hatchery Manager, Nimbus Fish Hatchery. California Department of Fish and Game. Rancho Cordova, California. Conversation on May 2, 2001.
- White, Jim. 1998. Environmental Specialist IV, California Department of Fish and Game. Sacramento, California. Conversation made in-person.