

Content updated 25 August 2008

**Division of HIV/AIDS Prevention
Publications
2007**

Names in bold are those of staff or full-time on-site contractors in DHAP whose published affiliation includes (at a minimum) CDC (preferably, the published affiliation of a staff member or a contractor specifies the Divisions of HIV/AIDS Prevention). That is, if a contractor's published affiliation is only the name of the contracting company, that contractor's name is not bolded on this list.

Aidoo M, Otten RA, Rodriguez V, Sariol CA, Martinez M, Kraiselburd E, Robinson H, **Folks T, Butera S, Ellenberger D**. Absence of SHIV infection in gut and lymph node tissues in rhesus monkeys after repeated rectal challenges following HIV-1 DNA/MVA immunizations. *Vaccine* 2007;25:6474-6481.

Anderson J, Sansom S. HIV testing in a national sample of US pregnant women: who is not getting tested? *AIDS Care* 2007;19(3):375-380.

Anthony MN, Gardner L, Marks G, Anderson-Mahoney P, Metsch LR, Valverde EE, Del Rio C, Loughlin AM; for the Antiretroviral Treatment and Access Study (ARTAS) Study Group. Factors associated with use of HIV primary care among persons recently diagnosed with HIV: examination of variables from the behavioural model of health-care utilization. *AIDS Care* 2007;19(2):195-202.

Arnsten JH, Li X, **Mizuno Y**, Knowlton AR, Gourevitch MN, Handley K, Knight KR, Metsch LR; for the INSPIRE Study Team. Factors associated with antiretroviral therapy adherence and medication errors among HIV-infected injection drug users. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S64-S71.

Bailey SL, Ouellet LJ, Mackesy-Amiti ME, Golub ET, Hagan H, Hudson SM, Latka MH, Gao W, **Garfein RS**; for the DUIT Study Team. Perceived risk, peer influences, and injection partner type predict receptive syringe sharing among young adult injection drug users in five U.S. cities. *Drug and Alcohol Dependence* 2007;91(1)(suppl):S18-S29.

Barish E, **Hanson DL**, Buskin SE, **Teshale E**. HIV-infected injection drug users: health care utilization and morbidity. *Journal of Health Care for the Poor and Underserved* 2007;18(3):675-686.

Bertolli J, **Lee LM, Sullivan PS**. Racial misidentification of American Indians/Alaska Natives in the HIV/AIDS reporting systems of five states and one urban health jurisdiction, U.S., 1984–2002. *Public Health Reports* 2007;122:382-392.

Bing E, Bingham T, **Millet GA**. Research needed to more effectively combat HIV among African-American men who have sex with men. *Journal of the National Medical Association*. In press.

Bollen LJM, Blanchard K, Kilmarx PH, Chaikummao S, Connolly C, Wasinrapee P, Srivirojana N, Achalapong J, Tappero JW, **McNicholl JM**. No increase in cervicovaginal proinflammatory cytokines after Carraguard use in a placebo-controlled randomized clinical trial. *Journal of Acquired Immune Deficiency Syndromes*. 2008;47(2):253-257.

Boneva RS, **Switzer WM**, Spira TJ, Shanmugam V, Bhullar V, Lam L, Cummins JE, **Heneine W**, **Folks TM**, Chapman LE. Clinical and virological characterization of persistent human infection with simian foamy viruses. *AIDS Research and Human Retroviruses*. In press.

Branson B. Current HIV epidemiology and revised recommendations for HIV testing in health-care settings. *Journal of Medical Virology* 2007;79(suppl 1):S6-S10.

Branson BM. State of the art for diagnosis of HIV infection. *Clinical Infectious Diseases* 2007;45(suppl 4):S221-S225.

Branson BM, **McDougal JS**. Establishing the diagnosis of HIV infection. In: Masur H, Saag M, Dolin R, eds. *AIDS Therapy*. 3rd ed. New York, NY: Elsevier; 2007:chap 1.

Bulterys M, **Smith D**, Chao A, Jaffe H. Hormonal contraception and incident HIV-1 infection: new insight and continuing challenges [editorial comment]. *AIDS* 2007;21:97-99.

Burr CK, **Lampe MA**, Corle S, Margolin FS, Abresh C, **Clark J**; for the National Organizations' Collaborative to Eliminate Perinatal HIV in the US. An end to perinatal HIV: success in the US requires ongoing and innovative efforts that should expand globally. *Journal of Public Health Policy* 2007;28:249-260.

Campbell JV, **Garfein RS**, Thiede H, Hagan H, Ouellet LJ, Golub ET, Hudson SM, Ompad DC, Weinbaum C; for the DUIT Study Team. Convenience is the key to hepatitis A and B vaccination uptake among young adult injection drug users [published online ahead of print]. *Drug and Alcohol Dependence*. doi:10.1016/j.drugalcdep.2006.09.022.

Centers for Disease Control and Prevention [**Espinoza L**, **Dominguez KL**, **Romaguera R**, **Hu X**, **Valleroy LA**, **Hall HI**]. HIV/AIDS among Hispanics—United States, 2001–2005. *MMWR* 2007;56(40):1052-1057.

Centers for Disease Control and Prevention [**Selik R**]. HIV/AIDS diagnoses among blacks—Florida, 1999–2005. *MMWR* 2007;56(04):69-73.

Centers for Disease Control and Prevention [**Durant T**, **McDavid K**, **Hu X**, **Sullivan P**, **Janssen R**]. Racial/ethnic disparities in diagnoses of HIV/AIDS—33 states, 2001–2005.

[Update available at http://www.cdc.gov/hiv/resources/reports/mmwr/pdf/mm5609_update.pdf.] *MMWR* 2007;56:189-193.

Centers for Disease Control and Prevention. [**Begley E, Boyett B, Clark H, Heffelfinger J, Jafa-Bhushan K, Schulden J, Song B, Thomas P, Sullivan P, Voetsch A**]. Rapid HIV testing among racial/ethnic minority men at gay pride events—nine U.S. cities, 2004–2006. *MMWR* 2007;56(24):602-604.

Centers for Disease Control and Prevention [**Boyett B, Heffelfinger JD, Schulden J, Song B, Sullivan PS**]. Rapid HIV testing in emergency departments—three U.S. sites, January 2005–March 2006. [Update available at <http://www.cdc.gov/hiv/datarevision.htm>.] *MMWR* 2007;56:597-601.

Centers for Disease Control and Prevention [**Jafa-Bhushan K, Bowles K, Clark H, Song B, Sullivan PS, Heffelfinger JD**]. Rapid HIV testing in outreach settings—United States, 2004–2006. *MMWR* 2007;56(47):1233-1237.

Chi BH, Sinkala M, Stringer EM, Cantrell RA, Mtonga V, Bulterys M, Zulu I, Kankasa C, Wilfert C, **Weidle PF**, Vermund SH, Stringer JSA. Early clinical and immune response to NNRTI-based antiretroviral therapy among women with prior exposure to single-dose nevirapine. *AIDS* 2007;21:957-964.

Chiasson MA, Hirshfield S, Remien R, Humberstone M, Wong T, **Wolitski RJ**. A comparison of on-line and off-line sexual risk in men who have sex with men: an event-based on-line survey. *Journal of Acquired Immune Deficiency Syndromes* 2007;44(2):235-243.

Coffin PO, Latka MH, Latkin C, Wu Y, **Purcell DW**, Metsch L, Gomez C, Gourevitch MN; and the INSPIRE Study Group. Safe syringe disposal is related to safe syringe access among HIV-positive injection drug users. *AIDS and Behavior* 2007;11(5):652-662.

Collins CB Jr, Johnson WD, Lyles CM. Linking research and practice: evidence-based HIV prevention [newsletter article]. *Focus* 2007;22(7):1-5.

Cong M, Heneine W, García-Lerma G. The fitness cost of mutations associated with human immunodeficiency virus type 1 drug resistance is modulated by mutational interactions. *Journal of Virology* 2007;81(6):3037-3041.

Courtenay-Quirk D, Pals SL, Colfax G, McKirnan D, Gooden L, Eroğlu D. Factors associated with sexual risk behavior among persons living with HIV: gender and sexual identity group differences [published online ahead of print]. *AIDS and Behavior*. doi:10.1007/s10461-007-9259-y.

Crepaz N, Horn AK, Rama SM, Griffin T, DeLuca JB, Mullins MM, Aral SO; and the HIV/AIDS Prevention Research Synthesis Team. The efficacy of behavioral interventions in reducing HIV risk sex behaviors and incident sexually transmitted disease in black and Hispanic sexually transmitted disease clinic patients in the United States: a meta-analytic review. *Sexually Transmitted Diseases* 2007;34(6):319-332.

Cummins JE Jr, Guarner J, Flowers L, Guenther PC, Bartlett J, Morken T, Grohskopf L, Paxton L, Dezzutti CS. Preclinical testing of candidate topical microbicides for anti-human immunodeficiency virus type 1 activity and tissue toxicity in a human cervical explant culture. *Antimicrobial Agents and Chemotherapy* 2007;51(5):1770-1779.

Espinoza L, Hall HI, Hardnett F, Selik RM, Ling Q, Lee LM. Characteristics of persons with heterosexually acquired HIV infection, United States 1999–2004. *American Journal of Public Health* 2007;97(1):144-149.

Fairchild AL, Gable L, Gostin LO, Bayer R, **Sweeney P, Janssen RS.** Public goods, private data: HIV and the history, ethics, and uses of identifiable public health information [Viewpoint]. *Public Health Reports* 2007;122(suppl 1):7-15.

Fasula AM, **Miller KS,** Wiener J. The sexual double standard in African American adolescent women's sexual risk reduction socialization. *Women & Health* 2007;46(2/3):3-20. doi:10.1300J013v46n02_02.

Fisher HH, Eke AN, Cance JD, Hawkins SR, Lam WKK. Correlates of HIV-related risk behaviors in African American adolescents from substance-using families: patterns of adolescent-level factors associated with sexual experience and substance use [published online ahead of print, December 3, 2007]. *Journal of Adolescent Health*.

Forehand R, Armistead L, Long N, **Wyckoff SC,** Kotchick BA, **Whitaker D,** Shaffer A, **Greenberg AE,** Murry V, Jackson LC, Kelly A, McNair L, **Dittus PJ, Lin CY, Miller KS.** Efficacy of a parent-based sexual-risk prevention program for African American preadolescents. *Archives of Pediatrics and Adolescent Medicine* 2007;161(12):1123-1129.

Forna F, Liechty CA, Solberg P, Asiimwe F, Were W, Mermin J, Behuumbiize P, **Tong T, Brooks JT, Weidle PJ.** Clinical toxicity of highly active antiretroviral therapy in a home-based AIDS care program in rural Uganda. *Journal of Acquired Immune Deficiency Syndromes* 2007;44(4):456-462.

Fowler MG, **Lampe MA**, Jamieson DJ, Kourtis AP, **Rogers MF**. Reducing the risk of mother-to-child human immunodeficiency virus transmission: past successes, current progress and challenges, and future directions. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S3-S9.

Fraze JL, Rivera-Trudeau M, McElroy L. Applying behavioral theories to a social marketing campaign. *Social Marketing Quarterly* 2007;13(1):2-14.

Frye V, Latka MH, Wu YF, Valverde EE, Knowlton AR, Knight KR, Arnsten JH, **O'Leary A**; for the INSPIRE Study Team. Intimate partner violence perpetration against main female partners among HIV-positive male injection drug users. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S101-S109.

Fuchs J, Durham M, **McLellan-Lemal E**, Vittinghoff E, Colfax G, Gurwith M, Buchbinder S. Negative social impacts among volunteers in an HIV vaccine efficacy trial. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(3):362-368.

Gallagher KM, Denning PD, Allen DR, Nakashima AK, Sullivan PS. Use of rapid behavioral assessments to determine the prevalence of HIV risk behaviors in high-risk populations. *Public Health Reports* 2007;122(suppl 1):56-62.

Gallagher KM, Sullivan PS, Lansky A, Onorato IM. Behavioral surveillance among people at risk for HIV infection in the U.S.: the National HIV Behavioral Surveillance System. *Public Health Reports* 2007;122(suppl 1):32-38.

Gange SJ, Kitahata MM, Saag MS, Bangsberg DR, Bosch RJ, **Brooks JT**, Calzavara L, Deeks SG, Eron JJ, Gebo KA, Gill MJ, Hass DW, Hogg RS, Horberg MA, Jacobson LP, Justice AC, Kirk GD, Klein MB, Martin JN, McKaig RG, Rodriguez B, Rourke SB, Sterling TR, Freeman AM, Moore RD. Cohort profile: The North American AIDS Cohort Collaboration on Research and Design (NA-ACCORD). *International Journal of Epidemiology* 2007;36(2):294-301.

Gardner LI, Marks G, Metsch LR, Loughlin AM, O'Daniels C, Del Rio C, Anderson-Mahoney P, Wilkinson JD; for the ARTAS Study Group. Psychological and behavioral correlates of entering care for HIV infection: the Antiretroviral Treatment Access Study (ARTAS). *AIDS Patient Care and STDs* 2007;21(6):418-425.

Garfein RS, Golub ET, **Greenberg AE**, Hagan H, **Hanson DL**, Hudson SM, Kapadia F, Latka MH, Ouellet LJ., **Purcell DW**, Strathdee SA, Thiede H; for the DUIT Study Team. A peer-education intervention to reduce injection risk behaviors for HIV and hepatitis C virus infection in young injection drug users. *AIDS* 2007;21:1923-1932.

Garfein RS, Swartzendruber A, Ouellet LJ, Kapadia F, Hudson SM, Thiede H, Strathdee SA, Williams IT, Bailey SL, Hagan H, Golub ET, Kerndt P, Hanson DL, Latka MH; for the DUIT Study Team. Methods to recruit and retain a cohort of young-adult injection drug users for the Third Collaborative Injection Drug Users Study/Drug Users Intervention Trial (CIDUS III/DUIT). *Drug and Alcohol Dependence* 2007;91(suppl):S4-S17.

Garland WH, Wohl AR, Valencia R, Witt MD, Squires K, Kovacs A, Larsen R, Potterat N, **Anthony M-N, Hader S, Weidle PJ.** The acceptability of a directly-administered antiretroviral therapy (DAART) intervention among patients in public HIV clinics in Los Angeles, California. *AIDS Care* 2007;19:159-167.

Glynn MK, Lee LM, McKenna MT. The status of national HIV case surveillance, United States 2006. *Public Health Reports* 2007;122(suppl 1):63-71.

Golub ET, Strathdee SA, Bailey SL, Hagan H, Latka MH, Hudson SM, **Garfein RS;** for the DUIT Study Team. Distributive syringe sharing among young adult injection drug users in five U.S. cities. *Drug and Alcohol Dependence* 2007;91(suppl):S30-S38.

Gound M, Forehand R, Long N, **Miller KS,** Armistead L, McNair L. Attitude mismatching: discrepancies in the sexual attitudes of African American mothers and their pre-adolescent children. *AIDS and Behavior* 2007;11(1):113-122.

Hall HI, Byers RH, Ling Q, Espinoza L. Racial/ethnic and age disparities in HIV prevalence and disease progression among men who have sex with men in the United States. *American Journal of Public Health* 2007;97(6):1060-1066.
doi:10.2105/AJPH.2006.087551.

Hall HI, Mokotoff ED; for the Advisory Group for Technical Guidance on HIV/AIDS Surveillance. Setting standards and an evaluation framework for human immunodeficiency virus/acquired immunodeficiency syndrome surveillance. *Journal of Public Health Management and Practice* 2007;13(5):519-523.

Harris NS, Fowler MG, Sansom SL, Ruffo N, Lampe MA. Use of enhanced perinatal human immunodeficiency virus surveillance methods to assess antiretroviral use and perinatal human immunodeficiency virus transmission in the United States, 1999–2001. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S33-S41.

Hart CE, Evans-Strickfaden T. HIV-1 entry inhibitors as microbicides. In: Reeves JD, Derdeyn CA, eds. *Entry Inhibitors in HIV Therapy*. Boston: Birkhäuser Verlag AG; 2007:99-117.

Henny KD, Kidder DP, Stall R, Wolitski RJ. Physical and sexual abuse among homeless and unstably housed adults living with HIV: prevalence and associated risks. *AIDS and Behavior* 2007;11:842-853.

Herbst JH, Beeker C, Mathew A, McNally T, Passin WF, Kay LS, Crepaz N, Lyles CM, Briss P, Chattopadhyay S, Johnson RL, Task Force on Community Preventive Services. The effectiveness of individual-, group-, and community-level HIV behavioral risk-reduction interventions for adult men who have sex with men: a systematic review. *American Journal of Preventive Medicine* 2007;32(4)(suppl 1):S38-S67.

Herbst JH, Jacobs ED, Finlayson TJ, McKleroy VS, Neumann MS, Crepaz N; for the HIV/AIDS Prevention Research Synthesis Team. Estimating HIV prevalence and risk behaviors of transgender persons in the United States: a systematic review [published online ahead of print, August 13, 2007]. *AIDS and Behavior*. doi:10.1007/s10461-007-9299-3.

Herbst JH, Kay LS, Passin WF, Lyles CM, Crepaz N, Marín BV; for the HIV/AIDS Prevention Research Synthesis (PRS) Team. A systematic review and meta-analysis of behavioral interventions to reduce HIV risk behaviors of Hispanics in the United States and Puerto Rico. *AIDS and Behavior* 2007;11(1):25-47.

Hogben M, McNally T, McPheeters M, **Hutchinson AB;** Task Force on Community Preventive Services. The effectiveness of HIV partner counseling and referral services in increasing identification of HIV-positive individuals. *American Journal of Preventive Medicine* 2007;33(suppl 2):S89-S100. doi:10.1016/j.amepre.2007.04.015.

Holtgrave DR, Briddell K, Little E, Valdivia Bendixen A, Hooper M, **Kidder DP, Wolitski RJ,** Harre D, Royal S, Aidala A. Cost and threshold analysis of housing as an HIV prevention intervention. *AIDS and Behavior* 2007;11(suppl 2):S162-S166.

Hooshyar, D, Hanson DL, Wolfe M, **Selik RM,** Buskin SE, **McNaghten AD.** Trends in perimortal conditions and mortality rates among HIV-infected patients. *AIDS* 2007;21:2093-2100.

Hutchinson AB, Begley EB, Sullivan P, Clark HA, Boyett BC, Kellerman SE. Conspiracy beliefs and trust in information about HIV/AIDS among minority men who have sex with men [letter]. *Journal of Acquired Immune Deficiency Syndromes* 2007;45(5):603-605.

Jafa K, Patel P, MacKellar DA, Sullivan PS, Delaney KP, Sides TL, Newman AP, Paul SM, Cadoff EM, Martin EG, Keenan PA, **Branson BM;** for the OraQuick Study Group. Investigation of false positive results with an oral fluid rapid HIV-1/2 antibody test. *PLoS ONE* 2007;2(1):e185.

Jamieson DJ, Clark J, Kourtis AP, **Taylor AW, Lampe MA,** Fowler MG, Mofenson LM. Recommendations for human immunodeficiency virus screening, prophylaxis, and treatment for pregnant women in the United States. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S26-S32.

Jamieson DJ, Cohen MH, Maupin R, Nesheim S, **Danner SP, Lampe MA**, O'Sullivan MJ, Webber MP, **Wiener J**, Carter RJ, Rivero Y, **Fowler MG, Bulterys M**. Rapid human immunodeficiency virus-1 testing on labor and delivery in 17 US hospitals: the MIRIAD experience. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S72-S82.

Jamieson DJ, Read JS, Kourtis AP, **Durant TM, Lampe MA, Dominguez KL**. Cesarean delivery for HIV-infected women: recommendations and controversies. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S96-S100.

Jemmott JB III, Heeren GA, Ngwane Z, Hewitt N, Jemmott LS, Shell R, **O'Leary A**. Theory of planned behaviour predictors of intention to use condoms among Xhosa adolescents in South Africa. *AIDS Care* 2007;19(5):677-684.

Jemmott LS, Jemmott JB III, **O'Leary A**. Effects on sexual risk behavior and STD rate of brief HIV/STD prevention interventions for African American women in primary care settings. *American Journal of Public Health* 2007;97(6):1034-1040.

Johnson JA, Li J-F, Wei X, Lipscomb J, Bennett D, **Brant A, Cong M**, Spira T, Shafer RW, **Heneine W**. Simple PCR assays improve the sensitivity of HIV-1 subtype B drug resistance testing and allow linking of resistance mutations. *PLoS ONE* 2007;(7):e638. <http://www.plosone.org>.

Kacanek D, Eldridge GD, Nealey-Moore J, **MacGowan R**, Binson D, Flanigan TR, Fitzgerald CC, Sosman JM; and the Project START Study Group. Young incarcerated men's perceptions of and experiences with HIV testing. *American Journal of Public Health* 2007;97(7):1209-1215.

Kapadia F, Latka MH, Hudson SM, Golub ET, Campbell JV, Bailey S, Frye V, **Garfein RS**; for the CIDUS III/DUIT Team. Correlates of consistent condom use with main partners by partnership patterns among young adult male injection drug users from five US cities [published online ahead of print]. *Drug and Alcohol Dependence*. In press.

Kapogiannis BG, Soe MM, Nesheim SR, Sullivan K, Abrams E, Farley J, Palumbo P, Koenig LJ, **Bulterys, M**. Trends in bacteremia in the pre- and post-HAART era among HIV-infected children in the U.S. Perinatal AIDS Collaborative Transmission Study (1986-2004). *Pediatrics*. In press.

Kidder DP, Wolitski RJ, Campsmith ML, Nakamura GV. Health status, health care use, and medication adherence among homeless and housed people living with HIV/AIDS. *American Journal of Public Health* 2007;97(12):2238-2245.

Kidder DP, Wolitski RJ, Royal S, Aidala A, **Courtenay-Quirk C**, Holtgrave DR, Harre D, Sumartojo E, Stall R; for the Housing and Health Study Team. Access to housing as a structural intervention for homeless and unstably housed people living with HIV: rationale, methods, and implementation of the Housing and Health Study. *AIDS and Behavior* 2007;11(suppl 2):S149-S161.

Kilbourne AM, **Neumann MS**, Pincus HA, Bauer MS, Stall R. Implementing evidence-based interventions in health care: application of the Replicating Effective Programs model. *Implementation Science*. In press.

Kim AA, Wanjiku L, Macharia DK, Wangai M, Isavwa A, Abdi H, Marston BJ, Ilako F, Kjaer M, Chebet K, De Cock KM, **Weidle PJ**. Adverse events in HIV-infected persons receiving antiretroviral drug regimens in a large urban slum in Nairobi, Kenya, 2003–2005. *Journal of the International Association of Physicians in AIDS Care* 2007;6(3):206-209.

Kleinschmidt I, Rees H, Delany S, **Smith D**, Dinat N, Nkala B, McIntyre JA. Injectable progestin contraceptive use and risk of HIV infection in a South African family planning cohort. *Contraception* 2007;75(6):461-467.

Knight KR, Shade SB, **Purcell DW**, Dawson Rose C, Metsch LR, Latka MH, Latkin CA, Gómez CA; for the INSPIRE Study Team. Sexual transmission risk behavior reported among behaviorally bisexual HIV-positive injection drug-using men. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S80-S87.

Knowlton AR, Arnsten JH, Gourevitch MN, Eldred L, Wilkinson JD, Dawson Rose C, Buchanan A, **Purcell DW**; for the INSPIRE Study Team. Microsocial environmental influences on highly active antiretroviral therapy outcomes among active injection drug users. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S110-S119.

Koenig LJ, Espinoza L, Hodge K, Ruffo N. Young, seropositive, and pregnant: epidemiologic and psychosocial perspectives on pregnant adolescents with human immunodeficiency virus infection. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S123-S131.

Kourtis AP, Jamieson DJ, de Vincenzi I, **Taylor A, Thigpen MC**, Dao H, Farley T, Fowler MG. Prevention of human immunodeficiency virus-1 transmission to the infant through breastfeeding: new developments. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S113-S122.

Lam WKK, Cance JD, **Eke AN**, Fishbein DH, Hawkins SR, Williams C. Children of African-American mothers who use crack cocaine: parenting influences on youth substance use. *Journal of Pediatric Psychology* 2007;32(8):877-887.

Lansky A, Abdul-Quader AS, Cribbin M, Hall T, Finlayson TJ, Garfein RS, Lin LS, Sullivan PS. Developing an HIV behavioral surveillance system for injecting drug users: the National HIV Behavioral Surveillance System. *Public Health Reports* 2007;122(suppl 1):48-55.

Lansky A, Drake A, DiNenno E, Lee C-W. HIV behavioral surveillance among the U.S. general population. *Public Health Reports* 2007;122(suppl 1):24-31.

Lansky A, Sullivan PS, Gallagher KM, Fleming PL. HIV behavioral surveillance in the U.S.: a conceptual framework. *Public Health Reports* 2007;122(suppl 1):16-23.

Latka MH, **Mizuno Y**, Wu YF, Tobin KE, Metsch LR, Frye V, Gómez CA, Arnsten JH; for the INSPIRE Study Team. Are feelings of responsibility to limit the sexual transmission of HIV associated with safer sex among HIV-positive injection drug users? *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S88-S95.

Lee LM, McKenna MT. Monitoring the incidence of HIV infection in the United States. *Public Health Reports* 2007;122(suppl 1):72-79.

Liechty CA, Solberg P, Were W, Ekwaru JP, Ransom RL, **Weidle PJ**, Downing R, Coutinho A, Mermin J. Asymptomatic serum cryptococcal antigenemia and early mortality during antiretroviral therapy in rural Uganda. *Tropical Medicine and International Health* 2007;12(8):1-7.

Liégeois F, Lafay B, **Switzer WM**, Locatelli S, Mpoudi-Ngolé E, Loul S, **Heneine W**, Delaporte E, Peeters M. Identification and molecular characterization of new STLV-1 and STLV-3 strains in wild-caught nonhuman primates in Cameroon. *Virology*. In press.

Limpakarnjanarat K, **Linkins RW**, Emerson E, Aldis WL, Jiraphongsa C, Ungchusak K. Long-term capacity-building in public health emergency preparedness in Thailand—short report. *Asia-Pacific Journal of Public Health* 2007;19(special issue):13-17.

Lucas GM, Mullen BA, McCaul ME, **Weidle PJ, Hader S**, Moore RD. Adherence, drug user, and treatment failure in a methadone-clinic-based program of directly administered antiretroviral therapy. *AIDS Patient Care and STDs* 2007;21(8):564-574.

Lyles CM, Kay LS, Crepaz N, Herbst JH, Passin WF, Kim AS, Rama SM, Thadiparthi S, DeLuca JB, Mullins MM. Best-evidence interventions: findings from a systematic review of HIV behavioral interventions for US populations at high risk, 2000–2004. *American Journal of Public Health* 2007;97:133-143.

Lyss SB, Branson BM, Kroc KA, Couture EF, **Newman DR**, Weinstein RA. Detecting unsuspected HIV infection with a rapid whole-blood HIV test in an urban emergency department. *Journal of Acquired Immune Deficiency Syndromes* 2007;44(4):435-442.

MacGowan R, Margolis A, Richardson-Moore A, Wang T, Lalota M, French T, Stodola J, McKeever J, Carrel J, Mullins J, Llanas M, Griffiths SD; for the Rapid Testing in Corrections (RTIC) Team. Voluntary rapid human immunodeficiency virus (HIV) testing in jails [published online ahead of print August 23, 2007]. *Sexually Transmitted Diseases* 2007;34(11). doi:10.1097/OLQ.0b013e318148b6b1.

MacKellar DA, Gallagher KM, Finlayson T, Sanchez T, Lansky A, Sullivan PS. Surveillance of HIV risk and prevention behaviors of men who have sex with men—a national application of venue-based, time-space sampling. *Public Health Reports* 2007;122(suppl 1):39-47.

MacKellar DA, Valleroy LA, Secura GM, Behel S, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan D, Thiede H, Torian LV; for the Young Men's Survey Study Group. Perceptions of lifetime risk and actual risk for acquiring HIV among young men who have sex with men [Brief Communication]. *AIDS and Behavior* 2007;11(2):263-270.

Manopaiboon C, Kilmarx PH, Supawitkul S, Chaikummao S, Limpakarnjanarat K, Chantarajwong N, Xu F, **van Griensven F, Mastro TD.** HIV communication between husbands and wives: effects on husband HIV testing in northern Thailand. *Southeast Asian Journal of Tropical Medicine and Public Health* 2007;38(2):313-324.

Marston BJ, Macharia DK, Nga'nga L, Wangai M, Liako F, Muhenje O, Kjaer M, Isavwa A, Kim A, Chebet K, DeCock KM, **Weidle PJ.** A program to provide antiretroviral therapy to residents of an urban slum in Nairobi, Kenya. *Journal of International Association of Physicians in AIDS Care* 2007;6(2):106-112.

Masciotra S, Garrido C, Youngpairoj AeS, McNulty A, Zahonero N, Corral A, Heineine W, de Mendoza C, García-Lerma JG. High concordance between HIV-1 drug resistance genotypes generated from plasma and dried blood spots in antiretroviral-experienced patients. *AIDS* 2007;21:2503-2511.

McConnell MS, Bakaki P, **Eure C, Mubiru M, Bagenda D, Downing R, Matovu F, Thigpen MC, Greenberg AE, Fowler MG.** Effectiveness of repeat single-dose nevirapine for prevention of mother-to-child transmission of HIV-1 in repeat pregnancies in Uganda. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(3):291-296.

McConnell MS, Stringer JSA, Kourtis AP, **Weidle PJ.** Use of single-dose nevirapine for the prevention of mother-to-child transmission of HIV-1: does development of resistance matter? *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S56-S63.

McKee LG, Forehand R, **Miller KS, Whitaker DJ, Long N, Armistead L.** Are parental gender role beliefs a predictor of change in sexual communication in a prevention program? *Behavior Modification* 2007;31(4):435-453.

McKenna MT, Hu X. Recent trends in the incidence and morbidity associated with perinatal human immunodeficiency virus infection in the United States. *American Journal of Obstetrics and Gynecology* 2007;197(3)(suppl 1):S10–S16.

McKleroy VS, Gelaude D, Carey JW. Workplace burnout in HIV prevention providers in four African countries [newsletter article]. *The Community Psychologist* 2007;40(1):50-53.

McNaghten AD, Herold JM, Dube HM, St Louis ME. Response rates for providing a blood specimen for HIV testing in a population-based survey of young adults in Zimbabwe. *BMC Public Health* 2007;7:145. doi:10.1186/1471-2458-7-145.

McNaghten AD, Wolfe MI, Onorato I, Nakashima AK, Valdiserri R, Mokotoff E, Romaguera RA, Kroliczak A, Janssen RS, Sullivan PS. Improving the representativeness of behavioral and clinical surveillance for persons with HIV in the United States: the rationale for developing a population-based approach. *PLoS ONE* 2007;(6):e550. <http://www.plosone.org>.

McNulty A, Jennings C, Bennett D, Fitzgibbon J, Bremer JW, Ussery M, Kalish M, Heneine W, García-Lerma JG. Evaluation of dried blood spots for human immunodeficiency virus type 1 drug resistance testing. *Journal of Clinical Microbiology* 2007;45(2):517-521.

Mehta SD, Hall J, **Lyss SB**, Skolnik PR, Pealer LN, Kharash S. Adult and pediatric emergency department sexually transmitted disease and HIV screening: programmatic overview and outcomes. *Academic Emergency Medicine* 2007;14:250-258.

Metsch LR, Pereyra M, **Purcell DW**, Latkin CA, Malow R, Gómez CA, Latka MH; for the INSPIRE Study Team. Correlates of lending needles/syringes among HIV-seropositive injection drug users. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S72-S79.

Miller KS, Fasula AM, Dittus P, Wiegand RE, Wyckoff SC, McNair L. Barriers and facilitators to maternal communication with preadolescents about age-relevant sexual topics [published online ahead of print, November 6, 2007]. *AIDS and Behavior*. doi:10.1007/s10461-007-9324-6.

Millett GA, Ding H, Lauby J, Flores S, Stueve A, Bingham T, Carballo-Diequez A, Murrill C, Liu K-L, Wheeler D, Liao A, Marks G. Circumcision status and HIV infection among black and Latino men who have sex with men in 3 US cities. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(5):643-650.

Millett GA, Flores SA, Peterson JP, Bakeman R. Explaining disparities in HIV infection among black and white men who have sex with men: a meta-analysis of HIV risk behaviors. *AIDS* 2007;21:2083-2091.

Millett GA, Malebranche D, Peterson JL. HIV/AIDS prevention research among black men who have sex with men: current progress and future directions. In: Meyer IH, Northridge ME, eds. *The Health of Sexual Minorities: Public Health Perspectives on Lesbian, Gay, Bisexual and Transgender Populations*. New York, NY: Springer; 2007:539-565.

Millett GA, Peterson JL. The known hidden epidemic. *American Journal of Preventive Medicine* 2007;32(4)(suppl 1):S31-S33.

Mizuno Y, Purcell DW, Latka MH, Metsch LR, Gomez CA, Latkin CA. Beliefs that condoms reduce sexual pleasure—gender differences in correlates among heterosexual HIV-positive injection drug users (IDUs). *Journal of Urban Health* 2007;84(4):523-536.

Mizuno Y, Purcell DW, Mackenzie S, Tobin KE, Wunch T, Arnsten JH, Metsch LR; for the INSPIRE Study Team. Acceptability of A-CASI by HIV-positive IDUs in a multisite, randomized, controlled trial of behavioral intervention (INSPIRE). *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S48-S54.

Muench F, Morgenstern J, Hollander E, Irwin T, **O'Leary A**, Parsons JT, Wainberg ML, Lai B. The consequences of compulsive sexual behavior: the preliminary reliability and validity of the Compulsive Sexual Behavior Consequences Scale. *Sexual Addiction & Compulsivity* 2007;14:207-220.

Nesheim S, Jamieson DJ, **Danner SP**, Maupin R, O'Sullivan MJ, Cohen MH, Webber MP, Dennis R, Bulterys M. Primary human immunodeficiency virus infection during pregnancy detected by repeat testing. *American Journal of Obstetrics & Gynecology* 2007;197:149.e1-149.e5. doi:10.1016/j.ajog.2007.03.030.

Nesheim SR, Kapogiannis BG, Soe MM, Sullivan KM, Abrams E, Farley J, Palumbo P, **Koenig LJ, Bulterys M**. Trends in opportunistic infections in the pre- and post-highly active antiretroviral therapy eras among HIV-infected children in the Perinatal AIDS Collaborative Transmission Study, 1986–2004. *Pediatrics* 2007;120(1):100-109.

Neumann MS, Herbst JH, Guenther-Grey CA. Developing HIV behavioral interventions for men who have sex with men: comparing experiences from the United States and Australia. In: Feldman DA, ed. *AIDS, Culture, and Gay Men*. Gainesville, FL: University Press of Florida. In press.

O'Leary A, Fisher HH, Purcell DW, Spikes PS, Gomez CA. Correlates of risk patterns and race/ethnicity among HIV-positive men who have sex with men. *AIDS and Behavior* 2007;11(5):706-715.

O'Leary A, Kennedy M, Pappas-DeLuca KA, Nkete M, Beck V, Galavotti D. Association between exposure to an HIV story line in *The Bold and the Beautiful* and HIV-related stigma in Botswana. *AIDS Education and Prevention* 2007;19(3):209-217.

O'Leary A, Purcell D, Remien RH, Hancock HE, Spikes P. Characteristics of bisexually active men in the Seropositive Urban Men's Study (SUMS). *AIDS Care* 2007;19(7):940-946.

Painter TM, Diaby KL, Matia DM, Lin LS, Sibailly TS, Kouassi MK, Ekpini ER, Roels TH, Wiktor SZ. Faithfulness to partners: a means to prevent HIV infection, a source of HIV infection risks, or both? a qualitative study of women's experiences in Abidjan, Côte d'Ivoire. *African Journal of AIDS Research* 2007;6(1):25-31.

Pau C-P, Luo W, McDougal JS. Chimeric multiple antigenic peptides for simultaneous detection of specific antibodies to HIV-1 groups M, N, O, and HIV-2. *Journal of Immunological Methods* 2007;318:59-64.

Paxton LA, Hope T, Jaffe HW. Pre-exposure prophylaxis for HIV infection: what if it works [Viewpoint]? *Lancet* 2007;370:89-93.

Purcell DW, Garfein RS, Latka MH, Thiede H, Hudson S, Bonner S, Golub ET, Ouellet LJ; for the DUIT Study Team. Development, description, and acceptability of a small-group, behavioral intervention to prevent HIV and hepatitis C virus infections among young adult injection drug users. *Drug and Alcohol Dependence* 2007;91(suppl 1):S73-S80. doi:10.1016/j.drugalcdep.2007.03.004.

Purcell DW, Latka MH, Metsch LR, Latkin CA, Gómez CA, Mizuno Y, Arnsten JH, Wilkinson JD, Knight KR, Knowlton AR, Santibanez S, Tobin KE, Dawson Rose C, Valverde EE, Gourevitch MN, Eldred L, Borkowf CB; for the INSPIRE Study Team. Results from a randomized controlled trial of a peer-mentoring intervention to reduce HIV transmission and increase access to care and adherence to HIV medications among HIV-seropositive injection drug users. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S35-S47.

Roth S, Monsour M, Dowland A, Guenther PC, Hancock K, Ou C-Y, Dezzutti CS. Effect of topical microbicides on infectious human immunodeficiency virus type 1 binding to epithelial cells. *Antimicrobial Agents and Chemotherapy* 2007;51(6):1972-1978.

Russell TV, **Do AN, Setik E, Sullivan PS, Rayle VD, Fridlund CA, Quan VM, Voetsch AC, Fleming PL.** Sexual risk behaviors for HIV/AIDS in Chuuk State, Micronesia: the case for HIV prevention in vulnerable remote populations. *PLoS ONE* 2007;2(12):e1283. doi:10.1371/journal.pone.0001283.

Sansom SL, Harris NS, Sadek R, Lampe MA, Ruffo NM, Fowler, MG. Toward elimination of perinatal human immunodeficiency virus transmission in the United States: effectiveness of funded prevention programs, 1999-2001. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S90-S95.

Schulte J, Dominguez K, Sukalac T, Bohannon B, Fowler MG; for the Pediatric Spectrum of HIV Disease Consortium. Declines in low birth weight and preterm birth among infants who were born to HIV-infected women during an era of increased use of maternal antiretroviral drugs: Pediatric Spectrum of HIV Disease, 1989–2004 [published online ahead of print, March 12, 2007]. *Pediatrics* 2007;119(4):e900-906. doi:10.1542/peds.2006-1123.

Schwarzc S, Scheer S, McFarland W, Katz M, **Valleroy L**, Chen S, Catania J. Prevalence of HIV infection and predictors of high-transmission sexual risk behaviors among men who have sex with men. *American Journal of Public Health* 2007;97(6):1067-1075.

Schwarzc S, Spindler H, Scheer S, **Valleroy L, Lansky A.** Assessing representativeness of sampling methods for reaching men who have sex with men: a direct comparison of results obtained from convenience and probability samples [published online ahead of print]. *AIDS and Behavior*. In press.

Schwarzc S, Weinstock H, Louie B, Kellogg T, Douglas J, LaLota M, **Dickinson G**, Torian L, Wendell D, Paul S, Goza G, Ruiz J, **Boyett B, McCormick L**, Bennett D. Characteristics of persons with recently acquired HIV infection: application of the serologic testing algorithm for recent HIV seroconversion in 20 US cities. *Journal of Acquired Immune Deficiency Syndromes* 2007;44(1):112-115.

Shrestha RK, Sansom SL, Richardson-Moore A, French PT, Scalco B, Lalota M, Llanas M, Stodola J, **MacGowan R, Margolis A.** Costs of voluntary rapid HIV testing and counseling in jails in 4 states—Advancing HIV Prevention demonstration project, 2003–2006. *Sexually Transmitted Diseases* 2007;34(11). doi:10.1097/OLQ.0b013e318148b69f.

Sifakis F, Hylton JB, Flynn C, Solomon L, **MacKellar DA, Valleroy LV,** Celentano DD. Prevalence of HIV infection and prior HIV testing among young men who have sex with men: The Baltimore Young Men's Survey [published online ahead of print]. *AIDS and Behavior*. doi:10.1007/s10461-007-9317-5.

Sifakis F, Hylton JB, Flynn C, Solomon L, **MacKellar DA, Valleroy LV,** Celentano DD. Racial disparities in HIV incidence among young men who have sex with men. *Journal of Acquired Immune Deficiency Syndromes* [published online ahead of print].

Silva A, Glick NR, **Lyss S, Hutchinson AB,** Gift TL, Pealer LN, Broussard D, Whitman S. Implementing an HIV and sexually transmitted disease screening program in an emergency department. *Annals of Emergency Medicine* 2007;49(5):564-572.

Sohler NL, **Fitzpatrick LK,** Lindsay RG, Anastos K, Cunningham CO. Does patient-provider racial/ethnic concordance influence ratings of trust in people with HIV infection? *AIDS and Behavior* 2007;11:884-896.

Song R, Green T, McKenna M, Glynn MK. Using occupancy models to estimate the number of duplicate cases in a data system without unique identifiers. *Journal of Data Science* 2007;5:53-66.

Spindler H, Scheer S, Chen S, Klausner J, Katz M, **Valleroy L**, Schwarcz S. Viagra, methamphetamine, and HIV risk: results from a probability sample of MSM, San Francisco. *Sexually Transmitted Diseases* 2007;34(8):586-591.

Sullivan PS, Denniston M, McNaghten AD, Buskin SE, Broyles ST, Mokotoff ED. Use of a population-based survey to determine incidence of AIDS-defining opportunistic illnesses among HIV-positive persons receiving medical care in the United States. *AIDS Research and Therapy* 2007;4:17. doi:10.1186/1742-6405-4-17.

Sullivan PS, Drake AJ, Sanchez TH. Prevalence of treatment optimism-related risk behavior and associated factors among men who have sex with men in 11 states, 2000–2001. *AIDS and Behavior* 2007;11:123-129.

Sullivan PS, Kilmarx PH, Peterman TA, **Taylor AW, Nakashima AK**, Kamb ML, Warner L, **Mastro TD.** Male circumcision for prevention of HIV transmission: what the new data mean for HIV prevention in the United States [Policy Forum; invited article]. *PLoS Medicine* 2007;4(7):e223. doi:10.1371/journal.pmed.0040223.

Sullivan PS, McKenna MT, Janssen RS. Progress toward implementation of integrated systems for surveillance of HIV infection and morbidity in the United States [editorial]. *Public Health Reports* 2007;122(suppl 1):1-3.

Sullivan PS, McNaghten AD, Begley E, Hutchinson A, Cargill VA. Enrollment of racial/ethnic minorities and women with HIV in clinical research studies of HIV medicines. *Journal of the National Medical Association* 2007;99(3):1-9.

Taylor AW, Ruffo N, Griffith J, Kourtis AP, **Clark J**, Lindsay M, **Green D**, Jamieson DJ. The missing link: documentation of recognized maternal human immunodeficiency virus infection in exposed infant birth records, 24 United States jurisdictions, 1999–2003. *American Journal of Obstetrics & Gynecology* 2007;197(3)(suppl):S132-S136.

Taylor MM, Rotblatt H, **Brooks JT**, Montoya J, Aynalem G, Smith S, Kenney K, Laubacher L, Bustamante T, Kim-Farley R, Fielding J, Bernard B, Daar E, Kerndt PR. Epidemiologic investigation of a cluster of workplace HIV infections in the adult film industry: Los Angeles, California, 2004. *Clinical Infectious Diseases* 2007;44:301-305.

Teshale EH, Hanson DL, Wolfe MI, Brooks JT, Kaplan JE, Bort Z, Sullivan PS; for the Adult and Adolescent Spectrum of HIV Disease Study Group. Reasons for lack of appropriate receipt of primary *Pneumocystis jiroveci* pneumonia prophylaxis among HIV-infected persons receiving treatment in the United States: 1994–2003. *Clinical Infectious Diseases* 2007;44:879-883.

Thapinta D, **Jenkins RA**. Starting from scratch: program development and lessons learned from HIV vaccine trial counseling in Thailand. *Contemporary Clinical Trials* 2007;28:409-422.

Thiede H, Hagan H, Campbell JV, Strathdee SA, Bailey SL, Hudson SM, Kapadia F, **Garfein RS**; for the DUIT Study Team. Prevalence and correlates of indirect sharing practices among young adult injection drug users in five U.S. cities [published online ahead of print]. *Drug and Alcohol Dependence*. doi:1026/j.drugalcdep.2007.003.001.

Toossi Z, Mayanja-Kizza H, **Lawn SD**, Hirsch CS, **Lupo LD**, **Butera ST**. Dynamic variation in the cellular origin of HIV type 1 during treatment of tuberculosis in dually infected subjects. *AIDS Research and Human Retroviruses* 2007;23(1):93-100.

Uy J, Brooks JT, Baker R, Hoffman M, **Moorman A**, Novak R; and the HOPS Investigators. HIV genotypic resistance testing to optimize antiretroviral prescribing: is there room for improvement? *Antiviral Therapy* 2007;12:957-962.

Valverde EE, **Purcell DW**, Waldrop-Valverde D, Malow R, Knowlton AR, Gómez CA, Farrell N, Latka MH; for the INSPIRE Study Team. Correlates of depression among HIV-positive women and men who inject drugs. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S96-S100.

van de Wijgert JHHM, Braunstein SL, Morar NS, Jones HE, Madurai L, **Evans Strickfaden TT**, Moodley M, Aboobaker J, Ndlovu G, Ferguson TM, Friedland BA, **Hart CE**, Ramjee G. Carraguard vaginal gel safety in HIV-positive women and men in South Africa. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(5):538-546.

van Griensven F. Men who have sex with men and their HIV epidemics in Africa [Editorial Comment]. *AIDS* 2007;21:1361-1362.

van Griensven F, Kalichman SC. Design and concepts of the NIMH Collaborative HIV/STD Prevention Trial [introduction to supplement]. *AIDS* 2007;21(suppl 2):S1-S2.

Van Rompay KKA, **Johnson JA**, Blackwood EJ, Singh RP, **Lipscomb J**, Matthews TB, Marthas ML, Pedersen NC, Bischofberger N, **Heneine W**, North TW. Sequential emergence and clinical implications of viral mutants with K70E and K65R mutation in reverse transcriptase during prolonged tenofovir monotherapy in rhesus macaques with chronic RT-SHIV infection. *Retrovirology* April 6, 2007;4:25. doi:10.101186/1742-4690-4-25.

Voetsch AC, **Heffelfinger JD**, **Begley EB**, **Jafa-Bhushan K**, **Sullivan PS**. Knowledge and use of preexposure and postexposure prophylaxis among attendees of Minority Gay Pride events, 2005 through 2006 [letter]. *Journal of Acquired Immune Deficiency Syndromes* 2007;46(3):378-380.

Wattana W, **van Griensven F**, Rhucharoenpornpanich O, Manopaiboon C, Thienkrua W, Bannatham R, Fox K, Mock PA, Tappero JW, Levine WC. Respondent-driven sampling to assess characteristics and estimate the number of injection drug users in Bangkok, Thailand. *Drug and Alcohol Dependence* 2007;90:228-233.

Wilkinson JD, Zhao W, Arnsten JH, Knowlton AR, **Mizuno Y**, Shade SB, Gourevitch MN, **Santibanez S**, Metsch LR; for the INSPIRE Study Team. Longitudinal correlates of health care-seeking behaviors among HIV-seropositive injection drug users: how can we intervene to improve health care utilization? *Journal of Acquired Immune Deficiency Syndromes* 2007;46(suppl 2):S120-S126.

Wolfe ND, **Switzer WM**, **Heneine W**. Emergence of novel retroviruses [chap 8]. In: Scheld WM, Hooper DC, Hughes JM, eds. *Emerging Infections 7*. Washington, DC: ASM Press; 2007:139-152.

Wolitski RJ, **Flores SA**, **O'Leary A**, Bimbi DS, Gómez CA. Beliefs about personal and partner responsibility among HIV-seropositive men who have sex with men: measurement and association with transmission risk behavior. *AIDS and Behavior* 2007;11(5):676-686.

Wolitski RJ, **Kidder DP**, Fenton KA. HIV, homelessness, and public health: critical issues and a call for increased action. *AIDS and Behavior* 2007;11(suppl 2):S167-S171.

Wolitski RJ, **Zhang J**. Understanding and motivating condom use among at-risk and HIV-seropositive persons: a review and demonstration of the applicability of the theories of reasoned action and planned behavior. In: Ajzen I, Albarracín D, Hornik R, eds. *Prediction and Change of Health Behavior: Applying the Reasoned Action Approach*. Mahwah, NJ: Lawrence Erlbaum; 2007:173-196.

Wyckoff SC, **Miller KS**, Forehand R, Bau JJ, **Fasula A**, Long N, Armistead L. Patterns of sexuality communication between preadolescents and their mothers and fathers [published online ahead of print]. *Journal of Child and Family Studies*. doi:10.1007/s10826-007-9179-5.

Xiridou M, **van Griensven F**, Tappero JW, Martin M, Gurwith M, Vanichseni S, Kittikraisak W, Coutinho R, Choopanya K. The spread of HIV-1 subtypes B and CRF01_AE among injecting drug users in Bangkok, Thailand. *Journal of Acquired Immune Deficiency Syndromes* 2007;45(4):468-475.

Young B, **Buchacz K**, Baker RK, **Moorman A**, Chmiel JS, Wood KS, **Brooks JT**. Renal function in tenofovir-exposed and tenofovir-unexposed patients receiving highly active antiretroviral therapy in the HIV Outpatient Study. *Journal of the International Association of Physicians in AIDS Care* 2007;6(3):178-187.