

Content updated 25 August 2008

**Division of HIV/AIDS Prevention
Publications
2008**

Names in bold are those of staff or full-time on-site contractors in DHAP whose published affiliation includes (at a minimum) CDC (preferably, the published affiliation of a staff member or a contractor specifies the Divisions of HIV/AIDS Prevention). That is, if a contractor's published affiliation is only the name of the contracting company, that contractor's name is not bolded on this list.

Amon JJ, **Garfein RS**, **Ahdieh-Grant L**, Armstrong GL, Ouellet LJ, Latka MH, Vlahov D, Strathdee SA, Hudson SM, Kerndt P, Des Jarlais D, Williams IT. Prevalence of hepatitis C virus infection among injection drug users in the United States, 1994–2004. *Clinical Infectious Diseases* 2008;46:1852-1858. doi:10.1086/588297.

Bing EG, Bingham T, **Millett GA**. Research needed to more effectively combat HIV among African-American men who have sex with men. *Journal of the National Medical Association* 2008;100(1):52-56.

Buchacz K, Klausner JD, Kerndt PR, Shouse LR, **Onorato I**, **McElroy PD**, Schwendemann J, Tambe PB, Allen M, Coye F, Kent CK, Park, MN, Hawkins K, Samoff E, **Brooks JT**. HIV incidence among men diagnosed with early syphilis in Atlanta, San Francisco, and Los Angeles, 2004 to 2005. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(2):234-240.

Buchacz K, **Weidle PJ**, Moore D, Were W, Mermin J, Downing R, Kigozi A, **Borkowf CB**, Ndazima V, **Brooks JT**. Changes in lipid profile over 24 months among adults on first-line HAART in the Home-Based AIDS Care (HBAC) Program in rural Uganda. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(3):304-311.

Carey JW, **Gelaude D**. Systematic methods for collecting and analyzing multidisciplinary team-based qualitative data. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:227-274.

Centers for Disease Control and Prevention [**Branson B**]. False-positive oral fluid rapid HIV tests—New York City, 2005–2008. *MMWR* 2008;57(24):660-665.

Centers for Disease Control and Prevention [**Grohskopf LA**]. Recommendations for postexposure interventions to prevent infection with hepatitis B virus, hepatitis C virus, or human immunodeficiency virus, and tetanus in persons wounded during bombings and similar mass-casualty events—United States, 2008. *MMWR* 2008;57(RR-6):1-21.

Centers for Disease Control and Prevention [**Mitsch A, Hu X, Harrison K McD, Durant T**]. Trends in HIV/AIDS diagnoses among men who have sex with men—33 states, 2001–2006. *MMWR* 2008;57(25):681-686.

Courtenay-Quirk C, Pals SL, Kidder DP, Henny K, Emshoff JG. Factors associated with incarceration history among HIV-positive persons experiencing homelessness or imminent risk of homelessness [published online ahead of print]. *Journal of Community Health* 2008. doi:10.1007/s10900-008-9115-7.

Craw JA, **Gardner LI, Marks G, Rapp RC, Bosshart J, Duffus WA, Rossman A, Coughlin SL, Gruber D, Safford LA, Overton J, Schmitt K**. Brief strengths-based case management promotes entry into HIV medical care: results of the Antiretroviral Access Study–II. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(5):597-606.

Crepaz N, Passin WF, Herbst JH, Rama SM, Malow RM, Purcell DW, Wolitski R; and the HIV/AIDS Prevention Research Synthesis (PRS) Team. Meta-analysis of cognitive-behavioral interventions on HIV-positive persons' mental health and immune functioning. *Health Psychology* 2008;27(1):4-14.

Curtis KA, Rudolph DL, Owen SM. Rapid detection of HIV-1 by reverse-transcription, loop-mediated isothermal amplification (RT-LAMP). *Journal of Virological Methods* 2008;151:264-270.

DeLuca JB, Mullins MM, Lyles CM, Crepaz N, Kay L, Thadiparthi S. Developing a comprehensive search strategy for evidence based systematic reviews. *Evidence Based Library and Information Practice* 2008;3(1).

Fichorova RN, Richardson-Harman N, Alfano M, Belec L, Carbone C, Chen S, Cosentino L, **Curtis K, Dezzutti CS, Donoval E, Hayes M, Harold B, Hillier S, Lackman-Smith C, anday A, Margolis L, Mayer KH, Pasicznky J-M, Pallansch-Cokonis M, Poli G, Reicheiderfer P, Roberts P, Rodriguez, Saidi H, Sassi RR, Shattock R, Cummins JE Jr**. Biological and technical variables affecting immunoassay recovery of cytokines from human serum and simulated vaginal fluid: a multicenter study. *Analytical Chemistry* 2008;80(12):4741-4751.

Flys TS, **McConnell MS, Matovu F, Church JD, Bagenda D, Khaki L, Bakaki P, Thigpen MC, Eure C, Fowler MG, Eshleman SH**. Nevirapine resistance in women and infants after first versus repeated use of single-dose nevirapine for prevention of HIV-1 vertical transmission. *Journal of Infectious Diseases* 2008;198. doi:10.1086590160.

Gardner LI, Marks G, O'Daniels CM, Wilson TE, Golin C, Wright J, Quinlivan EB, Bradley-Springer L, Thompson M, Raffanti S, Thrun M. Implementation and evaluation of a clinic-based behavioral intervention: positive steps for patients with HIV [published online ahead of print]. *AIDS Patient Care and STDs* 2008;22(8). doi:10.1089/apc.2007.0210.

Herbst JH, Jacobs ED, Finlayson TJ, McKleroy VS, Neumann MS, Crepaz N; for the HIV/AIDS Prevention Research Synthesis Team. Estimating HIV prevalence and risk behaviors of transgender persons in the United States: a systematic review. *AIDS and Behavior* 2008;12(1):1-17. doi:10.1007/s10461-007-9299-3.

Hirshfield S, **Wolitski RJ**, Chiasson MA, Remien RH, Humberstone M, Wong T. Screening for depressive symptoms in an online sample of men who have sex with men—United States and Canada. *AIDS Care*. In press.

Jemmott LS, Jemmott JB III, Hutchinson MK, **O’Leary A**. Translating research into practice: STI-HIV risk-reduction interventions in clinical practice settings. *Journal of OB/GYN Nursing*. In press.

Kapogiannis BG, Soe MM, Nesheim SR, Sullivan KM, Abrams E, Farley J, Palumbo P, **Koenig LJ, Bulterys M**. Trends in bacteremia in the pre- and post-highly active antiretroviral therapy era among HIV-infected children in the US Perinatal AIDS Collaborative Transmission Study (1986–2004). *Pediatrics* 2008;121(5):e1229-e1239. doi:10.1542/peds.2007-0871.

Karon KM, **Song R**, Brookmeyer R, Kaplan E, **Hall HI**. Estimating HIV incidence from HIV/AIDS surveillance data and biomarker HIV test results. *Statistics in Medicine*. In press.

Koenig LJ, Pals SL, Bush TJ, Palmore, M, **Stratford D**, Ellerbrock TV. Randomized controlled trial of an intervention to prevent adherence failure among HIV-infected patients initiating antiretroviral therapy. *Health Psychology* 2008;27(2):159-169.

Koenig LJ, Purcell DW. Update on HIV for mental health practitioners [invited newsletter article]. *National Psychologist* March/April 2008;17(2).

Lichtenstein KA, Armon C, **Buchacz K**, Chmiel JS, **Moorman AC**, Wood KC, **Holmberg SD, Brooks JT**; and the HIV Outpatient Study (HOPS) Investigators. Initiation of antiretroviral therapy at CD4 cell counts ≥ 350 cells/mm³ does not increase incidence or risk of peripheral neuropathy, anemia, or renal insufficiency. *Journal of Acquired Immune Deficiency Syndromes* 2008;47(1):27-35.

Liu S, Worobey M, Li Y, Keele BF, Bibollet-Ruche F, Guo Y, Goepfert PA, Santiago ML, Ndjango J-B N, Neel C, Clifford SL, Sanz C, Kamenya S, Wilson ML, Pusey AE, Gross-Camp N, Boesch C, Smith V, Zamma K, Huffman MA, Mitani JC, Watts DP, Peeters M, Shaw GM, **Switzer WM**, Sharp PM, Hahn BH. Molecular ecology and natural history of simian foamy virus infection in wild-living chimpanzees. *PLoS Pathogens* 2008;4(7):E1000097.

MacQueen KM, **McLellan-Lemal E**, **Bartholow K**, Milstein B. Team-based codebook development: structure, process, and agreement. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:119-136.

Marhefka SL, **Koenig LJ**, Allison S, Bachanas P, **Bulterys M**, Bettica L, Tepper VJ, Abrams EJ. Family experiences with pediatric antiretroviral therapy: responsibilities, barriers, and strategies for remembering medications [published online ahead of print]. *AIDS Patient Care and STDs* 2008;22(8). doi:10.1089/apc.2007.0110.

Marks SM, Murrill C, **Sanchez T**, **Finlayson T**, Gullin V. Self-reported tuberculosis disease and tuberculin skin testing in the New York City house ballroom community. *American Journal of Public Health* 2008;98(6):1068-1073. doi:10.2105/AJPH.2006.096123.

McLellan-Lemal E. Qualitative data management. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:165-188.

McLellan-Lemal E. Transcribing data for team-based research. In: Guest G, MacQueen KM, eds. *Handbook for Team-Based Qualitative Research*. Lanham, MD: AltaMira Press; 2008:101-118.

McNicholl JM, Jensen PE, Boss JM. HLA class II and related genes. In: Kaslow RA, **McNicholl JM**, Hill, AVS, eds. *Genetic Susceptibility to Infectious Disease*. New York, NY: Oxford University Press; 2008.

Mejia R, **Jenkins RA**, **Carey JW**, Amaro H, Morrill AC, Krech L, Logan JA, Cranston K. Longitudinal observation of an HIV prevention community planning group (CPG) [published online ahead of print February 26, 2008]. *Health Promotion Practice*. doi:10.1177/1524839907311048.

Moraes MO, **McNicholl JM**, Huizinga JW, Ottenhoff THM. Cytokine genes I (IL10, IL6, IL4 and the IL1 family). In: Kaslow RA, **McNicholl JM**, Hill AVS, eds. *Genetic Susceptibility to Infectious Disease*. New York, NY: Oxford University Press; 2008.

Murphy HW, **Switzer WM**. Occupational exposure to zoonotic simian retroviruses: health and safety implications for persons working with nonhuman primates. In: Fowler ME, ed. *Zoo and Wild Animal Medicine*. Vol. 6. Philadelphia, PA: WB Saunders; 2008.

Murrill CS, Liu K-I, Gullin V, Colón ER, Dean L, Buckley LA, **Sanchez T**, **Finlayson TJ**, Torian LV. HIV prevalence and associated risk behaviors in New York City's house ball community. *American Journal of Public Health* 2008;98(6):1074-1080. doi:10.2105/AJPH.2006.108936.

O'Leary A, Jemmott L, Jemmott JB. Mediation analysis of an effective sexual risk-reduction intervention for women: the importance of self-efficacy. *Health Psychology* 2008;27(2)(suppl 1):S180-S184.

Painter TM. Connecting the dots: when the risks of HIV/STD infection appear high but the burden of infection is not known—the case of male Latino migrants in the southern United States. *AIDS and Behavior* 2008;12(2):213-226.

Patel P, Hanson DL, Sullivan PS, Novak RM, Moorman AC, Tong TC, Holmberg SD, Brooks JT; for the Adult and Adolescent Spectrum of Disease Project and HIV Outpatient Study Investigators. *Annals of Internal Medicine* 2008;148(10):728-736.

Peters PJ, Kilmarx PH, Mastro TD. AIDS: global epidemiology. In: Mahy BWJ, Regenmortel MHV, eds. *Encyclopedia of Virology*. 3rd ed. Vol. 1. Oxford: Elsevier; 2008:58-68.

Promadej-Lanier N, Srinivasan P, Curtis K, Adams DR, Kim C, Luo W, Jia H, Subbarao S, Otten RA, Butera S. Systemic and mucosal immunological responses during repeated mucosal SHIV_{162P3} challenges prior to and following infection in pigtailed macaques [published online ahead of print, March 2008]. *Virology*. doi:10.1016/j.virol.2008.01.040.

Purcell DW, Patterson JD, Spikes PS. Childhood sexual abuse experienced by gay and bisexual men: understanding the disparities and interventions to help eliminate them. In **Wolitski RJ, Stall R, Valdiserri RO,** eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008:72-96.

Rose MA, Sharpe TT, Raleigh K, Reid L, Foley M, Cleveland J. An HIV/AIDS crisis among African American women: a summary for prevention and care in the 21st century. *Journal of Women's Health* 2008;17(3):321-324.

Sansom SL, Anthony MN, Garland WH, Squires KE, Witt MD, Kovacs AA, Larsen RA, Valencia R, Pals SL, Hader S, Weidle PJ, Wohl AR. The costs of HIV antiretroviral therapy adherence programs and impact on health care utilization. *AIDS Patient Care and STDs* 2008;22(2):131-138. doi:10.1089/apc.2006.0216.

Schroeder HW, **McNicholl JM.** Immune deficiency disorders. In: Kaslow RA, **McNicholl JM, Hill AVS,** eds. *Genetic Susceptibility to Infectious Disease*. New York, NY: Oxford University Press; 2008.

Stall R, Valdiserri RO, Wolitski RJ. Moving the field forward: a strategic framework to develop health research among MSM communities. In Wolitski RJ, Stall R, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008:379-388.

Stratford D, Mizuno Y, Williams K, Courtenay-Quirk C, O'Leary A. Addressing poverty as risk for disease: recommendations from CDC's consultation on microenterprise as HIV prevention. *Public Health Reports* 2008 Jan-Feb;123:9-20.

Sullivan PS, Hanson DL, Brooks JT. Impact on hemoglobin of starting combination antiretroviral therapy with or without zidovudine in anemic HIV-infected patients. *Journal of Acquired Immune Deficiency Syndromes* 2008;48(2):163-168.

Sullivan PS, Wolitski RJ. HIV infection among gay and bisexual men. In Wolitski RJ, Stall R, Valdiserri, RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York: Oxford University Press; 2008:220-247.

Thiede H, Jenkins RA, **Carey JW**, Hutcheson R, Thomas KK, Stall RD, White E, Allen I, **Mejia R**, Golden MR. Determinants of recent HIV infection among Seattle-area men who have sex with men [published online ahead of print May 29, 2008]. *American Journal of Public Health* 2008;98(6). doi:10.2105/AJPH.2006.098582.

van Griensven F, Sanders EJ. Understanding HIV risks among men who have sex with men [editorial]. *Sexually Transmitted Diseases* 2008;35(4):355-356.

Vlahov D, Wang C, Ompad D, Fuller CM, Caceres W, Ouellet L, Kerndt P, Des Jarlais DC, **Garfein RS.** Mortality risk among recent-onset injection drug users in five U.S. cities. *Substance Use & Misuse* 2008;43:413-428. doi:10.1080/10826080701203013.

Weinbaum CM, Lyerla R, **MacKellar DA, Valleroy LA, Secura GM, Behel SK**, Bingham T, Celentano DD, Koblin BA, LaLota M, Shehan DA, Thiede H, Torian LV; for the Young Men's Survey Study Group. The Young Men's Survey phase II: hepatitis B immunization and infection among young men who have sex with men. *American Journal of Public Health* 2008;98(5):839-845. doi:10.21050/AJPH.2006.101915.

Wesolowski LG, MacKellar DA, Ethridge SF, Zhu JH, Owen M, Sullivan PS; for the Post Marketing Surveillance Team. Repeat confirmatory testing for persons with discordant whole blood and oral fluid rapid HIV test results: findings from post marketing surveillance. *PLoS ONE* 2008;3(2):e1524. doi:10.1371/journal.pone.0001524.

Whitehead SJ, Leelawiwat W, Jeeyapant S, Chaikummao S, Papp J, Kilmarx PH, Markowitz LE, Tappero JW, Chaowanachan T, Uthavoravit W, **van Griensven F.** Increase in sexual risk behavior and prevalence of *Chlamydia trachomatis* among adolescents in northern Thailand [to be published online ahead of print]. *Sexually Transmitted Diseases* 2008;35(12). [only the abstract had been posted as of 8-25-08]

Wolitski RJ, Stall RD, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York, NY: Oxford University Press; 2008.

Wolitski RJ, Valdiserri RO, Stall R. Health disparities affecting gay, bisexual, and other men who have sex with men: an introduction. In: Wolitski RJ, Stall R, Valdiserri RO, eds. *Unequal Opportunity: Health Disparities Affecting Gay and Bisexual Men in the United States*. New York, NY: Oxford University Press; 2008:3-32.