



Drawing #: DD301300
 Style: N9
 Dimensions: 7-5/8" x 3" x 2-13/16" x 2-31/32" x 3-1/4"

- 1/16 INCH QUIET ZONE REQUIRED ON ALL SIDES OF COMMODITY NUMBER. COMMODITY NUMBERS TO BE 8 POINT FUTURA REGULAR.
- UNVARNISHED AND COPY FREE LOCATION FOR PRINTING LOT, EXP. AND MFG. DATE, ETC. IN THE PLANT. AREAS MUST BE A MINIMUM OF 1-1/2 X 1/2 INCH.
- LOCATION FOR PRINTING BAR CODE (WHEN PRESENT ON ARTWORK). WHEN SPACE ALLOWS, BAR CODE TO INCLUDE 1/4 QUIET ZONE ON EACH END. USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.
- AREA FOR TAMPER EVIDENT TAPE/LABEL, IF SPECIFIED ON M.P.S. ARE TO BE UNVARNISHED AND COPY FREE. AREA MAY BE USED FOR COPY WHEN TAMPER EVIDENT TAPE/LABEL IS NOT SPECIFIED.
- LOCATION FOR COMMODITY BAR CODE. APPROXIMATELY CENTERED ON MINOR FLAP. ENCODE THE SIX (6) DIGIT COMMODITY NUMBER (WITHOUT THE HYPHEN). INCLUDE 1/4 INCH QUIET ZONE ON EACH END. USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.



30 mL (150 mg) 10 Single Dose Vials
PRESERVATIVE-FREE
Marcaine® 0.5%
 with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine injection, USP
 for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
 Not for spinal anesthesia
 Warning: Contains Sulfites

30 mL (150 mg) 10 Single Dose Vials
PRESERVATIVE-FREE
Marcaine® 0.5%
 with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine injection, USP
 for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
 Not for spinal anesthesia
 Warning: Contains Sulfites

30 mL (150 mg) 10 Single Dose Vials
PRESERVATIVE-FREE
Marcaine® 0.5%
 with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine injection, USP
 for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
 Not for spinal anesthesia
 Warning: Contains Sulfites

30 mL (150 mg) 10 Single Dose Vials
PRESERVATIVE-FREE
Marcaine® 0.5%
 with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine injection, USP
 for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
 Not for spinal anesthesia
 Warning: Contains Sulfites

Contains epinephrine – do not autoclave.
 Discard unused portion after initial use.
 Each mL contains 5 mg bupivacaine HCl and 0.0091 mg epinephrine bitartrate, with 0.5 mg sodium metabisulfite, 0.001 mL monoethanolglycerol, and 2 mg ascorbic acid as antioxidants, 0.0017 mL 60% sodium lactate buffer, 0.1 mg edetate calcium disodium as stabilizer, and NaCl to make isotonic, in Water for Injection. pH adjusted with NaOH or HCl.
 Usual dosage: See package insert.
 Protect from light. Do not use the solution if its color is pinkish or darker than slightly yellow or if it contains a precipitate. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.]

©Hospira 2005
 Hospira, Inc., Lake Forest, IL 60045 USA

Printed in USA

Packaging Graphics Art List 1749 Editor _____ Commodity TEST 6 Date _____ CR _____ Artist _____	Label Control 095N, Approval Approved By _____ Date _____ *Not Valid Unless Final Proofs Carry 095N Approval Signature	Color PMS Black PMS 199 PMS 347 BWR 2 MIL	All templates pre-measured and verified against engineering drawing. Approved by Studio and Label Control. Official sign-off on file in Dept. 046E, Hospira Studio. All associated SOPs are exempt during the trial period.
---	--	---	---

Packaging Graphics Art

List 1746 Editor
Commodity TEST 1 Date
CR Artist


Label Control 0-95N, Approval
Approved By
Date
*Not Valid Unless Final Proofs Carry 0-95N Approval Signature

Color PMS Black, PMS 199, PMS Process Blue
BWR 2 MIL

All templates pre-measured and verified against engineering drawing.
Approved by Studio and Label Control. Official sign-off on file in Dept. 046E, Hospira Studio.
All associated SOPs are exempt during the trial period.

Drawing #: DD301300
Style: N7
Dimensions: 5-5/8" x 2-1/4" x 2-3/16" x 2-7/32" x 3-1/4"

- 2. 1/16 INCH QUIET ZONE REQUIRED ON ALL SIDES OF COMMODITY NUMBER. COMMODITY NUMBERS TO BE 8 POINT FUTURA REGULAR.
3. UNVARNISHED AND COPY FREE LOCATION FOR PRINTING LOT, EXP. AND MFG. DATE, ETC. IN THE PLANT. AREAS MUST BE A MINIMUM OF 1-1/2 X 1/2 INCH.
4. LOCATION FOR PRINTING BAR CODE (WHEN PRESENT ON ARTWORK). WHEN SPACE ALLOWS, BAR CODE TO: INCLUDE 1/4 QUIET ZONE ON EACH END. USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.
6. AREA FOR TAMPER EVIDENT TAPE/LABEL, IF SPECIFIED ON M.P.S. ARE TO BE UNVARNISHED AND COPY FREE. AREA MAY BE USED FOR COPY WHEN TAMPER EVIDENT TAPE/LABEL IS NOT SPECIFIED.
7. LOCATION FOR COMMODITY BAR CODE. APPROXIMATELY CENTERED ON MINOR FLAP. ENCODE THE SIX (6) DIGIT COMMODITY NUMBER (WITHOUT THE HYPHEN). INCLUDE 1/4 INCH QUIET ZONE ON EACH END, USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.



See Note 6
Warning: Contains Sulfites
Not for spinal anesthesia
for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
B only
with epinephrine 1:200,000 (as bitartrate)
PRESERVATIVE-FREE
10 mL (25 mg) 10 Single Dose Vials
NDC 0409-1746-10 M-632
Hospira


Contains epinephrine – do not autoclave. Discard unused portion after initial use.
Each mL contains 2.5 mg bupivacaine HCl and 0.0091 mg epinephrine bitartrate, with 0.5 mg sodium metabisulfite, 0.001 mL monothioglycerol, and 2 mg ascorbic acid as antioxidants, 0.0017 mL 60% sodium lactate buffer, 0.1 mg edetate calcium disodium as stabilizer, and NaCl to make isotonic, in Water for Injection. pH adjusted with NaOH or HCl.
Usual dosage: See insert. Protect from light. Do not use the solution if its color is pinkish or darker than slightly yellow or if it contains a precipitate. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.]
©Hospira 2005 Printed in USA
Hospira, Inc., Lake Forest, IL 60045 USA

10 mL (25 mg) 10 Single Dose Vials
PRESERVATIVE-FREE
NDC 0409-1746-10 M-632
Marcaine 0.25%
with epinephrine 1:200,000 (as bitartrate)
bupivacaine hydrochloride and epinephrine injection, USP
for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
Not for spinal anesthesia
Warning: Contains Sulfites
Hospira

10 mL (25 mg) 10 Single Dose Vials
PRESERVATIVE-FREE
NDC 0409-1746-10 M-632
Marcaine 0.25%
with epinephrine 1:200,000 (as bitartrate)
bupivacaine hydrochloride and epinephrine injection, USP
for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
Not for spinal anesthesia
Warning: Contains Sulfites
Hospira

10 mL (25 mg) 10 Single Dose Vials
PRESERVATIVE-FREE
NDC 0409-1746-10 M-632
Marcaine 0.25%
with epinephrine 1:200,000 (as bitartrate)
bupivacaine hydrochloride and epinephrine injection, USP
for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
Not for spinal anesthesia
Warning: Contains Sulfites
Hospira





Copy Direction -->

See Note 6

Warning: Contains Sulfites

Not for spinal anesthesia

for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA

bupivacaine hydrochloride and epinephrine injection, USP

Rx only

Marcaine® 0.25%

with epinephrine 1:200,000 (as bitartrate)

PRESERVATIVE-FREE

30 mL (75 mg) 10 Single Dose Vials

NDC 0409-1746-30 M-633

Hospira

See Note 3

TEST 2 (10/05)

(01) 1 030409 174630 2

See Note 4

↑

©Hospira 2005 Printed in USA
Hospira, Inc., Lake Forest, IL 60045 USA

NDC 0409-1746-30 M-633

30 mL (75 mg)

PRESERVATIVE-FREE

Marcaine® 0.25%

with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and epinephrine injection, USP

for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA

Not for spinal anesthesia

Warning: Contains Sulfites

Rx only

Hospira

NDC 0409-1746-30 M-633

30 mL (75 mg) 10 Single Dose Vials

PRESERVATIVE-FREE

Marcaine® 0.25%

with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and epinephrine injection, USP

for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA

Not for spinal anesthesia

Warning: Contains Sulfites

Rx only

Hospira

See Note 6

Copy Direction -->

NDC 0409-1746-30 M-633

30 mL (75 mg)

PRESERVATIVE-FREE

Marcaine® 0.25%

with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and epinephrine injection, USP

for INFILTRATION, NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA

Not for spinal anesthesia

Warning: Contains Sulfites

Rx only

Hospira

See Note 7

CA0804

Copy Direction -->

Packaging Graphics Art	
List 1746	Editor
Commodity TEST 2	Date
CR	Artist

Label Control 0-95N, Approval	
Approved By	
Date	
*Not Valid Unless Final Proofs Carry 0-95N Approval Signature	

Color	
FMS Black	
PMS 199	
PMS Process Blue	
BWR 2 MIL	

All templates pre-measured and verified against engineering drawing.
Approved by Studio and Label Control. Official sign-off on file in Dept. 046E, Hospira Studio. All associated SDPs are exempt during the trial period.

Drawing #: DD301300
Style: N9
Dimensions: 7-5/8" x 3" x 2-13/16" x 2-31/32" x 3-1/4"

- 1/16 INCH QUIET ZONE REQUIRED ON ALL SIDES OF COMMODITY NUMBER. COMMODITY NUMBERS TO BE 8 POINT FUTURA REGULAR.
- UNVARNISHED AND COPY FREE LOCATION FOR PRINTING LOT, EXP. AND MFG. DATE, ETC. IN THE PLANT. AREAS MUST BE A MINIMUM OF 1-1/2 X 1/2 INCH.
- LOCATION FOR PRINTING BAR CODE (WHEN PRESENT ON ARTWORK). WHEN SPACE ALLOWS, BAR CODE TO INCLUDE 1/4 QUIET ZONE ON EACH END. USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.
- AREA FOR TAMPER EVIDENT TAPE/LABEL, IF SPECIFIED ON M.P.S. ARE TO BE UNVARNISHED AND COPY FREE. AREA MAY BE USED FOR COPY WHEN TAMPER EVIDENT TAPE/LABEL IS NOT SPECIFIED.
- LOCATION FOR COMMODITY BAR CODE. APPROXIMATELY CENTERED ON MINOR FLAP. ENCODE THE SIX (6) DIGIT COMMODITY NUMBER (WITHOUT THE HYPHEN). INCLUDE 1/4 INCH QUIET ZONE ON EACH END. USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.



Drawing #: DD301300
 Style: N7
 Dimensions: 5-5/8" x 2-1/4" x 2-3/16" x 2-7/32" x 3-1/4"

- 1/16 INCH QUIET ZONE REQUIRED ON ALL SIDES OF COMMODITY NUMBER. COMMODITY NUMBERS TO BE 8 POINT FUTURA REGULAR.
- UNVARNISHED AND COPY FREE LOCATION FOR PRINTING LOT, EXP. AND MFG. DATE, ETC. IN THE PLANT. AREAS MUST BE A MINIMUM OF 1-1/2 X 1/2 INCH.
- LOCATION FOR PRINTING BAR CODE (WHEN PRESENT ON ARTWORK). WHEN SPACE ALLOWS, BAR CODE TO INCLUDE 1/4 QUIET ZONE ON EACH END. USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.
- AREA FOR TAMPER EVIDENT TAPE/LABEL, IF SPECIFIED ON M.P.S. ARE TO BE UNVARNISHED AND COPY FREE. AREA MAY BE USED FOR COPY WHEN TAMPER EVIDENT TAPE/LABEL IS NOT SPECIFIED.
- LOCATION FOR COMMODITY BAR CODE. APPROXIMATELY CENTERED ON MINOR FLAP. ENCODE THE SIX (6) DIGIT COMMODITY NUMBER (WITHOUT THE HYPHEN). INCLUDE 1/4 INCH QUIET ZONE ON EACH END, USE 10 MIL NARROW BAR WIDTH AND 0.4 INCH HEIGHT.

See Note 6

Warning: Contains Sulfites

Not for spinal anesthesia

for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA

bupivacaine hydrochloride and epinephrine injection, USP

with epinephrine 1:200,000 (as bitartrate)

Marcaine® 0.5%

PRESERVATIVE-FREE

10 mL (50 mg) 10 Single Dose Vials

M-642
NDC 0409-1749-10

R only

Hospira

See Note 6

10 mL (50 mg) 10 Single Dose Vials
PRESERVATIVE-FREE M-642
Marcaine® 0.5%
with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine injection, USP
 for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
Not for spinal anesthesia
Warning: Contains Sulfites

Hospira

See Note 7



CA0671

Copy Direction --->

See Note 3

TEST 5 (10/05)



(01) 1 030409 174910 5

©Hospira 2005
Hospira, Inc., Lake Forest, IL 60045 USA

Printed in USA

See Note 6

10 mL (50 mg) 10 Single Dose Vials
PRESERVATIVE-FREE M-642
Marcaine® 0.5%
with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine injection, USP
 for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
Not for spinal anesthesia
Warning: Contains Sulfites

Hospira

See Note 4

See Note 6

See Note 7










0
9
8
7
6
5
4
3
2
1

R only

Hospira

10 mL (50 mg) 10 Single Dose Vials
PRESERVATIVE-FREE M-642
Marcaine® 0.5%
with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine injection, USP
 for NERVE BLOCK, CAUDAL, and EPIDURAL ANESTHESIA
Not for spinal anesthesia
Warning: Contains Sulfites

Hospira

Packaging Graphics Art List <u>1749</u> Editor _____ Commodity <u>TEST 5</u> Date _____ CR _____ Artist _____	Label Control 095N, Approval Approved By _____ Date _____ *Not Valid Unless Final Proofs Carry 095N Approval Signature	<table style="width: 100%; border-collapse: collapse;"> <tr> <td style="width: 50%;"> PMS Black</td> <td style="width: 50%;"> PMS 199</td> </tr> <tr> <td> PMS 347</td> <td></td> </tr> </table> <p style="text-align: center;">BWR 2 MIL</p>	 PMS Black	 PMS 199	 PMS 347		All templates pre-measured and verified against engineering drawing. Approved by Studio and Label Control. Official sign-off on file in Dept. 046E, Hospira Studio. All associated SOPs are exempt during the trial period.
 PMS Black	 PMS 199						
 PMS 347							

Hospira
bupivacaine hydrochloride and
epinephrine injection, USP
(as bitartrate)
with epinephrine 1:200,000

0.25%
Marcaine®
50 mL Multiple-Dose Vial

NDC 0409-1752-50
50 mL Multiple-Dose Vial M-635

Marcaine®
0.25%

with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

TEST 11 (10/05)

Each mL contains
2.5 mg bupivacaine HCl and
0.0091 mg epinephrine bitartrate, with
1 mg methylparaben as preservative,
0.5 mg sodium metabisulfite,
0.001 mL monothioglycerol, and
2 mg ascorbic acid as antioxidants,
0.0017 mL 60% sodium lactate buffer,
0.1 mg edetate calcium disodium as
stabilizer, and NaCl to make isotonic, in
Water for Injection.
pH adjusted with NaOH or HCl.

©Hospira 2005 Printed in USA
Hospira, Inc.
Lake Forest, IL 60045 USA



NDC 0409-1752-50
50 mL Multiple-Dose Vial M-635

Marcaine®
0.25%

with epinephrine 1:200,000
(as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

Dosage: See package insert.

Protect from light.
Do not use the solution if its color
is pinkish or darker than slightly
yellow or if it contains a
precipitate.

Store at 20 to 25°C
(68 to 77°F). [See USP Controlled
Room Temperature.]



NDC 0409-1752-50
50 mL Multiple-Dose Vial M-635

Marcaine®
0.25%

with epinephrine 1:200,000
(as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

for INFILTRATION
and NERVE BLOCK

Not for caudal, epidural,
or spinal anesthesia

Contains epinephrine—
do not autoclave
Warning: Contains Sulfites

Rx only



NDC 0409-1752-50
50 mL Multiple-Dose Vial M-635

Marcaine®
0.25%

with epinephrine 1:200,000
(as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP



(01) 0 030409 175250 4

Packaging
Graphics Art
1752

List

Commodity TEST 11

CR

Editor

Date

Artist

Label Control D-39B, Approval

Approved By

Date
*Not Valid Unless Final
Proofs Carry D-39B
Approval Signature


Color

PMS Black

PMS 199

PMS Process Blue

BWR 2 MIL



bupivacaine hydrochloride and
epinephrine injection, USP Hospira

with epinephrine 1:200,000
(as bitartrate)

0.5%
Marcaine®

50 mL Multiple-Dose Vial
M-645
NDC 0409-1755-50

NDC 0409-1755-50
M-645

50 mL Multiple-Dose Vial
Marcaine® 0.5%

with epinephrine 1:200,000
(as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

TEST 13 (10/05)

Each mL contains 5 mg bupivacaine HCl
and 0.0091 mg epinephrine bitartrate, with
1 mg methylparaben as preservative,
0.5 mg sodium metabisulfite, 0.001 mL
monothioglycerol, and 2 mg ascorbic acid
as antioxidants, 0.0017 mL 60% sodium
lactate buffer, 0.1 mg edetate calcium
disodium as stabilizer, and NaCl to make
isotonic, in Water for Injection. pH adjusted
with NaOH or HCl.

50 mL Multiple-Dose Vial

Marcaine®
0.5%

with epinephrine 1:200,000
(as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

Protect from light. Do not use the
solution if its color is pinkish or
darker than slightly yellow or if it
contains a precipitate.

Store at 20 to 25°C (68 to 77°F).
[See USP Controlled Room
Temperature.]

Usual dosage: see package insert.

NDC 0409-1755-50
M-645

NDC 0409-1755-50
M-645

50 mL Multiple-Dose Vial

Marcaine®
0.5%

with epinephrine 1:200,000
(as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

for NERVE BLOCK

Not for caudal, epidural,
or spinal anesthesia

Contains epinephrine—
do not autoclave

Warning: Contains
Sulfites

NDC 0409-1755-50
M-645

50 mL Multiple-Dose Vial

Marcaine®
0.5%

with epinephrine 1:200,000
(as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP



(01) 0 030409 175550 5

©Hospira 2005 Printed in USA
Hospira, Inc.
Lake Forest, IL 60045 USA



Rx only



**Packaging
Graphics Art**

List 1755

Commodity TEST 13

CR _____

Editor _____

Date _____

Artist _____

Label Control D-39B, Approval

Approved By _____

Date _____
*Not Valid Unless Final
Proofs Carry D-39B
Approval Signature


COLOR SEPARATIONS

 PMS Black

 PMS 347

 PMS 199

BWR 2 MIL



50 mL Multiple-Dose Vial NDC 0409-1755-50
Marcaine® 0.5% M-645

with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and epinephrine
injection, USP

for NERVE BLOCK

Not for caudal, epidural, or spinal anesthesia

Contains epinephrine—do not autoclave
Warning: Contains Sulfites

Hospira, Inc., Lake Forest, IL 60045 USA

Rx only



Each mL contains 5 mg bupivacaine HCl, and 0.0091 mg epinephrine bitartrate, with 1 mg methylparaben as preservative, 0.5 mg sodium metabisulfite, 0.001 mL monoethioglycerol, 2 mg ascorbic acid, 0.0017 mL 60% sodium lactate, 0.1 mg edetate calcium disodium, and NaCl to make isotonic. pH adjusted with NaOH or HCl. Protect from light. Do not use the solution if its color is pinkish or darker than slightly yellow or if it contains a precipitate.

Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.]

Usual dosage: See package insert.

©Hospira 2005

Printed in USA



TEST 14 (10/04)

**Packaging
Graphics Art**

List 1755
Commodity TEST 14
CR _____
Editor _____
Date _____
Artist _____

Label Control D-39B, Approval

Approved By _____


Date _____

***Not Valid Unless Final
Proofs Carry D-39B
Approval Signature**

Color

 PMS Black
 PMS 199
 PMS 347

BWR 2 MIL



50 mL Multiple-Dose Vial

NDC 0409-1752-50
M635

Marcaine® 0.25%

with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

for INFILTRATION and NERVE BLOCK

Not for caudal, epidural, or spinal anesthesia

Contains epinephrine—do not autoclave

Warning: Contains Sulfites

R_x only

Hospira, Inc., Lake Forest, IL 60045 USA



©Hospira 2005


Printed in USA



Each mL contains 2.5 mg bupivacaine HCl, and 0.0091 mg epinephrine bitartrate, with 1 mg methylparaben as preservative, 0.5 mg sodium metabisulfite, 0.001 mL monothioglycerol, 2 mg ascorbic acid, 0.0017 mL 60% sodium lactate, 0.1 mg edetate calcium disodium, and NaCl to make isotonic, in Water for Injection. pH adjusted with NaOH or HCl. Protect from light. Do not use the solution if its color is pinkish or darker than slightly yellow or if it contains a precipitate. Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.] Dosage: See package insert.



TEST 12 (11/05)



Packaging Graphics Art

List 1752 Editor _____
Commodity TEST 12 Date _____
CR _____ Artist _____

Label Control D-39B, Approval

Approved By _____

Date _____
*Not Valid Unless Final
Proofs Carry D-39B
Approval Signature

Color
PMS Black




PMS 199



PMS Process Blue



BWR 2 MIL



30 mL (150 mg)
Single Dose Vial

PRESERVATIVE-FREE

Marcaine® 0.5%
with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and epinephrine injection, USP

for Nerve Block, Caudal, and Epidural anesthesia

Not for spinal anesthesia

Warning: Contains Sulfites

Each mL contains 5 mg bupivacaine HCl and 0.0081 mg epinephrine bitartrate, with 0.5 mg benzalkonium chloride, 0.001 mg sodium metabisulfite, 2 mg ascorbic acid, 0.0017 mL 0.5% sodium hydroxide, 0.1 mg edetate calcium disodium, and NaCl to make isotonic, pH adjusted with NaOH or HCl.

Usual dosage: See package insert. Protect from light. Do not use solution if color changes or if there is precipitation or if crystals precipitate. Store at 20 to 25°C (68 to 77°F). See USP Controlled Room Temperature.]


NDC 0409-1749-29
M-643



Contains epinephrine - do not
autoinject
Marcaine unused portion after
initial use
©Hospira 2005 Printed in USA


Rx only
Hospira

Hospira, Inc.
Lake Forest, IL 60045 USA



(01) 0 030409 174929 0

TEST 10 (10/05)



**Packaging
Graphics Art
1749**

List _____
Commodity TEST 10
CR _____
Editor _____
Date _____
Artist _____

Label Control 095N, Approval

Approved By _____

Date _____
***Not Valid Unless Final
Proofs Carry 095N
Approval Signature**

Color

 PMS Black
 PMS 199
 PMS 347

BWR 2 MIL

10 mL (25 mg) Single Dose Vial NDC 0409-1746-10
PRESERVATIVE-FREE
Marcaine® 0.25%
with epinephrine 1:200,000 (as bitartrate)
 bupivacaine hydrochloride and epinephrine
 injection, USP
 for Infiltration, Nerve Block, Caudal,
 and Epidural anesthesia.
Not for spinal anesthesia
Warning: Contains Sulfites

Each mL contains 2.5 mg bupivacaine HCl and 0.0025 mg epinephrine bitartrate (as bitartrate) in 10 mL of a sterile, isotonic, buffered, preservative-free solution. Contains 0.001 mL monobasic sodium phosphate, 0.001 mL monobasic sodium phosphate, 0.1 mg edetate calcium disodium, and NaCl to make isotonic. pH 5.0-6.0.

Usual dosage: See insert.
 Protect from light. Do not use the solution if the solution is darker than slightly yellow or if it contains a precipitate. Store at 20° to 25° (68° to 77° F). Excursions permitted from 15° to 30° (59° to 86° F). See USP Controlled Room Temperature.

 only
 Hospira

Contains epinephrine. Do not administer to a patient with uncontrolled hypertension. © Hospira 2005. Printed in USA. Hospira, Inc., Lake Forest, IL 60045, USA



TEST 3 (10/05)

Packaging Graphics Art

List 1746 Editor _____

Commodity TEST 3 Date _____




CR _____ Artist _____

Label Control D-39B, Approval

Approved By _____

Date _____

***Not Valid Unless Final Proofs Carry D-39B Approval Signature**

	Color PMS Black
	PMS 199
	PMS Process Blue
BWR 2 MIL	

30 mL (75 mg) Single Dose Vial NDC 0409-1746-30
M-633

PRESERVATIVE-FREE

Marcaine® 0.25%
with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and
epinephrine injection, USP

for Infiltration, Nerve Block, Caudal,
and Epidural anesthesia

Not for spinal anesthesia

Warning: Contains Sulfites

Each mL contains 2.5 mg bupivacaine HCl, and 0.0891 mg epinephrine bitartrate, with 0.5 mg sodium metabisulfite, 0.0017 mL monoethanolamine, 2 mg acetic acid, 0.0017 mL 80% sodium chloride, 2 mg sodium chloride, 0.0017 mL 1% sodium hydroxide, 2 mg isotonic, pH adjusted with NaOH or HCl, to make 1 mL.

Usual dosage: See package insert.

Product of darker than slightly yellow or if it contains a precipitate, do not use. Store at 20° to 25° (68° to 77°F). See USP Controlled Room Temperature.



R only



Contains epinephrine-do not
autoclave.
Discard unused portion after
initial use.

©Hospira 2005 Printed in USA
Hospira, Inc.
Lake Forest, IL 60045 USA



TEST 4 (10/05)

Packaging Graphics Art

List 1746 Editor _____

Commodity TEST 4 Date _____

CR _____ Artist _____

Label Control D-39B, Approval

Approved By _____

Date _____

*Not Valid Unless Final
Proofs Carry D-39B
Approval Signature


Color

PMS Black

PMS 199


PMS Process Blue

BWR 2 MIL



Exp. _____
Lot _____

TEST 7 (10/05)




3 mL (15 mg) NDC 0409-1749-03

PRESERVATIVE-FREE

Marcaine® 0.5%


with epinephrine 1:200,000 (as bitartrate)



bupivacaine hydrochloride and epinephrine
injection, USP **Test Dose**  only

Contains epinephrine—do not autoclave

Warning: Contains Sulfites

for use Prior to EPIDURAL and CAUDAL ANESTHESIA
Not for spinal anesthesia

Hospira, Inc., Lake Forest, IL 60045 USA 

Packaging Graphics Art
1749

List _____

Commodity TEST 7

CR _____

Editor _____

Date _____

Artist _____


Label Control 095N, Approval


Approved By _____


Date _____


***Not Valid Unless Final Proofs Carry 095N Approval Signature**

Color


 PMS Black

 PMS 199

 PMS 347

 White

BWR 2 MIL



Test Dose

bupivacaine hydrochloride and epinephrine injection, USP

with epinephrine 1:200,000 (as bitartrate)


Marcaine® 0.5%

PRESERVATIVE-FREE

3 mL (15 mg)

10 Ampuls

NDC 0409-1749-03



3 mL (15 mg)

PRESERVATIVE-FREE

Marcaine® 0.5%

with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and epinephrine injection, USP

Test Dose

for use Prior to EPIDURAL and CAUDAL ANESTHESIA

Not for spinal anesthesia

Store at 20 to 25°C (68 to 77°F). [See USP Controlled Room Temperature.]

Contains epinephrine – do not autoclave.

Warning: Contains Sulfites

These ampuls bear a color band signifying that they are Easy Break Ampuls. The tops snap off at the constriction, regardless of the position of the color band.

10 Ampuls

NDC 0409-1749-03
M-640

R_x only



Each mL contains 5 mg bupivacaine HCl and 0.0091 mg epinephrine bitartrate, with 0.5 mg sodium metabisulfite, 0.001 mL monothioglycerol, and 2 mg ascorbic acid as antioxidants, 0.0017 mL 60% sodium lactate, 0.1 mg edetate calcium disodium, and NaCl to make isotonic. pH adjusted with NaOH or HCl. No preservative added.

Protect from light. Do not use the solution if its color is pinkish or darker than slightly yellow or if it contains a precipitate. Discard unused portion after initial use.

Usual dosage: See package insert.

©Hospira 2005 Printed in USA
Hospira, Inc., Lake Forest, IL 60045 USA

TEST 8 (10/05)

NDC 0409-1749-03

10 Ampuls

3 mL (15 mg)

PRESERVATIVE-FREE

Marcaine® 0.5%


with epinephrine 1:200,000 (as bitartrate)

bupivacaine hydrochloride and epinephrine injection, USP

Test Dose



(01) 1 030409 174903 7



Packaging Graphics Art
1749

List _____

Commodity TEST 8

CR _____

Editor _____

Date _____

Artist _____

Label Control 095N, Approval

Approved By _____

Date _____
*Not Valid Unless Final Proofs Carry 095N Approval Signature

Color

 PMS Black

 PMS 199

 PMS 347

BWR 2 MIL