

00000000



	<p>Drug Facts</p> <p>Active ingredient (in each caplet) Purpose Acetaminophen 650 mg..... Pain reliever</p> <p>Uses temporarily relieves minor aches and pains due to: <ul style="list-style-type: none"> ■ arthritis ■ the common cold ■ headache ■ toothache ■ muscular aches ■ backache ■ menstrual cramps </p> <p>Warnings Alcohol warning: If you consume 3 or more alcoholic drinks every day, ask your doctor whether you should take acetaminophen or other pain reliever/fever reducers. Acetaminophen may cause liver damage.</p> <p>Do not use <ul style="list-style-type: none"> ■ with any other product containing acetaminophen </p> <p>Stop use and ask a doctor if <ul style="list-style-type: none"> ■ new symptoms occur ■ redness or swelling is present ■ pain gets worse or lasts for more than 10 days </p> <p>If pregnant or breast-feeding, ask a health professional before use.</p> <p>Keep out of reach of children.</p> <p>Overdose warning: Taking more than the recommended dose (overdoses) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p>	
--	---	--

NEW LABEL INFORMATION

Lasts up to 8 Hours

TYLENOL[®] Pain Reliever

ARTHRITIS PAIN

Contains Acetaminophen Extended Release
FOR THE TEMPORARY RELIEF OF MINOR ARTHRITIS PAIN

100 Caplets* - 650 mg EACH
**Capsule-Shaped Tablets*

Extended Relief Caplets

XXXXXX

EXP. 0000-0000 X X

NEW LABEL INFORMATION

Lasts up to 8 Hours

TYLENOL[®] Pain Reliever

ARTHRITIS PAIN

Contains Acetaminophen Extended Release
FOR THE TEMPORARY RELIEF OF MINOR ARTHRITIS PAIN

100 Caplets* - 650 mg EACH
**Capsule-Shaped Tablets*

Extended Relief Caplets

NDC 50580-112-101

Lasts up to 8 Hours

TYLENOL[®] Pain Reliever

ARTHRITIS PAIN

Contains Acetaminophen Extended Release
FOR THE TEMPORARY RELIEF OF MINOR ARTHRITIS PAIN

Extended Relief Caplets

McNeil

McNeil Consumer & Specialty Pharmaceuticals
 DIVISION OF MCNEIL - PPC, INC.
 FORT WASHINGTON, PA 19034 USA
 © MCN-PPC, Inc. '02 U.S. Pat. No. 4820522
 www.tylenol.com

EXP. 0000-0000 X X

Drug Facts (continued)

Directions
 ■ do not take more than directed (see overdose warning)
 ■ take 2 caplets every 8 hours with water
 ■ swallow whole - do not crush, chew or dissolve
 ■ do not take more than 6 caplets in 24 hours
 ■ do not use for more than 10 days unless directed by a doctor
 ■ ask a doctor

adults

under 18
 years of age

Other information
 ■ do not use if carton is opened or neck wrap or foil liner seal imprinted with "Safety Seal[®]" is broken
 ■ store at 20 - 25°C (68 - 77°F)
 ■ avoid excessive heat 40°C (104°F)
 ■ see end panel for lot number and expiration date

Inactive ingredients
 corn starch, hydroxyethyl cellulose, hypromellose, magnesium stearate, microcrystalline cellulose, povidone, powdered cellulose, pregelatinized starch, sodium starch glycolate, titanium dioxide, triacetin

Questions or comments?
 call toll-free 1-877-TYLENOL (1-877-966-9665)

What makes Tylenol[®] Arthritis Pain Extended Relief Caplets different?
 • Uses a unique, patented 2-layer caplet. The first layer dissolves quickly to provide prompt relief while the second layer is time released to provide up to 8 hours of relief.
 • For more information or questions, visit our website www.tylenol.com.
 • The makers of Tylenol[®] do not manufacture store brands.

00000000

Labeling Format Information:

Fonts: Helvetica regular, bold and bold italic.	
Drug Facts: 8.25 pt	Leading: 6.5 pt
Header: 8 pt	Bullets: 5 pt
Subheader: 6 pt	Barlines: 2.5 pt
Body Text: 6 pt	Hairlines: .5 pt
Drug Facts (continued): 8 pt	

Horizontal Scale: 75-80% Average Kerning: 0

CTN TY ARTH ER CPLT 100 3004009 A-1
 OCTOBER 16, 2002

