the sampling procedures set forth in §430.24 of 10 CFR part 430, subpart B.

(b) For any covered product that is a medium base compact fluorescent lamp or a general service incandescent lamp (including an incandescent reflector lamp), any representation of design voltage, wattage, light output or life and, for any covered product that is a general service fluorescent lamp or incandescent reflector lamp, any representation made by the encircled "E" that such lamp is in compliance with an applicable standard established by section 325 of the Act shall be based upon tests using a competent and reliable scientific sampling procedure. The Commission will accept Standard 105—Sampling Procedures and Tables for Inspection by Attributes" as such a sampling procedure

 $[59\ FR\ 67527,\ Dec.\ 29,\ 1994,\ as\ amended\ at\ 66\ FR\ 27858,\ May\ 21,\ 2001]$

§ 305.7 Determinations of capacity.

The capacity of covered products shall be determined as follows:

- (a) Refrigerators and refrigerator-freezers. The capacity shall be the total refrigerated volume (VT) in cubic feet, rounded to the nearest one-tenth of a cubic foot, as determined according to appendix A1 to 10 CFR part 430, subpart B.
- (b) Freezers. The capacity shall be the total refrigerated volume (VT) in cubic feet, rounded to the nearest one-tenth of a cubic foot, as determined according to appendix B1 to 10 CFR part 430, subpart B.
- (c) Dishwashers. The capacity shall be the place-setting capacity, determined according to appendix C to 10 CFR part 430, subpart B.
- (d) Water heaters. The capacity shall be the first hour rating, as determined according to appendix E to $10\ \text{CFR}$ part 430, subpart B.
- (e) *Pool heaters.* The capacity shall be the heating capacity in Btu's per hour, rounded to the nearest 1,000 Btu's per hour, as determined according to appendix P to 10 CFR part 430, subpart B.
- (f) Room air conditioners. The capacity shall be the cooling capacity in Btu's per hour, as determined according to appendix F to 10 CFR part 430, subpart B, but rounded to the nearest value

ending in hundreds that will satisfy the relationship that the value of EER used in representations equals the rounded value of capacity divided by the value of input power in watts. If a value ending in hundreds will not satisfy this relationship, the capacity may be rounded to the nearest value ending in 50 that will.

(g) Clothes washers. The capacity shall be the tub capacity, rounded to the nearest gallon, as determined according to appendix J to 10 CFR part 430, subpart B, in the terms "standard" or "compact" as defined in appendix J.

or "compact" as defined in appendix J. (h) Furnaces. The capacity shall be the heating capacity in Btu's per hour, rounded to the nearest 1,000 Btu's per hour, as determined according to appendix N to 10 CFR part 430, subpart B.

- (i) Central air conditioners, cooling. The capacity shall be the cooling capacity in Btu's per hour, as determined according to appendix M to 10 CFR part 430, subpart B, rounded to the nearest 100 Btu's per hour for capacities less than 20,000 Btu's per hour; to the nearest 200 Btu's per hour for capacities between 20,000 and 37,999 Btu's per hour; and to the nearest 500 Btu's per hour for capacities between 38,000 and 64,999 Btu's per hour.
- (j) Central air conditioners, heating. The capacity shall be the heating capacity in Btu's per hour, as determined according to appendix M to 10 CFR part 430, subpart B, rounded to the nearest 100 Btu's per hour for capacities less than 20,000 Btu's per hour; to the nearest 200 Btu's per hour; to the nearest 200 Btu's per hour for capacities between 20,000 and 37,999 Btu's per hour for capacities between 38,000 and 64,999 Btu's per hour.
- (k) Fluorescent lamp ballasts. The capacity shall be the ballast input voltage, as determined according to appendix Q to 10 CFR part 430, subpart B.

[59 FR 34033, July 1, 1994, as amended at 59 FR 49564, Sept. 28, 1994]

§ 305.8 Submission of data.

(a) (1) Each manufacturer of a covered product (except manufacturers of fluorescent lamp ballasts, showerheads, faucets, water closets, urinals, general service fluorescent lamps, medium base compact fluorescent lamps, or general service incandescent lamps including

§ 305.8

incandescent reflector lamps) shall submit annually to the Commission a report listing the estimated annual energy consumption (for refrigerators, refrigerator-freezers, freezers, clothes washers, dishwashers and water heaters) or the energy efficiency rating (for room air conditioners, central air conditioners, heat pumps, furnaces, and pool heaters) for each basic model in current production, determined according to $\S 305.5$ and statistically verified according to §305.6. The report must also list, for each basic model in current production: the model numbers for each basic model; the total energy consumption, determined in accordance with §305.5, used to calculate the estimated annual energy consumption or energy efficiency rating; the number of tests performed; and, its capacity, determined in accordance with §305.7. For those models that use more than one energy source or more than one cycle, each separate amount of energy consumption or energy cost, measured in accordance with $\S 305.5$, shall be listed in the report. appendix K illustrates a suggested reporting format. Starting serial numbers or other numbers identifying the date of manufacture of covered products shall be submitted whenever a new basic model is introduced on the market.

- (2) Each manufacturer of a covered fluorescent lamp ballast shall submit annually to the Commission a report for each basic model of fluorescent lamp ballast in current production. The report shall contain the following information:
- (i) Name and address of manufacturer;
- (ii) All trade names under which the fluorescent lamp ballast is marketed;
 - (iii) Model number:
- (iv) Starting serial number, date code or other means of identifying the date of manufacture (date of manufacture information must be included with only the first submission for each basic model);
- (v) Nominal input voltage and frequency:
 - (vi) Ballast efficacy factor; and
- (vii) Type (F40T12, F96T12 or F96T12HO) and number of lamp or lamps with which the fluorescent lamp ballast is designed to be used.

- (3) Each manufacturer of a covered product that is a general service fluorescent lamp, medium base compact fluorescent lamp, or general service incandescent lamp (including an incandescent reflector lamp), shall submit annually to the Commission a report for each lamp type in current production. The report shall contain the following information:
- (i) Name and address of manufac-
- (ii) All trade names under which the lamp is marketed;
 - (iii) Model number;
- (iv) Starting serial number, date code or other means of identifying the date of manufacture (date of manufacture information must be included with only the first submission for each lamp type); and
- (v) For all covered lamps, the test results for the lamp's wattage and light output ratings and, in addition, for all covered fluorescent lamps, the test results for the lamp's color rendering index.
- (4) Each manufacturer of a covered showerhead, faucet, water closet or urinal shall submit annually to the Commission a report for each basic model of such products in current production. The report shall contain the following information:
- (i) Name and address of manufacturer:
- (ii) All trade names under which the product is marketed;
 - (iii) Model number;
- (iv) Starting serial number, date code or other means of identifying the date of manufacture (date of manufacture information must be included with only the first submission for each basic model):
- (v) The product's water use, expressed in gallons and liters per flush (gpf and Lpf) or gallons and liters per minute (gpm and L/min) or per cycle (gpc and L/cycle) as determined in accordance with §305.5.
- (b)(1) All data required by §305.8(a) except serial numbers shall be submitted to the Commission annually, on or before the following dates:

Product category	Deadline for data submission
Refrigerators	Aug 1

Product category	Deadline for data submission
Refrigerator-freezers Freezers Central air conditioners Heat pumps Dishwashers Water heaters Room air conditioners Furnaces Pool heaters Clothes washers Fluorescent lamp ballasts Showerheads Faucets Water closets Urinals Fluorescent lamps Medium Base Compact Fluorescent Lamps	submission Aug. 1 Aug. 1 July 1 July 1 June 1 May 1 May 1 May 1 May 1 Mar. 1
Incandescent Lamps, incl. Reflector Lamps	Mar. 1 [Stayed]

- (2) All revisions to such data (both additions to and deletions from the preceding data) shall be submitted to the Commission as part of the next annual report period.
- (c) All information required by paragraph (a) of this section must be submitted for new models prior to any distribution of such model. Models subject to design or retrofit alterations which change the data contained in any annual report shall be reported in the manner required for new models. Models which are discontinued shall be reported in the next annual report.

[52 FR 46894, Dec. 10, 1987, as amended at 54 FR 28035, July 5, 1989; 59 FR 54965, Oct. 25, 1993; 59 FR 49564, Sept. 28, 1994; 59 FR 67527, Dec. 29, 1994; 60 FR 14210, Mar. 16, 1995; 67 FR 35008, May 17, 2002; 68 FR 8449, Feb. 21, 2003]

§ 305.9 Representative average unit energy cost.

(a) Table 1, below, contains the representative unit energy costs to be utilized for all requirements of this part.

TABLE 1—REPRESENTATIVE AVERAGE UNIT COSTS OF ENERGY FOR FIVE RESIDENTIAL ENERGY **SOURCES (2004)**

Type of energy	In commonly used terms	As required by DOE test procedure	Dollars per million Btu ¹
Electricity	8.60 ¢/kWh ^{2,3}		
No. 2 heating oil	\$1.23/gallon 8	0.00001346/Btu	9.23 13.46 \$11.41

- 1 Btu stands for British thermal unit.

- 2kWh stands for kiloWatt hour.

 31 kWh = 3,412 Btu.

 41 therm = 100,000 Btu. Natural gas prices include taxes.

- *Titlefff = 10,000 bit. Adultal gas prices include taxes.

 *MCF stands for 1,000 cubic feet.

 *For the purposes of this table, 1 cubic foot of natural gas has an energy equivalence of 1,027 Btu.

 *For the purposes of this table, 1 gallon of No. 2 heating oil has an energy equivalence of 138,690 Btu.

 *For the purposes of this table, 1 gallon of liquid propane has an energy equivalence of 91,333 Btu.

 *For the purposes of this table, 1 gallon of kerosene has an energy equivalence of 135,000 Btu.
- (b) Table 1, above, will be revised on the basis of future information provided by the Secretary of the Department of Energy, but not more often than annually.

[52 FR 46894, Dec. 10, 1987, as amended at 59 FR 5700, Feb. 8, 1994; 59 FR 34033, July 1, 1994; 60 FR 9296, Feb. 17, 1995; 61 FR 5680, Feb. 14, 1996; 62 FR 67562, Dec. 29, 1997; 64 FR 7784, Feb. 17, 1999; 65 FR 20354, Apr. 17, 2000; 66 FR 27858, May 21, 2001; 67 FR 39271, June 7, 2002; 68 FR 23586, May 5, 2003; 69 FR 23653, Apr. 30, 2004]

§305.10 Ranges of estimated annual energy consumption and energy efficiency ratings.

(a) The range of estimated annual energy consumption or energy efficiency ratings for each covered product (exfluorescent lamp ballasts, showerheads, faucets, water closets or

urinals) shall be taken from the appropriate appendix to this rule in effect at the time the labels are affixed to the product. The Commission shall publish revised ranges annually in the FEDERAL REGISTER, if appropriate, or a statement that the specific prior ranges are still applicable for the new year.