

**Environmental Protection Agency**

**§ 180.364**

insecticide hexakis[2-methyl-2-phenylpropyl] distannoxane and its organotin metabolites calculated as hexakis[2-methyl-2-phenylpropyl] distannoxane in or on the following food commodities:

Commodity	Parts per million
Almond	0.5
Almond, hulls	80.0
Apple	15.0
Cattle, fat	0.5
Cattle, meat byproducts	0.5
Cattle, meat	0.5
Cherry, sweet	6.0
Cherry, tart	6.0
Citrus, oil	140.0
Citrus, dried pulp	100.0
Cucumber	4.0
Eggplant	6.0
Egg	0.1
Fruit, citrus	20.0
Goat, fat	0.5
Goat, meat byproducts	0.5
Goat, meat	0.5
Grape	5.0
Grape, raisin	20.0
Hog, fat	0.5
Hog, meat byproducts	0.5
Hog, meat	0.5
Horse, fat	0.5
Horse, meat byproducts	0.5
Horse, meat	0.5
Milk fat	0.1
Papaya	2.0
Pecans	0.5
Peach	10.0
Pear	15.0
Plum	4.0
Plum, prune	4.0
Plum, prune, dried	20.0
Poultry, fat	0.1
Poultry, meat byproducts	0.1
Poultry, meat	0.1
Sheep, fat	0.5
Sheep, meat byproducts	0.5
Sheep, meat	0.5
Strawberry	10.0
Walnut	0.5

(b) *Section 18 emergency exemptions.*  
[Reserved]

(c) *Tolerances with regional registrations.* Tolerances with regional registration are established for residues of the insecticide hexakis [2-methyl-2-phenylpropyl] distannoxane and its organotin metabolites calculated as hexakis [2-methyl-2-phenylpropyl] distannoxane in or on the food commodities:

Commodity	Parts per million
Raspberry	10.0

(d) *Indirect or inadvertent residues.*  
[Reserved]

[65 FR 33713, May 24, 2000]

**§ 180.364 Glyphosate; tolerances for residues.**

(a) *General.* Tolerances are established for residues of glyphosate (N-phosphomethylglycine) resulting from the application of glyphosate, the isopropylamine salt of glyphosate, the ethanolamine salt of glyphosate, the ammonium salt of glyphosate, and the potassium salt of glyphosate in or on the following food commodities:

Commodity	Parts per million
Acerola	0.2
Alfalfa, forage	175
Alfalfa, hay	400
Almond, hulls	25
Animal feed, nongrass, group 18	400
Aloe vera	0.5
Ambarella	0.2
Artichoke, globe	0.2
Asparagus	0.5
Atemoya	0.2
Avocado	0.2
Bamboo, shoots	0.2
Banana	0.2
Barley, bran	30
Barley, grain	20
Beet, sugar, driedpulp	25
Beet, sugar, roots	10
Beet, sugar, tops	10
Berry group 13	0.2
Betelnut	1.0
Biriba	0.2
Blimbe	0.2
Borage, seed	0.1
Breadfruit	0.2
Cactus, fruit	0.5
Cactus, pads	0.5
Canistel	0.2
Canola, meal	15
Canola, seed	10
Cattle, kidney	4.0
Cattle, liver	0.5
Chaya	1.0
Cherimoya	0.2
Citrus, dried pulp	1.5
Cacao bean	0.2
Coconut	0.1
Coffee, bean	1.0
Corn, field, forage	6.0
Corn, field, grain	1.0
Cotton, ginbyproducts	100
Cotton, undelintedseed	15
Cranberry	0.2
Crambe, seed	0.1
Custard apple	0.2
Date	0.2
Dokudami	2.0
Durian	0.2
Egg	0.05
Epazote	1.3
Feijoa	0.2
Fig	0.2
Fish	0.25
Flax, meal	8.0

§ 180.364

40 CFR Ch. I (7-1-04 Edition)

Commodity	Parts per million
Flax, seed	4.0
Fruit, citrus, group 10	0.5
Fruit, pome, group 11	0.2
Fruit, stone, group 12	0.2
Galangal, root	0.2
Ginger, white, flower	0.2
Goat, kidney	4.0
Goat, liver	0.5
Gourd, buffalo, seed	0.1
Governor's plum	0.2
Gow kee, leaves	0.2
Grain, aspirated fractions	100.0
Grain, cereal, group 15, except barley, field corn, grain sorghum, oat and wheat	0.1
Grain, cereal, stover and straw, group	100
Grape	0.2
Grass, forage, fodder and hay, group 17	300
Guava	0.2
Herb subgroup 19A	0.2
Hog, kidney	4.0
Hog, liver	0.5
Hop, dried cone	7.0
Horse, kidney	4.0
Horse, liver	0.5
llama	0.2
Imbu	0.2
Imbu	0.2
Jaboticaba	0.2
Jackfruit	0.2
Jojoba, seed	0.1
Juneberry	0.2
Kava, roots	0.2
Kenaf, forage	200
Kiwifruit	0.2
Lesquerella, seed	0.1
Leucaena, forage	200
Lingonberry	0.2
Longan	0.2
Lychee	0.2
Mamey apple	0.2
Mango	0.2
Mangosteen	0.2
Marmaladebox	0.2
Meadowfoam, seed	0.1
Mioga, flower	0.2
Mustard, seed	0.1
Nut, pine	1.0
Nut, tree, group 14	1.0
Oat, grain	20
Okra	0.5
Olive	0.2
Oregano, Mexican, leaves	2.0
Palm heart	0.2
Palm heart, leaves	0.2
Palm, oil	0.1
Papaya	0.2
Papaya, mountain	0.2
Passionfruit	0.2
Pawpaw	0.2
Peanut	0.1
Peanut, forage	0.5
Peanut, hay	0.5
Pepper leaf, freshleaves	0.2
Peppermint, tops	200
Perilla, tops	1.8
Persimmon	0.2
Pineapple	0.1
Pistachio	1.0
Pomegranate	0.2
Poultry, meat	0.1
Poultry, meat byproducts	1.0
Pulasan	0.2
Quinoa, grain	5.0

Commodity	Parts per million
Rambutan	0.2
Rapeseed, meal	15
Rapeseed, seed	10
Rose apple	0.2
Safflower, seed	0.1
Salal	0.2
Sapodilla	0.2
Sapote, black	0.2
Sapote, mamey	0.2
Sapote, white	0.2
Sesame, seed	0.1
Sheep, kidney	4.0
Sheep, liver	0.5
Shellfish	3.0
Sorghum, grain, grain	15
Soursop	0.2
Soybean, seed	20
Soybean, forage	100
Soybean, hay	200
Soybean, hulls	100
Spanish lime	0.2
Spearmint, tops	200
Spice subgroup 19B	7.0
Star apple	0.2
Starfruit	0.2
Stevia, dried leaves	1.0
Strawberry	0.2
Sugar apple	0.2
Sugarcane, cane	2.0
Sugarcane, molasses	30
Sunflower, seed	0.1
Surinam cherry	0.2
Tamarind	0.2
Tea, dried	1.0
Tea, instant	7.0
Teff, grain	5.0
Ti, leaves	0.2
Ti, roots	0.2
Ugli fruit	0.5
Vegetable, brassica, leafy, group 5	0.2
Vegetable, bulb, group	0.2
Vegetable, cucurbit, group 9	0.5
Vegetable, foliage of legume except soybean, subgroup 7A	0.2
Vegetable, fruiting, group	0.1
Vegetable, leafy, group	0.2
Vegetable, leaves of root and tuber, group (except sugar beet tops)	0.2
Vegetable, legume, group 6 except soybean	5.0
Vegetable, root and tuber, group 1, except sugarbeet	0.2
Wasabi, roots	0.2
Water spinach, tops	0.2
Watercress, upland	0.2
Wax jambu	0.2
Wheat, grain	5.0
Wheat, milling fractions (except flour)	20
Yacon, tuber	0.2

- (b) Section 18 emergency exemptions. [Reserved]
- (c) Tolerances with regional registrations. [Reserved]
- (d) Indirect or inadvertent residues. [Reserved]

[45 FR 64911, Oct. 1, 1980]

EDITORIAL NOTE: For FEDERAL REGISTER citations affecting § 180.364, see the List of CFR Sections Affected, which appears in the

**Environmental Protection Agency**

**§ 180.368**

Finding Aids section of the printed volume and on GPO Access.

**§ 180.367 n-Octyl bicycloheptenedicarboximide; tolerances for residues.**

(a) *General.* (1) Tolerances are established for residues of the insecticide *n*-octyl bicycloheptene-dicarboximide, resulting from dermal application, in food commodities as follows:

Commodity	Parts per million
Cattle, fat .....	0.3
Goat, fat .....	0.3
Hog, fat .....	0.3
Horse, fat .....	0.3
Milk, fat .....	0.3
Sheep, fat .....	0.3

(2) *N*-octylbicycloheptene dicarboximide may be safely used in accordance with the following prescribed conditions:

(i) It is used in combination with piperonyl butoxide and pyrethrins for insect control in food-processing and food-storage areas, provided that the food is removed or covered prior to such use.

(ii) Residues in food resulting from the use described in paragraph(a)(2)(i) of this section shall not exceed 10 parts per million of *N*-octylbicycloheptene dicarboximide, 10 parts per million of piperonylbutoxide, and 1 part per million of pyrethrins.

(iii) To assure safe use of the pesticide, its label and labeling shall conform to that registered with the U.S. Environmental Protection Agency and it shall be used in accordance with such label and labeling.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 33713, May 24, 2000]

**§ 180.368 Metolachlor; tolerances for residues.**

(a) *General.* (1) Tolerances are established for the combined residues (free and bound) of the herbicide metolachlor [2-chloro-*N*-(2-ethyl-6-methylphenyl)-*N*-(2-methoxy-1-methylethyl)acetamide] and its metabolites, determined as the derivatives,

2-[(2-ethyl-6-methylphenyl)amino]-1-propanol and 4-(2-ethyl-6-methylphenyl)-2-hydroxy-5-methyl-3-morpholinone, each expressed as the parent compound, in or on the raw agricultural commodities.

Commodity	Parts per million
Almond, hulls .....	0.3
Barley, fodder .....	0.5
Barley, grain .....	0.1
Buckwheat, grain .....	0.1
Cabbage .....	1.0
Cattle, fat .....	0.02
Cattle, kidney .....	0.2
Cattle, liver .....	0.05
Cattle, meat .....	0.02
Cattle, meat byproducts, except kidney and liver .....	0.02
Celery .....	0.1
Corn, fresh, kernel plus cob with husks removed .....	0.1
Corn, forage and fodder .....	8.0
Corn, grain .....	0.1
Cotton, undelinted seed .....	0.1
Egg .....	0.02
Fruit, stone, group 12 .....	0.1
Goat, fat .....	0.02
Goat, kidney .....	0.2
Goat, liver .....	0.05
Goat, meat .....	0.02
Goat, meat byproducts, except kidney and liver .....	0.02
Horse, fat .....	0.02
Horse, kidney .....	0.2
Horse, liver .....	0.05
Horse, meat .....	0.02
Horse, meat byproducts, except kidney and liver .....	0.02
Milk .....	0.02
Millet, fodder .....	0.5
Millet, forage .....	0.5
Millet, grain .....	0.1
Milo, fodder .....	0.5
Milo, forage .....	0.5
Milo, grain .....	0.1
Nongrass animal feed (forage, fodder, straw, and hay) group .....	3.0
Nut, tree, group 14 .....	0.1
Oat, forage .....	0.5
Oat, grain .....	0.1
Oat, straw .....	0.5
Peanut .....	0.5
Peanut, forage and hay .....	30.0
Pepper, bell .....	0.1
Potato .....	0.2
Poultry, fat .....	0.02
Poultry, liver .....	0.05
Poultry, meat .....	0.02
Poultry, meat byproducts, except liver .....	0.02
Rice, forage .....	0.5
Rice, straw .....	0.5
Rice, grain .....	0.1
Rye, forage .....	0.5
Rye, grain .....	0.1
Rye, straw .....	0.5
Safflower, seed .....	0.1
Seed and pod vegetables (except soybean) .....	0.3
Sheep, fat .....	0.02
Sheep, kidney .....	0.2
Sheep, liver .....	0.05
Sheep, meat .....	0.02
Sheep, meat byproducts, except kidney and liver .....	0.02
Sorghum, forage and fodder .....	2.0
Sorghum, grain .....	0.3
Soybean .....	0.2