

Environmental Protection Agency

§ 180.544

avoid contamination of food or food-contact surfaces.

(2) Direct application shall be limited solely to spot and/or crack and crevice treatment in feed-handling establishments where feed and feed products are held, processed, prepared, or sold. Spray and dust concentrations shall be limited to a maximum of 1 percent active ingredient. For crack and crevice treatment, equipment capable of delivering a dust or a pinstream of spray directly into cracks and crevices shall be used. For spot treatment, a coarse, low-pressure spray shall be used to avoid contamination of feed or feed-contact surfaces.

(3) To ensure safe use of the insecticide, its label and labeling shall conform to that registered by the U.S. Environmental Protection Agency, and it shall be used in accordance with such label and labeling.

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 33716, May 24, 2000]

§ 180.543 Diclosulam; tolerances for residues.

(a) *General.* Tolerances are established for residues of the herbicide diclosulam [*N*-(2,6-dichlorophenyl)-5-ethoxy-7-fluoro[1,2,4] triazolo[1,5-*c*]pyrimidine-2-sulfonamide] in or on the following raw agricultural commodities as follows:

Commodity	Parts per million
Peanut nutmeat	0.020
Soybean, seed	0.020

(b) *Section 18 emergency exemptions.* [Reserved]

(c) *Tolerances with regional registrations.* [Reserved]

(d) *Indirect or inadvertent residues.* [Reserved]

[65 FR 12134, Mar. 8, 2000]

§ 180.544 Methoxyfenozide; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the insecticide methoxyfenozide per se; benzoic acid,

3-methoxy-2-methyl-, 2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl)hydrazide in or on the following food commodities:

Commodity	Parts per million
Almond, hulls	25
Apple, wet pomace	7.0
Artichoke, globe	3.0
Brassica, head and stem, subgroup 5A	7.0
Brassica, leafy greens, subgroup 5B	30
Cattle, fat	0.50
Cattle, meat	0.02
Corn, field, forage	15
Corn, field, grain	0.05
Corn, field, refined oil	0.20
Corn, field, stover	125
Corn, sweet, forage	30
Corn, sweet, kernal plus cob with husks removed	0.05
Corn, sweet, stover	60
Cotton, gin byproducts	35
Cotton, undelinted seed	2.0
Cranberry	0.5
Fruit, pome, group 11	1.5
Fruit, stone, group 12, except plum, prune, fresh	3.0
Goat, fat	0.50
Goat, meat	0.02
Grain, aspirated fractions	2.0
Grape	1.0
Grape, raisin	1.5
Hog, fat	0.1
Hog, meat	0.02
Horse, fat	0.50
Horse, meat	0.02
Leaf petioles subgroup	25
Leafy greens subgroup 4A	30
Longan	2.0
Lychee	2.0
Milk	0.10
Nut, tree, group 14	0.10
Okra	2.0
Pea, blackeyed, seed	4.0
Pea, southern, seed	4.0
Pistachio	0.10
Plum, prune, fresh	0.30
Poultry, fat	0.02
Poultry, meat	0.02
Pulasan	2.0
Rambutan	2.0
Sheep, fat	0.50
Sheep, meat	0.02
Spanish lime	2.0
Turnip, greens	30
Vegetable, cucurbit, group 9	0.3
Vegetable, fruiting, group 8	2.0

(2) For combined residues of the insecticide methoxyfenozide; benzoic acid, 3-methoxy-2-methyl-, 2-(3,5-dimethylbenzoyl)-2-(1,1-dimethylethyl)hydrazide and its glucuronide metabolite RH-141,518; β-D-Glucopyranuronic acid, 3-[2-(1,1-dimethylethyl)-2-(3,5-dimethylbenzoyl)-hydrazino]carbonyl-2-methylphenyl-] in the following commodities:

Commodity	Parts per million
Cattle, liver	0.40