

Environmental Protection Agency

§ 180.589

present therein as a result of the application of clothianidin to crops listed in paragraph (a) of this section:

Commodity	Parts per million
Animal feed, nongrass	0.02
Grain, cereal, forage, fodder and straw	0.02
Grass, forage, fodder and hay, group 17	0.02
Soybean, forage	0.02
Soybean, hay	0.02

[68 FR 32399, May 30, 2003]

§ 180.587 Famoxadone.

(a) *General.* Tolerances are established for residues of the fungicide famoxadone (3-anilino-5-methyl-5-(4-phenoxyphenyl)-1,3-oxazolidine-2,4-dione) in or on the following commodities:

Commodity	Parts per million
Cattle, fat	0.02
Cattle, liver	0.05
Goat, fat	0.02
Goat, liver	0.05
Grape ¹	2.50
Grape, raisin ¹	4.0
Horse, fat	0.02
Horse, liver	0.05
Lettuce, head	10.0
Milk, fat (reflecting negligible residues in whole milk)	0.06
Potato	0.02
Sheep, fat	0.02
Sheep, liver	0.05
Tomato	1.0
Vegetable, cucurbits, group 9	0.30
Vegetable, fruiting, group 8 except tomato	4.0

¹ There are no U.S. registrations as of May 15, 2003.

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertant residues. [Reserved]

[68 FR 39471, July 2, 2003]

§ 180.588 Quinoxyfen; tolerances for residues.

(a) *General.* Tolerances are established for residues of the fungicide quinoxyfen, 5,7-dichloro-4-(4-fluorophenoxy)quinoline in or on the following raw agricultural commodities:

Commodity	Parts per million
Cherry, sweet	0.30
Cherry, tart	0.30

Commodity	Parts per million
Hop, dried cones	3.0
Grape	0.60

(b) Section 18 emergency exemptions. [Reserved]

(c) Tolerances with regional registrations. [Reserved]

(d) Indirect or inadvertent residues. [Reserved]

[68 FR 55858, Sept. 29, 2003]

§ 180.589 Boscalid; tolerances for residues.

(a) *General.* (1) Tolerances are established for residues of the fungicide boscalid, 3-pyridinecarboxamide, 2-chloro-N-(4'-chloro[1,1'-biphenyl]-2-yl) in or on the following raw agricultural commodities:

Commodity	Parts per million
Almond hulls	3.0
Apple, wet, pomace	10
Aspirated grain fractions	3.0
Berries, group 13	3.5
Canola, refined oil	5.0
Canola, seed	3.5
Cucumber	0.20
Fruit, pome, crop group, group 11	3.0
Fruit, stone, group 12	1.7
Grape	3.5
Grape, raisin	8.5
Hops, cones, dried	35
Lettuce, head	6.5
Lettuce, leaf	11.0
Nut, tree, group 14	0.70
Peanut	0.05
Peanut, meal	0.15
Peanut, refined oil	0.15
Peppermint, tops	30.0
Pistachio	0.70
Soybean, hulls	0.2
Soybean, seed	0.1
Soybean, vegetable	2.0
Spearmint, tops	30.0
Strawberry	1.2
Sunflower, seed	0.60
Vegetable, Brassica leafy, head and stem, subgroup 5A	3.0
Vegetable, Brassica leafy, leafy greens, subgroup 5B	18.0
Vegetable, bulb, group 3	3.0
Vegetable, cucurbit, group 9, except cucumber	1.6
Vegetable, fruiting, group 8	1.2
Vegetable, legume, dried shell pea and bean (except soybean), subgroup 6C, except cowpea, field pea, and grain lupin	2.5
Vegetable, legume, edible podded, subgroup 6A	1.6
Vegetable, legume, succulent shelled pea and bean, subgroup 6B, except cowpea	0.6
Vegetable, root, subgroup 1A, except sugar beet, garden beet, radish, and turnip	0.7
Vegetable, tuberous and corm, subgroup 1C	0.05