## Index

| A  |  |
|--|--|
| Acanthocephaliasis 189, 241-243          | disease in 185-186                               |
| Acanths, see Acanthocephaliasis          | Amidostomiasis, see Gizzard worms                |
| Acaricides 285                           | Amidostomum, see Gizzard worms                   |
| Acid precipitation 339                   | Amphibians, Eustrongylides in 223-224            |
| Aflatoxicosis, see Aflatoxin poisoning   | Analytical laboratories 371-372                  |
| Aflatoxin poisoning 129, 260, 267–269    | Anatoxin 263, 265                                |
| Agricultural waste 131                   | Anemia 195, 207-208, 231, 257-258, 309-310       |
| Air, gasping for 105                     | Anesthesia                                       |
| Air sacs, cheesy plaques in 131–132      | as chemical restraint 58                         |
| Alachlor 285                             | euthanasia with inhalant anesthetics 50          |
| Albatross                                | Animal Care and Use Committees, institutional 54 |
| plastic debris in stomach of 363         | Animal containers 65-66                          |
| tick paralysis in 258                    | Animal lists 19                                  |
| Alcids, chlamydiosis in 111              | Animal marking 44, 61-63                         |
| Aldicarb 285, 287, 292, 351              | criteria for 61-62                               |
| Aldrin 295–297, 303                      | professional and ethical considerations in 62-63 |
| Algacides 285                            | Animal population data 19, 22                    |
| Algal bloom 261, 263–264                 | Animal release guidelines 70                     |
| Algal toxins 261, 263–266                | Animal relocation 32–34, 69                      |
| Alkali poisoning, see Avian botulism     | Animal Welfare Act (1985) 53-54, 71              |
| Allergic disease 128                     | Anoxia 344                                       |
| All-terrain vehicle 21, 27               | Antimycin 285                                    |
| disinfection of 33                       | Apapane, hemosporidiosis in 194, 196-197         |
| transport of live animals in 64-65       | Appearance, unthrifty 95, 105, 208, 257          |
| American avocet, lead poisoning in 320   | Appetite, loss of 118, 154, 195, 223, 268        |
| American black duck                      | Arbovirus 171                                    |
| duck plague in 143                       | Aroclor® 303, 305                                |
| sarcocystis in 220                       | Arsenic 285                                      |
| American coot                            | Arthritis 107, 185                               |
| algal toxin poisoning in 264             | Ascites 172                                      |
| aspergillosis in 130                     | Aspergillosis 96, 127-133                        |
| gizzard worms in 236                     | Aspergillus, see Aspergillosis                   |
| lead poisoning in 320                    | Aspergillus flavus, see Aflatoxin poisoning      |
| salmonellosis in 103                     | Aspergillus niger 137                            |
| trematodes in 251, 253                   | Aspergillus parasiticus, see Aflatoxin poisoning |
| American egret, chlamydiosis in 112      | Asper mycosis, see Aspergillosis                 |
| American goldeneye, avian pox in 163     | Asphyxiation 129                                 |
| American goldfinch, mycoplasmosis in 115 | Ataxia 172, 177, 290                             |
| American kestrel                         | Atrazine 285                                     |
| chlorinated hydrocarbon poisoning in 296 | Auk  |
| staphylococcosis in 123                  | avian cholera in 79                              |
| American wigeon                          | oil toxicosis in 311                             |
| algal toxin poisoning in 264             | Avian botulism 4, 55, 74, 260, 271-281           |
| nasal leeches in 245                     | Avian cholera 74–92                              |
| sarcocystis in 220                       | Avian diphtheria, see Avian pox                  |
| American woodcock, woodcock reovirus     | Avian hemorrhagic septicemia, see Avian cholera  |
| •  | Avian influenza 140, 181–184                     |

| Avian malaria, see Hemosporidiosis                     | acanthocephaliasis in 242                                 |
|--|---|
| Avian pasteurellosis, see Avian cholera                | avian cholera in 75                                       |
| Avian pox 140, 163–169                                 | eustrongylidiosis in 223                                  |
| Avian trichomoniasis, see Trichomoniasis               | mycoplasmosis in 115-116                                  |
| Avicides 285   | trichomoniasis in 203, 206                                |
| Avitrol® 285   | tuberculosis in 93–94                                     |
| Azinphos-methyl 287                                    | Bird tick 257   |
| ,,   | Biting fly 193  |
| В  | Biting louse 233–234                                      |
| Bacillary white diarrhea, see Salmonellosis            | Biting midge 193, 195                                     |
| Bacterial diseases 74                                  | Bittern, oil toxicosis in 311                             |
| Bald eagle   | Blackbird   |
| avian pox in 163, 165, 168                             | aspergillosis in 130                                      |
| barbiturate poisoning in 349–350                       | erysipelas in 121   |
| chlorinated hydrocarbon poisoning in 296, 298          | pesticide poisoning in 288                                |
| cyanide poisoning in 342                               | salmonellosis in 100, 103                                 |
| electrocution of 359                                   | Black-crowned night heron, mercury poisoning in 338       |
| eustrongylidiosis in 225                               | Black duck  |
| herpesvirus disease in 159                             | aflatoxin poisoning in 267                                |
| lead poisoning in 317, 319–321                         | chlorinated hydrocarbon poisoning in 301                  |
| mercury poisoning in 338–339                           | duck plague in 143–144                                    |
| oil toxicosis in 314                                   | lead poisoning in 321                                     |
|  | · · · · · · · · · · · · · · · · · · ·                     |
| pesticide poisoning in 292                             | mercury poisoning in 340                                  |
| scoliosis in 355, 367                                  | necrotic enteritis in 122                                 |
| staphylococcosis in 123                                | trematodes in 249   |
| Ballast waters 264                                     | Black fly 193–195   |
| Band-tailed pigeon, trichomoniasis in 201, 203         | Black-footed albatross, chlorinated hydrocarbon poisoning |
| Barbiturate poisoning 349–350, 353                     | in 295  |
| Barn owl, chlorinated hydrocarbon poisoning in 296     | Black-footed penguin, herpesvirus disease in 159          |
| Barred owl, avian pox in 165                           | Blackhead, see Histomoniasis                              |
| Bay ducks  | Black-necked stilt, lead poisoning in 320                 |
| lead poisoning in 318                                  | Blindness 105, 118, 247, 267, 290                         |
| oil toxicosis in 311                                   | Blood, thin and watery 195, 197                           |
| Bayluscide® 285  | Blood lead level 323, 332                                 |
| Bean goose, heartworm of swans and geese in 234        | Blood sample 8  |
| Beaver, tularemia in 124                               | collection from live animals 57–59                        |
| Behavior, altered 290                                  | shipment of blood tubes 14–15                             |
| Benzene hexachloride 303                               | Blood smear, in hemosporidiosis 198                       |
| Beuthanasia-D Special <sup>®</sup> 51                  | Bluebird, pesticide poisoning in 288                      |
| Bewick's swan, heartworm of swans and geese in 234     | Blue-green bloom 261                                      |
| Big game, Pasteurella multocida in 77                  | Blue grouse, tularemia in 124                             |
| Bill   | Blue jay  |
| blood-stained 146                                      | chlorinated hydrocarbon poisoning in 296                  |
| cheesy lesions around 203                              | mycoplasmosis in 119                                      |
| discharge from 122, 319                                | Blue-winged teal  |
| rapid opening and closing of 131                       | aflatoxin poisoning in 267                                |
| scratching at 245                                      | avian pox in 164  |
| Bioaccumulation 295                                    | chlorinated hydrocarbon poisoning in 296                  |
| Biomagnification 295                                   | duck plague in 141  |
| Biotoxins 260–261                                      | trematodes in 249   |
| Bird banding activity 109, 123                         | Bobwhite quail  |
| Bird feeding stations 100, 103–105, 107–109, 116, 119, | avian pox in 164, 169                                     |
| 130–131, 164–165, 202–203, 206                         | chlorinated hydrocarbon poisoning in 297, 301             |
| Birds of prey  | gizzard worms in 236                                      |

| herpesvirus disease in 159                                 | caught in plastic debris 363                         |
|--|--|
| histomoniasis in 257                                       | chlorinated hydrocarbon poisoning in 296-297         |
| lead poisoning in 320, 333                                 | duck plague in 141, 143, 146                         |
| polychlorinated biphenyl poisoning in 305                  | gizzard worms in 236, 238                            |
| tularemia in 124   | heartworm of swans and geese in 234                  |
| Body temperature, reduced ability to regulate 290          | histomoniasis in 257                                 |
| Bomyl® 285   | ingestion of dry soybeans 356                        |
| Booted eagle, herpesvirus disease in 159                   | lead poisoning in 317-319, 321, 324, 327, 331, 333   |
| Botulinum toxin 271–281                                    | necrotic enteritis in 122                            |
| Botulism, avian, see Avian botulism                        | oil toxicosis in 313-314                             |
| Brachial vein, blood collection from live animals 57       | transport of live animals 66                         |
| Brain  | tumor in 364   |
| cholinesterase levels in 375-376                           | weather-related losses of 366                        |
| reddening of surface of 348                                | Canary   |
| Brandt's cormorant, algal toxin poisoning in 264           | erysipelas in 121                                    |
| Brant's goose, lead poisoning in 318                       | herpesvirus disease in 159                           |
| Breathing  | salmonellosis in 100                                 |
| impaired 165, 168, 195, 223, 247, 290                      | Candida albicans, see Candidiasis                    |
| rapid 105, 290   | Candidiasis 128, 135–136                             |
| Brevetoxin 263–265   | Canker, see Trichomoniasis                           |
| Broadifacoum 285   | Cannon net 35  |
| Brolga crane, inclusion body disease of cranes in 153      | Canvasback   |
| Brooder pneumonia, see Aspergillosis                       | gizzard worms in 236                                 |
| Brown-headed cowbird                                       | nasal leeches in 245                                 |
| polychlorinated biphenyl poisoning in 305                  | oil toxicosis in 311                                 |
| salmonellosis in 104                                       | Cape cormorant, avian cholera in 81                  |
| Brown pelican  | Captan 285   |
| algal toxin poisoning in 264–265                           | Captive-reared animals, release of 70                |
| erysipelas in 121  | Capture devices 33, 35–36                            |
| lead poisoning in 317, 321                                 | Capture myopathy 58, 60, 364                         |
| mercury poisoning in 338                                   | Carbamate pesticides 4, 287–293, 351                 |
| oil toxicosis in 311                                       | Carbaryl 287   |
| Budgerigar, candidiasis in 135                             | Carbofuran 285, 287, 289, 292, 351                   |
| Bufflehead, nasal leeches in 245                           | Carbon dioxide, euthanasia with 50-51                |
| Buildings, collisions with 365                             | Carbon dioxide projected dart 61                     |
| Bullfinch, avian pox in 169                                | Carbon-in-pulp mill process 342, 345                 |
| Bumblefoot 123   | Carbon monoxide, euthanasia with 50–51               |
| Burial of carcasses 21, 32                                 | Carcass, see also Specimen                           |
| Burn marks 359–360   | disposal of 21–32, 43                                |
| Bursa of Fabricus, atrophy of 305-306                      | dogs to aid in locating 21                           |
| Buteo, electrocution of 357                                | euthanized, barbiturate poisoning in scavengers      |
| Buzzard, tuberculosis in 93-94                             | 349–350  |
|  | fish 280   |
| C  | labeling of 12                                       |
| Cadmium 285  | lines of dead birds 276, 278                         |
| California gull, lead poisoning in 320                     | removal of 21, 41, 43                                |
| California herring gull, Newcastle disease in 175          | plastic bags/containers 21, 25, 43                   |
| California quail, chlorinated hydrocarbon poisoning in 297 | specimen to submit to laboratory 7                   |
| Call, change in tone of 319                                | transport of 21, 25                                  |
| Canada goose   | vertebrate 272, 279–280                              |
| aflatoxin poisoning in 267–268                             | Carcass-maggot cycle, of avian botulism 272-273, 279 |
| aspergillosis in 130                                       | Carnivores   |
| avian cholera in 81, 91                                    | Pasteurella multocida in 77                          |
| avian pox in 163–164                                       | Sarcocystis in 219–222                               |
|  |  |

| Cassin's finch, salmonellosis in 104                                      | Choke cherry 261   |
|---|--|
| Castor beans 261, 356   | Cholera, avian, see Avian cholera                                      |
| Cat(s), Mycobacterium avium in 93   | Cholinesterase, brain levels, normal values 375-376                    |
| Catalogued collections 56–58  | Cholinesterase inhibitors 287–293                                      |
| Cattle, see Livestock   | Chromium 285   |
| Cecal cores 257   | Chronic respiratory disease, see Mycoplasmosis                         |
| Cedar waxwing   | Chukar partridge   |
| avian cholera in 80   | chlorinated hydrocarbon poisoning in 296–297                           |
| salmonellosis in 104  | eastern equine encephalomyelitis in 171                                |
| Ceratopagonid fly 193–195   | mercury poisoning in 338   |
| Cervical dislocation, as euthanasia method 49–50                          | mycoplasmosis in 117–118   |
| Cestodes 189, 254   | tuberculosis in 96   |
| Cheilospirura spinosa, see Gizzard worms                                  | ulcerative enteritis in 122  |
| Chemical euthanasia 50–51   | Ciguatoxin 264   |
| Chemical ice pack 14  | Circular movements, involuntary 172                                    |
| Chemical names 382–384  | Cloaca, cheesy plaques in 151  |
| Chemical restraint 58, 61   | Cloacotaenia 254   |
| Chemical toxins 284–285   | Clophens® 305  |
| miscellaneous 351–353   | Clostridial enterotoxemia 74   |
| sources of assistance for investigating mortality events                  | Clostridian enterotoxemia 74 Clostridium botulinum, see Avian botulism |
| 370–372   | Clostridium colinum, see Ulcerative enteritis                          |
| Chestnut-backed chickadee, salmonellosis in 104                           | Clostridium perfringens, see Necrotic enteritis                        |
| Chicken   | Closure of area 33–34  |
| aspergillosis in 130  | Clothing, protective, see Protective clothing                          |
| avian botulism in 275   | Coccidian 189  |
| avian cholera in 82   | Coccidiasis, see Intestinal coccidiosis                                |
| avian influenza in 181, 183   | Coccidiosis  |
| avian pox in 165  | intestinal, see Intestinal coccidiosis                                 |
| candidiasis in 135  | •  |
|   | renal, see Renal coccidiosis   |
| erysipelas in 121   | Cockatiel, chlamydiosis in 111   |
| herpesvirus disease in 157–158  | Cold stress, reduced tolerance to 290 Colibacillosis 125–126           |
| histomoniasis in 257  |  |
| inclusion body disease of cranes in 153–154 intestinal coccidiosis in 210 | Colonial nesting birds   |
|   | avian pox in 164   |
| mycoplasmosis in 115–116  | salmonellosis in 99, 103–105<br>Comatose bird 349                      |
| nematodes in 255  |  |
| Newcastle disease in 175–179  | Common buzzard, herpesvirus disease in 159                             |
| new duck disease in 122   | Common crane, inclusion body disease of cranes in                      |
| salmonellosis in 100  | 153–154  |
| ticks on 257  | Common egret   |
| tracheal worms in 229   | chlamydiosis in 114  |
| trichomoniasis in 203   | eustrongylidiosis in 225   |
| tuberculosis in 94  | mercury poisoning in 338   |
| ulcerative enteritis in 123   | Common eider   |
| Chipping sparrow, salmonellosis in 104                                    | acanthocephaliasis in 242  |
| Chlamydia psittaci, see Chlamydiosis                                      | intestinal coccidiosis in 211  |
| Chlamydiosis 74, 111–114  | lead poisoning in 317  |
| Chlordane 296–297, 301, 303   | Common goldeneye, avian pox in 164                                     |
| Chloride poisoning 353  | Common loon  |
| Chlorinated hydrocarbon poisoning 295–302, 352                            | lead poisoning in 317, 320–321   |
| Chlorine 285  | mercury poisoning in 338   |
| Chlorine bleach 33–34   | Common merganser   |
| Chlorophacinone 285   | erysipelas in 121  |
| Chlorpyrifos 289, 292, 352  |  |

| mercury poisoning in 338                                  | salmonellosis in 103                                    |
|---|---|
| Common moorhen, trematodes in 252                         | Cracker shell 32, 34                                    |
| Common murre  | Crane   |
| algal toxin poisoning in 264                              | avian cholera in 79-80                                  |
| avian pox in 164, 169                                     | avian influenza in 181                                  |
| Common names of wildlife 377–381                          | capture myopathy in 364                                 |
| Common scoter, avian pox in 164                           | chemical poisoning in 353                               |
| Common tern   | chlamydiosis in 112                                     |
| algal toxin poisoning in 264                              | disseminated visceral coccidiosis of cranes in 207, 212 |
| avian influenza in 183                                    | eastern equine encephalomyelitis in 171–173             |
| mercury poisoning in 338–339                              | erysipelas in 121                                       |
| Composting of carcasses 21, 32–33                         | herpesvirus disease in 157–159                          |
| Conjunctivitis, herpesvirus 158                           | inclusion body disease of cranes in 140, 153–156        |
| Contagious epithelioma, see Avian pox                     | intestinal coccidiosis in 207, 210–211                  |
| Conversion table, of units of measurement 385–386         | lead poisoning in 319                                   |
| Convulsions 83, 85, 105, 107, 146, 208, 265, 290, 298,    | oil toxicosis in 311                                    |
| 300, 306  | organophosphate poisoning in 352                        |
| Cooper's hawk, chlorinated hydrocarbon poisoning in       | salmonellosis in 100, 103                               |
| 296   |   |
| Coot  | tuberculosis in 93–94                                   |
|   | Crane herpes, see Inclusion body disease of cranes      |
| avian cholera in 78–81, 91                                | Crop, sour, see Candidiasis                             |
| chlorinated hydrocarbon poisoning in 296                  | Crow  |
| gizzard worms in 236–237                                  | aspergillosis in 130                                    |
| inclusion body disease of cranes in 153                   | avian cholera in 78–80, 85, 91                          |
| lead poisoning in 319                                     | candidiasis in 135                                      |
| mycoplasmosis in 117                                      | carbamate poisoning in 351                              |
| pesticide poisoning in 288                                | chemical poisoning in 353                               |
| salmonellosis in 100, 103                                 | erysipelas in 121                                       |
| selenium poisoning in 335                                 | organophosphate poisoning in 352                        |
| trematodes in 249, 252                                    | pesticide poisoning in 288                              |
| Copper 285  | rodenticide and repellent poisoning in 353              |
| Copper sulfate 285  | salmonellosis in 103                                    |
| Cormorant   | tuberculosis in 93–94                                   |
| avian cholera in 79                                       | Crustaceans, acanthocephalans in 242                    |
| chlorinated hydrocarbon poisoning in 298                  | Cryptosporidium, see Intestinal coccidiosis             |
| erysipelas in 121   | Curlew, salmonellosis in 100                            |
| eustrongylidiosis in 225                                  | Cyanide poisoning 261, 341–345, 353                     |
| herpesvirus disease in 158-159                            | Cyanobacterial bloom 263, 265                           |
| mercury poisoning in 338                                  | Cyanobacterial toxins 264                               |
| Newcastle disease in 175-176                              | Cyanosis 257  |
| oil toxicosis in 311                                      | Cyathocotyle buchiensis 249–251                         |
| polychlorinated biphenyl poisoning in 303                 | Cyathostoma bronchialis, see Tracheal worms             |
| renal coccidiosis in 216                                  | Cylindrospermopsin 264                                  |
| salmonellosis in 100, 103                                 |   |
| Corn  | D   |
| aflatoxin in 267–268                                      | Dabbling ducks, sarcocystis in 220                      |
| fusariotoxin in 269                                       | Dactylaria gallopova 137                                |
| Cornea, cloudy 247  | Daphnia, as nematode host 255                           |
| Coturnix quail, polychlorinated biphenyl poisoning in 303 | DDD 295-296   |
| Coughing 231  | DDE 295, 298, 300                                       |
| Coumaphos 352   | DDT 287, 296–298, 301                                   |
| Counter® 285  | Decapitation 50   |
| Cowbird   | Deer, Mycobacterium avium in 93                         |
| aspergillosis in 130                                      | Definitive host 188                                     |
| 30F 3. 30010 III 100                                      | 2 5   |

| Deformity 306, 335, 367                                   | for duck plague 39, 151                              |
|---|--|
| Dehydration 207–208, 250                                  | for eastern equine encephalomyelitis 174             |
| Demeton 285   | in electrocutions 360                                |
| Demoiselle crane, inclusion body disease of cranes in 153 | for eustrongylidiosis 225                            |
| Deoxynivalenol 269  | for fusariotoxin poisoning 270                       |
| Depression 105, 118, 122, 157, 172, 257, 267, 300         | for gizzard worms 239                                |
| Diacetoxyscirpenol 269                                    | for hemosporidiosis 199                              |
| Diagnostic assistance, sources of 370–372                 | for herpesvirus disease 160                          |
| Diarrhea 95, 105, 122, 172, 290                           | for inclusion body disease of cranes 154–156         |
| bright green 319  | for intestinal coccidiosis 211–213                   |
| greenish 122  | for lead poisoning 332–333                           |
| rust-colored 112  | for mercury poisoning 340                            |
| watery 208  | for mycoplasmosis 119                                |
| Diazinon 285, 289, 292, 351–352                           | for nasal leeches 248                                |
| Dicrotophos 292   | for Newcastle disease 178–179                        |
| Dieldrin 287, 295–297, 300–301, 303, 352                  | for oil toxicosis 313–314                            |
| Die-off, description of location of 5–6                   | for pesticide poisoning 292–293                      |
| Digestive tract, see Gastrointestinal tract; Intestine    | for polychlorinated biphenyl poisoning 306-307       |
| Dimethoate 287, 292, 352                                  | for renal coccidiosis 218                            |
| Dinoflagellate bloom 259, 263                             | for salmonellosis 107–109                            |
| Diphacinone 285   | for salt poisoning 348                               |
| Diphtheria, avian, see Avian pox                          | for sarcocystis 221–222                              |
| Diquat® 285   | for selenium poisoning 336                           |
| Direct life cycle 188–190                                 | for tracheal worms 231                               |
| Disease control operations                                | for trichomoniasis 206                               |
| analyses 42   | for tuberculosis 95–96                               |
| disease outbreak summary 48                               | for woodcock reovirus disease 186                    |
| field communications systems 44                           | station disease contingency plan 45-47               |
| during field research 67-69                               | surveillance activities 42, 44                       |
| planning phase of   | wildlife population and habitat management 44        |
| biological data records 19, 22-23, 41                     | wildlife sampling and monitoring 44                  |
| identification of needs 19-20, 41                         | Disease introduction 67–69                           |
| response activities                                       | Disease onset, estimation of 4                       |
| animal relocation 32-34                                   | Disinfectant 33–34                                   |
| carcass disposal 21-32, 43                                | Disinfection 33-34, 38-39, 43                        |
| carcass removal 21, 41, 43                                | Dissection of bird 10–11                             |
| disinfection 33-34, 38-39, 43                             | Disseminated visceral coccidiosis of cranes 207, 212 |
| establishing control of area 41                           | Disulfoton 292, 352                                  |
| personnel for 34, 40                                      | Diving birds   |
| problem identification 21, 41                             | mercury poisoning in 338                             |
| response modifications 40                                 | oil toxicosis in 311                                 |
| for specific diseases                                     | Diving ducks   |
| for acanthocephaliasis 243                                | aspergillosis in 130                                 |
| for aflatoxin poisoning 268                               | gizzard worms in 237                                 |
| for algal toxins 266                                      | lead poisoning in 318, 332                           |
| for aspergillosis 131                                     | nasal leeches in 245                                 |
| for avian botulism 279–280                                | pesticide poisoning in 288                           |
| for avian cholera 88-91                                   | sarcocystis in 221                                   |
| for avian influenza 184                                   | trematodes in 249                                    |
| for avian pox 169   | Dog  |
| for barbiturate poisoning 350                             | location of carcasses by 21                          |
| for chlamydiosis 113                                      | Mycobacterium avium in 93                            |
| for chlorinated hydrocarbon poisoning 302                 | Domestic animal disease programs 370                 |
| for cyanide poisoning 345                                 | Domoic acid 263–265                                  |

| Double-crested cormorant                      | necrotic enteritis in 122  |
|---|--|
| entangled in fishing line 362                 | nematodes in 255   |
| lead poisoning in 320–321                     | Newcastle disease in 175   |
| mercury poisoning in 338                      | new duck disease in 122  |
| Newcastle disease in 175–178                  | oil toxicosis in 311   |
| polychlorinated biphenyl poisoning in 303     | renal coccidiosis in 216–217                                       |
| renal coccidiosis in 217                      | rictin poisoning in 356  |
| salmonellosis in 103                          | salmonellosis in 100, 103, 107                                     |
| Dove  | salt encrustation of 347   |
| avian cholera in 79                           | staphylococcosis in 123  |
| carbamate poisoning in 351                    | tracheal worms in 229  |
| chemical poisoning in 353                     | tularemia in 124   |
| chlamydiosis in 111                           | Duck disease, see Avian botulism                                   |
| erysipelas in 121                             | Duck hepatitis 361–362   |
| hemosporidiosis in 194                        | Duck leeches, see Nasal leeches                                    |
| herpesvirus disease in 158                    | Duck plague 39, 140–151  |
| intestinal coccidiosis in 210                 | Duck virus enteritis, see Duck plague                              |
| lead poisoning in 319, 332–333                | Dung piles 101   |
| Newcastle disease in 176                      | Dusky song sparrow, salmonellosis in 104                           |
| organophosphate poisoning in 352              | DVE, see Duck plague   |
| pesticide poisoning in 288                    | DVL, see Duck plague   |
| salmonellosis in 103                          | E  |
| trichomoniasis in 201–203, 206                | Eagle  |
| Drive trap 36                                 | avian cholera in 78–79, 91   |
| ·   |  |
| Droopiness 105, 122, 146                      | carbamate poisoning in 351   |
| Drop net 33                                   | chemical poisoning in 353 chlorinated hydrocarbon poisoning in 352 |
| Droppings                                     | •  |
| blood-stained 83                              | cyanide poisoning in 342 electrocution of 357                      |
| fawn-colored or yellow 83                     |  |
| Drowning 148, 277–279, 309–310, 356, 367      | erysipelas in 121  |
| Drowsiness 83, 172, 349                       | herpesvirus disease in 158   |
| Dry ice euthanasia with 51                    | lead poisoning in 317, 322   |
|   | organophosphate poisoning in 352                                   |
| for specimen shipment 14, 17  Duck            | pesticide poisoning in 288   |
|   | rodenticide and repellent poisoning in 353                         |
| acanthocephaliasis in 242                     | salmonellosis in 100   |
| aflatoxin poisoning in 267                    | staphylococcosis in 123  |
| algal toxin poisoning in 264                  | strychnine poisoning in 351<br>tularemia in 124                    |
| aspergillosis in 130<br>avian botulism in 277 |  |
|   | Eagle owl, herpesvirus disease in 159                              |
| avian cholera in 78–79                        | Eared grebe  |
| candidiasis in 135                            | algal toxin poisoning in 264                                       |
| chlamydiosis in 111, 114                      | erysipelas in 121<br>salmonellosis in 103                          |
| chlorinated hydrocarbon poisoning in 296      |  |
| duck hepatitis in 361                         | Earthworms   |
| duck plague in 141–151                        | chlorinated hydrocarbons in 295                                    |
| erysipelas in 121                             | histomonads in 257   |
| gizzard worms in 236–237                      | tracheal worm carriage 229–230                                     |
| hemosporidiosis in 194–195                    | East African crowned crane, inclusion body disease of              |
| herpesvirus disease in 157                    | cranes in 153  |
| intestinal coccidiosis in 210                 | Eastern equine encephalomyelitis 140, 171–174                      |
| lead poisoning in 318                         | Eastern screech owl, avian pox in 165                              |
| mycoplasmosis in 115, 117                     | Eastern sleeping sickness of horses, see Eastern equine            |
| nasal leeches in 248                          | encephalomyelitis  |

| Echinuria uncinata 255–256  | European blackbird, erysipelas in 121                        |
|---|--|
| Ectoparasites 188, 249, 257–258                                       | European bullfinch, salmonellosis in 100                     |
| Edema 305-306, 344  | European jay, aspergillosis in 130                           |
| EEE, see Eastern equine encephalomyelitis                             | European starling  |
| Egg production, decreased 183   | mycoplasmosis in 116, 118                                    |
| Eggshell, thin 298–300, 303, 306                                      | polychlorinated biphenyl poisoning in 305                    |
| Egret   | salmonellosis in 103   |
| avian cholera in 79   | European thrush, acanthocephaliasis in 242                   |
| chemical poisoning in 353   | Eustrongylides, see Eustrongylidiosis                        |
| chlamydiosis in 112   | Eustrongylidiosis 223–228                                    |
| chlorinated hydrocarbon poisoning in 298                              | Euthanasia 7, 32, 49–51                                      |
| eustrongylidiosis in 225  | chemical 50–51   |
| lead poisoning in 321   | guidelines for field research 54, 67, 70                     |
| oil toxicosis in 311  | physical 49–50   |
| salmonellosis in 99–100, 103  | selection of method of 49                                    |
| Eider   | Euthanasia agents 50–51, 285                                 |
| aspergillosis in 131  | barbiturate poisoning of scavengers 349–350                  |
| avian cholera in 80, 82, 91   | Eutrophication 225, 261                                      |
| oil toxicosis in 311  | Evening grosbeak, salmonellosis in 104, 106                  |
| renal coccidiosis in 217  | Exertional myopathy, see Capture myopathy                    |
| Eimeria, see Intestinal coccidiosis; Renal coccidiosis                | Exhaustion 309–310   |
| Electrocution 356–360   | Exsanguination 50  |
| Emaciation 95, 131, 165, 185–186, 195, 208, 217, 223,                 | Eye  |
| 237, 242, 256, 298, 301, 305, 312, 319, 339                           | cheesy plaques in 131  |
| Embryo mortality 306, 335   | discharge from 112, 122                                      |
| Embryonic deformity 335   | drainage from 118  |
| Emerging infectious disease 140                                       | erosions on surface of 348                                   |
|   | inflamed 118   |
| Emu, eastern equine encephalomyelitis in 171                          | leeches in 245, 247  |
| Encephalomyelitis 158 Endoparasites 188, 249                          |  |
| Endosulfan 297  | protrusion of 290<br>puffy 118                               |
| Endosulari 297<br>Endrin 295–297, 301                                 | swollen 118  |
| Enflurane 50  | Eyelids  |
| English sparrow, salmonellosis in 104, 106                            | crusty 118   |
| Enteritis 211, 249  | drooping of 290, 339   |
| duck virus, see Duck plague   |  |
|   | paralysis of 277–278   |
| necrotic, see Necrotic enteritis ulcerative, see Ulcerative enteritis | pasted 105<br>swollen 118                                    |
| woodcock reovirus 185   | Swollen 110  |
| Environmental factors, records of 4                                   | F  |
| Epithelioma, contagious, see Avian pox                                | Face, puffy 203–204  |
| •   | Falcon   |
| Epizootiology 3   | avian cholera in 78–79                                       |
| Epomidiostomum, see Gizzard worms Erysipelas 121                      | electrocution of 357   |
| ·   |  |
| Erysipilothrix rhusopathiae, see Erysipelas                           | herpesvirus disease in 157–159 intestinal coccidiosis in 210 |
| Escherichia coli, see Colibacillosis                                  |  |
| Esophagus   | pesticide poisoning in 288                                   |
| cheesy, raised plaques along 146, 150–151                             | salmonellosis in 100, 103<br>trichomoniasis in 203           |
| hard, cheesy lesions of 205   |  |
| impaction of 320, 328–329   | tuberculosis in 93   |
| light-colored granulomas in 211–212                                   | Famphur 289, 292, 351–352                                    |
| yellow, cheesy nodules in 106   | Favus, fowl, see Ringworm                                    |
| Ethion 287  | Feathers   |
| Ethylene glycol poisoning 285, 353                                    | burn marks on 359  |

| loss of 137, 258                                     | Flea 258  |
|--|---|
| oil contamination of 309-310, 312                    | Flight  |
| ruffled 105, 112, 122, 135, 183, 257, 339            | awkward 265   |
| Feces  | erratic 83, 319   |
| bile-stained 319                                     | inability to fly 146, 148, 267, 277-278, 309              |
| green-colored 319, 325                               | reluctance to fly 318                                     |
| Feeding difficulties 112, 165                        | Flukes, see Trematodes                                    |
| Fenamiphos 292                                       | Fluorine poisoning 353                                    |
| Fences, collisions with 365                          | Fly 258   |
| Fenclors® 305  | Fly larvae, tracheal worm carriage 229-230                |
| Fensulfothion 292                                    | Fonofos 292, 352  |
| Fenthion 285, 289, 292, 352                          | Food chain 295, 303, 337                                  |
| Ferruginous hawk                                     | Foot webs, congestion in 265                              |
| avian pox in 165                                     | Formalin 8  |
| staphylococcosis in 123                              | Fowl cholera, see Avian cholera                           |
| "Field hospital," for waterfowl 55                   | Fowl favus, see Ringworm                                  |
| Field research                                       | Fowl pest, see Avian influenza                            |
| animal disposal at completion of study 70            | Fowl plague, see Avian influenza                          |
| animal marking 61–63                                 | Fowl pox, see Avian pox                                   |
| blood and tissue collections 57–59                   | Fowl tick 257   |
| conditions for confined wildlife 54-55, 63-64        | Fowl typhoid, see Salmonellosis                           |
| disease considerations 67-69                         | Francisella tularensis, see Tularemia                     |
| euthanasia 67, 70                                    | Franklin's gull, algal toxin poisoning in 264             |
| housing and maintenance of field sites 54-55, 63-64  | Frogs, acanthocephalans in 242                            |
| investigator disturbance and impacts 56              | Frounce, see Trichomoniasis                               |
| professional society guidelines for 71               | Fulmar, mercury poisoning in 338                          |
| restraint and handling of wildlife 58–60             | Fulvous whistling duck, chlorinated hydrocarbon poisoning |
| safety of personnel 70                               | in 296–297  |
| surgical and medical procedures 65–67                | Fungal disease 128  |
| transport of live animals 64–65                      | cutaneous 137   |
| wildlife in 53–71                                    | miscellaneous 137   |
| wildlife observations and collections 56-58          | subcutaneous 137  |
| Wildlife Society guidelines for 53-71                | systemic 137  |
| Filarial heartworm, see Heartworm of swans and geese | Fungicides 285  |
| Finch  | Funnel trap 35–36   |
| avian cholera in 79                                  | Fusariomycotoxicosis, see Fusariotoxin poisoning          |
| avian pox in 164                                     | Fusariotoxin poisoning 269–270                            |
| erysipelas in 121                                    | Fusarium, see Fusariotoxin poisoning                      |
| herpesvirus disease in 159                           |   |
| Fish   | G   |
| acanthocephalans in 242                              | Gadwall   |
| Eustrongylides in 223–225                            | aflatoxin poisoning in 267                                |
| mercury in 339                                       | duck plague in 141  |
| Pfiesteria mortality in 265                          | nasal leeches in 245                                      |
| Fish-eating birds                                    | sarcocystis in 220  |
| chlorinated hydrocarbon poisoning in 295             | Gait  |
| eustrongylidiosis in 225                             | abnormal 112  |
| polychlorinated biphenyl poisoning in 303            | unsteady 319  |
| renal coccidiosis in 216                             | Gallbladder, distended and bile-filled 320, 330           |
| Fishing line, discarded 362                          | Gallinaceous birds  |
| Fishing sinkers 333                                  | chlorinated hydrocarbon poisoning in 296, 298             |
| Flamingo   | mercury poisoning in 338                                  |
| capture myopathy in 364                              | Gannet  |
| lead poisoning in 320                                | mercury poisoning in 338                                  |
|  |   |

| Newcastle disease in 177                      | Gizzard pads, inflammation of 254                    |
|---|--|
| salmonellosis in 103                          | Gizzard worms 235-239                                |
| Gapes, see Tracheal worms                     | Glaucous-winged gull, lead poisoning in 320          |
| Gape worm, see Tracheal worms                 | Globe, collapse of 247                               |
| Gaping 131, 229, 247                          | Glossy ibis, eastern equine encephalomyelitis in 171 |
| Gastiotaenia 254                              | Gloves 7, 21   |
| Gastrointestinal tract, see also Intestine    | disposable and reusable 21, 24                       |
| dye in 291                                    | Goats, see Livestock                                 |
| hemorrhage in 146, 149, 151, 269, 309         | Golden eagle   |
| inflammation and ulceration of 269–270        | avian pox in 165                                     |
| inflammation of 310                           | barbiturate poisoning in 349–350                     |
| moist, necrotic lesions of 165                | electrocution of 357–358                             |
| Geographic distribution                       | herpesvirus disease in 159                           |
| of aflatoxin poisoning 267–269                | lead poisoning in 317, 319–320                       |
| of aspergillosis 130                          | mercury poisoning in 338–339                         |
| of avian botulism 275–277                     | staphylococcosis in 123                              |
| of avian cholera 76, 80-84                    | Goldfinch, salmonellosis in 100, 104                 |
| of avian influenza 182-183                    | Gold mining 341–345                                  |
| of avian pox 164-166                          | Goose  |
| of candidiasis 135                            | acanthocephaliasis in 242                            |
| of chlamydiosis 111                           | algal toxin poisoning in 264                         |
| of chlorinated hydrocarbon poisoning 295      | avian cholera in 79                                  |
| of cyanide poisoning 342-344                  | candidiasis in 135                                   |
| of duck plague 141-145                        | chlamydiosis in 111                                  |
| of eastern equine encephalomyelitis 171       | duck plague in 141-151                               |
| of electrocutions 358                         | erysipelas in 121                                    |
| of eustrongylidiosis 223, 226-227             | fusariotoxin poisoning in 269                        |
| of fusariotoxin poisoning 269                 | gizzard worms in 236-237                             |
| of heartworm of swans and geese 234           | heartworm of swans and geese in 233-234              |
| of hemosporidiosis 195                        | hemosporidiosis in 194-195                           |
| of herpesvirus disease 157, 159               | intestinal coccidiosis in 210                        |
| of inclusion body disease of cranes 153-154   | lead poisoning in 318                                |
| of intestinal coccidiosis 208, 210            | mycoplasmosis in 115                                 |
| of lead poisoning 322-323, 333                | nasal leeches in 245                                 |
| of mercury poisoning 339                      | nematodes in 254–255                                 |
| of mycoplasmosis 117                          | oil toxicosis in 311                                 |
| of nasal leeches 245-246                      | pesticide poisoning in 288                           |
| of Newcastle disease 176–178                  | renal coccidiosis in 216-217                         |
| of oil toxicosis 311–312                      | salmonellosis in 100, 103                            |
| of pesticide poisoning 289                    | sarcocystis in 221                                   |
| of polychlorinated biphenyl poisoning 303-305 | tracheal worms in 229                                |
| of renal coccidiosis 217                      | tularemia in 124                                     |
| of salmonellosis 100, 104                     | Goshawk  |
| of salt poisoning 347                         | chlorinated hydrocarbon poisoning in 296             |
| of sarcocystis 220                            | mercury poisoning in 339                             |
| of selenium poisoning 335                     | Gout 367   |
| of tracheal worms 229                         | visceral 172–173, 348                                |
| of trichomoniasis 201, 203–204                | Grackle  |
| of tuberculosis 94                            | aspergillosis in 130                                 |
| of woodcock reovirus disease 185              | avian cholera in 79–80                               |
| Gizzard                                       | salmonellosis in 103                                 |
| green-stained 320, 330                        | Grain  |
| hemorrhages on surface of 83                  | aflatoxin in 267                                     |
| lead pellets in 320, 331                      | drugged, to capture birds 36                         |

| fusariotoxin in 269–270                                  | mycoplasmosis in 115–116                    |
|--|---|
| mercury-treated 339                                      | nematodes in 255                            |
| moldy 129, 131   | salmonellosis in 100                        |
| Grain storage facility 206                               | Gull  |
| Granuloma 131, 225                                       | algal toxin poisoning in 264                |
| Grasshopper, gizzard worm carriage 236, 239              | aspergillosis in 130                        |
| Gray partridge, chlorinated hydrocarbon poisoning in 297 | avian botulism in 274                       |
| Great blue heron   | avian cholera in 78-80, 91                  |
| eustrongylidiosis in 223, 226                            | avian influenza in 181, 183                 |
| lead poisoning in 320–321                                | candidiasis in 135                          |
| mercury poisoning in 338                                 | capture myopathy in 364                     |
| Great cormorant, algal toxin poisoning in 264            | carbamate poisoning in 351                  |
| Great egret  | chemical poisoning in 353                   |
| eustrongylidiosis in 225                                 | chlamydiosis in 111–112                     |
| lead poisoning in 320                                    | chlorinated hydrocarbon poisoning in 298    |
| Greater sandhill crane, lead poisoning in 320            | eastern equine encephalomyelitis in 171–172 |
| Great horned owl   | erysipelas in 121                           |
| chlorinated hydrocarbon poisoning in 296                 | gizzard worms in 237                        |
| electrocution of 357                                     | intestinal coccidiosis in 210               |
| herpesvirus disease in 159–160                           | lead poisoning in 319, 321                  |
| Grebe  | mercury poisoning in 338                    |
| avian cholera in 79                                      | oil toxicosis in 311                        |
| chemical poisoning in 353                                | pesticide poisoning in 288                  |
| chlorinated hydrocarbon poisoning in 296                 | renal coccidiosis in 216                    |
| erysipelas in 121  | salmonellosis in 99–100, 103–104, 107       |
| gizzard worms in 236                                     | sarcocystis in 221                          |
| nasal leeches in 245                                     | tuberculosis in 93–94                       |
| oil toxicosis in 311                                     | tularemia in 124                            |
|  |   |
| Green-winged teal  | Gunshot, as euthanasia method 50, 56        |
| aflatoxin poisoning in 267                               | Gyrfalcon, herpesvirus disease in 159       |
| avian botulism in 281                                    | н   |
| avian pox in 163–164                                     |   |
| erysipelas in 121  | Haemoproteus, see Hemosporidiosis           |
| trematodes in 249  | Halothane 50                                |
| Grinding pads, degeneration of 237–238                   | Handling of live animals 58–60              |
| Grouse   | disease due to 364                          |
| candidiasis in 135                                       | Harlequin duck, avian pox in 164            |
| gizzard worms in 235                                     | Hatchet-breast appearance 319, 325          |
| histomoniasis in 257                                     | Hatchlings, disease in 361                  |
| lead poisoning in 317, 319, 332                          | Hawaiian forest birds                       |
| mercury poisoning in 338                                 | avian pox in 166                            |
| nematodes in 254–255                                     | hemosporidiosis in 195                      |
| salmonellosis in 100, 103                                | Hawaiian goose, avian pox in 163            |
| tularemia in 124   | Hawk  |
| ulcerative enteritis in 123                              | avian cholera in 79                         |
| Growth retardation 135                                   | carbamate poisoning in 351                  |
| Guillemot  | chemical poisoning in 353                   |
| oil toxicosis in 311                                     | erysipelas in 121                           |
| salmonellosis in 103                                     | intestinal coccidiosis in 210               |
| Guinea fowl  | lead poisoning in 319                       |
| candidiasis in 135                                       | organophosphate poisoning in 352            |
| duck hepatitis in 361                                    | pesticide poisoning in 288                  |
| erysipelas in 121  | rodenticide and repellent poisoning in 353  |
| herpesvirus disease in 157                               | salmonellosis in 100, 103                   |

| trichomoniasis in 203                             | eustrongylidiosis in 225                              |
|---|---|
| tuberculosis in 94                                | oil toxicosis in 311                                  |
| tularemia in 124                                  | salmonellosis in 99–100, 103                          |
| Hawk-headed parrot, salmonellosis in 100          | Herpesvirus   |
| Hazardous Materials Regulations 17                | duck plague 141–151                                   |
| Hazing 32   | inclusion body disease of cranes 153–156              |
| Head  | Herpesvirus disease 157–161                           |
| arched back 290                                   | Herring gull  |
| fluid beneath skin of 269–270                     | algal toxin poisoning in 264                          |
| inability to hold erect 277                       | aspergillosis in 131                                  |
| puffy or swollen 319, 327                         | avian influenza in 183                                |
| pulled back and twisted to side 148               | erysipelas in 121                                     |
| resting on back 83, 85                            | lead poisoning in 320                                 |
| shaking of 157, 223, 231, 245                     | mercury poisoning in 338                              |
| side-to-side movement of 265                      | oil toxicosis in 314                                  |
| twisting of 177–179, 265                          | salmonellosis in 99                                   |
| unnatural positioning of 131                      | staphylococcosis in 123                               |
| Head droop 265, 269                               | Heterakis gallinarum, as vector for Histomonas 257    |
| Head restraint 59                                 | Hexaconazole 285                                      |
| Heap leach system 341–345                         | High voltage transmission lines 357–360               |
| Heart   | Histomonas meleagridis, see Histomoniasis             |
| enlarged 234                                      | Histomoniasis 256–257                                 |
| excess fluids around 305                          | History, see Specimen history                         |
| fibrinous covering on surface of 122              | Holding devices 58–59                                 |
| hemorrhage on surface of 83, 86–87, 146, 150      | Hooded crane, inclusion body disease of cranes in 153 |
| light patches on 211, 213                         | Horned lark, chlorinated hydrocarbon poisoning in 297 |
| pale foci or spots on 234                         | Horse, see Livestock                                  |
| Heartworm 188                                     | House finch   |
| Heartworm of swans and geese 233–234              | avian pox in 169                                      |
| Hemorrhage  | mycoplasmosis in 115–119                              |
| in gastrointestinal tract 146, 149, 151, 269, 309 | salmonellosis in 104                                  |
| on gizzard surface 83                             | House finch conjunctivitis, see Mycoplasmosis         |
| on heart surface 83, 86–87, 146, 150              | House sparrow   |
| in intestine 154, 249–251, 268, 291, 293          | chlorinated hydrocarbon poisoning in 297              |
| in liver 265, 268, 361                            | eastern equine encephalomyelitis in 171               |
| in thymus gland 154                               | salmonellosis in 104, 107                             |
| trauma-related 366                                | Housing, of confined wildlife 54–55, 63               |
| Hemorrhagic septicemia, avian, see Avian cholera  | Huddling together 105                                 |
| Hemosporidiosis 187–189, 193–199                  | Human health risks                                    |
| Hemozoin pigment 195, 199                         | of aflatoxin 269                                      |
| Hepatitis   | of algal toxins 266                                   |
| duck, see Duck hepatitis                          | of aspergillosis 133                                  |
| herpesvirus 157–158                               | of avian botulism 280                                 |
| woodcock reovirus 185                             | of avian cholera 91-92                                |
| Hepatomegaly 112-113, 172                         | of avian influenza 184                                |
| Heptachlor 296–297, 301, 352                      | of avian pox 169                                      |
| Herbicides 285                                    | of bacterial diseases 74                              |
| Heron   | of candidiasis 136                                    |
| aspergillosis in 130                              | of chlamydiosis 113-114                               |
| avian botulism in 274                             | of chlorinated hydrocarbons 302                       |
| avian cholera in 79                               | of cyanide 345  |
| chlamydiosis in 111–112                           | of eastern equine encephalomyelitis 174               |
| chlorinated hydrocarbon poisoning in 298          | of eustrongylidiosis 227                              |
|   | of fusariotoxin 270                                   |

| of lead 333-334  | raised tunnels on 223, 225, 227                           |
|--|---|
| of mercury 340   | reddened 291, 312   |
| of Newcastle disease 179                                   | thick, yellowish fluid in 88                              |
| of oil pollution 314                                       | white nodules on 242                                      |
| of pesticides 293  | Isazophos 285   |
| of polychlorinated biphenyls 307                           | Isoflurane 50   |
| of salmonellosis 100, 109                                  | Iso-neosolaniol 269                                       |
| of selenium 336  | Isospora, see Intestinal coccidiosis                      |
| of staphylococcosis 123-124                                |   |
| of tuberculosis 98   | J   |
| Hungarian partridge  | Jackdaw   |
| histomoniasis in 157                                       | candidiasis in 135  |
| lead poisoning in 320                                      | salmonellosis in 100                                      |
| Newcastle disease in 175                                   | tracheal worms in 229                                     |
| transport of live animals 66                               | Japanese quail, polychlorinated biphenyl poisoning in 305 |
| Hydrocyanic acid poisoning, see Cyanide poisoning          | Java finch, chlamydiosis in 112                           |
| Hydrogen sulfide poisoning 353                             | Jay   |
| Hydropericardium 185                                       | avian cholera in 79                                       |
| Hypothermia 309-310, 312, 350                              | pesticide poisoning in 288                                |
| Hypovolemic shock 249                                      | Jugular vein, blood collection from live animals 57       |
| I  | K   |
| Ibis   | Kanechlors® 305   |
| chlamydiosis in 112  | Keel, prominent 217                                       |
| eustrongylidiosis in 225                                   | Kesterson Reservoir 335                                   |
| Ice-related problems 365–367                               | Kestrel   |
| Inactivity 208   | chlorinated hydrocarbon poisoning in 298                  |
| Incineration of carcasses 21, 28–31                        | herpesvirus disease in 159                                |
| above-ground methods for 21, 29-30                         | tuberculosis in 93  |
| in-trench methods for 21, 29                               | Kidney  |
| layering of carcasses for 32                               | congested 300   |
| Incinerator, portable 21, 28                               | enlarged 217, 305   |
| Inclusion body, intranuclear 160                           | Kill trap 56  |
| Inclusion body disease of cranes 140, 153-156              | Kingfisher, intestinal coccidiosis in 210                 |
| Inclusion body disease of falcons, see Herpesvirus disease | King parrot, chlamydiosis in 112                          |
| Incoordination 105, 172, 265, 290, 298, 300, 305-306,      | Kite, candidiasis in 135                                  |
| 339–340  | Kittiwake, avian influenza in 183                         |
| Indian blue peafowl, mycoplasmosis in 118                  |   |
| Indirect life cycle 188–191                                | L   |
| Infectious laryngotracheitis 158                           | Lameness 95, 195, 208, 220                                |
| Infectious sinusitis, see Mycoplasmosis                    | Landfill 101, 107, 303, 349-350                           |
| Influenza, avian, see Avian influenza                      | Laryngotracheitis, infectious 158                         |
| Inhalant anesthetics, euthanasia with 50                   | Lasso 285   |
| Insecticide poisoning 295–302                              | Laughing gull, lead poisoning in 320                      |
| Intermediate host 188                                      | Laysan albatross  |
| Intestinal coccidiosis 207–213                             | avian pox in 164-165, 167-169                             |
| Intestine  | lead poisoning in 317, 320-321                            |
| fibrous-to-caseous core of necrotic debris in 252-253      | Laysan duck, nematodes in 255-256                         |
| hemorrhage in 154, 249-251, 268, 291, 293                  | Lead poisoning 285, 317–334                               |
| lesions of enteritis 122-123                               | Leaf litter 295   |
| light-colored areas in 211                                 | Leeches, nasal, see Nasal leeches                         |
| necrosis of 157  | Leech fixation procedure 248                              |
| necrotic, crumbly cores in 106-107                         | Leg, extended to rear 265                                 |
| nodules in 95  | Lesser sandhill crane, lead poisoning in 320              |

| Lesser scaup  | euthanized carcasses 349-350   |
|---|--|
| aflatoxin poisoning in 267                              | Mycobacterium avium in 93-94   |
| algal toxin poisoning in 264-265                        | Pasteurella multocida in 77  |
| intestinal coccidiosis in 207                           | Salmonella in 107–108  |
| nasal leeches in 245                                    | Live trap 56-57  |
| trematodes in 251                                       | Living conditions, of confined wildlife 54-55, 63                    |
| Lethal injection 51                                     | Long-billed dowitcher, lead poisoning in 320                         |
| Lethargy 83, 85, 95, 118, 154, 242, 249, 267, 290, 298, | Long-eared owl, herpesvirus disease in 159                           |
| 300, 305–306  | Loon   |
| Leucocytozoon, see Hemosporidiosis                      | aspergillosis in 130   |
| Leyogonimus polyoon 252–253                             | avian botulism in 274  |
| Lice 258  | avian cholera in 79  |
| Life cycle  | eustrongylidiosis in 225   |
| of acanthocephalans 241–242                             | mercury poisoning in 339   |
| of coccidia 207–209, 215–216                            | nasal leeches in 245   |
| direct 188–190  | oil toxicosis in 311   |
| of Echinuria uncinata 255                               | renal coccidiosis in 216   |
| of Eustrongylides 223–224                               | ringworm in 137  |
| of gizzard worms 235–236                                | Lorikeet, candidiasis in 135   |
| of hemosporidia 193–194                                 | Lory, candidiasis in 135   |
| ·   | Louisiana pneumonitis, see Chlamydiosis                              |
| of Histomonas meleagridis 256                           | ·  |
| indirect 188–191  | Louse fly 193–194  |
| of Sarcocystis 219–220                                  | Lovebird, candidiasis in 135   |
| of Sarconema 233–234                                    | Lung   |
| of tracheal worms 229–230                               | cheesy plaques in 131–132  |
| of trematodes 249–252                                   | congested 113, 300, 344  |
| of Trichostrongylus tenuis 254                          | dark red, granular 131, 133  |
| Light sensitivity 146                                   | fluid accumulation in 348  |
| Limberneck, see Avian botulism                          | nodules in 95  |
| Lindane 297   | purple areas of firmness in 183                                      |
| Listlessness 122, 135, 195, 203                         |  |
| Little blue heron, chlamydiosis in 113                  | M  |
| Liver   | M-44 sodium cyanide ejector 341–345                                  |
| amyloid deposits in 96                                  | Macaw  |
| bile stained 125–126                                    | chlamydiosis in 111  |
| congested 123, 300                                      | tuberculosis in 93   |
| enlarged 195–196, 305                                   | Maggots, carcass-maggot cycle of avian botulism 272-                 |
| enlarged, swollen pale 268                              | 273, 279   |
| fibrinous covering on surface of 122                    | Magpie   |
| gray spots within 123                                   | avian cholera in 79  |
| hemorrhage in 265, 268, 361                             | mercury poisoning in 339   |
| large, pale grey areas of necrosis in 257               | pesticide poisoning in 292   |
| light patches on 211, 213                               | salmonellosis in 100, 103  |
| necrotic lesions of 150, 160                            | Malaria, avian, see Hemosporidiosis                                  |
| nodules in 95   | Mallard  |
| paratyphoid nodules in 106                              | aflatoxin poisoning in 267   |
| swollen 125–126, 154                                    | aspergillosis in 129, 131  |
| white-to-yellow spots on 83, 87, 124, 154–155           | avian botulism in 281  |
| yellow areas of tissue death in 123                     | avian cholera in 85  |
| Livestock   | avian influenza in 181, 183  |
| avian influenza virus in 184                            | avian pox in 163–164   |
| botulism in 274   | chlorinated hydrocarbon poisoning in 296–297, 299                    |
| eastern equine encephalomyelitis virus in 172–173       | duck hepatitis in 361–362  |
| Sacreti oquito oncophalomyondo vituo in 172-170         | duck riepatitis iii 301–302<br>duck plague in 141, 143–144, 146, 151 |
|   | audit plagad iii i i i, i ro 177, 170, 101                           |

| lead poisoning in 317, 321, 324, 328, 330                  | Mink  |
|--|---|
| mercury poisoning in 340                                   | botulism in 274                             |
| mycoplasmosis in 117                                       | Mycobacterium avium in 93                   |
| nasal leeches in 247                                       | polychlorinated biphenyl poisoning in 303   |
| necrotic enteritis in 122                                  | Minnows, Eustrongylides in 223-224          |
| Newcastle disease in 175, 177, 179                         | Mirex 297                                   |
| pesticide poisoning in 287, 292                            | Mite 258                                    |
| polychlorinated biphenyl poisoning in 303, 305             | Mollusc(s), as trematode hosts 249          |
| sarcocystis in 220   | Molluscicides 285                           |
| selenium poisoning in 335                                  | Moniliasis, see Candidiasis                 |
| staphylococcosis in 123                                    | Monocrotophos 289, 292, 352                 |
| trematodes in 249  | Mosquito 163–165, 171–174, 193–195          |
| Malnutrition 367   | Motor vehicle                               |
| Manchurian crane, inclusion body disease of cranes in 153  | disinfection of 33, 38                      |
| Mange 258  | transport of live animals in 64-65          |
| Man-made structures, collisions with 365–366               | Mottle duck, sarcocystis in 220             |
| Manure, contaminated 97, 107                               | Mourning dove                               |
| Maps 19, 23  | avian pox in 164, 169                       |
| Marbled godwit, lead poisoning in 320                      | lead poisoning in 320, 333–334              |
| Marek's disease 158, 364                                   | salmonellosis in 103                        |
| Marine birds   | trichomoniasis in 201, 203–205              |
| aspergillosis in 130                                       | Mouth                                       |
| avian influenza in 181, 183                                | hard, cheesy lesions of 205                 |
| avian pox in 163, 166, 169                                 | inflammation of 205                         |
| eastern equine encephalomyelitis in 171                    | inflammation and ulceration of 269–270      |
| herpesvirus disease in 158                                 | lesions of 205                              |
| oil toxicosis in 311                                       | moist, necrotic lesions of 165              |
| renal coccidiosis in 216                                   | mucous discharge from 83                    |
| tick paralysis in 258                                      | Murre                                       |
| Marking, see Wildlife marking                              | avian influenza in 183                      |
| Martin, avian cholera in 79                                | oil toxicosis in 311                        |
| Measurement, units of, conversion table 385–386            | Muscle                                      |
| Medial-metatarsal vein, blood collection from live animals | cyst-like bodies in 195, 197                |
| 57   | necrosis of 364                             |
| Medical procedures, wildlife 65–67                         | rice-grain cysts in 220–221                 |
| major procedures 67  | wasting of 95                               |
| minor procedures 67  | Muscovy duck                                |
|  | algal toxin poisoning in 265                |
| Meningoencephalitis 131, 183 Mercury poisoning 337–340     | duck plague in 141, 151                     |
| Merganser  | inclusion body disease of cranes in 153–154 |
| -  | Museum collections 56–57                    |
| eustrongylidiosis in 225 lead poisoning in 318             | Mute swan                                   |
| mercury poisoning in 338                                   |   |
| , .  | avian pox in 163–164, 169                   |
| nasal leeches in 245 oil toxicosis in 311                  | heartworm of swans and geese in 234         |
|  | lead poisoning in 318, 321                  |
| sarcocystis in 221   | salmonellosis in 103                        |
| Metals 285   | staphylococcosis in 123                     |
| Methamidiphos 292  | trematodes in 249                           |
| Methiocarb 285, 287, 292, 351                              | Mycobacteriosis, see Tuberculosis           |
| Methoxyflurane 50  | Mycobacterium avium, see Tuberculosis       |
| Mexacarbate 287  | Mycoplasma gallisepticum, see Mycoplasmosis |
| Microcystin 263  | Mycoplasma meleagridis, see Mycoplasmosis   |
| Microsporum gallinae 137                                   | Mycoplasma synovia, see Mycoplasmosis       |
| Minimata disease, see Mercury poisoning                    | Mycoplasmosis 74, 115–119                   |

| Mycosis, see Fungal disease                               | lead poisoning in 320  |
|---|--|
| Mycotic pneumonia, see Aspergillosis                      | Northern mockingbird, salmonellosis in 104                   |
| Mycotoxicosis 128   | Northern pintail   |
| Mycotoxins 137, 260-261, 267-270                          | avian cholera in 85  |
| Myiasis 258   | lead poisoning in 317, 325                                   |
| Mynah, chlamydiosis in 111                                | nasal leeches in 245   |
| Myocarditis 185   | sarcocystis in 220   |
| Myopathy, capture, see Capture myopathy                   | Northern shoveler  |
|   | erysipelas in 121  |
| N   | nasal leeches in 245   |
| Nares, bleeding from 290                                  | sarcocystis in 220, 222                                      |
| Nasal discharge 265                                       | No-see-ums 194-195   |
| thick, mucous-like, roppy 83                              | Nuthatch, avian cholera in 79                                |
| Nasal leeches 188, 245–248                                | Nutritional disease 356, 367                                 |
| National Response Center 313                              | Nutritional needs, of confined wildlife 63-64                |
| National Wildlife Health Center, shipment of specimens to | NVND, see Newcastle disease                                  |
| 14–16   |  |
| ND, see Newcastle disease                                 | 0  |
| Neck  | Observation of wildlife, guidelines for field research 56–58 |
| abnormal position of 319                                  | OCs, see Chlorinated hydrocarbon poisoning                   |
| fluid beneath skin of 269–270                             | Ocular discharge 265   |
| paralysis of muscles of 277-278                           | Oil Pollution Act (1990) 313-314                             |
| twisting of 157, 177-179                                  | Oil spill 130, 164, 283, 309-315                             |
| Necropsy kit 8  | Oil toxicosis 285, 309-315                                   |
| Necrotic enteritis 74, 122                                | Okadaic acid 264   |
| Nematocidices 285   | Oldsquaw   |
| Nematodes 189, 254–256                                    | avian cholera in 81  |
| eustrongylidiosis 223–228                                 | oil toxicosis in 311   |
| gizzard worms 235-239                                     | Oligochaetes, Eustrongylides in 223-225                      |
| tracheal worms 229-231                                    | Opisthotonos 361   |
| Nene goose, tuberculosis in 93                            | Opportunistic infection 128, 137                             |
| Neosaxitoxin 264  | Oral discharge 265   |
| Neosolaniol 269   | Organochlorines, see Chlorinated hydrocarbon poisoning       |
| Nervous system disorder 122                               | Organophosphorus pesticides 4, 287–293, 352                  |
| Nesting, on power poles 357–360                           | Oriole, avian cholera in 79                                  |
| Neurologic symptoms 172-173, 265, 269, 290                | Ornithosis, see Chlamydiosis                                 |
| Newcastle disease 140, 175–179                            | Osmoregulatory dysfunction 309–310                           |
| asymptomatic lentogenic 176                               | Osprey   |
| lentogenic 175–176  | chlorinated hydrocarbon poisoning in 298                     |
| mesogenic 176   | mercury poisoning in 338                                     |
| neurotrophic velogenic 175-176                            | Osteoporosis 185   |
| velogenic 175   | Ostrich  |
| viscerotrophic velogenic 176                              | avian influenza in 181                                       |
| New duck disease 122                                      | eastern equine encephalomyelitis in 171                      |
| Nictitating membrane                                      | intestinal coccidiosis in 210                                |
| paralysis of 277  | salmonellosis in 100   |
| stringy, cheeselike material beneath 247                  | Over-straining disease, see Capture myopathy                 |
| Nitrapyrin 285  | Owl  |
| Nitrous oxide 50  | avian cholera in 79  |
| Nodularin 263   | chemical poisoning in 353                                    |
| Northern cardinal, salmonellosis in 104                   | chlorinated hydrocarbon poisoning in 301, 352                |
| Northern fulmar, algal toxin poisoning in 264             | electrocution of 357   |
| Northern harrier  | herpesvirus disease in 157-159                               |
| avian cholera in 78                                       | intestinal coccidiosis in 210                                |

| lead poisoning in 319                                 | candidiasis in 135                                 |
|---|--|
| mercury poisoning in 338-339                          | erysipelas in 121                                  |
| organophosphate poisoning in 352                      | herpesvirus disease in 157                         |
| pesticide poisoning in 288                            | mycoplasmosis in 115, 117                          |
| renal coccidiosis in 216                              | salmonellosis in 100                               |
| salmonellosis in 100, 103                             | Peanuts  |
| trichomoniasis in 203                                 | aflatoxin in 267                                   |
| tuberculosis in 94                                    | fusariotoxin in 269-270                            |
| Owl herpesvirus, see Herpesvirus disease              | Pectoral sandpiper, lead poisoning in 320          |
| Oxamyl 292  | Pelican  |
|   | avian cholera in 79                                |
| P   | chemical poisoning in 353                          |
| Pacific loon, algal toxin poisoning in 264            | chlorinated hydrocarbon poisoning in 298           |
| Parakeet  | erysipelas in 121                                  |
| candidiasis in 135                                    | eustrongylidiosis in 225                           |
| chlamydiosis in 111, 113                              | gizzard worms in 237                               |
| erysipelas in 121                                     | intestinal coccidiosis in 210                      |
| gizzard worms in 235                                  | mercury poisoning in 338                           |
| Paralysis 157, 172, 177, 179, 220, 265, 269, 277, 290 | oil toxicosis in 311                               |
| Paralytic shellfish poisoning 261, 263–264            | sarcocystis in 221                                 |
| Paramyxovirus-1, see Newcastle disease                | Penguin  |
| Parasitic disease 188–189                             | aspergillosis in 130                               |
| Paratenic host 188, 192                               | avian cholera in 79                                |
| Parathion 289, 292, 352                               | erysipelas in 121                                  |
| Paratyphoid, see Salmonellosis                        | hemosporidiosis in 195                             |
| Parrot  | oil toxicosis in 311                               |
| candidiasis in 135                                    | salmonellosis in 103-104                           |
| chlamydiosis in 111–113                               | Penis, prolapsed 146-147                           |
| erysipelas in 121                                     | Pentobarbital poisoning, see Barbiturate poisoning |
| intestinal coccidiosis in 210                         | Peregrine falcon                                   |
| mycoplasmosis in 115                                  | avian pox in 165                                   |
| salmonellosis in 100                                  | capture myopathy in 364                            |
| tuberculosis in 93                                    | chlorinated hydrocarbon poisoning in 296, 301      |
| Parrot disease, see Chlamydiosis                      | herpesvirus disease in 159-160                     |
| Parrot-fever, see Chlamydiosis                        | lead poisoning in 320                              |
| Partridge   | mercury poisoning in 339                           |
| candidiasis in 135                                    | mycoplasmosis in 115                               |
| gizzard worms in 235                                  | Pericarditis 113, 125, 185                         |
| histomoniasis in 257                                  | Perihepatitis 125                                  |
| lead poisoning in 317                                 | Peritonitis 225, 227                               |
| mercury poisoning in 339                              | verminous, see Eustrongylidiosis                   |
| mycoplasmosis in 115-116                              | Permethrin 285                                     |
| salmonellosis in 100, 103                             | Pesticides 4, 284-285, 287-293, 351                |
| tuberculosis in 94                                    | Petrel, tick paralysis in 258                      |
| ulcerative enteritis in 123                           | Petroleum, see Oil toxicosis                       |
| Passerines  | Pfiesteria, in fish 265                            |
| chlorinated hydrocarbon poisoning in 296              | Pfiesteria toxin 264                               |
| mercury poisoning in 339                              | Pheasant   |
| pesticide poisoning in 287–288                        | avian botulism in 274-275                          |
| Pasteurella anatipestifer, see New duck disease       | avian cholera in 79                                |
| Pasteurella multocida, see Avian cholera              | avian influenza in 181, 183                        |
| Pasteurellosis, avian, see Avian cholera              | candidiasis in 135                                 |
| PCBs, see Polychlorinated biphenyls                   | chlorinated hydrocarbon poisoning in 297, 299, 301 |
| Peafowl   | duck hepatitis in 361                              |

| eastern equine encephalomyelitis in 171–173            | avian botulism in 281                      |
|--|--|
| erysipelas in 121                                      | duck plague in 141                         |
| gizzard worms in 235                                   | lead poisoning in 326                      |
| herpesvirus disease in 157-158                         | Piscicides 285                             |
| histomoniasis in 257                                   | Pitfall, as live trap 57                   |
| intestinal coccidiosis in 210                          | Plague, fowl, see Avian influenza          |
| lead poisoning in 317, 319, 332                        | Plant toxins 261                           |
| mercury poisoning in 339-340                           | Plasmodium, see Hemosporidiosis            |
| mycoplasmosis in 115, 117-118                          | Plastic debris 361–363                     |
| Newcastle disease in 175                               | Plover, oil toxicosis in 311               |
| new duck disease in 122                                | Plumbism, see Lead poisoning               |
| salmonellosis in 100, 103                              | Pneumonia                                  |
| salt poisoning in 347                                  | brooder, see Aspergillosis                 |
| tracheal worms in 229, 231                             | mycotic, see Aspergillosis                 |
| trichomoniasis in 203                                  | Pneumonitis, Louisiana, see Chlamydiosis   |
| tuberculosis in 93-94, 96                              | Pododermatitis, see Bumblefoot             |
| tularemia in 124                                       | Poison Control Centers 371                 |
| ulcerative enteritis in 123                            | Poisonous organism 260                     |
| Phenoclors® 305  | Polychlorinated biphenyls 284, 303–307     |
| Phenol 285   | Population movement, documentation of 5    |
| Phorate 287, 289, 292, 352                             | Posture, aberrant 299                      |
| Phosmet 285  | Potassium bromide 285                      |
| Phosphamidon 292                                       | Pouch scratching 265                       |
| Photographic record 3–4, 8                             | Poultry                                    |
| Phycotoxins, see Algal toxins                          | avian botulism in 274                      |
| Physical euthanasia 49–50                              | avian cholera in 77–78, 80, 82, 89         |
| Physical restraint 58–59                               | avian influenza in 183–184                 |
| Pigeon   | candidiasis in 135                         |
| avian cholera in 79                                    | erysipelas in 121                          |
| candidiasis in 135                                     | fusariotoxin poisoning in 269              |
| chlamydiosis in 111–112                                | herpesvirus disease in 158                 |
| chlorinated hydrocarbon poisoning in 301               | intestinal coccidiosis in 210              |
| eastern equine encephalomyelitis in 171                | mycoplasmosis in 115, 117–118              |
| erysipelas in 121                                      | nematodes in 254                           |
| gizzard worms in 236                                   | Newcastle disease in 175–179               |
| hemosporidiosis in 194                                 | salmonellosis in 99–100, 103–105, 107, 109 |
| herpesvirus disease in 157–159                         | subcutaneous mycosis in 137                |
| intestinal coccidiosis in 210                          | tracheal worms in 229                      |
| lead poisoning in 332                                  | trichomoniasis in 203, 206                 |
| mercury poisoning in 339                               | tuberculosis in 94                         |
| mycoplasmosis in 115–116                               | tumor in 364                               |
| nematodes in 255                                       | Poultry slaughterhouse 114                 |
| Newcastle disease in 176                               | Power lines 280, 357–360                   |
| salmonellosis in 103, 107                              | Power poles 357–360                        |
| trichomoniasis in 201–203, 205–206                     | Pox, avian, see Avian pox                  |
| tuberculosis in 94                                     | Prairie falcon                             |
| ulcerative enteritis in 123                            | herpesvirus disease in 159                 |
| Pigeon herpes encephalomyelitis virus, see Herpesvirus | lead poisoning in 320                      |
| disease  | Problem area                               |
| Pigs, see Livestock                                    | closure of 33–34                           |
| Piloerection 290                                       | description of location of 5–6             |
| Pine sisken, salmonellosis in 104                      | Propane exploder 32, 34                    |
| Pinnipeds, Pasteurella multocida in 77                 | Protective clothing 7, 21, 24              |
| Pintail  | disinfection of 33, 38                     |
|  |  |

| Protein imbalance 367                           | Rail   |
|---|--|
| Protozoan parasites 189, 256–257                | avian cholera in 79                                    |
| Proventriculus                                  | intestinal coccidiosis in 210                          |
| cheesy, raised plaques along 146, 150           | lead poisoning in 319                                  |
| impaction of 320, 328-329                       | Raptors  |
| nematodes in 255–256                            | aspergillosis in 130                                   |
| raised tunnels on 223, 225                      | avian botulism in 274                                  |
| Prussic acid poisoning, see Cyanide poisoning   | avian cholera in 80, 89                                |
| Pseudotuberculosis, see Aspergillosis           | avian influenza in 181                                 |
| Psittacine herpesvirus, see Herpesvirus disease | avian pox in 163, 166                                  |
| Psittacosis, see Chlamydiosis                   | chlamydiosis in 112                                    |
| Ptarmigan, tularemia in 124                     | chlorinated hydrocarbon poisoning in 295, 298          |
| Puddle ducks                                    | eastern equine encephalomyelitis in 171                |
| avian cholera in 81                             | electrocution of 357                                   |
| gizzard worms in 237                            | gizzard worms in 237                                   |
| lead poisoning in 318, 332                      | herpesvirus disease in 158-159                         |
| nasal leeches in 245                            | lead poisoning in 317, 319, 332                        |
| sarcocystis in 221                              | mercury poisoning in 338–339                           |
| Puffin  | mycoplasmosis in 119                                   |
| avian influenza in 183                          | pesticide poisoning in 287–288, 291                    |
| oil toxicosis in 311                            | sarcocystis in 221                                     |
| renal coccidiosis in 216                        | traumatic injuries in 365                              |
| Pullorum disease, see Salmonellosis             | trichomoniasis in 202–203                              |
| Punkies 194                                     | tuberculosis in 94, 97                                 |
| Pupils, contraction of 290                      | tularemia in 124                                       |
| Purple finch, salmonellosis in 104              | Ratites, avian influenza in 181                        |
| Pyralenes® 305                                  | Raven  |
| Tyruiches 500                                   | aspergillosis in 130                                   |
| Q   | erysipelas in 121                                      |
| Quail   | Razorbill, salmonellosis in 103                        |
| avian cholera in 80                             | Red blood cells, in hemosporidiosis 198–199            |
| avian influenza in 181                          | Red-breasted merganser                                 |
| avian pox in 164                                | eustrongylidiosis in 226                               |
| candidiasis in 135                              | lead poisoning in 321                                  |
| chemical poisoning in 353                       | mercury poisoning in 338                               |
| chlorinated hydrocarbon poisoning in 296        | Red-crowned crane, inclusion body disease of cranes in |
| gizzard worms in 235                            | 154  |
| herpesvirus disease in 158                      | Red grouse, nematodes in 255                           |
| intestinal coccidiosis in 210                   | Redhead  |
| lead poisoning in 319                           | avian cholera in 81                                    |
| mercury poisoning in 338                        | avian pox in 164                                       |
| mycoplasmosis in 115                            | duck plague in 141                                     |
| nematodes in 255                                | lead poisoning in 317, 321                             |
| salmonellosis in 100, 103                       | nasal leeches in 245-246                               |
| trichomoniasis in 203                           | staphylococcosis in 123                                |
| tuberculosis in 93–94                           | Red-headed falcon, herpesvirus disease in 159          |
| ulcerative enteritis in 122-123                 | Red-tailed hawk  |
| Quail disease, see Ulcerative enteritis         | avian pox in 165                                       |
|   | lead poisoning in 320                                  |
| R   | mercury poisoning in 340                               |
| Rabbit  | staphylococcosis in 123                                |
| Mycobacterium avium in 93                       | Red-tailed tropicbird, avian pox in 164-165            |
| Pasteurella multocida in 77                     | Red-throated loon, mercury poisoning in 338            |
| Raccoon, Pasteurella multocida in 78            | Red tide 261, 265                                      |

| Red tide toxins, see Algal toxins                    | salt poisoning in 347                                |
|--|--|
| Red-winged blackbird                                 | Rocket net 33, 35                                    |
| pesticide poisoning in 287                           | Rodent(s)  |
| polychlorinated biphenyl poisoning in 305            | eastern equine encephalomyelitis virus in 172        |
| Regurgitation of food 223                            | Pasteurella multocida in 77-78                       |
| Rehabilitation, of oiled birds 314-315               | Salmonella in 99, 107, 109                           |
| Renal coccidiosis 215-216                            | Rodenticides 285, 353                                |
| Rendering of carcasses 21, 32                        | Rook   |
| Reovirus, woodcock 140, 185-186                      | salmonellosis in 100, 103                            |
| Repellents 353                                       | tracheal worms in 229                                |
| Reproductive impairment 290, 309-310, 335            | Rosella, candidiasis in 135                          |
| Reptiles   | Ross' goose, lead poisoning in 318                   |
| Eustrongylides in 223–224                            | Rotenone 285   |
| Salmonella in 99                                     | Rough-legged hawk                                    |
| Research, see Field research                         | avian pox in 165                                     |
| Respiratory distress 118, 131, 157, 183, 229         | lead poisoning in 320                                |
| Respiratory syndromes 125, 185                       | Roundworm, see Nematodes                             |
| Respiratory tract, moist, necrotic lesions of 165    | Royal tern, lead poisoning in 320-321                |
| Restraint 58-60                                      | Ruddy duck, nasal leeches in 245                     |
| for blood and tissue collection from live animals 57 | Ruddy turnstone, avian influenza in 183              |
| chemical 58, 61                                      | Ruffed grouse  |
| physical 58-59                                       | avian pox in 169                                     |
| Rhea, avian influenza in 181                         | gizzard worms in 235-236                             |
| Rice breast disease, see Sarcocystis                 | tularemia in 124                                     |
| Rictin poisoning 356                                 | tumor in 365   |
| Righting reflex, loss of 265                         | Rufous-sided towhee, salmonellosis in 104            |
| Ring-billed gull                                     |  |
| chlamydiosis in 113                                  | S  |
| Newcastle disease in 175                             | Sage grouse, tularemia in 124                        |
| staphylococcosis in 123                              | Saker falcon, mycoplasmosis in 117–118               |
| Ring-dove  | Salmonellosis 74, 99–109                             |
| polychlorinated biphenyl poisoning in 303            | Salt encrustation 347–348                            |
| salmonellosis in 100                                 | Salt gland 347                                       |
| Ringed turtle dove, herpesvirus disease in 159       | disruption of 300                                    |
| Ring-necked duck, nasal leeches in 245               | impaired functioning of 310                          |
| Ring-necked pheasant                                 | swollen 312-313                                      |
| eastern equine encephalomyelitis in 172              | Salt poisoning 284, 347–348, 353                     |
| lead poisoning in 320                                | Sandfly 193  |
| mercury poisoning in 338                             | Sandhill crane                                       |
| mycoplasmosis in 118                                 | aflatoxin poisoning in 267                           |
| pesticide poisoning in 287                           | chlorinated hydrocarbon poisoning in 297             |
| polychlorinated biphenyl poisoning in 305            | fusariotoxin poisoning in 269–270                    |
| tracheal worms in 231                                | inclusion body disease of cranes in 153-154          |
| Ringworm 137   | intestinal coccidiosis in 207–208                    |
| Road kill 365  | lead poisoning in 321                                |
| Road salt 347–348                                    | tracheal worms in 229                                |
| Robin  | tumor in 365   |
| chlorinated hydrocarbon poisoning in 296             | Sandpiper, oil toxicosis in 311                      |
| gizzard worms in 235                                 | Sarcocystis 188, 219–222                             |
| salmonellosis in 104                                 | Sarcocystis rileyi, see Sarcocystis                  |
| ulcerative enteritis in 123                          | Sarcocystosis, see Sarcocystis                       |
| Rock dove  | Sarconema, see Heartworm of swans and geese          |
| lead poisoning in 323                                | Sarcosporidiosis, see Sarcocystis                    |
| salmonellosis in 100                                 | Sarus crane, inclusion body disease of cranes in 153 |

| Saxitoxin, see also Paralytic shellfish poisoning 264–265 | of mercury poisoning 339                      |
|---|---|
| Scaled quail, lead poisoning in 320, 333                  | of mycoplasmosis 118                          |
| Scare devices 32, 34                                      | of nasal leeches 245-246                      |
| Scaup   | of Newcastle disease 177                      |
| aspergillosis in 130                                      | of oil toxicosis 311                          |
| lead poisoning in 317                                     | of pesticide poisoning 290                    |
| oil toxicosis in 311                                      | of renal coccidiosis 217                      |
| Scavenger species   | of salmonellosis 104–105                      |
| avian cholera in 78, 89                                   | of salt poisoning 347                         |
| barbiturate poisoning in 349–350                          | of sarcocystis 220                            |
| cyanide poisoning in 342                                  | of tracheal worms 229                         |
| lead poisoning in 332                                     | of tuberculosis 94–95                         |
| Pasteurella multocida in 75                               | of woodcock reovirus disease 185              |
| tuberculosis in 94  | Sedation 58, 349                              |
| tularemia in 124  | Seed-eating birds, pesticide poisoning in 288 |
| Scientific names of wildlife 377–381                      | Seed treatment 295, 337, 339                  |
| Scoliosis 355, 367  | Seizures, see Convulsions                     |
| Scoter  | Selenium poisoning 284–285, 335–336, 353, 367 |
| avian cholera in 81                                       | Selenosis, see Selenium poisoning             |
| avian pox in 163  | Serovars, Salmonella 99                       |
| oil toxicosis in 311                                      | Sewage effluent 107                           |
| Seabirds  | Sewage lagoon 101                             |
|   | Sewage lagoon 101 Sewage sludge 99            |
| mercury poisoning in 338–339 oil toxicosis in 311         | Sewage studge 99 Sewage treatment plant 108   |
| Sea ducks   | •   |
|   | Sewage wastewater 107                         |
| avian cholera in 82                                       | Shag  |
| gizzard worms in 237                                      | algal toxin poisoning in 264                  |
| lead poisoning in 318                                     | Newcastle disease in 177                      |
| nasal leeches in 245                                      | Sharp-tailed grouse                           |
| oil toxicosis in 311                                      | chlorinated hydrocarbon poisoning in 297, 301 |
| sarcocystis in 221  | tularemia in 124                              |
| tuberculosis in 96  | Shearwater                                    |
| Seasonality   | mercury poisoning in 338                      |
| of acanthocephaliasis 242                                 | renal coccidiosis in 216                      |
| of aflatoxin poisoning 267–269                            | Sheep, see Livestock                          |
| of aspergillosis 130                                      | Shipment of live animals 64–66                |
| of avian botulism 271, 276                                | Shipment of specimen 13–17                    |
| of avian cholera 82                                       | basic supplies for 13, 373–374                |
| of avian influenza 183                                    | blood tubes 14–15                             |
| of avian pox 164–166                                      | by commercial carrier 17                      |
| of barbiturate poisoning 349                              | containers for 13–16                          |
| of chlamydiosis 112                                       | cooling and refrigeration 14–16               |
| of chlorinated hydrocarbon poisoning 295–298              | federal regulations for 17                    |
| of cyanide poisoning 342                                  | labeling requirements for 17                  |
| of duck plague 144-145                                    | to National Wildlife Health Center 14–16      |
| of eastern equine encephalomyelitis 172                   | preventing breakage and leakage 13            |
| of electrocutions 358                                     | Shivering 105                                 |
| of eustrongylidiosis 223                                  | Shorebirds                                    |
| of fusariotoxin poisoning 269                             | aspergillosis in 130                          |
| of heartworm of swans and geese 234                       | avian botulism in 274                         |
| of hemosporidiosis 195                                    | avian cholera in 79-80                        |
| of herpesvirus disease 157                                | avian influenza in 181, 183-184               |
| of intestinal coccidiosis 208                             | avian pox in 163                              |
| of lead poisoning 318                                     | candidiasis in 135                            |

| chemical poisoning in 353                                 | Songbirds   |
|---|---|
| chlamydiosis in 111–112                                   | algal toxin poisoning in 264                        |
| eastern equine encephalomyelitis in 171–172               | aspergillosis in 130                                |
| gizzard worms in 237                                      | avian botulism in 274-275                           |
| intestinal coccidiosis in 210                             | avian cholera in 80                                 |
| lead poisoning in 319, 332                                | avian influenza in 181                              |
| necrotic enteritis in 122                                 | avian pox in 163, 166, 169                          |
| organophosphate poisoning in 352                          | candidiasis in 135                                  |
| pesticide poisoning in 288                                | carbamate poisoning in 351                          |
| sarcocystis in 221  | chemical poisoning in 353                           |
| Short-eared owl, avian cholera in 78                      | chlamydiosis in 111–112                             |
| Shoveler  | chlorinated hydrocarbon poisoning in 298, 352       |
| avian botulism in 281                                     | eastern equine encephalomyelitis in 171-173         |
| chlorinated hydrocarbon poisoning in 296                  | erysipelas in 121                                   |
| lead poisoning in 318                                     | herpesvirus disease in 158                          |
| mycoplasmosis in 117                                      | intestinal coccidiosis in 210                       |
| Shrike, tularemia in 124                                  | mycoplasmosis in 115–116                            |
| Silver mining 341–345                                     | organophosphate poisoning in 352                    |
| Sinusitis, infectious, see Mycoplasmosis                  | rodenticide and repellent poisoning in 353          |
| SI units, conversion table 385–386                        | salmonellosis in 103–107                            |
| Six-pack ring 363   | tick paralysis in 257                               |
| Skin  | tracheal worms in 229                               |
| burn marks on 359–360                                     | trichomoniasis in 203                               |
| nodular tubercular lesions on 95–96                       | tuberculosis in 94                                  |
| wart-like nodules on featherless areas 165, 167           | Sooty shearwater, algal toxin poisoning in 264      |
| Skua  | Sora rail, lead poisoning in 320                    |
| avian cholera in 79                                       | Sour crop, see Candidiasis                          |
| salmonellosis in 104                                      | Sparrow   |
| Skull, fluid accumulation in 335                          | avian cholera in 79–80                              |
| Skunk 219   | candidiasis in 135                                  |
|   |   |
| Sleepaway® 51   | salmonellosis in 100, 107                           |
| Slug, tracheal worm carriage 229–230                      | tuberculosis in 93                                  |
| Slurry runoff 99  | Sparrowhawk, mercury poisoning in 339               |
| Snails  | Specimen  |
| tracheal worm carriage 229–230                            | choice of 7–9                                       |
| as trematode hosts 249–250, 252                           | collection of 7–12                                  |
| Snake, acanthocephalans in 242                            | basic supplies and equipment for 8, 373–374         |
| Sneezing 231, 245   | killed specimens for catalogued collections/museums |
| Snow goose  | 56–58   |
| aflatoxin poisoning in 267                                | dissection of bird 10–11                            |
| avian cholera in 75, 77, 79, 81, 91                       | labeling of 8, 12                                   |
| chlamydiosis in 114                                       | preservation of 7–12, 373–374                       |
| chlorinated hydrocarbon poisoning in 296                  | shipment of, see Shipment of specimen               |
| gizzard worms in 236, 239                                 | Specimen history 3–6                                |
| heartworm of swans and geese in 234                       | Specimen history form 369                           |
| lead poisoning in 317–318, 324, 328                       | Spectacled eider, lead poisoning in 317             |
| necrotic enteritis in 122                                 | Sphaeridiotrema globulus 249, 251–252               |
| new duck disease in 122                                   | Spleen  |
| Snowy egret   | amyloid deposits in 96                              |
| chlamydiosis in 112, 114                                  | atrophy of 305-306                                  |
| eustrongylidiosis in 226–227                              | congested 123                                       |
| lead poisoning in 320                                     | necrotic lesions of 160                             |
| Snowy owl, herpesvirus disease in 159                     | nodules in 95                                       |
| Sodium pentobarbital poisoning, see Barbiturate poisoning | swollen 154   |

| yellow-white spots on 154-155                          | tracheal worms in 229                              |
|--|--|
| Splenomegaly 112-113, 172, 195-196                     | trematodes in 249                                  |
| Spoonbill, eustrongylidiosis in 225                    | Swift, avian cholera in 79                         |
| Spore, Clostridium botulinum 271                       | Swim-in trap 33                                    |
| Squeeze chute 59                                       | Swimming, circular 83, 85, 148                     |
| Staggering 105   | Syngamiasis, see Tracheal worms                    |
| Stanley crane, inclusion body disease of cranes in 153 | Syngamus trachea, see Tracheal worms               |
| Staphylococcosis 123–124                               | Systox <sup>®</sup> 285                            |
| bumblefoot 123   |  |
| septicemic 123-124                                     | Т  |
| Starlicide® 285  | T-2 toxicosis, see Fusariotoxin poisoning          |
| Starling   | Tailings ponds 342                                 |
| avian cholera in 79-80                                 | Tail vein, blood collection from live animals 59   |
| candidiasis in 135                                     | Talon (claw), vegetation clenched in 290-291       |
| chlorinated hydrocarbon poisoning in 296               | Talon® (pesticide) 285                             |
| erysipelas in 121                                      | Tapeworms, see Cestodes                            |
| mercury poisoning in 340                               | Tarsal vein, blood collection from live animals 59 |
| salmonellosis in 103                                   | TB, see Tuberculosis                               |
| tracheal worms in 229                                  | Teal   |
| tuberculosis in 93                                     | lead poisoning in 318                              |
| Starvation 309   | nasal leeches in 245                               |
| Station brochures 19                                   | sarcocystis in 220                                 |
| Stellar's jay, aspergillosis in 130                    | Tears, excessive 290                               |
| Sternum, light-colored granulomas of 211–212           | Temephos 287                                       |
| Stilt, avian cholera in 79                             | Temik 285  |
| Stomach worm, see Gizzard worms                        | Tenosynovitis 185                                  |
| Stork  | Terbufos 285, 292, 352                             |
| erysipelas in 121                                      | Tern   |
| herpesvirus disease in 158-159                         | avian cholera in 91                                |
| Strychnine 351   | carbamate poisoning in 351                         |
| Stunning and exsanguination 50                         | chemical poisoning in 353                          |
| Styrofoam coolers, for shipment of specimens 13-15     | chlamydiosis in 111-112                            |
| Subcutaneous fat, loss of 319-320, 326                 | erysipelas in 121                                  |
| Suffocation 205  | gizzard worms in 237                               |
| Surf scoter, nasal leeches in 245                      | mercury poisoning in 338                           |
| Surgical procedures, wildlife 65-67                    | salmonellosis in 99-100, 103-104                   |
| Swallow  | sarcocystis in 221                                 |
| chemical poisoning in 353                              | tularemia in 124                                   |
| pesticide poisoning in 288                             | Theromyzon, see Nasal leeches                      |
| Swallowing difficulty 205, 223                         | Thiram 285   |
| Swan   | Thirst 146, 290                                    |
| acanthocephaliasis in 242                              | Thorny-headed worms, see Acanthocephaliasis        |
| avian cholera in 79                                    | Thrasher, avian cholera in 79                      |
| duck plague in 141, 151                                | Throat, inflammation of 205                        |
| erysipelas in 121                                      | Thrush (bird)                                      |
| gizzard worms in 236-237                               | avian cholera in 79                                |
| heartworm of swans and geese in 233-234                | pesticide poisoning in 288                         |
| hemosporidiosis in 194                                 | Thrush (disease), see Candidiasis                  |
| lead poisoning in 317–318, 333                         | Thymus gland                                       |
| nasal leeches in 245, 248                              | atrophy of 185                                     |
| oil toxicosis in 311                                   | hemorrhage in 154                                  |
| renal coccidiosis in 216                               | Tick 69, 124, 257-258                              |
| salmonellosis in 100, 103                              | Tick paralysis 257–258                             |
| sarcocystis in 221                                     | Tissue sample                                      |

| collection of 7–9                                       | erysipelas in 121                            |
|---|--|
| collection from live animals 57–58                      | hemosporidiosis in 197-198                   |
| containers for 8–9                                      | herpesvirus disease in 158                   |
| fixation of 8   | histomoniasis in 257                         |
| labeling of 12  | intestinal coccidiosis in 210                |
| Toes, clenched 177, 265                                 | lead poisoning in 319                        |
| Tongue, ulcerative "cold sore" under 146–148            | mercury poisoning in 339                     |
| Toxaphene 296–297                                       | mycoplasmosis in 115-116                     |
| Toxic gas, euthanasia with 50-51                        | nematodes in 255                             |
| Tracheal worms 229–231                                  | Newcastle disease in 176                     |
| Tranquilizer gun 58                                     | new duck disease in 122                      |
| Transformers 357–360                                    | salmonellosis in 99-100                      |
| Transmission lines 357–360                              | ticks on 257                                 |
| Transport host 188, 192                                 | tracheal worms in 229                        |
| Transport myopathy, see Capture myopathy                | trichomoniasis in 203                        |
| Transport of live animals 64–65                         | tuberculosis in 93-94                        |
| confinement during shipping 65–66                       | wild, see Wild turkey                        |
| Trapping of wildlife 33, 35                             | Turkey vulture                               |
| Traumatic injury 290, 356, 365–366                      | lead poisoning in 320                        |
| Tree sparrow, salmonellosis in 104                      | mercury poisoning in 339                     |
| Trematodes 189, 249–253                                 | Turtles, Salmonella in 99                    |
| Tremors 105, 172, 177, 208, 265, 267, 290, 298, 300,    | Typhoid, fowl, see Salmonellosis             |
| 305–306, 339  | .,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,      |
| Trichomonas gallinae, see Trichomoniasis                | U  |
| Trichomoniasis 188–189, 201–206                         | Ulcerative enteritis 74, 122–123             |
| Trichophyton gallinae, see Ringworm                     | Upland gamebirds                             |
| Trichostrongylidosis 254–255                            | aspergillosis in 130                         |
| Trichostrongylus tenuis, see Trichostrongylidosis       | avian botulism in 274                        |
| Trichothecene 260, 269                                  | avian cholera in 80                          |
| Trichothecene mycotoxicosis, see Fusariotoxin poisoning | avian influenza in 181, 183                  |
| Triumph® 285  | avian pox in 163, 166, 169                   |
| Trumpeter swan  | chlamydiosis in 111–112                      |
| acanthocephaliasis in 242                               | eastern equine encephalomyelitis in 171–172  |
| avian pox in 163–164                                    | lead poisoning in 319, 333                   |
| heartworm of swans and geese in 234                     | mycoplasmosis in 115, 119                    |
| lead poisoning in 321                                   | pesticide poisoning in 288                   |
| nasal leeches in 245, 247                               | ulcerative enteritis in 123                  |
| Tuberculosis 93–98                                      | Uric acid salts 217, 348                     |
| Tularemia 124   |  |
| Tumbling 107  | V  |
| Tumors 356, 364–365                                     | Venipuncture 57–58                           |
| herpesvirus-related 157                                 | Venomous organism 260                        |
| Tundra swan   | Vent   |
| aspergillosis in 130                                    | bloodstained 249                             |
| avian pox in 163–164                                    | bloody discharge from 146                    |
| heartworm of swans and geese in 234                     | bright green staining of 327                 |
| lead poisoning in 317–318, 321, 324, 328                | pasted 105                                   |
| nasal leeches in 245                                    | Ventricular nematodiasis, see Gizzard worms  |
| Turkey  | Ventriculus, raised tunnels on 223, 225      |
| avian cholera in 82                                     | Verminous peritonitis, see Eustrongylidiosis |
| avian influenza in 181, 183                             | Viral disease 140                            |
| avian pox in 165  | Visceral gout 172–173                        |
| candidiasis in 135                                      | Vision, impaired 118                         |
| chlamydiosis in 111                                     | Vision, impaired 110  Vitamin deficiency 367 |
| omaniyalosis iii 111                                    | vitariiii denoleroy 301                      |

| Voice changes 172                                     | nasal leeches in 245                                       |
|---|--|
| Vomiting 265, 269, 290                                | necrotic enteritis in 122                                  |
| Vomitoxicosis, see Fusariotoxin poisoning             | new duck disease in 122                                    |
| Vomitoxin 269   | organophosphate poisoning in 352                           |
| Vulture   | pesticide poisoning in 287–288, 293, 351                   |
| avian botulism in 274                                 | renal coccidiosis in 216                                   |
| avian cholera in 78                                   | rodenticide and repellent poisoning in 353                 |
| pesticide poisoning in 288                            | sarcocystis in 220   |
| tuberculosis in 94                                    | tracheal worms in 229                                      |
| VVND, see Newcastle disease                           | trematodes in 249  |
|   | trichomoniasis in 203                                      |
| W   | tuberculosis in 94   |
| Wading birds  | Water quality 4  |
| avian cholera in 79-80                                | Waxwing, avian cholera in 79                               |
| avian pox in 163                                      | Weakness 112, 195, 220, 237, 269, 290, 339                 |
| eustrongylidiosis in 223, 225, 227                    | Weather 356, 365-367                                       |
| gizzard worms in 237                                  | Weaver, herpesvirus disease in 159                         |
| mercury poisoning in 338                              | Weight loss 112, 118, 195, 203, 208, 231, 250, 257, 268,   |
| necrotic enteritis in 122                             | 290, 306   |
| oil toxicosis in 311                                  | Wenyonella, see Intestinal coccidiosis                     |
| pesticide poisoning in 288                            | Western duck sickness, see Avian botulism                  |
| sarcocystis in 220-221                                | Western grebe, chlorinated hydrocarbon poisoning in 296    |
| Walk-in trap 33                                       | Western sandpiper, lead poisoning in 320                   |
| Warfarin 285  | Wet pox 165, 168–169                                       |
| Wariness, loss of 146                                 | Whirl-Pak bags 8–9   |
| Warty nodules, on featherless areas 165, 167          | Whistling duck, lead poisoning in 318                      |
| Wastewater discharge 97, 101, 107, 225, 280, 309, 335 | White-faced ibis, chlorinated hydrocarbon poisoning in 299 |
| Wastewater pits, oil-field 312                        | White-fronted goose  |
| Wastewater sites 94                                   | avian cholera in 80  |
| Watercraft  | heartworm of swans and geese in 234                        |
| for carcass collection 21, 26                         | necrotic enteritis in 122                                  |
| disinfection of 33                                    | White ibis, lead poisoning in 320-321                      |
| transport of live animals in 64-65                    | White-naped crane, inclusion body disease of cranes in     |
| Water deprivation, see Salt poisoning                 | 153  |
| Water drawdown 279                                    | White Pekin duck   |
| Waterfowl   | algal toxin poisoning in 265                               |
| aspergillosis in 130                                  | duck plague in 141, 143–144, 151                           |
| avian botulism in 274–275                             | eastern equine encephalomyelitis in 171                    |
| avian cholera in 75, 78, 80, 91                       | inclusion body disease of cranes in 153–154                |
| avian influenza in 181, 183–184                       | trematodes in 250  |
| avian pox in 163, 169                                 | White pelican  |
| capture myopathy in 364                               | entangled in fishing line 362                              |
| carbamate poisoning in 351                            | lead poisoning in 320–321                                  |
| chemical poisoning in 353                             | mercury poisoning in 338                                   |
| chlamydiosis in 111–112                               | Newcastle disease in 175                                   |
| chlorinated hydrocarbon poisoning in 296, 298, 301    | polychlorinated biphenyl poisoning in 303                  |
| eastern equine encephalomyelitis in 171–172           | White-tailed eagle, mercury poisoning in 339               |
| fusariotoxin poisoning in 269                         | White-tailed tropicbird, avian pox in 169                  |
| gizzard worms in 235                                  | White-winged dove, chlamydiosis in 114                     |
| hemosporidiosis in 194                                | White-winged scoter, nasal leeches in 245                  |
| herpesvirus disease in 158–159                        | Whooper swan, lead poisoning in 321                        |
| intestinal coccidiosis in 208                         | Whooping crane   |
| lead poisoning in 317, 321–322, 332                   | avian cholera in 91  |
| mycoplasmosis in 116                                  | capture myopathy in 60                                     |
|   |  |

```
eastern equine encephalomyelitis in 171-173
                                                             Ziram 285
  intestinal coccidiosis in 207
                                                             Zooplankton bloom 255-256
  traumatic injuries in 366
  tuberculosis in 97
Wildlife, in field research 53-71
Wildlife disease programs 370
Wildlife marking 44, 61-63
Wildlife Society, guidelines for use of wildlife in field
research 53-71
Wild turkey
  avian pox in 164-165
  capture myopathy in 364
  gizzard worms in 235
  hemosporidiosis in 194
  herpesvirus disease in 159
  histomoniasis in 257
  lead poisoning in 320
  mycoplasmosis in 115
  tracheal worms in 229
Wing(s)
  flapping of 267
  roof-shaped 319, 324
  violent beating of 300
Wing droop 105, 131, 177-179, 257, 269, 319, 321, 324
Woodcock
  lead poisoning in 319
  renal coccidiosis in 216
  woodcock reovirus in 185-186
Woodcock reovirus 140, 185-186
Wood duck
  aspergillosis in 131
  avian pox in 164
  duck plague in 141
  lead poisoning in 318, 321
Woodpecker
  avian cholera in 79
  intestinal coccidiosis in 210
Wood pigeon
  candidiasis in 135
  erysipelas in 121
  salmonellosis in 100
  tuberculosis in 95
Written history 3
Yellowleg, avian cholera in 79
Yellow-naped Amazon parrot, mycoplasmosis in 115
Young birds, disease in 361
Ζ
Zearalenone 269
Zearalenone toxicosis, see Fusariotoxin poisoning
Zectran® 285
```

Zinc 285

## REPORT DOCUMENTATION PAGE Form Approved OMB No. 0704-0188 Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other asses of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 20503. 1. AGENCY USE ONLY (Leave Blank) 2. REPORT DATE 3. REPORT TYPE AND DATES COVERED 1999 4. TITLE AND SUBTITLE 5. FUNDING NUMBERS Field Manual of Wildlife Diseases, 99/00-3204-40A40 General Field Procedures and Diseases of Birds 6. AUTHOR(S) Milton Friend and J. Christian Franson, Technical Editors 8. PERFORMING ORGANIZATION REPORT NUMBER 7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) U.S. Geological Survey, Biological Resources Division, ITR 1999-001 National Wildlife Health Center, 6006 Schroeder Rd., Madison, WI 53711 9. SPONSORING/MONITORING AGENCY NAMES(S) AND ADDRESS(ES) 10. SPONSORING/MONITORING **AGENCY REPORT NUMBER** U.S. Geological Survey, 12201 Sunrise Valley Dr., Reston, VA 20192 ITR 1999-001 11. SUPPLEMENTARY NOTES Supersedes U.S. Fish and Wildlife Service Resource Publication 167 (1987). 12a. DISTRIBUTION/AVAILABILITY STATEMENT 12b. DISTRIBUTION CODE 13. ABSTRACT (Maximum 200 words). The "Field Manual of Wildlife Diseases, General Field Procedures and Diseases of Birds" presents practical, current information and insights about wild bird illnesses and the procedures to follow when ill birds are found or epidemics occur. Section 1 of the Manual provides information about general field procedures. Sections 2 through 5 describe various bird diseases. Sections 6 and 7 provide information about toxins that affect birds, and Section 8 describes miscellaneous diseases and hazards that affect birds. Manual lists institutions and laboratories that offer diagnostic services; sources of supplies for collecting, preserving, and shipping specimens; and it contains color illustrations for dissection. 14. SUBJECT TERMS 15. NUMBER OF PAGES Bird diseases; wildlife diseases; bacterial diseases; fungal diseases; viral diseases; 440 16. PRICE CODE parasitic diseases; biotoxins; chemical toxins; general field procedures.

Unclassified

MSN 7540-01-280-5500

OF REPORT

17. SECURITY CLASSIFICATION

STANDARD FORM 298 (Rev. 2-89) Prescribed by ANSI Std 439-18 298-102

20. LIMITATION OF

**ABSTRACT** 

19. SECURITY CLASSIFICATION

**OF ABSTRACT** 

18. SECURITY CLASSIFICATION

OF THIS PAGE