
## INDUSTRIAL SAND AND GRAVEL END-USE STATISTIC<sup>1</sup> U.S. GEOLOGICAL SURVEY [Metric tons] Last modification: September 15, 2005

																Industrial gravel									
						Fillers,		Ceramic,																	
					Chemicals,	ground,	Whole grain	ground,		_		_		Roofing											
					0	rubber, paints,				Petroleum		Traction,	Coal	granules and	0.1		Silicon,			Nonmetallurgical		<b>a b</b> + + <b>b</b>	~ • • •		Apparent
i cui 🦁	Hassmaking		Metallurgical	Abrasives	unground	putty, etc.	products	tile, etc.	Filtration		Recreational		washing	fillers	Other	Subtotal	ferrosilicon	Filtration	Metallurgical	flux	specified			Undistributed	consumption
1975	9,750,000	7,270,000	1,400,000	1,660,000	104,000	112,000		77,000	173,000	337,000		622,000			2,740,000	24,200,000			406,000		102,000	508,000	24,800,000	-2,000,000	22,800,000
1976	11,200,000	7,840,000	1,950,000	1,660,000	36,000	168,000		162,000	166,000	599,000		682,000			2,470,000	26,900,000			122,000		100,000	222,000	27,100,000	-2,200,000	24,900,000
1977	10,900,000	9,350,000	366,000	2,250,000	117,000	213,000		256,000	202,000	811,000		454,000	1 6 000	172.000	1,970,000	26,900,000	105.000	59,000	1,370,000		158,000	1,580,000	28,400,000	-2,200,000	26,200,000
1978	12,600,000	10,100,000	427,000	2,140,000	475,000	209,000		229,000	191,000	763,000		354,000	16,000	172,000	1,160,000	28,900,000	406,000 820.000	227,000			310,000 323.000	944,000	29,800,000	-2,500,000	27,300,000
1979	12,400,000	8,930,000	463,000 270,000	2,200,000	591,000	162,000 204,000		169,000	172,000 212,000	846,000 1.070.000		371,000	53,000	235,000	2,580,000	29,100,000	617,000	19,000 17,000			323,000	1,260,000 785,000	20,.00,000	-,,	29,400,000
1980	11,700,000 11,000,000	8,200,000 9,030,000	643,000	1,750,000	414,000 386,000	204,000		134,000 162,000	212,000	1,070,000		366,000 361,000	39,000	184,000 147,000	1,520,000	26,100,000 26,500,000	564.000	5,000			90,000	/85,000	26,900,000 27,200,000	-1,100,000	25,800,000 26,200,000
1981	11,000,000	6,460,000	300.000	2.000.000	304.000	174.000		205.000	- ,	1,280,000		408,000	36,000	469,000	800.000	28,300,000	296.000	17.000			616,000	929.000	24,800,000	-1,000,000	26,200,000
1982 1983	8,560,000	6,460,000	152,000	2,000,000	246.000	174,000		205,000	271,000 93,000	1,340,000 898,000		408,000	36,000 W	269,000	5,160,000	23,900,000	296,000	17,000			616,000	929,000 487,000	24,800,000	-800,000	24,200,000
1985	10.300.000	6,030,000	210.000	1,770,000	386.000	128,000		246,000	93,000	1.870.000		223.000	23.000	269,000	3,360,000	26,000,000	180.000	vv			460.000	640.000	26,700,000	-1.100.000	25,600,000
1985	9,340,000	4.670.000	171.000	1,840,000	343,000	124.000		136.000	313.000	1,910,000		265.000	16.000	366,000	7.240.000	26,000,000	285,000	21.000			18,000	324.000	26,700,000	-1,100,000	26,000,000
1985	9,970,000	5,240,000	171,000 W	1,520,000	288,000	196,000		130,000	448,000	1,030,000		161.000	10,000 W	237,000	4.860.000	24,400,000	385.000	21,000 W		w	10,000 W	439.000	24,900,000	-700,000	24,200,000
1987	10.800.000	6,290,000	221.000	1,680.000	465.000	133,000		204.000	393.000	1,030,000		422,000	41.000	356.000	2.560.000	24,400,000	412.000	W		W	w	572.000	,,	-600.000	24,200,000
1988	11.000.000	6,900,000	221,000 W	2.510.000	129,000	155,000		254,000	369.000	1,180,000		277.000	41,000 W	522,000	1.520.000	24,000,000	688.000	44.000		461.000	XX	1.260.000	26,500,000	-1.600.000	24,900,000
1989	11,200,000	6.430.000	W	2,080,000	741.000	144.000		216,000	281.000	1,390,000		282.000	W	717,000	1,740,000	25,200,000	630,000	23.000		401,000 W	W	1,150,000	25,800,000	-1,100,000	24,700,000
1990	10.600.000	5,750,000	194.000	2,090,000	591,000	165,000		130.000	333.000	1.670.000		285,000		519,000	2,170,000	24,500,000	637,000	68,000		543.000	XX	1.320.000	25,800,000	-1.000.000	24,800,000
1991	10,100,000	5.210.000	W	1,550,000	509.000	170.000		147,000	388,000	1.230.000		259,000		587.000	2,180,000	22,300,000	528,000	57,000		2.0,000	376,000	961,000	23,200,000	-1.400.000	21,800,000
1992	10,300,000	5.080.000	81.000	1,670,000	663.000	117.000		144.000	440.000	1.440.000		213,000		412.000	2.410.000	23,000,000	542,000	20,000		701.000	246,000	1.510.000	24,500,000	-500,000	24,000,000
1993	10,300,000	6,000,000	W	1,610,000	531,000	122,000	902,000	208,000	380,000	1,710,000	883,000	214,000		289,000	1,340,000	24,500,000	W	205,000		W	592,000	1,700,000	26,200,000	-1,700,000	24,500,000
1994	10,700,000	6,790,000	W	1,510,000	603,000	68,000	1,250,000	259,000	375,000	1,690,000	759,000	292,000		217,000	1,040,000	25,500,000	568,000	157,000		497,000	564,000	1,790,000	27,300,000	-1,900,000	25,400,000
1995	10,700,000	6,840,000	W	1,770,000	641,000	178,000	1,370,000	253,000	400,000	1,610,000	914,000	336,000		248,000	1,060,000	26,300,000	532,000	150,000		590,000	607,000	1,880,000	28,200,000	-1,800,000	26,400,000
1996	10,300,000	6,520,000	W	1,470,000	643,000	192,000	1,230,000	278,000	364,000	1,560,000	859,000	307,000		330,000	1,480,000	25,500,000	686,000	188,000		946,000	420,000	2,240,000	27,800,000	-1,400,000	26,400,000
1997	10,800,000	6,550,000	311,000	1,620,000	614,000	193,000	1,770,000	154,000	314,000	1,400,000	910,000	189,000		231,000	1,200,000	26,300,000	814,000	124,000		660,000	575,000	2,170,000	28,500,000	-900,000	27,600,000
1998	10,900,000	6,340,000	254,000	1,500,000	696,000	128,000	1,890,000	173,000	409,000	1,180,000	1,170,000	192,000		151,000	1,400,000	26,400,000	771,000	101,000			918,000	1,790,000	28,200,000	-2,400,000	25,800,000
1999	11,000,000	6,300,000	W	1,390,000	758,000	272,000	2,090,000	228,000	405,000	1,440,000	1,420,000	187,000		194,000	1,200,000	26,900,000	642,000	159,000		672,000	464,000	1,940,000	28,900,000	-1,500,000	27,400,000
2000	10,900,000	6,340,000	W	1,380,000	723,000	159,000	2,110,000	278,000	442,000	1,370,000	1,380,000	168,000		196,000	1,400,000	26,800,000	690,000	157,000		347,000	XX	1,660,000	28,400,000	-1,000,000	27,400,000
2001	10,200,000	5,850,000	400,000	1,460,000	739,000	258,000	2,340,000	175,000	505,000	1,690,000	1,400,000	170,000		206,000	1,540,000	26,900,000	631,000	137,000		79,000	214,000	1,060,000	27,900,000	-1,400,000	26,500,000
2002	10,500,000	5,480,000	65,000	1,280,000	877,000	285,000	2,100,000	323,000	456,000	1,580,000	1,090,000	157,000		242,000	1,500,000	25,900,000	607,000	W		W	XX	1,420,000	27,300,000	-1,200,000	26,100,000
2003	10,600,000	5,270,000	W	849,000	867,000	519,000	2,040,000	221,000	323,000	2,230,000	1,130,000	162,000		261,000	1,800,000	26,300,000	594,000	W		W	541,000	1,140,000	27,500,000	-2,200,000	25,300,000

Withheld to avoid disclosing company proprietary data; for sand, withheld data included with the other uses category; for gravel, withheld data included with the total of sold or used by gravel producers. XX Not applicable. <sup>1</sup>Compiled by G.R. Matos and T.P. Dolley.

# **End Uses of Industrial Sand and Gravel**



### Industrial Sand and Gravel End-Use Worksheet Notes

#### **Data Sources**

The sources of data for the industrial sand and gravel end-use worksheet are the Statistical Compendium, a U.S. Bureau of Mines publication, and the Minerals Yearbook (MYB), an annual collection, compilation, and analysis of mineral industry data, published by the U.S. Bureau of Mines and the U.S. Geological Survey.

#### End Use

End use is defined as the use of the mineral commodity in a particular industrial sector or product.

Industrial sand end uses are based on sold or used by producers. For industrial sand, end-use categories are glassmaking; foundry; metallurgical; abrasives; chemicals, ground and unground; fillers, ground rubber, paints, putty, etc.; whole grain fillers, building products; ceramic, ground, pottery, brick, tile, etc.; filtration; petroleum industry; recreational; traction, engine; coal washing; roofing granules and fillers; and other uses.

The glassmaking category includes containers; flat, plate and window; specialty; fiberglass, unground; and fiberglass ground.

The foundry category includes molding and core, unground; molding and core, ground; and refractory.

The metallurgical category includes silicon carbide and flux for metal smelting.

The abrasives category includes blasting; scouring cleansers, unground; and sawing and sanding.

The filtration category includes water, municipal, county, local; and swimming pool, other.

The petroleum industry category includes hydraulic fracturing and well packing and cementing.

The recreational category includes golf course, greens and traps; and baseball, volleyball, play sand, beaches.

The other uses category includes the other, ground silica; other, whole grain; and withheld data included in the group of sold or used by sand producers. Because some of the industrial sand producers did not report a breakdown by end use, their total production was reported in the MYB under other, ground silica. Other, ground silica also includes silica flour. The estimated production of nonrespondents was reported under other, whole grain. Other, whole grain was called the other, unspecified category until 1992.

Industrial gravel end uses are based on sold or used by producers. For industrial gravel, end-use categories are silicon, ferrosilicon; filtration; metallurgical; nonmetallurgical flux; and other uses, specified. The category metallurgical was broken down into silicon, ferrosilicon and filtration starting in 1978.

The undistributed category is the difference between apparent consumption and grand total, which is the sum of industrial sand and gravel. It reflects trade data, stocks, and data not reported by end use.

W in the spreadsheet indicates information withheld to avoid disclosing company proprietary data; for sand, withheld data are included with the other uses category; for gravel, withheld data are included with the total of sold or used by gravel producers. XX indicate that data were not applicable. Blank cells indicate that data were not available. Data are rounded to no more than three significant digits; data may not add to totals shown.

#### References

- U.S. Bureau of Mines, 1993, Statistical Compendium, 1975-90.
- U.S. Bureau of Mines, 1977–96, Minerals Yearbook, v. I, 1975–94.
- U.S. Geological Survey, 1997–2005, Minerals Yearbook, v. I, 1995–2003.

#### **Recommended Citation Format:**

(1) If taken from CD version:

U.S. Geological Survey, [year of last update, e.g., 2005], [Mineral commodity, e.g., Gold] statistics, *in* Kelly, T.D., and Matos, G.R., comps., Historical statistics for mineral and material commodities in the United States: U.S. Geological Survey Data Series 140, one CD-ROM. (Also available online at http://pubs.usgs.gov/ds/2005/140/.)

#### (2) If taken from online version:

- U.S. Geological Survey, [year of last update, e.g., 2005], [Mineral commodity, e.g., Gold] statistics, *in* Kelly, T.D., and Matos, G.R., comps., Historical statistics for mineral and material commodities in the United States: U.S. Geological Survey Data Series 140, available online at http://pubs.usgs.gov/ds/2005/140/. (Accessed [date].)
- U.S. Geological Survey, Data Series 140.

For more information, please contact:

USGS Industrial Sand and Gravel Commodity Specialist