| Population characteristic | Total population in thousands | Private | Public only | Uninsured |
|--|--|--------------------------------------|--------------------------------------|--------------------------------------|
| | | | Percent distribution | |
| Total ^a | 273,310 | 67.8 | 16.1 | 16.1 |
| Total under age 65 ^a | 240,688 | 69.9 | 11.9 | 18.2 |
| Age in years Under 4 4-6 7-12 13-17 Total under 18 | 15,380 12,484 24,674 19,516 72,054 | 58.5 61.4 66.2 67.4 64.1 | 29.0 26.3 20.2 16.3 22.0 | 12.5 12.4 13.6 16.3 13.9 |
| 18 | 3,986 | 65.1 | 13.2 | 21.7 |
| 19-24 | 22,766 | 57.4 | 9.5 | 33.1 |
| 25-29 | 18,017 | 67.6 | 7.5 | 24.9 |
| 30-34 | 19,394 | 72.9 | 6.3 | 20.9 |
| 35-54 | 81,086 | 77.5 | 6.3 | 16.1 |
| 55-64 | 23,385 | 73.4 | 10.5 | 16.1 |
| 18-64 | 168,635 | 72.4 | 7.6 | 20.0 |
| 65 and over | 32,621 | 52.2 | 47.2 | 0.5 |
| Employment status ^b Employed Not employed | 137,096 71,171 | 79.0 50.4 | 4.3 32.9 | 16.7 16.7 |
| Sex Male Female | 133,242 140,068 | 68.2 67.4 | 14.2 18.0 | 17.6 14.6 |
| Race/ethnicity Total hispanic Total black Total white Total other | 32,733 | 45.2 | 21.3 | 33.5 |
| | 34,321 | 53.0 | 25.5 | 21.5 |
| | 194,971 | 74.4 | 13.4 | 12.2 |
| | 11,285 | 64.2 | 19.4 | 16.4 |
| Hispanic male | 16,372 | 44.3 | 19.6 | 36.0 |
| Black male | 15,952 | 54.7 | 22.0 | 23.3 |
| White male | 95,766 | 74.7 | 11.7 | 13.6 |
| Other male | 5,151 | 65.0 | 19.0 | 16.0 |
| Hispanic female | 16,361 | 46.1 | 23.0 | 31.0 |
| Black female | 18,369 | 51.5 | 28.6 | 19.9 |
| White female | 99,204 | 74.0 | 15.1 | 10.8 |
| Other female | 6,134 | 63.6 | 19.7 | 16.7 |
| Marital status ^b Married Widowed Divorced Separated Never married | 111,243 | 78.9 | 10.1 | 11.0 |
| | 13,917 | 44.8 | 48.3 | 6.9 |
| | 21,331 | 62.7 | 14.8 | 22.5 |
| | 4,149 | 46.1 | 24.4 | 29.5 |
| | 58,230 | 60.1 | 12.4 | 27.5 |
| Metropolitan statistical area (MSA) MSA Non-MSA | 221,168 52,141 | 68.5 64.8 | 15.8 17.6 | 15.7 17.6 |
| Census region Northeast Midwest South West | 51,908 63,577 95,651 62,173 | 72.0 73.6 64.6 63.1 | 16.5 13.9 15.4 19.3 | 11.5 12.5 20.0 17.6 |

^a Includes persons with unknown employment status and marital status. ^b For individuals age 16 and over.

Note: Percents may not add to 100 because of rounding

Table A. Health insurance coverage of the civilian noninstitutionalized population: Standard errors by type of coverage and selected population characteristics, United States, first half of 2000 Corresponds to Table 1

| Population characteristic | Private | Public only | Uninsured | | |
|--|--|--|--|--|--|
| | Standard error | | | | |
| Total ^a Total under age 65 ^a | 0.82 0.88 | 0.56 0.56 | 0.55 0.62 | | |
| Age in years Under 4 4-6 7-12 13-17 Total under 18 | 1.99 2.00 1.43 1.81 1.35 | 1.95 1.83 1.11 1.29 1.10 | 1.23 1.05 1.22 1.33 0.93 | | |
| 18 19-24 25-29 30-34 35-54 55-64 | 2.75 1.48 1.44 1.32 0.90 1.30 | 1.96 0.80 0.79 0.78 0.38 0.84 | 2.54 1.44 1.28 1.15 0.74 1.02 | | |
| 18-64 65 and over | 0.78 1.33 | 0.36 1.31 | 0.60 0.13 | | |
| Employment status ^b Employed Not employed | 0.68 1.05 | 0.29 0.81 | 0.56 0.70 | | |
| Sex Male Female | 0.87 0.86 | 0.56 0.67 | 0.62 0.59 | | |
| Race/ethnicity Total hispanic Total black Total white Total other | 1.52 2.22 0.85 3.80 | 1.02 1.57 0.64 3.05 | 1.24 1.59 0.49 1.97 | | |
| Hispanic male Black male White male Other male | 1.66 2.27 0.95 3.93 | 1.13 1.51 0.61 3.37 | 1.37 1.77 0.59 2.33 | | |
| Hispanic female Black female White female Other female | 1.70 2.49 0.88 4.40 | 1.23 1.88 0.78 3.15 | 1.43 1.70 0.55 2.46 | | |
| Marital status ^b Married Widowed Divorced Separated Never married | 0.83 1.84 1.35 3.36 1.05 | 0.54 2.00 0.88 2.40 0.66 | 0.57 0.79 1.44 2.93 0.88 | | |
| Metropolitan statistical area (MSA) MSA Non-MSA | 0.89 1.92 | 0.59 1.30 | 0.58 1.32 | | |
| Census region Northeast Midwest South West | 1.57 1.38 1.81 1.62 | 1.26 1.13 0.88 1.43 | 0.82 0.94 1.23 0.88 | | |

 $_{b}^{a}$ Includes persons with unknown employment status and marital status. For individuals age 16 and over.

Table 2. Health insurance coverage of the civilian noninstitutionalized population under age 65: Percent by type of coverage and selected population characteristics, United States, first half of 2000

| Population characteristic | Total population in thousands | Private | Public only | Uninsured | |
|--|--|--------------------------------------|------------------------------------|--------------------------------------|--|
| | | | Percent distribution | | |
| Total ^a | 240,688 | 69.9 | 11.9 | 18.2 | |
| Employment status ^b Employed Not employed | 132,533 43,172 | 79.5 50.3 | 3.2 22.5 | 17.3 27.2 | |
| Sex Male Female | 119,356 121,332 | 69.6 70.2 | 10.8 13.0 | 19.6 16.8 | |
| Race/ethnicity Total hispanic Total black Total white Total other | 30,981 31,602 167,650 10,456 | 46.5 54.4 77.3 66.9 | 18.3 22.4 8.5 15.5 | 35.2 23.2 14.2 17.6 | |
| Hispanic male Black male White male Other male | 15,652 14,869 84,062 4,773 | 45.3 55.5 76.7 66.8 | 17.1 19.5 7.8 15.9 | 37.6 24.9 15.5 17.3 | |
| Hispanic female Black female White female Other female | 15,329 16,732 83,588 5,683 | 47.6 53.4 77.9 67.0 | 19.6 25.0 9.3 15.1 | 32.8 21.6 12.9 17.9 | |
| Marital status ^b Married Widowed Divorced Separated Never married | 93,321 3,014 18,987 3,814 57,126 | 82.2 58.1 65.1 48.7 60.6 | 4.7 14.2 9.7 19.2 11.4 | 13.1 27.7 25.2 32.1 28.0 | |
| Metropolitan statistical area (MSA) MSA Non-MSA | 195,908 44,780 | 70.5 67.3 | 11.8 12.3 | 17.7 20.4 | |
| Census region Northeast Midwest South West | 45,053 56,191 83,735 55,709 | 75.1 75.6 66.5 65.0 | 11.7 10.4 10.7 15.5 | 13.2 14.0 22.8 19.5 | |

^a Includes persons with unknown employment status and marital status. ^b For individuals age 16 and over.

Note: Percents may not add to 100 because of rounding

Table B. Health insurance coverage of the civilian noninstitutionalized population under age 65: Standard errors by type of coverage and selected population characteristics, United States, first half of 2000 Corresponds to Table 2

| Population characteristic | Private | Public only | Uninsured | |
|--|--------------------------------------|--------------------------------------|--------------------------------------|--|
| | | Standard error | | |
| Total ^a | 0.88 | 0.56 | 0.62 | |
| Employment status ^b Employed Not employed | 0.67 1.30 | 0.24 0.96 | 0.58 0.99 | |
| Sex Male Female | 0.91 0.93 | 0.57 0.65 | 0.69 0.67 | |
| Race/ethnicity Total hispanic Total black Total white Total other | 1.57 2.32 0.92 4.02 | 1.00 1.58 0.65 3.25 | 1.30 1.68 0.57 2.12 | |
| Hispanic male Black male White male Other male | 1.71 2.36 1.01 4.05 | 1.13 1.54 0.62 3.63 | 1.42 1.86 0.68 2.56 | |
| Hispanic female Black female White female Other female | 1.77 2.64 0.96 4.67 | 1.19 1.95 0.78 3.24 | 1.52 1.81 0.64 2.63 | |
| Marital status ^b Married Widowed Divorced Separated Never married | 0.84 3.44 1.48 3.57 1.07 | 0.40 2.64 0.84 2.55 0.65 | 0.66 2.67 1.56 3.21 0.90 | |
| Metropolitan statistical area (MSA) MSA Non-MSA | 0.93 2.20 | 0.59 1.26 | 0.65 1.50 | |
| Census region Northeast Midwest South West | 1.66 1.66 1.92 1.49 | 1.25 1.33 0.85 1.20 | 0.97 1.01 1.42 1.00 | |

 $_{\rm b}^{\rm a}$ Includes persons with unknown employment status and marital status. For individuals age 16 and over.

<u>Table 3. Health insurance coverage of the civilian noninstitutionalized population: Percent by type of coverage and perceived health status, United States, first half of 2000</u>

| Population characteristic | Total population in thousands | Private | Public only | Uninsured |
|---|---|--------------------------------------|--------------------------------------|--------------------------------------|
| | | Pe | ercent distribution | 1 |
| Total under age 65 ^a Total age 65 and over ^a | 240,688 32,621 | 69.9 52.2 | 11.9 47.2 | 18.2 0.5 |
| Perceived health status, under age 65 Excellent Very good Good Fair Poor | 91,086 76,652 53,041 14,832 4,892 | 74.8 73.5 63.8 53.9 36.4 | 9.3 9.0 15.0 22.5 40.0 | 15.8 17.5 21.2 23.5 23.5 |
| Perceived health status, age 65 and over Excellent Very good Good Fair Poor | 5,114 9,169 10,105 5,414 2,281 | 58.7 53.5 55.1 43.7 41.9 | 41.0 46.3 44.5 54.8 58.1 | *0.2 *0.2 *0.3 *1.5 0.0 |

Note: Percents may not add to 100 because of rounding.

^a Total includes persons with unknown perceived health status. * Relative standard error is greater than or equal to 30 percent.

Table C. Health insurance coverage of the civilian noninstitutionalized population: Standard errors by type of coverage and perceived health status, United States, first half of 2000 Corresponds to Table 3

| Population characteristic | Private | Public only | Uninsured | |
|---|--------------------------------------|--------------------------------------|--|--|
| | | Standard error | | |
| Total under age 65 ^a Total age 65 and over ^a | 0.88 1.33 | 0.56 1.31 | 0.62 0.13 | |
| Perceived health status, under age 65 Excellent Very good Good Fair Poor | 1.04 1.01 1.23 1.70 2.75 | 0.61 0.66 1.02 1.22 2.85 | 0.76 0.80 0.89 1.36 2.53 | |
| Perceived health status, age 65 and over Excellent Very good Good Fair Poor | 2.80 2.24 1.86 2.59 4.46 | 2.80 2.23 1.85 2.57 4.46 | *0.21 *0.10 *0.16 *0.58 0.00 | |

 ^a Includes persons with unknown perceived health status.
 * Relative standard error is greater than or equal to 30 percent.

<u>Table 4. Total population and uninsured persons under age 65: Percent by selected population characteristics, United States, first half of 2000</u>

| Population characteristic | Total population in thousands | Percent distribution of population | Percent uninsured | Percent distribution of uninsured population |
|--|---|--|--|---|
| Total ^a | 240,688 | 100.0 | 18.2 | 100 |
| Age in years under 4 4-6 7-12 13-17 Total under 18 | 15,380 12,484 24,674 19,516 72,054 | 6.4 5.2 10.3 8.1 29.9 | 12.5 12.4 13.6 16.3 13.9 | 4.4 3.5 7.7 7.3 22.9 |
| 18 19-24 25-29 30-34 35-54 55-64 | 3,986 22,766 18,017 19,394 81,086 23,385 | 1.7 9.5 7.5 8.1 33.7 9.7 | 21.7 33.1 24.9 20.9 16.1 16.1 | 17.2 10.3 9.2 29.9 8.6 |
| Sex Male Female | 119,356 121,332 | 49.6 50.4 | 19.6 16.8 | 53.4 46.6 |
| Race/ethnicity Total hispanic Total black Total white Total other | 30,981 31,602 167,650 10,456 | 12.9 13.1 69.7 4.3 | 35.2 23.2 14.2 17.6 | 24.9 16.7 54.2 4.2 |
| Hispanic male Black male White male Other male | 15,652 14,869 84,062 4,773 | 6.5 6.2 34.9 2.0 | 37.6 24.9 15.5 17.3 | 13.4 8.5 29.7 |
| Hispanic female Black female White female Other female | 15,329 16,732 83,588 5,683 | 6.4 7.0 34.7 2.4 | 32.8 21.6 12.9 17.9 | 11.5 8.3 24.5 |
| Marital status ^b Married Widowed Divorced Separated Never married | 93,321 3,014 18,987 3,814 57,126 | 38.8 1.3 7.9 1.6 23.7 | 13.1 27.7 25.2 32.1 28.0 | 27.9 |
| Census region Northeast Midwest South West | 45,053 56,191 83,735 55,709 | 18.7 23.3 34.8 23.1 | 13.2 14.0 22.8 19.5 | 13.6 18.0 43.6 24.9 |
| Perceived health status Excellent Very good Good Fair Poor | 91,086 76,652 53,041 14,832 4,892 | 37.9 31.9 22.1 6.2 2.0 | 15.8 17.5 21.2 23.5 23.5 | 33.0 30.7 25.7 8.0 2.6 |

Note: Percent distributions may not add to 100 because of rounding.

Total includes persons with unknown perceived health status and marital status.
 For individuals age 16 and over. Excludes unknown marital status. As a result, percents do not sum to 100.
 Sample size too small to produce reliable estimates.

<u>Table D. Total population and uninsured persons under age 65: Standard errors by selected population characteristics, United States, first half of 2000 Corresponds to Table 4</u>

| Population characteristic | Percent distribution of population | Percent uninsured | Percent distribution of uninsured population |
|--|--|--|---|
| | | Standard error | |
| Total ^a | b | 0.62 | b |
| Age in years under 4 4-6 7-12 13-17 Total under 18 | 0.22 0.19 0.26 0.24 0.44 | 1.23 1.05 1.22 1.33 0.93 | 0.38 0.28 0.53 0.49 1.03 |
| 18 19-24 25-29 30-34 35-54 55-64 | 0.10 0.27 0.26 0.24 0.37 0.29 | 2.54 1.44 1.28 1.15 0.74 1.02 | 0.80 0.57 0.42 0.83 0.54 |
| Sex Male Female | 0.34 0.34 | 0.69 0.67 | 0.88 0.88 |
| Race/ethnicity Total hispanic Total black Total white Total other | 1.05 1.12 1.13 0.40 | 1.30 1.68 0.57 2.12 | 1.95 1.71 1.93 0.69 |
| Hispanic male Black male White male Other male | 0.52 0.51 0.65 0.21 | 1.42 1.86 0.68 2.56 | 1.04 0.95 1.24 |
| Hispanic female Black female White female Other female | 0.55 0.63 0.60 0.21 | 1.52 1.81 0.64 2.63 | 1.01 0.88 1.14 |
| Marital status ^c Married Widowed Divorced Separated Never married | 0.53 0.08 0.31 0.13 0.51 | 0.66 2.67 1.56 3.21 0.90 | 0.98 - 0.72 0.36 1.11 |
| Census region Northeast Midwest South West | 1.27 1.30 1.97 2.68 | 0.97 1.01 1.42 1.00 | 1.18 1.51 2.61 2.62 |
| Perceived health status Excellent Very good Good Fair Poor | 0.63 0.46 0.60 0.23 0.12 | 0.76 0.80 0.89 1.36 2.53 | 1.18 1.07 1.08 0.44 0.31 |

 ^a Total includes persons with unknown perceived health status and marital status.
 ^bNot applicable.
 ^c For individuals age 16 and over.
 Sample size too small to produce reliable estimates.

Table 5. Health insurance coverage of the civilian noninstitutionalized population: Population estimates by type of coverage and selected population characteristics, United States, first half of 2000

| Population characteristic | Total population | Any coverage | Any private coverage | Public only | Uninsured |
|---|---|---|---|---|--|
| | | | Number in thousan | nds | |
| Total ^a Total under age 65 ^a | 273,310 240,688 | 229,326 196,882 | 185,211 168,173 | 44,115 28,709 | 43,983 43,806 |
| Age in years Under 4 4-6 7-12 13-17 Total under 18 | 15,380 12,484 24,674 19,516 72,054 | 13,451 10,938 21,315 16,334 62,038 | 8,992 7,660 16,341 13,163 46,156 | 4,459 3,277 4,975 3,172 15,882 | 1,929 1,547 3,358 3,182 10,016 |
| 18 19-24 25-29 30-34 35-54 55-64 65 and over | 3,986 22,766 18,017 19,394 81,086 23,385 32,621 | 3,120 15,242 13,522 15,349 67,995 19,617 32,444 | 2,596 13,071 12,174 14,133 62,881 17,162 17,038 | 2,171 1,348 1,215 5,114 2,455 15,406 | 7,525 4,495 4,046 13,091 3,768 |
| Employment status ^b Employed Not employed | 137,096 71,171 | 114,161 59,280 | 108,308 35,835 | 5,852 23,444 | 22,936 11,891 |
| Sex Male Female | 133,242 140,068 | 109,761 119,565 | 90,866 94,345 | 18,895 25,220 | 23,481 20,503 |
| Race/ethnicity Total hispanic Total black Total white Total other | 32,733 34,321 194,971 11,285 | 21,765 26,955 171,171 9,435 | 14,793 18,192 144,977 7,249 | 6,972 8,763 26,194 2,186 | 10,968 7,365 23,800 1,850 |
| Census region Northeast Midwest South West | 51,908 63,577 95,651 62,173 | 45,950 55,649 76,507 51,220 | 37,399 46,797 61,768 39,248 | 8,551 8,853 14,739 11,972 | 5,958 7,928 19,144 10,953 |

^a Includes persons with unknown employment status and marital status.
For individuals age 16 and over.
Sample size too small to produce reliable estimates.

Table E. Health insurance coverage of the civilian noninstitutionalized population: Standard errors by type of coverage and selected population characteristics, United States, first half of 2000 Corresponds to Table 5

| Population characteristic | Any coverage | Any private coverage | Public only | Uninsured | |
|---|---|---|---|---------------------------------|--|
| | Standard error in thousands | | | | |
| Total ^a Total under age 65 ^a | 9,800 9,044 | 8,433 8,004 | 2,153 1,794 | 2,264 2,260 | |
| Age in years Under 4 4-6 7-12 13-17 Total under 18 | 867 528 1,092 962 2,933 | 551 437 934 829 2,295 | 472 275 323 307 1,107 | 209 160 326 283 787 | |
| 18 19-24 25-29 30-34 35-54 55-64 65 and over | 263 904 824 870 3,433 1,064 1,261 | 228 840 797 801 3,210 984 823 | - 189 140 171 401 219 702 | 524 335 278 695 262 | |
| Employment status ^b Employed Not employed | 5,386 2,458 | 5,262 1,634 | 408 1,115 | 1,128 717 | |
| Sex Male Female | 5,046 4,873 | 4,291 4,235 | 1,129 1,153 | 1,183 1,201 | |
| Race/ethnicity Total hispanic Total black Total white Total other | 1,648 2,395 8,444 1,017 | 1,231 1,900 7,476 730 | 576 774 1,649 491 | 1,036 779 1,553 331 | |
| Census region Northeast Midwest South West | 2,924 2,798 4,888 7,403 | 2,507 2,507 4,424 6,189 | 837 814 1,044 1,469 | 482 631 1,585 1,423 | |

a Includes persons with unknown employment status and marital status.
 For individuals age 16 and over.
 Sample size too small to produce reliable estimates.