Table 4. Total population and uninsured persons under age 65: Percent by selected population characteristics, United States, first half of 2001

| Population characteristics | Total population in thousands | Percent distribution of population | Percent uninsured | Percent distribution of uninsured population |
|----------------------------|-------------------------------|------------------------------------|----------------------|--|
| Total ^a | 242,762 | 100.0 | 18.8 | 100 |
| Age in years | | | | |
| under 4 | 15,821 | 6.5 | 12.9 | 4.5 |
| 4-6 | 12,169 | 5.0 | 13.3 | 3.5 |
| 7-12 | 24,510 | 10.1 | 14.5 | 7.8 |
| 13-17 | 20,150 | 8.3 | 16.6 | 7.3 |
| Total under 18 | 72,650 | 29.9 | 14.5 | 23.1 |
| 18 | 4,025 | 1.7 | 24.4 | 2.1 |
| 19-24 | 22,699 | 9.4 | 33.9 | 16.8 |
| 25-29 | 17,649 | 7.3 | 29.2 | 11.3 |
| 30-34 | 19,385 | 8.0 | 21.0 | 8.9 |
| 35-54 | 82,589 | 34.0 | 16.7 | 30.2 |
| 55-64 | 23,765 | 9.8 | 14.4 | 7.5 |
| Sex | | | | |
| Male | 120,349 | 49.6 | 19.9 | 52.3 |
| Female | 122,413 | 50.4 | 17.8 | 47.7 |
| Race/ethnicity | | | | |
| Total hispanic | 31,920 | 13.1 | 37.7 | 26.3 |
| Total black | 31,927 | 13.2 | 20.2 | 14.1 |
| Total white | 166,133 | 68.4 | 14.9 | 54.3 |
| Total other | 12,781 | 5.3 | 18.9 | 5.3 |
| Hispanic male | 16,107 | 6.6 | 39.9 | 14.0 |
| Black male | 15,070 | 6.2 | 21.3 | 7.0 |
| White male | 83,050 | 34.2 | 15.7 | 28.5 |
| Other male | 6,122 | 2.5 | 20.4 | 2.7 |
| Hispanic female | 15,813 | 6.5 | 35.5 | 12.3 |
| Black female | 16,857 | 6.9 | 19.2 | 7.1 |

Table 4. Total population and uninsured persons under age 65: Percent by selected population characteristics, United States, first half of 2001

| Population characteristics | Total population in thousands | Percent distribution of population | Percent uninsured | Percent distribution of uninsured population |
|-----------------------------|-------------------------------|------------------------------------|----------------------|--|
| White female | 83,084 | 34.2 | 14.2 | 25.8 |
| Other female | 6,659 | 2.7 | 17.4 | 2.5 |
| Marital status ^b | | | | |
| Married | 95,685 | 39.4 | 14.3 | 29.9 |
| Widowed | 3,295 | 1.4 | 22.4 | 1.6 |
| Divorced | 18,829 | 7.8 | 25.2 | 10.4 |
| Separated | 4,248 | 1.8 | 32.3 | 3.0 |
| Never married | 56,263 | 23.2 | 28.7 | 35.3 |
| Census region | | | | |
| Northeast | 45,539 | 18.8 | 13.8 | 13.8 |
| Midwest | 56,150 | 23.1 | 14.9 | 18.3 |
| South | 84,588 | 34.8 | 22.4 | 41.4 |
| West | 56,485 | 23.3 | 21.5 | 26.6 |
| Perceived health status | | | | |
| Excellent | 86,204 | 35.6 | 16.5 | 31.2 |
| Very good | 78,520 | 32.4 | 17.0 | 29.3 |
| Good | 55,965 | 23.1 | 23.2 | 28.4 |
| Fair | 16,253 | 6.7 | 24.1 | 8.6 |
| Poor | 5,511 | 2.3 | 20.6 | 2.5 |

Note: Percent distributions may not add to 100 because of rounding.

Source: Center for Cost and Financing Studies, Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey Household Component, 2001.

^a Total includes persons with unknown perceived health status and marital status.
^b For individuals age 16 and over. Excludes unknown marital status. As a result, percents do not sum to 100.

Table D. Total population and uninsured persons under age 65: Standard errors by selected population characteristics, United States, first half of 2001 Corresponds to Table 4

| Population characteristics | Percent distribution of population | Percent uninsured | Percent distribution of uninsured population |
|----------------------------|------------------------------------|-------------------|--|
| | | Standard error | |
| Total ^a | b | 0.48 | ь |
| Age in years | | | |
| under 4 | 0.17 | 0.87 | 0.29 |
| 4-6 | 0.15 | 0.91 | 0.25 |
| 7-12 | 0.22 | 0.87 | 0.43 |
| 13-17 | 0.20 | 0.89 | 0.37 |
| Total under 18 | 0.36 | 0.60 | 0.74 |
| 18 | 0.08 | 2.24 | 0.22 |
| 19-24 | 0.24 | 1.29 | 0.64 |
| 25-29 | 0.25 | 1.27 | 0.55 |
| 30-34 | 0.20 | 1.09 | 0.46 |
| 35-54 | 0.35 | 0.58 | 0.73 |
| 55-64 | 0.25 | 0.79 | 0.40 |
| Sex | | | |
| Male | 0.29 | 0.56 | 0.65 |
| Female | 0.29 | 0.50 | 0.65 |
| Race/ethnicity | | | |
| Total hispanic | 0.59 | 1.18 | 1.25 |
| Total black | 0.56 | 1.06 | 0.89 |
| Total white | 0.80 | 0.52 | 1.43 |
| Total other | 0.39 | 1.92 | 0.60 |
| Hispanic male | 0.30 | 1.40 | 0.69 |
| Black male | 0.28 | 1.37 | 0.54 |
| White male | 0.50 | 0.61 | 0.93 |
| Other male | 0.20 | 2.32 | 0.35 |
| Hispanic female | 0.31 | 1.27 | 0.68 |

Table D. Total population and uninsured persons under age 65: Standard errors by selected population characteristics, United States, first half of 2001 Corresponds to Table 4

| Population characteristics | Percent distribution of population | Percent uninsured | Percent distribution of uninsured population |
|-----------------------------|------------------------------------|-------------------|--|
| | | Standard error | |
| Black female | 0.31 | 1.13 | 0.47 |
| White female | 0.45 | 0.54 | 0.85 |
| Other female | 0.21 | 2.08 | 0.34 |
| Marital status ^c | | | |
| Married | 0.37 | 0.51 | 0.71 |
| Widowed | 0.08 | 2.25 | 0.19 |
| Divorced | 0.23 | 1.18 | 0.53 |
| Separated | 0.11 | 2.36 | 0.29 |
| Never married | 0.42 | 0.87 | 0.93 |
| Census region | | | |
| Northeast | 0.71 | 0.91 | 0.94 |
| Midwest | 0.84 | 0.73 | 1.10 |
| South | 0.99 | 0.98 | 1.70 |
| West | 1.06 | 1.03 | 1.34 |
| Perceived health status | | | |
| Excellent | 0.57 | 0.58 | 0.96 |
| Very good | 0.50 | 0.67 | 0.96 |
| Good | 0.40 | 0.75 | 0.73 |
| Fair | 0.19 | 1.17 | 0.45 |
| Poor | 0.11 | 1.89 | 0.24 |

 ^a Total includes persons with unknown perceived health status and marital status.
 ^bNot applicable.
 ^c For individuals age 16 and over.

Source: Center for Cost and Financing Studies, Agency for Healthcare Research and Quality: Medical Expenditure Panel Survey Household Component, 2001.