

Index

- abdominal pain, acute
 - analgesics for, 396
 - analgesics studies, 397, 399
- academic detailing for modifying physician behavior, 595, 597
- accreditation methods to promote patient safety practices, 607
- accreditation organizations, 602
- active error, 51
- acute pain services
 - described, 400
 - studies, 401, 403
- acute spinal cord injury, VTE risk, 338
- ADE detection
 - alert monitors, 79
 - computerized alert monitors, 79, 80
 - computerized systems, studies, 83
 - pharmacists, physicians, and, 79
 - physician response to alert monitors, 81
 - research needs, 82
- ADEs
 - anticoagulants and, 87
 - CDSS and, 590
 - clinical pharmacists and, 71, 74, 75
 - computerized detection and alert systems, 79
 - described, 79
 - incident reporting, 42
 - information transfer between inpatient/outpatient pharmacies, 471
 - prevalence, 71
- advance directives for end-of-life care, 556, 560
- Agency for Health Care Policy and Research (AHCPR), 396, 406
- Agency for Healthcare Research and Quality (AHRQ)
 - acknowledgments, 21
 - patient advocacy, 569
 - patient safety, 601
 - patient safety improvement, 13
- American Medical Association (AMA) Code of Medical Ethics, 546
- American Society for Health System Pharmacists (ASHP), antibiotic administration, 221
- American Society of Anesthesiologists (ASA), 259, 265, 407, 604
- amphotericin, topical, 193
- analgesics
 - acute abdominal pain management, 396
 - acute abdominal pain management studies, 397, 399
 - antiemetics for PCA, 404
 - research needs, 398
 - surgeon decision making, impact on, 398
- anesthesia
 - body temperature and, 231
 - intraoperative monitoring and, 265
 - pre-anesthesia checklists, 259
 - simulator-based training, 512
- anesthesia crisis resource management (ACRM), 504
- anesthesia equipment checklists, 466
- antibiotic resistance and pneumococcal vaccines, 390
- antibiotics
 - benefits for controlling nosocomial infections, 143
 - practices to change use, 141
 - prescription errors, 142
 - prophylaxis for SSI, 221, 224, 226
 - urinary catheters and, 149
- anticoagulation
 - ADEs and, 88
 - inpatient services, 94
 - outpatient clinics, 88
 - patient self-management, 89, 96
 - research needs, 91
- antiemetics for pain management
 - described, 404
 - studies, 405
- ASEPSIS, 232, 235
- aspirin to prevent venous thromboembolism, 333
- atelectasis, 185, 234
- audit and feedback for modifying physician behavior, 595, 596
- Australian Incident Monitoring Study (AIMS), 43, 45, 266
- bacteremia and urinary catheters, 149
- bacteriuria and urinary catheters, 149
- bar coding
 - bedside scanning, 491
 - described, 487
 - medical recordkeeping, 489
 - medication dispensing and administration, 488
 - patient identification, 487
 - patient identification studies, 490, 491
 - research needs, 492
 - specimen handling, 488
- barrier precautions, central venous catheter insertion
 - contamination reduction, 165
 - studies, 165
- barrier precautions, VRE and *C. difficile*
 - compliance vs. specific intervention, 127
 - described, 127
 - further research, 130
 - list of, 127
 - studies, 129, 132, 135, 136
- Baxter ATC-212 dispensing system, 111
- bed alarms for fall prevention in older patients
 - described, 291
 - studies, 292, 293
- bed sores, 156
- beds or mattresses for pressure ulcer prevention
 - described, 301
 - studies, 302, 304
- bedsores, 301
- behavior-based safety interventions, 450
- Best Medicine, The*, 570
- beta-blockers, perioperative
 - described, 271
 - research needs, 274
 - studies, 272, 276
- bloodstream infections, catheter-related (CR-BSI)
 - defined, 163
 - risks, 164
- bronchopulmonary secretions, 185
- business community and patient safety, 603

calorimetry, 359

Candida species in catheter-related infections, 163

capnography, 267

cardiac disease, heparin and warfarin monitoring, 88

cardiac events

- hypothermia, 231
- reducing with beta blockers, 271

care delivery and interventions, nurse staffing and, 423, 426, 430

catheter colonization, 163

catheter related infections

- central venous, 167

catheter-related bloodstream infection (CR-BSI)

- antibacterial coatings and antiseptic agents, 169
- CHG solutions and, 175
- defined, 163, 164
- intravenous antimicrobial use of, 179

catheter-related infections

- bloodstream, 163
- central venous, 164
- urinary tract, 149

Centers for Disease Control and Prevention (CDC), 42, 164, 194, 602

- antibiotic administration, 221
- pneumococcal vaccines, 385

central venous catheters

- antibacterial coatings or antiseptic agents, 169, 174
- barrier precautions during insertion, 165
- CHG and PI studies, 177, 178
- chlorhexidine gluconate at the insertion site, 175
- heparin and, 178
- infection studies, 167
- placement of, 245
- prolonged use, infection risks and risk reduction, 165
- research needs, 183
- ultrasound guidance for insertion, 246
- use of, 163

children, transporting, 535, 536, 537

chlorhexidine gluconate (CHG) solution

- central venous catheter insertion, 175
- compared to PI, studies, 177, 178
- studies, 175

chlorhexidine/silver sulfadiazine-impregnated catheters

- described, 169
- studies, 169, 172, 174

circadian rhythm, 519, 524

clinical decision support systems (CDSS)

- CPOE and, 589
- described, 589
- research needs, 593
- safety practice promotion and implementation, 590
- studies, 590, 591

clinical pharmacists

- ADEs and, 71
- ambulatory settings, study results, 73
- consultation services, 71
- impact on ADEs, studies, 75
- outpatient settings, studies, 72
- roles and activities, 71

closed ICU model, 413

Clostridium difficile (*C. difficile*)

- antibiotic studies, 142, 143
- antibiotics and, 141
- barrier precaution studies, 129
- barrier precautions and, 127
- relationship to VRE, 128
- research needs, 131, 144
- SSI and, 222
- transferability, 127

Cockpit Management Attitudes Questionnaire (CMAQ), 502

computerized discharge summaries, 479

computerized physician order entry (CPOE) with CDSS

- CDSS described, 589

computerized sign-out program, 476, 479

continuous intravenous insulin infusion (CII) during surgery, 238

continuous oscillation

- described, 185, 187
- studies, 187, 189

cranial computed tomography (CT), 376

Crew Resource Management (CRM)

- aviation application vs. health care, 504
- aviation environment, 501
- described, 501
- effectiveness measurement tools, 502
- health care environment, 504
- operating room environment, 505
- peer monitoring, 505
- research needs, 507
- studies, 503, 506

critical incident technique, 41

critical pathways

- described, 581
- medical information dissemination, 581
- research needs, 584
- studies, 582, 585

cross-coverage, 476

Crossing the Quality Chasm: A New Health System for the 21st Century, 13

decubitus ulcers, 156, 301

deep vein thrombosis (DVT), 333, 341

delirium in older hospitalized patients

- described, 307
- geriatric consultation services and, 313
- interventions, 307
- research needs, 309
- studies, 308, 310

diabetes

- glucose control during surgery, 237
- RCIN and, 349

diarrhea, *C. difficile*-associated, 128

direct mail patient notification, 483

discharge summaries

- computerized, 479
- research needs, 481
- structured vs. unstructured format, 479
- studies, 480, 481

disseminating medical information, 581

distal DVT, 333

domains, defined, 29

duplex ultrasonography, 334

durable power of attorney for health care (DPOA-HC), 556

educational techniques to modify physician behavior

- described, 595
- research needs, 598
- studies, 596, 599
- elastic stockings (ES) to prevent venous thromboembolism, 333
- elderly
 - beta-blockers and, 273
 - delirium, preventing, 307
 - falling, preventing, 281
 - falls, preventing, 283
 - geriatric consultation services, 313
 - pneumococcal infections, 386
 - pneumococcal vaccines and, 387
 - pressure ulcers, preventing, 301
 - preventable deaths and functional decline, 324
- embolism to the pulmonary vasculature, 333
- end-of-life care
 - administrative initiatives, 560
 - advance directives, 560
 - described, 556
 - documenting patient preferences, 557
 - existing programs/contributions, 562
 - forms to promote implementation of patient preferences, 559
 - implementation of patient preferences, 557
 - improving physician/patient communication, 560
 - physician/patient communication, 558
 - preferences in outpatient settings, 560
 - public education, 562
 - research needs, 563
- enteral nutrition (EN)
 - immune-enhanced, 363
 - paths for administering, 359
 - studies, 361
- environmental modifications to prevent delirium, 307
- equipment, anesthesia, checklists for, 259
- error mode prediction, 26
- examination equipment, dedicated or disposable, as a barrier precaution, 127, 136
- extended-spectrum beta-lactamase (ESBL), 128, 143
- falls in hospitalized and institutionalized older patients
 - bed alarms and, 291
 - geriatric consultation services and, 313
 - hip protectors and, 295
 - identification bracelets and, 284
 - interventions, list of, 283
 - physical restraints and, 287
 - problem description, 281
 - research needs, 283, 284, 289, 292, 294, 297
 - risk assessment, 282
 - risk factors, 281
 - special flooring and, 293
- fatigue
 - lighting at work, 524
 - medical errors and, 519
 - medical therapies, 525
 - napping, 524
 - research needs, 526
 - shift limits and error reduction, 521
 - shift rotation and, 520
 - shift rotation, direction and speed, 523
 - sleep hygiene education, 523
 - studies, 522
- fibrinogen leg scanning, 334
- Flight Management Attitudes Questionnaire (FMAQ), 502
- flooring, special, for fall prevention in older patients
 - described, 293
 - studies, 294, 295
- Foley catheters, 149
- Food and Drug Administration (FDA), 42, 51, 259, 262, 459, 489
- gastroesophageal reflux, 185
- gastrointestinal bleeding
 - described, 368
 - nosocomial pneumonia and, studies, 372
 - research needs, 371
 - studies, 369
 - sucralfate and, 199
- gentamicin, topical, 193
- geriatric consultation services
 - described, 313
 - research needs, 316
 - studies, 314, 315, 318
- geriatric evaluation and management (GEM) units
 - described, 313, 323
 - research needs, 326
 - studies, 324, 327
- gloves/gowns as barrier precaution, 127
- glucose control, perioperative
 - described, 237
 - research needs, 240
 - studies, 238, 241
 - surgical infections and, 238
- government agencies and patient safety practices, 602
- gram negative rods in catheter-related infections, 163
- H₂-receptor antagonists, 198, 368, 369, 372
- hand disinfection, 119
- handwashing
 - compliance difficulties, 119
 - relationship to infection, 119
 - research needs, 122
 - risk factors, 120
 - skin irritation to health care workers, 121
 - strategies to improve compliance, 121
 - studies, 120, 123
- Health Care Financing Administration (HCFA)
 - medical errors, 601
 - physical restraints and, 288
 - pneumococcal vaccines, 287, 385
- health literacy problem, 547
- heart failure
 - ADEs and, 72
 - clinical pharmacists and, 73
- heparin
 - about, 87
 - bleeding during therapy with, 88
 - central venous catheters and, 178
 - dosing and monitor errors, reducing, 87
 - LDUH/LMWH to prevent venous thromboembolism, 333
 - monitoring, 88
- heparin nomograms
 - described, 87
 - PTTs and, 89

- studies, 88, 92
- high reliability theory, 26, 447
- high-volume centers, localizing care to
 - Leapfrog Group's efforts, 208
 - relationship to patient outcomes, 205
 - research needs, 208
 - studies, 206, 210
- hip fractures
 - falls in older patients, 281
 - VTE risk in surgery, 336
- hip protectors for fall prevention in older patients, 296, 298
- hip replacement surgery, VTE risk, 336
- histamine-2 receptor blocking agents (H₂-receptor antagonists)
 - described, 368
 - studies, 369, 372
 - VAP prevention, 198
- hospitalists and end-of-life care, 561
- human error identification, 26
- human factors engineering (HFE)
 - anaesthesia equipment checklists, 466
 - described, 459
 - medical device alarms, 462
 - medical devices and errors, 459
 - research needs, 467
- hydration protocols to prevent RCIN, 349
- hygienic hand rub, 119
- hypercholesterolemia, clinical pharmacists and, 73
- hypertension, clinical pharmacists and, 73
- hypoxemia and anesthesia, 267
- identification bracelets for fall prevention in older patients
 - study, 285
 - using, 284
- incident reporting
 - AIMS data vs. JCAHO data, 45
 - barriers to linking data with outcome, 46
 - critical incident monitoring, 41
 - event appropriateness, 43
 - intensive care units (ICUs), 42
 - JCAHO surveillance mandates, 43
 - medication errors and, 41
 - physician reporting, 45
 - research needs, 46
 - sentinel event alerts, 47
- industries outside health care
 - aviation, 259, 501
 - behavior-based safety programs, 450
 - corporate cultures, 448
 - critical pathways, 581
 - disasters contributed to by fatigue, 520
 - incident reporting systems, 41, 42
 - safety cultures, 449
 - simulator training, 511
- infection control officers, 602
- information transfer, improving
 - abnormal results notification, 482
 - discharge summaries, 479
 - inpatient/outpatient pharmacies, 471
 - research needs, 474, 486
 - sign-out systems, 476
- informed consent
 - asking patient to recall discussion information, studies, 550
 - form readability studies, 549
 - forms inadequacies, 548
 - legal and ethical obligations, 546
 - physician/patient discussion, studies, 549
 - procedural inefficiencies in obtaining, 547
 - process, 546
 - research needs, 552
 - visual or auditory aids, studies, 550
 - written information to patients, studies, 551
- Institute of Medicine (IOM) reports, 13, 205, 207, 210
- intensive care units (ICUs)
 - incident reporting and, 42
 - intensivist model studies, 418
 - Leapfrog Group recommendations, 413
 - nutritional support for patients, 359
 - research needs, 416
 - structure model studies, 414, 415
 - structure models, 413
- intensivist co-management ICU model, 413
- intensivists in ICUs, 413
- interhospital transportation of critically ill patients, 536, 537
- interhospital transportation of critically ill patients, 534
- intermittent pneumatic compression (IPC) to prevent venous thromboembolism, 333
- International Classification of Diseases (ICD-9) codes, 79
- intra-hospital transportation of critically ill patients, 534, 538
- ischemia, myocardial, 267, 271
- Joint Commission on the Accreditation of Healthcare Organizations (JCAHO)
 - pain management guidelines, 396
 - patient safety advocacy, 602
 - physical restraint mandates, 288
 - root cause analysis mandate, 51
 - safety standards, 606
 - sentinel event alerts, 47
 - Sentinel Event Database, 43
 - surveillance mandate, 43
 - wrong-site surgery, avoiding, recommendations, 495
- knee replacement surgery, VTE risk, 336
- laparoscopic cholecystectomy training
 - complications with procedure, 214
 - learning curve, 213
 - research needs, 216
 - skills needed, 213
 - studies, 215
- latent error, 51
- Leapfrog Group
 - high-volume centers, 205
 - ICUs model recommendations, 413
 - methods to promote patient safety practices, 607
 - patient safety advocacy, 603
 - referral system, 208
- learning curves for new procedures, 213
- legal issues
 - end-of-life care, 556
 - informed consent, 546
- legislation
 - methods to promote patient safety practices, 607

Natural Death Acts, 556
 nursing issues, 425
 Omnibus Budget Reconciliation Act of 1987, 288, 302
 patient safety, 601
 Patient Self-Determination Act (PSDA), 556
 publication of performance data, 605
Lerner's Consumer Guide, 569
 lighting and fatigue, 524
 LINE/LOS checklist, 502
 living will for end-of-life care, 556
 localizing care to high-volume centers, 205
 low dose unfractionated heparin (LDUH) to prevent VTE, 333, 335
 low molecular weight heparin (LMWH) to prevent VTE, 333, 335
 machine-readable automatic identification (ID) systems
 conventional wrist band use, 489
 described, 487
 medical record keeping, 489
 medication dispensing and administration, 488
 patient identification, 487
 patient identification studies, 490, 491
 research needs, 492
 specimen handling, 488
 malnutrition in hospitalized patients, 359, 363
 McLaughlin dispensing system, 111
 median sternotomy, 238
 medical device alarms, 462
 frequency reduction, 465
 research needs, 466
 source identification, 463
 urgency ranking, 463
 visual interfaces, 463
 medical devices
 design and development, 459
 device evaluation, 461, 462
 medical recordkeeping and bar codes, 489
 medical records, patient access to, 570
 medication dispensing and bar codes, 488
 medication dispensing systems, automated
 Baxter ATC-212 system, 111
 described, 111
 harmpotential, 113
 machine-readable code, 111
 McLaughlin system, 111
 research needs, 114
 studies, 111, 112, 115
 unit-dose distribution systems and, 112
 medication errors
 clinical pharmacists impact on, studies, 75
 dosage errors, 112
 identification of ADEs, 41
 information transfer between inpatient/outpatient pharmacies, 471
 studies, 106
 time-constraints and, 101
 unit-dose dispensing, 102
 MedTeams behavior-based teamwork system, 505
 melatonin supplementation for fatigue, 525
 methicillin-resistant *Staphylococcus aureus* (MRSA), 128
 minocycline/rifampin-coated catheters, 169
 minocycline-coated urinary catheters, 149
 misidentification, avoiding
 bar coding, 487
 wrong-site surgery, 494, 496, 497
 wrong-site surgery, research needs, 498
 monitoring, intraoperative
 ASA standards, 268
 described, 265
 research needs, 267
 studies, 266
 napping, 524
 National Quality Forum (NQF), 21
 National Vaccine Advisory Committee, pneumococcal vaccines, 385
 Natural Death Acts, 556
 nausea due to PCA, 404
 neurosurgery, VTE risk, 337
 non-radiologists
 radiograph interpretations, 376
 training, 377, 381
 normal accident theory, 447
 normothermia, perioperative
 described, 231
 studies, 232, 233
 nosocomial infections
 antibiotics and, 141
 barrier precautions and, 127
 handwashing and, 119
 handwashing practices and, 120
 pathogens other than VRE and *C. difficile*, 128
 pneumonia and GI bleeding, 368
 nurse staffing
 availability studies, 426, 431
 care delivery models, 430
 care delivery studies, 426
 care practices evaluated, 424
 intervention studies, 427
 measures, 430
 nurse intervention and patient outcome studies, 437
 organization models and patient outcome studies, 435
 relationship of models to patient outcomes, 423
 research needs, 428
 studies, 425
 unions and, 425
 nutritional support practices
 described, 359
 studies, 360, 365
 Occupational Safety and Health Administration (OSHA), 601
 open ICU model, 413
 opinion leaders for modifying physician behavior, 595, 597
 opioids, 404
 orientation techniques to prevent delirium, 307
 oropharyngeal secretions, 190
 osmolar iodinated contrast media to prevent RCIN, 349
 oxygen, perioperative
 described, 234
 future research needs, 236
 studies, 235, 236
 pain management
 abdomen, acute, 396
 about, 396
 acute pain services, described, 400

- acute pain services, studies, 401, 403
- antiemetics for PCA, 404
- non-pharmacologic intervention studies, 407, 409
- non-pharmacologic interventions, 406
- patient education, 407
- research needs, 408
- palliative care programs, 561
- patient advocacy
 - benefits, 569
 - improving non-compliance with medical advice and treatment, 570
 - medical records, access to, 570
 - research needs, 571
- patient classification systems (PCSs), 423
- patient mobility to prevent delirium, 307
- patient notification of abnormal results
 - direct mail, 483
 - problems and current methods, 482
 - research needs, 484
 - study, 483, 485
- Patient Self-Determination Act (PSDA), 556
- patient to nurse ratios, 424
- peer monitoring, 505
- percutaneous transluminal angioplasty, 271
- pericatheter skin inflammation, 163
- pharmacies
 - automated drug dispensing, 102
 - information transfer, 471, 473, 475
- pharmacologic measures to prevent venous thromboembolism, 333
- physical restraints for fall prevention in older patients
 - described, 287
 - studies, 288, 290
- physician behavior, modifying
 - education techniques, research needs, 598
 - education techniques, studies, 596, 599
 - educational techniques, 595
 - practice guidelines, 576
- pneumococcal infections
 - re-infection risks, 385
 - vaccines and, 385
- pneumococcal vaccines
 - antibiotic resistance, 390
 - delivery method studies, 392
 - delivery methods, studies, 388
 - described, 385
 - effectiveness studies, 386, 387, 391
 - research needs, 390
- pneumothorax, 247
- POLST (Physician Orders for Life-Sustaining Treatment), 559, 564
- polymixin, topical, 193
- povidone-iodine (PI)
 - central venous catheter insertion, 175
 - compared to (CHG), studies, 177, 178
- practice guidelines for modifying physician behavior
 - computer-based, 577
 - described, 575
 - research needs, 578
 - studies, 576, 577
- pre-anesthesia equipment checklists
 - described, 259
 - research needs, 261
 - studies, 260, 262
- pressure ulcers
 - in older patients, 301
 - research needs, 304
 - suprapubic catheters and, 156
- professional societies and patient safety, 604
- professional societies, to promote patient safety practices, 607
- psychosocial support for pain management, 407
- public reporting systems, 605
- pulmonary embolization (PE), 333
- pulse oximetry, 265, 266, 466, 604
- Pyxis Medstations, 112
- radiocontrast-induced nephropathy (RCIN)
 - described, 349
 - prevention practices, 349
 - prevention studies, 353, 354
 - studies, 350, 351
- radiograph interpretation errors by non-radiologists
 - described, 376
 - digitized vs. film-based radiographs, 376
 - reducing, 377, 378, 381
 - research needs, 380
- radiologists and non-radiologists
 - radiograph interpretations, 376
 - training, 377
- reminder systems for modifying physician behavior, 595
- renal failure, RCIN and, 349
- report methodology
 - abstraction elements, 34
 - evidence review, 15
 - exclusion criteria, 31
 - exclusions, 16
 - inclusion criteria, 31
 - inclusions, 16
 - organization, 18
 - outcome measures, 32
 - review methodologies, 29
 - safety practice ratings, 613
 - safety practices evaluation, 33
 - safety practices organization, 29
 - search strategy, 30
 - study design hierarchy, 31
- review methodologies, error-based, 29
- rifampin-coated urinary catheters, 149
- risk assessment to prevent falls in older patients, 282
- root cause analysis (RCA)
 - industrial accidents, 51
 - JCAHO mandate, 51
 - process, 52
 - research needs, 55
 - studies, 53, 54
- safety culture, promoting
 - accident theories, 447
 - behavior-based programs, 450
 - checklist of patient safety concepts, 453
 - methods, medical and non-medical, 448
 - research needs, 451
 - VHA initiative, 449
- safety practice ratings
 - data inputs, 613

- decision rules and judgment considerations, 615
- goals, 613
- impact and evidence overall rating, 616
- rating process, 614
- rating tables, 617
- research priority overall rating, 616
- safety practices
 - all practices, categorical ratings, and comments, 633
 - clinical vs. general issues in content, 17
 - definition and scope, 13, 29
 - further research likely to be beneficial, 630
 - further research likely to be highly beneficial, 627
 - greatest strength of evidence regarding their impact and effectiveness, 620
 - high strength of evidence regarding their impact and effectiveness, 621
 - hospital care and, 14
 - industries outside health care, 25
 - low strength of evidence regarding their impact and effectiveness, 624
 - lowest strength of evidence regarding their impact and effectiveness, 625
 - medium strength of evidence regarding their impact and effectiveness, 622
 - organization of, 29
 - rated by strength of evidence, 619
 - research priority ratings, 627
- selective digestive tract decontamination (SDD)
 - described, 193
 - studies, 194, 196
- semi-recumbent positioning
 - described, 185
 - studies, 186, 189
- Sentinel Event Database, 43
- shift rotation and fatigue, 523
- sign-out systems for cross-coverage
 - described, 476
 - research needs, 478
 - studies, 477, 479
- silicone urethral catheters, 149
- silver alloy catheters
 - bacteriuria reduction, 151
 - described, 149
- simulator-based training
 - advantages, 511
 - anesthesia, 512
 - cardiology, 514
 - CRM and, 512
 - gastroenterology, 514
 - radiology, 513
 - research needs, 514
 - risks, 515
 - surgery, 513
- sleep deprivation
 - lighting at work, 524
 - medical errors and, 519
 - medical therapies speed, 525
 - napping, 524
 - research needs, 526
 - shift limits and error reduction, 521
 - shift rotation and, 520
 - shift rotation direction and speed, 523
 - sleep hygiene education, 523
 - studies, 522
- sponge, sharp, and instrument counts
 - described, 255
 - research needs, 256
 - studies, 256
- staff cohorting as a barrier precaution, 127
- staphylococci and catheter-related infections, 163
- sternal wound infections, 238
- streptococcus pneumoniae, 385
- stress ulcers
 - H₂-receptor antagonist therapy, 198
 - studies, 201, 202
- subclavian-vein catheters, 246
- subglottic secretions, continuous aspiration of
 - described, 190
 - diagram, 192
 - studies, 193
- sucralfate
 - gastrointestinal bleeding reduction, described, 368
 - gastrointestinal bleeding reduction, studies, 369, 372
 - studies, 201, 202
 - VAP reduction, 198
- suprapubic catheters
 - compared to standard catheters, 156
 - compared to urethral, studies, 159
 - placement of, 155
 - research needs, 157
 - studies, 157
- surgical site infections (SSI)
 - antimicrobial prophylaxis and, 221
 - blood flow and body temperature, 231
 - glucose control for diabetics and, 237
 - normothermia and, 232
 - oxygen and, 234
 - research needs, 223, 233
 - studies, 222, 224, 226
- surgical sponges and instruments, retained, 255
- teicoplanin and central venous catheters, 179
- teleradiology, 376
- thromboembolism
 - heparin and warfarin monitoring, 88
 - preventions, 333
- To Err is Human: Building a Safer Health System*, 13, 25
- tobramycin, topical, 193
- total parental nutrition (TPN), 359, 361
- training
 - end-of-life care, for physicians, 560
 - laparoscopic cholecystectomy, 213
 - nurses, 424
 - radiograph interpretations, 377
 - simulator-based, 511
- transesophageal echocardiography, 265
- transfusion errors, 489
- transport teams, 534
- transportation of critically ill patients
 - about, 534
 - interhospital, 534
 - intra-hospital transport, 534
 - manual vs. mechanical ventilation, studies, 541
 - transport teams vs. standard, studies, 540
 - transporting children, 535, 537

transurethral resection of the prostate, 157
 trauma patients, VTE risk, 338
 UCSF-Stanford Evidence-based Practice Center (EPC), 13
 ultrasound guidance of central vein catheterization
 described, 245
 insertion success rates, 246
 research needs, 249
 studies, 246, 247, 250
 unions and nurse staffing, 425
 unit-dose dispensing
 automated dispensing systems, 112
 described, 101
 dispensing variations, 101
 JCAHO standards, 102
 research needs, 105
 safety targets, 102
 studies, 103, 104, 106
 urethral catheters
 compared to suprapubic, 159
 latex, 149
 patient discomfort, 156
 research needs, 157
 silicone, 149
 urethral strictures, 157
 urinary catheters
 impregnated with antibiotic, 149
 silver alloy catheters, 149
 studies, 150, 153
 urinary tract infections (UTIs)
 catheters and, 149
 prevalence, 149
 research needs, 151
 usability testing, 461
 vancomycin, systemic use with central venous catheters,
 179
 vancomycin-resistant enterococci (VRE)
 antibiotic studies, 142, 143
 antibiotics and, 141
 barrier precaution studies, 129
 barrier precautions and, 127
 C. difficile relationship, 128
 research needs, 131, 144
 transferability, 127
 venography, 334
 venous thromboembolism (VTE)
 described, 333
 preventative measures, mechanical and pharmacologic,
 343
 preventions, 333
 prophylaxis for surgical procedures and medical
 conditions, 345
 risk in general surgery, 335
 risk in hospitalized medical patients, 339
 risk in neurosurgery, 337
 risk in orthopedic surgery, 336
 risk reduction methods, 344
 studies, 334
 therapy factors, 337
 urethral catheters and, 156
 ventilation when transporting critically ill patients, 538,
 541
 ventilator-associated pneumonia (VAP)
 continuous aspiration of subglottic secretions, 190
 continuous oscillation, 185, 187
 described, 185
 patient positioning studies, 189
 research needs, 195, 199, 203
 SDD, 193
 semi-recumbent positioning, 185, 186
 sucralfate, 198
 Veterans Health Administration (VHA), 449
 vomiting due to PCA, 404
 ward stock system, 102
 warfarin
 about, 87
 dosing and monitoring errors, reducing, 87
 monitoring, 88
 self-management, studies, 89, 96
 venous thromboembolism prevention, 333
 warfarin nomograms, studies, 92
 warming blankets for normothermia during surgery, 231
 web-based health information, 16, 292, 451, 561, 570
 web-based programs, 478
 wrong-site surgery, avoiding
 described, 494
 research needs, 498
 studies, 496, 497