

# 2006 Minerals Yearbook

# STATISTICAL SUMMARY

### STATISTICAL SUMMARY

### By Joseph M. Krisanda

### The world production table was prepared by Glenn J. Wallace, international data coordinator.

This annual report summarizes data on crude nonfuel mineral production<sup>1</sup> for the United States, its island possessions, and the Commonwealth of Puerto Rico.

Although crude mineral production may be measured at any of several stages of extraction and processing, the stage of measurement used in this annual report is what is termed "mine output." This term refers to minerals or ores in the form in which they are first extracted from the ground, but customarily may include the output from auxiliary processing at or near the mines.

Because of inadequacies in the statistics available, some series deviate from the foregoing definition. For copper, gold,

All 2006 U.S. Geological Survey (USGS) mineral production data published in this chapter are as of July 2008. For some mineral commodities, such as construction sand and gravel, crushed stone, and portland cement, estimates are updated periodically. To obtain the most current information, please contact the appropriate USGS mineral commodity specialist. Specialist contact information are available on the Internet at http://minerals.usgs.gov/minerals/contacts/comdir.html; alternatively, specialists' names and telephone numbers may be obtained by calling USGS information at (703) 648-4000 or by calling the USGS Earth Science Information Center at 1-888-ASK-USGS (275-8747). All Mineral Industry Surveys—mineral commodity, State, and country—are also available on the Internet at http://minerals.usgs.gov/minerals.

lead, silver, and zinc, the quantities listed are recorded on a mine basis (as the recoverable content of ore sold or treated). The values assigned to the quantities, however, are based on the average selling price of refined metal, not the mine value.

The total value of all nonfuel mineral production in the United States in 2006 increased to \$66.5 billion, which was an increase of more than 20% compared with that of 2005; metals increased to \$23.3 billion, which was a increase of more than 41%; and industrial minerals increased to \$43.2 billion, more than 11%.

In 2006, the value of nonfuel mineral commodity production for the following 11 commodities, in descending order of production value, was greater than \$1 billion: stone (crushed), cement (portland), sand and gravel (construction), copper, gold, molybdenum concentrates, iron ore (usable shipped), zinc, lime, salt, and soda ash. They accounted for more than 86% of the U.S. total production value (table 1).

In 2006, the value of nonfuel mineral commodity production in the following 22 States, in descending order of production value, was greater than \$1 billion: Arizona, Nevada, California, Utah, Florida, Alaska, Texas, Minnesota, Georgia, Missouri, Michigan, Pennsylvania, Colorado, Wyoming, New Mexico, Alabama, New York, Virginia, Ohio, Illinois, Montana, and North Carolina. They accounted for more than 80% of the U.S. total production value (table 3).

<sup>&</sup>lt;sup>1</sup> The terms "nonfuel mineral production" and related "values" encompass variations in meaning, depending upon the mineral products. Production may be measured by mine shipments, mineral commodity sales, or marketable production (including consumption by producers) as is applicable to the individual mineral commodity.

 $\label{eq:table 1} \textbf{NONFUEL MINERAL PRODUCTION IN THE UNITED STATES}^{1,\,2}$ 

(Thousand metric tons and thousand dollars unless otherwise specified)

	200	04	20	05	2006		
Mineral	Quantity	Value	Quantity	Value	Quantity	Value	
Metals:							
Beryllium concentrates metric tons	2,210	NA	2,780	NA	3,830	NA	
Copper <sup>3</sup>	1,160	3,420,000	1,140	4,360,000	1,200	8,310,000	
Gold <sup>3</sup> kilograms	258,000	3,400,000	256,000	3,670,000	252,000	4,910,000	
Iron ore, usable shipped	54,900	2,080,000	53,200	2,370,000	52,700	2,840,000	
Lead <sup>3</sup> metric tons	430,000	523,000	426,000	574,000	419,000	715,000	
Mercury <sup>e, 4</sup>	NA 12 000	NA	NA To coo	NA	NA To ooo	NA	
Molybdenum concentrates <sup>5,6</sup> metric tons	42,000	1,420,000	58,000	3,660,000	59,900	3,040,000	
Palladium <sup>3</sup> kilograms	13,700	102,000	13,300	87,100	14,400	150,000	
Platinum <sup>3</sup> do.	4,040	110,000	3,920	113,000	4,290	158,000	
Silver <sup>3</sup> do.	1,250,000	268,000	1,230,000	289,000	1,140,000	425,000	
Zinc <sup>3</sup> metric tons	715,000	827,000	720,000	1,070,000	699,000	2,450,000	
Combined values of cadmium (byproduct in zinc							
concentrates), iron oxide pigments (crude),							
magnesium metal, titanium concentrates, zirconium							
concentrates	XX	304,000	XX	317,000 <sup>r</sup>	XX	289,000	
Total	XX	12,500,000	XX	16,500,000	XX	23,300,000	
Industrial minerals, excluding fuels: 8							
Barite	532	18,700	489	17,600	589	23,500	
Boron	1,210	626,000	1,150	713,000	(9)	W	
Bromine metric tons	222,000	191,000	226,000	168,000	243,000	339,000	
Cement: 10							
Masonry	5,000	585,000 <sup>e</sup>	5,420	679,000 <sup>e</sup>	5,400	743,000	
Portland	92,400	7,110,000 <sup>e</sup>	93,900	8,360,000 e	92,800	9,230,000	
Clays:							
Ball	1,220	54,100	1,210	52,900	1,190	53,400	
Bentonite	4,060	179,000	4,710	215,000	4,940	234,000	
Common	24,600	174,000 <sup>r</sup>	24,300	176,000	24,200	243,000	
Fire	256	7,870	353	10,700	848	19,000	
Fuller's earth	3,260	329,000	2,730 °	275,000 <sup>r</sup>	2,540	243,000	
Kaolin	7,760	945,000	7,800	860,000	7,470	980,000	
Diatomite	620	177,000	653	179,000	799	176,000	
Feldspar <sup>10</sup>	770	44,200	750	43,000	760	44,600	
Garnet, industrial <sup>10</sup> metric tons	28,400	3,050	40,100 <sup>r</sup>	3,840	34,100	4,230	
Gemstones, natural <sup>10</sup>	NA	14,500	NA	13,400	NA	11,300	
Gypsum, crude <sup>10</sup>	17,200	124,000	21,100	158,000	21,100	192,000	
Helium:							
Crude million cubic meters	57	77,500	42	63,300	41	66,000	
Grade-A do.	130	299,000	133	336,000	139	395,000	
Iodine <sup>10</sup> metric tons	1,130	W	1,570	W	(9)	W	
Kyanite <sup>e</sup>	90	13,400	90	13,400	90	14,000	
Lime	20,000	1,370,000	20,000	1,500,000	21,000	1,700,000	
Mica, crude metric tons	99,200	15,400	78,100	19,300 <sup>r</sup>	110,000	22,400	
Peat <sup>11</sup>	741	21,200	751	20,800	734	20,100	
Perlite, crude metric tons	508,000	20,600	508,000	20,700	454,000	19,500	
Phosphate rock, marketable <sup>10</sup>	35,800	995,000	36,100	1,070,000	30,100	919,000	
Potash, gross weight	2,700	340,000	2,500	410,000	2,400	410,000	
Pumice and pumicite metric tons	1,490,000	25,000	1,270,000	39,300	1,540,000	44,300	
Salt	45,000	1,270,000	45,000	1,310,000	44,300	1,370,000	
Sand and gravel:							
Construction	1,240,000	6,590,000	1,280,000 r	7,500,000 <sup>r</sup>	1,320,000	8,540,000	
Industrial	29,700	685,000	30,600	752,000	31,700	807,000	
Silica stone 12 metric tons	655	3,660	576	2,290	227	992	
Soda ash <sup>9</sup>	11,000	770,000	11,000	968,000	11,000	1,170,000	
Stone, crushed <sup>13</sup>	1,630,000 r	9,890,000 <sup>r</sup>	1,700,000 r	12,400,000 <sup>r</sup>	1,720,000	13,800,000	
Talc, crude <sup>10</sup>	833	23,200	856	24,400	895	27,400	
Tripoli <sup>9, 10</sup> metric tons	94,000	19,400	91,100	18,700	76,000	17,500	
Vermiculite, concentrate <sup>e</sup>	100	W	100	W	100	W	
· · · · · · · · · · · · · · · · · · ·							

### TABLE 1—Continued NONFUEL MINERAL PRODUCTION IN THE UNITED STATES<sup>1</sup>

(Thousand metric tons and thousand dollars unless otherwise specified)

	20	04	20	05	200	06
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Industrial minerals, excluding fuelsContinued:						
Combined values of brucite, greensand marl, lithium						
carbonate, magnesite, magnesium compounds,						
olivine, pyrophyllite (crude), staurolite, stone						
(dimension), wollastonite, zeolites, and values						
indicated by symbol W	XX	507,000 <sup>r</sup>	XX	531,000 <sup>r</sup>	XX	1,280,000
Total	XX	33,500,000 <sup>r</sup>	XX	38,900,000 r	XX	43,200,000
Grand total	XX	46,000,000 r	XX	55,400,000 <sup>r</sup>	XX	66,500,000

<sup>&</sup>lt;sup>e</sup>Estimated. <sup>r</sup>Revised. NA Not available. W Withheld to avoid disclosing company proprietary data; value included with "Combined value." XX Not applicable.

<sup>&</sup>lt;sup>1</sup>Production as measured by mine shipments, sales, or marketable production (including consumption by producers).

<sup>&</sup>lt;sup>2</sup>Data are rounded to no more than three significant digits; may not add to totals shown.

<sup>&</sup>lt;sup>3</sup>Recoverable content of ores, etc.

<sup>&</sup>lt;sup>4</sup>Secondary production.

<sup>&</sup>lt;sup>5</sup>Content of ore and concentrate.

<sup>&</sup>lt;sup>6</sup>Shipments.

<sup>&</sup>lt;sup>7</sup>Data not available for 2006.

<sup>&</sup>lt;sup>8</sup>Sold or used unless otherwise specified.

<sup>&</sup>lt;sup>9</sup>Withheld to avoid disclosing company proprietary data.

<sup>&</sup>lt;sup>10</sup>Production.

<sup>&</sup>lt;sup>11</sup>Excludes attapulgite.

<sup>&</sup>lt;sup>12</sup>Includes grindstones, pulpstones, and sharpening stones; excludes mill liners and grinding pebbles.

<sup>&</sup>lt;sup>13</sup>Excludes abrasive stone and bituminous limestone and sandstone; all included elsewhere in table.

### ${\it TABLE~2}$ NONFUEL MINERALS PRODUCED IN THE UNITED STATES, BY COMMODITY AND STATES IN 2006

(Principal States based on quantity unless otherwise noted)

Mineral	Principal States	Other States (alphabetical order)
Barite	NV and GA	
Beryllium concentrates	UT	
Boron	CA	
Bromine	AR and MI	
Brucite	TX	
Cement:		
Masonry	FL, CA, SC, AL, IN	AR, AZ, CO, GA, IA, KS, KY, MD, ME, MI, MO, MT, NE, NM, NY, OH, OK, PA, TN, TX, VA WV.
Portland	TX, CA, PA, FL, MI	All other States, except AK, CT, DE, HI, LA, MA, MN, NC, ND, NH, NJ, RI, VT, WI.
Clays:		*
Ball	TN, TX, MS, KY, IN	
Bentonite	WY, MT, AL, MS, UT	AZ, CA, CO, NV, OR, TX.
Common	TX, NC, AL, OH, GA	All other States, except AK, DE, HI, ID, NH, NV, RI, VT, WI.
Fire	MO, CA, OH, SC, AL	WA.
Fuller's earth	GA, MO, MS, VA, FL	CA, IL, KS, NV, TN, TX.
Kaolin	GA, SC, AR, AL, CA	FL, NC, NV, TN, TX.
Copper <sup>1</sup>	AZ, UT, NM, NV, MT	ID and MO.
Diatomite	CA, NV, OR, WA	
Feldspar	NC, VA, CA, OK, GA	ID and SD.
Garnet, industrial	NY, ID, MT	ID und OD.
Gemstones, natural <sup>2</sup>	TN, OR, AZ, CA, AR	All other States.
Gold <sup>1</sup>	NV, UT, AK, CO, MT	AZ, CA, ID, NM, SD.
Greensand marl	NJ	712, C1, 10, 1111, 0D.
Gypsum, crude	OK, IA, NV, CA, AR	AZ, CO, IN, KS, LA, MI, NM, NY, SD, TX, UT, WY.
Helium:	OK, IA, NV, CA, AK	AL, CO, IN, KS, LA, IVII, IVII, IVI, SD, TA, UT, WT.
Crude	KS and TX	
Grade-A	KS, WY, TX, OK, CO	NM and UT.
	OK	NW allu U1.
Iodine, crude		
Iron ore, usable	MN, MI, SD, CA	
Iron oxide pigments, crude	GA, AL, VA	
Kyanite	VA	
Lead <sup>1</sup>	MO, AK, ID, WA, MT	All de Green and CER DE HERO MO ME MO MO MENU DE GO ME
Lime	MO, AL, KY, OH, TX	All other States, except AK, CT, DE, HI, KS, MD, ME, MS, NC, NH, NJ, NY, RI, SC, VT.
Lithium carbonate	NV	
Magnesite	NV	
Magnesium compounds	MI, UT, FL, DE, CA	
Magnesium metal	UT	
Mica, crude	NC, SD, AL, SC, GA	
Molybdenum, concentrates	UT, CO, AZ, ID, MT	NM and NV.
Olivine	WA	
Palladium <sup>1</sup>	MT	
Peat	FL, MN, NY, IL, MI	IA, IN, ME, NJ, OH, PA, WA, WI, WV.
Perlite, crude	NM, OR, AZ, UT, CA	ID and NV.
Phosphate rock	FL, NC, ID, UT	
Platinum <sup>1</sup>	MT	
Potash	NM, UT, MI	
Pumice and pumicite	AZ, OR, CA, ID, NM	KS and NV.
Pyrophyllite, crude	NC	
Salt	LA, TX, NY, OH, UT	AL, AZ, CA, KS, MI, NM, NV, OK, TN, WV.
Sand and gravel:		
Construction	CA, TX, AZ, MI, MN	All other States.
Industrial	IL, FL, WI, CA, OK	All other States, except AK, CT, DE, HI, KY, MA, MD, ME, MT, NE, NH, OR, SD, UT, VT, WY
Silica stone <sup>3</sup>	AR	
Silver <sup>1</sup>	AK, NV, ID, UT, MT	AZ, CA, CO, MO, NM.
Soda ash	WY and CA	
Staurolite	FL	
Stone:		
Crushed	TX, FL, PA, GA, MO	All other States.
Dimension	WI, IN, VT, MA, GA	All other States, except AK, DE, FL, HI, IA, IL, KY, LA, MS, ND, NE, NJ, NV, OR, RI, WY.
	,,, 1,1,1,1, 0,1	

2.4

### ${\it TABLE~2--Continued}\\ {\it NONFUEL~MINERALS~PRODUCED~IN~THE~UNITED~STATES, BY~COMMODITY~AND~STATES~IN~2006}$

### (Principal States based upon quantity unless otherwise noted)

Mineral	Principal States		Other States (alphabetical order)	
Talc, crude	MT, TX, VT, NY, CA	OR and VA.	Other States (alphabetical order)	
Titanium concentrates:	111, 111, (1,1(1, 0))	Ort and 171.		
Ilmenite	VA, FL			
Rutile	FL			
Tripoli	IL, OK, AR, PA			
Vermiculite, crude	SC and VA			
Wollastonite	NY			
Zeolites	NM, TX, ID, AZ, NV	CA and WY.		
Zinc <sup>1</sup>	AK, MO, WA, NY, MT	ID.		
Zirconium concentrates	FL, VA, GA			
1	·		·	

<sup>&</sup>lt;sup>1</sup>Content of ores, etc.

<sup>&</sup>lt;sup>2</sup>Principal producing States based on value.

<sup>&</sup>lt;sup>3</sup>Grindstones, pulpstones, and sharpening stones; excludes mill liners and grinding pebbles.

TABLE 3  ${\it VALUE~OF~NONFUEL~MINERAL~PRODUCTION~IN~THE~UNITED~STATES~AND~PRINCIPAL~NONFUEL~MINERALS~PRODUCED~IN~2006^l}$ 

	Value		Percentage	
State	(thousands)	Rank	of U.S. total	Principal minerals, in order of value
Alabama	\$1,360,000	16	2.04	Cement (portland), stone (crushed), lime, sand and gravel (construction), cement (masonry).
Alaska	3,010,000	6	4.53	Zinc, gold, lead, silver, sand and gravel (construction).
Arizona	6,740,000	1	10.13	Copper, molybdenum concentrates, sand and gravel (construction), cement (portland), stone (crushed).
Arkansas	789,000	28	1.19	Bromine, stone (crushed), cement (portland), sand and gravel (construction), lime.
California	4,590,000	3	6.91	Sand and gravel (construction), cement (portland), boron minerals, stone (crushed), soda ash.
Colorado	1,680,000	13	2.52	Molybdenum concentrates, sand and gravel (construction), cement (portland), gold, stone (crushed).
Connecticut <sup>2</sup>	168,000	42	0.25	Stone (crushed), sand and gravel (construction), stone (dimension), clays (common), gemstones (natural).
Delaware <sup>2</sup>	22,400	50	0.03	Sand and gravel (construction), magnesium compounds, stone (crushed), gemstones (natural).
Florida	3,220,000	5	4.85	Stone (crushed), phosphate rock, cement (portland), sand and gravel (construction), cement (masonry).
Georgia	2,080,000	9	3.13	Clays (kaolin), stone (crushed), cement (portland), sand and gravel (construction), clays (fuller's earth)
Hawaii	145,000	44	0.22	Stone (crushed), sand and gravel (construction), gemstones (natural).
Idaho	797,000	27	1.20	Molybdenum (concentrates), sand and gravel (construction), phosphate rock, silver, stone (crushed).
Illinois	1,220,000	20	1.84	Stone (crushed), cement (portland), sand and gravel (construction), sand and gravel (industrial), lime.
Indiana	982,000	23	1.48	Stone (crushed), cement (portland), sand and gravel (construction), lime, cement (masonry).
Iowa	696,000	31	1.05	Stone (crushed), cement (portland), sand and gravel (construction), gypsum (crude), lime.
Kansas	973,000	24	1.46	Cement (portland), helium (Grade-A), stone (crushed), salt, sand and gravel (construction).
Kentucky	806,000	26	1.21	Stone (crushed), lime, cement (portland), sand and gravel (construction), clays (common).
Louisiana	481,000	37	0.72	Sand and gravel (construction), salt, stone (crushed), clays (common), sand and gravel (industrial).
Maine	158,000	43	0.24	Sand and gravel (construction), cement (portland), stone (crushed), stone (dimension), cement (masonry).
Maryland <sup>2</sup>	653,000	33	0.98	Stone (crushed), cement (portland), sand and gravel (construction), cement (masonry), stone (dimension).
Massachusetts <sup>2</sup>	294,000	38	0.44	Stone (crushed), sand and gravel (construction), lime, stone (dimension), clays (common).
Michigan	1,910,000	11	2.87	Iron ore (usable shipped), cement (portland), sand and gravel (construction), salt, stone (crushed).
Minnesota <sup>2</sup>	2,540,000	8	3.83	Iron ore (usable shipped), sand and gravel (construction), stone (crushed), sand and gravel (industrial), stone (dimension).
Mississippi	270,000	39	0.41	Sand and gravel (construction), stone (crushed), cement (portland), clays (fuller's earth), clays (ball).
Missouri	2,070,000	10	3.11	Stone (crushed), cement (portland), lead, lime, zinc.
Montana	1,070,000	21	1.60	Copper, molybdenum (concentrates), platinum metal, palladium metal, sand and gravel (construction).
Nebraska <sup>2</sup>	129,000	45	0.19	Cement (portland), stone (crushed), sand and gravel (construction), lime, cement (masonry).
Nevada	5,140,000	2	7.73	Gold, copper, sand and gravel (construction), silver, lime.
New Hampshire <sup>2</sup>	112,000	46	0.17	Sand and gravel (construction), stone (crushed), stone (dimension), gemstones (natural).
New Jersey <sup>2</sup>	547,000	35	0.82	Stone (crushed), sand and gravel (construction), sand and gravel (industrial), greensand marl, peat.
New Mexico	1,470,000	15	2.22	Copper, potash, sand and gravel (construction), molybdenum (concentrates), cement (portland).
New York	1,330,000	17	2.00	Stone (crushed), cement (portland), salt, sand and gravel (construction), zinc.
North Carolina <sup>2</sup>	1,020,000	22	1.54	Stone (crushed), phosphate rock, sand and gravel (construction), sand and gravel (industrial), clays (common).
North Dakota <sup>2</sup>	44,400	48	0.07	Sand and gravel (construction), lime, stone (crushed), clays (common), sand and gravel (industrial).
Ohio	1,270,000	19	1.91	Stone (crushed), sand and gravel (construction), salt, lime, cement (portland).
Oklahoma	684,000	32	1.03	Stone (crushed), cement (portland), sand and gravel (construction), iodine, sand and gravel (industrial)
Oregon	509,000	36	0.77	Stone (crushed), sand and gravel (construction), cement (portland), diatomite, perlite (crude).
Pennsylvania <sup>2</sup>	1,710,000	12	2.58	Stone (crushed), cement (portland), sand and gravel (construction), lime, cement (masonry).
Rhode Island <sup>2</sup>	43,700	49	0.07	Sand and gravel (construction), stone (crushed), sand and gravel (industrial), gemstones (natural).
South Carolina	735,000	29	1.11	Cement (portland), stone (crushed), cement (masonry), sand and gravel (construction), sand and gravel (industrial).
South Dakota	223,000	41	0.34	Cement (portland), sand and gravel (construction), stone (crushed), stone (dimension), gold.
Tennessee	856,000	25	1.29	Stone (crushed), cement (portland), sand and gravel (construction), clays (ball), sand and gravel (industrial).
Texas	2,980,000	7	4.49	Cement (portland), stone (crushed), sand and gravel (construction), salt, lime.
Utah	3,960,000	4	5.96	Copper, molybdenum (concentrates), gold, sand and gravel (construction), cement (portland).
Vermont <sup>2</sup>	84,200	47	0.13	Stone (crushed), sand and gravel (construction), stone (dimension), talc (crude), gemstones (natural).
Virginia	1,270,000	18	1.92	Stone (crushed), cement (portland), sand and gravel (construction), lime, zirconium (concentrates).
Washington	718,000	30	1.08	Sand and gravel (construction), stone (crushed), zinc, cement (portland), lime.
West Virginia	230,000	40	0.35	Stone (crushed), cement (portland), lime, sand and gravel (industrial), cement (masonry).
Wisconsin <sup>2</sup>	566,000	34	0.85	Stone (crushed), sand and gravel (construction), sand and gravel (industrial), lime, stone (dimension).
Wyoming	1,590,000	14	2.40	Soda ash, clays (bentonite), helium (Grade-A), sand and gravel (construction), stone (crushed).
Undistributed	522,000	XX	0.79	_
Total	66,500,000	XX	100.00	

#### TABLE 3—Continued

### VALUE OF NONFUEL MINERAL PRODUCTION IN THE UNITED STATES AND PRINCIPAL NONFUEL MINERALS PRODUCED IN $2006^{\rm l}$

### XX Not applicable.

<sup>&</sup>lt;sup>1</sup>Data are rounded to no more than three significant digits; may not add to totals shown.

<sup>&</sup>lt;sup>2</sup>Partial total; excludes values that must be withheld to avoid disclosing company proprietary data which are included with "Undistributed."

 ${\it TABLE~4}\\ {\it VALUE~OF~NONFUEL~MINERAL~PRODUCTION~PER~CAPITA~AND~PER~SQUARE~KILOMETER~IN~2006~BY~STATE^1}$ 

	Land area (square	Population	Total value	Per ca	npita	Per square	kilometer
State	kilometers)	(thousands)	(thousands)	Dollars	Rank	Dollars	Rank
Alabama	131,000	4,600	\$1,360,000	\$295	13	\$10,300	20
Alaska	1,480,000	670	3,010,000	4,490	1	2,030	46
Arizona	294,000	6,170	6,740,000	1,090	6	22,900	4
Arkansas	135,000	2,810	789,000	281	15	5,850	29
California	404,000	36,500	4,590,000	126	31	11,400	17
Colorado	269,000	4,750	1,680,000	353	11	6,240	28
Connecticut	12,500	3,510	168,000 <sup>2</sup>	48	47	13,400	11
Delaware	5,060	853	22,400 2	26	50	4,420	34
Florida	140,000	18,100	3,220,000	178	21	23,100	3
Georgia	150,000	9,360	2,080,000	222	17	13,900	10
Hawaii	16,600	1,290	145,000	113	35	8,710	22
Idaho	214,000	1,470	797,000	543	8	3,720	40
Illinois	144,000	12,800	1,220,000	95	40	8,500	23
Indiana	92,900	6,310	982,000	156	24	10,600	19
Iowa	145,000	2,980	696,000	234	16	4,810	31
Kansas	212,000	2,760	973,000	352	12	4,590	33
Kentucky	103,000	4,210	806,000	192	18	7,840	26
Louisiana	113,000	4,290	481,000	112	37	4,260	36
Maine	79,900	1,320	158,000	119	32	1,970	47
Maryland	25,300	5,620	653,000 <sup>2</sup>	116	33	25,800	2
Massachusetts	20,300	6,440	294,000 2	46	48	14,500	9
Michigan	147,000	10,100	1,910,000	189	20	13,000	12
Minnesota	206,000	5,170	2,540,000 2	492	9	12,300	14
Mississippi	121,000	2,910	270,000	93	41	2,220	44
Missouri	178,000	5,840	2,070,000	354	10	11,600	16
Montana	377,000	945	1,070,000	1,130	5	2,830	43
Nebraska	199,000	1,770	129,000 2	73	43	648	49
Nevada	284,000	2,500	5,140,000	2,060	3	18,100	6
New Hampshire	23,200	1,320	112,000 2	86	42	4,840	30
New Jersey	19,200	8,730	547,000 <sup>2</sup>	63	46	28,500	1
New Mexico	314,000	1,960	1,470,000	754	7	4,690	32
New York	122,000	19,300	1,330,000	69	45	10,900	18
North Carolina	126,000	8,860	1,020,000 2	115	34	8,100	24
North Dakota	179,000	636	44,400 2	70	44	249	50
Ohio	106,000	11,500	1,270,000	111	38	12,000	15
Oklahoma	178,000	3,580	684,000	191	19	3,850	39
Oregon	249,000	3,700	509,000	137	27	2,050	45
Pennsylvania	116,000	12,400	1,710,000 2	138	26	14,800	8
Rhode Island	2,710	1,070	43,700 2	41	49	16,200	7
South Carolina	78,000	4,320	735,000	170	22	9,430	21
South Dakota	197,000	782	223,000	286	14	1,140	48
Tennessee	107,000	6,040	856,000	142	25	8,020	25
Texas	678,000	23,500	2,980,000	127	29	4,400	35
Utah	213,000	2,550	3,960,000	1,550	4	18,600	5
Vermont	24,000	624	84,200 <sup>2</sup>	135	28	3,520	42
Virginia	103,000	7,640	1,270,000	167	23	12,400	13
Washington	172,000	6,400	718,000	112	36	4,170	37
West Virginia	62,400	1,820	230,000	126	30	3,690	41
Wisconsin	141,000	5,560	566,000 <sup>2</sup>	102	39	4,030	38
Wyoming	251,000	515	1,590,000	3,090	2	6,340	27
Undistributed	XX	XX	522,000	XX	XX	XX	XX
Total or average	9,160,000 <sup>3</sup>	299,000 <sup>3</sup>	66,500,000	223	XX	7,260	XX

XX Not applicable.

Sources: U.S. Geological Survey and U.S. Census Bureau.

<sup>&</sup>lt;sup>1</sup>Data are rounded to no more than three significant digits; may not add to totals shown.

<sup>&</sup>lt;sup>2</sup>Partial total; excludes values that must be concealed to avoid disclosing company proprietary data. Concealed values included with "Undistributed."

<sup>&</sup>lt;sup>3</sup>Excludes Washington, DC (which has no mineral production), with an area of 179 square kilometers and a population of 582,000.

# ${\rm TABLE}~5$ NONFUEL MINERAL PRODUCTION IN THE UNITED STATES, BY ${\rm STATE}^{\rm I,~2}$

(Thousand metric tons and thousand dollars unless otherwise specified)

	200		2005		2006		
Mineral	Quantity	Value	Quantity	Value	Quantity	Value	
Alabama:							
Cement:							
Masonry	430	49,400 <sup>e</sup>	475	54,800 e	526	66,500	
Portland	4,800	320,000 <sup>e</sup>	5,120	421,000 <sup>e</sup>	5,200	468,000	
Clays:							
Bentonite	100	3,050	109	W	(3)	W	
Common	2,120	29,600	2,280	29,000	2,210	38,800	
Gemstones, natural	NA	356	NA	371	NA	398	
Lime	2,280	164,000	2,240	181,000	2,450	224,000	
Sand and gravel:							
Construction	14,700	65,300	15,700	70,500	20,100	96,000	
Industrial	643	9,800	710	11,200	474	18,700	
Stone:							
Crushed	47,800	296,000	50,300 <sup>r</sup>	329,000 <sup>r</sup>	55,400	365,000	
Dimension	(3)	W	(3)	W	4	3,630	
Combined values of clays (fire, kaolin), iron oxide							
pigments (crude), mica [crude (2005-06)], salt, stone							
[dimension (2004-05)] marble and sandstone), and							
values indicated by symbol W	XX	27,000	XX	30,500 <sup>r</sup>	XX	76,000	
Total	XX	965,000	XX	1,130,000 <sup>r</sup>	XX	1,360,000	
Alaska:							
Gemstones, natural	NA	12	NA	12	NA	13	
Sand and gravel, construction	9,430	51,600	15,100 <sup>r</sup>	80,600 <sup>r</sup>	13,200	68,400	
Stone, crushed	2,270	14,200	2,430 °	16,000 <sup>r</sup>	893 4	7,330	
Combined values of cadmium (byproduct of zinc							
concentrates), <sup>5</sup> gold, lead, silver, stone [crushed							
limestone (2006)], zinc	XX	1,200,000	XX	1,410,000	XX	2,930,000	
Total	XX	1,270,000	XX	1,500,000	XX	3,010,000	
Arizona:							
Clays, bentonite	(3)	W	33	1,670	34	1,710	
Copper <sup>6</sup>	723	2,130,000	690	2,640,000	712	4,950,000	
Gemstones, natural	NA	1,450	NA	1,370	NA	1,560	
Sand and gravel:							
Construction	79,600	430,000	84,900	516,000	94,000	662,000	
Industrial	(3)	792	(3)	W	(3)	W	
Stone, crushed	14,100	75,900	12,100 r, 4	72,400 <sup>r, 4</sup>	13,200	102,000	
Combined values of cement, clays (common), gold	- 1,- 2 2	, , , , , ,	,	. =,	,	,	
gypsum (crude), lime, molybdenum concentrates,							
perlite (crude), pumice and pumicite, salt, silver,							
stone [crushed traprock (2005), dimension sandstone],							
zeolites, and values indicated by symbol W	XX	709,000	XX	1,120,000	XX	1,020,000	
Total	XX	3,350,000	XX	4,350,000	XX	6,740,000	
Arkansas:	7171	3,330,000	7171	1,550,000	7171	0,7 10,000	
Clays, common	1,150	1,510	1,210	1,900	1,140	2,550	
Gemstones, natural	NA	590	NA	711	NA	439	
Sand and gravel, construction	9,370	53,500	10,600	62,000	11,100	73,600	
	9,370 655	3,660	576	2,290	227	992	
	34,100 <sup>4</sup>	173,000 <sup>4</sup>	37,200 <sup>r, 4</sup>	2,290 229,000 r, 4	34,800 4	236,000	
Stone, crushed  Combined values of bramine, coment alove (leadin)	34,100	1/3,000	37,200 -,	229,000 ", "	34,800	230,000	
Combined values of bromine, cement, clays (kaolin),							
gypsum (crude), lime, sand and gravel (industrial),							
stone (crushed slate, dimension limestone and	3737	200.000	3737	202.000	3737	455.000	
sandstone), tripoli	XX	299,000	XX	302,000	XX	475,000	
Total	XX	531,000	XX	597,000 <sup>r</sup>	XX	789,000	

See footnotes at end of table.

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004		200		2000	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
California:						
Boron minerals	1,210	626,000	1,150	713,000	(3)	W
Cement:						
Masonry	(3)	W	694	80,600 <sup>e</sup>	698	89,500 °
Portland	11,900	1,000,000 e	11,600	1,130,000 e	10,900	1,190,000 °
Clays:						
Bentonite	24	2,640	20	2,200	24	2,510
Common	1,230	20,700	1,010	16,600	744	7,640
Fuller's earth	197	W	(3)	W	(3)	W
Gemstones, natural	NA	1,070	NA	1,130	NA	1,040
Gold <sup>6</sup> kilograms	3,260	43,000	(3)	W	(3)	W
Sand and gravel:						
Construction	166,000	1,280,000	163,000	1,440,000	153,000	1,520,000
Industrial	1,990	55,700	2,030	60,400	1,670	57,800
Silver <sup>6</sup> kilograms	801	172	269	63	(3)	W
Stone:						
Crushed	55,300 4	364,000 4	55,200 <sup>r</sup>	491,000 <sup>r</sup>	54,900	644,000
Dimension	42	10,200	41	10,200	40	10,000
Combined values of clays [fire (2006), kaolin], diatomite,	12	10,200		10,200	10	10,000
feldspar, gypsum (crude), iron ore (usable shipped),						
lime, magnesium compounds, perlite (crude), pumice						
and pumicite, salt, soda ash, stone [crushed shell						
(2004)], talc [crude (2004, 2006)], zeolites, and values						
	VV	240,000	VV	222 000	VV	1 070 000
indicated by symbol W	XX	349,000	XX	332,000	XX	1,070,000
Total	XX	3,760,000	XX	4,280,000 <sup>r</sup>	XX	4,590,000
Colorado:						
Clays:	_					
Bentonite	5	W	(3)	W	(3)	40
Common	249	1,510	255	1,610	211	1,300
Gemstones, natural	NA	360	NA	358	NA	261
Lime	26	2,570	29	3,900	50	5,750
Sand and gravel:						
Construction	40,900	235,000	44,700	280,000	48,000	327,000
Industrial	(3)	3,300	(3)	W	(3)	W
Stone:						
Crushed	11,100	68,300	13,200 <sup>r</sup>	90,500 <sup>r</sup>	12,100	88,800
Dimension	16	1,980	18	2,400	18	2,400
Combined values of cement, gold, gypsum (crude),						
helium (Grade-A), molybdenum concentrates, silver,						
soda ash (2004), and values indicated by symbol W	XX	699,000	XX	1,380,000	XX	1,250,000
Total	XX	1,010,000	XX	1,750,000	XX	1,680,000
Connecticut:						
Clays, common	87	(8)	89	(8)	85	(8)
Gemstones, natural	NA	6	NA	6	NA	6
Sand and gravel, construction	8,330	55,600	8,400	64,200	8,780	75,600
Stone:	3,550	22,000	5,100	01,200	3,700	. 5,000
Crushed	10,100	75,700	10,500 <sup>r</sup>	96,600 <sup>r</sup>	10,000	92,800
Dimension	(3)	(8)	(3)	90,000	(3)	92,800
Total	XX	131,000	XX	161,000 <sup>r</sup>	XX	168,000
	ΛΛ	131,000	ΛΛ	101,000	ΛΛ	100,000
Delaware:	NT A	1	NT A	1	NT A	1
Gemstones, natural	NA	1	NA	1	NA	1
Magnesium compounds metric tons	(3)	(8)	(3)	(8)	(3)	(8)
Sand and gravel, construction	2,980	21,900	2,640	20,000	2,790	22,400
Stone, crushed			(3)	(8)	(3)	(8)
Total	XX	21,900	XX	20,000	XX	22,400
See footnotes at and of table						

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004		2005		2006	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Florida:						
Cement:						
Masonry	763	97,600 <sup>e</sup>	902	129,000 e	900	146,000
Portland	5,230	432,000 <sup>e</sup>	5,730	519,000 e	5,880	602,000
Clays:						
Common	(3)	W	4	W	3	W
Fuller's earth	234	W	279	39,700	259	24,400
Kaolin	31	3,280	29	3,510	23	2,900
Gemstones, natural	NA	1	NA	1	NA	1
Lime	24	2,090	23	2,940	(3)	W
Peat	478	9,710	464	9,450	496	10,000
Sand and gravel:						
Construction	29,300	146,000	37,500	210,000	40,000	266,000
Industrial	679	8,520	715	9,410	3,340	46,500
Stone, crushed	105,000 4	680,000 4	116,000 r, 4	1,010,000 r,4	127,000	1,340,000
Combined values of magnesium compounds, phosphate	,	•	,		,	
rock, staurolite, stone [crushed sandstone (2004-05)],						
titanium concentrates, zirconium concentrates, and						
values indicated by symbol W	XX	945,000	XX	971,000 <sup>r</sup>	XX	786,000
Total	XX	2,320,000	XX	2,910,000 <sup>r</sup>	XX	3,220,000
Georgia:		2,020,000		2,,,10,000		2,220,000
Clays:						
Common	1,550	8,710	1,530	8,730	1,510	9,150
Fuller's earth	1,400	142,000	874 <sup>r</sup>	82,600 <sup>r</sup>	747	64,300
Kaolin	6,780	898,000	7,190	825,000	6,920	945,000
Gemstones, natural	0,780 NA	9	7,190 NA	9	0,920 NA	943,000
	INA	9	IVA	9	IVA	9
Sand and gravel:	0.270	20, 400	11 100	69.200	10,000	71 000
Construction	9,270	39,400	11,100	68,300	10,900	71,000
Industrial	665	13,400	689	15,000	973	17,400
Stone:	70.700	5.40,000	00.700 f	(21 000 T	00.000	016.000
Crushed	79,700	548,000	80,700 <sup>r</sup>	631,000 <sup>r</sup>	90,800	816,000
Dimension	146	22,100	111 <sup>r</sup>	21,000	81	19,100
Combined values of barite, cement, feldspar, iron						
oxide pigments (crude), lime, mica (crude)	XX	134,000	XX	115,000	XX	140,000
Total	XX	1,810,000	XX	1,770,000 <sup>r</sup>	XX	2,080,000
Hawaii:						
Gemstones, natural	NA	262	NA	217	NA	107
Sand and gravel, construction	1,260	12,100	1,390	17,500	1,230	15,900
Stone, crushed	5,470	61,300	8,230 <sup>r</sup>	107,000 <sup>r</sup>	8,380	129,000
Total	XX	73,700	XX	125,000 <sup>r</sup>	XX	145,000
Idaho:						
Gemstones, natural	NA	836	NA	469	NA	388
Sand and gravel, construction	19,600	74,300	20,800	93,800	26,900	133,000
Stone, crushed	3,420	18,100	4,890 <sup>r</sup>	26,300 <sup>r</sup>	5,960	33,900
Combined values of cadmium (byproduct of zinc						
concentrates), <sup>5</sup> cement (portland), copper, feldspar, garnet (industrial), gold (2005-06), lead, lime,						
molybdenum concentrates, perlite (crude), phosphate						
rock, pumice and pumicite, sand and gravel						
(industrial), silver, stone (dimension quartzite and						
sandstone), zeolites, zinc	XX	354,000	XX	788,000	XX	630,000
,, ,	XX	447,000	XX	908,000 r	XX	797,000
Total	ΛΛ	447,000	ΛΛ	900,000	ΛΛ	191,000

See footnotes at end of table.

(Thousand metric tons and thousand dollars unless otherwise specified)

	200		200		2006	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Illinois:						
Cement, portland	3,010	233,000 <sup>e</sup>	3,240	286,000 <sup>e</sup>	3,110	308,000
Clays:						
Common	247	1,390	119	667	116	700
Fuller's earth	218	W	225	W	112	W
Gemstones, natural	NA	70	NA	14	NA	34
Sand and gravel:						
Construction	38,700	203,000	37,400	210,000	32,500	176,000
Industrial	4,950	86,200	5,510	104,000	5,410	102,000
Stone, crushed	75,300	462,000	76,400 <sup>r</sup>	549,000 <sup>r</sup>	75,400	573,000
Combined values of lime, peat, stone [dimension						
dolomite (2005)], tripoli, and values indicated by						
symbol W	XX	65,000	XX	64,500	XX	62,700
Total	XX	1,050,000	XX	1,210,000	XX	1,220,000
Indiana:						
Cement, portland	3,080	218,000 e	3,060	243,000 e	3,030	267,000
Clays, common	729	8,910 <sup>r</sup>	809	13,500	779	16,400
Gemstones, natural	NA	4	NA	4	NA	4
Sand and gravel, construction	28,300	116,000	28,400	135,000	29,300	153,000
Stone:						
Crushed	56,800	265,000	58,900 <sup>r</sup>	321,000 r	58,900	349,000
Dimension	251	45,500	240	46,300	233	39,000
Combined values of cement (masonry), clays (ball),						
gypsum (crude), lime, peat, sand and gravel						
(industrial)	XX	130,000 <sup>r</sup>	XX	135,000	XX	157,000
Total	XX	784,000 r	XX	893,000 r	XX	982,000
Iowa:						
Clays, common	325	1,150	630	4,740	356	2,750
Gemstones, natural	NA	2	NA	2	NA	3
Sand and gravel, construction	17,100	74,300	19,900	93,100	17,500	86,700
Stone, crushed	35,800	219,000	36,400 <sup>r</sup>	271,000 r	36,300	288,000
Combined values of cement, gypsum (crude), lime,						
peat, sand and gravel (industrial)	XX	239,000	XX	292,000	XX	319,000
Total	XX	534,000	XX	661,000 r	XX	696,000
Kansas:		,				,
Cement, portland	2,690	212,000 e	2,890	244,000 <sup>e</sup>	3,000	286,000
Clays, common	621	7,460	654	4,590	697	7,440
Gemstones, natural	NA	1	NA	1	NA	1
Helium, Grade-A million cubic meters	82	189,000	90	226,000	85	245,000
Salt	2,890	127,000	2,890	135,000	2,630	144,000
Sand and gravel, construction	9,930	32,800	10,100	36,900	12,100	50,000
Stone:	7,750	32,000	10,100	30,700	12,100	30,000
Crushed	20,600	122,000	22,300 <sup>r</sup>	160,000 <sup>r</sup>	22,000	171,000
Dimension	14	1,730	13	1,590	17	2,270
Combined values of cement (masonry), clays (fuller's	17	1,750	13	1,370	17	2,270
earth), gypsum (crude), helium (crude), pumice and						
pumicite, sand and gravel (industrial)	XX	75,300	XX	63,100	XX	67,400
Total Ventucky:	XX	768,000	XX	872,000 <sup>r</sup>	XX	973,000
Kentucky:	070	4.510	1.000	4 270	1 000	£ 140
Clays, common	978	4,510	1,060	4,370	1,000	5,140
Gemstones, natural	NA	22	NA	78	NA 10 100	48
Sand and gravel, construction	10,300	49,700	10,500	55,000	10,100	54,400
Stone, crushed	62,100 4	384,000 4	61,600 <sup>r</sup>	446,000 <sup>r</sup>	59,000	435,000
Combined values of cement, clays (ball), lime, stone						
[crushed dolomite (2004)]	XX	253,000	XX	277,000 <sup>r</sup>	XX	311,000
Total	XX	691,000	XX	782,000 <sup>r</sup>	XX	806,000
0 0 1 1 0 11						

(Thousand metric tons and thousand dollars unless otherwise specified)

	200	14	200	5	200	6
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Louisiana:						
Clays, common	399	11,000 <sup>r</sup>	416	13,100	563	23,700
Gemstones, natural	NA	6	NA	6	NA	7
Salt	14,300	186,000	13,800	182,000	13,300	158,000
Sand and gravel:						
Construction	19,400	103,000	18,600	113,000	23,300	188,000
Industrial	476	14,800	509	11,600	663	16,100
Combined values of gypsum (crude), lime, stone						
(crushed limestone and sandstone)	XX	51,300	XX	78,500 <sup>r</sup>	XX	95,400
Total	XX	366,000 <sup>r</sup>	XX	398,000 <sup>r</sup>	XX	481,000
Maine:						
Clays, common	49	W	50	W	48	W
Gemstones, natural	NA	268	NA	272	NA	275
Sand and gravel, construction	10,800	49,100	11,100	57,400	10,400	62,400
Stone, crushed	4,370	29,500	4,450 <sup>r</sup>	30,800 r	4,920	37,600
Combined values of cement [masonry (2004, 2006),						
portland], peat, stone (dimension granite), and values						
indicated by symbol W	XX	39,300	XX	52,400	XX	57,400
Total	XX	118,000	XX	141,000	XX	158,000
Maryland:				,		,
Cement, portland	2,520	175,000 e	2,550 <sup>r</sup>	210,000 e	2,650	237,000 e
Clays, common	262	571	317	686	286	851
Gemstones, natural	NA	1	NA	1	NA	1
Sand and gravel, construction	12,700	75,500	12,300	89,500	11,900	96,700
Stone:	12,700	75,500	12,300	67,500	11,,000	70,700
Crushed	35,300	214,000	33,500 <sup>r</sup>	277,000 r	32,000	317,000
Dimension	33,300 27	9,580	26	3,010	14	1,750
Combined values of cement (masonry), lime, sand and	21	9,360	20	3,010	14	1,730
	VV	(0)	vv	(0)	VV	(0)
gravel [(industrial (2004-05)]	XX	(8)	XX	(8)	XX	(8)
Total	XX	474,000	XX	580,000 <sup>r</sup>	XX	653,000
Massachusetts:	26	(0)	27	(0)	26	(0)
Clays, common	36	(8)	37	(8)	36	(8)
Gemstones, natural	NA	1	NA	1	NA	1
Lime	(3)	(8)	(3)	(8)	(3)	(8)
Sand and gravel, construction	14,400	89,900 <sup>r</sup>	16,500	117,000	17,600	134,000
Stone:						
Crushed	13,700	109,000	14,500 <sup>r</sup>	121,000	14,300	149,000
Dimension	82	11,600	82	11,500	82	11,500
Total	XX	211,000	XX	250,000	XX	294,000
Michigan:						
Cement:						
Masonry	231	27,100 e	228	27,500 <sup>e</sup>	176	2,270 e
Portland	(3)	W	(3)	W	5,440	536,000 <sup>e</sup>
Clays, common	605	3,070	334	514	405	1,010
Gemstones, natural	NA	1	NA	1	NA	2
Gypsum, crude	452	5,660	1,050	10,700	1,050	9,980
Peat	122	3,360	117	3,300	(3)	W
Sand and gravel:						
Construction	69,500	254,000	64,800	243,000	50,500	215,000
Industrial	1,690	25,200	1,610	24,500	1,460	30,400
Stone, crushed	36,700 <sup>4</sup>	143,000 4	36,000 r	139,000 <sup>r</sup>	32,500	142,000
Combined values of bromine, iron ore (usable shipped),	- ~,. ~ ~	-,	,	,	,	-,
iron oxide pigments (crude), lime, magnesium						
compounds, potash, salt, stone [crushed marl (2004),						
dimension, dolomite and sandstone], and values						
indicated by symbol W	XX	1,210,000	XX	1,300,000	XX	970,000
Total	XX		XX		XX	
10141	ΛΛ	1,680,000	ΛΛ	1,750,000	ΛΛ	1,910,000

See footnotes at end of table.

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004		200:		2006		
Mineral	Quantity	Value	Quantity	Value	Quantity	Value	
Minnesota:							
Clays, common	20	22	20	22	32	40	
Gemstones, natural	NA	6	NA	6	NA	(	
Iron ore, usable shipped	41,400	1,560,000	40,600	1,830,000	40,400	2,160,000	
Lime	(3)	(8)	(3)	(8)	(3)	(8	
Peat	63	5,210	68	5,670	69	5,280	
Sand and gravel:							
Construction	54,900	235,000	54,100	253,000	50,300	240,000	
Industrial	(3)	(8)	(3)	(8)	(3)	(8	
Stone:							
Crushed	10,400 4	64,900 4	10,500	87,400 °	12,400	121,000	
Dimension	22	12,400	19	13,400	22	12,400	
Total	XX	1,880,000	XX	2,190,000	XX	2,540,000	
Mississippi:							
Clays:							
Bentonite	(3)	W	(3)	W	78	5,180	
Common	610	2,700	642	2,860	549	3,100	
Fuller's earth	381	35,200	354	33,000	338	33,600	
Gemstones, natural	NA	1	NA	1	NA		
Sand and gravel, construction	14,100	80,700	14,400	85,200	19,300	133,000	
Stone, crushed	2,760	34,200	3,520 <sup>r</sup>	47,800 <sup>r</sup>	3,050	53,000	
Combined values of cement (portland), clays (ball),							
sand and gravel (industrial)	XX	41,500	XX	52,000	XX	42,400	
Total	XX	194,000	XX	221,000 r	XX	270,000	
Missouri:		17.,000		221,000		2,0,000	
Cement, portland	5,260	388,000 e	5,330	464,000 e	5,240	500,000	
Clays:	3,200	500,000	5,550	10 1,000	3,210	200,000	
Common	911	3,290	822	3,400	750	4,160	
Fire	(3)	3,270 W	(3)	W W	359	7,600	
Sand and gravel:	(5)	**	(3)	VV	339	7,000	
Construction	12,200	60,100 <sup>r</sup>	12,200	61,600	17,000	92,100	
Industrial	589	14,200	559	14,500	595	16,400	
	92,600	564,000	87,400 <sup>r</sup>	647,000 <sup>r</sup>	83,600	· · · · · · · · · · · · · · · · · · ·	
Stone, crushed  Combined values of cadmium (byproduct of zinc	92,000	304,000	67,400	047,000	83,000	631,000	
concentratres), cement (masonry), clays							
(fuller's earth), copper, gemstones (natural), lead,							
lime, silver, stone (dimension granite), zinc, and	3737	502.000	3737	666,000	3737	010.000	
values indicated by symbol W	XX	593,000	XX	666,000	XX	818,000	
Total	XX	1,620,000	XX	1,860,000 r	XX	2,070,000	
Montana:							
Clays, bentonite	102	8,400	(3)	W	(3)	W	
Gemstones, natural	NA	653	NA	644	NA	379	
Palladium <sup>6</sup> kilograms	13,700	102,000	13,300	87,100	14,400	150,000	
Platinum <sup>6</sup> do.	4,040	110,000	3,920	113,000	4,290	158,000	
Sand and gravel, construction	14,400	80,000	14,000	83,600	13,700	95,300	
Stone:							
Crushed	4,090	13,700	3,430 <sup>r</sup>	16,600 <sup>r</sup>	3,570	19,200	
Dimension	14	2,550	12	2,620	12	2,620	
Combined values of cadmium (byproduct in zinc							
concentrates), <sup>5</sup> cement [masonry (2005-06),							
portland], clays (common), copper, garnet							
[industrial (2005)], gold, lead, lime, molybdenum							
concentrates, peat (2004-05), silver, talc (crude), zinc,							
and values indicated by symbol W	XX	303,000	XX	543,000 <sup>r</sup>	XX	641,000	
	XX	621,000	XX	847,000	XX	1,070,000	

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004		200:		200	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Nebraska:						
Cement:						
Masonry	(3)	(8)	(3)	(8)	(3)	(8)
Portland	(3)	(8)	(3)	(8)	(3)	(8)
Clays, common	133 <sup>e</sup>	338 <sup>e</sup>	160 <sup>e</sup>	(8)	158 <sup>e</sup>	(8)
Gemstones, natural	NA	4	NA	4	NA	4
Lime	11	514	12	625	13	700
Sand and gravel:						
Construction	15,100	53,200	14,300	60,200	13,100	62,000
Industrial	(3)	(8)				
Stone, crushed	6,900	51,900	6,950	54,100 <sup>r</sup>	7,390	66,300
Total	XX	106,000	XX	115,000 <sup>r</sup>	XX	129,000
Nevada:						
Clays:						
Bentonite	7	W	7	W	(3)	W
Fuller's earth	(3)	W	25	W	(3)	W
Gold <sup>6</sup> kilograms	216,000	2,850,000	212,000	3,030,000	206,000	4,010,000
Mercury <sup>e, 9</sup>	NA	NA	NA	NA	NA	NA
Sand and gravel, construction	43,100	197,000	52,300	230,000	45,500	224,000
Silver <sup>6</sup> kilograms	302,000	65,000	276,000	65,200	245,000	91,300
Stone, crushed	9,760	72,800	9,460 <sup>r</sup>	67,900 <sup>r</sup>	10,200	87,500
Combined values of barite, brucite (2004), cement						
(portland), clays (kaolin), copper, diatomite,						
gemstones (natural), gypsum (crude), lime, lithium						
carbonate, magnesite, perlite (crude), pumice and						
pumicite (2006), salt, sand and gravel (industrial),						
zeolites, and values indicated by symbol W	XX	286,000	XX	488,000	XX	724,000
Total	XX	3,470,000	XX	3,890,000 r	XX	5,140,000
New Hampshire:						
Gemstones, natural	NA	6	NA	6	NA	6
Sand and gravel, construction	8,940	46,600	8,400	47,400	9,500	61,600
Stone:						
Crushed	4,720	23,900	5,100	40,900	5,950	50,900
Dimension, granite	(3)	(8)	(3)	(8)	(3)	(8)
Total	XX	70,500	XX	88,200	XX	112,000
New Jersey:		·		·		
Clays, common	(3)	122	(3)	W	84	216
Gemstones, natural	NA	1	NA	1	NA	1
Sand and gravel:						
Construction	20,100	120,000	21,200	145,000	20,900	192,000
Industrial	2,020	35,800	1,820	34,100	1,520	40,600
Stone, crushed	25,400 4	185,000 4	24,500 <sup>r</sup>	172,000 <sup>r</sup>	46,300	315,000
Combined values of greensand marl, peat, stone	-,	,	,	. ,	- 7-1	,
[crushed miscellaneous (2004)], and value						
indicated by symbol W	XX	4,400	XX	4,110	XX	(8)
Total	XX	345,000	XX	356,000 r	XX	547,000
New Mexico:		,		,		2 . 7 , 0 3 0
Clays, common	34	177	36	221	35	228
Copper <sup>6</sup>	122	362,000	131	502,000	113	784,000
Gemstones, natural	NA	20	NA	19	NA	23
Helium (Grade-A) million cubic meters	(3)	W			(3)	W
Sand and gravel:	(5)	**			(5)	**
Construction	13,600	89,500	16,000	112,000	18,400	157,000
Industrial	13,000	69,500	113	W	184	137,000 W
,	2 570	767	6,390		(3)	W
Silver <sup>6</sup> kilograms Stone:	3,570	/0/	0,390	1,510	(3)	W
Crushed	2,830 4	16,400 4	3,750 <sup>r</sup>	25,400 <sup>r</sup>	3,510	22 200
						23,200
Dimension	57	2,430	7	279	(3)	W

See footnotes at end of table.

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004		2005		200	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
New Mexico—Continued:						
Combined values of cement, gold, gypsum (crude),						
helium [Grade-A (2004, 2006)], lime, mica [crude						
(2004)], molybdenum concentrates, perlite (crude),						
potash, pumice and pumicite, salt, stone [crushed						
granite (2004)], zeolites, and values indicated by						
symbol W	XX	397,000	XX	513,000	XX	509,000
Total	XX	868,000	XX	1,150,000	XX	1,470,000
New York:						
Clays, common	756	10,900	785	11,700	813	30,400
Gemstones, natural	NA	74	NA	78	NA	90
Gypsum, crude			2,230	11,400	413	2,120
Salt	6,430	301,000	6,840	327,000	6,090	257,000
Sand and gravel, construction	33,100	189,000	31,300	204,000	35,000	236,000
Stone:						
Crushed	49,400	327,000	52,600 r	447,000 r	52,100	435,000
Dimension	44	4,560	42	7,470	39	3,860
Combined values of cement, garnet (industrial), peat,						•
sand and gravel [industrial (2004, 2006)], talc (crude),						
wollastonite, zinc	XX	256,000	XX	286,000	XX	368,000
Total	XX	1,090,000	XX	1,290,000	XX	1,330,000
North Carolina:		, ,		, ,		, ,
Clays:						
Common	2,260	12,900	2,180	13,900	2,340	24,200
Kaolin	34	764	27	593	26	950
Feldspar	351	20,500	351	19,000	362	19,100
Gemstones, natural	NA	280	NA	280	NA	282
Mica, crude	40	9,600	39	10,200	57	12,600
Sand and gravel:	40	2,000	37	10,200	37	12,000
Construction	11,500	59,700	12,000	63,900	12,900	70,000
Industrial	1,630	29,000	1,150	29,200	1,220	24,700
Stone:	1,030	25,000	1,130	27,200	1,220	24,700
Crushed	72,300	549,000	73,600 r, 4	708,000 r, 4	77,500	852,000
Dimension	43	18,200	39	17,000	41	17,800
	43	10,200	39	17,000	41	17,000
Combined values of olivine (2004), phosphate rock,	vv	105 000	VV	(0)	VV	(8
pyrophyllite (crude), stone [crushed quartzite (2005)]	XX	105,000	XX	(8)	XX	1,020,000
Total	XX	805,000	XX	862,000 <sup>r</sup>	XX	1,020,000
North Dakota:	(2)	106	76	***	105	**
Clays, common	(3)	186	76	W	105	W
Gemstones, natural	NA	4	NA	4	NA	42.500
Sand and gravel, construction	11,700	32,800	11,300	34,500	14,000	43,700
Stone, crushed	(3)	W	89	396	147	683
Combined values of lime, sand and gravel (industrial),						
stone [crushed miscellaneous (2004)], and values						
indicated by symbol W	XX	11,300	XX	(8)	XX	(8
Total	XX	44,300	XX	34,900 <sup>r</sup>	XX	44,400
Ohio:						
Cement:						
Masonry	98 <sup>r</sup>	13,000 r, e	(3)	W	(3)	W
Portland	1,020 <sup>r</sup>	85,700 r, e	986	89,200 e	966	96,100
Clays:						
Common	1,360	7,480	1,310	6,880	1,580	17,800
Fire	42	W	55	W	(3)	W
Gemstones, natural	NA	4	NA	4	NA	2
Lime	1,880	127,000	1,790	130,000	1,850	150,000
Sand and gravel:	,	,		,	,	- / - * -
Construction	50,800	263,000	51,700	288,000	46,300	289,000
Industrial	1,180	34,200	1,230	37,900	1,110	33,800
	1,100	- ·, <b>-</b> 00	-,====	,,, 00	-,	22,000

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004		200:		200	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Ohio—Continued:						
Stone:						
Crushed	76,500	396,000	75,200	439,000 <sup>r</sup>	68,500	427,000
Dimension	38	5,100	28	4,880	29	4,950
Combined values of peat, salt, and values indicated by						
symbol W	XX	197,000	XX	211,000	XX	251,000
Total	XX	1,130,000	XX	1,210,000	XX	1,270,000
Oklahoma:						
Clays, common	1,150	2,410	903	2,520	1,180	4,700
Gemstones, natural	NA	4	NA	43	NA	106
Gypsum, crude	3,250	20,800	2,620	18,400	3,860	27,400
Iodine, crude metric tons	1,130	W	1,570	W	(3)	W
Sand and gravel:						
Construction	12,000	53,700	13,300	65,000	17,000	91,900
Industrial	1,390	31,600	1,480	33,500	1,640	40,400
Stone:						
Crushed	39,800	206,000	47,300 °	269,000 <sup>r</sup>	43,300	255,000
Dimension	17	2,100	3	501	3	502
Tripoli metric tons	32,100	2,120	30,600	1,950	18,400	1,890
Combined values of cement*, feldspar, helium						
(Grade-A), lime, salt, and values indicated by symbol						
W	XX	199,000	XX	227,000	XX	263,000 *
Total	XX	519,000	XX	618,000 <sup>r</sup>	XX	684,000
Oregon:						
Clays, bentonite	10	W	(3)	W	(3)	W
Gemstones, natural	NA	1,210	NA	1,180	NA	1,860
Sand and gravel, construction	21,000	125,000	22,000	146,000	23,800	175,000
Stone, crushed	22,700	126,000	26,800 <sup>r</sup>	164,000 <sup>r</sup>	25,000	189,000
Combine values of cement (portland), clays (common),						
diatomite, lime, perlite (crude), pumice and pumicite,	****	444000	****	120 000	****	4.42.000
talc (crude), and values indicated by symbol W	XX	114,000	XX	128,000	XX	143,000
Total	XX	367,000	XX	439,000 <sup>r</sup>	XX	509,000
Pennsylvania:						
Cement:				40 -00 0	• • •	
Masonry	(3)	W	399	49,700 e	384	52,200 e
Portland	6,230	473,000 °	6,290	554,000 e	6,020	599,000 e
Clays, common	822	3,270	705	3,460	742	5,630
Gemstones, natural	NA	1	NA	1	NA	1
Lime	1,220	100,000	1,100	104,000	1,160	115,000
Peat	11	307	7	210	1	52
Sand and gravel:	20.000	127.000	17.000	444.000	10.100	124.000
Construction	20,000	127,000	17,000	111,000	18,400	126,000
Industrial	(3)	W	711	15,400	696	15,500
Stone:	112.000	620,000	107.000 5	712 000 r	111.000	700.000
Crushed	113,000	639,000	107,000 <sup>r</sup>	713,000 <sup>r</sup>	111,000	788,000
Dimension	33	10,100	35	11,800	38	12,800
Combined value of tripoli and values indicated by	3/3/	55,000	3737	(0)	3737	
symbol W	XX	55,800	XX	(8)	XX	(8)
Total  Physical Islands	XX	1,410,000	XX	1,560,000 <sup>r</sup>	XX	1,710,000
Rhode Island:	NT A	4	NT A	1	NT A	
Gemstones, natural	NA	1	NA	1	NA	1
Sand and gravel:	2 400	22.000	2.510	22.000	2.422	25 000
Construction	2,490	22,000	2,510	23,000	2,430	25,800
Industrial	(3)	(8)	(3)	(8)	(3)	(8)
Stone, crushed	1,600 <sup>4</sup>	12,400 4	1,610 <sup>4</sup>	12,300 <sup>r, 4</sup>	2,320 4	18,000 4
Total	XX	34,400	XX	35,300 <sup>r</sup>	XX	43,700

See footnotes at end of table.

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004 2005		5	2006		
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
South Carolina:	-		-		-	
Cement:						
Masonry	453	49,900 <sup>e</sup>	498	54,300 e	575	68,900 <sup>e</sup>
Portland	3,110	196,000 e	3,270	247,000 <sup>e</sup>	3,320	294,000 <sup>e</sup>
Clays:						
Common	1,050	3,350	1,020	3,610	992	4,250
Fire	1	64	54	892	60	348
Kaolin	296	19,600	287	17,700	294	17,900
Gemstones, natural	NA	1	NA	1	NA	1
Sand and gravel:						
Construction	9,960	35,100	11,100	45,200	10,900	51,100
Industrial	719	17,600	794	19,400	905	21,800
Stone:						
Crushed	31,300	210,000	33,800 4	258,000 4	30,400 4	261,000 4
Dimension	9	850	9	850	9	850
Combined values of mica (crude), stone [crushed						
marble (2005-06)], vermiculite (crude)	XX	(8)	XX	12,600	XX	15,200
Total	XX	532,000	XX	659,000	XX	735,000
South Dakota:						
Clays, common	188	W	183	W	176	W
Sand and gravel, construction	14,000	51,700	12,800	45,500	16,400	59,800
Stone, crushed	6,410	27,600	6,740 <sup>r</sup>	32,400 <sup>r</sup>	6,320	34,600
Combined values of cement (portland), feldspar,						
gemstones (natural), gold, gypsum (crude), iron ore						
[usable shipped (2005-06)], lime, mica (crude), stone						
(dimension granite), and values indicated by symbol						
W	XX	131,000	XX	139,000	XX	129,000
Total	XX	211,000 r	XX	217,000 r	XX	223,000
Tennessee:						
Clays:						
Ball	762	34,300	740	32,500	736	32,300
Common	365	3,140	372	3,210	231	1,530
Fuller's earth	(3)	W	91	W	(3)	W
Kaolin	(3)	W	1	W	(3)	W
Sand and gravel:						
Construction	7,830	47,500	7,570	51,500	8,500	57,900
Industrial	975	26,100	985	26,500	1,010	29,300
Stone, crushed	57,900	381,000	66,500 <sup>r</sup>	483,000 <sup>r</sup>	65,300	517,000
Combined values of cadmium [byproduct in zinc		,,,,,,	,	,	,.	,
concentrates (2004)], cement, gemstones (natural),						
lime, salt, stone (dimension marble), zinc (2004), and						
values indicated by symbol W	XX	160,000	XX	174,000	XX	218,000
Total	XX	652,000	XX	771,000 <sup>r</sup>	XX	856,000
Texas:	7171	032,000	7171	771,000	7171	050,000
Cement:						
Masonry	319	38,000 e	395	48,500 e	382	50,700 e
Portland	11,200	800,000 e	11,600	951,000 °	11,300	1,070,000 e
	11,200	800,000	11,000	931,000	11,300	1,070,000
Clays:	(2)	W	(2)	7.720	(2)	W
Ball Pantonita	(3)	W W	(3)	7,730 W	(3)	2 200
Bentonite	(3)		(3)		71	2,300
Common	2,160	8,890	2,340	8,680	2,360	12,600
Gemstones, natural	NA	201	NA	201	NA	202
Gypsum, crude	2,450	18,800	1,540	11,800	1,430	11,800
Lime	1,630	115,000	1,610	112,000	1,650	130,000
Salt	9,780 <sup>r</sup>	118,000	9,600	118,000	9,570	132,000
Sand and gravel:						
Construction	81,700	436,000	80,700	472,000	99,500	603,000
Industrial	2,790	109,000	2,840	114,000	1,530	65,600

(Thousand metric tons and thousand dollars unless otherwise specified)

			_			
	200		2005		2000	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Texas—Continued:						
Stone:						
Crushed	122,000	621,000	137,000 <sup>r</sup>	820,000 <sup>r</sup>	136,000	824,000
Dimension	64	15,200	44	12,200	31	12,600
Talc, crude	258	W	(3)	W	(3)	W
Combined values of brucite, clays (fuller's earth, kaolin),						
helium, zeolites, and values indicated by symbol W	XX	46,300	XX	41,500 <sup>r</sup>	XX	68,200
Total	XX	2,330,000	XX	2,720,000	XX	2,980,000
Utah:						
Beryllium concentrates metric tons	2,210	NA	2,780	NA	3,830	NA
Clays:						
Bentonite	73	W	(3)	W	(3)	W
Common	443	5,600	478	6,710	526	10,700
Gemstones, natural	NA	235	NA	235	NA	238
Salt	2,250	107,000	2,250	132,000	2,810	149,000
Sand and gravel, construction	29,800	125,000	33,900	149,000	38,000	183,000
Stone, crushed	8,030	45,100	8,570 <sup>r</sup>	52,100 <sup>r</sup>	9,860	59,800
Combined values of cement (portland), copper, gold,	8,030	45,100	0,570	32,100	9,000	39,000
gypsum (crude), helium (Grade-A), lime, magnesium						
compounds, magnesium metal, molybdenum						
1 , 5						
concentrates, perlite (crude), phosphate rock,						
potash, silver, stone (dimension sandstone), and						
values indicated by symbol W	XX	1,660,000	XX	2,460,000	XX	3,560,000
Total	XX	1,950,000	XX	2,800,000 <sup>r</sup>	XX	3,960,000
Vermont:						
Gemstones, natural	NA	1	NA	1	NA	1
Sand and gravel, construction	4,970	24,000	5,240	32,000	5,810	37,300
Stone:						
Crushed	5,110	30,800	4,960 r, 4	37,900 <sup>r, 4</sup>	2,070 4	19,300 4
Dimension	100	30,600	98	27,800	100	27,600
Talc, crude	(3)	(8)	(3)	(8)	(3)	(8)
Total	XX	85,400	XX	97,700 <sup>r</sup>	XX	84,200
Virginia:						
Clays:						
Bentonite	5	W				
Common	994	4,640	983	4,690	762	1,810
Kyanite <sup>e</sup>	90	13,400	90	13,400	90	14,000
Sand and gravel, construction	12,800	75,800	12,000	85,800	14,200	110,000
Stone:	12,000	72,000	12,000	02,000	1.,200	110,000
Crushed	73,700 4	540,000 4	85,700 <sup>r</sup>	772,000 <sup>r</sup>	74,800 4	814,000 4
Dimension	5	594	6	631	6	631
Talc, crude	3	3)4	1	15	(3)	W
Combined values of cement, clays (fuller's earth),			1	13	(3)	vv
feldspar, gemstones (natural), iron oxide pigments						
(crude), lime, sand and gravel (industrial), stone						
[crushed marble (2004, 2006)], titanium concentrates						
(ilmenite), vermiculite (crude), zirconium						
concentrates, and values indicated by symbol W	XX	256,000	XX	272,000	XX	333,000
Total	XX	891,000	XX	1,150,000 °	XX	1,270,000
Washington:						
Clays:						
Common	(3)	W	(3)	W	53	149
Fire					25	41
Gemstones, natural	NA	44	NA	44	NA	49
Sand and gravel, construction	41,500	227,000	47,200	282,000	48,400	315,000
Stone, crushed	12,100	75,500	14,300 r	101,000 r	12,500	127,000
C f + + 1 - f + - 1 - 1 -	· · · · · · · · · · · · · · · · · · ·	·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	· · · · · · · · · · · · · · · · · · ·	•

See footnotes at end of table.

#### 

(Thousand metric tons and thousand dollars unless otherwise specified)

	2004		200	5	200	06
Mineral	Quantity	Value	Quantity	Value	Quantity	Value
Washington—Continued:						
Combined values of cadmium (byproduct in zinc						
concentrates), <sup>5</sup> cement (portland), diatomite,						
gold (2004-05), lead, lime, olivine, peat, sand and						
gravel (industrial), silver (2004-05), stone (dimension						
miscellaneaous), zinc, and values indicated by						
symbol W	XX	205,000	XX	255,000	XX	277,000
Total	XX	507,000	XX	638,000 <sup>r</sup>	XX	718,000
West Virginia:						
Clays, common	161	441	186	524	(3)	W
Gemstones, natural	NA	1	NA	1	NA	1
Sand and gravel:						
Construction	524	2,500	318	1,630	429	3,470
Industrial	343	17,300	369	17,800	333	17,200
Stone, crushed	14,700	72,600	14,600 <sup>r</sup>	108,000 <sup>r</sup>	14,500	120,000
Combined values of cement, lime, peat, salt, stone						
(dimension sandstone), and value indicated by						
symbol W	XX	73,500	XX	81,100	XX	89,100
Total	XX	166,000	XX	209,000 r	XX	230,000
Wisconsin:						
Cement, portland	(3)	(8)	(3)	(8)		
Gemstones, natural	NA	6	NA	6	NA	6
Lime	850	53,900	888	61,300	922	70,700
Peat	(3)	(8)	(3)	(8)	(3)	(8)
Sand and gravel:	12 100	450.000	42.200	101.000	20.600	102.000
Construction	43,400	178,000	43,200	191,000	39,600	182,000
Industrial	2,140	47,000	2,250	55,700	2,450	74,100
Stone:	20.200	152 000	20 000 5	224 000 5	27.000	201000
Crushed	39,300	172,000	39,800 <sup>r</sup>	234,000 °	35,800	204,000
Dimension	232	23,800	278	27,600	297	35,400
Total	XX	475,000	XX	570,000 <sup>r</sup>	XX	566,000
Wyoming:						
Clays:	2.510	151 000	4.160	100.000	4.260	200.000
Bentonite	3,510	151,000	4,160	190,000	4,360	209,000
Common	49	107	53	128	53	206
Gemstones, natural	NA	13	NA	14	NA 17 200	74.600
Sand and gravel, construction	10,200	40,100	11,700	52,400	17,200	74,600
Stone, crushed	6,300	35,300	6,990 <sup>r</sup>	39,800 <sup>r</sup>	12,600	71,300
Combined values of cement (portland), gypsum (crude),	VV	910.000	VV	1.010.000	VV	1 240 000
helium (Grade-A), lime, soda ash, zeolites	XX	819,000	XX	1,010,000	XX	1,240,000
Total	XX	1,050,000	XX	1,300,000	XX	1,590,000
Undistributed:						
Connecticut, Delaware, Maryland, Massachusetts,						
Minnesota, Nebraska, New Hampshire,						
New Jersey (2006), North Carolina (2005-06), North						
Dakota (2005-06), Pennsylvania (2005-06), Rhode						
Island, South Carolina (2004), Vermont, Wisconsin,	3737	207 000 "	3737	440,000 *	3737	<b>500</b> 000
undistributed	XX	205,000 <sup>r</sup>	XX	448,000 <sup>r</sup>	XX	522,000

<sup>&</sup>lt;sup>e</sup>Estimated. <sup>r</sup>Revised. NA Not available. W Withheld to avoid disclosing company proprietary data; included in "Combined values" data for each State.

XX Not applicable. -- Zero.

<sup>&</sup>lt;sup>1</sup>Production as measured by mine shipments, sales, or marketable production (including consumption by producers).

<sup>&</sup>lt;sup>2</sup>Data are rounded to no more than three significant digits; may not add to totals shown.

<sup>&</sup>lt;sup>3</sup>Withheld to avoid disclosing company proprietary data.

<sup>&</sup>lt;sup>4</sup>Excludes certain stones; kind and value included in "Combined value."

<sup>&</sup>lt;sup>5</sup>Data not available for 2006.

<sup>&</sup>lt;sup>6</sup>Recoverable content of ores, etc.

<sup>&</sup>lt;sup>7</sup>Grindstones, pulpstones, and sharpening stones; excludes mill liners and grinding pebbles.

<sup>&</sup>lt;sup>8</sup>Withheld to avoid disclosing company proprietary data; values included in "Undistributed."

<sup>&</sup>lt;sup>9</sup>Secondary production.

<sup>\*</sup>Correction posted on October 8, 2008.

# TABLE 6 NONFUEL RAW MINERAL PRODUCTION IN THE COMMONWEALTH OF PUERTO RICO AND ISLANDS ADMINISTERED BY THE UNITED STATES $^{\!1,\,2}$

#### (Thousand metric tons and thousand dollars)

	200	4	2005	2005		2006	
Mineral	Quantity	Value	Quantity	Value	Quantity	Value	
Puerto Rico:						_	
Cement, portland	1,580	W	1,580	W	1,550	W	
Clays, common	114	585	116	596	111	614	
Lime	11	2,250	11	2,250	11	2,250	
Salt	45	1,500	45	1,500	45	1,500	
Stone, crushed	8,660	57,600	8,300 <sup>r</sup>	55,500 <sup>r</sup>	8,790	60,700	
Combined values of sand and gravel (industrial), stone							
(dimension marble), and values indicated by symbol W	XX	125,000	XX	153,000	XX	163,000	
Total	XX	187,000	XX	213,000 r	XX	228,000	
Administered Islands:						_	
American Samoa, stone, crushed, traprock	(3)	(3)	(3)	(3)	(3)	(3)	
Guam, stone, crushed	1,410	13,000	1,410	13,000	900	9,330	
Virgin Islands, stone, crushed, limestone and traprock	(3)	(3)	257	2,730	210	2,010	
Total	XX	13,000	XX	15,800	XX	11,300	

<sup>&</sup>lt;sup>r</sup>Revised. W Withheld to avoid disclosing company proprietary data. Withheld values included in "Combined values" data. XX Not applicable.

<sup>&</sup>lt;sup>1</sup>Production as measured by mine shipments, sales, or marketable production (including consumption by producers).

<sup>&</sup>lt;sup>2</sup>Data are rounded to no more than three significant digits; may not add to totals shown.

<sup>&</sup>lt;sup>3</sup>Withheld to avoid disclosing company proprietary data.

### ${\it TABLE~7} \\ {\it U.S.~EXPORTS~OF~PRINCIPAL~MINERALS~AND~PRODUCTS, EXCLUDING~MINERAL~FUELS^1} \\$

(Thousand metric tons and thousand dollars unless otherwise specified)

		200.		2006	
Mineral or product		Quantity	Value	Quantity	Value
Metals:					
Aluminum:					
	etric tons	2,370,000	5,410,000	2,820,000	7,550,000
Manufactures	do.	135,000	482,000	143,000	591,000
Antimony:					
Metal, alloys, waste and scrap	do.	740	3,250	459	1,860
Oxide, antimony content	do.	1,400	5,860	1,680	8,870
Arsenic metal, arsenic content	do.	3,270 <sup>r</sup>	8,740 <sup>r</sup>	3,060	5,960
Bauxite and alumina:					
Alumina, calcined equivalent		1,210	631,000	1,540	811,000
Bauxite:					
Calcined, refractory and other grade		18	2,330	13	2,390
Crude and dried		34	7,020	20	3,990
_ 1	etric tons	26,900	21,600	44,000	42,400
Beryllium, unwrought, and waste and scrap, other including articles not					
	kilograms	201,000	18,600 <sup>r</sup>	135,000	21,500
Bismuth, metal, alloys, waste and scrap, bismuth content	do.	142,000	4,760	311,000	3,540
Cadmium:					
Metal, includes cadmium in alloys and scrap	do.	668,000	1,330	460,000	2,210
Sulfide, gross weight	do.	120,000	55	62,000	32
Chromium:					
Ores and concentrate m	netric tons	42,600	9,940	53,900	10,200
Metals and alloys:					
Metal, unwrought powders, waste and scrap, other	do.	1,020	16,900	1,020	21,300
Ferroalloys, high-carbon, low-carbon, ferrochromium-silicon	do.	36,300	38,900	35,700	38,100
Chemicals:					
Oxides, trioxides and other	do.	10,700	18,300	11,700	20,500
Sulfates	do.	79	376	35	145
Salts of oxometallic or peroxometallic acids, zinc and lead chromate, sodium					
dichromate, potassium dichromate, other	do.	37,900	27,200	29,900	24,400
Pigments and preparations	do.	767	4,090	1,330	6,620
Cobalt:					
Acetates and chlorides	do.	703	3,820	535	3,300
Oxides and hydroxides	do.	829	17,100	1,100	26,800
Metal:					
Unwrought, powders, waste and scrap, mattes, other intermediate products of					
metallurgy	do.	1,670	60,600	1,930	60,500
Wrought and cobalt articles	do.	2,340	91,800	1,980	90,400
Copper:					
Unmanufactured, does not include unalloyed scrap, copper content	do.	260,000	467,000	328,000	1,160,000
Semimanufactures	do.	254,000	1,100,000	284,000	1,940,000
Scrap, alloyed and unalloyed	do.	658,000	1,060,000	803,000	1,190,000
Ferroalloys not listed elsewhere:					
Ferrophosphorous	do.	1,780	1,150	1,820	2,270
Other	do.	2,200	3,190	3,150	5,740
Gold:		•	,	ŕ	,
	kilograms	1,380	13,400	2,690	31,800
Dore and precipitates	do.	141,000	2,020,000	159,000	2,670,000
Bullion, refined	do.	182,000	2,550,000	228,000	4,380,000
Waste and scrap	do.	563,000	670,000	567,000	1,270,000
Metal powder	do.	687	9,280	1,320	25,400
Compounds	do.	1,310,000	30,900	1,460,000	28,100
Iron and steel:	u0.	1,510,000	50,700	1, 100,000	20,100
Steel mill products		8,520 °	NA	8,830	NA
Fabricated steel products		1,710	NA NA	1,540	NA NA
Cast iron and steel products		1,710	NA NA	268	NA NA
See footnotes at end of table		173	11/1	200	11/1

#### 

(Thousand metric tons and thousand dollars unless otherwise specified)

Mineral or product		Quantity 200:	Value	Quantity 200	Value
Metals—Continued:		Qualitity	value	Quantity	value
Iron and steel scrap:					
Ferrous, includes tinplate and template, excludes used rails for rerolling and other	uses				
and ships, boats, and other vessels for scrapping	4505	13,000	3,430,000	14,900	4.230,000
Pig iron, all grades		51	8,110	813	8,750
Direct-reduced iron, steelmaking grade		(2)	16	(2)	1
Ships, boats, and other vessels for scrapping		3	476	5	509
Used rails for rerolling and other uses, includes mixed (used plus new) rails		55	25,600	51	36,400
Iron ore		11,800	584,000	8,270	636,000
Lead:		,	,,,,,,,	-,	,
	tric tons	198	1,290	197	1,560
Ore and concentrates, Pb content	do.	390,000	190,000	298,000	278,000
Unwrought and alloys, Pb content	do.	45,500	46,100	52,700	57,800
Wrought and alloys, Pb content	do.	19,000	40,800	15,800	40,200
Scrap, gross weight	do.	67,300	21,600	121,000	37,200
Magnesium:		07,000	21,000	121,000	57,200
Waste and scrap, Mg content	do.	5,630	13,100	3,680	8,410
Metal, Mg content	do.	732	2,470	4,170	9,520
Alloys, gross weight	do.	1,200	5,870	2,290	8,200
Powder, sheets, tubing, ribbons, wire, other forms, gross weight	do.	2,080	22,400	2,180	25,500
Manganese, gross weight:	<u>uo.</u>	2,000	22,100	2,100	25,500
Ores and concentrates with 20% or more manganese	do.	13,500	3,940	2,240	1,120
Ferromanganese, all grades	do.	14,400	14,900	21,700	14,100
Silicomanganese	do.	900 <sup>r</sup>	1,220	947	888
Metal, including alloys and waste and scrap	do.	2,670	5,960	3,900	9,610
Dioxide	do.	5,900	5,040	5,820	5,580
Mercury:	uo.	3,900	3,040	3,620	3,360
Metal	do.	319	5 910	200	5 970
			5,810	390 397	5,870
Amalgams of precious metals whether or not chemically defined	do.	1,230 °	231,000	397	430,000
Molybdenum:  Ore and concentrates, including roasted and other, Mo content	do	46 400	1 450 000	27 200	1 460 000
	do.	46,400	1,450,000	37,200	1,460,000
Chemicals:	1	14.600	275 000	11.600	200.000
Oxides and hydroxides, gross weight	do	14,600	375,000	11,600	300,000
Molybdates, all, gross weight	do.	2,150	54,500	2,030	51,800
Ferromolybdenum, Mo content	do.	2,090	43,400	2,010	42,500
Other, includes powders, unwrought, bars and rods, waste and scrap, wire, other,	.1.	2.020	120,000	2.010	1.42.000
gross weight	do.	2,030	139,000	2,010	143,000
Nickel, Ni content:	1	7.620	210,000	0.050	206.006
Primary, unwrought and chemicals	do.	7,630	219,000	8,050	286,000
Secondary, stainless steel scrap and waste and scrap	do.	55,600	731,000	59,300	866,000
Wrought, not alloyed, bars, rods, profiles, wire, sheets, strip, foil, tubes, pipes	do.	1,340	26,700	1,230	28,300
Alloyed, unwrought ingot, bars, rods, profiles, wire, sheets, strip, foil, tubes, pipes,					
other alloyed articles, gross weight	do.	37,700	819,000	39,200	1,120,000
Niobium (columbium) and tantalum:					
Niobium:					
Ores and concentrates	do.	43	398	69	914
Ferroniobium	do.	410	4,210	706	6,680
Tantalum:					
Ores and concentrates, includes synthetic	do.	546 <sup>r</sup>	9,290 <sup>r</sup>	784	13,400
Unwrought, waste and scrap, powders, alloys, metal	do.	699	136,000	611	73,400
Wrought	do.	110	49,000	91	39,10
Platinum-group metals:					
·	lograms	27,000	122,000	53,100	402,000
Platinum, includes waste and scrap and metal, Pt content	do.	45,600 <sup>r</sup>	930,000 <sup>r</sup>	72,900	1,760,000
Iridium, osmium, ruthenium, gross weight	do.	1,080 <sup>r</sup>	7,200 <sup>r</sup>	3,390	35,800
Rhodium, Rh content	do.	615	28,900	1,600	108,00
Rare earths, estimated rare-earth oxide content:					
Cerium compounds	do.	2,220,000	13,600	2,010,000	19,800
Compounds, inorganic and organic	do.	2,070,000	14,100	2,700,000	17,30
See footnotes at end of table					

#### 

(Thousand metric tons and thousand dollars unless otherwise specified)

		200	5	200	6
Mineral or product		Quantity	Value	Quantity	Value
Metals—Continued:				•	
Rare earths, estimated rare-earth oxide content—Continued:					
Metals, including scandium and yttrium	do.	636,000	5,180	733,000	6,960
Ferrocerium and other pyrophoric alloys	do.	4,320,000	18,000	3,710,000	11,000
Selenium, Se content	do.	254,000	3,040	191,000	2,970
Silicon, gross weight:					
Ferrosilicon metric t	ons	13,400	13,400	9,330	10,400
Metal	do.	23,400	847,000	27,100	1,270,000
Silver:					
Bullion, Ag content kilogra	ams	166,000	45,900	1,500,000	586,000
Dore, Ag content	do.	132,000	35,000	85,400	33,600
Metal powder, gross weight	do.	708,000 <sup>r</sup>	122,000 <sup>r</sup>	1,460,000	255,000
Nitrate, gross weight	do.	61,500 <sup>r</sup>	5,720 <sup>r</sup>	62,300	6,450
Ores and concentrates, Ag content	do.	3,680	834	3,150	4,040
Semimanufactured forms containing 99.5% or more by weight of silver, gross weight	do.	269,000 <sup>r</sup>	48,300 r	526,000	91,200
Waste and scrap, gross weight	do.	2,240,000 <sup>r</sup>	424,000 r	4,890,000	1,140,000
Unwrought, other, gross weight	do.	39,600 <sup>r</sup>	8,690 °	85,600	30,800
Thallium, unwrought powders, waste and scrap, others	do.	252	102	NA	NA
Thorium and thorium-bearing materials, thorium ore, monazite concentrate,					
compounds	do.	737	281	1,090	424
Tin:					
Ingots and pigs metric	ons	4,330	30,500	5,490	40,500
Tin scrap and other tin bearing material, except tinplate scrap, includes rods, profiles,					
wire, powders, flakes, tubes, pipes	do.	32,800	51,200	23,500	63,000
Tinplate and terneplate	do.	252,000	188,000	198,000	137,000
Titanium:					
Metal, waste and scrap, unwrought, wrought products and castings, ferrotitanium					
and ferrosilicon titanium	do.	39,500	677,000	30,800	1,040,000
Ores and concentrates	do.	20,900	8,930	32,800	11,800
Pigment, dioxide and oxide	do.	524,000	1,060,000	581,000	1,080,000
Tungsten, W content:					
Ammonium paratungstate	do.	774	8,810	350	4,970
Carbide powder	do.	1,560	37,800	1,010	35,100
Metal powders	do.	750 <sup>e</sup>	28,500	959 <sup>e</sup>	45,300
Miscellaneous tungsten-bearing materials, ferrotungsten, ferrosilicon tungsten,					
unwrought, waste and scrap, wrought, compounds	do.	2,810	63,400	3,990	91,800
Ores and concentrates	do.	52 e	1,600	130 e	3,550
Vanadium:					
Aluminum-vanadium master alloy, gross weight kilogra	ams	15,100,000	45,600	7,650,000	54,500
Ferrovanadium, V content	do.	505,000 <sup>r</sup>	19,300	515,000	11,400
Metal, including waste and scrap, gross weight	do.	293,000	16,400	491,000	13,200
Pentoxide, anhydride, V content	do.	254,000	5,470	341,000	7,150
Other oxides and hydroxides, V content	do.	899,000	15,400	832,000	7,780
Zinc:					
Compounds, chloride, chromates of zinc or of lead, compounds n.s.p.f., lithopone,					
oxide, sulfate, sulfide, gross weight metric t	ons	21,900 r	30,900 r	74,800	76,100
Ores and concentrates, Zn content	do.	786,000	477,000	825,000	1,060,000
Rolled	do.	8,760	10,400	3,780	16,000
Slab	do.	784	1,500	2,530	3,800
Zirconium:			,	,	
Ferrozirconium	do.	65	100	491	853
Ores and concentrates	do.	101,000	74,000	76,300	69,200
Oxide, includes germanium oxides and zirconium dioxides	do.	2,260	21,000	3,340	29,800
Unwrought powders	do.	175	3,620	202	5,310
Waste and scrap	do.	1,800	90,300	1,680	120,000
Total		XX	29,200,000 <sup>r</sup>	XX	42,200,000
Industrial minerals:			_>,_00,000	21/1	,_00,000
Abrasives, manufactured:					
Aluminum oxide, crude	do.	13,900	45,100	15,300	41,200
See footnotes at end of table.	ao.	13,700	73,100	13,300	71,200

# $\label{thm:table 7-Continued} U.S. \ EXPORTS \ OF PRINCIPAL MINERALS \ AND PRODUCTS, EXCLUDING MINERAL FUELS^I$

(Thousand metric tons and thousand dollars unless otherwise specified)

	200	)5	200	6
Mineral or product	Quantity	Value	Quantity	Value
Industrial minerals—Continued:				
Abrasives, manufactured—Continued:				
Metallic abrasives do.	26,900	21,600	22,300	24,400
Silicon carbide, crude, ground and refined do.	15,600	17,400	20,200	28,700
Asbestos, includes reexports:				
Manufactured	NA	374,000	NA	443,000
Unmanufactured metric tons	1,510	398 <sup>r</sup>	3,410	866
Barite, natural barium sulfate do.	92,700	9,930	71,500	11,900
Boron minerals and compounds:				
Boric acid, includes orthoboric and anhydrous	183	96,800	221	127,000
Sodium borates	308	110,000	393	139,000
Bromine:				
Compounds, includes methyl bromine and ethylene dibromide, Br content metric tons	6,830	12,800 <sup>r</sup>	7,920	17,600
Elemental, gross weight do.	2,710	3,990	4,320	5,180
Cement, hydraulic and clinker	803	68,300	1,550	114,000
Clays:				
Ball	141	8,840	140	7,890
Bentonite	847	98,500	1,270	132,000
Fire	368	34,400	348	38,100
Fuller's earth	55	13,500	69	16,400
Kaolin	3,580	601,000	3,540	626,000
Other, n.e.c., includes chamotte or dinas earth, activated clays and earths, artifically				
activated clays	634	173,000	607	181,000
Diamond:				
Gemstones, natural, including reexports thousand carats	25,700	8,470,000	32,600	9,540,000
Industrial including exports and reexports:				
Unworked do.	1,430	26,100	1,560	26,900
Powder, dust and grit, natural and synthetic do.	104,000	59,200 <sup>r</sup>	99,700	58,800
Diatomite	142	60,400	150	158,000
Feldspar metric tons	15,200	2,070	10,400	1,940
Fluorspar do.	36,100	7,840	13,000	2,430
Garnet, industrial <sup>e</sup>	13	9,700	13	9,450
Graphite, natural and artificial metric tons	56,200	109,000	58,600	124,000
Gypsum and gypsum products:	ŕ	,	,	•
Crude	148	16,400	143	18,300
Plasters	174	33,700	209	36,700
Boards	86	58,900	98	69,900
Other	XX	33,000	XX	37,400
Helium, Grade-A million cubic meters	51	99,100	62	126,000
Iodine:	51	<i>)</i> ,100	02	120,000
Crude/resublimed metric tons	2,660	27,900	2,020	34,400
Potassium iodide do.	68	1,550	82	1,950
Iron oxide pigments and hydroxides:	00	1,550	02	1,230
Pigment grade do.	2,220	6,170	3,100	8,090
Other grade do.	73,100	47,100	68,300	44,400
Kyanite, andalusite, sillimanite <sup>e</sup>	35	7,200	35	7,600
Lime	133	17,500	116	19,200
Lithium chemicals:	133	17,500	110	19,200
	4 100	12 700	2 120	10.500
Carbonate metric tons Hydroxide do.	4,190 5,620	13,700	3,130	10,500
· ·	5,620	20,100	5,540	27,900
Magnesium compounds:	22.700	10.500	21.700	21 000
Compounds, chlorides, hydroxide and peroxide, sulfates do.	32,700	19,500	31,700	21,900
Magnesite, crude and processed:	4.0-0		# /^^	
Caustic-calcined magnesia do.	4,920	2,500	5,690	3,210
Dead-burned and fused magnesia do.	24,900	11,400	20,000	11,400
Other magnesia do.	21,700	18,300	21,200	18,900
Crude do.	21,800	2,490	9,020	1,080

See footnotes at end of table.

#### 

(Thousand metric tons and thousand dollars unless otherwise specified)

		200	)5	200	06
Mineral or product		Quantity	Value	Quantity	Value
Industrial minerals—Continued:					
Mica:					
Scrap and flake:					
Powder	do.	7,140	4,860	4,990	4,650
Waste	do.	1,480	343	1,710	452
Sheet:					
Unworked	do.	74	269	113	273
Worked	do.	1,350	13,900	1,280	15,100
Peat		36	4,020	41	5,030
Perlite, crude <sup>e</sup>	metric tons	32,000	1,300	30,000	1,290
Potash:	_				
Potassium chloride	do.	136,000	NA	337,000	NA
Potassium sulfates, all grades	do.	429,000	NA	467,000	NA
Potassium nitrate	do.	3,910	2,250	3,750	2,520
Pumice and pumicite		21 <sup>r</sup>	7,520	22	5,940
Salt		879	51,800	973	54,900
Sand and gravel:					
Construction:					
Sand		137	23,400	113	19,700
Gravel		382	4,800	402	4,410
Industrial		2,910	154,000	3,830	183,000
Silica, special stone products		NA	10,000	NA	9,900
Soda ash		4,680	640,000	4,820	736,000
Stone:					
Crushed		1,270	50,500	1,140	57,300
Dimension		XX	66,100	XX	76,000
Strontium compounds:					
Carbonate, precipitated	metric tons	65 <sup>r</sup>	196	150	157
Oxide, hydroxide, peroxide	do.	301	176	871	594
Sulfur:	_				
Elemental		684	55,200	635	43,800
Sulfuric acid, 100% H <sub>2</sub> SO <sub>4</sub>	metric tons	338,000	29,500	248,000	21,800
Talc, excludes powders, talcum (in package), face, compact		198	41,800	179	42,600
Vermiculite <sup>e</sup>		5	970	5	930
Wollastonite <sup>e</sup>	metric tons	7,000	2,100	3,000	900
Zeolites <sup>e</sup>	do.	5,000	1,000	1,000	200
Total		XX	12,000,000 r	XX	13,700,000
Grand total		XX	41,200,000 <sup>r</sup>	XX	55,800,000

<sup>&</sup>lt;sup>e</sup>Estimated. <sup>r</sup>Revised. NA Not available. XX Not applicable.

<sup>&</sup>lt;sup>1</sup>Data are rounded to no more than three significant digits; may not add to totals shown.

<sup>&</sup>lt;sup>2</sup>Less than ½ unit.

 ${\it TABLE~8} \\ {\it U.S.~IMPORTS~FOR~CONSUMPTION~OF~PRINCIPAL~MINERALS~AND~PRODUCTS, EXCLUDING~MINERAL~FUELS^{I}} \\$ 

(Thousand metric tons and thousand dollars unless otherwise specified)

		2005		2006	
Mineral or product	Quantity	Value	Quantity	Value	
Metals:					
Aluminum:		5 220 000	11 700 000	<b>7</b> 100 000	14.500.000
	etric tons	5,330,000	11,500,000	5,180,000	14,500,000
Manufactures	do.	337,000	964,000	344,000	1,200,000
Antimony:		6.270	20.400	7.260	21.000
Metal	do.	6,370	20,400	7,260	31,800
Ore and concentrate, antimony content	do.	204	622	153	653
Oxide, antimony content	do.	22,700	81,600	23,000	102,000
Arsenic:					
Acid	do.	9	50	24	52
Metal	do.	812	3,410	1,070	3,640
Sulfide	do.		 5.200	75	179
Trioxide	do.	11,000	5,280	12,400	6,020
Bauxite and alumina:		1.060	620.000	1.060	<b>7</b> 04 000
Alumina, calcined equivalent		1,860	639,000	1,860	791,000
Bauxite:		0.10 5			0 < 100
Calcined, refractory and other grade		818 <sup>r</sup>	76,700 <sup>r</sup>	753	86,400
Crude and dried		11,800 <sup>r</sup>	305,000 <sup>r</sup>	11,600	332,000
1 1	etric tons	14,800	7,620	25,500	12,700
Beryllium, ore, concentrates, oxide, hydroxide, unwrought including powders,					
waste and scrap, other, beryllium-copper master alloys, beryllium-copper plates,					
	ilograms	1,040,000	16,300	1,380,000	19,000
Bismuth, metallic	do.	2,530,000	20,500	2,300,000	21,900
Cadmium:		04.200	1.040	4.220	4.440
Metal	do.	81,300	1,040	1,220	1,110
Sulfide, gross weight	do.	8,760	75	115,000	350
Chromium:					
	etric tons	165,000	23,100	150,000	23,500
Metals and alloys:					
Ferroalloys, high-carbon, low-carbon, ferrochromium-silicon	do.	478,000	408,000	459,000	389,000
Metal, unwrought powders, waste and scrap, other	do.	11,000	87,700	10,900	89,000
Chemicals:		44.600	22 (00	11 100	24.000
Oxides, hydroxides, trioxides and other	do.	14,600	32,600	11,400	26,000
Sulfates	do.	288	438	422	823
Salts of oxometallic or peroxometallic acids, zinc and lead chromate, sodium					
dichromate, potassium dichromate, other	do.	9,890	7,460	16,800	12,700
Carbide	do.	131	2,150	126	2,010
Pigments and preparations based on chromium	do.	7,510	22,100	6,550	21,700
Cobalt:					
Metal:					
Alloys, unwrought, waste and scrap, wrought, cobalt articles	do.	1,170	28,200 <sup>r</sup>	997	29,400
Unwrought, excluding alloys and waste and scrap, includes cathode and metal					
powder, may include intermediate products of cobalt metallurgy	do.	9,350	312,000	9,950	302,000
Oxide and hydroxides	do.	1,310	35,100	1,180	29,400
Other forms, includes acetates, carbonates, chlorides, sulfates	do.	2,200	24,800	2,330	24,200
Copper:					
Unmanufactured, does not include unalloyed scrap, copper content	do.	1,140,000	3,970,000	1,250,000	7,610,000
Semimanufactures	do.	524,000	1,940,000	512,000	3,240,000
Scrap, alloyed and unalloyed	do.	114,000	276,000	118,000	481,000
Ferroalloys not listed elsewhere:					
	etric tons	12,100	3,940	11,400	6,060
Other	do.	7,500	15,000	7,310	13,700
Gallium:					
	ilograms	15,800	4,900	26,900	8,210
Gallium arsenide wafers, doped and undoped	do.	204,000	163,000	189,000	202,000
Germanium, wrought, unwrought, waste and scrap, gross weight	do.	16,700	11,200	24,100	17,900

See footnotes at end of table.

### $TABLE \ 8--Continued \\ U.S. \ IMPORTS \ FOR \ CONSUMPTION \ OF \ PRINCIPAL \ MINERALS \ AND \ PRODUCTS, EXCLUDING \ MINERAL \ FUELS^1$

(Thousand metric tons and thousand dollars unless otherwise specified)

3.41 1 1		2005		200	
Mineral or product		Quantity	Value	Quantity	Value
Metals—Continued:					
Gold:	1.1	1.620	10.000	1 000	12 (00
Ores and concentrates	kilograms	1,630	18,900	1,090	12,600
Dore and precipitates	do.	234,000	2,060,000	125,000	1,990,000
Bullion, refined	do.	105,000	1,520,000	136,000	2,550,000
Waste and scrap	do.	27,300	209,000	43,000	448,000
Metal powder	do.	1,990	6,730	1,460	13,600
Compounds	do.	29,500	935	122,000	2,450
Indium, unwrought and waste and scrap	do.	142,000	94,300	100,000	71,400
Iron and steel:					
Steel mill products		29,200	NA	41,100	NA
Fabricated steel products		5,120	NA	5,930	NA
Cast iron and steel products		747 <sup>r</sup>	NA	751	NA
Stainless steel	metric tons	585,000	NA	641,000	NA
Iron and steel scrap:					
Ferrous, includes tinplate and template, excludes used rails for rerolling and ot	her uses				
and ships, boats, and other vessels for scrapping		3,840	909,000	4,820	1,250,000
Pig iron, all grades		6,030	1,580,000	6,730	1,760,000
Direct-reduced iron, steelmaking grade		2,170	361,000	2,610	417,000
Ships, boats, and other vessels for scrapping		(2)	208	(2)	49
Used rails for rerolling and other uses, includes mixed (used plus new) rails		164	62,800	185	65,600
Iron ore		13,000	532,000	11,500	611,000
Lead:					
Pigs and bars, Pb content	metric tons	298,000	303,000	331,000	413,000
Pigments and compounds, Pb content	do.	32,500	55,500	27,900	55,400
Scrap, reclaimed, includes ash and residues, Pb content	do.	3,340	2,880	1,560	1,650
Wrought, all forms, including wire and powders, gross weight	do.	11,900	28,900	12,100	35,500
Magnesium:					
Waste and scrap, gross weight	do.	14,700	22,700	17,200	23,700
Metal, gross weight	do.	28,700	80,700	31,900	74,900
Alloys, Mg content	do.	40,300	139,000	25,200	88,200
Powder, sheets, tubing, ribbons, wire, other forms, Mg content	do.	1,040	10,100	927	10,100
Manganese:					
Ores and concentrates with 20% or manganese, all grades, Mn content	do.	334,000	58,200	270,000	53,900
Ferromanganese, all grades, Mn content	do.	201,000 <sup>r</sup>	200,000	282,000	275,000
Silicomanganese, Mn content	do.	218,000	231,000	264,000	288,000
Metal, unwrought, other wrought, waste and scrap, gross weight	do.	32,300 <sup>r</sup>	55,900 <sup>r</sup>	32,900	46,700
Chemicals, manganese dioxide and potassium permanganate, gross weight	do.	32,600	41,600	37,700	49,600
Mercury:					
Metal	do.	212	2,530	94	2,320
Amalgams of precious metals whether or not chemically defined	do.	51	89,100	27	115,000
Molybdenum:					
Ores and concentrates, including roasted and other, Mo content	do.	11,900	746,000	10,900	395,000
Chemicals, gross weight:					
Oxides and hydroxides	do.	1,240	42,500	629	24,300
Molybdates, all	do.	2,750 <sup>r</sup>	54,800	915	36,900
Orange	do.	983	4,780	824	5,110
Ferromolybdenum, Mo content	do.	4,050	278,000	3,060	165,000
Other, includes powders, unwrought, bars and rods, waste and scrap, wire, other	_	.,000	,000	2,000	-00,000
gross weight	do.	879	72,900	1,160	75,700
Nickel, Ni content:	<u> </u>	017	, 2, , , 00	1,100	75,700
Primary, chemicals and unwrought	metric tons	143,000	2,060,000	153,000	3,190,000
Secondary, stainless steel scrap and waste and scrap		15,500	223,000	20,300	307,000
Wrought, not alloyed, bars, rods, profiles, wire, sheets, strip, foil, tubes, pipes	do.	1,060	26,000	1,110	29,900
	do.	1,000	20,000	1,110	29,900
Alloyed, unwrought ingot, bars, rods, profiles, wire, sheets, strip, foil, tubes, pi		22 200	401 000	27 200	640.00
other alloyed articles	do.	23,300	481,000	27,200	640,000

# $TABLE \ 8--Continued \\ U.S. \ IMPORTS FOR CONSUMPTION OF PRINCIPAL MINERALS AND PRODUCTS, EXCLUDING MINERAL FUELS^I$

(Thousand metric tons and thousand dollars unless otherwise specified)

	200	5	2006		
Mineral or product	Quantity	Value	Quantity	Value	
Metals—Continued:	•				
Niobium (columbium) and tantalum:					
Niobium:					
Ores and concentrates metric tons	10	118 <sup>r</sup>	5	98	
Oxide do.	946	13,400	1,090	15,300	
Ferroniobium do.	8,360	71,700	12,500	114,000	
Unwrought, alloys, metal, powder do.	1,380	26,700	1,450	30,900	
Tantalum:					
Ores and concentrates, includes synthetic concentrates do.	1,250	43,700	1,060	42,300	
Unwrought, waste and scrap, powders, alloys, metal do.	1,170 <sup>r</sup>	105,000	798	120,000	
Wrought do.	78	17,100	38	11,200	
Platinum-group metals, metal content:					
Platinum, grains and nuggets, sponge, other unwrought, other, waste and					
scrap, coins kilograms	106,000	2,280,000	114,000	2,820,000	
Palladium, unwrought and other do.	139,000	855,000	119,000	1,110,000	
Iridium, unwrought and other forms do.	3,010	16,700	2,800	30,100	
Osmium, unwrought do.	39	362	56	487	
Ruthenium, unwrought do.	23,200	49,800	36,000	187,000	
Rhodium, unwrought and other forms do.	13,600	821,000	15,900	1,920,000	
Rare earths, estimated equivalent rare-earth oxide (REO) content:					
Cerium compounds, including oxides, hydroxides, nitrates, sulfate chlorides, oxalates do.	2,170,000	10,600	2,590,000	10,800	
Yttrium compounds content by weight greater than 19% but less than 85%					
oxide equivalent do.	223,000	3,480	168,000	2,320	
Compounds, including oxides, hydroxides, nitrates, other compounds except chlorides do.	8,550,000	59,600	10,600,000	66,300	
Mixtures of REO's except cerium oxide do.	640,000	6,320	1,570,000	8,740	
Metals, whether intermixed or alloyed do.	880,000	4,900	867,000	5,980	
Mixtures of rare-earth chlorides, except cerium chloride do.	2,670,000	6,330	2,750,000	7,670	
Ferrocerium and other pyrophoric alloys do.	130,000	2,050	127,000	2,110	
Rhenium:					
Metal do.	21,800	23,300	22,000	27,800	
Ammonium perrhenate do.	10,300	7,040	24,200	20,500	
Selenium and tellurium:					
Selenium, Se content:					
Selenium do.	575,000	33,900	398,000	18,000	
Dioxide do.	14,100	1,190	15,000	805	
Tellurium, Te content do.	42,200	4,650	31,100	3,630	
Silicon, gross weight:					
Ferrosilicon metric tons	290,000	215,000	327,000	244,000	
Metal do.	157,000	366,000	149,000	394,000	
Silver:					
Ash and residues, Ag content kilograms	2,630	769	4,800	1,110	
Bullion, Ag content do.	3,880,000	902,000	4,280,000	1,520,000	
Dore, Ag content do.	300,000	89,500	286,000	134,000	
Metal powder, gross weight do.	28,400	6,840	30,700	5,690	
Nitrate, gross weight do.	201	30	1,260	255	
Ores and concentrates, Ag content do.	433	318			
Semimanufactured forms containing 99.5% or more by weight of silver, gross weight do.	181,000	39,800	194,000	71,500	
Waste and scrap, gross weight do.	3,640,000	126,000	2,510,000	275,000	
Unwrought, other, gross weight do.	357,000	80,400	259,000	91,300	
Thallium, unwrought powders, waste and scrap, other do.	235	33	530	67	
Thorium and thorium-bearing materials, compounds do.	4,930	145	48,600	1,560	
Tin, gross weight:					
Compounds metric tons	564	5,720	440	4,320	
Dross, skimmings, scrap, residues, alloys, n.s.p.f. do.	9,930	28,500	7,750	34,300	
Metal, unwrought do.	37,500	285,000	43,300	365,000	
Miscellaneous, includes tinfoil, tin powder, flitters, metallics, manufactures, n.s.p.f. do.	NA	8,010	NA	23,000	
Tinplate and terneplate do.	391,000	300,000	495,000	371,000	
1 1	16,800	3,160	10,300	2,530	

See footnotes at end of table.

### $TABLE \ 8--Continued \\ U.S. \ IMPORTS \ FOR \ CONSUMPTION \ OF \ PRINCIPAL \ MINERALS \ AND \ PRODUCTS, EXCLUDING \ MINERAL \ FUELS^1$

(Thousand metric tons and thousand dollars unless otherwise specified)

		200		200	
Mineral or product		Quantity	Value	Quantity	Value
Metals—Continued:					
Titanium:					
Concentrate:					
	metric tons	154,000	20,400	187,000	20,10
Rutile, natural and synthetic	do.	366,000	158,000	355,000	162,00
Metal:		12 100	4.62.000	12 000	200.00
Waste and scrap	do.	12,400	162,000	12,800	200,00
Unwrought	do.	15,800	120,000	24,400	252,00
Ingots	do.	2,450	38,700	3,140	58,80
Billets, bloom, sheet, bar, slab	<u>do.</u>	XX	XX	XX	X.
Powder	do.	126 1,330	4,060 22,900	152 1,520	5,17
Other  We want made use and sections includes her ceetings fail nine plate modile	do.	1,330	22,900	1,520	35,60
Wrought products and castings, includes bar, castings, foil, pipe, plate, profile rod, sheet, strip, tube, wire, other		2 660	111 000	5 260	181,00
Ferrotitanium and ferrosilicon titanium	do.	3,660 16,900	111,000 76,200 <sup>r</sup>	5,360 7,080	63,40
Pigment, dioxide and oxide	do.	341,000	578,000	288,000	526,00
Titaniferous iron ore	do.	61,100		49,800	
Titaniferous slag	do.		3,560	693,000	3,24 276,00
Tungsten, W content:	do.	667,000	254,000	093,000	270,00
Ammonium paratungstate	do.	1,920	29,900	2,900	78,20
Ferrotungsten and ferrosilicon tungsten	do.	385	5,390	2,900	7,99
Miscellaneous tungsten-bearing materials, metal powders, carbide powder,	<u> </u>	363	3,390	203	1,99
unwrought, waste and scrap, wrought, oxides, calcium tungstate, other tungsta	ntas				
other compounds	do.	6,760	164,000	6,540	232,00
Ores and concentrates	do.	2,080	31,400	2,290	49,50
Vanadium:	uo.	2,000	31,400	2,290	49,50
Aluminum-vanadium master alloy, gross weight	kilograms	1,010	15	102,000	31
Ferrovanadium, V content	do.	11,900,000	131,000	2,140,000	90,50
Metal, including waste and scrap, gross weight	do.	54,800	3,800	121,000	5,27
Miscellaneous chemicals, sulfates and vanadates, V content	do.	85,100	2,800	115,000	3,33
Pentoxide, anhydride, V content	do.	1,370,000	52,900	1,920,000	45,20
Vanadium-bearing ash, residues, slag from the manufacture of iron and steel,	<u>uo.</u>	1,570,000	32,700	1,520,000	73,20
$V_2O_5$ content	do.	3,020,000	12,400	1,780,000	8,45
Other oxides and hydroxides, V content			6,540		
•	do.	186,000	0,340	129,000	3,37
Zinc:  Compounds, chloride, chromates of zinc or of lead, compounds n.s.p.f., lithopor	no.				
	metric tons	151,000 <sup>r</sup>	156,000 <sup>r</sup>	179,000	289,00
Ores and concentrates, Zn content	do.	156,000	117,000	383,000	183,00
Rolled	do.	3,630	11,900	2,050	8,25
Slab, refined	do.	668,000	875,000	851,000	2,050,00
Zirconium and hafnium:	<u>uo.</u>	000,000	873,000	031,000	2,030,000
Hafnium, unwrought, including powders	do.	4	931	4	70
Zirconium:	<u>uo.</u>	7	751	-	70
Ferrozirconium	do.	306	675	197	50
Ores and concentrates	do.	38,200	25,700	36,200	28,60
Oxide, includes germanium oxides and zirconium oxides	do.	3,160	33,300	2,820	39,10
Unwrought powder	do.	269	6,000	213	4,99
Waste and scrap	do.	755	64,900	535	45,70
Total		XX	43,800,000 r	XX	63,400,00
Industrial minerals:		7171	.2,000,000	2121	55,100,00
Abrasives, manufactured:					
Aluminum oxide, crude, ground and refined	do.	244,000	109,000	209,000	99,80
Metallic abrasives	do.	16,500	12,500	19,600	14,40
Silicon carbide, crude, ground and refined	do.	201,000	128,000	185,000	121,00
Asbestos:		201,000	123,000	100,000	121,00
Chrysotile and other unspecified type	do.	2,530	1,420	2,230	1,00
Products with basis of asbestos, cellulose, or other minerals	40.	2,530 NA	580,000	2,230 NA	599,00
1 10 add to write out to the country, continuous, or other initiality		11/1	200,000	11/1	577,00

### TABLE 8—Continued U.S. IMPORTS FOR CONSUMPTION OF PRINCIPAL MINERALS AND PRODUCTS, EXCLUDING MINERAL FUELS $^{\rm l}$

(Thousand metric tons and thousand dollars unless otherwise specified)

	200	)5	20	06
Mineral or product	Quantity	Value	Quantity	Value
Industrial minerals—Continued:				
Barite:				
Chemicals; chloride, oxide, hydroxide, peroxide, nitrate,				
precipitated carbonate metric tons	14,100	16,600	12,500	16,300
Crude do.	2,570,000	137,000	2,530,000	145,000
Ground do.	84,000	8,250	815	137
Other sulfates do.	28,600	16,000	22,400	15,300
Boron minerals and compounds:				
Borax	1	319	2	701
Boric acid	52	22,500	85	34,900
Colemanite	31	8,900	25	7,260
Ulexite	103	31,000	131	39,200
Bromine:				
Compounds, contained bromine metric tons	57,400 °	53,400 <sup>r</sup>	43,400	79,800
Elemental do.	2,710	2,300 °	807	1,340
Cement, hydraulic and clinker	33,700	1,560,000	35,900	2,550,000
Clays:				
China clay or kaolin	262	40,200	303	55,600
Fire clay	(2)	156	(2)	168
Decolorizing earths and fuller's earth	2	286	3	223
Bentonite	10	3,550	13	3,100
Common blue clay and other ball clay	1	261	1	233
Other clay	8	4,660	5	3,650
Chamotte or dina's earth	(2)	9	(2)	18
Artifically activated clay and activated earth	17 <sup>r</sup>	10,300	21	16,200
Diamond, industrial:				
Diamond stones, natural and miners' thousand carats	2,120	29,500	2,140	27,400
Powder, dust and grit, natural and synthetic do.	284,000	77,300	371,000	80,500
Diatomite metric tons	4,480	1,280	4,480	1,300
Feldspar and nepheline syenite:				
Feldspar do.	26,200	1,700	5,180	549
Nepheline syenite do.	340,000	33,800	426,000	36,000
Fluorspar:				
Aluminum fluoride do.	4,250	4,170	7,950	8,090
Cryolite do.	3,110	3,260	3,960	3,870
Fluorspar do.	629,000	122,000	553,000	112,000
Hydrofluoric acid, HF do.	137,000	138,000	156,000	168,000
Garnet, industrial <sup>e</sup>	42	5,910	51	8,340
Gemstones	XX	17,200,000	XX	18,300,000
Graphite:				
Natural metric tons	64,500	34,700	52,600	29,100
Electric furnace electrodes do.	81,200	157,000	98,200	208,000
Gypsum:				
Crude	11,200	114,000 <sup>r</sup>	11,400	130,000
Plasters	7 <sup>r</sup>	4,350	12	5,010
Boards	739	129,000	994	206,000
Other	XX	41,100	XX	60,400
Iodine:				
Crude metric tons	6,250	104,000 <sup>r</sup>	5,640	109,000
Potassium iodide do.	458	8,980 <sup>r</sup>	471	12,000
Iron oxide pigments:	_		_	
Natural do.	5,240 <sup>r</sup>	2,610 <sup>r</sup>	6,270	2,890
Synthetic do.	188,000	138,000	193,000	156,000
Kyanite, andalusite, sillimanite do.	6,300	2,410	4,350	1,580
Lime	310	33,100 °	298	36,300
Lithium chemicals:				
Carbonate metric tons	18,900	27,500	16,500	38,200
Hydroxide do.	124	452 <sup>r</sup>	997	6,040

#### TABLE 8—Continued $U.S.\ IMPORTS\ FOR\ CONSUMPTION\ OF\ PRINCIPAL\ MINERALS\ AND\ PRODUCTS, EXCLUDING\ MINERAL\ FUELS^{l}$

(Thousand metric tons and thousand dollars unless otherwise specified)

	200	)5	2006		
Mineral or product	Quantity	Value	Quantity	Value	
Industrial minerals—Continued:					
Magnesium compounds:					
Compounds, chlorides, hydroxide, peroxide, sulfates metric ton	s 119,000	34,800	107,000	35,900	
Magnesite, crude and processed:					
Caustic-calcined magnesia do	152,000	23,900	163,000	23,900	
Dead-burned and fused magnesia do	478,000	124,000	433,000	108,000	
Other magnesia do	18,300	11,300	19,000	11,100	
Crude	o. 15,000	2,260	15,200	2,550	
Mica:					
Scrap and flake:	_				
Powder	21,400	10,100	27,400	11,000	
Waste	900	365	918	434	
Sheet:	_				
Unworked, excludes unworked sheet mica valued at less than \$1 per kilogram do	o. 44 <sup>r</sup>	81 <sup>r</sup>	355	256	
Worked	1,340	12,900	1,420	18,500	
Nitrogen, major compounds, gross weight	18,000	4,670,000	16,200	4,550,000	
Peat moss metric ton	_ ′	195,000	924,000	223,000	
Perlite, processed crude do	_ ′	7,970	245,000	10,500	
Phosphate rock and phosphatic materials	2,730	203,000	2,620	229,000	
Potash, chloride, sulfate, nitrate, sodium nitrate mixtures metric ton	_	1,170,000	7,380,000	1,150,000	
Pumice:		-,,	,,,,,,,,,,	-,,	
Crude or unmanufactured	239	31,800	364	11,500	
Wholly or partially manufactured	- 1	5,750	1	3,380	
Salt	12,100	180,000	9,490	163,000	
Sand and gravel:	_ 12,100	100,000	,,.,,	100,000	
Construction	7,160	86,800	4,960	94,100	
Industrial	_	18,200	855	21,000	
Silica, special stone products	– NA	7,700	NA	8,100	
Soda ash	_ 8	2,460	7	2,290	
Stone:	_	2,.00	,	2,2>0	
Crushed, chips, calcium carbonate fines, excludes precipitated carbonates	21,000	194,000	19,800	206,000	
Dimension	NA	2,180,000	NA	2,500,000	
Strontium:	_	2,100,000	1111	2,200,000	
Carbonate metric ton	s 17,900	6,930	13,200	6,440	
Celestite	_ ′	98	1,530	98	
Metal do	_ ′	2,210	617	1,820	
Nitrate do	_	637	1,020	883	
Oxide, hydroxide, peroxide dd	<del>_</del>	38	16	52	
Sulfur:	<u> </u>	30	10	32	
Elemental	– 2,820 <sup>e</sup>	70,500	2,950 e	70,400	
	_ ′	*		90,100	
		122,000	2,430,000	,	
Talc	_ 237	55,600	314	66,700	
Vermiculite <sup>e</sup>	_ 91	17,000	65	10,600	
Wollastonite <sup>e</sup> metric ton	_	750	2,500	313	
Zeolites <sup>e</sup> do	<del>_</del>		250	50	
Total	XX	30,600,000	XX	33,200,000	
Grand total	XX	74,400,000 <sup>r</sup>	XX	96,600,000	

<sup>&</sup>lt;sup>e</sup>Estimated. <sup>r</sup>Revised. NA Not available. XX Not applicable. -- Zero.

 $<sup>^1</sup>Data$  are rounded to no more than three significant digits; may not add to totals shown.  $^2Less\ than\ ^1\!\!/2\ unit.$ 

# ${\bf TABLE~9}$ WORLD AND U.S. PRODUCTION OF SELECTED NONFUEL MINERAL COMMODITIES $^{\rm I}$

(Thousand metric tons unless otherwise specified)

							United	l States
				W 111				Percentage
M:1	4	2002		World total	2005	2006	2006	of
Mineral or produ	ict	2002	2003	2004	2005	2006	2006	world total
Alumina		55,000	57,900	60,700	63,500	69,200	4,700	6.8
Aluminum <sup>2</sup>		26,100	28,000	29,900	31,900	33,700	2,280	6.8
Antimony	metric tons	20,100 118 <sup>r</sup>	28,000 116 <sup>r</sup>	29,900 144 <sup>r</sup>	142 <sup>r</sup>	134	2,200	
Arsenic trioxide <sup>3</sup>	do.	62,400 r	62,200 r	52,400 r	52,500	52,700		
Bauxite <sup>3, 4, 5</sup>	uo.	144,000	153,000	161,000 r	172,000 <sup>r</sup>	178,000	NA	NA
Beryl <sup>3</sup>	metric tons	2,530 <sup>r</sup>	2,680 <sup>r</sup>	2,760 <sup>r</sup>	3,440	4,480	3,830	85.4
Bismuth, refinery	do.	6,730	8,700 <sup>r</sup>	15,200 <sup>r</sup>		12,000	3,030	
Cadmium, refinery	do.	17,800 <sup>r</sup>	18,700 <sup>r</sup>	19,400 <sup>r</sup>			700	3.6
Chromite <sup>3</sup>	uo.	14,600	15,500 r	17,600 r	19,700 r	19,700		3.0
Cobalt, Co content:		14,000	13,300	17,000	19,000	19,700		
Mine	metric tons	52,200 r	52,700 <sup>r</sup>	58,400 r	63,500 r	67,500		
	do.	40,800	43,800	49,100	54,900	55,000		
Refinery	do.	40,800	43,800	49,100	34,900	33,000		
Copper: Mine		12 600 [	12 000 F	14.700	15 000 F	15 100	1 200	7.0
		13,600 <sup>r</sup>	13,800 <sup>r</sup>	14,700	15,000 r	15,100	1,200	7.9
Smelter		12,600 15,600 <sup>r</sup>	12,700 <sup>r</sup>	12,900 16,000 <sup>r</sup>	13,600	14,100	501	3.6
Refinery	1.11		15,300		16,600	17,400	1,250	7.2
Gold	kilograms	2,530 r	2,560	2,440	2,470	2,460	252	10.2
Indium, refinery	metric tons	406	376	396	496	531		
Iron ore <sup>3</sup>		1,100,000	1,210,000 r	1,360,000	1,540,000 r	1,800,000	52,700	2.9
Iron and steel:		11 600 5	4 <b>5.0</b> 00 f	72 (00 F	# 6 # 0 0 F	<b>70.100</b>	240	0.4
Direct-reduced iron <sup>2</sup>		44,600 r	47,200 °		/	59,100	240	0.4
Pig iron <sup>2</sup>		608,000 r	667,000 r	711,000 r	794,000 <sup>r</sup>	866,000	37,900	4.4
Raw steel		907,000 <sup>r</sup>	974,000	1,060,000	1,140,000 r	1,230,000	98,200	8.0
Lead:		2.050 5	2.460.5	2 450 5	2 470 5	2 450	120	10.1
Mine, Pb content	metric tons	2,870 r	3,160 r	3,170 <sup>r</sup>	3,450 r	3,470	429	12.4
Refinery	do.	6,800 r	6,980 <sup>r</sup>	7,070 <sup>r</sup>			1,310	16.4
Magnesium <sup>5</sup>	do.	432 r	509 r	595	622 r		W	NA
Manganese ore <sup>3</sup>		22,100 r	24,200 r	27,900 r	31,100 r			
Mercury <sup>5</sup>	metric tons	1,980 r	2,120 r	1,640 r	1,430 r	1,480	NA <sup>6</sup>	NA
Molybdenum, Mo content	do.	122,000	131,000	159,000	186,000 r	185,000	59,800 7	32.3
Nickel, Ni content:								
Mine	do.	1,350	1,370	1,420 <sup>r</sup>	1,500 r	1,580		
Refinery	do.	1,210 <sup>r</sup>	1,230 <sup>r</sup>	1,280 <sup>r</sup>	1,300	1,350		
Niobium (columbium)-tanta		82,600 r	81,600 r	67,900 r				
Platinum-group metals	kilograms	433,000 r	466,000 r	481,000 r	510,000 r	518,000	18,700	3.6
Rhenium	do.	31,600	36,200	42,300	45,900	47,200	8,100	17.2
Selenium <sup>2, 5</sup>	do.	1,410 <sup>r</sup>	1,470 <sup>r</sup>	1,370 <sup>r</sup>	1,430 r	1,540	W	NA
Silver	metric tons	18,800	18,800	19,900 r			1,140	5.6
Tellurium <sup>2, 5</sup>	kilograms	89	95	124	131 <sup>r</sup>	132	W	NA
Tin:								
Mine	metric tons	235 г	259 <sup>r</sup>	301 <sup>r</sup>	299 г	304		
Smelter <sup>8</sup>	do.	280,000 r	282,000 r	308,000 r	344,000 r	366,000	11,600	3.2
Tungsten, W content	do.	66,200 r	68,300 r	102,000 r	88,200 r	90,800		
Vanadium	do.	51,000	47,900	51,900	56,400	56,300		
Zinc:								
Mine, Zn content of conce	entrate and direc							
shipping ore		8,880 <sup>r</sup>	9,520 <sup>r</sup>	9,590 <sup>r</sup>		10,000	727	7.3
Smelter		9,840 <sup>r</sup>	9,980 <sup>r</sup>	10,500 <sup>r</sup>	10,400 r	10,600	269	2.5
Industrial minerals:								
Asbestos	metric tons	2,320	2,440 <sup>r</sup>	2,310 <sup>r</sup>	2,320 г	2,300		

See footnotes at end of table.

### ${\it TABLE~9--Continued}\\ {\it WORLD~AND~U.S.~PRODUCTION~OF~SELECTED~NONFUEL~MINERAL~COMMODITIES}^{1}$

(Thousand metric tons unless otherwise specified)

						United	States
							Percentage
			World total				of
Mineral or product	2002	2003	2004	2005	2006	2006	world total
Industrial mineralsContinued:			_	_			-
Barite	do. 6,160 r			- , -		589 9	7.4
Boron minerals	do. 4,580 <sup>r</sup>	4,720 <sup>r</sup>	5,070	5,090 °	,	W	NA
	do. 503	488	543 <sup>r</sup>			243 9	44.7
Celesite metric t	ons 444 <sup>r</sup>	492 <sup>r</sup>	521 <sup>r</sup>	570 <sup>r</sup>	585		
Cement, hydraulic	1,850,000 °	2,030,000	2,190,000	2,350,000 r	2,560,000	99,700 10	3.9
Clays:							
Bentonite	10,100 r		11,500	11,600 r		4,940	42.2
Fuller's earth metric t			4,690 <sup>r</sup>	4,160 <sup>r</sup>	3,980	2,540	63.8
Kaolin	35,000 <sup>r</sup>	36,200 <sup>r</sup>	37,600 <sup>r</sup>	38,200 <sup>r</sup>	37,500	7,470	19.9
Diamond:							
Natural thousand car	rats 141,000	158,000	163,000 r	178,000 <sup>r</sup>	171,000		
Synthetic	do. 529,000	543,000	559,000	563,000	566,000	258,000	45.6
Diatomite metric t	ons 1,970 <sup>r</sup>	1,970 <sup>r</sup>	1,940 r	2,010 °	2,160	799 <sup>9</sup>	37.0
Feldspar	14,100 <sup>r</sup>	14,300 <sup>r</sup>	14,800 r	15,100 <sup>r</sup>	15,400	760	5.0
Fluorspar metric t	ons 4,450 <sup>r</sup>	4,850 <sup>r</sup>	5,230 <sup>r</sup>	5,280 <sup>r</sup>	5,330		-
Graphite, natural	do. 932	999	1,018	1,040 <sup>r</sup>	1,029		-
Gypsum	111,000 <sup>r</sup>	114,000 <sup>r</sup>	120,000 r	122,000 r	125,000	21,100	16.8
Iodine, crude metric t	ons 21,000	24,600 r	24,800	26,500 r	26,600	W	NA
Iron oxide pigments	do. 635	646	604	610	610	W	NA
Kyanite and related minerals	do. 391	386	456	450	452	130 11	28.7
Lime	221,000 <sup>r</sup>	236,000 r	249,000 r	259,000 <sup>r</sup>	271,000	21,000 9,1	7.8
Lithium metric t	ons 33,200	12,100	13,700	37,500	30,000	W	N.A
Magnesite, crude <sup>5</sup>	14,100 <sup>r</sup>	14,400 r	15,100 <sup>r</sup>	14,100 r	14,100	W	N.A
Mica, including scrap and flakemetric t	ons 278 <sup>r</sup>	279 r	322 r	288 г	342	110	32.1
	do. 5,440	5,800	7,410	6,120	6,500		-
Nitrogen, N content of ammonia	109,000	110,000	117,000	122,000 r	124,000	8,520 13	6.9
Peat	26,300 <sup>r</sup>	24,000 r	26,100 r	25,700 r	25,800	551 14	2.1
Perlite metric t	ons 1,810	1,810	1,860	1,860 r	1,810	454 <sup>9</sup>	25.1
Phosphate rock <sup>3</sup>	136,000 <sup>r</sup>	139,000 r	143,000 r	151,000 r	142,000	30,100	21.2
Potash, K <sub>2</sub> O equivalent	27,100 °	28,600 r	31,100 r	32,500 r	29,100	1,100	3.8
Pumice	16,300 <sup>r</sup>	16,500 r	18,900 r	18,400 r	18,800	1,540 9	8.2
Rare earths metric t		97,100	102,000	123,000	123,000		_
Salt	214,000 <sup>r</sup>		233,000 r	246,000 r		44,300 10	17.6
Sand and gravel, industrial, silica	113,000	115,000	119,000 <sup>r</sup>			31,700 9	27.2
Soda ash, natural and manufactured	37,200	38,400	40,600 r			11,000 15	25.9
Sulfur, all forms	62,000 r					9,060	13.8
Talc and pyrophyllite 16 metric t			8,760 r			895	10.0
Titanium concentrates: <sup>3</sup>	2,300	-,	-,0	-,0	-,, -0		
	do. 5,410 <sup>r</sup>	5,780 r	5,940 <sup>r</sup>	6,090 r	6,700	500 <sup>17</sup>	7.5
Rutile <sup>5</sup>	do. 446	361	353 <sup>r</sup>			(18)	NA
	do. 497	491	513 <sup>r</sup>			100	19.3
	do. 973	1,030	1,080	1,090	210	100	1)

Revised. NA Not available. W Withheld to avoid disclosing company proprietary data; not included in "World" total. -- Zero.

<sup>&</sup>lt;sup>1</sup>Data are rounded to no more than three significant digits.

<sup>&</sup>lt;sup>2</sup>Primary.

<sup>&</sup>lt;sup>3</sup>Gross weight.

<sup>&</sup>lt;sup>4</sup>Individual country figures that are included in the world total represent dried bauxite equivalent of crude ore, but for some countries available data are insufficient to permit this adjustment.

 $<sup>^5\</sup>mbox{"World total"}$  for years listed does not include U.S. production.

<sup>&</sup>lt;sup>6</sup>U.S. production of mercury is byproduct only.

#### 

<sup>7</sup>Listed in Molybdenum chapter (table 1) as production.

<sup>&</sup>lt;sup>8</sup>Includes tin content of alloys made directly from ore.

<sup>&</sup>lt;sup>9</sup>Quantity sold or used by producers.

<sup>&</sup>lt;sup>10</sup>Includes Puerto Rico. Masonary cement and Portland cement only.

<sup>&</sup>lt;sup>11</sup>Includes synthetic mullite.

 $<sup>^{12}\</sup>mbox{Excludes, if any, U.S.}$  production of low-quality sericite and sheet mica.

<sup>13</sup> Synthetic anhydrous ammonia; excludes coke oven byproduct ammonia.

<sup>14</sup>Horticultural use.

<sup>&</sup>lt;sup>15</sup>U.S. production is natural only.

<sup>&</sup>lt;sup>16</sup>Data for the United States exclude proprietary pyrophyllite production.

<sup>&</sup>lt;sup>17</sup>Includes rutile to avoid disclosing company proprietary data. Rounded to one significant digit.

<sup>&</sup>lt;sup>18</sup>Included with ilmenite to avoid disclosing company proprietary data; not included in "Total."