

**SHALLOW MONITORING WELLS AT THE HALSTEAD RECHARGE SITE,  
SMW-H4 (380051097335601) AND SMW-H14 (380053097335101)**

**STATISTICAL SUMMARY FOR FIELD PARAMETERS, MAJOR AND TRACE ELEMENTS, NUTRIENTS, BACTERIA, SEDIMENT, AND RADIONUCLIDE  
DATA COLLECTED FROM MAY 1997 TO NOV 2007**

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	(MEDIAN)				
					95%	75%	50%	25%	5%
72020 Elevation above NGVD ft	117	1420	1410	1410	1420	1410	1410	1410	1410
72019 WaterLevel, BelowLSD ft	117	20.4	4.21	15.2	19.9	18.1	16	13.8	7.31
00010 Temperature, water deg C	117	19.1	11	15.1	17.7	16.1	15.2	14.5	11.1
00020 Temperature, air deg C	112	35	-2	19	32.5	29	19.8	10.5	1.5
00025 Air pressure mm/Hg	111	740	717	727	737	730	727	723	720
00300 Dissolved oxygen mg/l	116	10.8	0.09	5.36	7.77	6.33	5.54	4.51	2.59
00400 pH std units	117	7.48	5.34	6.74	7.34	6.97	6.76	6.49	6.2
00403 pH, wu,lab std units	114	7.71	6.25	6.92	7.38	7.11	6.91	6.68	6.48
00095 Specific cond at 25C uS/cm @25C	117	2020	473	800	1230	814	765	679	575
90095 SpecCond,wu25degCLab uS/cm @25C	114	1840	485	800	1170	851	764	680	517
63001 Redox potential, raw mV	61	460	-40	277	428	345	280	210	140
63002 Redox potential, SHE mV	63	670	170	480	636	550	480	420	268
63675 Turbidity, Nephelom NTU	111	7.84	0.1	0.709	2.43	0.695	0.524	0.299	0.184
63676 Turbidity, NephRatio NTRU	111	11.7	0.06	0.831	3.27	0.79	0.41	0.24	0.1
00076 Turbidity NTU	4	8	0.21	--	--	--	--	--	--
00901 Carbonate hardness, wu mg/l CaCO3	111	460	149	265	334	290	270	240	203
00900 Hardness, water mg/l CaCO3	115	460	150	266	334	289	269	241	204
00915 Calcium, wf mg/l	115	141	46.9	83.4	105	91.9	85.3	74.2	61.6
00925 Magnesium, wf mg/l	115	26.3	7.79	13.9	17.8	14.7	13.9	12.4	10.2
00935 Potassium, wf mg/l	115	4.88	1.39	2.66	4.19	3	2.42	2.21	1.81
00930 Sodium, wf mg/l	115	247	29.5	71.2	146	71.5	64.1	50.9	39.9
39087 Alkalinity, wf,infect pt,lab mg/l CaCO3	110	298	138	222	268	254	227	195	144
29806 HCO3, wf, inflection pt, lab mg/l	111	357	168	270	327	310	276	238	176
29809 CO3, wf, inflection pt, lab mg/l	111	1	0	0.018	0	0	0	0	0
00940 Chloride, wf mg/l	115	454	19.9	79.1	224	70.4	60	50.1	29.8
00950 Fluoride, wf mg/l	71	0.54	0.02	0.286	0.404	0.34	0.3	0.24	0.132
00955 Silica, wf mg/l	68	30.8	14.8	22.4	29.1	26.5	21.7	19	15.7
00945 Sulfate, wf mg/l	115	91	25.6	57.2	79.2	70	54.7	47	31.6
00500 ROE at 105C, wu mg/l	45	868	278	496	746	528	468	421	364
70300 Residue, ROE@180C,wf mg/l	115	1180	172	475	717	501	450	408	320
70301 Residue, wf, sum mg/l	115	1100	263	471	715	493	450	402	325
00530 Residue,total nonflt mg/l	115	67.7	--	2.671*	*7.750	*2.137	*0.753	*0.266	*0.059
00623 Ammonia + organic-N, wf mg/l as N	7	0.42	--	0.131*	*0.420	*0.143	*0.077	*0.063	*0.055
00625 NH3+orgN, wu mg/l as N	2	--	--	--	--	--	--	--	--
00608 Ammonia, wf mg/l as N	118	0.26	--	0.046*	*0.140	*0.056	*0.036	*0.021	*0.010
00618 Nitrate, wf mg/l as N	68	19.4	0.01	5.93	16.9	11.3	4.27	0.775	0.051

00631	NO3+NO2, wf mg/l as N	118	19.4	0.01	3.76	14.9	5.13	1.23	0.315	0.078
00613	Nitrite, wf mg/l as N	72	0.04	--	0.005*	*0.020	*0.005	*0.002	*0.001	*0.000
00671	Orthophosphate, wf mg/l as P	75	0.252	0.01	0.12	0.194	0.15	0.12	0.09	0.028
00666	Phosphorus, wf mg/l	117	1.62	0.03	0.187	0.25	0.21	0.17	0.15	0.11
00665	Phosphorus, wu mg/l	2	0.425	0.153	--	--	--	--	--	--
00680	Organic carbon, wu mg/l	45	1.73	0.699	1.05	1.53	1.15	0.987	0.898	0.81
90903	Coliphage,E coli,C13 pfu/100ml	6	--	--	--	--	--	--	--	--
90904	Coliphage,E coli,FAM pfu/100ml	6	--	--	--	--	--	--	--	--
31625	Fecal coliform, M-FC MF, 0.7u cfu/100ml	111	--	--	--	--	--	--	--	--
31504	Total coliform, LES Endo,imm cfu/100ml	111	99	--	1.498*	*6.400	*0.240	*0.031	*0.004	*0.000
01106	Aluminum, wf ug/l	45	--	--	--	--	--	--	--	--
01095	Antimony, wf ug/l	45	--	--	--	--	--	--	--	--
01000	Arsenic, wf ug/l	67	4.3	--	1.961*	*3.428	*2.460	*1.850	*1.490	*0.904
01005	Barium, wf ug/l	45	493	161	287	474	310	280	234	197
01010	Beryllium, wf ug/l	45	--	--	--	--	--	--	--	--
01020	Boron, wf ug/l	45	98.4	22	52.8	80.6	56.1	52.6	48.3	31.3
71870	Bromide, wf mg/l	68	0.26	--	0.187*	*0.246	*0.210	*0.190	*0.170	*0.120
01025	Cadmium, wf ug/l	45	0.481	--	0.105*	*0.217	*0.135	*0.086	*0.055	*0.030
01030	Chromium, wf ug/l	45	--	--	--	--	--	--	--	--
01040	Copper, wf ug/l	45	--	--	--	--	--	--	--	--
00723	Cyanide, wf mg/l	45	0.009	--	0.001*	*0.008	*0.001	*0.000	*0.000	*0.000
01046	Iron, wf ug/l	115	45.9	--	1.435*	*6.120	*0.918	*0.243	*0.064	*0.010
01049	Lead, wf ug/l	45	--	--	--	--	--	--	--	--
01056	Manganese, wf ug/l	115	67.6	--	2.463*	*6.400	*2.285	*1.007	*0.417	*0.128
71890	Mercury, wf ug/l	45	0.265	--	0.042*	*0.117	*0.050	*0.029	*0.016	*0.007
01065	Nickel, wf ug/l	45	12	--	3.566*	*8.026	*4.745	*2.870	*2.060	*0.967
01145	Selenium, wf ug/l	45	3.73	--	1.733*	*3.557	*2.150	*1.569	*1.153	*0.737
01075	Silver, wf ug/l	45	--	--	--	--	--	--	--	--
01080	Strontium, wf ug/l	45	905	279	526	730	619	501	421	364
01057	Thallium, wf ug/l	45	--	--	--	--	--	--	--	--
01085	Vanadium, wf ug/l	45	37.5	--	5.516*	*18.902	*6.186	*3.843	*2.298	*1.103
01090	Zinc, wf ug/l	45	13	--	4.176*	*11.400	*5.550	*3.321	*2.156	*1.100
75987	Alpha 2scu, wf,Th230 pCi/L	9	4.41	1.04	2.96	4.41	3.68	3.24	2.11	1.04
04126	Alpha activity, wf, Th-230 pCi/L	9	10	--	4.738*	*10.020	*5.990	*4.880	*2.583	*1.836
75989	Beta 2scu, wf,Cs137 pCi/L	9	4.89	1.92	4.08	4.89	4.57	4.28	4	1.92
03515	Gross beta, wf,Cs-137 pCi/L	9	9.63	--	6.793*	*9.630	*8.420	*6.940	*5.108	*4.282

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF ARSENIC SPECIATION DATA COLLECTED FROM MAY 1997 TO NOV 2007

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
62453 Arsenate, wf ug/L as As	10	2.16	1.29	1.76	2.16	1.98	1.75	1.59	1.29
62452 Arsenite, wf ug/L as As	10	--	--	--	--	--	--	--	--
62455 Dimethylarsinate, wf ug/L as As	10	--	--	--	--	--	--	--	--
62454 Monomethylarsonate, wf ug/L as As	10	--	--	--	--	--	--	--	--

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF TRIAZINE HERBICIDE SCREEN DATA COLLECTED FROM MAY 1997 TO NOV 2007

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
00095 Specific cond at 25C uS/cm @25C	102	2020	473	807	1260	825	762	674	578
34756 Triazines, ELISA, wf ugAtrazn/L	99	0.53	--	0.074*	*0.230	*0.092	*0.048	*0.025	*0.010

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT







49236	Propham, w,gf<.7u ug/l	11	--	--	--	--	--	--	--	--
38538	Propoxur, w,gf<.7u ug/l	11	--	--	--	--	--	--	--	--
39762	Silvex, wf ug/l	11	--	--	--	--	--	--	--	--
04035	Simazine, wf ug/l	37	--	--	--	--	--	--	--	--
82670	Tebuthiuron,w,gf<.7u ug/l	37	0.005	--	0.003*	*0.004	*0.004	*0.003	*0.003	*0.002
82665	Terbacil, w,gf<.7u ug/l	35	--	--	--	--	--	--	--	--
61674	Terbufos oxon sulfone, wf ug/l	2	--	--	--	--	--	--	--	--
82675	Terbufos, w,gf<.7u ug/l	37	--	--	--	--	--	--	--	--
04022	Terbuthylazine, wf ug/l	2	--	--	--	--	--	--	--	--
82681	Thiobencarb,w,gf<.7u ug/l	35	--	--	--	--	--	--	--	--
82678	Triallate, w,gf<.7u ug/l	35	--	--	--	--	--	--	--	--
61610	Tribuphos, wf ug/l	2	--	--	--	--	--	--	--	--
49235	Triclopyr, w,gf<.7u ug/l	11	--	--	--	--	--	--	--	--
82661	Trifluralin,w,gf<.7u ug/l	37	--	--	--	--	--	--	--	--
39702	Hexachlorobutadiene, wu ug/l	21	--	--	--	--	--	--	--	--
38775	Dichlorvos, wf ug/l	2	--	--	--	--	--	--	--	--

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT





30217	Dibromomethane, wu ug/l	23	--	--	--	--	--	--	--	--
34668	CFC-12, wu ug/l	23	--	--	--	--	--	--	--	--
34423	Dichloromethane, wu ug/l	23	--	--	--	--	--	--	--	--
34371	Ethylbenzene, wu ug/l	23	--	--	--	--	--	--	--	--
39702	Hexachlorobutadiene, wu ug/l	23	--	--	--	--	--	--	--	--
77223	Isopropylbenzene, wu ug/l	23	--	--	--	--	--	--	--	--
34696	Naphthalene, wu ug/l	23	--	--	--	--	--	--	--	--
77342	n-Butylbenzene, wu ug/l	23	--	--	--	--	--	--	--	--
77224	n-Propylbenzene, wu ug/l	23	--	--	--	--	--	--	--	--
77350	sec-Butylbenzene, wu ug/l	23	--	--	--	--	--	--	--	--
77128	Styrene, wu ug/l	23	--	--	--	--	--	--	--	--
78032	MTBE, wu ug/l	23	--	--	--	--	--	--	--	--
77353	t-Butylbenzene, wu ug/l	23	--	--	--	--	--	--	--	--
34475	Tetrachloroethene, wu ug/l	23	--	--	--	--	--	--	--	--
32102	Tetrachloromethane, wu ug/l	23	--	--	--	--	--	--	--	--
34010	Toluene, wu ug/l	23	--	--	--	--	--	--	--	--
34546	trans-1,2-Dichloroethene, wu ug/l	23	--	--	--	--	--	--	--	--
34699	trans-1,3-Dichloropropene, wu ug/l	23	--	--	--	--	--	--	--	--
32104	Tribromomethane, wu ug/l	23	--	--	--	--	--	--	--	--
39180	Trichloroethene, wu ug/l	23	--	--	--	--	--	--	--	--
34488	CFC-11, wu ug/l	23	--	--	--	--	--	--	--	--
32106	Trichloromethane, wu ug/l	23	--	--	--	--	--	--	--	--
39175	Vinyl chloride, wu ug/l	23	--	--	--	--	--	--	--	--

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

**DEEP MONITORING WELLS AT THE HALSTEAD RECHARGE SITE,  
DMW-H1 (380052097335701) AND DMW-H13 (38005309335102)**

**STATISTICAL SUMMARY FOR FIELD PARAMETERS, MAJOR AND TRACE ELEMENTS, NUTRIENTS, BACTERIA, SEDIMENT, AND RADIONUCLIDE  
DATA COLLECTED FROM MAY 1997 TO NOV 2007**

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
72020 Elevation above NGVD ft	115	1410	1350	1380	1400	1400	1380	1380	1360
72019 WaterLevel, BelowLSD ft	115	73.2	20.9	40	60.3	47.4	40.9	28.1	22.9
00010 Temperature, water deg C	115	16.5	14.9	15.7	16.3	16	15.8	15.5	15.1
00020 Temperature, air deg C	111	38	-1.5	21.3	35.2	29	23	14	4.2
00025 Air pressure mm/Hg	112	740	717	727	737	730	727	723	719
00300 Dissolved oxygen mg/l	113	1.88	0.01	0.216	0.658	0.25	0.14	0.09	0.04
00400 pH std units	115	7.25	5.96	7.01	7.19	7.12	7.05	6.96	6.48
00403 pH, wu,lab std units	112	7.74	6.77	7.17	7.41	7.22	7.15	7.09	7.03
00095 Specific cond at 25C uS/cm @25C	115	843	333	707	834	822	807	686	336
90095 SpecCond,wu25degCLab uS/cm @25C	112	973	335	703	879	829	796	627	341
63001 Redox potential, raw mV	60	70	-190	-47.8	9.65	-30	-50	-75.7	-99.5
63002 Redox potential, SHE mV	62	290	20	162	219	183	160	130	111
63675 Turbidity, Nephelom NTU	108	10.5	0.18	2.28	8.37	3.03	1.48	0.681	0.28
63676 Turbidity, NephRatio NTRU	108	4.91	--	0.593*	*2.887	*0.587	*0.175	*0.055	*0.019
00076 Turbidity NTU	4	11	3.5	--	--	--	--	--	--
00901 Carbonate hardness, wu mg/l CaCO3	108	318	111	250	314	298	284	190	118
00900 Hardness, water mg/l CaCO3	112	319	111	252	315	298	284	224	120
00915 Calcium, wf mg/l	112	105	37.2	81.2	101	95.8	91.1	74.7	39.3
00925 Magnesium, wf mg/l	112	16.8	4.41	11.8	15.2	14.1	13.3	9.98	4.82
00935 Potassium, wf mg/l	112	3.46	1.89	2.62	3.12	2.85	2.68	2.41	2.05
00930 Sodium, wf mg/l	112	74.5	27.3	58.2	72	68.3	65.6	48.6	28.7
39087 Alkalinity, wf,inflect pt,lab mg/l CaCO3	107	278	148	240	274	270	264	200	154
29806 HCO3, wf, inflection pt, lab mg/l	108	339	180	293	334	329	322	242	188
29809 CO3, wf, inflection pt, lab mg/l	108	1	0	0.019	0	0	0	0	0
00940 Chloride, wf mg/l	112	133	5.75	48.9	66.4	61.2	59	41.4	6.01
00950 Fluoride, wf mg/l	73	0.42	0.02	0.257	0.363	0.305	0.26	0.21	0.157
00955 Silica, wf mg/l	70	25.3	19.9	22.3	23.8	23	22.3	21.4	20.4
00945 Sulfate, wf mg/l	112	110	9.73	59.9	84.1	77	70.5	38.8	10.1
00500 ROE at 105C, wu mg/l	48	606	168	395	559	526	495	223	179
70300 Residue, ROE@180C,wf mg/l	112	528	178	427	515	499	488	371	194
70301 Residue, wf, sum mg/l	111	524	182	422	513	495	477	339	213
00530 Residue,total nonflt mg/l	112	45.6	--	2.901*	*5.950	*3.028	*1.516	*0.782	*0.277
00623 Ammonia + organic-N, wf mg/l as N	7	0.402	--	0.330*	*0.402	*0.361	*0.328	*0.294	*0.258
00625 NH3+orgN, wu mg/l as N	2	--	--	--	--	--	--	--	--
00608 Ammonia, wf mg/l as N	115	1.64	0.02	0.211	0.271	0.24	0.22	0.16	0.096

00618	Nitrate, wf mg/l as N	67	--	--	--	--	--	--	--	--
00631	NO3+NO2, wf mg/l as N	115	3.89	--	0.097*	*0.506	*0.023	*0.008	*0.002	*0.000
00613	Nitrite, wf mg/l as N	74	--	--	--	--	--	--	--	--
00671	Orthophosphate, wf mg/l as P	77	0.223	0.01	0.106	0.191	0.15	0.11	0.06	0.02
00666	Phosphorus, wf mg/l	113	0.309	0.03	0.219	0.27	0.241	0.222	0.206	0.157
00665	Phosphorus, wu mg/l	2	0.231	0.224	--	--	--	--	--	--
00680	Organic carbon, wu mg/l	48	1.57	0.42	0.996	1.46	1.31	1.24	0.553	0.43
90903	Coliphage,E coli,C13 pfu/100ml	7	--	--	--	--	--	--	--	--
90904	Coliphage,E coli,FAM pfu/100ml	7	--	--	--	--	--	--	--	--
31625	Fecal coliform, M-FC MF, 0.7u cfu/100ml	108	--	--	--	--	--	--	--	--
31504	Total coliform, LES Endo,imm cfu/100ml	108	--	--	--	--	--	--	--	--
01106	Aluminum, wf ug/l	48	--	--	--	--	--	--	--	--
01095	Antimony, wf ug/l	48	--	--	--	--	--	--	--	--
01000	Arsenic, wf ug/l	70	23.4	1.7	13.5	21.8	19	12	9.12	5.06
01005	Barium, wf ug/l	48	388	75.7	191	378	216	153	140	77.6
01010	Beryllium, wf ug/l	48	--	--	--	--	--	--	--	--
01020	Boron, wf ug/l	48	68.8	20	45.9	60	52.4	49.6	39	21.8
71870	Bromide, wf mg/l	70	0.24	--	0.145*	*0.230	*0.210	*0.190	*0.047	*0.029
01025	Cadmium, wf ug/l	48	0.25	--	0.053*	*0.197	*0.068	*0.035	*0.018	*0.007
01030	Chromium, wf ug/l	48	--	--	--	--	--	--	--	--
01040	Copper, wf ug/l	48	--	--	--	--	--	--	--	--
00723	Cyanide, wf mg/l	48	0.009	--	0.002*	*0.008	*0.002	*0.001	*0.001	*0.000
01046	Iron, wf ug/l	112	1260	7.9	493	1050	821	347	212	23.7
01049	Lead, wf ug/l	48	--	--	--	--	--	--	--	--
01056	Manganese, wf ug/l	112	794	207	565	771	713	588	501	238
71890	Mercury, wf ug/l	48	0.25	--	0.055*	*0.125	*0.073	*0.043	*0.028	*0.015
01065	Nickel, wf ug/l	48	3.1	--	1.206*	*2.736	*1.567	*1.024	*0.689	*0.387
01145	Selenium, wf ug/l	48	--	--	--	--	--	--	--	--
01075	Silver, wf ug/l	48	23.2	--	8.884*	*21.265	*11.171	*7.750	*5.373	*3.161
01080	Strontium, wf ug/l	48	840	211	483	746	648	553	297	213
01057	Thallium, wf ug/l	48	--	--	--	--	--	--	--	--
01085	Vanadium, wf ug/l	48	--	--	--	--	--	--	--	--
01090	Zinc, wf ug/l	48	11	--	3.342*	*6.865	*4.208	*2.871	*1.956	*1.122
75987	Alpha 2scu, wf,Th230 pCi/L	10	3.18	1.09	2.09	3.18	2.82	2.11	1.32	1.09
04126	Alpha activity, wf, Th-230 pCi/L	10	--	--	--	--	--	--	--	--
75989	Beta 2scu, wf,Cs137 pCi/L	10	4.89	2.21	3.89	4.89	4.29	3.87	3.75	2.21
03515	Gross beta, wf,Cs-137 pCi/L	10	6.63	--	4.244*	*6.630	*5.117	*4.127	*3.077	*2.435

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF ARSENIC SPECIATION DATA COLLECTED FROM MAY 1997 TO NOV 2007

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
62453 Arsenate, wf ug/L as As	11	2.33	0.401	0.773	2.33	0.649	0.534	0.462	0.401
62452 Arsenite, wf ug/L as As	11	17.3	8.89	13.2	17.3	16.6	11.1	10.3	8.89
62455 Dimethylarsinate, wf ug/L as As	11	--	--	--	--	--	--	--	--
62454 Monomethylarsonate, wf ug/L as As	11	--	--	--	--	--	--	--	--

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF TRIAZINE HERBICIDE SCREEN DATA COLLECTED FROM MAY 1997 TO NOV 2007

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95%	75%	(MEDIAN) 50%	25%	5%
00095 Specific cond at 25C uS/cm @25C	103	843	333	708	834	822	806	686	336
34756 Triazines, ELISA, wf ugAtrazn/L	103	0.21	--	0.072*	*0.168	*0.090	*0.062	*0.043	*0.026

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT









49236	Propham, w,gf<.7u ug/l	11	--	--	--	--	--	--	--	--
38538	Propoxur, w,gf<.7u ug/l	11	--	--	--	--	--	--	--	--
39762	Silvex, wf ug/l	11	--	--	--	--	--	--	--	--
04035	Simazine, wf ug/l	38	--	--	--	--	--	--	--	--
82670	Tebuthiuron,w,gf<.7u ug/l	38	0.007	--	0.004*	*0.007	*0.005	*0.004	*0.003	*0.003
82665	Terbacil, w,gf<.7u ug/l	35	--	--	--	--	--	--	--	--
61674	Terbufos oxon sulfone, wf ug/l	3	--	--	--	--	--	--	--	--
82675	Terbufos, w,gf<.7u ug/l	38	--	--	--	--	--	--	--	--
04022	Terbuthylazine, wf ug/l	3	--	--	--	--	--	--	--	--
82681	Thiobencarb,w,gf<.7u ug/l	35	--	--	--	--	--	--	--	--
82678	Triallate, w,gf<.7u ug/l	35	--	--	--	--	--	--	--	--
61610	Tribuphos, wf ug/l	3	--	--	--	--	--	--	--	--
49235	Triclopyr, w,gf<.7u ug/l	11	--	--	--	--	--	--	--	--
82661	Trifluralin,w,gf<.7u ug/l	38	--	--	--	--	--	--	--	--
39702	Hexachlorobutadiene, wu ug/l	20	--	--	--	--	--	--	--	--
38775	Dichlorvos, wf ug/l	3	--	--	--	--	--	--	--	--

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT



30217	Dibromomethane, wu ug/l	22	--	--	--	--	--	--	--	--
34668	CFC-12, wu ug/l	22	--	--	--	--	--	--	--	--
34423	Dichloromethane, wu ug/l	22	--	--	--	--	--	--	--	--
34371	Ethylbenzene, wu ug/l	22	--	--	--	--	--	--	--	--
39702	Hexachlorobutadiene, wu ug/l	22	--	--	--	--	--	--	--	--
77223	Isopropylbenzene, wu ug/l	22	--	--	--	--	--	--	--	--
34696	Naphthalene, wu ug/l	22	--	--	--	--	--	--	--	--
77342	n-Butylbenzene, wu ug/l	22	--	--	--	--	--	--	--	--
77224	n-Propylbenzene, wu ug/l	22	--	--	--	--	--	--	--	--
77350	sec-Butylbenzene, wu ug/l	22	--	--	--	--	--	--	--	--
77128	Styrene, wu ug/l	22	--	--	--	--	--	--	--	--
78032	MTBE, wu ug/l	22	--	--	--	--	--	--	--	--
77353	t-Butylbenzene, wu ug/l	22	--	--	--	--	--	--	--	--
34475	Tetrachloroethene, wu ug/l	22	--	--	--	--	--	--	--	--
32102	Tetrachloromethane, wu ug/l	22	--	--	--	--	--	--	--	--
34010	Toluene, wu ug/l	22	--	--	--	--	--	--	--	--
34546	trans-1,2-Dichloroethene, wu ug/l	22	--	--	--	--	--	--	--	--
34699	trans-1,3-Dichloropropene, wu ug/l	22	--	--	--	--	--	--	--	--
32104	Tribromomethane, wu ug/l	22	--	--	--	--	--	--	--	--
39180	Trichloroethene, wu ug/l	22	--	--	--	--	--	--	--	--
34488	CFC-11, wu ug/l	22	--	--	--	--	--	--	--	--
32106	Trichloromethane, wu ug/l	22	--	--	--	--	--	--	--	--
39175	Vinyl chloride, wu ug/l	22	--	--	--	--	--	--	--	--

\* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT