

MONITORING WELLS NEAR THE SEDGWICK RECHARGE SITE

STATISTICAL SUMMARY FOR FIELD PARAMETERS, MAJOR AND MINOR ELEMENTS, NUTRIENTS, BACTERIA, SEDIMENT, AND RADIONUCLIDE DATA COLLECTED FROM AUGUST 1998 TO FEBRUARY 1999

WATER-QUALITY CONSTITUENT	SAMPLE SIZE	DESCRIPTIVE STATISTICS			PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
		MAXIMUM	MINIMUM	MEAN	95 %	75 %	(MEDIAN) 50 %	25 %	5 %
00010 Temperature, wat degrees C	9	21.500	12.500	15.656	21.500	16.450	15.000	14.200	12.500
00020 Temperature, air degrees C	6	24.000	3.500	16.667	24.000	24.000	22.250	3.875	3.500
00025 Air pressure mm of Hg	7	732.000	727.000	728.286	732.000	729.000	728.000	727.000	727.000
00300 Dissolved oxygen mg/L	9	7.440	0.310	3.214	7.440	6.080	2.870	0.490	0.310
00400 pH standard units	9	7.470	4.350	6.471	7.470	6.965	6.580	6.330	4.350
00095 Specific cond at uS/cm @ 25C	9	1650.000	641.000	877.556	1650.000	993.500	706.000	652.000	641.000
61028 Turbidity, wu,fl NTU	8	24.700	0.170	4.224	24.700	3.920	0.980	0.220	0.170
90095 SpecCond,wu25deg uS/cm @ 25C	9	1587.000	484.000	800.111	1587.000	927.500	730.000	527.500	484.000
00403 pH, wu,lab standard units	9	7.430	4.650	6.687	7.430	7.160	6.870	6.590	4.650
82079 Turbidity, wu,la NTU	9	20.400	0.100	3.061	20.400	2.812	0.360	0.171	0.100
00900 Hardness, wu mg/L as CaCO3	9	574.000	217.000	339.556	574.000	380.000	342.000	263.500	217.000
00901 CarbonateHardnes mg/L as CaCO3	9	573.000	217.000	339.333	573.000	380.000	342.000	263.000	217.000
39087 Alkalinity, wf,i mg/L as CaCO3	9	330.000	10.000	193.333	330.000	288.000	218.000	113.000	10.000
00530 Residue, total mg/L	9	--	--	--	--	--	--	--	--
70300 Residue, ROE@180 mg/L	9	1020.000	375.000	586.778	1020.000	749.500	521.000	407.500	375.000
00915 Calcium, wf mg/L	9	179.000	69.900	108.289	179.000	122.500	106.000	86.050	69.900
00925 Magnesium, wf mg/L	9	30.800	10.300	16.789	30.800	19.850	16.300	11.750	10.300
00930 Sodium, wf mg/L	9	130.000	19.000	57.267	130.000	77.000	46.900	35.350	19.000
00935 Potassium, wf mg/L	9	5.430	2.290	3.589	5.430	4.490	3.310	2.855	2.290
29806 HCO3, wf,icr,lab mg/L	9	402.000	12.000	235.667	402.000	351.000	266.000	138.000	12.000
29809 CO3, wf,icr,lab mg/L	9	0.000	--	--	--	--	--	--	--
00945 Sulfate, wf mg/L	9	353.000	40.000	173.333	353.000	300.500	140.000	81.000	40.000
00940 Chloride, wf mg/L	9	65.000	5.000	32.889	65.000	46.000	31.000	21.500	5.000
00631 NO2+NO3, wf mg/L as N	9	19.630	0.710	8.032	19.630	15.050	7.830	1.135	0.710
00608 Ammonia, wf mg/L as N	9	0.110	--	0.049*	*0.110	*0.070	*0.040	*0.025	*0.015
01046 Iron, wf ug/L	9	--	--	--	--	--	--	--	--
01056 Manganese, wf ug/L	9	184.000	--	43.075*	*184.000	*75.050	*10.800	*2.678	*0.759
31504 TColiform,LesEnd colonies/100mL	9	--	--	--	--	--	--	--	--
31625 Fecal coliforms, colonies/100mL	9	--	--	--	--	--	--	--	--

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF TRIAZINE HERBICIDE SCREEN DATA

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95 %	75 %	(MEDIAN) 50 %	25 %	5 %
34756 Triazines, ELISA ug/L	9	1.060	--	0.276*	*1.060	*0.430	*0.160	*0.042	*0.018

* - VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT

STATISTICAL SUMMARY OF COMMONLY USED PESTICIDES AND THEIR DEGRADATES

WATER-QUALITY CONSTITUENT	DESCRIPTIVE STATISTICS				PERCENT OF SAMPLES IN WHICH VALUES WERE LESS THAN OR EQUAL TO THOSE SHOWN				
	SAMPLE SIZE	MAXIMUM	MINIMUM	MEAN	95 %	75 %	(MEDIAN) 50 %	25 %	5 %
SAMPLES ANALYZED BY THE ORGANIC RESEARCH LABORATORY									
TRIAZINE HERBICIDES ANALYZED BY GC/MS									
49260 Acetochlor, wf ug/L	9	--	--	--	--	--	--	--	--
46342 Alachlor, wf ug/L	9	--	--	--	--	--	--	--	--
38401 Ametryn, wf ug/L	9	--	--	--	--	--	--	--	--
39632 Atrazine, wf ug/L	9	--	--	--	--	--	--	--	--
04041 Cyanazine, wf ug/L	9	--	--	--	--	--	--	--	--
61709 Cyanazine amide, ug/L	2	--	--	--	--	--	--	--	--
04040 CIAT, wf ug/L	9	0.720	--	0.223*	*0.720	*0.415	*0.140	*0.042	*0.013
04038 CEAT, wf ug/L	9	--	--	--	--	--	--	--	--
39415 Metolachlor, wf ug/L	9	--	--	--	--	--	--	--	--
82630 Metribuzin, wf ug/L	9	--	--	--	--	--	--	--	--
04037 Prometon, wf ug/L	9	--	--	--	--	--	--	--	--
04036 Prometryn, wf ug/L	9	--	--	--	--	--	--	--	--
04024 Propachlor, wf ug/L	9	--	--	--	--	--	--	--	--
38535 Propazine, wf ug/L	9	--	--	--	--	--	--	--	--
04035 Simazine, wf ug/L	9	--	--	--	--	--	--	--	--
38888 Terbutryn, wf ug/L	9	--	--	--	--	--	--	--	--

- VALUE IS ESTIMATED BY USING A LOG-PROBABILITY REGRESSION TO PREDICT THE VALUES OF DATA BELOW THE DETECTION LIMIT